

[Report 1917] / School Medical Officer of Health, Carlisle City.

Contributors

Carlisle (England). City Council.

Publication/Creation

1917

Persistent URL

<https://wellcomecollection.org/works/shx2acqv>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

ACU 822
CITY OF



CARLISLE.

EDUCATION COMMITTEE.

ANNUAL REPORT

UPON THE

Work of Medical Inspection for the Year 1917

BY

JOSEPH BEARD,

D.P.H. (Cantab). F.R.S. (Edin.).


Fellow of the Royal College of Surgeons, Edinburgh ;

Member of the Royal College of Surgeons, England ;


Licentiate of the Royal College of Physicians, London ;

(Of Gray's Inn, Barrister-at-Law).

MEDICAL OFFICER OF HEALTH,
CHIEF TUBERCULOSIS OFFICER,
and SCHOOL MEDICAL OFFICER.



CITY OF



CARLISLE.

EDUCATION COMMITTEE.

ANNUAL REPORT

UPON THE

Work of Medical Inspection for the Year 1917

BY

JOSEPH BEARD,

D.P.H. (Cantab). F.R.S. (Edin.).

Fellow of the Royal College of Surgeons, Edinburgh ;

Member of the Royal College of Surgeons, England ;

Licentiate of the Royal College of Physicians, London ;

(Of Gray's Inn, Barrister-at-Law).

MEDICAL OFFICER OF HEALTH,
CHIEF TUBERCULOSIS OFFICER,
and SCHOOL MEDICAL OFFICER.

STATISTICAL SUMMARY.

| | | | | |
|--|---|---|---|------|
| No. of "Routine" cases examined | - | - | - | 3071 |
| No. of "Special" cases examined | - | - | - | 633 |
| No. of "Routine" cases re-examined | - | - | | 646 |
| No. of "Special" cases re-examined | - | - | | 452 |
| Total No. of Children examined | - | - | - | 4802 |
| No. of "Children" examined and re-examined at Delicate Class | - | - | - | 28 |
| No. of Parents interviewed at Medical Inspection, Routine and Special | - | - | - | 1355 |
| No. of Visits to Schools by the School Medical Officers | - | - | - | 152 |
| No. of Visits to Schools by Nurses | - | - | - | 358 |
| No. of Visits to Homes by Nurses | - | - | - | 2238 |
| No. of Defects treated | - | - | - | 1274 |
| No. of Teachers examined at the request of the Education Committee | - | - | - | 35 |
| No. of cases treated at the Clinic | - | - | - | 613 |
| No. of attendances at Clinic for treatment | - | | | 8686 |
| No. of Children examined by School Dentist | - | | | 1526 |
| No. of Children treated by School Dentist | - | | | 512 |

THE SCHOOL MEDICAL SERVICE.

At the commencement of the year under review the staff consisted of the School Medical Officer and two Nurses, all of whom, however, were devoting a considerable amount of their time to other work connected with Tuberculosis and Public Health.

At the beginning of February Dr. Allan Semple commenced duty as Assistant School Medical Officer, devoting all his time to the work, and Miss Curwen was appointed School and Tuberculosis Nurse, and it was found possible to re-open that part of the work which had been closed down in the autumn of the previous year and resume the normal requirements of the Board.

MEDICAL INSPECTION.

The work of medical inspection during January and February was confined to the examination of ailing children selected by Nurses, Teachers, and Attendance Officers, and inspected at the School Clinic by the School Medical Officer.

Routine inspection was commenced in March, and the three code groups were completed, the Entrants including about one-third of the previous year's group which had not been completed, owing to the departure of Dr. J. E. Spence on military service; the Intermediates, being those children born in the year 1908, together with any born in the year 1907 who had been missed when the group was inspected in 1915; and the Leavers' group, being the normal one. The reasons for selecting the 1908 group of Intermediates were partly in order to have continuity of records, because it represented the midway point between the Leaver 1904 and Entrant 1912, and partly because past experience had suggested that for several reasons the 8-9 year old group was preferable to the 7-8 year group. The total number of routine inspections, viz., 3,071, was therefore the highest recorded in any year, and the number of children re-examined has also been large, owing to the curtailment of the work of re-examination in 1916. The total number of children inspected during the year is 4,802, this total including 967 Entrants, 1,131 Intermediates, and 973 Leavers, 633 Specials, and 1,098 re-examinations (*i.e.*, children inspected in previous years and now re-examined).

The invitation to parents to be present at the inspection of their children was given in the usual way in all instances of first examination of cases, and the response to this was 242 (25 per cent.) for Leavers, 447 (40 per cent.) for Intermediates, 457 (47 per cent.) for Entrants, and 209 (33 per cent.) for Specials, making a total of 1,355 parents interviewed, or a total of 37 per cent. in all. This is quite satisfactory in the present circumstances, but a point worth noting is the declining attendance in the later years, which is typical. In a few instances only parents objected to the medical inspection of their children at school, and in several instances parents declined to bring their children to the Inspection Clinic, but conversely it is gratifying to be able to report the increasing number of parents who on their own initiative bring their children to the Clinic for inspection and advice.

Table 1.—Number of Children Inspected 1st January, 1917, to 31st December, 1917.

A. "Code" Groups.

| Age. | Entrants. | | | | | | Inter- mediate Group. | Leavers. | | | | | Grand Total. |
|--------|-----------|-----|-----|-----|----------------|--------|-----------------------------|----------|-----|-----|----------------|--------|-----------------|
| | 3. | 4. | 5. | 6. | Other Ages. | Total. | 8. | 12. | 13. | 14. | Other Ages. | Total. | |
| Boys | 26 | 64 | 257 | 85 | 37 | 469 | 55 | 371 | 127 | — | — | 498 | 1022 |
| Girls | 19 | 77 | 262 | 110 | 30 | 498 | 72 | 359 | 116 | — | — | 475 | 1045 |
| TOTALS | 45 | 141 | 519 | 195 | 67 | 967 | 127 | 730 | 243 | — | — | 973 | 2067 |

B. Groups other than "Code."

| | Intermediate Group (other than 8 years). | Special Cases. | Re-Examinations (i.e., No. of Children Re-Examined). |
|--------------|--|----------------|--|
| Boys | 486 | 331 | 543 |
| Girls | 518 | 302 | 555 |
| TOTALS .. | 1004 | 633 | 1098 |

Table showing the number of Children examined at the "Routine" Inspections and the number of Parents present.

| School. | Entrants. | | Intermediates. | | Leavers. | |
|-----------------|--------------|------------------------|----------------|------------------------|--------------|------------------------|
| | No. examined | No. of parents present | No. examined | No. of parents present | No. examined | No. of parents present |
| Ashley Street | 74 | 38 | 163 | 46 | 115 | 30 |
| Bishop Goodwin | 65 | 46 | 122 | 83 | 82 | 34 |
| Botcherby ... | 18 | 6 | 15 | 1 | 26 | ... |
| Brook Street | 88 | 53 | 147 | 70 | 100 | 33 |
| Caldewgate | 95 | 40 | 96 | 36 | 93 | 35 |
| Christ Church | 95 | 26 | 34 | 12 | 28 | 6 |
| Denton Holme | ... | ... | 121 | 51 | ... | ... |
| Fawcett ... | ... | ... | 33 | 4 | 40 | 2 |
| Higher Grade | ... | ... | ... | ... | 65 | 22 |
| Lowther Street | 107 | 40 | 56 | 16 | 34 | 6 |
| Newtown ... | 59 | 34 | ... | ... | ... | ... |
| Norman Street | 68 | 49 | 5 | 4 | ... | ... |
| Robert Ferguson | 83 | 45 | 15 | 8 | 120 | 34 |
| St. Bede's ... | 36 | 15 | 64 | 13 | 29 | 4 |
| St. Cuthbert's | 41 | 16 | 44 | 15 | 31 | 7 |
| St. John's ... | ... | ... | 97 | 35 | 77 | 7 |
| St. Patrick's | ... | ... | 34 | 16 | 29 | 3 |
| St. Stephen's | 46 | 12 | 33 | 15 | 36 | 1 |
| Stanwix ... | 75 | 30 | 52 | 22 | 49 | 18 |
| Upperby ... | 17 | 7 | ... | ... | 19 | ... |
| Totals ... | 967 | 457 | 1131 | 447 | 973 | 242 |

RETURN OF DEFECTS.

In dealing with the figures in Table II it may be explained that under Malnutrition, columns 2 and 4, cases are included such as have no obvious exciting cause of the nature of disease. Uncleanliness is dealt with elsewhere. Clothing and footgear is generally satisfactory, a large proportion of the children, especially in the poorer districts, wearing clogs. Dental disease is dealt with elsewhere, and the cases shown in the following table are such only as required immediate treatment and following up. Under the heading Suspected Tuberculosis are included all children classified as Pre-Tubercular with no active lesions.

Table II.—Return of Defects found in the course of Medical Inspection in 1917.

| Defect or Disease. | | | | Code Groups. | | Specials. | |
|-----------------------|------------------------------|-----|-----|--------------------------------|--|--------------------------------|--|
| | | | | Number referred for Treatment. | Number re-quiring to be kept under observation, but not re-ferred for Treatment. | Number referred for Treatment. | Number re-quiring to be kept under observation, but not re-ferred for Treatment. |
| (1) | | | | (2) | (3) | (4) | (5) |
| | Malnutrition | ... | ... | 9 | 482 | 1 | 70 |
| | Uncleanliness | ... | ... | | | | |
| | Head | ... | ... | 304 | 57 | 36 | 13 |
| | Body | ... | .. | 24 | 182 | 5 | 34 |
| Skin | Ringworm : | | | | | | |
| | Head | ... | ... | 7 | ... | 60 | 3 |
| | Body | ... | ... | 1 | 1 | 21 | 3 |
| | Scabies | ... | ... | 29 | 5 | 122 | 5 |
| | Impetigo | ... | ... | 24 | 16 | 108 | 3 |
| | Other Disease | ... | ... | 22 | 15 | 63 | 10 |
| Eye | Defective Vision and Squint | | | 224 | 298 | 33 | 48 |
| | External Eye Disease | | | 29 | 45 | 67 | 10 |
| Ear | Defective Hearing | | | 3 | 11 | 1 | 2 |
| | Ear Disease | | | 9 | 8 | 24 | 2 |
| Teeth | Dental Disease | ... | ... | 307 | Oral Sepsis | 44 | Oral Sepsis |
| Nose and Throat | Enlarged Tonsils | | | 491 | 379 | 64 | 57 |
| | Adenoids | | | 69 | 22 | 11 | 7 |
| | Enlarged Tonsils & Adenoids | | | 81 | 4 | 17 | .. |
| | Defective Speech | | | ... | 11 | .. | 3 |
| Heart and Circulation | Heart Disease : | | | | | | |
| | Organic | | | 3 | 23 | ... | 1 |
| | Functional | | | 3 | 18 | 1 | ... |
| | Anæmia | | | 161 | 77 | 36 | 20 |
| Lungs | Pulmonary Tuberculosis : | | | | | | |
| | Definite | | | 7 | 13 | 1 | 1 |
| | Suspected | | | 92 | 52 | 18 | 19 |
| | Chronic Bronchitis | | | 6 | 1 | 9 | ... |
| | Other Disease | | | 23 | 7 | 7 | 1 |
| Nervous System | Epilepsy | | | ... | 1 | ... | ... |
| | Chorea | | | 1 | ... | 4 | ... |
| | Other Disease | | | ... | | | |
| | Non-pulmonary Tuberculosis : | | | | | | |
| | Glands | | | 4 | 1 | ... | ... |
| | Bones and Joints | | | .. | 5 | ... | 2 |
| | Other Forms | | | 2 | 2 | .. | ... |
| | Rickets | | | 1 | 145 | .. | 9 |
| | Deformities | | | ... | 10 | ... | .. |
| | Other Defects or Diseases | | | 314 | 25 | 78 | 22 |

MEDICAL TREATMENT.

The number of defects for which treatment was considered necessary is larger than usual, principally on account of the greater number of children examined, but there is a decided increase apart from this under Nose and Throat, Squint and Vision, Teeth, Heart and Circulation, Skin, and Miscellaneous. Some portion of this increase may be due to the view of the examining officer, but this does not apply to Defective Vision and Squint or Diseases of the Skin, and only to a limited extent in other cases.

The following up of children with defects requiring treatment has been very completely carried out during the past year, as will be seen from the number of visits made by the School Nurses to the homes of defective children, viz., 2,238, while the School Medical Officers have visited the schools on 152 occasions for the purpose of inspection and re-examination. The Leaver and Entrant groups have been re-examined on two occasions, and the Intermediate group once, with the result that printed instructions have been sent two and three times pointing out the importance of having the defects remedied in cases where this had not been done.

Two lines of procedure were adopted in following up, but in all cases printed instructions were sent, except when the parent was present, in which event only special notices laying down a definite line of treatment were sent (*e.g.*, Pre-Tub. Tonsils, Impetigo, &c.), and after a suitable interval the defective children were re-examined. In the majority of cases the School Nurses visited the homes in the interval between the Group Inspection and re-examination, but in one group the homes were not visited until after the re-examination, when it was found that a smaller percentage of the defects had been treated. This goes to show that the work of the School Nurse is of considerable value to the School Medical Service, by getting a careless or ignorant parent to take action.

The percentage of cases in which treatment of some kind was obtained for one or more defects was 69, and this must be considered fairly satisfactory in the present circumstances.

Just under one-half of all the defects for which treatment was considered necessary have been treated, and while at first sight this may not seem very good, it is to be noted that Vision and Squint are largely responsible for the low percentage, a factor which will no doubt be removed when facilities for skilled treatment of these defects are again available in the district. The treatment of Nose and Throat defects has always been a difficulty, and the other low percentage factor, Miscellaneous, is a variable one. Under the heading Nutrition are included the Pre-Tubercular conditions, which in Table II are grouped under the heading Suspected Pulmonary Tuberculosis, as Malnutrition is the outstanding symptom.

Throughout the whole of the work of treatment there is an improvement, but there is undoubtedly much of an educative nature to be accomplished before the School Medical Service gets a fair field. Work in connection with Cleanliness and Clothing, and the Care of Teeth, to mention these only, needs to go on continually, as will be seen from the part of the report dealing with Cleanliness, while the ignorance and prejudice which exists regarding the care of the Teeth is still deplorable. With regard to the Throat and Nose defects it is found that in many instances after repeated notices have been sent and the School Nurses have visited and re-visited the homes, and the child has been repeatedly re-examined, the net result is frequently a blank refusal to have anything done, one or more of the following excuses mostly being given—The parent does not believe that any harm will result to the child; the child will grow out of it; the parent objects to the child going to the Infirmary for treatment; the father or mother will not have anything done of an operative nature, or until the father, if at the Front, returns home. Assistance is not always forthcoming from the family doctor, although this is not a frequent occurrence in Carlisle.

Table IV.—Treatment of Defects of Children during 1917.

| Condition. | No. of defects found for which treatment was considered necessary. | | | No. of defects for which no report is available. | No. of defects treated. | Results of Treatment. | | | No. of defects not treated. | Percentage of defects treated. |
|-----------------------------|--|------|--------|--|-------------------------|-----------------------|-----------|------------|-----------------------------|--------------------------------|
| | From previous year. | New. | Total. | | | Remedied. | Improved. | Unchanged. | | |
| Clothing | ... | 1 | 1 | ... | 1 | 1 | ... | ... | ... | 100.0 |
| Footgear | ... | 3 | 3 | ... | 2 | 2 | ... | ... | 1 | 66.7 |
| Nutrition | ... | 111 | 215 | 12 | 182 | 44 | 113 | 25 | 21 | 84.7 |
| Nose and Throat | ... | 735 | 988 | 69 | 378 | 198 | 111 | 69 | 541 | 38.2 |
| External Eye Disease | ... | 32 | 44 | 2 | 39 | 26 | 11 | 2 | 3 | 88.6 |
| Ear Disease | ... | 9 | 28 | ... | 25 | 10 | 12 | 3 | 3 | 89.3 |
| Teeth | ... | 16 | 129 | 15 | 55 | 29 | 25 | 1 | 59 | 42.6 |
| Heart and Circulation | ... | 82 | 292 | 24 | 221 | 44 | 138 | 39 | 47 | 75.7 |
| Lungs | ... | 30 | 80 | 2 | 66 | 31 | 30 | 5 | 12 | 82.5 |
| Nervous System | ... | 1 | 3 | ... | 3 | ... | 1 | 2 | ... | 100.0 |
| Skin | ... | 21 | 142 | 7 | 130 | 100 | 24 | 6 | 5 | 91.9 |
| Deformities | ... | 2 | 2 | ... | 2 | ... | 2 | ... | ... | 100.0 |
| Tuberculosis(Non-pulmonary) | ... | 2 | 9 | ... | 9 | 5 | 3 | 1 | ... | 100.0 |
| Mental Condition | ... | 1 | 1 | ... | ... | ... | ... | ... | 1 | 00.0 |
| Vision and Squint | ... | 102 | 432 | 39 | 46 | 37 | 4 | 5 | 347 | 10.7 |
| Hearing | ... | ... | 3 | ... | 1 | 1 | ... | ... | 2 | 33.3 |
| Miscellaneous | ... | 16 | 252 | 28 | 114 | 29 | 70 | 15 | 110 | 45.2 |
| Total | 651 | 1973 | 2624 | 198 | 1274 | 557 | 544 | 173 | 1152 | 48.5 |

Table V.—Inspection, Treatment, &c., of Children during 1917.

| | | |
|---|--|-------|
| 1 | The total number of children medically inspected (whether Code Group, special, or ailing child) | 4,802 |
| 2 | The number of children in (1) suffering from defects (other than uncleanness or defective clothing or footgear) who require to be kept under observation (but not referred for treatment) | 504 |
| 3 | The number of children in (1) who were referred for treatment (excluding uncleanness, defective clothing, &c.) | 3,071 |
| 4 | The number of children in (3) who received treatment for one or more defects (excluding uncleanness, defective clothing, &c.) | 2,123 |

CLEANLINESS.

The standard of cleanliness at the routine inspections shows some improvement, but a better estimate can be obtained from the statistics relating to the surprise visits, which have been more fully carried out during the past year than previously. Each school department was visited on two occasions, *i.e.*, Spring and Autumn, revisiting being carried out after each surprise visit to ascertain the effect of notices sent. On examining the table it will be seen that 15,267 children were examined at the surprise visits, and that 670 children were excluded on account of verminous conditions. This is a large improvement on last year's figures, but the percentage of girls with nits on the hair, especially in the senior departments, was larger. This work occupies a considerable amount of the time of the School Nurses, and accounts for a large percentage of the 358 visits made to schools. A study of the re-examination table and the vermin summary will show that there are children who are repeatedly found verminous notwithstanding the work of the Teachers, Nurses, and Doctors, and I am of opinion that prosecution under the Attendance Bye-laws should be more frequently taken. The offending children are usually well known to Teachers and Nurses, and it is perhaps advisable in the best interests of all the scholars of a school to have a black list of those excluded on more than two occasions for vermin on head, or more than once for vermin on body or clothing.

Table showing Verminous Conditions of the Head and Body (including Clothing), found at "Routine" Inspections, 1908-1917.

ENTRANTS.

| Year. | No. of Scholars Examined. | No. found with Nits in the Head. | | No. found with Verminous (lice) Heads. | | No. found with Verminous (lice) Bodies, including Clothing. | |
|-------|---------------------------|----------------------------------|-----------|--|-----------|---|-----------|
| | | No. | Per cent. | No. | Per cent. | No. | Per cent. |
| 1908 | 565 | 67 | 11.8 | 36 | 6.3 | 108 | 19.1 |
| 1909 | 872 | 137 | 15.7 | 101 | 11.5 | 43 | 4.9 |
| 1910 | 1525 | 195 | 12.7 | 103 | 6.7 | 77 | 5.0 |
| 1911 | 890 | 63 | 7.0 | 29 | 3.2 | 23 | 2.5 |
| 1912 | 860 | 101 | 11.7 | 29 | 3.3 | 26 | 3.0 |
| 1913 | 1110 | 147 | 13.2 | 30 | 2.7 | 21 | 1.8 |
| 1914 | 1054 | 91 | 8.6 | 30 | 2.8 | 16 | 1.5 |
| 1915 | 986 | 41 | 4.2 | 31 | 3.2 | 13 | 1.3 |
| 1916 | 611 | 35 | 5.7 | 22 | 3.6 | 10 | 1.6 |
| 1917 | 967 | 60 | 6.2 | 17 | 1.8 | 1 | 0.1 |

INTERMEDIATES.

| | | | | | | | |
|------|------|----|------|----|-----|----|-----|
| 1915 | 830 | 83 | 10.0 | 54 | 6.5 | 15 | 1.8 |
| 1917 | 1131 | 94 | 8.3 | 44 | 3.9 | 8 | 0.7 |

LEAVERS.

| | | | | | | | |
|------|------|-----|------|----|------|----|-----|
| 1909 | 248 | 46 | 18.5 | 13 | 5.2 | 6 | 2.4 |
| 1910 | 530 | 99 | 18.6 | 65 | 12.2 | 18 | 3.3 |
| 1911 | 645 | 49 | 7.5 | 42 | 6.5 | 14 | 2.1 |
| 1912 | 630 | 55 | 8.7 | 12 | 1.9 | 26 | 4.1 |
| 1913 | 759 | 104 | 13.7 | 18 | 2.3 | 32 | 4.2 |
| 1914 | 1597 | 157 | 9.8 | 31 | 1.9 | 38 | 2.4 |
| 1915 | 859 | 78 | 9.1 | 22 | 2.6 | 7 | 0.8 |
| 1916 | 933 | 66 | 7.0 | 16 | 1.7 | 8 | 0.8 |
| 1917 | 973 | 66 | 6.8 | 23 | 2.4 | 10 | 1.0 |

Table showing Verminous Conditions of the Head and Body found at the surprise Visits.

Boys.

| First Surprise Visit. | Numbers Examined. | Nits on Hair. | | Vermin on Head. | | Vermin on Body. | |
|------------------------|-------------------|---------------|-----------|-----------------|-----------|-----------------|-----------|
| | | No. | Per cent. | No. | Per cent. | No. | Per cent. |
| Ashley Street ... | 418 | ... | ... | 2 | 0.5 | 9 | 2.2 |
| Bishop Goodwin ... | 376 | ... | ... | ... | ... | 1 | 0.3 |
| Botcherby ... | 67 | ... | ... | ... | ... | ... | ... |
| Brook Street ... | 423 | ... | ... | 1 | 0.2 | 1 | 0.2 |
| Caldewgate ... | 361 | 2 | 0.6 | 6 | 1.7 | 11 | 3.0 |
| Christ Church ... | 106 | 1 | 0.9 | 3 | 2.8 | 2 | 1.9 |
| Denton Holme ... | 127 | 1 | 0.8 | 1 | 0.8 | ... | ... |
| Fawcett ... | 112 | .. | ... | 1 | 0.9 | 5 | 4.5 |
| Higher Grade ... | 61 | ... | ... | ... | ... | ... | ... |
| Lowther Street .. | 213 | 2 | 0.9 | 9 | 4.2 | ... | .. |
| Newtown ... | 103 | ... | ... | ... | ... | ... | ... |
| Norman Street ... | 155 | 2 | 1.3 | 1 | 0.6 | ... | ... |
| Robert Ferguson ... | 320 | .. | ... | 4 | 1.3 | 1 | 0.8 |
| St. Bede's ... | 102 | 1 | 1.0 | 3 | 2.9 | 4 | 3.9 |
| St. Cuthbert's ... | 41 | ... | ... | 1 | 2.4 | ... | ... |
| St. John's ... | 305 | 3 | 1.0 | 6 | 2.0 | 1 | 0.3 |
| St. Patrick's ... | 197 | 6 | 3.0 | 3 | 1.5 | 3 | 1.5 |
| St. Stephen's ... | 144 | .. | ... | ... | ... | 2 | 1.4 |
| Stanwix ... | 183 | ... | ... | ... | ... | ... | ... |
| Upperby ... | 73 | .. | ... | ... | .. | 1 | 1.4 |
| Totals ... | 3887 | 18 | 0.5 | 41 | 1.1 | 41 | 1.1 |
| Second Surprise Visit— | | | | | | | |
| Ashley Street ... | 426 | 3 | 0.7 | 3 | 0.7 | 1 | 0.2 |
| Bishop Goodwin ... | 364 | ... | ... | ... | ... | 1 | 0.3 |
| Botcherby ... | 80 | 1 | 1.3 | 2 | 2.5 | ... | ... |
| Brook Street ... | 419 | 3 | 0.7 | ... | ... | 1 | 0.2 |
| Caldewgate ... | 353 | 3 | 0.8 | 10 | 2.8 | 5 | 1.4 |
| Christ Church ... | 92 | ... | .. | ... | ... | 3 | 3.3 |
| Denton Holme ... | 133 | 3 | 2.3 | ... | .. | ... | ... |
| Fawcett ... | 122 | ... | ... | ... | ... | 3 | 2.5 |
| Higher Grade ... | 95 | ... | ... | ... | ... | ... | ... |
| Lowther Street ... | 224 | 1 | 0.4 | 2 | 0.9 | 1 | 0.4 |
| Newtown ... | 61 | ... | ... | 2 | 3.3 | ... | ... |
| Norman Street .. | 88 | ... | ... | ... | ... | ... | ... |
| Robert Ferguson ... | 308 | ... | ... | 1 | 0.3 | ... | ... |
| St. Bede's ... | 79 | 1 | 1.3 | 5 | 6.3 | 4 | 5.1 |
| St. Cuthbert's ... | 51 | 2 | 3.9 | 1 | 2.0 | ... | ... |
| St. John's ... | 299 | ... | ... | 1 | 0.3 | 2 | 0.7 |
| St. Patrick's ... | 203 | ... | ... | 11 | 5.4 | 5 | 2.5 |
| St. Stephen's ... | 140 | ... | ... | ... | ... | 2 | 1.4 |
| Stanwix ... | 204 | ... | ... | ... | ... | ... | ... |
| Upperby ... | 85 | ... | ... | ... | ... | 1 | 1.2 |
| Totals ... | 3826 | 17 | 0.4 | 38 | 1.0 | 29 | 0.8 |

Table showing Verminous Conditions of the Head and Body found at the surprise Visits.

Girls.

| First Surprise Visit. | Numbers Examined. | Nits on Hair. | | Vermin on Head. | | Vermin on Body. | |
|-------------------------------|-------------------|---------------|-------------|-----------------|------------|-----------------|------------|
| | | No. | Per cent. | No. | Per cent. | No. | Per cent. |
| Ashley Street ... | 434 | 26 | 6.0 | 13 | 3.0 | 3 | 0.7 |
| Bishop Goodwin ... | 367 | 63 | 17.2 | 10 | 2.7 | 1 | 0.3 |
| Botcherby ... | 66 | 11 | 16.7 | 2 | 3.0 | ... | ... |
| Brook Street ... | 513 | 64 | 12.5 | 9 | 1.8 | ... | ... |
| Caldewgate ... | 339 | 24 | 7.1 | 43 | 12.7 | 4 | 1.2 |
| Christ Church ... | 280 | 56 | 20.0 | 12 | 4.3 | 1 | 0.4 |
| Denton Holme ... | 138 | 10 | 7.2 | 15 | 10.9 | 2 | 1.4 |
| Fawcett ... | 59 | 3 | 5.1 | 1 | 1.7 | 1 | 1.7 |
| Higher Grade .. | 69 | 6 | 8.7 | 2 | 2.9 | ... | ... |
| Lowther Street ... | 211 | 29 | 13.7 | 24 | 11.4 | 1 | 0.5 |
| Newtown ... | 70 | 2 | 2.9 | ... | ... | ... | ... |
| Norman Street... | 97 | 9 | 9.3 | 4 | 4.1 | ... | ... |
| Robert Ferguson ... | 264 | 22 | 8.3 | 18 | 6.8 | ... | ... |
| St. Bede's ... | 122 | 14 | 11.5 | 28 | 23.0 | 4 | 3.3 |
| St. Cuthbert's ... | 244 | 29 | 11.9 | 24 | 9.8 | 1 | 0.4 |
| St. John's ... | 118 | 16 | 13.6 | 9 | 7.6 | 2 | 1.7 |
| St. Stephen's ... | 139 | 20 | 14.4 | 5 | 3.6 | ... | ... |
| Stanwix ... | 179 | 17 | 9.5 | 1 | 0.6 | ... | ... |
| Upperby ... | 79 | 10 | 12.7 | 2 | 2.5 | ... | ... |
| Totals ... | 3788 | 431 | 11.4 | 222 | 5.9 | 20 | 0.5 |
| Second Surprise Visit— | | | | | | | |
| Ashley Street ... | 440 | 87 | 19.8 | 42 | 9.5 | 3 | 0.7 |
| Bishop Goodwin ... | 360 | 39 | 10.8 | 11 | 3.1 | ... | ... |
| Botcherby ... | 70 | 13 | 18.6 | 2 | 2.9 | ... | ... |
| Brook Street ... | 471 | 65 | 13.8 | 9 | 1.9 | ... | ... |
| Caldewgate ... | 366 | 98 | 26.8 | 59 | 16.1 | 5 | 1.4 |
| Christ Church ... | 266 | 60 | 22.6 | 24 | 9.0 | 3 | 1.1 |
| Denton Holme .. | 134 | 19 | 14.2 | 9 | 6.7 | ... | ... |
| Fawcett ... | 64 | 9 | 14.1 | 5 | 7.8 | ... | ... |
| Higher Grade ... | 84 | 18 | 21.4 | 6 | 7.1 | ... | ... |
| Lowther Street ... | 197 | 36 | 18.3 | 18 | 9.1 | ... | ... |
| Newtown ... | 58 | 6 | 10.3 | 3 | 5.2 | ... | ... |
| Norman Street ... | 102 | 8 | 7.8 | 9 | 8.8 | 1 | 1.0 |
| Robert Ferguson ... | 268 | 30 | 11.2 | 6 | 2.2 | ... | ... |
| St. Bede's ... | 150 | 19 | 12.7 | 22 | 14.7 | 2 | 1.3 |
| St. Cuthbert's ... | 240 | 55 | 22.9 | 12 | 5.0 | 3 | 1.3 |
| St. John's ... | 104 | 20 | 19.2 | 8 | 7.7 | 2 | 1.9 |
| St. Stephen's ... | 135 | 24 | 17.8 | 9 | 6.7 | ... | ... |
| Stanwix ... | 178 | 25 | 14.0 | ... | ... | ... | ... |
| Upperby ... | 79 | 17 | 21.5 | 4 | 5.1 | 2 | 2.5 |
| Totals ... | 3766 | 648 | 17.2 | 258 | 6.9 | 21 | 0.6 |

Summary of the condition of Children with regard to Verminous Conditions.

| | Department. | No. examined. | Nits on hair. | | Vermin on head. | | Vermin on body. | |
|-----------|-------------|---------------|---------------|-----------|-----------------|-----------|-----------------|-----------|
| | | | No. | Per cent. | No. | Per cent. | No. | Per cent. |
| Boys ... | Infants | 2553 | 11 | 0·4 | 31 | 1·2 | 12 | 0·5 |
| | Senior | 5160 | 24 | 0·5 | 48 | 0·9 | 58 | 1·1 |
| Girls ... | Infants | 2305 | 291 | 12·6 | 134 | 5·8 | 14 | 0·6 |
| | Senior | 5249 | 788 | 15·0 | 346 | 6·6 | 27 | 0·5 |
| Totals | | 15267 | 1114 | 7·3 | 559 | 3·7 | 111 | 0·7 |

Re-examination of Verminous Children.

| | Number examined | Improved | Unchanged | Worse |
|----------------------------|-----------------|----------|-----------|-------|
| Nits on Hair | 967 | 483 | 362 | 122 |
| Vermin on Head | 471 | 314 | 157 | ... |
| Vermin on Body | 83 | 52 | 30 | 1 |
| Dirty Body and Clothing... | 575 | 416 | 151 | 8 |

The following table summarises the various other conditions found and reported by the nurses during the examination of the children:—

| | Boys. | Girls. | Total. |
|---|-------|--------|--------|
| Dirty Body and Clothing | 569 | 302 | 871 |
| Impetigo of Face and Body | 27 | 22 | 49 |
| Impetigo of Scalp | 12 | 40 | 52 |
| Ringworm | 10 | 8 | 18 |
| Blepharitis & other external Eye Diseases | 18 | 10 | 28 |
| Otorrhœa | 7 | 6 | 13 |
| Scabies | 19 | 9 | 28 |
| Eczema | 18 | 4 | 22 |

**Summary of Children excluded for Verminous Conditions
from one to four occasions during 1917.**

| School Department. | Vermin on Head. | | | | Vermin on Body or Clothing. | | | | |
|----------------------------|-----------------|------------|--------------|-------------|-----------------------------|-----------|--------------|-------------|------------|
| | Once. | Twice. | Three Times. | Four Times. | Once. | Twice. | Three Times. | Four Times. | TOTAL |
| Ashley St. Infants ... | 22 | 5 | ... | ... | 4 | ... | ... | 1 | 32 |
| " Boys ... | 5 | ... | ... | ... | 5 | 1 | ... | 1 | 12 |
| " Girls ... | 42 | 9 | 3 | 1 | 2 | 1 | ... | ... | 58 |
| Bishop Goodwin Infants ... | 5 | ... | ... | ... | 2 | ... | ... | ... | 7 |
| " Boys ... | ... | ... | ... | ... | 1 | ... | ... | ... | 1 |
| " Girls ... | 15 | 1 | 1 | ... | ... | ... | ... | ... | 17 |
| Botcherby ... | 7 | ... | ... | ... | ... | ... | ... | ... | 7 |
| Brook St. Infants ... | 7 | ... | 1 | ... | ... | ... | ... | ... | 8 |
| " Boys ... | 2 | ... | ... | ... | 3 | ... | ... | ... | 5 |
| " Girls ... | 15 | ... | 1 | ... | 1 | ... | ... | ... | 17 |
| Caldewgate Infants ... | 18 | 6 | 1 | ... | 3 | 1 | ... | ... | 29 |
| " Boys ... | 12 | ... | 1 | ... | 7 | 5 | 3 | ... | 28 |
| " Girls ... | 54 | 22 | 9 | 8 | 4 | 2 | ... | 1 | 100 |
| Christ Church Infants ... | 18 | 4 | ... | ... | 6 | 2 | ... | 1 | 31 |
| " Girls ... | 27 | 1 | ... | ... | 2 | ... | ... | ... | 30 |
| Denton Holme ... | 16 | 12 | 2 | ... | 2 | ... | ... | ... | 32 |
| Fawcett ... | 10 | 1 | ... | ... | 1 | 2 | ... | ... | 14 |
| Higher Grade ... | 8 | ... | ... | ... | ... | ... | ... | ... | 8 |
| Lowther St. Infants ... | 18 | 5 | 5 | ... | ... | 2 | ... | ... | 30 |
| " Mixed ... | 20 | 5 | 2 | ... | 3 | 1 | ... | ... | 31 |
| Newtown ... | 4 | 1 | ... | ... | ... | ... | ... | ... | 5 |
| Norman St. ... | 12 | 2 | ... | ... | 1 | ... | ... | ... | 15 |
| R. Ferguson Infants ... | 16 | 6 | 1 | ... | 2 | ... | ... | ... | 25 |
| " Mixed ... | 13 | 3 | ... | 1 | 1 | ... | ... | ... | 18 |
| Stanwix Infants ... | 3 | ... | ... | ... | ... | ... | ... | ... | 3 |
| " Girls ... | 2 | ... | ... | ... | ... | ... | ... | ... | 2 |
| St. Bede's Infants ... | 13 | 3 | 3 | ... | 3 | 1 | ... | ... | 23 |
| " Senior ... | 27 | 12 | 5 | 1 | 13 | 2 | ... | ... | 60 |
| St. Cuthbert's Infants ... | 8 | 3 | ... | ... | 2 | 1 | ... | ... | 14 |
| " Girls ... | 16 | 9 | 3 | 2 | 1 | ... | ... | ... | 31 |
| St. John's Boys ... | 6 | ... | ... | ... | 5 | 2 | ... | 1 | 14 |
| " Girls ... | 12 | 6 | ... | ... | ... | 2 | ... | ... | 20 |
| St. Patrick's ... | 12 | 4 | ... | ... | 8 | 1 | ... | ... | 25 |
| St. Stephen's Infants ... | 6 | 1 | 1 | ... | ... | ... | ... | ... | 8 |
| " Mixed ... | 9 | 2 | ... | ... | 3 | 2 | ... | ... | 16 |
| Upperby ... | 4 | 1 | ... | ... | 1 | 2 | ... | ... | 8 |
| Totals ... | 484 | 124 | 39 | 13 | 86 | 30 | 3 | 5 | 784 |

CONTAGIOUS DISEASES.

Skin diseases occupy a considerable part of the time of the Medical Officer at the Inspection Clinic, and a glance at the accompanying table will show that two-thirds of the children excluded were suffering from diseases of the skin, and of this number Scabies was accountable for about 50 per cent.

SCABIES.

That this disease has a serious effect on school attendance is evident when we find that the 216 children excluded were off school for 9,174 days, or an average of 42 days for each child affected. The majority of cases seen during the year were of a milder type, and this may have had some effect in producing the large increase in the total number of cases. Carelessness on the part of the parent, combined with the lack of proper facilities, are the most important factors in the continuance of the disease, and it may be necessary to adopt more drastic measures for its proper control.

RINGWORM.

There is a diminution in the number of cases of this disease which were under observation during the year, 117 children, as compared with 148 cases last year, having been excluded for a total of 16,317 days, or an average of 139 days for each child affected. The average length of time for which each child was excluded is greater than last year, as numerous cases were met with which resisted all forms of treatment both at the Clinic and at the homes of the children; it is therefore unfortunate that the X-ray plant which it was intended to instal has had to be postponed indefinitely.

IMPETIGO.

Contagious eruption of the Skin.

The number of children suffering from this condition is somewhat large, but the treatment in the majority of the cases is carried out at the Clinic, and the 64 cases noted in the table are the worst of the series which require to be excluded; in the majority, where the case is being treated at the Clinic, the child is allowed to attend school at the same time.

EXTERNAL EYE DISEASES.

About half the conditions included under the above heading are definitely contagious, the others being either suspicious cases or excluded in order to avoid eye strain, with a view to the better treatment of the condition. The results obtained were satisfactory, and there were few contagious cases on the list at the end of the year.

Table showing the number of Children excluded by the Medical Officers for various conditions and for varying periods during the year :—

| | | | | | |
|---|-----|-----|-----|-----|-------|
| Scabies | ... | ... | ... | ... | 216 |
| Ringworm | ... | ... | ... | ... | 117 |
| Impetigo | ... | ... | ... | ... | 64 |
| Other Skin Diseases | ... | ... | ... | ... | 26 |
| External Eye Diseases | ... | ... | ... | ... | 60 |
| Pulmonary Tuberculosis | ... | ... | ... | ... | 54 |
| Other Forms of Tuberculosis and Suspected | | | | | |
| Pulmonary Tuberculosis | ... | ... | ... | ... | 28 |
| Other Respiratory Diseases | ... | ... | ... | ... | 29 |
| Heart and Circulation | ... | ... | ... | ... | 25 |
| Miscellaneous | ... | ... | ... | ... | 45 |
| | | | | | <hr/> |
| | | | | | 664 |
| | | | | | <hr/> |

INFECTIOUS DISEASES.

It has not been considered necessary to close any school during the past year in order to check the spread of infectious disease, although the City was visited by a rather sharp outbreak of Measles and Whooping Cough, and there was a slight increase in the notifications of Diphtheria. The following tables show the incidence of the infectious diseases.

Table showing the incidence of notifiable infectious diseases for the year 1917 in Scholars attending the Schools within the City.

| School. | Scarlet Fever. | Diphtheria. | Measles. | German Measles. |
|---------------------|-------------------|-------------|----------|--------------------|
| Ashley Street ... | 1 | 8 | 34 | 10 |
| Bishop Goodwin ... | 2 | 7 | 79 | 22 |
| Botcherby ... | — | — | 11 | 4 |
| Brook Street ... | 2 | 5 | 131 | 27 |
| Caldewgate ... | — | 4 | 67 | 5 |
| Christ Church ... | 2 | 1 | 83 | 2 |
| Denton Holme ... | 1 | 2 | 19 | 9 |
| Fawcett ... | — | — | 8 | 1 |
| Higher Grade ... | 1 | 1 | 5 | 4 |
| Lowther Street ... | — | 1 | 77 | 1 |
| Newtown ... | — | 4 | 52 | 9 |
| Norman Street ... | — | 4 | 122 | 17 |
| Robert Ferguson ... | 2 | 2 | 54 | 21 |
| St. Bede's ... | — | 1 | 27 | 1 |
| St Cuthbert's ... | 1 | — | 34 | 1 |
| St. John's ... | — | — | 37 | 4 |
| St. Patrick's ... | — | — | 4 | 1 |
| St. Stephen's ... | — | 1 | 30 | 4 |
| Stanwix ... | — | 4 | 27 | 7 |
| Upperby ... | — | — | 2 | 1 |
| Private Schools ... | 2 | 2 | 35 | 40 |
| Totals ... | 14 | 47 | 938 | 191 |

NOTIFICATIONS OF CERTAIN INFECTIOUS DISEASES BY
ATTENDANCE OFFICERS AND HEAD TEACHERS.

**Table showing summary of these diseases arranged
for Districts and Schools.**

| | Name of School (All Departments). | Average attendance. | School Accom- modation. | Chicken- pox. | Whoop- ing Cough. | Mumps. | Totals. |
|---------------------------|--------------------------------------|------------------------|-------------------------------|------------------|-------------------------|--------|---------|
| <i>Western District.</i> | Ashley Street ... | 847·8 | 1161 | 12 | 10 | 27 | 49 |
| | St. Bede's ... | 264·9 | 311 | 1 | 5 | 7 | 13 |
| | Caldewgate ... | 713·9 | 887 | 4 | 32 | 5 | 41 |
| | Denton Holme ... | 285·7 | 912 | 5 | 2 | 3 | 10 |
| | Robert Ferguson | 577·0 | 720 | 31 | 3 | 8 | 42 |
| | Newtown ... | 160·0 | 400 | 5 | 29 | 5 | 39 |
| | Totals ... | 2849·3 | 4391 | 58 | 81 | 55 | 194 |
| | | | | | | | |
| <i>Northern District.</i> | Fawcett ... | 182·8 | 474 | — | — | 2 | 2 |
| | St. Stephen's ... | 274·3 | 300 | 3 | 19 | 1 | 23 |
| | Christ Church ... | 355·4 | 381 | 14 | — | 3 | 17 |
| | S. Cuthbert's ... | 277·6 | 372 | 12 | 2 | 5 | 19 |
| | St. Patrick's ... | 185·0 | 272 | 3 | 2 | 2 | 7 |
| | Lowther Street ... | 396·5 | 549 | 6 | 6 | 5 | 17 |
| | Higher Grade ... | 167·9 | 253 | — | 1 | 2 | 3 |
| | Stanwix ... | 349·5 | 517 | 5 | 13 | 47 | 65 |
| | Totals ... | 2189·0 | 3118 | 43 | 43 | 67 | 153 |
| | | | | | | | |
| <i>Southern District.</i> | Botcherby ... | 147·1 | 196 | 2 | — | — | 2 |
| | Norman Street ... | 214·5 | 400 | 16 | 12 | 2 | 30 |
| | Brook Street ... | 885·9 | 1132 | 13 | 5 | 3 | 21 |
| | St. John's ... | 387·0 | 604 | 2 | — | 2 | 4 |
| | Bishop Goodwin... | 700·1 | 955 | 47 | 1 | 4 | 52 |
| | Upperby ... | 142·3 | 300 | — | — | — | — |
| | Totals ... | 2476·9 | 3587 | 80 | 18 | 11 | 109 |
| | | | | | | | |
| | Grand Totals ... | 7515·2 | 11096 | 181 | 142 | 133 | 456 |

TUBERCULOSIS.

During the year a total of 40 notifications of Tuberculosis among school children were received, of which 4 were duplicates, making a net total of 36 cases. Of these, 13 were notified by the School Medical Officers and 23 by other doctors in the City.

The following table shows the localisation of the disease and the distribution between the sexes:—

| Localisation. | | | Male. | Female. | Totals. |
|------------------|-----|-----|-------|---------|---------|
| Lungs | ... | ... | 12 | 13 | 25 |
| Glands | ... | ... | — | 3 | 3 |
| Bones and Joints | ... | ... | 1 | — | 1 |
| Abdomen | ... | ... | 2 | 1 | 3 |
| Meninges | ... | ... | 3 | 1 | 4 |
| Totals | ... | ... | 18 | 18 | 36 |

The age distribution of the cases notified is shown in the accompanying table:—

| Ages | | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | Totals. |
|---------------|----|-----|-----|-----|-----|----|-----|-----|-----|-----|-----|---------|
| Pulmonary | M. | ... | 1 | ... | ... | 2 | 1 | 1 | 3 | 4 | 1 | 13 |
| | F. | ... | ... | 3 | ... | 3 | 2 | ... | 3 | 1 | 1 | 13 |
| Non-pulmonary | M. | 2 | 2 | ... | ... | 1 | ... | ... | ... | ... | ... | 5 |
| | F. | ... | ... | 2 | ... | .. | 2 | ... | 1 | ... | ... | 5 |
| Totals | | 2 | 3 | 5 | ... | 6 | 5 | 1 | 7 | 5 | 2 | 36 |

12 school children were receiving treatment in a sanatorium on January 1st, and 18 children were admitted during the year, making a total of 30 children who received sanatorium treatment. 21 children have been discharged, and 9 were still in the sanatorium at the end of the year. The average duration of treatment was 134.3 days, and the condition on discharge was as follows:—

| | | | | |
|---------------|-----|-----|-----|----|
| Much Improved | ... | ... | ... | 11 |
| Improved | ... | ... | ... | 8 |
| Unchanged | ... | ... | ... | 2 |

107 school children suffering from Tuberculosis have been kept under supervision at the Tuberculosis Dispensary during the year, 54 children suffering from Pulmonary Tuberculosis were excluded from school for varying periods, and 28 children suffering from other forms of Tuberculosis or Suspected Pulmonary Tuberculosis were also excluded when necessary.

During the year 13 children of school age have died of Tuberculosis, 9 of the cases being pulmonary, 3 meningeal, and 1 general.

CLASSES FOR DELICATE CHILDREN.

The Newtown School having been taken over by the Military Authorities at the beginning of April, 1917, it was found necessary to disband the delicate class. Such of the children as were considered fit to return to their ordinary schools were permitted to do so, some also being admitted to the Denton Holme Delicate Class, and those unfit for ordinary schools excluded temporarily.

With regard to the class at Denton Holme School, a table is included in the report which indicates the nature of the class and the results achieved. The number of children on the Register at the beginning of the year was 21. 10 new cases were admitted during the year, while 12 were discharged, leaving 19 on the Register at December 31st. Of those discharged 10 (of whom 2 were discharged on account of unsatisfactory attendance without a reasonable excuse) returned to their ordinary schools, 1 was sent to the Sanatorium and has since returned to the ordinary school, and 1 left on attaining the age of 14. 28 children were examined, a total of 142 inspections were made, and 9 visits paid to the school by Dr. Semple.

Particulars regarding Children attending

| No. | Sex. | Age. | Defects. | Date of Entry or First Examination. | Height. | Weight. |
|-----|------|------|--|---|------------------|------------------|
| 1 | F | 11 | Anæmia, Poor Chest, Malnutrition, Stomach Pains | 4/4/17 | 52 $\frac{7}{8}$ | 62 $\frac{3}{4}$ |
| 2 | F | 12 | Anæmia, Poor Chest, Enlarged Glands | 2/5/17 | 52 | 59 $\frac{1}{2}$ |
| 3 | F | 9 | Malnutrition, Poor Chest, Anæmia, Enlarged Glands | 3/9/17 | 47 $\frac{7}{8}$ | 45 $\frac{1}{4}$ |
| 4 | M | 11 | Abdominal Tuberculosis, Anæmia, Enlarged Glands, Malnutrition | 2/5/17 | 49 $\frac{1}{4}$ | 52 |
| 5 | F | 10 | Pre-Tubercular | 4/4/17 | 50 $\frac{3}{8}$ | 59 $\frac{1}{4}$ |
| 6 | M | 13 | Quiescent Pulmonary Tuberculosis ... | 4/4/17 | 54 $\frac{7}{8}$ | 58 $\frac{1}{4}$ |
| 7 | F | 11 | Enlarged Glands, Pre-Tubercular ... | 2/5/17 | 48 $\frac{3}{4}$ | 56 |
| 8 | F | 9 | Anæmia, Periodical Sickness | 2/5/17 | 46 $\frac{3}{4}$ | 49 $\frac{1}{4}$ |
| 9 | F | 10 | Tonsils and Adenoids, Anæmia | 4/4/17 | 44 $\frac{1}{8}$ | 43 $\frac{1}{4}$ |
| 10 | F | 10 | Quiescent Pulmonary Tuberculosis ... | 4/4/17 | 49 $\frac{1}{4}$ | 53 $\frac{3}{4}$ |
| 11 | F | 9 | Chronic Bronchitis, Enlarged Glands ... | 2/5/17 | 46 | 47 $\frac{1}{4}$ |
| 12 | M | 9 | Malnutrition, Scabies, Poor Chest ... | 4/4/17 | 50 $\frac{5}{8}$ | 63 |
| 13 | F | 10 | Anæmia and Pre-Tubercular | 4/4/17 | 47 $\frac{1}{4}$ | 46 |
| 14 | F | 11 | Eczema, Anæmia, backward mentally ... | 2/5/17 | 52 $\frac{1}{4}$ | 62 $\frac{3}{4}$ |
| 15 | M | 13 | Quiescent Phthisis | 4/4/17 | 51 $\frac{3}{4}$ | 58 $\frac{1}{4}$ |
| 16 | M | 10 | Mitral Disease, Enlarged Glands ... | 2/5/17 | 50 $\frac{3}{4}$ | 53 |
| 17 | F | 13 | Tubercular Glands, Otorrhœa | 4/4/17 | 56 $\frac{1}{4}$ | 73 $\frac{1}{2}$ |
| 18 | F | 9 | Pre-Tubercular | 4/4/17 | 45 $\frac{3}{8}$ | 49 $\frac{1}{2}$ |
| 19 | F | 10 | Anæmia | 2/5/17 | 47 $\frac{1}{4}$ | 49 |
| 20 | F | 11 | Enlarged Glands, Pre-Tubercular ... | 2/5/17 | 52 $\frac{1}{8}$ | 57 $\frac{1}{2}$ |
| 21 | F | 13 | Organic Heart Disease | 6/6/17 | 55 $\frac{5}{8}$ | 65 $\frac{3}{4}$ |
| 22 | F | 10 | Pre-Tubercular | 6/6/17 | 49 $\frac{1}{4}$ | 48 |
| 23 | F | 11 | Poor Chest, Old Tubercular Appendix | 1/8/17 | 53 $\frac{1}{8}$ | 63 $\frac{1}{4}$ |
| 24 | F | 8 | Malnutrition, Enlarged Glands, Old Potts Disease, Anæmia | 5/9/17 | 38 $\frac{1}{8}$ | 34 |
| 25 | F | 11 | Enlarged Tonsils and Adenoids, Organic Heart Disease | 12/6/17 | 52 | 56 |
| 26 | F | 9 | Quiescent Phthisis | 12/11/17 | 46 $\frac{3}{4}$ | 52 $\frac{1}{2}$ |
| 27 | M | 8 | Quiescent Phthisis | 12/11/17 | 44 $\frac{1}{8}$ | 44 |
| 28 | M | 9 | Old Phthisis, Diarrhœa | 19/12/17 | 47 | 48 $\frac{3}{4}$ |

Denton Holme Delicate Class.

| Date of Leaving or last Examination. | Height. | Weight. | No. of Exams | Remarks. | No. |
|--------------------------------------|------------------|------------------|--------------|--|-----|
| 3/10/17 | 54 $\frac{3}{8}$ | 66 | 7 | Returned to Ord. School. General condition much improved | 1 |
| 3/10/17 | 53 | 63 $\frac{1}{2}$ | 5 | Less Anæmic, Chest and Glands, I.S.O. | 2 |
| 19/12/17 | 48 $\frac{1}{4}$ | 47 $\frac{1}{2}$ | 3 | Did not attend regularly. Returned to Ord. School | 3 |
| 19/12/17 | 50 $\frac{3}{4}$ | 55 $\frac{1}{2}$ | 5 | Some improvement. Does not attend well | 4 |
| 19/12/17 | 52 $\frac{1}{8}$ | 64 | 8 | Is making good progress | 5 |
| 19/12/17 | 56 $\frac{3}{8}$ | 61 $\frac{3}{4}$ | 7 | Keeps fairly well, but is not making much progress | 6 |
| 19/12/17 | 50 | 60 | 8 | Is making excellent progress. Glands much smaller | 7 |
| 19/12/17 | 48 $\frac{3}{8}$ | 52 $\frac{1}{2}$ | 8 | Improved. Less Anæmic. Is still sick occasionally | 8 |
| 19/12/17 | 45 $\frac{1}{4}$ | 46 | 6 | Has had operation for Tonsils. Still M.B. Less Anæmia | 9 |
| 6/6/17 | 49 $\frac{1}{2}$ | 53 $\frac{1}{2}$ | 3 | Sent to Sanatorium. Has since returned to Ord. School | 10 |
| 12/11/17 | 47 | 50 | 7 | Chest cleared up, and child returned to Ord. School | 11 |
| 5/9/17 | 51 $\frac{1}{2}$ | 63 $\frac{1}{4}$ | 2 | Absent for long period. General condition improved. To return to Ord. School | 12 |
| 19/12/17 | 48 $\frac{1}{8}$ | 49 | 8 | General condition improved | 13 |
| 19/12/17 | 53 $\frac{3}{8}$ | 66 | 8 | Anæmia and Eczema much improved. To return to Ord. School | 14 |
| 5/9/17 | 52 $\frac{1}{2}$ | 59 $\frac{3}{4}$ | 5 | Kept well, and left School on attaining 14 years | 15 |
| 19/12/17 | 51 $\frac{7}{8}$ | 56 $\frac{1}{4}$ | 7 | Making fair progress | 16 |
| 3/10/17 | 58 | 79 | 6 | Had Glands removed, Otorrhœa cured. Returned to Ord. School | 17 |
| 28/6/17 | 45 $\frac{7}{8}$ | 50 $\frac{1}{2}$ | 3 | Condition satisfactory. Returned to Ord. School | 18 |
| 2/5/17 | 47 $\frac{1}{4}$ | 49 | 1 | Returned to Ord. School | 19 |
| 12/11/17 | 53 $\frac{5}{8}$ | 59 $\frac{3}{4}$ | 4 | Glands improved. Chest still poor | 20 |
| 19/12/17 | 56 $\frac{3}{4}$ | 70 | 6 | Heart and General Condition very much improved | 21 |
| 3/10/17 | 50 $\frac{1}{2}$ | 53 $\frac{1}{4}$ | 3 | Much improved. Excluded for Scabies | 22 |
| 3/10/17 | 53 $\frac{7}{8}$ | 66 $\frac{1}{4}$ | 3 | To return to Ord. School. Improving, but not attending regularly | 23 |
| 19/12/17 | 38 $\frac{1}{4}$ | 35 | 4 | Slight improvement in General Condition | 24 |
| 19/12/17 | 52 $\frac{1}{2}$ | 62 | 2 | Nothing done for Throat yet. Heart and General Condition improved | 25 |
| 12/11/17 | 46 $\frac{3}{4}$ | 52 $\frac{1}{2}$ | 1 | Anæmic, and not attending well | 26 |
| 12/11/17 | 44 $\frac{1}{8}$ | 44 | 1 | Undernourished and Anæmic | 27 |
| 19/12/17 | 47 | 48 $\frac{3}{4}$ | 1 | Undernourished and Anæmic | 28 |
| | | | 142 | | |

Table III.—Numerical Return of all exceptional Children in the area in 1917.

| | | | Boys. | Girls. | Total. |
|---|--------------------------------|---|-------|--------|--------|
| BLIND (including partially blind) | | Attending Public Elementary Schools | ... | ... | ... |
| | | Attending Certified Schools for the Blind | 2 | 2 | 4 |
| | | Not at School | ... | ... | ... |
| | | | | | |
| DEAF AND DUMB (including partially deaf) | | Attending Public Elementary Schools | ... | ... | ... |
| | | Attending Certified Schools for the Deaf | 4 | 4 | 8 |
| | | Not at School | ... | ... | ... |
| | | | | | |
| MENTALLY DEFICIENT | Feeble-minded | Attending Public Elementary Schools | 12 | 3 | 15 |
| | | Attending Certified Schools for Mentally Defective Children | ... | ... | ... |
| | | Notified to the Local (Control) Authority during the year | 1 | 1 | 2 |
| | | Not at School | 2 | 1 | 3 |
| | Imbeciles | At School | ... | ... | ... |
| | | Not at School | 2 | 5 | 7 |
| | Idiots | ... | 2 | .. | 2 |
| EPILEPTICS | | Attending Public Elementary Schools | 1 | ... | 1 |
| | | Attending Certified Schools for Epileptics | 1 | ... | 1 |
| | | Not at School | ... | ... | .. |
| | | | | | |
| PHYSICALLY DEFECTIVE | Pulmonary Tuberculosis | Attending Public Elementary Schools | 116 | 110 | 226 |
| | | Attending Certified Schools for Physically Defective Children | ... | ... | ... |
| | | Not at School | 29 | 41 | 70 |
| | | | | | |
| | Other forms of Tuberculosis | Attending Public Elementary Schools | 42 | 30 | 72 |
| | | Attending Certified Schools for Physically Defective Children | ... | ... | ... |
| | | Not at School | 7 | 7 | 14 |
| | | | | | |
| | Cripples other than Tubercular | Attending Public Elementary Schools | 21 | 7 | 28 |
| | | Attending Certified Schools for Physically Defective Children | ... | ... | ... |
| Not at School | | 2 | ... | 2 | |
| | | | | | |
| † Dull or Backward | | Retarded 2 years | 312 | 103 | 415 |
| | | Retarded 3 years | 285 | 99 | 384 |

† Judged according to age and standard.

DEATHS OCCURRING IN SCHOOL CHILDREN.

(Ages 5 to 14) for the year ending 1917.

| | | | | | |
|----------------------------|-----|-----|-----|-----|----|
| Diphtheria | ... | ... | ... | ... | 6 |
| Scarlet Fever | ... | ... | ... | ... | 1 |
| Measles | ... | ... | ... | ... | 2 |
| Pulmonary Tuberculosis | ... | ... | ... | ... | 9 |
| Non-Pulmonary Tuberculosis | ... | ... | ... | ... | 4 |
| Broncho-Pneumonia | ... | ... | ... | ... | 1 |
| Heart Disease | ... | ... | ... | ... | 3 |
| Tonsilitis | ... | ... | ... | ... | 2 |
| Nephritis | ... | ... | ... | ... | 2 |
| Peritonitis | ... | ... | ... | ... | 7 |
| Enteric Fever | ... | ... | ... | ... | 1 |
| Cellulitis | ... | ... | ... | ... | 1 |
| Gastritis | ... | ... | ... | ... | 1 |
| Mastoid Disease | ... | ... | ... | ... | 1 |
| Intestinal Obstruction | ... | ... | ... | ... | 1 |
| Bright's Disease | ... | ... | ... | ... | 1 |
| Osteomyelitis | ... | ... | ... | ... | 2 |
| Accidents | ... | ... | ... | ... | 2 |
| | | | | | — |
| | | | | | 47 |
| | | | | | — |

EXAMINATION OF TEACHERS.

During the year 35 candidates for appointments as teachers, &c., were examined, and the result was reported to the Education Committee as follows:—

| | No. Examined. | No Defect, Recommended. | Recommended subject to obtaining treatment for:— | | | Not Recommended. |
|-------------------------|---------------|-------------------------|--|-------------------|-----------------------------|------------------|
| | | | Defective Teeth. | Defective Vision. | Defective Teeth and Vision. | |
| Assistant Mistresses... | 15 | 7 | 5 | 3 | ... | ... |
| Cookery Mistresses ... | 2 | 2 | ... | ... | ... | ... |
| Pupil Teachers ... | 6 | 2 | 2 | ... | 1 | 1 |
| Student Teachers ... | 6 | 4 | 2 | ... | ... | ... |
| Bursars ... | 6 | 4 | 2 | ... | ... | .. |
| Totals ... | 35 | 19 | 11 | 3 | 1 | 1 |

OUTSIDE HELP.

NATIONAL SOCIETY FOR THE PREVENTION OF CRUELTY TO CHILDREN.

I have to acknowledge the valuable help which was given to us during the year by the National Society for the Prevention of Cruelty to Children, through its local officer, Mr. Brooker, who has supplied me with the following statement of the particulars of the principal cases in which the Society rendered its assistance:—

Recorded on books—24 cases.

Homes visited—24.

Subsequent visits—102.

Cases improved—23.

Dealt with by the Justices—1.

Affecting the welfare of 74 children.

CHARITY ORGANISATION SOCIETY.

I desire also to acknowledge the valuable help given by this Society, through Miss Henderson, by which 45 delicate or convalescent school children were able to enjoy the benefit of residence at the Cottage Home, Waverton, the length of stay varying from one to three months, according to the recommendation of the doctor. In addition, three children were provided with outfits to go to the Sanatorium.

Table showing the comparison between the average heights and weights of Carlisle Scholars with the height and weight Standards of Dr. A. W. Tuxford and Dr R. Ashleigh Glegg, for England and Urban areas respectively.

MEASUREMENTS TAKEN IN ORDINARY IN-DOOR CLOTHING
AND WITHOUT BOOTS.

BOYS.

| Age. | No. | Height—Inches. | | | Weight—Pounds. | | |
|------|-----|----------------|----------|--------------|----------------|----------|--------------|
| | | Carlisle. | England. | Urban Areas. | Carlisle. | England. | Urban Areas. |
| 3 | 25 | 35·4 | 36·4 | 36·0 | 31·6 | 32·7 | 32·5 |
| 4 | 62 | 38·1 | 38·7 | 38·5 | 35·6 | 35·9 | 35·5 |
| 5 | 252 | 40·4 | 40·6 | 40·4 | 38·0 | 38·7 | 38·2 |
| 6 | 84 | 42·4 | 42·5 | 42·3 | 41·0 | 42·6 | 42·6 |
| 7 | 36 | 44·0 | 45·2 | 45·0 | 43·7 | 46·7 | 46·3 |
| 8 | 56 | 47·6 | 47·0 | 46·9 | 52·5 | 50·4 | 50·2 |
| 9 | 401 | 48·7 | 49·2 | 48·7 | 55·8 | 55·3 | 53·5 |
| 10 | 80 | 50·9 | 50·5 | 49·8 | 61·0 | 60·6 | 60·0 |
| 12 | 371 | 53·8 | 55·0 | 54·7 | 71·7 | 72·9 | 71·5 |
| 13 | 124 | 55·4 | 56·1 | 56·1 | 75·8 | 77·5 | 77·2 |

Table showing comparison between the average heights and weights of Carlisle Scholars with the height and weight Standards of Dr. A. W. Tuxford and Dr. R. Ashleigh Glegg, for England and Urban areas respectively.

MEASUREMENTS TAKEN IN ORDINARY IN-DOOR CLOTHING
AND WITHOUT BOOTS.

GIRLS.

| Age. | No. | Height—Inches. | | | Weight—Pounds. | | |
|------|-----|----------------|----------|--------------|----------------|----------|--------------|
| | | Carlisle. | England. | Urban Areas. | Carlisle. | England. | Urban Areas. |
| 3 | 19 | 34·8 | 36·1 | 35·8 | 30·1 | 31·8 | 31·5 |
| 4 | 76 | 37·6 | 38·6 | 38·1 | 33·8 | 34·9 | 34·6 |
| 5 | 257 | 39·8 | 40·4 | 40·2 | 36·7 | 37·6 | 37·3 |
| 6 | 110 | 42·0 | 42·4 | 42·2 | 39·2 | 41·0 | 40·6 |
| 7 | 28 | 42·9 | 44·8 | 44·7 | 42·7 | 45·2 | 50·0 |
| 8 | 73 | 47·3 | 46·3 | 46·3 | 51·2 | 48·9 | 48·9 |
| 9 | 449 | 50·7 | 48·9 | 48·3 | 53·4 | 54·7 | 54·2 |
| 10 | 68 | 49·8 | 51·2 | 51·0 | 57·8 | 59·0 | 58·6 |
| 12 | 359 | 54·1 | 54·6 | 54·9 | 70·3 | 73·9 | 72·3 |
| 13 | 118 | 55·3 | 56·9 | 56·7 | 76·4 | 80·0 | 79·2 |

THE SCHOOL CLINIC.

The Inspection Clinic has been held each Monday and Thursday morning during the period when the schools were in session. During the year 633 new cases were examined, of which number 341 were referred by Head Teachers, 100 by the Attendance Committee, 114 by parents, and 78 by the school nurses. In addition, 452 children were re-examined, making a total of 3,023 examinations at the Inspection Clinic. This figure is considerably larger than last year, and is due in some measure to the continuance of Scabies, necessitating the constant supervision and re-examination of the infected children. An encouraging feature is the proportionately large number of new cases referred by the parents themselves, and their presence with the children at the Clinic.

Practically all the children examined had defects, and parents were instructed as to the treatment of the defects at the time of examination, or by printed instructions being sent, and in all suitable cases treatment at the Clinic was offered.

In dealing with the cases referred by the Attendance Officers, useful information is usually obtained from the school nurse in whose district the child lives, thereby enabling the Medical Officer often to arrive at a decision in doubtful cases.

TREATMENT CLINIC.

During the year 613 children received treatment for minor ailments, making altogether a total of 8686 attendances at the Clinic, the average attendance per case being 14 days, the average daily attendance at the Clinic being 33, and the maximum attendance on one morning 56. The services of two nurses have been required on Monday and Thursday mornings, and from 9 to 10 a.m. on other mornings except Saturday, in order to cope with the work satisfactorily. During the latter half of the year a timetable scheme for the different schools has been in operation at the Treatment Clinic with a view to preventing congestion there, and also loss of school time on the part of scholars, and this scheme appears to be working satisfactorily.

The accompanying tables summarise the attendances and results of treatment, and it is to be noted that the treatment of those cases which were incomplete at the close of the year will be continued in 1918.

Many of the children who ceased to attend were cases in which the further treatment could be carried out at home by the parents after a demonstration by the Nurse of the most suitable method of treatment.

Attendances at Treatment Clinic.

| Month. | No. of days Clinic open. | Total Attendance. | Average daily Attendance. | Maximum daily Attendance. |
|-----------------------|-----------------------------|----------------------|---------------------------------|---------------------------------|
| January | 24 | 577 | 24 | 40 |
| February | 24 | 719 | 30 | 45 |
| March | 27 | 1033 | 38 | 56 |
| April | 21 | 652 | 31 | 43 |
| May | 24 | 740 | 31 | 49 |
| June | 25 | 847 | 34 | 48 |
| July (schools closed) | ... | ... | ... | ... |
| August | 28 | 885 | 32 | 50 |
| September | 19 | 674 | 35 | 50 |
| October | 27 | 1083 | 40 | 53 |
| November | 26 | 946 | 36 | 55 |
| December | 18 | 530 | 29 | 49 |
| Totals | 263 | 8686 | 33 | 56 |

Results of Treatment at Clinic.

| | No. of Cases. | | | Cured. | Im- proved. | Ceased Attend- ing. | In- complete. |
|------------------------------------|---------------|--------|--------|--------|----------------|---------------------------|------------------|
| | Boys. | Girls. | Total. | | | | |
| <i>Eye Diseases—</i> | | | | | | | |
| Conjunctivitis ... | 31 | 40 | 71 | 61 | 1 | 6 | 8 |
| Blepharitis ... | 24 | 45 | 69 | 48 | 5 | 4 | 12 |
| Phlyctenules ... | 9 | 14 | 23 | 22 | 1 | ... | ... |
| Corneal Ulcers ... | 2 | 5 | 7 | 5 | ... | .. | 2 |
| Strumous Keratitis ... | 3 | 3 | 6 | 4 | 1 | ... | 1 |
| Hordeolum ... | 4 | 8 | 12 | 12 | ... | ... | ... |
| Other Diseases ... | 1 | 2 | 3 | 3 | ... | ... | ... |
| <i>Ear Diseases—</i> | | | | | | | |
| Otorrhœa ... | 36 | 21 | 57 | 25 | 3 | 11 | 18 |
| Obstruction ... | 3 | 2 | 5 | 5 | ... | ... | ... |
| <i>Skin Diseases—</i> | | | | | | | |
| Impetigo of Scalp ... | 31 | 23 | 54 | 50 | 1 | 3 | ... |
| Impetigo of Body ... | 56 | 47 | 103 | 91 | ... | 11 | 1 |
| Ringworm { Scalp ... | 5 | 9 | 14 | 8 | ... | 5 | 1 |
| | 24 | 16 | 40 | 37 | ... | 3 | ... |
| Eczema ... | 36 | 13 | 49 | 39 | ... | 7 | 3 |
| Seborrhœa and Alopecia ... | 1 | 4 | 5 | 3 | ... | 2 | ... |
| Septic Sores ... | 41 | 15 | 56 | 51 | ... | 5 | ... |
| Abscesses ... | 6 | 2 | 8 | 7 | ... | ... | 1 |
| Chilblains, burns, &c. ... | 1 | 4 | 5 | 4 | ... | 1 | ... |
| Injuries ... | 11 | 4 | 15 | 15 | ... | ... | .. |
| Enlarged Glands and Tonsils ... | 5 | 6 | 11 | 5 | 2 | 2 | 2 |
| | 330 | 283 | 613 | 495 | 14 | 60 | 44 |

DENTAL CLINIC.

In considering the figures relating to the dental work during the year, it is necessary to point out that an alteration in the system of treatment and recording has been made, the effect of which has been to reduce the interval between inspection and treatment, resulting in a smaller number of cases being carried over. In 1916 there were 7 schools re-inspected, representing 502 re-examinations which were not included in the 1916 report, but are dealt with in the present report, the treatment being carried out during the past year. Last year only 2 schools, representing 290 re-examinations, were not dealt with during the year, but allowing for these alterations there is still a large increase in the amount of work carried out during the past year, which is indicated in the table of comparative figures for 1915-16 and 17. The increase in the number of re-examinations is the most prominent feature in this respect and has to be noted in dealing with the statistics in Table B and summary. Fewer special cases have been dealt with, as the dentist's time was fully occupied with the Routine Cases. The rising percentage of refused treatment, which occurs principally in the routine first examination, is to be regretted, and an attempt has been made to obviate this by getting the school nurses to visit the parents and explain the importance of treatment to them; the result was, however, not commensurate with the time involved, only 28 per cent. of those visited, viz., 297, promising to come to the Clinic, and actually only 20 per cent. attended. It cannot be considered satisfactory when the parents of 60 per cent. of the children who require treatment refuse; this means also a great waste of the dentist's time, which could be more usefully employed. The year group of Routine Cases must be the first charge on the dentist's time, and it has been found best in dealing with the re-examination cases to take all the groups of children in each school instead of the practice adopted formerly. As the number of re-examination groups increase the intervals between the re-examinations will be longer, and it is hoped to avoid waste of time by eliminating from re-examination all those children whose parents have definitely refused treatment.

DENTAL STATISTICS.

| | | | |
|-------------------------------|-----|-----|----|
| No. of visits paid to Schools | ... | ... | 21 |
| No. of Treatment Clinics | ... | ... | 65 |

Schools Visited :—

| <i>New Cases.</i> | | <i>Re-examinations.</i> | |
|-------------------|-------------------|-------------------------|----------------|
| | 1907— | 1908— | 1909— |
| Brook Street | Botcherby | Botcherby | Botcherby |
| Newtown | Lowther Street | Lowther Street | Lowther Street |
| Bishop Goodwin | Stanwix | Stanwix | Stanwix |
| Christ Church | *Ashley Street | *Ashley Street | *Ashley Street |
| Lowther Street | St. Bede's | St. Bede's | St. Bede's |
| St. Patrick's | *St. Patrick's | *St. Patrick's | *St. Patrick's |
| Upperby | †Brook Street | †Brook Street | †Brook Street |
| St. Bede's | †Stanwix | †Stanwix | †Stanwix |
| Stanwix | †Christ Church | †Christ Church | |
| Caldewgate | †B. Goodwin Boys' | †B. Goodwin Boys' | |
| Robert Ferguson | †Lowther Street | †Lowther Street | |
| St. Cuthbert's | †Denton Holme | †Denton Holme | |
| Botcherby | | †Caldewgate Boys' | |
| St. Stephen's | | | |
| Ashley Street | | | |
| Norman Street | | | |

* See note in context regarding the figures (290) for Ashley Street and St. Patrick's Schools.

† See note in context regarding the figures (502) for the schools thus indicated.

Table of Comparative Figures.

| | 1915. | 1916. | 1917. |
|--------------------------------|-------|-------|-------|
| No. of new cases examined | 775 | 587 | 761 |
| No. of re-examinations | 227 | 260 | 755 |
| No. of special cases | 147 | 39 | 10 |
| Total No. of children examined | 1,149 | 886 | 1,526 |
| Refused treatment (New cases) | 29.5% | 40.0% | 46.3% |
| (Re-examination) | 54.6% | 49.2% | 52.5% |
| Total percentage refused | 31.0% | 41.0% | 49.4% |
| No. treated | 462 | 348 | 512 |
| Temporary teeth extracted | 1,531 | 1,337 | 1,876 |
| Permanent teeth extracted | 135 | 93 | 91 |
| No. of local anæsthetics | 22 | 8 | 34 |
| No. of general anæsthetics | 230 | 214 | 276 |
| No. of fillings | 931 | 730 | 1,204 |

In the following remarks Mr. Taylor reports upon the dental work carried out during the year :—

“ There are one or two comments I would like to make upon the year's work, more particularly in connection with the result of the re-examinations and treatment than upon the Routine Cases, although, of course, the two classes are really inseparable. On examining the figures enumerated in Table B it will be observed that 77.9 per cent. of the permanent teeth examined were sound, and this, I think, may be taken as satisfactory, having regard to the percentage of cases in which the parents refused treatment. The majority of the children who had received former treatment were found to have healthy mouths, and in most instances in which further treatment was thought desirable very little was required.

“ It is also satisfactory to note that out of the 512 cases treated, only 91 permanent teeth were extracted, in proportion to 1,204 fillings done, whereas during the previous year out of the 348 cases treated 93 permanent teeth were removed in proportion to 730 fillings. It has been my custom during the year, no matter how badly broken down a permanent molar was found, if there was the slightest chance of it being made a serviceable tooth, to treat and fill it, and I have been surprised at the amount of service that can be got out of teeth treated in this manner.

“ With regard to temporary teeth, particularly the molars, unless these were found to be septic and hopelessly gone, I have found it more desirable to refrain from extracting these, in order to preserve space necessary for the permanent dentition. As to the general condition of these teeth, it is not good, and no real improvement can take place until the parents realise the importance of the parts played by proper food and the use of the tooth brush.

“ With regard to the percentage of refused treatment, it is to be regretted that so many parents refuse to take advantage of the offer of treatment, because, as a rule, upon the first inspection little treatment is required, and if this were carried out at the time it would not only ensure comfort and freedom from pain, but would give the child the chance of a healthy mouth; as it is, the cases mostly go from bad to worse, eventually increasing the percentage of unsavable teeth.

“ My thanks are due to those who have so ably assisted me, and to Dr. Semple for his arrangement of the work and his assistance as anæsthetist.”

Table showing number of Children examined at Routine Inspection, with administrative details.

| A. | Boys. | | Girls. | | Total. | |
|---------------------------|-------|------|--------|------|--------|------|
| | | | | | | |
| No. examined ... | 378 | ... | 383 | ... | 761 | ... |
| No treatment required ... | 90 | 23.8 | 63 | 16.5 | 153 | 20.1 |
| Refused treatment ... | 173 | 45.8 | 179 | 46.7 | 352 | 46.2 |
| Accepted treatment ... | 115 | 30.4 | 141 | 36.8 | 256 | 33.7 |

Summary of the condition of teeth of children enumerated in Table A.

| | | Boys. | | Girls. | | Total. | |
|--------------------|--------------------|-------|------|--------|------|--------|------|
| | | | | | | | |
| Temporary Teeth | Total examined ... | 6399 | ... | 6225 | ... | 12624 | ... |
| | Sound .. | 2616 | 40.9 | 2347 | 37.7 | 4963 | 39.3 |
| | Savable ... | 2010 | 31.4 | 2093 | 33.6 | 4103 | 32.5 |
| | Unsavable ... | 1773 | 27.7 | 1785 | 28.7 | 3558 | 28.2 |
| Permanent Teeth | Total examined ... | 1812 | ... | 2127 | ... | 3939 | ... |
| | Sound ... | 1189 | 65.6 | 1384 | 65.1 | 2573 | 65.3 |
| | Savable ... | 601 | 33.2 | 722 | 33.9 | 1323 | 33.6 |
| | Unsavable ... | 22 | 1.2 | 21 | 1.0 | 43 | 1.1 |

Table showing the number of Children re-examined at Routine Inspection, with administrative details.

| B. | Boys. | | Girls. | | Total. | |
|---------------------------|-------|------|--------|------|--------|------|
| | | | | | | |
| No. examined ... | 407 | ... | 348 | ... | 755 | ... |
| No treatment required ... | 67 | 16.5 | 45 | 12.9 | 112 | 14.8 |
| Refused treatment ... | 223 | 54.8 | 174 | 50.0 | 397 | 52.6 |
| Accepted treatment ... | 117 | 28.7 | 129 | 37.1 | 246 | 32.6 |

Summary of the condition of teeth of children re-examined, enumerated in Table B.

| | | Boys. | | Girls. | | Total. | |
|---------------------|--------------------|-------|------|--------|------|--------|------|
| | | | | | | | |
| Temporary Teeth. | Total Examined ... | 3775 | .. | 3279 | ... | 7054 | ... |
| | Sound ... | 1410 | 37.4 | 1194 | 36.4 | 2604 | 36.9 |
| | Savable ... | 1182 | 31.3 | 965 | 29.4 | 2147 | 30.4 |
| | Unsavable... | 1183 | 31.3 | 1120 | 34.2 | 2303 | 32.7 |
| Permanent Teeth. | Total Examined ... | 3607 | ... | 4166 | ... | 7773 | ... |
| | Sound ... | 2669 | 74.0 | 3386 | 81.3 | 6055 | 77.9 |
| | Savable ... | 812 | 22.5 | 691 | 16.6 | 1503 | 19.3 |
| | Unsavable ... | 126 | 3.5 | 89 | 2.1 | 215 | 2.8 |

Summary of treatment of Dental Defects of Routine and Special Cases.

| | Boys. | | Girls. | | Total. | | |
|----------------------------|---------|---------|---------|---------|---------|---------|-----------|
| | Routine | Special | Routine | Special | Routine | Special | All cases |
| No. received treatment ... | 232 | 5 | 270 | 5 | 502 | 10 | 512 |
| Temporary teeth extracted | 864 | 23 | 963 | 26 | 1827 | 49 | 1876 |
| Permanent teeth extracted | 49 | 2 | 37 | 3 | 86 | 5 | 91 |
| Local Anæsthetics .. | 15 | 1 | 18 | — | 33 | 1 | 34 |
| General Anæsthetics .. | 125 | 3 | 143 | 5 | 268 | 8 | 276 |
| Fillings | 563 | 3 | 636 | 2 | 1199 | 5 | 1204 |

JOSEPH BEARD,
School Medical Officer.

19 Fisher Street,
Carlisle,
17th April, 1918.



