#### [Report 1946] / Medical Officer of Health, Chadderton U.D.C.

#### **Contributors**

Chadderton (England). Urban District Council.

#### **Publication/Creation**

1946

#### **Persistent URL**

https://wellcomecollection.org/works/cnretcee

#### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.





Urban District of Chadderton

## ANNUAL REPORT

of the

Medical Officer of Health

for the year

1946

J. S. G. BURNETT, M.D., D.P.H. Medical Officer of Health.

OLDHAM:

E. J. Wildgoose Ltd., Printers and Stationers, 41, Union Street.





## Urban District of Chadderton

# ANNUAL REPORT

of the

## Medical Officer of Health

for the year

1946

J. S. G. BURNETT, M.D., D.P.H. Medical Officer of Health.

. 3

## CONTENTS.

									P	AGE
IN	TROD	UCTO	RY S	TATE	MENT					3
MI	EMBEI	RS OF	F COI	MMITT	TEES					6
ST	AFF									7
VI	TAL S	TATI	STIC	S						9
GF	ENERA	L PR	OVIS	ION O	F HE.	ALTH	SERV	ICES		16
M	ATERN	IITY	AND	CHIL	D WE	LFAR	E .		•••	17
PF	REVAL	ENCE	OF,	AND	CONT	ROL	OVER			
										24
SA	NITAI	RY CI	RUM	STANC	CES O	F THE	E ARE	A		34
H	DUSIN	G								37
IN	SPECT	CION	AND	SUPE	RVISI	ON OI	F FOO	D	•••	39
IN	SPECT	NOF	OF F	ACTO	RIES					43

To the Chairman and Members of the Urban District Council.

The period of idealistic planning is past and now the task is that of adapting these plans for a better world in the future to fit the hard realities of the present. In no field is the adaptation more fraught with difficulties than that of the public health. Improvements in the physical environment are held up not only by inability to build new houses in sufficient quantities but by increasing difficulty in achieving repairs to old ones. The social background of the people is suffering from a failure in supply of those properly qualified field officers competent to advise and assist the family in its daily problems and the basic problem of nutrition concerning which so much has been achieved in recent years is again becoming one for anxiety because with a smaller than war-time ration there is in this area at least a greater employment of married women in industry and a consequent lowering of household efficiency. Finally the whole structure of public health administration is in the process of being reshaped and the dislocation, albeit temporary, thereby produced is not conducive to the best results.

In Chadderton during 1946 we seem at least to have maintained our position. The crude death rate is higher not because 1946 was a bad year but because 1945 was a very favourable year. The commoner infectious diseases continue to be responsible only for an occasional death; we can still point with pride to an infant mortality rate that is the envy of our neighbours even though we are conscious of the insubstantial foundations on which we are at present poised and maternal mortality when it occurs seems no longer to be the result of an obstetrical problem but rather of a social one with attempted abortion as the intervening factor. Whilst there is cause for satisfaction, therefore, if prevention of death is the vard-stick with which we measure, there is a less optimistic picture if we think in terms of family well-being. The policy pursued in recent years has been one designed to bring relief and advice to the family in the wide variety of problems ranging from simple disturbances of the physical environment to acute emotional imbalance within the family. This seems to me to be the true function of the health service of the future. The times are not propitious for there is plenty today to upset family wellbeing, and even where the cause is apparent it is frequently impossible to apply the cure because of the play of factors outside the control of the council or its

officers. Nevertheless some progress has been made. The attack on housing defects begun towards the end of 1945 gathered momentum in 1946 and many of the grosser defects, the accumulation of the war years, have been dealt with. Plans for a day nursery service co-ordinated with industry, which at one time looked promising, subsequently did not materialise, but if the scheme did nothing more it brought home to the industrialists of the area the desire of the council and its officers to assist, in so far as it lay in their power, industry in its welfare problems and to-day there is a sincere and increasing use of the department's services made by factory managements in the knowledge that the services offered are those of practical technical nature rather than of censure and grudging criticism. There has been active co-operation from the general public particularly in relation to the control of infectious diseases though as yet there is an insufficient awareness of the need for scrupulous cleanliness in the handling of foodstuffs, especially in association with the preparation and serving of bulk meals. This necessitates satisfactory toilet provision and education in its use and action is necessary under both heads.

It will be apparent from a perusal of the succeeding pages that the service has not been inactive during the period under review and that this chronicle is but a reflex of the activities of a staff which has unhesitatingly given of its best at all times and under all conditions. It is with the greatest pleasure that I record my thanks to them for their loyalty and their attention to duty and to my colleagues in other departments for the advice and help they have so frequently rendered in many problems which would otherwise have remained unsolved.

In concluding this tenth and last report that I shall have the privilege of submitting for your consideration I have to express my gratitude for the active interest you have shown in the work of the department and for the whole-hearted support and sympathetic understanding shown me by the Chairman of your Health Committee that have sustained me in difficult periods and fortified me in happier times.

> I am, Ladies and Gentlemen, Your obedient Servant.

> > I. S. G. BURNETT.

October, 1947.
Public Health Department,
Town Hall,
Chadderton.

#### CHADDERTON URBAN DISTRICT.

#### Health Committee.

Chairman:

Councillor Arthur Tongue, J.P.

Vice-Chairman:

Councillor James Taylor (Central).

Councillor Edwin Buckley, J.P.

Councillor Harry Greenwood.

Councillor Roland Hill.

Councillor Harold Halford Newton.

Councillor George Lister Renshaw.

Councillor John Jardine Seal.

Councillor James Taylor (North).

Councillor William Turner.

### Maternity and Child Welfare Committee.

Chairman:

Councillor Arthur Tongue, J.P.

Vice-Chairman:

Councillor James Taylor (Central).

Councillor Edwin Buckley, J.P.

Councillor Harry Greenwood.

Councillor Roland Hill.

Councillor Harold Halford Newton.

Councillor George Lister Renshaw.

Councillor John Jardine Seal.

Councillor James Taylor (North).

Councillor William Turner.

Mrs. C. E. Buckley.

Mrs. E. Friend.

Mrs. C. Halkyard.

Mrs. L. Tongue.

## STAFF.

J. S. G. Burnett, M.D., D.P.H.
V. Settle, M.B., CH.B., B.SC., D.C.H. (Resigned 17.8.46).
R. Newton, M.D., M.R.C.O.G.
R. S. Scott, M.B., CH.B., D.O.M.S.
M. Johnstone, M.B., CH.B.
F. I. Wilson, L.D.S.
J. Harris, M.R.S.I., A.M.S.I.E.
H. W. Potter, A.R.S.I.
E. E. Tudge, s.r.n., s.c.m. P. John, s.r.n., h.v.cert. A. Whitehead, s.r.n., h.v.cert.
J. Tyers, s.r.n., o.n.c.
R. D. Crossley, s.r.n. M. Boston, s.r.n., s.r.c.n.
H. Prenton.
Miss B. M. Cunningham.
N. Bamforth.
Miss S. Barker. Miss M. Broadbent. Miss J. Ward.

.

#### VITAL STATISTICS.

The main vital statistics for the year, after correction for inward and outward transfers, as furnished by the Registrar-General, are given in Table 1.

			-		
		7	FABLE	1.	
Live Births:- Legitimate Illegitimate		Total 556 19	M. 284 12	F. 272 7	Birth-rate per 1,000 estimated population mid-1946 18.7
Total		575	296	279	mid-1940 18.7
Stillbirths		22	13	9	Rate per 1,000 total (live and still) births 36
Deaths		375	186	189	Death-rate per 1,000 estimated population 12.2
Deaths from	Puerperal	causes		eaths	Death-rate per 1,000 total (live and still) births
Puerperal a Other mate				Nil Nil	Nil Nil
Total				Nil	Nil
	per 1,000 e infants p	live b	irths 0 legitin	nate liv	: 31 ve births 30 live births 52
Deaths from Deaths from Deaths from Deaths from	Measles (Whooping	all age	es) (all ag	 (es)	Nil

#### POPULATION.

The Registrar-General's estimate of population for the year 1946 is 30,700, the highest ever recorded for the area and 1,340 above the 1945 figure. The curve of natural population increase continues upward, the figure of 200 being the greatest annual increase since 1921. In the nine years 1938-1946 the number of registered births has exceeded the number of registered deaths by 1,254.

		TA	BLE 2.		
	NATU	RAL INCRE	ASE OF POPUL	LATION.	
1946		+ 200	1933	,	- 68
1945		+ 136	1932		- 29
1944		+ 189	1931		- 23
1943		+ 184	1930		- 17
1942		+ 147	1929		- 105
1941		+ 87	1928		+ 6
1940		+ 43	1927		+ 48
1939		+ 117	1926		- 6
1938		+ 151	1925		+ 66
1937		+ 82	1924		+ 134
1936		_ 28	1923		+ 95
1935		- 61	1922		+ 158
1934		+ 10	1921		+ 220

#### BIRTHS.

The number of live births assigned to the town by the Registrar-General was 575, representing an annual birth rate of 18.7 per thousand of the population, as compared with a figure of 19.1 for England and Wales and 21.3 for the 148 Smaller Towns.

As will be seen from Table 3 the birth rate continues at a level about 50 per cent. higher than that prevailing in the first half of the previous decade and there is no evidence yet to suggest an interruption of this higher level.

#### MARRIAGES.

The number of marriages occurring in the district plus those taking place at the District Registry Office, Oldham, where both participants are or the woman only is resident in Chadderton numbered 270. The corresponding figure for the previous year was 254.

TABLE 3.

					,
Year	Birth Rate	Crude Death Rate	Zymotic Death Rate	Infant Mortality Rate	Cancer Death Rate
1912	24.2	17.0	1.43	130	1.0
1913	25.0	13.7	1.57	116	0.6
1914	24.1	15.2	1.86	101	1.0
1915	22.1	15.4	1.43	124	0.9
1916	18.6	14.3	1.19	88	0.9
1917	16.6	15.0	1.14	86	1.1
1918	15.7	20.6	0.99	117	1.0
1919	13.3	13.9	0.35	126	1.2
1920	23.2	11.8	0.74	98	1.2
1921	20.2	12.7	0.57	104	1.3
1922	18.9	13.5	0.64	66	1.1
1923	17.0	13.7	0.47	110	1.2
1924	15.1	10.5	0.27	79	1.4
1925	15.3	14.0	0.59	110	1.0
1926	13.4	14.0	0.32	134	1.3
1927	15.7	13.9	0.29	92	1.2
1928	12.9	12.7	0.21	74	1.6
1929	12.0	15.7	0.66	116	1.4
1930	11.7	12.3	0.25	80	1.6
1931	12.3	13.2	0.18	78	1.4
1932	12.5	13.3	0.50	60	2.0
1933	. 10.8	13.3	0.25	66	1.3
1934	13.0	12.6	0.36	61	1.4
1935	11.4	13.6	0.28	63	1.9
1936	12.3	13.3	0.45	77	1.8
1937	14.9	12.1	0.30	68	1.5
1938	16.3	11.3	0.19	42	1.9
1939	15.6	11.8	0.19	50	1.7
1940	15.8	14.4	0.13	5.9	2.4
1941	15.6	12.7	0.10	42	1.8
1942	17.7	12.7	0.13	51	1.7
1943	18.6	12.3	0.10	46	1.8
1944	18.7	12.3	0.10	47	2.0
1945	16.1	11.5	0.07	27	1.2
1946	18.7	12.2	0.10	31	1.9
					MARONINE MARIN

#### DEATHS.

The number of deaths recorded for Chadderton during 1946 was 375, giving a crude rate of 12.2 per thousand of the population. Age and ward incidence of deaths occurring in 1946 and the seasonal incidence of deaths since 1938 are shown in Tables 4 and 5 respectively.

				TA	BLE	4.				
Age	and	Ward	Incide	ace	of Dea	aths	Occu	rring	in 1946.	
	Un	der							75 and	
Ward	1	1-	2-	5-	15	25-	45-	65-	upwards	Total
North	. 4	1	-	1	1	11	37	37	35	127
Central	. 7		1	1	3	7	38	33	27	117
South	. 7	_	3	1	2	11	45	39	23	131
Total	. 18	1	4	3	6	29	120	109	85	375

				TA	BLE	5.				
	Season	nal In	cidence	of D	eaths (	Occurr	ing sin	ce 19	38.	
Dear	ths occurr	ing								
duri	ng:—	1938	1939	1940	1941	1942	1943	1944	1945	1946
1st	Quarter	94	113	165	131	136	98	121	117	115
2nd	Quarter	75	80	89	83	87	67	79	71	85
3rd	Quarter	84	71	103	85	67	65	66	61	74
4th	Quarter	90	99	84	87	86	129	97	90	101
	Total	343	363	441	386	376	359	363	339	375

Infant mortality at 31 per 1,000 live births remains at a satisfactory low level for a second year and the zymotic death rate at 0.098 per 1,000 of the population is a reflex of the improved hygienic conditions and the advances in medical treatment existing in modern times. As was forecast last year the lowered cancer death rate was not maintained and this year's rate of 1.9 deaths per 1,000 of the population represents an average figure to be expected in prevailing circumstances. Comparative cancer death rates since 1925 are shown in Table 6.

TABLE 6.

#### COMPARATIVE CANCER DEATH RATE PER 1,000 POPULATION SINCE 1925.

V		Crom		D . 4		liddle		Chad		1.11		Ian-		ngland
Year		ton		Royto	n	ton	d	ertor	1 0	idna	m cı	iester	or	Wales
1925		2.0		1.4		, 1,4		1.0		1.4		1.4		1.3
1926		1.4		1.5		1.3		1.3		1.6		1.5		1.4
1927		1.5		0.9		1.5		1.2		1.5		1.5		1.4
1928		1.5		1.8		1.2		1.6		1.5		1.5		1.4
1929		1.6		1.3		1.3		1.4		1.6		1.6		1.4
1930		1.6		1.7		1.6		1.6		1.6		1.5		1.5
1931		1.7		0.6		1.7		1.4		1.5		1.6		1.5
1932		1.3		1.4		1.5		2.0		1.7		1.7		1.5
1933		1.0		1.4		1.9		1.3		1.5		1.6		1.5
1934		1.5		1.7		1.8		1.4		1.6		1.7		1.6
1935		2.0		1.5		1.5		1.9		1.8		1.8		1.6
1936		1.4		1.6		1.9		1.8		1.9		1.7		1.6
1937		1.8		1.4		1.3		1.5		1.8		1.7		1.6
1938		1.3		1.9		2.0		1.9		1.9		1.8		1.7
1939		1.8		1.6		1.8		1.7		1.9		1.8		1.6
1940		2.0		1.5		1.3		2.4		1.8		2.0		1.7
1941		1.5		1.9		2.1		1.8		1.9		2.1		1.7
1942		2.4		2.7		2.0		1.7		2.0		2.1		1.7
1943		2.5		2.3		1.9		1.8		2.0		2.1		1.7
1944		1.8				2.1		2.0		1.8		2.1		1.7
1945		2.3		2.2		2.1	****	1.2		2.1		2.1		1.7
1946		1.6		1.8		2.1		1.9		2.1		1.9		1.8
	10000		1000			1		-					***	1.0

The gradual decrease in the annual number of deaths from tuberculosis which was occurring in the 1930's and which was interrupted during the war years has been resumed and fewer deaths than ever occurred in Chadderton from this cause in 1946.

1946 was a less favourable year than its predecessor and the general death rate was 0.7 per 1,000 of the population higher. The increase is directly related to the increased number of deaths ascribed to cancer but in fact this does not mean an increase in the incidence of cancer, the explanation being that favourable factors prevailing in 1945 caused a prolongation of life of several months with death occurring in 1946.

TABLE 7.

#### Causes of Death Expressed as a Ratio of Total Chadderton Deaths.

	P	ropor	tion p	er 1.0	00 de:	aths f	rom a	Il cau	ses.
Cause of Death.									
Diseases of the heart and circulatory sys- tem		410	366	312	353	401	242	324	307
Bronchitis, pneumonia and other respiratory diseases (excluding									
influenza) Cancer, malignant dis-	. 118	198	151	161	165	142	186	108	119
ease Tuberculosis (all	157	100	165	150	138	145	165	163	138
forms)		44	55	56	45	28	23	55	26

T	ABLE	8.			
Corresponding Fig	ures—E	ingland	and Wales		
Pro	portion	per 1,000	0 deaths fr	om all c	auses.
Cause of Death.	1945	1944	1940-41	1938	1935
Diseases of the heart and circulatory system	331	317	292	327	295
Bronchitis, pneumonia and	331	317	292	327	293
other respiratory diseases				**	
(excluding influenza)	114	108	135	91	99
Cancer, malignant disease	152	147	124	143	135
Tuberculosis (all forms)	49	49	51	55	62

As will be seen from Table 7 some increase in death ascribed to diseases of the heart and circulation also occurred and here again the likely explanation is that the favourable conditions of 1945 gave a slightly longer lease of life to some who might otherwise have succumbed in 1945.

#### TABLE 9. Causes of Death in Chadderton during the year 1946. Causes of death Males Females -Typhoid and paratyphoid fevers 2. 1 Cerebro-spinal fever ... Scarlet Fever ... ... Whooping Cough 4. ... ... 5. Diphtheria ... ... 1 Tuberculosis of respiratory system... 4 Other forms of tuberculosis .... 8. Syphilitic diseases ... 9. Influenza ... 10. Measles 11. Acute poliomyelitis and polioencephalitis 12. Acute infectious encephalitis... M.—Cancer of buccal cavity and 13. œsophagus 13. 2 F.—Cancer of uterus ... 7 Cancer of stomach and duodenum ... 14. 15. Cancer of breast 5 Cancer of all other sites 14 16. 18 Diabetes ... ... 17. 2 3 18. Intra-cranial vascular lesions 36 19. Heart disease ... ... 51 50 20. Other diseases of circulatory system 2 21. Bronchitis 10 16 22. Pneumonia 8 4 23. Other respiratory diseases 2 24. Ulcer of stomach or duodenum 25. Diarrhœa (under 2 years) 26. Appendicitis ... Other digestive diseases 27. 28. Nephritis ... ... 29. Puerperal and post-abortive sepsis 30. Other maternal causes 31. Premature birth 2 32. Congenital malformation, birth injury, infantile diseases ... 2 33. Suicide 6 1 34. Road traffic accidents ... 2 35. Other violent causes ... 5 All other causes ... 36. 15 All causes 186 189

#### GENERAL PROVISION OF HEALTH SERVICES.

Improvements in the services were limited by lack of opportunity in 1946 mainly to further extension of the maternity service and to general improvements in the physical aspects of environmental hygiene. The energetic action of the sanitary staff resulted in 1,040 new dustbins being supplied throughout the area and this demand has now been satisfied. Similarly certain urgent household repairs have been satisfactorily dealt with whilst the elimination of the pail closet is at present occupying time and attention. In the field of smoke abatement the council has put into practice its beliefs by installing modern fuel appliances in the new council houses in course of erection, whilst on the industrial side one of the largest coal consumers in the area has converted its plant and is now burning oil fuel.

Attention has been concentrated on industrial nursery provision and help and advice have been given to industrialists establishing nurseries, and visits have been paid to a number of canteens to advise on hygienic conditions. A good deal still requires to be done to bring especially the smaller canteens up to a satisfactory standard.

General cleanliness amongst the industrial population is engaging the attention of some industrialists and at least one firm has installed shower baths which are being used regularly by a proportion of employees.

Local authority provision for the treatment of lousiness and scabies is inadequate because of the lack of suitable clinic accommodation.

#### MATERNITY AND CHILD WELFARE.

#### NOTIFICATION OF BIRTHS.

Under Section 203 of the Public Health Act, 1936, 596 live births and 21 stillbirths were notified.

#### MIDWIFERY AND MATERNITY SERVICES.

During the year extension of the maternity service continued. The committee approved the establishment of a consultative post natal clinic to be held once per month and such a clinic began to operate in 1947. Local authority provision for the care of the expectant, parturient or nursing mother includes the loan of household equipment, e.g., bed, cot, bed linen, personal linen, towels and baby wear, the availability of a premature cot, and, to help the midwife where there is a sagging mattress or low bed, fracture boards and bed blocks, and the supply of patterns for baby clothes, together with complete information regarding material to be used, its cost and the number of coupons required. Actual garments made according to the pattern are on display in the Central Clinic.

The usual medical, nursing and clinic arrangements have continued unchanged during the year, including the arrangements for the care of the illegitimate child made under the joint scheme with the Lancashire County Council and finally approved by the Ministry of Health in 1945.

#### MATERNITY SERVICES.

Table 10 shows the number of notified confinements at hospitals, nursing homes and at home in each year since 1933. 65% of the notified births in 1946 occurred in hospitals or nursing homes. It will be seen that in the 14 years under review the annual number of births related to Chadderton has almost doubled, the number of domiciliary confinements has remained more or less constant and the number of hospital deliveries has increased nearly fourfold.

TABLE 10. Number of Chadderton Births Notified. North Woodfield St. Manchester Total Total Hospital Domiciliary Total Births Births Municipal Nursing Mary's Greenacres Maternity Others Home Home 

#### MATERNAL MORTALITY.

Boundary

Park

Hospital

Year

No maternal death was registered for the second successive year.

In the nine years that have elapsed since the establishment of an ad hoc ante-natal service in Chadderton 1,219 women, practically all subsequently confined in their own homes, and representing 25% of the total confinements notified in the period, made use of the service and were subsequently confined without a single maternal fatality. Amongst the remaining 75% there occurred fourteen maternal deaths.

#### ANTE-NATAL CLINIC.

213 women were confined in their own homes during 1946 when 105 new cases attended the ante-natal clinic, of whom 5 were referred and subsequently delivered at St. Mary's Hospitals.

355 women were confined at Boundary Park General Hospital, Oldham, and the practice has been continued of referring immediately for ante-natal supervision at that hospital any women found to come within this group.

#### POST-NATAL SERVICES.

During the year the institution of an *ad hoc* post-natal clinic was considered. A decision was reached establishing a clinic to be held on the second Friday of each month and the clinic commenced to function in 1947.

#### STILLBIRTHS AND INFANT MORTALITY.

Stillbirths during 1946 totalled 22, representing a rate of 36 per 1,000 total births or 0.71 per 1,000 of population. The corresponding figure for England and Wales is 0.53 and for the 148 Smaller Towns 0.59. Infant deaths amounted to 18, giving an infant mortality rate of 31 per 1,000 live births as compared with rates of 43 for England and Wales and 37 for the 148 Smaller Towns.

The continued low infant mortality rate is a cause for satisfaction marred by the knowledge that inability to maintain a full complement of health visitors in the present year may prevent a continuance of the excellent results obtained in the past two years.

The combined stillbirth and neo-natal mortality rate continues high at 60 per 1,000 total births.

Of the 14 neo-natal deaths 4 were ascribed to infection and if these be excluded the combined figure, viz., 32, gives a rate of 54 deaths per 1,000 total births that can reasonably be ascribed to pre-natal or natal causes.

5.2% of hospital deliveries, 5.1% of domiciliary deliveries and 3.8% of deliveries amongst mothers attending the Council's ante-natal clinic ended in stillbirth or neo-natal death.

49 premature infants were born to Chadderton mothers during the past year, 20 being born at home and 29 in hospital. 4 of the domiciliary cases and 2 hospital cases died before the end of one month.

The solution to this problem of a high mortality related to pre-natal and natal factors lies in the effective supervision of the expectant mother as soon as possible after conception. If deficient nutrition is a major factor it can be ascertained and

TAI	BLE 1	1.	Sign	NI PE	in the	130	
CHILD WELFARE CLINICS.	1940	1941	1942	1943	1944	1945	1946
Number of children who attended for the first time during the year and who, on the date of their first attendance were:—				- X			
(i) under 1 year of age	381	356	459	435	437	395	357
(ii) between the ages of 1 and 5 years	88	59	32	47	28	33	20
Percentage of notified births repre- sented by the number of children who on the date of their first attend- ance were under 1 year of age Number who attended and at the end	80.0	75.3	87.8	79.4	75.2	81.4	60.0
of the year were:—  (i) under 1 year of age	278	263	336	342	337	330	356
(ii) between the ages of 1 and 5	2,0	200	550	012	007	550	000
years	536	502	492	545	558	523 .	466
Number of attendances by children :—	6270	6062	7242	0104	0630	7574	6071
(i) under 1 year of age (ii) between the ages of 1 and 5		0902	1243	8194	0020	/3/4	08/1
years	4496	5769	4453	4659	4614	3695	4343
ANTE-NATAL CLINICS.						***	
Number of expectant mothers attended		159	134	130	115	105	134
Number of attendances by expectant mothers		575	380	382	391	286	480
Percentage of total notified live and stillbirths represented by the num- ber of expectant mothers who attended the Ante-Natal Clinics		32.7	24.7	23.8	19.1	20.6	21.7
GYNÆCOLOGICAL AND POST-NATAL CLINICS.							
Number of mothers attended	10	9	4	9	10	3	1
Number of attendances	24	11	5	. 21	11	3	1
HEALTH VISITING.							
(i) To expectant mothers:—	205	252	214	202	215	200	160
First visits Total visits	205	252 447	214	203 305	215 397	208 329	168
(ii) To children under 1 year of age :			2,5	003	071	027	-10
First visits	463	472	503	545	556	491	677
Total visits		3286	3041	3161	3171	3423	3168
(iii) To children between the ages of 1 and 5 years:— Total visits		5198	4819	5219	5441	5110	3379

measures can be taken to deal with it only through the domiciliary workers. This supervision and ascertainment has, however, proved possible here amongst a minority of mothers only. No effective co-ordination of supervision has been achieved in respect of deliveries taking place in hospital and it would not seem that the new measures for the control of maternity and midwifery services generally are likely to achieve the results desired by all without a radical alteration in the existing procedure.

Graph I shows the annual infant mortality rate for Chadderton since 1914 and Graph II demonstrates the stillbirth rate and the combined stillbirth and neo-natal mortality rate since 1928:

#### CHILD WELFARE SERVICES.

Four welfare sessions continue to be held weekly, two at the Central Clinic and two at Washbrook. Dental, orthopædic and ultra violet therapy continue to be provided and visual defects are treated at the refraction clinic.

The accommodation at the two Day Nurseries has been severely taxed during the year, the average attendance at Brook Street Nursery being 87.5% of capacity and at Coalshaw Green Nursery 77.5%, whilst long waiting lists exist at both nurseries.

The demand for nursery accommodation is directly related to the demand for female labour in the cotton mills and in consequence an offer was made to local employers of assistance in regard to medical control and administrative supervision, together with assistance in regard to transport arrangements, should the employers agree on the establishment of a large joint nursery to meet their individual needs. Several meetings with employers and representatives of the Ministry of Health, Ministry of Labour and the Cotton Board were held without agreement being reached and individual mills are now engaged in building nurseries of uneconomic size or making makeshift arrangements in temporary rooms and premises.

A record of home visits by health visitors and of attendances at maternity and child welfare centres since 1940 is given in Table 11.

		TAI	BLE 1	2.				
	Inf	ant Mo	rtality	, 1946.				
	1			Total				
Cause of Death	day	days	w'ks		m'ths	m'ths	m'ths	Total
Diarrhœa	_	-	-	-	1	-	-	1
Whooping Cough .	-	_	-	_	-	1	-	1
Pneumonia	1	2	1	4	-	_	1	5
Prematurity	4	2	1	7	10	_	_	7
Congenital Debility,								
Malformations, etc.	1	2		3	-	-	1	4
Total	6	6	2	14	1	1	2	18

#### PUERPERAL PYREXIA.

No case was notified during 1946.

### PEMPHIGUS NEONATORUM.

No case was brought to notice during 1946.

#### OPHTHALMIA NEONATORUM.

No case was notified during 1946.

#### OTHER INFECTIOUS DISEASES.


The number of cases occurring and deaths from infectious diseases are shown in Table 13.


		ГА	BLE 13.				
Infectious	Diseases	in	Children	under	Five	Years	
Disease			0-1 Cases	year Death:			years Deaths
Diphtheria			-	-		2	
Scarlet Fever Pneumonia				- 5		2	of Early
Non-Pulmonary Tu	berculosi	s .	-	10-1		2	-
Whooping Cough Measles			9	1		84 153	_


#### PROVISION OF MEALS AND MILK.

7,438 pounds of dried milk were disposed of, 446 packets being supplied without charge to the recipient.

Vitamin and iron products are available also at the Welfare Centres.







### CHILD LIFE PROTECTION.

Two persons were registered as receiving children for reward at the end of 1946. No legal proceedings were taken.

TABLE 14.	
Number of persons on the Register who were receiving children for reward at the end of the year	2
(i) at the end of the year	. 2
(ii) who died during the year	
(iii) on whom inquests were held during the year	
(iv) Number of visits made during the year	. 7_

## PREVALENCE OF, AND CONTROL OVER INFECTIOUS DISEASE.

The number of cases of infectious disease notified in each year since 1916 is shown, classified according to the particular disease, in Table 17, whilst the ward incidence of certain of the notifiable diseases during each of the last twelve years is shown in Table 18. The number of deaths from certain diseases occurring in each year since 1916 is shown in Table 19.

The incidence of notifiable infectious disease following the trend of recent years remains slight, and no major epidemic occurred. Diphtheria is held in check by immunisation and whooping cough only awaits the finding of a satisfactory prophylactic when an immunisation campaign will be launched.

In recent times the most disturbing feature has been the increase in gastro-enteritis, usually mild in character and occurring in small localised outbreaks. The need is for improved hygienic facilities and better technique among the canteen workers at canteens generally.

#### SMALLPOX.

No case of this disease occurred during the year although a considerable amount of follow-up work was carried out in respect of contacts arriving from abroad in infected ships.

#### SCARLET FEVER.

The incidence of this disease was low, only 44 cases being notified, and it seems that we are now in a period of regression following the peak reached in 1943/44. No death from this disease has occurred in Chadderton since 1935, but the tradition of hospitalisation for this disease dies hard and 66% of cases were, at the request of family doctors, admitted to hospital.

#### DIPHTHERIA.


After ten years of intensive propaganda the lesson still has not been learnt by everyone. Diphtheria occurred sporadically

				D	IP	HT	HE		BL		15. <b>MU</b>	NIS	AT	IOI	V.						
			Per	rson	s ir	ocu	late	d e	ach	yea	r f	rom	19	36 t	0 1	946				, 8	
Age at date of inocu-	1936	193	37	193	38	193	39	194	40	194	41	19	42	194	13	19	44	19	45	19	46
lation		*1	2	L	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2	1	2
Under I	6	6	3			1			6	12	17	42	49	49	60	48	67	66	85	55	83
- 1	27	12	6	2	20	24	35	18	54	60	70	81	55	75	80	59	112	46	112	33	95
13	11	5	3		7	3	11	-	13	24	9	26	20	23	12	10	7	10	13	4	29
2	21	3	2	1	8	8	6	1	10	19	16	17	24	9	7	. 9	8	5	9	2	11
21/2	15	3	2	-	8	1	4	2	13	25	16	9	15	12	7	2	3	2	10	-	12
3	12	7	2	1	3	1	2	1	15	29	19	13	30	20	10	3	5	-	7	4	17
31	17	2	1	-	-	4	5	-	5	20	14	7	20	10	5	2	-	6	4	-	10
4	20	5	6	1	7	3	2		9	22	15	18	27	14	9	. 1	1		1	2	5
41/2	7	3	-	-	1	3	2	-	11	18	15	15	18	12	6	5	1	2	2	2	11
5	70	25	31	12	27	29	10	. 4	38	38	38	28	37	41	20	16	13	6	5	-	5
51	82	12	3	1	10	16	10		31	22	19	10	19	14	6	13	3		4	-	9
6	79	10	2	2	4	12	9	-	25	25	10	20	21	18	3	14	9	2	1	3	8
61	64	12	2	1	2	21	5	1	17	27	13	13	12	8	2	4	1	2	2	2	6
7*	78	14	3		3	17	3	1	11	24	8	11	11	7	4	7	2	2	1	-	4
71/2	86	8	1	1	4	2	3		4	16	9	4	7	2	-	2	-		1	-	6
8	78	7	-		4	5	-		5	30	5	7	14	3	-1		1	=	-	-	6
81	90	6	3	1000	2	-	-	2	5	30	4	4	15	2	-	-	_		. 3	1	5
9	91	5	3		3	1	-	-	3	20	2	3	16	5	2	-	-		2		5
, 91	82	3	2	-	4	-		-	3	18	3	3	15	2	2	1	_	-		1	4
10	75	1	-	-	3	-	1	-	3	19	1	2	25	4	2	-	-	-	-	-	5
101	80	1	1	-		_		-		15		2	11	-	-	-	_	_		-	_
- 11	88	1	1	-	-	1	-	-	3	18	1	1	9	3	1	1	-	-	-	_	3
1111	80	1	2	-	-	1	-	-	5	21	1	6	13	-	-	-	-	-	1	-	2
12	75	1	2	-	-	-	-		-	13	-	7	5	2	3	-	-	-	1	1	10
121	83	1	5		-	1		10	1	15	-	6	5	1	1		-	-		-	3
13	68	2	-	-	-	-		-	2	6		7	4	3	-		-	=	1	-	4
131	73	5	-	-	-	-	1	-	3	12	1	1	4	1	1			-	2	1	4
14	10	-	-	-	-	-		-	1	3	-	-	2		-			-	-	-	1
141	-	-		-	-	-	-	-	-	-	-		-		-	-		-	-	-	_

\*I-Jan. to June. 2-July to Dec.

15+

Total each yr.



throughout the district during the first half of the year, seven cases occurring in widely separated areas and only two giving any history of association with each other. The third quarter was entirely free from notification but a further seven cases occurred in the fourth quarter, three of these being apparently unrelated to any other, whilst the remaining four together with a fifth occurring in the new year had close and tragic sequence. One unimmunised school girl developed diphtheria and was admitted to hospital. A second unimmunised girl attending the same school developed a sore throat a few days later for which she stayed at home without consulting a doctor. Twelve days later her younger brother developed a severe faucial diphtheria for which the family doctor was consulted on the fourth day. The child died in hospital a few hours later. Two other members of the family also developed the disease, one in a severe form and two more were infected for a period without showing obvious signs of illness. The first undiagnosed case in this family was found to be suffering from a slight paresis of the palate and the organism of diphtheria was recovered from a nasal swab.

This is the third occasion in four years in which a death from diphtheria has occurred in a family whose head has previously objected actively to immunisation and withheld consent. In each instance following the fatality written consent to immunisation of the remaining members of the family has been given. This seems a high price to pay for the privilege of parental decision.

Of the fourteen cases occurring during 1946 one had been immunised through the medium of the Local Authority's scheme three years earlier, five had at varying intervals of time probably been immunised elsewhere, and eight had never been immunised against diphtheria.

Immunisation continued to be practised vigorously, and systematic visitation was carried out over a part of the area during the year. 474 children were immunised whilst 807 children immunised in an earlier year were re-inoculated. It is estimated that at the end of 1946 57.8% of children under five years of age and 76.6% of those between the ages of five and fourteen years inclusive had been immunised through the medium of the Local Authority's scheme. In addition, an appreciable number of

children are immunised under private arrangements, and it is likely that 75% of the population under 15 years has been successfully inoculated.

Table 15 records the progress of the scheme since its inception in 1936.

		TA	ABLE 10	5.		ne of the	
	D	iphtheria	Attack	Rate :-			
				England ar	nd	Smaller	
Year	Cl	nadderto	n	Wales		Towns	
1938	 	1.91		1.58		1.53	
1939	 	0.62		1.14		1.16.	
1940	 	0.36		1.16		1.21	
1941	 	0.30		1.25		1.19	
1942	 	0.71		1.05		0.91	
1943	 	0.65		0.88		0.77	
1944	 	0.34	•	0.58		0.69	
1945	 	0.64		0.46		0.56	
1946	 	0.46		0.28		0.31	
	D	iphtheria	Death	Rate :-			
1938	 	0.16	*	0.07		0.06	
1939	 	0.06		0.05		0.04	
1940	 	0.00		0.06		0.05	
1941	 	0.00		0.07		0.06	
1942	 	0.04		0.05		0.04	
1943	 	0.03		0.03		0.04	
1944	 	0.00		0.02		0.03	
1945	 	0.03		0.02		0.02	
1946	 	0.03		0.01		0.01	

The presence of sporadic cases of diphtheria throughout all parts of the area during most of the year, and its persistent finding of weak spots in our defensive measures implies no loss of virulence on the part of the diphtheria organism. Chadderton is not an epidemiological entity, and cannot therefore by its own efforts eliminate diphtheria from its midst. It has for eight years now avoided any major outbreak, a condition of affairs which is undoubtedly due to the high level of immunity maintained in recent years by inoculation.

#### PNEUMONIA.

During 1946 25 cases of pneumonia were notified, 60% of the cases being males and less than a quarter of the cases occurring in the five months April to August. The preponderance of fatality from pneumonia amongst males in the winter months is the result of climatic and occupational hazard and is a persistent feature of the statistics of this area. Three cases were admitted to hospital where two died from causes other than pneumonia. The remaining twenty-two cases were nursed at home among which three deaths occurred, two of these being ascribed to influenza. In addition a further eleven deaths were recorded from all forms of pneumonia, of which two occurring in hospital and two occurring at home could be classified as resulting from primary pneumonia. It might reasonably be assumed that in 1946 twenty-nine cases of primary or influenzal pneumonia had their origin in this area among which seven deaths occurred

# DYSENTERY AND GASTRO-ENTERITIS.

One case of dysentery of the sonné type was notified at the end of the year, when investigation revealed the presence of other cases of diarrhœa amongst children attending one school. Secondary familial cases had occurred also. The disease was mild in character and in many instances no doctor had been consulted. The primary cases appear all to have been infected at one time, and apart from the secondary familial cases no recurrence took place.

An outbreak of gastro-enteritis occurred at one nursery belonging to the Local Authority, eight children being involved over a period of four days. The infection appeared to have come from a child newly admitted to the nursery, three days prior to the onset of the first case. The usual measures to combat the outbreak were introduced on the first day and the outbreak subsided as rapidly as it arose, all the cases recovering.

#### MEASLES.

A total of 264 cases of measles occurred during 1946 without fatality.

It was a measles epidemic year for the area and the disease arrived in epidemic form from the neighbouring town of Oldham early in November. In the last eight weeks of the year over 220 cases occurred and the disease was still prevalent at the end of the year, continuing for another six weeks in 1947, before it finally subsided. The outbreak was sharp whilst it lasted but did not assume the proportions of some earlier outbreaks.

TABLE 18.

WARD INCIDENCE OF INFECTIOUS DISEASES NOTIFIED SINCE 1935.

1946	4	-	00	14	13	=	20	44	0	0	0	0	6	12	16	37	2	3	4	6	0	0	1	1	9	00	11	25
1945	7	6	3	61	35	37	46	118	0	0	0	0	10	13	00	31	3	67	4	6	0	0	1	1	4	4	4	12
1944	22	2	9	01.	89	48	18	194	0	0 -	0	0	13	5	13	31	33	3	5	11	0	0	1	1	3	11	12	56
1943	10	5	4	61	31	27	127	185	0	0	0	0	7	_	6	23	5 .	9	5	16	0	0	2	57	10	12	19	41
1942	7	1	13	21	19	19	75	113	0	0	0	0	2	6	19	33	6	5	9	20	0.	2	0	57	5	11	18	34
1941	1	5	9	6	25	14	8	47	1	0	2	00	00	11	6	23	5	4	5	11	0	1	0	1	7	12	11	30
1940	1	4	9	111	13	20	25	43	ા	4.	2	00	1	7	12	20	60	33	4	10	1	0	2	00	9	6	17	32
1939	00	4	1	19	28	19	19	99	0	0	0	0	7	10	13	30	5	2	9	13	0	0	0	0	7	4	00	19
1938	23	14	21	58	34	12	36	82	0	0	0	0	4	5	14	23	00	67	5	15	0	0	0	0	6	6	14	32
1937	+	+	5	13	34	19	17	10	0	0	0	0	00	6	12	59	4	5	9	15	-	0	0	1	10	12	4	26
1936	11	10	18	39	19	18	17	54	0	0	0	0	7	9	00	21	9	9	+	16	57	-	0	3	6	13	10	32
1935	8	7	23	38	34	39	33	106	0	0	0	0	5	8	8	21	7	60	3	13	0	0	0	0	11	20	13	44
Ward	Z	C	S	T	Z	C	S	T	N	0	S	T	N	C	S	T	Z	C	S	T	Z	C	S	T	Z	0	S	T
Disease	Diphtheria Scarlet Fever			Futeric Fever			29	Pulmonary	Tuberculosis			Non-Pulmonary	Tuberculosis			Cerebro Spinal	Fever			Pnenmonia								

# WHOOPING COUGH.

Pertussis was unduly prevalent during the year, 127 cases being notified of whom 93 were five years of age or younger. The disease occurred with the greatest frequency in the winter months. Five cases were admitted to hospital, where one death occurred.

# CEREBRO-SPINAL FEVER.

One case of cerebro-spinal fever occurred and was removed to hospital where death took place.

#### ERYSIPELAS.

Four cases occurred in 1946, all being nursed at home. No death occurred.

#### CHICKEN POX.

123 cases of chicken pox were known to have occurred in 1946. All cases were nursed at home, and no death took place.

ENTERIC FEVER, OPHTHALMIA NEONATORUM, ACUTE POLIOMYELITIS, PUERPERAL PYREXIA, ACUTE POLIOENCEPHALITIS, ACUTE ENCEPHALITIS LETHARGICA AND MALARIA.

No case of these diseases was notified during 1946.

## GLANDULAR FEVER.

One young adult male was admitted to hospital for investigation and found to be suffering from infectious mononucleosis, from which he made a successful recovery.

#### TUBERCULOSIS.

37 cases of pulmonary tuberculosis were notified during the year, a figure in excess of the higher rates prevailing during the war years. Part, at least, of the increase, is likely to be due to earlier diagnosis arising from the presence of the mass radiography unit in the area during the spring. Non-pulmonary tuberculosis continues to be infrequent and 9 cases only were notified. It is certain that tuberculous cervical adenitis and abdominal tuberculosis are much less frequently met with to-

TABLE 19. NUMBER OF DEATHS FROM CERTAIN DISEASES.

Influ- enza	1.0 58 1.4 25 2.5 2.5 4.5 5.5 8.4 4.1 4.4 5.9 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5
Pneu- monia (All forms)	224882188888888888888888888888888888888
Cerebro Spinal Fever	-
Cancer	22 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
Tuber- culosis	8 12 8 8 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 8 8 2 2 2 2
Diph- theria	1041-1041000140104
Whoop- ing Cough	525   822   442 - 4   2282 - 282   -     -     -
Diarr- hœa	4 70 4 2 T 20 70 70 70 70 70 10 10 10 10 10 10 10 10 10 10 10 10 10
Enteric	
Scarlet	3881- -    - 3 -
Measles	======================================
Puer- peral Fever	21   22 21       21
Small- pox	
YEAR	1916 1917 1918 1920 1920 1921 1921 1922 1923 1933 1933 1934 1938 1938 1947 1948 1948 1948 1948 1948 1948

day, a fact which is significantly related to the increased use of pasteurised milk. Only two cases of cervical adenitis and two of abdominal tuberculosis were notified during the year. In addition two cases of bone disease, two of lupus and one of genital infection were notified.

A total of eight deaths from all forms of tuberculosis occurred during the year, the lowest number ever recorded in any one year, in Chadderton.

Cases Notified and Deaths from Tuberculosis during 1946.           New Cases         Deaths           Non-Pulmonary           Age         M. F.         M. F.         M. F.         M. F.           0-1         —         —         —         —         —           1-5         —         —         1         1         —         —         —           5-10         1         —         —         —         —         —         —           10-15         —         —         1         —         —         —         —           15-20         1         1         3         —         —         —         —         —           20-25         —         7         7         —         1         1         —         —         —           25-35         7         7         —         1         1         —				T	ABLE	20.				1			
Non-Pulmonary         Non-Pulmonary         Pulmonary         Pulmonary         Non-Pulmonary           Age         M. F. M. F. M. F. M. F.         M. F. M. F. M. F.           0-1 <t< th=""><th>Cases</th><th colspan="12">Cases Notified and Deaths from Tuberculosis during 1946.</th></t<>	Cases	Cases Notified and Deaths from Tuberculosis during 1946.											
Age       M. F.       M. F.       M. F.       M. F.       M. F.         0-1        - <t< td=""><td></td><td>Pulme</td><td></td><td>N</td><td colspan="7">Non-</td></t<>		Pulme		N	Non-								
The state of the s	0-1 1-5 5-10 10-15 15-20 20-25 25-35 35-45 45-55 55-65 65 and	M	F	M 1 3 - 1	F. 1 1 1 1		M		M				

PUBLIC HEALTH (PREVENTION OF TUBERCULOSIS) REGULATIONS, 1925. PUBLIC HEALTH ACT, 1936, SECTION 172.

No action was found necessary under these enactments during 1946.

TABLE 21.

# NOTIFIABLE DISEASES.

Number of cases of infectious diseases notified, number of deaths from these diseases, number of cases removed to hospital, and deaths in hospital during the year 1946.

Deaths in	Hospital of persons	belonging to district	-    -	61	8
Hospital  Total Cases Re- moved to Hos- to Hos- pital in district		to Hospital in district	14   29   1       1     20   22   22   22   23	ಣ	80
	Total	Deaths	1-1111 -1 111 1211 2	60	23
		65 and over		1	7
		45-65		1	17
		35-45		22	15
		20-35	21-1         2-2 2	-	30
		15-20		69	8
otified	sars	10-15	1   4	1	12
Cases N	Ye	5-10	1 3 2 2 1 1 1 1 1 2 2 2 1	1	169
		1-4	1-   -	1	86
		3-4	-   2	-	78
		2-3	%	1	57
		1-2		1	33
		Under 1	111111 11 11 11 11 11 11 11 11 11 11 11	1	. 14
	Total	Cases at all ages	14 4 4 4	6	526
	Disease		Smallpox Diphtheria Erysipelas Scarlet Fever Enteric Fever Puerperal Pyrexia Cerebro-Spinal Fever Neonatorum Malaria Neonatorum Dysentery Encephalitis Lethargica Lethargica Measles Whooping Cough Tuberculosis Tuberculosis	Tuberculosis	Totals
	-	Total  Total  Total	Cases Notified         Total         Total         Cases           Under         1         1-2         2-3         3-4         4-7         5-10         10-15         15-20         20-35         35-45         45-65         and over and district	Total ages   Tot	Total Acades Notified Acades Notified Cases Notified Cases Notified Cases Notified Cases Notified Cases State Stat

# SANITARY CIRCUMSTANCES OF THE AREA.

# WATER SUPPLY.

The water supply to the area is ample in sufficiency and excellent in quality. It is derived mainly from the Oldham Corporation, but in part also from the Middleton and Heywood Water Board and the Manchester Corporation reservoirs. All the three supplies are chlorinated. Almost all, over 99%, of the dwelling houses in the area have a piped water supply direct to the house. No houses derive their water supply from stand pipes but 44 premises comprised of farms and dwelling houses are supplied from well and spring water.

There is no particular liability to plumbo-solvent action and no sampling of the water supply was undertaken by the local authority during the year.

# DRAINAGE AND SEWERAGE.

New Street Works. No new street works were completed during 1946.

745 linear yards of new sewer were laid during the year on the Long Lane housing estate.

# CLOSET ACCOMMODATION.

Thirteen waste water closets were converted to fresh water closets during the year. 1,124 complaints of blocked closets were received, 1,067 of these affecting the waste water type of closet. This figure corresponds to 34.75% of the total number of waste water closets in the district. On the other hand 57 blockages of fresh water closets occurred, equivalent to 0.78% of the total in the area. In addition 321 blocked drains were cleared.

	TABL	E 22.		Number
Type of Closet,	Number in 1944	Number in 1945	Converted, 1946	at end of 1946
Pail Closets	. 336	320	_	319
Waste Water Closets	. 3,088	3,083	13	3,070
Fresh Water Closets	7,103	-7,108	_	7,284
Total	10,527	10,511	13	10,673

# ERADICATION OF BED BUGS.

During 1946, 39 houses were disinfested, 36 being dealt with by the Hydrogen Cyanide method and 3 by spraying with D.D.T. solution. No council houses required to be treated.

# RATS AND MICE DESTRUCTION.

During the year disinfestation of sewers was commenced and was in progress at the end of the year. The Private Dwellings Scheme of the Ministry of Food has been adopted by the Council.

The number of premises inspected was 282, the number of business premises found infested and treated was 10, and in addition the Council's sewage works and controlled tip were dealt with.

# SANITARY INSPECTION.

The following table furnished by the Senior Sanitary Inspector, gives a summary of the work carried out by the inspectorate staff during 1946.

Summary of Work Done.  Number of investigations made in notifiable diseases
Number of investigations made in notifiable diseases
Number of statutory notices served
Number of statutory notices served
Number of statutory notices complied with
Number of informal notices served
Number of informal notices complied with
Number of houses disinfested
Number of Pail Closets converted to Fresh Water Closets  Number of Waste Water Closets converted to Fresh Water Closets
Number of Pail Closets converted to Fresh Water Closets  Number of Waste Water Closets converted to Fresh Water Closets
Closets
Number of visits to factories
Number of visits to slaughter-houses, Butchers' shops and places where food is prepared for sale
Places where food is prepared for sale
Number of visits to farms
Number of samples of milk examined (Biologically) 123  Number of Smoke observations  Number of houses inspected and recorded (Housing Consolidated Regulations)  Number of premises licensed for storage of petroleum 37  Number of premises licensed for storage of Carbide of
Number of Smoke observations
Number of houses inspected and recorded (Housing Consolidated Regulations)
Number of premises licensed for storage of petroleum 37  Number of premises licensed for storage of Carbide of
Number of premises licensed for storage of petroleum 37 Number of premises licensed for storage of Carbide of
Number of premises licensed for storage of Carbide of
Calcium 2
N
Number of complaints dealt with under Rats and Mice Des-
truction Act 242
Number of families displaced from Clearance Areas —
Number of families transferred from Clearance Areas —
Number of nuisances arising from blocked closets abated 1124
Number of nuisances arising from blocked drains abated 321

# SWIMMING BATHS.

16,683 attendances were made by schoolchildren in conducted parties to the baths as part of their organised education.

# SMOKE ABATEMENT.

Force of circumstances has brought the smoke nuisance to the notice of the most reluctant mind and the obvious link between abolition of atmospheric pollution and fuel saving has resulted in many hitherto uninterested people becoming smoke conscious. The practical interest shown by the industrialist today is dictated not only by the desire to husband fuel but also by the knowledge that there is now public recognition of the large part played by the domestic chimney in fouling the atmosphere and that steps, even though they are as yet only the tottering, hesitant steps of an infant, are being taken to deal with the domestic smoke problem.

The practice of taking regular formal smoke observations of industrial chimneys has for the time being been abandoned in favour of a policy of active discussions with factory engineers and stokers as to the best methods of solving industrial problems and the co-operation of the education authority has been obtained to the extent that a course of instruction in boiler-house practice will be held in two evening institutes in Chadderton during 1947.

In the domestic field as and when the new council houses are occupied assistance will require to be given to the householder in the organisation of the supply and distribution of smokeless fuels to those householders possessing the means of using them efficiently. An earlier scheme of fifteen years ago failed in Chadderton for want of such an organisation.

#### HOUSING.

The erection of 111 new council houses on the Long Lane housing estate has proceeded subject to the usual delays and difficulties experienced by all housing authorities, but a number of houses were in an advanced state of preparation by the end of the year.

74 new houses were completed under private enterprise during 1946.

Attention has been given to urgent defects arising during the war years in older houses. As a matter of general policy it was decided that old property must at least be weather proof, not dangerous to life or limb and be possessed of an adequate

TABLE 24.  No. of new houses erected during the year:—  (a) Total (including numbers given separately under (b)) 74 (i) By the Local Authority Nil (ii) By other Local Authorities Nil (iii) By other bodies and persons	
(a) Total (including numbers given separately under (b)) 74 (i) By the Local Authority Nil (ii) By other Local Authorities Nil (iii) By other bodies and persons	TABLE 24.
(i) By the Local Authority Nil (ii) By other Local Authorities	No. of new houses erected during the year:-
(i) By the Local Authority (included under (a) (i) above)	(i) By the Local Authority Nil (ii) By other Local Authorities Nil
1.—INSPECTION OF DWELLING HOUSES DURING THE YEAR:—  (1) (a) Total number of dwelling houses inspected for Housing defects (under Public Health or Housing Acts)	(i) By the Local Authority (included under (a) (i) above) Nil (ii) By other bodies or persons (included under (a) (iii)
Housing defects (under Public Health or Housing Acts)	1.—INSPECTION OF DWELLING HOUSES DURING
<ul> <li>(2) (a) No. of dwelling houses (included under sub-head (1) above) which were inspected and recorded under the Housing Consolidated Regulations, 1925 Nil</li> <li>(b) Number of inspections made for that purpose Nil</li> <li>(3) No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation</li></ul>	Housing defects (under Public Health or Housing
<ul> <li>(2) (a) No. of dwelling houses (included under sub-head (1) above) which were inspected and recorded under the Housing Consolidated Regulations, 1925 Nil</li> <li>(b) Number of inspections made for that purpose Nil</li> <li>(3) No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation</li></ul>	(b) Number of inspections made for that purpose 6453
(3) No. of dwelling houses found to be in a state so dangerous or injurious to health as to be unfit for human habitation	(2) (a) No. of dwelling houses (included under sub-head (1) above) which were inspected and recorded under
dangerous or injurious to health as to be unfit for human habitation	(b) Number of inspections made for that purpose Nil
under the preceding sub-head found not to be in all respects reasonably fit for human habitation) 2025  2.—REMEDY OF DEFECTS DURING THE YEAR WITHOUT SERVICE OF FORMAL NOTICES:—  No. of defective dwelling houses rendered fit in consequence of informal action by the Local Authority	dangerous or injurious to health as to be unfit for
No. of defective dwelling houses rendered fit in consequence of informal action by the Local Authority	under the preceding sub-head found not to be in
consequence of informal action by the Local Authority	WITHOUT SERVICE OF FORMAL NOTICES:—
1070	consequence of informal action by the Local Authority

TABLE 24—continued.	
3.—ACTION UNDER STATUTORY POWERS DURING THE YEAR:—	12182
A.—Proceedings under Sections 9, 10 and 16 of Housing	1000
Act, 1936:—	HORE
(1) No. of dwelling houses in respect of which notices were served requiring repairs	16
(2) No. of dwelling houses which were rendered fit after	The state of the s
service of formal notices:— (a) By owners	4
(b) By Local Authority in default of owners	Nil
B.—Proceedings under Public Health Acts:—  (1) No. of dwelling houses in respect of defects to be	(3)
	108
(2) No. of dwelling houses in which defects were remedied after service of notices:—	
(a) By owners	21
(b) By Local Authority in default of owners	17
C.—Proceedings under Sections 11 and 13 of the Housing Act, 1936:—	
(1) No. of dwelling houses in respect of which Demolition	
Orders were made	1
of Demolition Orders	Nil
D.—Proceedings under Section 12 of the Housing Act, 1936 (1) Number of tenements or underground rooms in	7
respect of which Closing Orders were made	Nil
(2) Number of separate tenements or underground rooms in respect of which Closing Orders were determined,	19/61
the tenements or rooms having been rendered fit	Nil
HOUSING ACT, 1936, PART IV-OVERCROWDING:-	
A.— (i) Number of dwelling houses overcrowded at the end	32
of the year	37
	2171
B.—No. of new cases of overcrowding reported during the	3
C.— (i) Number of cases of overcrowding relieved during	
the year	Nil
(ii) Number of persons concerned in such cases	Nil

water supply, means of heating and cooking, and effective methods of disposal of waste water, excreta and household refuse. This standard was set as one which, in the light of the difficult national situation, could be aimed at as a short term practical possibility. It would seem that for some years to come preservation of older types of housing is an important aspect of the general housing problem and one that will require to be kept in the forefront.

38

# INSPECTION AND SUPERVISION OF FOOD.

#### MILK SUPPLY.

The number of dairy farms in the area at the end of the year was 28, these possessing some 495 cows. Two farms are licensed to produce and bottle accredited milk. 18 licences were issued in respect of the distribution of pasteurised milk.

TABLE 25.	
Dairy Farms	28 166
Farmers and Dairymen from out-districts registered as retail purveyors in Chadderton	
Vendors licensed to sell pasteurised milk Dairymen from out-districts licensed to sell Tuberculin Tested	2
Milk (Certified)	Nil Nil

During the year 123 samples of milk were examined for the presence of tubercle bacilli and in 7 of these the organisms were found. The samples of milk sold under licence as pasteurised were free from tubercle bacilli. The results of examinations carried out during the past 15 years are shown in Table 26.

	TABLE 26.												
I	Results of Random Sampling, for the Presence of Tubercle Bacilli, of Milk Sold in the District.												
Year			Positiv	e	Negati	ve	Total Samples		* % Positive				
1932			2		8		10 -		20				
1933			1		17		18		5.5				
1934			2		17		19		10.5				
1935			0		11		11		_				
1936			3		18		21		14.3				
1937			8		50		58		13.7				
1938			6		42		48		12.5				
1939			0		24		24						
1940			5		57		62		8.1				
- 1941			4		26		30		13.3				
1942			9		53		62		12.9				
1943			10		82		92		10.9				
1944			4		74		78		5.1				
1945			7		89		96		7.3				
1946			7		116		123		5.7				

TABLE 27.

ANALYSIS OF MILK SAMPLES WHICH HAVE BEEN EXAMINED BIOLOGICALLY DURING THE YEAR 1946.

	5 X								
/0	Unsatis- factory	27.08	33.33	35.00	15.38	Nil.	16.66	80:00	29.27
	Unsatis- factory	13	2	14	61	Nil.	1	4	36
Number of Samples	Num Sam Satis- factory		4	26	11	5	20	1	87
% ∓ 7.	Posi- tive	6.25	Nil.	2.50	Nil.	Nil.	16.66	40.00	5.69
F 2	Nega- tive	45	9	39	13	9	5	3	116
H	Posi- tive	60	Nil.	1	Nil.	Nil.	1	દા	7
Number of samples satis-	both tests	38	4	27	11	5	9	3	94
n Test	Unsatis- factory	õ	2	6	2	Nil.	Nil.	23	20
Coliform Test	Satis- factory	43	4	31	11	5	9	3	103
ne Blue	Unsatis- factory		Nil.	9	1	Nil.	Nil.	23	17
Methylene Blue Test	Satis- factory	40	9	34	12	5	9	3	106
	No. of samples	48	9	40	13	22	9	5	123
	Source of Supply	Chadderton Farmers	Dairy Milk, Chadderton	Out-District Farmers	Dairy Milk, Out-Districts	Pasteurised	Sterilised	Accredited Chadderton Farms	Total

Milk was also sampled in respect of its cleanliness in 123 instances and Table 27 sets out in detail the source of the milk sampled and the character and result of the tests carried out. 29 of the samples, equivalent to 23.57% of the total, failed to pass a standard of bacterial cleanliness and safety as represented by the tests indicated in the table.

The results in Table 26 suggest that there has been a progressive improvement in the milk supplied to the area as regards its tubercle bacilli content since the deplorable position, as revealed by sampling, that obtained four or five years ago, an improvement which is almost certainly consequent on the increased amount of heat-treated milk sold in the area.

# MEAT AND OTHER FOODS.

During 1946, 492 visits were paid by the sanitary inspectors to slaughterhouses, meat shops, bakehouses, and places where food is prepared for sale, sold, or stored.

Table 28 shows the type and quantity of foodstuffs condemned as unfit for human consumption.

Licences were renewed in respect of 6 slaughterhouses, although slaughtering continues to be carried out at a central slaughterhouse outside the district.

The state of the s	-					-		
		TABI	LE 28	3.				
	- 10.					lbs.	ozs.	
130 Tins Meat						290	4	
Meat and Offal						47		
337 Tins Fish						231	111	
83 Packets Cereal						41	8	
334 Tins Vegetables						599	12	
Butter						37		
Margarine						8	8	
211 Tins Evaporated	Milk					216	41	
Bacon						156		
279 Jars Jam						281	_	
Figs						104	_	
1 Tin Syrup						2		
Potatoes						112		
Chocolate Biscuits					***	4		
Seedless Raisins			***		***	25		
19 Tins Fruit			***			45	- 8	
76 Tins Soup		***					0	
Pork						76	-	
Dried Milk Powder			***			-110	-	
Diled Milk Powder				3	tons	-	-	
The second second				4 to	ns, 1 c	wt., 35	lbs., 8 c	ZS.
				-				=

# CHEMICAL AND BACTERIOLOGICAL EXAMINATION OF FOODSTUFFS.

Sampling of foodstuffs is carried out by an inspector of the Lancashire County Council with the active assistance and cooperation of the sanitary staff of the Urban District Council. The results of analysis of the samples taken during 1946 have been supplied by the County Medical Officer of Health and are shown grouped in Table 29.

		TABL	E 29.	No. of samples	No. of samples
Sample.				taken	genuine
Milk				32	29
Margarine				3	3
Condensed Milk				3	3
Sweets				3	3
Boracic Ointment	***			3	3
		Total		44	41

One milk sample was found to be deficient of 4% solids-not-fat and further samples were obtained; one was deficient of 9% solids-not-fat and contained 6% extraneous water—legal proceedings were instituted and the vendor was fined £15 and £3 10s. 0d. costs; one milk was deficient of 1.7% solids-not-fat and contained 2.2% extraneous water—the vendor was cautioned and further samples obtained.

# FACTORIES ACT, 1937.

Inspections of factories in relation to requirements, set out in the Factories Act, 1937, have been carried out intermittently during the year. The employment of women in small factories previously the exclusive preserve of men has created minor but acute problems in the provision of separate sanitary accommodation for the two sexes.

TABLE 30.

# 1. Inspections for purposes of Provisions as to Health including Inspections made by Sanitary Inspectors.

4	Number	Number of				
Premises	on Register	Inspec- tions	Written Notices	Occupiers prosecuted		
(i) Factories in which Sections 1, 2, 3, 4 and 6 enforces blaby Local						
forceable by Local Authority  (ii) Factories not included in (i) to which Section 7	6	-	_	-		
applies (iii) Other premises under the Act	152	30	2	-		
(excluding out- workers' prem- ises)	3		_	-		
Total	161	30	2	-		

# 2. Defects found.

	No	of De		Number of defects	
Particulars	Found	Reme- died	Referred to H.M.	in respect of which prosecutions were instituted.	
Want of			HIST OALL		
cleanliness (S.1)		-	_		
Overcrowding (S.2)	-	-			
Unreasonable (C. 2)					
temperature (S.3)	1000	10-10		-	
Inadequate				Oracle Control of the	
Ventilation (S.4)	-				
Ineffective drainage					
of floors (S.6)	101	10 5080	TAUG SOF	MARKET A.	
Sanitary Conveniences (S.7)	Store !	of Street		THE WHITE STATE OF THE STATE OF	
(a) Insufficient					
(b) Unsuitable or				The same of the sa	
defective	4	4			
(c) Not separate	-		Activity !		
for sexes	2	2			
Other offences	2000	2			
Ctrist criticos					
Total	8	- 8	-		

# OUTWORKERS.

6 workpeople were notified as carrying out work in their homes in this area, principally in the clothing trade.

