#### [Report 1944] / Medical Officer of Health, Chard U.D.C. / Borough.

#### **Contributors**

Chard (England). Urban District Council.

#### **Publication/Creation**

1944

#### **Persistent URL**

https://wellcomecollection.org/works/krqmd5y5


#### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.





### BOROUGH



## of CHARD

# Annual Report

OF THE

### Medical Officer of Health

for the Year ending 31st December, 1944

#### PUBLIC HEALTH OFFICERS:

Medical Officer of Health:
D. V. HAGUE,
M.B., Ch.B., M.R.C.S., L.R.C.P., D.P.H.

Sanitary Inspector: P. H. WEBB, M.Inst., M. & Cy.E.

#### To the Mayor, Aldermen and Councillors of the Borough of Chard.

Gentlemen,

I have pleasure in presenting my Annual Report for 1944.

Five years of War have resulted in a considerable accumulation of public works. By far the most important is the shortage of houses which becomes an increasingly urgent problem. Many houses at present occupied are, or should be condemned as unfit for human habitation, but it is impossible to proceed unless alternative accommodation is available.

The supply of water has been of good quality, but somewhat inadequate at times in quantity. An increased supply or considerable increase in storage facilities will be required in the future in view of the steady increase in demand per head of the population.

In the circumstances the health of the town has been good. No serious epidemics have occurred.

A teacher in Yeovil Girls' Secondary School was notified as suffering from Small Pox at Easter. In view of the considerable number of people travelling daily from Yeovil to Chard and the comparatively small number of people recently vaccinated in the district there was risk of a serious epidemic if further cases occurred. It was thought wise to inform the public and arrange for early vaccination of all who wished this done. Some 2,000 persons were vaccinated in the town, some of whom came from surrounding districts. This should be a considerable insurance against a serious epidemic in the district for some years to come, years when the return of troops from abroad may increase the risk of importing the disease. Fortunately, measures taken limited the outbreak to one case. The whole work was carried through with a speed and efficiency that reflects great credit on the local Medical men and Red Cross and St. John personnel.

Sporadic cases of Scabies were dealt with by Health Visitors and Sick Bays. There has been a considerable decline in the numbers of cases seen and treated.

#### SECTION A.

Area 1,030 Ac Registrar-General's estimate of	rea.									
(a) Resident Population mid-1944,	,835									
	,430 ,638 108									
Extracts from Vital Statistics.										
Total M.	F.									
Live Births—Legitimate 74 36 Live Births—Illegitimate 6 4	38									
Live Births—Illegitimate 6 4 Still Births—Legitimate 4 2 Still Births—Illegitimate 2 2	2 2									
Still Births—Illegitimate 2 2	-									
Deaths 72 33 Birth Rate per 1,000 of	39									
estimated resident population	16									
Still Birth Rate per 1,000 Total										
(Live and Still Births) Death Rate per 1,000 estimated	69									
average population	15									
Deaths from Puerperal Causes.										
No. 29 Puerperal Sepsis Nil	Nil									
No. 30 Other Puerperal Causes Nil	Nil									
Death Rate of Infants Under One Year of A	ge.									
All Infants per 1,000 Live Births	50									
Legitimate Infants per 1,000 Legitimate										
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate	50 40									
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate Live Births	40 166									
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate Live Births Deaths from Cancer (all ages)	40 166 12									
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate Live Births Deaths from Cancer (all ages) Deaths from Measles (all ages)	40 166									
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate Live Births Deaths from Cancer (all ages)	40 166 12 Nil									
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate Live Births Deaths from Cancer (all ages) Deaths from Measles (all ages) Deaths from Whooping Cough (all ages) Deaths from Diarrhoea (under 2 yrs. of age)	40 166 12 Nil Nil									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.	40 166 12 Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System Influenza 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System Influenza 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births Illegitimate Infants per 1,000 Illegitimate Live Births Deaths from Cancer (all ages) Deaths from Measles (all ages) Deaths from Whooping Cough (all ages) Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System Influenza 1 Cancer 6 Intra-Cranial Vasc.: Lesions 4	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System Influenza 1 Cancer 6 Intra-Cranial Vasc.: Lesions 4 Heart Disease 7 Other Circulatory Diseases 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System Influenza 1 Cancer 6 Intra-Cranial Vasc.: Lesions 4 Heart Disease 7 Other Circulatory Diseases 1 Bronchitis 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System  Influenza	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System  Influenza	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System Influenza	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System 1  Cancer 6  Intra-Cranial Vasc.: Lesions 4  Heart Disease 7  Other Circulatory Diseases 1  Bronchitis 1  Pneumonia 2  Other Respiratory Diseases 1  Diarrhoea (under 2 years) 1  Other Digestive Diseases 1  Birth Injuries and malformations, etc 5  Suicide 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System 1  Cancer 6  Intra-Cranial Vasc.: Lesions 4  Heart Disease 7  Other Circulatory Diseases 1  Bronchitis 1  Pneumonia 2  Other Respiratory Diseases 1  Diarrhoea (under 2 years) 1  Other Digestive Diseases 1  Birth Injuries and malformations, etc  Suicide 1  Other Violent Causes 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System 1  Cancer 6  Intra-Cranial Vasc.: Lesions 4  Heart Disease 7  Other Circulatory Diseases 1  Bronchitis 1  Pneumonia 2  Other Respiratory Diseases 1  Diarrhoea (under 2 years) 1  Other Digestive Diseases 1  Birth Injuries and malformations, etc 5  Suicide 1	40 166 12 Nil Nil Nil 1									
Legitimate Infants per 1,000 Legitimate Live Births  Illegitimate Infants per 1,000 Illegitimate Live Births  Deaths from Cancer (all ages)  Deaths from Measles (all ages)  Deaths from Whooping Cough (all ages)  Deaths from Diarrhoea (under 2 yrs. of age)  Causes of Death.  Tuberculosis of Res. System 1  Cancer 6  Intra-Cranial Vasc.: Lesions 4  Heart Disease 7  Other Circulatory Diseases 1  Bronchitis 1  Pneumonia 2  Other Respiratory Diseases 1  Diarrhoea (under 2 years) 1  Other Digestive Diseases 1  Birth Injuries and malformations, etc  Suicide 1  Other Violent Causes 1	40 166 12 Nil Nil Nil 1									

#### SECTION B.

#### General Provision of Health Services for Area.

- Mr. Webb continues the whole work of the Sanitary Department, a heavy burden which should be relieved as soon as circumstances permit.
- 2. (a) Laboratory Facilities-No Change.
  - (b) Ambulance Facilities-No Change.
  - (c) Clinic and Treatment Centres—No new Centres have been opened.
  - (d) Nursing in the Home—Nurse Tonge and Nurse Roylance continue their good work as District Nurses.
  - (e) Hospitals-No Change.
  - (f) War Nursery—General arrangements remain unchanged. Average daily number of children during the year 20.

Staff. Warden, Assistant Warden, Two Nursery Attendants, One Trainee, Two part-time workers. One Cleaner (parttime).

#### SECTION C.

Sanitary Circumstances of the Area.

- 1. Water Supply-No Change.
- 2. Drainage and Sewerage-Repairs only.
- 3. Sanitary Inspection of the Area.

#### SECTION D.

02011011 21	
Housing Inspections. 1. (a) Total number of Dwelling Houses	
inspected for housing defects (under P.H. or Housing Acts)	
(under P.H. or Housing Acts) (b) Number of inspections made for	14
the purpose	31
2. (a) Number of Dwelling Houses (in-	
cluded under sub-head (1) above) which were inspected and recorded	
under H.Con.Reg. 1925 and 1932	0
(b) Number of inspections made for the purpose	0
the purpose (c) Number of houses in which no	0
action was found necessary	U
3. Number of Dwelling Houses found to be in a state so dangerous or in-	
jurious to health as to be unfit for	
human habitation	0
4. Number of Dwelling Houses (exclusive of those referred to under the	
preceding sub-head) found not to	
be in all respects reasonably fit for human habitation	0
	. 0
Housing Action.	
(a) Number of defective Dwelling Houses rendered fit in consequence	
of informal action by the Local Authority or their Officers	
(b) Number of houses demolished	0
voluntarily or in consequence of	-
informal action	0
Action under Statutory Powers during the	Year.
Proceedings under Section 9, 10 and 16 of the Housing Act, 1936	0
	0
Proceedings under Public Health Acts (1) Number of Dwelling Houses in respect	
of which notices were served	
requiring defects to be remedied	8
(2) Number of Dwelling Houses in which Defects were remedied after serv-	
ing of formal notices:-	0
(a) By Owners (b) By Local Authority	8
Proceedings under Sections 11, 13 and 26	
of the Housing Act, 1936	0
Proceedings under Section 12 of the Housing Act, 1936	0
Housing Act, 1936 (Overcrowding).  14 Condemned Houses are at present occu 18 Houses in Old Town made fit, occupied by Ministry of Aircraft Pre tion workers.	Now
tion workers.	

#### SECTION E.

### Analysis of the Total Cases Notified.

Inspection and Supervision of Food.
Milk Supply.
Number of Producers on the Register 8
Number of Distributors on the Register divided as follows:—
(1) Distributors only 6
(2) Distributors who are also Producers 2
Meat and Other Foods.
Number of Slaughterhouses Licensed 1
Government Slaughter House
527 visits have been made to the Government Slaughter House for the purpose of Meat Inspection.
Regular visits have been made to shops. Vehicles have been inspected. There are no Stalls.
Adulteration. Local Action taken 0
SECTION F.
Infectious Diseases.
Diphtheria Immunisation.  At the end of 1944 the following number of children were immunised:—
Number
School Children 663 540 81%
School Children 663 540 81% Children under School
Age and over 1 year 334 206 60%
The following cases of Infectious Disease were notified, 12 being admitted to the Isolation Hospital, South Petherton:—

22 37 71

6 5

2

Diphtheria

Measles Cerebro Spinal Fever

Ophthalmia

Scarlet Fever ... Whooping Cough

Pneumonia Puerperal Pyrexia

Neonatorum

7

2

Diebek				Under 1 3	1-2 years	2-3 years	3.4 years	4.5 years 5-10 year	10-15 year		20-35 year	35-45 yea	45-65 year	Over 65
Diphthe		***						-			1			
			***	-	3	2	2	12			2			
Whoopi		ugn	***	3			7	19		1	2			
Measles			***		15		22	26	6	2				
Cerebro		1 Fever						1						
Pneumo			***		1			2			1	1		1
Puerper		rexia eonatori	***							2	2			
			Tu	ber	cu	los	is.							
	1	New C	ase	es a	and	4 1	Mo	rtali	ty					
				N	ew	C	ase	5		De	ath	s		
				ıry				Ž.	N.A.					ry
A Peri				spiratory			No:	pirato	Spirator				Non-	irato
			-	20				LO.	12	1				200

dsom M. F.

0 0

0 0

M. F.

0 0

0 0

TS TS TS

M. F.

0

0 3 0

0 0

0 0 0

M.

0

0 0

0 0

nunise	d:-			5—15		 0	0	1	0	
		Number Immunised		15—25 25—35		 1	0 2	0	0	
	663	540	81%	35—45 45—55			0		0	
hool	334	206	60%	5565	 upwards	 0	1	0	0 0	
es of Infectious Disease were eing admitted to the Isolation th Petherton:—				Total New Case	 2	4	1 Deat	0 hs	170	
Total	Cases Ca	ases Admitte to Isolation Hospital	d Total Deaths							-