[Report 1907] / Medical Officer of Health, Cosford (Union) R.D.C.

Contributors

Cosford (England). Rural District Council.

Publication/Creation

1907

Persistent URL

https://wellcomecollection.org/works/knmhw6qv

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



onto

COSFORD RURAL DISTRICT, 1907,

In the Administrative County of West Suffolk.

Twenty-ninth Annual Report of the Medical Officer of Health

On the Health and Sanitary Condition of the Cosford Rural District of the Cosford Union, during the twelve months ending the 31st December, 1907.

(THIRTEENTH ANNUAL REPORT TO THE COSFORD DISTRICT COUNCIL.)

Population (1891) 12354, (1901) 11618, (Males 5809, Females 5809).

Area 48572 acres. Number of Persons per acre, 0.2.

Number of Inhabited Houses, 2703. Number of Persons per Inhabited House, 4.2.

I. Births. There were 267 births registered during the year (130 males and 137 females), making a birth-rate of 22.9 per thousand of the population. The births and birth-rates during the past five years were as follows:—

1903. 1904. 1905. 1906. 1907. Births...... 282 281 283 284 267 Birth-rates... 24.2 24.1 24.3 24.4 22.9

II. DEATHS. The number of deaths from all causes was 183 (95 males and 88 females), making a death-rate of 15.7 per thousand of the population. The deaths and death-rates for the past five years were:—

| | 1903. | 1904. | 1905, | 1906. | 1907. |
|-------------|-------|-------|-------|-------|-------|
| Deaths | 169 | 169 | 138 | 171 | 183 |
| Death-rates | 14.5 | 14.5 | 11.8 | 14.7 | 15.7 |

Infantile Mortality. There were 29 deaths among infants under 1 year of age, being 108.6 per thousand on the registered births. Of these 7 occurred in the Hadleigh Division of the District, and 22 in the Lavenham Division. The proportion of deaths under 1 year of age to births in the last five years were:—

1903. 1904. 1905. 1906. 1907. 108.5 106.7 63.6 95.0 108.6

Zymolic Diseases. There were 13 deaths during the year due to zymotic diseases. They were—Measles I, Whooping Cough 6, Epidemic Influenza 4, Enteric 1, Erysipelas 1. The zymotic deaths and death-rates in the past five years were as follows:—

| | Small | | Diphtheria. | | | | Measles. | | | Erysipelas. | Totals. | |
|------|-------|--------|-------------|--------|------------|--------|----------|--------|------------|-------------|---------|--------|
| | pox. | Fever. | | Fever. | Dysentery. | Fever. | | Cough. | Influenza. | | | rates. |
| 1903 | - | - | 1 | _ | 1 | 1 | - | 2 | 5 | - | 10 | .8 |
| 1904 | - | 1 | - 5 | - | 1 | 1 | - | - | 1 | - | 9 | .7 |
| 1905 | _ | - | 1 | 1 | - | - | - | - | 3 | _ | 5 | .4 |
| 1906 | - | - | 2 | - | 1 | - | 2 | 6 | 1 | - | 12 | 1.03 |
| 1907 | - | - | _ | - | - | 1 | 1 | 6 | 4 | 1 | 13 | 1.1 |

Deaths from all other causes were 170, or 14.6 per thousand of the population. The deaths in this district caused by the principal diseases, and death-rates during the past five years were:—

| | Phthisis. | Bronchitis. Pleurisy. Pneumonia. | Heart Disease. | Injury. | Other Diseases. | Totals. | Death- |
|------|-----------|----------------------------------|----------------|---------|-----------------|---------|--------|
| 1903 | 9 | 14 | 21 | 3 | 112 | 159 | 13.6 |
| 1904 | 9 | 18 | 19 | 4 | 110 | 160 | 13.7 |
| 1905 | 10 | 13 | 15 | 3 | 93 | 133 | 11.1 |
| 1906 | 8 | 24 | 24 | 6 | 97 | 159 | 13.6 |
| 1907 | 14 | 21 | 25 | 4 | 106 | 170 | 14.6 |

III. THE INFECTIOUS DISEASE (NOTIFICATION) ACT. The total number of cases of infectious disease notified in this district during 1907 was 18, or 1.5 per thousand of the population. The cases notified during the past five years were:—

| | Smallpox. | Searlet Fever. | Continued Fever, | Diphtheria. | Memb. Croup. | Typhoid Fever | Puerperal Fever. | Erysipelas. | Totals. | Per Thousand of Population. |
|------|-----------|-------------------|---------------------|-------------|-----------------|------------------|---------------------|-------------|---------|--------------------------------|
| 1903 | _ | 66 | _ | 2 | - | 5 | | 2 | 75 | 6.5 |
| 1904 | - | 33 | _ | 17 | 1 | 1 | - | 4 | 56 | 4.8 |
| 1905 | - | 51 | | 6 | - | 4 | 1 | 7 | 69 | 5.9 |
| 1906 | - | 4 | - | 10 | - | _ | _ | 2 | 16 | 1.3 |
| 1907 | - | 13 | - | 1 | - | 1 | - | 3 | 18 | 1.5 |

Swall Pox. There were no cases of Small Pox in the district during the year.

Scarlet Faver. There were 13 cases in all (none fatal) during the year. Five were at Boxford, seven at Hitcham and one at Lindsey. The outbreak at Boxford was of a very virulent character, and was illustrative of the great difficulties that may be experienced in dealing with an epidemic where no Isolation Hospital is provided. The first case was that of a barmaid who was sent home ill from her situation with what was supposed to be a septic throat. Four days later her sister went down with scarlet fever of a severe type. The only other inmate of the house was the invalid mother, who was quite incapable of doing either housework or nursing, and as it was impossible to get anyone in the place to look after them, another sister came home and promptly went down with the fever. It then became necessary to send to Bury Nursing Home for two fever nurses, and to make arrangements to provide the whole household with food and other necessaries from outside. Before many days the invalid mother took the fever, and also one of the nurses, and another nurse had to be sent for. The house, a very small one, was now overcrowded, but I was fortunately able to hire an empty one close by and put in sufficient furniture to accommodate some of the cases. The greatest difficulty of all was to get the most necessary washing done, as there was a panic in the neighbourhood from fear of infection, and in the end it had to be done by volunteers from my own household. I may say here that the first case of "septic throat," although there was no rash visible, was undoubtedly a case of scarlet fever, as she afterwards peeled freely. Although this outbreak was confined to one family it cost the Sanitary Authority over £46, and the expense would have been considerably more if it had not been for the fortunate chance of being able to hire the empty house close by.

The outbreak at Hitcham was almost entirely amongst school children, and was of a mild type. It was introduced into the village by a girl who had been discharged from a Fever Hospital.

Diphtheria. There was only one case during the year, at Chelsworth, in a house where there was a defective scullery drain, and the drinking-water, obtained from a shallow well, was also unsatisfactory.

Typhoid Fiver. There was one case at Lavenham, which proved fatal. The drinking-water in this case was occasionally obtained from the river, which is not a wholesome supply. There was no necessity to drink the river water, as there was a good supply obtainable from the standpipe in Water Street.

Puerperal Fever. None.

Erguipelas. There were three cases-One at Groton, and two at Lavenham, one of which proved fatal.

Anthrax. There was one case (fatal) during the year. It was that of a workman in Mr. Roper's Horsehair Factory at Lavenham. A special report on the Factory was made at the time, and the question of the prevention of Anthrax has been occupying the attention of the County Council for some time.

The Special Committee appointed to investigate the matter, in their report "recommend the County Council to point out to all District Councils, that in no case should they permit the effluent from Hair Factories to drain into streams or rivers direct."

The present system at Mr. Roper's Factory is to disinfect all hair by immersing it in a one per cent. solution of cyllin for 24 hours.

Tuberculosis. There were 16 cases of Tuberculosis, 14 of which were Pulmonary. I think it very advisable that tuberculosis should be included in the list of notifiable diseases, as a good deal of ignorance still exists as to the precautions that should be taken to prevent infection.

IV. WATER SUPPLY. There is nothing fresh to report with regard to the water supply of the district. The villages provided with public wells, from which they partly derive their supply are:—Cockfield, Elmsett, Groton, Hitcham, Lindsey, Lavenham, Monks Eleigh, Polstead and Whatfield.

Those parishes which depend almost entirely on ponds for their water supply are:—Aldham, Brettenham, Kettlebaston, Milden, Naughton, Nedging, Thorpe Morieux, Preston and Wattisham.

Water Analysis. Eight samples were analysed during the year, and four were found unsatisfactory.

- V. Sewerage. The sewers in Boxford and Hadleigh Hamlet have been fitted with gully-traps and block-traps, in place of the previously-existing cesspools, which were a nuisance. Forty-seven yards of new sewer have been laid in Hadleigh Hamlet.
- VI. Houses and Cottages. During the year there have been four cottages repaired and cleaned by order of the Sanitary Authority. Three cases of overcrowding have been abated.
- VII. FACTORY AND WORKSHOP ACT. The Factories and Bakehouses have all been inspected during the year and found satisfactory with the exception of one small bakehouse at Bildeston, since closed as being insanitary. The Bakehouses are all above ground, and the Factories are all provided with sufficient means of escape in case of fire. There are 66 Outworkers engaged in horse-hair weaving or tailoring. Their premises were all inspected and it was found that they were working under satisfactory conditions.

Section 22 of the Public Health Acts (Amendment) Act, 1890, has not been adopted by the Council.

VIII. CONTAGIOUS DISEASES (ANIMALS) ACT. Dairies, Cowsheds and Milkshops Order. There are no Milkskops, but seven Dairies and Cowsheds registered in the district, two others having been given up during the year. Three are at Lavenham, one at Boxford, one at Bildeston, one at Hitcham, and one at Whatfield. They were all inspected and found satisfactory.

In many of the parishes in the district the supply of milk is not adequate to the demand, which fact is to be deplored, as milk is such a necessary article of diet, especially for children.

- IX. SLAUGHTER HOUSES. One was ordered to be cleaned and lime-washed.
- X. ISOLATION HOSPITAL. None.
- XI. Schools. All the Elementary Schools in the district have been inspected during the year. In one case the sanitary arrangements were found in a very dirty condition,—since remedied. One School (Hitcham) was closed for a time on account of an outbreak of Scarlet Fever, and three were closed on account of Whooping Cough amongst the children.
- XII. Sanitary Inspection. Report of Mr. Scrivener, Inspector of Nuisances—"A house-to-house inspection of the district was made during the year and 115 notices served for the abatement of nuisances, a list of which in the various parishes is given in the Table at the end of this Report: 113 of these nuisances have been abated. Eleven houses were disinfected, and disinfectants supplied to nine cases. Water analysed, ponds cleaned out, &c., 7."

XIII. SPECIAL REPORTS. There were two special reports made during the year, one on the Dairies, Cowsheds and Milkshops under the Contagious Diseases (Animals) Act, and one on a special inspection of the Horsehair Factory at Lavenham.

The Tabular Statements, according to the forms supplied by the Local Government Board, of sickness and mortality in the district are appended to this Report. Also a Tabular Statement according to a form required by the West Suffolk County Council.

ALFRED THOMPSON,

TABLE I.—Cosford Rural District.

For Whole District.

| 1 | | mated r. | Bis | rths. | On | hs under e Year f age. | | s at all Total. | ablic 8. |
|---|---|--|---------|-------|---------|--|---------|--------------------|-----------------------------------|
| | Year. | Population estimated to middle of each year. | Number. | Rate* | Number. | Rate per 1000 Births regis- tered. | Number. | Rate* | Deaths in Public Institutions. |
| ı | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| ı | 1897 | 12354 | 338 | 27.3 | 23 | 68.0 | 173 | 14.0 | 12 |
| ı | 1898 | *** | 320 | 25.9 | 40 | 125. | 200 | 16.0 | 18 |
| ı | 1899 | | 310 | 25.0 | 25 | 80.6 | 167 | 13.5 | 16 |
| ı | 1900 | | 325 | 26.3 | 35 | 107.6 | 196 | 15.8 | 19 |
| ı | 1901 | 11618 | 327 | 28.1 | 35 | 107.0 | 179 | 15.4 | 17 |
| ı | 1902 | 100 | 278 | 23.9 | 36 | 129.4 | 194 | 16.6 | 19 |
| I | 1903 | | 282 | 24.2 | 34 | 120.5 | 169 | 14.5 | 10 |
| I | 1904 | | 281 | 24.1 | 30 | 106.7 | 169 | 14.5 | 13 |
| ı | 1905 | - | 283 | 24.3 | 18 | 63.6 | 138 | 11.8 | 19 |
| | 1906 | | 284 | 24.4 | 27 | 95.0 | 171 | 14.7 | 14 |
| | Averages for years 1897 to 1906) | | 302.8 | 25.3 | 30.3 | 100.3 | 175.6 | 14.6 | 15.7 |
| | 1907 | 11618 | 267 | 22.9 | 29 | 108.6 | 183 | 15.7 | 12 |

^{*}Rates calculated per 1,000 of estimated population.

At Census of 1901-

| Area of District in Acres (exclusive of a | irea co | overed by | water) | | 48572 |
|---|---------|-----------|--------|-----|-------|
| Total Population at all ages | *** | | 444 | | 11618 |
| Number of Inhabited Houses Average Number of Persons per house | | | | *** | 2703 |

TABLE V.—Cosford Rural District. Infantile Mortality during the year 1907.

Deaths from stated Causes in Weeks and Months under One Year of Age.

| Cause of Death. | - | Under 1 Week. | 1-2 Weeks. | 2.3 Weeks. | 3-4 Weeks. | To'l un'er 1 M'th | 1-2 Months. | 2-3 Months. | | 4-5 Months. | | 6-7 Months. | 7-8 Months. | 8-9 Months. | 9-10 Months. | 10-11 Months. | 11-12 Months. | Total Deaths |
|--|-----|---------------|------------|------------|------------|-------------------|-------------|-------------|-----|-------------|-----|-------------|-------------|-------------|--------------|---------------|---------------|--------------|
| All causes : Certified Uncertified | | | | | 20.40 | 2 | 1 | 2 | 1 | 1 | 3 | | 2 | - | 100 | 1.1 | 1 | 28 |
| Common Infectious Diseas | ses | | | ı | | | | ı | | | 孏 | | | | | | ı | |
| Small-pox | *** | | - | 12. | 011 | - | 100 | *** | | *** | - | 100 | 硼 | 100 | | 噩 | 盡 | 100 |
| Chicken-pox | | 100 | *** | *** | | - | | 111 | *** | | | | | | | | | |
| Measles | 111 | | 44.0 | 14 | 1111 | | 100 | 140 | - | | | 100 | | | 100 | 100 | 10 | 20 |
| Scarlet Fever | *** | | | | - | 8 | п | 22 | | 鏖 | - | | 圀 | - | 麣 | 8 | 88 | |
| Diphtheria: Croup | *** | 1111 | | 歷 | | 2 | 显 | | я | 8 | | | | - | 腮 | 8 | 100 | |
| Whooping Cough | | - | | 8 | 000 | 8 | 3 | 1 | 100 | 题 | 2 | 2 | ы | - | a | 显 | | 3 |
| Diarrhocal Diseases : | | | | П | | ш | | | | | | | | | | | | |
| Diarrhora, all forms | *** | | -3 | | | - | 羅 | 100 | | 匮 | 显 | 20 | | 200 | 墨 | 腮 | 显 | 腏 |
| Enteritis (not Tuberculos | | | | | | | ш | | | 8 | 1 | | 盡 | - | 8 | | 50 | ш |
| Gastritis, Gastro-intestin | nal | | | | | | | | Ш | | | | | | 1 | | ĸ | |
| Catarrh | | | 4 | | 111 | м | 靈 | | | | -31 | 盡 | 8 | × | 显 | 显 | 蘷 | |
| Wasting Diseases: | -7 | | | | Ш | п | | | | п | | | | | | | m | |
| Premature Birth | 200 | 10 | | 100 | | | - | | м | | | | | | | 显 | 霝 | ш |
| Congenital Defects | | | - | | 腮 | | | 88 | | 靐 | 8 | | | | | | | |
| Injury at Birth | 111 | | | 显 | 8 | - | 昂 | 88 | M | | | | × | - | 8 | 霝 | 霝 | 100 |
| Want of Breast-milk | | | | - | | 8 | 3 | | | | | 88 | | | B | | | |
| Atrophy, Debility, Mari | 25- | | | | | | | | | | | к | | | | | | |
| mas | | | | | | 8 | 噩 | | | | | 100 | 鳳 | 8 | 圆 | 屈 | 愿 | |
| Tuberculous Diseases: | | | | | | | | | | | | | | | | | | |
| Tuberculous Meningitis | | | 100 | | | | | | 100 | | 100 | 1111 | | | | - | | |
| Tuberculous Peritonitis | | | | | | | | | | | | | | | | | | |
| Tabes Mesenterica | ind | | - | 400 | 411 | | | | *** | - | | | - | | | | - | 40 |
| Other Tuberculous diseas | ses | | | | - | 噩 | | - | | | | | | | | | | |
| Erysipelas | | | | 100 | | | - | - | | | | 88 | | | | | - | 100 |
| Syphilis | | | - | | | | 飅 | | | | | | | | | | | |
| Wall Street | | - | | | 450 | | | | | | | 8 | | | | | 110 | - |
| Meningitis (not Tuberculos | | - | | | | | | | | | | | | | | | 鰈 | 100 |
| Convulsions | | | - | | 8 | 1 | 贈 | | | P | | | | | | | | |
| Bronchitis | | | | | 1 | | 100 | - | | | | | | | | - | 12 | 1 |
| Laryngitis | | | 闄 | | M | | 覵 | | | 贕 | | | | | | M | 100 | |
| Pneumonia | | | | | | | 膊 | | | | | | 1 | | | | | 2 |
| Suffocation, Overlaying | 1 | | | | | 軈 | | | | | | | 脯 | | | | | |
| Other causes | | | | 1 | | | | n | | | _ | | | | | | П | 15 |
| | | | | | | | | | | | | | | | | | | |

District (or Sub-division) of Cosford Rural District.

Births in the year { legitimate... } ... 267
Deaths from all causes at all ages ... 183
Population, estimated to middle of 1907 ... 1161

TABLE II.-Cosford Rural District.

| Names of Localities. | WHO |) DLE D | | CT. | | HADL DIVIS | EIGH | | LAVENHAM DIVISION. | | | | | | | |
|--|--|--|--|--|--|--|--|---|--|--|---|--|--|--|--|--|
| YEAR. | Population esti- mated to middle of each year. | Births registered. | Deaths at all | Deaths under | Population esti- mated to middle of each year. | Births registered. | Deaths at all Ages. | Deaths under one year. | Population esti- mated to middle of each year. | Baths registered. | Deaths at all Ages. | Deaths under | | | | |
| | a. | b. | c. | d. | a. | 8. | c. | d. | a. | ð. | c. | d. | | | | |
| 1897 1898 1899 1900 1901 1902 1903 1904 1905 | 12354 | 338 320 310 325 327 278 282 281 283 284 | 173 200 167 196 179 194 169 169 138 171 | 23 40 25 35 35 36 34 30 18 27 | 4488 | 141 124 103 134 130 103 115 103 108 109 | 63 82 62 70 68 89 53 62 64 | 10 18 7 10 11 16 8 8 3 8 | 7871 6881 | 197 196 207 191 197 175 167 178 176 175 | 110 118 115 126 111 105 106 107 83 107 | 13 22 18 25 24 20 26 22 16 19 | | | | |
| Averages of years 1897 to 1906 | | 302.8 | 175.6 | 30.3 | | 117.0 | 66.8 | 9.9 | | 185.8 | 108.8 | 20.4 | | | | |
| 1907 | 11618 | 267 | 183 | 29 | 4737 | 94 | 65 | 7 | 6881 | 173 | 118 | 22 | | | | |

TABLE III.—Cases of Infectious Disease notified during the year 1907.

| | | Cases | notifie | d in W | hole Di | strict. | | | cases n | |
|------------------------------------|---------------|-------------|---------|---------|--------------|--------------|------------------|------|---------|--------|
| Notifiable Disease. | At all | 100 | | At age | -Year | rs. | | in e | ach loc | ality. |
| | ages. | Under 1. | 1 to 5. | 5 to 15 | 15 to 25. | 25 to 65. | 65 and upw'ds | | 2 | 3 |
| Small-pox | | | | | | | | ** | | |
| Cholera | 1 | ** | | ** | | 22 | | 33 | ** | 1.5 |
| Diphtheria } | 1 | ** | ** | ** | ** | 1 | ** | 1 | 10 | 1 |
| Membranous Croup § | | ** | 22 | 12 | ** | ** | 1 | 12 | * | 1 |
| Erysipelas | 13 | ** | ** | 100 | 3 | | 1 | 13 | 6 | 2 |
| Scarlet Fever | 10 | ** | 1 | | 10000 | | 44 | 13 | 0 | 7 |
| Typhus Fever Enteric Fever | i | ** | ** | ï | ** | ** | ** | ** | ** | 1 |
| | Total Control | ** | ** | 1000 | ** | *** | ** | | ** | |
| Relapsing Fever Continued Fever | ** | ** | ** | | ** | ** | ** | 22 | ** | ** |
| | | 200 | | ** | ** | ** | ** | ** | ** | |
| Puerperal Fever | ** | *** | ** | ** | ** | ** | *** | ** | ** | |
| Plague | ** | ** | ** | | 1.5 | ** | 10 | - 22 | ** | ** |
| Totals | 18 | | 1 | 8 | 2 | 6 | 1 | 18 | 7 | 11 |

ISOLATION HOSPITAL NONE.

TABLE IV.—Cosford Rural District. Causes of, and Ages at, Death during year 1907.

| | | Death | is in subje | whole | e dist | rict a | t | | aths i | | oblic rs. |
|--|--------------------|---------|----------------|--------------------|--------------|--------------|--------------------|--------------------|----------|--------------------|------------------------------|
| Causes of Death. | All ages. | Under 1 | 1 & under 5 | 5 and under 15. | 16 and under | 25 and under | 65 and upwards. | - | 2 | 3 | Death in Pub Institutions |
| Small-pox Measles Scarlet Fever Whooping-cough | 1 6 | | 1 3 | | | | | 1 6 | | - i | |
| Diphtheria and Mem- branous Croup | | | | | | :: | :: | | :: | | |
| Fever Enteric other continued Epidemic Influenza Cholera | 1 .4 | 11.11 | | 1 | | :::: | | 1 .4 | i | 3 | |
| Plague | | ï | | | | | ··· i | .: 3 | | 1 1 3 | |
| Erysipelas Other Septic Diseases Phthisis Other tubercular diseases | 1 14 2 | | | | | ii 1 | 1 | 1 14 2 | 6 | 8 2 | |
| Cancer, malignant disease Bronchitis Pneumonia Pleurisy | 11 15 6 | 1 2 | 1 2 | | `i | 5 | 6 12 2 | 11 15 6 | 4 1 1 : | 6 14 5 | |
| Other Diseases of Res- piratory Organs Alcoholism | 2 | | | | | | | . 2 | | 2 | |
| Venereal Diseases Premature Birth Diseases and Accidents of Parturition | 10 | 10 | :: | | :: : | | :: | iò | 1 | 9 | |
| Heart Diseases Accidents Suicides All other causes | 25 4 2 76 | 12 | 4 | 2 | | 7 2 2 13 | 17 2 45 | 25 4 2 76 | 6 1 1 29 | 16 2 1 40 | 3 1 7 |
| All causes | 183 | 29 | 11 | 4 | 4 | 43 | 92 | 183 | 53 | 118 | 12 |

Cosford Rural District

In the Administrative County of West Suffolk.

1907.

Twenty-ninth Annual Report

OF THE

Medical Officer of Bealth,

2

ALFRED THOMPSON, LR.C.P., Lond., M.R.C.S., Eng.

(Thirteenth Annual Report to the Conford Rural District Council.)

Sanitary Statistics of Cosford Rural District, for the Year 1907

| | | | | | CHIN | true, | On | | es of | Cos | 7074 | ZLM | as L | 12071 | a, j | OF 808 | | 1, 19 | 101. | | | | | | | | | | |
|---|---|--|--|--|--|---|---|---|---|---|--|---|---|---|--|---|---|---|--|---|--------------------------------------|--|--|---|---|---|--|-----------|---|
| Subjects. | Aldham | Bildeston | Boxford | Brent Eleigh | Brettenham | Chelsworth | Cockfield | Edwardstone | Elmsett | Groton | Hadleigh Hamlet | Hitcham | Kersey | Kettlebaston | Lavenham | Laybam | Lindsey | Milden | Monks Eleigh | Naughton | Nedging | Polstead | Preston | Semer | Thorpe | Wattisham | Whatfield | Workhouse | Total. |
| Acreage | 238 228 6 25.2 12.6 1 4.2 1 4.2 2 8.4 | 788 736 22 27.9 21.5 1.2 5 6.3 6.3 | 612 682 7 11.4 16.3 5 8.1 5 | 182 221 5 27.4 49.4 1 5.4 1 5.4 2 10.9 | 273 336 12 43.9 36.6 1 3.6 4 14.6 5 18.3 | 199 227 7 35.1 30.1 4 20.1 4 | 854 926 25 29.2 28.1 1.1 13 15.2 14 16.3 | 416 420 7 16.8 21.6 1 2.4 6 14.4 7 | 361 434 6 16.6 33.2 5 13.8 5 | 358 437 4 11.1 22.3 3 8.3 8.3 8.3 | 183 191 7 38.2 27.3 2 10.9 | 755 874 17 22,5 30,4 3 3,9 9 11,9 12 15,8 | 482 482 9 18-6 18.6 9 18.6 9 18.6 | 129 120 5 38.7 15.5 2 15.5 2 | 2018 1908 43 21.3 25.7 2 0.9 35 17.3 37 18.3 | 464 542 8 17.2 25.8 1 2.1 3 6.4 4 8.6 | 1230 221 253 4 18.0 27.1 4 18.0 4.5 | 152 160 4 26.3 13.1 1 6.5 2 13.1 3 19.7 | 553 547 15 27.1 19.8 10 18.0 18.0 | 142 144 2 14.0 28.1 1 7.0 1 7.0 | 17.5 17.5 17.5 17.5 17.5 | 669 745 17 25.4 29.8 10.4 | 5 17.3 20.8 6 20.8 20.8 | 182 189 3 16.9 21.9 1 5.4 | 370 385 5 13.5 21.6 11 29.7 11 29.7 | 149 178 8 53.6 13.4 3 20.1 3 20.1 | 317 365 10 31.5 12.6 4 12.6 4 12.6 | 4 | 12354 267 22.9 24.4 13 1.1 170 14.6 183 15.7 |
| (Notification Act.) Cholera | | | 5 | | | | | | | | | , | | | 1 3 | | | | | | | | 11111111111 | 11111111111 | 11111 11111 | 11111111111 | | | 1 3 13 1 18 |
| IV. Water Supply* Sanitary Inspection† *Public Supply. †N | 2 | 8 | 14 | 2 | 1 3 | | 10 | 2 | 5 | 1 8 | 4 | 12 7 | 7 | 4 | 8 | 1 | Excl. | 1 | 3 | | 2 | 7 | 1 | 3 | 2 | | 1 7 | orkho | 115 |