

**[Report 1966-1969] / Medical Officer of Health Part 1, Dartford Borough.**

**Contributors**

Dartford (England). Borough Council.

**Publication/Creation**

1969

**Persistent URL**

<https://wellcomecollection.org/works/fve2jy6n>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

BOROUGH OF DARTFORD



CERTAIN MATTERS  
CONCERNING  
PUBLIC HEALTH  
1966-1969.

(Part 1.)  
Vital Statistics.

---





## XIX INJURY

## I N D E X

## Part I

## INTRODUCTION

Page  
3

## TABLES:

I	Social conditions		4, 5
II	Births and deaths		6, 7
	Causes of death 1966-69 Registrar General's Return		
IIIA	According to sex		8,9,10
IIIB	According to age and sex		11,12,13, 14,15
	Causes of death 1966-69 compiled locally		
IVA	According to age	Town 1966	16
	" " "	" 1967	17
	" " "	" 1968	18, 19
	" " "	" 1969	20, 21
IVB	" " " Bexley Hospital	1966-67	22, 23
	" " " " "	1968-69	23, 24
V	Causes of death at ages 75 and over		
	Town and Bexley Hospital	1966	25
	" " " "	1967	26
	" " " "	1968	27
	" " " "	1969	28
VI	Deaths by quarter and place	1966-69	29,30,31
	Deaths in hospital as percentage of all deaths 1964-69		32
	Dartford Town, Dartford R.D., Northfleet U.D.		
VII	Percentage of deaths ages 65-74 and 75+ of deaths of all ages, Dartford Town, Dartford R.D., Northfleet U.D., England and Wales, 1964-69		32
VIII	Main causes of death, by quarter and year, 1966-69		
	(a) aged under 75 - Town, Bexley Hospital		33
	(b) aged 75 and over, " " "		34
	(c) all ages " " "		35
IXA	Main causes of death 1966-69 England and Wales Greater London, Dartford Town, Bexley Hospital, Dartford Rural District - Percentage of all causes		36
IXB	Main causes of death, England and Wales, Greater London, Dartford Town, Dartford Rural District- Deaths age 75 and over as percentage of deaths of all ages		37
	Main causes of death-		
X	Asthma	Death rate 1968-69	37
XI	Respiratory disease	" " 1958-69	38
XII	Bronchitis	" " 1958-69	39
XIII	Malignant neoplasm, lung bronchus,	" " 1958-69	40
XIV	Coronary disease	" " 1958-69	41
XV	Coronary disease 1962-69, deaths by quarter and years		42
XVI	Pregnancy, Childbirth and abortion-death rate 1920-69		43
XVII	Perinatal infant deaths, 1966-69		
	(a) Stillbirths		
	(b) Infant deaths at ages under 1 week		44
XVIII	Later infant deaths at ages 7-365 days, 1966-69		45, 46



Page	Topic
1	General
2	I
3	II
4	General of death 1966-67 registered monthly
5	According to sex
6	According to age and sex
7	General of death 1966-67 registered monthly
8	According to age
9	According to sex
10	According to age and sex
11	General of death 1966-67 registered monthly
12	According to age
13	According to sex
14	According to age and sex
15	General of death 1966-67 registered monthly
16	According to age
17	According to sex
18	According to age and sex
19	General of death 1966-67 registered monthly
20	According to age
21	According to sex
22	According to age and sex
23	General of death 1966-67 registered monthly
24	According to age
25	According to sex
26	According to age and sex
27	General of death 1966-67 registered monthly
28	According to age
29	According to sex
30	According to age and sex
31	General of death 1966-67 registered monthly
32	According to age
33	According to sex
34	According to age and sex
35	General of death 1966-67 registered monthly
36	According to age
37	According to sex
38	According to age and sex
39	General of death 1966-67 registered monthly
40	According to age
41	According to sex
42	According to age and sex
43	General of death 1966-67 registered monthly
44	According to age
45	According to sex
46	According to age and sex
47	General of death 1966-67 registered monthly
48	According to age
49	According to sex
50	According to age and sex
51	General of death 1966-67 registered monthly
52	According to age
53	According to sex
54	According to age and sex
55	General of death 1966-67 registered monthly
56	According to age
57	According to sex
58	According to age and sex
59	General of death 1966-67 registered monthly
60	According to age
61	According to sex
62	According to age and sex
63	General of death 1966-67 registered monthly
64	According to age
65	According to sex
66	According to age and sex
67	General of death 1966-67 registered monthly
68	According to age
69	According to sex
70	According to age and sex
71	General of death 1966-67 registered monthly
72	According to age
73	According to sex
74	According to age and sex
75	General of death 1966-67 registered monthly
76	According to age
77	According to sex
78	According to age and sex
79	General of death 1966-67 registered monthly
80	According to age
81	According to sex
82	According to age and sex
83	General of death 1966-67 registered monthly
84	According to age
85	According to sex
86	According to age and sex
87	General of death 1966-67 registered monthly
88	According to age
89	According to sex
90	According to age and sex
91	General of death 1966-67 registered monthly
92	According to age
93	According to sex
94	According to age and sex
95	General of death 1966-67 registered monthly
96	According to age
97	According to sex
98	According to age and sex
99	General of death 1966-67 registered monthly
100	According to age

## XIX INJURY:

(a) Accidents in the home: 1966-69	
Persons receiving in-patient treatment	47, 48
Deaths in the above in-patients	49
Other deaths from accidents in the home	49
(b) Accidents in residential institutions: Deaths 1966-69	49
(c) Accidents at work: Deaths 1966-69	50
(d) Other accidents: Deaths 1966-69	50
(e) All other external causes: Deaths 1966-69	50

## INJURY:

XXA	Accidents on the road, 1966-69 casualties	50
XXB	Motor vehicle accidents 1966-69 deaths	51, 52
XXC	Deaths from motor vehicle accidents, 1958-69 Comparison with other areas	53
XXI	Death rate from accidents by place of occurrence 1966-69 Dartford M.B., Dartford Rural District, England and Wales	54
XXII	SUICIDE: Age, social class, method Dartford M.B. (a) Town (b) Bexley Hospital	56
XXIII	SUICIDE:	
	(a) Comparison of local Urban with Rural death rates 1953-69	57
	(b) Difference of local death rates for the seventeen year period 1953-69 in order of statistical significance	58
	(c) Comparison of periods, local trend, 1953-69 England and Wales suicide death rate	59
	(d) Comparison of Kent Urban with Rural death rates	60
	(e) Comparison of periods. Trend. Kent Urban and Rural Districts	61
XXIV	YEARS OF LIFE LOST	
	(a) Factors used in calculations, Dartford M.B.	62
	(b) Years lost from certain causes - Males	63, 64
	" " " " " - Females	65, 66
XXV	Years of life lost per year per 10,000 population Certain causes. Comparison with England and Wales	67, 68
XXVI	Crude death rates per 10,000 population per year by sex. Certain causes, all ages, Dartford M.B., England & Wales	68
XXVII	Years of life lost by deaths from accidents, Dartford M.B. 1958-69	
	(a) Accidents in the home	69
	(b) Accidents in residential institutions	69
	(c) Accidents at work	69
	(d) Accidents not involving motor vehicles, not at home, not in an institution, and not at work	70
	(e) Motor vehicle accidents	70
	(f) Summary of above and comparison with England and Wales	71
XXVIII	Years of life lost due to accidents from certain external causes, 1958-69	72
Appendix	Notes on changes introduced by 8th version of the International Classification of Diseases	





# BOROUGH OF DARTFORD

Report for the years 1966-69  
on certain matters concerning  
Public Health.

To THE MAYOR, ALDERMEN AND COUNCILLORS  
OF THE BOROUGH OF DARTFORD

YOUR WORSHIP, LADIES AND GENTLEMEN,

As soon as practicable after the end of each year it is the duty  
of a medical officer of health to make to the local authority a report  
for that year on the sanitary circumstances, on the sanitary administration,  
on the vital statistics and on any other matters concerning their district  
on which he considers it desirable to report or on which the Minister  
requires him to report.

The medical officer of health has also a duty to inform himself as  
far as practicable respecting all matters affecting or likely to affect the  
public health in the district for which he is appointed and be prepared to  
advise the local authority on any such matter.

The tables that follow form part of a report written to contribute to  
the fulfilment of these duties. It is expedient for the report to cover  
the four years 1966-69 and be written in the following parts.

## I VITAL STATISTICS

The limited scope of our  
information means that the  
statistics compiled mainly  
concern the pattern of  
mortality.

## II SANITARY CIRCUMSTANCES

including communicable disease data

## III COMMENTARY AND SUMMARY

including a reference to sanitary  
administration.

I hope to submit each part as it is completed. Part I is submitted  
herewith.

I am,

Mr. Mayor, Ladies and Gentlemen,

Your obedient servant,

*J. A. Hudson.*  
Medical Officer of Health.

BOROUGH OF BATHFORD

Report for the year 1966-67  
on certain matters concerning  
Public Health.

TO THE MAYOR, ALDERMEN AND COUNCILLORS  
OF THE BOROUGH OF BATHFORD

YOUR WORSHIP, LADIES AND GENTLEMEN,

As soon as practicable after the end of each year it is the duty  
of a medical officer of health to make to the local authority a report  
for that year on the sanitary circumstances, on the sanitary administration,  
on the vital statistics and on any other matters concerning their district  
on which he considers it desirable to report or on which the Minister  
requires him to report.

The medical officer of health has also a duty to inform himself as  
far as practicable respecting all matters affecting or likely to affect the  
public health in the district for which he is appointed and he prepared to  
advise the local authority on any such matter.

The tables that follow form part of a report written to contribute to  
the fulfilment of these duties. It is expedient for the report to cover  
the four years 1964-65 and be written in the following parts.

I VITAL STATISTICS

The limited scope of our  
information means that the  
statistics compiled mainly  
concern the pattern of  
mortality.

II SANITARY CIRCUMSTANCES

including communicable disease data

III COMMENTARY AND SUMMARY

including a reference to sanitary  
administration.

I hope to submit each part as it is completed. Part I is submitted  
herewith.

I am,

Mr. Mayor, Ladies and Gentlemen,

Your obedient servant,

  
Medical Officer of Health.



DARTFORD BOROUGH

TABLE I

SOCIAL CONDITIONS

	1966	1967	1968	1969
Area (acres)	4,292	4,292	4,292	4,292
Population (Census 1931)	28,928			
" (Census 1951)	40,544			
" (Census 1961)	46,146			
Mid-year population (R.G.'s estimate)	46,700	46,520	46,510	46,280
Number of dwellings at following 1st April (Items A1, A2, B6 & C13 of Analysis of Rateable values)	14,486	14,531	14,525	14,670
Rateable value	£1,931,661	£1,936,834	£1,964,442	£1,973,374
Sum represented by 1d rate	7,770	7,804	7,964	8,016

POPULATION. Increases in the population are due to natural causes, i.e. excess of births over deaths and immigration, both being related to new houses built.

Year	1964	1965	1966	1967	1968	1969
Est. mid-year home population	46,420	46,700	46,700	46,520	46,510	46,280
Increase or decrease on previous year	-40	+280	nil	-180	-10	-230
Births	865	898	850	785	816	722
Deaths including Bexley Hospital	588	631	600	555	612	556
Natural increase (excess of births over deaths)	277	267	250	230	204	166
Immigration/emigration balance	-317	+13	-250	-410	-214	-396
Houses built	258	171	20	45	28	199

COMPARABILITY FACTORS. When local crude birth and death rates are multiplied by the area comparability factors they are comparable with the rate for England and Wales or with the adjusted rate for any other area. The factors for the births (governed by the proportion of women aged 18-44 years) and for deaths (governed by the proportions of all age groups) have been as follows:

Year	1962	1963	1964	1965	1966	1967	1968	1969
Births	0.97	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Deaths	0.78	0.85	0.92	0.84	0.85	0.87	0.74	0.83

From 1953 to 1957 all deaths at Bexley Hospital were assigned to Dartford. From 1958 onwards only deaths of persons resident at the hospital six months or more were so assigned.

The following give a glimpse of some social conditions -

Cases dealt with by the N.S.P.C.C.	1965	1966	1967	1968	1969
Children affected	81	26	88	41	60
Neglect	8	10	18	8	18
Assault/ill treatment	7	4	7	4	5
Advice/aid sought	12	11	7	7	-
Moral danger	5	-	-	-	-
Prosecutions for neglect	-	-	-	-	-

Unemployed on December 31st (combined figures for Dartford Borough and Rural District)

	1965	1966	1967	1968	1969
Men	140	323	425	387	412
Women	32	36	33	43	38

Illegitimate birth rate for 1,000 births:

	1965	1966	1967	1968	1969
Dartford Borough	50	58	72	56	49
Dartford Rural District	44	54	42	39	45
Northfleet Urban District	39	55	44	47	76
Swanscombe Urban District	34	24	66	86	49
England & Wales	77	79	84	85	84
Kent A.C.	68	67	72	72	70
Kent U.D.	71	74	79	80	77
Kent R.D.	62	53	59	53	57



# BARSTOW BOROUGH

## SOCIAL CONDITIONS

TABLE 1

Year	1964	1965	1966	1967	1968	1969
Population (Census 1971)	28,928	28,928	28,928	28,928	28,928	28,928
" (Census 1961)	40,244	40,244	40,244	40,244	40,244	40,244
" (Census 1951)	48,746	48,746	48,746	48,746	48,746	48,746
Mid-year population (R.O.'s estimate)	46,700	46,700	46,700	46,700	46,700	46,700
Number of dwellings at following	14,466	14,466	14,466	14,466	14,466	14,466
1st April (Items A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z)	14,466	14,466	14,466	14,466	14,466	14,466
Analysis of Rateable values	14,466	14,466	14,466	14,466	14,466	14,466
Rateable value	14,466	14,466	14,466	14,466	14,466	14,466
Sum represented by 1d rate	14,466	14,466	14,466	14,466	14,466	14,466

POPULATION. Increases in the population are due to natural causes, i.e. excess of births over deaths and immigration, both being related to low house prices.

Year	1964	1965	1966	1967	1968	1969
Estimated home population	46,700	46,700	46,700	46,700	46,700	46,700
Increases or decreases on previous year	-40	+280	-180	-180	-180	-180
Deaths	607	621	600	592	572	556
Deaths including Bexley Hospital	588	601	580	572	552	536
Net increase (excess of births over deaths)	277	267	230	230	204	166
Immigration/emigration balance	-277	+72	-230	-410	-214	-396
Household	150	171	20	42	58	199

COMPARABILITY FACTOR. When local crude birth and death rates are multiplied by the age comparability factors they are comparable with the rate for England and Wales or with the adjusted rate for any other area. The factors for the birth (governed by the proportion of women aged 15-44 years) and for deaths (governed by the proportions of all age groups) have been as follows:

Year	1964	1965	1966	1967	1968	1969
Births	0.97	0.92	0.92	0.92	0.92	0.92
Deaths	0.78	0.82	0.84	0.87	0.74	0.62

From 1955 to 1957 all deaths at Bexley Hospital were assigned to Barstow. From 1958 onwards only deaths of persons resident at the hospital six months or more were so assigned.

The following give a glimpse of some social conditions -

Cases dealt with by the N.E.D.C.:

Year	1964	1965	1966	1967	1968	1969
Children affected	61	6	26	68	47	60
Nearest	6	10	10	18	8	18
Assault/all treatment	7	4	7	7	4	5
Advice and support	12	11	1	1	1	-
Mental danger	5	-	-	-	-	-
Protections for neglect	-	-	-	-	-	-

Unemployed on December 31st (combined figures for Barstow Borough and Rural Districts)

Year	1964	1965	1966	1967	1968	1969
Men	140	223	425	387	412	412
Women	32	36	37	43	38	38

Illegitimate birth rate for 1,000 births:

Year	1964	1965	1966	1967	1968	1969
Barstow Borough	50	58	72	56	49	49
Barstow Rural District	44	54	42	39	42	42
Northfleet Urban District	38	52	44	47	76	76
Swancombe Urban District	34	34	66	66	66	66
Waltham & Waltham	77	79	64	64	64	64
East A.C.	68	67	72	72	70	70
East U.D.	71	74	79	80	77	77
East S.D.	62	53	59	53	57	57

DARTFORD BOROUGH

TABLE I SOCIAL CONDITIONS (continued)

POPULATION OF YOUNG PERSONS. A guide is necessary to the young population in the district in order that we may form an idea from vaccinations done of the proportion who have been given immunity to certain diseases. A rough estimate can be made from the births which have occurred in the district in the past. This assumes a stable population and does not take into account deaths after one year of age or the balance of those coming into the district over those leaving.

Age Dec. 31st				Births		Approx. pop		Infants		Approximate pop.	
1966	1967	1968	1969	Year	No.	Infant deaths	Age in years	surviving	Age in years	1968	1969
-3	-2	-1	0	1969	722	14		708			
-2	-1	0	1	1968	816	15		801			
1	0	1	2	1967	785	12		773			
0	1	2	3	1966	850	15		835	0-4	=4137	
1	2	3	4	1965	898	22	0-4	876			
2	3	4	5	1964	865	13	=4088	852			
3	4	5	6	1963	780	28		752			
4	5	6	7	1962	789	16		773			
5	6	7	8	1961	824	17		807	5-11	=5104	
6	7	8	9	1960	735	11		724			
7	8	9	10	1959	700	11	5-11	689			
8	9	10	11	1958	688	20	=4766	668			
9	10	11	12	1957	697	6		691			
10	11	12	13	1956	632	14		618			
11	12	13	14	1955	581	12		569	12-15	=2333	
12	13	14	15	1954	579	10		569			
13	14	15	16	1953	591	14	12-15	577			
14	15	16	17	1952	533	18	=2210	515	16-18	=1648	
15	16	17	18	1951	562	13		549			
16	17	18	19	1950	594	10	16-18	584			
17	18	19	20	1949	656	18	=1771	638	19-21	=1927	
18	19	20	21	1948	722	17		705			

Estimated population

	Dec. 1966	Dec. 1967	Dec. 1968	Dec. 1969
Aged 0-4 years	4088	4088	4137	3993
Aged 5-9 years	3579	3661	3745	3908
Aged 10-14 years	2868	3024	3115	3235

NATURAL INCREASE

Year	Births	Deaths (Town)	Natural increase	Population (Town)	Rate of natural increase per 1000 population
1969	722	388	334	44,280	7.5
1968	816	418	398	44,510	8.9
1967	785	390	395	44,520	8.8
1966	850	459	391	44,700	8.8
1965	898	445	453	44,700	10.1
1964	865	449	416	44,420	9.4
1963	780	431	349	44,460	7.8
1962	789	428	361	44,180	8.2
1961	824	452	373	43,460	8.6
1960	735	400	335	42,950	7.9
1959	700	436	264	41,940	6.3
1958	688	454	234	41,140	5.7

TABLE I  
SOCIAL COMPOSITION  
(continued)

POPULATION OF YOUNG PERSONS. A guide is necessary to the young population in the district in order that we may form an idea from various sources of the proportion who have been formerly in certain diseases. A rough estimate can be made from the births which have occurred in the district in the past. The figures of age on the balance of those coming into the district over those leaving.

Age Dec. 31st		Births		Infants		Approx. pop.		Infants		Approx. pop.	
1966	1967	1968	1969	1966	1967	1968	1969	1966	1967	1968	1969
0-4	1	2	3	4	5	6	7	8	9	10	11
5-9	2	3	4	5	6	7	8	9	10	11	12
10-14	3	4	5	6	7	8	9	10	11	12	13
15-19	4	5	6	7	8	9	10	11	12	13	14
20-24	5	6	7	8	9	10	11	12	13	14	15
25-29	6	7	8	9	10	11	12	13	14	15	16
30-34	7	8	9	10	11	12	13	14	15	16	17
35-39	8	9	10	11	12	13	14	15	16	17	18
40-44	9	10	11	12	13	14	15	16	17	18	19
45-49	10	11	12	13	14	15	16	17	18	19	20
50-54	11	12	13	14	15	16	17	18	19	20	21
55-59	12	13	14	15	16	17	18	19	20	21	22
60-64	13	14	15	16	17	18	19	20	21	22	23
65-69	14	15	16	17	18	19	20	21	22	23	24
70-74	15	16	17	18	19	20	21	22	23	24	25
75-79	16	17	18	19	20	21	22	23	24	25	26
80-84	17	18	19	20	21	22	23	24	25	26	27
85-89	18	19	20	21	22	23	24	25	26	27	28
90-94	19	20	21	22	23	24	25	26	27	28	29
95-99	20	21	22	23	24	25	26	27	28	29	30
100-104	21	22	23	24	25	26	27	28	29	30	31
105-109	22	23	24	25	26	27	28	29	30	31	32
110-114	23	24	25	26	27	28	29	30	31	32	33
115-119	24	25	26	27	28	29	30	31	32	33	34
120-124	25	26	27	28	29	30	31	32	33	34	35
125-129	26	27	28	29	30	31	32	33	34	35	36
130-134	27	28	29	30	31	32	33	34	35	36	37
135-139	28	29	30	31	32	33	34	35	36	37	38
140-144	29	30	31	32	33	34	35	36	37	38	39
145-149	30	31	32	33	34	35	36	37	38	39	40
150-154	31	32	33	34	35	36	37	38	39	40	41
155-159	32	33	34	35	36	37	38	39	40	41	42
160-164	33	34	35	36	37	38	39	40	41	42	43
165-169	34	35	36	37	38	39	40	41	42	43	44
170-174	35	36	37	38	39	40	41	42	43	44	45
175-179	36	37	38	39	40	41	42	43	44	45	46
180-184	37	38	39	40	41	42	43	44	45	46	47
185-189	38	39	40	41	42	43	44	45	46	47	48
190-194	39	40	41	42	43	44	45	46	47	48	49
195-199	40	41	42	43	44	45	46	47	48	49	50
200-204	41	42	43	44	45	46	47	48	49	50	51
205-209	42	43	44	45	46	47	48	49	50	51	52
210-214	43	44	45	46	47	48	49	50	51	52	53
215-219	44	45	46	47	48	49	50	51	52	53	54
220-224	45	46	47	48	49	50	51	52	53	54	55
225-229	46	47	48	49	50	51	52	53	54	55	56
230-234	47	48	49	50	51	52	53	54	55	56	57
235-239	48	49	50	51	52	53	54	55	56	57	58
240-244	49	50	51	52	53	54	55	56	57	58	59
245-249	50	51	52	53	54	55	56	57	58	59	60
250-254	51	52	53	54	55	56	57	58	59	60	61
255-259	52	53	54	55	56	57	58	59	60	61	62
260-264	53	54	55	56	57	58	59	60	61	62	63
265-269	54	55	56	57	58	59	60	61	62	63	64
270-274	55	56	57	58	59	60	61	62	63	64	65
275-279	56	57	58	59	60	61	62	63	64	65	66
280-284	57	58	59	60	61	62	63	64	65	66	67
285-289	58	59	60	61	62	63	64	65	66	67	68
290-294	59	60	61	62	63	64	65	66	67	68	69
295-299	60	61	62	63	64	65	66	67	68	69	70
300-304	61	62	63	64	65	66	67	68	69	70	71
305-309	62	63	64	65	66	67	68	69	70	71	72
310-314	63	64	65	66	67	68	69	70	71	72	73
315-319	64	65	66	67	68	69	70	71	72	73	74
320-324	65	66	67	68	69	70	71	72	73	74	75
325-329	66	67	68	69	70	71	72	73	74	75	76
330-334	67	68	69	70	71	72	73	74	75	76	77
335-339	68	69	70	71	72	73	74	75	76	77	78
340-344	69	70	71	72	73	74	75	76	77	78	79
345-349	70	71	72	73	74	75	76	77	78	79	80
350-354	71	72	73	74	75	76	77	78	79	80	81
355-359	72	73	74	75	76	77	78	79	80	81	82
360-364	73	74	75	76	77	78	79	80	81	82	83
365-369	74	75	76	77	78	79	80	81	82	83	84
370-374	75	76	77	78	79	80	81	82	83	84	85
375-379	76	77	78	79	80	81	82	83	84	85	86
380-384	77	78	79	80	81	82	83	84	85	86	87
385-389	78	79	80	81	82	83	84	85	86	87	88
390-394	79	80	81	82	83	84	85	86	87	88	89
395-399	80	81	82	83	84	85	86	87	88	89	90
400-404	81	82	83	84	85	86	87	88	89	90	91
405-409	82	83	84	85	86	87	88	89	90	91	92
410-414	83	84	85	86	87	88	89	90	91	92	93
415-419	84	85	86	87	88	89	90	91	92	93	94
420-424	85	86	87	88	89	90	91	92	93	94	95
425-429	86	87	88	89	90	91	92	93	94	95	96
430-434	87	88	89	90	91	92	93	94	95	96	97
435-439	88	89	90	91	92	93	94	95	96	97	98
440-444	89	90	91	92	93	94	95	96	97	98	99
445-449	90	91	92	93	94	95	96	97	98	99	100
450-454	91	92	93	94	95	96	97	98	99	100	101
455-459	92	93	94	95	96	97	98	99	100	101	102
460-464	93	94	95	96	97	98	99	100	101	102	103
465-469	94	95	96	97	98	99	100	101	102	103	104
470-474	95	96	97	98	99	100	101	102	103	104	105
475-479	96	97	98	99	100	101	102	103	104	105	106
480-484	97	98	99	100	101	102	103	104	105	106	107
485-489	98	99	100	101	102	103	104	105	106	107	108
490-494	99	100	101	102	103	104	105	106	107	108	109
495-499	100	101	102	103	104	105	106	107	108	109	110
500-504	101	102	103	104	105	106	107	108	109	110	111
505-509	102	103	104	105	106	107	108	109	110	111	112
510-514	103	104	105	106	107	108	109	110	111	112	113
515-519	104	105	106	107	108	109	110	111	112	113	114
520-524	105	106	107	108	109	110	111	112	113	114	115
525-529	106	107	108	109	110	111	112	113	114	115	116
530-534	107	108	109	110	111	112	113	114	115	116	117
535-539	108	109	110	111	112	113	114	115	116	117	118
540-544	109	110	111	112	113	114	115	116	117	118	119
545-549	110	111	112	113	114	115	116	117	118	119	120
550-554	111	112	113	114	115	116	117	118	119	120	121
555-559	112	113	114	115	116	117	118	119	120	121	122
560-564	113	114	115	116	117	118	119	120	121	122	123
565-569	114	115	116	117	118	119	120	121	122	123	124
570-574	115	116	117	118	119	120	121	122	123	124	125
575-579	116	117	118	119	120	121	122	123	124	125	126
580-584	117	118	119	120	121	122	123	124	125	126	127
585-589	118	119	120	121	122	123	124	125	126	127	128
590-594	119	120	121	122	123	124	125	126	127	128	129
595-599	120	121	122	123	124						



DARTFORD BOROUGH

TABLE II BIRTHS AND DEATHS Dartford M.B.

		1966			1967		
		M	F	Persons	M	F	Persons
Live births:	Legitimate	404	397	801	368	360	728
	Illegitimate	18	31	49	35	22	57
		<u>422</u>	<u>428</u>	<u>850</u>	<u>403</u>	<u>382</u>	<u>785</u>
Deaths from all causes:		293	307	600	276	279	555
Deaths from pregnancy, childbirth, abortion		-	1	1	-	-	-
Stillbirths	Legitimate	6	3	9	3	5	8
	Illegitimate	-	-	-	1	1	2
		<u>6</u>	<u>3</u>	<u>9</u>	<u>4</u>	<u>6</u>	<u>10</u>
Infant deaths by age:							
0-6 days	Legitimate	7	2	9	3	3	6
	Illegitimate	2	-	2	-	-	-
7-27 days	Legitimate	9	2	11	3	3	6
	Illegitimate	-	-	-	-	-	-
28-364 days	Legitimate	-	1	1	-	-	-
	Illegitimate	-	-	-	-	-	-
28-364 days	Legitimate	1	1	2	2	3	5
	Illegitimate	1	-	1	-	1	1
		<u>2</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>4</u>	<u>6</u>
Total under 1 year:							
	Legitimate	8	4	12	5	6	11
	Illegitimate	3	-	3	-	1	1
		<u>11</u>	<u>4</u>	<u>15</u>	<u>5</u>	<u>7</u>	<u>12</u>

Rates per 1,000 Home Population		Dartford M.B.		England & Wales	
		1966	1967	1966	1967
Crude live birth rate		18.2	16.9	17.7	17.2
Crude live birth rate adjusted by comparability factor		16.7	15.5	17.7	17.2
Ratio of local adjusted birth rate to national rate		0.94	0.90	1.00	1.00
Crude death rate		12.8	11.9	11.7	11.2
Crude death rate adjusted by comparability factor		10.9	10.4	11.7	11.2
Ratio of local adjusted rate to national rate		0.93	0.92	1.00	1.00
Rates per 1,000 live and stillbirths					
Maternal death rate		*(1.2)	-	0.26	0.20
Stillbirth rate		(10.5)	(12.6)	15.3	14.8
Perinatal death rate (s.b. & deaths 0-6 days)		(23.4)	(20.1)	26.3	25.4
Rates per 1,000 live births					
Early neonatal death rate (deaths 0-6 days)		13.0	7.6	11.1	10.8
Neonatal death rate (deaths 0-27 days)		14.0	7.6	12.9	12.5
Infant death rate	Legitimate	(15.0)	(15.1)	18.5	17.9
	Illegitimate***	(61.3)	(17.6)	24.5	23.7
	Total	(17.6)	(15.3)	19.0	18.3

( ) = based on less than 20 deaths. \*based on 1 death. The previous maternal death was in 1964 which, related to the 1776 live and stillbirths of 1965-66, gives a rate of (0.57). \*\*\*based on 3 deaths

# DAWSON COUNTY

TABLE II. BIRTHS AND DEATHS. Dawson County, N.D.

	1955		1957	
	N	P	N	P
Live births: Legitimate	404	397	368	360
Illegitimate	18	39	12	52
	422	436	380	412
Deaths from all causes:	292	307	276	279
Deaths from pregnancy, childbirth, abortion	-	1	-	-
Stillbirths: Legitimate	6	3	7	2
Illegitimate	-	-	1	1
	6	3	8	3
Infant deaths by age:				
0-6 days: Legitimate	3	2	-	-
Illegitimate	-	-	-	-
	3	2	-	-
7-27 days: Legitimate	-	1	-	-
Illegitimate	-	-	-	-
	-	1	-	-
28-364 days: Legitimate	1	1	2	3
Illegitimate	1	-	-	-
	2	1	2	3
Total under 1 year:	8	4	2	6
Legitimate	3	-	-	1
Illegitimate	5	4	2	5
	11	4	2	6
Rate per 1,000 Home Population				
Crude live birth rate	18.5	18.3	17.7	17.5
Crude live birth rate adjusted by age	18.7	18.5	17.7	17.5
Ratio of local adjusted birth rate to national rate	0.94	0.90	1.00	1.00
Crude death rate	13.8	13.9	11.7	11.9
Crude death rate adjusted by age	10.9	10.4	11.7	11.8
Ratio of local adjusted death rate to national rate	0.95	0.92	1.00	1.00
Rate per 1,000 live and stillbirths				
Maternal death rate	(10.5)	(12.5)	0.26	0.20
Stillbirth rate	(10.5)	(12.5)	12.3	14.8
Fetal death rate	(12.4)	(20.1)	26.3	29.4
(a.b. & deaths 0-6 days)				
Rate per 1,000 live births	12.0	7.6	11.1	10.8
Early neonatal death rate	14.0	7.6	12.9	12.5
(deaths 0-6 days)				
Neonatal death rate	(12.0)	(12.1)	15.9	17.9
(deaths 0-27 days)				
Infant death rate	(12.0)	(12.1)	15.9	17.9
Legitimate	(12.0)	(12.1)	15.9	17.9
Illegitimate***	(12.0)	(12.1)	15.9	17.9
(deaths 0-364 days)				
Total	(12.0)	(12.1)	15.9	17.9

( ) = based on less than 20 deaths. \* based on 1 death. The previous national death rate in 1954 which, related to the 1955 live and stillbirths of 1955-56, gives a rate of (0.37). \*\* based on 3 deaths.



TABLE II BIRTHS AND DEATHS (continued) Dartford M.B.

		1968			1969		
		M	F	Persons	M	F	Persons
Live births	Legitimate	401	369	770	363	325	687
	Illegitimate	26	20	46	15	20	35
		<u>427</u>	<u>389</u>	<u>816</u>	<u>377</u>	<u>345</u>	<u>722</u>
Deaths from all causes:		265	347	612	260	296	556
Deaths from pregnancy, childbirth, abortion		-	2	2	-	1	1
Stillbirths:	Legitimate	6	3	9	5	4	9
	Illegitimate	-	-	-	-	1	1
		<u>6</u>	<u>3</u>	<u>9</u>	<u>5</u>	<u>5</u>	<u>10</u>
Infant deaths by age:							
0-6 days	Legitimate	5	3	8	4	4	8
	Illegitimate	-	-	-	-	1	1
		<u>5</u>	<u>3</u>	<u>8</u>	<u>4</u>	<u>5</u>	<u>9</u>
7-27 days	Legitimate	2	-	2	-	1	1
	Illegitimate	-	-	-	-	-	-
		<u>2</u>	<u>-</u>	<u>2</u>	<u>-</u>	<u>1</u>	<u>1</u>
28-364 days	Legitimate	2	2	4	2	2	4
	Illegitimate	1	-	1	-	-	-
		<u>3</u>	<u>2</u>	<u>5</u>	<u>2</u>	<u>2</u>	<u>4</u>
Total under 1 year							
	Legitimate	9	5	14	6	7	13
	Illegitimate	<u>1</u>	<u>-</u>	<u>1</u>	<u>-</u>	<u>1</u>	<u>1</u>
		<u>10</u>	<u>5</u>	<u>15</u>	<u>6</u>	<u>8</u>	<u>14</u>

<u>Rates per 1,000 Home Population</u>		Dartford M.B.		England & Wales	
		1968	1969	1968	1969
Crude live birth rate		17.5	15.6	16.9	16.3
Crude live birth rate adjusted by comparability factor		16.1	14.4	16.9	16.3
Ratio of local adjusted birth rate to national rate		0.95	0.88	1.0	1.0
Crude death rate		13.2	12.0	11.9	11.9
Crude death rate adjusted by comparability factor		9.8	10.0	11.9	11.0
Ratio of local adjusted rate to national rate		0.82	0.84	1.00	1.00
<u>Rates per 1,000 live and stillbirths</u>					
Maternal death rate		*( 2.43 )	( 1.37 )*	0.24	0.19
Stillbirth rate		( 10.9 )	( 13.7 )	14.3	13.2
Perinatal death rate (s.b. & deaths 0-6 days)		( 20.6 )	( 25.9 )	24.7	23.4
<u>Rates per 1,000 live births</u>					
Early neonatal death rate (deaths 0-6 days)		9.8	12.4	10.6	10.3
Neonatal death rate (deaths 0-27 days)		12.3	13.8	12.4	12.0
Infant death rate Legitimate		( 18.2 )	( 18.9 )	17.8	17.2
(deaths 0-364 days) Illegitimate		*( 21.8 )	( 28.7 )*	23.4	25.8
Total		( 18.4 )	( 19.4 )	18.3	18.1

( ) = based on less than 20 deaths. \* based on 1 death. \*\* based on 2 deaths



TABLE II BIRTHS AND DEATHS (continued) Berkeley M.D.

	1968			1969		
	M	F	Persons	M	F	Persons
Live births	401	369	770	383	357	740
Illegitimate	36	20	56	12	20	32
	437	389	826	395	377	772
Deaths from all causes:	282	247	529	260	238	498
Deaths from pregnancy, childbirth, abortion	-	2	2	-	1	1
Stillbirths: Legitimate	6	3	9	5	4	9
Illegitimate	-	-	-	-	1	1
	6	3	9	5	5	10
Infants under 1 year:						
0-6 days: Legitimate	2	2	4	4	4	8
Illegitimate	-	-	-	-	1	1
	2	2	4	4	5	9
7-27 days: Legitimate	2	-	2	-	1	1
Illegitimate	-	-	-	-	-	-
	2	-	2	-	1	1
28-364 days: Legitimate	2	2	4	2	2	4
Illegitimate	1	-	1	-	-	-
	3	2	5	2	2	4
Total under 1 year:	9	5	14	6	7	13
Legitimate	1	-	1	-	1	1
Illegitimate	8	5	13	6	6	12

Rates per 1,000 Home Population		Berkeley M.D.		Kingland & Walter	
		1968	1969	1968	1969
Crude live birth rate		17.5	17.6	16.9	16.7
Crude live birth rate adjusted by comparability factor		16.7	14.4	16.9	16.3
Ratio of local adjusted birth rate to national rate		0.95	0.88	1.0	1.0
Crude death rate		12.1	12.0	11.9	11.9
Crude death rate adjusted by comparability factor		9.8	10.0	11.9	11.0
Ratio of local adjusted rate to national rate		0.82	0.84	1.00	1.00
Rates per 1,000 live and stillbirths					
Maternal death rate		(2.42)*	(1.57)*	0.24	0.19
Stillbirth rate		(10.3)	(13.7)	14.3	13.2
Fetal death rate		(20.6)	(25.9)	24.7	23.4
(o.d. & deaths 0-6 days)					
Rates per 1,000 live births		9.8	12.4	10.6	10.3
Early neonatal death rate (deaths 0-6 days)		12.3	12.8	12.4	12.0
Neonatal death rate (deaths 0-27 days)		(16.2)	(18.9)	17.6	17.2
Infant death rate (deaths 0-364 days)		(21.8)*	(28.7)*	23.4	22.8
Illegitimate		(18.4)	(19.4)	18.3	18.1
Total					

( ) - based on less than 20 deaths. \* based on 1 death. \*\* based on 2 deaths

## DARTFORD BOROUGH

TABLE IIIA

## CAUSES OF DEATH ACCORDING TO SEX

Registrar General's Return

	All Ages						Main causes
	1966			1967			
	M	F	Persons	M	F	Persons	
All causes	293	307	600	276	279	555	
Tuberculosis, respiratory	-	-	-	2	-	2	
Tuberculosis, other	-	-	-	-	-	-	
Syphilitic disease	1	1	2	1	2	3	
Diphtheria	-	-	-	-	-	-	
Whooping cough	-	-	-	-	-	-	
Meningococcal infection	-	-	-	-	-	-	
Acute poliomyelitis	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	
Other infective & parasitic diseases	1	1	2	-	-	-	
Malignant neoplasm, stomach	5	3	8	4	4	8	96
Malignant neoplasm, lung,bronchus	30	6	36	21	5	26	
Malignant neoplasm, breast	-	10	10	-	11	11	
Malignant neoplasm, uterus	-	6	6	-	5	5	
Other malignant & lymphatic neoplasms	29	24	53	21	25	46	
Leukaemia, aleukaemia	1	1	2	-	-	-	
Diabetes	6	2	8	1	3	4	
Vascular lesions of nervous system	22	49	71	30	33	63	63
Coronary disease, angina	72	37	109	65	46	111	192
Hypertension with heart disease	4	6	10	5	5	10	
Other heart disease	18	32	50	17	25	42	
Other circulatory disease	11	11	22	13	16	29	
Influenza	-	2	2	-	-	-	129
Pneumonia	30	64	94	37	62	99	
Bronchitis	21	10	31	22	4	26	
Other diseases of the respiratory system	5	5	10	2	2	4	
Ulcer of stomach and duodenum	-	2	2	2	3	5	
Gastritis,enteritis & diarrhoea	-	2	2	-	1	1	
Nephritis and nephrosis	1	3	4	2	1	3	
Hyperplasia of prostate	1	-	1	1	-	1	
Pregnancy,childbirth,abortion	-	1	1	-	-	-	
Congenital malformations	-	3	3	-	-	-	
Other defined & ill-defined diseases	18	24	42	22	21	43	
Motor vehicle accidents	8	1	9	3	-	3	
All other accidents	5	-	5	4	4	8	
Suicide	2	1	3	1	1	2	
Homicide & operations of war	2	-	2	-	-	-	

TABLE II  
CAUSES OF DEATH ACCORDING TO SEX  
Registrar General's Return

Cause of Death	1924		1925		1926		1927	
	M	F	M	F	M	F	M	F
All causes	295	307	600	576	579	555	579	555
Tuberculosis, respiratory	-	-	-	-	-	-	-	-
Tuberculosis, other	-	-	-	-	-	-	-	-
Syphilis disease	7	7	2	1	1	3	1	3
Myocarditis	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-
Meningococcal infection	-	-	-	-	-	-	-	-
Acute poliomyelitis	-	-	-	-	-	-	-	-
Hemiplegia	-	-	-	-	-	-	-	-
Other infective & parasitic diseases	7	7	2	-	-	-	-	-
Malignant neoplasms, stomach	3	3	3	4	4	4	4	4
Malignant neoplasms, lung, bronchus	30	30	36	21	21	26	21	26
Malignant neoplasms, breast	-	10	10	-	-	11	-	11
Malignant neoplasms, uterus	-	6	6	-	-	5	-	5
Other malignant & lymphatic neoplasms	29	24	33	27	27	46	27	46
Leukemia, aleukemia	1	1	2	-	-	-	-	-
Diabetes	6	2	8	1	1	3	1	3
Vascular lesions of nervous system	22	49	71	30	32	63	32	63
Coronary disease, angina	72	27	108	68	48	111	48	111
Hypertension with heart disease	4	6	10	2	2	10	2	10
Other heart disease	18	20	20	17	17	42	17	42
Other circulatory disease	11	17	22	13	16	69	16	69
Influenza	-	2	2	-	-	-	-	-
Fracture	30	64	94	37	62	99	62	99
Chronicitis	21	10	31	22	4	26	22	4
Other diseases of the respiratory system	2	5	10	2	2	4	2	4
Ulcer of stomach and duodenum	-	2	2	2	2	2	2	2
Gastritis, enteritis & diarrhoea	-	2	2	-	-	1	-	1
Nephritis and nephrosis	1	2	4	2	1	2	1	2
Hypertrophy of prostate	1	-	1	1	1	1	1	1
Pregnancy, childbirth, abortion	-	1	1	-	-	-	-	-
Constitutional malnutrition	-	2	2	-	-	-	-	-
Other defined & ill-defined diseases	18	24	42	22	27	43	27	43
Motor vehicle accidents	8	1	9	2	2	2	2	2
All other accidents	2	-	2	4	4	8	4	8
Self-destruction	2	1	2	1	1	2	1	2
Homicide & operations of war	2	-	2	-	-	-	-	-



TABLE IIIA (continued)

## DARTFORD BOROUGH

TABLE IIIA

## CAUSES OF DEATH ACCORDING TO SEX (continued)

## Registrar General's Return

	All Ages						Main causes
	1968			1969			
	M	F	Persons	M	F	Persons	
All causes	265	347	612	260	296	556	
Cholera	-	-	-	-	-	-	
Typhoid Fever	-	-	-	-	-	-	
Bacillary dysentery and amoebiasis	-	-	-	-	-	-	
Enteritis & other diarrhoeal diseases	-	-	-	-	1	1	
Tuberculosis of respiratory system	-	-	-	-	-	-	
Other tuberculosis, incl. late effects	-	1	1	-	-	-	
Plague	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	
Whooping cough	-	-	-	-	-	-	
Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	
Meningococcal infection	-	-	-	-	-	-	
Acute poliomyelitis	-	-	-	-	-	-	
Smallpox	-	-	-	-	-	-	
Measles	-	1	1	-	-	-	
Typhus and other rickettsioses	-	-	-	-	-	-	
Malaria	-	-	-	-	-	-	
Syphilis and its sequelae	-	-	-	-	1	1	
All other infective & parasitic diseases	1	-	1	-	-	-	
Malignant neoplasm, buccal cavity and pharynx	*	*	*	-	2	2	88
Malignant neoplasm, oesophagus	*	*	*	1	1	2	
Malignant neoplasm, stomach	2	5	7	5	10	15	
Malignant neoplasm, intestine	*	*	*	8	4	12	
Malignant neoplasm, larynx	*	*	*	-	-	-	
Malignant neoplasm, lung, bronchus	15	4	19	10	6	16	
Malignant neoplasm, breast	-	11	11	-	7	7	
Malignant neoplasm, uterus	-	-	-	-	5	5	
Malignant neoplasm, prostate	*	*	*	2	-	2	
Leukaemia	2	3	5	1	1	2	
Other malignant neoplasms	16	26	42	14	11	25	
Benign neoplasms and neoplasms of unspecified nature	-	3	3	2	-	2	
Diabetes mellitus	4	6	10	1	4	5	
Avitaminoses and other nutritional deficiency	-	-	-	-	-	-	
Other endocrine, nutritional and metabolic diseases	-	-	-	1	2	3	
Anaemias	-	-	-	-	1	1	
Other diseases of blood-forming organs	-	1	1	-	-	-	
Mental disorders	-	1	1	-	4	4	
Meningitis	1	-	1	-	-	-	
Other diseases of nervous system and sense organs	2	6	8	4	4	8	
Active rheumatic fever	-	-	-	-	-	-	

continued .....

\* For 1968 deaths from these causes were included in "other malignant neoplasms".

CAUSES OF DEATH ACCORDING TO SEX (continued)

TABLE IIIA

Register General's Return

Cause of Death	1968		1969		All Ages	
	M	F	M	F	M	F
Active rheumatic fever	-	-	-	-	-	-
Heart disease of nervous system and	2	6	4	4	-	-
Heart disease of blood-forming organs	-	-	-	-	-	-
Other diseases of blood-forming organs	-	-	-	-	-	-
Anemia	-	-	-	-	-	-
Metabolic diseases	-	-	-	-	-	-
Other endocrine, nutritional and	-	-	-	-	-	-
deficiency	-	-	-	-	-	-
Avitaminosis and other nutritional	-	-	-	-	-	-
Dietary malnutrition	-	-	-	-	-	-
Diabetes mellitus	4	6	1	4	-	-
Unspecified nature	-	-	-	-	-	-
Benign neoplasms and neoplasms of	-	-	-	-	-	-
Other malignant neoplasms	16	26	42	14	-	-
Leukemia	-	-	-	-	-	-
Malignant neoplasm, prostate	2	2	-	-	-	-
Malignant neoplasm, uterus	-	-	-	-	-	-
Malignant neoplasm, breast	-	-	-	-	-	-
Malignant neoplasm, lung, bronchus	12	4	10	6	-	-
Malignant neoplasm, larynx	-	-	-	-	-	-
Malignant neoplasm, intestine	-	-	-	-	-	-
Malignant neoplasm, stomach	2	2	-	-	-	-
Malignant neoplasm, esophagus	-	-	-	-	-	-
and pharynx	-	-	-	-	-	-
Malignant neoplasm, buccal cavity	-	-	-	-	-	-
All other infective & parasitic diseases	1	-	-	-	-	-
Syphilis and its sequelae	-	-	-	-	-	-
Malaria	-	-	-	-	-	-
Typhus and other rickettsiae	-	-	-	-	-	-
Measles	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-
Acute poliomyelitis	-	-	-	-	-	-
Meningococcal infection	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-
Streptococcal sore throat and	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-
Pneumonia	-	-	-	-	-	-
Other tuberculous, incl. late effects	-	-	-	-	-	-
Tuberculosis of respiratory system	-	-	-	-	-	-
Enteritis & other diarrheal diseases	-	-	-	-	-	-
Bacillary dysentery and amoebiasis	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-
Cholera	-	-	-	-	-	-
All causes	262	347	612	260	256	256

\* For 1968 deaths from these causes were included in "other malignant neoplasms".



TABLE IIIA (continued)

DARTFORD BOROUGH  
CAUSES OF DEATH ACCORDING TO SEX  
Registrar General's Return

Persons	1968		All Ages		1969		Main causes
	M	F	Persons	M	F	Persons	
Chronic rheumatic heart disease	3	3	6	5	3	8	192
Hypertensive disease	3	6	9	1	4	5	
Ischaemic heart disease	73	66	139	81	67	148	
Other forms of heart disease	15	10	25	5	6	11	
Other diseases of circulatory system	12	7	19	8	12	20	
Cerebrovascular disease	29	48	77	77	30	80	80
Influenza	3	4	7	1	2	3	129
Pneumonia	35	110	145	32	47	79	
Bronchitis, emphysema	18	4	22	27	12	39	
Other diseases of respiratory system	2	-	2	5	3	8	
Asthma	-	-	-	-	-	-	56
Peptic ulcer	2	2	4	2	1	3	50
Appendicitis	-	-	-	-	-	-	
Intestinal obstruction and hernia	-	1	1	1	-	1	
Cirrhosis of liver	-	1	1	-	1	1	
Other diseases of digestive system	4	4	8	1	1	2	
Nephritis and nephrosis	1	-	1	-	3	3	
Hyperplasia of prostate	-	-	-	-	-	-	
Other diseases of genito-urinary system	2	1	3	1	3	4	
Abortion	-	2	2	-	1	1	
Other complications of pregnancy, childbirth and puerperium	-	-	-	-	-	-	
Diseases of the skin and subcutaneous tissue	1	-	1	-	-	-	
Diseases of musculo-skeletal system and connective tissue	-	1	1	-	1	1	
Congenital anomalies	3	3	6	1	1	2	
Birth injury, difficult labour, and other anoxic and hypoxic conditions	2	1	3	4	1	5	
Other causes of perinatal mortality	2	-	2	-	3	3	
Symptoms and ill-defined conditions	-	2	2	1	2	3	
Motor vehicle accidents	6	-	6	2	5	7	49
All other accidents	2	1	3	1	2	3	
Suicide and self-inflicted injuries	4	1	5	2	1	3	
All other external causes	-	1	1	-	-	-	
Other circulatory disease	-	-	-	-	-	-	45
Influenza	-	-	-	-	-	-	
Pneumonia	-	-	-	-	-	-	
Bronchitis	-	-	-	-	-	-	
Other diseases of respiratory system	-	-	-	-	-	-	2
Ulcer of stomach and duodenum	-	-	-	-	-	-	
Gastritis, enteritis and diarrhoea	-	-	-	-	-	-	
Hepatitis and nephrosis	-	-	-	-	-	-	
Pregnancy, childbirth, abortion	-	-	-	-	-	-	15
Congenital malformations	-	-	-	-	-	-	
Other defined & ill-defined diseases	-	-	-	-	-	-	
Motor vehicle accidents	-	-	-	-	-	-	
Suicide	-	-	-	-	-	-	



CAUSES OF DEATH ACCORDING TO SEX  
Registrar General's Return

Persons	1988		1989		Persons
	M	F	M	F	
All other external causes	1	1	1	1	-
Colloids and self-inflicted injuries	4	1	2	1	3
All other accidents	2	1	1	2	3
Motor vehicle accidents	6	-	6	2	7
Symptoms and ill-defined conditions	-	2	2	1	3
Other causes of perinatal mortality	2	-	2	-	2
Other toxics and pyrexia conditions	2	1	4	1	2
Birth injury, difficult labour, and congenital anomalies	3	3	6	1	2
and connective tissue	1	1	1	1	1
Diseases of musculo-skeletal system	1	-	1	-	1
Class	1	-	1	-	-
Diseases of the skin and subcutaneous	-	-	-	-	-
childbirth and puerperium	-	-	-	-	-
Other complications of pregnancy	-	2	-	1	1
Abortion	-	2	-	1	1
Other diseases of genital-urinary system	2	1	1	1	4
Gynaecitis of prostate	-	-	-	-	-
Hepatitis and nephritis	1	-	1	2	3
Other diseases of digestive system	4	4	8	1	2
Diseases of liver	-	1	-	1	1
Intestinal obstruction and hernia	-	1	-	1	1
Appendicitis	-	-	-	-	-
Pelvic ulcer	2	2	4	1	3
Asthma	-	-	-	-	-
Other diseases of respiratory system	2	-	2	3	6
Bronchitis, emphysema	18	4	22	12	30
Pneumonia	35	14	32	47	79
Influenza	2	1	1	2	3
Cerebrovascular disease	29	48	17	30	80
Other diseases of circulatory system	12	7	19	12	20
Other forms of heart disease	12	10	22	6	17
Ischaemic heart disease	73	66	139	67	148
Hypertensive disease	3	6	9	4	5
Chronic rheumatic heart disease	3	3	6	3	8

## DARTFORD BOROUGH

TABLE IIIB

CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return  
1966

	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
<b>Males</b>													
All causes	293	9	2	1	1	5	2	9	31	54	77	102	
Syphilitic disease	1	-	-	-	-	-	-	-	-	-	-	1	
Other infective & parasitic diseases	1	-	-	-	-	-	-	1	-	-	-	-	
Malignant neoplasm, stomach	5	-	-	-	-	-	-	-	-	-	2	3	
Malignant neoplasm, lung, bronchus	30	-	-	-	-	-	-	-	2	9	12	7	} = 65
Other malignant & lymphatic neoplasms	29	-	-	-	-	-	1	4	4	5	7	8	
Leukaemia, aleukaemia	1	-	-	-	-	-	-	-	1	-	-	-	
Diabetes	6	-	-	-	-	-	1	-	2	-	-	3	} = 22
Vascular lesions of nerv. system	22	-	-	-	-	-	-	-	-	3	5	14	
Coronary disease, angina	72	-	-	-	-	-	-	2	15	17	17	21	
Hypertension with heart disease	4	-	-	-	-	-	-	-	-	1	1	2	} = 105
Other heart disease	18	-	-	-	-	-	-	-	1	3	6	8	
Other circulatory disease	11	-	-	-	-	-	-	1	1	2	4	3	
Pneumonia	30	-	1	1	-	-	-	-	1	3	8	16	} = 56
Bronchitis	21	-	-	-	-	-	-	-	-	5	7	9	
Other diseases of respiratory system	5	-	-	-	-	-	-	-	1	1	2	1	
Nephritis and nephrosis	1	-	-	-	-	-	-	-	-	-	-	1	
Hyperplasia of prostate	1	-	-	-	-	-	-	-	-	-	-	1	
Other defined & ill-defined diseases	18	8	-	-	-	-	-	-	1	-	5	4	
Motor vehicle accidents	8	-	-	-	1	2	-	1	2	2	-	-	
All other accidents	5	-	-	-	-	2	-	-	-	2	1	-	
Suicide	2	-	-	-	-	1	-	-	-	1	-	-	
Homicide and operations of war	2	1	1	-	-	-	-	-	-	-	-	-	
<b>Females</b>													
All causes	307	3	1	-	1	1	4	5	11	29	72	180	
Syphilitic disease	1	-	-	-	-	-	-	-	1	-	-	-	
Other infective & parasitic diseases	1	-	-	-	-	-	-	-	-	-	1	-	
Malignant neoplasm, stomach	3	-	-	-	-	-	-	-	-	-	2	1	} = 50
Malignant neoplasm, lung, bronchus	6	-	-	-	-	-	-	-	1	3	1	1	
Malignant neoplasm, breast	10	-	-	-	-	-	-	1	2	2	1	4	
Malignant neoplasm, uterus	6	-	-	-	-	-	-	1	-	2	1	2	} = 86
Other malignant & lymphatic neoplasms	24	-	-	-	-	1	-	2	1	9	11	11	
Leukaemia, aleukaemia	1	-	-	-	-	-	-	-	-	-	1	-	
Diabetes	2	-	-	-	-	-	-	-	-	-	-	2	} = 49
Vascular lesions of nervous system	49	-	-	-	-	1	1	1	2	3	9	33	
Coronary disease, angina	37	-	-	-	-	-	-	-	1	4	12	20	
Hypertension with heart disease	6	-	-	-	-	-	-	-	-	1	2	3	} = 81
Other heart disease	32	-	-	-	-	-	-	-	-	2	9	21	
Other circulatory disease	11	-	-	-	-	-	-	-	1	-	4	6	
Influenza	2	-	-	-	-	-	-	-	-	-	-	2	} = 81
Pneumonia	64	-	-	-	-	-	-	1	1	6	11	45	
Bronchitis	10	-	-	-	-	-	-	-	-	1	1	8	
Other diseases of respiratory system	5	-	-	-	1	1	-	-	-	1	1	1	
Ulcer of stomach and duodenum	2	-	-	-	-	-	-	-	-	-	-	2	
Gastritis, enteritis and diarrhoea	2	-	-	-	-	-	-	-	-	-	-	2	
Nephritis and nephrosis	3	-	-	-	-	-	-	-	-	1	1	1	
Pregnancy, childbirth, abortion	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital malformations	3	2	1	-	-	-	-	-	-	-	-	-	
Other defined & ill-defined diseases	24	1	-	-	-	-	1	1	-	2	4	15	
Motor vehicle accidents	1	-	-	-	-	-	-	-	-	-	1	-	
Suicide	1	-	-	-	-	-	-	-	-	-	1	-	

TABLE IIIB  
CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return  
1966

All causes		Males										Females									
		15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Total	Rate	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	Total	Rate
Suicide		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Motor vehicle accidents		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
All other accidents		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Other defined & ill-defined diseases		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Hypertension with heart disease		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Coronary disease, angina		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Vascular lesions of nervous system		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Diabetes		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Leukemia, lymphoma		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Other malignant & lymphatic neoplasms		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Malignant neoplasm, uterus		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Malignant neoplasm, breast		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Malignant neoplasm, lung, bronchus		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Malignant neoplasm, stomach		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Other infective & parasitic diseases		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
Syphilitic disease		1	1	1	1	1	1	1	1	7	1.0	1	1	1	1	1	1	1	1	7	1.0
All causes		207	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207	207



TABLE IIIB

DARTFORD BOROUGH  
CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return  
1967

	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
<b>Males</b>													
All causes	276	3	2	1	-	5	2	7	19	52	90	95	
Tuberculosis, respiratory	2	-	-	-	-	-	-	-	1	-	1	-	
Syphilitic disease	1	-	-	-	-	-	-	-	-	-	-	1	
Malignant neoplasm, stomach	4	-	-	-	-	-	1	-	1	-	1	1	46
Malignant neoplasms, lung, bronchus	21	-	-	-	-	-	-	-	2	6	11	2	
Other malignant & lymphatic neoplasms	21	-	-	1	-	-	-	-	3	6	4	7	30
Diabetes	1	-	-	-	-	-	-	-	-	-	-	1	
Vascular lesions of nerv. system	30	-	-	-	-	1	-	-	2	2	9	16	100
Coronary disease, angina	65	-	-	-	-	-	-	4	3	14	22	22	
Hypertension with heart disease	5	-	-	-	-	-	-	-	-	2	2	1	61
Other heart disease	17	-	-	-	-	-	-	-	2	3	6	6	
Other circulatory disease	13	-	-	-	-	-	-	-	-	1	6	6	61
Pneumonia	37	-	1	-	-	-	-	-	1	4	14	17	
Bronchitis	22	-	1	-	-	-	-	-	-	4	8	9	2
Other diseases of respiratory system	2	-	-	-	-	-	-	-	-	1	1	-	
Ulcer of stomach and duodenum	2	-	-	-	-	-	-	-	-	-	-	2	
Nephritis and nephrosis	2	-	-	-	-	-	-	-	-	2	-	-	
Hyperplasia of prostate	1	-	-	-	-	-	-	-	-	-	-	1	
Other defined & ill-defined diseases	22	3	-	-	-	1	-	2	3	6	5	2	
Motor vehicle accidents	3	-	-	-	-	2	-	-	-	1	-	-	
All other accidents	4	-	-	-	-	1	1	1	-	-	-	1	
Suicide	1	-	-	-	-	-	-	-	1	-	-	-	
<b>Females</b>													
All causes	279	3	4	1	-	1	-	1	14	25	65	161	
Syphilitic disease	2	-	-	-	-	-	-	-	-	-	-	2	
Malignant neoplasm, stomach	4	-	-	-	-	-	-	-	-	2	-	2	50
Malignant neoplasm, lung, bronchus	5	-	-	-	-	-	-	-	2	-	1	2	
Malignant neoplasm, breast	11	-	-	-	-	-	-	-	-	4	2	5	33
Malignant neoplasm, uterus	5	-	-	-	-	-	-	1	1	2	1	-	
Other malignant & lymphatic neoplasms	25	-	-	-	-	-	-	1	4	5	7	8	92
Diabetes	3	-	-	-	-	1	-	-	-	-	-	2	
Vascular lesions of nerv. system	33	-	-	-	-	-	-	1	-	1	9	22	68
Coronary disease, angina	46	-	-	-	-	-	-	1	1	6	10	28	
Hypertension with heart disease	5	-	-	-	-	-	-	-	-	-	2	3	40
Other heart disease	25	-	-	-	-	-	-	-	1	2	2	20	
Other circulatory disease	16	-	-	-	-	-	-	-	1	-	5	10	92
Pneumonia	62	-	1	-	-	-	-	-	2	2	12	45	
Bronchitis	4	-	-	-	-	-	-	-	1	-	3	-	68
Other diseases of respiratory system	2	-	-	-	-	-	-	-	-	-	1	1	
Ulcer of stomach and duodenum	3	-	-	-	-	-	-	-	-	-	2	1	
Gastritis, enteritis & diarrhoea	1	-	1	-	-	-	-	-	-	-	-	-	
Nephritis and nephrosis	1	-	-	-	-	-	-	-	-	1	-	-	
Other defined & ill-defined diseases	21	3	2	1	-	-	-	-	1	-	7	7	
All other accidents	4	-	-	-	-	-	-	-	-	-	1	3	
Suicide	1	-	-	-	-	-	-	1	-	-	-	-	
Influenza	4	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia	110	-	-	-	-	-	-	-	-	-	-	-	
Bronchitis and emphysema	8	-	-	-	-	-	-	-	-	-	-	-	
Peptic ulcer	2	-	-	-	-	-	-	-	-	-	-	-	
Intestinal obstruction and hernia	1	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	1	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of digestive system	4	-	-	-	-	-	-	-	-	-	-	-	
Other diseases, genito-urinary system	1	-	-	-	-	-	-	-	-	-	-	-	
Abortion	1	-	-	-	-	-	-	-	-	-	-	-	





## DARTFORD BOROUGH

TABLE IIIB CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return  
1968

	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
<b>Males</b>													
All causes	265	7	3	-	-	1	4	11	24	49	77	89	
Other infective & parasitic diseases	1	-	-	-	-	-	-	-	-	1	-	-	
Malignant neoplasm, stomach	2	-	-	-	-	-	-	-	1	-	-	1	
Malignant neoplasm, lung, bronchus	15	-	-	-	-	-	-	-	1	6	6	2	
Leukaemia	2	-	-	-	-	-	-	-	-	1	1	-	35
Other malignant neoplasms, etc.	16	-	-	-	-	1	1	3	2	6	3		
Diabetes mellitus	4	-	-	-	-	-	-	-	1	-	1	2	
Meningitis	1	-	-	-	-	-	-	-	-	-	-	1	
Other diseases of nerv. system, etc.	2	-	-	-	-	-	-	-	-	1	-	1	
Chronic rheumatic heart disease	3	-	-	-	-	-	-	1	-	1	1	-	
Hypertensive disease	3	-	-	-	-	-	-	-	-	1	-	2	106
Ischaemic heart disease	73	-	-	-	-	-	-	1	9	18	21	24	
Other forms of heart disease	15	-	-	-	-	1	-	-	1	3	4	6	
Cerebrovascular disease	29	-	-	-	-	-	-	2	-	3	6	18	29
Other diseases of circulatory system	12	-	-	-	-	-	-	-	4	2	2	4	
Influenza	3	-	-	-	-	-	-	-	-	-	1	2	
Pneumonia	35	2	-	-	-	-	-	-	1	3	16	13	58
Bronchitis and emphysema	18	-	-	-	-	-	-	-	-	4	6	8	
Other diseases of respiratory system	2	-	1	-	-	-	-	-	-	1	-	-	
Peptic ulcer	2	-	-	-	-	-	-	-	-	-	2	-	
Other diseases of digestive system	4	-	1	-	-	-	-	1	-	-	1	1	
Nephritis and nephrosis	1	-	-	-	-	-	-	-	-	-	1	-	
Other diseases, genito-urinary system	2	-	-	-	-	-	-	1	-	-	1	-	
Diseases of skin, subcutaneous tissue	1	-	-	-	-	-	-	1	-	-	-	-	
Congenital anomalies	3	1	1	-	-	-	-	-	1	-	-	-	
Birth injury, difficult labour, etc.	2	2	-	-	-	-	-	-	-	-	-	-	
Other causes of perinatal mortality	2	2	-	-	-	-	-	-	-	-	-	-	
Motor vehicle accidents	6	-	-	-	-	1	2	-	-	1	1	1	
All other accidents	2	-	-	-	-	1	-	1	1	-	-	-	
Suicide and self-inflicted injuries	4	-	-	-	-	1	-	1	1	1	-	-	
<b>Females</b>													
All causes	347	3	2	-	1	2	4	6	16	36	69	208	
Other tuberculosis, incl. late effects	1	-	-	-	-	-	-	-	-	-	-	1	
Measles	1	-	-	-	1	-	-	-	-	-	-	-	
Malignant neoplasm, stomach	5	-	-	-	-	-	-	-	-	2	-	3	
Malignant neoplasm, lung, bronchus	4	-	-	-	-	-	-	-	-	1	2	1	49
Malignant neoplasm, breast	11	-	-	-	-	1	-	3	2	-	-	5	
Leukaemia	3	-	-	-	-	-	-	-	1	-	-	2	
Other malignant neoplasms, etc.	26	-	-	-	-	1	2	-	3	6	8	6	
Benign & unspecified neoplasms	3	-	1	-	-	-	-	-	-	-	1	1	
Diabetes mellitus	6	-	-	-	-	-	-	-	-	-	4	2	
Other diseases of the blood, etc.	1	-	-	-	-	-	-	-	-	1	-	-	
Mental disorders	1	-	-	-	-	-	-	-	-	-	1	-	
Other diseases of nerv. system, etc.	6	-	-	-	-	-	-	1	-	1	2	2	
Chronic rheumatic heart disease	3	-	-	-	-	-	-	1	1	-	1	-	
Hypertensive disease	6	-	-	-	-	-	-	-	-	-	2	4	92
Ischaemic heart disease	66	-	-	-	-	-	-	1	-	8	17	40	
Other forms of heart disease	10	-	-	-	-	-	-	-	-	2	2	6	
Cerebrovascular disease	48	-	-	-	-	-	-	-	4	4	6	34	48
Other diseases of circulatory system	7	-	-	-	-	-	-	-	1	1	2	3	
Influenza	4	-	-	-	-	-	-	-	-	1	-	3	
Pneumonia	110	-	1	-	-	-	-	1	2	6	17	83	
Bronchitis and emphysema	4	-	-	-	-	-	-	-	-	-	1	3	118
Peptic ulcer	2	-	-	-	-	-	-	-	-	-	1	1	
Intestinal obstruction and hernia	1	-	-	-	-	-	-	-	-	-	-	1	
Cirrhosis of liver	1	-	-	-	-	-	-	-	1	-	-	-	
Other diseases of digestive system	4	-	-	-	-	-	-	-	-	-	1	3	
Other diseases, genito-urinary system	1	-	-	-	-	-	-	-	-	1	-	-	
Abortion	2	-	-	-	-	1	1	-	-	-	-	-	

/1968 continued.....



TABLE IIIB  
CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Report  
1968

Age	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total
0-4	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
5-9	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
10-14	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
15-19	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
20-24	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
25-29	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
30-34	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
35-39	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
40-44	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
45-49	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
50-54	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
55-59	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
60-64	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
65-69	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
70-74	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
75-79	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
80-84	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
85-89	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
90-94	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
95-99	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
100+	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2

DARTFORD BOROUGH

TABLE IIIB CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return

1968 (continued)

	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
<u>Females</u> (continued)													
Diseases of musculo-skeletal system	1	-	-	-	-	-	-	-	-	-	-	1	
Congenital anomalies	3	2	-	-	-	-	-	1	-	-	-	-	
Birth injury, difficult labour, etc.	1	1	-	-	-	-	-	-	-	-	-	-	
Symptoms and ill-defined conditions	2	-	-	-	-	-	-	-	-	-	-	2	
All other accidents	1	-	-	-	-	-	-	-	-	-	-	1	
Suicide and self-inflicted injuries	1	-	-	-	-	-	-	-	-	-	1	-	
All other external causes	1	-	-	-	-	1	-	-	-	-	-	-	

TABLE IIIB CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return

1969

Males

All causes	260	4	2	-	-	-	5	8	25	53	78	85	
Malignant neoplasm, oesophagus	1	-	-	-	-	-	-	1	-	-	-	-	
Malignant neoplasm, stomach	5	-	-	-	-	-	-	-	-	2	3	-	
Malignant neoplasm, intestine	8	-	-	-	-	-	-	-	-	3	3	2	
Malignant neoplasm, lung, bronchus	10	-	-	-	-	-	-	-	2	5	3	-	=41
Malignant neoplasm, prostate	2	-	-	-	-	-	-	-	-	-	2	-	
Leukaemia	1	-	-	-	-	-	-	1	-	-	-	-	
Other malignant neoplasms	14	-	-	-	-	-	-	-	-	2	9	3	
Benign and unspecified neoplasms	2	-	-	-	-	-	1	-	-	1	-	-	
Diabetes mellitus	1	-	-	-	-	-	-	-	-	-	-	1	
Other endocrine etc. diseases	1	-	-	-	-	-	-	-	-	-	-	1	
Other diseases of nervous system, etc.	4	-	-	-	-	-	-	-	1	-	2	1	
Chronic rheumatic heart disease	5	-	-	-	-	-	1	-	1	-	3	-	
Hypertensive disease	1	-	-	-	-	-	-	-	1	-	-	-	
Ischaemic heart disease	81	-	-	-	-	-	-	3	13	16	22	27	=100
Other forms of heart disease	5	-	-	-	-	-	-	-	-	1	2	2	
Other diseases of circulatory system	8	-	-	-	-	-	1	-	2	-	2	3	
Cerebrovascular disease	30	-	-	-	-	-	-	1	1	7	4	17	=30
Influenza	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia	32	-	1	-	-	-	-	1	1	4	7	18	
Bronchitis and emphysema	27	-	-	-	-	-	-	-	1	7	11	8	=65
Other diseases of respiratory system	5	-	1	-	-	-	-	-	-	-	3	1	
Peptic ulcer	2	-	-	-	-	-	-	-	-	2	-	-	
Intestinal obstruction and hernia	1	-	-	-	-	-	-	-	-	-	1	-	
Other diseases of digestive system	1	-	-	-	-	-	-	-	-	-	-	1	
Other diseases, genito-urinary system	1	-	-	-	-	-	-	-	1	-	-	-	
Congenital anomalies	1	-	-	-	-	-	-	-	1	-	-	-	
Birth injury, difficult labour, etc.	4	4	-	-	-	-	-	-	-	-	-	-	
Symptoms and ill-defined conditions	1	-	-	-	-	-	1	-	-	-	-	-	
Motor vehicle accidents	2	-	-	-	-	-	1	1	-	-	-	-	
All other accidents	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide and self-inflicted injuries	2	-	-	-	-	-	-	-	-	2	-	-	

/1969 continued....

TABLE III  
CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return

(continued)

Age	Male	Female	Total
15-24	1	1	2
25-34	1	1	2
35-44	1	1	2
45-54	1	1	2
55-64	1	1	2
65-74	1	1	2
75-84	1	1	2
85-94	1	1	2
95-104	1	1	2
105-114	1	1	2
115-124	1	1	2
125-134	1	1	2
135-144	1	1	2
145-154	1	1	2
155-164	1	1	2
165-174	1	1	2
175-184	1	1	2
185-194	1	1	2
195-204	1	1	2
205-214	1	1	2
215-224	1	1	2
225-234	1	1	2
235-244	1	1	2
245-254	1	1	2
255-264	1	1	2
265-274	1	1	2
275-284	1	1	2
285-294	1	1	2
295-304	1	1	2
305-314	1	1	2
315-324	1	1	2
325-334	1	1	2
335-344	1	1	2
345-354	1	1	2
355-364	1	1	2
365-374	1	1	2
375-384	1	1	2
385-394	1	1	2
395-404	1	1	2
405-414	1	1	2
415-424	1	1	2
425-434	1	1	2
435-444	1	1	2
445-454	1	1	2
455-464	1	1	2
465-474	1	1	2
475-484	1	1	2
485-494	1	1	2
495-504	1	1	2
505-514	1	1	2
515-524	1	1	2
525-534	1	1	2
535-544	1	1	2
545-554	1	1	2
555-564	1	1	2
565-574	1	1	2
575-584	1	1	2
585-594	1	1	2
595-604	1	1	2
605-614	1	1	2
615-624	1	1	2
625-634	1	1	2
635-644	1	1	2
645-654	1	1	2
655-664	1	1	2
665-674	1	1	2
675-684	1	1	2
685-694	1	1	2
695-704	1	1	2
705-714	1	1	2
715-724	1	1	2
725-734	1	1	2
735-744	1	1	2
745-754	1	1	2
755-764	1	1	2
765-774	1	1	2
775-784	1	1	2
785-794	1	1	2
795-804	1	1	2
805-814	1	1	2
815-824	1	1	2
825-834	1	1	2
835-844	1	1	2
845-854	1	1	2
855-864	1	1	2
865-874	1	1	2
875-884	1	1	2
885-894	1	1	2
895-904	1	1	2
905-914	1	1	2
915-924	1	1	2
925-934	1	1	2
935-944	1	1	2
945-954	1	1	2
955-964	1	1	2
965-974	1	1	2
975-984	1	1	2
985-994	1	1	2
995-1004	1	1	2
1005-1014	1	1	2
1015-1024	1	1	2
1025-1034	1	1	2
1035-1044	1	1	2
1045-1054	1	1	2
1055-1064	1	1	2
1065-1074	1	1	2
1075-1084	1	1	2
1085-1094	1	1	2
1095-1104	1	1	2
1105-1114	1	1	2
1115-1124	1	1	2
1125-1134	1	1	2
1135-1144	1	1	2
1145-1154	1	1	2
1155-1164	1	1	2
1165-1174	1	1	2
1175-1184	1	1	2
1185-1194	1	1	2
1195-1204	1	1	2
1205-1214	1	1	2
1215-1224	1	1	2
1225-1234	1	1	2
1235-1244	1	1	2
1245-1254	1	1	2
1255-1264	1	1	2
1265-1274	1	1	2
1275-1284	1	1	2
1285-1294	1	1	2
1295-1304	1	1	2
1305-1314	1	1	2
1315-1324	1	1	2
1325-1334	1	1	2
1335-1344	1	1	2
1345-1354	1	1	2
1355-1364	1	1	2
1365-1374	1	1	2
1375-1384	1	1	2
1385-1394	1	1	2
1395-1404	1	1	2
1405-1414	1	1	2
1415-1424	1	1	2
1425-1434	1	1	2
1435-1444	1	1	2
1445-1454	1	1	2
1455-1464	1	1	2
1465-1474	1	1	2
1475-1484	1	1	2
1485-1494	1	1	2
1495-1504	1	1	2
1505-1514	1	1	2
1515-1524	1	1	2
1525-1534	1	1	2
1535-1544	1	1	2
1545-1554	1	1	2
1555-1564	1	1	2
1565-1574	1	1	2
1575-1584	1	1	2
1585-1594	1	1	2
1595-1604	1	1	2
1605-1614	1	1	2
1615-1624	1	1	2
1625-1634	1	1	2
1635-1644	1	1	2
1645-1654	1	1	2
1655-1664	1	1	2
1665-1674	1	1	2
1675-1684	1	1	2
1685-1694	1	1	2
1695-1704	1	1	2
1705-1714	1	1	2
1715-1724	1	1	2
1725-1734	1	1	2
1735-1744	1	1	2
1745-1754	1	1	2
1755-1764	1	1	2
1765-1774	1	1	2
1775-1784	1	1	2
1785-1794	1	1	2
1795-1804	1	1	2
1805-1814	1	1	2
1815-1824	1	1	2
1825-1834	1	1	2
1835-1844	1	1	2
1845-1854	1	1	2
1855-1864	1	1	2
1865-1874	1	1	2
1875-1884	1	1	2
1885-1894	1	1	2
1895-1904	1	1	2
1905-1914	1	1	2
1915-1924	1	1	2
1925-1934	1	1	2
1935-1944	1	1	2
1945-1954	1	1	2
1955-1964	1	1	2
1965-1974	1	1	2
1975-1984	1	1	2
1985-1994	1	1	2
1995-2004	1	1	2
2005-2014	1	1	2
2015-2024	1	1	2
2025-2034	1	1	2
2035-2044	1	1	2
2045-2054	1	1	2
2055-2064	1	1	2
2065-2074	1	1	2
2075-2084	1	1	2
2085-2094	1	1	2
2095-2104	1	1	2
2105-2114	1	1	2
2115-2124	1	1	2
2125-2134	1	1	2
2135-2144	1	1	2
2145-2154	1	1	2
2155-2164	1	1	2
2165-2174	1	1	2
2175-2184	1	1	2
2185-2194	1	1	2
2195-2204	1	1	2
2205-2214	1	1	2
2215-2224	1	1	2
2225-2234	1	1	2
2235-2244	1	1	2
2245-2254	1	1	2
2255-2264	1	1	2
2265-2274	1	1	2
2275-2284	1	1	2
2285-2294	1	1	2
2295-2304	1	1	2
2305-2314	1	1	2
2315-2324	1	1	2
2325-2334	1	1	2
2335-2344	1	1	2
2345-2354	1	1	2
2355-2364	1	1	2
2365-2374	1	1	2
2375-2384	1	1	2
2385-2394	1	1	2
2395-2404	1	1	2
2405-2414	1	1	2
2415-2424	1	1	2
2425-2434	1	1	2
2435-2444	1	1	2
2445-2454	1	1	2
2455-2464	1	1	2
2465-2474	1	1	2
2475-2484	1	1	2
2485-2494	1	1	2
2495-2504	1	1	2
2505-2514	1	1	2
2515-2524	1	1	2
2525-2534	1	1	2
2535-2544	1	1	2
2545-2554	1	1	2
2555-2564	1	1	2
2565-2574	1	1	2
2575-2584	1	1	2
2585-2594	1	1	2
2595-2604	1	1	2
2605-2614	1	1	2
2615-2624	1	1	2
2625-2634	1	1	2
2635-2644	1	1	2
2645-2654	1	1	2
2655-2664	1	1	2
2665-2674	1	1	2
2675-2684	1	1	2
2685-2694	1	1	2
2695-2704	1	1	2
2705-2714	1	1	2
2715-2724	1	1	2
2725-2734	1	1	2
2735-2744	1	1	2
2745-2754	1	1	2
2755-2764	1	1	2
2765-2774	1	1	2
2775-2784	1	1	2
2785-2794	1	1	2
2795-2804	1	1	2
2805-2814	1	1	2
2815-2824	1	1	2
2825-2834	1	1	2
2835-2844	1	1	2
2845-2854	1	1	2
2855-2864	1	1	2
2865-2874	1	1	2
2875-2884	1	1	2
2885-2894	1	1	2
2895-2904	1	1	2
2905-2914	1	1	2
2915-2924	1	1	2
2925-2934	1	1	2
2935-2944	1	1	2
2945-2954	1	1	2
2955-2964	1	1	2
2965-2974	1	1	2
2975-2984	1	1	2
2985-2994	1	1	2
2995-3004	1	1	2
3005-3014	1	1	2
3015-3024	1	1	2
3025-3034	1	1	2
3035-3044	1	1	2
3045-3054	1	1	2
3055-3064	1	1	2
3065-3074	1	1	2
3075-3084	1	1	2
3085-3094	1	1	2
3095-3104	1	1	2
3105-3114	1	1	2
3115-3124	1	1	2
3125-3134	1	1	2
3135-3144	1	1	2
3145-3154	1	1	2
3155-3164	1	1	2
3165-3174	1	1	2
3175-3184	1	1	2
3185-3194	1	1	2
3195-3204	1	1	2
3205-3214	1	1	2
3215-3224	1	1	2
3225-3234	1	1	2
3235-3244	1	1	2
3245-3254	1	1	2
3255-3264	1	1	2
3265-3274	1	1	2
3275-3284	1	1	2
3285-3294			



## DARTFORD BOROUGH

TABLE IIIB CAUSES OF DEATH ACCORDING TO AGE AND SEX  
Registrar General's Return

1969 (continued)

	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
<b>Females</b>													
All causes	296	6	2	-	-	2	1	4	15	34	75	157	
Enteritis and other diarrhoeal diseases	1	1	-	-	-	-	-	-	-	-	-	-	
Syphilis and its sequelae	1	-	-	-	-	-	-	-	-	-	-	1	
Malignant neoplasm, buccal cavity, etc.	2	-	-	-	-	-	-	-	-	1	1	-	}
Malignant neoplasm, oesophagus	1	-	-	-	-	-	-	-	-	-	-	1	
Malignant neoplasm, stomach	10	-	-	-	-	-	-	-	2	-	4	4	
Malignant neoplasm, intestine	4	-	-	-	-	-	-	-	1	2	-	1	
Malignant neoplasm, lung, bronchus	6	-	-	-	-	-	-	-	1	2	3	-	}=47
Malignant neoplasm, breast	7	-	-	-	-	-	-	2	1	3	-	1	
Malignant neoplasm, uterus	5	-	-	-	-	-	-	1	2	-	2	-	}
Leukaemia	1	-	-	-	-	-	-	-	-	-	-	1	
Other malignant neoplasms	11	-	-	-	-	-	-	-	1	2	2	6	}
Diabetes mellitus	4	-	-	-	-	-	-	-	-	-	1	3	
Other endocrine, etc. diseases	2	-	-	-	-	-	-	1	-	-	1	-	
Anaemias	1	-	-	-	-	-	-	-	-	-	-	1	
Mental disorders	4	-	-	-	-	-	-	-	1	1	1	1	
Other diseases of nerv. system, etc	4	-	-	-	-	-	-	-	-	1	2	1	
Chronic rheumatic heart disease	3	-	-	-	-	-	-	-	-	1	1	1	}
Hypertensive disease	4	-	-	-	-	-	-	-	-	1	2	1	
Ischaemic Heart disease	67	-	-	-	-	-	-	-	2	7	14	44	}=92
Other forms of heart disease	6	-	-	-	-	-	-	-	1	-	2	3	
Other diseases of circulatory system	12	-	-	-	-	-	-	-	-	1	5	6	}
Cerebrovascular disease	50	-	-	-	-	-	-	-	-	5	11	34	
Influenza	2	-	-	-	-	-	-	-	1	-	1	-	}=50
Pneumonia	47	-	-	-	-	-	-	-	-	5	14	28	
Bronchitis and emphysema	12	-	-	-	-	-	-	-	1	1	2	8	}=64
Other diseases of respiratory system	3	-	2	-	-	-	-	-	-	-	-	1	
Peptic ulcer	1	-	-	-	-	-	-	-	-	-	-	1	
Cirrhosis of liver	1	-	-	-	-	-	-	-	-	-	-	1	
Other diseases of digestive system	1	-	-	-	-	-	-	-	-	-	1	-	
Nephritis and nephrosis	3	-	-	-	-	-	-	-	-	-	-	3	
Other diseases of genito-urinary system	3	-	-	-	-	-	-	-	-	-	2	1	
Abortion	1	-	-	-	-	1	-	-	-	-	-	-	
Diseases of musculo-skeletal system	1	-	-	-	-	-	-	-	-	-	1	-	
Congenital anomalies	1	1	-	-	-	-	-	-	-	-	-	-	
Birth injury, difficult labour, etc.	1	1	-	-	-	-	-	-	-	-	-	-	
Other causes of perinatal mortality	3	3	-	-	-	-	-	-	-	-	-	-	
Symptoms and ill-defined conditions	2	-	-	-	-	-	-	-	-	-	-	2	
Motor vehicle accidents	5	-	-	-	-	1	1	-	1	-	2	-	
All other accidents	2	-	-	-	-	-	-	-	-	1	-	1	
Suicide and self-inflicted injuries	1	-	-	-	-	-	-	-	-	-	-	1	



## DARTFORD BOROUGH

TABLE IVA - CAUSES OF DEATH ACCORDING TO AGE

TOWN - Compiled locally

1966

Persons	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
All causes	459	12	3	1	2	6	6	14	37	61	122	195	
Tuberculosis, respiratory	-	-	-	-	-	-	-	-	-	-	-	-	
Tuberculosis, other	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilitic disease	2	-	-	-	-	-	-	-	1	-	-	1	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	
Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	
Other infective & parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasm, stomach	8	-	-	-	-	-	-	-	-	-	4	4	} = 108
Malignant neoplasm, lung, bronchus	31	-	-	-	-	-	-	-	2	10	11	8	
Malignant neoplasm, breast	12	-	-	-	-	-	-	1	2	2	1	6	
Malignant neoplasm, uterus	3	-	-	-	-	-	-	1	-	-	-	2	
Other malignant & lymphatic neoplasms	51	-	-	-	-	-	2	5	7	5	16	16	
Leukaemia, aleukaemia	3	-	-	-	-	-	-	-	2	-	1	-	} = 57
Diabetes	7	-	-	-	-	-	1	-	1	-	-	5	
Vascular lesions of nervous system	57	-	-	-	-	-	-	1	1	4	15	36	
Coronary disease, angina	96	-	-	-	-	-	-	2	14	18	30	32	
Hypertension with heart disease	7	-	-	-	-	-	-	-	1	1	1	4	
Other heart disease	33	-	-	-	-	-	1	-	1	4	10	17	} = 156
Other circulatory disease	20	-	-	-	-	-	-	2	2	2	8	6	
Influenza	2	-	-	-	-	-	-	-	-	-	-	2	} = 73
Pneumonia	43	-	1	1	-	-	-	-	-	3	8	30	
Bronchitis	20	-	-	-	-	-	-	-	-	4	7	9	
Other diseases of respiratory system	8	-	-	-	1	-	-	-	-	2	3	2	
Ulcer of stomach & duodenum	1	-	-	-	-	-	-	-	-	-	-	1	
Gastritis, enteritis & diarrhoea	1	-	-	-	-	-	-	-	-	-	-	1	
Nephritis and nephrosis	1	-	-	-	-	-	-	-	-	-	1	-	
Hyperplasia of prostate	1	-	-	-	-	-	-	-	-	-	-	1	
Pregnancy, childbirth, abortion	1	-	-	-	-	-	1	-	-	-	-	-	
Congenital malformations	3	2	1	-	-	-	-	-	-	-	-	-	
Other defined & ill-defined diseases	31	9	-	-	-	-	1	2	1	2	4	12	
Motor vehicle accidents	7	-	-	-	1	2	-	-	2	1	1	-	
All other accidents	5	-	-	-	-	3	-	-	-	2	-	-	
Suicide	3	-	-	-	-	1	-	-	-	1	1	-	
Homicide & operations of war	2	1	1	-	-	-	-	-	-	-	-	-	





## DARTFORD BOROUGH

TABLE IVA - CAUSES OF DEATH ACCORDING TO AGE  
TOWN - Compiled locally

(continued)

	1967	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
<u>Persons</u>														
All causes	390	6	6	3	-	6	2	8	28	62	108	161		
Tuberculosis, respiratory	1	-	-	-	-	-	-	-	-	-	-	1	-	
Tuberculosis, other	-	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilitic disease	3	-	-	-	-	-	-	-	-	-	-	-	3	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	
Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other infective and parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasm, stomach	7	-	-	-	-	-	1	-	1	1	1	3		} =86
Malignant neoplasm, lung, bronchus	25	-	-	-	-	-	-	-	4	6	11	4		
Malignant neoplasm, breast	9	-	-	-	-	-	-	-	-	3	1	5		
Malignant neoplasm, uterus	5	-	-	-	-	-	-	1	1	1	2	-		
Other malignant & lymphatic neoplasms	40	-	-	1	-	-	-	1	7	10	8	13		
Leukaemia, aleukaemia	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diabetes	3	-	-	-	-	1	-	-	-	-	-	-	2	
Vascular lesions of nervous system	46	-	-	-	-	1	-	1	1	3	14	26		=46
Coronary disease, angina	91	-	-	-	-	-	-	3	4	20	25	39		} =145
Hypertension with heart disease	4	-	-	-	-	-	-	-	-	1	1	2		
Other heart disease	25	-	-	-	-	-	-	-	3	3	6	13		
Other circulatory disease	25	-	-	-	-	-	-	-	1	1	9	14		
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	
Pneumonia	33	-	2	-	-	-	-	-	2	2	10	17		} =54
Bronchitis	17	-	1	-	-	-	-	-	-	2	8	6		
Other diseases of respiratory system	4	-	-	-	-	-	-	-	-	1	2	1		
Ulcer of stomach and duodenum	5	-	-	-	-	-	-	-	-	-	2	3		
Gastritis, enteritis & diarrhoea	1	-	1	-	-	-	-	-	-	-	-	-		
Nephritis and nephrosis	2	-	-	-	-	-	-	-	-	2	-	-		
Hyperplasia of prostate	1	-	-	-	-	-	-	-	-	-	-	1		
Pregnancy, childbirth, abortion	-	-	-	-	-	-	-	-	-	-	-	-		
Congenital malformations	1	-	-	1	-	-	-	-	-	-	-	-		
Other defined & ill-defined diseases	32	6	2	1	-	1	-	1	3	5	6	7		
Motor vehicle accidents	3	-	-	-	-	2	-	-	-	1	-	-		
All other accidents	5	-	-	-	-	1	1	-	-	-	1	2		
Suicide	2	-	-	-	-	-	-	1	1	-	-	-		
Homicide and operations of war	-	-	-	-	-	-	-	-	-	-	-	-		

/continued ....

\* for 1968 deaths from these causes were included in "other malignant neoplasms"





## DARTFORD BOROUGH

TABLE IVA CAUSES OF DEATH ACCORDING TO AGE

(continued)

TOWN - Compiled locally

1968

Persons	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
All causes	418	10	5	-	1	3	7	15	35	69	97	176	
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	
Bacillary dysentery and amoebiasis	-	-	-	-	-	-	-	-	-	-	-	-	
Enteritis & other diarrhoeal diseases	1	-	1	-	-	-	-	-	-	-	-	-	
Tuberculosis of respiratory system	-	-	-	-	-	-	-	-	-	-	-	-	
Other tuberculosis, incl. late effects	1	-	-	-	-	-	-	-	-	-	-	-	1
Plague	-	-	-	-	-	-	-	-	-	-	-	-	
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	
Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	
Meningococcal infection	-	-	-	-	-	-	-	-	-	-	-	-	
Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	1	-	-	-	1	-	-	-	-	-	-	-	
Typhus and other rickettsioses	-	-	-	-	-	-	-	-	-	-	-	-	
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	
Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	
All other infective & parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasm, buccal cavity and pharynx	*	*	*	*	*	*	*	*	*	*	*	*	} = 74
Malignant neoplasm, oesophagus	*	*	*	*	*	*	*	*	*	*	*	*	
Malignant neoplasm, stomach	5	-	-	-	-	-	-	-	1	1	-	3	
Malignant neoplasm, intestine	*	*	*	*	*	*	*	*	*	*	*	*	
Malignant neoplasm, larynx	*	*	*	*	*	*	*	*	*	*	*	*	
Malignant neoplasm, lung, bronchus	17	-	-	-	-	-	-	-	1	7	7	2	
Malignant neoplasm, breast	10	-	-	-	-	-	1	-	3	2	-	4	
Malignant neoplasm, uterus	-	-	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasm, prostate	*	*	*	*	*	*	*	*	*	*	*	*	
Leukaemia	3	-	-	-	-	-	-	-	1	1	-	1	
Other malignant neoplasms	39	-	-	-	-	1	2	1	6	6	15	8	
Benign neoplasms and neoplasms of unspecified nature	2	-	1	-	-	-	-	-	-	-	1	-	
Diabetes mellitus	8	-	-	-	-	-	-	-	1	-	3	4	
Avitaminoses and other nutritional deficiency	-	-	-	-	-	-	-	-	-	-	-	-	
Other endocrine, nutritional and metabolic diseases	1	-	-	-	-	-	-	-	-	-	1	-	
Anaemias	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of blood-forming organs	1	-	-	-	-	-	-	-	-	1	-	-	
Mental disorders	1	-	-	-	-	-	-	-	-	-	-	1	
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of nervous system and sense organs	9	-	-	-	-	-	-	1	-	2	2	4	
Active rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	

/continued .....

\* for 1968 deaths from these causes were included in  
"other malignant neoplasms"

TABLE IV  
CAUSES OF DEATH ACCORDING TO AGE  
TOWN - Compiled locally  
1968

Persons	Age 14	Age 15-19	Age 20-24	Age 25-29	Age 30-34	Age 35-39	Age 40-44	Age 45-49	Age 50-54	Age 55-59	Age 60-64	Age 65-69	Age 70-74	Age 75-79	Age 80-84	Age 85-89	Age 90-94	Age 95-99	All causes
Active rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heart disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of blood-forming organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arteriosclerosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Metabolic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other endocrine, nutritional and deficiency	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avitaminoses and other nutritional	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes mellitus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unspecified nature	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant neoplasms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, trachea, bronchus and lung	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, stomach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, esophagus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms, buccal cavity and pharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective & parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsioses	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculous, incl. late effects	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis & other diarrhoeal diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bacillary dysentery and amoebiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

(continued)....

\* For 1968 deaths from these causes were included in "other malignant neoplasms"



## DARTFORD BOROUGH

TABLE IVA CAUSES OF DEATH ACCORDING TO AGE  
TOWN - Compiled locally

(continued)

1968 (continued)

Persons	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
Chronic rheumatic heart disease	4	-	-	-	-	-	-	1	1	1	1	-	} = 148
Hypertensive disease	6	-	-	-	-	-	-	-	-	1	1	4	
Ischaemic heart disease	91	-	-	-	-	-	-	2	6	22	25	36	
Other forms of heart disease	26	-	-	-	-	-	1	-	1	3	7	14	
Other diseases of circulatory system	21	-	-	-	-	-	-	1	4	4	4	8	
Cerebrovascular disease	63	-	-	-	-	-	-	2	5	7	11	38	= 63
Influenza	3	-	-	-	-	-	-	-	-	-	-	3	} = 68
Pneumonia	51	2	1	-	-	-	-	1	1	3	11	32	
Bronchitis, emphysema	13	-	-	-	-	-	-	-	-	5	2	6	
Other diseases of respiratory system	1	-	1	-	-	-	-	-	-	-	-	-	
Asthma	-	-	-	-	-	-	-	-	-	-	-	-	
Peptic ulcer	3	-	-	-	-	-	-	-	-	-	2	1	
Appendicitis	-	-	-	-	-	-	-	-	-	-	-	-	
Intestinal obstruction and hernia	-	-	-	-	-	-	-	-	-	-	-	-	
Cirrhosis of liver	2	-	-	-	-	-	-	-	2	-	-	-	
Other diseases of digestive system	6	-	-	-	-	-	-	1	-	-	2	3	
Nephritis and nephrosis	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of genito-urinary system	1	-	-	-	-	-	-	-	-	1	-	-	
Abortion	2	-	-	-	-	-	1	1	-	-	-	-	
Other complications of pregnancy, childbirth and puerperium	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of the skin and subcutaneous tissue	1	-	-	-	-	-	-	1	-	-	-	-	
Diseases of musculo-skeletal system and connective tissue	1	-	-	-	-	-	-	-	-	-	1	-	
Congenital anomalies	4	2	1	-	-	-	-	-	-	1	-	-	
Birth injury, difficult labour, and other anoxic and hypoxic conditions	-	-	-	-	-	-	-	-	-	-	-	-	
Other causes of perinatal mortality	5	5	-	-	-	-	-	-	-	-	-	-	
Symptoms and ill-defined conditions	2	-	-	-	-	-	-	-	-	-	-	2	
Motor vehicle accidents	4	-	-	-	-	-	1	2	-	-	-	1	
All other accidents	3	1	-	-	-	-	1	-	1	-	-	-	
Suicide and self-inflicted injuries	5	-	-	-	-	1	-	1	1	1	1	-	
All other external causes	1	-	-	-	-	1	-	-	-	-	-	-	
Diabetes and other nutritional deficiency	-	-	-	-	-	-	-	-	-	-	-	-	
Other endocrine, nutritional and metabolic diseases	-	-	-	-	-	-	-	-	-	-	-	-	
Neonias	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of blood-forming organs	-	-	-	-	-	-	-	-	-	-	-	-	
Sexual disorders	-	-	-	-	-	-	-	-	-	-	-	-	
Exanthema	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of nervous system and sense organs	-	-	-	-	-	-	-	-	-	-	-	-	
Other rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-	

/continued....





## DARTFORD BOROUGH

TABLE IVA CAUSES OF DEATH ACCORDING TO AGE

(continued)

TOWN - compiled locally

Persons	1969											Main causes
	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+
All causes	388	9	5	-	-	4	5	10	31	60	110	154
Cholera	-	-	-	-	-	-	-	-	-	-	-	-
Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-
Bacillary dysentery and amoebiasis	-	-	-	-	-	-	-	-	-	-	-	-
Enteritis & other diarrhoeal diseases	1	-	1	-	-	-	-	-	-	-	-	-
Tuberculosis of respiratory system	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis, incl. late effects	-	-	-	-	-	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-
Streptococcal sore throat and scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-
Smallpox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsioses	-	-	-	-	-	-	-	-	-	-	-	-
Malaria	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis and its sequelae	-	-	-	-	-	-	-	-	-	-	-	-
All other infective & parasitic diseases	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, buccal cavity and pharynx	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, oesophagus	1	-	-	-	-	-	-	-	-	-	-	1
Malignant neoplasm, stomach	17	-	-	-	-	-	-	-	2	2	9	4
Malignant neoplasm, intestine	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, larynx	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, lung, bronchus	13	-	-	-	-	-	-	-	2	6	5	-
Malignant neoplasm, breast	5	-	-	-	-	-	-	2	1	2	-	-
Malignant neoplasm, uterus	4	-	-	-	-	1	-	1	1	-	1	-
Malignant neoplasm, prostate	2	-	-	-	-	-	-	-	-	-	2	-
Leukaemia	1	-	-	-	-	-	-	1	-	-	-	-
Other malignant neoplasms	36	-	-	-	-	1	-	1	2	12	11	9
Benign neoplasms and neoplasms of unspecified nature	1	-	-	-	-	-	-	-	-	1	-	-
Diabetes mellitus	1	-	-	-	-	-	-	-	-	-	-	1
Avitaminoses and other nutritional deficiency	-	-	-	-	-	-	-	-	-	-	-	-
Other endocrine, nutritional and metabolic diseases	2	-	-	-	-	-	-	-	-	-	1	1
Anaemias	1	-	-	-	-	-	-	-	-	-	-	1
Other diseases of blood-forming organs	-	-	-	-	-	-	-	-	-	-	-	-
Mental disorders	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of nervous system and sense organs	2	-	-	-	-	-	-	-	-	-	1	1
Active rheumatic fever	-	-	-	-	-	-	-	-	-	-	-	-

/continued.....

TABLE IV. CAUSES OF DEATH ACCORDING TO AGE  
TOWN - compiled locally (continued)

Persons	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2443	2444	2445	2446	2447	2448	2449	2450	2451	2452	2453	2454	2455	2456	2457	2458	2459	2460	2461	2462	2463	2464	2465	2466	2467	2468	2469	2470	2471	2472	2473	2474	2475	2476	2477	2478	2479	2480	2481	2482	2483	2484	2485	2486	2487	2488	2489	2490	2491	2492	2493	2494	2495	2496	2497	2498	2499	2500	2501	2502	2503	2504	2505	2506	2507	2508	2509	2510	2511	2512	2513	2514	2515	2516	2517	2518	2519	2520	2521	2522	2523	2524	2525	2526	2527	2528	2529	2530	2531	2532	2533	2534	2535	2536	2537	2538	2539	2540	2541	2542	2543	2544	2545	2546	2547	2548	2549	2550	2551	2552	2553	2554	2555	2556	2557	2558	2559	2560	2561	2562	2563	2564	2565	2566	2567	2568	2569	2570	2571	2572	2573	2574	2575	2576	2577	2578	2579	2580	2581	2582	2583	2584	2585	2586	2587	2588	2589	2590	2591	2592	2593	2594	2595	2596	2597	2598	2599	2600	2601	2602	2603	2604	2605	2606	2607	2608	2609	2610	2611	2612	2613	2614	2615	2616	2617	2618	2619	2620	2621	2622	2623	2624	2625	2626	2627	2628	2629	2630	2631	2632	2633	2634	2635	2636	2637	2638	2639	2640	2641	2642	2643	2644	2645	2646	2647	2648	2649	2650	2651	2652	2653	2654	2655	2656	2657	2658	2659	2660	2661	2662	2663	2664	2665	2666	2667	2668	2669	2670	2671	2672	2673	2674	2675	2676	2677	2678	2679	2680	2681	2682	2683	2684	2685	2686	2687	2688	2689	2690	2691	2692	2693	2694	2695	2696	2697	2698	2699	2700	2701	2702	2703	2704	2705	2706	2707	2708	2709	2710	2711	2712	2713	2714	2715	2716	2717	2718	2719	2720	2721	2722	2723	2724	2725	2726	2727	2728	2729	2730	2731	2732	2733	2734	2735	2736	2737	2738	2739	2740	2741	2742	2743	2744	2745	2746	2747	2748	2749	2750	2751	2752	2753	2754	2755	2756	2757	2758	2759	2760	2761	2762	2763	2764	2765	2766	2767	2768	2769	2770	2771	2772	2773	2774	2775	2776	2777	2778	2779	2780	2781	2782	2783	2784	2785	2786	2787	2788	2789	2790	2791	2792	2793	2794	2795	2796	2797	2798	2799	2800	2801	2802	2803	2804	2805	2806	2807	2808	2809	2810	2811	2812	2813	2814	2815	2816	2817	2818	2819	2820	2821	2822	2823	2824	2825	2826	2827	2828	2829	2830	2831	2832	2833	2834	2835	2836	2837	2838	2839	2840	2841	2842	2843	2844	2845	2846	2847	2848	2849	2850	2851	2852	2853	2854	2855	2856	2857	2858	2859	2860	2861	2862	2863	2864	2865	2866	2867	2868	2869	2870	2871	2872	2873	2874	2875	2876	2877	2878	2879	2880	2881	2882	2883	2884	2885	2886	2887	2888	2889	2890	2891	2892	2893	2894	2895	2896	2897	2898	2899	2900	2901	2902	2903	2904	2905	2906	2907	2908	2909	2910	2911	2912	2913	2914	2915	2916	2917	2918	2919	2920	2921	2922	2923	2924	2925	2926	2927	2928	2929	2930	2931	2932	2933	2934	2935	2936	2937	2938	2939	2940	2941	2942	2943	2944	2945	2946	2947	2948	2949	2950	2951	2952	2953	2954	2955	2956	2957	2958	2959	2960	2961	2962	2963	2964	2965	2966	2967	2968	2969	2970	2971	2972	2973	2974	2975	2976	2977	2978	2979	2980	2981	2982	2983	2984	2985	2986	2987	2988	2989	2990	2991	2992	2993	2994	2995	2996	2997	2998	2999	3000	3001	3002	3003	3004	3005	3006	3007	3008	3009	3010	3011	3012	3013	3014	3015	3016	3017	3018	3019	3020	3021	3022	3023	3024	3025	3026	3027	3028	3029	3030	3031	3032	3033	3034	3035	3036	3037	3038	3039	3040	3041	3042	3043	3044	3045	3046	3047	3048	3049	3050	3051	3052	3053	3054	3055	3056	3057	3058	3059	3060	3061	3062	3063	3064	3065	3066	3067	3068	3069	3070	3071	3072	3073	3074	3075	3076	3077	3078	3079	3080	3081	3082	3083	3084	3085	3086	3087	3088	3089	3090	3091	3092	3093	3094	3095	3096	3097	3098	3099	3100	3101	3102	3103	3104	3105	3106	3107	3108	3109	3110	3111	3112	3113	3114	3115	3116	3117	3118	3119	3120	3121	3122	3123	3124	3125	3126	3127	3128	3129	3130	3131	3132	3133	3134	3135	3136	3137	3138	3139	3140	3141	3142	3143	3144	3145	3146	3147	3148	3149	3150	3151	3152	3153	3154	3155	3156	3157	3158	3159	3160	3161	3162	3163	3164	3165	3166	3167	3168	3169	3170	3171	3172	3173	3174	3175	3176	3177	3178	3179	3180	3181	3182	3183	3184	3185	3186	3187	3188	3189	3190	3191	3192	3193	3194	3195	3196	3197	3198	3199	3200	3201	3202	3203	3204	3205	3206	3207	3208	3209	3210	3211	3212	3213	3214	3215	3216	3217	3218	3219	3220	3221	3222	3223	3224	3225	3226	3227	3228	3229	3230	3231	3232	3233	3234	3235	3236	3237	3238	3239	3240	3241	3242	3243	3244	3245	3246	3247	3248	3249	3250	3251	3252	3253	3254	3255	3256	3257	3258	3259	3260	3261	3262	3263	3264	3265	3266	3267	3268	3269	3270	3271	3272	3273	3274	3275	3276	3277	3278	3279	3280	3281	3282	3283	3284	3285	3286	3287	3288	3289	3290	3291	3292	3293	3294	3295	3296	3297	3298	3299	3300	3301	3302	3303	3304	3305	3306	3307	3308	3309	3310	3311	3312	3313	3314	3315	3316	3317	3318	3319	3320	3321	3322	3323	3324	3325	3326	3327	3328	3329	3330
---------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------



DARTFORD BOROUGH

TABLE IVA CAUSES OF DEATH ACCORDING TO AGE (continued)

TOWN - Compiled locally

1969 (continued)

Persons	All ages	0-27 days	4-51 weeks	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
Chronic rheumatic heart disease	6	-	-	-	-	-	1	-	2	-	2	1)	
Hypertensive disease	3	-	-	-	-	-	-	-	1	-	2	-	
Ischaemic heart disease	105	-	-	-	-	-	-	2	13	17	28	45)	=152
Other forms of heart disease	15	-	-	-	-	-	1	-	1	1	8	4)	
Other diseases of circulatory system	23	-	-	-	-	-	-	-	2	1	6	14)	
Cerebrovascular disease	61	-	-	-	-	-	-	1	-	9	12	39	= 61
Influenza	1	-	-	-	-	-	-	-	-	-	1	-	
Pneumonia	31	-	1	-	-	-	-	1	1	5	7	16)	
Bronchitis, emphysema	26	-	1	-	-	-	-	-	1	3	9	12)	
Other diseases of respiratory system	4	-	2	-	-	-	-	-	-	-	2	-	= 62
Asthma	-	-	-	-	-	-	-	-	-	-	-	-	
Peptic ulcer	-	-	-	-	-	-	-	-	-	-	-	-	
Appendicitis	-	-	-	-	-	-	-	-	-	-	-	-	
Intestinal obstruction and hernia	1	-	-	-	-	-	-	-	-	-	1	-	
Cirrhosis of liver	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of digestive system	3	-	-	-	-	-	-	-	-	-	1	2	
Nephritis and nephrosis	-	-	-	-	-	-	-	-	-	-	-	-	
Hyperplasia of prostate	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of genito-urinary system	2	-	-	-	-	-	-	-	1	-	-	1	
Abortion	1	-	-	-	-	1	-	-	-	-	-	-	
Other complications of pregnancy, childbirth and puerperium	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of the skin and subcutaneous tissue	-	-	-	-	-	-	-	-	-	-	-	-	
Diseases of musculo-skeletal system and connective tissue	-	-	-	-	-	-	-	-	-	-	-	-	
Congenital anomalies	1	1	-	-	-	-	-	-	-	-	-	-	
Birth injury, difficult labour, and other anoxic and hypoxic conditions	2	2	-	-	-	-	-	-	-	-	-	-	
Other causes of perinatal mortality	6	6	-	-	-	-	-	-	-	-	-	-	
Symptoms and ill-defined conditions	2	-	-	-	-	-	1	-	-	-	-	1	
Motor vehicle accidents	6	-	-	-	-	1	2	1	1	-	1	-	
All other accidents	1	-	-	-	-	-	-	-	-	1	-	-	
Suicide and self-inflicted injuries	1	-	-	-	-	-	-	-	-	-	-	1	
All other external causes	-	-	-	-	-	-	-	-	-	-	-	-	

Hypertension with heart disease	1966	2	-	-	-	-	-	-	1	-	1	1966
" " " " " "	1967	5	-	-	-	-	-	-	1	5	2	-42
Other heart disease	1966	22	-	-	-	-	-	-	2	4	16	-
" " " " " "	1967	17	-	-	-	-	-	-	2	2	13	-1967
Other circulatory disease	1966	4	-	-	-	-	-	-	-	2	2	-49
" " " " " "	1967	4	-	-	-	-	-	-	-	2	2	-
Influenza	1966	-	-	-	-	-	-	-	-	-	-	-
" " " " " "	1967	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	1966	34	-	-	-	-	-	2	7	11	32	-52
" " " " " "	1967	24	-	-	-	-	-	1	4	15	46	-
Bronchitis	1966	8	-	-	-	-	-	-	1	1	5	-1967
" " " " " "	1967	9	-	-	-	-	-	-	1	3	3	-73
Other diseases of respiratory system	1966	-	-	-	-	-	-	-	-	-	-	-
" " " " " "	1967	-	-	-	-	-	-	-	-	-	-	-
Diseases of stomach and duodenum	1966	1	-	-	-	-	-	-	-	-	-	-
" " " " " "	1967	-	-	-	-	-	-	-	-	-	-	-

TARTARUS BOROUGH  
CAUSES OF DEATH ACCORDING TO AGE  
TOWN - Compiled locally  
(continued) 1969

Persons	Age 15+	Age 15-19	Age 20-24	Age 25-29	Age 30-34	Age 35-39	Age 40-44	Age 45-49	Age 50-54	Age 55-59	Age 60-64	Age 65-69	Age 70-74	Age 75-79	Age 80+	Total
Chronic rheumatic heart disease	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hypertensive disease	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Ischaemic heart disease	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	105
Other forms of heart disease	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
Other diseases of circulatory system	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
Cardiovascular disease	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Pneumonia	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
Chronic bronchitis, emphysema	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
Other diseases of respiratory system	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Asphyxia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peptic ulcer	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intestinal obstruction and hernia	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Gastritis of liver	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of digestive system	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Nephritis and nephrosis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertrophy of prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of genito-urinary system	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Abortion	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Other complications of pregnancy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eclampsia and postpartum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the skin and subcutaneous tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of musculo-skeletal system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and connective tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital anomalies	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Birth injury, difficult labour, and other anoxic and hypoxic conditions	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Other causes of perinatal mortality	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
Symptoms and ill-defined conditions	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Motor vehicle accidents	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
All other accidents	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Suicide and self-inflicted injuries	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
All other external causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



DARTFORD BOROUGH  
TABLE IVB CAUSES OF DEATH ACCORDING TO AGE  
BEXLEY HOSPITAL - compiled locally  
1966 and 1967

Persons	Year	All ages	0-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
All causes	1966	141	-	1	4	22	28	86	
" "	1967	169	-	4	5	14	48	98	
Tuberculosis, respiratory	1966	-	-	-	-	-	-	-	
" "	1967	1	-	-	1	-	-	-	
Tuberculosis, other	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Syphilitic disease	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Diphtheria	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Whooping cough	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Meningococcal infections	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Acute poliomyelitis	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Measles	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Other infective & parasitic diseases	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Malignant neoplasm, stomach	1966	-	-	-	-	-	-	-	1966 = 8
" "	1967	1	-	-	-	1	-	-	
Malignant neoplasm, lung, bronchus	1966	2	-	-	-	1	1	-	
" "	1967	1	-	-	-	-	1	-	1967 = 10
Malignant neoplasm, breast	1966	-	-	-	-	-	-	-	
" "	1967	2	-	-	-	1	1	-	
Malignant neoplasm, uterus	1966	3	-	-	-	2	1	-	1966 = 42
" "	1967	-	-	-	-	-	-	-	
Other malignant and lymphatic neoplasms	1966	3	-	-	-	1	-	2	
" "	1967	6	-	-	-	1	3	2	1967 = 49
Leukaemia, aleukaemia	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Diabetes	1966	-	-	-	-	-	-	-	
" "	1967	1	-	-	-	-	-	1	
Vascular lesions of nervous system	1966	12	-	-	-	4	1	7 = 12	
" "	1967	18	-	-	1	-	5	12 = 18	
Coronary disease, angina	1966	14	-	-	1	2	1	10	1966 = 42
" "	1967	22	-	2	-	-	7	13	
Hypertension with heart disease	1966	2	-	-	-	1	-	1	
" "	1967	6	-	-	-	1	3	2	1967 = 49
Other heart disease	1966	22	-	-	-	2	4	16	
" "	1967	17	-	-	-	2	2	13	
Other circulatory disease	1966	4	-	-	-	-	2	2	1966 = 62
" "	1967	4	-	-	-	-	2	2	
Influenza	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	1967 = 75
Pneumonia	1966	54	-	1	2	7	11	33	
" "	1967	66	-	-	1	4	15	46	
Bronchitis	1966	8	-	-	1	1	1	5	1966 = 62
" "	1967	9	-	-	1	2	3	3	
Other diseases of respiratory system	1966	-	-	-	-	-	-	-	
" "	1967	-	-	-	-	-	-	-	
Ulcer of stomach and duodenum	1966	1	-	-	-	-	-	1	
" "	1967	-	-	-	-	-	-	-	

/1966 and 1967 continued...



TABLE IV  
CAUSES OF DEATH ACCORDING TO AGE  
DARTMOUTH HOSPITAL - compiled locally  
1966 and 1967

Person	Year	Male 15-24	Male 25-34	Male 35-44	Male 45-54	Male 55-64	Male 65-74	Male 75+	Female 15-24	Female 25-34	Female 35-44	Female 45-54	Female 55-64	Female 65-74	Female 75+
All causes	1966	141	141	141	141	141	141	141	141	141	141	141	141	141	141
"	1967	169	169	169	169	169	169	169	169	169	169	169	169	169	169
Tuberculosis, respiratory	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis, other	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilitic disease	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other infective & parasitic diseases	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, stomach	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, lung, bronchus	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, breast	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasm, uterus	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other malignant and lymphatic neoplasms	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leukemia, leukemia	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diabetes	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vascular lesions of nervous system	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coronary disease, angina	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hypertension with heart disease	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other heart disease	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other circulatory disease	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum	1966	-	-	-	-	-	-	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1966 and 1967 continued...

DARTFORD BOROUGH  
TABLE IVB CAUSES OF DEATH ACCORDING TO AGE  
BEXLEY HOSPITAL - compiled locally  
1966 and 1967 (continued)

Persons	Year	All ages	0-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
Gastritis, enteritis and diarrhoea	1966	1	-	-	-	-	-	1	
" " "	1967	-	-	-	-	-	-	-	
Nephritis, nephrosis	1966	1	-	-	-	-	1	-	
" " "	1967	1	-	-	-	1	-	-	
Hyperplasia of prostate	1966	-	-	-	-	-	-	-	
" " "	1967	-	-	-	-	-	-	-	
Pregnancy, childbirth, abortion	1966	-	-	-	-	-	-	-	
" " "	1967	-	-	-	-	-	-	-	
Congenital malformations	1966	-	-	-	-	-	-	-	
" " "	1967	-	-	-	-	-	-	-	
Other defined & ill-defined diseases	1966	12	-	-	-	-	4	8	
" " " "	1967	11	-	1	1	1	6	2	
Motor vehicle accidents	1966	1	-	-	-	1	-	-	
" " "	1967	-	-	-	-	-	-	-	
All other accidents	1966	1	-	-	-	-	1	-	
" " "	1967	3	-	1	-	-	-	2	
Suicide	1966	-	-	-	-	-	-	-	
" " "	1967	-	-	-	-	-	-	-	
Homicide & operations of war	1966	-	-	-	-	-	-	-	
" " " "	1967	-	-	-	-	-	-	-	

TABLE IVB CAUSES OF DEATH ACCORDING TO AGE  
BEXLEY HOSPITAL - compiled locally  
1968 and 1969

Persons	Year	All ages	0-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
All causes	1968	194	-	1	2	5	16	49	121	
" " "	1969	167	-	1	1	8	25	44	88	
Syphilis and its sequelae	1968	-	-	-	-	-	-	-	-	
" " " "	1969	1	-	-	-	-	-	-	1	
Other infective and parasitic dis.	1968	1	-	-	-	-	1	-	-	
" " " " "	1969	-	-	-	-	-	-	-	-	
Malignant neoplasm, stomach	1968	1	-	-	-	-	1	-	-	
" " " "	1969	1	-	-	-	-	-	1	-	
Malignant neoplasm, lung, bronchus	1968	1	-	-	-	-	-	-	1	1968
" " " " "	1969	1	-	-	-	-	-	1	-	= 9
Malignant neoplasm, breast	1968	1	-	-	-	-	-	-	1	1969
" " " "	1969	2	-	-	-	-	-	-	2	= 7
Other malignant neoplasms	1968	6	-	1	-	1	1	2	1	
" " " "	1969	3	-	-	-	-	-	2	1	
Benign & unspecified neoplasms	1968	-	-	-	-	-	-	-	-	
" " " "	1969	1	-	1	-	-	-	-	-	
Diabetes mellitus	1968	1	-	-	-	-	-	1	-	
" " "	1969	1	-	-	-	-	-	-	1	
Mental disorders	1968	1	-	-	-	-	-	1	-	
" " "	1969	4	-	-	-	1	1	1	1	
Other diseases of nerv.system etc	1968	-	-	-	-	-	-	-	-	
" " " " " "	1969	1	-	-	-	-	1	-	-	

TABLE IVB  
CAUSES OF DEATH ACCORDING TO AGE  
HEALTH HOSPITAL - compiled locally

1966 and 1967 (continued)

Persons	Year	Age 15-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65-74	Age 75+	Number with
Gastrointestinal and diseases	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1
Hepatitis, hepatitis	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1
Hypertension of prostate	1966	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-
Pregnancy, childbirth, abortion	1966	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-
Congenital malformations	1966	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-
Other defined & ill-defined diseases	1966	12	-	-	-	-	-	-	12
"	1967	11	-	-	-	-	-	-	11
Motor vehicle accidents	1966	1	-	-	-	-	-	-	1
"	1967	-	-	-	-	-	-	-	-
All other accidents	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1
Suicide	1966	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-
Homicide & executions of war	1966	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-

TABLE IVB  
CAUSES OF DEATH ACCORDING TO AGE  
HEALTH HOSPITAL - compiled locally  
1966 and 1967

Persons	Year	Age 15-24	Age 25-34	Age 35-44	Age 45-54	Age 55-64	Age 65-74	Age 75+	Number with
All causes	1966	124	1	1	1	1	1	1	131
"	1967	127	1	1	1	1	1	1	133
Syphilis and its sequelae	1966	-	-	-	-	-	-	-	-
"	1967	-	-	-	-	-	-	-	-
Other infectious and parasitic dis.	1966	1	-	-	-	-	-	-	1
"	1967	-	-	-	-	-	-	-	-
Malignant neoplasms, stomach	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1
Malignant neoplasms, lung, bronchus	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1
Malignant neoplasms, breast	1966	1	-	-	-	-	-	-	1
"	1967	2	-	-	-	-	-	-	2
Other malignant neoplasms	1966	6	-	-	-	-	-	-	6
"	1967	3	-	-	-	-	-	-	3
Beriberi & unspecified neoplasms	1966	-	-	-	-	-	-	-	-
"	1967	1	-	-	-	-	-	-	1
Diabetes mellitus	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1
Mental disorders	1966	1	-	-	-	-	-	-	1
"	1967	4	-	-	-	-	-	-	4
Other diseases of nervous system etc	1966	1	-	-	-	-	-	-	1
"	1967	1	-	-	-	-	-	-	1



TABLE IVB

DARTFORD BOROUGH  
CAUSES OF DEATH ACCORDING TO AGE  
BEXLEY HOSPITAL - compiled locally

1968 and 1969 (continued)

Persons	Year	All ages	0-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75+	Main causes
Chronic rheumatic heart disease	1968	1	-	-	1	-	-	-	-	
" " " "	1969	1	-	-	-	-	-	1	-	
Hypertensive disease	1968	4	-	-	-	-	-	1	3	1968
" " " "	1969	4	-	-	-	-	1	-	3	=51
Ischaemic heart disease	1968	36	-	-	-	2	3	11	20	
" " " "	1969	37	-	-	1	1	5	9	21	
Other forms of heart disease	1968	5	-	-	-	1	2	-	2	1969
" " " "	1969	2	-	-	-	1	-	-	1	=50
Other diseases of circulatory system	1968	5	-	-	-	-	-	1	4	
" " " " "	1969	6	-	-	-	1	1	1	3	
Cerebrovascular disease	1968	14	-	-	-	-	-	1	13	=14
" " " "	1969	26	-	-	-	2	3	7	14	=26
Influenza	1968	2	-	-	-	-	-	-	2	
" " " "	1969	2	-	-	-	1	-	1	-	
Pneumonia	1968	95	-	-	1	1	6	23	64	1968
" " " "	1969	44	-	-	-	-	4	13	27	=108
Bronchitis and emphysema	1968	11	-	-	-	-	1	4	6	
" " " "	1969	15	-	-	-	-	5	3	7	1969
Other diseases of respiratory system	1968	-	-	-	-	-	-	-	-	=65
" " " " "	1969	4	-	-	-	-	1	1	2	
Peptic ulcer	1968	-	-	-	-	-	-	-	-	
" " " "	1969	1	-	-	-	-	-	-	1	
Intestinal obstruction and hernia	1968	1	-	-	-	-	-	-	1	
" " " " "	1969	1	-	-	-	-	-	1	-	
Other diseases of digestive system	1968	3	-	-	-	-	-	1	2	
" " " " "	1969	-	-	-	-	-	-	-	-	
Nephritis and nephrosis	1968	-	-	-	-	-	-	-	-	
" " " "	1969	1	-	-	-	-	-	-	1	
Other diseases genito-urinary system	1968	1	-	-	-	-	-	1	-	
" " " " "	1969	1	-	-	-	-	-	1	-	
Diseases of musculo-skeletal system	1968	1	-	-	-	-	-	1	-	
" " " " "	1969	-	-	-	-	-	-	-	-	
Congenital anomalies	1968	-	-	-	-	-	-	-	-	
" " " "	1969	1	-	-	-	1	-	-	-	
Symptoms and ill-defined conditions	1968	-	-	-	-	-	-	-	-	
" " " " "	1969	1	-	-	-	-	-	-	1	
Motor vehicle accidents	1968	2	-	-	-	-	1	1	-	
" " " "	1969	1	-	-	-	-	-	1	-	
All other accidents	1968	1	-	-	-	-	-	-	1	
" " " "	1969	2	-	-	-	-	1	-	1	
Suicide and self-inflicted injuries	1968	-	-	-	-	-	-	-	-	
" " " " "	1969	2	-	-	-	-	2	-	-	



## DARTFORD BOROUGH

TABLE V CAUSES OF DEATH AT AGES 75 AND OVER - 1966

TOWN - compiled locally

Persons	Total persons male & female	Males						Females						Main causes
		Total	75-79	80-84	85-89	90-94	95+	Total	75-79	80-84	85-89	90-94	95+	
All causes	195	84	32	26	19	7	-	111	40	35	28	6	2	
Syphilitic disease	1	1	1	-	-	-	-	-	-	-	-	-	-	
Malignant neoplasm, stomach	4	3	3	-	-	-	-	1	1	-	-	-	-	} = 36
Malignant neoplasm, lung bronchus	8	7	3	3	1	-	-	1	1	-	-	-	-	
Malignant neoplasm, breast	6	-	-	-	-	-	-	6	4	2	-	-	-	
Malignant neoplasm, uterus	2	-	-	-	-	-	-	2	-	1	1	-	-	
Other malignant & lymphatic neoplasms	16	7	2	1	2	2	-	9	5	1	3	-	-	} = 36
Diabetes	5	3	2	-	-	1	-	2	1	1	-	-	-	
Vascular lesions of nervous system	36	11	4	4	1	2	-	25	5	10	9	1	-	
Coronary disease angina	32	18	7	5	5	1	-	14	7	4	1	2	-	
Hypertension with heart disease	4	1	1	-	-	-	-	3	1	2	-	-	-	} = 59
Other heart disease	17	7	1	3	2	1	-	10	3	3	3	1	-	
Other circulatory disease	6	2	1	1	-	-	-	4	2	2	-	-	-	
Influenza	2	-	-	-	-	-	-	2	1	1	-	-	-	} = 43
Pneumonia	30	11	2	3	6	-	-	19	4	8	5	2	-	
Bronchitis	9	8	3	5	-	-	-	1	-	-	1	-	-	
Other diseases respiratory system	2	1	-	-	1	-	-	1	-	-	-	-	1	
Ulcer stomach and duodenum	1	-	-	-	-	-	-	1	1	-	-	-	-	
Gastritis, enteritis and diarrhoea	1	-	-	-	-	-	-	1	-	-	1	-	-	
Hyperplasia of prostate	1	1	1	-	-	-	-	-	-	-	-	-	-	
Other defined & ill-defined diseases	12	3	1	1	1	-	-	9	4	-	4	-	1	

## BEXLEY HOSPITAL

All causes	86	16	6	5	3	2	-	70	19	21	22	8	-	
Other malignant & lymphatic neoplasms	2	1	-	-	1	-	-	1	1	-	-	-	-	= 2
Vascular lesions of nervous system	7	2	-	1	1	-	-	5	3	1	1	-	-	= 7
Coronary disease angina	10	3	2	1	-	-	-	7	1	4	2	-	-	} = 29
Hypertension with heart disease	1	-	-	-	-	-	-	1	-	-	1	-	-	
Other heart disease	16	1	-	-	-	1	-	15	4	5	5	1	-	
Other circulatory disease	2	2	2	-	-	-	-	-	-	-	-	-	-	
Pneumonia	33	5	2	1	1	1	-	28	8	7	9	4	-	} = 38
Bronchitis	5	1	-	1	-	-	-	4	-	1	2	1	-	
Ulcer of stomach and duodenum	1	-	-	-	-	-	-	1	-	1	-	-	-	
Gastritis, enteritis and diarrhoea	1	-	-	-	-	-	-	1	-	-	-	1	-	
Other defined & ill-defined diseases	8	1	-	1	-	-	-	7	2	2	2	1	-	



TOTAL - completed locally

Cause of Death	Males		Females		Total
	15-19	20-24	15-19	20-24	
All causes	195	24	111	40	350
Syphilitic disease	1	1	-	-	2
Malignant neoplasm, stomach	4	1	1	-	6
Malignant neoplasm, lung, bronchus	6	1	1	-	8
Malignant neoplasm, breast	6	-	4	-	10
Malignant neoplasm, uterus	2	-	1	-	3
Other malignant & lymphatic neoplasms	16	1	9	1	27
Diabetes	2	1	1	-	4
Vascular lesions of nervous system	36	11	25	10	72
Coronary disease, angina	35	18	14	7	74
Hypertension with heart disease	4	1	3	-	8
Other heart disease	17	1	10	2	29
Other circulatory disease	6	1	4	-	11
Influenza	2	-	1	-	3
Pneumonia	30	11	19	8	68
Bronchitis	9	8	1	-	18
Other diseases, respiratory system	2	1	1	-	4
Ulcer, stomach and duodenum	1	-	1	-	2
Gastritis, enteritis and diarrhoea	1	-	1	-	2
Hypertrophy of prostate	1	-	-	-	1
Other defined & ill-defined diseases	12	1	9	4	26

WEST HOSPITAL

All causes	86	16	6	3	105
Other malignant & lymphatic neoplasms	2	1	-	-	3
Vascular lesions of nervous system	7	1	-	-	8
Coronary disease, angina	10	3	1	1	15
Hypertension with heart disease	1	-	-	-	1
Other heart disease	16	1	1	1	19
Other circulatory disease	2	1	-	-	3
Pneumonia	35	5	1	1	42
Bronchitis	2	1	-	-	3
Ulcer of stomach and duodenum	1	-	-	-	1
Gastritis, enteritis and diarrhoea	1	-	-	-	1
Other defined & ill-defined diseases	8	1	1	1	11

## DARTFORD BOROUGH

TABLE V CAUSES OF DEATH AT AGES 75 AND OVER - 1967

Persons	TOWN										Compiled locally					
	Total persons male & female	Male						Female						Main causes		
		Total	75-79	80-84	85-89	90-94	95+	Total	75-79	80-84	85-89	90-94	95+			
All causes	161	67	30	21	13	1	2	94	27	37	19	8	3			
Syphilitic disease	3	1	-	1	-	-	-	2	1	1	-	-	-			
Malignant neoplasm, stomach	3	1	-	1	-	-	-	2	-	1	-	1	-	} =25		
Malignant neoplasm, lung bronchus	4	2	-	1	1	-	-	2	-	2	-	-	-			
Malignant neoplasm, breast	5	-	-	-	-	-	-	5	-	4	-	-	-			
Other malignant & lymphatic neoplasms	13	7	3	2	2	-	-	6	2	2	2	-	-			
Diabetes	2	-	-	-	-	-	-	2	-	2	-	-	-			
Vascular lesions of nerv. system	26	12	5	3	4	-	-	14	4	7	3	-	-	} =68		
Coronary disease angina	39	16	10	3	3	-	-	23	11	7	3	2	-			
Hypertension with heart disease	2	1	1	-	-	-	-	1	1	-	-	-	-			
Other heart disease	13	4	3	1	-	-	-	9	1	5	2	1	-			
Other circulatory disease	14	5	-	2	1	-	2	9	2	1	5	-	1	} =24		
Pneumonia	17	6	1	4	-	1	-	11	4	1	3	3	-			
Bronchitis	6	6	4	2	-	-	-	-	-	-	-	-	-			
Other diseases of respiratory system	1	-	-	-	-	-	-	1	-	1	-	-	-			
Hyperplasia of prostate	1	1	1	-	-	-	-	-	-	-	-	-	-			
Ulcer of stomach and duodenum	3	2	-	-	2	-	-	1	-	-	-	-	1			
Other defined & ill-defin. diseases	7	2	2	-	-	-	-	5	1	3	-	1	-			
All other accidents	2	1	-	1	-	-	-	1	-	-	1	-	-			

## BEXLEY HOSPITAL

All causes	98	27	9	14	2	2	-	71	24	27	15	5	-			
Other malignant & lymphatic neoplasms	2	-	-	-	-	-	-	2	2	-	-	-	-	= 2		
Diabetes	1	1	-	1	-	-	-	-	-	-	-	-	-			
Vascular lesions of nerv. system	12	4	1	3	-	-	-	8	-	6	1	1	-	=12		
Coronary disease angina	13	6	2	3	-	1	-	7	-	2	4	1	-	} =30		
Hypertension with heart disease	2	-	-	-	-	-	-	2	-	1	1	-	-			
Other heart disease	13	1	-	1	-	-	-	12	3	4	2	3	-			
Other circulatory disease	2	1	-	1	-	-	-	1	1	-	-	-	-			
Pneumonia	46	11	4	4	2	1	-	35	16	13	6	-	-	} =49		
Bronchitis	3	3	2	1	-	-	-	-	-	-	-	-	-			
Other defined & ill-defin. diseases	2	-	-	-	-	-	-	2	1	1	-	-	-			
All other accidents	2	-	-	-	-	-	-	2	1	-	1	-	-			

TABLE V  
CAUSES OF DEATH AT AGES 75 AND OVER - 1967  
DARTFORD BOROUGH

DISEASE	TOWN		Compiled locally									
	Number of deaths		Males					Females				
	1967	1968	45-54	55-64	65-74	75-84	85+	45-54	55-64	65-74	75-84	85+
All causes	161	157	13	1	2	2	2	24	27	19	8	3
Ischaemic diseases	5	7	-	-	-	-	-	2	1	-	-	-
Myocardial infarction	5	7	-	-	-	-	-	2	-	-	-	-
Angina pectoris	4	3	-	-	-	-	-	2	-	-	-	-
Other heart disease	2	-	-	-	-	-	-	2	-	-	-	-
Other circulatory disease	13	7	2	2	-	-	-	6	2	2	-	-
Diabetes	2	-	-	-	-	-	-	2	-	-	-	-
Vascular lesions of nerv. system	26	15	2	4	-	-	-	14	4	7	3	-
Coronary disease angina	29	16	10	2	-	-	-	23	11	7	3	-
Hypertension with heart disease	2	1	-	-	-	-	-	1	-	-	-	-
Other heart disease	13	4	3	-	-	-	-	9	1	2	1	-
Other circulatory disease	14	2	-	2	1	-	-	9	2	7	2	-
Pneumonia	17	6	1	4	-	-	-	11	4	1	3	-
Bronchitis	6	4	2	-	-	-	-	-	-	-	-	-
Other diseases of respiratory system	1	-	-	-	-	-	-	1	-	-	-	-
Hypertension of prostate	1	1	-	-	-	-	-	-	-	-	-	-
Wider of stomach and duodenum	3	2	-	-	-	-	-	1	-	-	-	-
Other defined & ill-defined diseases	7	2	-	-	-	-	-	3	1	3	1	-
All other accidents	2	1	-	-	-	-	-	1	-	-	-	-

  

DISEASE	DARTFORD HOSPITAL		Compiled locally									
	Number of deaths		Males					Females				
	1967	1968	45-54	55-64	65-74	75-84	85+	45-54	55-64	65-74	75-84	85+
All causes	98	87	2	14	2	2	-	7	24	27	15	2
Ischaemic diseases	2	-	-	-	-	-	-	2	2	-	-	-
Myocardial infarction	1	1	-	-	-	-	-	-	-	-	-	-
Angina pectoris	1	1	-	-	-	-	-	-	-	-	-	-
Other heart disease	12	4	1	3	-	-	-	6	1	1	-	-
Other circulatory disease	19	6	2	2	-	-	-	7	-	2	4	1
Diabetes	2	-	-	-	-	-	-	2	-	-	-	-
Vascular lesions of nerv. system	19	1	-	-	-	-	-	12	3	4	2	3
Coronary disease angina	2	1	-	-	-	-	-	1	-	-	-	-
Hypertension with heart disease	2	1	-	-	-	-	-	1	-	-	-	-
Other heart disease	16	11	4	4	2	1	-	22	16	12	6	-
Other circulatory disease	3	2	1	-	-	-	-	-	-	-	-	-
Pneumonia	16	11	4	4	2	1	-	22	16	12	6	-
Bronchitis	3	2	1	-	-	-	-	-	-	-	-	-
Other defined & ill-defined diseases	2	-	-	-	-	-	-	2	1	1	-	-
All other accidents	2	-	-	-	-	-	-	2	1	-	-	-



DARTFORD BOROUGH

TABLE V CAUSES OF DEATH AT AGES 75 AND OVER - 1968

Persons	TOWN											Compiled locally				
	Total persons male & female	Male						Female						Main causes		
		Total	75-79	80-84	85-89	90-94	95+	Total	75-79	80-84	85-89	90-94	95+			
All causes	176	63	30	20	9	3	1	113	33	29	38	12	1			
Tuberculosis, other	1	-	-	-	-	-	-	1	-	1	-	-	-			
Malignant neoplasm, stomach	3	-	-	-	-	-	-	3	-	2	1	-	-	} =18		
Malignant neoplasm, lung, bronchus	2	1	-	1	-	-	-	1	1	-	-	-	-			
Malignant neoplasm, breast	4	-	-	-	-	-	-	4	2	1	1	-	-			
Leukaemia	1	-	-	-	-	-	-	1	-	-	1	-	-			
Other malignant neoplasms	8	2	2	-	-	-	-	6	2	1	3	-	-			
Diabetes	4	1	-	1	-	-	-	3	2	-	-	1	-			
Mental disorders	1	1	-	-	1	-	-	-	-	-	-	-	-			
Other diseases of nerv. system	4	2	1	1	-	-	-	2	1	-	1	-	-			
Hypertensive disease	4	1	-	1	-	-	-	3	1	2	-	-	-	} =62		
Ischaemic heart disease	36	15	10	4	1	-	-	21	8	4	9	-	-			
Other forms of heart disease	14	7	5	-	1	1	-	7	2	1	1	3	-			
Other diseases of circulatory system	8	3	-	2	1	-	-	5	-	3	2	-	-			
Cerebrovascular disease	38	12	4	6	2	-	-	26	6	8	8	4	-			=38
Influenza	3	1	1	-	-	-	-	2	-	-	2	-	-	} =41		
Pneumonia	32	12	5	2	3	1	1	20	5	4	7	3	1			
Bronchitis, emphysema	6	4	2	1	-	1	-	2	1	1	-	-	-			
Peptic ulcer	1	-	-	-	-	-	-	1	-	-	1	-	-			
Other diseases of digestive system	3	-	-	-	-	-	-	3	2	1	-	-	-			
Symptoms & ill-defined conditions	2	-	-	-	-	-	-	2	-	-	1	1	-			
Motor vehicle accidents	1	1	-	1	-	-	-	-	-	-	-	-	-			
BEXLEY HOSPITAL																
All causes	121	24	12	8	4	-	-	97	35	26	21	16	3			
Malignant neoplasm, lung, bronchus	1	1	1	-	-	-	-	-	-	-	-	-	-	} = 3		
Malignant neoplasm, breast	1	-	-	-	-	-	-	1	-	-	-	1	-			
Other malignant neoplasms	1	1	1	-	-	-	-	-	-	-	-	-	-			
Hypertensive disease	3	-	-	-	-	-	-	3	2	1	-	-	-	} =29		
Ischaemic heart disease	20	8	4	2	2	-	-	12	3	1	2	4	2			
Other forms of heart disease	2	-	-	-	-	-	-	2	-	2	-	-	-			
Other diseases of circulatory system	4	2	1	-	1	-	-	2	1	1	-	-	-			
Cerebrovascular disease	13	2	-	2	-	-	-	11	5	2	3	1	-			=13
Influenza	2	-	-	-	-	-	-	2	1	-	1	-	-	} =72		
Pneumonia	64	2	-	1	1	-	-	62	21	19	12	9	1			
Bronchitis, emphysema	6	5	2	3	-	-	-	1	-	-	1	-	-			
Intestinal obstruction and hernia	1	1	1	-	-	-	-	-	-	-	-	-	-			
Other diseases of digestive system	2	1	1	-	-	-	-	1	-	-	-	1	-			
All other accidents	1	1	1	-	-	-	-	-	-	-	-	-	-			

CAREER OF DEATH AT AGE 75 AND OVER - 1956

Persons	TOWN		Cause of death											
	Cause of death		Cause of death											
	Male	Female	1	2	3	4	5	6	7	8	9	10	11	12
All causes	176	176	1	1	1	1	1	1	1	1	1	1	1	1
Tuberculosis, other	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Malignant neoplasm, stomach	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Malignant neoplasm, lung, bronchus	3	3	3	3	3	3	3	3	3	3	3	3	3	3
Malignant neoplasm, breast	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Malignant neoplasm, prostate	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Leukemia	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Other malignant neoplasm	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Diabetes	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Mental disorders	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of nervous system	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Hypertensive disease	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Ischemic heart disease	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Other forms of heart disease	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Other diseases of circulatory system	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Coronary vascular disease	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Influenza	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Bronchitis, emphysema	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Fatal liver	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of digestive system	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Syndrome & ill-defined conditions	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Motor vehicle accidents	1	1	1	1	1	1	1	1	1	1	1	1	1	1
All causes	176	176	1	1	1	1	1	1	1	1	1	1	1	1
Malignant neoplasm, lung, bronchus	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Malignant neoplasm, breast	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other malignant neoplasm	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hypertensive disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ischemic heart disease	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Other forms of heart disease	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Other diseases of circulatory system	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Coronary vascular disease	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Influenza	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia	10	10	10	10	10	10	10	10	10	10	10	10	10	10
Bronchitis, emphysema	6	6	6	6	6	6	6	6	6	6	6	6	6	6
Intestinal obstruction and hernia	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of digestive system	1	1	1	1	1	1	1	1	1	1	1	1	1	1
All other accidents	1	1	1	1	1	1	1	1	1	1	1	1	1	1



## DARTFORD BOROUGH

TABLE V

CAUSES OF DEATH AT AGES 75 AND OVER - 1969

Compiled locally

	TOWN														
Persons	Total persons male & female	Male						Female						Main causes	
		Total	75-79	80-84	85-89	90-94	95+	Total	75-79	80-84	85-89	90-94	95+		
All causes	154	65	29	20	11	5	-	89	36	32	12	8	1		
Malignant neoplasm, stomach	4	-	-	-	-	-	-	4	2	1	1	-	-	} =14	
Malignant neoplasm, oesophagus	1	1	-	-	1	-	-	-	-	-	-	-	-		
Other malignant neoplasms	9	3	2	1	-	-	-	6	2	4	-	-	-		
Diabetes mellitus	1	-	-	-	-	-	-	1	1	-	-	-	-		
Other endocrine, nutritional and metabolic diseases	1	1	-	-	1	-	-	-	-	-	-	-	-		
Anaemias	1	-	-	-	-	-	-	1	-	1	-	-	-		
Other diseases of nervous system	1	1	1	-	-	-	-	-	-	-	-	-	-		
Chronic rheumatic heart disease	1	-	-	-	-	-	-	1	1	-	-	-	-	} =64	
Ischaemic heart disease	45	20	10	6	2	2	-	25	11	9	3	2	-		
Other forms of heart disease	4	2	-	1	1	-	-	2	1	1	-	-	-		
Other diseases of circulatory system	14	4	-	2	1	1	-	10	2	3	2	3	-		
Cerebrovascular disease	39	16	7	5	3	1	-	23	7	10	4	2	-	=39	
Pneumonia	16	9	4	2	2	1	-	7	4	2	1	-	-	} =28	
Bronchitis and emphysema	12	7	5	2	-	-	-	5	2	1	1	1	-		
Other diseases of digestive system	2	1	-	1	-	-	-	1	1	-	-	-	-		
Other diseases of genito urinary system	1	-	-	-	-	-	-	1	1	-	-	-	-		
Symptoms and ill-defined conditions	1	-	-	-	-	-	-	1	-	-	-	-	1		
Suicide and self-inflicted injuries	1	-	-	-	-	-	-	1	1	-	-	-	-		

## BEXLEY HOSPITAL

All causes	88	18	11	4	2	1	-	70	29	21	19	-	1	
Syphilis and its sequelae	1	-	-	-	-	-	-	1	-	1	-	-	-	
Malignant neoplasm, breast	2	-	-	-	-	-	-	2	1	-	1	-	-	} =3
Other malignant neoplasms	1	-	-	-	-	-	-	1	1	-	-	-	-	
Diabetes mellitus	1	-	-	-	-	-	-	1	-	-	1	-	-	
Mental disorders	1	-	-	-	-	-	-	1	-	1	-	-	-	
Hypertensive disease	3	-	-	-	-	-	-	3	2	-	1	-	-	} =28
Ischaemic heart disease	21	6	3	1	1	1	-	15	7	3	5	-	-	
Other forms of heart disease	1	-	-	-	-	-	-	1	1	-	-	-	-	
Other diseases of circulatory system	3	2	2	-	-	-	-	1	1	-	-	-	-	
Cerebrovascular disease	14	-	-	-	-	-	-	14	2	7	5	-	-	=14
Pneumonia	27	9	6	3	-	-	-	18	10	6	2	-	-	} =36
Bronchitis and emphysema	7	-	-	-	-	-	-	7	2	1	4	-	-	
Other diseases of respiratory system	2	1	-	-	1	-	-	1	-	-	-	-	1	
Peptic ulcer	1	-	-	-	-	-	-	1	1	-	-	-	-	
Nephritis and nephrosis	1	-	-	-	-	-	-	1	-	1	-	-	-	
Symptoms and ill-defined conditions	1	-	-	-	-	-	-	1	-	1	-	-	-	
All other accidents	1	-	-	-	-	-	-	1	1	-	-	-	-	



Compiled locally

TOWN

Number of  
deaths  
at ages  
15 and  
over

Male

Female

Age group

15-19

20-24

25-29

30-34

35-39

40-44

45-49

50-54

55-59

60-64

65-69

70-74

75-79

80-84

85-89

90-94

95-99

100+

Persons

All causes	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+
Malignant neoplasms, stomach	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Malignant neoplasms, oesophagus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other malignant neoplasms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diabetes mellitus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other endocrine, nutritional and metabolic diseases	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Anaemias	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of nervous system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Chronic rheumatic heart disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ischaemic heart disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other forms of heart disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of circulatory system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebrovascular disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis and emphysema	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of digestive system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of genito urinary system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Symptoms and ill-defined conditions	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Outside and self-inflicted injuries	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

HEALTH HOSPITAL

All causes	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+
Syphilis and its sequelae	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Malignant neoplasms, breast	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other malignant neoplasms	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Diabetes mellitus	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Mental disorders	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hypertensive disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Ischaemic heart disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other forms of heart disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of circulatory system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cerebrovascular disease	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Pneumonia	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Bronchitis and emphysema	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other diseases of respiratory system	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Peptic ulcer	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Nephritis and nephrosis	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Symptoms and ill-defined conditions	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
All other accidents	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

# DARTFORD BOROUGH

TABLE VI DEATHS BY QUARTER AND PLACE, 1966, 1967, 1968 and 1969

The deaths of persons who have been in Bexley Hospital for over six months are assigned to Dartford. To avoid distortion hospital deaths are deducted from the Borough deaths each quarter to give the number of Town deaths. The figures are compiled locally and the small differences from the Registrar General's totals for 1967 and 1969 are due to our corrections of his assignments not getting through to him in time. (Mainly relates to addresses on the boundary).

	1st Quarter				2nd Quarter			
	1966	1967	1968	1969	1966	1967	1968	1969
Deaths assigned to Dartford M.B.	175	152	203	155	144	127	120	116
Bexley Hospital deaths	48	40	70	45	31	38	37	31
. . Town deaths	127	112	133	110	113	89	83	85
	3rd Quarter				4th Quarter			
	1966	1967	1968	1969	1966	1967	1968	1969
Deaths assigned to Dartford M.B.	123	124	140	118	158	156	149	166
Bexley Hospital deaths	30	44	38	31	32	47	49	60
. . Town deaths	93	80	102	87	126	109	100	106
	1966	1967	1968	1969				
Deaths assigned to Dartford M.B.	600	559*	612	555*				
Bexley Hospital deaths	141	169	194	167				
. . Town deaths	459	390	418	388				

\*The Registrar General's totals 555 for 1967 and 556 for 1969

Number of deaths	1st Qr.	2nd Qr.	3rd Qr.	4th Qr.	Year
Dartford Town					
1961	131	111	95	115	452
1962	122	121	87	98	428
1963	138	82	99	112	431
1964	136	108	100	105	449
1965	126	103	98	116	443
1966	127	113	93	126	459
1967	112	89	80	109	390
1968	133	83	102	100	418
1969	110	85	87	106	388

## Crude quarterly death rates -

Dartford Town	1961	11.5	9.8	8.4	10.1	9.9
(pop. of Dartford less about 2000)	1962	10.9	10.8	7.8	8.8	9.6
	1963	12.4	7.4	8.9	10.0	9.7
	1964	12.2	9.7	9.0	9.4	10.1
	1965	11.3	9.2	8.8	10.4	9.9
	1966	11.4	10.2	8.3	11.3	10.3
	1967	10.1	8.0	7.2	9.8	8.8
	1968	11.9	7.5	9.3	9.0	9.4
	1969	10.0	7.7	7.9	9.6	8.8
England & Wales	1961	15.6	10.9	9.5	11.9	12.0
	1962	15.5	11.1	9.4	11.9	11.9
	1963	17.0	11.0	9.6	11.2	12.2
	1964	13.2	10.8	9.5	11.6	11.3
	1965	13.3	10.9	9.9	11.9	11.5
	1966	14.6	11.0	9.7	11.6	11.7
	1967	12.2	10.8	9.7	12.2	11.2
	1968	15.0	10.9	9.9	11.7	11.9
	1969	14.0	11.1	9.8	12.6	11.9

# BARFORD BOROUGH

TABLE VI  
DEATHS BY QUARTER AND PLACE, 1967, 1968 and 1969

The deaths of persons who have been in Barley Hospital for over six months are assigned to Barford. To avoid distortion hospital deaths are deducted from the Borough deaths each quarter to give the number of Town deaths. The figures are compiled locally and the small differences from the Registrar General's totals for 1967 and 1968 are due to our corrections of his assignments not passing through to him in time. (Mainly relates to addresses on the boundary).

Deaths assigned to	1st Quarter			2nd Quarter			3rd Quarter			4th Quarter		
	1967	1968	1969	1967	1968	1969	1967	1968	1969	1967	1968	1969
Barford M.B.	175	152	203	155	144	157	150	150	116	157	150	116
Barley Hospital deaths	48	40	70	45	37	30	37	37	31	30	37	31
Town deaths	127	112	133	110	107	127	113	113	85	127	113	85
Deaths assigned to	1st Quarter			2nd Quarter			3rd Quarter			4th Quarter		
Barford M.B.	155	154	140	118	158	156	156	156	156	156	156	156
Barley Hospital deaths	30	41	38	37	30	47	49	49	60	49	49	60
Town deaths	125	113	102	81	128	109	107	107	96	107	107	96
Deaths assigned to	1st Quarter			2nd Quarter			3rd Quarter			4th Quarter		
Barford M.B.	600	552	552	552	552	552	552	552	552	552	552	552
Barley Hospital deaths	141	108	108	108	108	108	108	108	108	108	108	108
Town deaths	459	444	444	444	444	444	444	444	444	444	444	444

\*The Registrar General's totals 552 for 1967 and 556 for 1968

Number of deaths	1st Qr.			2nd Qr.			3rd Qr.			4th Qr.		
	1967	1968	1969	1967	1968	1969	1967	1968	1969	1967	1968	1969
Barford Town	157	152	203	155	144	157	150	150	116	157	150	116
Barford M.B.	155	154	140	118	158	156	156	156	156	156	156	156
Barley Hospital deaths	141	108	108	108	108	108	108	108	108	108	108	108
Town deaths	459	444	444	444	444	444	444	444	444	444	444	444

## Grande quarterly death rates -

Grande quarterly death rates -	1st Qr.			2nd Qr.			3rd Qr.			4th Qr.		
	1967	1968	1969	1967	1968	1969	1967	1968	1969	1967	1968	1969
Barford Town	11.5	10.9	14.4	11.5	10.9	14.4	11.5	10.9	14.4	11.5	10.9	14.4
Barford M.B.	11.5	11.4	10.3	11.5	11.4	10.3	11.5	11.4	10.3	11.5	11.4	10.3
Barley Hospital deaths	10.1	7.5	7.7	10.1	7.5	7.7	10.1	7.5	7.7	10.1	7.5	7.7
Town deaths	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0	10.0
England & Wales	12.6	12.5	12.1	12.6	12.5	12.1	12.6	12.5	12.1	12.6	12.5	12.1
Barford M.B.	12.5	12.5	12.1	12.5	12.5	12.1	12.5	12.5	12.1	12.5	12.5	12.1
Barley Hospital deaths	12.5	12.5	12.1	12.5	12.5	12.1	12.5	12.5	12.1	12.5	12.5	12.1
Town deaths	12.5	12.5	12.1	12.5	12.5	12.1	12.5	12.5	12.1	12.5	12.5	12.1



DARTFORD TOWN  
TABLE VI DEATHS BY QUARTER AND PLACE (continued)

	1966								
	1st qr.		2nd qr.		3rd qr.		4th qr.		
All ages	M	F	M	F	M	F	M	F	Year
Home	12	17	17	5	13	9	14	17	104
Hospital	47	49	47	42	33	32	48	44	342
Elsewhere	1	1	1	1	5	1	3	-	13
	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>	<hr/>
	60	67	65	48	51	42	65	61	459

Aged 75+									
Home	4	8	6	3	2	4	2	6	35
Hospital	23	26	16	27	13	19	16	16	156
Elsewhere	1	1	1	-	-	1	-	-	4
	28	35	23	30	15	24	18	22	195

Death by place as % of all deaths

All ages									
Home	20%	25%	26%	10%	25%	22%	21%	28%	23%
Hospital	78%	73%	72%	88%	65%	76%	74%	72%	74%
Elsewhere	2%	2%	2%	2%	10%	2%	5%	-	3%
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Aged 75+									
Home	14%	23%	26%	10%	13%	17%	11%	27%	19%
Hospital	82%	75%	70%	90%	87%	79%	89%	73%	79%
Elsewhere	4%	2%	4%	-	-	4%	-	-	2%
	100%	100%	100%	100%	100%	100%	100%	100%	100%

	1967								
All ages	M	F	M	F	M	F	M	F	Year
Home	12	9	13	9	11	9	13	17	93
Hospital	49	38	38	27	25	33	39	40	289
Elsewhere	3	1	2	-	1	1	-	-	8
	64	48	53	36	37	43	52	57	390

Aged 75+									
Home	5	6	3	4	1	6	7	7	39
Hospital	11	14	10	16	9	18	22	21	121
Elsewhere	-	-	-	-	-	1	-	-	1
	16	20	13	20	10	25	29	28	161

Deaths by place as % of all deaths

All ages									
Home	19%	19%	25%	25%	30%	21%	25%	30%	24%
Hospital	76%	79%	72%	75%	67%	77%	75%	70%	74%
Elsewhere	5%	2%	3%	-	3%	2%	-	-	2%
	100%	100%	100%	100%	100%	100%	100%	100%	100%

Aged 75+									
Home	31%	30%	23%	20%	10%	24%	24%	25%	24%
Hospital	69%	70%	77%	80%	90%	72%	76%	75%	75%
Elsewhere	-	-	-	-	-	4%	-	-	1%
	100%	100%	100%	100%	100%	100%	100%	100%	100%



## DARTFORD TOWN

TABLE VI. DEATHS BY QUARTER AND PLACE (continued)

		1968								
		1st qr.		2nd qr.		3rd qr.		4th qr.		Year
All ages		M	F	M	F	M	F	M	F	
Home		18	22	11	7	9	9	9	8	93
Hospital		42	48	30	33	37	43	40	39	312
Elsewhere		2	1	1	1	-	4	3	1	13
		62	71	42	41	46	56	52	48	418
Aged 75+										
Home		5	15	6	2	3	6	3	6	46
Hospital		16	19	6	16	14	20	13	22	126
Elsewhere		-	-	-	1	-	1	1	1	4
		21	34	12	19	17	27	17	29	176

## Deaths by place as % of all deaths

All ages										
Home		29%	31%	27%	17%	20%	16%	17%	17%	22%
Hospital		68%	68%	71%	80%	80%	77%	77%	81%	75%
Elsewhere		3%	1%	2%	3%	-	7%	6%	2%	3%
		100%	100%	100%	100%	100%	100%	100%	100%	100%

## Aged 75+

Home		24%	44%	55%	13%	18%	22%	18%	21%	26%
Hospital		76%	56%	45%	81%	82%	74%	76%	76%	72%
Elsewhere		-	-	-	6%	-	4%	6%	3%	2%
		100%	100%	100%	100%	100%	100%	100%	100%	100%

## 1969

All ages		M	F	M	F	M	F	M	F	Year
Home		10	14	13	13	6	8	12	11	87
Hospital		42	40	38	19	32	40	44	34	289
Elsewhere		1	3	2	-	-	1	2	3	12
		53	57	53	32	38	49	58	48	388

## Aged 75+

Home		7	6	6	9	-	6	5	8	47
Hospital		11	23	12	6	9	20	14	10	105
Elsewhere		-	-	1	-	-	-	-	1	2
		18	29	19	15	9	26	19	19	154

## Deaths by place as % of all deaths

All ages										
Home		20%	25%	25%	40%	16%	16%	20%	23%	22%
Hospital		79%	70%	72%	40%	84%	83%	76%	71%	75%
Elsewhere		1%	5%	3%	-%	-%	1%	4%	6%	3%
		100%	100%	100%	100%	100%	100%	100%	100%	100%

## Aged 75+

Home		39%	20%	32%	60%	-	23%	26%	42%	31%
Hospital		61%	80%	63%	40%	100%	77%	74%	53%	68%
Elsewhere		-	-	5%	-	-	-	-	5%	1%
		100%	100%	100%	100%	100%	100%	100%	100%	100%



TABLE VI  
DEATHS BY QUARTER AND PLACE (continued)

1958											
1st qr.			2nd qr.			3rd qr.			4th qr.		
M	F	T	M	F	T	M	F	T	M	F	T
All ages			All ages			All ages			All ages		
Home	18	21	17	7	11	9	9	9	9	9	9
Hospital	43	48	30	33	37	43	43	40	40	39	37
Elsewhere	5	1	1	1	1	1	1	1	1	1	1
	66	70	48	41	55	46	53	50	50	49	47
Aged 75+			Aged 75+			Aged 75+			Aged 75+		
Home	5	12	6	3	2	6	2	2	2	2	2
Hospital	16	19	6	16	14	20	13	12	12	12	12
Elsewhere	-	-	-	-	-	-	-	-	-	-	-
	21	31	12	19	16	26	15	14	14	14	14
Deaths by place as % of all deaths											
All ages			All ages			All ages			All ages		
Home	29%	34%	27%	17%	20%	18%	18%	15%	17%	17%	15%
Hospital	66%	68%	71%	80%	80%	77%	77%	77%	77%	77%	77%
Elsewhere	5%	1%	2%	3%	1%	5%	5%	8%	6%	6%	8%
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Aged 75+			Aged 75+			Aged 75+			Aged 75+		
Home	24%	44%	22%	13%	18%	22%	18%	18%	21%	21%	21%
Hospital	76%	56%	78%	87%	82%	78%	78%	78%	79%	79%	79%
Elsewhere	-	-	-	1%	-	2%	2%	4%	2%	2%	2%
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
1959											
1st qr.			2nd qr.			3rd qr.			4th qr.		
M	F	T	M	F	T	M	F	T	M	F	T
All ages			All ages			All ages			All ages		
Home	10	14	13	13	6	8	8	15	11	11	8
Hospital	43	40	38	19	35	40	40	41	41	34	39
Elsewhere	1	3	2	-	-	1	1	2	2	2	1
	54	57	53	32	43	49	49	58	54	47	48
Aged 75+			Aged 75+			Aged 75+			Aged 75+		
Home	7	6	6	3	-	2	2	2	2	2	2
Hospital	17	13	13	6	3	20	14	14	14	10	10
Elsewhere	-	-	-	-	-	-	-	-	-	-	-
	24	19	19	9	3	22	16	16	16	12	12
Deaths by place as % of all deaths											
All ages			All ages			All ages			All ages		
Home	29%	34%	27%	17%	20%	18%	18%	15%	17%	17%	15%
Hospital	66%	68%	71%	80%	80%	77%	77%	77%	77%	77%	77%
Elsewhere	5%	1%	2%	3%	1%	5%	5%	8%	6%	6%	8%
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Aged 75+			Aged 75+			Aged 75+			Aged 75+		
Home	24%	44%	22%	13%	18%	22%	18%	18%	21%	21%	21%
Hospital	76%	56%	78%	87%	82%	78%	78%	78%	79%	79%	79%
Elsewhere	-	-	-	1%	-	2%	2%	4%	2%	2%	2%
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

TABLE VI continued

Deaths in hospital as % of all deaths

	Dartford Town		Dartford R.D. (non-institutional)		Northfleet U.D.	
	All ages	75+	All ages	75+	All ages	75+
1964	72%	71%	65%	66%	55%	48%
1965	72%	73%	63%	58%	47%	56%
1966	74%	79%	69%	67%	51%	43%
1967	74%	75%	62%	62%	51%	47%
1968	75%	72%	63%	60%	54%	48%
1969	75%	68%	67%	57%	57%	53%

## Town deaths in hospital

Town deaths are deaths of Dartford residents excluding long-stay patients, (i.e. resident more than six months), of Bexley Hospital, i.e. excluding code 3 deaths. Of these Town deaths, codes 1 and 4 deaths are classed as in hospital. Codes 5 and 6 deaths are classified as at home (includes part III residential accommodation). For details of place codes see the Registrar General's memorandum of 1954.

TABLE VII PERCENTAGE OF DEATHS AGES 65-74 and 75+ OF DEATHS OF ALL AGES

	Dartford Town			Dartford R.D.			Northfleet U.D.			England & Wales	
	65-74	75+	All ages	65-74	75+	All ages	65-74	75+	All ages	65-74	75+
1964	110	199	449	137	257	569	55	77	213	25%	42%
	25%	44%	100%	24%	45%	100%	26%	36%	100%		
1965	115	176	443	130	255	563	59	83	214	26%	43%
	26%	40%	100%	23%	45%	100%	28%	39%	100%		
1966	122	195	459	144	258	599	65	97	254	26%	44%
	27%	42%	100%	24%	43%	100%	26%	38%	100%		
1967	108	161	390	154	266	600	68	86	223	26%	43%
	28%	41%	100%	26%	44%	100%	31%	39%	100%		
1968	97	176	418	145	273	622	58	109	224	26%	45%
	23%	42%	100%	23%	44%	100%	26%	49%	100%		
1969	110	154	388	158	286	647	55	105	236	28%	43%
	28%	40%	100%	24%	44%	100%	23%	45%	100%		

TABLE VI continued

Deaths in hospital as % of all deaths		Dartford Town		Dartford N.D.		Northfleet N.D.	
Year	All ages	75+	All ages	75+	All ages	75+	All ages
1964	75%	75%	75%	75%	75%	75%	75%
1965	75%	75%	75%	75%	75%	75%	75%
1966	75%	75%	75%	75%	75%	75%	75%
1967	75%	75%	75%	75%	75%	75%	75%
1968	75%	75%	75%	75%	75%	75%	75%
1969	75%	75%	75%	75%	75%	75%	75%

## Town deaths in hospital

Town deaths are deaths of Dartford residents excluding long-stay patients, (i.e. residents more than six months), of Dartford Hospital, 1.0. excluding code 5 deaths. Of these town deaths, codes 1 and 4 deaths are shown as in hospital. Codes 2 and 3 deaths are classified as at home (includes part III residential accommodation). For details of place codes see the Registrar General's nomenclature of 1954.

TABLE VII PERCENTAGE OF DEATHS AGED 65-74 AND 75+ BY SEX AND PLACE

Year	Dartford Town		Dartford N.D.		Northfleet N.D.		England & Wales	
	65-74	75+	65-74	75+	65-74	75+	65-74	75+
1964	110	192	157	257	57	77	102	152
1965	112	195	150	252	58	78	102	152
1966	112	195	141	258	65	77	102	152
1967	108	181	151	260	68	86	102	152
1968	97	178	142	272	58	103	102	152
1969	110	181	158	265	55	105	102	152



## DARTFORD BOROUGH

TABLE VIII MAIN CAUSES OF DEATH BY QUARTER

Compiled locally

(a) Aged under 75

Quarter registered	All causes	Main causes	Other causes	Circ. * disease	Cancer lung other	Vasc.les.* C.N.S.	Resp.* disease
--------------------	------------	-------------	--------------	-----------------	-------------------	-------------------	----------------

## TOWN

1966

First quarter	64	57	7	20	9	8	9	11
Second quarter	59	50	9	21	7	8	4	10
Third quarter	55	41	14	23	4	7	3	4
Fourth quarter	86	72	14	33	3	26	5	5
Year	264	220	44	97	23	49	21	30

1967

First quarter	76	61	15	26	7	10	9	9
Second quarter	56	43	13	23	6	8	1	5
Third quarter	45	36	9	13	6	9	3	5
Fourth quarter	52	48	4	15	2	13	7	11
Year	229	188	41	77	21	40	20	30

1968

First quarter	78	67	11	35	2	11	7	12
Second quarter	52	43	9	14	7	7	7	8
Third quarter	58	42	16	22	1	12	4	3
Fourth quarter	54	42	12	15	5	11	7	4
Year	242	194	48	86	15	41	25	27

1969

First quarter	63	55	8	26	2	11	8	8
Second quarter	51	49	2	21	1	15	1	11
Third quarter	52	48	4	14	7	16	7	4
Fourth quarter	68	57	11	27	3	10	6	11
Year	234	209	25	88	13	52	22	34

## BEXLEY HOSPITAL

1966

First quarter	21	18	3	3	-	1	1	13
Second quarter	8	6	2	1	-	1	1	3
Third quarter	14	14	-	7	1	2	2	2
Fourth quarter	12	10	2	2	1	-	1	6
Year	55	48	7	13	2	4	5	24

1967

First quarter	18	17	1	6	1	3	3	4
Second quarter	13	12	1	5	-	2	2	3
Third quarter	15	9	6	1	-	2	-	6
Fourth quarter	25	21	4	7	-	-	1	13
Year	71	59	12	19	1	7	6	26

1968

First quarter	23	21	2	3	-	1	-	17
Second quarter	12	11	1	5	-	1	-	5
Third quarter	14	12	2	3	-	1	1	7
Fourth quarter	24	21	3	11	-	3	-	7
Year	73	65	8	22	-	6	1	36

1969

First quarter	24	20	4	7	1	-	1	11
Second quarter	15	14	1	8	-	-	5	1
Third quarter	12	10	2	3	-	1	4	2
Fourth quarter	28	23	5	4	-	2	2	15
Year	79	67	12	22	1	3	12	29



## DARTFORD BOROUGH

TABLE VIII MAIN CAUSES OF DEATH BY QUARTER

(b) Age 75 and over

Compiled locally

Quarter registered	All causes	Main causes	Other causes	Circ.* disease	Cancer lung	other	Vasc.les.* C.N.S.	Resp.* disease
--------------------	------------	-------------	--------------	----------------	-------------	-------	-------------------	----------------

## TOWN

1966

First quarter	63	56	7	20	1	9	14	12
Second quarter	54	48	6	15	-	8	9	16
Third quarter	38	38	-	12	2	8	7	9
Fourth quarter	40	32	8	12	5	3	6	6
Year	195	174	21	59	8	28	36	43

1967

First quarter	36	34	2	10	-	6	6	12
Second quarter	33	30	3	13	2	5	4	6
Third quarter	35	29	6	19	1	4	3	2
Fourth quarter	57	50	7	26	1	6	13	4
Year	161	143	18	68	4	21	26	24

1968

First quarter	55	50	5	17	-	4	10	19
Second quarter	31	30	1	13	-	5	3	9
Third quarter	44	37	7	14	2	4	10	7
Fourth quarter	46	42	4	18	-	3	15	6
Year	176	159	17	62	2	16	38	41

1969

First quarter	47	42	5	20	-	3	10	9
Second quarter	34	32	2	15	-	3	7	7
Third quarter	35	33	2	14	-	7	8	4
Fourth quarter	38	38	-	15	-	1	14	8
Year	154	145	9	64	-	14	39	28

## BEXLEY HOSPITAL

1966

First quarter	27	22	5	7	-	1	1	13
Second quarter	23	22	1	12	-	1	2	7
Third quarter	16	16	-	2	-	-	2	12
Fourth quarter	20	16	4	8	-	-	2	6
Year	86	76	10	29	-	2	7	38

1967

First quarter	22	21	1	6	-	1	4	10
Second quarter	25	25	-	11	-	1	3	10
Third quarter	29	27	2	8	-	-	4	15
Fourth quarter	22	20	2	5	-	-	1	14
Year	98	93	5	30	-	2	12	49

1968

First quarter	47	47	-	11	-	-	5	31
Second quarter	25	24	1	6	-	1	2	15
Third quarter	24	23	1	6	1	1	5	10
Fourth quarter	25	23	2	6	-	-	1	16
Year	121	117	4	29	1	2	13	72

1969

First quarter	21	19	2	9	-	-	1	9
Second quarter	16	15	1	7	-	-	3	5
Third quarter	19	17	2	6	-	2	4	5
Fourth quarter	32	30	2	6	-	1	6	17
Year	88	81	7	28	-	3	14	36





## DARTFORD BOROUGH

TABLE VIII

## MAIN CAUSES OF DEATH BY QUARTER

Compiled locally

Quarter registered	(c) All ages							Vasc.les.* C.N.S.	Resp.* disease
	All causes	Main causes	Other causes	Circ.* disease	Cancer lung	other			

## TOWN

<u>1966</u>									
First quarter	127	113	14	40	10	17	23		23
Second quarter	113	98	15	36	7	16	13		26
Third quarter	93	79	14	35	6	15	10		13
Fourth quarter	126	104	22	45	8	29	11		11
Year	<u>459</u>	<u>394</u>	<u>65</u>	<u>156</u>	<u>31</u>	<u>77</u>	<u>57</u>		<u>73</u>
<u>1967</u>									
First quarter	112	95	17	36	7	16	15		21
Second quarter	89	73	16	36	8	13	5		11
Third quarter	80	65	15	32	7	13	6		7
Fourth quarter	109	98	11	41	3	19	20		15
Year	<u>390</u>	<u>331</u>	<u>59</u>	<u>145</u>	<u>25</u>	<u>61</u>	<u>46</u>		<u>54</u>
<u>1968</u>									
First quarter	133	117	16	52	2	15	17		31
Second quarter	83	73	10	27	7	12	10		17
Third quarter	102	79	23	36	3	16	14		10
Fourth quarter	100	84	16	33	5	14	22		10
Year	<u>418</u>	<u>353</u>	<u>65</u>	<u>148</u>	<u>17</u>	<u>57</u>	<u>63</u>		<u>68</u>
<u>1969</u>									
First quarter	110	97	13	46	2	14	18		17
Second quarter	85	81	4	36	1	18	8		18
Third quarter	87	81	6	28	7	23	15		8
Fourth quarter	106	95	11	42	3	11	20		19
Year	<u>388</u>	<u>354</u>	<u>34</u>	<u>152</u>	<u>13</u>	<u>66</u>	<u>61</u>		<u>62</u>

## BEXLEY HOSPITAL

<u>1966</u>									
First quarter	48	40	8	10	-	2	2		26
Second quarter	31	28	3	13	-	2	3		10
Third quarter	30	30	-	9	1	2	4		14
Fourth quarter	32	26	6	10	1	-	3		12
Year	<u>141</u>	<u>124</u>	<u>17</u>	<u>42</u>	<u>2</u>	<u>6</u>	<u>12</u>		<u>62</u>
<u>1967</u>									
First quarter	40	38	2	12	1	4	7		14
Second quarter	38	37	1	16	-	3	5		13
Third quarter	44	36	8	9	-	2	4		21
Fourth quarter	47	41	6	12	-	-	2		27
Year	<u>169</u>	<u>152</u>	<u>17</u>	<u>49</u>	<u>1</u>	<u>9</u>	<u>18</u>		<u>75</u>
<u>1968</u>									
First quarter	70	68	2	14	-	1	5		48
Second quarter	37	35	2	11	-	2	2		20
Third quarter	38	35	3	9	1	2	6		17
Fourth quarter	49	44	5	17	-	3	1		23
Year	<u>194</u>	<u>182</u>	<u>12</u>	<u>51</u>	<u>1</u>	<u>8</u>	<u>14</u>		<u>108</u>
<u>1969</u>									
First quarter	45	39	6	16	1	-	2		20
Second quarter	31	29	2	15	-	-	8		6
Third quarter	31	27	4	9	-	3	8		7
Fourth quarter	60	53	7	10	-	3	8		32
Year	<u>167</u>	<u>148</u>	<u>19</u>	<u>50</u>	<u>1</u>	<u>6</u>	<u>26</u>		<u>65</u>

TOWN									
Registered	All causes	Main causes	Other causes	Other	Clas. *	Gender	Gender	Gender	Gender
Quarter	All	Main	Other	Other	Clas. *	Gender	Gender	Gender	Gender
1966	1967	1968	1969	1970	1971	1972	1973	1974	1975
First quarter	127	117	117	117	117	117	117	117	117
Second quarter	112	87	87	87	87	87	87	87	87
Third quarter	95	79	79	79	79	79	79	79	79
Fourth quarter	158	102	102	102	102	102	102	102	102
Year	492	399	399	399	399	399	399	399	399
1966	112	95	95	95	95	95	95	95	95
First quarter	89	75	75	75	75	75	75	75	75
Second quarter	80	65	65	65	65	65	65	65	65
Third quarter	109	98	98	98	98	98	98	98	98
Fourth quarter	390	331	331	331	331	331	331	331	331
Year	112	95	95	95	95	95	95	95	95
1966	117	117	117	117	117	117	117	117	117
First quarter	87	73	73	73	73	73	73	73	73
Second quarter	102	79	79	79	79	79	79	79	79
Third quarter	102	81	81	81	81	81	81	81	81
Fourth quarter	418	323	323	323	323	323	323	323	323
Year	117	117	117	117	117	117	117	117	117
1966	110	97	97	97	97	97	97	97	97
First quarter	87	87	87	87	87	87	87	87	87
Second quarter	87	87	87	87	87	87	87	87	87
Third quarter	106	95	95	95	95	95	95	95	95
Fourth quarter	389	324	324	324	324	324	324	324	324
Year	110	97	97	97	97	97	97	97	97
1966	48	40	40	40	40	40	40	40	40
First quarter	31	28	28	28	28	28	28	28	28
Second quarter	30	30	30	30	30	30	30	30	30
Third quarter	32	26	26	26	26	26	26	26	26
Fourth quarter	141	124	124	124	124	124	124	124	124
Year	48	40	40	40	40	40	40	40	40
1967	40	38	38	38	38	38	38	38	38
First quarter	38	31	31	31	31	31	31	31	31
Second quarter	44	36	36	36	36	36	36	36	36
Third quarter	47	41	41	41	41	41	41	41	41
Fourth quarter	159	127	127	127	127	127	127	127	127
Year	40	38	38	38	38	38	38	38	38
1968	10	68	68	68	68	68	68	68	68
First quarter	37	35	35	35	35	35	35	35	35
Second quarter	38	35	35	35	35	35	35	35	35
Third quarter	49	44	44	44	44	44	44	44	44
Fourth quarter	194	182	182	182	182	182	182	182	182
Year	10	68	68	68	68	68	68	68	68
1969	45	39	39	39	39	39	39	39	39
First quarter	31	29	29	29	29	29	29	29	29
Second quarter	37	37	37	37	37	37	37	37	37
Third quarter	60	52	52	52	52	52	52	52	52
Fourth quarter	167	148	148	148	148	148	148	148	148
Year	45	39	39	39	39	39	39	39	39



## DARTFORD BOROUGH

TABLE IXA

MAIN CAUSES OF DEATH  
Percentage all causes

(continued)

(Compiled locally)

	All causes	Main causes	Other causes	Circ.* disease	Cancer *	Vasc.les.* C.N.S.	Resp.* disease
<u>All ages</u>							
England and Wales							
1966	563,624	471,863	91,761	207,924	108,158	78,824	76,957
1967	542,516	455,476	87,040	201,897	110,072	77,147	66,360
1968	576,754	490,202	86,552	214,009	112,551	80,352	83,290
1969	579,378	493,268	86,110	214,007	114,704	79,728	84,829
Greater London							
1966	87,992	73,790	14,202	31,607	19,432	10,148	12,603
1967	85,285	71,501	13,784	30,616	19,568	9,853	11,464
1968	90,287	76,845	13,442	32,409	19,671	10,135	14,630
1969	88,640	75,418	13,222	31,786	19,628	10,032	13,972

Age 75 and over

England and Wales							
1966	246,162	217,004	29,168	103,269	29,058	45,988	38,699
1967	235,356	207,749	27,607	99,354	29,630	45,898	33,867
1968	258,243	229,789	28,454	106,580	30,422	47,608	45,179
1969	251,334	222,263	29,071	103,710	31,345	47,127	40,081
Greater London							
1966	38,213	33,984	4,229	15,665	5,287	5,940	7,092
1967	37,082	32,920	4,162	15,168	5,310	5,849	6,593
1968	40,658	36,452	4,206	16,356	5,345	6,070	8,681
1969	38,305	34,163	4,142	15,399	5,422	5,974	7,368

All agesPercentages

England and Wales							
1966	100%	83%	17%	37%	19%	14%	13%
1967	100%	84%	16%	37%	20%	14%	12%
1968	100%	85%	15%	37%	20%	14%	14%
1969	100%	85%	15%	37%	20%	14%	15%
Greater London							
1966	100%	84%	16%	36%	22%	12%	14%
1967	100%	84%	16%	36%	23%	12%	13%
1968	100%	85%	15%	36%	22%	11%	16%
1969	100%	85%	15%	36%	22%	11%	16%
Dartford Town							
1966	100%	86%	14%	34%	24%	12%	16%
1967	100%	85%	15%	37%	22%	12%	14%
1968	100%	84%	16%	35%	18%	15%	16%
1969	100%	91%	9%	39%	20%	16%	16%
Bexley Hospital							
1966	100%	88%	12%	30%	6%	9%	44%
1967	100%	90%	10%	29%	6%	11%	44%
1968	100%	94%	6%	26%	5%	7%	56%
1969	100%	89%	11%	30%	4%	16%	39%
Dartford Rural District							
1966	100%	87%	13%	35%	20%	13%	19%
1967	100%	85%	15%	34%	22%	11%	17%
1968	100%	81%	19%	29%	18%	14%	20%
1969	100%	83%	17%	30%	23%	14%	16%

TABLE IXA  
MAIN CAUSES OF DEATH  
(continued)  
[Grouped locally]

All ages	All causes	Main causes	Other causes	Other diseases	Cancer	Year 1957, 1958, 1959	Year 1960, 1961, 1962
England and Wales							
1966	567,624	471,862	91,767	507,924	108,158	78,884	76,927
1967	547,216	452,476	87,040	501,897	110,072	77,147	68,300
1968	576,734	480,202	86,532	514,009	112,221	80,322	68,290
1969	579,278	487,288	86,110	514,007	114,704	79,128	64,809
Greater London							
1966	87,992	72,790	14,202	71,607	19,472	10,148	12,607
1967	82,292	71,201	11,091	70,610	19,268	9,822	11,404
1968	90,287	76,842	13,445	72,409	19,671	10,122	14,650
1969	88,640	75,418	13,222	71,786	19,628	10,022	13,972
1957 and over							
England and Wales							
1966	546,162	457,004	89,158	507,469	108,028	45,388	38,699
1967	522,226	431,749	87,607	499,324	108,620	45,898	37,867
1968	558,242	469,799	88,444	508,580	110,422	47,608	42,179
1969	551,234	462,269	89,071	507,710	112,242	47,127	40,081
Greater London							
1966	98,212	82,984	15,229	87,657	22,287	11,940	12,022
1967	97,082	82,920	14,162	87,168	22,210	11,849	11,222
1968	106,626	92,422	14,204	92,226	22,242	12,070	12,081
1969	98,202	84,162	14,040	92,229	22,422	12,074	12,269
All ages							
Percentages							
England and Wales							
1966	100%	83%	16%	93%	19%	14%	13%
1967	100%	83%	16%	92%	19%	14%	13%
1968	100%	83%	16%	93%	19%	14%	13%
1969	100%	83%	16%	93%	19%	14%	13%
Greater London							
1966	100%	84%	16%	90%	22%	12%	12%
1967	100%	84%	16%	90%	22%	12%	12%
1968	100%	86%	16%	92%	22%	12%	12%
1969	100%	85%	16%	91%	22%	12%	12%
Dartford Town							
1966	100%	86%	14%	94%	24%	12%	12%
1967	100%	85%	15%	93%	24%	12%	12%
1968	100%	84%	16%	92%	24%	12%	12%
1969	100%	84%	16%	92%	24%	12%	12%
Dartford Hospital							
1966	100%	88%	12%	92%	22%	12%	12%
1967	100%	89%	12%	91%	22%	12%	12%
1968	100%	88%	12%	92%	22%	12%	12%
1969	100%	88%	12%	92%	22%	12%	12%
Dartford Rural District							
1966	100%	87%	13%	93%	20%	12%	12%
1967	100%	87%	13%	93%	20%	12%	12%
1968	100%	87%	13%	93%	20%	12%	12%
1969	100%	87%	13%	93%	20%	12%	12%



DARTFORD BOROUGH

TABLE IXB

MAIN CAUSES OF DEATH (continued)

(Compiled locally)

Deaths aged 75 and over as percentage of deaths at all ages

All causes	Main causes	Other causes	Circ.* disease	Cancer *	Vasc.les.* C.N.S.	Resp.* disease
------------	-------------	--------------	----------------	----------	-------------------	----------------

Percentage of deaths at age 75 and over

England and Wales

1966	44%	46%	32%	50%	27%	58%	50%
1967	43%	45%	32%	49%	27%	58%	51%
1968	45%	47%	33%	50%	27%	60%	53%
1969	43%	45%	34%	49%	27%	59%	47%

Greater London

1966	44%	46%	30%	50%	27%	59%	56%
1967	44%	46%	30%	50%	27%	59%	58%
1968	45%	48%	31%	51%	27%	60%	59%
1969	43%	46%	31%	49%	28%	60%	53%

Dartford Town

1966	42%	44%	32%	38%	33%	63%	59%
1967	41%	43%	31%	47%	29%	57%	45%
1968	42%	45%	26%	42%	24%	60%	60%
1969	40%	41%	26%	42%	18%	64%	45%

Dartford Rural District

1966	43%	46%	26%	46%	27%	63%	51%
1967	40%	44%	30%	43%	27%	59%	56%
1968	44%	48%	26%	47%	31%	61%	51%
1969	44%	46%	38%	50%	18%	69%	55%

Presumed health objective

1966	100%	100%	100%	100%	100%	100%	100%
------	------	------	------	------	------	------	------

\* The introduction of the 8th revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, resulted in some small changes in the content of the diseases represented by the headings for the year 1968 and onwards. These changes are outlined on page

TABLE X

ASTHMA (I.C.D.493)

While certainly not a main cause of death asthma is of environmental interest. Only since 1968 have statistics of death from this cause been conveniently accessible.

Year	Population	Deaths	Crude death rate	Death all causes	Percentage of all causes
Dartford M.B.					
1968-69	There were no deaths from this cause				
Dartford R.D.					
1968	63,450	1	.02	622	.2%
1969	64,670	1	.02	647	.2%
Greater London					
1968	7,759,500	255	.03	90,287	.3%
1969	7,773,400	233	.03	88,640	.3%
England and Wales					
1968	48,593,000	1,456	.3	576,754	.3%
1969	48,905,000	1,327	.3	579,378	.2%



TABLE IX  
MAIN CAUSES OF DEATH (continued)  
(Compiled locally)

Deaths aged 75 and over as percentage of deaths at all ages

All causes  
Main causes  
Other causes  
Cancer  
C.I.B. disease  
Vascular disease  
Heart

Percentage of deaths at age 75 and over

England and Wales						
1966	43%	43%	43%	43%	43%	43%
1967	43%	43%	43%	43%	43%	43%
1968	43%	43%	43%	43%	43%	43%
1969	43%	43%	43%	43%	43%	43%
Greater London						
1966	43%	43%	43%	43%	43%	43%
1967	43%	43%	43%	43%	43%	43%
1968	43%	43%	43%	43%	43%	43%
1969	43%	43%	43%	43%	43%	43%
Bartford Town						
1966	43%	43%	43%	43%	43%	43%
1967	43%	43%	43%	43%	43%	43%
1968	43%	43%	43%	43%	43%	43%
1969	43%	43%	43%	43%	43%	43%
Bartford Rural District						
1966	43%	43%	43%	43%	43%	43%
1967	43%	43%	43%	43%	43%	43%
1968	43%	43%	43%	43%	43%	43%
1969	43%	43%	43%	43%	43%	43%

Presumed health objective

100%	100%	100%	100%	100%	100%	100%
------	------	------	------	------	------	------

\* The introduction of the 8th revision of the International Statistical Classification of Diseases, Injuries and Causes of Death, resulted in some small changes in the content of the diseases represented by the headings for the year 1968 and onwards. These changes are outlined on page

TABLE X  
ASTHMA (I.C.D. 492)

While certainly not a main cause of death asthma is of environmental interest. Only since 1968 have statistics of death from this cause been conveniently accessible.

Percentage  
Year  
Population  
Deaths  
Deaths from this cause

Bartford M.B.				
1966-69	There were no deaths from this cause			
Bartford R.D.				
1968	63,450	1	0.02	632
1969	64,670	1	0.02	647
Greater London				
1968	7,759,500	552	0.03	90,287
1969	7,772,400	552	0.03	88,640
England and Wales				
1968	48,252,000	1,456	0.03	376,754
1969	48,902,000	1,527	0.03	379,278

TABLE XI

## MAIN CAUSES OF DEATH - RESPIRATORY DISEASE

Dartford Town							
Year	Population	Deaths resp. dis.	Crude death rate ‰	Comp. factor **	Adjusted Death rate ‰	Deaths All causes	Percentage of all causes
1958	41,140	59	1.43			454	13%
1959	41,940	60	1.44			436	14%
1960	42,950	63	1.47			400	16%
1961	43,460	75	1.73			452	17%
1962	44,180	64	1.45	not available		428	15%
1963	44,460	65	1.46			431	15%
1964	44,420	68	1.53			449	15%
1958-64	302,550	454	1.50			3,050	14.9%
1965	44,700	75	1.68			443	17%
1966	44,700	73	1.63			459	16%
1967	44,520	54	1.21			390	14%
1965-67	133,920	202	1.51			1,292	15.6%
1958-67	436,470	656	1.50			4,342	15.1%
1968	44,510	68	1.52			418	16%
1969	44,280	62	1.40			388	16%
London Administrative County*							
1958	3,225,000	5,667	1.76	0.98	1.72	38,026	14.9%
1959	3,204,000	6,744	2.10	0.98	2.06	38,227	17.6%
1960	3,194,480	4,675	1.46	0.98	1.43	36,521	12.8%
1961	3,179,980	5,759	1.84	0.96	1.77	37,915	15.2%
1962	3,185,770	6,006	1.92	0.97	1.86	38,346	15.8%
1963	3,178,870	6,750	2.15	1.05	2.26	39,590	17.2%
1964	3,184,600	4,707	1.48	1.06	1.57	35,056	13.4%
			Mean				
1958-64	22,352,700	40,308	1.81	1.00	1.81	263,681	15.3%
Greater London							
1965	7,948,800	11,915	1.50	1.01	1.52	87,524	13.5%
1966	7,913,600	12,603	1.60	1.01	1.62	87,992	14.4%
1967	7,880,760	11,464	1.45	1.01	1.46	85,285	13.4%
			Mean				
1965-67	23,743,160	35,982	1.52	1.01	1.54	260,801	13.8%
1968	7,759,500	14,630	1.88	1.01	1.90	90,287	16.2%
1969	7,703,400	13,972	1.81	1.01	1.83	88,640	15.8%
England and Wales							
	Thousands						
1958	45,109	61,645	1.38	1.00	1.38	526,843	11.6%
1959	45,386	67,302	1.49	1.00	1.49	527,641	13.0%
1960	45,755	57,687	1.26	1.00	1.26	526,268	10.8%
1961	46,205	73,808	1.60	1.00	1.60	551,752	13.3%
1962	46,709	73,557	1.58	1.00	1.58	557,636	13.1%
1963	47,028	80,743	1.72	1.00	1.72	572,868	14.0%
1964	47,401	64,960	1.37	1.00	1.37	534,737	12.1%
1965	47,763	67,178	1.41	1.00	1.41	549,379	12.2%
1966	47,985	76,957	1.61	1.00	1.61	563,624	13.6%
1967	48,301	66,360	1.38	1.00	1.38	542,516	12.2%
			Mean				
1958-67	467,642	690,197	1.48	1.00	1.48	5,453,264	12.7%
1968	48,593	83,290	1.71	1.00	1.71	576,754	14.4%
1969	48,905	84,829	1.73	1.00	1.73	579,378	14.6%

\* Excluding pneumonia of newborn ICD 763

\*\* The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one main cause as here but it is better to use it rather than not use it.





TABLE XII

## MAIN CAUSES OF DEATH - BRONCHITIS

## Dartford Town

Year	Population	(R.G.) Deaths Bronchitis	Crude death rate ‰	Comp. ** factor	Adjusted death rate ‰	Deaths All causes	Percentage of all causes
1958	41,140	36	0.87	not available		454	8%
1959	41,940	28	0.67			436	6%
1960	42,950	27	0.63			400	7%
1961	43,460	40	0.92			452	9%
1962	44,180	27	0.61			428	6%
1963	44,460	27	0.61			431	6%
1964	44,420	33	0.74			449	7%
1958-64	302,550	218	0.72			3,050	7.1%
1965	44,700	29	0.65			443	7%
1966	44,700	20	0.45			459	4%
1967	44,520	17	0.38			390	4%
1965-67	133,920	66	0.49			1,292	5.1%
1958-67	436,470	284	0.65			4,342	6.6%
1968	44,510	13	0.29			418	3%
1969	44,280	26	0.59			388	7%

## London Administrative County\*

1958	3,225,000	2,950	0.91	0.98	0.89	38,026	7.7%
1959	3,204,000	3,126	0.98	0.98	0.96	38,227	8.2%
1960	3,194,480	2,247	0.67	0.98	0.66	36,521	6.2%
1961	3,179,980	2,767	0.87	0.96	0.84	37,915	7.3%
1962	3,185,770	2,925	0.92	0.97	0.89	38,346	7.6%
1963	3,178,870	3,187	0.99	1.05	1.04	39,590	8.1%
1964	3,184,600	2,144	0.67	1.06	0.71	35,056	6.1%

## Mean

1958-64	22,352,700	19,346	0.88	1.00	0.88	263,681	7.3%
---------	------------	--------	------	------	------	---------	------

## Greater London

1965	7,948,800	4,887	0.62	1.01	0.63	87,524	5.6%
1966	7,913,600	4,988	0.63	1.01	0.63	87,992	5.6%
1967	7,880,760	4,603	0.58	1.01	0.59	85,285	5.4%

## Mean

1965-67	23,743,160	14,478	0.61	1.01	0.62	260,801	5.5%
1968	7,759,500	5,297	0.67	1.01	0.68	90,287	5.9%
1969	7,703,400	5,417	0.70	1.01	0.71	88,640	6.1%

## England and Wales

1958	45,109	29,396	0.65	1.00	0.65	526,843	5.6%
1959	45,386	29,051	0.64	1.00	0.64	527,641	5.5%
1960	45,755	26,485	0.58	1.00	0.58	526,268	5.0%
1961	46,205	31,363	0.68	1.00	0.68	551,752	5.7%
1962	46,709	33,293	0.71	1.00	0.71	557,636	6.0%
1963	47,028	35,332	0.75	1.00	0.75	572,868	6.2%
1964	47,401	28,740	0.61	1.00	0.61	534,737	5.4%
1965	47,763	29,569	0.62	1.00	0.62	549,379	5.4%
1966	47,985	31,862	0.67	1.00	0.67	563,624	5.7%
1967	48,301	27,811	0.58	1.00	0.58	542,516	5.1%

## Mean

1958-67	497,642	302,902	0.61	1.00	0.61	5,453,264	5.5%
1968	48,593	31,310	0.64	1.00	0.64	576,754	5.4%
1969	48,905	32,630	0.67	1.00	0.67	579,378	5.6%

\*The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one main cause as here but it is better to use it rather than not use it.

TABLE XII  
MAIN CAUSES OF DEATH - BRONCHITIS

Year	Population	Deaths (N.S.) Bronchitis	Death rate ‰	Comp. factor	Adjusted death rate ‰	Deaths All causes	Percentage of all causes
1958	41,140	36	0.87			454	88
1957	41,940	38	0.91			456	86
1956	42,950	37	0.87			400	76
1955	43,480	40	0.92			455	90
1954	44,180	37	0.84			458	89
1953	44,480	37	0.84			451	89
1952	44,480	35	0.79			449	79
1951	44,480	35	0.79			2,050	7.15
1950-51	44,500	38	0.85			445	78
1949	44,700	39	0.87			459	86
1948	44,700	40	0.90			450	85
1947	44,700	37	0.83			1,595	5.14
1946-47	44,950	66	1.47			4,345	6.08
1945-47	45,470	284	6.25			418	79
1944	45,710	15	0.33			388	79
1943	44,500	36	0.81				
1942	3,255,000	3,950	0.12			58,055	1.79
1941	3,204,000	3,156	0.09			58,587	1.74
1940	3,194,480	3,547	0.11			56,591	1.74
1939	3,179,980	3,767	0.12			57,915	1.82
1938	3,185,710	3,925	0.12			58,546	1.86
1937	3,178,870	3,187	0.10			59,590	1.88
1936	3,184,600	3,144	0.09			59,086	1.89
1935-44	32,552,700	19,546	0.06	1.00	0.88	265,681	1.14
1934	7,948,800	4,987	0.06	1.01	0.65	87,521	1.10
1933	7,915,600	4,588	0.06	1.01	0.65	87,993	1.11
1932	7,880,780	4,603	0.06	1.01	0.65	85,185	1.10
1931-32	27,745,180	14,478	0.05	1.01	0.65	280,801	1.05
1930	7,152,500	5,507	0.08	1.01	0.68	90,587	1.27
1929	7,107,400	5,417	0.08	1.01	0.71	88,650	1.25
1928	7,095,100	5,386	0.08	1.00	0.65	256,843	3.62
1927	7,095,100	5,386	0.08	1.00	0.65	257,641	3.63
1926	7,095,100	5,386	0.08	1.00	0.65	258,788	3.64
1925	7,095,100	5,386	0.08	1.00	0.65	257,755	3.63
1924	7,095,100	5,386	0.08	1.00	0.71	257,656	3.63
1923	7,095,100	5,386	0.08	1.00	0.75	272,888	3.85
1922	7,095,100	5,386	0.08	1.00	0.81	254,757	3.59
1921	7,095,100	5,386	0.08	1.00	0.82	249,779	3.51
1920	7,095,100	5,386	0.08	1.00	0.87	265,654	3.74
1919	7,095,100	5,386	0.08	1.00	0.98	245,576	3.46
1918-19	7,095,100	5,386	0.08	1.00	0.81	2,455,584	3.45
1918	7,095,100	5,386	0.08	1.00	0.84	276,754	3.90
1917	7,095,100	5,386	0.08	1.00	0.87	279,578	3.94

\*The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one cause as here but it is better to use it rather than not use it.



TABLE XIII MAIN CAUSES OF DEATH - MALIGNANT NEOPLASM, LUNG BRONCHUS

## Dartford Town

Year	Population	Lung Cancer Deaths	Crude Death rate °/°°	Comp.* factor	Adjusted death rate °/°°	Deaths All causes	Percentage of all causes
1958	41,140	13	0.32			454	3%
1959	41,940	25	0.60			436	6%
1960	42,950	27	0.63			400	7%
1961	43,460	20	0.46			452	4%
1962	44,180	21	0.48			428	5%
1963	44,460	20	0.45			431	5%
1964	44,420	29	0.65			449	6%
1958-64	302,550	155	0.51			3,050	5.1%
1965	44,700	21	0.47			443	5%
1966	44,700	31	0.70			459	7%
1967	44,520	25	0.56			390	6%
1965-67	133,920	77	0.58			1,292	6.0%
1958-67	436,470	232	0.53			4,342	5.4%
1968	44,510	17	0.38			418	4%
1969	44,280	13	0.29			388	3%

Not  
available

## London Administrative County

1958	3,225,000	2,050	0.64	0.98	0.63	38,026	5.4%
1959	3,204,000	2,040	0.64	0.98	0.63	38,227	5.3%
1960	3,194,480	2,243	0.70	0.98	0.69	36,521	6.2%
1961	3,179,980	2,120	0.67	0.96	0.64	37,915	5.6%
1962	3,185,770	2,157	0.68	0.97	0.66	38,346	5.6%
1963	3,178,870	2,210	0.70	1.05	0.73	39,590	5.6%
1964	3,184,600	2,346	0.74	1.06	0.78	35,056	6.7%
1958-64	22,352,700	15,166	0.68	1.00	0.68	263,681	5.8%
1965	7,948,800	5,566	0.70	1.01	0.71	87,524	6.4%
1966	7,913,600	5,678	0.72	1.01	0.73	87,992	6.5%
1967	7,880,760	5,783	0.73	1.01	0.74	85,285	6.8%
1965-67	23,743,160	17,027	0.72	1.01	0.73	260,801	6.5%
1968	7,759,500	5,740	0.74	1.01	0.75	90,287	6.4%
1969	7,703,400	5,748	0.75	1.01	0.76	88,640	6.5%

Greater London

## England and Wales

1958	Thousands 45,109	19,820	0.44	1.00	0.44	526,843	3.8%
1959	45,386	21,063	0.46	1.00	0.46	527,641	4.0%
1960	45,755	22,000	0.48	1.00	0.48	526,268	4.2%
1961	46,205	22,810	0.49	1.00	0.49	551,752	4.1%
1962	46,709	23,779	0.51	1.00	0.51	557,636	4.3%
1963	47,028	24,434	0.52	1.00	0.52	572,868	4.2%
1964	47,401	25,371	0.54	1.00	0.54	534,737	4.7%
1965	47,763	26,398	0.55	1.00	0.55	549,379	4.8%
1966	47,985	27,025	0.56	1.00	0.56	563,624	4.8%
1967	48,301	28,252	0.58	1.00	0.58	542,516	5.2%
1958-67	467,642	240,952	0.52	1.00	0.52	5,453,264	4.8%
1968	48,593	28,836	0.59	1.00	0.59	576,754	5.0%
1969	48,905	29,768	0.61	1.00	0.61	579,378	5.1%

\*The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one main cause as here but it is better to use it rather than not use it.



TABLE XIII MAIN CAUSES OF DEATH - MALIGNANT NEOPLASMS, LONG HONGKONG

Berkford Town						
Year	Population	Lung Cancer Deaths	Crude Death Rate %/100	Comp. * Factor	Adjusted death rate %/100	Deaths All causes
1958	41,140	15	0.35			454
1959	41,940	25	0.59			456
1960	42,950	27	0.63			450
1961	43,460	20	0.46			452
1962	44,180	21	0.48			458
1963	44,460	20	0.45			451
1964	44,420	29	0.65			449
1958-64	302,550	155	0.51			3,050
1965	44,700	21	0.47			465
1966	44,700	21	0.70			459
1967	44,550	22	0.56			460
1965-67	133,950	77	0.58			1,395
1968-67	456,470	252	0.55			4,542
1968	44,570	17	0.38			478
1969	44,280	15	0.33			468
London Administrative County						
1958	3,225,000	2,050	0.64	0.98	0.63	38,096
1959	3,204,000	2,042	0.64	0.98	0.63	38,327
1960	3,194,480	2,245	0.70	0.98	0.69	36,851
1961	3,179,980	2,150	0.67	0.96	0.64	37,975
1962	3,165,770	2,157	0.68	0.97	0.66	38,146
1963	3,178,670	2,210	0.70	1.02	0.73	39,390
1964	3,184,600	2,246	0.74	1.06	0.78	37,056
1958-64	22,352,700	15,166	0.68	1.00	0.68	265,681
1965	3,248,800	2,266	0.70	1.01	0.77	37,352
1966	3,217,600	2,478	0.76	1.01	0.73	37,992
1967	3,180,760	2,785	0.73	1.01	0.74	39,385
1965-67	25,745,760	17,057	0.73	1.01	0.73	260,807
1968	3,159,200	2,740	0.74	1.01	0.75	39,387
1969	3,105,400	2,748	0.75	1.01	0.76	38,643
England and Wales						
1958	45,705	19,830	0.44	1.00	0.44	526,847
1959	45,586	21,065	0.46	1.00	0.46	527,647
1960	45,755	22,000	0.48	1.00	0.48	526,568
1961	46,205	22,870	0.49	1.00	0.49	527,725
1962	46,709	23,779	0.51	1.00	0.51	527,636
1963	47,058	24,454	0.52	1.00	0.52	525,668
1964	47,401	25,377	0.54	1.00	0.54	524,737
1965	47,765	26,398	0.55	1.00	0.55	549,379
1966	47,985	27,025	0.56	1.00	0.56	563,624
1967	48,301	28,252	0.58	1.00	0.58	545,576
1958-67	467,642	240,952	0.52	1.00	0.52	5,455,564
1968	48,995	28,856	0.59	1.00	0.59	576,754
1969	48,905	29,768	0.61	1.00	0.61	579,378

\*The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one main cause as here but it is better to use it rather than not use it.

TABLE XIV MAIN CAUSES OF DEATH - CORONARY DISEASE

Dartford Town

Year	Population	Coronary disease Deaths	Crude death rate o/oo	Comp.* factor	Adjusted death rate o/oo	Deaths All causes	Percentage of all causes
1958	41,140	76	1.84			454	17%
1959	41,940	73	1.74			436	17%
1960	42,950	70	1.63			400	18%
1961	43,460	75	1.73	not available		452	17%
1962	44,180	67	1.51			428	16%
1963	44,460	100	2.25			431	23%
1964	44,420	108	2.45			449	24%
1958-64	302,550	569	1.88			3,050	18.7%
1965	44,700	99	2.21			443	22%
1966	44,700	96	2.15			459	21%
1967	44,520	91	2.05			390	23%
1965-67	133,920	286	2.14			1,292	22.1%
1958-67	436,470	855	1.96			4,342	19.7%
1968	44,510	91	2.05			418	22%
1969	44,280	105	2.37			388	27%

London Administrative County

1958	3,225,000	5,925	1.84	0.98	1.80	38,026	15.6%
1959	3,204,000	6,057	1.89	0.98	1.85	38,227	15.9%
1960	3,194,480	6,468	2.02	0.98	1.98	36,521	17.8%
1961	3,179,980	6,530	2.05	0.96	1.97	37,915	17.2%
1962	3,185,770	7,193	2.26	0.97	2.19	38,346	18.8%
1963	3,178,870	7,512	2.36	1.05	2.48	39,590	19.0%
1964	3,184,600	6,799	2.13	1.06	2.26	35,056	19.4%

Mean

1958-64	22,352,700	46,584	2.09	1.00	2.09	263,681	17.7%
---------	------------	--------	------	------	------	---------	-------

Greater London

1965	7,948,800	18,022	2.27	1.01	2.29	87,524	20.6%
1966	7,913,600	18,046	2.28	1.01	2.30	87,992	20.5%
1967	7,880,760	18,118	2.30	1.01	2.32	85,285	21.3%
1965-67	23,743,160	54,186	2.28	1.01	2.30	260,801	20.7%
1968	7,759,500	20,607	2.65	1.01	2.68	90,287	22.8%
1969	7,703,400	20,426	2.66	1.01	2.69	88,640	23.1%

England and Wales

Thousands							
1958	45,109	84,041	1.86	1.00	1.86	526,843	15.9%
1959	45,386	84,922	1.87	1.00	1.87	527,641	16.1%
1960	45,755	91,961	2.01	1.00	2.01	526,268	17.4%
1961	46,205	95,755	2.07	1.00	2.07	551,752	17.4%
1962	46,709	102,478	2.20	1.00	2.20	557,636	18.4%
1963	47,028	107,856	2.29	1.00	2.29	572,868	18.8%
1964	47,401	106,290	2.25	1.00	2.25	534,737	19.9%
1965	47,763	113,451	2.38	1.00	2.38	549,379	20.7%
1966	47,985	114,766	2.39	1.00	2.39	563,624	20.4%
1967	48,301	115,292	2.39	1.00	2.39	542,516	21.3%
1958-67	467,642	1,019,812	2.18	1.00	2.18	5,453,264	18.7%
1968	48,593	138,569	2.86	1.00	2.86	576,754	24.1%
1969	48,905	139,428	2.86	1.00	2.86	579,378	24.1%

\*The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one main cause as here but it is better to use it rather than not use it.

TABLE XIV  
MAIN CAUSES OF DEATH - CORONARY DISEASE  
Derford Town

Year	Population	Coronary Deaths	Gross Death Rate ‰	Comp. Factor	Adjusted Death Rate ‰	Deaths All causes	Percentage of All causes
1958	41,140	76	1.84			454	1.76
1957	41,340	73	1.74			436	1.72
1956	42,950	70	1.63			400	1.65
1955	43,460	75	1.73			432	1.75
1954	44,180	67	1.51			428	1.68
1953	44,460	100	2.25			457	1.76
1952	44,450	108	2.43			469	1.85
1951	44,450	269	6.06			3,080	16.76
1950-51	44,700	92	2.05			443	1.96
1949	44,700	96	2.15			459	2.02
1948	44,580	97	2.18			390	1.79
1947-48	43,950	286	6.51			1,192	19.76
1946	43,470	825	1.96			4,345	19.76
1945	44,510	97	2.02			418	1.85
1944	44,580	105	2.37			398	1.76
London Administrative County							
1958	2,325,000	2,325	1.84	0.98	1.80	28,026	12.66
1957	2,304,000	6,057	1.88	0.98	1.85	38,027	16.66
1956	2,194,480	6,468	2.95	0.98	1.98	36,651	17.06
1955	2,178,980	6,230	2.86	0.96	1.97	37,915	17.38
1954	2,182,770	7,193	3.28	0.97	2.19	38,366	18.06
1953	2,178,870	7,512	3.45	1.02	2.46	39,580	19.06
1952	2,164,600	6,799	3.13	1.06	2.56	37,056	19.46
Mean							
1958-64	22,552,700	46,584	2.09	1.00	2.09	263,681	17.76
Greater London							
1958	1,948,800	18,022	2.97	1.01	2.39	87,324	20.66
1957	1,917,600	18,046	3.28	1.01	2.30	87,922	20.96
1956	1,880,760	18,118	3.30	1.01	2.32	82,382	21.46
1955-57	23,743,760	54,186	3.28	1.01	2.30	260,587	20.76
1954	20,607	2.63	1.01	2.66	90,887	25.66	
1953	20,426	2.66	1.01	2.69	88,646	23.76	
England and Wales							
1958	45,109	64,041	1.86	1.00	1.86	266,843	17.66
1957	45,386	64,929	1.87	1.00	1.87	267,647	18.16
1956	45,722	91,961	2.01	1.00	2.01	258,268	17.46
1955	46,202	92,722	2.01	1.00	2.01	251,792	17.46
1954	46,709	102,478	2.20	1.00	2.20	257,636	18.46
1953	47,028	107,826	2.29	1.00	2.29	272,866	18.66
1952	47,401	106,290	2.25	1.00	2.25	254,737	19.06
1951	47,763	112,451	2.36	1.00	2.36	249,219	20.76
1950	47,985	114,766	2.39	1.00	2.39	263,634	20.46
1949	48,301	115,292	2.39	1.00	2.39	242,516	21.76
1948-49	467,642	1,019,812	2.18	1.00	2.18	2,423,264	18.76
1947	48,293	120,269	2.66	1.00	2.66	276,724	24.76
1946	48,902	129,428	2.66	1.00	2.66	279,378	24.76

\*The comparability factor is devised to adjust crude death rates from all causes. It is not quite applicable to rates from one main cause or two but it is better to use it rather than not use it.



DARTFORD BOROUGH  
TABLE XV DEATHS FROM CORONARY DISEASE (compiled locally)  
By quarter

	Town					Bexley Hospital						
	First quarters				Total Persons	First quarters				Total Persons		
	0-74		75 & over			0-74		75 & over				
	M	F	M	F		M	F	M	F			
1962	6	-	1	3	10	1	1	2	3	7		
1963	11	5	6	10	32	1	4	-	2	7		
1964	7	7	6	9	29	3	-	1	1	5		
1965	5	5	8	5	23	5	2	1	2	10		
1966	7	5	3	5	20	-	-	1	3	4		
1967	12	4	5	1	22	1	-	1	-	2		
1968	14	8	5	7	34	1	1	3	5	10		
1969	8	8	5	8	29	4	1	-	6	11		
1962-69	70	42	39	48	199	16	9	9	22	56		
	Second quarters					Second quarters						
1962	9	2	2	5	16	-	1	1	3	5		
1963	13	2	4	9	28	1	1	-	1	3		
1964	10	3	6	6	25	3	-	-	3	6		
1965	10	6	2	7	25	2	-	3	3	8		
1966	10	2	6	2	22	-	-	1	1	2		
1967	14	4	3	6	27	-	2	3	4	9		
1968	7	2	4	3	16	4	-	1	4	9		
1969	11	1	4	4	20	4	2	2	3	11		
1962-69	86	20	31	42	179	14	6	11	22	53		
	Third quarters					Third quarters						
1962	13	2	2	3	20	2	3	1	-	6		
1963	5	3	5	8	21	1	1	-	-	2		
1964	10	3	6	6	25	3	-	-	3	6		
1965	10	6	2	7	25	2	-	3	3	8		
1966	9	7	6	4	26	3	-	1	-	4		
1967	7	-	2	8	17	-	1	2	2	5		
1968	7	7	3	4	21	-	1	1	2	4		
1969	10	2	4	6	22	1	1	4	2	8		
1962-69	71	30	30	46	177	12	7	12	12	43		
	Fourth quarters					Fourth quarters						
1962	7	3	9	2	21	1	1	-	1	3		
1963	7	2	5	5	19	1	-	-	2	3		
1964	9	5	4	9	27	-	-	1	-	1		
1965	16	2	2	7	27	-	1	2	2	5		
1966	17	5	3	3	28	1	-	-	3	4		
1967	5	6	6	8	25	4	1	-	1	6		
1968	8	2	3	7	20	4	5	3	1	13		
1969	14	6	8	6	34	1	2	-	4	7		
1962-69	83	31	40	47	201	12	10	6	14	42		
Years 1962-69												
1st quarters	70	42	39	48	199	26%	16	9	9	22	56	29%
2nd "	86	20	31	42	179	24%	14	6	11	22	53	27%
3rd "	71	30	30	46	177	23%	12	7	12	12	43	22%
4th "	83	31	40	47	201	27%	12	10	6	14	42	22%
Years												
1962-69	310	123	140	183	756	100%	54	32	38	70	194	100%
Yearly totals												
1962	35	5	14	13	67		4	6	4	7	21	
1963	36	12	20	32	100		4	6	-	5	15	
1964	42	22	17	27	108		8	2	3	9	22	
1965	40	18	16	24	98		8	3	8	7	26	
1966	45	19	18	14	96		4	-	3	7	14	
1967	38	14	16	23	91		5	4	6	7	22	
1968	36	19	15	21	91		9	7	8	12	36	
1969	43	17	21	24	105		10	6	6	15	37	





DARTFORD BOROUGH

TABLE XVI MAIN CAUSES OF DEATH (continued)  
Deaths from pregnancy, childbirth and abortion

Year	Maternal deaths incl.abortion			Births	Still births	Total births annual	Births since previous death	Maternal deaths per o/oo relevant births	
	Sepsis	Other	Total					Dartford M.B.	England and Wales
1920	1	2	3	544	11	555		5.5	4.32
1921	-	1	1	482	22	504		2.0	3.92
1922	1	2	3	428	22	450		4.4	3.80
1923	-	2	2	430	23	453		4.4	3.82
1924	1	1	2	392	15	407		4.9	3.90
1925	-	1	1	341	10	351		2.9	4.08
1926	-	-	-	392	14	406	810	3.7	4.12
1927	2	1	3	392	12	404			
1928	1	1	2	393	18	411			
1929	-	3	3	425	13	438		6.9	4.30
1920-29	6	14	20	4,219	160	4,379		4.34	
1930	-	2	2	423	10	433		4.6	4.36
1931	3	1	4	429	8	437		9.2	4.11
1932	-	1	1	458	7	465		2.2	4.19
1933	-	-	-	428	12	440	890	2.3	4.52
1934	-	2	2	436	14	450			
1935	1	-	1	473	20	493			
1936	2	-	2	445	14	459		4.4	3.86
1937	-	3	3	530	20	550		5.5	3.37
1938	-	-	-	626	23	649	1,242	1.6	3.25
1939	1	1	2	576	17	593			
1930-39	7	10	17	4,824	145	4,969		3.42	
1940	1	2	3	544	17	561		5.3	2.68
1941	-	1	1	496	9	505		2.0	2.80
1942	-	1	1	595	19	614		1.6	2.80
1943	1	1	2	599	15	614		3.3	2.30
1944	-	-	-	651	18	669	1,268	1.6	1.93
1945	1	1	2	581	18	599			
1946	-	1	1	729	19	748			
1947	1	-	1	816	15	831		1.2	1.18
1948	1	1	2	722	14	736		2.7	1.02
1949	1	4	5	656	13	669		7.5	0.97
1940-49	6	12	18	6,389	157	6,546		2.76	
1950	-	-	-	594	8	602			0.87
1951	-	-	-	562	10	572			0.76
1952	-	-	-	533	8	541			0.67
1953	-	-	-	591	15	606			0.71
1954	-	-	-	579	12	591			0.65
1955	-	-	-	581	12	593			0.59
1956	-	-	-	632	8	640			0.52
1957	-	-	-	697	11	708			0.45
1958	-	-	-	688	12	700			0.43
1959	2	-	2	700	9	709			0.38
1950-59	2	-	2	6,157	105	6,262		0.32	
1960	-	-	-	735	19	754	1,592	0.6	0.39
1961	1	-	1	824	14	838			
1962	-	-	-	789	16	805			
1963	-	-	-	780	14	794	2,477	0.4	0.28
1964	1	-	1	865	13	878			
1965	-	-	-	898	19	917			
1966	1	-	1	850	9	859	1,776	0.6	0.25
1967	-	-	-	785	10	795			
Preg. Ch.birth Abortion									
1968	-	2	2	816	9	825	1,620	1.2	0.24
1969	-	1	1	722	10	732			
1960-69			6	8,064	133	8,197		0.73	



WATERBURY BOROUGH

TABLE XVI  
MAIN CAUSES OF DEATH (continued)  
Deaths from pregnancy, childbirth and abortion

Year	Maternal deaths incl. abortion	Deaths from pregnancy, childbirth and abortion	Total	Births since previous death	Births since previous death	Maternal deaths per 1,000 relevant births
1920	1	2	3	244	17	2.5
1921	-	1	1	485	35	2.0
1922	1	2	3	458	35	4.4
1923	-	2	2	450	35	4.4
1924	1	1	2	395	15	4.9
1925	-	1	1	341	10	2.9
1926	-	-	-	385	14	4.15
1927	2	1	3	395	15	4.17
1928	1	1	2	395	18	4.37
1929	-	2	2	425	15	4.9
1930-31	6	14	20	4,519	160	4.34
1930	-	2	2	425	10	4.36
1931	2	1	3	459	8	4.17
1932	-	1	1	458	7	4.19
1933	-	-	-	458	15	4.52
1934	1	2	3	456	14	4.62
1935	-	1	1	475	20	4.15
1936	2	-	2	445	14	3.86
1937	-	2	2	530	20	3.37
1938	-	-	-	656	25	3.25
1939	1	1	2	576	15	3.15
1940-41	7	10	17	4,854	145	3.45
1940	1	2	3	544	15	3.68
1941	-	1	1	496	9	3.00
1942	-	1	1	595	19	3.60
1943	1	2	3	599	15	3.30
1944	-	-	-	657	18	1.95
1945	1	1	2	581	18	1.80
1946	-	1	1	729	19	1.45
1947	1	-	1	816	15	1.19
1948	1	1	2	735	14	1.05
1949	1	4	5	656	15	0.97
1950-51	6	15	21	6,599	157	3.16
1950	-	-	-	594	8	0.87
1951	-	-	-	565	10	0.76
1952	-	-	-	535	8	0.67
1953	-	-	-	591	15	0.71
1954	-	-	-	579	15	0.62
1955	-	-	-	581	15	0.59
1956	-	-	-	635	8	0.55
1957	-	-	-	697	11	0.45
1958	-	-	-	668	15	0.43
1959	2	2	4	700	9	0.38
1960-61	2	2	4	6,157	105	0.35
1960	-	-	-	755	19	0.33
1961	1	1	2	854	14	0.33
1962	-	-	-	769	16	0.35
1963	-	-	-	780	14	0.38
1964	1	1	2	865	15	0.55
1965	-	-	-	898	19	0.35
1966	1	1	2	850	9	0.36
1967	-	-	-	785	10	0.30
1968	-	2	2	816	9	0.34
1969	1	1	2	755	10	0.19
1970-71	6	6	12	8,084	155	0.15

TABLE XVII PERINATAL INFANT DEATHS - DARTFORD BOROUGH

(a) STILLBIRTHS										
Cause	I.C.D. 7th rev.	1966		1967		I.C.D. 8th rev.	1968		1969	
		M	F	M	F		M	F	M	F
Anencephalus	Y38.0	1	1	1	1	740	-	-	-	2
Maternal diabetes	Y30.2	-	-	-	-	761.1	1	-	-	-
Chr.circ. dis.mother	Y30.3	-	-	-	(1)	760.2	-	1	-	-
Toxaemia of pregnancy	Y32.4	-	1	-	-	762.1	-	-	2	-
" " "						762.2	1	-	-	-
" " "						762.3	1	-	1	-
Other maternal cause	Y32.5	-	-	-	-	761.9	-	1*	-	-
Cord condition	Y36.0	1	-	1	1	771.0	1	-	-	-
" " "						771.1	1	-	-	-
" " "						771.9	-	-	-	(1)
Placenta condition	Y36.2	1	-	(1)	-	770.1	-	1	-	1
Birth injury	Y37.5	-	-	-	1					
" " "	Y37.8	-	1	-	-	772.0	1	-	-	-
Haemolytic disease	Y39.2	-	-	-	1	775.0	-	-	-	-
Asphyxia	Y39.5	1	-	1	-	776.9	-	-	1	1
Unknown	Y39.6	1	-	-	1	779.9	-	-	1	-
		<hr/>	<hr/>	<hr/>	<hr/>		<hr/>	<hr/>	<hr/>	<hr/>
All causes		5	3	4	6		6	3	5	5

\* at home ( ) = illegitimate

## (b) INFANT DEATHS AT AGES UNDER 1 WEEK

Cause	I.C.D. 7th rev.	1966				1967			
		under 1 day		1-6 days		under 1 day		1-6 days	
		M	F	M	F	M	F	M	F
Spina bifida	751	-	-	-	1	-	-	-	-
Intracranial injury	760.0	2	-	-	-	1	-	-	-
Asphyxia	762.0	2	-	-	-	-	2	-	-
"	762.5	1	1	-	-	-	1	-	-
Toxaemia of mother	769.5	(1)	-	-	-	-	-	-	-
Other diseases mother	769.9	1	-	-	-	-	-	-	-
Immaturity & sub.condition	774	-	-	-	-	1	-	-	-
Immaturity unqualified	776	1	-	-	-	-	1	-	-
Strangulation E983 N991		(1)**	-	-	-	-	-	-	-
All causes		<u>9</u>	<u>1</u>	<u>-</u>	<u>1</u>	<u>2</u>	<u>4</u>	<u>-</u>	<u>-</u>

Causes	I.C.D. 8th rev.	1968				1969			
		under 1 day		1-6 days		under 1 day		1-6 days	
		M	F	M	F	M	F	M	F
Congenital hydrocephalus	742	-	1	-	-	-	-	-	-
" anom.resp.system	748.3	-	-	-	-	-	1	-	-
" " multiple	759	-	1	-	-	-	-	-	-
Difficult labour	768.4	-	-	-	-	1	-	-	-
Birth injury brain	772.0	-	1	-	-	-	-	-	-
Haemolytic disease	775.0	-	-	-	-	-	1	-	-
Anoxic condition	776.1	-	-	-	-	-	-	-	1
" " "	776.2	2	-	-	-	-	-	-	-
" " "	776.9	1	-	-	-	-	-	1	-
Immaturity	777	1	-	-	-	-	(1)	2	1
Bronchopneumonia	485	-	-	1	-	-	-	-	-
All causes		<u>4</u>	<u>3</u>	<u>1</u>	<u>-</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>2</u>

\*\* Elsewhere

( ) Illegitimate





## DARTFORD BOROUGH

TABLE XVIII LATER INFANT DEATHS

Cause	1966	I.C.D. 7th rev.	Age in days						Total	
			7-27		28-90		91-365		7-365	
			M	F	M	F	M	F	M	F
Spina bifida		751	-	-	-	-	-	1	-	1
Congenital heart disease		754.5	-	1	-	-	-	-	-	1
Pneumonia		492	-	-	1*	-	-	-	1	-
Burns	E 917 N949		-	-	(1)*	-	-	-	1	-
All causes			-	1	2	-	-	1	2	2
<u>1967</u>										
Nutritional maladjustment		772	-	-	-	1	-	-	-	1
Immaturity & subsid.condition		774	-	-	-	1	-	-	-	1
Lobar pneumonia		490	-	-	-	-	1*	-	1	-
Acute tracheobronchitis		474	-	-	1*	-	-	-	1	-
Gastro-enteritis		571.0	-	-	-	1*	-	-	-	1
Bronchopneumonia		491	-	-	-	-	-	1	-	1
All causes			-	-	1	3	1	1	2	4
<u>1968</u>										
		I.C.D. 8th rev.								
Congenital anom. circ. system		747.2	-	-	1	-	-	-	1	-
Immaturity		777	1	-	-	-	-	-	1	-
Acute tracheobronchitis		466	-	-	(1)*	-	-	-	1	-
Bronchopneumonia		485	1	-	-	-	-	1	1	1
Gastro-enteritis		009.2	-	-	1	-	-	-	1	-
Hygroma		227	-	-	-	1	-	-	-	1
All causes			2	-	3	1	-	1	5	2
<u>1969</u>										
Acute tracheobronchitis		466	-	-	-	-	1*	2*	1	2
Bronchopneumonia		485	-	-	1*	-	-	-	1	-
Gastro-enteritis		009.2	-	-	-	1	-	-	-	1
All causes			-	-	1	1	1	2	2	3

\* at home ( ) illegitimate

The following notes refer to certain of the above infant deaths which were probably related to environmental conditions.

- March 1966 Male aged 2 months. Cot death at home. Acute interstitial pneumonia. Twin. Had previously been in hospital with pneumonia. Slept in carrycot. Normal when put to sleep in evening, normal at 2.50 a.m. At 6 a.m. mother found child face downward dead.
- June 1967 Male aged 2 months. Cot death at home. Acute tracheobronchitis. Had exchange transfusion at birth. Housing problem but home satisfactory. "Prop" feeding. Found dead.
- July 1967 Female aged 2 months. Gastro-enteritis. Died at home. Home conditions fair - shared accommodation. Seen ny doctor for diarrhoea but later that day found dead. No pathogenic organism found post mortem.
- Sept. 1967 Male aged 9 months. Acute lobar pneumonia with intra-ventricular septal defect. Died at home.

# TABLE VIII

## LATER INFANT DEATHS

Cause	1966	1967	1968	1969	1970	Age in days					Total
						7-27	28-90	91-365	366-730	731-1095	
Spina bifida	171										171
Congenital heart disease	154.5										154.5
Pneumonia	432										432
Burns											
All causes											
Nutritional maladjustment	172										172
Immaturity & related conditions	174										174
Lobar pneumonia	460										460
Acute tracheobronchitis	474										474
Gastro-enteritis	571.0										571.0
Bronchopneumonia	491										491
All causes											
Congenital and circ. system	147.5										147.5
Immaturity	177										177
Acute tracheobronchitis	468										468
Bronchopneumonia	485										485
Gastro-enteritis	509.5										509.5
Hydroa	527										527
All causes											
Acute tracheobronchitis	466										466
Bronchopneumonia	485										485
Gastro-enteritis	509.5										509.5
All causes											

\* at home ( ) illegitimate

The following notes refer to certain of the above infant deaths which were probably related to environmental conditions.

March 1966 Male aged 3 months. Got death at home. Acute interstitial pneumonia. Twin. Had previously been in hospital with pneumonia. Slept in car seat. Normal when put to sleep in evening, normal at 2.50 a.m. At 6 a.m. mother found child face downward dead.

June 1967 Male aged 7 months. Got death at home. Acute tracheobronchitis. Had exchange transfusion at birth. Hoarse cry but no cough. Lactary. "Pop" feeding. Young dead.

July 1967 Female aged 5 months. Gastro-enteritis. Died at home. Home conditions fair - shared accommodation. When xy doctor for diarrhoea but later that day found dead. No pathogenic organisms found post mortem.

Sept. 1967 Male aged 9 months. Acute lobar pneumonia with later-ventricular septal defect. Died at home.



Dec. 1967 Female aged 5 months. Cardio respiratory failure, bronchopneumonia. Two days history of cough and difficult breathing before admission to hospital where died next morning. Family, natives of India.

Sept. 1968 Male aged 2 months. Acute tracheobronchitis. Cot death. Twin. 4 lbs. 5 ozs. at birth. 11 lbs. at deaths. Illegitimate. Good home. After feed in morning was placed in cot with twin brother. Midday found dead. Each twin had a pillow.

Nov. 1968 Male aged 2 months. Non-specific gastro-enteritis. Diarrhoea three weeks before admission to hospital. Fifth child of family. (Fourth died at 7 weeks age in 1967 and is in table above for that year). Seven stool specimens negative for pathogenic organisms or parasites. Possible death due to malabsorption syndrome. Family, natives of India.

Dec. 1968 Female aged 4 months. Bronchopneumonia. Seen by doctor on the 23rd December, sent to hospital on the 25th but died two hours later. Home satisfactory apart from structural features of house scheduled as unfit for habitation.

May, 1969 Female aged 7 months. Acute tracheobronchitis. Problem family. Left with grandmother while mother went to work. Grandmother's home conditions bad. Child left in pram. Found dead.

Nov. 1969 Female aged 4 weeks. Gastro-enteritis. Condition poor at time of the Health Visitor's visit, admitted to hospital but died next day. Family, natives of India.

Nov. 1969 Male aged 3 months. Cot death. Acute tracheobronchitis. Under observation at paediatric department as "slow feeder". Good home. Fed at 11 p.m. At 11.45 p.m. normal. 8 a.m. found dead. No pillow in cot. Died at home.

Dec. 1969 Female aged 4 months. Cot death. Acute tracheobronchitis. At 18.00 hours put to sleep in cot. 24.00 hours satisfactory. 7.00 hours satisfactory. 09.00 hours found dead. Fed on dried milk.

Dec. 1969 Male aged 11 weeks. Cot death. Acute tracheobronchitis. Positive Guthries test at birth. All family had 'flu symptoms. Dec. 25th 01.30 hours in push chair asleep. 09.30 hours found dead. On bottle.

One may conclude from names that 1 out of the above 37 stillbirths and 7 out of the above 54 infant deaths were of families native to India.

Year	Sex	Age	Days in Hospital	External cause of injury	Nature of injury
1966	M	9/12	10	Chair fell on left leg	Fractured left femur
	M	5	9	Fall from chair	Linear fracture, skull
	M	43	11	Fell whilst clipping hedge	Fractured ribs and pneumonia
	F	65	87	Fell downstairs	Fracture, dislocation of ankle
	F	71	70	Unspecified fall	Fracture neck left femur
	F	73	68	Unspecified fall	Fractured neck right femur
	M	80	115	Fall at home	Fractured femur
	F	85	37	Fell down at home	Fractured femur
	F	87	148	Fall at home	Fractured neck left femur
	F	89	58	Unspecified fall	Fractured neck right femur



Dec. 1967 Female aged 5 months. Cardio respiratory failure, bronchopneumonia. Two days history of cough and difficulty breathing before admission to hospital where died next morning. Family, natives of India.

Sept. 1966 Male aged 2 months. Acute tracheobronchitis. Got death. Typh. 4 lbs. 5 oz. at birth. 11 lbs. at death. Illigible. Good home. After feed in morning was placed in cot with twin brother. Midday found dead. Head twin had a pillow.

Nov. 1966 Male aged 2 months. Non-specific gastro-enteritis. Diarrhoea. Three weeks before admission to hospital. Fifth child of family. (Fourth died at 7 weeks age in 1967 and in table above for this year). Seven stool specimens negative for pathogenic organisms on examination. Possible death due to malabsorption syndrome. Family, natives of India.

Dec. 1966 Female aged 4 months. Bronchopneumonia. Seen by doctor on the 23rd December, sent to hospital on the 25th but died two hours later. Home satisfactory apart from structural features of house scheduled as unfit for habitation.

May. 1966 Female aged 7 months. Acute tracheobronchitis. Probable family. Left with grandmother while mother went to work. Grandmother's home conditions bad. Child left in gram. Found dead.

Nov. 1966 Female aged 4 weeks. Gastro-enteritis. Condition poor at time of the Health Visitor's visit, admitted to hospital but died next day. Family, natives of India.

Nov. 1966 Male aged 5 months. Got death. Acute tracheobronchitis. Under observation at paediatric department as "slow feeder". Good home. Fed at 11 p.m. At 11.45 p.m. normal. 6 a.m. found dead. No pillow in cot. Died at home.

Dec. 1966 Female aged 4 months. Acute tracheobronchitis. At 18.00 hours put to sleep in cot. 24.00 hours satisfactory. 1.00 hours satisfactory. 09.00 hours found dead. Fed on dried milk.

Dec. 1966 Male aged 11 weeks. Got death. Acute tracheobronchitis. Positive Guthrie test at birth. All family had 'flu symptoms. Dec. 15th 01.30 hours in gram chair asleep. 09.30 hours found dead. On bottle.

One may conclude from names that 1 out of the above 37 children and 7 out of the above 24 infant deaths were of families native to India.

TABLE XIX INJURY

## (a) ACCIDENTS IN THE HOME

Persons receiving In-Patients Treatment

Dartford Group of Hospitals

Year	Age	Falls	Burns & Scalds	Poisoning	Other	Total
1966	0 - 4	2	1	4	2	9
	5 - 64	8+1*	-	2	1	12
	65+	6+1*	-	-	2	9
		18	1	6	5	30
1967	0 - 4	13	1	1	5	20
	5 - 64	7	2	2	7	18
	65+	8+1*	1*	-	1	11
		29	4	3	13	49
1968	0 - 4	7	2	8	13	30
	5 - 64	7	2	3	8	20
	65+	9	-	-	-	9
		23	5	11	21	59
1969	0 - 4	7	-	2	7	16
	5 - 64	15	-	1	5	21
	65+	4	-	-	-	4
		26	-	3	12	41

\* Died - see below

Length of stay in hospital in weeks before discharge home:

Year	under 1 week	1-	2-	3-	4-	8-	12-	13+	Cases	Deaths
1966	16	4	1	1	2	1	1	3	28	2
1967	34	8	1	0	3	1	-	-	47	2
1968	42	5	3	4	1	3	-	1	59	-
1969	34	2	1	2	-	2	-	-	41	-

The following was discharged to specializing hospital:-

Year	Sex	Age	External cause of injury	Nature of injury
1968	M	2½	Ingestion of peanuts	Foreign body in bronchus

In the Dartford Group Hospitals one week or more before discharge home.

Fractures

1966	Sex	Age	Days in Hospital	External cause of injury	Nature of injury
	F	9/12	30	Chair fell on left leg	Fractured left femur
	M	1	7	Fall from chair	Linear fracture, skull
	M	43	11	Fell whilst clipping hedge	Fractured ribs and pneumonia
	F	63	27	Fell Downstairs	Fracture, dislocation of ankle
	F	71	90	Unspecified fall	Fracture neck left femur
	F	73	66	Unspecified Fall	Fractured neck right femur
	M	80	113	Fall at home	Fractured femur
	F	85	52	Fell down at home	Fractured femur
	F	87	142	Fall at home	Fractured neck left femur
	F	89	52	Unspecified fall	Fractured neck right femur

TABLE XIX  
ACCIDENTS IN THE HOME

Persons receiving in-hospital treatment

Barford Group of Hospitals

Year	Age	Falls	Burns & Scalds	Poisoning	Others	Total
1966	0-4	2	1	4	5	12
	5-64	8+*	-	2	7	17
	65+	6+*	-	-	5	11
1967	0-4	1	1	2	2	6
	5-64	7	2	5	7	21
	65+	8+*	1*	-	1	11
1968	0-4	1	2	6	1	10
	5-64	7	2	3	8	20
	65+	2	-	-	-	2
1969	0-4	7	-	2	1	10
	5-64	13	-	1	2	16
	65+	4	-	-	-	4
		24	-	3	12	41

\* Died - see below

Length of stay in hospital in weeks before discharge home

Year	Under 1 week	1-2	3-4	5-6	7-8	9-10	11+	Cases	Hospital
1966	10	4	1	1	2	1	1	28	1
1967	24	6	1	2	1	-	-	47	2
1968	42	2	1	1	1	-	-	39	-
1969	24	2	1	2	-	-	-	47	-

The following was discharged to specialist hospitals:

Year	Sex	Age	External cause of injury	Nature of injury
1968	M	24	Ingestion of peanuts	Foreign body in bronchus

In the Barford Group Hospitals one week or more before discharge home.

Fractures

Year	Sex	Age	Days in Hospital	External cause of injury	Nature of injury
1966	F	9/12	20	Chair fell on left leg	Fractured left femur
	M	1	7	Fell from chair	Linear fracture, skull
	M	43	11	Fell whilst clipping hedge	Fractured ribs and pneumonia
	F	65	27	Fell downstairs	Fracture, dislocation of ankle
	F	71	20	Unspecified fall	Fracture neck left femur
	F	75	66	Unspecified fall	Fractured neck right femur
	M	80	113	Fall at home	Fractured femur
	F	85	22	Fell down at home	Fractured femur
	F	87	142	Fall at home	Fractured neck left femur
	F	89	22	Unspecified fall	Fractured neck right femur



TABLE XIX INJURY

(a) ACCIDENTS IN THE HOME (continued)  
Persons receiving In-Patients Treatment

In the Dartford Group Hospitals one week or more before discharge home.

Fractures

Year	Sex	Age	Days in hospital	External cause of injury	Nature of injury
1967	F	19/12	10	Unspecified fall at home	Fractured left leg
	F	2	7	Fell downstairs	Fractured occipital region
	M	3	47	Tripped over toy	Fractured shaft right thigh
	F	46	10	Unspecified fall	Fractured neck of left femur
	M	66	8	Fell off ladder in loft	Fractured left parietal bone
	F	73	28	Unspecified fall	Fractured vertebrae
	F	80	40	Unspecified fall	Fractured femur
	F	86	67	Fall at home	Fractured neck of right femur
1968	M	9/12	7	Fell from chair	Fractured occiput
	F	18/12	17	Fell off chair	Fractured right temporal bone
	M	7	15	Fell off shed in garden	Fractured frontal bone and abrasions to face
	F	74	24	Fall in garden	Fracture of left patella
	F	75	23	Fell off chair	Fracture of L.1. vertebrae
	F	79	82	Fell at home	Fractured rib
	F	82	42	Slipped over at home	Fractured neck of left femur
	F	87	63	Fell out of chair	Fractured left femur
	F	88	101	Unspecified fall at home	Fractured left hip
1969	F	46	7	Fell in kitchen	Fractured nose and concussion
	F	49	20	Fell Downstairs	Fractured left fibula
	M	57	25	Fell Downstairs	Fractured patella
	M	61	26	Fell off chair	Fractured neck of left femur
	F	62	8	Fell in garden	Potts fracture
	F	75	59	Fell downstairs	Fractured neck of right femur
	F	83	61	Fell out of chair	Fractured neck of left femur

Other injuries

1966	M	2	10	Upset hot tea	Burns to face and arm
	F	6	9	Fell from coal bunker	Unspecified injuries
	M	8	18	Needle in foot	Puncture wound with foreign body
1967	M	2	8	Swallowed nail	None
	M	12	7	Foreign body in knee	Needle in knee
	M	13	16	Methylated spirits in blow-lamp caught fire	Burns of body, arms, hands and legs
	F	74	7	Fell down steps	Contusion and concussion
	F	81	8	Fell downstairs	Bruising of head and face
1968	F	3	7	Hot coffee over chest	Burns of chest
	M	3	13	Pulled pot hot tea over body	Burns of trunk
	F	5	14	Scalded by Vick inhalation	Burns of leg and trunk
	M	7	22	Scalded with boiling water	Burns head, neck and chest
	M	9	66	Unspecified fall	Internal derangement of knee joint
	M	21	9	Knelt down in garden	Torn ligament in left knee
	M	27	10	Hurt knee while gardening	Torn ligament right knee
	F	88	21	Unspecified fall at home	Cerebral concussion

1969

- Nil -

TABLE XIX  
 (a) ACCIDENTS IN THE HOME (continued)  
 Persons receiving in-Patient Treatment  
 in the Bedford Group Hospitals one week or more before discharge home.

Year	Sex	Age	Days in hospital	External cause of injury	Nature of injury
1967	F	19/12	10	Unspecified fall at home	Fractured left leg
	F	2	7	Fell downstairs	Fractured occipital region
	M	5	47	Tripped over toy	Fractured shaft right thigh
	F	46	10	Unspecified fall	Fractured neck of left femur
	M	66	8	Fell off ladder in loft	Fractured left parietal bone
	F	73	28	Unspecified fall	Fractured vertebrae
	F	80	40	Unspecified fall	Fractured femur
	F	86	67	Fell at home	Fractured neck of right femur
1968	M	5/12	7	Fell from chair	Fractured occiput
	F	18/12	17	Fell off chair	Fractured right temporal bone
	M	7	12	Fell off shed in garden	Fractured frontal bone and abrasions to face
	F	74	24	Fell in garden	Fracture of left parietal
	F	75	23	Fell off chair	Fracture of L. vertebrae
	F	79	82	Fell at home	Fractured rib
	F	82	42	Slipped over at home	Fractured neck of left femur
	F	87	67	Fell out of chair	Fractured left femur
	F	88	107	Unspecified fall at home	Fractured left hip
1969	F	46	7	Fell in kitchen	Fractured nose and comminuted
	F	49	20	Fell downstairs	Fractured left fibula
	M	57	27	Fell downstairs	Fractured parietal
	M	61	26	Fell off chair	Fractured neck of left femur
	F	62	9	Fell in garden	Posterior fracture
	F	72	50	Fell downstairs	Fractured neck of right femur
	F	87	61	Fell out of chair	Fractured neck of left femur
1966	M	2	10	Upset hot tea	Burns to face and arm
	F	6	7	Fell from coal bucket	Unspecified injuries
	M	8	16	Needle in foot	Penetrant wound with foreign body
1967	M	2	8	Swallowed nail	Nose
	M	12	7	Foreign body in knee	Needle in knee
	M	12	16	Metaphase splints in blow	Burns of body, arms, hands and legs
	F	74	7	Jump caught fire	Concussion and comminuted
	F	81	8	Fell down steps	Swelling of head and face
1968	F	7	7	Hot coffee over chest	Burns of chest
	M	7	12	Trilled hot tea over body	Burns of trunk
	F	7	14	Scalded by Visk inhalation	Burns of leg and trunk
	M	7	22	Scalded with boiling water	Burns head, neck and chest
	M	9	66	Unspecified fall	Internal derangement of knee joint
	M	27	9	Knelt down in garden	Torn ligament in left knee
	M	27	10	Knelt knee while gardening	Torn ligament right knee
	F	88	21	Unspecified fall at home	Cerebral concussion



TABLE XIX INJURY

(a) ACCIDENTS IN THE HOME (continued)  
DEATHSDeaths in the above inpatients

<u>Sex</u>	<u>Age</u>	<u>Days in hospital</u>	<u>Cause of admission to hospital</u> <u>External cause of injury</u>	<u>Nature of injury</u>	<u>Certified cause of death and I.C.D. category</u>
<u>1966</u>					
M	60	1	Fall on stairs and alcohol	Fract.skull, laceration of brain	As for admission ICD E900 N803
F	85	52	Fall	Fractured femur	Ia Acute left vent.failure b Iron deficiency anaemia II Senile osteoporosis ICD 291
<u>1967</u>					
M	66	23	Fall	Fractured femur	Ia Myocardial infarction B Ischaemic Heart disease ICD 420.1
M	80	7	Burnt when house burnt	Septic burns of thighs and arms	Ia Aspiration, bronchopneumonia b Septic burns ICD E916.0 N949

Other deaths from accidents in the home

<u>Year</u>	<u>Sex</u>	<u>Age</u>	<u>External cause of injury</u>	<u>Nature of injury</u>
1966	M	20	Bedding on fire from tobacco smoking E916.0	Poison by carbon monoxide N968
1967	M	34	Poisoning with domestic gas. E890.0 (open verdict)	Poisoning by carbon monoxide N968
"	F	89	Fall E903.0	Ia Bronchopneumonia b Fractured neck of femur N820
1968	M	45	Alcoholic poisoning E860	Toxic effect of alcohol N980.0
1969	F	64	Fall downstairs	Sub-dural haemorrhage N852

## (b) ACCIDENTS IN RESIDENTIAL INSTITUTIONS

DEATHS

<u>Year</u>	<u>Sex</u>	<u>Age</u>	<u>External cause of injury</u>	<u>Nature of injury</u>
1966	M	69	Accidental poisoning E871	Barbiturate poisoning N971
1967	M	42	Ingestion of food causing obstruction E921	Asphyxia. Obstruction of larynx by orange pieces N933
"	F	79	Fall E904	Pul.embolism.Deep vein thrombosis.Fract. rt. femur N821
"	F	88	Fall from bed E902	Fractured neck of rt. femur N820
1968	F	78	Fall E887	Fractured neck of rt. femur N820
1969	F	77	Food in Pharynx E911	Resp. obstruction (asphyxia) N933



TABLE XIX  
ACCIDENTS IN THE HOME (continued)  
DEATHS

Deaths in the above categories

Year	Sex	Age	Days in hospital	External cause of injury	Nature of injury	Certified cause of death and I.C.D. category
1966	M	60	1	Fall on stairs and alcohol	Fract. skull, laceration of brain	As for admission ICD 860.9
1967	F	82	25	Fall	Fractured femur	Is Acute left vent. failure & Iron deficiency anemia II Senile osteoporosis ICD 791
1967	M	66	23	Fall	Fractured femur	Is Myocardial infarction & Ischemic Heart disease ICD 430.1
1968	M	80	7	Burnt when house burnt	Scalds burns of right side & Scalds burns of right side	ICD 861.0, 864.9

Other deaths from accidents in the home

Year	Sex	Age	External cause of injury	Nature of injury
1966	M	20	Bedding on fire from tobacco smoking 861.0	Poison by carbon monoxide 868
1967	M	34	Poisoning with domestic gas. 869.0 (open verdict)	Poisoning by carbon monoxide 868
"	F	89	Fall 890.0	Is Bronchopneumonia & Fractured neck of femur 860.0 Toxic effect of alcohol 860.0
1968	M	45	Alcoholic poisoning 860	Sub-dural haemorrhage 862
1969	F	64	Fall downstairs	

(a) ACCIDENTS IN RESIDENTIAL INSTITUTIONS

DEATHS

Year	Sex	Age	External cause of injury	Nature of injury
1966	M	69	Accidental poisoning 867	Barbiturate poisoning 867
1967	M	42	Ingestion of food causing obstruction 862	Asphyxia. Obstruction of larynx by orange pith 862
"	F	79	Fall 890.4	Pal. embolism. Deep vein thrombosis. Fract. rt. femur 860
"	F	88	Fall from bed 890.2	Fractured neck of rt. femur 860
1968	F	78	Fall 887	Fractured neck of rt. femur 860
1969	F	77	Food in Pharynx 861	Resp. obstruction (asphyxia) 862

TABLE XIX INJURY (continued)

## (c) ACCIDENTS AT WORK

Year	Sex	Age	External cause and ICD No.	Nature of injury and ICD No.
1968	M	29	Fell from a crane being constructed. E882	Fractured skull. N803

## (d) OTHER ACCIDENTS

1966	M	22	In jumping from an aircraft his parachute failed to open. E866	Multiple injuries. N996.8
"	M	61	Fell 90 ft. into pit. E902 (Stone House patient)	Bronchopneumonia Multiple injuries N996.8
"	F	20	Collapsed under anaesthesia. E954	Unascertainable. N999.0
1967	F	71	Dog bite. E928	Haemorrhage. Penetrating wounds of leg from dog bite. N895
"	M	20	Military 'plane crash. E860	Multiple injuries. N869
1969	M	61	Body found in river. E910.9 (Bex. Hospital patient)	Drowning. N994.1

## (e) ALL OTHER EXTERNAL CAUSES

1966	M	new-born	Strangulation. E983	Asphyxia. Pressure on the neck. Murder. N991
"	M	2/12	Burns. E917	Severe burns. Manslaughter. N949
1968	F	24	Motor car injury undetermined whether accidental. E988	Fracture of skull. N803

TABLE XXA ACCIDENTS ON THE ROAD

Casualties (not necessarily Dartford M.B. residents) on Dartford roads.  
Chief Constable's analysis

Local Authority		Total injury accidents	Killed	Seriously injured	Slightly injured	Total
Dartford M.B.	1966	275	5	100	240	345
	1967	246	4	92	222	318
	1968	263	7	94	251	352
	1969	258	11	102	238	351
Dartford R.D.	1966	307	10	130	329	469
	1967	276	7	101	289	397
	1968	289	12	146	274	432
	1969	308	7	154	297	458
Northfleet U.D.	1966	108	3	41	103	147
	1967	97	-	44	93	137
	1968	83	2	26	65	93
	1969	97	2	38	88	128
Swanscombe U.D.	1966	74	2	35	54	91
	1967	68	2	31	67	100
	1968	57	1	25	62	88
	1969	53	-	29	52	81

# TABLE XIX INJURY (continued)

## (c) ACCIDENTS AT WORK

Year	Sex	Age	External cause and ICB No.	Nature of injury and ICB No.
1968	M	29	Fell from a crane being dismantled.	Fractured skull. 1902

## (d) OTHER ACCIDENTS

1966	M	22	In jumping from an aircraft his parachute failed to open. 1903	Multiple injuries. 1904
"	M	61	Fell 90 ft. into pit. (Stone House patient) 1905	Multiple injuries. 1906
"	F	20	Collapsed under anaesthesia. 1906	Unconsciousness. 1907
1967	F	71	Dog bite. 1908	Neurological. Penetrating wound of leg from dog bite. 1909
"	M	20	Military plane crash. 1909	Multiple injuries. 1910
1969	M	61	Body found in river. 1910	Browning. 1911
			(See Hospital patient)	

## (e) ALL OTHER EXTERNAL CAUSES

1966	M new-born		Strangulation. 1912	Asphyxia. Pressure on the neck. 1913
"	M 2 1/2	Burns. 1914		Severe burns. Mania. 1915
1968	F 24	Motor car injury undetermined whether accidental. 1916		Fracture of skull. 1917

## TABLE XXI ACCIDENTS ON THE ROAD

Cancellation (not necessarily Darford M.B. residents) on Darford roads.  
Chief Constable's analysis

Local Authority	Total Injury accidents	Killed	Seriously injured	Slightly injured	Total
Darford M.B.	1966 275	5	100	240	345
	1967 245	4	92	232	318
	1968 257	7	94	257	352
	1969 258	11	102	258	351
Darford R.D.	1966 207	10	130	259	469
	1967 276	7	101	268	397
	1968 269	12	145	274	432
	1969 208	7	124	297	428
Northfleet U.D.	1966 108	2	47	103	147
	1967 97	-	44	92	137
	1968 87	2	28	63	92
	1969 97	2	30	65	128
Swancombe U.D.	1966 14	2	32	24	91
	1967 66	2	21	67	100
	1968 27	1	22	62	88
	1969 22	-	29	22	81



TABLE XXB MOTOR VEHICLE ACCIDENTS (E810-E825)

Year registered	Death caused to:	Month of death	Sex	Age	Place of death if recorded otherwise hospital where certified	External cause of injury	ICD No.	Nature of injury	ICD No.
1966	Pedestrian	Dec. 1965	M	64	West Hill Hospital	Collision with car	E812.4	Multiple injuries	N869
"	Motor cyclist	July	M	20	" "	Collision with motor lorry	E815.1	Fractured skull	N803
"	Pedestrian	July	M	45	West Hill Hospital, died elsewhere	Collision with motor lorry	E812.0	Multiple injuries	N869
"	Pedestrian, roadster of no fixed abode	Aug.	M	50	West Hill Hospital	Collision with motor coach	E812.7	Fractured skull	N803
"	Pedestrian	Sept.	M	7	West Hill Hospital	Collision with car	E812.4	Multiple injuries	N869
"	Pedestrian, (Pt. B.M.Hosp.)	Oct.	M	62	" "	Collision with lorry	E812.0	Fractured skull	N803
"	Motor cyclist	Nov.	M	20	Junction A2 and Old Bexley Lane	Collision with car	E815.4	Fractured skull	N803
"	Pedestrian	Nov.	F	68	Junction Burnham Road/Chastilian Road	Collision with car	E812.4	Fractured skull and contusion of brain	N803
"	Pedal cyclist	Dec.	M	39	West Hill Hospital	Collision with car	E813.4	Cerebral contusion & sub-dural haemorrhage	N853
1967	Mini car driver	Dec. 1966	M	19	On the A2 at Dartford	Collision with petrol tanker & other vehicles	E816.1	Multiple injuries	N869
"	Pedestrian	Feb.	M	57	A2 junction with Marina Dr.	Collision with car	E812.4	Multiple injuries	N869
"	Motor cyclist	July	M	17	Orpington Hospital	Collision with car	E815.4	Multiple, incl. fractured skull and crushed chest	N803
1968	Pedestrian	Dec. 1967	M	70	Brook Hospital, Greenwich	Collision with car	(ICD 810-823) E814.7	Fracture of tibia and fibula	N823
"	Motor cyclist	April	M	41	West Hill Hospital	Collision with car	E816.2	Multiple injuries incl. ruptured liver	N864
"	Driver of car	Aug.	M	34	National Heart Hospital, St. Marylebone	Collision with car	E812.0	Cerebral haemorrhage due to fractured skull	N803
									/continued





TABLE XXB MOTOR VEHICLE ACCIDENTS (continued) (E810-823)

Year registered	Death caused to	Month of death	Sex	Age	Place of death where recorded otherwise hospital where certified	External cause of injury	ICD No.	Nature of injury	ICD No.
1968	Passenger in car	July	F	24	North Cray Road, Bexley	Car collided with railings	E988*	Fracture of skull, intracranial haemorrhage due to acute head injury	N803
"	Driver of car	Nov.	M	37	M1 Motorway, Newport Pagnall	Collision with cars	E812.0	Multiple injuries	N996.8
"	Pedestrian	Nov.	M	81	Dartford Rd. at pedestrian crossing nr. Lawrence Hill Rd.	Collision with car	E814.7	Multiple injuries	N996.8
"	Pedestrian (Pt. B.M. Hosp.)	Dec.	M	58	West Hill Hospital	Collision with car	E814	Cerebral contusion & fractured pelvis	N851
1969	Pedal cyclist	Nov. 1968	F	70	High St. Dartford outside Holy Trinity Church	Collision with lorry	E813.6	Multiple injuries	N996.9
"	Passenger in auto-mobile	Nov. 1968	F	23	Wexham Park Hospital, Wexham	Collision with car	E812.1	Intracranial haemorrhage	N861
"	Pedestrian (Pt. B.M. Hosp.)	Feb.	F	70	West Hill Hospital	Collision with car	E814.7	Multiple, incl. cerebral contusion	N851
"	Motor cyclist	June	M	42	Broad Green Hospital, Liverpool	Collision with car	E812.2	Haemorrhage into lungs due to fracture of skull	N804
"	Driver of car	Aug.	F	54	Southend to Barking Road Grays	Collision with lorry	E812.0	Multiple and internal injuries	N869.9
"	Pedestrian on footbridge	Oct.	F	29	Princes Road, Dartford on the A.2	Fell to road when mechanical digger on low loader cut through footbridge	E814.7	Fractured skull and contused brain with haemorrhage	N803
"	Passenger in car	Nov.	M	25	Temple Hill, Dartford nr. junc. with Fulwich Rd.	Car in collision with Lamp standard	E815.1	Sub-dural haemorrhage with fractured skull	N803

\* Injury undetermined whether accidentally or purposely inflicted





TABLE XXC DEATHS FROM MOTOR VEHICLE ACCIDENTS - Comparison with other areas

Year	Deaths - 1958-67										Death rates 1958 - 67				Deaths 1968-1969		
	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1958-67 where applicable	Deaths all causes	Aggregate Pop. estimates	Death rate o/1000	% Deaths all causes	1968	1969
Dartford rural area	5	14	8	3	8	7	14	1	7	4	71	4840	529040	13.5	1.47	8	11
Mental Hospitals	2	1	-	1	-	(1)*	1	2	-	-	8	598	25000	32.0	1.34	2	-
Dartford R.D.	7	15	8	4*	8	8	15	3	7	4	79	5438	554040	14.3	1.45	10	11
Dartford Town	6	2	8	12	7	5	6	4	8	3	61	4342	436470	14.0	1.41	4	6
Mental Hospitals	-	-	-	-	2	-	-	-	1	-	3	1627	20000	15.0	0.18	2	1
Dartford M.B.	6	2	8	12	9	5	6	4	9	3	64	5969	456470	14.0	1.07	6	7
Northfleet U.D.	2	1	2	3	4	2	6	1	5	-	26	2185	228020	11.8	1.19	2	5
Swanscombe U.D.	-	1	-	1	3	1	-	2	-	-	8	842	91050	8.8	0.95	-	1
Kent U.D.	148	156	142	157	159	156	183	Boundary change			1101	109467	9157590	12.0	1.01		
Kent U.D.	45	60	58	65	60	69	65	108	127	110	345	32786	2599770	13.1	1.05	95	71
Kent R.D.								Boundary change			422	30917	2589940	16.3	1.37		
Kent R.D.	"	"	"	"	"	"	"	63	78	69	210	14214	1268890	16.6	1.48		
Kent R.D.			"	"	"	"	"	"	"	"	632	45131	3858830	16.4	1.40	83	106
London A.C.	335	383	447	414	396	366	400	Boundary change			2741	263681	22352700	12.3	1.04		
Greater London								1015	986	953	2954	260801	23743160	12.5	1.13	848	853
England & Wales	5439	6026	6643	6634	6306	6351	7271	7515	7454	7160	66799	5463724	467822000	14.3	1.23	6349	6628

\* 1961. 4 is R.G.'s figure  
 \* 1963 (1) This accident was not on the public highway.  
 our figure is 3.





TABLE XXI DEATH RATE FROM ACCIDENTS BY PLACE OF OCCURRENCE 1966-69 Locally assigned

DARTFORD M.B.		External cause I.C.D. 7th Rev. 1966-67	1966	1967	External cause I.C.D. 8th Rev. 1968-69	1968	1969	Annual death rate per 100,000 1966-69		Eng. & Wales
Population		46,700	46,520		46,510	46,280	186,010	M.B. Dartford	R.D. Dartford	
<b>Deaths due to:</b>										
Accidents in the home and in residential institutions										
Accidental	E870-936	3	6		2	2	13			
Undetermined whether purposely inflicted		-	-		-	-	-			
		3	6		2	2	13			
Transport accidents	E800-866 Air Road	1	1		-	-	2			
		9	3		6	7	25	7.0	3.6	14.2
		10	4		6	7	27	14.5	13.9	15.1
Other										
Accidental	E870-936	2	1		1	1	5			
Undetermined		1	-		1	-	2			
		3	1		2	1	7	3.8	4.0	6.1
<b>All above deaths:</b>										
Accidental	E800-936	15	11		9	10	45			
Undetermined		1	-		1	-	2			
		16	11		10	10	47	25.3	21.5	35.2
Total										
Death rate per 100,000		34.3	23.6		21.5	21.5	25.3			



TABLE XXII SUICIDE

Dartford M.B.

(a) TOWN

Year reg.	MALES				FEMALES				Total persons
	Total	Age	Social Class	Method	Total	Age	Social Class	Method	
1953	2	52	III	Domestic gas	1	29	I	Drug	3
		60	III	Incision					
1954	4	27	V	Gun	2	71	III	Drowning	6
		58	IV	Domestic gas		54	IV	Domestic gas	
		58	IV	Domestic gas					
		58	II	Domestic gas					
1955	3	67	IV	Hanging	5	51	III	Domestic gas	8
		44	III	Domestic gas		24	III	Domestic gas	
		64	III	Hanging		56	IV	Domestic gas	
						52	III	Domestic gas	
						58	IV	Fall	
1956	4	48	III	Railway	4	61	III	Domestic gas	8
		57	I	Hanging		40	III	Domestic gas	
		33	III	Hanging		58	III	Drowning	
		49	III	Domestic gas		50	V	Drug	
1957	1	23	III	Domestic gas	2	79	III	Domestic gas	3
						63	IV	Drug	
1958	4	66	V	Drowning	3	60	III	Drug	7
		65	II	Drug		57	II	Domestic gas	
		62	II	Hanging		32	III	Domestic gas	
		58	V	Domestic gas					
1959	4	44	IV	Domestic gas	-				4
		68	III	Domestic gas					
		19	V	Gun					
		30	IV	Hanging					
1960	7	50	I	Drug	-				7
		64	V	Hanging					
		45	II	Domestic gas					
		57	Unclass.	Drowning					
		21	Unclass.	Electrocution					
		54	III	Domestic gas					
		58	V	Drug					
1961	2	58	III	Domestic gas	-				2
		54	III	Domestic gas					
1962	3	24	V	Domestic gas	2	32	IV	Domestic gas	5
		49	III	Domestic gas		76	Unclass.	Drowning	
		51	III	Drug					
1963	-				5	38	Unclass.	Drug	5
						54	II	Drug	
						30	I	Drug	
						66	IV	Drowning	
						36	III	Domestic gas	
1964	-				1	64	III	Drowning	1
1965	4	21	I	Railway	2	58	III	Drug	6
		58	III	Drug		33	III	Domestic gas	
		44	III	Domestic gas					
		52	V	Domestic gas					
	38				27				65

/continued





SUICIDE (continued)

Year reg.	MALES				FEMALES				Total persons
	Total	Age	Social Class	Method	Total	Age	Social Class	Method	
b/fwd	38				27				65
1966	2	61	III	Drug	1	71	III	Hanging	3
		20	III	Domestic gas					
1967	1	54	III	Car exhaust	1	44	Unclass.	Drug	2
1968	4	45	III	Hanging	1	66	III	Drug	5
		21	III	Domestic gas					
		39	IV	Domestic gas					
		62	III	Domestic gas					
1969	-				1	76	II	Drug	1
	45				31				76

(b) Bexley Hospital

1956	-				1	34	V	Drug	1
1957	-				1	57	III	Drug	1
1960	2	48	Unclass.	Railway	2	29	IV	Poison	4
		37	Unclass.	Domestic gas		65	Unclass.	Fall	
1963	-				1	33	IV	Drug	1
1969	2	55	II	Drug	-				2
		56	IV	Drug					
	4				5				9

AGE AND SOCIAL CLASS GROUPS

Age groups of above Town suicide deaths

	15-	25-	35-	45-	55-	65-	75-	Total
Male	5	3	4	12	15	4	-	45
Female	1	5	4	5	9	4	3	31
Persons	8	8	8	17	24	8	3	76

Social class groups of above Town suicide deaths

	I & II	III	IV & V	Unclass.	Total
Male	7	22	14	2	45
Female	5	16	7	3	31
Persons	12	38	21	5	76

Percentages

Persons	16%	50%	28%	7%	100%
---------	-----	-----	-----	----	------

Social class groups of Town deaths from all causes  
1953 - 1959 and 1963 (i.e. 8 years)

Persons	540	1587	1005	92	3224
	17%	49%	31%	3%	100%

Census 1951

	16%	56%	28%	-	100%
--	-----	-----	-----	---	------





TABLE XXIII SUICIDE  
(a) Comparison of local urban with rural death rates

Year	Population aggregates			Deaths outside long-stay hosp.	Rate per 100,000	Standard error of rate
	District	Long-stay hospital	Non-hospital population			
<u>Dartford Town*</u>						
1953-57	204,160	10,000	194,160	28	14.4	2.73
1958-62	223,670	10,000	213,670	25	11.7	2.34
1963-67	232,800	10,000	222,800	17	7.6	1.85
1968-69	92,790	4,000	88,790	6	6.8	2.78
1953-69	753,420	34,000	719,420	76	10.6	1.22
<u>Northfleet U.D.</u>						
1953-57	98,320	-	98,320	14	14.2	3.79
1958-62	108,010	-	108,010	12	11.1	3.20
1963-67	120,010	-	120,010	5	4.2	1.88
1968-69	50,540	-	50,540	7	13.8	5.24
1953-69	376,880	-	376,880	38	10.1	1.64
<u>Dartford Residential R.D.*</u>						
1953-57	208,280	10,000	198,280	18	9.0	2.13
1958-62	258,580	10,000	248,580	13	5.2	1.45
1963-67	295,460	10,000	285,460	18	6.3	1.49
1968-69	128,120	4,000	124,120	7	5.6	2.12
1953-69	890,440	34,000	856,440	56	6.5	0.87
<u>Swanscombe U.D. (Up to 1926 Rural District Parish)</u>						
1953-57	44,004	-	44,004	4	9.1	4.55
1958-62	44,850	-	44,850	2	4.5	3.18
1963-67	40,200	-	46,200	1	2.2	2.20
1968-69	18,860	-	18,860	-	-	-
1953-69	153,914	-	153,914	7	4.6	1.74
<u>Dartford Town and Northfleet U.D. combined</u>						
1953-59	1,130,300	34,000	1,096,300	114	10.4	0.98
<u>Dartford Residential R.D. and Swanscombe U.D. combined</u>						
1953-69	1,044,354	34,000	1,010,354	63	6.2	0.78

\* The terms Dartford Town and Dartford Residential R.D. are used to denote the populations of these districts outside the long-stay hospitals.

TABLE XXIII  
SUICIDE

(a) Comparison of local urban with rural death rates

Year	District	Population aggregates	Non-hospital long-stay population	Deaths outside long-stay hosp.	Rate per 100,000	Standard error of rate
1957-59	153,420	34,000	79,420	76	10.6	1.22
1958-59	92,730	4,000	88,730	6	6.8	2.78
1959-61	222,800	10,000	212,800	17	7.6	1.85
1958-62	222,670	10,000	212,670	22	11.7	2.34
1957-59	204,180	10,000	194,180	28	14.4	2.75
<u>Darford Town</u>						
1957-59	276,880	-	276,880	28	10.1	1.64
1958-59	50,240	-	50,240	7	13.8	2.84
1959-61	120,010	-	120,010	2	1.5	1.88
1958-62	108,010	-	108,010	12	11.1	2.20
1957-59	98,220	-	98,220	14	14.5	2.79
<u>Northwest U.D.</u>						
1957-59	890,440	34,000	856,440	56	6.5	0.87
1958-59	128,120	4,000	124,120	7	5.6	2.71
1959-61	292,460	10,000	282,460	18	6.3	1.42
1958-62	258,280	10,000	248,280	12	4.5	1.42
1957-59	208,280	10,000	198,280	18	9.0	2.75
<u>Darford Residential R.D.</u>						
1957-59	122,914	-	122,914	7	4.6	1.74
1958-59	18,660	-	18,660	-	-	-
1959-61	40,300	-	40,300	1	2.5	2.20
1958-62	44,820	-	44,820	2	4.5	2.18
1957-59	44,004	-	44,004	4	9.1	4.22
<u>Swanscombe U.D. (Up to 1956 Rural District Parish)</u>						
1957-59	1,120,300	34,000	1,086,300	114	10.4	0.98
<u>Darford Town and Northwest U.D. combined</u>						
1957-59	1,044,224	34,000	1,010,224	62	6.2	0.78
<u>Darford Residential R.D. and Swanscombe U.D. combined</u>						

\* The terms Darford Town and Darford Residential R.D. are used to denote the populations of these districts outside the long-stay hospital.

TABLE XXIII SUICIDE (continued)

(b) Differences of local death rates for the seventeen year period 1953-69 in order of statistical significance

Comparison between	Death rates	Diff-erence	Standard error of difference	Difference $\div$ S.E. of difference	Approximate probability with which difference could be due to chance
<u>Differences not statistically significant</u>					
Dartford Town	10.6		$\sqrt{1.64^2 + 1.22^2}$	0.24	0.8
Northfleet U.D.	10.1	0.5	$= \sqrt{2.69 + 1.49}$ $= \sqrt{4.18} = 2.05$		
Dartford R.R.D.	6.5		$\sqrt{0.87^2 + 1.74^2}$	0.97	0.3
Swanscombe U.D.	4.6	1.9	$= \sqrt{0.76 + 3.03}$ $= \sqrt{3.79} = 1.95$		
<u>Differences statistically significant</u>					
Northfleet U.D.	10.1		$\sqrt{1.64^2 + 0.87^2}$	1.94	0.05
Dartford R.R.D.	6.5	3.6	$= \sqrt{2.69 + 0.76}$ $= \sqrt{3.45} = 1.86$		
Northfleet U.D.	10.1		$\sqrt{1.64^2 + 1.74^2}$	2.29	0.02
Swanscombe U.D.	4.6	5.5	$= \sqrt{2.69 + 3.03}$ $= \sqrt{5.72} = 2.39$		
Dartford Town	10.6		$\sqrt{1.22^2 + 0.87^2}$	2.74	0.01
Dartford R.R.D.	6.5	4.1	$= \sqrt{1.49 + 0.76}$ $= \sqrt{2.25} = 1.50$		
Dartford Town	10.6		$\sqrt{1.22^2 + 1.74^2}$	2.82	0.01
Swanscombe U.D.	4.6	6.0	$= \sqrt{1.49 + 3.03}$ $= \sqrt{4.52} = 2.13$		
Dartford Town	10.6		$\sqrt{0.98^2 + 0.78^2}$	3.36	0.001
Northfleet U.D.	10.4		$= \sqrt{0.96 + 0.61}$		
Dartford R.R.D.		4.2	$= \sqrt{1.57} = 1.25$		
Swanscombe U.D.	6.2				



TABLE XXIII SUICIDE (continued)

(d) Differences of local death rates for the seventeen year period 1953-69 in order of statistical significance

Comparison between	Death rates	Difference of difference	Standard error of difference	Difference $\pm$ E.E. of difference	Approximate probability that difference is due to chance
Differences not statistically significant					
Barford Town	10.6	0.5	$\sqrt{1.64^2 + 1.32^2}$	0.34	0.8
Northfleet U.D.	10.1		$\sqrt{2.69 + 1.43}$		
			$\sqrt{4.18} = 2.05$		
Barford R.R.D.	6.5	1.9	$\sqrt{0.87^2 + 1.74^2}$	0.97	0.5
Swancombe U.D.	4.6		$\sqrt{0.76 + 3.03}$		
			$\sqrt{3.79} = 1.95$		
Differences statistically significant					
Northfleet U.D.	10.1	3.6	$\sqrt{1.64^2 + 0.87^2}$	1.94	0.05
Barford R.R.D.	6.5		$\sqrt{2.69 + 0.76}$		
			$\sqrt{3.45} = 1.86$		
Northfleet U.D.	10.1	5.5	$\sqrt{1.64^2 + 1.74^2}$	2.59	0.05
Swancombe U.D.	4.6		$\sqrt{2.69 + 3.03}$		
			$\sqrt{5.72} = 2.39$		
Barford Town	10.6	4.1	$\sqrt{1.32^2 + 0.87^2}$	2.14	0.01
Barford R.R.D.	6.5		$\sqrt{1.43 + 0.76}$		
			$\sqrt{2.19} = 1.50$		
Barford Town	10.6	6.0	$\sqrt{1.32^2 + 1.74^2}$	2.62	0.01
Swancombe U.D.	4.6		$\sqrt{1.43 + 3.03}$		
			$\sqrt{4.46} = 2.11$		
Barford Town	10.6	4.3	$\sqrt{0.98^2 + 0.76^2}$	2.36	0.001
Northfleet U.D.	10.1		$\sqrt{0.96 + 0.87}$		
Barford R.R.D.	6.5		$\sqrt{1.57} = 1.25$		

TABLE XXIII SUICIDE (continued)

(c) Comparison of periods, local trend

Dartford Residential R.D., Town, Northfleet and Swanscombe U.D's combined

Period	Years	Population aggregates	Deaths	Death rate	Standard error of death rate
1953-57	5	534,764	64	12.0	1.50
1958-62	5	615,110	52	8.5	1.18
1963-67	5	665,340	41	6.2	0.97
1968-69	2	290,310	20	6.9	1.54

Statistical significance of changes

Comparison between periods:	Death rates	Difference	Standard error of difference	Difference ÷ S.E. of difference	Approximate probability that difference is due to chance
1953-57	12.0	-3.5	$\sqrt{1.50^2 + 1.18^2}$	1.83	0.05
1958-62	8.5		$= \sqrt{2.25 + 1.39}$		
1953-62	12		$= \sqrt{3.64} = 1.91$		
1958-62	8.5	-2.3	$\sqrt{1.18^2 + 0.97^2}$	1.51	0.10
1963-67	6.2		$= \sqrt{1.39 + 0.94}$		
Differences between Kent urban			$= \sqrt{2.33} = 1.53$		
1963-67	6.2	+0.7	$\sqrt{0.97^2 + 1.54^2}$	0.38	0.70
1968-69	6.9		$= \sqrt{0.94 + 2.37}$		
1953-64	10.7		$= \sqrt{3.31} = 1.82$		

## England and Wales

Suicide death rates per 100,000

	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969
Males	14.4	14.0	13.6	13.3	14.2	14.0	13.6	12.5	11.9	11.5	11.4	10.6
Females	9.0	8.8	8.6	9.0	9.6	9.8	9.7	8.9	8.7	7.9	7.6	7.2
Persons	11.6	11.3	11.0	11.1	11.8	12.0	11.6	10.7	10.3	9.7	9.4	8.9

Standardised Mortality Ratios (base year 1968)

Males	124	121	118	116	124	125	119	109	105	101	100	93
Females	118	115	112	118	125	129	128	118	114	104	100	95

TABLE XXIII  
SUICIDE (continued)

(c) Comparison of periods, local trends

Dartford Residential R.D., Town, Northfleet and Swanscombe U.D.'s combined

Period	Years	Population aggregated	Deaths	Death rate	Standard error of death rate
1957-59	3	290,310	20	6.9	1.24
1963-67	5	662,340	41	6.2	0.97
1958-62	5	612,110	32	5.2	1.18
1953-57	5	554,764	64	12.0	1.50

Statistical significance of changes

Comparison between periods:	Death rates	Difference	Standard error of difference	Difference $\pm$ S.E. of difference is due to chance	Approximate probability
1957-59 1958-62	6.9 5.2	-1.7	$\sqrt{1.24^2 + 1.18^2}$ $= \sqrt{2.52 + 1.39}$ $= \sqrt{3.91} = 1.98$	1.82	0.05
1958-62 1963-67	5.2 6.2	-1.0	$\sqrt{1.18^2 + 0.97^2}$ $= \sqrt{1.39 + 0.94}$ $= \sqrt{2.33} = 1.53$	1.51	0.10
1963-67 1958-62	6.2 5.2	+1.0	$\sqrt{0.97^2 + 1.24^2}$ $= \sqrt{0.94 + 1.54}$ $= \sqrt{2.48} = 1.58$	0.58	0.70

England and Wales

Suicide death rates per 100,000

Year	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969
Males	14.4	14.0	13.8	13.3	14.5	14.0	13.6	12.5	11.9	11.2	11.4	10.6
Females	9.0	8.8	8.6	9.0	9.8	9.7	8.9	8.7	7.9	7.6	7.2	6.9
Persons	11.6	11.3	11.0	11.1	11.8	11.8	10.7	10.7	9.7	9.4	9.4	8.9

Standardized Mortality Ratios (base year 1968)

Year	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969
Males	124	127	128	126	124	122	119	109	102	101	100	93
Females	118	115	112	116	122	120	118	114	104	101	100	92



TABLE XXIII SUICIDE (continued)

## (d) Comparison of Kent urban with rural death rates

Period	Years	Population aggregates	Deaths	Death rate per 100,000	Standard error of rate	probability difference is due to chance
Kent Urban Districts						
1953-57	5	6,245,220	673	10.8	0.42	
1958-62	5	6,473,780	765	10.8	0.39	
1963-64	2	2,683,810	273	10.2	0.62	
1953-64	12	15,402,810	1,651	10.7	0.26	
After boundary change losing metropolitan U.D's.						
1965-69	5	4,417,370	503	11.4	0.51	
Kent Rural Districts						
1953-57	5	1,683,080	166	9.8	0.76	
1958-62	5	1,805,830	160	8.9	0.71	
1963-64	2	784,110	72	9.1	1.08	
1953-64	12	4,273,020	398	9.3	0.47	
After boundary change not affecting R.D's						
1965-69	5	2,142,920	161	7.5	0.59	
Differences between Kent urban and rural death rates						
Comparison between	Death rates	Diff-erence	Standard error of difference	Difference ÷ S.E. of difference	Approx. probability with which difference could be due to chance	
1953-64						
Kent U.D's	10.7		$\sqrt{0.26^2 + 0.47^2}$			
Kent R.D's	9.3	1.4	$= \sqrt{0.07 + 0.22}$	2.59	0.01	
			$= \sqrt{0.29} = 0.54$			
1965-69						
Kent U.D's	11.4	.	$\sqrt{0.51^2 + 0.59^2}$			
Kent R.D's	7.5	3.9	$= \sqrt{0.26 + 0.35}$			
			$= \sqrt{0.61} = 0.78$	5.00	less than 0.001	

TABLE XXIII  
SUICIDE (continued)

(5) Comparison of Kent urban with rural death rates

Period	Years	Population aggregates	Deaths	Death rate per 100,000	Standard error of rate
Kent Urban Districts					
1957-64	12	12,402,810	1,621	10.7	0.26
1963-64	2	2,683,810	273	10.2	0.62
1958-62	5	6,473,780	765	10.8	0.39
1957-57	2	6,245,220	673	10.8	0.42
Kent Rural Districts					
1957-64	12	4,273,020	398	9.3	0.47
1963-64	2	784,110	72	9.1	1.08
1958-62	5	1,802,830	160	8.9	0.71
1957-57	2	1,687,080	166	9.8	0.76
After boundary change not affecting R.D.'s					
1965-69	5	2,142,920	161	7.5	0.59
Differences between Kent urban and rural death rates					
Comparison between	Death rates	Diff. error	Standard error of difference	Difference of $\frac{1}{2}$ S.E. of difference	Approx. probability that difference could be due to chance
1957-64 Kent U.D.'s Kent R.D.'s	10.7 9.3	1.4	$\sqrt{0.26^2 + 0.47^2}$	2.29	0.01
			$\sqrt{0.26^2 + 0.47^2}$		
1965-69 Kent U.D.'s Kent R.D.'s	11.4 7.5	3.9	$\sqrt{0.59^2 + 0.39^2}$	2.00	0.001
			$\sqrt{0.59^2 + 0.39^2}$		

TABLE XXIII SUICIDE (continued)

Comparison between periods	Death rates	Difference	(e) Comparison of periods. Trend		Approx. probability that difference is due to chance
			Standard error of difference	Difference $\div$ S.E. of difference	

Kent Urban Districts

1958-62	10.8		$\sqrt{0.39^2 + 0.62^2}$		
1963-64	10.2	-0.6	$= \sqrt{0.15^2 + 0.38^2}$	0.82	0.4
			$= \sqrt{0.53}$	$= 0.73$	

In the urban districts periods after 1964 cannot be compared with previous periods as the boundary change altered the constitution of the urban population

Kent Rural Districts

1953-57	9.8		$\sqrt{0.76^2 + 0.71^2}$		
1958-62	8.9	-0.9	$\sqrt{0.58^2 + 0.50^2}$	0.87	0.4
			$\sqrt{1.08}$	$= 1.04$	
1958-62	8.9		$\sqrt{0.71^2 + 1.08^2}$		
1963-64	9.1	+0.2	$\sqrt{0.50^2 + 1.17^2}$	0.16	0.9
			$\sqrt{1.67}$	$= 1.29$	
1963-64	9.1		$\sqrt{1.08^2 + 0.59^2}$		
1965-69	7.5	-1.6	$\sqrt{1.17^2 + 0.35^2}$	1.30	0.2
			$\sqrt{1.52}$	$= 1.23$	
1953-64	9.3		$\sqrt{0.47^2 + 0.59^2}$		
1965-69	7.5	-1.8	$\sqrt{0.22^2 + 0.35^2}$	2.37	0.02
			$\sqrt{0.57}$	$= 0.76$	



(a) Comparison of periods. Trend

Comparison between periods  
Diff. rates  
Diff. errors  
Standard error of difference  
Difference  $\pm$  S.E. of difference  
Approx. probability that difference is due to chance

Kent Urban Districts

1958-62	10.8	$\sqrt{0.58^2 + 0.62^2}$	0.82	0.4
1963-64	10.2	$\sqrt{0.12^2 + 0.52^2}$	-	-
	-0.6	$\sqrt{0.52^2} = 0.72$	-	-

In the urban districts periods after 1964 cannot be compared with previous periods as the boundary change altered the constitution of the urban population

Kent Rural Districts

1957-59	9.8	$\sqrt{0.12^2 + 0.77^2}$	0.87	0.4
1958-62	8.9	$\sqrt{0.58^2 + 0.50^2}$	-	-
	-0.9	$\sqrt{1.08^2} = 1.04$	-	-
1958-62	8.9	$\sqrt{0.77^2 + 1.08^2}$	0.18	0.9
1963-64	9.1	$\sqrt{0.50^2 + 1.17^2}$	-	-
	+0.2	$\sqrt{1.67^2} = 1.59$	-	-
1963-64	9.1	$\sqrt{1.08^2 + 0.52^2}$	1.50	0.2
1963-64	7.5	$\sqrt{1.17^2 + 0.52^2}$	-	-
	-1.6	$\sqrt{1.22^2} = 1.23$	-	-
1957-64	9.3	$\sqrt{0.47^2 + 0.52^2}$	2.57	0.02
1963-64	7.5	$\sqrt{0.52^2 + 0.52^2}$	-	-
	-1.8	$\sqrt{0.72^2} = 0.72$	-	-

TABLE XXIV YEARS OF LIFE LOST

(a) Factors used in calculations

Dartford M.B.

Age groups	Population 1966 10% census		Proportion of age groups in population		Proportions applied to 1966-69 aggregate of populations		1967-69 weights applied to group death rates to give years lost per 10,000 per annum		
	Persons	Males	Females	Males	Females	Males	Females	Males	Females
0-4	3,910	2,060	1,850	.044	.040	8,200	7,450	4.510	7.595
5-14	6,690	3,470	3,220	.075	.070	13,900	13,000	7.820	11.777
15-19	3,470	1,830	1,640	.072	.067	13,400	12,450	6.825	9.865
19-24	2,970	1,520	1,450						
25-44	12,510	6,220	6,290	.134	.135	24,900	25,110	7.012	12.168
45-59	8,840	4,310	4,530	.119	.130	22,200	24,200	1.715	6.615
60-64	2,720	1,220	1,500						
65+	5,290	2,010	3,280	.043	.071	8,000	13,200	-	0.848
All ages	46,400	22,640	23,760	.487	.513	90,600	95,410		
				1,000		186,010			
				Estimates of home population mid 1966		46,700			
				"	"	1967	46,520		
				"	"	1968	46,510		
				"	"	1969	46,280		
							186,010		
				1966-69 population under analysis i.e. aggregate of estimates 186,010					

Work years = years of working life taken as life from age 15 to 64.  
 Total years = years of life from 0 up to age 85.

1966-69 population under analysis i.e. aggregate of estimates 186,010

\* see pp. 34 and 35 Registrar General's June Quarterly Return for 1970

U.S. National

TABLE 1. SUMMARY OF DATA FOR THE STUDY OF THE EFFECTS OF THE 1962-63 WINTER ON THE REPRODUCTION OF THE ATLANTIC HERRING (CLupea harengus) IN THE CHESAPEAKE BAY, VIRGINIA

Year	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population	Area	Population
------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------	------	------------



TABLE XXIV YEARS OF LIFE LOST

(b) Years lost from certain causes

Dartford M.B.

## MALES

Age groups	Deaths assigned by R.G.					Rate per 10,000 per year	Work years lost per 10,000 per year	Total years lost per 10,000 per year
	1966	1967	1968	1969	1966-69			
<u>Deaths</u>								
<u>All causes</u>								
0- 4	12	6	10	6	34	41.5	188	315
5-14	1	-	-	-	1	0.72	5.63	8.45
15-24	5	5	1	-	11	8.23	56.3	81.0
25-44	11	9	15	13	48	19.3	136	234
45-64	85	71	73	78	307	138.2	236	920
65+	179	185	166	163	693	866		730
All ages	293	276	265	260	1,094	121	621.93	2288.45
<u>Cancer All sites</u>								
0- 4	-	1	-	-	1	1.2	5.43	9.1
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	5	1	2	2	10	4.02	28.4	49.0
45-64	21	18	14	14	67	30.2	52.0	200
65+	39	26	19	25	109	136.3		116
All ages	65	46	35	41	187	20.7	85.83	374.1
<u>Cancer Lung</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	-	-	-	-	-	-
45-64	11	8	7	7	33	14.85	25.5	98.5
65+	19	13	8	3	43	53.8		45.5
All ages	30	21	15	10	76	8.40	25.5	144
<u>Ischaemic Heart Disease</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	2	4	1	3	10	4.02	28.4	48.8
45-64	32	17	27	29	105	47.3	82.0	314
65+	38	44	45	49	176	220		186.5
All ages	72	65	73	81	291	32.3	110.4	549.3
<u>Other heart disease hypertension</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	2	1	3	1.21	8.50	14.6
45-64	5	7	6	3	21	9.45	16.0	62.5
65+	17	15	13	7	52	65.10		55.3
All ages	22	22	21	11	76	8.40	24.5	132.4

TABLE XXIV YEARS OF LIFE LOST

(b) Years lost from certain causes

Age Groups	Deaths assigned by N.G.						MALES		Total years lost per 10,000 per Year
	1967	1968	1969	1966-69	Rate per 10,000 per Year	Work years lost per 10,000 per Year	Rate per 10,000 per Year		
<u>Deaths</u>									
<u>All causes</u>									
0-4	12	6	10	6	24	188	47.5	188	315
5-14	1	-	-	-	8	5.63	0.72	5.63	8.45
15-24	5	2	1	-	11	26.3	8.23	26.3	81.0
25-44	11	9	15	15	48	136	19.3	136	234
45-64	82	71	73	78	307	236	138.2	236	920
65+	179	182	166	162	693	-	866	-	130
All ages	276	262	260	260	1,094	621.93	121	621.93	2288.45
<u>Cancer All sites</u>									
0-4	-	-	-	-	1	2.43	1.2	2.43	3.1
5-14	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-	-
25-44	3	7	2	2	10	28.4	4.05	28.4	49.0
45-64	21	18	14	14	67	25.0	30.2	25.0	200
65+	39	26	19	22	109	136.3	136.3	136.3	116
All ages	62	46	35	41	187	82.83	20.7	82.83	374.1
<u>Cancer Lung</u>									
0-4	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-	-
25-44	-	-	-	-	-	-	-	-	-
45-64	11	8	7	7	35	22.5	14.85	22.5	98.5
65+	19	12	8	3	43	22.8	22.8	22.8	42.2
All ages	30	21	15	10	76	22.5	8.40	22.5	144
<u>Ischemic Heart Disease</u>									
0-4	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-	-
25-44	3	4	1	2	10	28.4	4.05	28.4	48.6
45-64	32	17	27	29	105	85.0	47.3	85.0	314
65+	38	44	42	49	176	220	220	220	186.2
All ages	72	65	72	81	291	110.4	32.3	110.4	249.2
<u>Other heart disease hypertension</u>									
0-4	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-	-
25-44	-	-	2	1	3	8.20	1.21	8.20	14.6
45-64	2	7	6	3	21	16.0	9.45	16.0	62.2
65+	17	12	13	7	22	22.3	62.10	22.3	22.3
All ages	22	22	21	11	76	24.2	8.40	24.2	132.4

Durford M.B.

TABLE XXIV

## YEARS OF LIFE LOST

(b) Years lost from certain causes

Dartford M.B.

## MALES (continued)

Age groups	Deaths assigned by R.G.					Death rate per 10,000 per year	Years of life lost per 10,000 per year	
	1966	1967	1968	1969	1966-1969		Work years	Total years

Cerebrovascular Disease

0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	1	-	-	1	0.75	5.12	7.4
25-44	-	-	2	1	3	1.21	8.5	14.6
45-64	3	4	3	8	18	8.10	13.9	53.8
65+	19	25	24	21	89	111.3		96.0
All ages	22	30	29	30	111	12.3	27.52	171.8

Pneumonia, bronchitis and asthma

0- 4	2	2	2	1	7	8.6	39	65
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	-	1	1	0.402	2.84	4.88
45-64	9	9	8	13	39	17.6	30.1	116.5
65+	40	48	43	44	175	218.8		184.3
All ages	51	59	53	59	222	24.5	71.94	370.68

Accidents

0- 4	-	-	-	-	-	-	-	-
5-14	1	-	-	-	1	0.72	5.63	8.45
15-24	4	3	-	-	7	5.23	36.0	51.9
25-44	1	2	4	2	9	3.62	25.5	44.0
45-64	6	1	2	1	10	4.50	7.7	29.9
65+	1	1	2	-	4	5.00		4.24
All ages	13	7	8	3	31	3.44	74.83	138.49

Ischaemic Heart Disease

0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	-	-	-	-	-	-
45-64	5	7	7	1	20	10.0	20.0	20.0
65+	32	38	37	28	135	135.0		135.0
All ages	37	45	44	29	155	155.0		155.0

Other Heart Disease - Myocardial Infarction

0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	-	-	-	-	-	-
45-64	3	3	3	3	12	6.0	6.0	6.0
65+	30	27	15	10	82	82.0		82.0
All ages	33	30	18	13	94	94.0		94.0



# TABLE XXIV YEARS OF LIFE LOST

(b) Years lost from certain causes

MALES (continued)

Age group 1966 1967 1968 1969 1966-1969 Deaths assigned by R.G. per 10,000 Death rate per 10,000 Years of life lost per 10,000 per year Work years Total years

## Cerebrovascular Disease

Age group	1966	1967	1968	1969	1966-1969	Deaths assigned by R.G. per 10,000	Death rate per 10,000	Years of life lost per 10,000 per year	Work years Total years
0-4	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-	-
25-44	-	-	-	-	-	-	-	-	-
45-64	3	4	5	8	20	18	8.10	13.9	23.8
65+	19	22	24	21	86	111.2	111.2	96.0	96.0
All ages	22	26	29	30	111	15.2	15.2	111.8	111.8

## Pneumonia, bronchitis and asthma

Age group	1966	1967	1968	1969	1966-1969	Deaths assigned by R.G. per 10,000	Death rate per 10,000	Years of life lost per 10,000 per year	Work years Total years
0-4	2	2	2	1	7	8.6	8.6	39	39
5-14	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-	-
25-44	-	-	-	-	-	-	-	-	-
45-64	9	9	8	13	39	17.6	17.6	116.2	116.2
65+	40	48	43	44	175	218.8	218.8	184.2	184.2
All ages	51	59	53	59	222	24.2	24.2	210.68	210.68

## Accidents

Age group	1966	1967	1968	1969	1966-1969	Deaths assigned by R.G. per 10,000	Death rate per 10,000	Years of life lost per 10,000 per year	Work years Total years
0-4	-	-	-	-	-	-	-	-	-
5-14	1	-	-	-	1	0.72	0.72	2.62	2.62
15-24	4	3	-	-	7	2.22	2.22	36.0	36.0
25-44	1	2	4	2	9	3.62	3.62	22.2	22.2
45-64	6	1	2	1	10	4.20	4.20	29.9	29.9
65+	1	1	2	-	4	2.00	2.00	4.24	4.24
All ages	12	7	9	3	31	3.44	3.44	108.49	108.49

TABLE XXIV YEARS OF LIFE LOST

(b) Years lost from certain causes

Dartford M.B.

## FEMALES

Age groups	Deaths assigned by R.G.					Death rate per 10,000 per year	Years of life lost per 10,000 per year	
	1966	1967	1968	1969	1966-69		Work years	Total years
<u>Deaths all causes</u>								
0- 4	4	8	5	8	25	33.5	136	230
5-14	1	-	1	-	2	1.54	10.6	16.4
15-24	1	1	2	2	6	4.80	30.5	44.0
25-44	9	1	10	5	25	9.90	63.0	109
45-64	40	39	52	49	180	74.5	135	503
65+	252	226	277	232	987	748		618
All ages	307	275	347	296	1,225	129	375.1	1520.4
<u>Cancer All sites</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	1	-	1	0.803	5.10	7.35
25-44	3	2	3	3	11	4.37	27.8	48.5
45-64	13	20	18	18	69	28.60	52.0	194
65+	34	28	27	26	115	87.0		71.8
All ages	50	50	49	47	196	20.5	84.9	321.65
<u>Cancer Breast</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	1	-	1	2	4	1.59	10.1	17.6
45-64	4	4	5	4	17	7.06	13.8	47.8
65+	5	7	5	1	18	13.7		11.3
All ages	10	11	11	7	39	4.1	23.9	76.7
<u>Ischaemic Heart Disease</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	1	1	-	2	0.795	5.06	8.80
45-64	5	7	8	9	29	12.0	21.8	81.3
65+	32	38	57	58	185	141		116
All ages	37	46	66	67	216	22.6	26.86	206.10
<u>Other heart disease hypertension</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	1	-	1	0.398	2.54	4.40
45-64	3	3	3	3	12	4.96	9.00	33.6
65+	35	27	15	10	87	65.8		53.6
All ages	38	30	19	13	100	10.5	11.54	91.60

TABLE XXIV YEARS OF LIFE LOST

(b) Years lost from certain causes

Age Groups	Deaths sustained by R.G. 1966-69					Death rate per 10,000 per year	Years of life lost per 10,000 per year	Work years Total years
	1966	1967	1968	1969	1966-69			
<u>Deaths all causes</u>								
0-4	4	8	5	8	25	32.5	156	320
5-14	1	-	1	-	2	1.54	10.6	16.4
15-24	1	1	2	2	6	4.80	30.5	44.0
25-44	9	10	10	5	32	9.90	63.0	109
45-64	40	39	39	49	180	74.5	132	302
65+	232	236	277	232	987	748		618
All ages	307	275	347	296	1,225	429	372.1	1250.4
<u>Cancer All sites</u>								
0-4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	1	-	1	0.805	5.10	7.32
25-44	2	2	2	2	11	4.37	27.8	48.2
45-64	13	20	18	18	69	28.60	32.0	184
65+	24	28	27	26	115	87.0	71.8	371.8
All ages	30	50	49	47	196	20.5	64.9	321.62
<u>Cancer Breast</u>								
0-4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	1	-	1	2	4	1.59	10.1	17.6
45-64	4	4	5	4	17	7.06	13.8	47.8
65+	2	7	2	1	18	12.7	11.3	11.3
All ages	10	11	7	7	39	4.1	23.9	76.7
<u>Ischaemic Heart Disease</u>								
0-4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	1	1	-	2	0.725	5.06	8.80
45-64	2	7	6	9	25	12.0	27.8	81.2
65+	32	38	37	38	185	141	116	116
All ages	37	46	66	67	246	22.6	26.86	206.10
<u>Other heart disease hypertension</u>								
0-4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	-	-	1	-	1	0.398	2.54	4.40
45-64	2	2	2	2	12	4.96	9.00	33.6
65+	22	27	12	10	87	62.8	33.6	33.6
All ages	28	30	13	12	100	10.5	17.54	91.60



TABLE XXIV YEARS OF LIFE LOST

(b) Years lost from certain causes

Dartford M.B.

## FEMALES (continued)

Age groups	Deaths assigned by R.G.					Death rate per 10,000 per year	Years of life lost per 10,000 per year	
	1966	1967	1968	1969	1966-69		Work years	Total years
<u>Cerebrovascular disease</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	2	1	-	-	3	1.19	7.58	13.2
45-64	5	1	8	5	19	7.85	14.2	53.1
65+	42	31	40	45	168	127	-	105
All ages	49	33	48	50	190	19.9	21.78	171.3
<u>Pneumonia, bronchitis and asthma</u>								
0- 4	-	1	1	-	2	2.7	11.0	18.5
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	-	-	-
25-44	1	-	1	-	2	0.795	5.05	8.80
45-64	8	5	8	7	28	11.6	21.0	78.2
65+	65	60	104	52	281	213	-	176
All ages	74	66	114	59	313	32.8	37.05	281.50
<u>Accidents</u>								
0- 4	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-
15-24	-	-	-	1	1	0.803	5.10	7.35
25-44	-	-	-	1	1	0.398	2.58	4.40
45-64	-	-	-	2	2	0.830	1.50	5.60
65+	1	4	1	3	9	6.80	-	5.6
All ages	1	4	1	7	13	1.36	9.18	22.95

## Working life lost. FEMALES

Cause of death								
All causes	422	407	399	393	405.3	375	10.7	2.8
Cancer all sites	91	91	90	91	90.8	85	6.07	1.0
Cancer breast	22	22	21	22	21.6	24	3.84	0.6
Ischaemic Heart dis.	24	23	23	25	24.3	27	1.87	1.4
Other heart disease	19	16	16	17	17.5	12	1.20	4.7
Cerebrovascular dis.	22	22	21	20	21.3	22	1.53	0.4
Pneumonia, bronchitis	41	40	36	35	38.0	37	2.09	0.5
Accidents	32	33	29	28	30.5	9	2.49	8.6

TABLE XXIV  
YEARS OF LIFE LOST  
(c) Years lost from certain causes  
Dorford M.B.  
FEMALES (continued)

Age Group	Deaths assigned by R.O. 1966 1967 1968 1969 1966-69	Death rate per 10,000 per year	Years of life lost per 10,000 per year	Work years Total years
<u>Coronary heart disease</u>				
0-4	-	-	-	-
5-14	-	-	-	-
15-24	-	-	-	-
25-44	2	1.19	7.58	13.2
45-64	5	7.65	14.2	25.1
65+	42	127	102	102
All ages	49	49.9	21.78	117.3
<u>Pneumonia, bronchitis and asthma</u>				
0-4	1	2.1	11.0	18.2
5-14	-	-	-	-
15-24	-	-	-	-
25-44	1	0.195	2.05	8.80
45-64	8	11.6	21.0	28.2
65+	62	212	176	176
All ages	74	22.8	27.05	281.50
<u>Accidents</u>				
0-4	-	-	-	-
5-14	-	-	-	-
15-24	-	-	-	-
25-44	-	-	-	-
45-64	-	-	-	-
65+	1	6.80	1.50	2.8
All ages	1	1.26	2.18	25.92

TABLE XXV YEARS OF LIFE LOST PER YEAR PER 10,000 POPULATION

## Certain causes

## Comparison with England and Wales

Cause of death	England and Wales					Dartford M.B. 1966-69	Standard error	Diff. s.e.	Approx. probability that diff. is due to chance
	1966	1967	1968	1969	Mean 1966-69				
<b>Working life lost. MALES</b>									
All causes	705	663	660	657	671.3	622	$\frac{622}{\sqrt{1094}}$ = 18.8	2.6	.01
Cancer all sites	109	106	107	106	107.0	86	$\frac{86}{\sqrt{187}}$ = 6.3	3.3	.001
Cancer lung	39	37	37	36	37.3	26	$\frac{26}{\sqrt{76}}$ = 3.0	3.8	.001
Ischaemic heart dis.	102	100	95	104	100.3	110	$\frac{110}{\sqrt{291}}$ = 6.5	1.5	.1
Other heart disease hypertension	22	20	22	22	21.5	25	$\frac{25}{\sqrt{76}}$ = 2.9	1.2	.2
Cerebrovascular dis.	25	25	24	24	24.5	28	$\frac{28}{\sqrt{111}}$ = 2.7	1.3	.2
Pneumonia, bronchitis and asthma	74	66	62	63	66.3	72	$\frac{72}{\sqrt{222}}$ = 4.8	1.2	.2
Accidents	104	97	84	90	93.8	75	$\frac{75}{\sqrt{31}}$ = 13.5	1.4	.2

## Working life lost. FEMALES

Cause of death									
All causes	422	407	399	393	405.3	375	10.7	2.8	.01
Cancer all sites	91	91	90	91	90.8	85	6.07	1.0	.3
Cancer breast	22	22	21	22	21.8	24	3.84	0.6	.6
Ischaemic Heart dis.	24	23	25	25	24.3	27	1.87	1.4	.2
Other heart disease	19	16	18	17	17.5	12	1.20	4.7	< .001
Cerebrovascular dis.	22	22	21	20	21.3	22	1.59	0.4	.7
Pneumonia, bronchitis	41	40	36	35	38.0	37	2.09	0.5	.6
Accidents	32	33	29	28	30.5	9	2.49	8.6	< .001



TABLE XXV  
YEARS OF LIFE LOST PER YEAR PER 10,000 POPULATION  
Comparison with England and Wales

Working life lost. MALES		England and Wales		Bartford		Standard error		Diff. in due to chance	
Cause of death		1965	1966	1967	1968	1969	1970	1971	1972
All causes		102	66	66	67	67	67	18.8	2.6
Cancer all sites		109	106	107	106	107	107	6.3	3.3
Cancer lung		39	37	37	36	37	36	3.0	2.8
Ischaemic heart dis.		102	100	99	104	100	110	6.5	1.3
Other heart disease hypertension		33	30	32	32	31	32	2.9	1.2
Cerebrovascular dis.		32	32	34	34	34	38	2.7	1.3
Pneumonia, bronchitis and asthma		74	66	63	63	66	72	4.8	1.2
Accidents		104	97	84	90	92	72	12.2	1.4

Working life lost. FEMALES		England and Wales		Bartford		Standard error		Diff. in due to chance	
Cause of death		1965	1966	1967	1968	1969	1970	1971	1972
All causes		422	407	399	399	402	372	10.7	2.8
Cancer all sites		91	91	90	91	90	82	6.07	1.0
Cancer breast		32	32	31	32	31	24	3.84	0.6
Ischaemic heart dis.		34	33	32	32	34	27	1.87	1.4
Other heart disease		19	16	17	17	17	12	1.20	4.7
Cerebrovascular dis.		32	32	31	30	31	22	1.39	0.4
Pneumonia, bronchitis		47	40	36	32	38	27	2.09	0.2
Accidents		32	33	29	28	30	2	2.49	6.6

TABLE XXV YEARS OF LIFE LOST PER YEAR PER 10,000 POPULATION

Comparison with England and Wales

YEARS OF TOTAL LIFE LOST. MALES

Cause of death	England and Wales					Dartford		Diff. s.e.	Approximate probability that diff. is due to chance
	1966	1967	1968	1969	Mean 1966-69	M.B. 1966-69	Standard error		
All causes	2353	2229	2288	2319	2297.3	2,288	69.4	0.1	.9
Cancer all sites	448	448	453	456	451.5	374	27.4	2.8	.01
Cancer lung	176	177	176	179	177.0	144	16.5	2.0	.05
Ischaemic heart dis.	492	488	530	542	513.0	549	32.2	1.1	.3
Other heart disease	140	129	118	118	126.3	132	15.1	0.4	.7
Cerebrovascular dis.	173	167	170	170	170.0	172	16.2	0.1	.9
Pneumonia, bronchitis	282	250	271	285	272.0	371	24.8	4.0	< .001
Accidents	191	178	154	164	171.8	138	24.8	1.3	.2

Years of total life lost. FEMALES

All causes	1452	1398	1410	1409	1417.3	1,520	43.4	2.4	.02
Cancer all sites	322	325	323	328	324.5	322	23.0	0.1	.3
Cancer breast	74	76	74	77	75.3	77	12.3	0.1	.3
Ischaemic heart dis.	166	165	193	195	179.8	206	14.0	1.9	.05
Other heart disease	135	123	108	106	118.0	92	9.2	2.8	.01
Cerebrovascular dis.	160	159	158	156	158.3	171	12.4	1.0	.3
Pneumonia, bronchitis	139	128	137	136	135.0	282	15.9	9.2	< .001
Accidents	70	71	63	62	66.5	23	6.4	6.8	< .001

TABLE XXVI CRUDE DEATH RATES PER 10,000 POPULATION PER YEAR BY SEX  
CERTAIN CAUSES. ALL AGES

Cause of death	1966-69 International classification of disease Nos.		MALES		FEMALES	
	1966-67 7th rev.	1968-69 8th rev.	Dartford M.B.	England & Wales	Dartford M.B.	England & Wales
All causes			121	123	129	111
Cancer all sites	140-205	140-209	21	26	21	21
Cancer lung	162-163	162	8	10		
Cancer breast	170	174	0	0	4	4
Ischaemic Heart dis.	420	410-414	32	32	23	21
Other heart disease	410-416, 421-443	Rem. 393-429	8	9	11	14
Cerebrovascular dis.	330-334	430-493	12	13	20	19
Pneumonia, bronchitis	490-502, 763	480-493	25	17	33	12
Accidents	E810-E962	E800-E949	3	4	1	3

TABLE XXV  
YEARS OF LIFE LOST PER YEAR PER 10,000 POPULATION  
Comparison with England and Wales

YEARS OF TOTAL LIFE LOST		MALES		FEMALES	
Cause of death	All causes	England and Wales		England and Wales	
		1966-67	1966-67	1966-67	1966-67
Accidents		191	178	191	178
Pneumonia, bronchitis		282	250	282	250
Cerebrovascular dis.		175	167	175	167
Other heart disease		140	139	140	139
Ischaemic heart dis.		422	408	422	408
Cancer lung		176	177	176	177
Cancer all sites		448	453	448	453
All causes		2553	2529	2553	2529
Standard error		2.288	2.297	2.288	2.297
Approximate probability that diff. is due to chance		0.1	0.1	0.1	0.1

TABLE XXVI CRUDE DEATH RATES PER 10,000 POPULATION PER YEAR BY SEX  
CERTAIN CAUSES, ALL AGES

Cause of death	All causes	1966-67		1966-67	
		England and Wales		England and Wales	
Accidents		191	178	191	178
Pneumonia, bronchitis		282	250	282	250
Cerebrovascular dis.		175	167	175	167
Other heart disease		140	139	140	139
Ischaemic heart dis.		422	408	422	408
Cancer lung		176	177	176	177
Cancer all sites		448	453	448	453
All causes		2553	2529	2553	2529
Standard error		2.288	2.297	2.288	2.297
Approximate probability that diff. is due to chance		0.1	0.1	0.1	0.1



TABLE XXVII YEARS OF LIFE LOST BY DEATHS FROM ACCIDENTS

Dartford M.B.

Year	Age in years of each death	Total years lived up to 85	Total lives lost	Total years possible up to 85	Years of life up to 85 lost
(a) Accidents in the home					
1958	57 70 71 75	273	4	340	67
1959	18 65 76 79 82				
	82 96	487	7	595	108
1960	53 85 89	223	3	255	32
1961	- *	-	-	-	-
1962	8/12 1 49 75 77				
	77 82 89	447	8	680	233
1963	31	31	1	85	54
1964	10/12 24 61	85	3	255	170
1965	71 81	152	2	170	18
1966	20 60	80	2	170	90
1967	34 80 80	199	3	255	56
1968	45	45	1	85	40
1969	64	64	1	85	21
1958-69		2,086	35	2,975	889

\* Excludes 5 aged deaths following fractures from falls whose deaths were assigned to circulatory disease and death following fall and fracture due to disease.

(b) Accidents in residential institutions					
1958	79 81	160	2	170	10
1959	76	76	1	85	9
1960*	53 71 72 86 87	366	5	425	59
1961	49 53 59 83 95	329	5	425	96
1962	67 73 76 78 89	379	5	425	46
1963	64** 84	148	2	170	22
1964	64	64	1	85	21
1965	79 81	160	2	170	10
1966	69	69	1	85	16
1967	42 79 88	206	3	255	49
1968	78	79	1	85	7
1969	77	77	1	85	8
1958-69		2,112	29	2,465	353

\* Excludes a death from a fall due to stroke.

\*\* Following E.C.T.

(c) Accidents at work					
1958	-	-	-	-	-
1959	-	-	-	-	-
1960	-	-	-	-	-
1961	31	31	1	85	54
1962	-	-	-	-	-
1963	28	28	1	85	57
1964	44	44	1	85	41
1965	-	-	-	-	-
1966	-	-	-	-	-
1967	-	-	-	-	-
1968	29	29	1	85	56
1969	-	-	-	-	-
1958-69		132	4	340	208

TABLE XXVII YEARS OF LIFE LOST BY DEATHS FROM ACCIDENTS

Dartford M.H.

Year	Age in years of each death	Total years lived up to 65	Total years lost	Total years possible up to 65	Years of life up to 65 lost
1958-63	64	2,086	25	2,375	689
1959	64	64	1	65	1
1960	45	45	1	85	40
1961	24	24	3	255	36
1962	20	20	3	255	36
1963	20	20	3	255	36
1964	20	20	3	255	36
1965	20	20	3	255	36
1966	20	20	3	255	36
1967	20	20	3	255	36
1968	20	20	3	255	36
1969	20	20	3	255	36
1970	20	20	3	255	36
1971	20	20	3	255	36
1972	20	20	3	255	36
1973	20	20	3	255	36
1974	20	20	3	255	36
1975	20	20	3	255	36
1976	20	20	3	255	36
1977	20	20	3	255	36
1978	20	20	3	255	36
1979	20	20	3	255	36
1980	20	20	3	255	36
1981	20	20	3	255	36
1982	20	20	3	255	36
1983	20	20	3	255	36
1984	20	20	3	255	36
1985	20	20	3	255	36
1986	20	20	3	255	36
1987	20	20	3	255	36
1988	20	20	3	255	36
1989	20	20	3	255	36
1990	20	20	3	255	36
1991	20	20	3	255	36
1992	20	20	3	255	36
1993	20	20	3	255	36
1994	20	20	3	255	36
1995	20	20	3	255	36
1996	20	20	3	255	36
1997	20	20	3	255	36
1998	20	20	3	255	36
1999	20	20	3	255	36
2000	20	20	3	255	36
2001	20	20	3	255	36
2002	20	20	3	255	36
2003	20	20	3	255	36
2004	20	20	3	255	36
2005	20	20	3	255	36
2006	20	20	3	255	36
2007	20	20	3	255	36
2008	20	20	3	255	36
2009	20	20	3	255	36
2010	20	20	3	255	36
2011	20	20	3	255	36
2012	20	20	3	255	36
2013	20	20	3	255	36
2014	20	20	3	255	36
2015	20	20	3	255	36
2016	20	20	3	255	36
2017	20	20	3	255	36
2018	20	20	3	255	36
2019	20	20	3	255	36
2020	20	20	3	255	36

\* Excludes 5 aged deaths following fractures from falls whose deaths were assigned to circulatory disease and death following fall and fractures due to disease.

## (b) Accidents in residential institutions

1958-63	2,112	29	2,465	353
1959	77	1	65	8
1960	76	1	65	9
1961	25	2	455	39
1962	49	2	455	36
1963	49	2	455	36
1964	49	2	455	36
1965	49	2	455	36
1966	49	2	455	36
1967	49	2	455	36
1968	49	2	455	36
1969	49	2	455	36
1970	49	2	455	36
1971	49	2	455	36
1972	49	2	455	36
1973	49	2	455	36
1974	49	2	455	36
1975	49	2	455	36
1976	49	2	455	36
1977	49	2	455	36
1978	49	2	455	36
1979	49	2	455	36
1980	49	2	455	36
1981	49	2	455	36
1982	49	2	455	36
1983	49	2	455	36
1984	49	2	455	36
1985	49	2	455	36
1986	49	2	455	36
1987	49	2	455	36
1988	49	2	455	36
1989	49	2	455	36
1990	49	2	455	36
1991	49	2	455	36
1992	49	2	455	36
1993	49	2	455	36
1994	49	2	455	36
1995	49	2	455	36
1996	49	2	455	36
1997	49	2	455	36
1998	49	2	455	36
1999	49	2	455	36
2000	49	2	455	36
2001	49	2	455	36
2002	49	2	455	36
2003	49	2	455	36
2004	49	2	455	36
2005	49	2	455	36
2006	49	2	455	36
2007	49	2	455	36
2008	49	2	455	36
2009	49	2	455	36
2010	49	2	455	36
2011	49	2	455	36
2012	49	2	455	36
2013	49	2	455	36
2014	49	2	455	36
2015	49	2	455	36
2016	49	2	455	36
2017	49	2	455	36
2018	49	2	455	36
2019	49	2	455	36
2020	49	2	455	36

\* Excludes a death from a fall due to stroke.  
\*\* Following R.C.T.

## (c) Accidents at work

1958-63	135	4	240	208
1959	-	-	-	-
1960	-	-	-	-
1961	31	1	65	34
1962	-	-	-	-
1963	26	1	65	37
1964	44	1	65	47
1965	-	-	-	-
1966	-	-	-	-
1967	-	-	-	-
1968	29	1	65	36
1969	-	-	-	-
1970	-	-	-	-
1971	-	-	-	-
1972	-	-	-	-
1973	-	-	-	-
1974	-	-	-	-
1975	-	-	-	-
1976	-	-	-	-
1977	-	-	-	-
1978	-	-	-	-
1979	-	-	-	-
1980	-	-	-	-
1981	-	-	-	-
1982	-	-	-	-
1983	-	-	-	-
1984	-	-	-	-
1985	-	-	-	-
1986	-	-	-	-
1987	-	-	-	-
1988	-	-	-	-
1989	-	-	-	-
1990	-	-	-	-
1991	-	-	-	-
1992	-	-	-	-
1993	-	-	-	-
1994	-	-	-	-
1995	-	-	-	-
1996	-	-	-	-
1997	-	-	-	-
1998	-	-	-	-
1999	-	-	-	-
2000	-	-	-	-
2001	-	-	-	-
2002	-	-	-	-
2003	-	-	-	-
2004	-	-	-	-
2005	-	-	-	-
2006	-	-	-	-
2007	-	-	-	-
2008	-	-	-	-
2009	-	-	-	-
2010	-	-	-	-
2011	-	-	-	-
2012	-	-	-	-
2013	-	-	-	-
2014	-	-	-	-
2015	-	-	-	-
2016	-	-	-	-
2017	-	-	-	-
2018	-	-	-	-
2019	-	-	-	-
2020	-	-	-	-

TABLE XXVII YEARS OF LIFE LOST BY DEATHS FROM ACCIDENT (continued)

Year	Age in years of each death						Total years lived up to 85	Total lives lost	Total years possible up to 85	Years of life up to 85 lost
(d) Accidents not involving motor vehicles, not at home, not in institution, not at work.										
1958	20	32					52	2	170	118
1959	39						39	1	85	46
1960	5	8	19	74			106	4	340	234
1961	50						50	1	85	35
1962	11	13					24	3	170	146
1963	89						85	1	85	0
1964	69	71					140	2	170	30
1965	-						-	-	-	-
1966	22	61	20				103	3	255	152
1967	20	71					91	2	170	79
1968	-						-	-	-	-
1969	61						61	1	85	24
1958-69							751	19	1,615	864

(e) Motor vehicle accidents										
1958	3	16	32	54	81	88	271	6	510	239
1959	23	53					76	2	170	94
1960	19	21	29	54	58	62				
	63	76	77				459	9	765	306
1961	22	23	26	30	45	55				
	57	58	69	69	73	77				
	85						689	13	1,105	416
1962	4	20	38+	42	42	47				
	52	56	57+	82			440	10	850	410
1963	6	13	15	61	79		174	5	425	251
1964*	2	16	33	61	62		174	5	425	251
1965**	39	42	61	86			229	4	340	111
1966	7	20	20	39	45	50				
	62	64	68				375	9	765	390
1967	17	19	57				93	3	255	162
1968	24	34	37	41	58+	70+				
	81						345	7	595	250
1969	23	25	29	42	54	70+				
	70						313	7	595	282
1958-69							3,638	80	6,800	3,172

\* excludes a road accident not involving a motor vehicle.

\*\* excludes a motor vehicle accident on race track.

+ Pt. B.M.H.



TABLE XXVII YEARS ON LIFE LOST BY DEATHS FROM ACCIDENT (continued)

Year	Age in years of each death	Total years lived up to 65	Total lives lost	Total years possible up to 65	Years of life lost
1958-59	61	151	19	1,612	861
1958	61	61	1	65	54
1957	60	91	2	170	79
1956	55	103	3	252	152
1955	54	140	2	170	30
1954	53	140	2	170	30
1953	52	85	1	85	0
1952	51	24	3	170	146
1951	50	20	1	85	35
1950	48	106	4	240	234
1949	39	39	1	85	46
1948	35	52	2	170	118
(4) Accidents not involving motor vehicles, not at home, not in institution, not at work.					
1958-59		251	19	1,612	861
1958	7	271	6	270	239
1957	23	76	2	170	94
1956	19	459	9	762	306
1955	25	689	13	1,702	416
1954	4	440	10	850	410
1953	22	174	3	452	271
1952	6	174	2	452	271
1951	2	229	4	240	111
1950	39	272	9	762	390
1949	62	92	2	252	162
1948	17	342	7	292	250
1947	24	212	7	292	282
1946	22	212	7	292	282
1945	20	212	7	292	282
1944	18	212	7	292	282
1943	16	212	7	292	282
1942	14	212	7	292	282
1941	12	212	7	292	282
1940	10	212	7	292	282
1939	8	212	7	292	282
1938	6	212	7	292	282
1937	4	212	7	292	282
1936	2	212	7	292	282
1935	0	212	7	292	282
1934	0	212	7	292	282
1933	0	212	7	292	282
1932	0	212	7	292	282
1931	0	212	7	292	282
1930	0	212	7	292	282
1929	0	212	7	292	282
1928	0	212	7	292	282
1927	0	212	7	292	282
1926	0	212	7	292	282
1925	0	212	7	292	282
1924	0	212	7	292	282
1923	0	212	7	292	282
1922	0	212	7	292	282
1921	0	212	7	292	282
1920	0	212	7	292	282
1919	0	212	7	292	282
1918	0	212	7	292	282
1917	0	212	7	292	282
1916	0	212	7	292	282
1915	0	212	7	292	282
1914	0	212	7	292	282
1913	0	212	7	292	282
1912	0	212	7	292	282
1911	0	212	7	292	282
1910	0	212	7	292	282
1909	0	212	7	292	282
1908	0	212	7	292	282
1907	0	212	7	292	282
1906	0	212	7	292	282
1905	0	212	7	292	282
1904	0	212	7	292	282
1903	0	212	7	292	282
1902	0	212	7	292	282
1901	0	212	7	292	282
1900	0	212	7	292	282
1899	0	212	7	292	282
1898	0	212	7	292	282
1897	0	212	7	292	282
1896	0	212	7	292	282
1895	0	212	7	292	282
1894	0	212	7	292	282
1893	0	212	7	292	282
1892	0	212	7	292	282
1891	0	212	7	292	282
1890	0	212	7	292	282
1889	0	212	7	292	282
1888	0	212	7	292	282
1887	0	212	7	292	282
1886	0	212	7	292	282
1885	0	212	7	292	282
1884	0	212	7	292	282
1883	0	212	7	292	282
1882	0	212	7	292	282
1881	0	212	7	292	282
1880	0	212	7	292	282
1879	0	212	7	292	282
1878	0	212	7	292	282
1877	0	212	7	292	282
1876	0	212	7	292	282
1875	0	212	7	292	282
1874	0	212	7	292	282
1873	0	212	7	292	282
1872	0	212	7	292	282
1871	0	212	7	292	282
1870	0	212	7	292	282
1869	0	212	7	292	282
1868	0	212	7	292	282
1867	0	212	7	292	282
1866	0	212	7	292	282
1865	0	212	7	292	282
1864	0	212	7	292	282
1863	0	212	7	292	282
1862	0	212	7	292	282
1861	0	212	7	292	282
1860	0	212	7	292	282
1859	0	212	7	292	282
1858	0	212	7	292	282
1857	0	212	7	292	282
1856	0	212	7	292	282
1855	0	212	7	292	282
1854	0	212	7	292	282
1853	0	212	7	292	282
1852	0	212	7	292	282
1851	0	212	7	292	282
1850	0	212	7	292	282
1849	0	212	7	292	282
1848	0	212	7	292	282
1847	0	212	7	292	282
1846	0	212	7	292	282
1845	0	212	7	292	282
1844	0	212	7	292	282
1843	0	212	7	292	282
1842	0	212	7	292	282
1841	0	212	7	292	282
1840	0	212	7	292	282
1839	0	212	7	292	282
1838	0	212	7	292	282
1837	0	212	7	292	282
1836	0	212	7	292	282
1835	0	212	7	292	282
1834	0	212	7	292	282
1833	0	212	7	292	282
1832	0	212	7	292	282
1831	0	212	7	292	282
1830	0	212	7	292	282
1829	0	212	7	292	282
1828	0	212	7	292	282
1827	0	212	7	292	282
1826	0	212	7	292	282
1825	0	212	7	292	282
1824	0	212	7	292	282
1823	0	212	7	292	282
1822	0	212	7	292	282
1821	0	212	7	292	282
1820	0	212	7	292	282
1819	0	212	7	292	282
1818	0	212	7	292	282
1817	0	212	7	292	282
1816	0	212	7	292	282
1815	0	212	7	292	282
1814	0	212	7	292	282
1813	0	212	7	292	282
1812	0	212	7	292	282
1811	0	212	7	292	282
1810	0	212	7	292	282
1809	0	212	7	292	282
1808	0	212	7	292	282
1807	0	212	7	292	282
1806	0	212	7	292	282
1805	0	212	7	292	282
1804	0	212	7	292	282
1803	0	212	7	292	282
1802	0	212	7	292	282
1801	0	212	7	292	282
1800	0	212	7	292	282
1799	0	212	7	292	282
1798	0	212	7	292	282
1797	0	212	7	292	282
1796	0	212	7	292	282
1795	0	212	7	292	282
1794	0	212	7	292	282
1793	0	212	7	292	282
1792	0	212	7	292	282
1791	0	212	7	292	282
1790	0	212	7	292	282
1789	0	212	7	292	282
1788	0	212	7	292	282
1787	0	212	7	292	282
1786	0	212	7	292	282
1785	0	212	7	292	282
1784	0	212	7	292	282
1783	0	212	7	292	282
1782	0	212	7	292	282
1781	0	212	7	292	282
1780	0	212	7	292	282
1779	0	212	7	292	282
1778	0	212	7	292	282
1777	0	212	7	292	282
1776	0	212	7	292	282
1775	0	212	7	292	282
1774	0	212	7	292	282
1773	0	212	7	292	282
1772	0	212	7	292	282
1771	0	212	7	292	282
1770	0	212	7	292	282
1769	0	212	7	292	282
1768	0	212	7	292	282
1767	0	212	7	292	282
1766	0	212	7	292	282
1765	0	212	7	292	282
1764	0	212	7	292	282
1763	0	212	7	292	282
1762	0	212	7	292	282
1761	0	212	7	292	282
1760	0	212	7	292	282
1759	0	212	7	292	282
1758	0	212	7	292	282
1757	0	212	7	292	282
1756	0	212	7	292	282
1755	0	212	7	292	282
1754	0	212	7	292	282
1753	0	212	7	292	282
1752	0	212	7	292	282
1751	0	212	7	292	282
1750	0	212	7	292	282
1749	0	212	7	292	282
1748	0	212	7	292	282
1747	0	212	7	292	282
1746	0	212	7	292	282
1745	0	212	7	292	282
1744	0	212	7	292	282
1743	0	212	7	292	282
1742	0	212	7	292	282
1741	0	212	7	292	282
1740	0	212	7	292	282
1739	0	212	7	292	282
1738	0	212	7	292	282
1737	0	212	7	292	282
1736	0	212	7	292	282
1735	0	212	7	292	282
1734	0	212	7	292	282

TABLE XXVII YEARS OF LIFE LOST BY DEATHS FROM ACCIDENTS (continued)

TABLE XXVII ACCIDENTAL DEATHS 1958-69 (continued) Dartford M.B.

(f) SUMMARY						
Causes of death	Number	Rate per 10,000 pop.	Years lived incl. beyond 85	Mean age of death	Years of life lost to age 85	Total Years of life lost per 10,000 pop.
Dartford M.B. pop.aggregate 539,260						
Accidents in the home	35	0.65	2,105	60	889	16.5
Accidents in resident institutions	29	0.54	2,132	73	353	6.6
Accidents at work	4	0.07	132	33	208	3.9
Accidents other than above and m.v.a.	19	0.35	751	40	864	16.0
	87	1.62	5,120	59	2,314	43.0
Motor vehicle accidents	80	1.49	3,642	46	3,172	58.8
All accidents	167	3.11	8,762	53	5,486	101.8

England and Wales  
pop.aggregate 565,140,000

All accidents 215,048 3.80 53 118

1958	1	0.18	1	21	21	0.4
1959	1	0.18	1	21	21	0.4
1960	1	0.18	1	21	21	0.4
1961	1	0.18	1	21	21	0.4
1962	1	0.18	1	21	21	0.4
1963	1	0.18	1	21	21	0.4
1964	1	0.18	1	21	21	0.4
1965	1	0.18	1	21	21	0.4
1966	1	0.18	1	21	21	0.4
1967	1	0.18	1	21	21	0.4
1968	1	0.18	1	21	21	0.4
1969	1	0.18	1	21	21	0.4
1958-69	12	2.16	5,120	59	2,314	43.0
Years lost	52	0.94	1,751	40	864	16.0
No. of deaths	1	0.18	1	21	21	0.4

(g) Accidents in home and resident institutions

Number of deaths due to certain external causes

Total Deaths per 10,000 pop.

Dartford M.B.						
1958-69	9	1.65	3,642	46	3,172	58.8
Eng. & Wales						
1969	272	0.48	3,642	46	3,172	58.8
Undetermined whether accidental						
1969	59	0.10	132	33	208	3.9
Total	331	0.58	3,642	46	3,172	58.8

\*R.C.T.

TABLE XVII ACCIDENTAL DEATHS 1958-69 (continued) Maryland M.B.

(1) SUMMARY

Causes of death	Number	Rate per 10,000 pop. beyond age 65	Years lived incl. of death	Mean age of death	Years of life lost per 10,000 pop.
Accidents in the home	32	0.62	2,102	60	869
Accidents in residential institutions	23	0.24	2,132	73	323
Accidents at work	4	0.07	132	33	208
Accidents other than above and M.V.A.	13	0.32	721	40	864
	67	1.62	2,120	59	2,314
Motor vehicle accidents	80	1.42	2,642	46	2,172
All accidents	167	3.11	8,762	53	2,486
All accidents England and Wales	212,048	3.80		53	
Pop. aggregate 562,140,000					118



TABLE XXVIII YEARS OF LIFE LOST FROM CERTAIN EXTERNAL CAUSES

Age 85 less age at death up to age 85

## (a) Accidents in the home

Dartford M.B.

	Utility gas	Poisoning other	Falls	Burns and scalds	Choking & suffoca- tion	other	Total years lost	Total deaths
1958	28 15 14	-	10	-	-	-	67	4
1959	-	67	20 9 6	-	-	-	108	7
			3 3 0					
1960	-	-	0 0	-	-	32	32	3
1961	-	-	-	-	-	-	0	0
1962	8 8 3	36 10	0	-	84	84	233	8
1963	54	-	-	-	-	-	54	1
1964	-	-	24	-	85	61	170	3
1965	4	-	14	-	-	-	18	2
1966	-	65	25	-	-	-	90	2
1967	51	-	0	5	-	-	56	3
1968	-	40	-	-	-	-	40	1
1969	-	-	21	-	-	-	21	1
1958-69								
Years lost	189	218	135	5	169	177	889	
No. of deaths	9	5	15	1	2	3	35	35

## (b) Accidents in resident institutions assigned to

Dartford M.B.

1958	-	-	4	-	-	6	10	2
1959	-	-	9	-	-	-	9	1
1960	-	-	22 0	-	-	-		
			13 0		14	-	59	5
1961	-	36	32 0 2	-	26	-	96	5
1962	-	-	0 7 9	-	-	-		
			12 18				46	5
1963	-	-	1	-	-	21*	22	2
1964	-	-	-	-	21	-	21	1
1965	-	-	4 6	-	-	-	10	2
1966	-	16	-	-	-	-	16	1
1967	-	-	6 0	-	43	-	49	3
1968	-	-	7	-	-	-	7	1
1969	-	-	-	-	8	-	8	1
1958-69								
Years lost	-	52	181	-	112	27	353	
No. of deaths	-	2	20	-	5	2	29	29

## (c) Accidents in home and resident institutions

Number of deaths due to certain external causes

Total  
deathsDeath rate  
per  
10,000 pop.

Dartford M.B.

1958-69	9	7	35	1	7	5	64	1.19
	14%	11%	55%	2%	11%	8%	100%	
Eng. & Wales								
1969	272	514	3842	756	489	379	6,252	1.12

Undetermined whether accidental

1969	59	412	13			119	603	
Total	331	926	3855	756	489	498	6,855	1.24
	5%	14%	56%	11%	7%	7%	100%	

\*E.C.T.

TABLE XXVIII - YEARS OF LIFE LOST FROM CERTAIN EXTERNAL CAUSES

Age 65 less age at death up to age 85

Barford N.B.

(a) Accidents in the home

	Poisoning	Utility Gas	Other	Falls	Burns and scalds	Choking & suffocation	Other	Total years lost	Total deaths
1958	-	28 15 14	-	10	-	-	-	67	4
1959	67	-	-	20 3 0	-	-	-	108	7
1960	-	-	-	0 0	-	-	35	35	3
1961	-	-	-	-	-	-	-	0	0
1962	36 10	8 8 3	-	0	-	64	64	233	8
1963	-	24	-	-	-	-	-	24	1
1964	-	-	-	24	-	85	61	170	3
1965	-	4	-	14	-	-	-	18	2
1966	65	-	-	25	-	-	-	90	2
1967	31	-	-	0	2	-	-	33	3
1968	-	-	40	-	-	-	-	40	1
1969	-	-	-	21	-	-	-	21	1
1958-69	218	189	2	135	2	169	177	889	32
Years lost	218	189	2	135	2	169	177	889	
No. of deaths	2	2	2	12	1	2	3	32	

(b) Accidents in resident institutions assigned to

Barford N.B.

	Poisoning	Utility Gas	Other	Falls	Burns and scalds	Choking & suffocation	Other	Total years lost	Total deaths
1958	-	-	-	4	-	-	6	10	2
1959	-	-	-	9	-	-	-	9	1
1960	-	-	-	22 0	-	-	-	22	2
1961	36	-	-	13 0	-	14	-	39	2
1962	-	-	-	25 0 2	-	26	-	96	2
1963	-	-	-	0 7 9	-	-	-	46	2
1964	-	-	-	12 18	-	-	27	52	2
1965	-	-	-	1	-	21	-	21	1
1966	-	-	-	-	-	-	-	0	0
1967	16	-	-	4 6	-	-	-	16	1
1968	-	-	-	-	-	-	-	0	0
1969	-	-	-	6 0	-	42	-	48	3
1958-69	52	181	2	20	-	112	27	322	29
Years lost	52	181	2	20	-	112	27	322	
No. of deaths	2	20	2	2	-	2	3	29	

(c) Accidents in home and resident institutions

Number of deaths due to certain external causes

Barford N.B.

1958-69

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960

1961

1962

1963

1964

1965

1966

1967

1968

1969

1958-69

Total

1960



## APPENDIX

### MAIN CAUSES OF DEATH AND NOTES ON THE CHANGES INTRODUCED INTO THE CONTENT OF THE MAIN GROUPS OF DISEASES BY THE 8th REVISION OF INTERNATIONAL CLASSIFICATION OF DISEASES

The 7th revision was in use up to and including 1967. The 8th revision was in use from 1968 onwards. If the trend of a disease over the periods before 1968 and the period 1968 onwards is to be observed it is necessary to know the changes, if any, in the diseases included under disease headings in which the statistics are grouped. Inspection of certain of the 7th and 8th revision categories show the following modifications:

#### CIRCULATORY DISEASE (I.C.D 410-468, 7th Revision)

Coronary Disease, Angina. From 1968 and onwards the group is given the heading Ischaemic heart disease. Cardiovascular degeneration (422.1 7th revision, 412 8th revision) is added to the previous pre-1968 group of causes.

Hypertension with heart disease. From 1968 onwards this is expanded and given the heading hypertensive disease. Malignant hypertension 445 (7th rev.) 400 (8th rev.) essential benign hypertension 444 (7th revision) 401 (8th), hypertensive renal disease 446 (7th) 403 (8th) are added.

Other heart disease. This group is divided into two groups: (after transferring cardiovascular degeneration 422.1 (7th) 412 (8th) to ischaemic heart disease above). Chronic rheumatic heart disease 393-398 (8th) and other forms of heart disease 420-429 (8th).

Other circulatory disease. This heading is changed to other disease of circulatory system 440-458 (8th revision). Added are: infarction of mesenteric artery 444.2 (8th revision) 570.2 (7th revision) and portal thrombosis 452 (8th revision) 583 (7th revision). Transferred to hypertensive disease and thus removed are malignant hypertension, benign hypertension and hypertensive renal disease where heart not involved 400.0.2.3, 401 403 (8th revision). Removed also is systemic lupus erythematosus 734.1 (8th revision) 456 part (7th revision).

#### RESPIRATORY DISEASE (I.C.D. 470-527, 763, 7th Revision)

We have the same headings as before namely: influenza, pneumonia, bronchitis, other diseases of respiratory system. Asthma is given its own heading from 1968 on but as it was excluded from the main group before 1968 we will continue to exclude it from 1968 onwards.

Influenza 480-483, (7th revision) 470-474 (8th revision). No change.

Pneumonia 490-493, 763, (7th revision) 480-486 (8th revision). From 1968 onwards bronchiolitis is excluded 491 (7th revision) 466 (8th revision).

Bronchitis 500-502 (7th revision) 490-492 (8th revision). From 1968 onwards acute bronchitis is excluded 500 (7th revision) 466 (8th revision). Emphysema (without mention of bronchitis) is added 527.1 (7th revision) 492 (8th revision).

Other diseases of respiratory system. Transferred to this heading from the previous heading are acute bronchitis and bronchiolitis. Added is hay fever 240 (7th revision) 507 (8th revision). Transferred from this heading to bronchitis heading is emphysema without mention of bronchitis.

For the main group heading i.e. Respiratory Disease the only change is the addition of hay fever. Asthma (493 8th revision) has been excluded.

#### MALIGNANT NEOPLASMS (I.C.D 140-205, 7th Revision)

Malignant neoplasms of stomach. There is no change in the content of this heading.

Malignant neoplasms, lung, bronchus. From 1968 onwards malignant neoplasm of the pleura 162.2 (7th revision) 163 (8th revision) is removed from this heading.

Malignant neoplasm, breast. There is no change.

Malignant neoplasm, uterus. From 1968 onwards carcinoma in situ is excluded from this heading 171 (part) (7th revision) 234.0 (8th revision).

Leukaemia, aleukaemia. No change.

Other malignant and lymphatic neoplasms. Transferred from previous heading: malignant neoplasm of pleura. Added: polycythaemia vera 294 (7th revision) 208 (8th revision), myelofibrosis 292.3 (7th revision) 209 (8th revision).

For the main group heading, i.e. Malignant neoplasms. No change except for removal of carcinoma in situ.

#### VASCULAR LESION OF C.N.S. (I.C.D. 330-334, 7th Revision)

The heading is changed to Cerebrovascular disease but there is no change in diseases represented.



# MAIN CAUSES OF DEATH AND NOTES ON THE CHANGES INTRODUCED INTO THE CONTENT OF THE MAIN GROUPS OF DISEASES BY THE 8th REVISION OF INTERNATIONAL CLASSIFICATION OF DISEASES

The 7th revision was in use up to and including 1967. The 8th revision was in use from 1968 onwards. If the trend of a disease over the period before 1968 and the period 1968 onwards is to be observed it is necessary to know the changes, if any, in the diseases included under disease headings in which the statistics are grouped. Inspection of certain of the 7th and 8th revision categories shows the following modifications:

**RESPIRATORY DISEASE (I.C.D. 410-459, 7th Revision)**  
 Coronary Disease, Angina. From 1968 and onwards the group is given the heading Ischaemic heart disease. Cardiovascular degeneration (412.1 7th revision, 412 8th revision) is added to the previous pre-1968 group of causes.  
 Hypertension with heart disease. From 1968 onwards this is expanded and given the heading hypertensive diseases. Malignant hypertension 445 (7th rev.) 440 (8th rev.) essential benign hypertension 444 (7th revision) 401 (8th), hypertensive renal disease 446 (7th) 402 (8th) are added.  
 Other heart disease. This group is divided into two groups: (a) after transferring cardiovascular degeneration 412.1 (7th) 412 (8th) to ischaemic heart disease (above). Chronic rheumatic heart disease 393-398 (6th) and other forms of heart disease 420-429 (8th).

**RESPIRATORY DISEASE (I.C.D. 470-527, 7th Revision)**  
 We have the same headings as before namely: influenza, pneumonia, bronchitis, other diseases of respiratory system. Asthma is given its own heading from 1968 onwards and excluded from the main group before 1968 as will continue to exclude it from 1968 onwards.  
 Influenza 480-483, (7th revision) 470-474 (8th revision). No change.  
 Pneumonia 490-493, 495, (7th revision) 480-486 (8th revision). From 1968 onwards bronchitis is excluded 491 (7th revision) 466 (8th revision).  
 Bronchitis 500-502 (7th revision) 490-492 (8th revision). From 1968 onwards acute bronchitis is excluded 500 (7th revision) 466 (8th revision). Emphysema (without mention of bronchitis) is added 527.1 (7th revision) 492 (8th revision).  
 Other diseases of respiratory system. Transferred to this heading from the previous heading are acute bronchitis and bronchiolitis. Added is hay fever 540 (7th revision) 507 (8th revision). Transferred from this heading to bronchitis heading is emphysema without mention of bronchitis.

For the main group heading I.e. Respiratory Disease the only change is the addition of hay fever.  
 Asthma (493 8th revision) has been excluded.  
**MALIGNANT NEOPLASMS (I.C.D. 140-207, 7th Revision)**  
 Malignant neoplasms of stomach. There is no change in the content of this heading.  
 Malignant neoplasms, lung, bronchus. From 1968 onwards malignant neoplasms of the pleura 162.2 (7th revision) 163 (8th revision) is removed from this heading.  
 Malignant neoplasms, breast. There is no change.  
 Malignant neoplasms, uterus. From 1968 onwards carcinoma in situ is excluded from this heading 171 (part) (7th revision) 244.0 (8th revision).  
 Leukaemia, leukaemia. No change.  
 Other malignant and lymphatic neoplasms. Transferred from previous headings malignant neoplasms of pleura. Added: polythemia vera 294 (7th revision) 208 (8th revision), myelofibrosis 292.3 (7th revision) 209 (8th revision).  
 For the main group heading, I.e. Malignant neoplasms. No change except for removal of carcinoma in situ.  
 of carcinoma in situ.

**REGULAR LESION OF C.N.S. (I.C.D. 330-351, 7th Revision)**  
 The heading is changed to Cerebrovascular disease but there is no change in diseases represented.



