[Report 1960-1962] / Medical Officer of Health, Dunstable Borough.

Contributors

Dunstable (England). Borough Council.

Publication/Creation

1962

Persistent URL

https://wellcomecollection.org/works/pq7fvmsz

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.







THE HEALTH OF DUNSTABLE

REPORT


OF THE

MEDICAL OFFICER OF HEALTH

FOR

1960, 1961 and 1962

H.A.A. PARGETER, M.A., M.B., D.P.H.



PUBLIC HEALTH DEPARTMENT

PRIORY HOUSE,

DUNSTABLE .

2nd March, 1964

To His Worship the Mayor, Aldermen, and Councillors of the Borough of Dunstable.

Gentlemen,

I have the honour to present my Health Reports for the years 1960, 1961 and 1962.

Population: The population increased during the three years from 23,460 in 1960 to 26,480 in 1962.

<u>Infectious Diseases</u>: The Borough was free from the more serious infectious diseases during the three years. Measles was very prevalent in 1960 and 1962; in all 740 cases were notified during the period.

Cancer: Cancer as a disease is not notifiable and there is no record of the number of cases in the Borough. Also there is no record of the number of cases cured. Cancer deaths during the three years were as follows:

Total Cancer deaths during the period - 127 (of which 31 were cancer of the lung)

I wish to acknowledge with thanks the help that has always been given to me by the Twon Clerk and the Public Health Inspectors.

I have the honour to be,

Your obedient servant,

H.A.A. Pargeter

Medical Officer of Health Borough of Dunstable

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

PUBLIC HEALTH STAFF

- 1960 (a) Medical Officer of Health (part-time)
 H.A.A. PARGETER, M.A., M.B., D.P.H. (Telephone No. Dunstable 63526)
 - (b) Chief Public Health Inspector

 H. STEW, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods Certificate.

 (Telephone No. Dunstable 61241)
 - (c) Additional Public Health Inspectors

 M. HINCHCLIFFE, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods

 Certificate

 F.W.P. HARMSWORTH, A.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods

 Certificate.
 - (d) Chief Clerk
 Mr. K. PAUL
 - (e) Junior Shorthand Typist
 Miss B.J. STRANGE
- 1961 (a) Medical Officer of Health (part-time)
 H.A.A. PARGETER, M.A., M.B., D.P.H. (Telephone No. Dunstable 63526)
 - (b) Chief Public Health Inspector

 H. STEW, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods Certificate.

 (Telephone No. Dunstable 61241)
 - (c) Additional Public Health Inspectors

 M. HINCHCLIFFE, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods

 Certificate

 W.F.S. RAE, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods Certificate,

 R.S.H. Smoke Inspector's Diploma.
 - (d) Chief Clerk
 Mr. K. PAUL
 - (e) <u>Junior Shorthand Typist</u>
 Miss B.J. STRANGE until June, 1961
 Miss R.M. DANSON from June, 1961

- 1962 (a) Medical Officer of Health (part-time)
 H.A.A. PARGETER, M.A., M.B., D.P.H. (Telephone No. Dunstable 63526)
 - (b) Chief Fublic Health Inspector

 H. STEW, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods Certificate.

 (Telephone No. Dunstable 61241)
 - (c) Additional Public Health Inspectors

 M. HINCHCLIFFE, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods

 Certificate.

 W.P.S. RAE, M.R.S.H., M.A.P.H.I., R.S.H. Meat and Other Foods Certificate,

 R.S.H. Smoke Inspector's Diploma.
 - (d) Chief Clerk
 Mr. K. PAUL until October, 1962
 Mr. A.G. SANDERSON from November, 1962
 - (e) Junior Shorthand Typist
 Miss R.M. DANSON

STATISTICS AND SOCIAL CONDITIONS

Vital Statistics

-				
		1960	1961	1962
	Area of Borough (in acres)	2,084	2,084	2,084
2	Population as estimated by Registrar-General	23,460	25,740	26,480
	Number of inhabitated houses according to Rate Book as at 31st December	8,150	8,234	8,397
	Rateable value as at 31st December	£415,234	£444,231	£483,004
	Net produce of a penny rate for the year ended 31st March	£1,635	£1,628	£1,842
	Number of new houses erected:			
	(a) Council (b) Private enterprise	24 406	116 280	9 165

EXTRACTS FROM VITAL STATISTICS FOR THE YEARS 1960 1961 AND 1962

The following tables give extracts from the Vital Statistics for the years 1960, 1961 and 1962 as furnished by the Registrar-General:

	1960		1961	addard !	1962
get - warnen til	Total M	F	Total M	F To	tal M F
Live Births	508 265 488 256 20 9	243 232 11	580 295 554 281 26 14	273 5	79 310 269 55 296 259 24 14 10
Birth rate per 1000 of population	n: <u>1960</u>		1961		1962
Crude Rate Adjusted Rate	21.7 19.9		22.5		21.5 19.13
	1960		1961		1962
	Total M	F	Total M	F To	tal M F
Still Births Legitimate Illegitimate	10 4 9 4 1 -	6 5 1	12 4 11 4 1 -		12 5 7 12 5 7
Rate per 1000 (live and still births) Rate per 1000 of population	19.3		20.3		0.3
Total Live and Still Births:	Total M	F	Total M	F To	tal M F
Live Still	508 265 10 4	243	580 295 12 4		79 310 269 12 5 7
Totals	518 269	249	592 299	293 5	91 315 276

DEATH OF INFANTS, 1960

2301 1301 14 2381		Legitimate	<u>Illegitimate</u>	Total
Infant deaths (under one year	er of age)		at) danced le ses	
Female		2	the as Extraking	2 2
	Total	4	to so and stall	4
		Legitimate	Illegitimate	Total
Infant deaths (under four we	eeks of age)	del test e maries	eq at to encountry to	
Male Female		. 1		1
	Total	2	Line of the last	2
Rate per 1000 births		7.7	- mes -rousess	7.7
Illegitimate Live Births =	3.9% of to		nervoller mil	
ilemenso-veriales	J. J/ 01 00	out live bil ons.	m 1961 1961 Hatel	
Maternal Deaths Maternal Mortality rate per	1000 live a	nd still births	- 1 - 1.9	
DEATH OF INFANTS, 1961				
554 281 273 466 265	255 585	Legitimate	<u>Illegitimate</u>	Total
Infant deaths (under one year	er of age)	38 4-1 1-4	Illegitimate -	Total
554 281 273 466 265	er of age)	Legitimate 4 6	Illegitimate - 1	Total 4 7
Infant deaths (under one year	ar of age) Total	4	Illegitimate - 1	Total 4 7 11
Infant deaths (under one year	: ::	4	- 000+ 4-1 - 000+ 6	4 7
Infant deaths (under one year Male	: ::	4 6 10	1 1 1 -7	4 7 11 19.6
Infant deaths (under one year Male	Total	4 6 10 16.9	1 1 1 -7	4 7 11
Infant deaths (under one year Male	Total	4 6 10 16.9	1 1 1 -7	4 7 11 19.6
Infant deaths (under one year Male	Total eeks of age)	4 6 10 16.9 Legitimate	1 1 1 -7	4 7 11 19.6 Total
Infant deaths (under one year Male	Total	4 6 10 16.9 Legitimate	1 1 1 -7	4 7 11 19.6 Total
Infant deaths (under one year Male	Total eeks of age)	4 6 10 16.9 Legitimate	1 1 1 -7	4 7 11 19.6 Total
Infant deaths (under one year Male	Total Total Total	6 10 16.9 Legitimate 2 4 6	1 1 1.7 E Illegitimate 1	4 7 11 19.6 Total 2 5

DEATH	OF	INFANTS,	1962
-------	----	----------	------

DECEMBER OF THE PROPERTY OF TH	Legiti	mate <u>Illegitimate</u>	Total
Infant deaths (under one year of age)	3	-	3 6
Female Total			9
Rate per 1000 births	-		
Rate per 1000 births	Legiti		15.0 Total
Infant deaths (under four weeks of age)	0.00	Saring Ben welfastal	24510
Male		70830	2 4
Total		- nodes	6
Rate per 1000 births		1 -	10.1
12 11 34 21	Legiti	mate <u>Illegitimate</u>	Total
Infant deaths (under one week of age) Nale	2	-	2
Female Total		-	6
CT 45 CT	-		
Rate per 1000 births Stillbirths and deaths (under one week	10.		10.1
of age			
Stillbirths Deaths under one	12		musor!
week of age	6		
Combined rate per 1000 total Live and S	18 Still birth	as = 32.5	
Illegitimate Live Births = 4.5% of to	tal Live H	Births	*
Maternal Deaths - Nil		draidling out	
<u>DEATHS</u>	196	50 1961	1962
Male	93		101 114
Total	186	219	215
Death Rate: Crude Adjusted	7.9		8.1

CAUSES OF DEATH

the proteiness printer	1960 Males Females		100000000000000000000000000000000000000	961 Females	1 Males	962 Females
All causes	93	93	110	109	101	114
Tuberculosis, respiratory	-		***		-	1
Tuberculosis, other	-	-	-	1	-	
Syphilitic Disease	1	-	1	-	-	-
Diphtheria	-	-	-	-	-	-
Whooping Cough		-	-	1 - LETO .	- 70	
Meningococcal infections	-	-	-	-	-	1
Accute Poliomyelitis	-	-	-	-	-	-
Measles	-	- 10 E	carry tire		-	one Tat
Other infective and parasitic						
diseases	-	7.		-	-	1
Malignant neoplasm, lung, bronchus	8	0	0			
	2	2 2	9 2	2	2 9	2
Malignant neoplasm, stomach	2	2	2	2	9	2
Malignant neoplasm, breast Malignant neoplasm, uterus	-	1	-	6 3	100	3 2
		1	-)	-	2
Other malignant and lymphatic neoplasms		40			40	8
Leukaemia, aleukaemia	13	12	11	11	12	0
Diabetes	1	2 2	1 2		1	-
Vascular lesion of nervous	1	-	-	7 7 770	1	
system	19	19	16	18	11	16
Coronary disease, angina	17	18	26	15	24	15
Hypertension with heart	11	10	20	10	24	10
disease		2	_	2	-	2
Other heart disease	3	11	4	19	6	17
Other circulatory disease	1	-	4	4	6	6
Influenza	_	1		3	-	-
Pneumonia	1	5	6	3 9	1	6
Bronchitis	6	3	3	1	4	3
Other diseases of respir-						
atory system	1		1	-	1	-
Ulcer of stomach and						
duodenum	2	-	2	1	-	2
Gastritis, enteritie and	a min		1000	1001 101	189 8	and the last
diarrhoea	1	-	-	-	2	-
Nephritis and nephrosis	1	1	-	-	-	-
Hyperplasia of prostate	-	-	1	-	2	-
Pregnancy, childbirth,					DEG C	THE RESERVE OF
abortion	-	1	-	-	-	-
Congenital malformations	1	1	2	-	-	2
Other defined and ill-	the same					
defined diseases	8	6	12	11	12	12
Motor vehicle accidents	5 2	1	5	-	3	2 6
All other accidents	2	2	1	2	2	6
Suicide	-	-	1	1	3	4
Homicide and operations						
of war	-	-	1	-	-	-

POPULATION

The population as estimated by the Registrar General for 1960 was 23,460 for 1961, 25,740 and 1962, 26,480; and the table below shows that there has been a total increase of population of 9,210 in the last ten years.

Population 1953 - 1962

Year	Population	Increase over previous year	Natural Increase
1953	17,270	180	5.1
1954	17,570	300	5.2
1955	18,140	570	5.2
1956	19,020	880	9.3
1957	20,150	1,130	9.9
1958	21,300	1,150	10.0
1959	22,320	1,020	11.3
1960	23,460	1,140	9.7
1961	25,740	2,280	8.3
1962	26,480	740	7.9

"Natural Increase" shows the difference between the birth and death rates.

The average yearly increase in the last five years is 1,266.

Birth Rate

Birth Rates between different areas cannot be compared unless allowance is made for the number of women residents of child bearing age.

The Registrar General supplied a "comparability factor" to all areas so that an adjusted Birth Rate can be made. The "factor" for this Borough for the year 1960 was 0.92, for 1961 was 0.89 and for 1962 was 0.89.

The Birth Rate for 1960 was 19.96 after multiplying the "crude" Birth Rate of 21.7 by the "comparability factor". The Birth Rate for England and Wales as a whole was 17.1.

The total number of live births was 508.

The Birth Rate for 1961 was 20 after multiplying the "crude" Birth Rate of 22.5 by the "comparability factor". The Birth Rate for England and Wales as a whole was 17.4

The total number of live births was 580.

The Birth Rate for 1962 was 19.13 after multiplying the "crude" Birth Rate of 21.5 by the "comparability factor". The Birth Rate for England and Wales as

a whole was 16.9

The total number of live births was 579.

Still Births

The number of Still Births in 1960 was 10 and the Still Birth Rate 0.4 per 1000 population. The corresponding Rate per 1000 Live and Still Births was 19.3

The number of Still Births in 1961 was 12 and the Still Birth Rate 0.5 per 1000 population. The corresponding Rate per 1000 Live and Still Births was 20.3.

The number of Still Births in 1962 was 12 and the Still Birth Rate 0.45 per 1000 population. The corresponding Rate per 1000 Live and Still Births.

Death Rate

The uncorrected Death Rate for 1960 was 7.9. To make allowances for age and sex constitution the Registrar General has allowed correction of this figure by the "comparability factor" of 1.23, by which a corrected Death Rate of 10.2 is obtained. The rate for England and Wales was 11.5.

The uncorrected Death Rate for 1961 was 8.5. To make allowances for age and sex constitution the Registrar General has allowed correction of this figure by the "comparability factor" of 1.38, by which a corrected Death Rate of 11.7 is obtained. The Rate for England and Wales was 12.0.

The uncorrected Death Rate for 1962 was 8.1. To make allowances for age and sex constitution the Registrar General has allowed correction of this figure by the "comparability factor" of 1.38 by which a corrected Death Rate of 11.18 is obtained. The Rate for England and Wales was 11.8.

Infant Mortality

The following tables show deaths of infants from stated causes in weeks and months under one year of age.

1960

	Weeks	Total under one month	months 1-3-6-9-	Total under one year
Prematurity Birth injury Meningitis Broncho- pneumonia	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	2	2	1 1	2

	Weeks 0- 1- 2- 3-	Total under one month	Months 1-3-6-9-	Total under one year
Prematurity Birth injury Inter-cranial	6	6 -		6 -
Haemorrhage Broncho-	1	1		1
pneumonia Hydrocephalus			- 1	1
Totals	7	7	2 1 1 -	11

	0-		eks 2-		Total under one month	months 1-3-6-9-	Total under one year
Prematurity Congenital	4	-	= :	-	4		4
heart disease Congenital	-	-	-	-	13-12	1	1
malformations Broncho-	2	-	-	-	2		2
pneumonia Atelectases of	-	-	-	-		1 -	1
lungs	-	-	-	-	5 -	1 -	1
Totals	6	-	-	-	6	1 - 2 -	9

BIRTH RATES, DEATH RATES, ANALYSIS OF MORTALITY, MATERNAL DEATH RATES AND CASE RATES FOR CERTAIN INFECTIOUS DISEASES IN THE YEAR 1960

CATCLE MARRIED MARRIED INTO		
	Borough of Dunstable	England and Wales
	Rates pe Civilian F	
Births: Live Births	19.9	17.1
Still Births	(0.4	
	(19.3	19.7(a)
Deaths:		1962
All causes	10.2	11.5
Typhoid and Paratatyphoid	-	0.00
Whooping Cough		0.00
Diphtheria		0.08
Influenza	0.04	0.04
Smallpox	- 400	0.00
Acute Poliomyelitis	- 10240149	0.00
Pneumonia	0.25	0.53
Notifications (corrected): Typhoid Fever Paratyphoid Fever Meningococcal Infection Scarlet Fever Whooping Cough Diphtheria Erysipelas Smallpox Measles Pneumonia Acute Poliomyelities (including Polio encephalitis)- Paralytic Non-Paralytic Food Poisoning Puerperal Pyrexia Dysentery	0.04 - 0.25 1.9 - 0.04 - 9.2 0.08	0.00 0.00 0.01 0.70 1.26 0.00 0.06 0.00 3.48 0.32
	Rates per 1.00	O live births
D. Al.	and the same of th	
Deaths:	7.7	21.7
All causes under 1 year of age Enteritis and diarrhoea under 2 years	1.1	21.1
ef age	_	0.4
01 060		

⁽a) Per 1,000 Total (Live and Still) Births

BIRTH RATES, DEATH RATES, ANALYSIS OF MORTALITY, MATERNAL DEATH RATES AND CASE RATES FOR CERTAIN INFECTIOUS DISEASES IN THE YEAR 1961

	Borough of Dunstable	England and Wales
TOPOS DELLOCO	Rates per 1,000 Civilian Population	
Births: Live Births	20.0 (0.5 (20.2	17. 18.7(a)
Deaths: All causes Typhcid and Paratyphoid Whooping Cough	11.7	12.0
Diphtheria Tuberculcsis Influenza Smallpox Acute Poliomyelitis	0.04 0.12	0.07 0.15
Notifications (corrected): Typhoid Fever	0.58	0.63
Paratyphoid Fever	0.04 0.04	0.01 0.43 0.53
Diphtheria Erysipelas Smallpox Measles Pneumonia	3.7 0.27	0.05 16.54 0.40
Acute Poliomyelitis (including Polio encephalitis)- Paralytic Non-Paralytic	Month all they	0.02
Food Poisoning	0.08 0.08 0.23	0.17 10.06 0.44 00 live births
Deaths: All causes under 1 year of age Enteritis and diarrhoea under 2 years of age	18.9	21.63

⁽a) Per 1,000 Total (Live and Still) Births.

BITTH RATES, DEATH RATES, ANALYSIS OF MORTALITY, MATERNAL DEATH RATES AND CASE RATES FOR CERTAIN INFECTIOUS DISEASES IN THE YEAR 1962

Busines 11 discount	
entor de correspond	Borough of Dunstable
Sates pen 1,000:	Rates per 1,000 Civilian Population
Births: Live Firths Still Births Deaths: All causes Typhoid and Paratyphoid Whooping Cough Diphtheria Tuberculosis Influenza Smallpox Acute Poliomyelitis Pneumonia Notifications (corrected): Typhoid Fever Paratyphoid Fever Meningococcal Infection Scarlet Fever Whooping Cough Diphtheria Erysipelas Smallpox Measles Pneumonia Acute Poliomyelitis (including Polio encephalitis) Paralytic Non-paralytic Food Poisoning	19.13 (0.45 (20.7) 11.18
Puerperal Pyrexia Dysentery	0.04
advald swill coo, r ver erass	Rates per 1,000 live births
Deaths: All causes under one year of age Enteritis and diarrhoea under two years of age	15.2

⁽a) Per 1,000 total Live and Still Births.

COMPARATIVE STATISTICS FOR 1953 - 1962

Year	Estimated Population	No.	Live Births Rate per 1,000 estimated population	No.	Still Births Rate per 1,000 estimated pepulation	No.	Deaths Rate per 1,000 estimated population	
1953	17,270	270	14.0	7	28.2	153	8.9	
1954	17,570	288	16.4	8	27.0	196	11.2	
1955	18,140	266	14.7	9	32.7	171	9.5	
1956	19,020	355	18.7	8	13.8	178	9.4	
1957	20,150	371	18.4	6	16.2	171	8.5	
1958	21,300	429	25.2	9	20.5	187	8.8	
1959	22,320	478	21.4	15	30.4	226	10.1	
1960	23,460	508	19.9	10	19.3	186	10.2	
1961	25,740	580	20.0	12	20.2	219	11.7	
1962	26,480	579	19.1	12	20.3	215	11.2	

			Infant	Deaths			Materna	1 Death	s
Year	Estimated Population	Under	4 weeks		Rate per		Number	v.cfon'ts	Rate per
1	ropulation	4 neeks	to 12 months	Total	1,000 live births	Sepsis	Other	Total	total births
1953	17,270	6 8	1	7	32	1-	300	Polyson	Food
1954	17,570	8	2	10	35	-	-		116:07
1955	18,140	4	2	6.	23	-	-	-	-
1956	19,020	7	2	9	25			1 150	-0-0-
1957	20,150	3	2	5	14	-	7,000	-	
1958	21,300	5	3	8	19	-	-	-	-
1959	22,320	12	4	16		12-	-	10-00	-
1960	23,460	2	2	4	34 8	-		1	1.9
1961	25,1,70	7	4	11	19	-	-	-	-
1962	26,480	6	3	9	15	-	-	-	-

NOTIFIED INFECTIOUS DISEASES 1960 (Civilian)

	NAME OF TAXABLE PARTY.	alle se		1 11 11 11	-				The same of the same	10-11-11-11-11-11-11-11-11-11-11-11-11-1	The same
baranitas .off	Under	1 to	2 to	3 to	4 to	5 to	10 to	15 to	25 and	Age un-	Total
	year	2	3	4	5	9	14	24	over	known	
1 500	2000										4,701
Scarlet Fever	200	-	7	-	2	2	1	-	-	4	6
Whooping Cough	5	8	7	5	4	15	1	-	99-1	-	45
Ac. Poliomyelitis	0.01					1.0			254	Name of the	15351
(Paralytic)	2-01	-	-	-	-	-	-	-	-		1-2
Ac. Poliomyelitie	5.02					3.5			24	N. C. L. S. L.	PEST
(Non-paralytic)	4706	-	-	-	-	-	-	-	14-	170	
Measles (excluding	5.63				1	1.5			25	Children and Control	I HOST
rubella)	1 7	26	17	26	46	81	3	1	1	7	215
Diphtheria	C_08	-	-	-	-	-	-	-	1 -	1000	100
Dysentery	2	7	2	2	1	12	3	3	9	23	64
Meningococcal											
infection	-	-	-	-	-	-	-	-	-	-	-
Ac. Pneumonia	-	-	-	-	-	-	-	-	2	-	2
Smallpox	-	-	-	-	-	-	-	-	-	-	-
Ac. Encephalitis				0000			4				
(infective)	-	-	-	-	-	-	-	-	-	ata the	-
Enteric or Typhoid						and the	- 4	5209	NATU THE	Stolum	1 200
fever	-	-	-	-	-	-	-	-	-	-	-
Paratyphoid Fever	-	-	-	-	-	1	-	-	-	-	1
Erysipelas	-	-	-	-	-	-	-	-	1	-	1
Food Poisoning	-	-	-	-	-	-	-	-	-	-	-
Puerperal Pyrexia	-	-	-	-	-	-	-	-	-	11-11	
Ophthalmia	-	. 3		1		1				EN COUNTY	1 300
neonatorum	-	-	-	-	-	-	-	-	-	-	-
Infective Hepatitis	3 -	-	-	-	-	-	-	-	-	- 20	1-100
Glandular Fever	1 - 1	-	-	-	-	-	-	1	-	- B	1
Totals	14	41	27	33	53	111	.8	5	13	30	335

(Civilian) 1961

9 10 19 29 00 00 00 00 00 00 00 00 00 00 00 00 00	Under one year	1 to 2	to 3	3 to 4	4 to 5	5 to 9	10 to 14	15 to 24	25 and over	Age un- known	Total
Scarlet Fever	-		-	-	-	-	1	-	DY SE	71.720	1
Whooping Cough	-	-	-	-		-	-	-	-	-	1
Ac. Poliomyelitis (Paralytic)			-	-		-	-	-	lythe	realt)	-
Ac. Poliomyelitis (Non-paralytic)		-		-	-			10.11	vins?	institution)	
Measles	2	6	17	9	14	37	1	6		3	95
Diphtheria	-	-	11	-	14	21	-	0	alv	2	77
Meningoccccal									00000	parel co	
infection	-		-			_	-	-	Boya	Designa	_
Ac. Fneumonia	-		-	-		-	-	-	4	3	7
Dysentery	-		3	-	1	-	-	-	1	3	7 6
Smallpox	-		-	-		-	-	-	_ =	pq.Lan	-
Ac. Encephalitis								10 - 10		394	
(infective)	-	-	-	-	-	-	-	-	0200	-	-
Enteric or Typhoid							7	anny.		OZ LOGIA	
Fever	-	-	-	-	-	-	-	-	7 7	-	-
Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	- P. C. S. S.	- Roo	-
Focd Poisoning	-	-	-	-	-	-	-	-	1	1	2 2
Puerperal Pyrexia	-	-	-	-	-	-		-	2	-	2
Ophthalmia neonatoru	ım –	=	-	-	-	4	2	1	2	shoots	9
Infective Hepatitis Glandular Fever		-]		-I	-	4	-	1	-	licela	9
orandital rever					-			7.6	THE THE	Indust	
Totals	2	6	20	9	16	41	4	7	10	8	123

1962 (Civilian)

_				-	-	-		-			-	-	manual Control of	
				Under	10.00	2	3	4	5	10	15	25	Age	
-			03	one	to		to	to	to	to	to	and	un-	Total
-	mental sago Las			year	2	3	4	5	9	14	24	over	known	
1	C													
-	Scarlet Fever		-		-	-	-	-	4	- 10	Feb	152 200	-	1
1	Whooping Cough		-	-	-	-	-	-	-	-	50 8	d Tagoor	-	-
1	Ac. Poliomyelitis								0	1 11	Tho.	209 30		
	(Paralytic)				-	-	-	-	-	- (5	(B)	-	-
	Ac. Poliomyelitis								8	TITI	VEO 3	109 49	4 [[]	
	(Non-Parlytic)		- 1		-	-	-	-	-	-	From	HETO(I)	-	-
	Measles		53	13	40	74	68	52	182	1	-	-		430
	Diphtheria			- 1 -	-	-	-	-	-	-	-	ento da	1-	-
1	Meningococcal									1	10000	THE REAL PROPERTY.		1
	Infection		- 3		-	-	-	-	-	-	150 110	- THE		-
	Ac. Pneumonia		-		1	-	-	-	-	-	-	-	4 -	1
	Dysentery		-	10	-	-	-	-	-	-	2 40	7:00	0 -	-
	Smallpox		-	-7	-	-	-	-	-	-	-	-	8 - 9	-
	Ac. Encephalitis									278	31/33	2000	4	
1	(Infective)	1110	-		-	-	-	-	-	- 4	15000	THE		-
1	Enteric or Typhoid Fever	1								Mar.	TEP	0 3-202		
			-			-		-	-			77/08		
	Paratyphoid Fever				-	-		-	- 1	100	Elon	SECTION.		
	Erysipelas Food Poisoning					-		-	- 1		2.63	at about	41	
	Puerperal Pyrexia		-			E		-			VED 9	1	2 1	1
	Ophthalmia					-		-	-	-	3 34	The state of	91	
	Neonatorum		-		_	-			-	HOD	BIR	Tonor.	912	
	Infective Hepatiti	5.0			-		- 1	=		Tag.	MI CA	10001	41	
	Glandular Fever	1.0	- 1		-		- 1	-	-	-	12 74	-	PERM	
-	Grandarar rever										-			
	Totals		100	13	41	74	68	52	183	1	-	1		433
_														

General Statistics. The following table shows the number of cases of Infectious Diseases notified during 1960 together with the number admitted to hospital, and the deaths from these diseases:-

Diseases	Total Cases Notified	Cases admitted to Hospital	Total Deaths Registered
Scarlet Fever Whooping Cough Acute Poliomyelitis: Paralytic Non-Paralytic Measles (excluding rubella) Diphtheria Dysentery Meningococcal infection Ac. Pneumonia Smallpox Acute Encephalitis Infective Post-infectious Enteric or Typhoid Fever Paratyphoid Fevers Erysipelas Food Poisoning	Notified 6 45 - 215 - 64 - 2 - 1 1	Hospital 1 1 1 - 1 - 1 - 1 - 1 - 1 - 1 1	Registered -
Puerperal Pyrexia	1	1	eciii -

General Statistics. The following table shows the number of cases of Infectious Diseases notified during 1961 together with the number admitted to hospital, and the deaths from these diseases:-

AND PROPERTY.	See Agency		THE RESERVE OF THE PARTY OF THE	
Diseases	Degraphed 5	Total cases Notified	Cases admitted to Hospital	Total Deaths Registered
Scarlet Fever Whooping Cough Acute Poliomyelitis Paralytic Non-Paralytic Measles (excluding Diphtheria Dysentery Meningococcal infector Ac. Pneumonia Smallpox Acute Encephalitis: Infective Post-infectious Enteric or Typhoid Paratyphoid Fevers Erysipelas Food Poisoning Pherperal Pyrexia Ophthalmia Neonator Glandular Fever	rubella)	1 1 - 95 - 6 - 7 2 2		15

General Statistics. The following table shows the number of cases of Infectious Diseases notified during 1962 together with the number admitted to hospital, and the deaths from these diseases:-

Diseases		Total Cases Notified	Cases admitted to Hospital	Total Deaths Registered
Scarlet Fever		. 1	eendi-vrack ha	a feethand out
Whooping Cough		is writer has	Doubern Tour be	ded to the
Acute Poliomyelitis:				
Paralytic			-	-
Non-Paralytic		. Do - Pitto	Coloria attended	1 30 m-no of
Measles (excluding rubella)		. 430	1	-
Diphtheria			-	7190
Dysentery				- 100 p
Meningococcal infection			-	-
Ac. Pneumonia		. 1	-	7
Smallpox			0.00	-
Acute Encephalitis:				
Infective			-	Tipra.
Post-infectious		• -	-	-
Enteric or Typhoid Fevers		· Probable	AT BOTH COLL SE	The Priday
Erysipelas Food Poisoning				-
Food Poisoning Puerperal Pyrexia			1	NA CHARLES
Ophthalmia Neonatorum		030	minh beitline	the course age
Glandular Fever		The conto of	posted (#222 min 5	100 May 100 Ma
orangitat rovor	•• •	· <u>l</u> -		

Scarlet Fever

During 1960 six cases were notified compared with four in 1959. During 1961 and 1962 only one case was notified in each year.

Whooping Cough

During 1960 there were forty-five notifications of this disease compared with nine in 1959. Only one case was notified in 1961 and there were no notifications in 1962.

Measles

During 1960 two hundred and fifteen cases of measles were notified compared with two hundred and forty-three in the previous year. Ninety-five cases were notified in 1961 and four hundred and thirty cases in 1962.

Diphtheria

No cases of Diphtheria were notified during 1960, 1961 or 1962.

Dysentery

During 1960 sixty-four cases were notified compared with one in 1959. The Dysentery epidemic started in Dunstable in the early months of the year but did not develop to the extent that was expected. No cases of Dysentery were notified during 1961 and 1962.

Poliomyelitis

The Borough was free from this disease during 1960, 1961 and 1962.

Food Poisoning

No cases were notified during 1960 compared with five cases in 1959. Two cases were notified in 1961, but no cases were notified in 1962.

Paratyphoid Fever

There was one notification of this disease during 1960, but no notifications during 1961 and 1962.

TUBERCULOSIS

New Cases and Mortality

1960

	00.00	New	Cases		decing.	I	eaths	
	Pulmo	nary F.	Non-Pul	monary F.	Pulmo M.	nary F.	Non-Pul	lmonary F.
Under 5 years	1	2	-	-	-	-	-	102
5 - 14 years	- 0	1	1	415	-	11-10	-	-
15 - 24 years	1	-	922 -		-	-	-	-
25 - 44 years	3	1	1	-	-	-	·	-
45 - 64 years	1	-	-	-	-	-	-	-
65 and over	1	-	THE - 500	33745	-	-		-
Age unknown	1	-	nedana n de	6/-	10151	-	9 90050	-
Totals	8	4	2	1960- 4	- in-	-	-	-

1961

		New	Cases			D	eaths	
	Pulmo	nary F.	Non-Pul M.	monary F.	Pulmo	nary F.	Non-Pul M.	Lmonary F.
Under 5 years	-	-	-	-	-	-	-	-
5 - 14 years	1	-	-	-	-	-	-	-
15 - 24 years	1	-	-	-	-	-	-	-
25 - 44 years	3	1	-	2	-	-	-	1
45 - 64 years	1	1	-	1	-	-	-	-
65 and over	1	-	-	-	-	-	-	-
Age unknown	-	-	-	-	-	-	-	-
Totals	7	2	-	3	-	-	-	1

1962

		New	Cases			D	eaths	
	Pulmo M.	nary F.	Non-Pul M.	monary F.	Pulmo	nary F.	Non-Pulmonar	
Under 5 years 5 - 14 years 15 - 24 years 25 - 44 years 45 - 64 years 65 and over Age unknown	1 - 1 1			1		1		
Totals	3	1	-	1	-1	1	-	-

NATIONAL ASSISTANCE ACT, 1948 - SECTION 47

Persons in need of care and attention

This Section provides for the necessary care and attention of persons who:

- (a) are suffering from grave chronic disease or, being aged and infirm or physically incapacitated, are living in insanitary conditions, and
- (b) are unable to devote to themselves, and are not receiving from other persons, proper care and attention.

In no instance during years 1960, 1961 and 1962 was it found necessary to take legal action for compulsory removal.