#### [Report 1945] / Medical Officer of Health, East Dereham U.D.C.

#### **Contributors**

East Dereham (England). Urban District Council.

#### **Publication/Creation**

1945

#### **Persistent URL**

https://wellcomecollection.org/works/ywd54d89

#### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.





# Annual Report



OF THE

Medical Officer of Health

OF THE

Urban Sanitary Authority

OF

EAST DEREHAM, Norfolk.

#### EAST DEREHAM:

PRINTED BY G. ARTHUR COLEBY, BOOKSELLER AND STATIONER, MARKET PLACE

1946

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

#### EAST DEREHAM URBAN DISTRICT

# ANNUAL REPORT of the MEDICAL OFFICER OF HEALTH for 1945

## Sec A. STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

Area, (in acres),				5,313
Population, (Census 1	931),			5,643
" (Registrar	General's	estimate,	1945),	5,721
Number of inhabited l	nouses, (end	1 1945)		1,839
Rateable value,				£26,973
Sum represented by a	penny rate	h	£	102/19/3

The estimated population varied during the war years as follows:

1939	 5,788	1942	 6,552
1940	 6,262	1943	 6,403
1941	 6,640	1944	 6,214

#### EXTRACTS FROM THE VITAL STATISTICS OF THE YEAR

			Totals	М .	F
Live Births	Legitimate		100	38	62
)	Illegitimate		15	5	10
Birth Rate per	1,000 of the estir	nated			
	resident populat	ion			20.1
Still Births	Legitimate		3	2	1
Still Birtis	Illegitimate		-	-	_
Rate per 1,000	, (Live and Still),	birth	S		25.4
Deaths			80	43	37
Death Rate per	r 1,000 of the esti	mated			
	resident populat	ion			13.9

Death Rate	of infants under one ye	ear of age:		
All infa	nts per 1,000 live birth	s,		8
Legitim	ate infants per 1,000 le	egitimate live	births,	10
Illegitin	nate infants per 1,000 i	illegitimate l	ive births,	Nil
Deaths from	Cancer, (all ages)			9.
,,	Measles, (all ages)		79	1
,,	Whooping Cough, (al	l ages)		Nil
,,	Diarrhœa, (under 2 y	ears of age)		Nil

For the fourth year in succession, the Birth Rate has continued at a high figure, being 1.3 higher than in the previous year and the highest rate recorded since 1921.

Illegitimate births represented 13% of the total births as compared with 16% last year.

There was only one death of an infant under one year of age giving a rate per thousand live births of 8 as compared with 59 last year and a National rate of 46.

The Death Rate, (13.9), is 1.6 higher than in 1944 and 2.5 more than the National average, (11.4). 44 of the 80 deaths were of persons over 70 years of age, equal to 55%.

AGE	M	F
70-80	10	10
80-90	12	10
90-100	2	-
Totals	24	20

### Sec. B. GENERAL PROVISIONS OF HEALTH SERVICES FOR THE AREA.

The Public Health Staff of the Urban District Council consists of a part-time Medical Officer of Health and a Sanitary Inspector. The latter also carries out the duties of Engineer, Surveyor and Markets Inspector.

The County Isolation Hospital at Dereham has accommodation for 96 beds and hutments provide accommodation for a further 29. Shortage of nursing and domestic staff has prevented full use being made of the accommodation available. 4 cases from the District were admitted to the Isolation Hospital during the year.

#### IMMUNISATION AGAINST DIPHTHERIA.

There was a further drop in the number of children immunised against Diphtheria during the Year and the proportion of the lower age group protected remains unsatisfactory.

The necessity for immunising children in the susceptible younger age group cannot be too strongly emphasised.

The figures of those immunised and estimated child population are as follows:

Year	1	-5 years			5-15 years	
3		Totals		100	Totals	
1941		118	1		814	
1942		102	-		35	
1943		103			46	
1944		70	4		24	
1945		44	Short L		. 2	
	Totals	437			921	
Estimated ch	nild pop. (1	945) 554			1010	
Percentage					56	

# Sec. C. SANITARY CIRCUMSTANCES OF THE AREA.

#### (1) WATER.

The average daily consumption was 131,990 gallons as compared with 132,054 gallons in the previous year, the average daily pumping hours being 15'6 compared with 16'5 in 1944.

Pumping was at the rate of 8,461 gallons per hour.

Early in the Year, the District Council decided to deepen the original well and borehole in order to have a reliable standby in place of the new borehole (No. 3), which is now the only source capable of maintaining the necessary supply. Application has been made to the Ministry of Health to be allowed to put this work in hand.

The following analyses of the Town supply were taken during the year:

#### (1) January -No. 3 Borehole, ex. rising main.

			Grains per gallon	Parts per 100,000
Total solids in solution	line		22·75 0·012	32·5 0·617
Ammonia   Free and sa			0.0007	0.001
Chlorine in Chlorides Nitrogen as Nitrates			1·6 Nil	2·3 Nil
Nitrogen as Nitrites		11	Nil	Nil
Oxygen absorbed from Portal	ermanş	ganate	0·0217 16°	0.031 23.0
Hardness Total Permanent			40	5.7
Free CO <sub>2</sub> Total			1·38 0·077	1.97 0.11
Iron Total In solution			0.0087	0.0124
Physical Characters			coming turbi	received be- d with small at on standing

#### Remarks:

My last analysis of this supply was in December, 1943. The water maintains its excellent organic quality, whilst there is a small increase in chlorides and a decrease in hardness and iron content. The hardness is rather below than above the average for Norfolk water. Except for the iron content, which can be removed by the usual treatment, the water is of good quality for drinking and all the purposes of a public supply. The free carbonic acid is very moderate, and I see no reason why the water should show any abnormal action upon metals.

# (Signed) W. LINCOLNE SUTTON, Norfolk & Suffolk County Laboratories, Norwich.

(2) August-Water from domestic tap at Gasworks House.

	Grains per gallon	Parts per 100,000
Total solids in solution	23.7	33.8
	0.0084	0.0121
Ammonia Free and saline	Trace	Trace
Chlorine in Chlorides	1.7	2.43
Nitrogen as Nitrates	Nil	Nil
Nitrogen as Nitrites	Nil	Nil
Oxygen absorbed from permanganate	0.032	0.046
	16.20	23.15
Hardness Total	3.10	4.43
Physical Characters		
Slightly turbid and discoloured owing to separated iron.		
T ) Total	0.055	0.079
Iron Total	0.007	0.010

(3) August—Tap sample from consumer in Quebec Road, (Bacteriological):

Mark	0-1	B coli		B aerogenes	
	Colonies per ml. on agar at 37° C.		Absent in ml.		Absent in ml.
"Town Water"	24*		100		100

#### REMARKS:

This supply was last analysed (ex rising main) on 22nd January, 1945. The water maintains its great organic purity, whilst its bacteriological quality is quite satisfactory. The sample shows less iron content both total and in solution. The total hardness is unchanged, but the permanent hardness is lower. The water is quite fit for drinking purposes, but it would, of course, be improved for the purposes of a public supply if the iron were removed.

(Signed) W. LINGOLNE SUTTON,
Norfolk & Suffolk County Laboratories,
Norfolk.

In May, the District Council decided to install a permanent automatic pump for the new borehole.

Jentique Ltd., Furniture Manufacturers, applied for a 6" water main to be laid to their works to operate a sprinkler fire system, and the District Council agreed to provide this.

Water beetles noticed in the supply tank have been identified by Mr. Lincolne Sutton, as Gyrinidae, which are, in themselves, harmless.

During November, the Waterworks site was levelled by a bulldozer and generally tidied up. The whole area should now be put down to grass and kept closely mown.

A 1\frac{1}{4}-in. metered supply to the London & North Eastern Railway Station has been installed.

A new underpressure drilling apparatus has been acquired, enabling up to 2 in., i.d. water supply to be made to the mains without interference with the public supply.

A total of 48,177,345 gallons were pumped during the Year, representing a slight decrease as compared with the previous year.

Proportion of dwelling houses with Town water supply:

- (a) Direct to the houses ... 45%
- (b) By means of standpipes ... 15%

#### (2) DRAINAGE AND SEWERAGE.

The Sewerage Works have functioned fairly satisfactory, but the distributor arms of Nos. 3 and 4 filters require renewal. This work will be carried out in the course of the next few months.

#### (3) CLOSET ACCOMMODATION.

The position as regards domestic sanitation is as follows:

Pail closets in houses condemned or scheduled	138		24.5%
Pail closets in houses where con- nection is possible	145		25.7%
Pail closets in houses impossible to connect	277		49°1%
Pail closets in houses (Sewer extentions)	4		0.7%
	564	-	100%

The total number represents a reduction of 70 during the year.

The question of installing main drainage to the Toftwood area is now under consideration by the District Council. When this area is sewered, it will be possible to abolish 467 of the 564 existing pail closets.

Between the years 1930 and 1939, 227 pail closets were converted to the water carriage-system. Of this number, 206 conversions were effected by informal action taken by the District Council. Of the remaining 21, 2 were converted by statutory action and 19 voluntarily. During the same period, 36 pail closets were abolished.

#### (4) PUBLIC CLEANSING.

9 privy vaults and 2 cesspools were cleared during the Year and some 1,700 dustbins emptied weekly.

The District Council is now considering an alternative means of refuse disposal to replace the present refuse dump at the rear of Northgate.

### (5) SUMMARY OF DUTIES CARRIED OUT BY SANITARY INSPECTOR.

Houses and premises ins	 359	
Nuisances abated		 21
Houses disinfected		 4
Disinfections of bedding		 4

#### (6) SALVAGE.

The amount of salvage collected during the Year has diminished considerably. Waste paper, which has been the main source of supply and revenue, has fallen off owing to collections being made from business premises on a commercial basis. The total waste paper collected was  $58\frac{1}{2}$  tons as compared with 91 tons in the previous year.

Small quantities of textiles and bones have been collected, 32 cwt. and 12 cwt. respectively. Metals and rubber are no longer required, but small quantities have been received.

The scheme is still in operation and paying its way, reflecting great credit upon the Honorary Organiser.

Sec. D.

#### HOUSING.

Number of houses erected in the District during the Year:

- (a) By the Local Authority ... Nil
- (b) By other bodies or persons ... Nil

Summary of houses erected by the Urban District Council up to the end of 1945:

Housing	Acts,	1919,	1923	and	1924	 64
Housing	Acts,	1930,	1936	and	1938	 80
						144

8 of the houses built under the 1938 Act were for the relief of overcrowding.

No alteration in rents was made during the year.

Plans have been passed for the erection of the following 32 permanent houses, and work should commence early in the New Year:

Becclesgate E	state	 	22
Toftwood		 	8
Etling Green		 	2

The Ministry of Health has sanctioned the erection of 20 temporary houses, and a site has been obtained for these at Littlefields.

Plans for the provision of further houses on a much larger scale are being considered by the District Council.

## Sec. E. INSPECTION AND SUPERVISION OF FOOD.

#### (a) Milk Supply :-

Milk and Dairies Order, 1926:

(i)	Number of	registered	purveyors of	milk	10
(ii)	Number of	registered	cow-keepers	and	
	wholesal	e purveyors	s of milk		19

#### Milk (Special Designations), Orders, 1936 & 1938:

- (i) Number of licensed producers of Accredited Milk 6
- (ii) Number of licensed purveyors of Accredited Miik 5

#### Milk samples:

10 samples were taken for examination. 2 were sent to the County Laboratory for the methylene blue test, one of which failed. 8 samples were to sent Chorley Wood to be tested for Tubercle bacilli, all of which proved negative.

Samples of the milk supply to households from which cases of non-respiratory tuberculosis are notified are examined for the presence of Tubercle bacilli.

#### (b) Meat and other Foods :-

Slaughtering is carried out at a central slaughter-house under Government control.

#### Condemned as unfit for human consumption:

Tuberculosis:	Cattle	Calves	Sheep & L.	Pigs
Whole carcases	17	-	_	4
Organs or parts	158	-		2
Other diseases :				
Whole carcases	3	-	4	3
Organs or parts	172	1	5	13

#### Miscellaneous Foods :-

Tinned foods ... 220 tins Beans ... 358 lbs.
Tinned Milk ... 195 tins Rice ... 95 lbs.
Cereals ... 92 packets Meat ... 79 lbs.
Dates ... 8 lbs.

Sec. F. PREVALENCE OF AND CONTROL
OVER INFECTIOUS AND OTHER DISEASES

Disease		Total cases notified	Cases admitted to Hospital	Total Deaths	
Scarlet Fever			2	_	
Pneumonia			4	_	2
Whooping Cough			31	_	-
Measles	'		44	2	1
Dysentery			1		
Typhoid			2	2	_

The Dysentery case was a Sonne's infection. The Typhoid cases were Para B. infection, both belonging to the same household.

AGE GROUPS :-

Age Groups (years)	0-1	1-2	2-3	3-4	4-5	5-10	10-15	15-20	20-35	35-45	45-65	65 & over
-	-				-				-	-	-	
Scarlet Fever	-	-	-	-	1	1	-	-	-	-	-	_
Pneumonia	-	-	-	-	-	-	1	-	-	-	2	1
Whooping	6	4	2	4	1	13	1	-	-	-	-	-
Measles Cough	1	3	1	7	4	24 -	-	_	4	-	-	-
Dysentery	-	_	-	-	-	-	-	1	-	-	-	-
Typhoid	1	_	_	1	-	_	_	-	_ '	-	-	_

#### TUBERCULOSIS.

#### New Cases and Mortality during 1945 :-

		New	Cases			De	aths	
Age Groups	Age Groups Respirat		No Respir	n- ratory	Respi	ratory	Non- Respiratory	
	M	F	M	F	M	F	M	F
0 — 1	_	_	-	_	-	-	_	-
1 — 5		-		1	-	_	_	-
5 — 15	1	-	2	2	-	-	-	_
15 — 25	-	-	-	1	-	-	-	-
25 — 35		-	-	-	-	-	-	-
35 — 45	1		-	-	-	,-	-	-
45 — 55	-	-	-	-	-	-		-
55 — 65	-	-	-		-3	-	-	-
65 & upwards	-	-	-	-	1	-	-	-
the sale							,	
Totals	. 2	-	2	4	1	_	-	-

The fatal case had been notified prior to death.

There were 3 fewer cases notified than during the previous year.

At the end of the Year, there were 54 cases of Tuberculosis on the District Register, 14 respiratory and 40 non-respiratory.

#### GOVERNMENT EVACUATION SCHEME.

At the beginning of the Year there were about 100 evacuated persons accommodated in the Town and 12 houses requisitioned for the purpose. With the cessation of hostilities, most of these returned home, but a few remained in requisitioned houses.

Four houses are still under requisition to accommodate evacuated persons and two inhabited by persons previously inadequately housed. All are paying full rent.

There are no evacuees billeted in private houses.

#### BRITISH RESTAURANT.

The British Restaurant ceased to function at the end of the Year, having been in operation for five years.

The Restaurant has been largely patronised, and thanks are due to the Centre Organiser, Mrs. Gordon Aldiss, and her voluntary staff for the splendid work they have done.

The Cook maintained a high standard and has served the Restaurant from its inception.

#### EMERGENCY MATERNITY HOME.

The County Emergency Maternity Home near Downham Market has provided accommodation throughout the Year. With the high birth rate and the present shortage of housing accommodation and domestic help, it has served a great need.

The County Council should soon be in a position to provide additional institutional accommodation for maternity cases. Here again, shortage of nurses and domestic workers probably accounts for the present delay.

#### NORMAN E. D. CARTLEDGE,

Medical Officer of Health.

erebennoque et consinger ideal lui en en en el reil glandicara, devenique de la jestidat eva den encar i destrucción para llui a que que l'en de la lidea de la personal

To analysis and the state of the second of t

#### THE ASSULATE OF THE STEEL

the bins of the action of the market of the set of the

and party many the six out on the party of the south of t

#### аноп индавизм удиневым

constant to a special state of the second stat

And of a fickery is in harden fund thought and headly he had a fine from the contract of the c