

[Report 1904] / Medical Officer of Health, Erpingham (Union) R.D.C.

Contributors

Erpingham (England). Rural District Council.

Publication/Creation

1904

Persistent URL

<https://wellcomecollection.org/works/jcpc8b78>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Erpingham Union Rural Sanitary Authority

VITAL STATISTICS FOR 1904.

Population.

At the census of 1901 the population was 16,389, viz. :—

Males.	Females.
8155	8234

The estimated population for the year ending 1904 is 17,196, and that of the Registration Sub-districts as under :—

Cromer Sub-district	...	5661
Holt	..	7096
Repps	..	4439
		<hr/>
		17,196
		<hr/>

Estimated increase in the population during the year, 1904.

Births.

Males.	Females.	Total.
221	212	433

Increase of births over deaths = 196.

Birth-rate = 25.18 per 1000 of the population.

Deaths.

Males.	Females.	Total.
119	118	237

Death-rate=13·78 per 1000 of the population.

Zymotic death-rate=·34 per 1000 of the population.

Infantile death-rate=99·3 per 1000 registered births.

The death-rate and Infantile death-rate have increased, and the Zymotic death-rate has decreased.

Deaths according to Sex and Ages.

	Males.	Females.	Total.
Under 1 year ...	22	20	42
1 year and under 5 years	11	8	19
5 years and under 15 ..	2	3	5
15 25 ..	5	4	9
25 65 ..	25	25	50
65 .. and upwards ...	54	58	112
	<hr/> 119	<hr/> 118	<hr/> 237

The Principal Causes of Death.

	Under 5 years.	Over 5 years.	Total.
Diphtheria	—	1	1
Erysipelas	—	1	1
Whooping Cough	2	—	2
Measles	2	—	2
Bronchitis, Pneumonia and Pleurisy	18	16	34
Phthisis	1	15	16
Heart Diseases	1	22	23
Cancer	—	12	12
Other Diseases	37	109	146
	<hr/> 61	<hr/> 176	<hr/> 237

The Causes of Death.

1	Diphtheria	1	Carcinoma of Maxilla.
1	Erysipelas	1	Carcinoma of bowel.
2	Whooping Cough.	1	Malignant Disease.
2	Measles.	1	Epithelioma.
14	Bronchitis.	1	Intestinal obstruction.
19	Pneumonia.	1	Appendicitis.
1	Pleurisy.	1	Degeneration of digestive organs.
16	Phthisis.	7	Convulsions.
5	Tuberculosis.	2	Inanition.
3	Atelectasis Pulmonum.	1	Marasmus.
1	Diarrhœa.	1	Congenital debility.
1	Enteritis.	3	Premature birth.
2	Gastric Catarrh.	1	Debility from birth.
2	Gastritis.	1	Congenital Idiocy.
4	Influenza.	5	Immaturity.
1	Intestinal Catarrh.	19	Senile Decay.
8	Heart Disease.	24	Senectus.
3	Aortic Disease.	1	Senility.
1	Heart Failure.	3	Natural Causes.
3	Morbus Cordis.	3	Apoplexy.
2	Mitral Regurgitation.	7	Cerebral Hæmorrhage.
1	Dilatation of Heart.	1	Cerebral Tumour.
1	Mitral Stenosis.	1	Cellulitis of Face.
2	Mitral Disease.	1	Dermatitis Exfoliatum.
1	Degeneration of Heart.	1	Cystitis.
1	Aneurism.	2	Bright's Disease.
1	Cancer.	6	Anæmia.
2	Cancer of Breast.	1	Icterus.
1	Cancer of Tongue.	1	Biliary Colic.
2	Cancer of Uterus.	2	Unknown.
1	Cancer of Colon.	1	Hemiplegia.
1	Carcinoma of Stomach.	1	Neuritis.
1	Meningitis.	1	Rheumatic Fever.
1	Accident.	1	Tabes Mesenterica.
1	Locomotor Ataxy.	1	Abcess.
1	Vomiting.	1	Stricture of bowel.
1	Varicose Veins.	1	Stricture of Pylorus.
1	Exposure.	1	Otitis Media.
3	Paralysis.	1	Epilepsy.
4	Drowned.	1	Rheumatism.
1	Hydrocephalus.	1	Laryngismus.
1	Empyema.	1	Diabetes.
1	Alcoholism.		
1	Nephritis.		

Total 237.

Zymotic Diseases.

There were only 2 deaths from the notifiable Zymotic Diseases, viz. :—Diphtheria 1, Erysipelas 1.

There were also 4 deaths from Zymotic Disease, viz. :—Measles 2, Whooping Cough 2. (These do not come under the Notification of Diseases Act in this district).

Zymotic Deaths according to Ages and Locality.

Registration Sub-District.	Under 5 years.	Over 5 years.	Total.
Cromer	1	—	1
Holt	2	1	3
Repps	1	1	2
	<hr/>	<hr/>	<hr/>
	4	2	6

Deaths from Zymotic Diseases according to Locality.

CROMER SUB-DISTRICT.

	Whooping Cough.	Total.
Aldborough	1	1

HOLT SUB-DISTRICT.

	Erysipelas.	Measles.	Total.
Holt	—	1	1
Letheringsett	1	1	2
	<hr/>	<hr/>	<hr/>
	1	2	3

REPPS SUB-DISTRICT.

	Diphtheria.	Whooping Cough.	Total.
Sidestrand	1	—	1
Southrepps	—	1	1
	<hr/>	<hr/>	<hr/>
	1	1	2

ZYMOTIC DISEASE.

The Monthly Returns of Notifications of Diseases according to Ages.

			Under 5 years.	Over 5 years.	Total.
January	—	2	2
February	—	—	—
March	—	—	—
April	—	1	1
May	1	—	1
June	—	1	1
July	—	4	4
August	—	1	1
September	—	7	7
October	—	4	4
November	3	10	13
December	—	6	6
			4	36	40

The Monthly Returns of Notifications according to Diseases.

			Scarlet Fever.	Typhoid Fever.	Erysipelas.	Total.	
January	—	2	—	2	
February	—	—	—	—	
March	—	—	—	—	
April	1	—	—	1	
May	1	—	—	1	
June	—	1	—	1	
July	1	1	2	4	
August	—	1	—	1	
September	—	4	2	7	
October	1	3	—	4	
November	1	12	—	13	
December	1	5	—	6	
			6	29	2	3	40

**The Number of Cases under the Notification of
Diseases Act were :—**

Parishes.	Diphtheria.	Scarlet Typhoid		Erysipelas.	Total.
		Fever.	Fever.		
Aldborough ...	—	2	—	—	2
Felbrigg ...	—	4	—	—	4
Gimingham ...	—	7	—	—	7
Gunton ...	—	1	—	—	1
Holt ...	—	2	—	2	4
Hempstead ...	1	—	—	—	1
Kelling ...	1	1	—	—	2
Overstrand ...	1	2	—	—	3
Matlaske ...	—	1	—	—	1
Sidestrand ...	1	—	—	—	1
Southrepps ...	—	—	2	—	2
Runton ...	2	3	—	1	6
Thurgarton ...	—	1	—	—	1
Trunch ...	—	5	—	—	5
	6	29	2	3	40

The vital statistics show that the birth-rate was slightly lower than in 1903, being 25·18 as compared with 26·47, whilst in 1902 it was as high as 27·18.

The death-rate was 13·78 per 1,000 as compared with 13·35 in 1903.

The zymotic death-rate was ·34 per 1,000, this includes 2 from notifiable zymotic disease, namely, 1 from Diphtheria and 1 from Erysipelas.

There were 4 deaths from Influenza as against 3 in 1903.

The deaths from old age were 44 as compared with 22 in 1903.

The deaths from diseases of the respiratory organs were 52, namely, Whooping Cough 2, Bronchitis 14, Pneumonia 19, Pleurisy 1, Phthisis 16. There were only 2 deaths from Measles, showing that this disease has been less prevalent.

The mortality from Cancer was slightly less than in 1903, being 12 as compared with 15, and disease of the heart 23 as against 28.

The cases of notifiable diseases were 40, in 1903 there were 32, this increase is almost entirely due to imported cases. There has been nothing of the nature of an epidemic in the District.

DIPHTHERIA. Six cases occurred with one death.

SCARLET FEVER. Twenty-nine cases were notified against 22 in 1903. This slight increase was due to 7 cases which occurred in a village into which the disease had been imported.

TYPHOID FEVER. The District has again been remarkably free from this disease, only 2 cases having been notified at Southrepps.

ERYSIPELAS. Three cases were notified with 1 death.

No case of Puerperal Fever was notified.

Bye-laws were made by the Rural District Council with respect to new streets and buildings in that portion of the Rural District of Erpingham which comprises the contributory places of Mundesley, Overstrand, Runton and Cley-next-the-Sea.

The Erpingham Rural District is principally agricultural, with sea-side villages, which are popular holiday resorts in summer. The country is undulating and well wooded, with many streams.

The house accommodation for the working classes in most of the villages is not all that could be desired, and overcrowding is of frequent occurrence. It is difficult to remedy this state of things owing to the limited number of cottages.

The cleanliness of surroundings, owing to frequent inspection, is satisfactory.

The parishes of Holt, Mundesley and Overstrand are well drained, most of the houses giving the required fall, being connected and in good order. Some houses in the parishes of Sidestrand and Northrepps, on the Overstrand boundary, are connected with the system there and are in good order.

At Holt provision of tanks and contact beds has been made, the effluent being now discharged on to adjoining land.

At Mundesley the sewage is contained in a chamber and is discharged daily into the sea.

At Overstrand the sewage enters the sea by an iron outfall below low water at average tides. The effluent is not treated and is continually running.

The parishes of Cley and Briston require some early attention, and it is essential that some scheme should be devised.

The dry-earth system has been adopted where practicable, that is to say, where the occupiers had land to receive the soil.

At Mundesley the refuse is collected by the public scavenger once a week during winter and twice during summer.

Holt and Mundesley are supplied from deep wells under the control of the District, which provide a good supply of water.

Overstrand, East Runton, portions of Sidestrand, and Northrepps, are supplied from the Cromer Water Works.

Kelling has a good supply by gravitation in iron pipes from a spring above the village.

The Council has recently adopted, subject to the approval of the Local Government Board, the model Bye-laws for slaughterhouses, which will give the requisite authority.

In cases of notifiable infectious disease, notice is at once sent to the parents to direct them not to allow their children to mix with other children, to the schoolmaster to exclude all children in the family where the disease has occurred, and to the Sanitary Inspector who visits the premises as soon as possible.

There is no Isolation Hospital in the District.

The Erpingham District has no factories and very few workshops.

Systematic Inspections of the District have been made.

Increased attention has been given lately by the Medical profession to the question of the teaching of Hygiene in Schools and it is hoped that legislation in the future may lead to the accomplishment of this. It is believed that not only would there be a great improvement in the general healthiness and physique of the pupils but also a marked decrease of disease.

For instance, a teacher who is clever at recognising disease may know that cases of Tuberculosis may exist in his class and medical treatment might be commenced at an early stage of the disease, and also the spread of it to other children avoided.

In order to accomplish this the teachers must be carefully trained and one of the greatest factors in this education would be in the hygiene of the schoolroom.

They must be taught the value of properly cleaned school-rooms, the danger of dust as a germ disseminator and the vital importance of open windows and fresh air. They would understand that ill nourished children are liable to be attacked by disease and that these children ought to do fewer lessons and have more time in the playground.

They would realise the importance of the strengthening of the body by muscular exercise such as games, gymnastics, swimming and singing; thus would the body become able to resist disease. Bad positions at desks would be carefully looked out for and corrected. Simple instruction should be given the children and habits of cleanliness impressed upon them.

In connection with this subject of Hygiene is the regular inspection of school children by medical men appointed for the purpose.

21st January. I visited and inspected 5 cottages near the church at Bodham and formed the opinion that they were in an unsanitary condition and not fit for habitation.

11th February. I visited and inspected a row of cottages at Southrepps, they are six in number and not in good state of repair. I thought they were not sanitary in their present condition and that the health of the inmates would be impaired unless steps were taken to remedy defects.

28th April. I visited an overcrowded cottage at Trunch, and also inspected the school.

15th June. I visited a house at Overstrand where the daughter of a visitor had developed Scarlet Fever soon after arrival. The case was carefully isolated and the disease did not spread.

16th June. I visited 3 cottages at Briston where there was a defective drain and full cesspit which had not been emptied for a long time, and suggested remedies.

9th July. I visited a cottage at Sidestrand where a child had died from Diphtheria, and gave directions as to disinfection, etc.

25th August. I inspected the well at Roughton near the mill which supplies a population of 128 persons and in dry seasons is hardly adequate for so large a number.

I also inspected an overcrowded cottage.

22nd September. I visited a cottage at Southrepps where 2 cases of Typhoid Fever had occurred.

20th October. I visited a house at Overstrand where a case of Diphtheria had occurred and found it to be in a sanitary condition.

3rd November. I visited the School House at Overstrand where a case of Scarlet Fever had been notified.

10th November. I visited some cottages which had been recently built at East Runton and which were not in compliance with the Bye-laws.

1st December. I visited Trunch in consequence of a slight outbreak of Scarlet Fever and advised the closing of the school.

The following schools were closed in 1904:—

Bodham, 18th December, 1903 to 18th January, 1904—Measles.

Upper Sheringham, 6th January to 1st February—Measles.

Runton, 6th to 18th January—Mumps.

Upper Sheringham, 8th March to 11th April—Mumps.

Overstrand, 14th March to 11th April—Mumps.

Trimingham, 18th March to 11th April—Mumps.

Baconsthorpe, 8th April to 2nd May—Mumps.

Holt National School, 5th to 30th May—Mumps.

Roughton, 7th to 28th May—Mumps.

Southrepps, 13th June to 14th July—Measles.

Kelling, October 4th to 16th—Chicken Pox, continued to 24th October.

Gimingham, 17th November to 12th December—Scarlet Fever,
continued to 23rd December.

Trunch, 1st to 23rd December—Scarlet Fever.

Cley, 5th to 12th December—Influenza.

Knapton, 5th to 23rd December—Influenza.

East Runton, 12th to 23rd December—Scarlet Fever.

Aylmerton, 15th to 31st December—Influenza.

T. W. RICHARDSON,

MEDICAL OFFICER OF HEALTH.

35, Unthank Road,
Norwich.

Erpingham Union Rural Sanitary Authority

SANITARY INSPECTOR'S REPORT For the Year 1904.

GENTLEMEN,

In presenting my Report for the above period, I am pleased to be able to testify to the continued improvement in the health of the district as fully detailed in the report of the Medical Officer of Health. Of the cases notified during the period the majority were imported cases, being visitors to the district, and in others domestic servants employed in the adjoining Urban Districts who have, on the first appearance of illness, been sent home to their friends to recuperate, and thereby created fresh cases and additional expenses in the district which was previously quite free from disease.

The latrines at the schools in the district are, under the new authority, receiving the much required attention and some decided improvements are in hand.

The lavatory arrangements are at most schools very antiquated and inadequate, for one or two enamelled bowls and one towel are supposed to be utilised efficiently by 100 children or more for washing purposes.

The water supply in some parishes is very short, and the difficulty is how the supply is to be obtained without a great outlay to the parishes concerned, unless a combined area can be supplied from a common source, which, in my opinion would be the most practicable.

The housing accommodation has somewhat improved during the last few months, new properties having been erected in some parishes, and owners have willingly complied in many cases with my suggestions to re-arrange their tenancies—giving the larger families more accommodation, but we still have some very sad cases of overcrowding, and I regret to say they are mostly very undesirable tenants, and the great difficulty is for me to find a remedy without causing these undesirables to be homeless.

I would again urge the necessity of Scavengers being appointed for the parishes of Holt and Cley, for the ways and means in vogue at these places are most objectionable.

I trust the Sanitary Authority may soon be able to prepare a scheme for the disposal of the filth from the parishes of Aldborough and Cley and the increasing parish of Briston.

During the period my time has been fully occupied in visiting systematically in the district, in addition to work of the routine character—drain testing, sewer inspecting and flushing, frequent visits to schools, workshops, dairies and cow sheds, etc. After cases of infectious disease in the district, all dwellings have been disinfected by myself, and I am pleased to record that during the conduct of my duties this last twelve months I do not remember once having been received unpleasantly.

I beg to remain, Gentlemen,

Yours obediently,

A. R. TUDDENHAM,

ASSOC. R. SAN. INST.

March, 1905.

CROMER REGISTRATION SUB-DISTRICT

BIRTHS.

		Males.	Females.	Total.
Legitimate	...	54	70	124
Illegitimate	...	7	4	11
		61	74	135

Birth-rate = 23·84 per 1000 of the population.

Increase of births over deaths = 54.

DEATHS.

		Males.	Females.	Total.
		44	37	81

Death-rate = 14·3 per 1000 of the population.

Zymotic death-rate = ·17 per 1000 of the population.

Infantile death-rate = 96·29 per 1000 registered births.

The Infantile death-rate is lower than in 1902 and 1903.

Deaths according to Sex and Ages.

		Males.	Females.	Total.
Under 1 year	...	7	6	13
1 year and under 5 years		2	1	3
5 years	,, 15 ,,	1	1	2
15	,, ,, 25 ,,	2	—	2
25	,, ,, 65 ,,	8	7	15
65	,, and upwards	24	22	46
		44	37	81

Deaths according to Locality and Sex.

Parishes.	Males.	Females.	Total.
Aldborough ...	4	1	5
Aylmerton ...	4	—	4
Baconsthorpe ...	2	2	4
Barningham Norwood	1	—	1
Barningham Winter ...	—	2	2
Beckham, West ...	1	1	2
Beckham Workhouse	12	6	18
Bessingham ...	2	2	4
Gresham ...	3	4	7
Hanworth ...	1	—	1
Matlaske ..	2	1	3
Overstrand ...	2	2	4
Plumstead ...	—	2	2
Roughton ...	2	3	5
Runton ...	2	11	13
Sheringham, Upper ...	1	—	1
Sustead ...	2	—	2
Thurgarton ...	3	—	3
	<hr/> 44	<hr/> 37	<hr/> 81

There were no deaths at East Beckham, Beeston Regis, Felbrigg, or Metton during 1904.

The principal Causes of Death were as follows:

	Under 5 yrs.	Over 5 yrs.	Total.
Whooping Cough ...	1	—	1
Phthisis ...	—	5	5
Bronchitis, Pneumonia, and Pleurisy ...	2	6	8
Cancer ...	—	6	6
Heart Diseases ...	—	8	8
Other Diseases ...	13	40	53
	<hr/> 16	<hr/> 65	<hr/> 81

CROMER SUB-DISTRICT.

ZYMOTIC DISEASE. The number of cases notified were as under.

PARISHES.	Diph- theria.	Scarlet Fever.	Ery- sipelas.	Total.	PARISH.	DEATHS.	
						Whoop- ing Cough.	Total.
Aldborough		2		2	Aldborough	1	1
Felbrigg		4		4			
Matlaske		1		1			
Overstrand	1	2		3			
Runton	2	3	1	6			
Thurgarton		1		1			
	3	13	1	17		1	1

CROMER SUB-DISTRICT.

BIRTHS.

Sex.	DEATHS.												BIRTHS.			
	Under 1 year.		1 year and under 5 yrs.		5 yrs. and under 15 yrs.		15 yrs. and under 25 yrs.		25 yrs. and under 65 yrs.		65 yrs. and upwards.		TOTALS.			
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	Males.	Females.	Totals.		
JANUARY								1	2	2	3	4	—	8	—	12
FEBRUARY	1							2		1	4	5	1	4	1	11
MARCH	1		1					1	1	2	1	6	—	10	—	16
APRIL	1	1						1			1	3	—	4	—	7
MAY									1	4	4	5	—	4	—	9
JUNE								1		4	1	—	—	6	1	7
JULY	1	1							1	1	3	5	1	4	—	10
AUGUST									1			—	2	5	—	7
SEPTEMBER										3	1	8	1	14	1	24
OCTOBER	2	2						1		1	2	5	2	2	—	9
NOVEMBER	1							1		1	2	7	—	4	—	11
DECEMBER	1	1	2	1						5	4	6	—	5	1	12
TOTALS	7	6	2	1	1	1	2	8	7	24	22	54	7	70	4	135

ESTIMATED POPULATION FOR 1904 ... 5661.

HOLT REGISTRATION SUB-DISTRICT.

BIRTHS.

	Males.	Females.	Total.
Legitimate ...	89	91	180
Illegitimate ...	3	1	4
	92	92	184

Birth-rate=25·93 per 1000 of the population.

Increase of births over deaths=81.

DEATHS.

Males.	Females.	Total.
49	54	103

Death-rate=14·51 per 1000 of the population.

Zymotic death-rate=·42 per 1000 of the population.

Infantile death-rate=103·25 per 1000 registered births.

Deaths according to Sex and Ages.

	Males.	Females.	Total.
Under 1 year ...	12	7	19
1 year and under 5 years	5	5	10
5 years ,, 15 ,,	1	—	1
15 ,, ,, 25 ,,	2	2	4
25 ,, ,, 65 ,,	12	14	26
65 ,, and upwards	17	26	43
	49	54	103

Deaths according to Locality and Sex.

Parishes.	Males.	Females.	Total.
Bodham ...	4	2	6
Briston ...	11	11	22
Cley ...	6	6	12
Edgefield ...	1	5	6
Glandford-cum-Bayfield	—	1	1
Hempstead ...	1	1	2
Holt ...	9	17	26
Hunworth ...	2	—	2
Kelling ...	—	3	3
Letheringsett ...	5	3	8
Salthouse ...	1	1	2
Stody ...	1	—	1
Thornage ...	3	3	6
Weybourne ...	5	1	6
	<hr/> 49	<hr/> 54	<hr/> 103

The principal Causes of Death were as follows:

	Under 5 yrs.	Over 5 yrs.	Total.
Measles ...	2	—	2
Erysipelas ...	—	1	1
Phthisis ...	—	8	8
Bronchitis, Pneumonia, and Pleurisy ...	9	5	14
Heart Diseases ...	1	13	14
Other Diseases ...	17	47	74
	<hr/> 29	<hr/> 74	<hr/> 103

HOLT SUB-DISTRICT.

ZYMOTIC DISEASE. The number of cases notified were as under.

PARISHES.	Diph- theria.	Scarlet Fever.	Ery- sipelas.	Total.	PARISHES.	DEATHS.		
						Measles.	Ery- sipelas.	Total.
Hempstead	1			1	Holt	1		1
Holt	1	2	2	4	Letheringsett	1	1	2
Kelling	1	1		2				
	2	3	2	7		2	1	3

HOLT SUB-DISTRICT.

BIRTHS.

Sex.	DEATHS.												BIRTHS.						
	Under 1 year.		1 year and under 5 yrs.		5 yrs. and under 15 yrs.		15 yrs. and under 25 yrs.		25 yrs. and under 65 yrs.		65 yrs. and upwards.		TOTALS.		Totals.				
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	Legitmate.	Illegitimate.	Legitmate.	Illegitimate.			
JANUARY	1	1	2				3	3	2	4	7	11	7	—	9	1	17		
FEBRUARY	1	1	1	1			2		2	2	6	8	9	—	6	—	15		
MARCH	1	3			1		1	1	3	5	5	10	5	—	8	—	13		
APRIL	3	1	1	1			5	2	2	9	6	15	11	—	1	—	12		
MAY	3	1					1	1	2	6	2	8	10	1	6	—	17		
JUNE	1	2	1		1		1	1	2	3	6	9	8	1	10	—	19		
JULY							3	2	2	5	2	7	3	—	8	—	11		
AUGUST					1	1	1	1	1	2	2	4	4	—	5	—	9		
SEPTEMBER	1						1	1	2	3	2	5	3	—	9	—	12		
OCTOBER					1	1	3	2	2	3	6	9	8	—	9	—	17		
NOVEMBER	2	1							3	2	5	8	12	—	9	—	21		
DECEMBER	1								1	7	2	9	9	1	11	—	21		
TOTALS	12	7	5	5	1	2	2	12	14	17	26	49	54	103	89	3	91	1	184

REPPS REGISTRATION SUB-DISTRICT.

BIRTHS.

		Males.	Females.	Total.
Legitimate	...	62	42	104
Illegitimate	...	6	4	10
		68	46	114

Birth-rate=25·68 per 1000 of the population.

Increase of births over deaths=61.

DEATHS.

		Males.	Females.	Total.
		26	27	53

Death-rate=11·93 per 1000 of the population.

Zymotic death-rate=·45 per 1000 of the population.

Infantile death-rate=87·71 per 1000 registered births.

Deaths according to Sex and Ages.

		Males.	Females.	Total.
Under 1 year	...	3	7	10
1 year and under 5 years		4	2	6
5 years	„ 15 „	—	2	2
15	„ „ 25 „	1	2	3
25	„ „ 65 „	5	4	9
65	„ and upwards	13	10	23
		26	27	53

Deaths according to Locality and Sex.

Parishes.	Males.	Females.	Total.
Antingham ...	2	—	2
Gimingham ...	3	2	5
Knapton ...	1	1	2
Mundesley ...	4	3	7
Northrepps ...	4	5	9
Sidestrand ...	3	3	6
Southrepps ...	6	5	11
Suffield ...	—	3	3
Thorpe Market ...	1	1	2
Trimingham ...	—	2	2
Trunch ...	2	2	4
	<hr/>	<hr/>	<hr/>
	26	27	53
	<hr/>	<hr/>	<hr/>

There were no deaths in Gunton during 1904.

The principal Causes of Death were as follows :

	Under 5 yrs.	Over 5 yrs.	Total.
Diphtheria ...	—	1	1
Whooping Cough ...	1	—	1
Influenza ...	—	3	3
Phthisis ...	1	2	3
Bronchitis, Pneumonia, and Pleurisy ...	7	5	12
Heart Disease ...	—	1	1
Other Diseases ...	7	25	32
	<hr/>	<hr/>	<hr/>
	16	37	53
	<hr/>	<hr/>	<hr/>

REPPS SUB-DISTRICT.

ZYMOTIC DISEASE. The number of cases notified were as under.

PARISHES.	Diph- theria.	Scarlet Fever.	Ty- phoid Fever.	Total.	PARISHES.	DEATHS.		
						Diph- theria.	Whoop- ing Cough.	Total.
Gimmingham	..	7		7	Sidestrand	1		1
Guntton	...	1		1	Southrepps		1	1
Sidestrand	...			1				
Southrepps	...		2	2				
Trunch	..	5		5				
	1	13	2	16		1	1	2

REPPS SUB-DISTRICT.

BIRTHS.

Sex.	DEATHS.												BIRTHS.							
	Under 1 year.		1 year and under 5 yrs.		5 yrs. and under 15 yrs.		15 yrs. and under 25 yrs.		25 yrs. and under 65 yrs.		65 yrs. and upwards.		TOTALS.							
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	Legitmt. Males.	Illegitmt. Females.	Totals.					
JANUARY	1	1					1	1	1	1	1	2	3	5	4	—	2	6		
FEBRUARY	1	1	1									2	1	3	4	—	2	1	7	
MARCH	1				1						3	2	4	3	7	13	2	1	18	
APRIL	1						1			1	1	1	2	2	4	6	—	3	9	
MAY		1						2			1	1	2	2	4	1	1	1	3	
JUNE		2			1		1			1	1	1	1	4	5	6	—	2	8	
JULY	1	1			1								3	3	8	1	5	1	15	
AUGUST			1	1					1		1	1	3	2	5	3	—	3	1	7
SEPTEMBER							1		1	1	1	1	3	1	4	4	—	7	—	11
OCTOBER			1						1	1			2	1	3	5	1	2	—	8
NOVEMBER								1			1	1	2	1	3	2	—	6	—	8
DECEMBER	1											3	3	4	7	6	1	7	—	14
TOTALS	3	7	4	2	2	1	2	5	4	13	10	26	27	53	62	6	42	4	114	

ESTIMATED POPULATION FOR 1904 ... 4439.

T. W. RICHARDSON, Medical Officer of Health.

