# [Report 1959] / Medical Officer of Health, Filey U.D.C.

# Contributors

Filey (England). Urban District Council.

# **Publication/Creation**

1959

# **Persistent URL**

https://wellcomecollection.org/works/a48jmr4e

## License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

Library

# **Urban District Council of Filey**





# **Medical Officer** of Health

of the

and

# **Public Health** Inspector

For the Year 1959



### URBAN DISTRICT OF FILEY

.

ANNUAL REPORT of the

MEDICAL OFFICER OF HEALTH

including

REPORT

of

PUBLIC HEALTH INSPECTOR

For the Year 1959



#### PEALTH COMMITTEE

Chairman Councillor G. HARRISON

#### Members

Councillor B.H. BOSCMWORTH Councillor J.W. CUNNINGHAM Councillor H. FAWCETT Councillor D.C. HUDSON, J.P. Councillor Miss D.L. SMITH Councillor F. STOTT

-----

Clerk of the Council

K, HENDERSON, A.C.I.S.

----

Surveyor and Water Engineer

M. HYSLCP, M.I.Mun.E.

Medical Officer of Health

J.H. MAUGHAN, M.B., B.S., D.P.H.

Public Health Inspector

K.W. SKEATES, M.A.P.H.I., A.M.I.P.H.E. (resigned 4.6.1959)

Public Health Inspector

------

J. STOREY, M.R.S.H., M.A.P.H.I. (appointed 1.7.1959)

. . . . . .

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

https://archive.org/details/b29206352

Health Office, Oxford Street Bridlington.

To the Chairman and Councillors, Urban District Council of Filey.

Mr. Chairman, Lady and Gentlomen,

I have pleasure in presenting the Annual Report for the year 1959.

The statistics for the town show slight variation when compared with last year. 52 births and 59 deaths occurred during the year compared with 64 and 61 respectively last year. The birth rate of 11.42 per 1,000 population is still below the national average of 16.5 per 1,000 population, while the death rate of 11.48 per 1,000 population is about the national average. Once again there was no infant deaths, maternal deaths or deaths from tuberculosis during the year. Cancer however still takes its toll, being responsible for one-fifth of the total deaths.

Very few cases of infectious diseases were notified during the year and the incidence of measles was low compared with adjoining districts in the East Riding.

In last year's report I indicated that pollution of the Primrose Valley stream with effluent from septic tanks in the area was a matter of concern. During the year progress was made with the Primrose Valley Sewerage Scheme and construction work on the scheme had commenced at the time of writing.

In presenting this report may I express my thanks to the staff of the Department for their work and help during the year and also to the Chairman and Members of the Health Committee for their constant interest and support.

I am,

Yours faithfully,

J.H. MAUGHAN.

Medical Officer of Health



# OF TERMS STATISTICS

l	Area in acres	2,105
I	Population : 1959 Register General	4,780
	Rateable Value	£106,570
	Sum represented by a penny rate	£1+2+2+
	Estimated number of inhabitod houses	1912

VITAL STATISTICS

Live	D	in me	4	he
TIAG	D	11	v	110

	52
Number	
Crude birth rate	10.88
Adjusted birth rate : Comparability factor R.C. 1.05	11.42
Illegitimate live births per cent of total live births	5.77
Stillbirths	-
Number	2
Rate per 1,000 total live and still births	37.04
Total live and still births	54
Infant deaths (deaths under 1 year)	-
Infant Mortality Rates	
Total infant deaths per 1,000 total live births	-
Legitimate infant deaths per 1,000 legitimate live births	-
Illegitimate infant deaths per 1,000 illegitimate live births	-
Neo-natal Mortality Rate (deaths under 4 weeks per 1,000 total live births)	-
Early Neo-natal Mortality Rate (deaths under 1 week per 1,000 total live births)	-
Perinatal Mortality Rate (stillbirths and deaths under 1 week combined per 1,000 total live and still births)	37.04
Maternal Mortality ( including abortion)	
number of deaths	-
Rate per 1,000 total live and still births	-
Deaths	
Number	59 12.34
Adjusted death rate : Comparability factor R.G.0.93	11.48
Deaths from Pulmonary Tuberculosis	-
Rate per 1,000 population	-
Deaths from other forms of Tuberculosis	-
Rate per 1,000 population	-

.

Deaths from Respiratory Disease	3
Rate per 1,000 population	0.63
Deaths from Heart Disease	22
Rate per 1,000 population	4.60
Deaths from Cancer	14
Rate per 1,000 population	2.93

## FROVISIONAL STATISTICS - ENGLAND AND WALES

#### Births

Live Birtha	 per 1,000 population
Stillbirths	 per 1,000 total live and
	still births.

#### Deaths



# Causes of Death in Filey U.D., 1959 (R.G.)

	Males	Females
All causes	33	26
Cancer, stomach	3	1
Cancer, lung, bronchus	1	-
Cancer, breast	-	1
Cancer, uterus	-	1
Cancer, other sites	1	4
Leukaemia, aleukaemia	2	-
Diabetes	-	1
Vascular lesions of nervous system	6	5
Coronary disease, angina	11	3
Hypertension with heart disease	-	-
Other heart disease	3	5
Other circulatory disease	2	1
Influenza	1	1
Pneumonia	1	-
Bronchitis	-	2
Nephritis and nephrosis	1	-
Other defined and ill-defined diseases	-	1
Motor vehicle accidents	1	-

Counce of South in FOST 3.3., 1959 (3.6.)

Notifiable Diseases	Under 1 Year	1 - 4 years	5 - 14 years	15 - 24 years	25 - 44 years	45 - 64 years	Over 65 years	Total deaths	
Measles	-	6	10	-	-	-	-	-	
Pneumonia	-	1	1	-	_	-	3	1	



		A'	FECTIOUS D	NISEASES NO	TEED 19	INFECTIOUS DISEASES NOTIFIED 1949 - 1959			135		
	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959
Scarlet Fever	9	Ŧ	ß	63	+	1	1	4	۴.	ı	1
Whooping Cough	96	21	18	4	37	4.3	2	37	10	٣	1
Polionyelitis (Paralytic)	ı	1	1	1	۴	ı	2	1	1	1	1
Bolieuyelitis (Non Faralytic)	ı	1	1	1	1	1	1	ı	1	1	1
Measles	077	134	17	195	19	5	149	16	141	11	16
Diphtheria	ı	1	1	1	1	1	1	1	1	1	1
Dysontery	1	1	1	1	1	1	1	1	24	ı	1
Meningococcal Infection	1	1	1	1	ı	۴	1	2	1	ı	1
Pneunonia	17	4	2	м	5	7	9	4	9	18	5
Acute Encephalitis (Post-infectious)	1	1	ı	*	ı	1	,	1	'	1	r
Paratyphoid Fevers	I	I	-	ı	ı	1	1	1	1	í	1
Erysipelas	0	-	+	ı	1	4	1	5	1	1	1
Food Poisoning	1	1	-	1	1	1	1	1	1	1	1
					8.						

ł

ł

					. 4			
				• •				

ptheria Immunisation

The number of children who completed the full course of immunisation the Authority's area between 1st January and 31st December, 1959 is as allows:-

Under 5 years

65

5- 14 years

The estimated number of children immunised at any time who were born etween 1945 and 1959 inclusive is as follows :

Under 5 years	5 - 14 years
210	578

mallpox Vaccination

The number of persons vaccinated or re-vaccinated during the year s as follows :

ge at Date of accination	Under 1	1 year	2 to 4	5 to 14	15 or over	Total
mber vaccinated	27	1	4	2	3	37
mber re-vaccinated	-	-	-	-	8	8

# Tuberculosis

The Register of Tuberculosis for the year is as follows :

Pulmonary Males Females		Puln	Non- Pulmonary Males Females		
*****				Constant	
. 11	13	3	3	30	
. 1	-	-	-	1	
. 2	-	-	-	2	
	1	-	-	1	
14	12	3	3	32	
	Males . 11 . 1 . 2	<u>Males Females</u> . 11 13 . 1 - . 2 - 1	Pulmonary   Pulm     Males   Females   Males     . 11   13   3     . 1   -   -     . 2   -   -      1   -	Pulmonary   Pulmonary     Males   Females     . 11   13   3     . 1   -   -     . 2   -   -      1   -	

Mag 1.19 million

The Register of Toleraulants for the rest to an follow a

20

#### GENERAL PROVISION OF HEALTH SERVICES FOR THE AREA

#### Laboratory Facilities

Specimens for bacteriological and pathological examinations are sent to the Public Health Laboratory of the Medical Research Council at Hull or to the Pathological Laboratory at Scarborough.

Samples of water for chemical analysis are forwarded to the Public Analyst for the East Riding.

#### Maternity and Child Welfare

The County Council provide a fortnightly Clinic which is held in the Conference Hall adjoining the Council Offices.

There is one Health Visitor working in the district.



#### GENERAL

Progress has been made as regards the Primrose Valley Sewerage scheme, and this should be commenced during 1960. This will improve the condition of the stream which was heavily polluted especially during peak holiday periods when the fresh water in the stream was very low.

The Foreshore generally was clean and satisfactory, but there were occasions when overloading of septics tanks in Hummanby Gap created a problem, and this area together with Toyal Oak will no doubt receive consideration after completion of the scheme in hand.

#### FOOD PREMISES

The hygienic standard of food premises was generally satisfactory. There were no instances when formal action was necessary, informal action being sufficient to obtain improvements where conditions were below standard.

#### Preserved Food - Registered Premises - Section 16. Food and Drugs Act. 1955.

8 premises are registered in the District. 12 inspections have been made and the standard found to be satisfactory.

#### Milk and Dairies Regulations, 1944-1954.

One Dairy is registered under these Regulations. 18 inspections have been made of the premises which always presented a high standard of efficiency and cleanliness. 21 samples of Milk were submitted to the Public Health Laboratory for bacteriological examination and all proved to be satisfactory.

#### The Ice Cream (Heat Treatment, etc) Regulations, 1947-1952.

28 premises are registered under the Food and Drugs Act, 1955, for the sale or manufacture of Ice Cream. At one only of these premises is Ice Cream manufactured using heat treatment in accordance with the regulations. 19 samples of Ice Cream were submitted to the Public Health Laboratory for bacteriological examination with the following results:-

Grade 1	Grade 2	Grade 3	Grade 4
16	nil	1	2

#### Unsound Food

The following is a summary of unsound food, excluding meat from slaughterhouses, surrendered and disposed of by the Local Authority.

Food	Weight	
Canned Fruit	58 lbs	
Canned Ham	319 "	
Canned Meat	13늘 "	
Canned Milk	4 "	
" Vegetables	21 "	
" Sausage	19글 "	
" Fish	4 "	
Cheese	81 "	
Rice Pudding	2 "	

#### MULA STY ID GEDERTHERED TRACING

Frograme has been and an represe the relation which for a value for a second of the second base of the others and that follows the stress which were hereily pullished expected with president of the stress which were to the stress as the freeh when it the stress as the presence of the stress as the freeh when it the stress as the presence of the stress as the stress in the stress as the stres

The Frankre and the proving of replace then an antiderary, has there were accessive and confine with a section these in Munachy Gap created a problem, and this area together with found Ock will so wath receive consideration areas couldtant of the astrono in book.

NOD PRECIPE

The hypismic stances of feel preside an convertify anticipatory.

Property Prod - How at Despired - Looilon 10

6 president and residents in the pretrict. 12 impediant have

all man Inderiver Sampletter, 154-195.

One Delay is registered unior theme Deal othems. "I hupertient are been unto of the presides which always respected a high standard of wTisionary and claumi frame. If semples of Millicromes subsitied to the Fallo Melty laboratory for bactericityical constantian and all proved to be

The los Grenn (Head Tree Lawer, sto) Denilstimo, 1 Mil-1921

28 presides are registered unlar the feed and Braze Act, 1955, for the alls or semifactors of los Green. At the colly of these presider is its Green windedored using best treatment in acompany with the regulations. If employ of los Green yers consisted to the Poblic Health Loboratory for bestericlogical armination with the following results:-

hoo'd brainiant

The following is a paramy of unsound fool, and think is an altering and then

#### Slaughterhouses.

There are two licensed slaughterhouses in the district, serving the needs of two local butchers. These slaughterhouses have been operated satisfactorily.

#### Meat Inspection

All meat at the two licensed slaughterhouses has been inspected, and the quality of locally slaughtered animals has been very good.

#### Carcases and cffal inspected and condemned in whole or in part

	Cattle Excluding Cows	Cows	Calves	Sheep & Lambs	Pigs	Horses
Number killed (if known)	86	-	-	848	188	-
Number inspected	86	-	-	848	188	-
all diseases except Cuberculosis & Cysticerci						
Whole carcases condemned Carcases of which some		-	-	-	1	-
part or organ was condemned	14.	-	-	-	-	-
Percentage of the number inspected affected with lisease other than Puberculosis and systicerci	16.2	-	-	-	.53	-
Muberculosis only Whole carcases condemned		-	-	-	-	-
Carcases of which some part or organ was conden	med –	-	-	-	-	-
Percentage of the number inspected affected with tuberculosis	-		-	-	-	-
ysticercosis						
Carcases of which some p or organ was condemned	art -	-	-	-	-	-
Carcases submitted to treatment by refrigerati	on 1	-	-	-	-	-
Generalised and totally condemned	_ 0	-	-	-	-	-

#### HORINITED STR

There are two lineaned discriminations in the district, seving the meda of two iccal butchess. These elemeticalisates have

#### at Inspect of

All mant at the two literand alongivaristics and hear interacted,

first of the shall be souther and southers in while of the

			ave 2013
			14
			-

#### WATER SUPPLY

The water supply has proved satisfactory both as regards purity and quantity. Seventeen bacteriological samples were submitted of which sixteen conformed to Class I Ministry of Health Classification and one failed to reach the required standard. As other two samples taken on the same day proved to be satisfactory, and subsequent samples from the same source were satisfactory, the fault was probably not in the supply, but in the method of sampling or a bottle which had not been sterile. Three samples were submitted for chemical analysis. Typical results were as follows:-

Physical Examination	No. 1 Borchole	No. 2 Borehole
Colour, in 2ft column. Appearance.	Colourless Clear; practically no suspended matter	Colourless Clear: practically no suspended matter
Taste Smell	Normal None	Normal None
General Chemical Examination		

Parts per MillionFree Carbon Dioxide. As $CO_2$ NoneNoneAmoniacal Nitrogen, as N, $0.222$ $0.145$ Albuminoid Nitrogen, as N, $0.008$ $0.006$ Nitrous" as N,NoneNitric Nitrogen, as N, $0.66$ $0.66$ Hardness, (E.D.T.A) as CaCO3229239Temporary188208Permanent $41$ $31$ Permanganate figure (4 hrs $80^{\circ}$ F) $0.286$ Alkalinity as CaCO3 $262$ $264$ Total Solids (at $180^{\circ}$ C). $429$ $350$ Chlorides, as CI $66$ $60$ Free ChlorineNoneNoneLead etoNoneNoneFluorine $0.17$ $0.235$	Reaction, pH	7.5		7.4
Amoniacal Nitrogen, as N, $0.222$ $0.145$ Albuminoid Nitrogen, as N, $0.008$ $0.006$ Nitrous" as N,NoneNoneNitric Nitrogen, as N, $0.66$ $0.6$ Hardness, (E.D.T.A) as CaCO3229239Temporary188208Permanent4131Permanganate figure (4 hrs 80°F) $0.314$ $0.286$ Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone			Parts per Million	
Amoniacal Nitrogen, as N, $0.222$ $0.145$ Albuminoid Nitrogen, as N, $0.008$ $0.006$ Nitrous" as N,NoneNoneNitric Nitrogen, as N, $0.66$ $0.6$ Hardness, (E.D.T.A) as CaCO3229239Temporary188208Permanent4131Permanganate figure (4 hrs 80°F) $0.314$ $0.286$ Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Free Carbon Dioride, As CO.	None		None
Albuminoid Nitrogen, as N,0.0080.006Nitrous" as N,NoneNoneNitric Nitrogen, as N,0.60.6Hardness, (E.D.T.A) as CaCO3229239Temporary168208Permanent4131Permanganate figure (4 hrs 80°F)0.3140.286Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone				
Nitrous" as N,NoneNoneNitric Nitrogen, as N, $0.66$ $0.6$ Hardness, (E.D.T.A) as CaCO3229239Temporary188208Permanent4131Permanganate figure (4 hrs 80°F) $0.314$ $0.286$ Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone				
Nitric Nitrogen, as N, 0.60.6Hardness, (E.D.T.A) as CaCO3 229239Temporary188Permanent41J1Permanganate figure (4 hrs 80°F)0.314as 00.314Alkalinity as CaCO3262Total Solids (at 180°C).429Chlorides, as CI66Free ChlorineNoneLead etoNone				
Hardness, (E.D.T.A) as CaCO3 229 239   Temporary 188 208   Permanent 41 31   Permanganate figure (4 hrs 80°F) as 0 0.314 0.286   Alkalinity as CaCO3 262 264   Total Solids (at 180°C). 429 350   Chlorides, as CI 66 60   Free Chlorine None None   Lead eto None None				
Hardness, (E.D.T.A) as CaCO3229239Temporary188208Permanent4131Permanganate figure (4 hrs 80°F)as 00.314Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Nitric Nitrogen, as N.	0.6		
Temporary188208Permanent4131Permanganate figure (4 hrs 80°F)as 00.3140.286Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone		229		239
Permanent4131Permanganate figure (4 hrs 80°F) as 00.3140.286Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Temporary	188		208
as 00.3140.286Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Permanent	41		31
as 00.3140.286Alkalinity as CaCO3262264Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Permanganate figure (4 hrs 80 F	)		
Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone		0.314		0.286
Total Solids (at 180°C).429350Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Alkalinity as CaCO3	262		264
Chlorides, as CI6660Free ChlorineNoneNoneLead etoNoneNone	Total Solids ( at 180°C ).	429		350
Lead eto None None	Chlorides, as CI			60
Lead eto None None	Free Chlorine	None		None
Fluorine 0.17 0.23		None		None
	Fluorine	0.17		0.23

The Public Analyst was satisfied with the quality of the water.

#### CAMPING SITES

The three licensed Camping Sites and the Site used by the Caravan Club have operated satisfactorily.

#### RODENT CONTROL

No major infestations were found during the year, and the system under which this service is free to domestic premises, but a charge made for business premises, is still in operation. Council sewer manholes were test baited, and where there was any evidence of infestation, poison baits were laid.

TITLE NO.

The main apply has proved attached antiation of regular which shrows confered to Given a motorthicked a secilar wars animitized a one falled to reach the required staticned, as obser too angles has the one source are asticuted staticned, and sharopent scopies as the one source are asticuted by, the fault was probably not in the rest and in the mater attached by, the fault was probably not in the rest and in the mater attached by, the fault was probably not in the rest and in the mater attached of angling a o bothle with had not been and the rest and angles wars and the fault of angling a o bothle with the fault was probably and to be rest and an and a set of angling a o bothle with the results wars

station and in whileup and data initializes new deviant elimits

#### STIR DATE

The shree lines lineared Carping Sibes and the Main by the

#### JOSEDO ANEO

Who way a informations were from a during our your, and has noted under which this working is from to Homostic president, but a sarge mole for business president, is will be updayited. Comoliwor, controlles were tout a builded, and where there will not evidence of contestion, solarm botted, and where there will not evidence of

Mashen of visits by part-time Scherk Operator ..... 202

#### HOUSING

Steady progress has been made in rehousing the tenants of the houses which are included in the first stage of the Queen Street Re-development area.

# FACTORIES ACT, 1937 and 1938

Inspections for purposes of provision as to health: 1.

	Promises	No. on Register	No. of Inspections	No. of Written Notices
(a)	Factories in which sections 1,2,3,4 & 6 are to be enforced by Local Authority	6	6	Nil
(b)	Factories not included in (a) in which section 7 is enforced by the Local Authority	26	28	Nil
(c)	Other premises in which section 7 is enforced by Local Authority	5	5	Nil
	TOTAL	37	39	Nil

#### Cases in which DEFECTS were found: 2.

Particulars	Found	Remedied	Referred by H.M. Inspector
			TIGDIS ALLOPSO SOL
Sanitary Conveniences (S7) (b) Unsuitable or defective	Nil	Nil	Nil

#### VISITS AND INSPECTIONS

Houses - Public Health and Housing Acts Local Authority properties		122
Revisits		24.6
Complaints received and investigated		113
Slaughterhouses		144
Dairies		27
Drainage inspections and tests		37
Smoke Observations		3 3
Infectious Diseases		3
Butchers Shops		22
		16
Grocers. Fruiterers etc,		60
Camping Grounds		4
School Canteens		18
Bakehouses	••••••	25
Cafe & Hotel Kitchens		
Fish Shops		14
Ice Cream Premises		51
Cinemas		4
Seasonal Stands		11
Wasp Infestations dealt with		12
Notices served - Informal		13
Formal		1
Notice complied with - Informal		13
		Nil
Formal		-





