

**[Report 1973] / Medical Officer of Health, Gainsborough R.D.C.**

**Contributors**

Gainsborough (England). Rural District Council.

**Publication/Creation**

1973

**Persistent URL**

<https://wellcomecollection.org/works/trw2ttaj>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>



THE RURAL DISTRICT COUNCIL

OF

GAINSBOROUGH

---

ANNUAL REPORT

OF

THE MEDICAL OFFICER OF HEALTH

1973

---



Medical Officer of Health

J. S. Robertson, M.B., Ch.B., M.R.C.S., D.P.H., D.I.H.

Deputy Medical Officer of Health

A. V. Sheard, M.B., Ch.B., D.Obst.R.C.O.G., D.P.H.

Office: Public Health Department, The Cedars, Bigby Road, Brigg.  
Tel: Brigg 3604/5

Clerks: Mrs. M. H. Akester  
Mrs. N. A. Titman  
Mrs. M. E. Jackson

Surveyor and Chief Public Health Inspector

F. Archer, A.M.I.C.E., M.A.P.H.I.

Assistant Surveyor and Public Health Inspector

D. G. Clixby, Cert. S.I.B.  
Certified Inspector of Meat and Other Foods.

Office: 26, Spital Terrace, Gainsborough.  
Tel: Gainsborough 2215





The Cedars,  
Bigby Road,  
Brigg,  
Sth. Humberside.

August, 1974.

Mr. Chairman, Ladies and Gentlemen,

During 1973 there were eighteen more live births in Gainsborough Rural District than in the previous year, and the illegitimacy rate rose from 4 per cent to 7 per cent. Clearly our efforts to publicise the family planning services and promote their use has not been as successful as one would wish, and further efforts are necessary. The estimated mid-year population on which calculation of rates is based has risen from 12,400 to 13,670 and consequently the birth rate per thousand population has not changed appreciably. However, as the population had previously been assessed as falling this sudden rise should be viewed with some scepticism.

The infant mortality rate was unusually high, 31 per thousand compared with 17 per thousand in England and Wales. The excess in infant deaths was due to respiratory infections, which accounted for 3 deaths of babies aged between 8 and 40 weeks. The fourth death among older babies was attributed at inquest to accidental suffocation due to turning face down on to the pillow. But for these deaths of older children the infant mortality statistics would have been satisfactory.

Although there were 8 more deaths than in the previous year the larger population base on which the rate is calculated resulted in the "rate" falling. The validity of this rate is dependant on the accuracy of the estimate of mid-year population, however, and it cannot therefore be assumed that there has in fact been a fall in rate.

Compared with 1972 there were four more deaths of persons in the age range 45-64 yrs., due mainly to an increase from 7 to 12 in deaths from malignant disease. The pattern of deaths was however very similar to that experienced in previous years, and the numbers attributable to individual causes were too small to warrant analysis.





Despite the availability of a vaccine there was a disappointing resurgence in measles in 1973. Twenty-two of the 43 notified cases were children over the age of 5, and it may be that many of them may have missed the opportunity to be vaccinated as the vaccine only came into use in 1968.

Progress with slum clearance during the year was slow, but probably due to the availability of 75% grants, there was a rise in the number of grant aided improvements from 89 in 1972 to 126 in 1973. Progress with the sewerage of the district was maintained, the schemes for Northorpe and Laughton being completed and good progress was made at Torksey and Torksey Lock.


It is always sad to reach the end of an era, and many will grieve the passing of small authorities. Although my association with Gainsborough Rural District was short, I shall miss the friendly atmosphere of your meetings and the helpful attitudes of your staff.

I am most grateful to you for the support and encouragement you have given me in the past, and hope that the district fares well in the future, when it becomes a part of the new West Lindsey District.

I am indebted to Mr. Archer and to Mr. Clixby for their help during the past few years, and particularly for their work during 1973. As usual the details have been tabulated in the latter pages of this report. I am sure that you will join me in wishing them well in their new posts following reorganisation.

I am,

Your obedient servant,

A handwritten signature in dark ink, appearing to read 'J. S. Robertson', with a long, sweeping horizontal stroke at the end.

J. S. Robertson  
Medical Officer of Health.



Digitized by the Internet Archive  
in 2017 with funding from  
Wellcome Library

<https://archive.org/details/b29253214>

VITAL STATISTICS

	<u>1971</u>	<u>1972</u>	<u>1973</u>
Mid-year Population	12,600	12,400	13,670
Live Births	242	205	223
Stillbirths	1	2	-
Infant deaths under 4 weeks of age	2	2	3
Total Deaths	140	148	156

	<u>Legitimate</u>			<u>Illegitimate</u>			<u>TOTAL</u>
	<u>Male</u>	<u>Female</u>	<u>Total</u>	<u>Male</u>	<u>Female</u>	<u>Total</u>	
Live Births	102	106	208	7	8	15	223
Stillbirths	-	-	-	-	-	-	-
Infant deaths under 1 year	3	3	6	-	1	1	7
Infant deaths under 4 wks.	1	1	2	-	1	1	3
Infant deaths under 1 week	1	1	2	-	1	1	3

	<u>Gainsborough R.D.</u>	<u>England &amp; Wales</u>
	<u>1972</u>	<u>1973</u>
Crude Birth Rate	16.5	16.3
Corrected Birth Rate*	16.0	16.6
Stillbirth Rate	10.0	-
Infant Mortality Rate	20.0	31.0
Legitimate Infant Mortality Rate	15.0	29.0
Illegitimate Infant Mortality Rate	111.0	67.0
Neonatal Mortality Rate	10.0	13.0
Early Neonatal Mortality Rate	10.0	13.0
Perinatal Mortality Rate	19.0	13.0
Illegitimacy Rate	4.0	7.0
Crude Death Rate	11.9	11.4
Corrected Death Rate*	11.7	12.0

\* These corrections take account of the different proportions of old and young people in the area, and make the resulting rate comparable with that for England and Wales. Thus, a resort to which old people retire would have a high crude rate but low comparability factor would correct the false impression that this was an unhealthy area. The comparability factor for births in this area is 1.02 and for deaths 1.05.





Causes of Death in the District during the year 1973  
(Registrar General's Figures)

Causes of Death	0-	1-	15-	25-	45-	65+	Total	
							M	F
Malignant Neoplasm, Buccal Cavity etc.	-	-	-	-	-	1	-	1
Malignant Neoplasm, Oesophagus	-	-	-	-	1	2	1	2
Malignant Neoplasm, Intestine	-	-	-	-	1	1	-	2
Malignant Neoplasm, Lung, Bronchus	-	-	-	-	4	-	4	-
Malignant Neoplasm, Breast	-	-	-	1	3	1	-	5
Malignant Neoplasm, Uterus	-	-	-	-	3	-	-	3
Malignant Neoplasm, Prostate	-	-	-	-	-	1	1	-
Leukaemia	-	-	-	-	-	2	1	1
Other Malignant Neoplasms	-	-	1	-	1	5	3	4
Diabetes Mellitus	-	-	-	-	-	2	-	2
Chronic Rheumatic Heart Disease	-	-	-	-	-	1	-	1
Hypertensive Heart Disease	-	-	-	-	1	7	3	5
Ischaemic Heart Disease	-	-	-	1	14	34	35	14
Other Forms of Heart Disease	-	-	-	-	-	3	1	2
Cerebrovascular Disease	-	-	-	1	-	22	7	16
Other Diseases of Circulatory System	-	-	-	-	1	2	1	2
Pneumonia	3	-	-	-	2	8	7	6
Bronchitis and Emphysema	-	-	-	-	1	2	3	-
Other Diseases of Respiratory System	-	-	-	-	-	1	1	-
Intestinal Obstruction and Hernia	-	1	-	-	-	1	2	-
Cirrhosis of Liver	-	-	-	1	1	-	1	1
Nephritis and Nephrosis	-	-	-	-	-	2	1	1
Other Diseases, Genito-Urinary System	-	-	-	-	1	-	1	-
Congenital Anomalies	1	-	-	-	-	-	-	1
Other Causes of Perinatal Mortality	2	-	-	-	-	-	1	1
Symptoms and Ill-Defined Conditions	-	-	-	-	-	4	1	3
Motor Vehicle Accidents	-	-	1	-	-	-	1	-
All Other Accidents	1	-	-	-	-	3	3	1
Suicide and Self-Inflicted Injuries	-	-	-	-	2	1	3	-
<b>TOTAL:</b>	<b>7</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>36</b>	<b>106</b>	<b>82</b>	<b>74</b>





NOTIFICATION OF INFECTIOUS AND OTHER DISEASES  
BY AGE GROUPS

DISEASES	0+	1+	2+	3+	4+	5+	10+	25+	A.U.	TOTAL
Measles	2	2	3	4	9	21	-	1	1	43
Infective Jaundice	-	-	-	-	1	1	2	1	-	5
Food Poisoning	-	-	-	-	-	-	1	1	-	2
Pulmonary Tuberculosis	-	-	-	-	-	-	-	1	-	1
Scarlet Fever	-	-	-	-	-	-	1	-	-	1
Total:	2	2	3	4	10	22	4	4	1	52



WATER SUPPLYReports on samples of water taken by the Lincoln and District Water Board(1) Lea Road No. 2 Borehole

Chemical Analysis in mg./l.

Appearance - Clear and Bright

Colour ( $^{\circ}$ Hazen)	-	Turbidity (Silica Scale)	0.8
Odour & Taste - Nothing significant		Conductivity at $20^{\circ}$ (Recip. Megohms)	700
Total Dissolved Solids ( $180^{\circ}$ )	-	pH	7.70
Total Hardness as $\text{CaCO}_3$	354	Alkalinity as $\text{CaCO}_3$	172
Non-Carbonate Hardness as $\text{CaCO}_3$	182	Calcium Hardness as $\text{CaCO}_3$	-
Magnesium Hardness as $\text{CaCO}_3$	-	Free Carbon Dioxide as $\text{CO}_2$	7.0
Chloride as Cl	19.5	Fluoride as F	0.07
Phosphate as $\text{PO}_4$	-	Silica as $\text{SiO}_2$	-
Sulphate as $\text{SO}_4$	185		
Free Ammoniacal Nitrogen as N	0.03	Albuminoid Nitrogen as N	< 0.01
Nitrate Nitrogen as N	< 0.5	Nitrite Nitrogen as N	-
Oxygen absorbed from Permanganate (4 hour at $27^{\circ}$ )			Nil
Iron as Fe	-	Manganese as Mn	-
Potassium as K	-	Sodium as Na	-
Heavy metals (copper, lead and zinc)			-
Other Parameters	-		



# WATER QUALITY

Reports on samples of water taken by the Lincoln and District Water Board

(1) San Road No. 2 Borehole

Chemical analysis in mg./l.

Appearance - Clear and Bright

Colour (Hazen)	-	Turbidity (Nelson Scale)	0.8
Odour & Taste - Nothing objectionable		Conductivity at 25° (Recq. Regulus)	700
Total Dissolved Solids (180°)	-	pH	7.70
Total Hardness as CaCO <sub>3</sub>	351	Alkalinity as CaCO <sub>3</sub>	175
Non-Carbonate Hardness as CaCO <sub>3</sub>	182	Calcium Hardness as CaCO <sub>3</sub>	-
Magnesium Hardness as CaCO <sub>3</sub>	-	Free Carbon Dioxide as CO <sub>2</sub>	7.0
Chloride as Cl	19.2	Fluoride as F	0.07
Phosphate as PO <sub>4</sub>	-	Sulphate as SO <sub>4</sub>	-
Sulphate as SO <sub>4</sub>	182	Free Ammoniacal Nitrogen as N	0.01
Nitrate Nitrogen as N	< 0.2	Nitrite Nitrogen as N	-
Oxygen absorbed from ferrioxalate (A part of 25°)		Manganese as Mn	-
Iron as Fe	-	Sodium as Na	-
Potassium as K	-	Heavy metals (copper, lead and zinc)	-
Other Parameters	-		

(2) Glenthams Pumping Station

Chemical Analysis in mg./l.

Appearance - Clear and Bright

Colour ( $^{\circ}$ Hazen)	-	Turbidity (Silica Scale)	0.4
Odour & Taste - Slight musty odour		Conductivity at $20^{\circ}$ (Recip. Megohms)	920
Total Dissolved Solids ( $180^{\circ}$ )	-	pH	7.31
Total Hardness as $\text{CaCO}_3$	488	Alkalinity as $\text{CaCO}_3$	286
Non-Carbonate Hardness as $\text{CaCO}_3$	202	Calcium Hardness as $\text{CaCO}_3$	-
Magnesium Hardness as $\text{CaCO}_3$	-	Free Carbon Dioxide as $\text{CO}_2$	29
Chloride as Cl	41.0	Fluoride as F	0.18
Phosphate as $\text{PO}_4$	-	Silica as $\text{SiO}_2$	-
Sulphate as $\text{SO}_4$	186		
Free Ammoniacal Nitrogen as N	0.06	Albuminoid Nitrogen as N	0.03
Nitrate Nitrogen as N	1.3	Nitrite Nitrogen as N	-
Oxygen absorbed from Permanganate (4 hour at $27^{\circ}$ )			0.12
Iron as Fe	-	Manganese as Mn	-
Potassium as K	-	Sodium as Na	-
Heavy metals (copper, lead and zinc)			-
Other Parameters	-		

Bacteriological Examination

220 samples of water were taken for bacteriological examination from pumping stations serving the area. Of these only four were reported as having coliforms present and the affected source was free from organisms when resampled.

(2)

Glenham Pumping Station

Chemical Analysis in mg./l.

Appearance	-	Clear and bright
Colour (°Plates)	-	
Odour & Taste	-	Slight earthy odour
Conductivity at 20° (mho/cm. 25°C)	250	
Total Dissolved Solids (TDS) (°Plates)	7.31	
Total Hardness as CaCO <sub>3</sub>	185	
Non-Carbonate Hardness as CaCO <sub>3</sub>	505	
Magnesium Hardness as CaCO <sub>3</sub>	-	
Chloride as Cl	41.0	
Phosphate as PO <sub>4</sub>	-	
Sulphate as SO <sub>4</sub>	165	
Free Ammoniacal Nitrogen as N	0.05	
Nitrate Nitrogen as N	1.3	
Oxygen absorbed from ferrous sulphate (1 hour at 20°)	0.12	
Iron as Fe	-	
Potassium as K	-	
Heavy metals (copper, lead and zinc)	-	
Other constituents	-	

Bacteriological Examination

250 samples of water were taken for bacteriological examination from pumping stations serving the area. Of these only four were reported as having coliforms present and the affected source was free from organisms when resampled.

ANNUAL REPORT OF THE CHIEF PUBLIC HEALTH INSPECTOR. 1973HOUSING

Total number of dwelling-houses and flats in the district	4,845
Total number of new houses erected during the year:	
(1) By the local authority	None
(2) By other local authorities	None
(3) By other bodies or persons	88
(4) Number allocated for replacing houses subject to Demolition Order or otherwise demolished	None
Inspection of dwelling-houses during the year:	
(1) Total number of dwelling-houses inspected for housing defects (under Public Health or Housing Acts)	212
(2) Number of inspections made for the purpose	381
Remedy of defects during the year without service of formal notice:	
Number of defective dwelling-houses rendered fit in consequence of informal action by the local authority or their officers	25
Action under statutory powers during the year;	
(1) Proceedings under the Public Health Acts:-	
Number of dwelling-houses in respect of which notices were served requiring defects to be remedied	8
Number of dwellin g-houses in which defects were remedied after service of formal notices:	
(a) By owners	7
(b) By local authority in default of owners	Nil
(2) Proceedings under the Housing Acts:-	
Number of dwelling-houses in respect of which notices were served requiring repairs	4
Number of dwelling-houses which were rendered fit after service of formal notices:	
(a) By owners	3
(b) By local authority in default of owners	Nil
Number of certificates of disrepair issued	Nil



HOUSING

1,845	Total number of dwelling-houses and flats in the district
	Total number of new houses erected during the year:
None	(1) By the local authority
None	(2) By other local authorities
98	(3) By other bodies or persons
None	(4) Number allocated for replacing houses subject to demolition (order or otherwise demolished)
	Inspection of dwelling-houses during the year:
212	(1) Total number of dwelling-houses inspected for housing defects (under Public Health or Housing Acts)
381	(2) Number of inspections made for the purpose
	Remedy of defects during the year without service of formal notices:
25	Number of defective dwelling-houses rendered fit in consequence of informal action by the local authority or their officers
	Action under statutory powers during the year:
	(1) Proceedings under the Public Health Acts:-
8	Number of dwelling-houses in respect of which notices were served requiring defects to be remedied
7	Number of dwelling-houses in which defects were remedied after service of formal notices:
Nil	(a) By owners
Nil	(b) By local authority in default of owners
	(2) Proceedings under the Housing Acts:-
4	Number of dwelling-houses in respect of which notices were served requiring repairs
3	Number of dwelling-houses which were rendered fit after service of formal notices:
Nil	(a) By owners
Nil	(b) By local authority in default of owners
Nil	Number of certificates of disrepair issued

## (3) Slum Clearance - proceedings under the Housing Acts:-

Number of dwelling-houses in respect of which Demolition Orders were made	5
Number of dwelling-houses demolished in pursuance of Demolition Orders	7
Number of dwelling-houses, or parts, subject to Closing Orders	Nil
Number of dwelling-houses, or parts, rendered fit by undertakings	Nil
Number of dwelling-houses included in confirmed Clearance Orders	Nil
Total number of dwelling-houses on which Demolition Orders are operative and to which are still occupied except under the provisions of Section 34, 35 and 46 of the Housing Act, 1957	14
Total number of dwellin g-houses occupied under Section 34, 35 and 46 of the Housing Act, 1957	Nil
Houses demolished or closed voluntarily by owners which would otherwise have been the subject of Statutory action to secure demolition or closure	Nil

## Nissen Huts or similar hutments

Number still occupied	Nil
-----------------------	-----

## Estimated number of dwellings remaining to be dealt with under:-

(a) The Housing Act, 1957, Sections 16 and 18	246
(b) The Housing Act, 1957, Section 42	Nil

## Housing Acts - Overcrowding

Number of cases of overcrowding relieved during the year	Nil
Number of dwellings overcrowded at the end of the year	1
Number of families dwelling therein	2
Number of persons dwelling therein	13

(3) Sum Clearance - proceedings under the Housing Act-

1	Number of dwelling-houses in respect of which Clearance Orders were made
2	Number of dwelling-houses demolished in pursuance of Clearance Orders
3	Number of dwelling-houses, or parts, subject to Clearance Orders
4	Number of dwelling-houses, or parts, rendered fit by undertakings
5	Number of dwelling-houses included in confirmed Clearance Orders
6	Total number of dwelling-houses on which Clearance Orders are operative and to which are still occupied except under the provisions of Section 34, 35 and 36 of the Housing Act, 1937
7	Total number of dwelling-houses occupied under Section 34, 35 and 36 of the Housing Act, 1937
8	Houses demolished or closed voluntarily by owners which would otherwise have been the subject of Statutory action to secure demolition or clearance

Houses Huts or similar buildings

9	Number still occupied
---	-----------------------

Estimated number of dwellings remaining to be dealt with under-

10	(a) The Housing Act, 1937, Sections 35 and 36
11	(b) The Housing Act, 1937, Section 35

Housing Acts - overcrowding

12	Number of cases of overcrowding relieved during the year
13	Number of dwellings overcrowded at the end of the year
14	Number of families dwelling therein
15	Number of persons dwelling therein

## Housing Act, 1969

Number of dwellings for which applications for grants have been made -

(a) Standard Grant (Section 8)	22
(b) Improvement Grant (Section 2)	104
(c) Special Grants (Section 13)	Nil

Number of dwellings subject to grant -

(a) Standard Grant	21
(b) Improvement Grant	99
(c) Special Grants (including dwellings in improvement areas)	Nil

Number of declared General Improvement Areas None

## Moveable Dwellings, Tents, Vans etc.

Caravan Sites and Control of Development Act, 1960

Number of site licences	11
Total number of caravans permitted under such licences	727
Number of inspections during the year -	
(a) Sites	44
(b) Caravans	16
Number of contraventions remedied	12
Number of sites exempt from licence	Nil
Number of holiday chalets	24

## Public Health Act, 1936

Number of site licences	14
Number of individual licences	12
Number of inspections -	
(a) Sites	9
(b) Dwellings	4
Number of contraventions remedied	2



## Housing Act, 1969

Number of dwellings for which applications for grants have been made -

12	(a) Standard Grant (Section 8)
10	(b) Improvement Grant (Section 9)
11	(c) Special Grants (Section 13)

Number of dwellings subject to grant -

12	(a) Standard Grant
10	(b) Improvement Grant
11	(c) Special Grants
	(including dwellings in improvement areas)

Number of dwellings subject to grant -

Movable dwellings, tents, vans etc.

Caravan Sites and Control of Development Act, 1960

Number of site licences

Total number of caravans permitted under such licences

Number of inspections during the year -

(a) Sites

(b) Caravans

Number of contraventions remedied

Number of sites exempt from licences

Number of holiday chalets

## Public Health Act, 1936

Number of site licences

Number of individual licences

Number of inspections -

(a) Sites

(b) Dwellings

Number of contraventions remedied

FOOD PREMISES

## Bakehouses:

Number in district	2
Number of inspections made	4
Number of contraventions found	2
Defects remedied	2

## Ice Cream:

Number of manufacturers on register	1
Number of premises licensed for the sale of ice cream	42
Number of inspections made	56
Number of contraventions found	4
Number of contraventions remedied	4
Number of samples taken	Nil

## Meat Products:

Number of premises registered for the manufacture of meat products	9
Number of inspections made	18
Number of contraventions found	6
Number of contraventions remedied	6

## Other Food Premises:

Number of other food premises	89
Number of inspections made	75
Number of contraventions found	4
Number of contraventions remedied	3

FOOD PREMISES

## Bakery:

2	Number in district
4	Number of inspections made
2	Number of contraventions found
2	Defects remedied

## Ice Cream:

1	Number of manufacturers on register
42	Number of premises licensed for the sale of ice cream
25	Number of inspections made
4	Number of contraventions found
4	Number of contraventions remedied
111	Number of samples taken

## Meat Products:

7	Number of premises registered for the manufacture of meat products
12	Number of inspections made
6	Number of contraventions found
6	Number of contraventions remedied

## Other Food Premises:

89	Number of other food premises
72	Number of inspections made
4	Number of contraventions found
3	Number of contraventions remedied

DRAINAGE AND SEWERAGE**Closets:**

Number of houses with pail closets	215
Number of houses with water closets	4,747
Number of water closets substituted for pail closets	6
The Council does not operate a pail closet emptying service	

**Septic Tanks:**

Number of septic tanks emptied, cleansed etc.	141
Number of septic tanks abolished	5
The Council operates a septic tank emptying service	
Number of vehicles in use for emptying septic tanks	1

**Sewerage and Sewage Disposal:**

Areas or villages where provision has been made of new sewers or where existing sewerage arrangements improved:

Laughton and Northorpe scheme completed. Major schemes for Brampton, Torksey Lock and Torksey in south of district - Sewer laying and works nearing completion.

WATER SUPPLIES

Number of houses supplied from public mains -	
In house	4,926
Standpipe/outside tap	6
Number of houses supplied from private sources -	
In house	4
Not in house	12
Number of houses with unsatisfactory supplies	9
Number of houses supplied therefrom	9



# SEWAGE AND SEWAGE

## Closets:

Number of houses with full closets  
 Number of houses with water closets  
 Number of water closets substituted for full closets  
 The Council does not operate a full closet emptying service

## Septic Tanks:

Number of septic tanks emptied, cleaned etc.  
 Number of septic tanks abolished  
 The Council operates a septic tank emptying service  
 Number of vehicles in use for emptying septic tanks

## Sewerage and Sewage Disposal:

Areas or villages where provision has been made of new  
 sewers or where existing sewerage arrangements improved:  
 Langston and Northgate schemes completed. Major schemes  
 for Hampton, Torksey Lock and Torksey in south of district -  
 Sewer laying and works nearly completed.

## WATER SUPPLIES

Number of houses supplied from public mains -  
 In house  
 Standpipes/cisterns tap  
 Number of houses supplied from private sources -  
 In house  
 Not in house  
 Number of houses with unsatisfactory supplies  
 Number of houses supplied therewith

Swimming and Paddling Pools

	<u>Swimming Pools</u>	<u>Paddling Pools</u>
Number in operation	4	1
Number fitted with continuous mechanical filtration and chlorination	2	-

GENERAL

## Offensive Trades:

Number of premises in the district	Nil
------------------------------------	-----

## Knackers Yard:

Number licensed	1
Number of inspections made	10
Number of contraventions remedied	1

## Office, Shops and Railway Premises Act, 1963:

Number of premises licensed	21
Number of inspections made	22
Number of defects found	1
Number of defects remedied	2

## Disinfection and Disinfestation:

Rooms or premises disinfected -

(a) Infectious disease other than tuberculosis	None
(b) Tuberculosis	None

Number of premises subject to disinfestation	5
--	---

# Submarine and Landing Boats

<u>Submarine Boats</u>	<u>Submarine Boats</u>	Number in operation
1	4	Number fitted with compass
-	2	mechanical filtration and chlorination

## GENERAL

Effluents treated:

Number of premises in the district

Knacker's Yard:

Number licensed

Number of inspections made

Number of contraventions recorded

Office, Shops and Railway Premises Act, 1937:

Number of premises licensed

Number of inspections made

Number of defects found

Number of defects recorded

Inspection and Disinfection:

Rooms or premises disinfected -

(a) Infectious diseases other than tuberculosis

(b) Tuberculosis

Number of premises subject to disinfection

## Refuse Collection and Disposal:

Number of premises from which refuse is collected	4,776
Frequency of collection	fortnightly
Type of receptacle used	plastic bin liners

Disposal is by controlled tipping

Number of tips	1
Number of refuse collection vehicles	4
Estimated amount of refuse disposed of during the year on local authority tips -	

Domestic	3,720 tons
Trade	None

Number of sites established under the Civic Amenities Act, 1967, Section 18	1
---	---

The Council makes special collection of bulky household refuse which is too large for normal collection on payment.

## Details of Nuisances abated:

	<u>After informal intimation</u>	<u>After statutory notice</u>
Refuse	30	-
Foul ditches, ponds and stagnant water	19	-
Drainage	68	-
Poultry and Animals	25	-
Dangerous Premises	1	-
Miscellaneous Nuisances	3	-
Total:	<u>146</u>	

## Rodent Control:

Number of rodent operatives employed	1
Number of premises treated	
(a) Dwelling-houses	241
(b) Other premises	66

There are no serious reservoirs of rats in the district.

The service covers domestic and business premises only.



Refuse Collection and Disposal:

Disposal is by controlled tipping  
Type of receptacle used  
Frequency of collection  
Number of premises from which refuse is collected

Estimated amount of refuse disposed of during the year  
Number of refuse collection vehicles  
Number of tips

on local authority tips -  
Estimated amount of refuse disposed of during the year  
Number of refuse collection vehicles  
Number of tips  
The Council makes special collection of bulky refuse -  
hold refuse which is too large for normal collection  
on payment.

Details of nuisances abated:

After statutory notice	After informal instructions	
-	30	Refuse
-	19	Pond ditches, ponds and stagnant water
-	68	Drainage
-	55	Poultry and animals
-	1	Dangerous structures
-	3	Miscellaneous nuisances
	<u>146</u>	Total:

Robust Control:

Number of premises treated  
Number of robust operatives employed

(a) Dwelling-houses  
(b) Other premises

The service covers domestic and business premises only.  
There are no serious trespassers of rats in the district.

FACTORIES ACT, 1961Part 1 of the Act

## 1. Inspections for purposes of provision as to health

Premises	Number on Register	Inspections	Number of Written Notices	Occupiers Prosecuted
(i) Factories in which Section 1, 2, 3, 4 and 6 are to be enforced by the local authority	-	-	-	-
(ii) Factories not included in (i) in which Section 7 is enforced by the local authority	156	82	3	-
(iii) Other premises in which Section 7 is enforced by the local authority (excluding out-workers premises) Building Sites	3	8	-	-
TOTAL:	59	90	3	-



Part VIII of the Act

Out-work

Details of out-work (Sections 133 and 134) carried on in the district

Number of out-workers in the district (Section 133)

4

Nature of work - Making wearing apparel etc. (cleaning and washing)

Number of instances of work in unwholesome premises (Section 134)

Nil

-----







