[Report 1942] / Medical Officer of Health, Goole R.D.C.

Contributors

Goole (England). Rural District Council.

Publication/Creation

1942

Persistent URL

https://wellcomecollection.org/works/f65hs45r


License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.





ANNUAL REPORT

(INTERIM)

OF THE

Medical Officer of Health

For the Year 1942.

SELBY:

W. J. BELLERBY, PRINTER, BOOKSELLER, &c.

1943.

To:-

The Chairman and Members of the GOOLE RURAL DISTRICT COUNCIL.

The Minister of Health has intimated that a short Interim Report only should be prepared for the year 1942.

W. BERTRAM HILL,

Medical Officer of Health.

INFECTIOUS DISEASE.

			Scarlet		Cerebro-Spinal			
		Diphtheria.	Fever.	Erysipelas.	. Fever.			
Average for	5 years							
(1984-	1938)	 8.5	16.8	2	_			
1939		 13	15	1				
1940		 4	12	2	_			
1941	1	 19	.7	1	2			
1942		 7	29	2	1			

DIPHTHERIA IMMUNISATION.

Immunisation is being actively carried out in all the Schools in the Rural District. During the year 136 Children under 5 years and 246 between 5—15 years were immunised.

TUBERCULOSIS.

Average for	5 years		Pulmonary	Non-Pulmonary
(1934-	38)	 	 5.5	1.4
1989		 	 2	2
1940		 	 2	1
1941		 	 11	1
1942		 	 10	1

MINOR INFECTIOUS DISEASES.

94 Cases of Measles were notified and 12 Cases of Whooping Cough.

CASE RATE PER 1,000 LIVING OF ACUTE INFECTIOUS DISEASE.

				England and Wales.	Goole Rural District.
Typhoid Fever				.01	 .00
Cerebro-Spinal F	'ever			·14	 -
Scarlet Fever				2.19	 3.1
Whooping Cough	1			1.78	 1.1
Diphtheria		***		1.05	 .78
Erysipelas				.30	 .33
Small-pox				.00	 .00
Measles				7.46	 1.0
Pneumonia				1.07	 1.0

GOVERNMENT EVACUATION SCHEME.

VITAL STATISTICS.

			Goole Rural District.			England and Wales.			
Death Rate				10.9		11.6	per 1,000		
Birth Rate				14.8		15.8	,,		
Zymotic Death Rate				.00					
Pulmonary Tuberculosis	Death	Rate		.44					
Non-Pulmonary Tuberco	ulosis I	Death 1	Rate	.00					
Cancer Death Rate				2.0					
Respiratory Death Rate				.66					
Infantile Mortality Rate				22.5		49.	,,		
(i.e., Deaths under 1 y	ear per	1,000	Births)						

GOOLE RURAL DISTRICT.

Cases of Infectious Disease Notified during the Year 1942.

and the surface	Number of Cases Notified.											
Nominary Digital		At all Ages—Years.										
Notifiable Disease.					Under 1 1 and under 5 5 and	5 and under 15	15 and under 25	25 and under 45	45 and under 65	65 and upwards	TOTAL CASES REN TO HOSPITAL	
Small-pox												
		160				1	2	1	2	1		7
Diphtheria (including Mem) Erysipelas				7 2					1		1	
C I I TO	:	::		29	::	1	25	1	2		1.	25
m 1 T3												
Enteric Fever												
Relapsing Fever (R) Contin	nued	Feve	er (C)									
				1					1			1
Cerebro-spinal Meningitis .				1	1							1
Ophthalmia Neonatorum .				10			1	1	4	4		
Pulmonary Tuberculosis . Other forms of Tuberculosis				1				1			11	
** *				94	4	48	40	î	1			
0 35 1												
D I D I				9		1	4	1	1	2		2
T C I I I												
Whooping Cough				12		6	6					
Acute Polio Encephalitis												
Encephalitis Lethargica .												
Total				166	5	57	78	6	12	7	1	36