Contributors

Great Dunmow (England). Rural District Council.

Publication/Creation

1946

Persistent URL

https://wellcomecollection.org/works/gkdakebr

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

Dunmow Rural District

DE

NIM

REPORT

OF THE

Medical Officer of Health


W. J. MOFFAT M.B., Ch.B., D.P.H.

FOR THE YEAR

1946.



Braintree : Printed by Chas. Joscelyne, High Street.



DUNMOW RURAL DISTRICT

PUBLIC HEALTH COMMITTEE.

E. C. ARNOLD, Esq., J.P. (Chairman) A. E. BENTALL, Esq. P. J. BENTALL, Esq. C. H. BURTON, Esq. O. J. CATON, Esq. P. COLEMAN, Esq. Mrs. A. E. COLLIER. W. GILMOUR, Esq. Mrs. M. L. GRIFFITHS, J.P. E. J. HOLLOWAY, Esq., J.P. J. LANYON, Esq., J.P. E. T. LEEDER, Esq. J. M. LUKIES, Esq. Capt. S. F. MANSFIELD. A. A. MENHINNICK, Esq. B. T. R. PYLE, Esq. Mrs. D. H. ROMANES. J. W. STEELE, Esq. G. C. STEVENSON, Esq. H. TREMBATH, Esq., J.P. Mrs. N. PERRY. Mrs. F. M. SMITH.

PUBLIC HEALTH OFFICERS.

Medical Officer of Health: W. J. MOFFAT, M.B., Ch.B., D.P.H.

Chief Sanitary Inspector :

H. B. GARDNER, M.R., San.I., S.I.E.J.B. Certificated Inspector of Meat and Other Foods.

Second Sanitary Inspector :

R. P. MAY, Cert.R., San.I., S.I.E.J.B. Certificated Inspector of Meat and Other Foods. (From 10th July, 1946).

> Third Sanitary Inspector: A. E. ROGERS, Cert.R.San.I., S.I.E.J.B. (Until 12th November, 1946).

> > Housing Inspectors : J. P. BURTON, G. H. MASON.

PUBLIC HEALTH OFFICES, TOWN HALL,

BRAINTREE.

September, 1947.

Mr. Chairman, Ladies and Gentlemen,

I have the honour to present to you my Annual Report on the health and sanitary conditions of the Dunmow Rural District for the year 1946.

During the whole of 1946, Dr. S. Allman Hall was Acting Medical Officer of Health, pending my return from service with H.M. Forces.

The general health of the District was maintained; the birth rate was the highest for over twenty years; the death rate remained low.

The main pre-occupation of the Council during the year was the commencement of the erection of some 106 houses throughout the District. Although a complete up-to-date survey of the present housing situation does not yet exist, the records of the pre-war survey are maintained, and from that and other and more up-to-date information, it is obvious that, for several years to come, the house-building programme must, of necessity, be in the fore-front of the Council's activities.

The comprehensive water scheme for the District, completed in 1938-39, covers every parish in the District. Extensions to the mains have taken place in various parishes since 1938, and, in view of the ever increasing demand for water, the Council has decided, on the advice of their Consultant Engineers, to duplicate the existing source at Thaxted.

Unfortunately, for reasons largely due to the war, it has not been possible to proceed with the sewerage of the District at the rate anticipated in 1938, whereby work on the necessary schemes would keep pace with the provision of piped water supplies. Schemes for Great Dunmow. Stebbing and Takeley, prepared in 1939, could not be proceeded with at that time. The necessity for these and other similar works elsewhere in the District has not decreased with the passage of time.

The Council's Consultant Engineers have, at the Council's request, prepared comprehensive reports in respect of water supply, sewerage and sewage disposal for the whole District. These proposals are now lodged with the Ministry of Health and an enquiry is awaited.

I wish to place on record my appreciation of the help and support from the members of the Council and of the cooperation so freely given by the Council's Officers to Dr. Hall during the period of my absence on war service from 1942 to 1946.

I am, Mr. Chairman, Ladies and Gentlemen,

Your obedient Servant,

W. J. MOFFAT.

GENERAL STATISTICS.

Area (in acres)		72,511
Estimate of resident population in mid-1946		17,810
Number of inhabited houses according to rate books		5,443
Rateable Value	·	£68,919
Sum represented by a penny rate		£292-19-6

SOCIAL CONDITIONS. There has been no change of any note since 1939. There has been no unemployment problem.

VITAL STATISTICS.

It was not feasible during the war years to publish annual figures, but the opportunity is now taken to present certain of the Vital Statistics for the years 1939-46 inclusive.

The Vital Statistics relating to estimated mid-year populations of the District, Birth Rates and Death Rates, local and national, for each year from 1937 to 1946 are given in Table I.

In Table II are set out the Causes of Death according to the figures supplied by the Registrar General for the period 1939-46. The figures for 1939 have, as far as is possible from local knowledge, been assigned to the Abridged List of Causes of Death used by the Registrar General from 1940 onwards, and as set out in the Manual of the International List of Causes of Death of 1938.

Table III gives the deaths occurring in the various age groups of Residents of the District in the years 1939-46, whether these deaths took place inside or outside the District.

Table IV contains extracts from the Vital Statistics of the District relating to Live Births, legitimate and illegitmate; Still Births and Deaths Rates of infants legitimate and illegitimate under one year of age for the same period. TABLE I.-VITAL STATISTICS FOR 1946 AND PREVIOUS YEARS.

	Inere births (sdf)	ło	ssəəxə)	6	38	45	14 M	-29	I	39	66	69	41	117
odiio Giolo	tion app	ages	Rate England & Wales	12.4	0.11	12.1	-	I4.4	13.5	12.3	13.0	I2.7	12.6	†11.5
er m	da	At all a	Bate	14.0	12.9	10.7	20	I4.3	12.9	12.7	11.8	12.9	12.7	I2.1
	NETT		Number	227	209	183		260	246	231	211	233	225	225
THS.		r of age	Rate England & W a les	58	53	*50		*57	*60	*51	* 49	*45	*46	*43
DEATHS.		Under 1 Year	Rate per 1000 net sitths	27.0	48.0	43.9		16.8	53.0	55.5	387	62.9	60.0	35.1
The		Unde	Number	9	12	IO	-	4	15	15	I2	19 [']	14	12
2 349 2221 1	IS-	pə.	nebizer to netregizer intsill ni	83	79	77		82	44	101	96	62	95	84
1000 0 1000 0 201 0 0	TRANS- FERABLE		of Non- Residents registered i District	0	II	×	1	I4	~	5	7	26	16	5
abrilde giante	-яят	SIE	TOTAL TOTAL TOTAL	I44	I4I	114		192	162	137	122	180	146	146
in 10 Felan	10 M		Rate England & Wales	14.9	15.1	14.8	-	14.1	13.9	15.6	I6.2	7.71	15.9	†19.1
BIRTHS	Nett.		eteA	13.4	15.2	I4.0		12.7	13.0	14.8	17.3	16.7	I4.9	19.2
interior and so			Number	218	247	228		231	247	270	310	302	266	342
bətam	year itesti	-	taluqoT m	16170	16190	a10220	b17150	I8240	18970	18210	17920	18060	17760	17810
it hor en flind i for inte	Vear	TOM	Ibrit/ main alfi licas c	1937	1938	1939		1940	1941	1942	1943	1944	1945	1946

a For calculation of Birth Rate.

Ob-For calculation of Death Rates and Notifiable Disease.

† Provisional.

* Rate per 1000 ' related ' births.

TABLE II,-CAUSES OF DEATH.

The Table below was compiled from figures supplied by the Registrar General and the classification is given under the new abridged list of causes of death as used in England and Wales contained in the Manual in the International List of Causes of Death.

Cause of Death	19	39	19	40	194	1	194	12	194	3	19	944	194	15	194	6
	м	F	M	F	M	F	M	F	M	F	м	F	м	F	м	F
'yphoid and paratyphoid fevers																
erebro-spinal fever			2				1						1	1		
lcarlet fever			1													
Whooping cough	Sec.												1	1		
)iphtheria		1				1						1				
Cuberculosis of respiratory system		2	3	1	2	4	2	1	3		4	5	ï	2	2	5
)ther forms of tuberculosis		1	1	1		2	1	1	1	2	1					
syphilitic disease			1		1	1							1			
nfluenza	2	1	4	2	5	2			2	1 5	1			1	1	1
deasles		+									1					
Acute poliomyelitis and polio-									1.4	3 0				19		
encephalitis	14															
Acute infectious encephalitis			ï					2	1		1					
Cancer of buccal cavity and			-					1				8.01				
oesophagus (M), uterus (F)	25	2	4	2	1	2	4	1		3	3		3			1
lancer of stomach and duodenum	5	1	2	2	3	6	2	2	1	2	1	7	6	·;7	6	4
Cancer of breast		1		4		6		3		4				6		1
Cancer of all other sites	6	8	16	8	6	8	15	8	15	11	6	11	12	9	11	12
Diabetes	1	8	2	4		3	2	1		5		1		1	1	5
ntra-cranial vascular lesions	6	6	12	14	16	21	10	11	11	18	12	6	17	15	8	14
Heart disease	19	21	25	32	23	29	24	29	26	23	37	32	25	31	33	
Other diseases of circulatory system	201 1 1 1 1	10	5	4	3	2	8		4	2	7	2	1	4	6	6
Bronchitis	3	3	7	5	3	ī	7	27	3	23	2	2 6	4	7	11	2
Pneumonia		4	4	- 4	8	2	4	6	8	4	5	4	5	4	6	2
Other respiratory diseases	ī	il	3	2	4	ĩ	-	ĩ		Î	2	i	2	-	ĭ	1
Ulcer of stomach or duodenum	i	-	2	2	2	100	1		-			î	ĩ	1	100	
		1	ĩ	-						i	2	i	î			
Appendicitis		-	1				1					2				
Other digestive diseases			1	6	4	3	$\frac{1}{3}$	3	3	1 4	·:4	6	25		4	4
		2	1 4	4	7	6	2	6	3	3	2	3	2	2	5	2
Puerperal & post abortive sepsis	1		*	1			*				4	0	-	-	0	-
Other maternal causes		2		1		•••			••			1		ï	•••	
Premature birth	i	-	••	1	6		4	.1	2			1	·:i			
Congenital malformation, birth	-	-	2/	1	0		-		-	0	0	-	-	100		
injury, infantile disease	E	1000	1	2	9	2	1	2	1	1	0	0	7	1	5	1
Suigida	5	-	1	2	4	-	1	3	3	T	2	2		-	5	
Road traffic ansidents	4 0		2 5				2	2	0		3	1		.;	4	
Other violent causes	1		5 7		23	1	2	1		1	3	1	1 5	1 2	2	
	14	2		10		19		19	10	14	48	14		10		1
	14	14	23	12	10	19	24	19	10	14	0	14	II	10	9	
All causes	89	94	139	121	119	127	120	111	99	112	114	119	114	111	118	10

TABLE III. Nett Deaths at the Subjoined Ages of "Residents" whether occurring within or without the District.

75 & upwards	62	95	96	104	82	85	112	105
65-75 years	49	80	59	56	65	99	45	57
55-65 years	28	33	37	25	25	28	20	21
45-55 years	12	14	17	II	II	7	13	I2
35-45 years	6	15	2	12	4	13	∞	7
25-35 years	3	∞	3	7	9	4	3	3
I5-25 years	5	17	5	4	3	7	3	5
5-15 years	3	4	3	2	3	6	3	I
2-5 years	L	3	2		7		4	-
I-2 years	7	7	I			19		19
Under I year	0I	4	16	15	12	61	14	12
Year Ages I year ye	183	260	246	231	211	233	225	225
Year	1939	1940	1941	1942	1943	1944	1945	1946

MINSTE TO SECTION - IL PLUIAL

TABLE IV.-EXTRACTS FROM VITAL STATISTICS 1939-46 INCLUSIVE.

DEATH RATE OF INFANTS UNDER 1 YEAR OF AGE per 1000 per 1000 legitimate illegitimate live births live births Legitimate Illegitimate 200 I88 167 III 83.3 71.4 1 I 40.3 55.8 47.4 40.0 17.5 48.9 57.3 30.2 live & still 1000 total Rate per births) 0'I I 0.1 I 37.3 50.0 22.9 37.1 35.5 35.1 STILL BIRTHS FI ~ N 9 4 2 5 4 N Z 9 01 2 9 9 4 1 H Total 8 3 6 3 12 II. 14 8 Birth rate estimated population per 1000 I 3.0 14.0 12.7 I4.8 17.3 16.7 I4.9 19.2 20 23 3 9 II 15 15 ILLEGITIMATE F 16 9 8 5 15 29 4 21 Z LIVE BIRTHS Total 14 16 36 5 6 35 39 44 011 106 138 I 38 113 162 I13 117 H LEGITIMATE 0II 106 128 114 136 127 137 137 Z Total 266 223 222 298 233 254 275 227 Year 1946 1939 1940 1942 1943 1944 1945 1941

GENERAL PROVISION OF HEALTH SERVICES Public Health Officers.

For list see page 1.

The Medical Officer of Health is also Medical Officer of Health for the Urban Districts of Braintree and Witham, and the Rural District of Braintree, and Assistant Medical Officer to the Essex County Council.

The Chief Sanitary Inspector is also Surveyor to the Council.

LABORATORY FACILITIES.

The bacteriological service is provided by the County Council in agreement with the Ministry of Health. In 1946 the laboratory serving the greater part of the area was that at Essex County Hospital, Broomfield. This arrangement has now been altered and specimens for examination have to be sent to the Public Health Laboratory, St. John's Hospital, Chelmsford. The laboratory at Haymead's Hospital, Bishop's Stortford is also available for parts of the District adjacent to that Hospital.

Examinations of samples of foodstuffs, including ice cream, water supplies and sewage effluents are conducted by the Counties Public Health Laboratories, 66 Victoria Street, London, S.W.1.; and of milk supplies by the Essex Institute of Agriculture at Writtle. All these arrangements are under the control of the County Council

AMBULANCE FACILITIES.

A motor ambulance, an ex-Army model, belonging to the District Council is available for all types of cases. A St. John's Ambulance Brigade Ambulance is also stationed at Dunmow and is available when necessary to supplement the Council's Ambulance for cases of general illness and accident, but not infectious disease. Co-ordination of ambulance services in adjoining districts is secured under the Essex County Council scheme.

The service has proved to be adequate for the needs of the District.

HOSPITALS.

Apart from the small Cottage Hospital at Hatfield Broad Oak there is now no Hospital in use in the District. The Council's Isolation Hospital has remained closed for the reception of patients since 1939. It ceased to function as a First Aid Post in 1945, when it was returned to the Council by Essex County Council. It has since remained empty.

Accommodation for cases of infectious disease requiring hospital treatment is found at the Infectious Diseases Hospitals at Saffron Walden, Chelmsford, and Colchester.

Cases of general illness from the District which require hospital treatment are admitted to the general hospitals at Chelmsford, Bishop's Stortford, Saffron Walden and Braintree. Patients are also admitted to Haymead's Hospital, Bishop's Stortford and to Essex County Council Hospital, Black Notley.

Maternity cases are admitted to St. John's Hospital, Chelmsford as a rule. Occasionally such cases are accommodated in the William Julien Courtauld Hospital, Braintree, or Bishop's Stortford Hospital

St. Michael's Hospital, Braintree, is the Social Welfare Institution of the County Council which admits the majority of the cases of chronic sick from the District. Other accommodation is available at Chelmsford, Bishop's Stortford and Saffron Walden.

SANITARY CIRCUMSTANCES OF THE AREA.

WATER.

Piped water supplies are now in existence in at least parts of the twenty-five parishes. The Council's Water Works at Thaxted supply the following parishes; Aythorpe Roding, Little Bardfield, Barnston, Broxted, Great Canfield, Great Dunmow, Great Easton, Little Easton, High Easter, High Roding, Leaden Roding, Lindsell Margaret Roding, Takeley, Thaxted, Tilty, and White Roding. The parishes of Little Dunmow, Felstead and Stebbing are supplied from the Council's Water Works at Great Dunmow. The two supplies from Thaxted and Great Dunmow, although normally separate, can be made interchangeable.

The Herts and Essex Water Company supply the parishes of Great and Little Hallingbury and Hatfield Broad Oak, including Hatfield Heath. Chickney parish obtains a supply from the Saffron Walden Rural District Council's mains.

The quality of the raw water from the Council's Works is controlled by bacteriological examination Samples of water in supply (i.e. after chlorination and treatment for iron removal) are also submitted for analysis. During the year three samples of raw water and three of water in supply were taken for examination, both from the Thaxted supply and from the Great Dunmow supply. All gave satisfactory results, in that the sample in each case was reported upon as being pure and wholesome and suitable for public supply purposes.

The Herts and Essex Water Company take frequent samples during the year of the water in their supply mains, as well as from their sources of supply. The Council are furnished with copies of the results of examinations. All these gave satisfactory results, consistent with a pure and wholesome supply.

Samples of water from the Council's own Water Works are also submitted for chemical analysis at least twice yearly.

Copies of the complete analyses, chemical bacteriological of raw water from both the Thaxted and Great Dunmow boreholes are set out on pages 11 and 12. A copy of a similar analysis of the Herts and Essex Company's water will be found on page 13.

No action was required in respect of any form of contamination during the year. The waters are not likely to have any plumbo-solvent action.

Details of the number of dwelling houses and of the approximate numbers of the population supplied in the various parishes from the Council's public water mains are given in the table below. Corresponding information with regard to the area suppled by the Herts and Essex Water Company is not readily available.

Parish.	No. of Houses.	Estd. Popn.	Houses on Main Supply	Est. Pop on Main Supply	Houses Supplied by Standpipe	
Aythorpe Roding Little Bardfield Barnston Broxted Great Canfield Great Canfield Great Dunmow Little Dunmow Great Easton Little Easton Felstead High Roding Leaden Roding Margaret Roding Stebbing Takeley Thaxted Tilty	$\begin{array}{c} 76\\ 116\\ 84\\ 154\\ 136\\ 72\\ 990\\ 112\\ 199\\ 107\\ 500\\ 192\\ 120\\ 66\\ 83\\ 84\\ 310\\ 295\\ 566\\ 25\\ 108\\ \end{array}$	242 368 271 492 433 233 3164 359 638 343 2065 611 385 210 265 270 990 908 1811 80 372	$\begin{array}{c} 27\\ 29\\ 56\\ 92\\ 83\\ 54\\ 842\\ 61\\ 136\\ 65\\ 354\\ 86\\ 94\\ 52\\ 52\\ 41\\ 200\\ 215\\ 523\\ 2\\ 57\end{array}$	$\begin{array}{r} 86\\ 92\\ 179\\ 295\\ 265\\ 172\\ 2700\\ 195\\ 435\\ 208\\ 1503\\ 275\\ 301\\ 166\\ 166\\ 131\\ 640\\ 689\\ 1670\\ 6\\ 182 \end{array}$	108	346

During the year, the Council's water mains were extended by 4,480 yards in Molehill Green and Evelyn Road, Felstead. New connections to the Council's mains numbered 129. The corresponding figures for the Herts and Essex Water Company in the western part of the District are not available.

The estimated consumption for the Council's supply area was 22 gallons per head per day. The scheme was originally designed to supply the population in that area with 20 gallons per head per day. The Council's Consultant Engineers have prepared a scheme to extend the water mains to those parts of the District not yet provided with a main water supply. This entails the sinking of another borehole at Thaxted. It is assumed that the average daily consumption per head will increase considerably on the pre-war figures as the erection of the modern houses proceeds.

WATER ANALYSES.

Date of Analysis 4/4/46.

Sample from THAXTED PUBLIC SUPPLY.

Chemical Results in Parts per 100,000.

Appearance : Bright. Slight granular deposit of mineral debris, consisting of iron oxide. Very slight growth of crenothrix present.

Turbidity : Less than 5 parts per million, Silica Scale.

Colour	Normal	Odour	Nıl
Reaction pH N	eutral 7.1	Free Carbonic Acid	3.5
Electric Conductivity at 2	0°C 730	Total solids, dried at 180°C	49.0
Chlorine in Chlorides	3.5	Alkalinity as Ca CO3	30.5
Hardness: Total	43 0	Nitrogen in nitrites	0.00
Temporary	28.5	Nitrogen in nitrites, less than	0.001
Permanent	14.5	Ammoniacal Nitrogen	
Free Ammonia	0,0042	Albuminoid Nitrogen	
Albuminoid Ammonia	0.0007	Oxygen absorbed in 4 hrs at 27°C	0.015

Metals: Total Iron 0.10. In solution 0.003. Other metals absent

BACTERIOLOGICAL RESULTS.

Number of "Bacteria" growing on Agar per cc. or ml. in : 2 days at 37°C 1 day at 37°C 3 days at 20°C 0 4 Presumptive Coliform Reaction Present -Absent 100 cc. Bact. coli. Present - Absent 100 cc. Present -

Cl. welchii Reaction

This sample is bright in appearance and has a slight deposit Report : of iron-oxide. The water is neutral in reaction, very hard in character but contains no excess of salinity or mineral constituents in solution. It is of very satisfactory organic and bacterial purity.

> Subject to the removal of iron, the water is considered pure and wholesome in character and suitable for public supply purposes.

> > (Signed) GORDON MILES, B.Sc., F.R.I.C.

For the Counties Public Health Laboratories.

Absent

Date of Analysis 25/10/46.

Sample from GREAT DUNMOW PUBLIC SUPPLY.

Chemical Results in Parts per 100,000.

Appearance :	Faint opalescence debris.	with very	few	particles	of	mineral
		a a				

Turbidity: 5 parts per million, Silica Scale.

Colour	Normal	Odour Nil
Reaction pH Neutral	7.1	Free Carbonic Acid 3.5
Electric Conductivity at 20	0°C 680	Total Solids, dried at 180°C 45 5
Chlorine in Chlorides	3.4	Alkalinity as Ca CO3 31.0
Hardness: Total	34 0	Nitrogen in nitrates 0.00
Temporary	31	Nitrogen in nitrites 0.001
Permanent	3.0	Ammoniacal Nitrogen —
Free Ammonia	0.014	Albuminoid Nitrogen -
Albuminoid Ammonia	0.0000	Oxygen absorbed in 4 hrs. at 27°C 0.02
Metals: Total Iron 0.022	2	Other metals absent.

BACTERIOLOGICAL RESULTS.

Number of "Bacteria" growing on Agar per cc. or ml. in:

1 day at 37°C	2 days 37°C	3 days at 20°C
1	16	-
Presumptive Coliform React	tion Present	- Absent 100 c.c.
Bact. Coli.	Present	- Absent 100 c c.
Cl. welchii Reaction	Present	- Absent -

Report: This sample is almost clear and bright in appearance, neutral in reaction and free from metals apart from a minute trace of iron. The water is very hard in character although not to an excessive degree, and is free from any excess of mineral or saline constituents in solution. It is of very satisfactory organic quality and bacterial purity.

> These results are indicative of a pure and wholesome water suitable for public supply purposes.

(Signed) ROY HOATHER.

For the Counties Public Health Laboratories.

Date of Analysis 18/3/46.

Sample from HERTS AND ESSEX WATERWORKS COMPANY.

Chemical Results in Parts per 100,000.

Appearance: Slight opalescence settling to a film deposit consisting of iron-oxide.

Turbidity: 5 parts per million, Silica Scale.

Colour	in the state of th	Normal	Odour	Nil
Reaction pH	Neutral	7.1	Free Carbonic Acid	3.6
Electric Con	ductivity at 200	C 660	Total Solids, dried at 180°C	44.0
Chlorine in	Chlorides	2.5	Alkalinity as Ca CO3	31.0
Hardness :	Total	36.0	Nitrogen in nitrates	0.00
	Temporary	29.0	Nitrogen in nitrites, less than	0.001
	Permanent	7.0	Ammonical Nitrogen	-
Free Ammo	nia	0.021	Albuminoid Nitrogen	-
Albuminoid	Ammonia	0.0000	Oxygen Absorbed in 4 hrs. at 27°C).005

Metals · Total Iron 0.030. In solution : 0.015. Other metals absent. Free chlorine reaction absent.

BACTERIOLOGICAL RESULTS.

Number of "Bacteria" growing	on Agar per c	c. or ml, in :
1 day at 37°C 2 da	ys at 37°C	3 days at 20°C
0	0	1
Presumptive Coliform Reaction	Present —	Absent
Bact, Coli.	Present -	Absent 100 c.c.
Cl. welchii Reaction	Present —	Absent 100 c.c.

Report: This sample has a slight opalescence due to the presence of a trace of iron, but is not unduly turbid. The water is neutral in reaction, very hard in character but contains no excess of salinity or mineral constituents in solution. It is of the highest standard of organic and bacterial purity.

These results are consistent with a pure and wholesome water suitable for public supply purposes apart from the objection that it is not quite clear and bright in appearance.

(Signed) GORDON MILES, B.Sc., F.R.I.C.

For the Counties Public Health Laboratories.

DRAINAGE AND SEWERAGE.

The question of extensions to, and improvements of, the sewerage of the whole District was considered before the war, when the extensions of the water mains to the major part of the area had made apparent the need for increased provision for this. Improvements to the existing Sewerage Disposal Works at Great Dunmow and Sewerage schemes for Takeley and Stebbing were approved by the Council, but it was not possible to carry out any of this work before the outbreak of war.

Further consideration was given by the Council to this matter in 1944-45. Their Consultant Engineers were requested to prepare a comprehensive up-to-date report on Sewerage and Sewage Disposal covering the whole District. This report was submitted in 1945. The scheme provides for the replacement of existing obsolete Disposal Works at Great Dunmow and Thaxted, as well as detailing schemes, either singly or in combination, for those parts of the District not yet served by sewers. Approval for that part of the scheme as it affects the parishes of Broxted, Little Canfield and Little Dunmow has been received from the Ministry of Health. It is expected that an Inquiry will shortly be held by the Ministry of Health into the other aspects of the scheme.

Only two new connections were made to the sewer during 1946.

Notes on the functioning during the year of the various Disposal Works in the District are given below.

Great Dunmow Sewage Works. These Works are now well beyond their useful life and quite inadequate to deal with the normal dry weather flow from the sewers The Works have now been overloaded for more than ten years. Various temporary expedients have been tried but with no marked success It is hoped that these Works will be replaced as soon as possible.

Two samples of the effluent from these Works were taken in 1946. Both were reported upon as being very unsatisfactory.

Felstead Sewage Works. Three out of the four samples of the effluent from this Disposal Works taken during the year were reported as unsatisfactory. The Works were modernised in 1939, but since that date the effluent has, on the average, been only on the border line between satisfactory and unsatisfactory. Here in particular the lack of suitable personnel to take charge of the Works has been felt, and this factor explains in some part, the disappointing results obtained so far.

Thaxted Sewage Works. Since 1939, the effluent from these Works has been almost consistently unsatisfactory. Two out of the three samples taken in 1946 proved to be unsatisfactory. It is hoped that it will not be long before these Works are dealt with.

Hatfield Broad Oak. The two small Works in this parish, at Hatfield Town and Hatfield Broad Oak respectively, continued to yield very satisfactory effluents Connection of a P.O.W. Camp to the Hatfield Heath main sewer has necessitated extensions to the Disposal Works there by way of the installation of detritus and settlement tanks, percolating filters, humus tank, sludge well, sludge digestion tank and sludge drying beds.

Dunmow Aerodrome Sewage Works. All three samples from these Works were satisfactory.

RIVERS AND STREAMS.

Pollution of rivers and streams throughout the District exists at the undermentioned sites

TO:	631	A COLOR OF THE OWNER	
River	Che	mer	
TOTAOT	OH0	THE OF	

Thaxted Disposal Works. Duton Hill. Great Easton. Little Easton. Great Dunmow Disposal Works. Stebbing Village. Barnston. Takeley.

Stebbing Brook Barnston Brook Pincey Brook.

The comprehensive Sewerage scheme for the District aims at the elimination of all the above sources of pollution from aggregations of population.

PUBLIC CLEANSING.

The whole District is covered by a regular collection by motor vehicle, weekly in the lighting areas, fortnightly in the non-lighting areas. The collection of salvage is combined with that of refuse collection.

It was becoming evident towards the end of the year that the existing refuse tip adjacent to the Great Dunmow Sewage Works was fast reaching the limits of its capacity. Negotiations for another site were begun.

Owing to the war, the Council's vehicles have not been replaced, and, in the case of the original refuse collection vehicle, the body and moving floor have had to be removed, and an ordinary hand-tipping body substituted. These vehicles are unsuited for the removal of household refuse in developed areas and require replacement at an early date.

SANITARY INSPECTION OF THE AREA.

The following table summarises the work done under this heading during the year :-

Complaints received	- granoi librige o		111
Inspections and re-inspections	and in the same		250
Nuisances detected			94
Informal notices served	Notieden, Mercu		77
Notices outstanding 31st Decen	mber	TOBLE	3
Statutory Notices served			3
Filthy houses cleaned			10
Privies converted to E.C			1
Houses disinfected			4
Bedding, parcels of, steam disi		11000	11

SHOPS.

There were 57 inspections of shops in the District in 1946. No major defects were discovered.

ERADICATION OF BED BUGS.

Ten cases of bug infestation of various properties (houses, agricultural workers' hostels, etc.) were brought to light during the year. In all these cases, successful eradication was accomplished by the employment of a five per cent. solution of D.D.T. in kerosene as a spray for buildings and furniture, coupled with steam disinfection of clothing and bedding.

FACTORIES ACT, 1937.

Inspections. There are 31 premises on the register, 17 with, and 14 without, mechanical power. All of these were inspected. It was not found necessary to serve written notices or take proceedings in any case.

Defects Found. In seven cases defects were found. These related to sanitary conveniences, which in one case were deficient, and in six were unsuitable or defective. Four of the latter instances had been remedied by the end of the year.

Outwork in unwholesome Premises. There were no instances of this.

HOUSING.

In September 1939, there were 5,374 houses in the District Of these, 144 had been included in Demolition Orders or Clearance Areas. The then housing deficiency was estimated at some 250 houses. Sites for 192 further houses had already been acquired by the Council.

During the war, 19 houses were demolished by enemy action, while a further 340 required extensive repairs. The 144 houses dealt with under the Housing Acts, but still standing, perforce had to be occupied when the District became a Reception Area under the Government Evacuation Scheme.

At the beginning of 1946, it was estimated that there was a deficiency of some 550 houses, if the pre-war requirements and the demands arising, but unfulfilled, during the war years were to be met. In addition, some 1300 of the existing houses are sub-standard. Of 725 houses inspected during the year, 136 were found to be unfit for habitation and incapable of repair at reasonable cost, while 8 were unfit but capable of re-conditioning.

By the end of 1945, the Council had authority to go to tender for the erection of 128 houses. At the end of 1946, there were 106 in the course of erection. These were distributed among the following parishes:

Broxted 8		Felstead	34
Great Dunmow 34		Little Canfield	8
High Roding 4		Great Hallingbury	12
Thaxte	d (Monk	Street) 6	

Negotiations were in progress for a further 6 at Great Dunmow and 16 at Great Easton.

Additional sites had been acquired at Thaxted for 64 houses, and at Little Dunmow for 14. Negotiations had commenced for the acquisition of a further fourteen sites at Hatfield Broad Oak, Hatfield Heath, Takeley, Little Hallingbury. Margaret Roding, White Roding, Little Bardfield, Barnston, High Easter, Broxted, Little Easton, Stebbing, Great Dunmow and Leaden Roding.

At the end of 1946, twenty-one houses had been completed by private enterprise in the District. One of these had been completed in 1945.

INSPECTION AND SUPERVISION OF FOOD.

Milk Supply. The premises concerned in the production or sale of milk have been regularly inspected. Samples were taken for bacteriological and biological examination with the following results:

	RESULTS					
Methylene Blue Reaction	Samples 16	Satisfactory 13	Unsatisfactory 3			
Biological examination	21	21				
Pathogenic organisms	2	2	8 -			

During the year two dealers were registered for the sale of milk Two supplementary licences for the sale of milk were also granted.

Meat. Under the Ministry of Food scheme for centralised slaughtering, meat for consumers in the District is inspected postmortem at the Ministry's Slaughter-houses. No call was made on the Council's Inspectors.

The slaughtering of pigs by private licence entailed 149 inspections of pigs so slaughtered. Two pig carcases and one head were condemned for tuberculosis, four pigs' lungs for pneumonia.

Other meat and meat products condemned in shops totalled 525 lbs.

Other Foods. Food inspected in shops etc., and condemned as unfit for human consumption was as follows:

Tinned Foods	418 tins	Fruit	88 lbs.
Milk Products	17 lbs.	Flour, bread, etc	. 258 lbs.

Ice Cream. Nearly all the Ice Cream sold in the District is manufactured elsewhere and sold from refrigerators or containers with a freezing agent.

Two applications as vendors of Ice Cream under the Essex County Council Act, 1933, were granted.

Bakehouses. Twenty bakehouses were inspected during the year. In three cases lime-washing was found to be required, otherwise conditions were satisfactory.

PREVALENCE OF AND CONTROL OVER INFECTIOUS DISEASE.

The incidence of cases of notifiable disease other than tuberculosis and infective hepatitis during 1946 were as set out in the table on page 19. The one case of diphtheria occurred in a child who had not been immunised against the disease.

There was no unusual incidence of the common communicable, but not notifiable diseases.

INFECTIVE HEPATITIS.

This condition was made locally notifiable in the District, as part of the Eastern Region, in December 1943, by the Jaundice Regulations of 1943. The following table shows the numbers and age distribution of the cases notified since the disease became notifiable.

None of the cases were admitted to hospital. There were no deaths from the disease.

i și A î în A î în	Year	At all ages	Under 1 year	1 to 2 years	2 to 3 years	3 to 4 years	4 to 5 years	5 to 10 years	10 to 15 years	15 to 20 years	20 to 35 years	35 to 45 years	45 to 65 years	65 and over	
	1943 1944	2 30				 1	1	1			1 12	2	2 3		
-11	1945 1946	17 9						22	2 1	 4	4	4			

DIPHTHERIA PROPHYLAXIS.

By 31st December, 1946, after the provision of free immunisation, either by the Council or by Essex County Council as the Welfare Authority for the area, had been in operation for six years, a total of 2,645 children under the age of fifteen years had completed a full course of immunisation under these auspices. Of that total 597 were in the age group 0—4 years, and represent 43.3% of the child population in that age group. In the age group 5-15 years, 2,048 children representing 70.6% of the estimated mid-year population in that age group had been immunised.

It is known that many children are now being immunised privately by general practitioners in the district. The numbers cannot be ascertained, but it would be reasonable to estimate that some fifteen to twenty per cent of the 0-4 age group are now immunised annually in this way. NOTIFIABLE DISEASES (OTHER THAN TUBERCULOSIS AND INFECTIVE HEPATITIS) NOTIFIED DURING THE YEAR 1946

		10/0		-	1	1	NUMB	ER OF	CASES .	NUMBER OF CASES NOTIFIED	D				-	or as	ня
		-			-	No. 1	101	A	At ages-Years	-Years			1		-	ILLI	
Notifiable Disease	DISEASE	Le even a	At all Ages	I Under	2 of I	2 to 3	£ of &	ð ot t	5 to 10	31 of 01	02 of 81	20 to 35	35 to 45	ĕð of ĕ₽	65 алд отег	Mak sasaO TigsoH	И ЛАТОТ Ала То То
Whooping cough			84	4	13	13	10	9	35	60	:	:	:	:	:	1	:
Measles			48	1	1	4	9	1	18	10	00	2	1	1	:	1	
Diphtheria	:		1	1	:	:	:	:			:	:		:	:	1	:
Ac. Pneumonia		:	5	:	:	:	:	:	:		:	2	:	1	2		:
Paratyphoid fever		:	1	:	:	:	:	:	:	:	:	:	:	1	:		:
Dysentery		:	ŝ	1	:	:	:	:	:		:	-	1	:	:	1	:
Scarlet fever		:	3			1	:	:	1		:		1	:	:	1	:
AC. FOLIOMYBIIUS		:	1	:		:	:	:	:	:	1	:		:	:	:	:
Totals		:	146	1	14	18	16	7	54	13	4	5	3	3	2	5	
		State of the second	A COLORADO					The second se		A REAL PROPERTY OF		A REAL PROPERTY OF	- ANNO				

TUBERCULOSIS.

Particulars of the new cases of tuberculosis reported during the year and of deaths from the disease in the District are set out in the Table below.

n. An picture		New	CASES	DEATHS				
Age-Periods (Years)	Pulmonary			on- ionary	Pulm	onary	N Pulm	on- onary
-	M	F	M	F	M	F	M	F
0 to 1							1	
1 ,, 5			1	1				
5 ,, 10								
10 ,, 15			1	1				
15 ,, 20		1				1		
20 ,, 25	2	1	• •			1.00		
25 ,, 35	5	3	1	••		3		
35 ,, 45	••	1	1	2	1			
45 ,, 55	••	2						
55 ., 65	1				1			
65 and upward	2	1				1		
TOTALS	10	9	4	4	2	5	1.0	

At the end of the year there were 114 cases on the Tuberculosis Register of the District. These were as follows :----

	Males	Fema	les
Pulmonary	Non-pulmonary	Pulmonary	Non-pulmonary
34	27	27	26

Up to the present the housing position with regard to cases of pulmonary tuberculosis is that there are five such cases in which the family occupies unsatisfactory houses; three cases are in definitely poor accommodation which, it is hoped, will shortly be replaced.

