

[Report 1940] / Medical Officer of Health, Grimsby Port Health Authority.

Contributors

Great Grimsby (England). Port Health Authority.

Publication/Creation

1940

Persistent URL

<https://wellcomecollection.org/works/v7kxteb6>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

The general description of the Port is still similar to that contained in the Annual Report for 1933.

AMOUNT OF SHIPPING ENTERING THE PORT DURING THE YEAR

Number inspected by the Medical Officer of Health	6
Number inspected by the Health Inspector	1094
Number reported to be defective	180
Number of vessels on which defects were reported	134
Number of vessels reported as having or having had during the voyage infectious disease on board	Nil

ADMIRALTY VESSELS

Number of vessels inspected	290
Number of vessels fumigated	50
Number of vessels sprayed	1

ANNUAL REPORT

CANAL BOATS ACT.- During the year 37 canal boats were inspected and no case of infectious disease occurred on any of them. Infringement of the Act dealt with were:-

Marks and number to be painted	1
Vessels without certificates	1
No marks and numbers	1
Unregistered	1
Cabin unfit for habitation	1
Defective stoves	1
Certificate not identifying boat with owner	1
No water vessel	1
Inefficient ventilation	1
Infringement of Regulations	1
Cabin used for	1
Cabin to be painted	1

PORT HEALTH AUTHORITY

WATER SUPPLY.- The remarks of the water supply of the Port are similar to those made in the Annual Report of 1933.

PORT SANITARY REGULATIONS, 1933.- The information under these Regulations is as described in the Annual Report for 1934, except in regard to paragraph 10 relating to general diseases.

GRIMSBY

The following cases of infectious sickness were landed from vessels during the year:-

Passengers	Crew	Number of Vessels concerned
Influenza	3	3
Scarlet fever	1	1

For the Year Ending 31st December, 1940.


There were no cases of infectious sickness occurring on vessels during the voyage and disposed of prior to arrival.

No cases of plague, yellow fever, cholera, small-pox or typhus occurred, nor were any plague infected rats discovered.

During the year a total of 222 attendances were made by 65 foreign seamen at the Grimsby Venereal Disease Clinic. Of this number 19 were found to be suffering from syphilis, 31 from gonorrhoea, 1 from Chancroid, and 14 were found not to be suffering from venereal disease.

MEASURES AGAINST ROBBETS.- The number of rats destroyed during the year were as follows:-

	On Vessels	In Docks, Quays, Wharves and Warehouses.
No. of rats destroyed	503	2,922
No. examined	30	19
No. found to be infected with plague	-	-



The

ANNUAL REPORT

of the

PORT HEALTH AUTHORITY

of

GRIMBY

For the Year Ending 31st December, 1940.

-----oo-----

SECTION G. - PORT HEALTH SERVICE.

The general description of the Port is still similar to that contained in the Annual Report for 1933.

AMOUNT OF SHIPPING ENTERING THE PORT DURING THE YEAR.

Number inspected by the Medical Officer of Health	6
Number inspected by the Health Inspector	1094
Number reported to be defective	180
Number of vessels on which defects were remedied	134
Number of vessels reported as having or having had during .. voyage infectious disease on board	Nil

ADMIRALTY VESSELS

Number of vessels inspected and re-inspected	..	..	..	..	290
Number of vessels fumigated	..	..	..	..	58
Number of vessels sprayed	..	..	..	..	1

CANAL BOATS ACT..- During the year 37 canal boats were inspected and no case of infectious disease occurred on any of them. Infringements of the Act dealt with were:-

Marks and number to be painted	3	No water vessel	1
Vessels without certificates	9	Inefficient ventilation ..	1
No marks and numbers	9	Infringement of Regulations	1
Unregistered boats	5	Unregistered cabin used for	
Cabin unfit for habitation	2	habitation	1
Defective stoves	1	Cabin to be painted	1
Certificate not identifying boat with owner			1

WATER SUPPLY.- The remarks appertaining to the water supply of the Port are similar to those made in the Annual Report of 1938.

PORT SANITARY REGULATIONS, 1933.- The information under these Regulations is as described in the Annual Report for 1934, except in regard to paragraph 10 relating to venereal diseases.

The following cases of infectious sickness were landed from vessels during the year:-

	Passengers	Crew	Number of Vessels concerned
Influenza	7	7	3
Scarlet Fever	1	1	1

There were no cases of infectious sickness occurring on vessels during the voyage and disposed of prior to arrival.

No cases of plague, yellow fever, cholera, small-pox or typhus occurred, nor were any plague infected rats discovered.

During the year a total of 222 attendances were made by 65 foreign seamen at the Grimsby Venereal Disease Clinic. Of this number 19 were found to be suffering from syphilis, 31 from gonorrhoea, 1 from Chancroid, and 14 were found not to be suffering from venereal disease.

MEASURES AGAINST RODENTS.- The number of rats destroyed during the year were as follows:-

Various quarters sprayed ..	7	Stoves repaired or renewed ..	1	In Docks, Quays,
Stns painted wholly or in pt	94	W.C. basins renewed ..	1	Wharves and
Tanks cleaned	33	New tables provided ..	1	Warehouses.
Ventilation improved ..	4	Floors repaired or renewed ..	1	
No. of rats destroyed	1..	Doors repaired ..	503	
do. examined	46	Stove lockers renewed ..	30	
do. found to be infected with	18	W.C. basins renewed ..	1	
plague	18	W.C. basins renewed ..	1	
Port frames repaired	32	W.C. basins renewed ..	1	
Port lights repaired	32	W.C. basins renewed ..	1	
Skylights repaired	4	W.C. basins renewed ..	1	
Bulkheads repaired	37	W.C. basins renewed ..	1	
Lining or sheathing renewed ..	65	W.C. basins renewed ..	1	

The general description of the Port is still similar to that contained in the Annual Report for 1935.

AMOUNT OF SHIPPING ENTERING THE PORT DURING THE YEAR.

Year	Number of vessels reported as having or having had during voyage infectious disease on board	Number of vessels on which defects were remedied	Number reported to be defective	Number inspected by the Health Inspector	Number inspected by the Medical Officer of Health
1911	..	..	..	..	8
1912	..	..	..	..	1094
1913	..	..	..	..	180
1914	..	..	..	..	134

ADMIRALTY VESSELS

200	..	..	..	..	Number of vessels inspected and re-inspected
58	..	..	..	..	Number of vessels fumigated
1	..	..	..	..	Number of vessels approved

of the Act dealt with were:-
no case of infectious disease occurred on any of them. Infringement
CANAL BOATS ACT. - During the year 37 canal boats were inspected and

1		1	Defective stoves	1	Cabin to be painted	1		1	
1		1	Cabin unfit for habitation	2		1		1	
1		1	Unregistered boats	5		1		1	
1		1	No marks and numbers	9		1		1	
1		1	Vessels without certificates	9		1		1	
1		1	Marks and number to be painted	3		1		1	
1		1	No water vessel	1		1		1	

Port are similar to those made in the Annual Report of 1938.

PORT SANITARY REGULATIONS, 1933. - The information under these Regulations is as described in the Annual Report for 1934, except in regard to paragraph 10 relating to venereal diseases.

The following cases of infectious sickness were landed from vessels during the year:-

Passengers	Crew	Number of Vessels concerned
1	1	2
-	1	1

There were no cases of infectious sickness occurring on vessels during the voyage and disposed of prior to arrival. No cases of plague, yellow fever, cholera, small-pox or typhus occurred, nor were any plague infected rats discovered. During the year a total of 322 attendances were made by 65 foreign seamen at the Grimby Venereal Disease Clinic. Of this number 19 were found to be suffering from syphilis, 21 from gonorrhoea, 1 from Chancreoid, and 14 were found not to be suffering from venereal disease.

MEASURES AGAINST RODENTS. - The number of rats destroyed during the year were as follows:-

No. of rats destroyed	do. examined	do. found to be infected with plague	On Vessels	In Docks, Quays, Wharves and Warehouses.
503	1	1	503	2,922
..	..	..	30	10

14 Black Rats and 26 Brown Rats were sent for examination, and the report of the Analyst certified these rodents to be free from B. Pestis or other diseases.

240 traps were set by the Rat Searcher on 60 vessels, and 102 rats were caught, the balance of 253 being from fishing vessels, making a total of 355 rats destroyed.

It was not found necessary to take any measures of rat destruction on plague "infected" or "suspected" vessels, or vessels from plague infected ports arriving in the port.

A total of 27 Deratisation Exemption Certificates were issued, and it was not found necessary to fumigate any vessel under the International Sanitary Convention.

HYGIENE OF CREWS' SPACES.— The classification of nuisances on vessels is shewn hereunder:—

Number of vessels inspected during the year	1094
Defects of original construction	7
Structural defects through wear and tear	84
Dirt, vermin, and other conditions prejudicial to health ..	164

Sanitary improvements effected were;—

STEAMERS

Port frames repaired	10	Quarters painted wholly or in part	26
doors repaired	14	Tanks cleaned or repaired	28
Dirty quarters cleansed	52	Ventilation improved	2
Dirty bunks cleansed	240	Wash houses cleansed	25
Dirty food lockers cleansed	142	Wash houses painted	21
Dirty galleys etc cleansed	12	Portlights repaired	4
Decks repaired	6	Food lockers repaired	6
Skylights repaired	1	Clothes lockers provided	14
Bulkheads repaired	3	Galley stove provided	1
Bunks repaired	4	Food lockers provided	12
Clothes lockers repaired	2	Lighting improved	3
Stoves repaired	5	Heating arrangement provided	1
W.C.'s repaired	59	New bulkheads fitted	4
W.C. basins renewed	6	New bunks fitted	5
W.C. soil pipes repaired	1	New tables provided	3
W.C.'s painted	37	New wash houses provided	1
W.C. seats repaired	3	New ports (complete)	4
W.C. flush pipes repaired	3	New doors provided	3
Verminous quarters sprayed	6	New seats provided	6
Verminous quarters, fumigated	16	New wash hand basins provided	2
Side plates repaired	15	Dirty beds destroyed	31
Hawse pipes repaired	3	Galley sink & waste pipe repaired	1
Scupper pipes repaired	2	New flushing tank & connection provided	1

TRAWLERS

Dirty quarters cleansed	94	Bunks repaired and renewed	62
Dirty seat lockers cleansed	81	Seats repaired	6
Dirty food lockers cleansed	99	Food lockers repaired	32
Dirty galleys etc cleansed	46	W.C.'s cleansed	15
Dirty beds destroyed	184	W.C.'s painted	15
Dirty bunks cleansed	495	Decklights repaired or renewed	4
Verminous quarters fumigated	84	Food lockers renewed	5
Verminous quarters sprayed	7	Stoves repaired or renewed	28
Qtrs painted wholly or in pt	94	W.C. basins renewed	1
Tanks cleaned	33	New tables provided	2
Ventilation improved	4	Floors repaired or renewed	5
Lighting improved	1	Doors repaired	9
Decks repaired or renewed	46	Seat lockers renewed	6
Side plates repaired	24	Heating arrangement provided	1
Port frames repaired	16	New food lockers provided	1
Port lights repaired	22	Dirty transon lockers cleansed	18
Skylights repaired	4	Hawse pipes repaired	3
Bulkheads repaired	37	Clothes lockers repaired	1
Lining or sheathing renewed	65	W.C. seats repaired	2

Black rats and 25 Brown rats were sent for examination, and the report of the Analyst certified these rodents to be free from Plague or other diseases.

240 traps were set by the Rat Catcher on 20 vessels, and 102 rats were caught, the balance of 238 rats being from fishing vessels, making a total of 338 rats destroyed.

It was not found necessary to take any measures of rat destruction on plague "infected" or "suspected" vessels, or vessels from plague infected ports arriving in the port.

A total of 27 Deratization Exemption Certificates were issued, and it was not found necessary to fumigate any vessel under the International Sanitary Convention.

HYGIENE OF CREWS' SPACES. - The classification of nuisances on vessels is shown hereunder:-

Number of vessels inspected during the year 1094
 Defects of original construction 84
 Structural defects through wear and tear 164
 Dirt, vermin, and other conditions prejudicial to health 164

Sanitary improvements effected were:-

STEAMERS

Port frames repaired	10
Doors repaired	14
Dirty quarters cleaned	22
Dirty bunks cleaned	240
Dirty food lockers cleaned	142
Dirty galleys etc cleaned	12
Decks repaired	8
Skylights repaired	1
Bulkheads repaired	3
Bunks repaired	4
Clothes lockers repaired	2
Stoves repaired	2
New bulkheads fitted	29
New bunks fitted	8
New tables provided	1
New wash houses provided	37
New ports (complete)	3
New doors provided	3
New seats provided	8
Verminous quarters sprayed	18
Side plates repaired	12
Hawse pipes repaired	3
Goupper pipes repaired	2
New flushing tank & connection provided	
Quarters painted wholly or in part	10
Tanks cleaned or repaired	14
Ventilation improved	22
Wash houses cleaned	240
Wash houses painted	142
Portlights repaired	12
Food lockers repaired	8
Clothes lockers provided	1
Galley stove provided	3
Food lockers provided	4
Lighting improved	2
Heating arrangement provided	2
New bulkheads fitted	29
New bunks fitted	8
New tables provided	1
New wash houses provided	37
New ports (complete)	3
New doors provided	3
New seats provided	8
Verminous quarters sprayed	18
Side plates repaired	12
Hawse pipes repaired	3
Goupper pipes repaired	2
New flushing tank & connection provided	

TRAWLERS

Dirty quarters cleaned	94
Dirty food lockers cleaned	61
Dirty food lockers cleaned	99
Dirty galleys etc cleaned	46
Dirty beds destroyed	104
Dirty bunks cleaned	498
Verminous quarters fumigated	84
Verminous quarters sprayed	7
Stoves repaired or renewed	94
W.C. basins renewed	33
New tables provided	4
Floors repaired or renewed	1
Decks repaired	46
Seet lockers renewed	84
Heating arrangement provided	18
New food lockers provided	22
Port frames repaired	4
Skylights repaired	37
Bulkheads repaired	82
W.C. seats repaired	
Verminous quarters sprayed	18
Side plates repaired	12
Hawse pipes repaired	3
Goupper pipes repaired	2
New flushing tank & connection provided	
Quarters painted wholly or in part	10
Tanks cleaned	14
Ventilation improved	22
Wash houses cleaned	240
Wash houses painted	142
Portlights repaired	12
Food lockers repaired	8
Clothes lockers provided	1
Galley stove provided	3
Food lockers provided	4
Lighting improved	2
Heating arrangement provided	2
New bulkheads fitted	29
New bunks fitted	8
New tables provided	1
New wash houses provided	37
New ports (complete)	3
New doors provided	3
New seats provided	8
Verminous quarters sprayed	18
Side plates repaired	12
Hawse pipes repaired	3
Goupper pipes repaired	2
New flushing tank & connection provided	

CREWS' QUARTERS.- The remarks appertaining to the condition of crews' accomodation are similar to those made in the Annual Report for 1938.

FOOD INSPECTION.- Action taken under the Public Health (Imported Food) Regulations, 1937:-

Nature of Article	Weight				Why Condemned	Whether Seized or Forfeited	How Disposed of
	Tons	cwts	Qrs	stns			
Quantities of fish condemned:-							
(1) Fish Market:- Salting Purposes only:-	237	9	1	1½	Decomposed	Forfeited	Sent to Meal Works
(2) Ex. Rail:-	8	17	-	13 lb	"	"	"
(3) Fish Curing houses:-	2	8	-	1½	"	"	"
(4) Ex. Patrol Vessel:-	Mutton 31 lbs Liver 5 lbs Plums 20 lbs Bread 40 loaves Rhubarb 12 bundles Chickens 1 crate				"	"	To Destructor
(5) Ex. Motor Vessel:-	Rolled Oats 107 bags				"	"	Animal Feeding

The following samples were submitted to the Analyst for examination under the Public Health (Preservatives, etc. in Food) Regulations, 1925-1939

NATURE OF SAMPLE

RESULT OF EXAMINATION

Fruit Pulp	Free from Preservatives.
Cod Fillets (small box)	Yielded evidence of incipient decomposition.
Cod Fillets (Large Box)	Evidence of advanced stage of decomposition.
Wood Wool	Free from Preservatives.
Canadian Flat fish Fillets.	Free from decomposition.
Eels	Nos. 1, 2, 4. free from sewage contamination
	No. 3. contaminated, B.Coli. positive.
Eels	Four Eels free from sewage contamination also free from B.Coli.

There are no shell-fish beds in the area of the Port Health Authority. Oysters marketed in this district are derived from layings at Hunstanton and Brightlingsea.

DISTRICT.- I am indebted to Mr. A. Martin, Chief Port Health Inspector, for details of the sanitary work carried out in the port district. 1,402 inspections and re-inspections have been made regarding defects and nuisances, 189 letters and informal notices were served on owners or occupiers, and the undermentioned sanitary improvements were effected during the year:

GENERAL

Defective roofs repaired	7	Dirty stores cleansed	8
Under floor ventilation repaired	1	Yards cleansed	2
Dirty walls limewashed	29	New doorsteps provided	1
Dirty stairways cleansed	4	Fire escapes provided	2
Accumulation of rubbish removed	10	Offices repainted	1
Accumulation of foul offal removed	16	New doors fitted	2
Dirty mess rooms cleansed	3	Wash basins provided	1
Ventilation improved	1	Oil leakage into fish house	1
Dirty walls cleansed	2	rectified	
		New concrete floor laid	1

FOOD INSPECTION. - Action taken under the Public Health (Imported Food) Regulations, 1937:-
 The remarks appearing to the condition of error
 association are similar to those made in the Annual Report for 1936.

Nature of Article	Weight				Why Condemned	Whether Seized or Forfeited	How Disposed of
	Tons	cwt	qrs	lbs			
Articles of ab condemned:- (1) Fish Market:- Living Purposes only:-	237	8	1	1 1/2	Decomposed	Forfeited	Sent to Meat Works
(2) Ex. Rail:- (3) Fish Curlew houses:- (4) Ex. Petrol Vessel:-	84	3	1	-	"	"	"
	8	17	-	12 1/2	"	"	"
	2	8	-	1 1/2	"	"	"
		Mutton	31 lbs		"	"	T
		Liver	5 lbs		"	"	Deaf
		Pilms	20 lbs		"	"	"
		Bread	40 loaves		"	"	"
		Rhinard	12 bundles		"	"	"
		Chickens	1 crate		"	"	"
(5) Ex. Motor Vessel:-		Rollod Oats	107 bags		"	"	Animal Feed

The following samples were submitted to the Analyst for examination under the Public Health (Preservatives, etc. in Food) Regulations, 1935:-

NATURE OF SAMPLE	RESULT OF EXAMINATION
Fruit Pulp	Free from Preservatives
Cod Fillets (small box)	Yielded evidence of incipient decomposition
Cod Fillets (large box)	Evidence of advanced stage of decomposition
Wood Wool	Free from Preservatives
Canadian Flat Fish Fillets	Free from decomposition
Rela	No. 1, 2, 3, 4, free from sewage contamination
Rela	No. 3, contaminated, B.Coli. positive
Rela	Four Rela free from sewage contamination and free from B.Coli.

There are no shell-fish beds in the area of the Port Health Authority. Oysters marketed in this district are derived from layings at Humberston and Broughton.

DISTRICT. - I am indebted to Mr. A. Martin, Chief Port Health Inspector for details of the sanitary work carried out in the port district. 1,402 inspections and re-inspections have been made regarding defects and nuisances, 189 letters and informal notices were served on owners or occupiers and the undermentioned sanitary improvements were effected during the year:-

GENERAL	
Defective roofs repaired	7
Under floor ventilation repaired	1
Dirty walls limewashed	29
Dirty stairways cleaned	4
Accumulation of rubbish removed	10
Accumulation of foul efflu removed	18
Dirty mess rooms cleaned	3
Ventilation improved	1
Dirty walls cleaned	2
New concrete floor laid	1
retilled	
Oil leakage into fish house	1
Wash basins provided	1
New doors fitted	3
Offices repainted	1
Fire escapes provided	2
New doorways provided	1
Yards cleaned	2
Dirty stores cleaned	8

Cases of infectious

MINISTRY OF HEALTH
LIBRARY

Rats Destroyed during 1940.

On 7/6/86

[illegible]

DRAINAGE

Rain water pipes renewed 2 Choked drains cleared
 New drains laid 4 Gutters renewed
 Gullies cleared 14 Drain reconstructed and inspection
 New cover to inspection chamber 1 chamber installed
 Waste pipes cleared 1 Choked sewerage cleared

WATER CLOSURES

W.C.'s cleared and cleansed 14 New W.C.'s fitted
 W.C.'s repaired 13 New flushing handles provided
 W.C.'s limewashed 15 Defective flushing cisterns repaired
 W.C. seats renewed 5 New flushing cisterns fitted
 Cistern renewed 2 Defective soil pipes renewed
 Dirty urinals cleansed

FISH MARKET. - The report referring to the fish market, fish market facilities and offensive trades is the same as that submitted in 1933. Work carried out including the following:- Fish Merchants stands cleaned 386; Fish Merchants utensils cleaned 423; Fish Merchants ice bins cleaned 409; Fish Merchants new ice bins 8; and Fish Curers' kits cleaned (lots) 365.

RATS & MICE (DESTRUCTION) ACT, 1919. - 553 inspections and re-inspections were made, and 2,932 rats - 730 black and 2,202 brown - were caught on premises.

A regular system of examination is carried out in stores, warehouses, etc., and if rats, or traces of rats, are found in any building orders are at once given for their clearance either by traps, poison or fumigation. Leaflets are distributed pointing out the obligations on the Act, also the penalties for non-compliance.

PANFOTS (PROHIBITION OF IMPORT) REGULATIONS, 1930. - No notices were issued during the year.

SHOPS ACT, 1912-1934. - Periodical inspections were carried out under the above Acts.

FACTORIES ACT, 1937. - These premises are kept under constant supervision. A total of 1,803 inspections were made under this Act, and 11 written notices were served on occupiers. Defects found numbered 29, and of these 19 had been remedied at the end of the year. It was not necessary to institute any proceedings.

ANNUAL REPORT OF THE PORT MEDICAL OFFICER OF HEALTH
FOR 1940.

TABLE "C."

Cases of Infectious sickness landed from vessels.

Disease.	No. of cases during year		No. of vessels concerned.	Average no. of cases for previous 5 years.
	Passengers.	Crew.		
Malaria	Nil.	1	1	0.2
Tuberculosis	"	1	1	0.4
Measles	"	1	1	0.5
Pneumonia	"	1	1	0.5
Meningitis	"	2	1	0.2

TABLE "D."

Cases of infectious sickness occurring on vessels during the voyage but disposed of prior to arrival.

Disease.	No. of cases during year		No. of vessels concerned.	Average no. of cases for previous 5 years.
	Passengers.	Crew.		
Malaria.	Nil.	1	1.	0.2

TABLE "E."

Rats Destroyed during 1940.

(1) On Vessels.

No. of rats.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total for year.
Black	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.
Brown	"	95	"	"	39	"	"	"	"	"	"	"	134
Species not recorded	"	Nil.	"	"	Nil.	"	"	"	"	"	"	"	Nil.
Examined	"	"	"	"	"	"	"	"	"	"	"	"	"
Infected with plague	"	"	"	"	"	"	"	"	"	"	"	"	"

TABLE "F."

(2) In Docks, Quays, Wharves and Warehouses.

No. of rats.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total for year.
Black	2	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	1	3
Brown	Nil.	2	1.	"	"	"	2	"	"	6	1	3	15
Species not recorded	"	Nil.	Nil.	"	"	"	Nil.	Nil.	"	Nil.	Nil.	Nil.	Nil.
Examined	"	"	"	"	"	"	"	"	"	"	"	"	"
Infected with Plague	"	"	"	"	"	"	"	"	"	"	"	"	"

T A B L E "C"

Measures of Rat Destruction on Plague "infected" or "suspected" Vessels or Vessels from plague infected ports arriving in the Port during the year.

Total Number of such Vessels arriving.	Number of such vessels fumigated by SO ₂	Number of rats killed.	Number of such Vessels fumigated by H.C.N.	Number of rats killed.	Number of such vessels on which trapping, poisoning, etc. were employed.	Number of Rats killed.	Number of such vessels on which measures of Rat destruction were not carried out.
1.	2.	3.	4.	5.	6.	7.	8.
Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.	Nil.

T A B L E "H"

Deratisation Certificates and Deratisation Exemption Certificates issued during the year.

Net Tonnage.	No. of Ships.	No. of Deratisation Certificates issued after			Total.	No. of Deratisation Exemption Certificates issued.	Total Certificates issued.
		After fumigation with H.C.N.	Sulphur.	Trapping, Poisoning etc.			
1.	2.	3.	4.	5.	6.	7.	8.
Ships up to 300 tons	2	Nil.	Nil.	Nil.	Nil.	2.	2.
" from 301 " to " "	6	"	"	"	"	6.	6.
" " 1,001 " " "	18.	2	1	"	3	15.	18.
" " 3,001 " " "	11.	Nil.	Nil.	"	Nil.	11.	11.
" over 10,000 tons	Nil.	"	"	"	"	Nil.	Nil.
Totals.	37.	2	1	Nil.	3	34	37.

CLASSIFICATION OF NUISANCES.

TABLE "J" - HYGIENE OF CREWS' SPACES

Nationality of Vessel.	Defects of original construction.	Structural defects through wear & tear.	Dirt, vermin, and other conditions prejudicial to health.
------------------------	-----------------------------------	---	---

British	7	16	67
Other Nations.	1	13	36