[Report 1955] / Medical Officer of Health, Guildford R.D.C.

Contributors

Guildford (England). Rural District Council.

Publication/Creation

1955

Persistent URL

https://wellcomecollection.org/works/abram9yz

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Guildford Rural District

HEALTH A =6 SEP 56 C.R. 17

ANNUAL RÉPORT

- OF THE -

Medical Officer of Health

For the Year

1955

Together with the Annual Report of the Sanitary Inspector 

Guildford Rural District

ANNUAL REPORT

- OF THE -

Medical Officer of Health

For the Year

1955

Together with the Annual Report of the Sanitary Inspector

CONTENTS

| | | | | | | Pages |
|------------------------------|--------|----------|---------|-----|-------|--------|
| Statistical and Social Condi | itions | of the | Area | | ١ | 6- 9 |
| General Provision of Health | h Ser | vices fo | r the A | rea | | 10—15 |
| Sanitary Circumstances of | the A | Area | | | | 16—18 |
| Housing | | | | | | 19—20 |
| Inspection and Supervision | of F | ood | | | | 21-24 |
| Prevalence of, and Contro | ol ov | er Inf | ections | and | other | |
| Diseases | | | | | | 25-43 |
| Sanitary Inspector's Repor | t | | | | | 44-53 |
| | | | | | | 11 00 |
| - | | | - | | | |
| | | | | | | |
| | TAT | DEV | | | | |
| | IN | DEX | | | | - |
| | | | | | | Page |
| Ambulance Facilities | | | | | | IO, II |
| Ante-Natal Clinics | | | | | | 13 |
| Anthrax | | | | | | 22 |
| Area | | | | | | 6 |
| Birth Control | | | | | | 13 |
| Burial of the Dead | | | | | | 15 |
| Births and Birth-Rates | | | | | | 7, 9 |
| Cancer | | | | | | 38 |
| Chest Clinics | | | | | | 13 |
| Cleansing Services | | | | | 17, | 52-53 |
| Clinics and Treatment Cent | tres | | | | | 12 |
| Complaints | | | | | | - |
| Deaths and Death-Rates | | | | | | 6-9 |
| Deaths of Old People | | | | | | 29 |
| Diphtheria | | | | | | 26 |
| Diphtheria Immunisation | | | | | | 29-30 |
| | | | | *** | | 12 |
| Drainage and Sewerage | | | | | | 16 |
| Dysentery | | | | | | 28 |
| Factories Act, 1937 | | | | | | 50 |
| Food Poisoning | | | | | | 28 |
| Food Unfit for Human Cor | | ption | | | | 48 |
| Food and Drugs Act, 1938 | | | | | | 22 |
| Foods, Meat and Other | | | | | | 48 |
| | | | | | | 26 |
| Graph—Births and Deaths | | | | | | 9 |
| Graph—Tuberculosis | | | | | | 12 |

| - Unation to se | | | | | | | P | age |
|-----------------------------------|--------|----------|----------|---------|-----|-------|-----|-----|
| Hæmolytic Streptococ | cal I | nfection | ons | | | | | 29 |
| Health Visitors . | | | | | | | | 12 |
| Hospitals | | | | | | | 14, | 25 |
| Home Nursing and H | Iome | Help | Service | | | | | 13 |
| Home Viciting | | | | | | | 29- | -31 |
| Housing | | | | | | | 19- | -20 |
| Ico Croom | | | 4 | | | | - | 21 |
| Infant Mortality | | | | | | | 6. | 7 |
| Laboratory Facilities | | | | | | | | IO |
| Maga Dadiography | | | | | | | | 14 |
| M-41 M4-1'4 | | | | | | | 6, | |
| Maternity and Child V | | | ntres | | | | 0, | 12 |
| Monalea | | | | | | *** | | |
| M ' '4' | | | | | | | | 29 |
| M: Janiana | | | | | | | | 29 |
| | | | | | | | .6 | II |
| * * | • • | | | | 23, | 24, | 46- | -47 |
| Mosquitoes | | | | | | | | 17 |
| Movable Dwellings an | id Ca | mping | g Ground | ds | | | 19, | 49 |
| | | | | | | | | 15 |
| National Assistance A | ct, 19 |)48 | | | | | | 15 |
| Nursing in the Home | | | | | | | | II |
| Notices Served . | | | | | | | | 45 |
| Orthopædic Clinic . | | | | | | | | 13 |
| Pathological Examinat | ions | | | | | | | 10 |
| Pest Destruction Act, | 1949 | | | | | | | 51 |
| Poliomyelitis | | | | | | | | 27 |
| Rateable Value . | | | | | | | | 6 |
| Rivers, Streams . | | | | | | | | 17 |
| Padent Central | | | | | | | | 51 |
| Scarlet Fever | | | | | | | | 29 |
| School Absentees . | | | | | | | | 37 |
| Slaughterhouses and K | Cnack | ers' Y | ards | | | | | 51 |
| | | | | | | | | 15 |
| Staff | | | | | | | | |
| Statistical Summary | | | | | | | 6, | 4 7 |
| a | | | | | | | 0, | 7 |
| Still Births Tillingbourne Valley | | | | | | | | |
| | | | | | | | 20 | 15 |
| Tuberculosis | | | | | | • • • | 39- | -43 |
| Tuberculosis Care Con | | | | • • • • | | | | 41 |
| Typhoid Fever . | | | | | / | | | 28 |
| | | | | | | | | 30 |
| Venereal Diseases Clin | | | | | | | | 13 |
| | | | | | | | | 31 |
| Water Analyses . | | | | | | | 10, | 49 |
| Water Supplies | | | | | | | 16, | 49 |
| Whooping Cough Imm | nunisa | ation | | | | | | 31 |
| Zymotic Diseases | | | | | | | | 6 |

Guildford Rural District Council

STAFF OF THE PUBLIC HEALTH DEPARTMENT

Medical Officer of Health:

*J. E. HAINE, M.B., Ch.B., D.P.H.

Deputy Medical Officer of Health:

*MARGARET A. POLLOCK, M.B., Ch.B., B.A.O., D.P.H.

Visiting Nurse:

*Mrs. E. M. E. LYDDIARD, S.R.N., S.C.M.

Chief Sanitary Inspector:

P. MEDDOWS TAYLOR, M.S.I.A., Cert. R.S.I. Meat and Other Foods Inspection.

Assistant Chief Sanitary Inspector and Cleansing Officer:

E. M. ORGAN, M.S.I.A., Cert. R.S.I. Meat and Other Foods Inspection.

Housing Inspector:

K. G. FREEMAN, M.S.I.A.

Additional Sanitary Inspectors:

R. B. BROWN, M.S.I.A., Cert. R.S.I. Meat and Other Foods Inspection.

J. H. MEURICE, M.S.I.A. (appointed 1/2/55).

Cleansing Inspector:

A. H. SMITH, M.I.W.H.S.

Assistant Rodent Officer:

C. E. BLANDFORD.

Health Department:

Clerical Staff:

*Chief Clerk: C. B. STUART.

*N. C. BELLAMY.

*Miss D. L. MONK.

*Miss M. H. JEFFERSON.

Sanitary Inspector's Department:

W. F. A. JOHNSTONE.

Mrs. D. S. PATRICK.

Mrs. E. D. RUSSELL (resigned).

Mrs. M. K. ROGERS.

R. D. U. GRAHAM (to H.M. Forces 4/8/55).

Mrs. B. L. WATTS (appointed 28/11/55).

* Also acts in similar capacity for the Hambledon Rural and Haslemere Urban Districts. Public Health Department,
Millmead House,
Guildford.
July, 1956.

To the Chairman and Members of the Guildford Rural District Council.

Mr. Chairman, Ladies and Gentlemen,

I have the honour to present my Annual Report on the health of the District for the year 1955.

The population shows an increase of 410 on the previous year, although the natural increase due to excess of birth over deaths is only 300. The number of births during the year, 758, shows a considerable increase over the 660 for 1954. The actual Birth Rate was 15.97 per 1,000 and, after correction by the Registrar-General's Comparability Factor, was 17.57. This is very high compared with the figure for England and Wales of 15.0 per 1,000. On the other hand, the corrected Death Rate is very much lower than for England and Wales, being 9.17 per 1,000, as compared with the national figure of 11.7. By a coincidence, the number of deaths from heart and circulatory diseases—the largest cause of death—was the same as in 1954, i.e., 161. Cancer, the next largest single cause, caused only two less deaths than in the previous year, there being 71 instead of 73. Pneumonia accounted for the rather unusually high number of 24 deaths, compared with 14 in 1954.

This was an epidemic year for measles, which accounted almost entirely for the high number of infectious disease cases notified. The 12 cases of poliomyelitis included 1 death. Although the number of cases of this disease is high compared with the previous year's 2 cases, the figure is really quite average, and there

was never at any time a suggestion of an epidemic.

There is now, of course, less strain on housing, and the Council's programme is lower. On the other hand, it has been possible to implement some of our long-desired sewerage schemes, notably in the Ash area and in the Tillingbourne Valley. The pressure on the Council's cesspool emptying service has become very great, and a review of the situation will be necessary in the near future.

I am grateful for the continued cordial relations with the Council and the members of the Council's staff, and for much friendly co-operation and assistance. I take the opportunity also of thanking my own staff for their continued good work.

I have the honour to remain,

Your obedient servant,

J. E. HAINE, Medical Officer of Health.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA

SUMMARY

| | 1955 | 1954 |
|--|----------|----------|
| Area in Acres | 59,644 | 59,644 |
| Estimated resident population in July (estimate supplied by Registrar-General)* | 47,450 | 47,040 |
| Number of Inhabited Houses according to Rate | 14,110 | 13,336 |
| Books (at 1st April following year) Rateable Value (at 1st April following year) | £681,896 | £396,341 |
| A sum represented by a Penny Rate (actual) | £1,627 | £1,579 |
| Number of Births (legitimate and illegitimate) | 758 | 660 |
| Birth-Rate (actual) per 1,000 of the population | 15.97 | 14.03 |
| Birth-Rate (actual) per 1,000 of the P-P Birth-Rate (after correction by the Register- | | |
| General's Comparability Factor) | 17.57 | 15.43 |
| Number of Still Births | 8 | 16 |
| Number of Deaths | 458 | 444 |
| Death-Rate (actual) per 1,000 of the population | 9.65 | 9.44 |
| Death-Rate (after correction by the Register- | 9.17 | 8.97 |
| General's Comparability Factor) | 9.17 | 0.97 |
| Natural increase of population during year by excess of births over deaths | 300 | 216 |
| Number of Deaths of Infants (under the age of | | |
| one year) | 22 | 18 |
| Infant Mortality per 1,000 live births | 29.02 | 27.27 |
| Number of women dying in, or in consequence of, child-birth | Nil | Nil |
| Death-Rate from Influenza per 1,000 of the population | 0.04 | 0.11 |
| Death-Rate from Pneumonia (all forms) per 1,000 of the population | 0.50 | 0.30 |
| Death-Rate from Bronchitis per 1,000 of the population | 0.29 | 0.36 |
| Death-Rate from Measles per 1,000 of the population | 0.00 | 0.00 |
| Death-Rate from the seven principal zymotic diseases: Smallpox, Whooping-cough, Measles, Gastritis, Enteritis and Diarrham Diphtheria. Scarlet Fever and | | |
| per 1,000 of the population | 0.13 | 0.13 |
| Death-Rate from all forms of Tuberculosis per 1,000 of the population | 0.10 | 0.11 |
| Death-Rate from Cancer per 1,000 of the population | 1.50 | 1.55 |
| Death-Rate from Heart Disease per 1,000 of the population | 3.40 | 2.85 |
| Death-Rate from Nephritis and Nephrosis per 1,000 of the population | 0.10 | 0.00 |

EXTRACTS FROM VITAL STATISTICS

| | Male | Female | Total |
|--|-----------|--|-------|
| Live Births: | ATTALL OF | 100 | |
| Legitimate | 395 | 324 | 719 |
| Illegitimate | 21 | 18 | 39 |
| Birth-Rate (per 1,000 estimated resident | | 1 | |
| population | | | 15.97 |
| 1954 | | | 14.03 |
| For the five years, 1950 to 1954 | | (modely | 15.01 |
| Still Births: | | | |
| Legitimate | 2 | 6 | 8 |
| Illegitimate | - | _ | Nil |
| Rate per 1,000 total births | 500 | Fu. Tri | 10.55 |
| 1954 | | To San | 24.24 |
| Deaths (net) | 243 | 215 | 458 |
| 1954 | 227 | 217 | 444 |
| 1954 | | | 9.65 |
| Death-Rate, 1954 | | | 9.44 |
| For the five years, 1950 to 1954 | | | 9.95 |
| Deaths from Pregnancy, Childbirth, and | | | |
| Abortion | | | Nil |
| 1954 | | | Nil |
| Rate per 1,000 total (live and still) births | | _ | 0.00 |
| Deaths of Infants under one year of age | 15 | 7 6 | 22 |
| Deaths of Infants under four weeks of age | 12 | 6 | 18 |
| Death-Rate of Infants under one year of age: | | | |
| All infants per 1,000 live births | | | 29.02 |
| Legitimate infants per 1,000 legitimate | | 1 | |
| live births | | | 27.82 |
| Ilegitimate infants per 1,000 illegitimate | | | |
| live births | | 1000 | 50.25 |

COMPARATIVE BIRTH AND DEATH-RATES

The following Table shows the birth and death-rates per 1,000 of the population for the District, and for England and Wales, for 1954 and 1955.

| | Annual Rates per 1,000 of the Population | | | | | ntile ality ,000 | Deaths from Pregnancy, Childbirth & Abortion per | | |
|-------------------------|---|-------|------|--------|--------|------------------------|---|------|--|
| | Birth-Rate | | Deat | h-Rate | live b | irths | 1,000 total live & still births | | |
| | 1955 | 1954 | 1955 | 1954 | 1955 | 1954 | 1955 | 1954 | |
| Guildford R.D.—Crude | 15. 7 | 14.03 | 9.65 | 9.44 | 29.02 | 27.27 | 0.00 | 0.00 | |
| Comp. | 17.57 | 15.43 | 9.17 | 8.97 | - | _ | - | - | |
| England and Wales | 15.0 | 15.2 | 11.7 | 11.3 | 24.9 | 25.4 | 0.64 | 0.69 | |

TABLE II.—CAUSES OF DEATH (ALL AGES)


(Figures supplied by Registrar-General)

| Cause of Death | Male | Female | Total |
|---|------|--------|-------|
| | | | |
| Tuberculosis, respiratory | 3 | 2 | 5 |
| Tuberculosis, other | - | - | |
| Syphilitic disease | 1 | 2 | 3 |
| Diphtheria | _ | - 115 | - |
| Whooping Cough | - | - | - |
| Meningococcal infections | - | _ | - |
| Acute Poliomyelitis | - | _ | _ |
| Measles | _ | - | - |
| Other infective and parasitic diseases | - | 1 | 1 |
| Malignant neoplasm, stomach | 4 | 1 | 5 |
| ,, ,, lung, bronchus | 10 | 3 | 13 |
| ,, ,, breast | - | 10 | 10 |
| ,, ,, uterus | - | 4 | 4 |
| Other malignant and lymphatic neoplasms | 26 | 12 | 38 |
| Leukaemia, aleukaemia | _ | 1 | 11 |
| Diabetes | - | 1 | 1 |
| Vascular lesions of nervous system | 23 | 40 | 63 |
| Coronary disease, angina | 63 | 30 | 93 |
| Hypertension with heart disease | 1 | 5 | 6 |
| Other heart disease | 24 | 38 | 62 |
| Other circulatory disease | 8 | 7 | 15 |
| Influenza | 2 | - | 2 |
| Pneumonia | 15 | 9 | 24 |
| Bronchitis | 9 | 5 | 14 |
| Other disease of respiratory system | _ | . 1 | 1 |
| Ulcer of stomach and duodenum | 3 | 1 | 4 |
| Gastritis, enteritis, diarrhœa | 1 | 5 | 6 |
| Nephritis and nephrosis | 4 | 1 | 5 |
| Hyperplasia of prostate | 2 | - | 2 |
| Pregnancy, childbirth, abortion | - | - | - |
| Congenital malformations | 1 | 3 | 4 |
| Other defined and ill-defined diseases | 27 | 22 | 49 |
| Motor vehicle accidents | 4 | 2 | 6 |
| All other accidents | 8 | 6 | 14 |
| Suicide | 3 | 1 | 4 |
| Homicide and operations of war | 1 | 2 | 3 |
| Totals | 243 | 215 | 458 |

GRAPH SHOWING BIRTH AND DEATH RATES PER 1,000 OF THE POPULATION

| | | Guildford R.D. | I | Eng | lane Vale | | ıd |
|--------|------|----------------|---|-----|--------------|---|----|
| Births | | | = | = | = | = | = |
| Deaths | | | | | | | |

*=Guildford Rural District Death Rate (and Birth Rate from 1951), after correction by the Registrar-General's Comparability Factor.



GENERAL PROVISIONS OF HEALTH SERVICES FOR THE AREA

LABORATORY FACILITIES.

Pathological Examinations.—All laboratory examinations except in respect of water samples are carried out at the Guildford Public Health Laboratory.

The number of examinations carried out during the year in respect of the Guildford Rural District was:

| Diphtheria | | | | | 3 |
|-------------------|----------|---------|---------|--------|-----|
| Scarlet Fever and | Hæmo | lytic S | treptoc | occal | |
| Infections | | | | | 66 |
| Examination of fa | eces for | r abno | rmal E | 3.coli | 164 |
| Fæces (other orga | anisms) | | | | 91 |
| Miscellaneous | | | | | 2 |

Water Analysis.—The Counties Public Health Laboratories, 66, Victoria Street, London, S.W.I, continue to undertake the examination (both chemical and bacteriological) of water samples. 135 samples were examined during 1955.

AMBULANCE FACILITIES.

Following are particulars of the ambulance services operating in the District:

(i) Ambulances available for the conveyance of cases of Infectious Disease:

| Name of Authority | No. of Ambu- lances | Address of Ambulance Station | Telephone Number |
|---|---------------------------|--|---------------------|
| Farnham Group Hos- pital Management Committee | | Carried out by Farnham Ambulance Station, 50, West Street, Farnham. | Farnham 6749 |
| Ottershaw Isolation Hospital | | All Ambulances ob- tained from Woking Ambulance Station. | |

| Responsible Authority | No. of Ambu- lances | Address of Ambulance Station | Telephone Number |
|----------------------------------|-------------------------------|----------------------------------|------------------------------------|
| County Ambulance Service: | | | |
| Guildford Ambulance Station | 6 and 2 sitting | Woodbridge Road, Guildford. | Guildford 66334 |
| Sub-Stations at: | case cars | A CHARLES | |
| Godalming | 2 | Church Street, Godalming. | Godalming 689 |
| Ash Vale | and I sitting case car | Ash Vale Station. | Ash Vale 2366 |
| Farnham Ambulance Station | and 2 sitting case cars | 50, West Street, Farnham. | Farnham 6749 |
| Leatherhead Ambulance Station | and I sitting case car | Council Offices, Leatherhead. | L'head 2373 (Emergency) Horsley 62 |
| Dorking Ambulance Station | 3 | West Street, Dorking. | Smallfield 271 |
| | | amathr/ | (Emergency) Horsley 62 |
| ALDERSHOT BOROUGH | and 1 | Laburnum Road, Aldershot. | Aldershot 2244 |
| COUNCIL | sitting case car | out the same of the same | to leave the second |

NURSING IN THE HOME.

Midwives.—There are 14 Midwives practising in the Rural District supervised by the County Medical Officer of Health. They are distributed in the following parishes:

| Albury | | Horsley, East | _ |
|------------------|---|---------------|-------|
| Artington | | Horsley, West | I |
| Ash and Normandy | 3 | Normandy and | |
| Clandon, East | _ | Wanborough | I |
| Clandon, West | I | Ockham | - |
| Compton | I | Pirbright | _ |
| Effingham | - | Puttenham | _ |

| Ripley | | _ | Shalford | | 1 |
|-------------|------|-------|------------|------|-------|
| St. Martha | | - | Shere | | I |
| Seale | | I | Tongham | | I |
| Send | | 2 | Wisley | | - |
| Shackleford | | I | Worplesdon | | I |

District Nurses.—District Nurses are available in every parish. This service is administered by the County Nursing Association, acting as agents for the Local Health Authority.

Health Visitors.—County Health Visitors visit homes under the School Medical and Child Welfare Services. There are 10 H.V.s distributed in the following districts: (a) Pirbright. (b) Send, Ripley, Wisley, Ockham, E. and W. Clandon, (c) Ash Green, Ash Wyke and Seale (excluding Tongham), Normandy, Wanborough. (d) Artington, Compton, Puttenham, Shackleford, Eashing, Wood St., Worplesdon. (e) Albury, Chilworth (St. Martha), Shalford, Shere and Gomshall, Peasmarsh. (f) Holmbury St. Mary and Abinger Hammer. (g) E. and W. Horsley, Effingham. (h) Tongham. (j) Ash Common, Ash Vale. (k) Peaslake and Farley Green.

CLINICS AND TREATMENT CENTRES.

Maternity and Child Welfare.—Centres within the District are set out in the table below:

| Centre | Address | Days of Centre |
|--|---|---|
| Ash (Mytchett) Ash Ash Vale Ash Wyke Chilworth Effingham Horsley, West Holmbury St. Mary Peaslake Pirbright Ripley Send Shere Shalford Tongham Wood Street | Keogh Bks., Mytchett Health Centre, Shawfield Road, Ash Gospel Hall, Ash Vale The Village Hall, Normandy Village Hall, Chilworth Women's Institute, Effingham Village Hall, West Horsley Holly Bush, Holmbury St. Mary Old Schoolroom, Peaslake Red Cross Hut British Legion Hall Red Cross Hut, Sandy Lane Memorial Hall, Shere The Institute, off King's Road, Shalford Village Institute Church Hall, Wood Street Memorial Hall, Perry Hill | Every Thursday 2nd and 4th Mondays 1st and 3rd Mondays 1st and 3rd Fridays 1st and 3rd Tuesdays 1st and 3rd Thursdays 2nd and 4th Fridays 2nd and 4th Mondays Every Tuesday 2nd and 4th Thursdays 1st and 3rd Mondays 1st and 3rd Mondays 1st and 3rd Thursdays 2nd and 4th Thursdays 2nd and 4th Thursdays 2nd and 4th Thursdays |

| Ante-Natal | Clinics.—Clinics | serving | the | District | are | held | as |
|------------|------------------|---------|-----|----------|-----|------|----|
| follows:- | | | | | | | |

| Ash Godalming | 2nd and 4th Tuesdays, at 2 p.m. 1st and 3rd Tuesdays, 9.30 a.m. |
|-----------------------------|---|
| Farnham ("Brightwells") | Wednesdays at 2 p.m. |
| Woking Maternity Home, | Every Friday at 10 a.m., 2nd and |
| Heathside Road, Woking. | 4th Wednesdays at 2 p.m., and |
| I, SHOW HE HAVE BEEN SHOWN | 2nd Monday at 10 a.m. |
| St. Luke's Hospital, Guild- | Monday, Tuesday, Thursday and |
| ford (| Friday, 1.30 p.m. |
| | Booking Clinic, Monday and |
| (| Friday, 10 a.m. to 11 a.m. |

Orthopædic Treatment.—In-patient treatment is given at the Royal Surrey County Hospital and at the Rowley Bristow Home at Pyrford.

Orthopædic Clinics for out-patient treatment are available at the Royal Surrey County Hospital on Tuesday afternoons at 1.30 p.m., and at the Rowley Bristow Home on Thursday mornings from 10.30 to 1 p.m.

Chest Clinic.—The Chest Clinic is at Tower House, Epsom Road, Guildford. Days and times for the attendance of the patients are as follows:

| Mondays | | | | 1.10 to 3.50 p.m. |
|---------------|-----|-----------|-------|---------------------|
| Wednesdays | | | | 1.10 to 3.50 p.m. |
| Fridays | | | | 9.10 to 11.50 a.m. |
| Refill Clinic | š., | Every | Thurs | day, 4.30 to 6 p.m. |

Venereal Diseases Clinic.—A Clinic is held at the Royal Surrey County Hospital, Guildford, four days weekly as follows:

| Mondays (Females) | | | 3-7 | p.m. |
|---------------------|------|--------|-------|------|
| Thursdays (Females) | | 9. | 30-11 | a.m. |
| Tuesdays (Males) | | | 5-7 | p.m. |
| Fridays (Males) | | | 5-7 | p.m. |

Birth Control.—The Birth Control Clinic at St. Luke's Hospital, Guildford, is held every Friday evening and is administered by a Voluntary Committee.

The Clinics mentioned above are all administered by and under the control of the Surrey County Council, except where otherwise stated.

Home Nursing and Home Help Service.—The scheme is operated by the County Council.

CARE OF THE AGED AND NATIONAL ASSISTANCE ACT, 1948, SECTION 47.

It was not necessary to take any statutory action under this

Section of the Act during 1956.

The problem of old people still increases. Their needs are many and diverse and, quite understandably, of course, most of them desire to stay in their own homes and retain their independence despite hardships. Many are not ill and have not seen a doctor for years, but are no longer able adequately to care for themselves, and trivial illness can completely incapacitate them. In our rural district many of them live alone and have greater difficulties to deal with than town dwellers. In addition to the common weaknesses of failing vision, hearing and activity, they are often dependent on oil lamps for lighting, coal fires for heating and cooking, have well-water supplies only (sometimes a considerable distance from the house) and, a major problem, are a great distance from shopping facilities.

The solution is undoubtedly to keep them at home with assistance from home visitors—in particular, a type of home help specially suitable for this sort of work is needed. Voluntary organisations such as the W.V.S. and the Red Cross can and do help these old folk in such ways as doing their shopping, giving them some interests such as handicrafts, etc., and in general keep-

ing them in touch with the outside world.

On the grounds of humanity alone, support should be given to the desire of these old people to remain at home. Indeed, on economic grounds it is cheaper to spend five or six pounds per week in maintaining them in their homes than double that amount to keep them in institutions.

MASS RADIOGRAPHY.

The Mass Radiography Unit visited the largest factory in our District for one week in May, and later spent one week each at Guildford, Godalming and Woking; each of these towns serves a large part of the Guildford Rural District.

HOSPITALS.

The hospitals serving the district are as follows:

General:

St. Luke's Hospital, 379 beds, of which at least 57 are maternity. Farnham Hospital, Hale Road, Farnham, 180 beds. Royal Surrey County Hospital, Guildford, 232 beds (including 23 private beds).

Infectious Disease:

Ottershaw Isolation Hospital, 50 beds (24 Fever, 26 Chronic). Green Lane Hospital, Farnham, 68 beds (28 Fever, 40 Chronic).

BURIAL OF THE DEAD: SECTION 50, NATIONAL ASSIST-ANCE ACT, 1948.

Under this Section, the local authority is responsible for securing the burial or cremation of the body of any person who has died, or has been found dead, in their area, where no suitable arrangements are made by any other person. During 1955, one case was so dealt with in this District.

TILLINGBOURNE VALLEY MOBILE PHYSIOTHERAPY SERVICE.

The excellent work of this service has continued, and it has been possible to improve the equipment by the addition of a portable short-wave unit.

During 1955, 1,600 treatments were given, involving 6,650 miles of travelling. The number of different patients concerned was 174, of whom a considerable number were transferred to the Mobile Physiotherapy Service by the local hospitals.

This service is an important addition to facilities available for the aged, as a very large proportion of the work is for old people.

SPASTICS CLINIC.

A treatment centre for spastic children has been opened at the Memorial Hall, Worplesdon, under the auspices of the National Spastics Society. It is available for treatment every Monday, Tuesday and Friday.

MORTUARIES.

Negotiations for the use of the mortuary at Milford Chest Hospital for the reception of bodies from the Hambledon Rural District and part of the Guildford Rural District have now been completed, and the new arrangement came into effect on October 17th. The mortuary is excellently equipped for post-mortem work, and the action of the Godalming, Milford and Liphook Group Hospital Management Committee in permitting our use of it is highly appreciated. Five bodies from this District were sent there up to December 31st.

The other mortuaries serving the District are at Godalming, Woking and Farnham. The numbers of bodies removed thereto from this District in 1955 were:

| Godalming | | | 6 |
|-----------|------|------|--------|
| Woking | | | II |
| Farnham | | | 7 |

SANITARY CIRCUMSTANCES OF THE AREA

WATER SUPPLIES.

Sampling of water supplies has been continued on the same lines as in recent years, quarterly samples being taken from greensand sources and monthly from those with wells in the chalk strata.

DRAINAGE AND SEWERAGE.

Good progress has been made with main drainage schemes during 1955, and I am indebted to the Council's Engineer and

Surveyor for the following brief details:

"The first phase of the Ash Vale main drainage scheme, comprising a sewage disposal works and two miles of trunk sewer, was completed early in the year at a cost of £130,000. The second phase, consisting of six miles of branch and lateral sewers, and embracing Stratford Road, Shawfields Road, Government Road and Station Road, commenced in October. The Contract Works are expected to last two years, and the estimated cost is £124,000.

"On completion of the two phases it is estimated that main

drainage facilities will be available for 2,000 persons.

"The third, fourth and fifth phases of the Tillingbourne Valley Scheme have been in progress during the year, bringing main drainage facilities to the populated areas of Chilworth, Albury and further parts of Shere Parish. The cost of the three phases is estimated at £168,000, and on completion main drainage facilities will be available for, in addition, 2,100 persons.

"In October, the Council's contractors started work on a scheme for the main drainage of Effingham. The works comprise seven miles of sewer, together with two pumping stations, at an

estimated cost of £124,000.

"The Normandy, Worplesdon and Pirbright Scheme, which is estimated to cost £542,930, has been approved in principle by the Ministry and the first stage of the sewage disposal works, constructed to the Council's design, at Hockford Farm, for use in the first instance by the Agricultural Research Institute at Pirbright,

has been completed and brought into operation."

A special feature of the sewage from this Research Institute is that it contains the living virus of Foot-and-Mouth Disease. Since the virus will not be affected by the normal processes of sewage purification, special preliminary treatment of the sewage is necessary in order to destroy it. The virus can be destroyed by rendering the sewage alkaline. Sodium hydroxide is the alkali of choice, and a pH of over 11 is desirable for a sufficient period of time to guarantee penetration of tissues, albuminoid, colloidal and gelatinous matter in the sewage. This high alkalinity is subsequently neutralised by sulphuric acid before the sewage goes through the ordinary process of purification.

The pH of 11.00 proposed under the scheme is probably just sufficient if adequate time is allowed for contact, but it does not appear to leave much margin for error.

This problem of virus destruction in sewage does not appear to have been met with before at any sewage works, so that there is no experience to provide assistance in this case. The results of not destroying the virus completely obviously might be serious. Tests should be made from time to time, especially in the initial stages of operation of the plant. The aerating filters may also become less efficient more rapidly than usual due to precipitated sulphates.

Unfortunately this treatment, with its risks of excessive alkalinity or acidity, will almost certainly also destroy the bacteria necessary for the first stage of sewage purification, and this will be most apparent when the flow of ordinary sewage is too low to ensure sufficient dilution of the Institute's sewage. Obviously, therefore, the greater the flow of ordinary sewage the less the risk of fluctuations or of errors of neutralisation or lack of bacterial action.

Other areas of **Worplesdon** where the need for main drainage continues urgent are Frog Grove Lane, Liddington Hall Estate and Fairlands Estate. Drainage conditions have been very bad for many years, and a main drainage scheme is urgent. The additional sewage also will be helpful at the Hockford works described above.

PUBLIC SCAVENGING.

Disposal of refuse was continued at three sites—Shalford, Ash Vale and Shere—and some use was made of an additional tip at Clandon. Further details of the services are contained in the report of the Chief Sanitary Inspector.

ERADICATION OF BED BUGS.

Two cases of infestation were reported during 1955, and necessary disinfestation was carried out.

RIVERS AND STREAMS.

No case of pollution came to our notice during the year.

MOSQUITOES: Shalford and Bramley areas.

Complaints were received again this year of mosquitoes from the Godalming Sewage Farm. The Godalming Corporation's scheme for modernising these works is now proceeding, and when this is complete the mosquito menace should be greatly abated. There were also complaints of smell from the sewage farm, and this nuisance, too, should be largely eliminated when the new works are completed.

COMPLAINTS.

Gomshall Tanneries.—Complaints were received in the spring regarding the putrefaction of waste deposited on the tip, and on being approached the owners stated this was because of difficulty in obtaining the sawdust formerly used for covering. A definite public health nuisance existed, and statutory notice was served in June. The nuisance was abated by the provision of a substantial quantity of covering material, and a close watch was subsequently kept on the conditions there.

Nuisance from Cesspool Overflows.—At a boarding school for pre-school children there was a continuous nuisance from the summer of 1954 from the overflowing of cesspool contents into the lane nearby. The number of children resident there (18), and the consequent large amount of laundry, was responsible for this. Finally, statutory notice was served in July, resulting in abatement of the nuisance by the owner making arrangements for more frequent regular emptying by private contract. Up to the end of the year there had been no recurrence of nuisance.

Basingstoke Canal.—The question of nuisance from that part of the canal which is in the Guildford Rural District arose again during the late summer. Close observation of the canal was kept over a period of some weeks, and no public health nuisance was found.

HOUSING

Appended is a table showing the Council's Housing Programme as at December 31st, 1955, and a summary of housing production up to the same date.

The number of applicants on the Council's waiting list at the end of 1955 was 931, compared with 1,300 at the end of the previous year.

Following a review of the Council's housing policy it was decided to institute a differential rents scheme for tenants of Council houses. Details were still under consideration at the end of the year.

A new system of "pointing" in considering applications for rehousing allows for the allocation of additional points by the Medical Officer of Health if there are any special health grounds. The highest priority may be given on special medical recommendation.

MOVABLE DWELLINGS.

The caravan problem is not a temporary one associated only with post-war conditions. It has become and will continue a permanent feature of modern life. The need for strict control is thereby more than ever emphasised.

The following summary shows the number of licences issued during the last seven years:

| | 1949 | 1950 | 1951 | 1952 | 1953 | 1954 | 1955 |
|--|------|------|------|------|------|------|------|
| Licences granted to erect | | | | | | | |
| or station and use mov- | +6 | - | 200 | 2.7 | | | |
| able dwellings | 10 | 34 | 29 | 31 | 14 | 15 | 9 |
| Licences granted to use land as a site for movable | | | | | | | |
| dwellings | I | - | 5 | - | - | I | 2 |

These figures, however, give no idea of the actual number of caravans in the District, the total being probably some 500. Many of these are on licensed sites or exempted from special control because of agricultural employment of the occupants.

The only real solution to the difficulties is the siting of all other caravans on sites provided and managed by the Council or maintained at an equivalent standard by private enterprise. This ideal is by no means unattainable, and there are already examples of really well managed sites in the District.

HOUSING PROGRAMME

The following table shows the Council's Housing Programme as at December 31st, 1955 (information supplied by Council's Engineer and Surveyor):

| Parish | | No. of Dwellings Ultimately to be erected | Total Immediate Programme | No. of Dwellings in course of erection | No. of Dwellings Completed |
|---------------|------|---|---------------------------------|--|----------------------------------|
| Artington | | 4 | 4 | 751 F 319 | _ |
| Albury | | 39 | 30 | - | 9 |
| Ash and Norma | | 442 | 68 | _ | 374 |
| Clandon (W) | | IOI | 33 | _ | 68 |
| 0 1 | | 74 | 43 | _ | 31 |
| Effingham | | 124 | 84 | _ | 40 |
| Horsley (E) | | 74 | _ | _ | 74 |
| Horsley (W) | | 188 | 84 | _ | 104 |
| Pirbright | | 28 | - | _ | 28 |
| Puttenham | | 8 | _ | _ | 8 |
| Ripley | | 119 | _ | _ | 119 |
| Seale and Ton | 1 | 259 | 62 | 26 | 171 |
| Send | | oh | _ | _ | 96 |
| Shackleford | | 50 | 22 | _ | 28 |
| Shalford | | тЯт | 31 | _ | 150 |
| Shere | | 08 | 19 | _ | 79 |
| Worplesdon | | 202 | 40 | | 162 |
| " orpicsdon | | | | - | |
| Totals | | 2087 | 520 | 26 | 1541 |

INSPECTION AND SUPERVISION OF FOOD

MILK SUPPLIES.

The routine for quarterly sampling of milk supplies has been continued, and 202 samples were examined during 1955. In no case was tubercle infection found on biological examination, nor was there any evidence of milk-spread disease in humans during the year.

Tables summarising the results of analyses are appended, and further notes regarding milk supplies are contained in the annual report of the Chief Sanitary Inspector.

ICE CREAM.

The following table shows the number of samples of ice cream taken during the year, and their provisional grading. The grading, unfortunately, is no criterion, as even in the higher grades I and 2 many samples of a particular brand, on examination, showed the presence of fæcal coli.

| Total samples taken. | Grade 1. | | onal Grading Grade 3. | g. Grade 4. | Containing Fæcal Coli |
|----------------------|----------|----------|--------------------------|----------------|-----------------------------|
| taken. | Grade 1. | Grade 2. | Grade 3. | Grade 4. | |
| 92 | 83 | 9 | _ | | 3 of 6 examined. |

Reference was made in my Report for 1954 to this particular brand of ice cream on sale here but manufactured outside the district. Three out of six samples of this ice cream examined during the first quarter of the year were found to contain fæcal coli, the tests being carried out by the Guildford Public Health Laboratory. This gave rise to some anxiety, as this position has remained unaltered since 1953, when this ice cream came under suspicion. Many of the strains were killed by pasteurisation, but many proved to be heat-resistant. The presence of these fæcal organisms was indicative of infection of either the pasteurisation plant or the mix, and, although not necessarily harmful in themselves, they were indicative of human infection: at any time, therefore, such infection might be of a more serious nature. Great difficulty was experienced in dealing with the situation since the product was manufactured outside the district and was therefore beyond our control. The matter was referred to the Ministry of Health, and there was much subsequent correspondence. This Council pursued the matter vigorously in the hope of effecting some improvement, but the situation finally resolved itself by the ice cream ceasing to be on sale within our district.

FOOD UNFIT FOR HUMAN CONSUMPTION.

Details of food condemned as unfit for human consumption or sent into the district for animal feeding only are given in the report of the Chief Sanitary Inspector.

ANTHRAX.

One case of suspected anthrax was reported to us, but the notification was subsequently withdrawn.

FOOD AND DRUGS ACT, 1938.

This Act is administered by the Surrey County Council, and I am indebted to the County Medical Officer of Health for the following table, which shows the number of samples analysed, and action taken in respect of this District, during 1955.

| | | Analysed | | Adulterated or Irregular | | | | |
|--|-----------------------|---------------|-------|-----------------------------|---------------|-------|--|--|
| Articles | Formal | In- formal | Total | Formal | In- formal | Total | | |
| FOOD: | | | | | | | | |
| Milk | 151 | _ | 151 | 4 | - | 4 | | |
| Almond paste | 1 | - | 1 | | | | | |
| Biscuits | 1 | _ | 1 | | | | | |
| Confectionery | - | 1 | 1 | | | | | |
| Gin | 3 | - | 3 | | ET ID | | | |
| Ice Cream | - | 1 | 1 | | | | | |
| Jelly | 1 | _ | 1 | | | | | |
| Meat paste | 2 | - | 2 | | | | | |
| Rum | 1 | _ | 1 | | | | | |
| Sausages | | 1 | 1 | | A 188 | | | |
| Vinegar | 2 | _ | 2 | 1* | - | 1 | | |
| Whisky | 2 | - | 2 | | les miles | | | |
| DRUGS: Kaolin mixture * Legal proceedings were instituted against each of two partner who were convicted of selling vinegar no of the quality de | s t s l t | 2 | 3 | - | 1 | 1 | | |
| manded. Totals | . 165 | 5 | 170 | 5 | 1 | 6 | | |

GUILDFORD RURAL DISTRICT COUNCIL-MILK SUPPLIES.

| Total | | | 145 | 152 | 142 | 143 | 146 | 144 | 137 | 148 | 147 | 145 | 137 | 137 | 146 | | | | available | | | | |
|--------------------------|----------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|----------|------|------|-------------|------|-------|--|--|
| | Ordinary | i | /1 | 69 | 1 | 1 | 1 | 1 | 57 | 72 | 71 | 65 | 65 | 62 | 89 | not avai | | | | | | | |
| Producers | T.T. | ı | 2 | 10 | 1 | 1 | 1 | 1 | 20 | 14 | 15 | 31 | 29 | 37 | 43 | | | | ation | | ation | | |
| | Accredited | 9 | 60 | 73 | 1 | 1 | 1 | 1 | 09 | 62 | 61 | 49 | 43 | 38 | 35 | | | | Information | | | | |
| Licences to Sell Heat | (Inc. Dealers) | | ı | 2 | 1 | 1 | 1 | 1 | 11 | 14 | 7 | 11 | 17 | 24 | 26 | 31 | 31 | 34 | 44 | 51 | 61 | | |
| No. Cows | | | ı | 1 | i | 1 | 1 | 2 | 1 | 6 | Nii | 1 | 1 | Nii | Nil | 7 | 1 | 1 | Nil | Nil | Nil | | |
| No. T.B. | r Ositive | | ı | 1 | 1 | 1 | 3 | 7 | 9 | Nil | 1 | 1 | 1 | Z | 1 | 5 | 4 | 3 | Nil | Nil | Nil | | |
| No. Un- | satisfactory | 10 | 10 | 11 | 14 | 37 | 28 | 57 | 29 | 10 | 7 | 20 | 22 | 41 | 51 | 21 | 21 | Z | 2 | 9 | 7 | | |
| Total No. of Samples | Taken | 147 | 1+1 | 147 | 93 | 136 | 134 | 230 | 187 | 92 | 53 | 194 | 187 | 212 | 356 | 378 | 261 | 239 | 199 | 253 | 202 | | |
| Year | | 1001 | 193/ | 1938 | 1939 | 1940 | 1941 | 1942 | 1943 | 1944 | 1945 | 1946 | 1947 | 1948 | 1949 | 1950 | 1951 | 1952 | 1953 | 1954 | 1955 | | |

SHORT PARTICULARS OF MILK SAMPLING FOR THE YEARS 1948—1955 ANALYSIS RESULTS.

| Cattle | Slaugh- tered | 1 | 1 | - | 1 | 1 | | | 1 | 1 |
|---------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------|----------------|----------------------------|----------------------------|
| TB. | Nega- tive | 108 | 125 | 98 | 133 | 123 | 00 | 00 | 103 | 41 |
| T | Posi- tive | | 1 | 20 | 4 | 00 | | | 1 | 1 |
| | Present in 1/1,000 | 6 | œ | | penu | | | pel | | |
| Bacillus | Present in 1/100 | 15 | 13 | | Discontinued | | ty Test | Failed | | |
| Coliform Bacillus | Present in 1/10 | 22 | 19 | | Examination | | Turbidity Test | Satisfactory | | |
| | Absent on all counts | 79 | 73 | | Ехап | | | Satisf | 7 | 11 |
| Blue Test | Failed | 15 | 24 | 13 | 61 | 1 | | 1 6 | | 1 |
| Methylene Blue Test | Satisfac- tory | 168 | 266 | 287 | 110 | 101 | 100 | c _R | 139 | 141 |
| ase Test | Failed | 4 | 1 | 00 | 15 | 9 | | 1 | 1 | 9 |
| Phosphatase Test | Satisfac- tory | 83 | 195 | 246 | 95 | 1111 | | 105 | 142 | 136 |
| | S | 212 | 356 | 378 | 261 | 239 | 1 9 | ERT | 253 | 202 |
| | ampl | 106 | 229 127 | 299 | 187 | 156 | 140 | 69 | 193 | 190 |
| | Number of Samples Taken | Designated Undesignated | Designated Undesignated | Designated Undesignated | Designated Undesignated | Designated Undesignated | Designated | Undesignated | Designated Undesignated | Designated Undesignated |
| | Year | 1948 | 1949 | 1950 | 1921 | 1952 | 0.00 | 1953 | 1954 | 1955 |
| | 111100000000000 | | | 24 | CONTRACTOR OF | | | | | |

PREVALENCE OF, AND CONTROL OVER, INFECTIOUS AND OTHER DISEASES

GENERAL.

The number of cases notified was 740, compared with 161 in 1954, the difference being almost entirely due to the number of measles cases, 1955 being an epidemic year.

There were several more cases of poliomyelitis than in 1954. The cases were fairly evenly distributed both over the District and throughout the year, and at no time did there appear to be any particular focus of injection.

The following table shows the number of cases notified during the year.

| Disease | 1955 | 1954 | Increase + Decrease - |
|-----------------------|------|------|--------------------------|
| Food Poisoning | 2 | 7 | - 5 |
| Ophthalmia Neonatorum | - | I | - I |
| Scarlet Fever | 9 | 22 | - 13 |
| Puerperal Pyrexia | 1 | | + I |
| Pneumonia | 15 | 9 | + 6 |
| Poliomyelitis | 12 | 9 2 | + 10 |
| Erysipelas | 2 | - | + 2 |
| Dysentery | 16 | 4 | + 12 |
| Measles | 610 | 31 | +579 |
| Whooping Cough | 73 | 85 | - 12 |
| Totals | 740 | 161 | +579 |

INFECTIOUS DISEASE—ADMISSION OF PATIENTS TO HOSPITAL.

There appears to be less pressure on the beds than formerly, and admissions can usually be arranged without much difficulty. Isolation hospitals accept cases on the request of the Medical Officer of Health or the private practitioner direct. It is quite helpful to be able to send in non-notifiable diseases such as chicken-pox, mumps or infantile gastro-enteritis, where the home conditions are unsatisfactory or where the mother goes out to work and there is no one to look after the patient. One feels that perhaps sometimes patients are admitted too easily without adequate check on the actual necessity for removal.

The facilities are appreciated, especially when dealing with nurseries and similar institutions. No isolation is possible in most of these, and cases of minor clinical importance or even healthy carriers must be taken to hospital. This applies, of course, particularly to the abnormal B. coli infections which have caused so much trouble in residential nurseries in recent years. Further comment on this infection will be found under the heading "Gastro-enteritis."

DIPHTHERIA.

For the fifth consecutive year no cases of this disease were reported.

In April, a direct contact from a boarding school outside the District came to visit her home address in our area. She and all other members of the family were swabbed, and all were negative.

Details of Diphtheria Immunisation are given on page 29.

WHOOPING COUGH.

Some severe cases of this disease occurred at Ash, amongst the "gipsy" families. They were visited, but could not be prevailed upon to accept immunisation. A very few families in this district of Ash persist in refusing protection against any disease.

Seventy-three cases of whooping cough were notified, 49 of these being in children under 5. One of these children, who developed the disease in February, was found to have received a course of Diph/Pertussis prophylactic in December, 1953. The disease was so greatly modified as to be almost unrecognisable. As the patient had been in close contact with recognised cases she was quarantined. It is stressed again that many modified cases of whooping cough following immunisation may not be recognised as such, and so such cases may possibly disseminate infection unwittingly. This is an added reason for early immunisation against whooping cough, preferably commencing at 4 months of age.

Details of Whooping Cough Immunisation are given on page 31.

GASTRO-ENTERITIS AND ABNORMAL B. COLI INFECTIONS.

In December, several children at a residential nursery developed diarrhœa. B. coli 0128 was isolated from a baby of 6 months. Three other children with marked symptoms had already started antibiotic treatment, and so no pathogens were found. Several other children suffered from vomiting. All the children in the nursery were treated with antibiotics, and there was no further spread.

Arising out of the great difficulties with gastro-enteritis—usually due to abnormal B. coli infections—in nurseries in this and my other two Districts, the Regional Hospital Board was again approached on the question of admission of such cases to suitable hospitals for treatment. I was subsequently informed that arrangements had been made whereby such cases could be admitted to St. Luke's Hospital, Guildford. These abnormal B. coli infections can cause very severe illness in babies under 12 months, and several deaths have occurred in the last year or two from this cause. Routine examination of stools from all children on admission to nurseries has continued.

POLIOMYELITIS.

Of the 9 paralytic cases notified, 2 were severe (one of generalised paralysis being fatal), 5 were of moderate severity, and the other 2 were slight. Apart from one showing involvement of the throat, palate and larynx, all were affected in the limbs. In three cases there seemed to be some association with unusual recent physical exertion.

There was no seasonal variation in the incidence of the disease, the cases being spread out over the year. Some anxiety was felt over the hospitalisation of cases, since it is now recognised that the majority of cases should go to hospital as early as possible since there is the ever-present danger of respiratory collapse, while the transport to hospital may itself adversely affect the patient in the critical stage of illness. It is an infectious disease, and therefore special difficulties arise as smaller hospitals do not have special facilities for dealing with respiratory cases, nor have they even resident medical staff. This is a difficulty which I have stressed over several years in the past.

I now understand that the Western Hospital, Fulham, and the Portsmouth Isolation Hospital have special ambulances and teams trained to administer mechanical artificial respiration during transport. The distances to these two hospitals are considerable, and would result in much delay in the arrival of the patient at the hospital. There is need for facilities of this type located centrally in Surrey, such as in Guildford.

Appended below is a brief table showing the number of cases of poliomyelitis notified in the District during the last nine years:

| 1947 | 23 | 1952 | 14 |
|------|---------|------|--------|
| 1948 | 3 | 1953 | 13 |
| 1949 | 6 | 1954 | 2 |
| 1950 | . 9 | 1955 | 12 |
| 1951 | 2 | | |

TYPHOID FEVER.

A suspected case of typhoid occurred at Effingham. All precautions were taken, and contacts checked. On the death of the patient in hospital, post-mortem examination revealed the cause of death to be acute ulcerative colitis.

Two contacts from a case in Sussex were visited. Bacteriological examination of specimens was negative, and so the contacts

were released from observation.

DYSENTERY.

There were several small outbreaks of Sonne dysentery during the year. At Holmbury St. Mary School a number of cases were reported, the youngest age groups being most affected. Most of the cases were abrupt in onset, while all were feverish. One child passed a little blood. Six children resident in our district who were reported to be suffering were visited in their homes. Only two of them were proved to be Sonne dysentery, most other cases having recovered by the time we were called in. Investigations were made in conjunction with the Medical Officer of Health of the Dorking and Horley Rural District, in whose district some other affected children resided. No other developments or spread of the disease occurred.

In Ash, three cases of Sonne dysentery occurred in one family, The father, who was one of the patients, was a baker's roundsman, and had to be taken off this work; he subsequently obtained other

employment.

A child admitted to a residential nursery was found on routine examination to be a carrier of Sonne dysentery. Eleven other children who had been in contact with him for three days after his admission were checked, and fortunately all were free from infection.

FOOD POISONING.

An outbreak of suspected food poisoning occurred at Ripley in May, involving 12 or more persons. Sufferers were visited and specimens obtained, but no pathogenic organisms were found.

Two other cases were notified. Both were confirmed by bacteriological examination, but in neither was it possible to ascertain

the source of infection.

Following an epidemic of Salmonella typhi-murium infection at a Guildford Hospital in October, a two-weeks-old baby was discharged to a home address in our district suffering from a carrier condition. Despite several courses of treatment by antibiotics, the carrier condition persisted until March, 1956, without any apparent ill effects on the child's health. Careful watch was kept on the rest of the household.

MEASLES.

This was an epidemic year for measles, 610 cases being notified. The disease was mainly of a mild nature, and there were no deaths.

A number of cases occurred in a boarding school in February and March, and those whose clinical condition warranted it were removed to isolation hospital. There were no dangerous complications.

SCARLET FEVER AND HÆMOLYTIC STREPTOCOCCAL THROAT INFECTIONS.

A number of cases of H.S. throat infection occurred at a boarding school, coinciding with an outbreak of measles there, and some anxiety was felt about the general conditions at the school. All possible precautions, necessary swabbing and treatment, etc., eventually gained control of both outbreaks.

Six children attending Abinger Hammer School with home addresses in our district were reported in October to be suffering from sore throats. The homes were visited, and sufferers and contacts checked. No further spread of this infection occurred at

the school.

HÆMOFFLER'S INFLUENZAL MENINGITIS.

This case came to our notice at the end of the year as a "meningitis." Laboratory investigation showed it not to be a notifiable disease, but the child was dangerously ill. Home contacts were given antibiotic treatment.

DEATHS OF OLD PEOPLE.

During the first quarter of the year the number of deaths of old people showed a remarkable increase, no doubt due to the severity of the weather. Out of a total of 74 deaths, 18 were directly due to pneumonia and bronchial diseases, almost all of these patients being between 60 and 96 years of age.

DIPHTHERIA IMMUNISATION.

School children.

As in previous years, only those children whose immunisation is complete and up to date are counted as "immunised"; 2 primary injections or a reimmunising dose within the preceding 5 years are necessary.

The percentage of children immunised in the schools is very satisfactory. The figures for the past 9 years are shown below:

| 1947 | 84.05 | 1952 | | 90.35 |
|------|-----------|------|------|-------|
| 1948 | 88.23 | 1953 | | 89.53 |
| 1949 | 89.25 | 1954 | | 90.44 |
| 1950 | 90.80 | 1955 | ···· | 89.37 |
| 1951 | 91.08 | | | |

Immunisation of Pre-School Children.

The percentages of children under 5 years of age immunised during the last 9 years are shown in the following table:

| 1947 | 38.25 | 1952 | 43.76 |
|------|-----------|------|-----------|
| 1948 | 39.00 | 1953 | 44.68 |
| 1949 | 45.07 | 1954 | 46.62 |
| 1950 | 49.05 | 1955 | 47.49 |
| 1951 | 41.23 | | |

Home Visiting Scheme for Pre-School Children: Immunisation against Whooping Cough and Diphtheria, and Vaccination against Smallpox.—Many requests for immunisation under this scheme were received during the year from Health Visitors as well as from parents. Details of treatments against diphtheria and whooping cough given in the homes during 1955 are as follows:—

| Diphtheria Immur | nisatio | n. | Whooping Cough | Immur | nisation. |
|--|---------|----|------------------|-------|-----------|
| First injections | | - | First injections | | 26 |
| Second ,, | | 50 | Second ,, | | 35 |
| | | | Third ,, | | 40 |
| the second secon | - | | , | | ** |

Vaccinations against Smallpox II

This makes a total of 179 treatments in the homes carried out by Dr. Pollock.

SMALLPOX VACCINATION.

Vaccination is offered to all children at the same time as diphtheria and whooping cough immunisation, and is performed also in the home if this is desired. The following table gives details of vaccinations carried out in the District during 1955:

| Num | ber of P | ersons | Vaccina | ted (or | Re-v | raccinated) |
|---|----------|------------|---------|---------|----------|-------------|
| Age at date of Vaccination | Under 1 | I | 2 to 4 | 5 to 14 | 15 or | over Total |
| Number Vaccinated Number Re-Vaccinated | 396 | 1 <u>5</u> | 28 6 | 26 | 17 80 | 460 112 |

All the above were carried out by general practitioners with the exception of 11 vaccinations carried out by this department and 178 reported from Welfare Centres. No cases of illness or other complications arising out of vaccination were reported during the year.

WHOOPING COUGH IMMUNISATION.

This scheme has been in being for 3 years. The accompanying table sets out the number of children immunised in the district, in age groups, and the percentage immunised in each group during the last two years. It will be noted that the percentage of children immunised under I year of age has risen compared to the previous year. In this area the figure has not risen so appreciably as elsewhere, but the tendency is to accept whooping cough immunisation at the same time as diphtheria immunisation, and such tendency will increase each year.

| Age group | Under 1 | 1 to 4 | Total und | er 5 5 to 15 |
|---|------------------------|---------------------|----------------------|---------------------|
| No. immunised Estimated Population Percentage immunised | 208 660 31.5 | 243 3,343 7.3 | 451 4,003 11.3 | 29 7,300 0.4 |
| No. immunised Estimated population Percentage immunised | 709 | 200 3,259 6.1 | 367 3,968 9.2 | 77 7,215 1.06 |

In addition to the treatments given in the children's homes by Dr. Pollock, the following children were treated by private doctors and at Welfare Centres during 1955:

Private doctors.

Welfare Centres.

HEALTH DEPARTMENT VISITING NURSE.

Following are details of the work carried out by the Visiting Nurse in the Guildford Rural District:

| Home Immunisation Vis | sits | | 535 |
|------------------------|-------|------|-------|
| School Immunisation V | isits | | 69 |
| Scarlet Fever Visits | | | 22 |
| Tuberculosis Visits | | | 83 |
| Visits to Aged Persons | | | 47 |
| Vaccination Visits | | | 19 |
| Poliomyelitis Visits | | | 43 |
| Miscellaneous Visits | | | 113 |
| Special Home Visits | | | 139 |
| | Total | | 1,070 |

IMMUNISATION STATE BY SCHOOLS, AS AT DECEMBER, 1955.

| Percentage | of children | ımmunised | 92.40 | 96.08 | 80.49 | 92.25 | 81.85 | 93.27 | 91.93 | 100.00 | 93.18 | 93.33 | | 81.55 | 91.67 | 91.82 | 91.60 | 78.57 | 90.74 | 92.45 | 87.18 | 86.11 | 90.24 | 96.36 | 66.06 | 89.34 | 93.97 | 98 86 | 95.75 | 95.70 | 92.56 | 91.19 | 92.41 | 74.58 | 89.37 |
|--------------------------------------|-------------|-----------|----------------|--------------------|--------------|-------------------|-------|-------------------------|-------------------|-----------------|---------------|-------|-----|-------|-------|-----------------|-------|-------|-------|-------|-------|-------------------|-------|---------------|-------|----------------|--------|-------|---------------------|-------|-------|-------|-------|-----------------------------|--------|
| ed out | | Re-imm. | 13 | 42 | 20 | 52 | 28 | 187 | 12 | 6 | -1 | - | 30 | 15 | 4 | 91 | 14 | 9 | 00 | 11 | 23 | 9 | 31 | 11 | 34 | 48 | 17 | 24 | 4 | 24 | 14 | 37 | 19 | 18 | 781 |
| Treatment carried out during 1955 | | 2nd Inj. | 1 | 17 | 7 | 10 | 10 | 4 | 1 | 1 | 83 | 3 | 1 | 20 | 1 | 1 | 22 | 67 | 1 | 4 | 8 | 22 | 4 | 87 | 1 | 00 | 83 | 1 | 1 | 4 | 1 | 9 | 1 | 7 | 106 |
| Trea | | 1st Inj. | 1 | 14 | 15 | 9 | 16 | 00 | 4 | 1 | 1 | 3 | 1 | 4 | 1 | 1 | 00 | 1 | 4 | 4 | 00 | 53 | 13 | 23 | 9 | 1 | 4 | 5 | 4 | 23 | 23 | 9 | 83 | 24 | 159 |
| school. | No. not | immunised | 9 | 67 | 48 | 32 | 49 | 41 | 5 | 1 | 00 | 10 | 39 | 31 | 00 | 6 | 11 | 6 | 20 | 12 | 20 | 10 | 50 | 03 | 200 | 56 | 20 | 9 | 11 | 00 | 18 | 17 | 11 | 30 | 629 |
| Children attending school | No. Immu- | nised | 73 | 285 | 198 | 381 | 221 | 999 | 57 | 28 | 41 | 20 | 234 | 137 | 33 | 101 | 120 | 33 | 49 | 147 | 136 | 62 | 185 | 53 | 202 | 218 | 28 | 18 | 248 | 178 | 224 | 176 | 134 | 888 | 4,866 |
| Childre | | Total | 42 | 352 | 246 | 413 | 270 | 609 | 62 | 58 | 4 | 75 | 273 | 168 | 36 | 110 | 131 | 42 | 54 | 159 | 156 | 12 | 205 | 55 | 222 | 244 | 83 | 84 | 259 | 186 | 242 | 193 | 145 | 118 | 5,445 |
| | | | : | : | : | : | : | : | : | : | : | : | : | | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | : | : | | : | : | : |
| guis | | 18 | : | : | : | : | : | : | :: | : | : | : | : | : | : | | : | : | : | : | : | : | : | : | : | : | : | : | : | : | : | | : | : | : |
| | SICONOS | SCHOOLS | Albury C. of E | Ash Common C. of E | Ash Vale C.P | Ash Walsh C. of E | | Ash Yeomans Bridge Sec. | Chilworth C. of E | Compton C. of E | Clandon C. of | ~ | | C.P | Mary | Horsley C. of 1 | | _ | | | | Puttenham C. of E | - | Seale C. of E | | Send Secondary | ord C. | C.F. | Shalford C.P. Mixed | : | | | | Gosden House Special School | Totals |

DIPHTHERIA IMMUNISATION.

CHILDREN UNDER FIVE YEARS OF AGE

| | Immunised 1/1/55 to 31/12/55 | Immunised prior to 1/1/55 | Estimated Population under 5 years | Percentage Immunised |
|------|---------------------------------|---------------------------------|--|-------------------------|
| 1955 | 395 | 1,506 | 4,003 (Estimate 1955) | 47.49 |
| 1954 | 520 | 1,330 | 3,968 (Estimate 1954) | 46.62 |

CHILDREN BETWEEN THE AGES OF 5-15 YEARS

(Treatment carried out by Public Health Department.)

| | Immunised 1/1/55 to 31/12/55 | Re- Immunised 1/1/55 to 31/12/55 | Immunised prior to 1/1/55 and still at School | Estimated Population 5-15 years | Per- centage Immu- nised |
|------|------------------------------------|---|---|---|-----------------------------------|
| 1955 | 106 | 781 | 4,760 | 5,445 (S.C.C. Schools) | 89.37 |
| 1954 | 90 | 756 | 4,754 | 7,300 (Estimate 1955) 5,356 (S.C.C. Schools) | 73.67 90.44 |
| | | | | 7,215 (Estimate 1954) | 73.19 |

IMMUNISED IN PRIVATE SCHOOLS

(Information obtained from Principals of 12 Private Schools out of 19 circularised)

| No. of Children on Register | No. Immunised | Percentage Immunised |
|--------------------------------|---------------|-------------------------|
| 586 | 555 | 94.70 |

INFECTIOUS DISEASES, 1955.

Table showing number of cases notified and where treated.

| Patients died | - | г |
|----------------------|---|--------|
| LstoT | 1 1 10 10 1 1 705 | 740 |
| Erysipelas | 1-1111- | 67 |
| Риетрета! Рутехіа | 111111 | 1 |
| Pneumonia | | 15 |
| Dysentery | 13 1 1 1 | 16 |
| Whooping- | 1 2 10 | 73 |
| Food Poisoning | | 2 |
| Poliomyelitis | 11 84 10 | 12 |
| Scarlet Fever | - - ∞ | 6 |
| Measles | 111 5 6 | 610 |
| Where Treated | Western Hospital, Fulham St. Luke's Hospital Royal Surrey County Hospital Green Lane Hospital Ottershaw Isolation Hospital Aldershot Isolation Hospital Lord Mayor Treloar Hospital At Home | Totals |

INFECTIOUS DISEASE, 1955, AGE INCIDENCE. (Other than Tuberculosis.)

| Cases | | 16 3 3 1 10 10 | 35 |
|--------------------|--------------------|--|--------|
| | 60 and over | | 4 |
| - | 50-60 | -1111111 | 1 |
| | 40-50 | 111111111 | 1 |
| | 30-40 | | 4 |
| -Years | 20-30 | 8 1 1 1 1 | 9 |
| At Ages—Years | 15-20 | - - 6 - | 11 |
| At | 10-15 | 188 | 26 |
| | 5.10 | 22 | 414 |
| | 1-5 | 204 44 6 6 15 1 | 263 |
| | under | | 11 |
| At | Ages | 610 9 73 16 2 12 15 15 | 740 |
| NOTIETABLE DISEASE | denderd dader mion | Measles Scarlet Fever Whooping-cough Dysentery Food Poisoning Poliomyelitis Pneumonia Puerperal Pyrexia Erysipelas | Totals |

INCIDENCE OF NOTIFIED INFECTIOUS DISEASE (other than Tuberculosis), 1955.

PARISH BY PARISH.

| | LatoT | 16 2 2 12 12 15 610 73 | 740 |
|--------|-----------------------|--|--------|
| | Worplesdon | 1 2 8 8 | 36 |
| | Wisley | 11111111 | 1, |
| | Wanborough | 14111111 | 4 |
| | Shere | 888 884 | 86 |
| | Shalford | 1 | 44 |
| | Shackleford | 33 | 35 |
| | Send | 1 | 16 |
| | Seale | 1 2 1 2 1 | 83 |
| | St. Martha | 1 1 1 1 | 10 |
| | Ripley | | 89 |
| Parish | Puttenham | 1-11 | 9 |
| P | Pirbright | - 100 | 7 |
| | Оскрат | 11111111111 | 1 |
| | Horsley, West | 4 1 1 | 92 |
| | Horsley, East | | 51 |
| | Ещивреш | 2 1 8 4 11 | 21 |
| | Compton | | 1 |
| | Clandon, West | | 70 |
| | Clandon, East | | 1 |
| | Ash & Normandy | 244 21 21 | 275 |
| | Artington | | 25 |
| | Albury | | 7 |
| | NOTIFIABLE DISEASE | Scarlet Fever Dysentery Food Poisoning Erysipelas Acute Poliomyelitis Pneumonia Measles Whooping-cough Puerperal Pyrexia | Totals |

SCHOOL ABSENTEES, 1955

| School | Scarlet Fever | Chicken-pox | Measles | German Measles | Poliomyelitis | Impetigo | Mumps | Whooping-cough | Totals |
|----------------|---------------|---|-------------------------------|--|---|----------|-------|----------------|--|
| Albury C. of E | -4 2 1 2 | 2 1 | 52 37 55 29 1 | - - 1 - - - - - - - - - - - - - - - - - | - - - - - - - - - - - - - - - - - - - | 6 5 | | | 2 57 39 106 36 3 - 3 - 14 - 60 39 - 10 20 4 12 8 132 47 5 44 8 1 5 5 15 15 15 15 15 15 15 15 15 15 15 |
| Totals | 9 | 120 | 354 | 11 | 15 | 11 | 158 | 50 | 728 |

CANCER.

There were 71 deaths from malignant disease during 1955, 40 male and 31 female. The age incidence of these persons is shown in the table below:

DEATHS FROM CANCER

| SITE | 10 | -20 | 30 | -40 | 40 | -50 | 50 | -60 | 60 | -70 | 70 | -80 | O1 8 | ver 0 | | Totals | Grand | Totals |
|---------------------|-----|-----|----|-----|-----|-----|-----|-----|----------|-----|----------|---------|---------|----------|--------------|----------|-------|--------|
| | M | F | M | F | M | F | M | F | M | F | M | F | м | F | M | F | 1955 | 1954 |
| Alimentary Canal | - | - | - | - | 1 | - | 1 | | 2 | 1 | 3 | 1 | , | - | 7 | 2 | 9 | 16 |
| Breast | - | - | - | - | - | 1 | - | 3 | - | 4 | - | 2 | - | - | - | 10 | 10 | 7 |
| Lung | - | - | - | - | - | 2 | 2 | - | 6 | 1 | 2 | _ | - | - | 10 | 3 | 13 | 14 |
| Liver | - | - | - | - | - | - | - | - | 1 | - | 1 | - | - | 1 | 2 | + | 2 | 3 |
| Tongue | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | 1 | - | 1 | 1 |
| Other | - | _ | - | 1 | - | 1 | 2 | 3 | 7 | 5 | 9 | 3 | 2 | 3 | 20 | 16 | 36 | 32 |
| 1955 1954 | - 1 | | 1 | 1 4 | 1 2 | 4 3 | 5 7 | 6 5 | 17 10 | | 15 14 | 6 12 | 2 4 | 3 2 | 40 39 | 31 34 | | 73 |

The table belows hows the number of deaths from cancer of the lung during the last II years.

| Year. | | Male. | Female. | Total. |
|-------|------|-------|---------|--------|
| 1945 | | 6 | 3 | 9 |
| 1946 | | 3 | 3 | 6 |
| 1947 | | 12 | 4 | 16 |
| 1948 | | II | 4 | 15 |
| 1949 | | 8 | 3 | II |
| *1950 | | 13 | 2 | 15 |
| 1951 | | 9 | 3 | 12 |
| 1952 | | II | _ | II |
| 1953 | | IO | _ | IO |
| 1954 | | 13 | I | 14 |
| 1955 | | 10 | 3 | 13 |

^{*}Prior to 1950 the Registrar General's short list of causes of death did not record deaths from lung cancer separately—the information was obtained from our own records.

The following table shows the total deaths from cancer during the last sixteen years.

DEATHS FROM CANCER DURING THE LAST 16 YEARS

| Year | Male | Female | Total | Death-Rate |
|------|------|--------|-------|------------|
| 1940 | 19 | 41 | 60 | 1.58 |
| 1941 | 30 | 42 | 72 | 1.75 |
| 1942 | 29 | 41 | 70 | 1.79 |
| 1943 | 38 | 55 | 93 | 2.47 |
| 1944 | 42 | - 33 | 75 | 1.98 |
| 1945 | 41 | 34 | 75 | 2.35 |
| 1946 | 26 | 41 | 67 | 1.77 |
| 1947 | 43 | 33 | 76 | 1.96 |
| 1948 | 35 | 37 | 72 | 1.77 |
| 1949 | 37 | 46 | 83 | 1.90 |
| 1950 | 37 | 30 | 67 | 1.58 |
| 1951 | 36 | 40 | 76 | 1.64 |
| 1952 | 41 | 31 | 72 | 1.54 |
| 1953 | 40 | 34 | 74 | 1.55 |
| 1954 | 39 | 34 | 73 | 1.55 |
| 1955 | 40 | 31 | 71 | 1.50 |

TUBERCULOSIS.

The picture regarding tuberculosis has altered very much from that of a few years ago. New forms of chemotherapy and surgery have noticeably altered treatment, which is now active and specific, and periods of treatment in chest hospitals are now relatively short compared with those of some years ago. This has resulted in less pressure on the beds, so much so that waiting lists for admission do not now exist in this part of the county.

The new methods of treatment mean that more cases can be treated satisfactorily at home, and this in itself underlines an even greater need to ensure that the home conditions are satisfactory, and to prevent the spread of infection. Good housing and nourishment, therefore, assume even greater importance, and cannot be replaced by doctors or surgery. Here, the Tuberculosis Care Committee can be of assistance.

The number of deaths from tuberculosis remains low. This is in great part due to the number of very early cases which are now discovered by mass radiography and other modern aids to diagnosis. Cases are being discovered at a very much earlier stage than before, and consequently the prospects of complete recovery are much greater.

The urgent problem now is to eradicate the spread of the disease by direct infection, by better housing and economic conditions. The fall in demand by tuberculosis cases for beds in chest hospitals makes it possible for these hospitals now to consider accepting other kinds of chest diseases such as pneumonia and "chronic" chest conditions such as asthma and bronchiectasis.

B.C.G. Vaccination.—Under the County Council scheme for B.C.G. Vaccination, treatment is offered to every child between the ages of 13 and 14 years. It is operated through the County School Medical Service.

The following table shows the number and types of cases on the Register at December 31st for the last 12 years:

| | Pulm | onary | Non-Pu | lmonary | Total No. |
|------|------|--------|--------|---------|---------------------------------|
| Year | Male | Female | Male | Female | on Register at 31st December |
| 1944 | 101 | 70 | 37 | 60 | 268 |
| 1945 | 103 | 74 | 33 | 59 | 269 |
| 1946 | 113 | 81 | 41 | 57 | 292 |
| 1947 | 117 | 84 | 40 | 50 | 291 |
| 1948 | 118 | 83 | 43 | 52 | 296 |
| 1949 | 129 | 83 | 45 | 58 | 315 |
| 1950 | 131 | 90 | 50 | 53 | 324 |
| 1951 | 140 | 96 | 45 | 58 | 339 |
| 1952 | 144 | 102 | 48 | 65 | 359 |
| 1953 | 144 | 101 | 50 | 62 | 357 |
| 1954 | 148 | 106 | 49 | 60 | 363 |
| 1955 | 157 | 109 | 44 | 61 | 371 |

During 1955 there were 26 new cases (Primary). They were distributed in the following areas:

| Ash and Ash | h V | ale | 5 | Ockham | | I |
|-------------|-----|-----|-------|-------------|------|---|
| Artington | | | I | Shackleford | | I |
| Effingham | | | I | Shalford | | 3 |
| Gomshall | | | 3 | Tongham | | 2 |
| Normandy | | | I | Pirbright | | I |
| Peaslake | | | I | Albury | | 3 |
| East Horsle | y | | I | Worplesdon | | 2 |
| | | | | | | |

The table on page 43 shows the new cases and deaths in age periods; pulmonary and non-pulmonary figures are given separately.

The following table shows the notifications and deaths in the District, with the corresponding rates per 1,000 of the population during the past 10 years:

| Year | New Cases Notified | Notification Rate | Deaths | Death-Rate per 1,000 of the Population |
|------|-----------------------|----------------------|--------|--|
| 1946 | 46 | 1.22 | 9 | 0.24 |
| 1947 | 28 | 0.72 | 10 | 0.26 |
| 1948 | 26 | 0.63 | 10 | 0.24 |
| 1949 | 43 | 1.03 | 11 | 0.26 |
| 1950 | 32 | 0.74 | 7 | 0.16 |
| 1951 | 36 | 0.79 | 7 | 0.15 |
| 1952 | 40 | 0.84 | 7 | 0.15 |
| 1953 | 27 | 0.56 | 7 | 0.15 |
| 1954 | 26 | 0,55 | 5 | 0.11 |
| 1955 | 26 | 0.55 | 7 | 0.14 |

TUBERCULOSIS CARE COMMITTEE.

The Care Committee held only two meetings during the year, the Chairman, in consultation with the Hon. Secretary, having exercised delegates' powers to deal with day-to-day cases submitted by the Care Almoner, the number of cases considered being 24.

Assistance was given in the following forms (some patients receiving help under more than one heading):

| Extra milk | | 5 |
|-----------------------|------|---|
| Invalid Foods | | 4 |
| Pocket Money | | 3 |
| Rail and Bus Fares | | 7 |
| Clothing and Footwear | | 4 |
| Other help | | 4 |

The total expenditure involved by these grants was £76 13s. 7d. During the year the Committee's financial position necessitated application being made to the Standing Conference of Surrey Tuberculosis Care Committees for assistance, when a grant of £50 was made.


The Care Committee had a balance of £91 9s. 4d. in hand at March 31st, 1956.

GRAPH SHOWING THE ANNUAL NOTIFICATIONS AND DEATHS FROM TUBERCULOSIS.

Notifications of Tuberculosis (20 to 80) ...

Deaths from Tuberculosis (0 to 30) ...

Numbers on Register of notified cases (100 to 400) ...



NOTIFICATIONS AND MORTALITY OF TUBERCULOSIS, 1955.

| Deaths | Non-Respiratory | Male Female | 1 | - | | tor H | | 1 | | | | | | |
|------------|-----------------|-------------|-----|-----|------|----------|-------|-------|------|-------|-------------|---------|--------|--------------------------------|
| Dea | Respiratory | Female | 1 | 1 | 1 | 1 | 1 | 1 | 1 | - | 63 | 1 | 4 | 2/ |
| | Respi | Male | 1 | 1 | 1 | 1 | 1 | 23 | 1 | 1 | 1 | 1 | 3 | e |
| | Non-Respiratory | Female | 1 | 1 | ಣ | 00 | 1 | 1 | 1 | 1 | 1 | 1 | 7 | |
| New Cases* | Non-Re | Male | - 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | |
| New (| Respiratory | Female | 1 | 1 | 1 | 4 | 60 | 4 | 1 | 1 | 1 | 1 | 19 | |
| | Respi | Male | 1 | 1 | ļ | 4 | 13 | 00 | 1 | 1 | 2 | 1 | 30 | |
| | Age Periods | | 0-1 | 1-5 | 5—15 | 15—25 | 25—35 | 35—45 | 4555 | 55-65 | 65 and over | Unknown | Totals | Registrar General's Figures |

*26 of the cases were primary notifications, and I a posthumous notification and 29 were cases transferred into the district from elsewhere.

ANNUAL REPORT OF THE

CHIEF SANITARY INSPECTOR AND PUBLIC CLEANSING OFFICER

for the year 1955

on the work of the Sanitary Inspectors and the Public Cleansing Services.

INSPECTIONS.

The total number of inspections made by the Sanitary Inspectors during the year was 6,664 in accordance with the following table:

| Water Supplies | | | | | | 138 |
|-------------------------|-------|--------|----------|---|------|-------|
| Drainage | | | | | | 1,468 |
| Stables and Piggeries | | | | | | 55 |
| Knackers' Yards | | | | | | 26 |
| Offensive Accumulation | ns | | | | | 38 |
| Factories—Mechanical | | | | | | 73 |
| Factories-Non-mechan | nical | | | | | 2 |
| Outworkers | | | | | | _ |
| Rats and Mice | | | | | | 31 |
| Atmospheric Pollution | | | | | | 16 |
| Refuse Collection | | | | | | 15 |
| Refuse Disposal | | | | | | 100 |
| Public Halls, Places of | Ente | rtainm | ent, etc | c | | 9 |
| Public Conveniences | | | | | | ī |
| Schools | | | | | | I |
| Shops | | | | | | 21 |
| T . T . | | | | | | 29 |
| Miscellaneous | | | | | | 774 |
| Ponds, Pools, Ditches | | | | | | 47 |
| D | | | | | | 6 |
| Fried Fish Shops | | | | | | 3 |
| Fishmongers and Poul | | | | | | 2 |
| Grocers | | | | | | 90 |
| Greengrocers and Frui | | | | | | 7 |
| Butchers and Cooked | | | | | | 44 |
| Licensed Premises | | | | | | 5 |
| Hotels and Restaurants | | | | | | 30 |
| Cafes | | | | | | 69 |
| Canteens | | | | | | 4 |
| Mobile Canteens | | | | | | _ |
| Food Stalls and Street | | | | | | 3 |
| Emergency Slaughteri | | | | | | 9 |
| Registered Food Prem | | peccio | | | | 5 |
| Tropictor a cod Trom | | | | | |) |

| Dairies and Milk Distributors | | | | | 89 |
|---------------------------------------|----------|-------|---------|---|-------|
| Ice-cream Premises | | | | | 21 |
| Inspection of Foodstuffs | | | | | 34 |
| Miscellaneous Food Inspections | | | | | 53 |
| Bakeries | | | | | 17 |
| Water Sampling | | | | | 87 |
| Milk Sampling | | | | | 168 |
| Ice-cream Sampling | | | | | 113 |
| Miscellaneous Sampling | | | | | 137 |
| Housing-Public Health Act Inspe | | | | | 50 |
| Housing—Public Health Act Reinsp | | | | | 259 |
| Housing Acts Inspections | CCCIOILS | | | | 510 |
| Housing Acts Deingrestions | | | | | |
| Organoraudina Inancationa | | | | | 554 |
| | | | | | 12 |
| Overcrowding Reinspections | | | | | |
| Houses Let in Lodgings | | | | | I |
| Tents, Vans and Sheds | | | • • • • | | 664 |
| Filthy or Verminous Premises | | | | | 16 |
| Certificates of Disrepair Inspections | S | | | | I |
| Miscellaneous Housing Inspections | | | | | 327 |
| S.C.C. Act, 1931—Posting of Noti | ces | | | | 27 |
| Improvement Grants Inspections | | | | | 180 |
| Improvement Grants Reinspections | 3 | | | | 151 |
| Rural Housing Survey Inspections | | | | | 25 |
| Infectious Disease Enquiries | | | | | 35 |
| Infectious Disease Revisits | | | | | II |
| Disinfections | | | | | I |
| | | | | - | |
| | Total | | | | 6,664 |
| | | | | - | |
| | | | | | |
| NOTICES. | | | | | |
| | | | | | , |
| Statutory Notices served | | | | | 16 |
| Preliminary Notices served: | | | | | |
| Domestic Premises | | | | | 180 |
| Factories | | | | | 9 |
| Dairy Premises | | | | | I |
| Piggeries, Poultry Premises | | | | | 4 |
| Licensed Premises | | | | | _ |
| Cafes, Food Premises | | | | | 22 |
| Shops | | | | | II |
| Caravans | | | | | 12 |
| Schools | | | | | 2 |
| Slaughterhouses, Knackers' Pr | emises | | | | 3 |
| Miscellaneous | | | | | 4 |
| 111 | | | | | |
| | | T | | | - |
| | | Lotal | | | 204 |
| | | Total | | | 264 |

| Statutory Notices co Preliminary Notices | | | | | | | 16 237 |
|---|----------|--------|--------|-------|-----|------|-----------|
| | | | | Total | | | 253 |
| | | | | | -1 | | 11/100 |
| INSPECTION AND | SUPER | VISIO | ON OF | FOOD | STU | FFS. | |
| (a) MILK SUPPLIES | | | | | | | |
| (i) Number of re | | | | | | | 18 |
| Number of re | | | | | | | . 31 |
| Number of r other areas) | - | | | | | in | 17 |
| (ii) Licences for the | he sale | of mil | k unde | | | | -/ |
| tions were gra | anted as | follo | ws: | | | | |
| Dealers' Licences | | | | | | | |
| Tuberculin T | ested | | | | | | 19 |
| Pasteurised Sterilised | | | | | | | 2I 16 |
| Stermsed | | | | | | | |
| | | | | Total | | | 56 |
| | | | | | | | |
| Supplementary L | | | | | | | |
| Tuberculin T | ested | | | | | | 18 |
| Pasteurised | | | | | | | 17 |
| Sterilised | | | | | | | 9 |
| | | | | Total | | | |

(iii) Milk Pasteurisation.

Throughout the year sampling of milk, in accordance with the provisions of The Milk (Special Designations) (Pasteurised and Sterilised Milk) Regulations, 1949-53, was continued as a routine measure from both roundsmen and one licensed pasteurising plant which operates in the area.

The plant is of the batch holder type and has been the subject of frequent routine inspection, its efficiency being

checked by the use of N.P.L. check thermometers.

(iv) Milk Sampling.

Of the 202 samples of milk taken during the year, 48 were of raw milk taken for biological examination from licensed

pasteurising establishments prior to pasteurisation.

142 samples of pasteurised milk were taken and submitted to the phosphatase test: in six cases samples failed to satisfy the Analyst. Subsequent samples, however, were shown to be satisfactory.

MILK SAMPLING 1955—SUMMARY OF RESULTS.

| | | Meth | Methylene Blue Test | | Biological 1 | Biological Examinat'n | Phosphatase Test | ase Test | Turbidity Test | ty Test |
|-------------------------------------|---------------------------|--------|---------------------|----------------------------|--------------|-----------------------|------------------|----------|----------------|---------|
| Type of Milk | Total Samples Taken | Satis. | Failed | Test not done- temp. | Satis. | Failed | Satis. | Failed | Satis. | Failed |
| Tuberculin Tested | 37 | - | 1 | | 29 | 1 | | | | 1 |
| Accredited | | 1 | 1 | 1 | 1 | 1 | | 1 | 1 | 1 |
| Tuberculin Tested Pasteurised | 57 | 53 | | 4 | 1 | - | 53 | 4 | | 1 |
| Pasteurised | 82 | 18 | 1 | 4 | 1 | | 83 | 67 | 1 | 1 |
| Non-Designated | 12 | | 1 | | 12 | - 1 | | 1 | 1 | |
| Sterilised | 111 | 1 | | | | 1 | i i | 1 | 11 | |
| Totals | 202 | 141 | 1 | œ | 41 | | 136 | 9 | 11 | ŀ |

(b) MEAT AND OTHER FOODSTUFFS.

| | Cattle excluding Cows | Cows | Calves | Sheep & Lambs | Pigs |
|---|-----------------------------|------|--------|---------------|------|
| Number killed (if known) | _ | _ | | - | _ |
| Number inspected | 1 | _ | 2 | -, | 4 |
| All diseases except Tuberculosis Whole carcases condemned | 1 | _ | _ | _ | 1 |
| Carcases of which some part or organ was condemned | _ | _ | _ | | 2 |
| Percentage of the number inspected affected with disease other than tuber-culosis | 100% | _ | _ | | 75% |
| Tuberculosis only. Whole carcases condemned | - | _ | _ | _ | _ |
| Carcases of which some part or organ was condemned | _ | 4 | _ | _ | _ |
| Percentage of the number inspected affected with tuberculosis | _ | _ | _ | _ | _ |

The following quantities of foodstuffs were inspected and certified as unfit for human consumption:

| | | | | cwts. | qrs. | stns. | lbs. | oz. |
|--------------------|----------|-------|-------|-------|------|-------|------|-----|
| Fresh beef | | | | I | 2 | I | II | 6 |
| Tinned meats (incl | ıding co | rnedl | peef) | 2 | 0 | 0 | I | 8 |
| Cooked meats | | | | 0 | 0 | I | 0 | 0 |
| Whalemeat | | | | 0 | 0 | I | 13 | 0 |
| Milk powder | | | | I | 0 | I | 8 | 0 |
| Tinned milk | | | | 0 | 0 | 0 | 2 | 12 |
| Tinned fruit | | | | 0 | I | 0 | 2 | 0 |
| Tinned jams | | | | 0 | 0 | 0 | I | 8 |
| | Totals | | | 5 | 2 | 0 | 12 | 2 |

WATER SUPPLIES.

Throughout the year a total of III bacteriological and 24 chemical samples of water were taken from the following supplies serving the district:

Guildford, Godalming and District Water Board.

Mid-Wessex Water Company.

Wey Valley Water Company.

Woking Water Company.

East Surrey Water Company.

Albury Estate Private Supply.

Wanborough and City Estates Private Supply.

Eastbury Manor Private Supply.

Loseley Estate Private Supply.

The public supplies continued to maintain a satisfactory standard throughout the year. The results of samples taken from the private supplies fluctuated to a greater extent, but any difficulties which were encountered were satisfactorily resolved.

Four samples of water were taken from private storage tanks which were supplied by roof water and in each case the supply was shown to be unsatisfactory. It was not possible to overcome the problem by the provision of a mains supply as such was not available.

MOVABLE DWELLINGS AND CAMPING GROUNDS.

(a) Public Health Act, 1936-Section 269.

| Licences granted to erect of | or station an | d use movable | |
|------------------------------|---------------|---------------|---|
| dwellings | | | 9 |
| Licences granted to use la | and as a sit | e for movable | |
| dwellings | | | 2 |

(b) Surrey County Council Act, 1931.

The Quadrant, Ash Vale, continued to be used during the year by itinerant van dwellers, and a number of prosecutions for contravention of the Order were taken. These, however, do not seem to provide a complete deterrent to the occupation of the land and the establishment of undesirable encampments.

The open nature of this site, which is unfenced, is conducive to this type of encampment, and it does seem that until steps are taken to redevelop the area its spasmodic use in this way will continue indefinitely. On thirteen occasions proceedings were taken resulting in the imposition of fines, and it is of interest to note that ten of these cases related to new offenders.

There have been two families rehoused during the year.

No movable dwellings were sited on The Bogs, Ash Vale, The Home Farm Estate, or Effingham Common, in contravention of the respective Orders, during the year.

The Bogs and The Quadrant-1955.

The Quadrant.

| No. of prosecutions taken | | | | | 13 |
|---------------------------|----|-------------|-----|------|-----|
| No. of new offenders | | · | | | IO |
| No. of families rehoused | | | | | 2 |
| Maximum number of vans | on | site at any | one | time | 8 |
| The Bogs. | | | | | |
| No. of prosecutions taken | | | | | Nil |
| No. of new offenders | | | | | Nil |
| No. of families rehoused | | | | | Nil |

INSPECTION OF FACTORIES.

| draine to order | Number | Numl | per of | |
|--|----------------|------------------|--------------------|--|
| annously present was not avail. | on Register | In- spections | Written Notices | Cases Prosecuted |
| (i) Factories in which Sections 1, 2, 3, 4 and 6 are to be enforced by Local Authorities | 3 | 2 | 1 | MONADI MANAGEMENT MANA |
| (ii) Factories not included in (i) above in which Section 7 is enforced by above Local Authority (iii) Other premises in which | 139 | 73 | 6 | _ |
| Section 7 is enforced by the Local Authority* (ex- cluding out-workers' pre- mises) | 1 | | Constant | |
| Totals | 143 | 75 | 7 | - |

^{*} Electrical stations (Sections 103(1)), Institutions (Section 104) and sites of Building Operations and Works of Engineering Construction (Sections 107 and 108).

SES IN WHICH DEFECTS WERE FOUND.

| | Nu | No. of Cases in | | | | |
|--|--------|--------------------|---------|----------------------|--------------------------|--|
| Particulars | | | Ref | erred | which prosecu- | |
| | Found | Remedied | 10 H.M. | By H.M. Inspector | tions were instituted | |
| at of Cleanliness (S.I) | _ | /_ | | _ | | |
| rcrowding (S.2) | _ | _ | _ | _ | _ | |
| easonable Temperature (S.3) | | _ | _ | _ | | |
| lequate Ventilation (S.4) | 1 | | _ | _ | _ | |
| fective Drainage of Floors (S.6) | | | - | | | |
| itary Conveniences (S.7) | | | | | | |
|) Insufficient b) Unsuitable or defective c) Not separate for sexes | 1 5 | 1 3 — | _ | | = | |
| er offences against the Act not including offences relat- g to Outwork) | _ | - | - | _ | _ | |
| Totals | 7 | 4 | - 1 | 2 | - | |

SLAUGHTERHOUSES AND KNACKERS' YARDS.

Following confirmation from the Minister of Food of the Council's decision taken in 1954 to close all slaughterhouses in their area, the one remaining slaughterhouse was closed and ceased to operate as from March 21st, 1955.

Licensing:

Licences were granted for the use of premises in the following parishes as slaughterhouses to March 21st, 1955.

East Horsley I

Licences were granted for the use of premises in the following parishes as knackers' yards for the year 1955:

Artington I Ash 2

PREVENTION OF DAMAGE BY PESTS ACT, 1949— RODENT CONTROL.

There were 312 complaints of rat or mouse infestation arising during the year showing the continuance of the steady yearly in-

crease which reflects the extent to which the general public continue to take advantage of the free service provided by the Council to domestic premises.

The survey of the area to ascertain the presence of any degree of infestation has continued and during the year 636 premises were covered, of which 73 were agricultural. 492 premises required treatment, and in the case of domestic dwellings this was carried out as a free service. The cost of any treatment of commercial premises is, however, fully recovered.

The close co-operation with the Pest Control Department of the Surrey County Agricultural Executive Committee continued.

The routine control of the Council's refuse tips and other premises was exercised throughout the year, including a 10 per cent test baiting of the sewers in which no "takes" were recorded.

INSECT PEST CONTROL.

22 complaints were received which entailed a total of 82 visits resulting in 59 cases treated.

CLEANSING SERVICES.

(a) House Refuse Collection and Disposal.

Collection of house refuse is made fortnightly throughout all Parishes under the terms of the Council's undertaking: eight sideloading vehicles and one rear-loading vehicle are used for the work, disposal of refuse being by controlled tipping at Stonebridge, Bramley, Parish land at Ash Vale and at a new site in East Clandon involving the filling in of a small chalk pit.

No major difficulties were experienced with the Service, although a considerable increase in the volume of refuse put out for clearance was noted.

(b) Cleansing of Pail Closets.

Twice weekly collection of night soil continues to be carried out in parts of the Parishes of St. Martha, Albury and Shalford and the Parishes of Ash and Tongham area of Seale from 930 premises: a further 143 premises are cleared once weekly in the Ash area.

All night soil is disposed of by tipping to main sewers.

The Night Soil Collection Service was extended during the year by the provision of a new vehicle and labour to clear all premises in the Parishes of Pirbright, Worplesdon, Normandy, East and West Clandon, Seale, Shackleford, Compton, Puttenham and Wanborough, involving 562 premises, on a twice-weekly basis.

The Council gave consideration to the desirability of extending this Service to cover the whole of the District involving the remaining Parishes of East and West Horsley, Effingham, Ockham, Ripley, Wisley, Send and Shere and those premises not now collected in the Parishes of St. Martha, Shalford and Albury, and a scheme was prepared with a view to introducing an additional vehicle in the next financial year.

(c) Cleansing of Cesspools.

The emptying of cesspools continued to be carried out in accordance with the Council's undertaking, free of charge, not more often than once in every period of three months on a request being made for the execution of the work. The Service is carried out by the operation of ten vacuum tank vehicles.

A total of 8,979 requests for the Service was received, 9,003 cesspools were emptied, involving the removal and disposal of 18,415 loads of sewage. Of the total volume of sewage, 9,728 loads were shot to public sewers either within the area of the Council's district or of neighbouring Local Authorities, the remainder of the sewage being deposited on farm land or on rented land at Elm Hill, Normandy, where it is lagooned and disposed of by soaking and evaporation.

There is a steady demand for the Service despite connection of a number of properties to the main sewers, and it would seem that it will be some years before the full benefit of sewers is felt by this Service; new development and increasing water consumption would appear to aggravate the problem.

P. MEDDOWS TAYLOR,

Chief Sanitary Inspector and Public Cleansing Officer.

