An English catalogue of drugs / [Richard Reece].

Contributors

Reece, Richard, 1775-1831.

Publication/Creation

London: Chemical & Medical Hall, 1818.

Persistent URL


https://wellcomecollection.org/works/js7pu45r

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.







Digitized by the Internet Archive in 2018 with funding from Wellcome Library







4/3410u



AN ENGLISH

CATALOGUE

OF

DRUGS,

SPECIFYING THEIR PROPERTIES, DOSES TO ADULTS
AND CHILDREN OF DIFFERENT AGES;

(RETAIL PRICES, &c.)

A

DESCRIPTION

OF

DIFFERENT MEDICINE CHESTS

FOR THE USE OF FAMILIES,

AND

Chemical Test Chests for Experiments, &c. &c.

With an Enumeration of their Contents, and particular directions for the Use of the Medicines necessary to be kept by Families residing in the Country.

BY REECE AND CO.

CHEMICAL AND MEDICAL HALL,

171, PICCADILLY,

(Late of Bedford Street, Covent Garden.)

Eighth Edition, Enlarged. Price 2s. 6d.

SOLD AT THE CHEMICAL AND MEDICAL HALL, 171, PICCADILLY, AND BY ALL BOOKSELLERS.

CATALOGUE

DRUGS,

SPECIFYING annu PROPERTIES, DOSES IN ADULTS

(assau reion, &c.)

DESCRIPTION

314303

DIFFERENT MEDICINE CHESTS



th the Commercial of their Contents, and particular discussions for the fee of one discovering to the high by Caralifes residing to the contents.

BY REECE AND CO.

CHEMICAL AND JUEBICAL HALL,

ITS PIOCADHALY.

(Inde of Redderd Steat, Covert Carden)

Figur Edding Enlarged. Price Se. Cd.

THE REAL PROPERTY AND RESIDENCE AND LOCATIONS, AND MY

ADDRESS.

THIS Work is published chiefly for the purpose of enclosing a copy in the different Medicine Chests furnished at the Chemical and Medical Hall; and thereby to afford an immediate reference for the use of their contents, where it may not be convenient or necessary to consult the Author's Medical Guide.

The use of it in this respect is sufficiently evident: it brings immediately to the view the means proper for the treatment of cases of sudden emergency; and to those who wish to be informed of the applications of remedies only, without understanding the particular nature and various symptoms of diseases, it will furnish every thing they desire.

On the propriety of inculcating, and advantages resulting from the acquirement of a knowledge of Domestic Medicine, it is unnecessary to dwell: it eminently tends to prevent the occurrence of disease, and every person of common intelligence may obtain a sufficient knowledge of it, as to be able, by its application, to avert the greater number of maladies in their commencement.

That the public is now convinced of this, (notwithstanding the artifices that have been employed to discourage it) is evident from the patronage it has shewn to the works of men of real science, written with this view.

ADDRESS.

I HIS Work is published chiefly for the purgons of enclosing a copy in the different Aledicina Chests furnished at the Chemical and Madicul Hall; and thereby to afferd an immediate wife-reace for the use of their contents, where it may not be consent the Author's Medical Guide.

The use of it is this request is anticipally or it deat: it brings introduced to the friendle produced property in the property of the treatment of cases of endules on the property and for them who with to be industrial of the applications of remarkles only, a choose made, standing the professor and account and account thing they cannot be account to the professor it will introduce the professor it will introduce the professor it will introduce the professor they

Construction of a confidence of a confidence of the confidence of

CONTENTS.

| dual control of | Page |
|---|---------|
| Of the Chemical and Medical Hall List of New Publications | ; |
| List of New Publications | iv |
| Catalogue of Drugs | iv |
| Description & Contents of the Family Dispensary | WPD |
| Different sizes of ditto | AAV |
| Description and Contents of the Country Clergyma | n'a |
| Dispensary | n s |
| | XXVIII |
| Tropical ditto | y AXIX. |
| Lady's ditto | XXX. |
| Sea Medicine Chest | XXXII |
| Postable Chest of Chemistry | XXXIII. |
| Portable Chest of Chemistry | XXXV. |
| Mineralogical Chest | XXXVI. |
| Description and Contents of the Veterinary Chart | ipid |
| Description and Contents of the Veterinary Chest | KXXAII. |
| An account of useful Family Preparations x | XXAIII. |
| Of the Areca Charcoal Essential Salt of Bark | ipid |
| Essential Salt of Bark | XXXIX. |
| Artificial Harrowgate Salt | xl. |
| Basilic Nut | abid |
| Asarabacca Snuff | xli, |
| Tincture for the Tooth-Ache | |
| Cold Expressed Castor Oil | xlii. |
| Citric Acid, aud Lemonated Carbonate of Soda - | ibid |
| The Galyanic Brush | ibid |
| Tincture of Ginger and Camomile | |
| Rhatany Root | ibid |
| Lettuce Lozenge | xlvi. |
| Stramonium | xlvii. |
| Gout Hammer | ibid |
| Alkaline Tincture of Fumitory | xlix. |
| Indian Arrow Root | ibid |
| Sassafras Nut | » li, |
| The Ignitor | ibid |

CONTENTS.

| | Page |
|--|---------|
| Useful Forms of Medicines | li. |
| Stomachic Mixture | ibid |
| Aperient ditto | lii. |
| Astringent ditto | ibid |
| Aperient ditto | ibid |
| Cough mixture | livi. |
| 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | ibid |
| Asthmatic ditto | . lv. |
| Gout ditto | ibid |
| Anti-spasmodic ditto | ibid |
| Anti-Rheumatic ditto | ibid |
| Nervous ditto | . lvi. |
| Absorbent ditto | ibid |
| Stimulating ditto | . lvii. |
| Mixture for Scrophula | ibid |
| Mixture for Hooping Cough | ibid |
| Tonic Mixture | lviii. |
| Saline ditto | ibid |
| Pills for Dropsy | ibid |
| Ditto for Gravel | ibid |
| Tonic Pills | lix. |
| Bilious ditto | ibid |
| Cathartic ditto | ibid |
| Discutient gargle | ibid |
| Acidulated ditto | ibid |
| Astringent ditto | ibid |
| Detergent ditto | . lx. |
| Anodyne Clyster | ibid |
| Laxative ditto | ibid |
| Anti-Spasmodic ditto | ibid |
| Nutrient ditto | ibid |
| Anti-Spasmodic ditto Nutrient ditto Lotion for the Eyes Ditto astringent for ditto | . lxi. |
| Ditto astringent for ditto | ibid |
| Ditto discutient | ibid |
| Ditto discutient | ibid |
| Liniment for Burns and Scalds | ibid |
| | |

CHEMICAL AND MEDICAL HALL,

171, PICCADILLY,

OPPOSITE BOND-STREET.

THIS Establishment was instituted by the Author in the year 1800, for the purposes of supplying the Public with genuine Drugs of the best quality, and with the choicest Chemical Preparations, and for compounding Prescriptions with accuracy on the most reasonable terms. The sanction it has experienced from the Royal Family, the Nobility, and the most celebrated Chemical and Medical Characters in the United Kingdom, he considers a proof of its having been conscientiously conducted. In consequence of the Author's having unmasked a certain class of Medical Impostors, and been active in diffusing a knowledge of Medicine among the mass of mankind, he has met with opposition from those enemies of true science. One of these gentlemen on noticing his "Medical Guide," has stated, that the chief object of the publication is to advertise the Medical Hall. Now if any merit be due to the Author for his endeavours to improve domestic Medicine, he certainly considers himself entitled to much more for establishing an Institution where the Public may obtain genuine Drugs, and where Prescripwhen adulteration of Drugs, and the substitution of them in compounding Medicines prevailed to an alarming degree, a degree which equally endangered the life of the patient, and the reputation of the prescriber. He will, however, defy the writer to bring forward an instance of a bad Drug having been obtained from the place, or a mistake in the compounding of a Prescription since its Establishment, a period of Eighteen Years.

"But genuine Drugs," he says, "were always to be obtained at Apothecaries' Hall," this may have been the case, although if the statements recently published by Mr. Phillips, a scientific Chemist of London, who examined them, be facts, that Company has not been so careful in their preparations as they should have been.

Now, as they do not import their drugs, but go to the same markets as the Proprietors of the Medical Hall, there can be no reason why their articles should be of a better quality. As to Chemicals, he has no hesitation in asserting, that those sold at the Medical Hall, are, generally speaking, superior to those sold at Apothecaries' Hall. The extravagantly high price at which Drugs are retailed at the latter place, is too notorious to render any remark on the comparative prices necessary.

The Author has received from his Friends residing in the East and West Indies, America, and in the Country, many complaints of their Agents

in London, having taken their commissions to the shops of Chemists and Druggists to be executed, although they were desired to apply to the Medical Hall; and some Merchants in the City not having heard of the Medical Hall, have supposed that their Correspondent meant Apothecaries' Hall.

In order therefore that his Friends may know whether or not their commissions were executed at the Medical Hall, he begs to state, that no article is sold there or sent out without a printed label expressive of its name, and of its having been obtained at the Medical Hall, 171, Piccadilly. This regulation has been adopted not only for the satisfaction of his Friends, but for the support of the reputation of the establishment.

The Author attends every Monday, Wednesday, and Friday, from Eleven to Two o'Clock, at the Medical Halls to give his advice to persons properly recommended as objects of charity.

With the view of diffusing a knowledge of Medicine among the mass of mankind, and to establish a rational system of Medicine, and thereby to rescue the noble profession from the obloquy and stigma which have been attached to it by the venial practices of partially educated physicians and pretenders, who have basely sacrificed the health and lives of their fellow creatures at the shrie of avarice and gain, the author has published the following works:—

For the use of the Clergy, under the sanction of their Graces the Archbishops of Canterbury, York, and Dublin, for the purpose of enabling them to administer Relief to their Parishioners labouring under the complicated Misfortunes of Poverty and Disease, and in Cases of sudden Accidents, &c.

The Second Edition, enlarged and corrected, price 16s boards,

A PRACTICAL DICTIONARY

OF

DOMESTIC MEDICINE,

Exhibiting a comprehensive View of the latest Discoveries relative to the Causes, Treatment, and Prevention of Diseases, and a popular Description of the following Subjects, so far as they regard the Health of Man, and the general cure of Maladies, viz. Anatomy, Casualties, Chemistry, Clothing, Dietetics, Medical Police and Jurisprudence, Pharmacy, Physiology, Surgery, Therapeutics, &c. &c. divested of technical obscurities.

This Work is composed chiefly for those who wish to attain a competent knowledge of medicine, for the ordinary necessities of themselves, of their families, or for the benevolent purpose of alleviating the sufferings of their fellow creatures. For the purpose of aiding the medical sagacity and skill of private, and particularly of clerical benevolence, this work is very judiciously adapted. It is not only a plain and useful

directory, but it has, at the same time, the great advantage of being more cheap, more commodious, and more portable than any similar work, with which we are acquainted, that details the modern practice of physic."

Critical Review, No. 1, Vol. xvi.

The 10th Edition, considerably enlarged, price IOs. 6d. boards,

THE MEDICAL GUIDE,

FOR THE USE OF FAMILIES,

In Two Parts.

Part I. The Family Dispensatory, or complete companion to the Family Medicine Chest; comprehending explicit directions for the use of such Medicines as are proper to be kept for Domestic or Private Practice; a Collection of the most useful Family Prescriptions; the ordinary Management for Children; Treatment of Cases of Suspended animation; Means of counteracting the Effects of the Mineral, Vegetable, and Animal Poisons—of destroying infectious Vapours, or purifying the Chambers of the Sick, &c. &c.

Part II A New and Complete System of Domestic Medicine, or Practical Treatise on the Distinction, Prevention, and cure of the diseases incident to the Human Frame, by Regimen and Medicine.

"It is of importance that every man should be enabled to know something of the laws of life, the nature of diseases. and the more rational mode of cure; for this purpose Dr. Reece's book is better adapted than any with which we are acquainted. It is more judicious than the Domestic Medicine of Buchan, which we have no doubt it will entirely supersede. It describes the nature of diseases and the best modes of cure, with perspicuity and distinctness. By attending to its instructions, the master or the mistress of a family may be enabled to remove the complaints of continual occurrence, and the clergyman, or resident of a retired village may, in common cases of illness, be enabled to do much good at a small expence; and even to arrest the progress of more serious disorders till medical aid can be obtained. Considered in this light, Dr. Reece's Medical Guide is a most valuable performance.

Critical Review, April 1807.

"This work has been brought by public favour to a fourth edition, and extended, by the additional attention of the author, to twice its original magnitude. Much of that favour which the author has experienced, is doubtless owing to the luminous arrangements of its matter, which, in a work intended for continual reference, is, by no means, of small importance; it is an advantage to have a work so judicious as that of Dr. Reece, in circulation for that purpose." British Critic, April, 1807.

"The present edition of this very useful work, is dedicated to the venerable bishop of Llandaff, in consequence of the high terms in which his lordship had recommended it when it first appeared before the public. It is clear, comprehensive, and calculated to answer all the purposes of domestic reference, and, in our opinion, must prove more useful to families than a certain similar publication of notoriety, which rather excites than checks a spirit of private empiricism. The part which treats on the diseases of children, we recommend to the serious perusal of parents and others who may be entrusted with the management of children in the first stages of life."

Anti-Jacobin Review, May, 1805.

To promote the object of this publication, the author has lately undertaken to edite a monthly work, entitled the Monthly Gazette of Health, on the same plan as the Gazette de Santé of Paris, which, for public utility, has long maintained great celebrity on the Continent. intention of this work is to communicate all discoveries that may be made in the known world, regarding the means of preserving health, of curing diseases incident to the human race, and of promoting domestic economy, and the comforts and well-being of every class of the community. It also gives the composition of all the advertised remedies, and proprietary medicines, so far as it can be ascertained by chemical examination, to enable the reader to discover those which possess merit from those which are evidently dangerous. The artful practices of the regular and irregular quacks and pretenders, who, for the sake of lucre, are base enough to tamper with the lives of their fellow-creatures, are also fully exposed.

To render this work generally useful, each number will

be found to contain,

1. An original article on the most effectual means of preventing and curing the disease or diseases that may

prevail at the time of publication.

2. A selection from the foreign and domestic works of such information as may tend to promote the professed object of the work.

3. Prescriptions of eminent physicians and surgeons, translated into English, with an account of their effects, and the diseases for which they are given.

4. Original communications on subjects respecting the means of preserving health, cheap methods of pre-

paring articles of diet, family receipts, &c.

5. All discoveries in chemistry and other branches of philosophy that are likely to prove of public benefit, or to amuse and instruct the mind.

6. Any information that may be solicited by a correspondent, consistent with the professed object of this Work,

is given in the subsequent number

In the Prospectus of this Work the Editor has certainly promised much very useful and interesting information. He has now completed the first and second Volume, containing each twelve monthly Numbers, to the pages of which he appeals with the greatest confidence for having fulfilled his engagements, and he flatters himself that it contains more valuable matter than is to be found in any other periodical work. A Number of this Work is published on the first of every Month, at the low price of One Shilling, that it may be within the reach of every class of the community; and regulations have been made, that it may be obtained of all respectable Booksellers throughout the country a few days after its publication in London.

THE MEDICAL GUIDE

FOR TROPICAL CLIMATES.

Particularly the British Settlements in the East and West Indies, and Coast of Africa: containing simple Instructions for the Prevention and Cure of the Diseases of these Climates, and such as occur on the Voyage; with a copious Dispensatory, or Companion to a Medicine Chest, adapted to Tropical Practice: to which are added, a System of Regulations for the Health of British Subjects, on their Return to Europe from Hot climates; and an Appendix, containing Remarks on the Climate and Diseases of different Parts of Europe, particularly Holland, Russia, &c.; with Rules for the Preservation of the Health of Travellers to these Parts, including a dispensatory, or Companion to the Continental Medicine Chest &c. &c.

Price 2s.

A PRACTICAL TREATISE

ON THE

RHATANY ROOT.

Containing an account of its Powers as a Tonic or Stomachic Medicine; the various Forms in which it may be employed in Diseases arising from general debility, weakness of any particular Organ, or morbid irritation of the Nervous system, viz. Indigestion, Flatulence, Nervous Head-ache, Dropsy, Fluor Albus, Epilepsy, Gleet, Diabetes, Palsy, &c.

Price 2s.

A PRACTICAL TREATISE

ON THE

VIRTUES OF THE GRATIOLA OFFICINALIS.

Or, Hedge Hyssop, as a Remedy for Consumption of the Lungs, Asthma, and Constitutional Cough, with directions for its Use, and advice on the Subjects of Diet, Clothing, Air, &c. in these Diseases.

Price 2s. 6d.

AN APPENDIX

TO THE

MONTHLY GAZETTE OF HEALTH,

Containing a popular dissertation on the prevention, cure &c. of a certain class of diseases and their sequels; and on other morbid affections of the parts peculiar to the Male, the consideration of which, from motives of delicacy, the Editors have omitted in the regular numbers: to which are added moral and professional advice to youth, on the subject of juvenile indiscretions, and their influence on the body and mind, &c.

"Si quis malè fert veneris facta damnosæ,
"Ne pereat, nostræ sentiat artis opem.

Sold at the Medical Hall, 171, Piccadilly; by Sherwood and Co. Paternoster Row, and all Booksellers.

Story & or & greater.

CATALOGUE OR DRUGS, WHILL ..

THE STATE OF THE REAL PROPERTY.

sippositors 20.

CATALOGUE

town be of I oF the m &

DRUGS,

WITH THEIR

PROPERTIES, DOSES, RETAIL PRICES, &c.

The doses specified in the following list are such as are usually administered. They should therefore be increased or diminished, according to the *strength* of the patient, and the age by the following Rule:

Two thirds of the dose, from the age of 14 to 16.—One half, from 7 to 10.—One third, from 4 to 6.—One fourth, to one of 3 years.—One eighth, to one of a year.

It is customary to repeat the dose of an aperient medicine about every three hours till it operates, or to have recourse to a lavement, which, in cases of obstinate costiveness, is often preferable.

| MEDICINES. | Adults. | Children from 2 to 4 years. | Proper Vehicle, &c. |
|------------------------------|------------------|-----------------------------|-------------------------|
| 1 ÆTHER | 30 dps. to 1 dm. | 8 to 10 drops | cold water |
| 2 ÆTHIOP'S MINERAL | 15 to 30 grains | 5 to 10 grains | honey, twice a day . |
| 3 ALMONDS, Emulsion of | a wine-glassful | 1 to 2 ta, spfs. | every 2 or 3 hours . |
| 4, Oil of . | 1 to 3 drams | 30 dps. to 1 dm. | honey, ditto |
| 5 ALOES, Socrotine . | 10 to 20 grains | 3 to 6 grains | in pills |
| 6 — Tincture of . | 3 to 6 drams | 1 to 2 drams | water |
| 7 ALUM POWDER . | 3 to 10 grains | ATT TO THE | ditto, 3 times a day . |
| 8 AMBER, Rectified Oil of | 8 to 10 drops | 1 to 3 drops | honey, twice a day . |
| 9 AMMONIAC GUM | 10 to 15 grains | | in pills, ditto . |
| 10, Milk of | 3 table sp.fuls | a dessert spful. | 2 or 3 times a day . |
| 11 ANTIMONIAL POWDER | from 3 to 5 grs. | 1 to 3 grains | oney |
| 12 WINE (as an emetic) | 2 to 4 drams | 1 to 3 drams | water |
| 13 — WINE (as an alterative) | 12 to 20 drops | 4 to 8 drops | arl, water, twice a day |
| 14 AROMATIC Confection | 15 to 30 grains | 4 to | cinnam, wat. 2 or 3 do. |
| 15 ———— Species | 5 to 10 grains | 2 to 3 grains | water, ditto |
| 16 ASAFŒTIDA Emulsion | 4 to 8 drams | 2 teaspoonfuls | very 3 or 4 hours . |
| 17 ————, Tincture of | 30 to 60 drops | 8 to 12 drops | water, ditto |
| 18, Vol. Spirit of | 20 to 40 drops | 4 to 8 drops | water, ditte |
| 19 Pill | 10 to 15 grains | Hamiljo h This | in pills, twice a day . |
| 20 BALSAM of COPAIVA | 20 to 40 drops | 6 to 8 drops | in honey, ditto |
| 21 — of PERU . | 5 to 10 drops | | ditto, ditto . |
| 22 — Traumatic . | 20 to 40 drops | | ditto, or sugar ditto . |
| 23 — Tolu, Tincture of | 30 to 60 drops | | ditto, or water ditto . |
| 24 BARK Peruvian, Powder | 20 to 60 grains | 10 to 15 grains | mint water 4 or 6 times |
| 25 ——, Decoction of . | 3 to 4 ta. spfs. | 1 to 2 ta. spfs. | 3 or 4 times a day . |
| 26 ——, Essential Salt of | 5 to 10 grains | 2 to 3 grains | Port wine, ditto . |
| 27 —, Tincture of . | 2 to 4 drams | 40 to 60 drops | water, ditto |

| Effects, &c. | Diseases proper for. | | RET r Oun | | | Es. Pour Pint | |
|-----------------------------|---------------------------------|-------|--------------|----|-----|---------------------|------|
| | 10.11 | 1. | s. | d. | l. | s. | d. |
| 1 - antispasmodic . | asthma, cramp, and flatulence | 0 | 11,70 | 8 | 0 | 18 131A | 0 |
| 2 - alterative | scald head, cutaneous foulness | 0 | O Halos | 6 | 0 | 7 | 0 |
| 3 - demulcent | strangury, cough | | | | 0 | 1 | 6 |
| 4 - ditto | ditto ditto | 0 | 0 | 4 | 0 | 4 | 6 |
| 5 - purgative | obstinate costiven s | 0 | 0 | 8 | 0 | 10 | 0 |
| 6 - ditto and vermifuge | ditto and worms | 0 | 0 | 6 | 0 | 7 | 6 |
| 7 - astringent | flooding | 0 | 0 | 1 | 0 | 0 | 8 |
| 8 - antispasmodic . | hysteric fits, hooping cough | 0 | 0 | 6 | 0 | 7 | 6 |
| 9 - expectorant | chronic cough, asthma, &c. | 0 | 0 | 9 | 0 | 10 | 6 |
| and with all we - | ditto | 13mil | | | | | |
| 10 - ditto | | antar | s, Th | 20 | MAC | 2 | 0 |
| 11 - sudorific | inflamm. fever, pleurisy, &c. | b.qo | 100 - | 6 | 1 | 1 | 0 |
| 12 - emetic | and of animator of a fo. | 0 | 0 | 6 | 0 | 6 | 6 |
| 13 - sudorific | St. Anth. fire, cutan, foulness | 0 | 0 | 6 | 0 | 6 | 6 |
| 14 - astringent and cordial | purging, cramp in the stomach | 0 | 2 | 0 | 1 | 10 | 0 |
| 15 - stomachic | indigestion, flatulence | 0 | Ł | 6 | 0 | 18 | 0 |
| 16 - antispasmodic . | hysterics, asthma, hoop, cough | | | | 0 | 3 | 0 |
| 17 - ditto | ditto, ditto, ditto | 0 | 0 | 9 | 0 | 10 | 3 61 |
| 19 ditto | ditto and fainting | 0 | 0 | 9 | 0 | 11 | 0 |
| | | 0 | | 6 | 1 | 8 | 0 |
| 19 - ditto min rigor | | | | | HOS | TAI | 18 (|
| 20 - diuretic and balsamic | whites, gleets, gravel | 0 | 0 lunas | 6 | 0 | AIR | 6 |
| 21 - stimulant | flatulence, asthma, gleets | 0 | 2 | 0 | IMO | 4 | 0 |
| 22 ditto | ditto | 0 | 0 | 8 | 0 | 9 | 0 |
| 23 - ditto and pectoral . | ditto and chronic cough | 0 | 0 | 6 | 0 | 7 | 6 |
| 24 - tonic | ague, indigestion, weakness | 0 | 1 | 0 | | 14 | 0 |
| 25 - ditto | relaxation and weakness | | | | 0 | 2 | 0 |
| 26 - ditto | ditto ditto | 0 | 12 | 0 | 8 | 18 | 0 |
| 401WM | | o don | | 6 | | 7 | 6 |
| 27 - ditto | | 1910) | | | - | - | 10 |

| Per Donce I Per Pound | | ES. | Soft sports (Sec. Sec.) |
|------------------------------|--------------------|--------------------------------|--------------------------|
| medicines, | Adults. | Children from 2 to 4 years. | Proper Vehicle, &c. |
| 0 81 0 8 1 0 44 | amp, and thetalcae | To rending | 1 - authennendig |
| I BARK, Tinct. of, Huxham's | 2 to 4 drams | 40 to 60 drops | water, 3 times a day |
| 2 ——, Ditto, volatile | 1 to 2 drams | 10 to 20 drops | ditto, ditto - |
| 3 BASILIC POWDER | 20 to 25 grains | 6 to 8 grains | honey, twice a week |
| 4 CALOMEL . , | 1 to 2 grains | half to I grain | in a pill, twice a day |
| 5 CAMPHIRE . | 2 to 4 grains | 1 to 2 grains | ditto, ditto - |
| 6, Julep of | 2 to 4 ta. spfs. | 3 to 4 drams | three times a day - |
| 7 CANELLA ALBA, Pow- | | - fooding | older S mighted - 7 |
| 0 7 0 8 0 0 | s, hosping cough | bysteric in | Stholigeling Digar - 18 |
| der of | 4 to 8 grains | - | mint water, ditto - |
| 8, Tinct. of | 2 to 3 drams | 93 2100103 | water, ditto |
| 9 CARDAMOMS, Tincture of | 2 to 3 drams | | ditto, ditto |
| 10, Comp. ditto | 2 to 4 drams | t much at | camomile ditto tea - |
| 11 CASTOR, Russian, powd. of | 5 to 10 grains | 3 to 5 grains | camphorat, julep ditto |
| 12, Tincture of | 1 to 2 drams | 15 to 30 drops | ditto ditto |
| e of the growth | mott oil of quan | this purging, | non for the walter - 11 |
| 13 CASTOR OIL . | 4 to 8 drams | 3 to 4 drams | mint water |
| 14 ———, Cold expressed | 4 to 10 drams | 3 to 5 drams | ditto - 7 7 |
| 15 CASCARILLA POWDER | 10 to 20 grains | 3 to 6 grains | ditto, 3 times a day - |
| 16 ———, Tincture of | I to 3 drams | 20 to 30 drops | water, ditto |
| 17 ————, Volatile do. | 40 to 60 drops | bour otals | ditto ditto - |
| 18 CATECHU, Tincture of | I to 2 tea-spfs. | 10 to 20 drops | mint water, ditto |
| D F O A O O | cels gravel | ale winter, si | and d bas street 6 - ox |
| 19 CHALK, Prepared | 10 to 15 grains | 4 to 6 grains | ditto, 4 times a day - |
| 20 CAMOMILE FLOWERS, | | | [a day |
| Powder of | 10 to 20 grains | 6 to 10 grains | mint water, 2 or 3 times |
| 21, Tincture of, | | bos ottib | 23 - ditto and pectoral |
| and Ginger . | 10 to 40 drops | Ital joega | water, 3 or 4 ti. a day |
| 22 CINNAMON POWDER | 5 to 10 grains | 2 to 4 grains | ditto, 3 times a day - |
| 0 81 8 0 71 0 09 Property | ollib | ainia | entit - 89 |
| 23 ————, Essence of | 3 to 10 drops | 1 drop | water |
| 24, Tiucture of | 3 to 4 drams | 20 to 30 drops | ditto - |

| Effects, &c. Diseases proper for. Per Ounce Per Pound or Pint |
|--|
| 1 - tonic . relaxation and weakness 0 0 8 0 8 0 |
| 2 - ditto indigestion, heartburn 0 0 8 0 8 6 |
| 3 - vermifuge and cathartic worms, costiveness, dropsy 0 3 6 2 10 0 |
| 4 - alterative vene. disease, foul ulcers, &c. 0 1 0 0 14 0 |
| 5 - antispasmodie hooping cough, convulsive fits 0 0 10 0 10 0 |
| 6 - ditto and febrifuge nervous fever, ditto, ditto |
| FUR |
| 7 - stomachic . indigestion, flatulence 0 0 6 0 6 0 |
| 8 - ditto ditto, ditto |
| 9 - stimulant ditto, ditto, and cramp 0 10 6 0 7 6 |
| 10 - stomachic . ditto, ditto 0 0 6 0 7 6 |
| 11 - antispasmodic . convulsive fits, nerv. irritability uncertain uncertain |
| 12 - ditto ditto, ditto di |
| 13 - purgative colic, costiveness 0 0 6 0 6 0 |
| 14 - ditto ditto, diito 0 0 9 0 10 6 |
| 15 - stomachic indigestion, weakness 0 0 6 6 6 |
| 16 - ditto ditto, ditto 0 0 6 0 7 6 |
| 11) - ditto |
| 18 - astringent |
| 19 - ditto |
| |
| 20 - stomachie & vermituge margestion, worth, |
| |
| 21 - Stomachte . , 80-1, 1-1 |
| 25 - dato |
| 25 - Stimulant Mattheway, contra parts |
| 24 - astringent . looseness 0 0 6 0 7 6 |

| wedicines. | Adults. | Children, from 2 to 4 years. | Proper Vehicle, &c. |
|--------------------------|-------------------|------------------------------|-------------------------|
| 1 COLUMBO POWDER | 10 to 20 grains | 3 to 5 grains | mint water, 3 ti. a day |
| 2, Tincture of | 1 to 3 drams | 10 to 20 drops | ditto ditto |
| 3 CRAB'S CLAWS, prepared | 15 to 20 grains | 5 to 10 grains | do. every 3 or 4 hours |
| 4 CRETACEOUS POWDER | | editrocay | a - authoration - 6 |
| with Opium | 10 to 20 grains | 5 to 8 grains | ditto, ditto |
| 5 CONTRAYERVA POW- | ohio, dista, cuto | | |
| DER | 20 to 40 grains | 6 to 10 grains | water, ditte |
| 6, Comp. | 30 to 40 grains | 8 to 12 grains | mint water, ditto - |
| , a cream of tartar | I to 4 drams | 20 to 30 grains | honey, every morning |
| S COLOCYNTH PILL, Com- | | | |
| pound a .o o. | 10 to 20 grains | 4 to 8 grains | occasionally - or |
| 9 COLOCYNTH EXTRACT | 10 to 15 grains | 4 to 6 grains | ditto - 1 |
| 10 POWDER | 10 to 15 grains | | ditto 50% -7 81 |
| 11 DOVER'S POWDER | 10 to 20 grains | 3 to 6 grains | in water meging -7 81 |
| 12 ELIXIR OF VITRIOL | 10 to 12 drops | 5 to 6 drops | ditto twice a day |
| 13 ELECTUARY, Lenitive | 2 to 3 drams | half to 1 dram | occasionally - as |
| 14 EPSOM SALT | 4 to 8 drams | 2 to 3 drams | mint water onth 01 |
| 15 FOXGLOVE POWDER | half to 3 grains | int was T. | do. [or 4 times a day } |
| 16 — Tincture of | 10 to 40 drops | alouda - | decoct, of liverwo. 3) |
| 17 GENTIAN, Tincture of | 1 to 2 drams | 12 to 30 drops | water, ditto - |
| 18 ———, Extract of | 5 to 10 grains | | in a pill, twice a day |
| 19 GINGER POWDER | 20 to 60 grains | cinculation at The | water, ditto - 00 |
| 20 ———, Lozenges of | three or four | | twice a day - |
| 21 Tincture of | | | water, ditto |
| 22 GUAIAC GUM | | | in pill, ditto |
| 23, Vol. Tinct. | 1 to 3 drams | gaspliney | wat, 2 or 3 times a day |
| HARTSHORN, Spirit of | 20 to 40 drops | 5 to 8 drops | ditto ditto - |

| Effects, &c. Diseases proper for | | Per | Ounce | | r Pou | |
|---|---------|-----|-------|------|-------|---------|
| 1 - stomachic indigestion, chronic loose | eness | | s. d. | | 25.53 | d. 0 |
| 2 - ditto ditto, ditto | | 0 | 0 6 | AMO | 7 | 6 |
| 2 - astringent purging, dysentery, acid | it | 0 | 0 4 | 0000 | 3 | 6 |
| | | | 093 | | | |
| 4 - ditto - 5 obstinate purg, and dysen | ntery | 0 | 1 0 | 0 | 12 | 0 |
| | | | | | | |
| 5 - sudorific recent colds | | 0 | 0 6 | 0 | 7 | 0 |
| 6 - ditto and astringent purging of children | | 0 | 0 6 | 0 | 6 | 6 |
| 7 - aperient and alterative inflam, erupt, of the skin, | , &c. | 0 | 0 2 | 0 | 2 | 4 |
| | ялач | | | | | |
| 8 - purgative costiveness | - 1 | 0 5 | 2 0 | | | |
| 9 - ditto costiveness or colic | | 0 | 5 0 | 127 | | |
| 10 - ditto ditto | 20 00 | 0 | 2 0 | UD O | 0 | 0 |
| 11 - sudorific and anodyne rheumatism, recent colds, | &c. | 0 : | 2 6 | | | |
| 12 - stomachic indigestion, flatulence, vo | mit. | 0 (| 0 6 | 0 | 7 | 0 |
| 13 - gentle aperient - costiveness | 303 | 0 (| 0 3 | 0 | 3 | 6 |
| 14 - ditto ditto | A PARTY | 0 (| 0 2 | 0 | 2 | 6 |
| 15 - violent purg. & emetic dropsy | - (|) (| 6 | 0 | 5 | 0 |
| 16 - sedative consumption of the lungs | - (|) (| 6 | 0 | 7 | 6 |
| 17 - stomachic indigestion, flatulence, &c | e. (|) (| 6 | 0 | 7 | 6 |
| 18 - ditto ditto ditto | (|) 1 | 0 | 0 | 12 | 0 |
| 19 - stimulant gout, indigestion, flatulen | ce (|) (| 5 | 0 | 5 | 6 |
| 20 - ditto flatulency | C |) (| 6 | 0 | 7 | 6 |
| 21 - ditto ditto | C |) (| 9 | 0 | 10 | 6 |
| 22 - ditto and sudorific - chronic rheumatism, gout | 0 | 0 | s | 0 | 8 | 6 |
| 23 - ditto ditto - ditto ditto | 0 | 0 | 8 | 0 | 8 | 6 |
| 24 - stimulant hysterics, convuls. hearthu | ırn 0 | 0 | 4 | 0 | 5 | 0 |

| MEDICINES, | Adults. | Children from 2 to 4 years. | Proper Vehicle, &c. |
|-----------------------------|-----------------|-----------------------------|--------------------------|
| 1 HARTSHORN, Burnt prep. | 20 to 40 grains | 6 to 10 grains | mint water, twice a day |
| 2 HOFFMAN'S ANODYNE | | Tel 180 mm | ine comb - 9 |
| LIQUOR | 30 to 40 drops | 6 to 10 drops | water, ditto . |
| S HEMLOCK, Powdered | 2 to 3 grains | 1 to 3 grains | mint water, ditto . |
| 4 | 2 to 3 grains | 1 to 2 grains | ditto or pill, ditto . |
| 5 HIERA PICRA - | 15 to 20 grains | 4 to 8 grains | mint water . |
| 6, Tincture of | 2 to 4 drams | 30 to 40 drops | water |
| 7 JALAP POWDER - | 20 to 30 grains | 5 to 10 grains | mint water |
| 8, Tincture of - | 2 to 4 drams | e, and All arrives | ditto |
| 9 IPECACUAN POWDER | 20 to 30 grains | 5 to 10 grains | water |
| 10 WINE - | 4 to 8 drams | 2 to 3 drams | ditto |
| 11 IRON—See STEEL | | navilioa | [a day |
| 12 KINO GUM, Tincture of | 2 to 3 drams | 15 to 20 drops | mint water, 3 or 4 times |
| 13 LAVENDER, comp. spir. of | 30 to 80 drops | 10 to 20 drops | water |
| 14 LOGWOOD, Decoction of | a wine-glassful | 1 to 2 ta, spfs. | 3 or 4 ti, a day [a day |
| 15 Extract of | 10 to 20 grains | 3 to 4 grains | in cinnam, wat. 3 times |
| 16 MADDER POWDER | 10 to 60 grains | of otto . | mint wat, 2 or 3 times |
| 17, Extract of - | 10 to 20 grains | 4 to 10 grains | ditto, ditto . |
| 18 MAGNESIA | 20 to 40 grains | 5 to 10 grains | mint water |
| 19, Calcined | ditto | ditto | ditto |
| 20 MANNA | 3 to 6 drams | 1 to 2 drams | ditto, or tea |
| 21 MERCURIAL PILL - | 6 to 12 grains | 2 to 4 grains | in pills, twice a day |
| 22 MERCURY, Calcined - | 1 to 2 grains | quarter grain | in a pill, ditto |
| 23 — with Chalk | 5 to 10 grains | 3 to 4 grains | honey, ditto |
| 24 MISLETOE POWDER | 20 to 60 grains | S to 12 grains | mint water, 3 ti, a day |
| 25 MITHRIDATE - | 15 to 20 grains | 5 to 10 grains | ditto, ditto . |
| 26 MUSK | 5 to 20 grains | 2 to 5 grains | ditto, ditto |

| Effects, &c. | Diseases proper for. | Per Ounce Per Pound or Pint |
|-----------------------|--------------------------------------|-------------------------------|
| -1 - astringent | purging, acidity, heartburn | 0 0 2 0 2 0 |
| 2 ontherman tules | | |
| 2 - antispasmodic | nerv. fever, asthma, hysterics | 0 1 0 0 15 0 |
| 3 - sedative . | hooping cough, cancer | 0 1 0 0 12 0 |
| 4 - ditto day but. | ditto ditto | 0 1 0 0 12 0 |
| 5 - purgative and st | omachic costiveness, flatulency | 0 0 8 0 10 0 |
| 6 - ditto ditto, & ve | ermifuge ditto ditto, and worms | 0 0 6 0 7 6 |
| 7 - purgative . | costiveness and the difference | 0 0 10 0 10 6 |
| 8 - ditto | egerb (dittoegerb (00 of P) | 0 0 8 0 9 0 |
| 9 - emetic | simblest, topics t | 0 0 6 0 10 0 |
| 10 - ditto | MON 10 to 60 States State of 61 NO | 0 0 6 0 7 0 |
| II - dig | | |
| 19 - astringent . | looseness looseness | 0 0 6 0 7 6 |
| 13 - cordial . | fainting or lowness of spirits | 0 0 6 0 7 6 |
| 14 - astringent . | looseness, dysentery | 0 0 2 0 2 0 |
| 15 - ditto | ditto | 0 1 0 0 12 0 |
| 16 - deobstruent | . chlorosis or green sickness | 0 0 4 0 4 6 |
| 17 - ditto and tonic | ditto and scrophula | 0 2 0 1 5 0 |
| 18 - absorbent . | heartburn and acidity | 0 0 6 0 7 0 |
| 19 - ditto . | ditto ditto | 0 1 0 0 14 0 |
| 20 - gently aperient | costiveness | 0 0 9 0 10 0 |
| 21 - alterative . | . venereal disease | 0 2 6 174111 |
| 22 - ditto . | | 0 10 0 |
| 23 - ditto | . scald head, cuta, foulness, &c. | |
| 24 - tonic . | | 0 0 6 0 6 0 |
| 25 - astringent . | | 0 0 4 0 5 0 |
| 26 - antispasmodic | . convulsions, locked jaw, &c. | 2 10 0 |

| MEDICINES. | Adults. | Children, from 2 to 4 years. | Proper Vehicle, &c. |
|---------------------------|------------------|---------------------------------|--------------------------|
| I MURIATIC ACID . | 10 to 30 drops | 6 to 10 drops | water, twice a day - |
| 2 MYRRH POWDER . | 5 to 10 grains | 2 to 4 grains | mint water, ditto - |
| 3, Tincture of | 1 to 2 drams | 10 to 15 drops | water, 2 or 3 ti. a day |
| 4, Emulsion . | 2 to 3 ta. spfs. | 2 to 3 drams | 2 or 3 times a day |
| 5 NATRON, Prepared . | 5 to 10 grains | 2 to 3 grains | mint wat, 2 or 3 times |
| 6, Super-carbonated | 5 to 10 grains | 2 to 4 grains | water, ditto |
| 7 NITRE POWDER . | 5 to 20 grains | 2 to 4 grains | barley water, ditto |
| 8 —, Sweet Spirit of | 20 to 60 drops | 8 to 10 drops | ditto, ditto - |
| 9 NITRIC ACID . | 12 to 30 drops | 4 to 6 drops | water |
| 10 NUTMEG, Spirit of . | 4 to 6 drams | 1 to 2 drams | ditto |
| 11 OPIATE CONFECTION | 10 to 20 grains | 3 to 6 grains | bolus onti- ot |
| 12 OPIUM, Purified . | 1 to 2 grains | ‡ grain | pill |
| 13 ———, Tincture of . | 10 to 30 drops | 3 to 5 drops | mint water @1 |
| 14 OYSTER SHELLS, Prepar. | 10 to 20 grains | 5 to 8 grains | ditto, 4 times a day |
| 15 PAREGORIC ELIXIR | 1 to 2 drams | 15 to 20 drops | barley water, ditto |
| 16 PEPPERMINT, Essence of | 3 to 6 drops | 1 to 2 drops | water - |
| 17 POPPIES (WHITE), Ex- | | | |
| tract of | 5 to 10 grains | 1 to 3 grains | in a pill |
| 18, Syrup of . | 1 to 4 drams | a tea-spoonful | water [a day |
| 19 QUASSIA, Tincture of . | 30 to 60 drops | 10 to 12 drops | ginger tea, 2 or 3 times |
| 20 RHATANY POWDER | 10 to 40 grains | 5 to 8 grains | mint wat, every 2 hours |
| 21 RHATANY, Tincture of | 2 to 4 drams | 30 to 60 drops | mint wat, S times a day |
| 22, comp. ditto | ditto | ditto | ditto, ditto - |
| 23, aromatic ditto | ditto | ditto | ditto, ditto - |
| 24 RHUBARB POWDER | 20 to 30 grains | 5 to 8 grains | in mint water |
| 25, Tincture of | 4 to 6 drams | I to 2 drams | ditto |
| 26, Bitter ditto | 2 to 3 drams | S to 4 drops | water, twice a day |

| Effects, &c. Diseases proper for. | Pe | r Ou | nce | Per | Poun Pint | d |
|--|----|---------|---------|-----|--------------|---------|
| 1 - alterative scrophula, cutaneous eruptions | 1. | s. 0 | d. 4 | 1.0 | 8. | d. 0 |
| 2 - strengthening . green sickness, weakness | | 1 | 0 | 0 | 12 | 0 |
| 3 - ditto ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| 4 - ditto, expectorant . diito, ditto, and chronic coughs | 0 | 0 | 2 | 0 | 2 | 0 |
| 5 - alterative scrophula heartburn, cancer | 0 | 0 | 4 | 0 | 3 | 0 |
| 6 - ditto . ditto, and vomiting | 0 | 0 | 10 | 0 | 10 | 0 |
| 7 - diuretic and febrifuge strangury, heat of urine, fever | 0 | 0 | 2 | | | |
| 8 - ditto ditto, ditto ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| 9 - tonic . diabetes, scrophula | 0 | 0 | 6 | 0 | 6 | 6 |
| 10 - carminative . flatulence, cramp in the stomach | 0 | 0 | 6 | 0 | 7 | 6 |
| 11 - ditto and opiate purging, colic, &c. | 0 | 1 | 0 | 0 | 12 | 0 |
| 19 - anodyne . restlessness, acute pains, asthma | 0 | 3 | 0 | | | |
| 13 - ditto ditto ditto | 0 | 1 | 0 | 0 | 11 | 0 |
| 14 - absorbent & astringent looseness, acid. in stomach, &c. | 0 | 0 | 4 | 0 | 4 | 6 |
| 15 - anodyne cough, asth. pain in the bowels | 0 | 0 | 6 | 0 | 7 | 6 |
| 16 - carminative . colicky pains, flatulency, &c. | 0 | 2 | 6 | 1 | 10 | 0 |
| et. 3 to 1 cunces 1 to 2 cuncer 2 or 4 times a digit - 11 | | | | | | |
| 17 - anodyne spasms, acute pain, cough | 0 | 1 | 6 | 1 | 1 | 0 |
| 18 - ditto . ditto ditto | 0 | 0 | 4 | 0 | 4 | 6 |
| 19 - stomachic . indigestion, flatulency | 0 | 0 | 6 | 0 | 7 | 6 |
| 20 - tonic . ague, diabetes | 0 | 1 | 0 | θ | 14 | 0 |
| 21 - stomachic . indigestion, relaxation, whites | 0 | 0 | 8 | 0 | 8 | 6 |
| 22 - ditto and cordial ditto ditto | 0 | 0 | 9 | 0 | 10 | 0 |
| 23 - ditto ditto | 0 | 0 | 9 | 0 | 10 | 0 |
| 24 - aperient . costiveness | 0 | 2 | 6 | 1 | 12 | 0 |
| 25 - ditto and carminative ditto, colic, &c. | 0 | 0 | 6 | 0 | 7 | 6 |
| 26 - aperient and stomachic indigestion, flatulence, &c. | 0 | 0 | 6 | 0 | 7 | 6 |

| | | | - |
|-------------------------|-----------------|--------------------------------|--------------------------|
| MEDICINES. | Adults. | Children from 2 to 4 years. | Proper Vehicle, &c. |
| 1 RHUBARB LOZENGES | | | control extravallary - 1 |
| WITH GINGER . | two or three | one | twice a day |
| 2 ROCHELLE SALT . | 6 to 12 drams | 2 to 4 drams | mint water |
| 3 ROSES, Infusion of . | 1 to 2 ounces | 3 to 4 drams | 2 or 3 times a day |
| A Conserve of . | 1 to 2 drams | 1 dram | ditto |
| 5 SAFFRON, Tincture of | 1 to 2 drams | 30 to 40 drops | water |
| 6, Syrup of | 2 to 3 drams | a tea-spoonful | ditto |
| 7 SALT, GLAUBER'S . | 6 to 12 drams | 3 to 4 drams | mint water |
| 8 —— EPSOM, Pur | 6 to 8 drams | 2 to 4 drams | ditto |
| 9 —— CHELTENHAM | 6 to 12 drams | 2 to 4 drams | ditto |
| 10 —— POLYCHREST | I to 3 drams | 30 to 40 grains | ditto and send a self |
| 11 —— TASTELESS . | 6 to 12 drams | 2 to 3 drams | in gruel or broth |
| 12 OF TARTAR . | 5 to 8 grains | 1 to 4 grains | mint water |
| 13 — OF WORMWOOD | ditto | ditto | ditto |
| 14 SARSAPARILLA POW- | | No lagina and | - di |
| DER | 20 to 60 grains | 5 to 10 grains | ditto 2 or 3 times a day |
| 15, comp. decoct. | 3 to 4 ounces | 1 to 2 ounces | 3 or 4 times a day - |
| 16 SCAMMONY POWDER | 10 to 20 grains | | mint water |
| 77, Comp. ditto | 15 to 30 grains | | ditto - 11 |
| 18, Comp, with calomel | 15 to 25 grains | | honey |
| 19 SENNA, Infusion of . | 2 to 3 ounces | | occasionally - |
| 20 — Tincture of . | 6 to 12 drams | | water |
| 21 SOLUBLE TARTAR . | 1 to 2 drams | | mint water |
| 22 SPERMACETI POWDER | | | honey, 3 or 4 ti, a day |
| 23 SPIRIT, MINDERERUS's | 30 to 40 drops | | mint water, ditto |
| 24 of VITRIOL, Sweet | 20 to 40 drops | | ditto ditto |
| 25 — of NITRE, ditto | 15 to 30 drops | | barley water |
| 66 —— SAL AMMONIAC | 15 to 30 drops | | water |
| | ar of or | . to ro drops | |

| Effects, &c. Diseases proper for. | Per Ounce | Per Pound or Pint |
|---|-----------|-------------------|
| ILE 20 to 40 drops 6 to 10 drops water und | l. s. d. | 1. s. d. |
| 1 - stomachic - indigestion, flatulence, &c. | 0 0 9 | 0 10 0 |
| 2 - aperient costiveness | 0 0 4 | 0 4 0 |
| 3 - stomachic & astringent indigestion, flooding, &c. | 0 0 2 | 0 2 0 |
| 4 - ditto and pectoral - cough | 0 0 3 | 0 3 0 |
| 5 - cordial - lowness of spirits | 0 1 0 | 0 14 0 |
| 6 - ditto | 0 0 4 | 0 5 0 |
| 7 - purgative costiveness, &c. | 0 0 1 | 0 1 2 |
| 8 - ditto ditto | 0 0 2 | 0 1 10 |
| 9 - ditto | 0 1 0 | 0 12 0 |
| 10 - cooling aperient - feverish heat | 0 0 4 | 0 4 6 |
| 11 - gentle aperient - costiveness, &c. | 0 0 6 | 0 6 6 |
| 12 - alkaline heartburn, rickets | 0 0 4 | 0 3 6 |
| 13 - ditto - ditto ditto | 0 0 4 | 0 3 6 |
| | | |
| 14 - alterative scrophula, &c. | 0 1 0 | |
| 15 - ditto - ditto | | 0 3 0 |
| 16 - strong purgative - obstinate costiveness | | SUBSEUR OF |
| 17 - ditto - ditto | 0 3 0 | |
| 18 - ditto, and vermifuge ditto, worms, and dropsy | 0 3 6 | SIATSIAT OF |
| 19 - purgative costiveness and worms | | 0 5 0 |
| 20 - ditto - ditto and colic | | 0 7 6 |
| 21 - ditto ditto and piles | 0 0 4 | |
| 22 - demulcent - recent cough | 0 0 4 | |
| | 0 0 3 | |
| ALT WELLDER LINE AND A 18 CHOT STATE OF 18 | | |
| | 0 0 6 | |
| Ay - uniferic and restricted | | 0 4 6 |
| 26 - stimulant - hysteric and fainting fits | 0 0 4 | |

| MEDICINES. | Adults, Do | Children from 2 to 4 years, | Proper Vehicle, &c. |
|--------------------------------|-----------------|-----------------------------|-----------------------------|
| 1 SPIRIT SAL VOLATILE | 20 to 40 drops | 6 to 10 drops | water |
| 2 - SAL VOL. Fœtid | | Taxable Section | ditto |
| 3 SYRUP OF WHITE POP- | minter 5 | ensylvene | e aportest europe |
| PIES | 2 to 4 drams | I to 2 drams | 2 or three times a day |
| 4 SYRUP of BUCKTHORN | 2 to 4 drams | 1 to 2 drams | mint water |
| 5 GINGER . | 2 to 3 drams | 1 dram | water labino - d |
| 6 SPONGE, Burnt . | 20 to 30 grains | 10 to 15 grains | honey, twice a day . |
| 7, Lozenges of . | one to three | one to two | twice a day |
| 8 SQUILLS, Powder . | 1 to 2 grains | ½ to 1 grain | in a pill, twice a day . |
| 9, Oxymel . | 2 to 4 drams | 1 dram | mint water, ditto |
| 10, Tincture . | 15 to 30 drops | 6 to 10 drops | ditto, ditto |
| 11, Lozenges of | three to six | one to two | twice a day |
| 12 STEEL, Muriated tincture of | 10 to 30 drops | 3 to 6 drops | water, twice a day . |
| 13, Wine of . | 3 to 6 drams | 1 to 2 drams | ditto . |
| 14, Salt of . | 1 to 3 grains | half to 1 grain | pill, ditt . |
| 15 Powder of . | 10 to 40 grains | 2 to 4 grains | honey, ditto |
| 16 Red Sulphate of | 3 to 12 drops | 1 to 2 drops | water |
| 17 SULPHUR, Flowers of | 1 to 4 drams | 20 to 30 grains | honey, once a day |
| 18, Milk of . | ditto | ditto | ditto, ditto |
| 19 TARTAR, Emetic Chrystal | 1 to 2 grains | 1 to 1 grain | water |
| 20 TIN POWDER . | 20 to 40 grains | 10 to 15 grains | honey, every morning |
| 21 TINCTURE OF ALOES | 3 to 6 drams | 1 to 2 drams | water 20 |
| 22 ASAFŒTIDA | 30 to 60 drops | 1 to 2 drops | ditto, twice a day |
| 23 BENZOIN . | 15 to 30 drops | 6 to 8 drops | honey transferred - |
| 24 CANTHARIDES | 10 to 30 drops | 6 to 8 drops | barl, water twice a day |
| 25 CARDAMOMS | 2 to 4 drams | half to 1 dram | comomile tea |
| 26 COMP. DITTO | ditto | ditto 3 | ditto ban effected of ottib |
| 27 CASCARILLA | 1 to 3 drams | 10 to 15 drops | water imbasis - 6 |

THEIR PROPERTIES, DOSES, AND RETAIL PRICES. XXIII

| -58 | Effects, &c. | Diseases proper for. | Per | | nce. | | Pou Pint. | |
|-----|---------------------------|-------------------------------------|-----|---------|---------|-----|--------------|----|
| 1 | . stimulant | hysteric and fainting fits | 40 | s. 0 | d. 8 | 1.0 | s. 8 | d. |
| 2 | . ditto | ditto ditto | 0 | 0 | 8 | 0 | 8 | 0 |
| | ontib contibil eyesi | | | | | | | |
| 3 | . anodyne | coughs, restless, irritation, fever | 0 | 0 | 4 | 0 | 4 | 0 |
| 4 | - strong cathartic . | costiveness | 0 | 0 | 3 | 0 | 2 | 6 |
| 5 | . carminative | flatulence, cramp in the stomach | 0 | 0 | 3 | 0 | 3 | 0 |
| 6 | . alterative | scrophula and to a Oli Mo | 0 | 2 | 6 | 0 | 18 | 0 |
| 7 | . ditto | wen | 0 | 1 | 0 | 0 | 12 | 6 |
| 8 | . expectorant & diuretic | dropsy, asthma, chronic cough | 0 | 1 | 0 | 0 | 12 | 0 |
| 9 | . ditto ditto | dropsy, chronic cough, asthma | 0 | 0 | 4 | 0 | 4 | 0 |
| 10 | . ditto ditto | ditto ditto ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| 11 | . ditto ditto | ditto ditto ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| 12 | . tonic | indigestion, rickets, worms, &c. | 0 | 0 | 8 | 9 0 | 9 | 0 |
| 13 | . ditto | ditto ditto ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| 14 | ditto | ditto ditto ditto | 0 | 0 | 4 | 0 | 5 | 0 |
| 15 | · ditto · · · | ditto ditto ditto | 0 | 1 | 0 | | | |
| 16 | . ditto | ditto ditto ditto | 0 | 0 | 4 | 0 | 3 | 6 |
| 17 | . alterative and aperient | cutaneous foulness, piles, worms | 0 | 0 | 1 | 0 | 1 | 0 |
| 18 | . ditto | ditto ditto ditto | 0 | 0 | 4 | 0 | 3 | 6 |
| 19 | . emetic | | 0 | 1 | 0 | | | |
| 20 | . vermifuge | worms | 0 | 1 | 0 | oin | | |
| 21 | . purgative | costiveness, worms | 0 | 0 | 6 | 0 | 6 | 6 |
| 22 | . antispasmodic . | hysterics, asthma, hooping | 0 | 0 | 6 | 0 | 7 | 6 |
| 23 | . stimulant | flatulence, asthma | 0 | 0 | 8 | 0 | 3 | 6 |
| 24 | . diuretic | hooping cough | 0 | 0 | 8 | 0 | 7 | G |
| 25 | . stomachic | indigestion, flatulence | | 0 | 6 | 0 | 7 | 6 |
| 26 | . ditto | ditto ditto | | 0 | 6 | 0 | 7 | 6 |
| 27 | . ditto | ditto ditto, gout | 0 | 0 | 6 | 0 | 7 | 0 |

| MEDICINES, | Adults. | Children from 2 to 4 years. | Proper Vehicle, &c. |
|----------------------------|-----------------|--------------------------------|--------------------------|
| 1 TINCTURE of CATECHU | 1 to 2 drams | 15 to 20 drops | mint water, 3 ti. a day |
| 2 ——— COLUMBO | 1 to 2 drams | 10 to 20 drops | ditto ditto - |
| 3 — PERUV. BARK | 2 to 4 drams | 30 to 40 drops | ditto ditto - |
| 4 — HUXHAM'S Do. | 2 to 4 drams | 30 to 40 drops | ditto ditto - |
| 5 — VOLATILE Ditto | 1 to 2 drams | 10 to 20 drops | water, ditto - |
| 6 — IRON, Muriated | 10 to 30 drops | 3 to 6 drops | ditto ditto - |
| 7 — GENTIAN . | 2 to 3 drams | 12 to 30 drops | ditto ditto - |
| 8 — GUAIAC GUM | 30 to 60 drops | 5 to 6 drops | honey, twice a day - |
| 9 DITTO, Volatile | 1 to 2 drams | mark . | water, ditto |
| 10 — JALAP . | 2 to 4 drams | 1 dram | mint water |
| 11 - LAVENDER, Comp. | 30 to 80 drops | 15 to 20 drops | water |
| 12 MYRRH . | 1 to 2 drams | 10 to 15 drops | ditto, twice a day |
| 13 ——— OPIUM . | 10 to 30 drops | 3 to 5 drops | mint water |
| 14 ————, Acetic | 20 to 40 drops | 6 to 8 drops | ditto - |
| 15 —— RHATANY ROOT | 2 to 4 drams | 30 to 40 drops | ditto, 3 times a day |
| 16 DITTO, Comp. | ditto | ditto | ditto ditto |
| 17 TOBACCO, Extract of | 2 to 4 grains | half to 1 grain | in a pill, twice a day - |
| 18 TURPENTINE, Venice | 10 to 15 grains | | honey, ditto - |
| 19, Spirit of | 15 to 20 drops | - | ditto ditto - |
| 10, Chio . | 10 to 15 drops | China Control | ditto ditto - |
| 21 VALERIAN POWDER | 20 to 30 grains | 6 to 8 grains | mint water, twice aday |
| 22 VALERIAN, Tincture of | 1 to 3 drams | 10 to 40 drops | water, thrice a day - |
| 23, Volatile ditto | 40 to 80 drops | 10 to 15 drops | ditto - |
| 24 VITRIOL, Acid Elixir of | S to 15 drops | 5 to 7 drops | camo, tea, twice a day |
| 25 VITRIOLIC ACID, diluted | 12 to 20 drops | 7 to 10 drops | ditto - |
| 26 WORMWOOD, Conserve of | 1 to 2 drams | $\frac{1}{4}$ to 1 dram | twice a day |
| 27, Salt of | 5 to 8 grains | 1 to 4 grains | mint water, ditto |
| 28 WINE, Antimonial . | 2 to 4 drams | 1 to 2 drams | water |
| 29 — of IPECACUAN | 4 to 8 drams | 2 to 3 drams | ditto |
| 30 — of RHUBARB | 6 to 12 drams | 2 to 3 drams | mint water |
| 31 — of STEEL . | 3 to 6 drams | I to 2 drams | ditto, twice a day - |

THEIR PROPERTIES, DOSES, AND RETAIL PRICES.

| 1 | 1 | Effects &c. | Diseases—proper for | Per Ounce. | |
|---|-------|------------------------|--|------------|--------|
| 2 . stomachic indigestion, weakness, &c. 0 0 6 0 7 6 0 7 6 0 0 0 0 0 7 6 0 0 7 6 0 0 0 0 | 1 | astringent & stomachic | purgings, relaxation | | |
| 3 . ditto ditto ditto 0 0 0 6 0 7 6 4 . stomachic and cordial ditto ditto 0 0 0 8 0 8 0 8 6 5 . ditto ditto ditto 0 1 0 0 15 0 6 . tonic - ditto, rickets, worms 0 0 6 0 7 6 7 . stomachic - indigestion, flate nee 0 0 6 0 7 6 8 . stimulant - ditto, gleet, whites, &c. 0 0 8 0 9 0 9 . stimulant & sudorific ditto, rheumatism, &c. 0 0 8 0 9 0 11 . cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 . strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 . anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 20 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 21 . anti-nervous - nervous head-ache, &c. 0 0 8 0 8 0 22 . ditto - ditto ditto 0 0 0 8 23 . ditto - ditto ditto 0 0 0 8 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 0 8 0 8 0 26 . ditto - ditto ditto 0 0 0 8 0 8 0 27 . alkaline - heartburn, rickets 0 0 4 0 4 0 3 6 28 . emetic - ditto ditto ditto 0 0 0 6 0 7 0 29 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 20 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 21 . alkaline - heartburn, rickets 0 0 4 0 4 0 5 0 29 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 20 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 21 . alkaline - heartburn, rickets 0 0 0 6 0 7 0 22 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 23 . ditto - ditto - ditto ditto ditto 0 0 0 6 0 7 0 24 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 0 6 0 7 0 26 . ditto - ditto - ditto ditto ditto 0 0 0 6 0 7 0 27 . alkaline - heartburn, rickets 0 0 0 6 0 7 0 28 . debilite, gravin sickness whites 0 0 0 6 0 7 0 | 1 1 1 | 1974 | The state of the s | | peura. |
| 4 . stomachic and cordial ditto ditto 0 0 8 0 8 0 8 6 5 . ditto ditto ditto ditto 0 1 0 0 15 0 6 . tonic - ditto, rickets, worms 0 0 6 0 7 6 7 . stomachic - indigestio n, flate nee 0 0 6 0 7 6 8 . stimulant - ditto, gleet, whites, &c. 0 0 8 0 9 0 9 . stimulant & sudorific ditto, rheumatism, &c. 0 0 8 0 9 0 10 . brisk purgative - obstinate costiveness 0 0 8 0 9 0 11 . cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 . strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 . anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 8 0 8 0 22 . ditto - ditto ditto 0 0 0 8 0 8 0 23 . ditto - lowness of spirits, &c. 0 0 6 0 7 6 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 0 3 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic Costiveness, indigestion 0 0 6 0 7 0 30 . aperient - Costiveness, indigestion 0 0 6 0 7 6 30 . aperient - Costiveness, indigestion 0 0 6 0 7 6 | | | | 0 0 6 | 0 7 6 |
| 5 . ditto ditto ditto ditto 0 1 0 0 15 0 6 . tonic - ditto, rickets, worms 0 0 6 0 7 6 7 . stomachic - indigestion, flatence 0 0 6 0 7 6 8 . stimulant - ditto, gleet, whites, &c. 0 0 8 0 9 0 9 . stimulant & sudorific ditto, rheumatism, &c. 0 0 8 0 9 0 11 . cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 . strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 . anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachie - indigestion, relaxation, &c. 0 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 20 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 21 - anti-nervous - nervous head-ache, &c. 0 0 8 0 8 0 22 . ditto - ditto ditto 0 0 0 8 23 . ditto - lowness of spirits, &c. 0 0 6 0 7 6 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - Costiveness, indigestion 0 0 6 0 7 0 29 . ditto - Costiveness, indigestion 0 0 6 0 7 6 20 . debility, graven, sinkness webites 0 0 4 0 7 6 20 . debility, graven, sinkness webites 0 0 4 0 7 6 21 . aperient - Costiveness, indigestion 0 0 6 0 7 6 22 . debility, graven, sinkness webites 0 0 4 0 7 6 23 . ditto - Costiveness, indigestion 0 0 6 0 7 6 24 . stomachic - lowness of spirits, &c. 0 0 6 0 7 0 | | | | 0 0 8 | 0 8 6 |
| 6 . tonic ditto, rickets, worms | | | ditto ditto | 0 1 0 | 0 15 0 |
| 7 . stomachic - indigestion, flatence 0 0 6 0 7 6 8 . stimulant - ditto, gleet, whites, &c. 0 0 8 0 9 0 9 . stimulant & sudorific ditto, rheumatism, &c. 0 0 8 0 8 0 10 . brisk purgative - obstinate costiveness Q 0 8 0 9 0 11 . cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 . strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 . anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 0 0 0 0 0 0 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 20 . ditto - ditto 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | ditto, rickets, worms | 0 0 6 | 0 7 6 |
| 8 . stimulant - ditto, gleet, whites, &c. 0 0 8 0 9 0 9 . stimulant & sudorific ditto, rheumatism, &c. 0 0 8 0 8 0 10 . brisk purgative - obstinate costiveness Q 0 8 0 9 0 11 . cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 . strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 . anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachic - indigestion, relaxation, &c. 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto ditto 0 0 6 0 7 0 <tr< td=""><td></td><td></td><td></td><td>0 0 6</td><td>0 7 6</td></tr<> | | | | 0 0 6 | 0 7 6 |
| 9 . stimulant & sudorific ditto, rheumatism, &c. | | | ditto, gleet, whites, &c. | 0 0 8 | 0 9 0 |
| 10 brisk purgative - obstinate costiveness Q 0 8 0 9 0 11 cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 ditto and cordial ditto ditto 0 0 9 0 10 0 18 diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 4 0 4 0 4 0 4 0 | | | ditto, rheumatism, &c. | 0 0 8 | 0 8 0 |
| 11 cordial - lowness of spirits, fainting 0 0 6 0 7 6 12 strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 ditto and cordial ditto ditto 0 0 9 0 10 0 17 anodyne - hooping cough 0 3 0 0 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 4 0 | | | obstinate costiveness | 0 0 8 | 0 9 0 |
| 12 . strengthening - green sickness, debility, &c. 0 0 6 0 7 6 13 . anodyne - spasms, acute pains, &c. 0 1 0 0 12 0 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto 0 0 0 8 0 8 0 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto 0 0 3 0 3 0 26 . ditto and vermifuge indigestion, worms, &c. 0 0 4 0 3 6 28 . emetic - 0 0 4 0 3 6 29 . ditto costiveness, indigestion 0 0 6 0 7 6 4 . aperient - costiveness, indigestion 0 0 6 0 7 6 | | | lowness of spirits, fainting | 0 0 6 | 0 7 6 |
| 13 . anodyne - spasms, acute pains, &c. | | | green sickness, debility, &c. | 0 0 6 | 0 7 6 |
| 14 . ditto - ditto, coughs, asthmas, &c. 0 3 0 2 2 0 15 . stomachic - indigestion, relaxation, &c. 0 0 8 0 8 0 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto 0 0 6 0 7 6 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms, &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - - 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 0 | | Sel street | spasms, acute pains, &c. | 0 1 0 | 0 12 0 |
| 16 . ditto and cordial ditto ditto 0 0 9 0 10 0 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto 0 0 6 0 7 6 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms. &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - ditto 0 0 6 0 7 0 29 . ditto - ditto 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | | | ditto, coughs, asthmas, &c. | 0 3 0 | 2 2 0 |
| 17 . anodyne - hooping cough | 15 . | stomachic - | indigestion, relaxation, &c. | 0 0 8 | 0 8 0 |
| 17 . anodyne - hooping cough 0 3 0 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto 0 0 6 0 7 6 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms, &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - 0 0 6 0 7 0 29 . ditto - 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | | ditto and cordial | ditto ditto | 0 0 9 | 0 10 0 |
| 18 . diuretic, &c. gleet, fluor albus, gravel 0 0 4 0 4 0 19 . ditto - ditto, gravel, rheumatism 0 0 2 0 1 6 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto 0 0 6 0 7 6 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms, &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - 0 0 6 0 7 0 29 . ditto costiveness, indigestion 0 0 6 0 7 6 | 17 . | anodyne - | hooping cough | 0 3 0 | |
| 20 . ditto - ditto ditto 0 0 8 21 - anti-nervous - nervous head-ache, &c. 0 0 4 0 4 0 22 . ditto - ditto 0 0 6 0 7 6 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest.flatulence, relaxation 0 0 6 0 7 0 25 . ditto - - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms. &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | | diuretic, &c. | gleet, fluor albas, gravel | 0 0 4 | 0 4 0 |
| 20 . ditto - nervous head-ache, &c. 0 0 4 0 4 0 4 0 21 - anti-nervous - ditto 0 0 6 0 7 6 22 . ditto - ditto 0 0 8 0 8 0 23 . ditto - lowness of spirits, &c. 0 0 8 0 8 0 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms, &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | 19 . | ditto | ditto, gravel, rheumatism | 0 0 2 | 0 1 6 |
| 22 . ditto - - ditto 0 0 0 0 7 6 23 . ditto - - lowness of spirits, &c. 0 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 8 0 | 20 . | ditto | ditto ditto | 0 0 8 | |
| 23 . ditto lowness of spirits, &c. | 21 - | anti-nervous - | nervous head-ache, &c. | 0 0 4 | 0 4 0 |
| 24 . stomachic - indigest, flatulence, relaxation 0 0 6 0 7 0 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms. &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - 0 0 4 0 5 0 29 . ditto costiveness, indigestion 0 0 6 0 7 6 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | 22 . | ditto | ditto | 0 0 6 | 0 7 6 |
| 25 . ditto - ditto ditto ditto 0 0 3 0 3 6 26 . ditto and vermifuge indigestion, worms. &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic - 0 0 4 0 5 0 29 . ditto - - 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | 23 . | ditto | lowness of spirits, &c. | 0 0 8 | 0 8 0 |
| 26 . ditto and vermifuge indigestion, worms. &c. 0 0 6 0 5 0 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic 0 0 4 0 5 0 29 . ditto 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | 24 . | stomachic - | indigest, flatulence, relaxation | 0 0 6 | 0 7 0 |
| 27 . alkaline - heartburn, rickets 0 0 4 0 3 6 28 . emetic 0 0 4 0 5 0 29 . ditto 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | 25 . | ditto | ditto ditto ditto | 0 0 3 | 0 3 6 |
| 28 . emetic 0 0 4 0 5 0 29 . ditto 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | 26 . | ditto and vermifuge | indigestion, worms. &c. | 0 0 6 | 0 5 0 |
| 28 . emetic 0 0 4 0 5 0 29 . ditto 0 0 6 0 7 0 30 . aperient - costiveness, indigestion 0 0 6 0 7 6 | | | heartburn, rickets | 0 0 4 | 0 3 6 |
| 29 . ditto 0 0 6 0 7 0 30 . aperient costiveness, indigestion 0 0 6 0 7 6 | | emetic | | 0 0 4 | 0 5 0 |
| 30 aperient - costiveness, indigestion 0 0 6 0 7 6 | | ditto | | 0 0 6 | 0 7 0 |
| debility green sickness whites 0 0 4 0 5 0 | | aperient | costiveness, indigestion | 0 0 6 | 0 7 6 |
| SI tonic admits, green states, vinces | 31 . | tonic | debility, greén sickness, whites | 0 0 4 | 0 5 0 |

CATALOGUE OF DRUGS, WITH THEIR RETAIL PRICES.

| | | | , | | | |
|----------------------|------------|------|-------|--|----|-----|
| PLAISTER OF AM | MONIACU | M | , d. | ESSENTIAL OIL OF CLOVES | S. | d. |
| AND QUICKSILV | ER per o | z. (| 0 6 | per oz. | 6 | 6 |
| PLAISTER, Blisterin | ıg . | 1 | 0 | CHAMOMILE | 5 | 0 |
| , Cephalic | | 0 | 6 | PENNYROYAL | 4 | 0 |
| , Diachylo | on . | 0 | 3 | JUNIPER | 1 | 6 |
| - | - with Gun | 1 0 | 4 | LAVENDER | | |
| , for Corn | s . | 1 | 0 | English | 5 | 0 |
| , Defensiv | е . | Θ | 3 | ROSEMARY | 2 | |
| , Cumin | | 0 | 3 | RUE . | 4 | |
| , Laudanur | n . | 1 | 0 | RHODIUM S | 2 | 0 |
| -, Sticking | | 0 | 3 | | 6 | 0- |
| , Strengther | ning . | 0 | 3 | OIL OF ALMONDS | 0 | 4 |
| OINTMENT, Antisporio | | 0 | 4 | MACE | 5 | 0 |
| , Yellow B | asilicon | 0 | 3 | | 0 | |
| , Mercurial | , strong | 0 | 6 | Dogge | 0 | |
| E 7 00 F 9 | , weak | 0 | 3 | TV NA | 0 | |
| , Spanish F | lies . | 0 | 10 | No. of the second | 3 | |
| , Spermace | i . | 0 | 4 | harry all the same of the same | 2 | |
| , Sulphur | | 0 | 3 | ARECA CHARCOAL, 3s. 6d. per 1 | | 100 |
| , Saturn | | 0 | 4 | bottles 7s. to 20s. | | id |
| , Simple | | 0 | 3 | PREPARED CHARCOAL, 2s. 6d | | |
| ESSENTIAL OIL OF | | | | Ss. 6d. per bottle | | |
| MINT | one | 6 | 6. | PREPARED JAMAICA GINGER | | |
| , SPEA | | | | 2s. 6d. 5s. 6d. and 12s. per bottl | - | |
| , DILL | | | | DED DEDOLES | | |
| , CARA | | | | WHITE DITTO | | |
| SEED . | | 2 (|) | LUNAR CATISTIC | | 0 |
| 2 0 0 | 100 | - | 11411 | addition of the state of the st | 7 | 0 |

MEDICINE CHESTS,

&c. &c.

The following Dispensaries and Chests are kept at the Medical Hall, properly fitted up for different Climates.

THE Chests are neatly made of mahogany, and the Bottles of the best flint glass, with air-tight stoppers. The bottles, drawers, and pots, have titles on them expressive of their contents, with a numerical reference to the Book of Directions.

THE FAMILY DISPENSARY,

CONTAINING

Five Bottles in the Back Part, for

No. 1. Magnesia

2. Epsom Salt

3. Castor Oil

No. 4. Tincture of Rhubarb

5. Cajeput Liniment

Five Bottles in the Front Part, for

6. Comp. Tinct. of Bark, or

7. Tinct. Ginger and Camomile

8. Com. Tinct. of Senna

9. Com. Spirit of Lavender

10. Mindererus's Spirit

11. Paregoric Elixir

Nine Bottles in the Right Wing, for

12. Spirit of Hartshorn

13. Spirit of Sal Volatile

14. Vitriolic Æther

15. Sweet Spirit of Nitre

16. Antimonial Wine

17. Tincture of Myrrh

18. Diluted Vitriolic Acid

19. Tincture of Asafætida

20. Volatile Tincture of Guaiac Gum

Nine Bottles in the Left Wing, for

21. Salt of Wormwood

22. Crystall. Lemon Acid

23. Ipecacuan Powder

24. Essential Salt of Bark, or

25. Salt of Steel

26. Rhubarb Powder

27. Jalap Powder

28. Camphorated Powder

29. Compound Cretaceous Powder

30. Extract of Lead

Nine small Bottles in a Drawer, for

- 31. Liquid Laudanum
- 32. Essence of Peppermint
- 33. Essence of Cinnamon
- 34. Prepared Calomel
- 35. Emetic Tartar

- 36. Basilic Powder
- 37. Antimonial Powder
- 38 Camph. Acetic Acid
- 39 Tinct. for Tooth-Ache

Six Pots in a Drawer, for

- 40. Blistering Plaster
- 41. Spermaceti Ointment
- 42. Brown Cerate
- 43. Yellow Basilicon
- 44. Savin Ointment
- 45. Squill Pill
- 46. Aperient Pills
- 47. Lenitive Electuary

Six Drawers in the Front, with Partitions, for

- 48. Peruvian Bark, or Rhatany Root Powder
- 49. Jamaica Ginger Powder
- 50. Senna Leaves
- 51. Flaky Manna
- Gum Arabic Powder
 Purified Nitre Ditto
- 54. Cream of Tartar
- 55. Flowers of Sulphur
- 56. Court Plaster
- 57. Lint and plaster Sinks
- 58. Diachylon
- 59. Ditto with Gum
- 60. Prepared Natron

Two large Drawers in the Front, for

Pestle and Mortar
Graduated Ounce Measure
Ditto — Drop ditto
Scales and Weights
Spatula Bolus Knife
Funnel and Tyle

A Lavement Bag, with pipe
A small Male and Female
Syringe
A Probang
A Tourniquet

With the Medical Guide Complete £20 8 0

The SECOND SIZE, complete - - - - 17 10 0

The THIRD SIZE, with four bottles on the back, five on the front, nine in each wing, six in a drawer—three small and three large drawers—six pots for ointments and pills, furnished with medicines—pestle and mortar, graduated measure, funnel, ivory scales and weights, spatula, bolus knife, lavement bag and pipe, syringe, book of directions, &c. complete - - - - £13 10 0

The FOURTH SIZE, containing the same articles as the Third Size, complete - - - - - 10 6 0

The FIFTH SIZE, containing four bottles on the back,

five on the front, six in each wing, six small ones in a drawer—four large and two small drawers—six pots for ointments and pills, furnished with medicines, pestle and mortar, funnel, measure, bolus knife, spatula, lavement bag and pipe,

With book of directions, &c. complete £8 12 0

The SIXTH SIZE, containing three bottles on the back part, four in the front, six in each wing, six in a drawer, two drawers furnished with medicines, pestle and mortar, spatula, bolus knife, graduated measure, scales and weights,

Book of directions, &c. complete - - £6 6 0

THE

COUNTRY CLERGYMAN'S DISPENSARY.

This Chest is made on a very cheap plan, and supplied with Black Bottles.

THE FIRST SIZE CONTAINS

Eight half-pint Bottles, for

Magnesia Epsom Satls Castor Oil Tincture of Rhubarb

Mindererus's Spirit Cream of Tartar Flowers of Sulphur Senna leaves

Twenty-four wide and narrow mouth square Bottles, for

Huxhams's Tincture of Bark
Tincture of Senna
Ditto Camomile & Ginger
Spirit of Lavender
Paregoric Elixir
Spirit of Hartshorn
Ditto Sal volatile
Sweet Spirit of Nitre
Vitriolic Ether
Antimonial Wine
Tincture of Myrrh
Diluted Vitriolic Acid

Vol. Tinct. of Guaiac gum
Cajeput Liniment
Extract of Lead
Salt of wormwood
Peruvian Bark
Ipecacuan powder
Rhubarb Ditto
Jalap Ditto
Camphorated Powder
Cretaceour Powder
Gum Arabic
Purified Nitre

Eight Bottles in a Drawer, for

Liquid Laudanum
Essence of Peppermint
Prepared Calomel
Emetic Tartar
Salt of Steel

Basilic Powder
Antimo. febrifuge powder,
commonly called James's
Fever Powder
Camphorat. Acetic Acid

Six Pots in a Drawer, for

Blistering plaster Spermaceti Ointment Yellow Basilicon Brown Cerate Aperient Pills Squill Pill

A large Drawer, for

Diachylon Plaster
Gum Plaster
Lint
Court Plaster
Leather
Spatula
Bolus Knife
Box of Scales and Weights

Tyle
Pestle and Mortar
Graduated measure and
funnel
Lavement Bag
Tourniquet
Probang
Book of Directions, &c.

Complete with medicines -

£9 5 0

The Second Size, containing eight half-pint bottles, eighteen 4 oz. bottles, six small bottles in a drawer, six pots for ointment and pills, partitions for plasters—spatula, bolus knife, scales and weights, pestle and mortar, graduated measure, tyle, lavement bag and pipe, tourniquet, probang, and book of directions.

Complete with medicines £8 6 0

The Thind Size, containing on the top, three-half pint bottles, twelve 4 oz. a large drawer with five small bottles, five pots—pestle and mortar, graduated measure, scales and weights, bolus knife.

Complete, with medicines and book of directions £5 5 0

THE TRAVELLER'S DISPENSARY,

Made flat for the Pocket of a Carriage

Contains on the top five Bollles in a row, for

Magnesia
Tincture of Rhubarb
Huxham's Tinct. of Bark

Rochelle Salt Cajeput Liniment Five small Bottles in a Drawer, for

Spirit of Hartshorn Rhubarb Powder Essence of Peppermint Antimonial Powder Ipecacuan Powder Laudanum Prepared Calomel

A Drawer, for

Court Plaster Lint Scales and Weights Book of directions

Complete £3 10 0

CONTINENTAL DISPENSARY.

FOR THE USE OF TRAVELLERS TO FRANCE, GERMANY.
ITALY, HOLLAND, SPAIN, AND RUSSIA.

THE LARGEST, or FIRST SIZE, contains in the upper Partition,

Eight half-pint Bottles, for

Magnesia Epsom Salts Castor Oil Tincture of Rhubarb Mindererus's Spirit Cream of Tartar Flowers of Sulphur Senna Leaves

Twenty-four wide and narrow-mouthed square Bottles, for

Huxham's Tinct. of Bark
Tincture of Senna
Ditto Camomile & Ginger
Spirit of Lavender
Paregoric Elixir
Spirit of Hartshorn
Ditto Sal Volatile
Sweet Spirit of Nitre
Vitriolic Ether
Antimonial Wine
Tincture of Myrrh
Diluted Vitriolic Acid

Vol. Tinct. of Guaiac gum
Cajeput Liniment
Extract of Lead
Salt of Wormwood
Peruvian Bark
Ipecacuan Powder
Rhubarb ditto
Jalap ditto
Camphorated Powder
Cretaceous Powder
Gum Arabic
Purified ditto

Eight Bottles in a Drawer, for

Liquid Laudanum
Essence of Peppermint
Prepared Calomel
Emetic Tartar
Salt of Steel

Basilic Powder
Antimon. febrifuge powder,
commonly called James's
Fever Powder
Camphorat. Acetic Acid

Six Pots in a Drawer, for

Blistering Plaster Spermaceti Ointment Yellow Basilicon

Brown Cerate Aperient Pills Squill Pill

A large Drawer, for

Diachylon Plaster
Gum Plaster
Lint
Court Plaster
Leather
Spatula
Bolus Knife
Box of Scales and Weights

Pestle and Mortar
Graduated Measure and
Funnel
Lavement Bag
Tourniquet
Probang

Complete with medicines, and book of directions £9 15 0

The Second Size, containing eight half-pint bottles, eighteen 4 oz. bottles, six small bottles in a drawer, six pots for ointment and pills, partitions for plasters—spatula, bolus knife, scales and weights, pestle and mortar, graduated measure, tyle, lavement bag and pipe, tourniquet, probang, and book of directions.

Complete with medicines £8 16 0

The THIRD SIZE, containing, on the top, three halfpint bottles, twelve four ounce, a large drawer with five small bottles, five pots—pestle and mortar, graduated measure, scales and weights, bolus knife.

Complete, with medicines and book of directions £5 9 0

THE TROPICAL DISPENSARY.

For the East and West Indies, Africa, and South America.

Of this Chest there are four sizes.—The largest size contains in the upper division,

Four Pint Bottles, for

Magnesia Peruvian Bark Powder

Epsom Salt Mindererus's Spirit

Sixteen half-pint Bottles, for

Tincture of Rhubarb
Paregoric Elixir
Castor Oil
Salt of Wormwood
Concrete Acid of Lemon
Antimonial Wine
Spirit Sal Volatile
Liquid Laudanum

Camphorated Spirit
Cajeput Liniment
Compound Tinct. of Bark
Vol. Tinct. of Guaiac gum
Comp. Spirit of Lavender
Comp. Tincture of Senna
Ginger Powder
Extract of Lead

Thirty-two four ounce Bottles, for

Diluted Vitriolic Acid Tincture of Myrrh Ether Rhubarb Powder Jalap ditto Basilic ditto Compound Cretaceous ditto Tincture Asafætida Bals. Copaivi 1pecacuan Powder Olive Oil Oil Turpentine Spirits of Hartshorn Tinct. Ginger & Camomile Sweet Spirit of Nitre Salt of Steel Gum Arabic Powder

Nitre powder
Camphorated Powder
Aromatic Tincture
Prepared Natron
Essence of Peppermint
Ditto Cinnamon
Comp. Tinct. of Gentian
Dover's Powders
Antimonial Powder
Alum
Vitriolated Zinc
Muriated Tinct. of Steel
Cascarilla Powder
Hoffman's Anodyne Liquor
Ipecacuan Wine

In the Drawers-Partitions, for

Senna Leaves Peruvian Bark bruised Cream of Tartar Flowers of Sulphur

Different Plasters
Tow, Corks, Syringes
Tourniquet, Probang, &c.

Twelve Bottles, for

Prepared Calomel
Red Precipitate
Emetic Tartar
Smelling Salts
Acetic Acid
Essential Salt of Bark

Essence for Tooth-Ache Lunar Caustic Blue Vitriol Opium Powder Essence of Pennyroyal

Eight Pots, for

Mercurial Ointment Yellow Basilicon Brown Cerate Citrine Ointment

Blistering Plaster Spermaceti Ointment Aperient Bills Squill Pill

Partitions for

Scales and weights, graduated measures, bolus knives, spatula, slab, &c.—This chest furnished as above, with book of directions, amounts to - - - - £16 10 0 Second Size ditto - - - - - - 13 15 0 Third ditto ditto - - - - - - 8 5 0

THE LADY'S DISPENSARY,

CONTAINS IN THE UPPER PART

Twelve Bottles, for

Epsom Salt
Peruvian Bark Powder
Castor Oil
Tincture of Rhubarb
Spirit Sal Volatile
Comp. Spirit of Lavender

Salt of Wormwood Concrete Acid of Lemon Camphorated Spirit Huxham's Tinct. of Bark Tincture of Rhatany

Six Bottles in the Drawer, for

Rhubarb Powder Laudanum Essence of Peppermint Ipecacuanha Camphorated Acetic Acid Tincture for Tooth-Ache

Two Boxes in the Drawer, for

Ecphratic Pill

| Tonic Pill

With graduated measure, pestle and mortar, scales and weights, bolus knife,

And book of directions - - £5 10 0

THE SEA MEDICINE CHEST.

FOR THE USE OF NAVY SURGEONS AND CAPTAINS OF MERCHANTMEN.

This Case is made of deal, and furnished with black bottles.

CONTENTS.

Eight wide and narrow-mouth two quart Bottles, for

Olive Oil Spirit of Turpentine Rectified Spirit of Wine Epsom Salt Peruvian Bark Powder Opodeldoc Flowers of Sulphur Distilled Vinegar

Sixteen one quart narrow and wide-mouth Bottles, for

Camphorated Spirit of Wine
Sweet Spirit of Nitre
Spirit of Hartshorn
Huxham's Tinct. of Bark
Aromatic Tincture
Comp. Tincture of Gentian
Ditto ditto Senna
Oil of Almonds

Extract of Lead
Tincture of Rhubarb
Paregoric Elixir
Antimonial Wine
Castor Oil
Magnesia
Purified Nitre
Gum Arabic

Twelve pint Bottles, for

Vitrolic Acid
Nitric Acid
Muriatic Acid
Tincture of Myrrh
Comp. Tinct. of Benzoin
Volatile Tinct. of Guaiacum

Spirit of Sal Volatile
Acid Elixir of Vitriol
Spirit of Sal Ammoniac
Tincture of Opium
Prepared Kali
Ether

Thirteen half-pint Bottles, for

Muriated Tincture of Steel Crystallized Acid of Lemon Rhubarb Powder Jalap Powder Prepared Oyster Shells Refined Camphor Aromatic Spices Tincture of Asafætida Hoffman's Anodyne Liquor Tincture of Squills Balsam copaivi Tincture Catechu Soluble Tartar Gum Arabic Powder

Thirty four-ounce square Bottles, for

Prepared Calomel Powdered Opium Ipecacuan Powder Emetic Tartar Essence of Peppermint Acetic Acid Dover's Powder Antimonial Powder Salt of Steel Lunar Caustic Comp. Cretaceous Powder Essence of Cinnamon Prepared Ammonia Socotrine Aloes Powder Gum Myrrh ditto Granulated Tin

Red Precipitate of Mercury
White ditto
Corros. Sublimate of ditto
White Vitriol
Blue Vitriol
Sugar of Lead
Prepared Natron
Golden Sulphur of Antimony
Caustic Alkali
Guaiacum Powder
Cantharides ditto
Hemlock ditto
Sal Ammoniac
Prepared Steel

Six Boxes, for

Peruvian Bark bruised Senna Leaves Manna Lint Tow and Leather Skins Diachylon Plaster

Gum Plaster Adhesive ditto Blistering ditto Strengthening ditto Mercurial ditto

Seven Pots, for

Strong Mercurial Ointment Brown Cerate Yellow Basilicon Opiate Confection

Spermaceti Ointment The Edinburgh ditto Conserve of Hips

Five small Pols, for

Cordial Confection Purified Opium Cathartic Extract

Citrine Ointment Mercurial Pills

PORTABLE CHEST OF CHEMISTRY.

On the top are partitions for forty-six stopper bottles of different sizes, with wide and narrow mouths, for the following articles. Each bottle, independent of a label, has a number engraved upon it, that in case the paper label should be destroyed, the contents of the bottle may be ascertained by the numerical arrangement of the Chemical Guide.

1. Black Oxid Manganese

2. Metallic Zinc

3. Metallic Nickel

4. Carbonate Potash

5. Sulphuric Acid

6. Muriatic Acid

7. Nitric Acid 8. Carbonate Soda

9. Carbonate Ammonia

10. Muriate Lime

11. Solut. Pure Potash

12. Solut. Pure Ammonia

13. Solut. Sulphate Iron

14. Prussiate Potash & Iron

15. Tinct. Galls

16. Solut. Mur Tin

17. Sulphuret Potass.

18. Solut. Acetite Lead

19. Solut. Oxalate Ammo-

20. Solut Nitrate Lead

21. Solution Sulphate Manganese

22. Crys. Boracic Acid

23. Solut. Nitrate Barytes

24. Solut. Muriate Copper

25. Sulphuric Ether

26. Alkohol

27. Oxalic Acid

28. Metallic Bismuth

29. Solut. Succinate Ammonia

30. Phosphorous

31. Oxymuriate Potash

32. Oxymuriate Mercury

33. Sulphuret Ammonia

34. Solut. Nitrate Silver

35. Phosphuret Lime

36. Nitrate Copper

37. Muriate Ammonia

38. Citric Acid

39. Solut. Nitrate Mercury

40. Pure Strontia

41. Pure Barytes

42. Muriate Cobalt 43. Acetic Acid

44. Tinct. Soap

45. Ammoniaret of Copper

46. Solut. Mur. Gold

In the Drawer there are six stopper Bottles for the following articles :-

47. Black Flux 48. White Flux

49. Dried Borax

50. Glacial Acid of Phosphorus

51. Glass of Borax, &c. &c.

Four Tin Cases, for

Tumeric Paper Litmus Paper Brazil Paper Gall Paper Also a drawer for scales and weights, graduated measure, funnel, knives, pestle and mortar, microscope, blowpipe, and other apparatus for chemical experiments, with a copy of the Chemical Guide.

| LARGEST SIZE, complete | - | - | - | - | - | -£ | 25 | 10 | 0 |
|------------------------|---|---|---|---|---|----|----|----|---|
| SECOND SIZE, complete | - | | - | - | - | | 15 | 10 | 0 |
| FVS | | | | | | | | 10 | |
| 77 0 | _ | - | | - | - | - | 8 | 10 | 0 |
| FIFTH SIZE, complete - | - | | - | 1 | | - | 5 | 10 | 0 |

THE MINERALOGICAL CHEST.

CONTAINING

RE-AGENTS, IMPLEMENTS, &c.

FOR THE

Analysis, or Examination of Mineral Productions.

| First Size, complete - | - | - | - | - | - | -£ | 10 | 10 | 0 |
|------------------------|---|---|---|---|---|----|----|----|---|
| SECOND SIZE, complete | - | - | - | - | - | | 8 | 10 | 0 |
| THIRD SIZE, complete | | | | | | | | | |

CHEST OF APPARATUS,

FOR

CHEMICAL EXPERIMENTS.

CONTAINING A

Japan Water Bath
Table Furnace
Iron Retort and Conducting
Tube
Three Glass Retorts
Two Receivers
Argand's Lamp with brass
stand, &c.
Two Flasks
Glass Tube
Glass Alembic
Two Funnels

Assortment of Crucibles
Three Evaporating Dishes
Air Flask with bent tubes
Set of Air Jars
Set of Hydrogen and Oxygen Apparatus for Entertaining Experiments
Glass Jar mounted with
Air Cocks and Bladder
Six Test Glasses
One Eudiometer
Filter Bath, &c.
£ 15 8 0

THE VETERINARY CHEST.

OR GENTLEMAN'S STABLE DISPENSARY.

The general advantages of this chest consist in the medicines being carefully prepared with drugs of the best quality, instead of the trash generally sold for the use of horses, which possess little or no medicinal properties. The cases are made with mahogany and oak, and furnished with common glass bottles.

It contains one large Drawer, with Partitions, for

Cathartic Balls Strong ditto Worm ditto Alterative ditto Diuretic Balls Cordial ditto Cough ditto Alterative Powders

Nitre Powder Flowers of Sulphur Aniseed Powder Liquorice ditto Fænugreek Powder Antimony ditto Liver of ditto &c. &c.

Nine Bottles in the top Part, for

Spirit of Wine and Camphor | Embrocation for Sprains Spirit of Turpentine Opodeldoc Oil of Wild Thyme

Goulard's Extract Laudanum Distilled Vinegar, &c.

Four tin Cases, with Partitions, for

Blistering or Spavin Oint- || Cooling Ointment Alterative, or Grease Oint-

Healing ditto Mercurial Ointment Digestive ditto, &c.

Six small Bottles, for

Corrosive Sublimate Lapis Infernalis

Butter of Antimony Red Precipitate, &c.

From £7 10s. to £12 6s. and upwards

AN

ACCOUNT OF

USEFUL FAMILY PREPARATIONS.

(CHIEFLY TAKEN FROM DR. REECE'S MEDICAL GUIDE.)

PREPARED ARECA CHARCOAL.

The properties of charcoal, as a Dentrifice, were noticed in the first edition of this work, under the title of Carbonic Powder; since which it has been very generally em-

ployed for the purpose of cleaning the teeth.

Well-calcined charcoal, reduced to a fine powder, is, no doubt, a very innocent and excellent tooth-powder. It gives the enamel a fine, healthy, white appearance, destroys the offensive effluvia arising from carious teeth, and will not only prevent caries of the enamel, but even arrest its progress after it has taken place; and it is worthy of remark, that people who have been great sufferers by tooth-ache, have not experienced the least relapse after the regular use of this powder. It is likewise very efficacious in destroying unpleasant tastes in the mouth, and for cleaning the tongue in cases of putrid fever, sorethroat, and indigestion. The charcoal, prepared from the Areca nut, has been held in high estimation among the Indians; and Dr. Lind, late of Bengal, states, that by its use he has preserved all his teeth perfectly sound; although now arrived to the age of eighty: and several very respectable gentlemen who have resided many years in the East Indies, have assured me that it is esteemed a great preserver of the teeth, and a certain preventive against the tooth-ache. The charcoal of the Areca nut (generally termed Betel nut in this country) certainly affords a more solid powder than that of wood, and therefore, for the purpose of cleaning the teeth, is more efficacious. It also possesses an alkalescency, which renders the matter that adheres to the teeth more readily removed by the brush ;—a property from which the common charcoal is entirely exempt.

On the very respectable authority of Dr. Lind, I was induced to give the Areca charcoal a trial; and, from long experience I have no hesitation in recommending its

adoption in preference to that of wood.

It is become necessary to caution the public against the tooth powders recommended by many dentists, and particularly those sold by perfumers, which being composed of the most destructive minerals, may for a short time render the teeth white, but will ultimately prove very injurious by their mechanical action on the enamel. Indeed such is the mischief that uniformly follows their use, that the introduction of the Areca charcoal into this country may be considered a great desideratum, and, as soon as its valuable properties are known, it will no doubt be generally adopted.

The tincture of rhatany root, mixed with a little water, forms a very excellent astringent lotion for the teeth, and should always acompany the use of the prepared charcoal, or any other dentrifice. This tincture, from its peculiar astringent power, braces and strengthens the gums, and its repeated use has often succeeded in fastening loose teeth.

(See Tooth-ache.)

Having examined the tooth-powder industriously advertised by several druggists, under the name of Prepared Charcoal, I can assert, that I have not found any to be genuine charcoal powder, but a composition of burnt oyster-shells, which in no respect resembles charcoal; and as a dentrifice must assuredly prove very hurtful. The spurious charcoal powder may be known by being of a grey colour, whereas true charcoal is perfectly black.

Under the head of Tooth-ache, some further directions are given respecting the management of the teeth, and the

principal causes of caries and tartareous concretions.

ESSENTIAL SALT OF BARK.

This preparation, first introduced into practice in this country by Dr. Charles J. Smyth, contains in a concentrated state, the volatile and active properties of the Peruvian bark, in a high degree of perfection, and answers every purpose of the powder, without producing the ill effects of nausea, vomiting, and purging, so much to be dreaded in diseases of debility, such as putrid sore throats, mortifications, and agues; cases in which no other preparation of this valuable medicine affords a proper substitute for the powder.

Ten grains of the essential salt are equal to a drachm of the bark in substance. It is much more pleasant to the palate, and agrees better with the stomach, and may, with equal advantage, be employed where the use of a strengthening medicine is indicated. In intermittent and remittent fevers, ten grains may be taken every two hours, either in the form of pills, or dissolved in an ounce of camphorated julep; but for low fevers, putrid sore throat, and mortifications, red port wine is a proper vehicle; with which, in the proportion of three drachms to a quart, it makes an elegant tincture, possessing all the active properties of the Peruvian bark, and at the same time free from the pernicious effects of the ardent spirit of wine with which the different simple and compound tinctures are made.

In cases of indigestion, general weakness, whites, and gleets, the following form has been found to answer best:

Take of essential salt of bark, two drachms; dried soda, half a drachm; oil of carraways, ten drops. Mix them well together, and with simple syrup form a mass; to be divided into thirty-six pills, two or three of which are to be taken three times a day. If the patient cannot take pills, the solution of the salt of bark in port wine, as above directed, may be substituted for them.

ARTIFICIAL HARROGATE SALT.

This salt in the proportion of a large tea spoon-ful to half a pint of water, is equal to the same quantity of the highly extolled sulphurous waters of Harrowgate; and not less beneficial in its effects. Taken internally in the quantity of from half a pint to a pint and a half during the course of the morning, it is a powerful remedy in diseases of the skin, scorbutic complaints, scrofula, gout, and rheumatism. It is also very beneficial in removing piles, and correcting the disposition to that troublesome affection. We have also known it efficacious in destroying worms, particularly those termed ascarides. A bath of it is of great service in chronic rheumatism, obscure pains about the joints, sprains, and contributes to the cure of old ulcers. It should be taken in such quantities as to produce a gentle laxative effect on the bowels.

BASILIC NUT.

This nut is composed of the basilic powder and gin-

gerbread The basilic powder is the most effectual and safe remedy for the expulsion of every species of worms which form in the stomach and intestines, that has been discovered. It is also a very excellent alterative purgative medicine for children, as it not only carries off slime and crudities from the bowels, but also corrects the constitution and destroys a predisposition to the generation of worms. Combined with gingerbread it is more readily taken by children, and no portion lost, as is generally the case when administered in a liquid. The basilic powder is given to children of all ages, every second and third morning, in the doses of four grains to a child of one year old, increasing one grain for every year to the age of twenty. In each nut containing twenty grains, the powder is so well blended, that it may be divided into doses proportioned to the age of the patient with accuracy.

ASSARABACCA SNUFF.

This powder (the basis of which is the assarabacca herb) is a most excellent cephalic. A few grains shuffed up the nose produces a considerable discharge of mucus from the internal surface and sneezing, by which the most obstinate head-ache, tooth-ache, complaints of the eyes, (particularly gutta serena, and weakness of sight) and paralytic and other complaints, attended with stupor or drowsiness, have been effectually cured. Geoffroy states that after snuffing up four or five grains of this powder in an evening, he has found the discharge from the nose to continue for three days together, and this author observes that it so effectually clears the head and rouses the energy of the brain, that it has cured palsy of the tongue and deafness. It is more efficacious in these complaints than the powder sold under the name of cephalic snuff, which is a compound of herbs of little or no medicinal virtue as an application to the nostrils.

TINCTURE FOR TOOTH ACHE.

This composition is the most efficacious remedy for tooth-ache that has been discovered. Being first prepared by Mr. Perry of Farnham, it is generally sold under the name of Perry's essence for the tooth-ache.

COLD EXPRESSED CASTOR OIL.

The oil of the castor-seed expressed without heat is free from the unpleasant acrid taste of the castor oil imported from the West or East Indies, on account of greater care being taken in decorticating the seed (the oil of the rind being very acrid) and less heat employed in the process. As an aperient medcine it is equally efficacious.

CITRIC ACID,

AND

LEMONATED CARBONATE OF SODA.

On dissolving a small tea spoon-ful of each of these salts separately in a glass of water, and mixing them together, effervescence and evolution of a considerable quantity of carbonic acid gas takes place, in which state it should be drank. It is more pleasant and cooling than soda water, and, being slightly aperient, is more beneficial in indigestion, a torpid state of the bowels and liver, and those affections which arise from residence in hot climates, and the too free use of wine.

THE GALVANIC BRUSH.

This brush consists of metallic wires distributed through the hair and terminating in the handle, for the purpose of more effectually conducting superabundant electric matter from the body. In cases of local pains from super-irritation and inflammation of nerves, as Gout, &c. it has lately been found more efficacious than liniments or any external application. In accute pains of the head, it often affords immediate relief. One office of the nerves being to conduct animal electric matter from the brain, rheumatic pains are often occasioned by some interruption to this subtile fluid in consequence of diseased structure or contracted state of the nerves, or by a dry state of skin not affording a conducting surface. Hence, friction by producing an equal distribution of animal electrive matter, and favouring an escape of any super-abundance to the air often proves highly beneficial.

TINCTURE OF GINGER AND CAMOMILE.

This tincture strongly impregnated with the aromatic virtues of the Jamaica ginger root, and the essential oil and bitter quality of the camomile flower, affords a most valuable stomachic medicine; and in cases of indigestion, flatulency, relaxation of the bowels, dropsy, and complaints arising from debility of the digestive organs, it has often succeeded after the Peruvian bark had failed.

From thirty to forty drops of this tincture may be taken two or three times a day, in half a wine-glass of water. In gouty habits and obstinate cases of indigestion, arising from the too free use of spirituous liquors, or old age, the dose may be increased to a tea-spoonful and upwards.

When indigestion is attended with much nausea and acidity, an emetic should precede the use of this and other stomachic medicines, and, if attended with costiveness, this tincture may be more advantageously taken in the solution of Epsom salt, as recommended under the head of Epsom salt, but for nervous irritability and hypochondriacal affections, rosemary, sage, or valerian tea, will afford the best vehicle.

When indigestion or weakness of the system is attended with looseness or an irritable state of the bowels, the aromatic tincture of the rhatany root is preferable to this tincture.

RHATANY ROOT.

This root, the produce of Peru, has but lately been introduced into the practice of medicine in this country, although it appears, it has been long known to the physicians in Spain, for its tonic or bracing powers. In its sensible qualities, it approaches nearer to the Peruvian bark than any other vegetable production we are acquainted with, and, by the testimonies of those physicians and surgeons who have given it a trial in this country, it appears by no means inferior in its medicinal properties, but in many respects very superior. It is more grateful to the palate and stomach than Peruvian bark, and hence, many patients have been able to persevere in its use that could not take Peruvian bark in any form.

In the cure of intermittants it has not been known to fail; and in one instance, communicated by Mr. Butters, an eminent surgeon, of Kenning Hall, in Norfolk, it proved successful after the Peruvian bark, in full doses, had produced no effect.

It possess an astringent and bitter quality, so grateful to the palate, that the wine manufacturers in Portugal have long used it for the purpose of enriching Port wine, and from the quantity used by them, it is not improbable, that the medicinal property of that wine is principally derived from it.

From the success that has uniformly attended the exhibition of this medicine we can confidently assert, that it is a most valuable restorative medicine, and very superior

to any other of the class of tonics.

Sir Henry Halford, Dr. Cheston, of Gloucester; Dr. Pearson, Dr. Percival, Dr. Caton, Dr. Henderson, Dr. Marris, Dr. Bugo, of Rochester; Mr. Carmichael, surgeon, Dublin; the apothecary of the Chester infirmary, and many other respectable practitioners, speak so highly of its tonic powers, that there can be no doubt, as soon as its medicinal virtues are known to the medical profession, it will experience a decided preference to the Peruvian bark.

In all diseases that require the use of a tonic medicine, the rhatany root may be used in the same manner as directed for the Peruvian bark, but as it is somewhat stronger, a less dose will suffice; fifteen grains of the powder may be considered equal to twenty of the best Peruvian bark.

Of this root, the same preparations are kept as of the Peruvian bark; viz. the powder, the extract, and the

simple, aromatic and compound tinctures.

The extract, which is made by inspissating the expressed juice of the root in the heat of the sun, (by the natives of South America) possesses in great perfection, the medicinal properties of the root, and may be taken in the form of pills, to the extent of five or ten grains, twice a day.

The powder may be taken from ten to thirty grains.
The aromatic tincture of rhatany is a pleasant and efficacious stomachic, and, in the dose of two tea-spoonfuls in a little water, three or four times a day, will prove an admirable remedy for indigestion and its consequences, as flatulency, heartburn, cramp in the stomach, nervous ir-

ritability, &c.

The compound tincture is taken in the same manner

and for the same purposes.

The simple tincture is much recommended for cleaning the teeth, with the Areca nut charcoal, in lieu of the tincture of myrrh; it more effectually constringes and strengthens the gums.

The following are very efficacious forms for the exhi-

bition of this valuable medicine:

For Ague and Epileptic Fits.

1. Take of rhatany powder, one ounce; divide into sixteen equal parts; one to be taken every two or three

hours, in mint or rosemary tea: or

2. Take of rhatany powder, one ounce; ginger powder, one drachm; conserve of orange peel, one ounce. Mix, and with simple syrup form into an electuary. A teaspoonful, or the size of a large nutmeg, to be taken every hour in the absence of the hot fit of ague: or

3. Take of rhatany powder, and the aromatic tincture of rhatany, of each six drachms: pure water, seven ounces.

Mix.

Three large table-spoonfuls to be taken every three hours.

For Indigestion, Flatulence, Fluor Albus, Gleet, Barrenness, habitual Ulcers, &c.

4. Take of extract of rhatany root, one drachm and a half; vitriolated magnesia, two drachms; aromatic tincture of rhatany, half an ounce; pure water, seven ounces. Mix. Two or three table-spoonfuls to be taken every four hours.

This is a very excellent mixture for the diseases specified above. If the patient be affected with looseness, the vitriolated magnesia should be omitted; or in case of heartburn, scrophula, or gout, two drachms of the prepared natron may be substituted for it.

If the patient prefers pills, the following form will prove

not less efficacious :

 Take of extract of rhatany, one drachm and a half; dried natron, half a drachm; oil of caraway seeds, fifteen drops. Mix, and with simple syrup make a mass.

To be divided into thirty pills, two of which may be

taken three times a day, or three twice a day.

For Dropsy.

6. Take of extract of rhatany, two drachms; tincture of squills, one drachm; sweet spirit of nitre, and compound spirit of ammonia, of each two drachms; aromatic tincture of rhatany, half an ounce; pure water seven ounces. Mix.

Three table-spoonfuls to be taken three or four times 2

day.

In dropsical affections, either of the chest, belly, or extremities, this is a most efficacious remedy. By strengthening the system, and increasing the secretion of urine, it has proved successful in several deplorable cases.

For Diabetes.

7. Take of extract of rhatany root, one drachm; nitric acid, three drachms; aromatic tincture of rhatany, half an ounce; pure water seven ounces. Mix.

Two or three large spoonfuls to be taken three or four

times a day.

For habitual Looseness, or chronic Dysentery.

8. Take of extract of rhatany, one drachm and a half; aromatic tincture of rhatany, six drachms; lime water, seven ounces. Mix.

From two to three table-spoonfuls to be taken every

four hours.

For Typhus Fever and Mortification.

9. Take of extract of rhatany, one drachm and a half; camphorated julep, seven ounces; diluted vitriolic acid, two drachms. Mix.

Three large spoonfuls to be taken every four hours.

For Irritability of the Nervous System, Nervous Head-ach, Hypochondriacal Cases, St. Vitus's Dance, &c.

10. Take of extract of rhatany, one drachm and a half; camphorated julep, six ounces; compound spirit of ammonia, two drachms. Mix.

Two or three table-spoonfuls to be taken three times a

day.

This is an admirable mixture for allaying morbid irritability of the nerves.

For Coughs, Wheezing, Asthma, &c.

THE LETTUCE LOZENGE.

This lozenge is prepared according to the directions given by Dr. Duncan, sen. of Edinburgh, Professor of Medicine, &c. &c. It is composed of the inspissated Juice of the Garden Lettuce, Extract of Liquorice, Gum Arabic, and Tolu. Dr. Duncan highly extols this lozenge in cases of cough, consumption, &c. The property of the Garden Lettuce in allaying irritation was known so far back as the time of the immortal Galen, and by the experiments of Dr. Duncan, it evidently possesses the very peculiar powers of removing irritation of the lungs, which gives rise to cough, wheezing, and asthma, of promoting


expectoration, exciting salutary perspiration, affording great facility of breathing, and procuring sleep without disordering the head. Such a medicine combined with Tolu and the virtues of the liquorice, is, no doubt, a most valuable remedy in affections of the lungs. Sold in boxes of 2s. 6d. each, with directions.

STRAMONIUM.

This medicine has lately been introduced into the practice of medicine, by Surgeon Fisher, as a remedy for asthma, wheezing, winter cough, and pulmonary consumption. The fume of the prepared herb taken into the lungs during smoking, by allaying morbid irritation of the internal membrane of the windpipe and its branches, affords immediate relief in cases of asthma, wheezing, and winter cough, and the oxymel of it, Mr. Fisher observes, "by promoting expectoration, allaying irritation of the lungs, and hectic fever, correcting the constitution, &c. has proved successful in cases of consumption that had been pronounced hopeless."-Mr. Fisher in his treatise on the stramonium asserts, that he was effectually cured of a most obstinate asthmatic cough of fourteen years standing, by these preparations. It may be necessary to observe, that the stramonium employed by Mr. Fisher is a compound preparation, and very different to the common dried stramonium.

THE GOUT HAMMER.

In gouty and rheumatic inflammation the nerves are in a morbid state of irritation, and of course their sensibility greatly increased; by rubbing, compressing, or beating a part, the morbid irritation is subdued, and even the natural sensibility greatly diminished. For this purpose, a solid piece of box wood in the form of a hammer, with the ends convex, and the extremity of the handle curved, of which the following is a representation, has been found most effectual.



The part A, is for the purpose of rubbing a broad surface where the pain is deeply seated, as lumbago, sciatica, &c. The ends B, are for pommelling the affected part, or for rubbing where the surface is confined, as the ham, palms of the hand, face, &c. The inside of the curved end of the handle C, is for rubbing the toes or fingers in cases of gout. And the convex end D, is for rubbing parts that are indented, or to which the end of the hammer B cannot be applied, as the ear, the eye, nose, between the fingers, &c.; and also where it is necessary to begin with a very gentle pressure, on account of the great sensibility of the part affected, as gout in the toe, &c.

By frequent percussion with a hard substance, the irritability of nerves may be so completely subdued, as to render the part nearly insensible; whereas by the friction of a soft warm hand, the nerves are rendered more tender, and a disposition to inflammatory action produced. This system of friction and percussion has completely succeeded in removing every local symptom of gout and rheumatism in a few days, and has been employed with equal success in many other diseases arising from morbid irritation of the nerves, or diminished action of the absorbent and secerning

vessels.

ALKALINE TINCTURE OF FUMITORY.

This plant has been highly recommended by physicians of the first authority, as a powerful corrector of scrofulous and scorbutic habits, and also to remove obstructions of the liver and other viscera, and to deterge the skin. The late Professor Cullen, of Edinburgh, was very partial to this plant, and he states, that he found it very useful in many cases of indigestion, cutaneous foulness, inactivity of the liver, and particularly in clearing the skin in many instances of cutaneous affections resembling lepra. leaves have a peculiar bitter saline taste, and the extract obtained from them is very bitter. This tincture is made by macerating the leaves in weak brandy in a sand heat, with the vegetable alkali, and is so strongly impregnated with its virtues, that two tea-spoonfuls is a sufficient dose, which should be taken twice a day in a glass of cold water, viz. two hours before dinner, and two hours before [bed_ time. It has been found to succeed better in those complaints of the stomach generally termed bilious and foulness of the skin, than any other medicine, and more efficacious in removing obstructions of the liver than mercury.

INDIAN ARROW ROOT.

The Indian arrow root has, of late years, been cultivated in considerable quantities in gardens and provision grounds in the West Indies. The following process for obtaining the fine powder, sold in this country, was communicated by a principal planter, for insertion in the Medical Guide:—

The roots, when a year old, are dug up, well washed in water, and beaten in a large wooden mortar to a pulp. It is then thrown into a large tub of clean water, well washed, and the fibrous part wrung out by the hands and thrown away. The milky liquor being passed through a lawn sieve, or coarse cloth, is suffered to settle, and the clear water drained off. The white mass left at the bottom is again mixed with clean water, and strained; lastly, the mass is dried on sheets in the sun for use."

This powder boiled in water forms a very pleasant transparent jelly, very superior to that of sago or tapioca, and has been much recommended by Dr. Denman, and other eminent practitioners, as a nutritious diet for chil-

dren and invalids. The jelly is made in the following manner: to a dessert spoonful of the powder, add as much cold water as will make it into a paste, then pour on half a pint of boiling water, stir it briskly, and boil it a few minutes, when it will become a clear smooth jelly: a little sugar and sherry wine may be added for debilitated adults. but for infants a drop or two of essence of earaway seeds or cinnamon is preferable, wine being very liable to become acid in the stomachs of infants, and disagree with the bowels. Fresh milk, either alone or diluted with water, may be substituted for the water. For very debilitated frames, and especially for ricketty children, this jelly, blended with an animal jelly, as that of the stag's horn, affords a more nutritious diet than arrow root alone. which may be done in the following manner: Boil half an ounce of the true stag's horn* shavings in a pint of water for fifteen minutes, then strain, and add two dessert. spoonfuls of arrow root powder, previously well mixed with a tea-cupful of water; stir them briskly together and boil them for a few minutes. If the child should be much troubled with flatulency, from three to six drops of essence of caraway seeds, or a little grated nutmeg may be added; but for adults port wine or brandy will answer best.

Indeed, by this diet, I am well persuaded many children have been reared, which, had they been kept on the breast, and the customary spoonmeat, would have died. One lady in particular, who adopted it, has now two children living, in perfect good health, after having lost five either

by convulsions or bowel complaints.

The combination of animal and vegetable jellies is much recommended by Dr. Cadogan, in his popular treatise on the Management of Children; who justly attributes one-ninth of their diseases to being fed too much with vegetables. Such an admixture is similar to mother's milk, and probably very superior to the milk of an unhealthy woman.

Through the extravagant high price of six shillings a

^{*} Great care should be taken that the true stag's or hart's horn shavings be employed; as the shavings of the bleached bones of the calf, on account of being whiter and much cheaper, are generally sold for them. The latter do not impart so strong or wholesome a jelly as the stag's horn, the bones being nearly deprived of their glutinous property, by the process they undergo to render them white.

pound, at which this pewder is sold, its consumption has been chiefly confined to opulent families. In order, however, that no class of invalids may be precluded from its use, I have directed it to be retailed at four shillings a pound, at the Chemical and Medical Hall, in Piccadilly; and as it is received in the original packages from one of the most respectable planters in the West Indies, I can take upon myself to say, that it is perfectly genuine, and equal, if not superior in quality, to that sold at double the price.

SASSAFRAS NUT.

The nut of the sassafras tree is of the same mealy and unctuous quality as the cocoa nut, from which chocolate is prepared; in addition to which it contains the peculiar virtues of the root of the tree, sold under the name of sassafras wood, which has been long held in great estimation for its purifying and alterative properties. aromatic quality, which is very grateful to the stomach, most invalids require for breakfast and evening repast, to promote digestion, and to a deficiency of this property in the customary breakfast and supper, is attributed the frequency of cases of indigestion generally termed bilious. It has been found highly beneficial in correcting the vitrated state of the constitution, from whence arise many diseases, such as eruptions of the skin, gout, rheumatism, and scrophula. In cases of debility of the stomach and a sluggish state of the liver and intestines, occasioning flatulence, costiveness, &c. it is much extolled. In asthma and consumption of the lungs it is much recommended by Dr. Reece.

The ground nut is used in the same manner as cocoa or coffee.

THE IGNITOR.

This little apparatus is particularly useful to light a candle in the night, in case of sudden attack of disease or alarm. It is free from the unpleasant smell of phosphorus or brimstone. To produce a flame, it is only necessary to dip one of the matches which accompany it in the bottle (not brimstone matches), and on taking it out the

end will be found in a blaze, with which a candle may be lighted. This apparatus, which may be obtained for 7s. 6d. should be kept by every family. It is free from danger, and when the fluid is exhausted, may be replenished at the expense of a penny.

USEFUL FORMS OF MEDICINES.

MIXTURES.

Stomachic Mixture.

TAKE of the essential salt of bark one drachm; dissolve in half a pint of distilled water: then add tincture of Ja-

maica ginger and camomile, two drachms.

Two or three table spoonsful of this mixture may be taken three times a day. When acidity prevails in the stomach, a drachm of prepared natron, or a drachm of magnesia may be added.

For indigestion, attended with costiveness and a feverish state of the system, the following mixture is a favourite

remedy of Dr. Baillie:

Take of infusion of red rose leaves, seven ounces; diluted vitriolic acid one drachm; Epsom salt three drachms; compound tincture of cardamon seeds six drachms. Mix.

Two or three table spoonsful to be taken two or three

times a day.

When there is a deficiency of bile, in consequence of the liver being in a sluggish state, Dr. Baillie prefers this mixture to the use of mercury. When the liver is loaded with lymph a little mercury is necessary, as recommended by Mr. Abernethy and Dr. Currie, viz.

About one grain of calomel made into a pill with conserve of hips, every other night for ten days or a fortnight.

When indigestion is attended with great debility of the system, swelling of the legs, or a disposition to dropsy, the following is preferable to the preceding mixture:

Take extract of rhatany a drachm and a half; muriated tincture of iron forty drops; compound spirit of juniper

one ounce. Mix.

Two large table spoonsful to be taken three times a day. When indigestion in this state of system is attended with

costiveness, it is better to give a dose of active purgative pills once or twice a week, than to combine a purgative with a tonic medicine.

Aperient Mixture.

Take of senna leaves, two drachms; infuse in a quarter of a pint of boiling water for half an hour, then strain, and add Rochelle or Epsom salt, half an ounce; compound tincture of senna, an ounce.

Three table spoonsful to be taken every two or three

hours, till it operates.

In cases of obstinate costiveness or colic, a dessert spoonful of castor oil may be taken in each dose of this mixture. A laxative clyster will be also necessary, if a speedy evacuation be required.

This mixture is more certain in its operation than any other purgative medicine, and therefore, in cases where it is of consequence to empty the bowels speedily, it should

be preferred.

It is worthy of notice, that in acute fevers, rhubarb and jalap will produce no sensible effect on the intestines, and in some constitutions the neutral salts, as the Epsom, Rechelle, &c. do not act as purgatives.

Astringent Mixture.

Take of prepared oyster shells, two drachms; gum arabic powder, three drachms; laudanum, twenty drops; simple cinnamon water, six ounces; dissolve the gum arabic in a little cinnamon water, and afterwards rub with it the compound powder, then add the other ingredients.

Two table spoonsful to be taken after every loose stool

in cases of diarrhœa, or dysentary.

This is a common mixture for excessive purging. When the object is to moderate, and not effectually to restrain the discharge from the bowels, the following, which is a facourite prescription of Dr. Baillie, is preferable.

Take of lime water, seven ounces; compound tincture of cardamon seeds, six drachms; liquid laudanum, twenty

drops. Mix.

Three table spoonsful to be taken every two or three hours.

Anti-hysteric Mixture.

Take of tincture of asafætida, three drachms; spirit of

sal volatile, two drachms; camphorated julep, six ounces. Mix.

Two table spoonsful to be taken every three or four hours.

When hysteric fits are attended with general debility of the system, this is an useful remedy, but when they occur in full habits, the aperient mixture will succeed best.

Cough Mixture.

Take of ipecacuan wine, two drachms; or ipecacuan powder, ten grains; gum arabic powder, four drachms; laudanum, twenty drops; simple oxymel, one ounce; almond emulsion, six ounces. Mix.

Two table spoonsful to be taken every two hours, for recent cough, pleurisy, and inflammation of the lungs.

For the purposes of allaying irritation in the lungs, and producing perspiration, this is a valuable mixture. In all cases of recent coughs, the bowels should be first emptied by the aperient mixture. If attended with stitches, a blister on the chest will be necessary, as well as the loss of blood, if the system be plethoric, and the congh attended with head-ache. In cases of recent cough, Dr. Latham prefers the following:

Take of Dover's Powder, half a drachm; almond emul-

sion, seven ounces. Mix.

Two table spoonsful to be taken every three or four hours.

In cough of long standing, generally termed asthmatic cough, attended with difficulty of expectoration, and general weakness of the system, without fever, the following mixture generally proves very beneficial.

Take of gum ammoniac emulsion, seven ounces; oxymel of squills, half an ounce; paregoric elixir, six drachms.

Mix.

Camphorated Bark Mixture.

Take of essential salt of bark, one drachm; dissolve in camphorated julep, six ounces; sweet spirit of nitre, two drachms. Mix.

Three table spoonsful to be taken every two or three hours, in low infectious fevers, putrid sore throat, and mortifications.

The bark thus associated, acts, as M. Lasonne has observed, with more energy and force, whether it be employed for the purpose of curing fever or gangrene; and this assertion Dr. Cullen believes, and experience has proved to be well founded.

Asthmatic Mixture.

Take of paregoric elixir, one ounce; camphorated julep six ounces; tincture of asafætida, half an ounce; or vitriolic ether, three drachms; honey, half an ounce. Mix.

Two table spoonsful to be taken for chronic difficulty of breathing, and spasmodic asthma unattended with

For spasmodic asthma, particularly when attended with flatulence, general debility, and increased irritability of the nervous system, this is a valuable mixture.

Gout Mixture.

Take of volatile tincture of guaiacum, six drachms; camphorated mixture, six ounces; tincture of rhubarb, half an ounce; honey, half an ounce; rub the tincture of guaiacum with the honey in a glass mortar; then add the other articles by degrees.

Two table spoonsful to be taken every four or five

hours.

This mixture is employed as a restorative after the in-

flammatory stage of gout is over.

The treatment of a paroxysm of gout must be regulated by the state of the constitution. In the robust and plethoric habit, the eau medicinale has been of great service, while in the debilitated frame it has speedily terminated the life of the patient. Nothing appears to be more beneficial in relieving the anguish of pain and shortening the fit, than perspiration. When this cannot be produced by medicine, placing the limb over the vapour of warm water, or covering the surface with clive oil, generally affords wonderful relief.

Anti-spasmodic Mixture.

Take of ether two drachms; spirit of sal volatile, a drachm and a half; liquid laudanum, thirty drops; camphorated mixture, six ounces. Mix.

Two table-spoonfuls to be taken every three or four

hours, for spasmodic colie and asthma.

This is a very efficacious remedy in cases of spasms of the stomach. In colicky affections it should not be administered till three or four evacuations have been procured from the bowels, by means of the aperient mixture, unless attended with very acute pain in the bowels.

Anti-rheumatic Mixture. Take of volatile tincture of guaiacum, half an ounce; honey, half on ounce; camphorated julep, six ounces; rub the tincture of guaiac gum with the honey in a glass mortar, and add the other articles by degrees.

Two table-spoonfuls to be taken three or four times a

day for chronic rheumatism.

This mixture is only applicable to rheumatism, attended with debility and flatulence. For acute rheumatism, or rheumatism attended with fever, the following is a good remedy:

Take of Mindererus's spirit, three ounces; Ipecacuan powder, ten grains; pure water, five ounces; essence of

peppermint, fifteen drops. Mix.

Three table-spoonfuls to be taken every two hours, till

it produces the desired effect.

All medicines administered to promote perspiratiou, should be assisted in their operation by the plentiful use of tepid drinks, such as warm barley water, gruel, tea, or the like.

The electric brush has lately been found very beneficial, both in chronic and acute rheumatism, and in rheumatic

or nervous head-ache.

Nervous Mixture.

Take of essential salt of bark, one drachm, or extract of rhatany root, a drachm and a half; dissolve in camphorated julep, six ounces, then add spirit of sal volatile, two drachms; compound spirit of lavender, three drachms.

Two table-spoonfuls to be taken three or four times a day. For nervous irritability and periodical head-aches.

this is a very valuable remedy.

Brushing the hair with the electric brush is a very great auxiliary to this medicine, in cases of nervous head-ach. It affords immediate relief by conducting from the body the superabundant electric or nervous fluid, which occasions the morbid irritation of the brain and nerves.

Absorbent Mixture.

Take of magnesia, one drachm; rhubarb powder, ton grains; laudanum, six drops; pure water, two ounces;

essence of mint, four drops. Mix.

A tea-spoonful to be given in cases of gripes and flatulency affecting children; if attending with purging, the following mixture will answer best.

Take of lime water, two ounces; compound tincture ??

cardamom seeds, two drachms; liquid laudanum, six drops
—to be given as the preceding mixture.

Stimulating Mixture.

Take of horse-radish root, sliced, and mustard seed, bruised, of each one ounce; infuse in a pint of boiling water in a gentle heat, for twelve hours; then strain and add compound spirit of lavender, one ounce.

A wine glassful to be taken three or four times a day

for paralytic complaints.

This was a very favourite mixture for palsy, with the late Dr. Campbell, of Hereford. A similar composition is often prescribed by Dr. Baillie and Dr. Latham, in paralytic affections.

For Scrophula, or King's Evil.

Take of essential salt of bark, two drachms; muriate of lime, three drachms, or prepared natron, two drachms; dissolve in a pint of distilled water; then add compound tincture of rhatany root, one ounce.

Three table-spoonfuls to be taken three times a day.

When scrophula is attended with weakness of the system, this is a very valuable medicine. For the purpose of correcting the scrophulous diathesis of the system, the following is often prescribed by Mr. Cline, and Mr. A. Cooper:

Take of prepared soda, five grains; sarsaparilla pow-

der, twenty grains. Mix.

To be taken three times a day in a little peppermint water or milk.

For the Hooping Cough.

Take of ipecacuan powder, ten grains; tincture of asafœtida, one drachm; laudanum, ten drops; pure water, two ounces. Mix.

To a child of two years old, a tea-spoonful may be given every three hours, increasing ten drops for every

additional year.

This mixture is generally of great service in hooping cough, when the system has been reduced by the disease, or when the patient is of a weakly constitution. On the first attack of the complaint, an emetic dose of antimonial wine is proper. If the system be full, or if there be a great determination of blood to the head, during the fit

of coughing, or bleeding at the nose, a purgative medicine, and sometimes the loss of blood will be necessary.

Tonic Mixture.

Take of extract of rhatany root, three drachms; dissolve in twelve ounces of water, and add aromatic tincture of rhatany root, one ounce; spirit of sal volatile, two drachms.

Two or three table-spoonfuls to be taken every three or four hours, for relaxation and weakness of the system: when attended with a sluggish state of the bowels, three drachms of the vitriolated kali may be added, and, in case of profuse perspiration, two drachms of the diluted vitriolic acid may be substituted for the spirit of sal volatile.

This is a very valuable medicine for general debility of the system. As a remedy for fluor albus, the rhatany root is much recommended by Sir Henry Halford, Dr. Maton, Dr. Percival, and other eminent practitioners. For gleets this mixture is also a very valuable medicine.

Saline Mixture.

Take of crystallized acid of lemon, one drachm, or fresh lemon juice, an ounce and a half; salt of wormwood, one drachm; white sugar, three drachms; pure water, twelve ounces; essence of peppermint, thirty drops. Mix.

A tea-cupful to be taken frequently in inflammatory

fevers and sore throat.

PILLS.

Pills for Dropsy.

Take of squill pill, two drachms; prepared calomel, ten grains; gamboge powder, a scruple. Mix well together, and divide into thirty-six pills.

Three to be taken twice a day, with a wine-glass full of

the tonic mixture.

After taking these pills six days, the calomel should be omitted, and in the course of ten days, if the mouth be not affected by it, it may again be taken with advantage.

Pills for the Gravel.

Take of dried natron, two drachms; Spanish soap, two

Of which three are to be taken three times a day.—
When the mephitic alkaline or soda water disagrees with
the patient, this form affords an excellent substitute.

Tonic Pills.

Take of essential salt of bark, one drachm; salt of steel, a scruple; gum olibanum, one drachm; with simple syrup, make a mass, and divide into thirty-six pills.

Three to be taken twice a day, for fluor albus and gleet.

Bilious Pills.

Take of rhubarb, two drachms; calomel, half a drachm; essence of peppermint, ten drops; with a little syrup, make into thirty pills.

Three to be taken every third morning, with a wine

glassful of the solution of Epsom salt.

Cathartic Pills.

Take of compound colocynth pill, one drachm; calomel, fifteen grains. Mix, and form into fifteen pills.

Three to be taken for a dose, in obstinate constipation

of the bowels, and redundancy of bile.

These pills are sold under the name of Dr. Hugh Smith's Antibilious pills.

GARGLES.

Discutient Gargle.

Take of purified nitre, one drachm; gum arabic, three drachms; dissolve in half a pint of pure water.

To be used frequently for inflammatory sore throat.

Acidulated Gargle.

Take of red rose leaves, two drachms; infuse in a pint of boiling water till cold; then strain, and add diluted vitriolic acid, thirty drops.

For inflammation of the tonsils and month.

Astringent Gargle.

Take of oak bark, half an ounce; boil in a pint of water for a quarter of an hour; then strain, and add alum, two drachms; red port wine, four ounces. To be used every two or three hours, in cases of relaxation, or falling down of the soft palate.

Detergent Gargle.

Add to the acidulated gargle, tincture of myrrh, and honey, of each half an ounce.

For the malignant ulcerated sore throat, thrush, and

foul ulcers in the mouth.

LAVEMENTS OR CLYSTERS.

Anodyne Lavement.

Take of starch jelly, half a pint; laudanum, forty

drops. Mix.

The whole to be injected by means of a pewter lavement syringe, in cases of dysentery, violent purging, and pain in the bowels.

Laxative Lavement.

Take of Epsom salt, two ounces. Dissolve in three quarters of a pint of warm thin gruel or broth, with an ounce of fresh butter, or sweet oil.

Anti-spasmodic Lavement.

Take of tincture of asafætida, half an ounce; laudanum, forty drops; gruel, half a pint. Mix.

For spasmodic affections of the bowels.

Nutrient Lavement.

Take of strong beef tea, twelve ounces; thicken with

hartshorn shavings, or arrow root.

In cases of extreme debility of the body, or when the patient cannot take food by the mouth, in consequence of some obstruction in the throat, this affords considerable support to the system, and has been the means of preserving the lives of patients till the cause has been removed.

It should be thrown up with a flexible tube, longer than the clyster pipes in common use, gently insinuated up the rectum. In consequence of the improper exhibition of this composition, a diarfhæa has been produced, which the reduced state of the patient could ill bear.

LOTIONS AND EMBROCATIONS.

Eye Water.

Take of Goulard's extract of lead, ten drops; white wine vinegar, two drachms; laudanum, thirty drops; distilled water, eight ounces. Mix.

For inflammation of the eye, or eyelids.

To be frequently applied by means of folds of fine] old linen, over the affected eye or eyes.

Astringent Eye Water.

Take of blue vitriol, one grain; dissolve in four ounces of distilled water, and add laudanum, thirty drops.

To be dropped between the eyelids of the affected eye, three or four times a day, for films or specks.

Discutient Lotion.

Take of camphor, two drachms; dissolve in rectified spirit of wine, four ounces; then add white wine vinegar, a pint.

For strains, bruises, and inflammation, arising from

accidents.

It may be conveniently applied in the form of a poultice, by adding a sufficient quantity of bran to make it of a proper consistence, and pouring on the surface a fresh quantity of the embrocation, when the bran gets dry, or feels warm to the patient.

Volatile Liniment.

Take of spirit of hartshorn, six drachms; olive oil, an ounce; shake well together.

This is a good stimulating liniment for chronic rheumatism, paralytic numbness, and stiffness of joints.

Liniments for Burns and Scalds.

Take of linseed oil and lime-water, of each four ounces: laudanum, half an ounce. Mix.

To be applied by means of lint, or soft old linen; or, Take of expressed juice of potatoes, half a pint; spirit of wine, three ounces; liquid laudanum, half an ounce. Mix. To be applied as above.

The efficacy of the latter liniment, in recent scalds and burns, has lately been much extolled by several able surgeons in London.

THE END.

R. CANTWELL, PRINTER, BELL YARD, LINCOLN'S INN.





LIST OF NEW VALUABLE WORKS, FOR THE USE OF HEADS OF FAMILIES and SEMINARIES, the CLERGY, &c. Published by LONGMAN and Co.—SHERWOOD and Co.—HIGHLEY and Co. &c. &c.

The Month!y Gazette of Health, Edited by Dr. RICHARD REECE,

With the Assistance of several eminent Physicians at Paris, Berlin, Petersburgh, Madrid, Philadelphia, Madras, &c. &c.

The object of this Work, (a Number of which is Published on the 1st of every Month, at the low price of 1s.) is to acquaint the public with all the discoveries that are made in the known world regarding the means of preserving health, of curing the disceases incident to the human race, and of promoting domestic economy, and the comforts and well-being of every class of society. The Composition of all the Advertised Remedies are also given, so as to enable the readers to discover those that really possess merit from those that are evidently dangerous or inert, and the artful practices of unprincipled practitioners, who, for the sake of lucre, tamper with the lives of their fellow-creatures, are also fully exposed.

To render this Publication useful to every class of the community, each successive

number will contain-

1st. Advice and Remarks on the Diseases prevalent at the time of Publication.

2nd. Selections from new Domestic and Foreign Works, that are calculated to

promote the professed object of the Work.

3d. Prescriptions of Eminent Physicians and Surgeons, and Family Receipts, translated into English, with an account of their effects, and the diseases for which they were given.

4th. Original Communications on the means of preserving the Health of Individuals engaged in different occupations, and of peculiar constitutions, &c. Cheap

methods of preparing and preserving Articles of Diet, &c.

All discoveries in Chemistry, Agriculture, and other Branches of Philosophy, that are likely to prove beneficial to the Public.

Lastly. Any information that may be solicited by a Correspondent, consistent with

the professed intention of the Proprietors.

The Editors have completed the First Volume of this Work, containing Twelve Numbers, (which has already gone through Three heavy Editions), to the Pages of which they appeal with the greatest confidence, for having fulfilled their Engagements, and they flatter themselves, that the Work will be found to merit the character given it by the late learned Prelate, the Bishop of Landaff, that "it is the most valuable periodical Publication that ever appeared in this or any other country."

CONTENTS OF THE BACK NUMBERS.

OF No. I.—A Popular View of Ancient and Modern Medicine.—Remarks on the Causes, &c. &c. of Asthma, and the best known means of relieving and preventing the Asthmatic Fit.—The Properties of the Cajeput Oil, with directions for its Use, in cases of Rheumatism, Gout marged Joints, &c.—An Effectual Remedy for Corns.—Ditto for Counteracting the Poisonous Effects of the False Mushroom.—The Composition and Virtues of Shepherd's Antiacid Lozenge and Perry's Essence for Tooth-Ache.—Proofs of the Poisonous quality of the Oxalic Acid or Acid of Sugar.—Cases of Hydrophobia cured by copious Bleeding, &c.

CONTENTS OF No. 2.—A Popular View of Ancient and Modern Surgery.—Effectual Remedies for Hooping Cough, Locked Jaw, Wstery-head, Cholera Morbus, Croup, Retention and Incontinence of Urine, Gravel, Worms.—The best means of detecting the presence of Arsenic.—The Composition of Ching's Worm Locenges—Ditto, Ginger Beer Powder—Ford's Balsam of Honey—Essence of Coltsfoot.—Receipt for making the Lettuce Lozenge—Ditto Anti-Attrition—and a Substitute for the Lemon Acid.—Electrical Properties of Flannel.—Remarkable Cases of Urinary Stones.—Prescription for Indigestion, by Dr. Baillie, &c.

CONTENTS OF No. 3.—A Popular View of Pharmacy.—The Causes and boot known means of treating Consumption of the Lungs.—Remarks on the Teeth, and the best known means of rendering the whole healthy and firm in the Socket.—New discovered Remedies for the Bowel Complaint of Infants, Potrid Fever, Palsy, Epileptic Fits, Gout, &c.—Directions for making the Cajeput Opodeldoe.—The Basilic Powder.—Carbonate of Magnesia.—The Source of the Deleterious Effects of Porter The Properties of the Hop.—Remarks on Insanity.—Water a head Cow-pox, &c. &c.

A

Contents of the back Numbers of the Monthly Gazette of Health.

*ANTENTS OF No. 4.—A Popular View of Ancient and Modern Chemistry.—Causes of the Diseases the Skin, and the best known means of Cure and Prevention.—The Qualifications of a Licentiate in Mediane.—Newly discovered Remedies for Scald Head, Tie Doloreux, Wen, Cramp, Ringworm, Ague, Head-Ache, Asthma, Tape-worm—Remarks on Dr. Wilson's Tincture for Gout and the Eau Medicinale.—Directions for making the Scalitz Powders.—The Ginger Beer Powder.—The Black Drop—Barelay's Antibilious Pills Brown's Antiphthetical Plaister.—Analysis of Hope's Hectic Phis.—Case of Suffocation of an Infant.—Of Longevity—Of Re-union of divided Parts, &c.—Directions for drying Herbs.—Solution of Gall-Stones—Remarks on the Medical Board of Drs. Cooper, Duncan and Co. &c. &c.

Complaints, and the best known means of Prevention and Cure, by Professor Abernethy.—The Natural Food of Man.—Directions for Smoking the Stramonium in Asthma.—Newly discovered Remedies for Intesascarides, Croup, Rheumatism, Head-Ache, Ring-worm, Purulent Inflammation of the Eyes, Scurvy, Itch, Corns, Tender Feet, &c.—Of the Cause of the Frequency of Fatal Apoplexy.—Of Vegetable Poison.—A Proof of Inflammation of the Stomach and Intestines being excited by Arsenic.—Analysis of the Bengal Antibilious Prils, Directions for making the Sodaic Powder.—The Danger of Washing Newly Born Inflants.—The Properties of the Asarabacca Powder; its beneficial Effects in Cases of Head-Ache, Rheumatism, &c.—Exposure of a Chemical Fraud.—Remarks on Cooper's Medical Board, &c. &c.

CONTENTS OF No. 6.—A Popular View of the Doctrines of Hippocrates—Further Remarks on Indigestion.—Directions for Preserving Potatocs.—A Cheap Method of Making White and Wholesome Bread.—Remedy for Spasmodic Cholic, Bilious Vomiting, and Looseness.—Prescriptions in English for Indigestion, ettended with Costiveness, by Dr. Morris; for Chronic Cough, by Dr. Baillie; for Fluor Albus, by Dr. Maton; for Scrofula, by Mr. Cline; for Spasmodic Stricture, by Dr. Reece; for Baldness, Scald Head; Remarks on the Medical Board, by Mr. Scott; the Effects of Oil of Turpentine, &c. &c.

CONTENTS OF No. 7.—A Popular View of Anatomy.—An Effectual Remedy for Cramp, by Sir Wm. Althom.—Analysis of Foreign Wines, with their Proportions of Ardent Spirit.—Receipts for Making Wine, Initiation of the Foreign.—On the Advantages of Distilling Water.—Remedies for Indigestion, Hooping Cough, Scrofula, Burns, Scalds, and Asthma—Of the Mangel Wurzel.—Account of the Leamington Spa.—Receipts for Making Lady Webster's Antibilious Pills; Juniper Beer, Vinegar.—Case of Locked Jaw.—The Means of Counteracting the Fatal Effects of Peisons swallowed.—Examination of Advertised Wines.—Composition of Solomon's Baim of Gilead, with Remarks on his Practice and Medical Qualifications.—Bacon's Autiscorbutic Drops.—Remarks on different Trusses, &c.

CONTENTS OF No. 8—An Account of the Alexandrian School.—Cases of Epilepsy Curod by Electing, with Remarks on the Practice.—P-escriptions for Indigestion, by Professor Abernethy; for Cough, by Dr. Latham; for Chronic Cough, by Sir Heury Halford; for Indigestion, by Dr. Frampton; for Nervous Debility, by Dr. Babington; ditto, by Dr. Lake; for Hooping Cough, by Sir William Altham; for Spasm of the Stomach, by Dr. Agar; for Irritable Gleet, by Dr. Reece.—Further Examination of Foreign and Domestic Wines, with their Proportions of Ardent Spirit.—Case of the Salivation of an Infant.—The Science of Animal Life.—Analysis of the Mineral Water of Jessop's Well.—Puffs of Regular Physicians.—Fatal Effects of Bleeding in Diabetes.—Case of Gout cured by Wilson's Tincture.—Description of Whitford's Improved Truss.—Cases of obscure Fesnale Diseases.—A New Remedy for Hooping Cough.—The French Substitute for Peruvian Bark, &c.

CONTENTS OF No. 9.—Exemples on Longevity and the best-known Means of Preserving Health.—Of the Appearances denoting death, is prevent premature burial.—Successful treatment of Cancer.—The best known means of arresting the progress of the Plague.—Cases of Hydrophobia.—Remarks on the Causes, &c. of Night-marc.—Distressing Sleep.—Necturnal Visions, &c.; and the best means of Prevention and Cure.—Letter from the King of Hayti, on Cow Pox.—New Remedies for Scrofula by Surgeon Blachel.—Scald Head, by Surgeon Fayerman, &c.—The Prevention of Consumption by Professor Authenricth.—Of the Poisonous Quality of the Black-Pudding.—Of the Article Sold under the name of Essence of Coffee.—A new Remedy for Spasms in the Stomach.—Asthma, by Dr. Philip; Watery-head, by Dr. Urwin.—Receipt for Making the Essence of Ginger and Chamomile.—Analysis of the Essence of Liquorice Root, &c. &c.

CONTENTS OF No. 10.—Remarks on different Articles of Food.—On the Preservation of the Teeth.—New Remedies for Saint Vitus's Dance.—Report of Cow Pox.—New Method of Healing Burns, by Dr. Dzondi.—Analysis of Thompson's Cheltenham Salt, and exposure of his Traffic.—The Doctrines of TemperaA Letter on Scrofula, by Mrs. Pearson.—The Practice of Adulterating and Imitating Drugs.—Dr.

Levason's Prescription for Scrofula,—Directions for Improving Cyder, &c. &c.

CONTENTS OF No. 11.—An Account of Admiral Henry's Method of Curing Gout, and Rheumatism, by Pommelling and Friction.—The Effects of a continued use of Magnesia, by Mr. Brande.—Description of Dr. Gower's Apparatus for promoting Perspiration.—New Remedy for Deafness.—St. Vitus's Dance.—Looseness, &c.—The effects of Charcoal in rendering Mineral Poisous inert.—Ditto of Cow Pox, on Dogs.—Remarks on Malt Liquor.—The Cheltenham Salts.—Analysis of Sibly's Solar Tincture.—Ditto The Guestonian Remedy—Ditto Gowland's Lotion.—Method of rendering Rape Oil equal to Spermaceti Oil.—Mr., Batley's New Preparation of Opium.—The Diminished Martality, Small-Pox.—Dr. Gale's Method of Curing Cutaneous Diseases, Rheumatism and Palsy, by Sulphurous Famigation.—Care of White Swelling, by an Old Woman —Case of Patal Bleeding after an extraction of a Tooth.—On the Adulteration of Drugs.—Mrs. Pearson's Remedy for Serofula—Receipts for making Permanent Ink & Excellent Bread; Ginger Beer.—Proscription of Indigestion, by Dr. Sanctis; for Gravel, and Indigestion, by Dr. Recoe.—The Art 112 Mystery of Pomes and Alie Brewing, by Samuel Childe, &c. &c.

Contents of the back Numbers of the Monthly Gazette of Health.

CONTENTS OF No. 12—Cases of Gont and Rheumatism, cured by Pommelling, by Dr. Balfour—Directions for making Ale and Table Beer, by Mr. Childe.—Directions for Bottling Porter, &c.—Means of Counteracting the Effects of Poisons taken into the Stomach, by Dr. Johnstone.—New Remedies for Hooping teracting the Effects of Poisons taken into the Stomach, by Dr. Johnstone.—New Remedies for Hooping Cough, Croop, Nausea attendant on Pregnancy, Warts, Chapped Lips—Lectures on Deafness, by Mr. Curtis Composition of Godbold's Vegetable Balsam, Atkinson's Vegetable Dye.—Rowland's Macasser Oil, &c.—Composition of Godbold's Vegetable Balsam, Atkinson's Vegetable Dye.—Rowland's Macasser Oil, &c.—Chapter of Thompson's Cheltenham Salts.—Analysis of the Newent Water.—Case of Stone in the Bladder cured by an Injection.—Monthly Report of Diseases, &c.

CONTENTS OF NO. 13.—Remarks on Mr. Young's Method of treating Cencer, by Mr. Walker; on Dr. Kingfeake's appothesis of Gout.—On the poisonous effects of the False Mushroom, the Oxalic Acia and Bryony Root; new remedies for Epilepsy, and fliceup; Case of St. Vitas's Dance; new method of treating Varicose Veius, Ague and Cholic, in the East Indies, and Cloven Feet; Effect of the Mearlow Saffron, in two cases of St. Vitas's Dance; an account of Dr. Gales's Apparatus, for Funigating the Mearlow Saffron, in two cases of St. Vitas's Dance; an account of Dr. Gales's Apparatus, for Funigating the Body with salphur; Regulation of the Court of Examiners; Prescriptions for Scald Head, Piles, Inflamed Bye-lids; Winter Cough and Asthma; new method of making Bread; Mr. Irvin's Illustration of the Abernethian System; an account of Spilsbury's Anti-Scorbutic Drops.

CONTENTS OF NO. 14.—Cases of Small Pox after Cow Pox, Cancer, &c.; Mr. John Sinelair's account of Admiral Henry's Ponnaelling System; Directions for using the Ponnaelling Hammer; Dr. Portal's Antiscorbutic Syrup; a new Remedy for the Tie Doloreux.—Remarks on newly invented Trusses, by Mr. Sastow—On excessive bleeding by J. B. Bartlett.—Remarks on Coughs and Colds, Eruptions of the Skin, Rheumatism, Gout, Palsy, Hysteric Fits and Hypochondriacism; Exposure of Urine Doctors; An account of the Elistering Silk; Stomachie Pitls; Definition of regular and irregular Quacking; Analysis of Venel's Book on early Dissipation and his Tonic Medicine; Collet's Remedy for Tooth Ache; the Rev. Mr. Carringtoni Life Pitls; Complaint against certain Advertising Surgeons.

CONTENTS OF NO. 15.—A Popular View of the Beerbeavian System; Case of Tape Worm and Indigestion cured by Simple Treatment; White Swelling cured by Friction; Scald Head by Turpentine; General Dropsy, cured by Chlorine; Asthma and Nervous Head-Ache, by factitious Airs—Notice of a Dispensary for Diseases of the Ear; A new Remedy for Partial Palsy and Epilepsy; Remarks on the Nux Vomica; Fatal Diseases of the Ear; and of Ice on the Stomach; Cure of violent Spasms by the Meadow Safiron; of Effects of Salt of Tartar, and of Ice on the Stomach; Cure of violent Spasms by the Meadow Safiron; of Stone in the Bladder by prepared Natron; An effectual method of destroying Rats without poison; a supposed Case of Watery Head, by Mr. Watson; Proof of the Indigestible Quality of the Chesnut; A Plan to save Bread, by Lord Radistock; Remarks on Diabetes and Factitious Airs; Experiments with the Meadow Saffron, by Sir Everard Home; Prescriptions for Indigestion by Dr. Baillie, for Gravel, Nervous Head-Ache, Irritability of the Stomach, Fluor Albus; Composition of Leake's Patent Pills; Church's Coagh Drops; of the Henbane of Chemistry.

CONTENTS OF NO. 16.—Memoirs of Stahl and a View of his System; Remarks on Cout, by Dr. Sendamore; On Corpulency, by Mr. Wadd; On Mental Maladies, by Dr. Dubuisson; On the Pommelling System of the Turks; And on the Radical Care of Goat; Successful treatment of Nervous Head-Ache, Dr. Pears's Receipt for Cholera Morbus and Tooth-Ache; The Chelsea Pensioner's Receipt for Goat and Rheumansm; Preservation of Æthers; of Cow Pox; Of Hydrophobia; Case of Diabetes; Supposed Case of Interpient Cancer; Analysis of Maun's Approved Medicine; Prince's Russia Oil; Reynolds's Cont Specific.

on Practical Botany; Monthly Report of Diseases.

CONTENTS OF NO. 17.—Memoirs of Hoffman, and a View of his Doctrines; Remarks on Constitutional Diseases; Care of Epilepsy and Palsy, by the Vomic Nut; Of Intermittent Fever, by mechanical Means; Case of Epilepsy Cured by Vital Air; On the causes, &c. of Gout, by Dr. Marie de St. Ursin, The Daties and Acquirements necessary to Medical Students; The method of Using Chlarine; A new mode of Preserving Vegetables, by Mr. Hall; Of Dr. Gale's Machine for Fumigating the Body; New Remedies for Asthma; Sciatica, by Dr. Mascet and Mr. Ward; for counteracting the effects of the False Mushroom; Remarks on an Account of Mr. Thompsen's Laboratory and his Method of making the Cheltenham Salts, by Messrs. Brande and Sparkes; On the Trial of Mr. Donnell, for Murder; An obstinate Case of Indigestion, eured by Alkaline and Tonic Medicines; On Deafness and Ringing in the Ear, by Messrs. Wright and Son; On Gin and other Spirits used as Cordials; On Bran Bread; Analysis, &c. of Campbell's Elephant's Milk Of the Stoke and Newent Mineral Waters; Of the Learnington Wâter; Of the Dock Wine Company.

CONTENTS OF NO. 18.—Dr. Callen and his System; On Defective Practice of Country Practitioners, by Dr. Wright; On Beafness, by Messrs. Wright and Co.; On the Ablution of Newly Born Infants; On the poisonous Quality of Tea and Coffee; On the Properties of Camphor; On Gout; The Nitro-muriation the poisonous Quality of Tea and Coffee; On the Properties of Camphor; On Gout; The Nitro-muriation Bath, by Dr. Scot; Johnson's Soda Water; Dr. Scudamore's Remarks on Whe, &c.; New Method of preserving Lime Water; Remarks on the Natural Beverage of Man; Mr. Campbell's Letter on his pretended serving Lime Water; Remarks on the Natural Beverage of Man; Mr. Campbell's Letter on his pretended Elephant's Milk; A new Remedy for Scald Head; The Chelsea Pensioner's Remedy for Gout; Case of Remains of an Amputated Finger; Medical Biography; Lectures on Practical Chemistry; Monthly Report of Diseases; Analysis of Dr. Johnson's Eye Ointment; Dr. Johnson's Receipt for Rheumatism—Dr. Maton's Prescription for Indigestion.

CONTENTS OF NO. 19.—Memoirs of Dr. John Brown, and a view of his Opinions; Causes and treatment of the Shaking Palsy: Remarks on the Eau Medicinale and Tincture of the Meadow Saffron, by Sir Everard Home; On the Talavera Wheat; Receipt for Making Cheap and Wholesome Bread; Cases of Cancer, Illustrating the Effects of Pressure; A Curious Electrical Phenomenon; On Happoconditacism and the Fear of Death, by Dr. Reid; An effectual Remedy for Piles, Itel ing. &c.: Directions for making a Julpha-rous Water, superior to that of Harrowgate; An Account of d. Mange) hoot; The virtues of the Estate stead Mineral Water; The poisonous quality of the Oz sie Acie.

In One Volume 8vo. neatly printed, Price 16s. Dedicated to the Viscount Sidmouth,

AUTHENTIC MEMOIRS,

BIOGRAPHICAL, CRITICAL, & LITERARY,

Of all the Fellows and Licentiates of the Royal College of Physicians of London; the Heads of the Medical Boards, and other distinguished Physicians and Surgeons, with an Account of the different Medical Institutions of the Metropolis, scientific and charitable.

Living biography is a subject of peculiar nicety. In the execution of this work, the author has avoided the great error of Modern Biographers, while preserving the likeness of the portraits, to delineate with a chastened hand, to shew the merits rather than the faults of individuals, and from the estimable parts of character, to excite a laudable spirit of omulation among junior practitioners, and induce to imitation by pointing out the progress of circumstances which lead to pre-eminence.—The life of a physician in the metropolis, presents a most interesting picture of varied fortune, no way flattering to the gratitude of man; for however much he may be a man of science or professional acquirements, patronage or mere accident is generally the cause of his rise to general notice.—The subject of this volume cannot therefore prove otherwise than highly entertaining to every class of Readers.—In it will be found, biographical, critical, and literary Memoirs, (obtained from the most authentic sources) of

| SIRS | Heberden | Tuthil | Pinekard | E. Jones | Gregory |
|----------------|-------------|-------------|-------------|-----------------|----------------|
| Lucas Pepys | R. Willis | R. Williams | Macqueen | Laffan | Moore |
| Francis Milman | Frampton, . | Chambers | Babington | Roget | Arnolt |
| J. Pennington | Ash | Haviland | James | Adams | Brine-Nuttall- |
| H. Halford | Williams | P. Latham | Marcet | Hancock | Ashburner |
| C. Pegge | Cower | Hewett | Nelson | Brown | Ley |
| Gilbert Blaine | Maton | Park | Yelloly | Dent | Robinson |
| J. Fellowes | Haworth | Lettsom | Lidderdale | Cutrem | Boyton |
| A. Faulkner | Lambe | Rece | J Curry | Mackinnon | Denman |
| W Farquhar | G. Curry | Sequeira | S. Home | A. Black | Clarke-Squire |
| Wm. Knighton | Turner | James Sims | Buchan | J. Davis | Coombe |
| Jas. E. Smith | Baneroft | Jackson | Badham | Elliotson | Ker |
| J. Macgregor. | Nevenson | John Sims | Reid | Thornton | Franklin |
| | Warren | Pellet | Clutterbuck | J. Walker | Harness |
| DOCTORS | Bree | Lister | Butty | Southey | Weir - Bair |
| Latham | Cooka | Meyer | Bateman | Prout | J. Moore |
| Budd | Satterly | G. Pearson | Buston | Drever | Somerville |
| Hervey | S. Home | Ferris | Blegborough | Foley | Coleman |
| Wall | Whitter | Sandeman | Hooper | D. Davis | Jenner |
| C. Smyth | Thie | Moseley | Laird | Scudamore | Hamiltor |
| Mayo | Young | J. H. Myers | Herdman | Back | Merriman |
| Saunders | Chalmoley. | Wells | Farre | Forbes | Kidd |
| Bourne | Ager | R. Pearson | W. Knighton | Gordon | Haighto |
| Baillie | Winthrop . | Stanger | Tierney | Luke | Bliche and |
| Monro | Cope | Sutton | Bankhead | Plenderleath | Berland. |
| Roberts | Bain | Pryer | Walthman | Richardson | |
| Morris | Sattersall | Critchton | Uwing | M. C. de Castro | SURGEOMS |
| Ainslie | Johnson | Somers | Birkbeck | Cleverly | Pearson |
| Stone | Yeates | Semple | Morrison | Holland | Stevensor |
| Pemberton | T. E. Mouro | S. Walker | Sutherland | Mitchell | Curtis |
| Powel | Macmichael | Vaughan | Henderson | Silver | Carlisle, Sco. |

The Second Edition, enlarged and corrected, price 16s. hoards,

A Practical Dictionary of Domestic Medicin,

For the use of the Clergy, under the sanction of their Graces the Archbishops of Canterbury. York, and Dublin, for the purpose of enabling them to administer Relief to their Parishioners labouring under the complicated Misfortunes of Poverty and Disease, and in Cases of sudden Accidents, &c.: exhibiting a comprehensive View of the latest Discoveries relative to the Causes, Treatment, and Prevention of Diseases, and a popular Description of the following Subjects, so far as they regard the

Health of Man, and the general cure of Maladies, viz. Anatomy, Casualties, Chemistry, Clothing, Dieterics, Medical Police and Jurisprudence, Pharmacy, Physiology, Surgery, Therapeutics, &c. &c. divested of technical obscurities.

> By RICHARD REECE, M. D. Member of the Royal College of Surgeons in London, &c.

" This Work is composed chiefly for those who wish to attain a competent knowledge of medicine for the ordinary necessaries of themselves, of their families, or for the benevolent purpose of alleviating the sufferings of their fellow creatures. For the purpose of aiding the medical sagacity and skill of private, and particularly of clerical benevolence, this work is very judiciously adapted. It is not only a plain and useful directory, but it has, at the same time, the great advantage of being more cheap, more commodious, and more portable than any similar work with which we are acquainted, that directs the modern practice of physic." Critical Review, No. 1. Vol. xvi.

The Twelfth Edmon, considerably enlarged, price 10s. 6d. boards.

The Medical Guide, for the Use of Families, IN TWO PARTS.

Part I. FAMILY DISPENSATORY, or complete Companion to the Family Medicine Chest; comprehending explicit directions for the Use of such Medicines as are proper to be kept for Domestic or Private Practice; a Collection of the most useful Family Prescriptions; the ordinary Management of Children; Treatment of Cases of Suspended Animation; Means of Counteracting the Effects of the Mineral, Vegetable, and Animal Poisons; of destroying infectious Vapours, and purifying the Chambers of the Sick, &c. &c.

Part. H. A New and Complete System of DOMESTIC MEDICINE or Practical. Treatise on the Distinction, Prevention, and Cure of the Diseases incident to the Human Frame, by Regimen and Medicines; with the late important Discoveries

relative to the Cure of Hereditary and other Di-eases.

By RICHARD REECE, M. D.

Member of the Royal College of Physicians in London, &c.

"This work is more judicious than the Domestic Medicine of Buchan, which we have no doubt it will entirely supersede. By attending to its instructions the clergyman or resident of a retized village may, in common cases of illness, be enabled to do much good at a small expende.

Critical Review, April 1807 The present edition of this very useful work is dedicated to the venerable bishop of Llandaff, in consequence of the high terms in which his Lordship had recommended it when it first appeared before the public. It is clear, comprehensive, and calculated to answer all the purposes of domestic reference. The part which treats on the diseases of children we recommend to the serious perusal of all parents and others who may be entrusted with the management of children in the first stages of life. Anti-Jacobin Review, May, 1805.

PRICE 7s. IN BOARDS .- A TREATISE

On the Physiology and Diseases of the Ear,

Containing a Comparative View of its Structure and Functions, and of its various By J. H. CURTIS, Esq. Diseases.

Aurist to His Royal Highness the Prince Regent, Surgeon to the Royal Dispensary for the Diseases of the Ear, Lecturer on the Anatomy, Physiology, and Pathology of the Ear, Fellow of the Medical Society London, &c.

"This work is the only one yet published, that is equally adapted for popular and professional use; it calls the attention of the Public to a class of Diseases hitherto much neglected, and is intended chiefly for the information of deaf Persons. The work is enriched with a plate of several new Acoustic Instruments."

Price 4s. 6d. in boards .- Third Edition

A LITERAL TRANSLATION OF THE LAST CORRECTED EDITION

THE PHARMACOPCEIA

OF THE LONDON COLLEGE OF PHYSICIANS, WITH PRACTICAL REMARKS .- A List of New and Old Names, Table of Doses, &c. By RICHARD REECE, M. D.

Last of New Valuable Works. THE MEDICAL COMPANION,

FOR TRAVELLERS TO

The British Settlements in the East and West Indies and Coast of Africa; containing simple Instructions for the Prevention and Cure of the Diseases of these Climates, and such as occur on the Voyage; with a copious Dispensatory, or Companion to a Medicine Chest, adapted to Tropical Practice: to which are added, a System of Regulations for the Health of British Subjects, on their Return to Europe from Hot Climates; and an Appendix, containing Remarks on the Climate and Diseases of Different Parts of Europe, particularly Holland, Russia, &c. : with Rules for the Preservation of the Health of Travellers to these Parts, including a By RICHARD REECE, M. D. Dispensatory.

MEDICAL ADMONITIONS TO FAMILIES,

Respecting the Preservation of Health and the Treatment of the Sick. Also a Table of Symptoms, pointing out the Signs of Danger, and distinguishing one Disease from another. With observations on the INDULGENCE of Children. Fifth Edition,

By JAMES PARKINSON, 10s. Sd. boards.

Neglecting to capley the proper means in time, and adopting the injurious measures of domestic Quackery, Srequently occasion the loss of lives even in slight and curable diseases. To oppose these evils is the chief object of the present Work, by particularly describing every disease, by showing the proper means to be emplayed in such as do not demand professional attendance, and by distinguishing such as require the best and excliest assistance. The proper treatment of Children is particularly dwelt on, and directions are given how, For each disease, the friend or relative can, in aid of the Physician, best discharge the daties of the sick chamber. BY THE SAME AUTHOR,

THE VILLAGER'S FRIEND & PHYSICIAN.

A Familiar Address on the Preservation of Health and the Removal of Disease, with Observations on the Treatment of Children, on Sobriety, Industry, &c. intended for the Promotion of Domestic Happiness. Price 1s.

The excellent society for bettering the condition of the poor, could not employ a small portion of their

Find better than by encouraging the circulation of this book.

THE POPULAR CHEMICAL GUIDE; or, EPVIONE OF MODERN EXPERIMENTAL CHEMISTRY;

Comprising the general Laws of Chemical Action; the Methods of preparing Chemicst Re-agents, and using them in the Analysis of Natural and Artificial Products; an Account of the Nature and Formation of Elastic Fluids, with a great Wariety of amusing and instructing Experiments : to which are added, means of deteeting the Adulteration of Medicinal and other Substances; Directions for making domestic Chemical Articles of real Utility; Tables of Affinity; a View of Animal Chemistry, as explaining the Laws and Functions of the Animated Structure , and the Phenomena of Diseases on the Principles of this Science; and a Glossay, explanatory & Technical Terms, &c. &c.

By REECE and Co. of the Chemical and Medical Hall, Piccadilly-Price 7s. 6d.

The Seventh Edition, enlarged and corrected, price 2s. 6d.

CATALOGUE OF DRUGS, (In English),

Specifying their Properties, Doses to Children and Adults, the proper Vehicles for their Use, the Diseases for the Cure of which they are employed, and Retail Prices : to which are added, a Description of the different Medicine and Chemical Test Chests, with an Enumeration of their Contents, as adapted to different Climates and uses; viz. the Family, Continental, Tropical, Military, and Sea Medicine Chests: the portable Chests of Chemistry and Mineralogical Chests; with an Account of such Medicines as are necessary to be kept by Families residing in the Country.

By REECE and Co. Chemists to Her Majesty; Medical Hall, 171, Piccadilly. This is a very convenient Work, and contains, in a short compass, a great deal of useful medicas Critical Review, Aug. 1810. information."

List of New Valuable Works.

THORNTON, ON HEALTH.

THE PHILOSOPHY of MEDICINE; being MEDICAL EXTRACTS on the Nature and Preservation of Health, and on the Nature and Removal of Disease.

By ROBERT JOHN THORNTON, M. D.

Member of the Royal London College of Physicians, &c.

In Two large Volumes 8vo. Pitth Edition, illustrated with 27 Plates on various subjects, including Portraits of the most eminent Teachers of Medicine. Price 11, 12s. boards.

"The very able Author of 'Medical Extracts' has tendered an important service to the Profession and Mankind in general, by bringing into a more connected point of view, and affording a more clear and satisfactory detail of the numerous facts and reasonings which form the basis of the present improved state of medical science."—Critical Review.

The Fifth Edition, price 2s 6d.

A FAMILIAR TREATISE ON THE CAUSES AND TREATMENT OF THE

DISEASES OF THE TEETH;

With explicit Instructions for their management, so as to render them white and firm in their socket, and to prevent them from Tooth Ache, Caries, &c.

By J. P. HERTZ, Surgeon and Dentist.

"This work contains much useful information, and we hope it will experience that extensive eircnlation, to which the importance of the subject entitles it." Monthly Compendium of Medicine, June 1819.

Price 2s.

A PRACTICAL TREATISE ON THE

Virtues of the Gratiola Officinalis;

Or Hedge Hyssop, as a Remedy for Consumption of the Lungs, Astlama, and Constitutional Cough, with directions for its Use, and Advice on the Subjects of Diet, Clothing, Air, &c. in these Diseases.

By RICHARD REECE, M. D.

Price 2s. Translated from the Spanish,

A Dissertation on the Ratanhia Root,

Containing an Account of its Growth, medicinal Virtues, &c. &c.

Frincipal Botanist in the Expedition to Peru, and of the Royal Gardens at Madrid,
Member of the Royal Medical College, and the Royal College of
Apothecaries at Madrid.

Price 2s.

IMPORTANT MEDICAL ADVICE

TO THE GAY AND INDISCREET;

Containing Instructions for the effectual Prevention and radical Cure of the Veneral Disease, and their Consequences; particularly Strictures: with Remarks on the baneful inconsiderate Practices of Youth, &c. &c.

By AN HOSPITAL SURGEON.

Price 2s. 6d.

THE FRIENDLY LETTERS OF A LATE EMINENT PHYSICIAN, And an English Countess, on the Causes of

Indigestion, Heartburn, Flatulence, and Bilious and Nervous Complaints,

Detailing the most effectual means of Core and Prevention, by REGIMEN, EXERCISE, MEDICINE, &c. Written at the particular request of her Ladyship.

Price 2s.

MEDICAL ADVICE

TO THE AFFLICTED WITH RHEUMATISM,

Palsy, Chilblains, Deafness, Suffness, Enlargement of Joints, Sprains, Indolent Tomours, &c. with directions for the Use of a sovereign Remedy, the Cajeput Gil, and for the improvement of the general health, &c. by diet, &c.

By A PRACTITIONER IN MEDICINE.

THE TABLE OF HEALTH;

Or Twenty-Four Golden Rules for the Prevention and Cure of the

Head Ache, Ear Ache, Tooth Ache, Deafness, Sore Eyes,

Colds & Coughs, Sore Throat, Bowel Complaints, Costiveness, Diarrahœa,

Stone and Gravel, Rheumatism, Cramp, Burns and Scalds, Sprains & Bruises, By JOSEPH TAYLOR .- Price 1s.

Ague, Seurvy,-Piles, Worms,---Corns, Bleeding at the Nose, Chilblains.

THERAPEUTICS, or The Art of Healing: By THOMAS MARRYAT, M. D.

To which are added, a GLOSSARY, to explain all the difficult words; Receipts for several Popular Medicines now in use; and a Posological Table, by which the proper doses of any Medicine may be seen. Accompanied by a sketch of the Author's Life.

-The Twenty-third Edition, -4s. 6d. beards. This Treatise is peculiarly adapted for the use of the English Apothecary, being the result of the Author's practice during a period of Forty Years, as extensive and as successful as that of any other Physician in Europe. The Prescriptions in this book have been used very successfully by the west eminent of the Profes sion for several years past.

POULTRY AND PIGS.

A PRACTICAL TREATISE on the Method of Breeding, Rearing, and Fattening, all Kinds of Domestic Poultry, Pheasants, Pigeons, and Rabbits, from Memorandums made during Forty Years' Practice.

By BONNINGTON MOUBRAY, Esq.

Second Edition, with Additions on the Breeding, Feeding, and Management of SWINE, price 5s. &d. boards.

By adopting the plan of this Book, every Family may furnish their Tables with these Luxuvies at , lear price than Butcher's Meat; and the Farmer and Breeder may render it a source of constant profit



