[Report 1906] / Medical Officer of Health, Halifax R.D.C.

Contributors

Halifax (England). Rural District Council.

Publication/Creation

1906

Persistent URL

https://wellcomecollection.org/works/ngx62dnw

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



MALIFAX XOS

RURAL DISTRICT COUNCIL.

ANNUAL REPORT

FOR THE YEAR 1906

OF THE

MEDICAL OFFICER OF HEALTH,

F. A. STORR.

BRIGHOUSE:

"NEWS" OFFICE, HUDDERSFIELD ROAD.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

Halifax Rural District Council.

1906.

Chairman:

Sir GEO. J. ARMYTAGE, BART.

Vice-Chairman:

Councillor A. CROWTHER (Fixby).

Members of Council:

Councillor A. BAYFORD (Upper Greetland).

- ,, J. BLACK (Clifton).
- ,, J. B. CARTER (Norwood Green and Coley).
- " S. JACKSON (Hartshead).
- " J. RAMSDEN (Clifton).
- ,, J. WHITTAKER (Norland).

STATISTICAL MEMORANDA.

Population of District,	Census	1901		6,478.
Inhabited Houses	, 1901		1,469.	
Acreage		6,536.		

These are distributed as follows:-

Acreage,	Houses.	Males.	-	ulation. Females,	Total.
Clifton2,207	 533	 1,169		1,327	 2,496
Fixby 937	 105	 211		233	 434
Hartshead 863	 208	 490		466	 956
Norland1,104					
Norwood Green)				345	 655
and Coley J 619				115	 224
Upper Greetland 806					

Rateable Value of the Various Parishes.

				Agricultural Land,	Rateable Value Buildings and contents ### Contents of the con	other	Total Rateable Value.
Clifton				2,069	 13,497		15,566
Fixby				617	 1,495		2,112
Hartshe	ad			929	 4,907		5,836
Norland				831	 5,424		6,255
Norwood	d Gre	en & Co	ley	824	 3,037		3,861
Upper C	Greetl	and		564	 2,381	•••	2,945
			£	5,834	£30,741		£36,575

Birth - rate (per thousand of population)22.9.

Death-rate:-

		Per thou	sand of Population.
General	 ***		15.9
- Zymotic	 		2.I
Respiratory	 		2.7
Tubercular	 		0.0
Infantile Mortality	 11	9'7 per	thousand births.

Vital Statistics for England & Wales for the Year 1906.

1906.		ENGLAND AND WALES.	Great Towns. (76)	Smaller Towns. (142)	England and Wales less the 218 Towns.
BIRTH-RATE	-	27.0*	27.9	26.5	26.3
DEATH-RATE	-	15.4	15.9	14.2	15.1
Zymotic Death-rate -	-	1.73	2.24	1.41	1.18
Infantile Mortality - (per 1000 births)		133	145	138	116

^{*} Lowest ever recorded.

Halifax Rural District Council.

MARCH, 1907.

To the Chairman and Members of the Halifax Rural District Council.

GENTLEMEN,

I beg to submit for your consideration my Report on the health of the District for the year 1906.

I have estimated the population of the above District to be 6,487.

The populations of the different Parishes, calculated on their increase or decrease between the years 1891 and 1901, are as follows:

				Increase since 1901.	Decrease since 1901.
Clifton			2620	 124	 -
Fixby			409	 _	 25
Hartshead	l		938	 	 18
Norland			1217	 _	 72
Norwood	Green	& Coley	881	 2	 _
Upper Gr	eetlar	ıd	434	 10	 _
		-	6499	 136	 115

making a total increase of 21. Yet the natural increase, i.e., excess of births over deaths since 1901, is

Clifton			 	 75	
Fixby			 	 16	
Hartshead			 	 39	
Norland			 	 88	
Norwood Gre	en & (Coley	 	 13	
Upper Greetle	and		 	 14	
				245	

Reckoned on this basis the population should be 6,723 or 236 above my estimation, or an increase of 224 on the estimated populations of each district when added together. The population of the whole district taken together and estimated on the last decennial increase is 6,483. However, as I have previously remarked, it is impossible to make an accurate estimation on account of the varying conditions in each Parish or Township.

The following table gives the populations I have based my calculations on; also the natural increase or decrease for the year:

DISTRICT.	Census Population 1891.	Census Population 1901.	Estimated to middle of 1906.	Natural Increase during the year 1906
Clifton	2275	2496	2608	less 1
Fixby	485	434	409	9
Hartshead	991	956	930	10
Norland	1437	1289	1225	2 I
Norwood G. & Coley	*875	879	881	8
Upper Greetland	405	424	434	less 1
Total	6468	6478	6487	46

^{*} Estimated

BIRTHS.

Number, 149.

Birth-rate, 22.9.

Of these births 77 were males and 72 females. There were 5 illegitimate births.

There is a slight decrease in the birth-rate compared with last year. At the same time the rate compares very favourably with that of previous years. In England and Wales, less 218 towns, it was 26.3.

The following table gives the number of births for 1906, and the four preceding years, in the several parishes:

DISTRICT.	1906	1905	1904	1903	1903	Average for year 1902 to 1905
Clifton	52	60	43	57	58	54.2
Fixby	13	13	7	7	9	9
Hartshead	24	25	30	23	26	26
Norland	40	28	29	40	34	32.75
Norwood G. & Coley	15	16	14	9	8	11.75
Upper Greetland	5	8	9	10	ΙΙ	9.5
Total	149	150	132	146	146	143.5

The birth-rates for the various districts were as follows:

Clifton	 20	Norland	32.6
Fixby	 31.7	Norwood G. & Coley	17
Hartshead	 25.8	Upper Greetland	11.2

Thus Norland has the highest birth-rate, and Upper Greetland the lowest.

The following figures will enable you to compare this year's birth-rate with those of former years:

190523.1	190222.5
190420.3	190124.7
190322.5	190022.2

The average for these six years is 22.5.

DEATHS.

Number of Deaths 103.

Death-rate 15.8.

Of these deaths 50 were males and 53 females. This is the corrected figure, and includes residents who have died outside the district, and excludes non-residents who have died within the district.

The Death-rate for England and Wales was 15.4; for England and Wales, less 218 towns, 15.1. Thirty-two deaths occurred in persons over 65 years of age; twenty-five in persons over 70 years old, six of whom were over 80, and one of the latter attained the great age of 98 years. There were seventeen deaths in children under one year of age, so that 40 per cent. of deaths occurred in persons over 70 years and in children under one.

The numbers of deaths for 1906 and the four preceding years, in each of your districts, are given below:—

DISTRICT.	1906	1905	1904	1903	1902	Average for years 1902 to 1905
Clifton	53	34	25	33	44	34
Fixby	4	9	5	5	6	6.25
Hartshead	14	14	21	17	I 2	16
Norland	19	25	16	12	20	18.25
Norwood G. & Coley	7	18	10	9	15	13
Upper Greetland	6	6	8	6	4	6
Total	103	106	85	82	101	93.5

The following figures will enable you to compare this year's Death-rate with those of former years:—

```
1905, ... 16.3; 1904, ... 13.1; 1903, ... 12.6; 1902, ... 15.5; 1901, ... 15.4; 1900, ... 16.5; The average for these six years is 14.9.
```

The Rates for the various districts were as follows:—

Clifton 20.3 Norland 15.5

Fixby 9.2 Norwood Green and Coley

Hartshead ... 15.0 Upper Greetland ... 13.8

The Death-rate of Clifton is this year very high—no less than 34 per cent. of the deaths occurring in the first quarter of the year, of which 22.6 per cent. took place in February. Thirteen of the deaths were in persons over 70 years of age, 3 of whom were over eighty.

In	Table	IV	will	be	found	the	number	of	deaths	in	each
-district at	the var	ious	age	per	iods.						

The	se may b	e briefly s	summarised	1:		
Number			5 and under 15	and the second	9,5	1.0
Deaths	17	14	7	3	30	32

The average age at death of all persons was about 40 years.

Of those over 65 years of age, 12 were males and 20 females- 32

,, 70 ,, 9 ,, 16 ,, 25

,, 80 ,, 1 ,, 5 ,, 6

So that in this district the number of females dying over 70 years of age is more than twice as many as the males. In fact the person who died at the age of 98 was a woman.

Classification of Causes of Death.

1.—Zymotic Diseases. Number of Deaths 14.

viz.—Whooping Cough ... 2 Diphtheria 5
Diarrhea 4 Measles 3

This is equal to a rate of 2.1 per thousand of the population, or 13.6 per cent of the total number of deaths.

The Zymotic Death-rate for England and Wales, less 218 towns, was 1.18.

The districts affected were :-

		Clifton.	Fixby.	Hartshead.	Norland.
Whooping Cough			0	0	0
Diarrhœa	 	3	I	0	0
Diphtheria	 	I	0	0	4
Measles	 	3	0	0	0

The rates per thousand of the population for the various

Clifton	 	 3.4	Norland	3.3
Fixby	 	 2.4	Norwood Green & Coley	
Hartshead	 	 nil	Upper Greetland	nil

The Zymotic Death-rates for the previous years were:

1900 ... 1.2 1903 ... 1.4 1901 ... 1.4 19049 1902 ... 1.5 1905 .. .6

Giving an average for these six years of 1.16.

The Zymotic Death-rate is high, and this is due to a large extent, to the deaths from Diphtheria, four of which occurred from one house in Norland.

II.—Respiratory Diseases (excluding Phthisis).

Deaths from Pneumonia, Bronchitis and Pleurisy are included in this division.

Number of deaths ... 18

The rate per thousand of the population is 2.7.

The rates for 1905, 1904 and 1903 were 4, 2.1 and 3.2 respectively.

The districts affected were:

	Pr	eumoni	ia.	Bronchitis.
Clifton		8		4
Hartshead		1		4
Norland		0		1

Six or one-third the number of deaths occurred in persons over 60 years of age (five of these being over 70), and one occurred in a child under one year of age.

The average number of deaths from Respiratory Diseases

during the years 1901 to 1905 was 20.

III - Tubercular Diseases.

In this class are included deaths from Phthisis or Consumption of the Lungs, and other diseases due to the same cause, but affecting different parts of the body.

Number of deaths ... 6

This is equal to a rate of oper thousand of the population, or 5.8 per cent. of the total number of deaths.

In 1905 the figures were 1.7 and 9.6 per cent.

In 1904 , , , 2.0 ,, 15.0 In 1903 , , , 1.4 ,, 10.5 The Deaths were distributed as follows:—

Consumption Tubercular Diseases. ... 2 Clifton . . I Norland ..

There were no deaths in Fixby, Hartshead, Norwood Green

and Coley and Upper Greetland.

The average number of deaths during the years 1901 to 1905 was 10.6. There is, therefore, a very gratifying decrease in the number of deaths from Tuberculosis.

Infantile Mortality.

Number of Deaths of Children under 1 year of age ... 17.

This is equal to a rate of 119.7 per thousand of the registered births. The Infantile Mortality for England and Wales, less 218 towns, was 116.

The rate for 1906 indicates that over one-ninth of the children

born did not survive the first year of life.

The Deaths are distributed as follows:-

				ths under ne year.	Mortality per 1,000 births.
Clifton				9	183.6
Fixby				0	nil
Hartshead				2	64.5
Norland				2	64.5
Norwood G	reer	1 & (coley	2	166.6
Upper Gre				2	333'3

On reference to Table V, it will be seen that three did not live a week, and four died before attaining the age of one month. The

chief causes assigned for death were :-

Premature Birth ... 4 Debility 4 Diarrhœa... ... 3 Measles

The Infantile Mortality rates for previous years were:-

1905 ... 166.6 1902 ... 88.6 1904 ... 88.8 1901 ... 129.2 1903 ... 109.0 1900 ... 112.4 The average for these years is 115.9.

Other Diseases.

Of the other causes of death, the following are the most important .-

Senile Decay ... 10 deaths. Heart Diseases ... 9 ,, Cerebral Apoplexy 8 ,, Cancer ... 4 ,,

Infectious Diseases.

During the year there have been 38 notifications of Infectious Diseases received. This is an increase of 11 on last year's record, and is due mainly to an outbreak of Scarlet Fever at Hartshead.

The numbers for the previous years are as follows :-

 1895
 ...
 37
 1900
 ...
 20

 1896
 ...
 80
 1901
 ...
 30

 1897
 ...
 51
 1902
 ...
 55

 1898
 ...
 36
 1903
 ...
 21

 1899
 ...
 43
 1904
 ...
 49

Giving an average for the previous eleven years of 40.8.

The following table shows the distribution of the various Infectious Disease:—

DISTRIC	et.	Scarlet F	Diphth'a	Erysipl's	Removed to Hospital
Clifton		6	2	I	8
Hartshead		20	***	2	19
Norland			5	***	1
Norwood G	. & Coley	2			2
Total		28	7	3	30

The percentage of removals to Hospital was 79. If, however, the cases of Erysipelas—which are not admitted—be excluded, the percentage is 85.7.

The percentage of removals in the various districts was:-

Clifton ... 100 Norland ... 20 Hartshead 95 Norwood Green & Coley 100.

Scarlet Fever.

Number of cases, 28. Number of Deaths, o

Twenty-seven of these cases were removed to Hospital; 6 from Clifton, 19 from Hartshead, and 2 from Norwood Green.

The percentage of removals was 96.4.

The numbers of notifications for previous years were :-

The average for the above six years is 18.3.

As will be seen from the tables, six occurred in Clifton, twenty in Hartshead, and two in Norwood Green.

Nineteen houses have been affected, viz —Six in Clifton, eleven in Hartshead, and two in Norwood Green. In Hartshead, five cases occurred in one house—and here the infection was introduced from outside, and was undoubtedly the cause of many other cases—four in another house, and three in another. It should be noted that twelve out of the twenty cases in Hartshead were notified from three houses. Although the increase in the number of notifications is much above the average, no anxiety has been felt with the possible exception of Hartshead during May, when nine cases were notified. Since then, the cases have cropped up at intervals without any trace of infection from previous cases.

Only one case was not removed, and that was exceptionally well isolated.

The greatest number of cases occurred during the second quarter of the year, viz., 16. The incidence may be seen from the following table:—

	IS	t Quart'r. No. of Cases,	No. of	No. of Cases.	rt'r 4th Quarter. No. of Cases,
Clifton		I	3	I	I
Hartshead		3	II	2	4
Norwood Green		-	2		-

Diphtheria.

Number of cases, 6.

Number of deaths, 5.

Five of these cases occurred in Norland, and one in Clifton.

The notifications for previous years are:-

1895	 4	1899	 O	1903	 3
1896	 IO	1900	 1	1904	 4
1897	 4	1901	 8	1905	 3
1898	 0	1902	 19		

Giving an average for these eleven years of 5.1.

Although the number of cases is not much above the average, yet the death-rate, 83 per cent., is very high. This heavy mortality was due to the unfortunate deaths in one family at Norland.

Nothing need be said of the other notifiable diseases. Three cases of Erysipelas —one from Clifton, and two from Hartshead have been notified. No cases of Typhoid Fever have occurred in your district for the past two years.

Non-Notifiable Diseases.

There were two outbreaks of Measles—one at Hartshead and one at Clifton. This disease appeared in Hartshead during June, and spread throughout the parish with great rapidity. I deemed it advisable to have the school closed, first for a period of three weeks, and afterwards for another three weeks. Although Measles was so prevalent in Hartshead, fortunately no deaths occurred. The appearance of Measles at Clifton took place in December. Here, again, the school was closed owing to the prevalence of the disease, but only for one period of three weeks.

General Report.

In considering the health of the district during the past year, your attention will be at once drawn to the high zymotic death-rate, due to a great extent, as previously mentioned, to deaths from diphtheria. New Longley, Norland, was unfortunate in this respect. But as far as could be ascertained only one house was affected. As the cases only occurred in one house, it is impossible to say where or how the disease arose.

The general death-rate I think satisfactory, especially considering the above deaths from diphtheria, and the fact that one house was mainly affected.

Water Supply.

I am very pleased to report that there is now a public water supply to a portion of Coley; and that the work in connection with a better supply to New Longley, Norland, is now in progress. These are two great improvements made during the year. It is to be sincerely hoped that the latter place will be adequately supplied, and there is every reason to believe that the result will be satisfactory. Many samples of water have been analysed, and where defects have been found, remedies have been carried cut.

Taking the district as a whole, you have every reason to be satisfied with the supply of wholesome water. Naturally there are many isolated instances where individuals must depend upon natural sources, but speaking generally the district is undoubtedly well supplied.

Sewerage & Sewage Disposal.

All arrangements with respect to the treatment of the sewage from Scar Head, Norland, are now settled, and during the present year the work will be carried out. Your attention has been called to the sewage disposal at Hartshead. This matter is at present under your consideration, with every prospect of a settlement.

During October I received information that a cow had died from suspected anthrax at Coley. On investigation it was found that the animal died somewhat suddenly on October 9th. The carcase was dressed, but being found to be unsound was sent to the knackers and further trace was lost. One man who helped contracted the disease. Another beast died on October 20th, and there seems then to have been no doubt as to the nature of the disease. This carcase was cremated, the premises disinfected and every precaution, to prevent further cases, was taken. I am indebted to Superintendent Weightman for his prompt action in the matter.

I remain, Gentlemen,

Yours faithfully,

F. A. STORR.



				-										. 1
	AT ALL NETT.	Rate.*	16-1	14.2	15.0	13.9	16.5	15.4	15.5	12.6	13-1	16.3	14.8	15.8
years.	DEATHS AT AL AGES, NEIT.	Number.	137	121	128	119	109	100	101	85	85	106	108.8	103
and previous	Deaths	residents regist'r'd beyond District.	7	-	-	-	s	+	00	61	-	7	80	20
and p	Deaths of Non-	residents regist'r'd in District.			1-	Ξ	14	6	12	20	1-	10	-	10
3 1906	Deaths	Public Institu- tions.			9	=	œ	14	91	5	6	13	7.3	6
during	AT ALL TOTAL.	Rate.*	9.91	14.1	15.7	15.1	17:3	16.5	17.3	13.1	13.4	9.91	15.4	16 6
District	DEATHS AGES.	Number.	133	120	134	129	115	105	110	228	16	107	112-9	108
of Whole I	DEATHS UNDER NEYEAR OF AGE	Rate per 1,000 Births regist'r'd	0.96	117.4	143.5	126.1	112.4	129 2	88 6	109 0	88 0	166-0	117-7	119-7
cs of V	DEATHS UNDER ONE YEAR OF AGE	Number.	53	27	55	58	19	19	14	17	12	25	51.5	17
Statistics	BIRTHS.	Rate.*	28 1	25.3	27.8	24.8	6.66	24.7	22.5	95 5	20.3	23.1	24.1	22.9
Vital		Number.	239	215	237	212	146	160	146	146	132	150	178.3	149
TABLE I.	Population	estimated to Middle of each Year.	8492	8506	8524	8538	6583	6476	6479	6480	6484	6485	6504	6487
TAE		Y EAR.	1896	1897	1898	1899	1900	1901	1905	1903	1904	1905	Averages for years 1896-905	1906

* Rates Calculated per 1000 of Estimated Population,

1				
1906	Averages of Years 1896to1905	1896 1897 1898 1899 1900 1901 1902 1903 1904	YEAR.	NAMES OF LOCALITIES.
6487	7304	8492 8506 8524 8538 6583 6476 6486 6486	Population esti- mated to middle of each year.	HALIFAX RURAL
149	178·3 108·8	239 215 237 212 146 160 146 146 146 146	Births registered.	FAX
103	8.801	$\begin{array}{c} 137 \\ 121 \\ 128 \\ 119 \\ 100 \\ 100 \\ 101 \\ 82 \\ 85 \\ 106 \\ \end{array}$	Deaths at all Ages.	RUR
17	21.5	23 27 28 28 19 119 117 117 25	Deaths under 1 year.	AL
2608	2443	2326 2335 2335 2335 2354 2364 2501 2524 2547 2561 2572	Population esti- mated to middle of each year.	0
52	58	57 57 57 57 57 57 57 57 57	Births regis- tered.	HTJ.
53	36	\$25 \$4 \$2 4 \$3 55 \$4 \$2 4 \$7 6 \$3 55	Deaths at all Ages.	CLIFTON
9	7.6	s - s s 4 9 9 9 8	Deaths under 1 year.	
409	448 3	475 474 473 471 470 470 420 421 421	Population esti- mated to middle of each year.	
13	9 4	12 12 13 13	Births regis- tered.	FIXBY
4	-1	95569871469	Deaths at all Ages.	ву.
:	1:	3: -: -: -4: -	Deaths under 1 year.	
930	1031-4	1080 1097 11115 11133 1150 952 952 947 942	Population esti- mated to middle of each year.	н н
24	26.3	25 25 25 25 25 25 25 25 25 25 25 25 25 2	Births regis- tered.	HARTS
14	15.4	14 17 17 17 17 17 17 17 17 17 17 17 17 17	Deaths at all Ages.	SHEAD
22	3.6	404000-400	Deaths under 1 year.	D.
1225	1328 8	1408 1403 1397 1397 1387 1286 1271 1256 1250 1250	Population esti- mated to middle of each year.	7
40	54	28 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Births regis- tered.	ORI
19	20.5	26 22 23 23 25 25 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28	Deaths at all Ages.	NORLAND.
2	4:1	010 22 22 -1 - 0110 -1 51	Deaths under 1 year.	
881	886.4	890 890 892 893 879 880 880 881	Population esti- mated to middle of each year.	NOH
15	16	20 22 20 20 20 11 11 21 11 14	Births regis- tered.	00 %
-1	11.9	18 10 10 10 10 10 10 10 10 10 10 10 10 10	Deaths at all Ages.	NORWOOD GR'N
12	1 3	10 -: 10 10 50 -:	Deaths under 1 year.	R'N
434	379.5	350 341 332 322 322 426 427 429	Population esti- mated to middle of each year.	UP. GREETLAND
01	10-1	12 13 13 10 10 8	Births regis- tered.	RE
	6		Deaths at all	ET
6	Oi	000400000	Ages. Deaths under	LA

Table II. Vital Statistics of Separate Localities in 1906 and previous years.

65 and Clift'n Fixby, Harts. Nor. Green Greet. Clift'n Fixby, Harts. Nor. Green Greet. 5 up. *** : : : NO. OF CASES REMOVED TO HOSPITAL Coley. 01 C1 ::: : FROM EACH LOCALITY. : 19 19 Cases of Infectious Disease notified during the year 1906. 1 : : CI 9 00 TOTAL CASES NOTIFIED IN EACH LOCALITY. : Coley. C4 CI 10 : 10 C1 50 55 : : Ç1 9 0 1 to 5, 5 to 15 15 to 25 25 to 65 up-: : CASES NOTIFIED IN WHOLK DISTRICE. 21 9 AT AGES-YEARS 01 01 10 18 23 Table III. 9 1-At all Under 1 : Ages. 38 1-9 58 Notifiable Disease. : : Diphtheria ... Scarlet Fever : Erysipelas Totals

Table IV. Causes of, and Ages at, Death during year 1906.

under under d5 and Clift's upwds upw	Causes of Death.	DEATH OR	DEATHS OF "RESIDENTS" WHETHER OCCURRING IN OR BEYOND THE DISTRICT AT SUBJOINED AGES	RESIDE THE D	NTS" W	HETHE	EJOINE EJOINE	E AGES	DEAT	NI SH.	CLTVOOT		TES (AT	TES (AT ALL AG	
th 3 2 1 2 2 th 5 2 2 3 2 1 th 4 3 1 3 1 th 4 3 1 3 1 th 3 1 3 1 3 th 4 3 1 3 3 th 4 4 3 3 3 th 4 4	Causes of Death.	All Ages.		l and under 5			25 and under 65	65 and upwds		Fixby		Harts- head.	Nor- land.	Nor- Green land. and Coley.	Nor- land.
h	:		64	_	:	:	:		10			_	-	::	
2 2 2 2 2 2 2 2 2 2				::			:	:	:	:		111		;	
croup	mem-			12	:	:	:	:	22	:		:	:	:	:
nteric	:		:	:	4		_		_				4		4
influenza			:	:	:				:	:		:		:	:
(Pulmonary 4 3 1 1 1		_		***			_	:	:					-	-
(Pulmonary 4 1 1 1 (Pulmonary 4 1 1 cercular diseases 2 1 1 2 2 nalignant disease 4 1 1 1 1 s 9 1 2 1 1 a 9 2 7 8 e birth 4 4 7 8 e birth 4 4 8 ion	a		ಒ	1	:	::	:	:	ಚ	_		;		:	
(Pulmonary doses) 4 1 1 2 2 percular disease 2 1 1 1 3 3 salignant disease 4 1 1 1 salignant disease 4 1 1 1 salignant disease 4	:		1	1	:		:	:	1	:			:		: - ::
closis.) 4 1 2 2 1 1 1 1 1 1 1 1 1 1 1 <td>Phthisis, (Pulmonary</td> <td></td>	Phthisis, (Pulmonary														
percular diseases 2 1 1 1 alignant disease 4 1 1 3 3 3 3 s 9 1 2 1 5 4 in 9 1 2 7 8 e birth 4 4 7 8 easo 9 1 6 3 3 2 1 7 5 14 10 4 causes 24 6 3 2 1 7 5 14	Tuberculosis.)		:	1	.:		10		. 12	:	-	-		-	29
nalignant disease 4 1 3 3 s 9 1 2 1 5 4 ia 9 2 7 8 e birth 4 4 7 8 ion	Other tubercular diseases		***	:	1	_		***	_	:					
s	Cancer, malignant disease		:	:		50.00	1	ಬ	ಬ			500	500	; -	1
a 9 2 7 8 e birth 4 4	Bronchitis	9	_	2		:	_	υŧ	+			4		4 1	4 1
e birth 4 4	:	9	:	22			7	146	S			_		-	-
The and accidents of the following state of t	:	+	4	:	:		:	:		:		:	:	:	:
ion 1 1 1 1 3 3 easo 1 1 1 1 1 1 1 1 1 1 1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0000</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>								0000							
easo 9 6 3 3 Homorrhage 8 1 1 1 easy 10 22 1 7 5 14						1000	_	****				-	:	1	1
Hømorrhage 8 2 6 4 causes 24 6 3 2 1 7 5 14	::		:	:	:	:	6	ಎ	ಎ		:	3	သ	33	3 2 1
morrhage 8	:			_		:	_		1		-	_	:		
uses 24 6 3 2 1 7 5 14		00	:	:	:		2	6	4			: -	1	1 1	1 1 1
uses 24 6 3 2 1 7 5 14	:	10	:	:	:			10	4		10				
	uses	-	6	60	10	1	7	Ű1	14		:	4	*	4	4 4 1

Table V. INFANTILE FAT

INFANTILE FATALITY DURING THE YEAR, 1906.

Deaths from stated Causes in Weeks and Months under One Year of Age.

Total Deaths under One Year.	16	6160 14 4111
.sdfnoM 21-11	-	
.sdrnoM II-0I	11	11 11 1111
9-10 Months.	-	-1 11 1111
.sddnolf 6-8	11	11 11 1111
,sdinoM 8-7	8	-
.sntnon 7-9	cı	
.sdonths.	- 1	11 -1 1111
4-5 Months.	-	11 11 111
3-4 Months.	- 1	1- 11 1111
2-3 Months.	67	- 0
1-2 Months.	11	11 11 1111
Total under I Month.	4	
3-t Meeks.	11	1: 11:111
5-3 Meeke.	-	11 11 7111
I-5 Meeks.	1.1	11 11 1111
Under 1 Week.	eo	151
CAUSE OF DEATH.	All Certified Causes. Uncertified	Measles Diarrhoa, all forms Enteritis, Gastro enteritis Gastro enteritis Premature Birth Atrophy, Debility, Marasmus Meningitis Other Causes

TABLE C. 1906.

Water Supply-

Any extension or change during 1906? Work in hand for supply to New Longley, Norland.

Any inadequacy in any part? None, with exception of a few isolated places.

Any complaint as to action on lead? One case.

Sewerage-

Extensions or Improvements during 1906? None. Any inadequacy, and where? To some extent in every district.

Sewage Disposal-

Any modification recently? No.

Any marketable produce grown on Sewage plots? No.

Scavenging-

Performed by Contractors in Clifton, Fixby, Hartshead and Upper Greetland.

Any inadequacy, and where? In Fixby and Norland.

No. of Public Urinals in district? 0. Sanitary condition? Good.

Regulated Buildings, Trades, &c.	Dis-	No. on Re- gister,	inspec	General Condition?	Legal Proceedings (if any).
Common Lodging Houses	None				
Canal Boats	On	susp	ende	d list.	
Slaughterhouses	10	7	6	Satisfactory	
Cowsheds	110	107	29	Fair. Improve- ments made.	
Offensive Trades	6		6	Fairly good. 4 Curriers, 2 Tripe boilers	

Fried Fish Shops-

No. in district? One. Any nuisance? No.

Schools-

Any ailment or contagious disease associated particularly with school life during 1906? Measles. Hartshead & Clifton. No. of Special Reports by M.O.H. advising school closure, 3

Dwellings-

Number of houses built during 1906? Three. General character? Through cottage

Any occupied houses unfit for habitation? None reported.

Any overcrowding of persons in houses? None reported.
Any action taken under the Housing of the Working Classes Acts? No.

Is house-to-house inspection systematically made? No.

Prevention of Consumption-

Any system of notification? No.

Any Sanitary Inspection of Patient's Houses? No.

Any Disinfection of Ditto? Yes, if desired.

Any Distribution of Advice? Only on visiting.

Any Action re Spitting? No.

Any Disinfection of public rooms, vehicles, etc? Only schools.

Nuisances---

Total number of nuisances in hand at close of 1905? 22.

At close of 1906? 15.

Reported during 1906, 86. Abated during 1906, 83.

Total number of legal notices served for abatement of nuisances during 1906? 18.

Total number of SUMMONSES or other LEGAL PROCEEDINGS?

No. of Sink wastes disconnected during 1906? 13.

No. of sink wastes trapped during 1906? 11.

No. of closets newly constructed during 1906? Kinds? 4 privy midden.

No. of Closets reconstructed during 1906? 4 Kinds? 2 water

What Action has been taken with regard to the following Matters ?-

Seizures of unsound Food? None.

Samples under sale of Food and Drugs Acts? 2.

Prosecutions? None.

Any poisoning during 1906 by (1) Arsenical beer? No.

(2) Ptomaines? No.

(3) Lead-contaminated water? One.

Burial Grounds—No. in District? Six. Any need for (a) extension? No. Any need for (b) closure? No.

Births During 1906-

Males, 77. Females, 72. Total 149.

Number illegitimate, included in above? Three.

Deaths During 1906-

(1) Gross Deaths, i.e., Total actually registered in the district, without any correction? 108.

(2) Nett Deaths, on which the rates are calculated --- Males, 50; Females, 53; Total 103.

Number uncertified, included in the above, 1.



