### [Report 1896] / Medical Officer of Health, Chadderton U.D.C.

### **Contributors**

Chadderton (England). Urban District Council.

### **Publication/Creation**

1896

### **Persistent URL**

https://wellcomecollection.org/works/cem2htgs

### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




## Chadderton Urban District Council.

# REPORT

OF THE

# MEDICAL OFFICER OF HEALTH

FOR THE YEAR



GEORGE TAYLOR,

CLERK TO THE COUNCIL.

Town Hall, Chadderton, March, 1897.

H. C. LEE, PRINTER, KING STREET, OLDHAM.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

### Chadderton Urban District Council.

# REPORT

OF THE

# MEDICAL OFFICER OF HEALTH

FOR THE YEAR



GEORGE TAYLOR,

CLERK TO THE COUNCIL.

Town Hall, Chadderton, March, 1897.

### CHADDERTON URBAN DISTRICT COUNCIL.

Area in statute acres						3,080
Population (Census)	1891					22,087
Population (estimated	189	6				24,500
Births Registered { during 1896	Males Fema	s, 37 des,	3 348	} То	tal .	721
Deaths Registered {	Males Fema	s, 21 les,	4 228	} To	tal.	442
Birth Rate						29.4
Death Rate						18.7
Infantile Death Rate						
Zymotic Death Rate						2.1

# MEDICAL OFFICER'S ANNUAL REPORT.

To the Chairman and Members of the Chadderton Urban

District Council.

GENTLEMEN,

During the year 1896 442 deaths were registered in Chadderton—214 males and 228 females. Eighteen Chadderton persons died in the Oldham Union Workhouse.

The death rate (corrected) is 18.7 per thousand of the population, roughly estimated at 24,500.

The death rates for the preceding five years were 19.5, 20, 18.7, 19, 19.1.

The number of births registered in the year was—Boys, 373; girls, 348; total, 721. The birth rate equals 29'4 per 1,000 of the population.

The natural increase of population by excess of births over deaths was 262.

Of the 442 deaths, 119 occurred in children under 1 year of age.

The rate of infantile mortality—i.e., the number of deaths at ages under 1 year per 1,000 children born, was 165, which is below the average for the last ten years, which was 179.

The following table gives the causes of deaths at all ages:—

Infectious diseases	 		50
Diarrhœa	 		9
Phthisis	 		29
Other Scrofulous diseases	 		12
Cancer	 		10
Syphilis	 		2
Rheumatism			
Respiratory diseases			
Heart disease			38
Diseases of Nervous System			-
" Digestive "			
" Urinary "			
Parturition			
All other diseases and old age			
Deaths by violence			-
	 	-	
Total	 		442
		-	

The deaths from the seven principal zymotics were as follows for the last five years:—

		1892	1893	1894	1895	1896
Smallpox		6	17	0	3	0
Scarlet Fever	1.01	3	11	2	I	11
Diphtheria		3	2	2	6	2
Typhoid Fever		2	2	5	I	0
Measles		8	9	19	6	11
Whooping Cough		15	9 8	14	I 2	19
Diarrhœa		1 2	16	4	13	9
Total		49	65	46	42	52
Zymotic Death Rate		2.5	2.8	1.0	1.4	2 · I

Note.—One death from smallpox in Cinder Hill Hospital is not included, as it was not of a native of Chadderton.

### REPORTS OF INFECTION.

The following table gives the infectious cases reported to the Medical Officer during the last five years:—

		1892	1893	1894	1895	1890
Smallpox	 	58	171	14	13	2
Conslat Easter	 	61	92	61	32	172
Diphtheria	 	8	5	4	15	21
m 1 '1 m	 	-8	7	25	6	5
Total	 	135	275	104	66	200

The infectious cases were distributed as follows:-

		North Ward.	Central Ward.	South Ward.
Smallpox	 	2		
Scarlet Fever	 	64	42	66
Diphtheria	 	10	11	
Typhoid Fever	 	I	3	I

SCARLET FEVER was prevalent all through the year, but mostly so from May to December. The epidemic began first in South Ward, and spread through Central to North Ward. This disease is carried from child to child, oftenest being caught in school. Sometimes it has evidently been carried from house to house by children from infected houses playing with other children, or by the persons in attendance on the patient paying visits to neighbours' houses. The first of these two causes is not easy to avoid, as it would be unwise to confine the healthy children too much to the house, where they would be exposed to the risk of infection. They should, however, be instructed by the parents not to associate with other children.

The second cause can be avoided by the occupants of an infected house paying attention to the printed instructions supplied to them.

MEASLES was prevalent in the district during the summer months, and whooping cough caused the large number of 19 deaths.

I would impress on the Council the importance of making arrangements with some district possessing a Fever Hospital, by which suitable cases of fever occurring in this district could be removed to Hospital; the decision as to which are suitable cases to be left with the Medical Officer of Health. There are few townships now which have not some arrangement of this kind. It would not be necessary to remove all cases, but where there is a house full of children, removal of the first case might prevent the others from taking it. During 1896 there were 5 houses with 3 cases in each, and II with 2 in each. In one instance the disease broke out at a farm house, where there were living three families, with many children. By keeping the three children affected well isolated there were no more cases, but removal to Hospital would have been much better. In most of the cases where two or more had scarlet fever there was an interval of five to seven days between each outbreak, showing that the first case gave rise to the others, which might not have occurred if removal had been effected.

The two cases of smallpox were in Chadderton Fold, and here, as in other cases, prompt removal and re-vaccination of the rest of the family prevented any further spread.

There have been rather more cases of diphtheria in the Stockbrook district than in other parts, and I attribute this to defects of the drainage. The whole of the streets in that neighbourhood should be re-sewered and paved. The same remark applies also to Robinson Street and Fields New Road—at least with regard to paving.

I beg to remind the Council that there is a steam disinfector at Cinder Hill which should be erected at once in some suitable building, as in case of another outbreak of smallpox we should be compelled again to ask the assistance of Oldham to disinfect clothing, &c. I hope the Council will urge the Joint Hospital Board to proceed without delay to finish the Hospital Buildings.

INSPECTION OF WORKSHOPS.—The inspection of workshops now devolves on the District Council. Only one notice of a workshop was received from the Factory Inspector. I visited the place, and found it all right.

A number of visits to dairy farms and slaughter houses were made during the year, and many inspections of old property, &c., were made.

I am,

Yours obediently,

H. ASHTON,

MEDICAL OFFICER OF HEALTH.

# LANCASHIRE COUNTY COUNCIL.

# TABLE OF POPULATION, BIRTHS, AND OF NEW CASES OF INFECTIOUS SICKNESS,

Coming to the knowledge of the Medical Officer of Health, during the year 1896, in the Urban Sanitary District of CHADDERTON, classified according to Diseases, Ages and Localities.

3	200	Registered Births.	Aged	New (in	New Cases of Sickness in each Locality.
			or or	_	_
			over 5.		heri
E		Females. Total.		Smal	Dipht
			( Under 5	110	0 12
		040	5 upwards	6	62 9 5
			( Under 5	61	:
	107	:	(5 upwards	18	:
			( Under 5	2 110	0 12
		Lotal	5 upwards	18 6	62 9 5

# LANCASHIRE COUNTY COUNCIL.

TABLE OF DEATHS during the year 1896, in the Urban Sanitary District of Chadderton, Classified according to Diseases, Ages and Localities.

of	Injuries.	2 195	11 246		:	2 196	11 246
aths	Heart Disease,	1	37	:	:	1	37
Mortality from subjoined causes, distinguishing Deaths of Children under Five Years of Age.	Bronchitis, Pneumonia and Pleurisy.	45	56	:	:	45	99
guish of Ag	Phthisis.	-	28	:	:	-	28
disting Years	Influenza.	:	22	:	:	:	5
ve Y	Bheumatic Fever.	:	53	:	:	1	2
om subjoined causes, Children under Five	Diarrhæa & Dysentery.	00	1	:	:	œ	1
und	Whooping Cough.	19	;	:	:	19	:
subje Idren	Measles.	10	1	:	:	10	П
from	Puerperal Fever.	:	1	:	:	:	П
lity !	Membranous Croup.	4	:	:	:	4	:
Iorta	Diphtheria.	1	П	:	:	П	П
	Scarlatina.	50	9	:	:	70	9
	Smallpox.	:	:	П	:	П	:
	Aged under 5 or over 5.	Under 5	5 upwards.	( Under 5	5 upwards.	Cunder 5	5 upwards.
868	65 and upwards,	- 6	22		:		8
caus	25 and under 65.		141		:		141
all dag	15 and under 25.	,	17		:		17
ine	5 and under 15.	8	202		:		56
ty f	I and under 5.	!	-		:		7.7
rtality from all car at subjoined ages	Under 1 year.	9	119		:		119
Mortality from all causes at subjoined ages.	At all ages.	:	441		П		442
	Localities.		Chadderton 441 119 77 26 17 141	Cinder Hill	Hospital		Totals 442 119 77 26 17 141 63

		1	
23			
4 3000			
7			
13			
24			
0			
=			
-			
44			
0			
-			
00			
8			
5			
õ			
0			
7			
(5)			
5			
0			
ŏ			
700			
0			
2			
t			
-			
8			
-			
0.0			
A			
100			
CD			
.0			
22			
d			
- per			
45			
ct			
=			
0	ŧ		
0			
0			
ದ			
-			
-63			
5			-
-5			
and .			
And			
3			-
7			
23			
2			
pine			
0			
ŭ			
-			
8			
-			
4			
d)			_
5			
6			
-			-
90			
ē			_
×			
7			
E			
=			
=			
2			
9			
. 2		1	
		1	
		1	
2	ı		
3			
. 00			
es.			
7			
-			
-			b
		1	mirrin
			in po
			- 5
			5
			16

18	:
In Oldham Union Workhouse.	In Cinder Hill Hospital.
upwards	Under 5 1
1 7 5	
- :	-:-
:	-
:	-
18	:
18	
Deaths occurring outside the district among persons belonging thereto.	Deaths occurring within the district among persons not belonging thereto.

