[Report 1907] / Medical Officer of Health, Chadderton U.D.C.

Contributors

Chadderton (England). Urban District Council.

Publication/Creation

1907

Persistent URL

https://wellcomecollection.org/works/dsjavu8d

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



CHADDERTON

URBAN DISTRICT COUNCIL.

REPORT

OF THE

Medical Officer of Gealth

FOR THE YEAR

HENRY HOYLE,

CLERK TO THE COUNCIL.

Town Hall, Chadderton, April, 1908.

OLDHAM:

T. Dornan, Printer and Bookbinder, 99, Union Street.

CHADDERTON URBAN DISTRICT COUNCIL.

| | | | 1907 |
|--|---------|------|------------|
| Area in statute acres | | | 3,080 |
| Population (Census) 1901 | | | 24,892 |
| Number of inhabited houses (Census) 196 | 01 | | 5,402 |
| Average Number of persons per house | | | 4.61 |
| Births Registered { Males, 415 } To during 1907 { Females, 364 } | otal | | 779 |
| Deaths $$ { Males, 251 Females, 265 } To | otal | | 516 |
| Birth Rate | | | 28.8 |
| Death Rate | | | 19.1 |
| Infantile Death Rate | • • • • | | 166 |
| Zymotic Death Rate | | | 1.92 |

Medical Officer's Annual Report.

To the Chairman and Members of the Chadderton Urban District Council.

GENTLEMEN,

During the year 1907, 467 deaths were registered in Chadderton. Also 49 Chadderton persons died in public institutions outside the district (Oldham Union Workhouse, Oldham Infirmary and Oldham Fever Hospital, &c.) The nett deaths belonging to the district were therefore 516, of whom 251 were males and 265 females.

The corrected death rate is 19·1 per 1,000 of the population per annum, calculating the population at the middle of the year 1907, to be 27,000.

The number of births registered during the year was:—Boys, 415; Girls, 364; Total, 779; an increase of 35 on the previous year. 19 of these births were of illegitimate children.

The birth rate was 28.8 per 1,000 of the population per annum.

The natural increase of population, found by subtracting the number of deaths from the births was 263.

There were 130 deaths of infants under 1 year of age, nine of which were illegitimates.

The infantile death rate was 166, i.e., there were 166 deaths under 1 year of age to 1,000 births. There were 18 inquests and seven inquiries held by the coroner during the year.

The deaths from the seven principal Zymotic diseases for the for the last five years were as follows:—

| | 1903 | 1904 | 1905 | 1906 | 1907 |
|--------------------|------|------|------|------|------|
| Smallpox | 3 | 2 | 0 | 0 | 0 |
| Scarlet Fever | 0 | 4 | 10 | 8 | 2 |
| Diptheria | 6 | 3 | 3 | 9 | 11 |
| Enteric Fever | 1 | 0 | 3 | 1 | 1 |
| Measles | 18 | 29 | 6 | 17 | 13 |
| Whooping Cough | 20 | 8 | 9 | 4 | 15 |
| Diarrhœa | 3 | 5 | 8 | 17 | 10 |
| Total | 51 | 51 | 39 | 56 | 52 |
| Zymotic death-rate | 2.00 | 1.97 | 1.48 | 2.10 | 1.95 |

REPORTS OF INFECTION.

The following table gives the Infectious cases reported during the last five years:—

| | 1903 | 1904 | 1905 | 1906 | 1907 |
|-----------------------------|------|------|------|------|------|
| Smallpox | 46 | 51 | 43 | 28 | 0 |
| Diphtheria&MembraneousCroup | 9 | 26 | 21 | 23 | 28 |
| Erysipelas | 8 | 12 | 17 | 12 | 11 |
| Scarlet Fever | 68 | 147 | 209 | 122 | 68 |
| Enteric Fever | 7 | 7 | 14 | 10 | 8 |
| Puerperal Fever | 2 | 1 | 0 | 2 | 1 |
| Chicken Pox* | | 63 - | 129 | 120 | 24 |

^{*} The order making chicken pox a notifiable disease was rescinded about the middle of 1907.

It will be noticed that the number of cases of scarlet fever has dropped about 50 per cent. compared with 1906.

As there were a number of cases of diphtheria amongst the scholars of Mills Hill School in the early part of the year (most of them being Middleton children), I recommended its closure from March 20th till after the Easter holidays, and this course was adopted. The joint sewer running along Mills Hill Road was also inspected and flushed out.

Owing to an outbreak of measles amongst the scholars of Drury Lane School, the school was closed on my recommendation from February 18th for three weeks, and as the epidemic continued the closure was prolonged till after the Easter holidays.

In my last annual Report I drew attention to the comparatively small infantile death rate (117). This, however, has increased again in 1907 to 166. The increase is partially accounted for by the prevalence of bronchitis and pneumonia in 1907, causing 34 deaths as against only 10 in the previous year. Probably this was due to the wet and cold weather experienced in the spring and summer of 1907.

SANITARY INSPECTION.

During the year, 49 notices regarding nuisances were sent out, and 47 of these nuisances were abated.

37 canal boats were inspected and found satisfactory and in accordance with the acts.

54 visits have been paid to factories and 14 to workshops, and these were found satisfactory.

131 smoke observations were made and in several cases reports were sent to the owners of the excessive amount of black smoke emitted. Some improvement has been noticed as a result of this action.

During the year inspections were made of a number of insanitary dwellings, 11 of which were condemned as unfit for human habitation and one of these has been closed.

DISPOSAL AND REMOVAL OF HOUSE REFUSE AND EXCREMENT.

At the request of the Local Government Board, I made a report to the Council on the above, containing the following particulars:—

The number of water closets is as follows :-

| | Slop Water | Fresh Wat | ter | Total |
|-----------------|------------|-----------|-----|--------|
| Cottages | 677 | 65 | | 742 |
| Mills | | 215 | | 215 |
| Other Buildings | | 45 | | 45 |
| | | Tot | al | . 1002 |

There are at present about 6,070 inhabited houses in the district, most of which are supplied with can closets. The number of cans emptied weekly is 4,852.

The nightsoil is distributed amongst the farms of the district where it is mixed with sweepings, etc., and used as manure.

Occasionally complaints are received of nuisance caused by stench from the pits where mixing is carried on. If some system were adopted of mixing with sifted ashes soaked in crude sulphuric acid, this could largely be prevented, and the manure would be improved by the production of sulphate of ammonia.

The water carriage system is now being applied to all new houses.

The conversion of all can closets into waste water closets should be proceeded with as quickly as possible.

With regard to the disposal of ashes, etc., I pointed out that the ashpits mostly used are dangerous to health, as ashes are not the only things thrown in, they are only emptied at long intervals, and the dust from them finds its way into the houses. They should in all cases be replaced by cans or bins which can be emptied weekly.

A destructor would be a great improvement on the present system of tipping the contents of ashpits in convenient places, the latter causing a nuisance.

I am,

Yours obediently,

H. ASHTON,
Medical Officer of Health.

Vital Statistics of Whole District during 1907 and previous Years. Chadderton Urban District.-Table 1.

* Rates in Columns 4, 8, and 13 calculated per 1,000 of estimated population.

Note.—The deaths to be included in Column 7 of this Table are the whole of those registered during the year as having actually occurred within the district or division. The deaths to be included in Column 12 are the number in Column 7, corrected by the subtraction of the number in Column 10 and the addition of the number in Column 11.

By the term "Non-residents" is meant persons brought into the district on account of sickness or infirmity, and dying in public institutions there; and by the term "Residents" is meant persons who have been taken out of the district on account of sickness or infirmity, and have died in public institutions eisewhere.

The "Public institutions" to be taken into account for the purpose of these Tables are those into which persons are habitually received on account of sickness or infirmity, such as hospitals, workhouses and lunatic asylums. A list of the Institutions in respect of the deaths in which corrections have been made are as follows:—Cinder Hill Smallpox Hospital, Oldham Union Workhouse, Oldham Infirmary, Manchester Royal Infirmary.

Area of District in acres (exclusive of area covered by water) 3,080. Total population at all ages, 24,892. Number of inhabited houses, 5,402, Average number of persons per house, 4.61. (At Census of 1901.)

Chadderton Urban District Council.—Table II.

Vital Statistics of Separate Localities in 1907 and previous years.

| Year | Population estimated to middle of each year | Births registered | Deaths at all ages | Deaths under l year |
|--------------------------------------|---|-------------------|--------------------|------------------------|
| 1897 | 23770 | 658 | 466 | 128 |
| 1898 | 24050 | 688 | 452 | 124 |
| 1899 | 24331 | 702 | 467 | 114 |
| 1900 | 24611 | 686 | 511 | 141 |
| 1901 | 24892 | 673 | 499 | 113 |
| 1902 | 25300 | 759 | 451 | 117 |
| 1903 | 25500 | 715 | 442 | 130 |
| 1904 | 25800 | 670 | 463 | 100 |
| 1905 | 26200 | 713 | 448 | 104 |
| 1906 | 26600 | 744 | 482 | 87 |
| Averages of Years 1897 to 1906 | 25105 | 710 | 468 | 115 |
| 1907 | 27000 | 779 | 516 | 130 |

Cases of Infectious Disease notified during the Year 1907.

| | The second second | | | | | | | | | - | | | |
|---------------------|-------------------|---------|--------|---------|----------------------------------|-------------------------------|-------------------|---------------|--|--------|---------------|----------------------------------|-------|
| | | CASES | North | ED IN W | CASES NOTIFIED IN WHOLE DISTRICT | TRICT | | TOTAL (| TOTAL CASES NOTIFIED IN EACH LOCALITY | TIPLED | NO. OF | NO. OF CASES REMOVED TO HOSPITAL | MOVED |
| NOTIFIABLE DISEASE | | | | At Ages | At Ages—Years | | | | | | FROM | FROM EACH LOCALITY | ALLEY |
| | At all Ages | Under 1 | 1 to 5 | 5 to 15 | | 15 to 25 25 to 65 and upwards | 65 and upwards | North Ward | Central | South | North Ward | Central Ward | South |
| Small-pox | : | : | : | : | : | : | : | : | : | : | : | : | : |
| Cholera | : | : | :: | : | :: | : | : | : | :: | : | :: | | :: |
| Diphtheria (includ- | | | | | | | | | | | | | |
| ing Membraneus | | | | | | | | | | | | | |
| eroup) | 28 | က | 12 | 10 | П | C71 | : | 7 | 12 | 20 | : | : | : |
| Erysipelas | 11 | : | : | T | 67 | _ | 1 | 4 | _ | : | : | : | *** |
| Scarlet Fever | 89 | 2 | 17 | 43 | 4 | 5 | : | 16 | 38 | 14 | 67 | က | : |
| Typhus Fever | **** | | | : | : | ; | : | : | : | :: | : | : | : |
| Enteric Fever | 8 | :: | : | 9 | 1 | 1 | : | ಣ | 5 | : | 1 | | : |
| Relapsing Fever | : | : | : | : | : | : | : | : | : | : | : | : | : |
| Continued Fever | : | | : | : | : | : | : | | : | : | :: | : | : |
| Puerperal Fever | 1 | :: | : | : | : | 1 | : | 1 | : | : | : | : | : |
| Plague | : | : | : | : | : | : | : | :: | :: | : | :: | : | : |
| Chicken Pox | 24 | 1 | 13 | 10 | : | : | : | 10 | 63 | 12 | : | : | : |
| Totals | 140 | 9 | 42 | 70 | 8 | 13 | 1 | 43 | 99 | 31 | က | ಣ | |

Isolation Hospitals Small-pox—Hospital of Chadderton, Royton and Crompton Joint Hospital Board. Fevers—Oldham Isolation Hospital at Westhulme.

10

Chadderton Urban District.—Table IV. Causes of, and Ages at, Death during Year 1906.

| | | ths at the | | | | | | s in |
|------------------------|-----|------------|----------------|-----|-----------------------|-------|---------|--|
| Causes of Death | ALL | | 1 and under | | 15 and under 25 | | | Total Deaths in Public Institutions |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | Tot |
| C11 | | | | | | | | |
| Small-pox | 1.9 | | | *** | *** | | | |
| Measles | 13 | 5 | 8 | | | | • • • • | |
| Scarlet fever | 2 | | 2 | | *** | *** | | |
| Whooping-cough | 15 | 8 | , | | *** | | | |
| Diphtheria (including | 11 | 3 | 5 | 3 | | | | |
| Membranous croup) | 1 | | | 3 | | | | |
| Croup | | | | 7 | | | | |
| Typhus | 1 | | | 1 | | | | 1 |
| Other continued | | | | | | | • • • • | |
| Epidemic influenza | 7 | *** | 1 | | | 4 | 2 | |
| Cholera | 100 | | | | | | | |
| Plague | | | | | | | ••• | |
| Diarrhœa | 10 | 9 | 1 | | | | | |
| Enteritis | 2 | | | 1 | | | 1 | |
| Puerperal fever | - | | | _ | | *** | | |
| Erysipelas | | | | | | | | |
| Other septic diseases | | | | | | | | |
| Phthisis (Pulmonary | | | | | | | | |
| Tuberculosis) | 49 | 1 | - 2 | 2 | 7 | 35 | 2 | |
| Other tubercular | 10 | 1 | 2 | 2 | , | 90 | 4 | |
| diseases | 16 | 5 | . 8 | 2 | 1 | | | |
| Cancer, malignant | 10 | 0 | . 0 | 4 | 1 | | | |
| disease | 23 | | | | | 17 | 6 | |
| Bronchitis | 67 | 22 | 9 | 2 | | 17 | 17 | |
| Pneumonia | 42 | 12 | 10 | 2 | 2 | 15 | 1 | |
| Pleurisy | 1 | 1000 | | 2 | 1 | | 1 | |
| Other diseases of | 1 | | | | | | 1 | |
| Respiratory organs. | 2 | 1 | | | | 1 | | |
| Alcoholism | | 1 | | ••• | | 1.000 | *** | |
| Cirrhosis of liver | 7 | | | | | 6 | 1 | |
| Venereal diseases | 5 | 4 | | | 1 | | | |
| Premature birth | 13 | 13 | | | 1 | | | |
| Diseases and accidents | 10 | 10 | | | | | | |
| of parturition | 1 | | | | | 1 | | |
| Heart diseases | 53 | | 1 | 2 | 8 | 25 | 17 | |
| Accidents | 17 | | 4 | 2 | 3 | 8 | 200 | |
| Suicides | 3 | | | _ | 1 | 2 | | |
| All other causes | 155 | 47 | 14 | 4 | 1 | 51 | 38 | |
| THE OTHER CAUSES | 100 | 11 | 1.4 | 4 | 1 | - 01 | | |
| All causes | 516 | 130 | 72 | 22 | 24 | 182 | 86 | 0 |

Chadderton Urban District.—Table V. Infantile Mortality during the Year 1906. Deaths from stated Causes in Weeks and Months under One Year of Age

| CAUSE OF DEATH | Under 1 Week | 1.2 Weeks | 2.3 Weeks | 3-4 Weeks | Total under 1 Month | 1.2 Months | 2-3 Months | 3-4 Months | 4.5 Months | 5-6 Months | 6-7 Months | 7-8 Months | 8-9 Months | 9-10 Months | 10.11 Months | 11-12 Months | Total Deaths under One Year |
|---|--------------|-----------|-----------|-----------|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|-------------|--------------|--------------|---|
| ALL CAUSES—Certified Uncertified | 18 | 1 | . 3 | 3 | 25 2 | 17 | 7 | 9 | 13 | 9 | 6 | 8 2 | 5 | 9 | 10 | 4 | 122 8 |
| Common Infectious Diseases. Small-pox Chicken-pox Measles Scarlet Fever. | | | | | | | | | | | 2 | | | 1 | 2 | | 5 |
| Diphtheria (including Membranous Croup) Whooping Cough | | | | | | 1 | 2 | | | | 1 | 3 | 1 | | 1 | 1 | 2 9 |
| Diarrhœal Diseases— Diarrhœa, all forms Enteritis, Muco-enteritis | | | | | | | | | | 1 | | | | | | | 1 |
| Gastro-enteritis Gastritis, Gastro-intestinal Catarrh | | | | | 1 | | | | | | | | 1 | | | | 5 |
| Wasting Diseases— | | | | | | | | | | | | | | | | | |
| Premature Birth Congenital Defects Injury at Birth Want of Breast-milk Starvation | | 1 | | | 1 | | | | | | | | | | | | 15 1 |
| Atrophy, Debility, Marasmus | 4 | | 1 | i | 6 | 5 | 1 | 2 | 4 | | | 2 | | | 1 | | 21 |
| Tuberculous Diseases— | | | | | | | | | | | | | | | | | |
| Tuberculous Meningitis Tuberculous Peritonitis | | | | | | | | | | . 4 4 | | | 1 | 1 | | | 2 |
| Tabes Mesenterica Other Tuberculous Diseases | | | | | | | | | | | | | | | | 1 | 2 2 |
| Erysipelas Syphilis Rickets | | | | | | l | | | | | | | | | 1 | | 3 |
| Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis | 3 | | | | 3 | 1 6 | | 1 3 | 1 | 2 | 1 1 | 1 1 | i | 1 1 | 1000 | 1 1 | 1 12 21 1 |
| Pneumonia Suffocation, overlying Other Causes | | | | | | 1 | 1 | 1 2 | | | 2 | | 1 | | 1 | 1 | 13 |
| | - | 1 | - | 3 | - | 17 | _ | _ | _ | - | 7 | _ | | _ | | 5 | 130 |

Population, estimated to middle of 1907, 27,000.

Births in the Year—Legitimate, 760; Illegitimate, 19.

Deaths in the year—Legitimate Infants, 121; Illegitimate Infants, 9.

Deaths from all Causes at all ages, 516.

