# [Report 1898] / February, Sanitary Committee [- Medical Officer of Health], Cornwall County Council.

### **Contributors**

Cornwall (England). County Council.

### **Publication/Creation**

1898

### **Persistent URL**

https://wellcomecollection.org/works/gzd93d5w

### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

### CORNWALL COUNTY COUNCIL.

# Sanitary Committee.

# Monthly Report for January, 1898.

Cornwall just now is undergoing an experience the like of which has not been known before. A widespread epidemic of Influenza has attacked the entire County. A reference to column 25 of the tabulated return will show that scarcely a single district is free from the disease. The disease not being a notifiable one, it is difficult to ascertain the number of cases; but it is evident that a very large per centage of the county's population has been affected. In some districts the disease is of a mild type, whilst in others it has assumed the character of a scourge. So great has been is influence, that the teaching staff of many elementary schools has been reduced, and the attendance of the scholars sensibly diminished, so much so that the schools have been practically unworkable, and, on the recommendation of the M.O.H.s, have had to be closed for a time. The members of the medical profession have had their hands full, and have been taxed to the utmost extent of their powers. And at much inconvenience and pressure, the various Medical Officers of Health have barely been enabled to give the necessary time to forwarding their reports to this Committee. As evidencing the severe character of the epidemic, 26 deaths are returned as due thereto, 19 of which occurred in the Rural districts, and 9 in the Urban. This number is just one more than the total number for the whole of last year.

As might be expected from this abnormal state of things, the County's general death-rate shows a marked increase on that of December, being no less than 2.23 per thousand of the population. The deaths registered from all causes numbered 486 against 429 last month, and 437 as compared with the corresponding month of 1897.

There has been an increased fatality amongst the aged,—201 deaths against 157 last month, being no less than 41.35 per cent. of the total deaths registered. No doubt this increase has been mainly occasioned by the prevalence of Influenza, which in the aged has a greater hold, and meets with less resistance. Infantile deaths number 83 against 59 in December. This is a large increase, but when compared with January of last year, it is better by 9.

Turning to the Zymotics, we have returns of a more encouraging nature. There were 20 deaths registered this month against 27 last, reducing the zymotic death-rate to 0.8 from 1.0, at which it previously stood. Notified or ascertained cases numbered 106 against 206 last month,—a very gratifying improvement, and bringing the zymotic disease rate down to 4.19, which is nearly 50 per cent, better than last month, due to the more favourable returns of Typhoid and Scarlet Fevers.

Diphtheris marks a rise of 4 cases, but a decline of 2 deaths. This increase in the number of cases is more apparent than real, for it includes the returns from a district which has not hitherto supplied any. We are pleased to record this act of grace on the part of Phillack Urban District, and trust that it will be followed by the three remaining defaulting districts, so that the County's statistics may be complete and entire.

Erysipelas cases numbered 15 with 2 deaths this month, against 19 cases and 1 death last.

Scarlet Fever has greatly declined. The cases notified in January numbered 21 against 58 with 3 deaths in December,—a welcome decrease of 36 per cent. The disease has disappeared in St. Columb district, and greatly declined in Redruth Rural, which returns 4 cases against 18 and 1 death the previous month, and also in Helston Rural, there being only 1 case this month, against 6 and 1 fatality in December.

Typhoid Ferer. A very great improvement is shown by the returns for January. From 116 cases with 5 deaths the previous month, it is 55 cases with 7 deaths this. The M.O.H.s for Redruth Rural and Camborne Districts, respectively, report that the epidemic is practically at an end. No fresh case has been reported in the former district since January 18th, and in the latter district the last 4 cases notified were due to secondary infection. Increased vigilance and attention are evidently being aroused, as the result of the recent Local Government Board Inquiry, for the M.O.H. reports that the Authority is causing all midden-pits, cess-pits, and ash-pits at infected houses to be thoroughly cleaned and disinfected, and all accumulations of refuse in the vicinity of dwellings are being systematically removed. Camborne's experience of the Typhoid epidemic will not have been in vain if it profits from the recent Inquiry, and learns the wisdom of shutting the stable door before the horse is gone. These remarks apply with equal force to the St. Columb Rural district.

It is gratifying to observe the attention just now being given to the question of the purity of water supplies; and there is no question so important and vital to the public health as this. Recent events at Maidstone, and at Camborne, are object lessons pointing to the paramount duty of all responsible Authorities to keep a watchful eye in this direction, and not only to have periodical examinations, but also whenever the M.O.H. has the least suspicion of taint or impurity.

Signed on behalf of the Committee,

JOHN R. de C. BOSCAWEN,

Truro, February 16th, 1898

CHAIRMAN.

-		Or	DI	KINS, L	EA	111.	٥, ٠	and	114	FEC	111	00.	3 .1	115	EA.	or,	WILL	11111	tne	2
et		1891.				000	ths	rate An.	77.		over.	1		Nori	FIED	OR A	SCER	TAINE	D CA	9
District.		18	1		18.	Birthrate per I	Death	ath or		between	80	1	18 8	+	er.	F	EVER	18	To	
	SANITARY	Population,	M	edical Officer	Births.	e po	Zym.	ZymoticDeath per 1000 per	Deaths under	bet	65	OX.	Diphtheria & Memb. Croup	118.	Scarlet Fever.	-		-	10	-11
Jo.	DISTRICT.	lati		of Health.		rat r A	N	ottie 100	18.0		Deaths,	Small Pox.	the o.o	Erysipelas.	1 10	Typhoid	ne	Puerperal	1 %	
No.		ndo			Total	rthr	Total	Symo	atl	Deaths 1 a	ath	lan.	ph	ysi	arl	dq.	atin	erp	Cases.	N 00
(1)	(2)				To						2		NA.	ğ			Continued	Pu	13333	
10	RURAL	(3)	1	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(31)	(12)	(13)	(14)	(15)	(16)		(18)	(19)	0 01
1	*STRATTON	7,122	M	r. Braund				100	3	2	6	Z	Z		Z	Z	Z	1933		ш
2	*LAUNCESTON	8,937	M	r. Gibson		26	::				4	**	1::				2.	::	111	
3	*CALSTOCK	6,140	D	T. A. BOWHAY		11					4	1	1							
5	*BOSCASTLE *CAMELFORD	2,009 4,897		r. C. WADE	12	71			1:		5				1 ::				.:	94
6	*LISKEARD	22,464	S M	r. JEROME		16	2	1.0	1	2	3 9		1		1		1		1	1 11
7	*ST. GERMANS	15,080	0.	Ir. KERSWILL	41	32		1	2	1	10	1.	1	(1)	1	1.		12.	21	1 19
8 9	*St. Columb	12,146	M	r. MUDGE	16 26	15 26			i	1:	10						**		1 .:	110
10	*ST. AUSTELL	27,218	SD	r. Mason	12.30	27			10	4	17	1	2	3	1.		1:		5	22
11	TRURO	22,557	M	r. BONAR	42	22			5	1	21		1	2	10				13	691
12	REDRUTH *EAST KERRIER	19,546 8,510	D	r. Permewan Ir. Blaney	38	23	3	1.8	6	2	13		1	2	4	1200			19	3 B9
14	*HELSTON	18.919	M	r. HASWELL	34	21		1.4	9	2	5 16	**	1:	i	i	(1)		**	3	19
15	*West Penwith	18,176†		r. Mudge		Ret						1.	1			1			NN	
	URBAN		1		1			19.50		1994			1	316.5	1					
16	*LAUNCESTON *LISKEARD	4,345	M	r. Gibson		13		2.		1	2			1					1	. 278
17	*SALTASH	3,984 2,541	M	r. NETTLE .	8 9	24	1	3.0	2	1	2 4									40.
19	*BODMIN	5,151	SM	r. Derry	7	16			::	11	3				**		1	::	**	
20	*LOSTWITHIEL	1,496	M	r. MILNER		40			1	12	1									. 2
21 22	*PENRYN	11,131 3,256		r. SHARP	21	22 14			3	1	9 3			1	1		3		2	23
23	*FALMOUTH	12,215	D	r. BULLMORE	25	24	5	4.9	4	7	5		1		1	i	*	**	i	0.98
24 25	*HELSTON	3,198	M	r. WEARNE	7	26			1		4									
26	PENZANCE	6,094	SM	r. NICHOLLS	17	33			6	2	5 8		**	i	1				2	199
27	*PADSTOW	1,503	M	r. HARVEY	1	8		1::			1				1.		::			1 10
28 29	*ST. AUSTELL	1,891 3,477	§D	T. HARDWICK	3	18				13	1			22	100	200	2.5			4 (11)
30	*REDRUTH	10,334		r. Mason	26	31	4	4.6	9	9	3	**	**	2	1	5		::	8	9:25
31	CAMBORNE	The state of the s	M	r. THOMAS	28	23	3	2.4	3	1	10		100	22		35(3)			35	1 95
32	*Phillack *HAYLE	1,142		r. Z. B. MUDGE	15	45 10	1	2.9	1	1	4		5(1)	1(1)	10000	1	1.		7 5	2 19 15 82 63
34	*MADRON	2,810		r. Couch	10	40			3				2							00.00
35	*PAUL	5,961		r. Boase	12	24			1		4									4 44
37	*Ludgvan *SCILLY ISLES	1,896		r. Couch	5	25 18			1	1	1						24		NN	
							_	2.	-		**									
-	COUNTY	303,295	Ware	AVAILABLE.	626	24	20	0.8	83	41	201		15.)	15(2)	21	55(7)			106	0 419
S	pecial Notice.	303,295	97.	JANUARY	702	28	30	1-1	92	32	168	160		_		14[:]		1		2 280
2,		304,295 303,295	\$	FEBRUARY MARCH	638 711	25 28	31	1.2	113	61	161	13.	4[3]			4(1) 7(2)		3(1	43	8 202 8 202
10.00	Special attention again called to the	303,295	ary,	APRIL .	521	24	29	1.1	105	56	150	2	12[3]	14	6	14	1	1	50	5 198
	ries, Cowsheds, and	303,295 303,295	mai	MAY . June	629	25	29	1.1	91	33	129		5[2]	15(1)		10	2	1		191
Mil	kshopsOrders, 1885,	303,295	nun	JUNE	658	26 25	30 27	1.1	65	43 32	104				3 24[9]	15(1)	2	20:	42 63	1 249
	1886, which are	303,295	00	Acquer	585	23	61	2.1	99	40	126		18[6]	10	14	44[=]	1		87	5 344
	itary Authority.	303,295 303,295	12	SEPTEMBER OCTOBER	663	26 25	37	1.4	76 72	11 28	126 129		15(3)		37 50(3)	57(8)	6	-	131	5 54 5 544
15		303,295	unty	NOVEMBER	653	25	29	1.1	66	23	132		1	15		16(1)	4		83	\$ 35.
	Attention is directed he provisions of the	303,295	Con	DECEMBER	613	24	27	1.0	59	40	157		11(0)	19(1)	58(3)	1165		22)	206	\$ 8%
"Is	solation Hospitals		-	*	1200		-			12.1	001		2002	2000	-	er.			100	-
Act,	, 1893," (56 & 57 t. Cap. 68), and to		398.	JANUARY FEBRUARY	620	24	20	0.8	83	41	201	**	15(1)	15(1)	21	55(7)		**	106	\$13
the	Districts in Corn-		18	MARCH	1			1	1	1										
	without such ac-		ummary,	APRIL	18	170			10			111	-				13/1			
com	modation.		E	JUNE	1	1-17-		1/15/	8		1		100				-			
	dical Officers of		=	JULY		1										1				
	alth will greatly		S	AUGUST SEPTEMBER	-	150		1		4 54		114	Parl I		11.3	1				
	ige by being early h their Monthly		ıty	OCTOBER		45		1								100				
	urns.		County	NOVEMBER DECEMBER	1	1		1000	FIRE	9						90				
1900		1100000	O	DECEMBER			1200		10	34			1 - 11		-	200	1 18			

REFERENCE.—The Districts printed in black type have as yet failed to adopt the Notification Act. Districts manifest in these instances. Diseases marked with a "Z" are those taken as Zymotics for Statistical purposes. N.N. means between

6.—Diphtheria case was at North road, West Looe. 7.—Diphtheria at St. Stephens village; Scarlet fever at Torpoint. 9.—Scarlet fever at Devoran and Ladock; Scarlet fever in Portloe and Devoran; Diphtheria in St. Agnes. 12.—All the Typhoid cases were in Hogan—last case wendering Scarlet fever in Porthleven; Enteric fever at Praze, Crowan. 16.—Erysipelas case was at Deakin's Cottages. 21.—Erysipelas at St. 20.—Erysipelas at Clinton and Albany roads; Typhoid at Gilly House, Albany road, Coose lane, and Treleigh. 31.—Epidemic of Enteric fever at Erysipelas at Copperhouse Yard. 33.—Diphtheria at Penpol Terrace, Chapel Row, Penpol Buildings (causes unknown), and Carnsew (probably cases).

ea of the Administrative County of Cornwall, for the Month of January, 1898.

-	ea	OI EII	e n	dini	nisti	duv	_				11111	cari,	101	IE AN		01 01		<b>y</b> , 1090.	
10			1				Dec	ths i	rom		1 00			th's	0 per ter's				to
To	3.	Rate per r ann. on Returns		120	& Dyst.	itis, Pneu-		Heart Disease			Cases	L.	.02	per 1000 on monti	per 1000 on quarte returns.		ases		of District
		Sate ann Retr	2	Vhooping Cough.	G.	Plea	- 8	)ise	ZD.		0	Ill other causes.	Causes	on n	per lon q		alent	General Remarks	Ä
1	1		slos	doo	E.	Party.	is:	Ŧ	nen	cer.	nes	All c	8		100000		ing Ionth.		
[3]	3	Disease 1000 per Month 2	Measles.	Who	Diarr.	Bronehi monia,	Phthisis	Ten	Influenza	Cancer.	Inquest (	R	All	ann.	D.R.				No.
	57	(21)	(22)	(23)	(24)	(25)	(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(3	(5)	(36)	
Ш			Z	Z	Z									-					
14	9					4						11	15	25.27	21-33	Influer		Atmospheric disturbance	1
	8				3.	3	31	1	**	1	1 2	3	5	6.71	9-39	do.		Climatic	2 3
	1		::				**	3				3	6	35.83	15-92	do.		· ·	4
13	9	2.45		22							2	3	5	12:25	15.51	do.		Epidemie	5
13	i	0.53		2	**	3	4	4		2	2 2	7 9	18	9.61	12.28	do.		Climatic	6
	1	1 00					1	3	1			5	10	9.87	13:50	None		Very healthy, no Zym. dis.	8
13	9	1.01				5	1	1	.:		3	20	14 43	14-19	16.54	Influer do.		Delayed Return due to Reg.	9
13	3	2·20 6·91			*	9	2	3 7	7 3	2 2	2 2	18	38	29-21	14.53	do.		Germs	11
11		11.66				7	-1	2	4.0		4	18	35	21:48	23.32			No Typ. case since Jan. 18th	12
19	9	1.00				3 9	5	4	4			18	11	15:51 25:37	13.63	Influen	iza Ent.fev.	Epidemic	13
38		1.90		**		9			2	2		10	40	20:04	10.01	I	ALLEY CY.		15
11		1		163		1	200	-	1			ET.	100						1997
13		2.76				1		3		1	1		6	16:57	14.73	Influer			16
				1		3						5	. 9	27-10	20 09	do.		Climatic	17
и	1			**	**	i	1	2	i	** :	i	1	5 6	23-61	14.16	qo.		District healthy	19
3	1	1.			**	i		1					2	16:04	7.36	Influer		Type not very severe	20
14	я	2.15				4	1	1		1	1	10	18	19:40	19:76	do.		Climatic	21 22
13	3	0.98		5		3	1 3	4	1			3 9	7 25	25.79	11:05	do.		Epidemic Atmospheric conditions	23
13	1	0.30			**	1				**	5		6	22:51	24.09	do		Schools closed	24
19	я					4			2	4.4		10	16	31.50	27.56	do.		Cases generally mild	25 26
H	3	1.93				2		2		2	5	10	21	7.99	7-99	do.		Influenza of mild type	27
13	捌	1.			2.0	i			1		**		2	12:69	14.80	do			28
13	я					2				1	1	4	8	27:61	18-40	Infl., V	Th Co	Free from Zymotic disease Epidemics	29
12	3	9.29		*	1	5	3	1	2		1	18	26	30-19	17.68	Typho		Typhoid practically at an end	31
13	2	20.95					2	2		1	-	3	10	29.93	14-96	Influer			32
15	н	52.53			-		::	. + 4			-:	1	7	10.50	7:00 28:46	None		District still very healthy	33 34
13	a			1.	-	2	1	i		**	1	5 3	6	12:07	16-10	Influer	aza		35
33	я			*		1						2	3	15:42	13.70	None		District continues healthy	36
	3				**							1	1	6:32	25.31	None		District healthy	91
14	)	4-19		12		87	26	47	26	15	35	228	486	19:22	No. S Dis I	Sannary District.	-	Death Rate to Scale.	277
a		2.80	17	4	4	83	29	27		22	30	208	437	17-29		URAL atton		10 20 39	
12	1	1-70	14	9	4	101	33	38	10	23	37			19:22	3 Cat	stock	-		
10		1.98	24 15	7	1 2	89 95	51 46	38	6	25 27	33	292		19.78	5 Can	melford			1
53	涸	1-71	11	4	7	58	37	36	2	22	22	194	402	15.90	7 St.	Germans			
0		2.49	15	6 2	6 5	49 22	33 19	27 31	1	16 28	15	172	342	13.53	9 8t.	Columb Austell			. 3
12	3	3:44	17	3	33	25	31	29	i	17	35	188		15-13	II Tru	ro			8 1
5313	133	5-21	4	2	20	34	39	33	2	27	23			14-44	13 Eas	t Kerrier			- 3
12		3.44	18	5	4 3	31 29	31	31 35	1	22 26	24 20			14-47 13-96	15 West	t Penwith	No Keti	ira.	2 3
100		8-14	4	7	3	64	31	37		26	23			16.99	16 Lau	inceston			8 5
-						10000	E COLO	100000	10000				10 m		18 Salt	tash			3 0
106	P	4.19	4.0	12	4.4	87	26	47	26	15	35	228	486	19.22	20 Los	twithiel			- 1
		10		1											23 Fal	mouth			- 1
				10.4											24 Hel 25 St.	ston			= //
		1 7-		1									1		26 Per 27 Pag	stow			1
		11 2										10			28 New 29 St.	wquay Austell			
				123								1			31 Car	iruth mborne			1
				-								1 1		3/1 5	33 Hay	llack dron	-		
		113-												(3)	35 Pau	igvan	-	_	
															37 801	County	-		FALLS.
-	-	-	_			_	_					_			-		STREET, SQUARE,		

and thus \* are without Isolation Hospitals. † This population is omitted for the purpose of averages. § Returns were late not Notification. The following numbers refer to the number of the District in each case:—

set fever in St. Columb. 10.—Diphtheria at Tywardreath and Carnega, in St. Dennis parish; Erysipelas in St. Stephens parish. 11.—Erysipelas at Four-lanes, and was one of the cases reported last month. 14.—Erysipelas at Four-lanes, minic street; Scarlet fever at Moresk road. 23.—Enteric fever case was at Berkeley Place. 26.—Locality of Notifiable case not stated by M.O.H. etically at an end. Last 4 cases notified due to secondary infection. 32.—Diphtheria at High Lanes and Bodriggy street; Typhoid at Angarrick; and ed drain); Erysipelas at Penpol Terrace.

# CLIMATOLOGICAL OBSERVATIONS IN CORNWALL.

During the Month of JANUARY, 1898.

Readings taken Daily at 9 a.m. Local time.

Stations run from North to South.

	No. of Station.	100040000000000000000000000000000000000	
Wind.	Prevailing Direction.	8. to 8. w. w. w. to 8. w. to	
SUN.	Total Hours Bright Sunshine.	111111811111111111111111111111111111111	
	7681 gains IntoT	### ### ### ### ### ### ### ### ### ##	
	dardw no stat. fisherom to mi 10.0	8552752555550500000000000000000000000000	
	Greatest I Day.	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	
·Ir.	Height above sea.	200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
RAINFALL	Pitto for like period 1897.	24-000-44-0000-4-04-0-4-000-00-00-0-0-0-	
	Helnia HatoT Sesf, natter mont	25. 25. 25. 25. 25. 25. 25. 25. 25. 25.	
	Ditto for like month, 1897.	8	
	Total during distribution Teacher Teac	1.43 1.28 1.28 1.28 1.28 1.28 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.0	
aLevel)	Bar. Lowest.		
BAROMETER (SeaLevel	Bar. Highest.	30.65 30.70 30.71 30.71 30.71 30.72 30.73 30.60 30.60 30.58 30.58 30.58 30.58 30.60 30.60	
Вакомя	Monthly Means. Corrected.	30.33 30.33 30.33 30.35	
	Relative Humidity.	**************************************	
	Mean Daily Range.	9-30 8-00 8-00 5-80 111-00 6-10 6-10 6-10 6-10	
hrenheit).	Ditto for like month, 1897.	38.90 38.90 38.90 38.90 38.90 37.68 37.68 37.68 40.10 40.10 40.10 42.08 41.00	
E	Meen Temp.	45-90 43-50 46-90 46-81 46-81 46-81 46-81 46-81 48-20 48-20 48-20 49-23 49-23 49-23 49-20 45-60 46-60 46-71	
LTURE	Minimum Temp.	55.0 29.0 55.0 29.0 55.0 27.0 55.0 27.0 55.0 22.0 55.0 22.0 55.0 22.0 56.0 20.0 56.0 2	
TEMPERATURE	Jemyl .xald	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0	
TE	Met Bulb.	44.90 45.00 45.00 46.20 46.20 46.31 46.31 46.31 46.31 48.08 48.08	
	Mean Temp. Dry Bulb.	45.40 46.00 46.00 47.10 47.10 47.10 47.10 47.10 48.37 48.37 48.30 50.12	
	OESERVER.	Colonel Field Mr. J. Arthur Capt. Ching, R.N. Mr. H. Wadge Mr. S. W. Johnson Mr. S. W. Jenkin Preb. J. T. Every S.Dr. Hardwick Mr. H. V. Prigg Mr. W. Marchant Mr. W. Coode Mr. J. O'l'remayne Mr. J. O'l'remayne Mr. H. Tresawna Mr. R. A. Gregg Mr. A. J. Opie Mr. A. Lanyon Mr. R. A. Gregg Mr. A. Lanyon Mr. R. K. Hopor Mr. A. Lanyon Mr. R. K. Hopor Mr. T. W. Field Mr. C. H. Benn Mr. C. H. Benn Mr. T. W. Field Mr. T. W. Expavies Dr. Macklin	
	Stations where the Observations were taken. (North to South)	POUGHILL BUDE LAUNCESTON HESSTON DOWN FENTILIE CASTLE LISKEARD LANHYDROCK LANHYDROCK REWQUAY FLYMOUTH (Dev) OREMYLL MENABILLY ST. AUSTELL HELIGAN FREDRUTH ST. AGNES PHULACK FALMOUTH (Ob.) REDRUTH RE	
TV	No. of Station.	100040000000000000000000000000000000000	

°; Scilly (St. Mary's), 51.5°. The following numbers refer to the number of the district in each case :o; Penzance (Penlee), Plymouth, 50.1°; St. Ives,

Chairman.

(Signed) JOHN R. de C. BOSCAWEN

Truro, February 16th, 1898.



### CORNWALL COUNTY

# Sanitary Committee.

## Monthly Report for February, 1898.

Cornwall is still in the grip of the Influenza epidemic. The disease has greatly developed since our last report, and nearly every district remains affected. The number of deaths directly due to it is returned as 110, 61 of which occurred in the Rural and 40 in the Urban portion. This is an increase on the January returns of 84 deaths, or rather 81, as there were 3 deaths in Helston (Urban) which were wrongly returned under the head of Inquests. This is plainly indicative of the severity of the complaint; but it is to be feared that its influence does not end here. The deaths indirectly resulting from it may be imagined from the fact of there being 169 fatal cases of Bronchitis alone—an increase of 94 per cent on the previous month's returns. And undoubtedly the heavy old age mortality this month must be also set down to the epidemic. The origin of the disease seems to be involved in mystery, and is a problem well deserving the attention of the medical profession to unravel. No class of persons is exempt from its influence. It attacks the healthy and vigorous as well as the weak and delicate, and it is found where the best sanitary conditions obtain and the surroundings are all that can be desired, and it seems altogether to be uncontrolled by hygienic laws.

For the first time since we have been tabulating the county's statistics, we have to record that this month the deaths exceed the births, and by no less than 35. This abnormal result is not owing to a falling off in the births, which, indeed, is about the average number, but to the unprecedented state of the general death-rate occasioned by the presence of the Influenza and the largely increased mortality amongst the aged. The number of deaths registered from all causes is 675, being 189 more than in January, raising the general death-rate to 26·17 per thousand of the population—a rise on the month of 6·95. Infantile deaths (under 1 year) are 114, which is nearly 38 per cent. higher than the number last month. In the active part of the population, i.e. between 5 and 65 years of age, there were 218 deaths, giving a death-rate of 8·45 per thousand. This is a little above the average rate, and shows that these also have been affected by the unusual condition of things now prevailing. It is sincerely to be hoped that the worst has now been seen, and that with the coming of more seasonable weather and the return of spring, the county will get back to its normal state of health.

Zymotic deaths are returned as 22 against 20 the previous month, and owing to the increased population basis, by the inclusion of St Just Urban District, recently formed, the zymotic death-rate remains the same as in January, viz.: 0.8. A further great improvement is shewn in the Infectious disease cases, which numbered 49 against 106 last month, reducing the disease-rate to 2.29, which is the lowest point reached since last June. The better returns of Typhoid Fever is the principal contributing factor to this decided improvement.

Diphtheria returns are 14 cases with 7 deaths this month against 15 cases and 1 death last. It will be seen that though the cases have declined a little in number the disease has been attended with greater fatality. There were 1 case and 1 death in Bodmin (Rural), 2 cases and 1 death in St. Columb, one of which was Membranous Croup, 7 cases and 1 death in Redruth (Rural), 1 case a child of 4 months of age, and 1 death in Falmouth (Urban); 1 case Membranous Croup in Camborne, 1 case Membranous Croup and 1 death in Phillack, and 1 case and 1 death in Hayle.

Erysipelas has declined from 15 cases and 2 deaths last month to 9 cases and no deaths this.

Scarlet Fever has further declined. From 21 cases in January it is 17 this month. It has appeared in 6 districts this month against 9 last, viz :—Liskeard (Rural), Truro (Rural), Redruth (Rural) 8 cases, Falmouth, Padstow 4 cases, and Madron 2 cases.

Typhoid Fever returns show a still better improvement than even that recorded for January. The cases numbered last month 55 with 7 deaths, this month they are only 9 with 4 deaths. The centres now principally affected are Truro (Rural) 1 case and 1 death, Redruth (Rural) 2 cases (secondary affection), Helston (Rural) 1 case, Camborne 4 cases and 3 deaths (1 death was from a case notified in December), all secondary affections, and Paul 1 case.

There was no death due to Measles, but Whooping Cough is responsible for 10, and there was 1 death from Diarrhoea.

From our Climatological report it will be seen that the mean temperature was 44.70 degrees against 46.58 for the corresponding month of last year, and the Relative Humidity 83. The mean rainfall was just 2 inches, against 4.61 inches, and the mean total rainfall from the 1st January 3.23 inches against 8.20 inches for the like period of 1897. The highest mean temperature was at the Lizard (50.70), and the lowest at Launceston (40.50). The mean total hours of bright sunshine was 85.9. The highest recorded was at Falmouth (99.6), and the lowest at Newquay (71.1).

Signed on behalf of the Committee,

JOHN R. de C. BOSCAWEN,

Truro, March 12th, 1898.

CHAIRMAN.

TABULATED

OF BIRTHS, DEATHS, and INFECTIOUS DISEASE, within the an

-		0.	DI.	KINS, D.	LITA.	I III	), d	na	11/1	EC	110	,03	D	151	CAS	15,	with	in t	he ar	A In
1.		1.			1000	00	ths	rate	1	E E	Or.	1		Nort	PERD	OR A	SORB	TAINS	ED CAS	
1	SANITARY	1891.	68			100	Total Zym. Deaths			9	over	1-				-	-		· Cac	1111
13	SANITARY		VIII.		Births	per l	18	oticDeath	under			1	Croup		Fever.	1	FEVE	RS.	Tot	1 23
1		Population,	7	Iedical Officer	E		1	9.8	1	bud	65	Pox.	Diphtheria Memb. Cron	Erysipelas	Fo	1	12	13	1	1111
		lot	300	of Health.		T a	N	otic	18	25.	1 1	18	the co	Pe	1 20	oig	ine.	len.	1 %	100
12		ndo	90		Total	Sirthrate	1 2	Jymor nor		Deaths	Deaths,	Small	d'il	ysi	Searlet 3	Typhoid.	3Continued	Puerpera	Cases.	13
10			200		B	Bill	100	N. E	D P	ng	100	1 20	Di	- A	80	A	l o	la de	0	1000
12	(1) (2)	(3)	95	(4)	(5)	(6)	(7)	(8)	(9)			(12)	(13)	(14)		(18)	(17)	(18)	((8)	0 0
	RURAL	1 Tarres	88		100	1000		1	1			1 Z	Z	1	Z	Z	Z	1	1	
	1 *STRATTON .	7,122		Mr. BRAUND	15	25			1	2	5	1		100				1		100
	2 *LAUNCESTON	8,937	§	Mr. GIBSON		20			2		5			1	1000				1	198
_	3 *CALSTOCK . 4 *BOSCASTLE .	6,140		Dr. A. BOWHAY	6	11		1.0	100	4	7			2					2	155
	4 *BOSCASTLE . 5 *CAMELFORD .	2,009		Mr. C. Wade Mr. Jerome	5	29			1		1		**							
	6 *LISKEARD .	22,464		Mr. Nertle		21	i	0.5	9	1 3	18	1	**	**	1.0				1 .:	8:53
	7 *ST. GERMANS	15,080		Mr. KERSWILL	36	28	- 44	0.0	2	3	8	1		""	1		133		1	
	8 *BODMIN	12,146		Mr. MUDGE	25	24	1	0.9	3	1	10	1	100	i				1	2	165
_	9 *St. Columb .		81	Dr. MACKAY .	24	24	2	2-0	4	1	11	1	2(2)			1		1 30	2	100
	0 *ST. AUSTELL.			Dr. Mason	69	30			13	8	21			100				1		
1	1 TRURO			Mr. BONAR	48	25	1	0.5	10	2	27		0.530	2	1	1(1)			4	1 12
	2 REDRUTH 3 *EAST KERRIEI	19,546	1	Dr. PERMEWAN	38	23	1	0.6	7	3	24		7(1)		8	2		1	17	1181
1	A STATE STATE OF THE STATE OF THE STATE OF	18,919	1	Mr. Blaney Mr. Haswell	20	28	2	2.8	4	1	15			:	1	1	2.0		1	177
	West Penwith	18,176		Mr. MUDGE	No	-	urn		3	2	15			1	100	1	11	17.	NN N	1 42
1	URBAN	,,,,,	1	LI LIUDGE	240	1000	urn			**	**	1	2.4		100	100	**	**	TATA	1 15
1	The same of the sa	4000	0.	W- ()	1	100		2	10	1 3000	100						176		1	
1		4,345	100	Mr. Gibson Mr. Neitle .	4	11			1	1	1				100		100	-5		1 11
1		2,541	1	Mr. Preston	3 2	15			2	1	8						100			1 11
lî		2000000	8	Mr. DERRY		16			1		1 3			**		130				100
2		1,496	83	Ir. MILNER	3	24		1	1.		1	1				1		30	1::	100
2		11,131	1	Mr. SHARP	19	20			2	1	9	1	1					1	13	
12	the second secon	3,256	3	Mr. BLANEY	6	22	1	3.6	2	1	2				1	2.	-	1 23	1	
2		12,215	81	Dr. BULLMORE	21	20	3	2.9	4	4	13		10)	4.	1				2	190
2	- AOM TITTO	77.55	1	Mr. WEARNE	4	15				1	11			100						100
2	Committee of the St. St. St. St. St.			Mr. NICHOLLS	21	41			7	5	11									100
2				Mr. Boase Mr. Harvey	29	28	-1	0.9	10	1	7			1					1	956
2		1,891		Dr. HARDWICK	3 4	24	**	1	1 ::		3		**		+	100		2.5	4	五松
2	The second secon	3,477		Dr. Mason	6	20	**		5	2	3	1		- 4 -		1	* *	3.1		100
3	*REDRUTH	10,334		Dr. HICHENS	26	30	4	4.6	7	5	8									1 11
3				Mr. THOMAS	28	22	3	2-4	8	2	13	1	i	1		4(3)		1	6	165
3		1		Mr.Z.B. MUDGE	10	30	1	2.9		1	2	1	1(1)	1		1			1	19
3				Mr. T. MUDGE	i	10	1	10.5	++	0.4			1(t)						1	39
3	Action is familiar			Mr. Couch	7	29				- 1			**			-				14
3		000000000000000000000000000000000000000		fr. Boase	25	50			1	1	10				2	1			3	613
3		6,119		Mr. Couch Mr. C. S. Jago	21	5			200	11		12	22		**	4.1		200	NN	100
3		1,896	T	Dr. MACKLIN	21	18			2	1	6				**	**		**		-
-		000 110	100		-		* *	**	**	**	-	_				20				111
1	COUNTY	309,414	WH	AVAILABLE.	640	24	22	0.8	114	57	286		14(7)	9	17	9(4)			49	191
1		202 00	12	T		00	-												-	
	Special Notice.	303,295		FEBRUARY	702	28	30	1.1	92	32	168	100	15(2)				1	100	71	235
1	-5	303,293	18	MARCH	638	25 28	31	1.2	113	54 61	161	1	11[3]		13[1]	761	2(1)	30	43 52	370 1
1.	Special attention	303,295		APRIL .	621	24	29	1.1	105	56	150		12(3)			14	1	1	50	292 291
	again called to the	303,295		MAY .	629	25	29	1.1	91	33	129	1		15(1)			2	i	43	lin
1 3	airies, Cowsheds, and lilkshopsOrders, 1885,	303,295	8	JUNE	658	26	30	1.1	65	43	104		17[0]	14	3	6	2	200	42	165
	nd 1886, which are	303,295		JULY	645	25	27	1.0	65	32	113		13(3)		24[0]	15	-	20]	_	120
	digatory upon every	303,295	100	August	585	23	61	2.1	99	40	126		18[6]	10		146	1		87	341
	anitary Authority.	303,295		OCTOBER	663	26	37	1.9	76	11	126		15[3]	16		5700			131	F21
		303,295	2	NOVEMBER	642	25 25	30	1.2	72 66	28 23	132		14	17		160	à		87	261
	Attention is directed	303,295		DECEMBER	613	24	27	1.0	59	40	157		11(4)				*	22)	206	125 111
	the provisions of the		0			200	1000		100			30		274	1988		181			1
	Isolation Hospitals	303,295	100	JANUARY	620	94	90	0.0	00	41	201	1	15(1)	15(0)	21	55(7)		1	106	111
	et, 1893," (56 & 57 ict. Cap. 68), and to	309,414	70	FEBRUARY	640	24	20 22	0.8	83	41 57	201 286			9	17	9(4)	*	**	49	190
	e Districts in Corn-	,	100	MARCH	010						200	***			-	-			-	277
	all without such ac-		5	APRIL	-			16		100		11111				1	1	-		
	mmodation.		ummary,	MAY												10				
			E	JUNE						1100						37.0				
1000	edical Officers of		2	JULY	1000				11.5		100		111-1			MA				
	ealth will greatly		S	AUGUST SEPTEMBER	1346			1			1	-								
	lige by being early		3	OCTOBER	605	1				1000	110	1111	6) 11			15/1				
10000	ith their Monthly		County	NOVEMBER				- 41		200						11 0			1 1 1 1	
R	eturns.		0	DECEMBER	001	1415		100	Since !	100								1		
			0		Marie !		100					-		9200	1700	- 12		110	Depley Hill	15.0

REFERENCE.—The Districts printed in black type have as yet failed to adopt the Notification Act. Districts markled in these instances. Diseases marked with a "Z" are those taken as Zymotics for Statistical purposes. N.N. means in the second of the contraction of the contraction

2.—Erysipelas at Hicks Mill, Lewannick. 3.—Erysipelas cases were at St. Ann's Chapel and Gunnislake. 6.—Scarlet Fever in Chippelas (Scarlet Fever at Kea; Enteric Fever in Workbouse, cause unknown Highway. 14.—Erysipelas case was at Four Lanes, Wendron. 23.—One case of Diphtheria in a child 4 months of age at Cambridge terrace; on and Middle street, 1 case, cause obscure. 31.—Membranous Croup at West Centenary Row; Erysipelas at Bolennowe; Enteric Fever (secondary) the Penpol terrace. 35.—Scarlet Fever at Mousehole; Typhoid at Newlyn, imported from Porthleven.

of the Administrative County of Cornwall, for the Month of February, 1898.

0.	tile	170	ATTELLE.	HStr	ative	-	-			11/4	all, I	OI I	THE THE		or Februar	У, 1898.	
4						De	aths	from		-1			per Ps	per 1000 per on quarter's returns.			
	per on trus			+4	100		1 9		1	13	1	1	1000 p month	1000 nunte			District
	1000 per ann. on Mouth s Returns		80	Diarr. & Dyst	& Pleurisy		Heart Diseas			Cas	P. P.	05	per 1000 on mon returns.	01 011	Discases		str
	Retu	1 4	9.4	3	E.S.	3	iñ	120		18t	Se et	D.S.C	per	per on q	prevalent	GENERAL REMARKS	
	the se	- 등	100	1 6	東京	44	14	161	100	1 50	All other	Cumnes	Bull Sales		during the Month.	The second secon	of
3	1000 Mont	Mossles	Vhooping Cough.	Ting.	Bronchi memin, d	Phthisis	lea E	Influenza	Cancer,	Inque	8	All	D.B.	D.R.	the month.		No.
1 6			-		BE					100	ene.					The state of the s	Z
1	(21)	(22)	(23)	(24)	(25)	(28)	(27)	(28)	(29)	(30)	(31)	(32)	1 (33)	(34)	(35)	(36)	
		Z	Z	Z	2		2				4	1 0	15.15	10.65	Influenza		1 8
	1.34		**		2	2	1	**	1 2	1	3	10	15-15	19.65	do.		1
	3.90		::		8		3			1	4	15	29.31	20.84	do.	Climatic	2 3
				1		1	1	100		1	1	4	23.89	19-90			4
ш					4		1	3	1	3	4	15	36.75	23.68	Influenza	Epidemic	5
	0.53		1		12	1	3	9	1	1	13	41	21.80	16.16	do.	Old People chiefly affected	6
	inc	**	++		0	2		2	3	3	6	19	15.11	15.11	do.	Quethiock N. School closed	7
1 6	1.96	**			6 3	1	2 2	4 3	1	1 2	10	19 24	18:77	14.81	do.	Respy. dis. very prevalent	8
		**		**	14	4	7	11		3	17	56	24.68	21.00	Influenza	High d.r. due to Influenza	9
	2.12			-	11	3	2	10	1	3	22	53	25.19	20-92	do.	Infection	11
	0.43			24	12	4	1	8	3	3	16	48	29.46	25.77	do.		12
	200		2		4	100	1	3	1	1	10	22	31.02	17:86	do.	Epidemie	13
	1.26	40			6		5	8	1		12	32	20-29	20-69	do.	Epidemie	14
	20				**									**			15
					120	1	1	-	-		- 100		-		* 4		
	2.5	**	22	3.5	2 7	1 0		1		**	2	5	13.80	13.80	Influenza	Enidomio	16
	200		**		7 2	2	**	1	14	1	4 2	15	15·18 18·88	30 11	do.	Epidemic	17
	**				3				**	i	3	7	16:31	17:52	do.		18
HIE									44		1	1	8:02	10.69	Infl., Respy.	A great deal of Sickness	19 20
1113					8	1		3	1	3	5	21	22.63	22.63	Influenza	Free from Zymotic disease	21
ш	22/2		1	0.0	100	5.5	35	1	1000	15	3	5	18 42	14.73	do.	Epidemic	22
11113	1.96		2	**	6	6	2	3	2	1	10	33	32.41	25.20	do.	Wish ald an annually	23
1100			**		7	1	2	8 2		i	15	15 26	56-28	36-60	do.	High old age mortality Influenza almost gone	24
	0.96	**		17	12	5	1	1 000	**	4	5	28	26.99	18.70	do.	Influenza abating	25
	1-97			1					i	100	2	3	23.98	15.91	do.	Epidemic of mild type	26 27
110								2				2	12:69	10.57	do.	Climatic	28
HIS					5		1	1	**	1	5	13	44:86	34.51	do.	High d.r. due to Influenza	29
	in		4		8	2	3	2	1	3	9	29	33.65	27-08	Infl., Wh. Co.	Epidemica	30
	4-89		**		5	2	3	14	35	1	13	41	33-46	15.96	Influenza do.	Epidemic Very prevalent	31
	0.50	1		-				11		-	1	2	21.00	14.00	do.	Very prevalent	32
1100					4		1	6	1		8	20	85.40	42.70	do.	Epidemic	34
	8.03		22		3		2	4		3	6	18	36.21	22.80	do.		35
HIII	**			-	1	2	++				1	4	20.56	17-13	None Influenza	District healthy	36
ш	**			**	6			2	1	**	2	11	6-32	12.65	None	Majority of cases very slight District exceptionally healthy	37
1100			10		100		477	710		A.4				-			38
100	1.90	**	10		100	91	41	110	20	91	229	019	26.17	No.   Sa Dis   D	inmary Sistrict	Death Rate to Scales	
2	80	17	4	4	83	29	27		22	30	bosl	437	17-29		URAL	10 20 30 40	50
	70	14	9	4	101	33	38	10	23	37			19:22	2 Laur	lock -		
	02	24	7	1	89	51	38	6	25	33	218	500	19:78	4 Boss	castle elford		
	98	15	7	2 7	95	46	35	1	27	37	292		18:60	6 Listo	eard .		
	66	11	4	7 6	58 49	37	36 27	2	22 16	15	194	349	13.53	8 Bodi	min Columb		
	49	11	2	5	22	19	3;		28	40	155		12 81	10 St. A	ustell		
	44	17	3	33	25	31	29	1	17	35		387	15-13	12 Reds			
	21	4	2	20	34	39	33	2	27	23	170	365	14 44	14 Hels	ton Va Peru		
	44	18		4 0	31	31	31	1	22	24	1000000	0.00	14.47	15 West	Penwith No Ketu		
	25	16	5 7	3	29 64	31	35	1	26	20 23	1000000	14000000	13.96	ző Laur	nceston		3
					91	AP E	31.	**	20	20	200	140	10.55	ill Salt	eard		1811
1	1-19		1.2		87	26	47	26	15	35	228	198	19-22	20 Lost	min withiel		1.56
	90		10	1	169	41	47	110	20	37			26 17	22 Peni			100
		Bel	19	100	1	1000	1500	1	987		200			24 Hels	nouth		- 20
	1													25 St. 6	ves		- 01
												-		28 Pad 28 New	stow		
														20 St. A	Austell		-
											2			11 Cam	borne		17
1														33 Hay	le		Town !
												1		35 Paul	gvan		100
			-								100	-		37 8t. J	Just		
		-											-	38 Selli	County		-

thus \* are without Isolation Hospitals. † This population is omitted for the purpose of averages. § Returns were late. Notification. The following numbers refer to the number of the District in each case:—

<sup>(</sup>el street, Callington. 8.—Membranous Croup, fatal case occurred in Marsh, Egloshayle, a low and damp situation, and water unsatisfactory.

12.—Diphtheria, 5 cases at Gwithian, 1 at Portreath, and 1 case of Membranous Croup; Typhoid cases (secondary) were at Pool and Illogan sace of Scarlatina in Guerdon place. These 2 case were in the best parts of the Town. 27.—Scarlet Fever (mild) in Lanadwell street, 3 cases, Edward street, Tuckingmill (3 in one house, 1 death), and West Church street. 32.—Membranous Croup at High Lanes. 33.—Diphtheria at

# CLIMATOLOGICAL OBSERVATIONS IN CORNWALL.

During the Month of FEBRUARY, 1898.

Readings taken Daily at 9 a.m. Local time.

Stations run from North to South.

### Total Hours   19   19   19   19   19   19   19   1		No. of Station	100040000119181419111919191919191919		
PATEMENT	WIND.		W. W		. 0 .
Proceedings   Procession   Pr	Sux.		88.5 88 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		180
National Field   Nati		.7e81 gairub lato?	45-19 45-19 41-73 51-46 46-48 49-34 55-11 48-86 55-11 48-86 55-11 48-86 46-50	44.86	a for
POUCHILI,   Colonel Field   Minimum Times   Pahrenheit),   Colonel Field   Minimum Times   Pahrenheit),   Minimum Times   Pahrenheit),   Minimum Times   Pahrenheit),   Minimum Times   Pahrenheit),   Minimum Times   Pahrenheit   Pahrenhei		dosdw no synG Ilel syour to an IO.0			30
PAROUGHILL   Colonel Field   Harrange   Paltrenheit   Pa		Grentest I Day.	4 000000000000000000000000000000000000	0.50	434
POUGHILL   Coloned Field   Mark Themps   Parkernar (Pahrenheit)   Pakernar (Sealedree)	LL.	Height above sea.	200 200 200 116 885 885 300 1117 1117 1107 1107 1107 1107 1107	197	0 000
POUGHILL   Colonel Field   Alexa Piene   A	RAINFA		6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9		D
Properties   Pro			9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		
Santiana   Santiana   Santiana   Colonel Fried   Fahrenheit)   Santiana   Colonel Fried   Mark Trump   Fahrenheit)   Mark to Santa)   Mark t				4-61	
Court Means   Stations   Statio	7			3.00	
Court Means   Stations   Statio	aLevel	Bar. Lowest.		60-63	0
Court Means   Stations   Statio	ETER(Se	Bar. Highest.	30-41 30-35 30-35 30-35 30-54 30-54 30-55	30-39	-
Stations	BAROM		30 08 30 08 30 00 30 00 30 30 00 30 30 00 30 30 00 30 30 00 30 00 30 00 30 00 30 00	30.01	
POUGHILL		Relative Humidity.		80	1000
Shations   Weeve taken.   OESERVER.   Fight			8.50 8.50 8.50 8.50 8.50	7-99	
Shations   Weeve taken.   OESERVER.   Fight	enheit)		45.50 46.00 46.00 46.89 43.80 43.80 47.60 47.60 48.34 48.34 48.34 48.34 48.34 48.34 48.34 48.34 48.34 48.34 48.34	46-58	
Stations were the Observations were taken.  (North to South)  POUGHILL  BUDE  LAUNCESTON  Hrsestox Down  LISKEARD  LANHYDROCK  PERTILLE  LANHYDROCK  NEWQUAY  NEWQUAY  PLYMOUTH(Dev)  Mr. S. W. Jenkin  LANHYDROCK  NEWQUAY  PLYMOUTH(Dev)  Mr. S. W. Jenkin  13:00 42:  Mr. S. W. Jenkin  14:10 42:  14:10 42:  15:00 42:  16:	E	Mesa Temp.	40, 40, 40, 40, 40, 40, 40, 40, 40, 40,	=	
Stations were the Observations were taken.  (North to South)  POUGHILL  BUDE  LAUNCESTON  Hrsestox Down  LISKEARD  LANHYDROCK  PERTILLE  LANHYDROCK  NEWQUAY  NEWQUAY  PLYMOUTH(Dev)  Mr. S. W. Jenkin  LANHYDROCK  NEWQUAY  PLYMOUTH(Dev)  Mr. S. W. Jenkin  13:00 42:  Mr. S. W. Jenkin  14:10 42:  14:10 42:  15:00 42:  16:	ATURE	Minimum Temp	25 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	5.65	
Stations were the Observations were taken.  (North to South)  POUGHILL  BUDE  LAUNCESTON  Hrsestox Down  LISKEARD  LANHYDROCK  PERTILLE  LANHYDROCK  NEWQUAY  NEWQUAY  PLYMOUTH(Dev)  Mr. S. W. Jenkin  LANHYDROCK  NEWQUAY  PLYMOUTH(Dev)  Mr. S. W. Jenkin  13:00 42:  Mr. S. W. Jenkin  14:10 42:  14:10 42:  15:00 42:  16:	MPER	Max. Temp.		8-1-8	
Stations were the Observations (North to South)  POUGHILL BUDE LAUNCESTON HINGSTON DOWN HINGSTON DOWN LISKEARD LISKEARD LISKEARD LISKEARD LISKEARD LISKEARD LISKEARD LISKEARD LANHYDROCK NEWQUAY NEWCOOG HELIGAN NEW H. Bennett ST. AGNES NA. J. Opie NA. J. Opie NA. J. Opie NA. J. Agrogg REDRUTH ST. IVES North (Ob.) Nr. A. Lanyon ST. IVES North (Ob.) Nr. A. Lanyon ST. IVES North (Ob.) Nr. A. Lanyon ST. IVES North (Ob.) Nr. Benn Nr. O. H. Benn Nr. Oroge	TE	Mean Temp.		-	
Stations were the Observations were taken.  (North to South)  POUGHILL  BUDE  LAUNCESTON  HINGSTON  HINGSTON  Capt. Ching, R.N  HINGSTON  LISKEARD  LANHYDROCK  Nr. W. T. Johnso  LISKEARD  LANHYDROCK  PERTILLE  ORENYLL  Mr. W. H. Benne  ST. AUSTELL  Mr. W. Coode  HELIGAN  ST. AGNES  Mr. J. Opie  Mr. A. Janyon  ST. TUES  Canon Hockin  FALMOUTH (Ob.)  Mr. A. Janyon  ST. TUES  Canon Hockin  FALMOUTH (Ob.)  Mr. A. Janyon  ST. TUES  Canon Hockin  R. M. B. Kitto  ST. JUST (West)  Mr. C. H. Benn  LIZARD LIGHTS  Mr. T. W. Field  Mr. A. Janyon  ST. JUST (West)  Mr. G. B. Bonn  LIZARD LIGHTS  Mr. Branwell, Jr.  County Mrans  County Mrans  County Mrans  Dr. Macklin  County Mrans  Dr. Macklin	1	Mean Temp. Dry Bulb.		44.00	. T .
Stations where the Observations were taken.  (North to South)  POUGHILL BUDE LAUNCESTON HINGSTON DOWN. PENTLLIN CASTLE LISKEARD. LANHYDROCK.  NEWQUAY PLYMOUTH (Dev) OREMYIL. MENABILLY ST. AUSTELL HELIGAN ST. AUSTELL HELIGAN ST. AUSTELL REDRUTH ST. HELIGAN ST. TUES PROBUS TRUBO (R.I.C.) REBRUTH ST. IVES PRICANOUTH (Ob.) ST. IVES PRICANOUTH (Ob.) ST. JUST (West) MARAZION PENZANOE LIZARD LIGHTS SCHLIX, St. Mary's COUNTY MEANS		OBSERVER.	Colonel Field Mr. J. Arthur Capt. Ching, R.N. Mr. H. Wadge Mr. W. T. Johnson Mr. S. W. Jenkin Preeb. J. T. Every Dr. Hardwick Mr. W. Marchant Mr. W. Marchant Mr. W. Goode Mr. W. Coode Mr. J. C. Tremayne Mr. J. C. Tremayne Mr. J. C. Tremayne Mr. J. C. Tremayne Mr. J. G. Tremayne Mr. A. Lanyon Dr. Nicholls Canon Hockin Mr. A. Lanyon Mr. G. B. Hooper Mr. G. B. Hooper Mr. T. W. Field Mr. T. W. Field Mr. T. W. Field Mr. J. E. Davies Dr. Macklin Mr. J. E. Davies Dr. Macklin		
.moint8 to .oK		Stations where the Observations were taken. (North to South)		COUNTY MEANS	
		No. of Station	10044000110000110000100000000000000000		

Plymouth, 49.2°; St. Ives, °; Penzance (Penlee), 50°; Scilly (St. Mary's), 50°. The following numbers refer to the number of the district in each case :-

2.—Mean Temperature 2.8° above average of 10 years. 3.—On the 21st 14 inches, and on the 22nd 24 inches of snow fell. 6.—Continuous N.W. Wind. 11.—Snow fell on 22nd; Hall Showers on 23rd 20.—19th, Hoar Frest; 21st, ground covered in frozen Hail; 23rd and 24th, Hoar Frest. (Signed) JOHN R. de C. BOSCAWEN Chairman. and 24th.

Truro, March 12th, 1898.

### CORNWALL COUNTY COUNCIL.

# Banitary Committee.

## Monthly Report for September, 1898.

The feature of the month is the abnormally high Infantile mortality. There were no fewer than 179 deaths of infants under 1 year, equal to 38 per cent of the total deaths registered, and giving the proportion of 250 deaths per 1000 births. Diarrhosa brought about this result. The disease has been very prevalent during the month. Deaths due to it occurred in 21 districts (7 Rural and 14 Urban)—Redruth and Camborne returning respectively 20 and 25 deaths. These factors have raised the death-rate of those districts to an abnormally high level, and have also made themselves felt in the month's general death-rate.

The total number of deaths registered from all causes in September was 467, giving a general death-rate of 18·11 per 1000 per annum of the population. This shows an increase on August of 89 deaths and 3·56 per 1000 respectively. This rise, as will be seen, was mainly caused by the increased infantile mortality—there being 76 more deaths under this head this month than last. The proportion of deaths, however, among the active part of the population is more favourable than even last month,—the returns for September showing a per centage of 30·40 against 40·74 in August.

There were 97 deaths from Zymotic diseases against 47 last month, viz.:—Measles 1, Whooping Cough, 12; Diarrhosa, 76; Diphtheria, 2; and Typhoid Fever, 6. Other deaths include 29 from Bronchitis, 35 from Phthisis, 36 from Heart Disease, 4 from Influenza, 27 from Cancer, and 221 from other causes. Inquest cases were less numerous this month, and numbered 18, 8 of which were due to natural causes, 8 accidental, and 1 temporary insanity.

Infectious disease cases notified or ascertained during the month were 93, giving a diseaserate of 3.66 against 72 cases and a rate of 2.79 for August.

There were 699 births registered in September, equal to a birth-rate of 27 per thousand. The County's natural increase was 232.

Small-pox. 2 cases of Small-pox are reported, one from St. Germans, and 1 from Redruth Urban—the latter case was a person just arrived from America, and it is presumed that the disease was contracted on board ship.

Diphtheria returns give 16 cases with 2 deaths against 3 cases last month. 2 cases occurred in Launceston (Rural), 1 in Liskeard (Rural), 3 in St. Germans, 4 with 1 death in St. Columb, 1 in St. Austell (Rural), 2 in Truro (Rural), 1 in Redruth (Rural), 1 in Helston (Rural), and 1 with 1 death in Padstow.

Erysipelas is reported from 7 districts (5 Rural and 2 Urban), and shows 8 cases against 10 last month. The disease is again unattended with any fatality.

Scarlet Fever cases numbered this month 50 against 39 with 1 death last month. In the Rural districts Calstock returns 3 cases; Liskeard, St. Germans, and Truro, each 1 case; St. Columb, 3 cases; St. Austell, 7 cases; Redruth, 8 cases; East Kerrier, 3 cases; and Helston, 4 cases; and in the Urban portion 7 cases are returned by Launceston, 3 cases by Falmouth, 4 cases by Penzance and Camborne respectively, and 1 case by Newquay.

Typhoid Force cases are 3 less than in August; but the disease has been more fatally attended —6 deaths being due to it this month against! last. St. Germans contributed 1 case, Truro (Rural), 3 deaths (cases reported last month); Redruth (Rural) 1 case; Helston (Rural) 2 cases; Bodmin, 1 case and 1 death; Helston (Urban), 1 case and 1 death; Camborne, 2 cases and 1 death; and Truro City, Penryn, Falmouth, St. Ives, Padstow, Madron, and Paul, each 1 case.

Whooping Cough is still prevalent in some districts. 13 deaths were due to it against 14 in August.

The mean temperature for the month was 60.94 against 55.97 for September, 1897, and 62.95 last month. The mean rainfall was 1.23 inches against 3.12 inches in August, and the mean total rainfall from 1st January, 18.29 inches against 35.45 inches for the like period of 1897. The highest mean temperature was at St. Ives (63.06), and the lowest at Launceston (56.50). The mean total hours of bright sunshine was 216.8, giving a daily average of 7 hours 21 minutes. The highest recorded was at Scilly (St. Marys) 232.2, and the lowest at Falmouth (207.2).

Medical officers are respectfully desired to report in their next month's returns any changes that may have been made in the personnel of either the Medical Officer or of the Sanitary Inspector in their immediate vicinity during the year.

Signed on behalf of the Committee,

JOHN R. de C. BOSCAWEN,

Truro, October 13th, 1898

CHAIRMAN.

		OF	BIR	THS, DI	EAT	CHS	, a	nd	INF	EC.	LIO	US	D	ISE	AS.	E, v	vithi	n th	ne re	201 100
1 #		1.				000	ths	rate An.	37.	0	over.			Nor	FIED	on A	SCERT	TAINE	ED (8:	1
District.		1891			3	r.10	Deaths	thr r A		between		1-	N D	-	1 6	1 77			1	1111
Dis.	SANITARY	ii,	3.5	dical Officer	Births.	per l	0.1	ZymoticDeath per 1000 per	under	d 5	65 &	1 12	Diphtheria & Memb. Croup	100	Scarlet Fever	F	EVER		Ta	
Jo	DISTRICT.	rtio		of Health.	Bir	Ann	15	oticDo	an s	08	9 %	Pox.	Co	ola	E	id	ned	Ti.	1	122
No.	DIGITIOI.	Population,		Lioune	10	rthrete	Total Zym.	r 10	Deaths	Deaths 1 t	Deaths,	Small	hti	Erysipelas.	rlet	Typhoid.	Continued	Puerperal	Cases.	1 1 1 1 1 1
Z		Pop			Total	Bir	Pot	Zymo	Dea	Deo	Den	Sills	Dip	E.	Sen	2	ont	hue	0	1 155
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)		(10)	(11)	(12)	(13)	(14)		(16)	(17)	(10)	(19)	4 2
1.	*STRATTON	2 100	1	D	00	1 40		1	1 8	1		Z	Z	1	Z	Z	Z	1		
1 2	*LAUNCESTON	7,122 8,937		r. Braund	25 12	42 16	**		2	1	i	1::	2	::	1:	1		**	2	
3	*CALSTOCK	6,140		r. A. BOWHAY	11	21	1	1.9	1	1	2				3				3	
1 4	*BOSCASTLE	2,009		r. C. WADE	4	24					1									
6	*CAMELFORD *LISKEARD	4,897		r. Jerome	38	17 22	1	0.5	6	4	10		i		1				2	
7	*ST. GERMANS	15,080		fr. Kerswill	41	31	i	0.7	7	1.3	5	i	3	1	1	i		**	7	
8	*BODMIN	12,146	M	r. Munge	38	37			1	1	6			1					1	191
9	*ST. COLUMB	11,834		r. MACKAY	27	27	2	2.0	4	1	3		4(1)	77.20	3				7	
10	TRURO	27,218 22,557		r. Mason	76	33	6	3.1	7	3	10	1::	2	2	1	(1)	::	::	9 5	
12	REDRUTH	19,546	D	r. Permewan	38	23	4	2.4	9	2	11		1		8	1			10	
13	*EAST KERRIER		M	P. BLAMEY	23	32	2	2.8	6		2			1	3	100			4	
14	*HELSTON *West Penwith	18,919	SM	r. HASWELL	44 N	27 D-4	6	3.7	11	2	7		1		4	2			NN T	
10	URBAN	12,057	100	fr. Mudge	No	Ret	arn							4.0					NN	-
16	*LAUNCESTON	4,345	N	Fr. Gibson	6	16	1		1019		13.8				7				7	. 90
17	*LISKEARD	3,984	M	Ir. NETTLE	10	30					4	::				1.		::		
18	LOOE	2,401	D	r. WEBB	2	10	1	4.9	3		1									4 10
19 20	*SALTASH	2,541 5,151		r. PRESTON	3	14	2	2.3	2							io			1:	7
21	*LOSTWITHIEL	1,496		F. MILNER	11	25 32	1	2.3			2	**			1:	100			1	1 20
22	TRURO CITY	11,131	M	F. SHARP	23	24	1	1.0	8	1.3	7	1::				1			1	. 167
23	*PENRYN	3,256	M	r. Blamey	9	33	2	7.3	3					22		1			1	1 16
24	*FALMOUTH *HELSTON	12,215	D	r. BULLMORE G. WEARNE	25	24	5	18-7	3	2	4				3	1 10			4	-0.22
26	*ST. IVES	6,094	M	r. NICHOLLS	27	18		19.1	7		3 4	1::		1		1	2		4	197
27	PENZANCE	12,448	M	Gr. BOASE	20	19	4	3.8	8		2	1			4				4	215
28	*PADSTOW			r. HARVEY	3	24	2	15.9	1				1(1)		1:	1			2	110%
30	*ST. AUSTELL	1,891		r. HARDWICK Dr. MASON	10	63	:	3.4	2 2	1.	2			i	1	::		::	1	- 5%
31	*REDRUTH	100000		r. HICHENS	28	32	20	23.2	27	2	6	1	1:						Î	3 18
32	CAMBORNE			r. THOMAS	30	24	26	21.2	32	4	5	100			4	2(1)			6	1 110
33	*Phillack			T.Z.B. MUDGE	7	21	1	2.9	4 2		1								NN	9 10
35	*MADRON	2,810		r. T. MUDGE	6	10 25	2	4.2	2	3	3					i			i	447
36	*PAUL	5,961	M	r. Boase	16	32	2	4.0	5		1					1			1	911
37	*Ludgvan	2,334		r. Coven	5	25			1										NN	7
38	*SCHLY ISLES	6,119		r. C. S. JAGO	li 2	21	1	1.9	4	2	1				**					-
-	COUNTY	-	100	THE RESIDENCE AND PERSONS NAMED IN	-	12	1	6.3	1		1		1050							1 11
-	COUNTI	309,414	] WHS	AVAILABLE,	693	27	97	3.7	179	29	117	2	16(2)	8	50	15(6)	2		93	1 366
1 -		303,295	1	JANUARY	702	28	30	1-1	92	32	168	100	15(2)	19[:]	20 :)	14[2]	1	1	71	2 944
S	pecial Notice.	303,295		FEBRUARY	638	25	31	1.2	113	54	161		4[1]	19	11	4(1)	2	3[+	48	E 191
	Special attention	303,295 303,295		MARCH	711	28	39	1.5	106	61	162		11[3]			7[0]	2[1]	[1]	52	5 202
	again called to the	303,295	ary	APRIL .	621	24 25	25	1.1	105	33	129	2	12(3)		9[1]	14	2	1	50 43	\$18 100
	iries, Cowsheds, and lkshopsOrders, 1885,	303,295	8	June	658	26	30	i-1	65	43	104		17601	14	3	6	2	1	42	
	1 1886, which are	303,295	En	JULY	645	25	27	1.0	65	32	113		13(3)		24[0]		:-	200		11 20
obli	igatory upon every	303,295	S	AUGUST September	585 663	23 26	61	2.1	99	11	126 126		18(6)	10	37	57(8)	1 6		87 131	6 24 1 24
	nitary Authority.	303,295	\$	OCTOBER	642	25	30	1.4	72	28	129		4(1)		500		0	**	87	11 8/1 8) 24r
	Attention is directed	303,295	2	NOVEMBER	653	25	29	1.1	66	23	132		160	15	32	16(1)	4		83	
	the provisions of the	303,295	Co	DECEMBER	613	24	27	1.0	59	40	157		11(4)	190)	58(3)	1165		20)	206	
" I	solation Hospitals	000	101							-	-					1				1
	t, 1893," (56 & 57	303,295 309,414	898.	JANUARY	620	24	20	0.8	88		201 286		15(1)	15(0)	21	55(7)			106	93
the	t. Cap. 68), and to Districts in Corn-	309,414	18	MARCH	640	24 26	22 13	0.8	95		207		9(r)			9(4)	i	::	79	1 20
	l without such ac-	309,414	5	APRIL	603	23	12	0.4	91	42	163		5	12(1)	29	11(0)	2		59	2 25
con	amodation.	307,013	(5	MAY	624	24	38	1.0	82	48	126				21(1)		2	1(:)	51 1	0 19
Ma	dical Officers of	307,013	mm	JULY	686	27 -	27	1.0	84	35	77	**	9(3)	16	48(:)	1800	2 2	i	73 84	はい
100000	alth will greatly	309,414	3	August	686	26	47	1.8	103	25	97			10	39(11	-	1	1	72	2 956
	ige by being early	309,414	S	SEPTEMBER	699	27	97		179		117		16(2)	8	50	15(6)	2		93	1 38
	th their Monthly		nt	OCTOBER NOVEMBER				111												
Ret	turns.		County	DECEMBER				1 5												
-			0			4											2			Die.

REFERENCE.—The Districts printed in black type have as yet failed to adopt the Notification Act. Districts manely in these instances. Diseases marked with a "Z" are those taken as Zymotics for Statistical purposes. N.N. mean makes 2.—Diphtheria at Botewell, North Hill, and Lower Truscott. 3.—Scarlet Fever at Gunnislake—imported from Plymouth. 6.—Diphtheria at St. Germans; Scarlet Fever at Torpoint. 8.—Rrysipelas case was at Norton, Parish of Bodmin. 9.—Diphtheria at St. Canal 11. Diphtheria at Probus and Kenwyn; Erysipelas at Probus; Scarlet fever at Kea; Enteric fever (fatal, cases occurred at St. Ag. es—reported at 14.—Diphtheria at Harland Cross, Breage; Scarlet fever at Poladeras Downs, Breage; Typhoid at Churchtown, Germos, and Sparnon, Breage. In College street; no evident cause. 24.—3 cases of Scarlet fever (all in one house); Enteric fever at Market street. 25.—Erysipelas at Bowlin (as street; Typhoid case was on the South Quay. 30.—Erysipelas at Merrifield's Row. 31.—Small Pox case was in Blight's Row—just arrived limited to the control of the co

Truro, Oct. 13th, 1898.

a of the Administrative County of Cornwall, for the Month of September, 1898.

_	of the	Ac	imin	istra	tive	_					,		[H.	1 to 00	of Septembe	-, 1090.
8.						Des	aths i	from					th's	per 1000 pe on quarter' returns.		
	Rate per ann. on Returns			Dyst.	a de		use			Cases	1		1000 p month nrns.	luarte urns.	Discases	
3	おは		80	5	A 8		98	4		5	he .	9	- 8 4	og a	prevalent	
	Rate Retu	6	-5-4	8	altis, Paeu-	. 25	0	121		+2	Il other causes.	an s	per 1000 on mon returns.	per on q	during	GENERAL REMARKS
н	9 5 8	Sic	0 20	1:	300	118	t	1et	100	100	1 8	8		-	the Month.	
	Disease 1000 per Month s	Moasles.	Whooping Cough.	Diarr.	Bronchi monin, d	Phthisis.	Heart Disease	Influenza.	Cancer.	Inquest (	All	All Causes	ann.	D.R.	Inc month.	The Conference of the Conferen
в	NS Sis	M	1	Ä	Bro	E I	H	II.	S	=			C as			
Ш	(21)	(22)	(23)	(24)	(25)		(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)
	1	Z	Z	Z							1 4	1	6.76	9.55	None	Very healthy
	2.68				**		**		2	**	4	6	8.05	7.60	210110	vory hearing
	5.86	22		**	i	i	2	**			3	8	15.63	12.37	Meas., Diarr.	Seasonal
	2000000	1	**				1	**	**	-		1	5-97	9.95	None	Healthy
		14.40	**	**	***		1000	**	**		2	2	4-90	10-61	None	District very healthy
п	1.19		**	i	4	3	5		3	2	10	28	16.74	12.95	None	One death at 103 years
и	5.56	**		î	2		2			2	9	16	12.73	12.99	None	
н	0.98	**	**	10070		1	1			1	9	12	11.85	9.21	None	District healthy
	7.08			1	i	3		1			4	11	11-15	10.13		
	3.96		**	100	2	1	2		3	3	14	25	11.02	12.48	Contract Contract	Scarlatina declining
	2.65		1	2	2	3	2		2	1	16	32	17:01	14-17	Wh. Cough	Infection
	6.18			4	3	2	3		1	2	13	28	17-18	18:00	0	
	5.61		i	1	1	1	2		2	1	7	15	21.15	15:51		District fairly healthy
	4.43		2	4	3	2	3	1	2		14	31	19.61	16.89	Sc Fever	Same houses aff. as last mon.
	. 10	**	-								1					
	100	-	20	7.	-	300	188	***	100	130					7	
	10-94			3		0			1		i	5	13 80	11.96	Sc. Fever	Board school clos. for 10 days
	19.33		**	*	**	2	i	2.0	1		2	5	15.06	17:06	None	Very healthy month
				i					1		4	6	29.98	18-31	Wh. Cough	Otherwise healthy
		**				**		**	1	**	10000	2	9.44	14 16	None	District healthy
	0.90			2			2	**	**	**		3	6.98	4.65	None	District healthy
	2.32			**		i	1.000					1	8.02	8.02	Diarrhœa	
	1.07	**		**		1	i	**	**	i	ii	19	20.48	14.72	None	Healthy
п	1-07			0	2			1	1	1	2	5	18-42	17-19	Diarrhosa	Health of Boro' fairly good
ш	3-68			2	11	5	1	**			10	22	21.61	17-02	Diaminoa	District generally healthy
	3-92				2		1	1	3	**		8	100000000000000000000000000000000000000	25:01	Wh. Cough	District Bouchard, meaning
	3.75		4		**	.:	i		**		3	13	30.01	21.00	None None	Healthy
а	7.87					1	2							23-13	Inf. Diarrhoea	3 deaths, non-residents
۱	3.85		1	3		2	0.0500.0		2		13	23	22.17	13:30	Inf. Diarrhosa	Climatic
۱	15.96		**	1	**	1	1		**		1	3	38.09	31.73	None	Healthy
	6.34			*:	**	1	1				4 3	6	13.80	16.10	None	Healthy
ال	3.45	**		1						0	16	42	48.77	25.92	Diarrhœa	Epidemic
	1.16			20	3	**		**	1	2	12	47	38-36	23.66	Inf. Diarrhoa	Seasonal
	4.89	120		25		4	3		1		1	6	17.95	13:96	1111111000	
		4.4	1	**	1		**				4	3	31.53	14.01	Wh.Co., Diar.	
	4.07		1	1					**		1 0	6	25.62	31.61	None	District healthy
	4.27			1	2		1		1	1	2	8	16.14	11.41	Inf. Diarrhosa	
۱	2.01			2	1						3		10.28	6.85	None	District remains healthy
	800	50	**	1	**	**		**	**		2 6	2	13.72	15-68	None	District very healthy
ш	**		1		**	**		**	**		1	7 2	12.65	10:54	Wh. Cough	Otherwise healthy
ł	9.00			7.0			-00	**	07	10	-			No.1 S	anitary	D 1 D 2 1
11	3-66	1	12	76	29	35	36	4	27	18	221	401	18-11	Dis. I	District.	Death Rate to Scale.
	2.80	17	4	4	83	29	27		22	30	208	437	17:29	1 Str	atton	
	1.70	14	9	4	101	33	38	10	23	37	212		19.22		stock	
	2.02	24	7	1	89	51	38	6	25	33	1000000	100000	19.78		nelford	
	1.98	15	7	2	95	46	35	1	27	37	292	471	18.60	6 List	ceard	
	1:71	11	4	7	58	37	36	2	22	22	194		15.90		Germans	
	1:66	15	6	6	49	33	27	1	16	15	172		13.53	9 St.	Columb	
	2.49	11	2	5	22	19	31	**	28	40	155		12.81	II Tru	Austell	
	3.44	17	3	33	25	31	29	1	17	35	188	387	15.13	22 Red	ruth	the same of the sa
	3.21	4	2	20	34	39	33	2	27	23	170	365	14 44	14 Heli	ston	
	3.44	18		4	31	31	31	1	22	24	196	366	14.47	Is West	t Penwith RBAN	
	3.25	16	5	3	29	31	35	1	26	20	182	353	13-96	16 Lau	nceston	
		4	7	3	64	31	37		26	23	209		16.99	CS Loo	ceard	
	8.14		la di	1			E STATE OF THE STA	FEED	THE REAL PROPERTY.	THE STATE OF		199		19 Boo	imin	
	8:14		12		87	26	47	26	15	35	228	486	19-22	DI Los	twithlel	
	4:19			1	169	41	47	110	20	37	229	675		es Pen	ryn	
		10000	10		130	35	48	40	15	36	229	100000	21:17	24 Mai	mouth	
	4.19		10		B. Control of the	38	37	9	24	24	200	100000	17:34	at St.	Ives	
	4·19 1·90		3330	1	102			8	22	22	181	1.000000	16.02	an Per	stow	
	4·19 1·90 3·06		11	1 1 2	102		4.3	52			B1000000000000000000000000000000000000	393	15.36	20 Nev	Austell	
	4·19 1·90 3·06 2·25	4	11 9 15	1 2		37	43	4	29	31	13/			1 01 OL	PRINCIPAL OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TWO	THE RESERVE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN COLUMN TW
	4·19 1·90 3·06 2·25 1·99		11 9	1 2 10	66	37				31	191	I DESCRI			fruth	
	4·19 1·90 3·06 2·25 1·99 2·85	4 2	11 9 15 21		66 47	37 31	33	4	29			I DESCRI	12·87 14·65	31 Car	fruth	
	4·19 1·90 3·06 2·25 1·99 2·85 3·25	4 2	11 9 15 21 20	10	66 47 40	37 31 30	33 37	4 3	29 15	9	162	332 378	12.87	32 Car 32 Phi 33 Hay	fruth	
	4·19 1·90 3·06 2·25 1·99 2·85 3·25 2·79	4 2 3	11 9 15 21 20 14	10 28	66 47 40 23	37 31 30 28	33 37 37	3 2	29 15 29	9 29	162 183	332 378	12·87 14·65	32 Car 32 Phi 33 Hay 34 May	fruth	
	4·19 1·90 3·06 2·25 1·99 2·85 3·25 2·79	4 2 3	11 9 15 21 20 14	10 28	66 47 40 23	37 31 30 28	33 37 37	3 2	29 15 29	9 29	162 183	332 378	12·87 14·65	32 Gar 33 Phi 33 Hay 35 Mai 36 Pau	fruth	

thus \* are without Isolation Hospitals. † This population is omitted for the purpose of averages. § Returns were late.

Notification. The following numbers refer to the number of the District in each case:—

Action of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case:

The following numbers refer to the number of the District in each case was the High and Expression of the District in each case was in High case was in

6

# CORN WALL. Z OBSERVATIONS CLIMATOLOGICAL

1898. SEPTEMBER, 9 During the Month

Readings taken Daily at 9 a.m.

to South. North Stations run from

Local time.

No. of Station. S.F. to E. WIND. Variably to E.toN. Prevailing Direction. i ni ni ni ni 210.3 232-2 212.9 SUN. Total Hours Bright Sunshin 216 45-19 51.46 46.48 49.34 49.34 551.27 389.50 389.89 389.89 48.86 51.111 40.47 44.82 46.50 76 86 14 88 5 15 Total during 1897 39-# Days on which 0.01 in or more fell 1108108888797760 œ. 0.26 0.35 0.47 Greatest I Day. 55 55 55 204 Height above sea. RAINFALL 44 0.7 91 24.61 20 10 Ditto for like period 1897. 20 35 18.91 14.33 80 18 99 53 Halming lateT 8681, asLtsI morl 575 8 4.60 4.47 4.21 Ditto for like month, 1897. 0.011.05 0.010.05 0.010.05 0.010.05 0.010.05 0.010.05 0.010.05 0.0 1.20 99.0 55 Total during Inches. 29.84 29.74 29.56 29.69 29.60 29.60 29-70 29-70 29-60 29-66 89 (SeaLevel Mar. Lowest, 29. 29 30-45 30.60 30.36 30.47 30.40 30.50 30.50 30-23 Bar, Highest, BAROMETER 30 30-18 30-10 30-19 30-05 29-93 60-30-25 30-25 30-12 30-02 30-02 30-07 Monthly Means. 30 12 01: : 23 10. Relative Humidity. 178: : 82 : 50 77 13.20 113-70 14-96 13-76 18-50 11-13 12-94 14-00 2.30 11-81 Mean Daily Range. (Fahrenheit) 52.50 55.90 55.00 57.81 55-90 55.00 900 97 80 64 36-71 Ditto for like month, 1897. 565 55 56 56 62.00 61-20 60.50 62-45 60.09 61-30 10 60-80 59-93 30 59.00 63:06 Mesn Temp. 62 TEMPERATURE 53.7 40-0 6-1-9 0.55 46.9 45-0 64-0 46-7 49-0 39.0 36. :97 12 45 Minimum Temp. 15 38 . 10 75.2 75.7 82.0 79.0 1.92 6.69 8-4-0 76.2 73.0 0 9 dmal .xulg 58.00 59.10 56.96 67.80 58-20 -30 69-69 60-00 58.83 28 8 Mean Temp. 58 589 83-18 62.00 00.09 62.50 63.90 59.56 59-60 63-20 62-11 Mean Temp. Dry Bulb. iffey. G. B. Hooper.
Mr. T. W. Field.
Mr. C. H. Benn.
Mr. Branwell, Jr.
Mr. J. E. Davies.
Mr. A. Mitchell.
Dr. Macklin. Wadge ... T. Johnson W. Jenkin Colonel Field

Mr. J. Arthur

Copt. Ching, R.N.

Mr. H. Wadge

Mr. S. W. Jenkin

Preb. J. T. Every

Dr. Hardwick

Mr. H. V. Prigg

Mr. H. V. Prigg

Mr. J. Wonnacott

Mr. W. H. Bennett

Mr. W. H. Bennett

Mr. W. H. Coode

Mr. J. O. Tremayne

Mr. J. Opie

Mr. J. Opie

Mr. A. Jenyon

Mr. R. A. Gregg

Mr. A. Lanyon

Spr. Nicholls

Canon Hockin

Mr. E. Kitto Bennett J. C. Tremayne OBSERVER LIZARD LIGHTS MULLION ... SCHLIY, St. Mary's POUGHILL
BUDE
LAUNCESTON
HINGSTON DOWN
PENTILLE CASTLE
LISKEARD LANHYDROCK... NEWQUAY... PLYMOUTH(Dev) Stations e the Observations were taken. OREMYLL...
MENABILLY
ST. AUSTEL,
HELIGAN...
ST. AGNES...
PROBUS
TRURO (R.I.C.)
REDRUTH MEANS ST. IVES
PHILLACK
FALMOUTH (ST. JUST (We
MARAZION
FENZANCE (North to South) COUNTY No. of Station.

going to press. Sea temperatures. The following numbers refer to the number of the district in Newquay. Son time of 61.10. hand at t 8 †Returns not 69°; Scilly ( Late Returns. Penzance (Penlee), St. Ives, 61.9%; Plymouth,

0830 Ħ

each e

7-Rainfall for 9 A very dry month. month. 7 about 3° above. 3-A very fine and dry me date, lowest recorded during past 6 years, dry month, over 2½ inches under average of Mean Max. a for year to d n Temperature 3° above the average of 10 years. Fine Aurora Eorealis on 8th. Total Rainfall brilliant Aurora extending from N.R. to N.W. Fine Aurora B 2-Mean 7 month. Fi 8-Remarkably dry as in months, 121 inches below average of 54 years.

14. —Not so dry a month as Soptember, 1895.

continues very deficient.

1898. October 13th. Truero,

Chairman. BOSCAWEN, U de × JOHN (Signed)