### [Report 1908] / Medical Officer of Health, Leeds City.

#### **Contributors**

Leeds (England). City Council.

#### **Publication/Creation**

1908

#### **Persistent URL**

https://wellcomecollection.org/works/spag42gt

#### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



wi,



## ANNUAL REPORT

MADE TO THE

## URBAN SANITARY AUTHORITY

OF THE

CITY OF LEEDS,

FOR THE YEAR

1908,

AND PARTLY FOR 1909.

BY

J. SPOTTISWOODE CAMERON,

M.D., B.Sc., &c.,

Medical Officer of Health to the City.



## ANNUAL REPORT

MADE TO THE

# URBAN SANITARY AUTHORITY

OF THE

CITY OF LEEDS,

FOR THE YEAR

1908,

AND PARTLY FOR 1909.

BY

J. SPOTTISWOODE CAMERON,

M.D., B.Sc., &c.,

Medical Officer of Health to the City.





		PAGE
	GENERAL REPORT.—Tables and reports furnished during 1908—Monthly,  Quarterly—with tables of latter repeated in Annual. Preliminary tables for 1908 (p. 1). General statistics for 1908 (p. 4). Nine large towns (p. 6). Diarrhaa in third quarter (p. 7). Present and past mortality in Leeds (p. 7). Explanation of chart (p. 12). Com- parison of 1908 with 1907 (p. 16), with 1885—9 (p. 17). Age mortality (p. 18). Matters referred to supplement (p. 20).  ADMINISTRATIVE WORK  CHANGES IN STAFF  WARD INSPECTION	53 53 56
	INSPECTION OF WORKPLACES—Bakehouses, workshops—other work  WOMEN INSPECTORS—Infectious diseases—outworkers—workplaces— infantile mortality—visits to newly-born—midwives' Act—other work	56 68
	ASHPIT CLEANSING—DESTRUCTORS—STREET CLEANSING FOOD INSPECTION—Food, drugs and dairies—tubercle in dairies,	74
	within and outside Leeds—examination of udders—meat and markets	76
	Smoke inspection	115
	REMOVAL OF PATIENTS—DISINFECTING AND FLUSHING	116
	TEMPORARY DWELLINGS INSPECTION	121
Т	ABLE 1.—Mortality in Leeds in 1908, from all and certain groups of causes, and comparison with previous years ,, 2.—Mortality in nine largest towns in United Kingdom in 1908	8 9
	,, 2a.—Comparative mortality of nine largest towns in certain periods of	
	time	10
	,, 3.—Deaths in Leeds, 1908, and quarters; age groups—births 4.—Deaths per 1,000 living—birth-rate	II
	Doub vates shildren under t was 1008 aslaulated savaral ways	13
	——Logarithmic chart of rates to face	16
	——Births, deaths, and infectious diseases heard of	21
	,, 5 a.—Infantile mortality, 1908, deaths at certain ages from stated causes	22
	,, 5 b.—Deaths under one in districts from stated causes, and rates per 1,000 born	23
	5 c.—Age groups under one, excess at certain ages in districts per cent. of city rate at same ages in 1908	24
		4 8 25
18:	,, 6.—Mortality from tuberculosis, 1908	
	,, 6 a.—Comparative tuberculosis mortality since 1890	27
	6 a Phthicis deaths at certain agas in intercents, and rates for took	28
	— Phthisis cases reported and deaths, 1902-3-4-5-6-7-8	30
	7.—Deaths from lung disease grouped according to nature of disease	30
	and age groups used in 6 c	30

120

#### APPENDIX.

TABLE A.—Part I.—Causes of death in registration sub-districts; institutions as separate districts.

,, A.—Part 2α.—Populations, births, mortality at certain ages in registration sub-districts, public institutions being classed as separate districts.

,, A.—Part 2 β.—At certain age groups. Institution deaths allocated.

,, A.—Parts 3, 4, 5, 6, similar to part 1 for several quarters of 1908, and part 7 for the first quarter of 1909.

,, B.—Part 1.—Population, births, new cases of certain infectious diseases in districts, and admissions to infectious hospitals, 1908, arranged for registration districts.

, B .- Part 2. - Similar, except as to births, to part 1, but for wards.

,, B.—Parts 3, 4, 5, 6, cases reported in each ward and sub-district, during the several quarters of 1908, and part 7, during first quarter of 1909.

,, C.—Deaths classified as to cause, age, and district. Institution deaths allocated. Notes (See also note to table 17, p. 32).

,, D.—Death-rates in Leeds from certain groups of causes for each of the nineteen years, 1890-1908.

D.—Part 2.—Population, births, birth-rate; deaths under one, rate per 1,000 births; deaths at all ages, and death-rate, gross and nett after allocation, for the nineteen years, 1890-1908; averages for decade, 1898-1907.

,, E.—Part I.—Births, birth-rate, deaths, death-rate for registration districts; and deaths and death-rate for municipal wards (institution deaths in both cases allocated) for the year 1908.

,, E.—Parts 2, 3, 4, 5, similar for each quarter of 1908, and 6 for first quarter of 1909.

,, F.—Births, deaths in Leeds from all and certain groups of causes, sickness, and meteorological data for each week of fourth quarter, 1907, of each quarter of 1908, and of the first quarter of 1909.

The material asked for in the new Local Government tables will be found as follows:-

I.—In table D, part 2.

II. - In tables 21 a-k for districts and table D 2 for city.

III. - Age groups in new table 18, pp. 34-5; localities in table B.

IV.—Ages in table 17, pp. 32 and 33 (altered from old table 17 to include ages), including, however, all deaths in institutions; localities in table C, where institution deaths allocated, and in table A, part 2β, where institution deaths are given separately for each district, and the district deaths with and without these allocated deaths given for age periods.

V.—Infantile mortality, 5a p. 22, 5b p. 23, 5c p. 24.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

## ANNUAL REPORT, 1908.

To the Chairman of the Sanitary Committee of the Leeds City Council.

SIR.

During the year the Committee have been furnished at each of their monthly meetings with a general statement showing the mortality from all causes and from certain specified diseases for the four or five weeks most nearly corresponding to the previous month. Your attention was drawn monthly to the salient features in the these tables, and to other matters affecting the health of the City.

For each of the four quarters a somewhat fuller return, containing a table giving the mortality over and under five years of age in each registration district of the town, classing the deaths occurring in public institutions as if they had been in separate districts was laid before you. This table enumerated the diseases in their districts, under their causes, a little more fully than the monthly table.

These tables will be repeated in the appendix under the letters A (3), A (4), A (5), A (6), and will be supplemented by a table for the whole period of 53 weeks on the same lines (table A, part 1) as well as by two tables (table A, part  $2 (\alpha)$  and  $(\beta)$ ), also for the whole year, showing the age distribution of mortality in the several districts, one classing institutions as districts (table A, part  $2 (\alpha)$ ), and the other showing for the whole year how the deaths in public institutions have to be allocated to the districts to which the patients belonged (table A, part  $2 (\beta)$ ). The last named table was new in the Report for 1907.

The return presented quarterly also furnished you with the total births and the birth rate, the total deaths and the death rate, as well as the death rate from the seven principal zymotic diseases for each registration district after the deaths occurring in public institutions had been allocated to the districts to which the patients belonged. Similar information in regard to deaths from all causes was also furnished as part of the same table for the Municipal Wards.

These eight tables will be found again in the appendix under the headings E (2), (3), (4), and (5), for each of the quarters of 1908, and a similar table, E (6), for the first quarter of 1909, will be added in due course. Prefixed to these will be found Table E (1), which gives the same information for the whole 53 weeks' period of 1908. This last-named table E (1) for the year 1908 was laid before you at your February meeting this year, and a similar table for the 53 weeks of municipal year 1907-8 had been laid before you in November, 1908.

The quarterly reports just spoken of contained also the total births, the total deaths, the deaths at certain age groups, from the seven zymotics, and certain other diseases for each week of the quarter, along with the number of visits paid by the Medical Officers of the Dispensary, and the number of patients admitted to our Fever Hospitals. The same table contains certain averaged meteorological readings for the same weeks, the birth-rate and death rate for Leeds and the 76 great towns, and the death rate in Leeds from some groups of diseases. These tables will be also repeated under the letters F (2), F (3), F (4), F (5), in the appendix, along with the corresponding table F (1), for the fourth quarter of 1907, and F (6) for the first quarter of 1909.

In the quarter's report was also contained a table showing, for each registration sub-district, and for each Municipal Ward, the number of cases of infectious disease notified under the Act of 1889, and indicating whether or not these cases were

treated in hospital or at home. These four quarterly tables are also repeated in the appendix under the letters B (3), B (4), B (5), B (6), while B (7), which will be added later, will give the same information for the first quarter of 1909.

In the appendix will be two other tables, tables B(I) and B(2). The former will show for each registration district, and for the whole year, the number of notified cases of disease, grouped according as the patient was under 5, between 5 and 15, or above 15 years of age, and will show also the number from each district taken to Hospital at each of these age groups. Table B(2) gives the same information, similarly arranged, in regard to the Municipal Wards. These two tables will be inserted in due course in the appendix.

The quarterly returns also showed the work done by the Ward Inspector and by the Works Inspectors in each Ward in pursuance of their duties. This quarterly table is arranged in the same way as table II. for the year, to be given in the supplementary portion of the Report, according to the four divisions into which the town for sanitary purposes is grouped. Table I. in the supplement, as in previous years, will contain the sum of the first columns of these quarterly reports, grouped together so as to show at a glance the total year's work of this kind and the work done in each quarter.

At the January meeting of the present year, you were presented with a preliminary table containing statistics for the 53 weeks, showing the total births and birth rate, the total deaths and death rate and the deaths from certain causes. This table contained also the rates per thousand from all causes, and from these specified causes during the year, and the death rate from the same causes during the ten preceding years. It showed also the death rate in Leeds in children under one year of age, calculated upon the thousand births during the period and the number of cases of zymotic diseases notified during 1908. This table is reprinted on page 21.

At the same January meeting two other tables were presented in type-written duplicate, one containing the death rates of the nine largest towns in the United Kingdom for the 53 weeks ended January 2nd. This table was compiled partly from the weekly and partly from the quarterly statistics of England and Wales, and with such corrections as might be necessary since the issue of the quarterly report of the Registrar General for the fourth quarter of the year, will be found in the text as table 2 on page 9, but giving also the corresponding figures for each quarter.

At the same meeting in January, a table showing the comparative mortality of these nine towns in periods of four years since 1890, was handed round, also in type written duplicate. The last period comprises, of course, only the three years 1906–8. This table, with any alterations which may have been necessitated by corrections in the Registrar General's quarterly report for the fourth quarter, will be found as No. 2a, on page 10.

At the meeting in February, 1909, the Committee was presented, along with our own report for the fourth quarter, with a chart showing in logarithmic curves the death rate in Leeds from all and certain groups of causes for each five year period since 1865, the last period being, however, only one of four years. This chart, which, however, contains some of the curves only since 1890, will be found facing page 14.

Some general statistics for 1908.—As you would notice from the preliminary table already presented, 12,007 births and 7,505 deaths were registered in the whole City during the 53 weeks. The births are those of infants actually born within the City, and whose birth was registered during some part of the period covered by the table. The deaths are also those registered as occurring within the City with the exception of

a few deaths in the Hunslet Workhouse of Leeds people dying there and the deaths in the City infectious hospital, itself outside the City, of Leeds persons. It does not include the deaths in the Hunslet Workhouse of persons not belonging to Leeds townships nor the deaths in the fever hospitals of patients sent in from other townships. It includes, however, a considerable number of deaths in the Leeds, Holbeck, and Bramley Workhouses and in the Infirmary which have occurred in persons not, as far as could be ascertained, belonging to Leeds. The Registrar General has accordingly, in his return, eliminated some of these deaths of non-municipal paupers and of Infirmary patients occurring within the City, adding however, certain deaths of persons outside the City who are alleged to have belonged to Leeds. In this way he has credited us with some 93 deaths fewer than we have owned up to, and with a death rate of 15.3, instead of 15.5 with which we have credited ourselves. In comparing Leeds with the other nine towns in the course of this report the Registrar General's figures will be adopted as the figures for the other towns are from his tables. In comparing our rate generally with our rate in previous periods of time we shall adopt the larger figure, as the Registrar General's method of correction is of comparatively recent introduction.

Death rate in 1908.—It may be said generally that a death rate of 15.5 is a trifle higher than the rate of last year, the corresponding figure for which was 15.4, but, with that single exception, it is the lowest annual rate that it has been my duty to record.

Population.—All estimates of death rates, however, are dependent upon what we consider to be the population. The census was taken in April, 1901, and the population upon which our death rate for the year is calculated is estimated by the Registrar General to the middle of 1908 as 477,107, which may or may not be correct. The method adopted by the Registrar General, however, is the same as he adopts in other towns, and

has been fully described in several previous reports, and may have to be referred to again in dealing with district mortality.\*

Nine large towns .- In table 2 will be found the death rate as calculated on the Registrar General's figures for each quarter of 1908, for each of the nine largest towns in the United Kingdom. It will be seen in this list that we tied with Edinburgh for the second lowest rate on the whole year. Comparing ourselves with that City, it will be noticed that in the first quarter of the year our rate was o'6 below that of Edinburgh. In the second quarter it was 1.5 lower. In the third, or diarrhœa quarter, on the other hand, our rate was 1.5 above that of the Northern Capital, and it was again o.8 above the Edinburgh rate of the fourth quarter. Compared with London our rate was higher in every one of the four quarters. Amongst these towns, Sheffield is now our nearest neighbour. The rate in Sheffield for the whole year was only 0.5 higher than that of Leeds, a difference which might, perhaps, owing to uncertainties of population, be regarded as negligible. In the first quarter, Leeds had a rate of 1.5 below that of Sheffield, in the second quarter the two towns had the same rate, in the third, or diarrhœa, quarter the Sheffield rate was 0.9 below that in Leeds, whilst in the fourth quarter the rate in Leeds was 1.5 below that of Sheffield.

It was thus in the third quarter that both in Sheffield and Edinburgh the rate was below that of Leeds. In this quarter deaths from measles were higher in Leeds than in either of these two towns. From scarlet fever they were proportionately fewer, from diphtheria they were fewer than in

<sup>\*</sup> The year is considered in our calculations as consisting of 52°17747 weeks, and allowance is made for this in dealing with either births or deaths registered in the 53 weeks. Similarly in shorter periods of 13 and 14 weeks allowance is made, and the rate given is an annual one on a year of the duration given. There are conveniences in counting the deaths registered in a given number of weeks rather than in the 366 days of the calendar year. The year is nearly a quarter of a day longer than the 365 days. The registrars' offices are closed on Sundays, and the number of Sundays varies in different calendar years.

Edinburgh, although the same as in Sheffield. In Leeds, from whooping cough they were proportionately fewer than in Edinburgh but more than in Sheffield. From fever they were proportionately more than in either Edinburgh or Sheffield, although the rate in all three towns was extremely low. From diarrhœa the rate in the third quarter was 0.66 per thousand in Edinburgh, 2.00 in Sheffield, 2.24 in Leeds. This rate of 2.24 was below the average of the third quarter of the previous ten years, which had been 3.0 in Leeds and 4.8 in Sheffield.

Our infant mortality rate, 193, again in the third quarter was far the highest of these three towns. The rate was 110 in Edinburgh and 140 in Sheffield. Whether the new development in regard to feeding and medical attendance on infants in Sheffield has had anything to do with the apparent improvement in health in that town amongst young children it would be too soon to say.

Diarrhæa in third quarter.—The diarrhæa rate in the third quarter in Huddersfield and Halifax was 10 and 03 respectively, against 17 and 09 in the ten preceding years. In Bradford the rate was 21 against a similar rate in the ten preceding years. In Bristol the rate was 10 against 16 in the ten years. In dealing with diarrhæa it must of course be remembered that some physicians ascribe deaths to diarrhæa which others would ascribe to enteritis, and comparisons based upon statistics analyzed by the local registrars are liable to error. In the towns just mentioned the infantile mortality during the third quarter was 114 per thousand born in Huddersfield, 85 in Halifax, 176 in Bradford, and 132 in Bristol.

Present and past mortality in Leeds.—In table I will be found as usual the rates of mortality from all causes and from the seven zymotic diseases, from consumption, from the acute lung diseases, and from other lung diseases for each period of five years from 1885 to 1904, and since 1904 for each individual year.

TABLE 1.

Annual deaths per 1,000 of the estimated population.

	All causes.	Seven zymotics.†	Consump-	Bronchitis, pneumonia, pleurisy.	Other lung diseases, without influenza.
Five years, 1885-89 (261 weeks)	21.16	2.78	1.70	3.93	0.52
*Five years, 1890-94 (261 weeks)	21.16	2.25	1.61	4.43	0.31
*Five years, 1895-99 (261 weeks)	19:77	2.74	1.47	3.24	0.55
Five years, 1900-04 (261 weeks)	18.36	2.48	1.36	3.18	0.19
Year 1905 (52 weeks)	15.65	1.60	1.53	2.76	0.19
Year 1906 (52 weeks)	16.03	2.23	1.53	2.46	0.16
Year 1907 (52 weeks)	15.42	1.59	1.29	2.81	0.19
Year 1908 (53 weeks)	15.49	1.22	1.58	2.75	0.12
1908 increase on 1907	0.02	0.56			
" decrease " 1907			0.01	0.06	0.01
1908 increase on '85-9					
" decrease on '85-9	5.67	1.53	0.42	1.18	0.13

<sup>\*</sup> Estimated upon the population calculated from the data of the recent census and those of 1881 and 1891.

The rates in this table throughout are calculated on the deaths registered as occurring in the city and its hospitals without any deduction for the deaths within the city of persons not belonging to Leeds.

<sup>†</sup> Exclusive of membranous croup which the Registrar-General did not include in the seven zymotics until 1894.

#### TABLE 2.

Shewing the death rates in the nine largest towns of the United Kingdom for the 53 weeks, and each of the thirteen week periods for the three earlier quarters and a fourteen week period for the fourth quarter of 1908.

		First quarter of 1908.	Second quarter of 1908.	Third quarter of 1908.	Fourth quarter of 1908.	53 Weeks.
London	-	17.0	12.7	11.9	13.7	13.8
Edinburgh	-	18.1	15.5	13.1	14.3	15.3
Leeds	_	17:5	140	14.6	15.1	15:3
Sheffield	-	19.0	14.0	13.7	16.6	15.8
Birmingham	-	19.8	14.8	14.2	14.6	15.9
Glasgow	-	23.0	17.1	14.6	16.3	17.8
Manchester	-	21.1	16.5	17.3	18.0	18.5
Liverpool	-	24.5	17.3	17.2	18.1	19.2
Dublin	-	25.2	20.4	19.9	20.2	21.2

From the four quarterly reports of the Registrar General for England and Wales.

Rates for Edinburgh and Glasgow are for calendar quarter and year. The Registrar General for England and Wales made the fourth quarter one of 14 weeks. In tables A5, B5, E4, and F4, as well as 3, 4, 5, 6, 17, 18, and 19, the third quarter has been made one of 14 weeks.

TABLE 2a.

Comparative mortality of nine largest towns in United Kingdom in periods of time.

ears.	14.5	15.4	15.8	16.3	16.4	0.81	2.81	9.61	22.4	
Three ,	. :	:	:		:	:	:	:	:,	
1898-1901. Four years. 1902-1905. Four years. 1906-1908. Three years.	16.0 London	16.9 Leeds	Edinburgh	Birmingham	Sheffield	Glasgow	Manchester	Liverpool	Dublin	
r years.	0.91	6.9r	I 6.91	17.4	181	1.61	8.61	21.3	23.0	
Four	:	:	:	:	m	:	I	:	:	
1902—1905.	18.7 London	19.4 Leeds	Edinburgh	Sheffield	Birmingham	Glasgow	Manchester	Liverpool	Dublin	
years.	18.7	76.T	2.61	20.7	21.4	21.2	23.5	9.42	27.5	
Four	:	:	:	n	:	:	:	:	:	
1898—1901.	18.6 London	Leeds	Edinburgh	Birmingham	Sheffield	Glasgow	Manchester	Liverpool	Dublin	
years.	9.81	1.61	19.3	2.61	20.3	4.12	22.8	6.45	9.92	
Four	:	:	:	:	1	:	:	:	:	
1890-1893. Four years. 1894-1897. Four years.	London	20'9 Edinburgh	Leeds	Sheffield	Birmingham	Glasgow	Manchester	Liverpool	Dublin	
ears.	20.5	6.02	21.3	6.12	23.0	24.5	Z6.I	26.4	8.92	
our y	:	:	U	:	:	:	:	:	:	
1890-1893. F	Edinburgh 20'2 London	London	Birmingham	Leeds	Sheffield	Glasgow	Dublin	Manchester	Liverpool	

Leeds is the only one of the extra-metropolitan districts in which the area has not been enlarged during the period embraced by the table. The method of numerating the deaths in London was altered in 1903, certain deaths formerly assigned to London having since then been otherwise distributed, some of them to the five English towns given above.

In the report for 1907 a table was given, reprinted from that of 1894, showing for each year from 1865 to 1894 the mortality from all causes and also the mortality for each period of five and ten years.

Instead of repeating the whole of this table, which has been printed in several reports, it may be sufficient to say that in the five years 1865 to 1869 the mortality in Leeds averaged 28.9 per thousand per annum. In the following five years, 1870 to 1874, the rate was 27.9, the average rate for the decade 1865 to 1874 being 28.4. In the five years 1875 to 1879 the mortality rate was 24.6, and in the following five years 22.9, the rate for the ten years being 23.7. In the years 1885 to 1889 the rate was

Births and deaths registered in the City of Leeds in the four periods ended respectively March 28th, June 27th, October 3rd, 1908, and January 2nd, 1909. Deaths in age groups.

		Мо	RTALITY	FROM AL	L CAUSES	AT SUBJ	OINED A	GES.
1	2	3	4	5	6	7	8	9
1908. Estimated	Regis- tered Births.	At all Ages.	Under I Year.	and under 5.	and under 15.	and under 25.	and under 60.	60 and upwards.
population at these ages		477,107	12,497	42,974	97,811	96,024	200,690	27,111
								i
I. Quarter	3,090	2,110	361	301	74	93	600	681
II. Quarter	3,100	1,678	316	235	63	82	512	470
III. Quarter	3,063	1,906	588	207	63	78	524	446
IV. Quarter	2,754	1,811	389	226	63	87	502	544
53 weeks	12,007	7,505	1,654	969	263	340	2,138	2,141

given in the table for 1894 as 21.1, and for the following five years again 21.1, the rate for the ten years, 1885-1894, being 21.1. A reference to table 1 will show for these two quinquennial periods the rate on the population as re-estimated since the 1901 census should be 21.2 in each case instead of 21.1.

In the five years 1895 to 1899, as shown in table 1, the rate from all causes was 1977, and in the following five years, 1900-4, 1836. During the four years 1905-1908, the rate was 156. The significance of these figures is distinctly seen by turning to the chart already referred to as presented to you at your February meeting.

In this chart the figures just given for quinquennial periods are printed against the corresponding dots, but the vertical distance between the dots does not correspond to the numerical difference between these figures, but to the differences of the logarithms of those figures. It will be noticed for instance that the fall in ten years from 21.2 in 1890-4 to 18.4 in 1900-1904 is one of 2.8—exactly the same as the fall in the last five years. But the fall in the ten year period is represented on the chart as one of six steps in the ladder, whereas the same arithmetrical fall from 18.4 to 15.6 is represented on the chart by a fall of 7 rungs of the ladder. In other words the 2.8 was a higher percentage of 18.4 than 2.8 was of 21.2. This is merely mentioned in order to shew why the logarithmic curve is employed in preference to that of numerical death rates.

In observing this curve it will be noticed, as was pointed out in relation to a similar chart last year, that there was an arrest in the pretty steady fall from 1865 to 1889. This, it has already been mentioned, was probably due to the presence of influenza during the period 1890-1894. In the last-mentioned year the fall began again, continuing steadily, as already said, during the next ten years. During the following four—1905-1908—the descent of the rate has been rather sudden, and is more marked than in any of the quinquennial periods. The greatest fall

measured by arithmetrical differences was between the two periods 1870-4 and 1875-9, and was one of 3.3. This fall was equivalent to rather less than six rungs of the ladder, whereas the fall between the last two periods given has been rather more than seven rungs. This matter was discussed also last year. It will be noticed from the chart that the curve for the seven zymotic diseases has been carried back to 1870. The figures were got out a few years ago from the Registrar General's annual reports for the earlier of these years, and from the annual summaries for those later. The fall of the death rate from the seven zymotics between the periods 1870-74 and 1875-79 was a very considerable one—equivalent to nearly 18

TABLE 4.

Birth and death rates in the City of Leeds in the four periods ended respectively March 28th, June 27th, October 3rd, 1908 and January 2nd, 1909. Death rates in age groups.

			DEATHS PER ANNUM PER 1,000 LIVING.									
1	2	3	4	5	6	7	8	9	10	11		
1908.	Birth- rate.	At all Ages.	Under I year.	and under 5.	and under 15.	and under 25.	and under 60.	60 and upwds.	25 to 65	Over 65		
I. Quarter	26.0	17.8	116	28·I	3.0	3.9	12.0	100.8	14.5	138:		
II. Quarter	26.1	14.1	101	21.9	2.6	3.4	10.3	69.6	11.6	96.		
III. Quarter	23'9	14.9	175	18.0	2.4	3.0	9.7	61.3	11.1	81:		
IV. Quarter	23.2	15.3	125	21.1	2.6	3.6	10.0	80.2	11.7	112		
53 weeks	24.8	15.2	130	22.2	2.6	3.2	10.2	77'7	12.1	106.		

rungs of our ladder. The fall between the next two quinquennial periods was equivalent to a little more than three steps, whilst the following fall between the quinquennium 1880-4 and that in 1885-9 was one of 13 steps. The following fall—that between 1885-9 and 1890-4-was again one of only four rungs, but this was during the period when the death rate of the whole town, considered in the same way, was marking time. During the next period, i.e., between the lustra 1890-94 and 1895-9 there was an actual ascent of the rate of three and a half rungs, nearly making up for the fall of the previous period. In the next five years, however, a fall of four steps took place, bringing the rate to 2'48 in the first quinquennium of the present century -a little below that which it had been ten years earlier. The descent from 2.52 to 2.48 in the ten years was, however, less than one rung of our ladder. From 1900-4 to 1905-8 (four years only), the descent was, with the exception of the first, the greatest shown in the chart, namely, from 248 to 1.67, and was equivalent to a descent of 17 grades on our scale. It is to be hoped that we shall not spoil this when next year's rate comes to be included. It will be noticed, however, that taking the whole period from 1870 to 1908, the fall has been fairly uniform, and has been one of 56 steps on our staircase.

The statistics in regard to lung diseases, other than consumption, only go back as far as 1885, and one cannot speak with great confidence about the figures for the first quinquennial period. Assuming, however, that they are correct, it will be noticed that there was a very considerable rise—one of five grades in our staircase—between the 1885-9 and 1890-4 periods. This probably was due to the large number of deaths due directly or indirectly to influenza which were recorded during the latter period as due to lung trouble. Deaths ascribed to influenza as the primary cause were not included in the rate. but a great many cases really due to influenza were attributed to pneumonia and helped to swell the rate. In the following quinquennium, 1895-9, the rate from lung diseases fell to 3.76—

Mortality in Children under one year of age, during the 53 weeks of 1908.

	First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	YEAR.
Calculated per 1,000 of the population under 1, estimated to the middle of 1908, on the supposition that the whole population of the city was that estimated by the Registrar General, and that the number of children under					
one bore the same proportion to the population as at the 1901 census  Deaths under I per 1,000 births registered in same	116	101	175	125	130
period  Deaths per 1,000 registered births, the latter instead of those for the same quarterly period being the average of the same and four preceding quarters. The rate for the year is the mean of the four quarterly rates	117	102	200	132	138
Average rate by last method for five preceding years	135	121	192	154	151
Average rate by second method for years 1886-90 (from table 721890 report)	158	147	223	17.1	175

Third quarter 14 weeks, others 13.

a fall as compared with the rate in the preceding quinquennium of ten steps, but as compared with the rate ten years before of only five steps. A further descent of nearly five steps was made in the following five years—the rate being in the 1900-4 period only 3.37. Between the last two periods in our table a further descent to 2.85 is equivalent to one of rather more than seven strides.


If we now compare these figures with the ones in the lowest curve of the chart, the figures furnishing which are given in table I, it will be seen that the fall in our death rate from consumption since we began to record it, has been almost uniformly one of three steps for each five years. Considering the last period of four for convenience as if they formed a quinquennium, the number of rungs on our ladder was two and a third, between the first and the second, nearly four between the second and the third, three and rather more than a third, between the third and the fourth, and three and a third between the fourth and the fifth. The most marked fall was that between the 1890-94 period and that of 1895-9 which followed it. The fall to the rate in the first named of those periods had probably been retarded by the influenza outbreak already spoken of. Doubtless influenza hastened the death of many persons suffering from phthisis, and thus raised the death rate from this disease in 1890-4, thereby increasing the apparent fall to the rate in the following period.

Comparison of 1908 with 1907.—Looking again at table I it will be noticed that there was in 1908 a very slight increase in the death rate from all causes as compared with that for 1907.\* This has been already mentioned. It is equivalent, if the populations be relied upon, to seven deaths in a 100,000 of the population. From the seven common zymotic diseases on the other hand, the rate in 1908 was equivalent to 26 more deaths in

<sup>\*</sup> This slight rise is only in our own, i.e., in the gross figures. In the figures from the R.G.'s return there is no rise. Taken to two places of decimals indeed there is a slight fall,

## QUINQUENNIAL DEATH RATES.

Logarithmic curves.



The figures down the sides of the chart are the two first figures of the mantissal portions of the logarithms of the death rates. The characteristic of the logs: for the rates in Curves I, 2 and 4 is in every case o. For Curve 3, it is I. Curve I represents the death rate from lung diseases other than consumption. Curve 2 from the seven zymotic diseases, Curve 3, the general death rate from all causes, and Curve 4, that from consumption. The figures in the body of the chart, show the actual rates per 1,000 of the population.



100,000 of the population than in 1907. The actual diseases amongst the seven from which the mortality was greater, were measles, from which there were 15 more deaths per 100,000 of the estimated population, and diarrhoea, in which the increase was 29 in the same number. Against this must be put the fact that from scarlet fever, from diphtheria, from whooping cough, and from fever the deaths were respectively 9, 4, 5, and 1 less per 100,000. From these estimates in all cases membranous croup has been omitted for the reasons given in the note to table 1. There were in 1908 two deaths per 100,000 fewer than in the previous year from the various forms of croup.

From consumption the 1898 rate as compared with that of 1907 was one death less per 100,000, and from lung diseases generally, seven less.

Comparison of 1908 with 1885-9.—On the other hand, comparing our rate in 1908 with that in the five years 1885-89, there were 567 fewer deaths per 100,000 of the estimated population last year than the average in the earlier period—123 of these being due to a saving in deaths from the seven zymotic diseases, 42 to a diminution in the rate from consumption, and 130 to a lessening of the number of deaths from lung diseases. On the whole the progress is re-assuring.

It will have to be mentioned presently that our infantile mortality was 138 per thousand births registered during the year. During the five years 1886-90, the earliest period for which there is a record of these figures, the rate averaged 175.\* For 1890-94 it was 176; for 1895-99, 181; and for 1900-04, 172, whereas for the last four years the rate has averaged 143. During the two earlier of these last four years it was 152, during the two later, 135. This is on the whole satisfactory as the calculation is not upon an estimated population, but on the actual births and deaths registered.

<sup>\*</sup> This rate is calculated without any corrections for births or deaths in institutions.

#### AGE MORTALITY.

In table 3 will be found the number of births registered in each quarter of the year, the third quarter being reckoned one of 14 weeks. In the same table (col. 3) will be found the number of deaths from all causes in each of these four periods and in the whole 53 weeks, and above them the population which the Registrar General had assigned us to the middle of the year. In columns 4 to 9 the deaths registered in each of the four quarters, and in the whole year, in infants under one, in children from 1-5, in those from 5 to 15 (which may be considered as the school age), in persons from 15-25, 25-60, and over 60 are given, and the estimated populations at those ages.

Age Populations.—These populations, however, are all to be received with a certain amount of caution. The Registrar General's method of calculating the population for the whole town at all ages has been described several times in recent reports. The populations at the several age groups have been obtained by dividing this 477,107 proportionately to the numbers living at these ages at the time of the 1901 census. As the proportions, however, at these ages in 1881, 1891, and 1901 varied a good deal, increasing at some ages and decreasing at others, the caution to be exercised in accepting the whole population must be considerably increased in dealing with those at different ages. The numbers, however, are given under these several columns for what they are worth.

Age death rates.—In the following table the rates have been calculated in the second and third column (births and deaths from all causes) upon the Registrar General's population, and in columns 4 to 9 from the populations given in the corresponding columns in table 3. The populations from which the figures in lines 10 and 11 are given were calculated in the same manner by proportionate distribution of the population estimated for 1908 to correspond with the proportion of persons living at those ages in 1901.

Infant mortality.—Table 5 gives the infant mortality calculated in three different ways. In the first line for each quarter and for the year the death rate under one is calculated in the same way as in column 4 of the previous table, and from the figures given in column 4 of table 3. In the second line the rates are given-in regard to quarters as well as for the yearas rates per thousand births registered during the same period. This is the method generally adopted for infantile death rates throughout the country, and, although it is inaccurate, the inaccuracy is one common more or less to all towns. It is perhaps only necessary to point out in this connection, as has been done on previous occasions, that if 12,007 births occurred in Leeds during the 53 weeks, it is not fair to calculate the death rate due to the 1,654 deaths under one upon that 12,007, because during part of the year some of the 12,007 had already died, and were no longer part of the population. About half of the children who die under one year of age die before the end of the fourth month. The population of 12,007 is not, therefore, the population at the middle of the period. In this table no deductions have been made for children dying in the workhouses or for births in the workhouses, but all births and all deaths occurring in Leeds have been counted. In some of the tables in the supplement to the report this matter may be taken into consideration.

Infant mortality in districts.—It may be worth while here mentioning the rates in the different districts of Leeds in relation to the average rate of the ten years 1898-1907. In the whole City the uncorrected rate was 138, against 165 in the previous ten years. In North Leeds in 1908 the infantile death rate was 151 against a rate of 166 in the previous ten years. In West Leeds it was 125 against 168: in South-East Leeds, 203 against 211: in Hunslet, 161 against 177: in Holbeck, 135 against 177: in Wortley, 126 against 165: in Kirkstall, 100 against 126: in Bramley, 76, a very low rate, against 132. In Chapeltown the rate was 101 against 109, both low rates.

In the small district of Osmondthorpe the infantile death rate was 333 against 194, there having been two deaths in children under one year and only six births registered.

#### MATTERS REFERRED TO SUPPLEMENT.

In the supplement to the report, further tables in regard to the cause of death in infants under one, and the ages at which they die, will be given as in the last few years, and also some account of the work which has been done in two districts of the town where the houses at which any birth has been registered have been visited by one of our women inspectors. This subject, however, is so important that I think it better to treat it in the supplement to this report, and I hope also in this supplement to go very fully into the question of tuberculosis in our milk supply which I postponed last year partly on account of the pressure of work and partly that some of the investigations were still incomplete.

J. SPOTTISWOODE CAMERON.

LEEDS, March 11th, 1909.

In the 53 weeks ended 2nd January, 1909, the following births and deaths were registered, and cases of infectious diseases reported.

Population estimated by the	e Registr	ar General			477,107
Acreage					21,572
Births registered	12,007	Birth-rate	per thou	sand	24.8
Average birth-rate, ten years	s, 1898-	1907 ‡			28.8
Deaths (all ages)		Death-rate			15.2
Average death-rate, ten year					17.7
Deaths (under 1 year)	1,654	Ratio to	1,000 bi	rths	

	Total deaths.	Death rate	per thousand.	Cases
	Total deaths.	1908.	1898-1907.	notified. 1908.
			‡	
I. Smallpox			0.01	
2. Measles	181	0.37	c·45	122
3. Scarlatina	14	0.03	0.12	658
Diphtheria	49	0.10	0.50	636
4. Memb. croup	I	0.00	0.03	5
Other croups	2	0.00	0.03	1
5. Whooping cough	140	0.50	0.36	
(Typhus			0,00	8
6. Typhoid	25	0.02	0.12	179
Ctd. fever			0,00	
Puer. septicæmia	13	0.03	0.03	24
Erysipelas	II	0.03	0.03	351
7. Diarrhœa	341	0.40	0.03	
Enteritis, gastro enteritis	104	0.51	0.26	
* Cholera (English)	2	0.00	0.00	
Phthisis	621	1.58	1.34	592 §
Other tuberculous diseases	301	0.62	0.73	
Seven commoner zymotics (including mem. croup)	751	1.22	2.32	
Bronchitis Pneumonia Pleurisy	1,333	2.75	3.03	
Other lung diseases (without influenza)	73	0.12	0.10	
Malignant growths	463	0.06	0.85	
Violence and accident	310	0.64	0.60	

<sup>\*</sup> The R.G. excludes deaths of non-municipal paupers. He also adds those of Leeds persons dying in Public institutions outside. The rates 15.5 and 17.7 are calculated on the larger numbers.

Calculated on average population, non-residents not excluded. The average of the published returns to one decimal place are birth-rate 28.9, death-rate 17.8. The death-rates for special groups are the uncorrected means of the published returns, from which non-residents were not excluded.

<sup>|</sup> Means not notifiable.

<sup>§</sup> Notification voluntary.

TABLE 5a.—Infantile Mortality during the year (53 weeks ended 2nd January, 1909). Deaths from stated causes in age periods of weeks and months under one year of age.

Total deaths under one year.	1,648	: : 2 + 4 : > 60	260 45 17 22	244 733 20 20 4 4 6 50 135	33 7 11	422 25	108	12 82	1,652
Nine and under twelve mths.	198	:::::::::::::::::::::::::::::::::::::::	37 4 :025	:::::::::::::::::::::::::::::::::::::::	21919	: :4 :10	12 40	101	198
nths.	9 :	::*:::	00 01 ; H ;	::::	0:	:::::::	27: 7	; to 10	65
ro-rr mths.	19 :	::*:::*	2 " : : >	:::::::::::::::::::::::::::::::::::::::	H H * ; H	:::::	10 10	H 07 4	19
9-10 mths.	72 :	:: " : " : : "	7::4	:::::::::::::::::::::::::::::::::::::::	:::::::::::::::::::::::::::::::::::::::	1173	0.0 : 6	: 40	DI F-
Six and under nine mths.	288	.::pun:::8	21: 48	:2 : : : : : : : : : : : : : : : : : :	11017115	H000-00	24 48 15:	121	588
89 mths.	36	11888:18	10 th : : :	:::::::::::::::::::::::::::::::::::::::	u = u : v	: + : + :	2: 7.00	: M m	8 87
7-8 mths.	93	::*:::.*	₽ + : : m	:⊬:: !:: <b>*</b>	01 : 01 : 01	: = : = m	07:10	H 10 10	6
6-7 mths.	109	::4::::	90 1 1 7	: + : > : : 2	H : W W W	H : N NO NO	r#:r	. m m	100
Three and under six mths.	319	::=:::===	88: 88	32514 1: 42	5: 1253	13.629	7: 183	1393	320
s-6 mtbs.	tot 	::*:::*	00 00 : 01 04	+ R : + 7 : : 0	ин4:н	: + : 10 1	0 1 : 0	r 90 m	104
mths.	93	::::::	50:00	0 H ; ; 0 ; ; 5	: +0 : 0	: " = :	5,7:0	1 7 8	94
3-4 mths.	122	::::::	80:42	1811 2805	+ ~ 0 - 0	:9 + :9	40:0	r ; 9	122
One and under three mths.	309	::: 17::: 9	123	23 : 15 15 15 15 15 15 15 15 15 15 15 15 15	: :0 :	1802036	124 : 6	01-91	309
2-3 mths.	140	::=:::::	60 60 H 65 %	wo:w ,v:w\$	::":"	:0:=10	1,0:0	m : 0	140
nths.	6y1	::=:::::	20000	17 : 5 : 52	::*:"	13 1 2 2 1	E &	7 I OI	169
Total under one mth.	534	111111 19	902 : 1103	222 522 523 523 533 533 533 533 533 533	::04::	251132	Q10 :10	9 :8	536
3-4 wks,	: in :	:::::::*	:::*:	E	1:"::	H ::: 8	- m : :	n : *	150
2-3 wks.	60 :	:::::::	**:33	20.4++ : 2 :00 1	:::::	: 8 = = 0	97:"	: :00	50 50
wks.	8;	::::::::	* : : : *	10 1 10 6	:::::	1 : : : 2	* > : *	m ; 00	87
week.	110	:::::::	: " : : "	167 188 188 188 196 196 197	:::::	: - : : 5	:* : :	N - 10	m .
CAUSES OF DEATH.	All causes (Uncertified	Small-pox Chicken-pox Measles Scarlet fever Diphtheria Octor Whooping cough	HEOOG	Congenial defects  Congenial defects  Injury at birth  Want of breast milk  framition, mathutirition, privation  Atrophy  Debility  Marasmus	Tuberculous meningitis  Tuberculous peritonitis  Tabes mesenterica  Hydrocephalus  Other tuberculous diseases	Erysipelas Syphilis Rickets Meningitis (not tuberculous)	Bronchitis Broncko-pneumonia Laryngus Pneumonia	Suffocation, over-laying  Dentition Other curses (exclusive of lines in italics)	TOTALS

\* Including two from English cholera.

See note to table 17, p. 33, and text in Annual for 1906, p. 17.

Deaths from stated causes in each registration district, with rates per thousand births in the district. TABLE 5b.-Infantile Mortality during the year (53 weeks ended 2nd January, 1909).

	" # 8 °				1	1				1 0
death	- 5 6	1.8	82.60	20'S 0'3 0'3 4 9 0'3	000000000000000000000000000000000000000	20 0 0 E 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	9.1	2.8	138.0	11,923
OSMOND- THORPE.	Rate per 1,000 births.	:::::::	1.001	:00.	::::	:::::	::::	:::	333.3	9
OSM	Desths.	:::::::	-::::	: # : : : : : :	::::	:::::	: : : :	:::	61	
EL.	Rate per 1,000 births.	::0:::0:::	0.00	36 : 37	::0	0.00	5.3	8.1	I.IOI	86
CHAPEL- TOWN.	Deaths.	::=:::>"	4:00	2 ru: 4:00	::=::	H H M M 00	10:	0 2 0	111	1,098
LEY.	Rate per 1,000 births.	:::::::::::::::::::::::::::::::::::::::	22:::	54:2 2::5	. : : : :	: : 7: : :	5.00::	13.0	9.52	476
BRAMLEY.	Deaths.	::::::::	m n : : :	10:: -		::-:	" " : :	::9	36	47
TALL.	Rate per 1,000 births.	::2::::8	5.0	77.0 2.0 2.0 3.0 7.0 7.0 7.0	130 230	:0	60 80 1.0	2.0	1.001	666
KIRKSTALL.	Deaths	::*::::00	G 55 ; 7 ;	F000 0: 10	H : H H ()	; m ; m m	98: =	4 / 4	100	0
LEY.	Rate per r,000 pirths.	2: . : : 2: :	16'8 2'0 7'0 7'0	\$ to: 6000	\$ 200	\$7.00	15 65 10	57.7	120.0	68
WORTLEY.	Desths	::4:::4	20 mm :	Era: Da44	: " " : "	H + H : 2	12 13	2 7 2	189	1,489
BCK.	Rate per r,000 births	::4::::6	3.5.2	50 5 50 50 50 50 50 50 50 50 50 50 50 50	1.0	1.0	3.9	3.0	6.581	200
Ногавск.	Desths.	::0::::	W + H W >	3 ru: 0: no	H H N : W	: = : = 5	45 :0	+ *-	139	1,023
LET.	Rate per 1,000 births.	::2:8::2	100 100	5:5: 5:50	4000	13 17 17 17 17 17 17 17 17 17 17 17 17 17	9.2	4.40	0.191	95
HUNSLET.	Deaths.	:: m: : : t	60 D : 0 W	#2:: 2:62	200000000000000000000000000000000000000	-: 002	75 : 70	N N #	331	2,056
#6	Rate per 1,000 births	::5::::6	37.7	20.5	3.3	2.5	1805	25.5	6.80	50
SOUTH- EAST.	Deaths.	::10::::2	0000 :00 >	25: 2 : 2 : 2 : 2 : 2 : 2	: * * : *	: 00 : 40	10 04 : ED	n 4 m	248	1,220
H.	Rate per 1,000 births.	:::00::::	3.5	35 : 55 : 55 : 55 : 55 : 55 : 55 : 55 :	2: 2: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5:	170	8.1	27.7	1.52.1	10
West.	Desths	:: 4 4 ; :: 4	8 1 : 4 2	80 s : 7 : 978	+: " : "	: 0 W H D	92 : 9	w <sub>6</sub> 0 4	247	1,975
TH.	Rate per 1,000 births.	:: 6: 6: 13	30.7	20.0 5.1 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0	:::::	3.2	3.8	0.0	52.23	Sz
NORTH.	Deaths.	::: 10 : + : : 10	S N : H V	m∞ ~ → : 0 0 m	:::::	H 8 : 5 4	6: 4:2	H 61 10	249	1,581
	CAUSES OF DEATH.	Small-pox Guiden-pox Measles Scarlet fever Diphtheria Out Out Whooping cough	rculous)	Congenital defects  Injury at buth Want of breast milk  Inanition, mainutrition, priva.  Atrophy Debility Marasmus	Tuberculous meningitis	Erysipelas Syphilis Rickets Meningitis (not tuberculous) Convulsions	Bronchitis Broncko-pueumonia Laryngitis Pneumonia	Suffocation, over-laying Dentition Other causes (exclusive of lines in italics)	TOTALS 2	Births, exclusive of those in public institutions

\* Including two from English cholera in North.

See note to table 17, p. 33.

#### TABLE 5 c.-1908.

Infant mortality during the year (53 weeks ended January 2nd, 1909). Excess or otherwise, compared with rate in whole city, of district rates at certain age periods.

District.	Births in year.	Under 1 week.	Under 1 month.	1 and under 3 months.	3 and under 6 months.	6 and under 9 months.	9 and under 12 months.	Year.
North	1,581	+15.6%	+ 9.6%	+ 17 '4 %	+29.9%	+20.2 %	- 16.3 %	+13.6%
West	1,975	+11.8%	+ 5.8 %	- 10.0 %	- 20.5 %	- 24.8 %	- 11'4%	- 9.7 %
South-East	1,220	+24.7 %	+ 14.7 %	+71.0%	+80.6%	+55.8%	+ 28.3 %	+46.7 %
Hunslet	2,056	- 5.7 %	+13.6%	+ 3.5 %	+ 5.2 %	+26.4 %	+46.4 %	+ 16.2 %
Holbeck	1,023	- 7.2 %	- 8.7 %	- 5.8 %	- 30.6 %	+33.5 %	+18.1%	- 1.9%
Wortley	1,489	- 8.0%	- 6.0%	- 24.7 %	+12.7 %	- 8.3 %	- 22.9 %	- 8.4%
Kirkstall	999	- 27.8 %	- 37.8 %	- 7.3 %	- 40.3 %	- 38.0 %	+ 2.4 %	- 27.8 %
Bramley	476	- 20'2 %	- 25.3 %	-43'2 %	- 60.8 %	- 56.6 %	- 62.0 %	- 45.5 %
Chapeltown	1,098	- 9.9%	- 6.9 %	- 26.3 %	- 28.7 %	- 58.7 %	- 34'3 %	- 27'1 %
Osmondthorpe	6		+ 270.4%			+ 588.8 %		+ 140.5 %
City death rates							189	
per 1,000 births registered	11,923*	26.3	45.0	25.9	26.8	24*2	16.6	138.6

<sup>\*</sup> Exclusive of 84 births in workhouses.

#### TABLE 5 c.- 1907.

District.	Births in year.	Under 1 week.	Under 1 month.	1 and under 3 months.	3 and under 6 months.	6 and under 9 months.	9 and under 12 months.	Year.
North	1,549	- 0.8%	- 10.9 %	+ 37 '3 %	+21'4%	+ 28.1 %	+21.8%	+ 15.4 %
West	1,809	- 3.6%	+13.8 %	- 15.7 %	- 4.5 %	- 21.2 %	- 34.7 %	- 7.5 %
South-East	1,211	+ 50.6 %	+33.9 %	+ 16.1 %	+52.3%	+41.0 %	+21.2%	+ 33.9 %
Hunslet	1,994	- 10.5 %	- 7.7 %	+ 6.8 %	+ 3.8 %	+11.1%	+ 3.6 %	+ 6.1 %
Holbeck	1,052	- 19.0 %	- 14.8 %	- 0.8 %	+ 25.2 %	+ 0.9 %	+11.8%	+ 2.0%
Wortley	1,497	- 2.8 %	- 4.6%	+12.9 %	+ 3.0 %	+ 4.6 %	+17.6 %	4 4.7 %
Kirkstall	962	- 11.7 %	- 14.5 %	- 33.3 %	- 57'1 %	- 37.8 %	- 57 1 %	- 35.9 %
Bramley	458	+15.0%	+ 21.5 %	- 47.4 %	- 25.9 %	+30.9%	- 10.0 %	- 3.7 %
Chapeltown	1,046	- 7.3 %	- 9.7 %	- 26.9 %	- 56.8 %	- 60.4 %	-43.5 %	- 35.2 %
Osmondthorpe	11	+ 268.0%	+ 340 • 2 %					+ 38.4 %
City death rates per 1,000 births registered	11,589*	24.7	41.3	24.9	26.6	21.7	17.0	131'4

<sup>\*</sup> Exclusive of 89 births in workhouses.

## TABLE 5c. 1906.

District.	Births in year.	Under 1 week,	Under 1 month.	1 and under 3 months.	3 and under 6 months,	6 and under 9 months.	9 and under 12 months.	Year.
North	1,686	- 22'2 %	- 8.8 %	+ 32.1 %	+ 5.2 %	+ 20.3 %	+ 11.4 %	+ 9.5%
West	1,869	+ 35.7 %	+ 23.5 %	+ 1.5 %	+ 8.0 %	- 12.7 %	- 4'4%	+ 6.1 %
South-East	1,240	- 4.0%	- 5.2 %	+ 23.7 %	+40.7 %	+ 18.7 %	+ 58.5 %	+ 23.4 %
Hunslet	2,143	+13.1%	+23.5 %	+ 17.5 %	+11.3 %	+11.6%	+ 3.9 %	+ 14.9 %
Holbeck	1,002	- 12.7 %	+ 19.7 %	+ 9.1 %	+ 34.3 %	+ 3.2 %	+ 39.3 %	+ 21.2 %
Wortley	1,605	- 6.0 %	- 15.4 %	- 6.9 %	- 16.2 %	+ 19.1 %	- 13.1 %	- 7.9 %
Kirkstall	1,020	- 10.1 %	- 20°I %	- 42.7 %	- 52.0 %	- 25.9 %	- 48.5 %	- 36.2 %
Bramley	465	- 14.7 %	-41.6%	- 68.6 %	- 14.4 %	- 48.6 %	- 15.3 %	- 37.9 %
Chapeltown	964	- 17.9 %	- 29.6 %	- 47'1 %	- 52.3 %	- 46.2 %	- 54.6 %	-44'1 %
Osmondthorpe	11	260.7%	105.7%		178. %			+ 19.4 %
City death rates per 1,000 births registered	12,005+	25.5	44.5	27.4	32.7	25.1	22.9	152'3

<sup>†</sup> Exclusive of 88 births in workhouses.

### TABLE 5 c.-1905.

District.	Births in year.	Under 1 week.	Under 1 month.	1 and under 3 months.	3 and under 6 months.	6 and under 9 months.	9 and under 12 months.	Year.
North	1,792	- 18.4 %	- 4.6 %	+26.1 %	+ 26.2 %	+ 5.2 %	+12.8%	+11.5 %
West	1,905	- 9.7 %	- 9.2 %	+ 3.9 %	- 5.2 %	+ 8.8 %	+ 1.0%	- 1.6%
South-East	1,235	+12.4%	+ 16.5 %	+51.6%	+64.6 %	+ 39 8 %	- 4.4 %	+ 33 '7 %
Hunslet	2,140	- 3.7 %	+12.9 %	+ 3.9 %	- 6.6 %	+ 10.8 %	- 1.0 %	+ 5.1 %
Holbeck	1,071	- 2.2 %	- 4.6%	- 27.6 %	- 5.2 %	+ 1.2 %	+ 33.5 %	- 3'0%
Wortley	1,643	+ 13.9 %	- 2.3 %	- 16.3 %	+13.7 %	- 9.6 %	+ 4.9 %	- 2.0 %
Kirkstall	981	+ 33.7 %	+ 6.3 %	- 31 '4 %	- 29.8 %	- 46.6 %	- 19.7 %	- 20'2 %
Bramley	459	2.2 %	- 22.9 %	- 45.9 %	- 64.3 %	- 12.4%	- 14'3 %	- 32.7 %
Chapeltown	1,016	- 7.9 %	- 7.7 %	- 16.6 %	- 58·o %	- 32.9 %	- 32'0 %	- 26.9 %
Osmondthorpe	3							
City death rates per 1,000 births registered	12,245*	26.7	48°0	28.3	30.2	24.9	20'3	152.1

<sup>\*</sup> Exclusive of 92 births in workhouses.

TABLE 6.
Mortality from tuberculosis, 1908.

1908.	Tuberculosis, general and undefined.	Phthisis.	Hydro- cephalus.	Tuberculous meningitis.	Tuberculous peritonitis.	Tabes mesenterica.	Scrofula.	Total.
I. Quarter	24	172	4	17	11	I 2		240
II. do	32	169	4	24	15	6		250
III. do	28	143	3	10	13	9		206
IV. do	31	137	2	20	2 I	15		226
Year (53 weeks)	115	621	13	71	60	42		922
Annual death- rate, 53 weeks of 1908	0.54	1.58	0.03	0.12	0.13	0.03		1.00

Third quarter 14 weeks, others 13.

TABLE 6 a.

Shewing deaths from each of certain groups of tuberculous diseases in the 52 or 53 week periods of the years 1890-1908, and the populations of those years estimated from the changing ratios of the 1881-91, and 1891-1901 intercensal periods.

YEAR.	Population by interpolation.	General or undefined.	Phthisis.	Hydro- cephalus.	Tuberculous meningitis.	Tuberculous peritonitis.	Tabes mesenterica.	Scrofula.	Тотаг.
1890*	363,018	92	612	20	92	14	92	6	928
1891	369,034	84	657	18	72	25	102	. 9	967
1892	375,081	84	530	14	65	14	93	9	809
1893	381,157	99	648	17	67	32	86	I 2	961
1894	387,259	79	576	9	72	18	61	13	828
1895	393,387	114	611	16	77	15	90	2	925
1896*	399,535	66	613	15	74	22	73	10	873
1897	405,716	102	589	14	91	36	99	2	933
1898	411,895	96	576	17	73	26	98	3	889
1899	418,101	86	596	9	102	33	80	I	907
1900	424,322	101	605	12	94	48	87	I	948
1901	430,555	107	605	7	75	46	136		976
1902*	436,800	109	584	4	100	36	80	3	916
1903	443,052	100	562	8	106	37	82	I	896
1904	449,311	137	626	8	88	43	93		995
1905	455,573	106	558	10	85	39	48		846
1906	461,837	113	570	10	82	43	58	3	879
1907	468,101	95	605	13	82	35	24		854
1908*	474,361	115	621	13	71	60	42		922

<sup>\* 1890, 1896, 1902,</sup> and 1908 were 53 week years, the others 52.

TABLE 6 b.

Shewing deaths from different forms of tuberculosis since 1890 per 1,000 of the population.

						•		
YEAR.	General or undefined.	Phthisis.	Hydro- cephalus.	Tuberculous meningitis.	Tuberculous peritonitis.	Tabes mesenterica.	Scrofula.	TOTAL.
1890*	.25	1.66	.02	·25	.04	.25	.02	2.25
1891	.23	1.79	.05	.20	.07	.58	.02	2.63
1892	22	1'42	.04	.17	.04	.22	'02	2.19
1893	.26	1.41	.04	.18	.08	.53	.03	2.23
1894	'20	1'49	'02	.19	.02	.19	.03	2.12
1895	.59	1.26	.04	'20	.04	.53	.01	2.36
1891)	.24	1.59	.04	.19	.02	.53	02	2.37
1896*	.19	1.21	.04	.18	.02	.18	'02	2.12
1897	.25	1.46	.03	.53	.09	.24	.00	2'31
1898	.23	1.40	.04	.18	.06	.24	.01	2.12
1899	·2 I	1.43	.03	.24	.08	.19	.00	2.18
1900	.24	1.43	.03	.55	.11	'2 I	.00	2,54
1896)	22	1.45	.03	.51	.08	'21	.01	2.51
1901	.25	1'41	.03	17	II	.32		2.52
1902*	.25	1.31	.01	.53	.08	.18	.01	2.06
1903	.23	1.52	'02	.24	.08	.19	.00	2.03
1904	31	1.40	'02	.20	.10	'2 I		2.55
1905	.53	1.53	*02	.19	.09	.11		1.86
1901)	.25	1.35	'02	.20	.00	.50	.00	2.09
1906	.24	1.53	'02	.18	.09	.13	.01	1.90
1907	'20	1.50	.03	17	.07	.02		1.83
1908*	.24	1.58	.03	.12	12	.09		1.00

<sup>\* 1890, 1896, 1902,</sup> and 1908 were 53 week years, the others 52. The death rates in each case are calculated on a year containing 52 17747 weeks. The rates for 1908 are calculated on a population of 477,107 in this table, as in the report generally, if calculated upon the interpolation population given in table 6a the rate from phthisis becomes 1 29, and the total death rate from the whole group 1 91 instead of 1 90.

TABLE 6 c.

Table showing deaths from phthisis at all and at certain ages, and death rates at all ages in the intercepts of the wards and townships of Leeds in the year 1908 (53 weeks).

			Age.			Deaths
		05	and the control of the state of the state of	FO.	TOTAL.	per
		-25.	25-50.	50+.		1,000.
HOLBECK	Holbeck	0	20	8	27	****
HOLBECK	Wast Hamilet	9	20		37	1.11
	west frunsiet	4	I	***	5	1.59
HUNSLET	West Hunslet	6	16	2	25	0.83
HONSLEI	East Hunslet	14	II	3	29	0.23
	South	2	2	7.5	4	0.42
	South	-		***	*	0 42
SOUTH-EAST	South \	2	4	I	7	0.24
LEEDS	Central }2.90{	2	4	2	7 8	2.02
	East	20	35	14	69 .	0.45
			33			
OSMONDTHORPE	East ) (	***		***		***
	1.79					
CHAPELTOWN	North-Fast	5	14	1	20	1.85
(part of)	North Chap. All. 0.53		I	***	1	0.18
	North Pottern'tn Jo'53	2	10	3	15	0.61
NORTH LEEDS	North	7	18	4	29	1.29
7	North-East	10	26	13	49	2.12
	Central in West 2'16	7	21	12	40	2'I2
	Central in West \( \int \) 2 10 \( \)	111	I		I	5'34
***	N. W					
WORTLEY	New Wortley	4	13	2	19	1.05
	Armley 1 101	14	17	4	35	1.01
	(wortiey )	3	4	3	10	1.01
	Farnley	2	1	I	4	0.80
BRAMLEY	Bramley	-		_	-6	
BRAMLEY	Bramley	7	. 12	7	26	1.33
KIRKSTALL	Kirkstall ) (		2	2		0.86
THRESTABLE	Burley o 98	14	24	6	4	
	Headingley		2		44	0.14
	) (		-	***	2	0 14
CHAPELTOWN	Headingley ) (		1		I	0.70
(part of)	North-West 1.24			***		
	Brunswick	I	4		5	1.20
			,		,	. 50
West	Brunswick	11	12	5	28	1.39
	North-West	18	15	12	45	1.56
	Mill Hill	6	3	5	14	2'05
	West	9	21	13	43	1.80
Сіту	*** *** *** ***	179	215	125	619	1108
		.19	315	125	019	1.58
	Outsiders	I		1	2	·

Death rate in West Hunslet, in Holbeck and in N.E. in Potternewton more probably 0.66 and 1.22, and in Osmondthorpe with N.E. in Potternewton 1.20.

Deaths from Phthisis and cases reported voluntarily 1902-1908.

YEAR.	DEATHS FROM PHTHISIS.	Cases reported.
1902*	584	452
1903	562	586
1904	626	631
1905	558	555
1906	570	720
1907	605	563
1908*	621	592

<sup>\* 53</sup> week years, others 52.

TABLE 7.

Deaths from lung diseases, grouped according to nature of disease, and under age groups used for phthisis in certain tables.

1908.			-25.	25-50.	50 + -	TOTALS
Phthisis			 180	315	126	621
Bronchitis			 181	48	407	636
Broncho-pneumonia .			 299	11	48	358
Pneumonia and pleuro	-pneı	ımonia	 142	78	104	324
Pleurisy			 I	5	9	15
Other lung diseases .			 16	20	37	73
Totals			 819	477	731	2,027

#### TABLE 12.

Showing cases of Scarlet Fever heard of in Leeds during the nineteen years, 1890-1908, with the numbers admitted to the city fever hospital and the deaths in the city and in hospital; showing also for biennial periods the relations to the population of the deaths in the city, and the admissions to hospital.

	Cas	es. †	De	eaths.	Per 1,000 living (Annual rates).			
	Heard of.	Admitted to hospital.	City.	Hospital.	Deaths in city.	Cases in hospital		
1890	337	133	103	23	} 0.53	0.39		
1891	328	152	66	18	13	- 39		
1892	812	440	74	19	)	0.0		
1893	316	188	31	6	9 0.14	0.83		
1894*	967	453	52	18	)			
1895	874	493	52	29	9 0.13	1.51		
-0-6					,			
1896 1897	1,216	576	72	20	0.31	1.56		
1097	1,791	570	95	27	,			
1898	2,002	532	I 2 I	25	) 0.55	1'43		
1899	1,620	649	64	2 I	1 022	1 43		
1900	1,745	722	52	2 I	)	10000		
1901	2,280	1,038	82	39	9 0.19	2.07		
1902	1,962	1,041	56	23	1			
1903	2,465	1,063	109	36	0.19	2.37		
1904	1,295	850	59	34	1			
1905	935	720	39	30	9 0.11	1'74		
1906	1,029	796	33	25	1			
1907	1,012	846	54	47	0.00	1.76		
1908	658	524	14	11				

\* Notification became compulsory in May, 1894.

<sup>† &</sup>quot;Cases heard of" does not include one fatal in the third quarter of 1894 (included, however, in the 52 deaths), of which we had no information till we received the Registrar's returns. Similarly one death in 1895, another in 1896, two in 1897, one in 1900, one in 1901, one in 1903, and two in 1906, are included in the death column, but not in that of cases heard of. Before May, 1894, there were, of course, many such.

#### NOTE TO TABLE 17.

Table 17 contains the deaths at all ages and under certain age groups required in the first eight columns of the Local Government table IV. The information as to localities asked for in that table will be found in table A, where deaths in public institutions have been separated, and in table C, where deaths of Leeds persons in those institutions have been referred to the districts to which they belonged. In the notes to the Local Government table for 1906, the request is made that in regard to the deaths of children under one, the heading diarrhoa should be made to include the whole group of diarrhoal diseases given in their table V., and printed in this report at p. 22 and numbered table 5a. As to do so would interfere with the comparison of table 17 with the same table in previous years, this has not been done. To make table 17 correspond in this respect with table 5a, and thus satisfy the requirements of the note (e) on the Local Government Board's table, it would be necessary to add in column 3 under the headings "diarrhœa" and "enteritis" 3 deaths from gastritis and 7 from gastric catarrh. These deaths are included in our table 5a in the third and fourth lines of the second disease group. The other deaths in that group in the table are included in table 17, column 3, under diarrhoea or enteritis, making, with the addition of the 10 deaths, the total deaths amongst infants under one from the diarrhoeal group in both tables 345. These 10 deaths are included under "other causes" in table 17 as printed, and under "diseases of the stomach" in table C. The figures for the third quarter refer to 14 weeks.

Showing deaths from Scarlet Fever in Leeds during three periods of ten years each and one period of nine years.

Periods.	Deaths.	Deaths per 1,000.*	Fall per cent. on rate of preceding period.
Ten years 1870-79	 3,090	1,00	
Ten years 1880-89	 2,255	0.68	38
Ten years 1890-99	 725	0.10	72
Nine years 1900-08	 495	0.13	

<sup>\*</sup> The rate 1 of is probably somewhat lower than the real rate for the period. It is calculated on an over-estimated population, and should probably be 1 ii. As, however, the recent populations are mere estimates, the figure has been allowed to stand. The deaths are in each line those given by the Registrar General, which differ slightly in recent years from our own returns. The rates are recalculated from results of last census, as explained at pp. 69-71 of the Annual Report for 1902, where this matter was discussed.

TABLE 17.

Causes of, and ages at, death during year (53 weeks) 1908.

Causes of Death.	D	EATH	S IN W			RICT A	AT.	QUA	RTERL	N SEVE V PER	IODS	DEATHS PER
CAUSES OF DEATH	Allages.	Under 1.	r and under 5.	5 and under 15.	15 and under 25.	25 and under 65.	65 and upwards.	I.	11.	111.	IV.	T,000 FOR YEAR.
Small-pox												
Measles	181		150	10				75	39		42	
Scarlet fever	14	1	7	4		2		8	4	1	1	0.03
Whooping-cough	140	48	89	3				55			17	100000000
Diphtheria and membranous croup	50	1995	24	22		2		17	11	6		100 mm
Croup	2	1		1				2				0.00
(Typhus												
Fever Enteric	25			4	5	16		9	6	3	7	0.02
Other continued				***								
Epidemic influenza	121	3	4	3	4	54	53	90	19	6	- 6	0.22
Cholera (English)	2	2								2		0.00
Plague												***
Diarrhœa	341	268	56			9	8	7	19	274	41	0.40
Enteritis and gastro enteritis	104	67	28	2		5	2	14	18	51	21	0.51
Puerperal fever	13		***		8	5	***	3	2	7	I	0.03
Erysipelas	II	4				4	3	4	3	2	2	0.05
Other septic diseases	14	1	1		2	6	4	3	3	5	3	0.03
Phthisis	621	7	17	27	129	412	29	172	169	143	137	1.58
Other tubercular diseases	301	73	104	48	26	47	3	68	81	63	89	0.62
Cancer, malignant disease	463	1	I		5	324	132	107	105	143	108	0.96
Bronchitis	636	108	60	7	6	203	252	231	130	80	195	1.31
Broncho-pneumonia	358	123	165	9	2	36	23	109	79	70	100	0.24
Pneumonia and pleuro-pneu	324	46	61	19	16	138	44	94	83	71	76	
Pleurisy	15			1		10	4	3	2	7	3	0.03
Other diseases of respiratory							-					0111
Alcoholism	73	6	9		I	36	21	31	15	8	19	0.12
Cirrhosis of liver	65					59	6	9	19	23	14	0.13
Venereal diseases	23	22				1		4	3	6	10	0.02
Premature birth	244	1.00						70	57	60	57	
Diseases and accidents of partu-									3,		3.	9
rition	43	15			5	23	***	8	11	15	9	0.00
Heart diseases	647	1	4	22	34	375	211	202	152	141	152	
Accidents	270	32	46	19	24	111	38	80	57	71	62	
Suicides	40			***	5	31	4	6	10	16	8	0.08
All other causes	2364	558	143	62	68	709	824	629	541	579	615	4.88
All causes	7505	1654	969	263	340	2618	1661	2110	1678	1906	1811	15.49

The deaths of outsiders in the workhouses within the city, which are excluded from the Registrar-General's figures, are included in this table. The diseases from which they died will be found enumerated in table C. As to diarrhœa and enteritis see note.

TABLE 18.

Cases of infectious diseases notified during the year 1908.

Cases notified in whole district.

Notifiable disease.	All ages.	Under 1 year.	1.2	2-3	3-4	4-5	1-5	5-10	10-15	5-15	15-20	20-25	15-25
Small-pox. I. III. III. IV.							: : :	::					
Totals													122
Cholera. I.													1
II. III.		1::				**					1		
Totals													-11
Diphtheria. I.	141	4	5	5	21	16	47	41	23	64	8	5	13
II.	112 135	2 2	5 3	6 5	6	13	30 25	42 52	15 18	57 70	7	4	13 11 22
IV.	248		7	11	16	26	60	110	28	138	16	12	22 28
Totals	636	- 8	20	27	53	62	162	245	84	329	42	32	74
Memb. croup. I.	1				1		1	ï	**	i			
III. IV.	1 2			1	ï		1	î		i	11		
Totals	5			1	2		3	2		2			
Erysipelas. I.	80 73	3 2	2	1		1	4	6	3 2	9 3	3 3 3	6	9 10
III. IV.	85 113	1 4	i	1		i	2	2 4	4	6	3 5	6	9
Totals	351	10	3	3		2	8	13	19	32	14	24	38
Scarlet fever. I.	223	1	7	10	21	17	55	104	25	129	12	11	23 25
II. III.	192 128	2 2	4 7	13	18	11 14	46 38	82 53	31 22	113 75	10	15 2	8
IV. Totals	115 658	1 6	1 19	5 36	53	16 58	27 166	298	16 94	75 392	36	30	10
Typhus fever I.		-		-			-	-	-		-	-	-
II.			11					1		i	i	2	3
IV.						- 11							
Totals	8							1		1			3
		-			BESTERN TO			1		-	1	2	-
Enteric fever I. II.	42 34				1	1	2	1	7	8 5	3 4	3 7	6 11
	34 26		::		1	1	2	1 3 1	7 2 6	8 5 7	3 4 2 7	3 7 3	11 5
II. III.	34	-:-			1	1	2	1 3	7 2	8 5	3 4 2	3 7	11
Totals Relapsing I.	34 26 77 179			:: :i	1 .: .: 1	1  1	2	1 3 1 11	7 2 6 18	8 5 7 29 49	3 4 2 7 16	3 7 3 8 21	11 5 15 37
Totals  Relapsing I. fever. II. III.	34 26 77 179	:::::::::::::::::::::::::::::::::::::::		:: i1	1	1  1 2	2 2 4	1 3 1 11 11	7 2 6 18 33	8 5 7 29 49	3 4 2 7 16	3 7 3 8 21	11 5 15 37
Totals Relapsing I. fever. II.	34 26 77 179			;; i 1	1  1 	1 2	2 2 4	1 3 1 11 16 	7 2 6 18 33	8 5 7 29 49 	3 4 2 7 16	3 7 3 8 21	11 5 15 37
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I.	34 26 77 179 			i 1 1	1 .:. .:. 1	1  1 2	2 4	1 3 1 11 16 	7 2 6 18 33	8 5 7 29 49	3 4 2 7 16 	3 7 3 8 21	11 5 15 37 
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I. fever II. III. III.	34 26 77 179 			;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	1 .:. 1 .:. 1	1 2	2 4	1 3 1 11 16 	7 22 6 18 33 ·································	8 5 7 29 49 	3 4 22 7 16 	3 7 3 8 21 	11 5 15 37 
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I. fever II. III. III. IV.	34 26 77 179 			i 1 1	1 .:. .:. 1	1 2	2 4	1 3 1 11 16 	7 2 6 18 33 	8 5 7 29 49 	3 4 22 7 16 	3 7 3 8 21	11 5 15 37 
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I. fever II. III. IV.  Totals  Continued I. fever II. III. IV.  Totals	34 26 77 179 			;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;	1 .:. 1 .:. 1	1 2	2 4	1 3 1 11 16 	7 22 6 18 333 ································	8 5 7 29 49 	3 4 2 7 16 	3 7 3 8 21	11 5 15 37 
Totals  Relapsing I. III. IV.  Relapsing I. III. IV.  Totals  Continued I. fever II. III. IV.  Totals  Puerperal I. fever, II.	34 26 77 179 			;; i 1	1	1	2 4	1 3 1 11 16 	7 2 6 18 33 	8 5 7 29 49 	3 4 2 7 16 	3 7 3 8 21 	11 5 15 37 
Totals  Relapsing I. III. IV.  Totals  Relapsing I. III. IV.  Totals  Continued I. fever II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals	34 26 77 179 			i i 1	1	1 1 2	2 4	1 3 1 11 16 	7 2 6 18 33 33	8 5 7 29 49 	3 4 2 7 7 16	3 7 3 8 21	11 5 15 37 
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I. fever II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals	34 26 77 179 			:: i 1 :: :: :: :: :: ::	1	1 1 2	2	1 3 1 11 16 	7 2 6 18 33   	8 5 7 29 49 	3 4 2 7 16 	3 7 3 8 21   	11 5 15 37 
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I. fever II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals  Plague. I.	34 26 77 179 				1	1 1 2	2	1 3 1 11 16  	7 2 6 18 33 33	8 5 7 7 29 49	3 4 2 7 16 	3 7 3 8 21     2 1 4 2 9	11 5 15 37      2 1 5 2 10
Totals  Relapsing I. fever. II. III. IV.  Totals  Continued I. fever II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals  Puerperal I. fever. II. III. IV.  Totals	34 26 77 179 			:: i 1 :: :: :: :: :: :: :: :: :: ::	1	1 1 2	2	1 3 1 11 16  	7 2 6 18 33 33	8 5 7 29 49 	3 4 2 7 16 	3 7 3 8 21     2 1 4 2 9	11 5 15 37      2 1 5 2 10

## TABLE 18-continued.

# Cases of infectious diseases notified during the year 1908. Cases notified in whole district.

Notifiable disease.	25-30	30-35	35-40	40-45	45-50	50-55	55-60	60-65	25-65	65-70	70-75	75-80	80-85	85-90	90-95	95-100	65 up- v.ls.
Small-pox. I.					- 15			-2			7.						
II. III. IV.								**							***		
Totals																	
Cholera. I.																	::
III.																	
Totals																	
Diphtheria, I.	3 5	4	1	2	2	2		1	13 12								
III. IV.	4 10	8	2 3	1	3		1		16 22					1			
Totals	22	22	6	4	5	2	1	1	63								
Memb Croup. I.							::										
III. IV.						-:-											
Totals																	
Erysipelas. I.	2 4 2	8 5	8 3 3	7	8 5 4	8	5 7 11	7.00	47 47	1 3 7	4 3	1 4	2			::	10
III. IV.	7	11	9	14 16	13	11 6	9	6	55 77	2	1 2	2 3					12 7
Totals	15	30	23	39	30	32	32	25	226	13	10	10	4				37
Scarlet fever. I. II. III.	5 3 3	1 1	i	1	2	i			15 6 5								
IV.	2			-:-		::	-:-	-:-	2	-::	-:-				-:-		
Totals Typhus fever. I.	13	-6	4	1	3	_1			28								
II.	i	ï	i		i				4								
IV.	1	1	1		1				4			-:-					
Totals	-	6	-	5	1	-	1		26		-:-			-:-			
II. III.	8 5 7	3 2	5	3	2	i	1		18 14								
IV. Totals	28	20	10	2 2 12	4	2	3	2	31 89								
Relapsing I.	-				-						-:-	-:-		===	-		
fever. 11. III.												**	::	::		::	
Totals																	
Continued I.	-							T.,									
fever. II.				::						1	::			::			
Totals		- 11						.,	-/-								1.1
Puerperal I.		2	1	1					-								
tever. II. III. IV.	1 1	1 1		1					6 2 3 3	::							
Totals	4	4	3	3			···		14			-:-					- 11
Plague. I.																	
II. III. IV					1	1:				-:-						-	
Totals			-:-						-:-								

TABLE 19.

Table shewing deaths in the four quarters of 1908, for each Municipal Ward, with the estimated population and the death-rate of the ward for the Year.

MUNICIPAL WARDS.	Population, estimated to middle of 1908.	First quarter, 1908.	Second quarter, 1908.	Third quarter, 1908. *	Fourth quarter, 1908.	Fifty- three weeks.	Death- rate.
Central	19,684	69	73	70	-70	282	14.10
North	47,942	140	136	156	136	568	11.66
North-East	32,879	180	147	159	163	649	19.43
East	30,482	216	159	200	165	740	23.90
South	13,548	84	61	79	49	273	19.84
East Hunslet	39,593	174	136	156	130	596	14.82
West Hunslet	33,488	143	111	115	127	496	14.58
Holbeck	32,688	156	118	147	132	553	16.65
Mill-Hill	6,716	45	28	22	21	116	17:00
West	23,546	124	105	114	103	446	1865
North-West	35,316	143	105	110	111	469	13.07
Brunswick	23,164	84	65	87	87	323	13.73
New Wortley	18,382	72	77	93	83	325	17:41
Armley & Wortley	43,681	174	129	119	159	581	13.00
Bramley	24,204	89	65	78	86	318	12.93
Headingley	51,794	169	111	142	149	571	10.85
Outsiders		48	52	59	40	199	
Totals	477,107	2,110	1,678	1,906	1,811	7,505	15.49

The rates are calculated on populations estimated by the Registrar General's method, described at p. 88 of the Annual for 1904.

\* The third quarter had 14 weeks.

## TABLE 20.

Shewing the number of deaths from certain specific causes and groups of causes in the 53 weeks of 1908 in the Sub-Registration Districts in the City of Leeds. All deaths in public institutions within the City of persons belonging to the City have been referred to the Sub-District to which they belonged.

Small-box.	Measles	* Scarlatina.	Diphtheria.	Whooping-cough.	"Fever."	* Diarrhea.	All seven.	Membranous.	Other non- spasmodic.	Phthisis.	Influenzi und diseases of the airpassages other than consumption.	All causes.
Leeds, North	. 2.	4	2	17	4	68	115		***	118	231	990
,, West	. 19	9 4	13	22	5	44	107	1		131	260	1312
" South-E	. 2	3	4	21	5	53	106	***	***	84	225	871
Hunslet	. 50	5	10	23	5	78	172	***	***	57	266	1176
Holbeck	. 2	3 4	4	22		33	91			43	125	637
Wortley	. 2:	2 5	2	9	2	35	75			68	170	948
Kirkstall		2	6	16	I	12	37		***	50	112	542
Bramley		2 I	1	4	1	4	13		1	26	32	276
Chapeltown		5	5	6	2	15	33		I	42	98	547
Osmondthorpe				***	***	I	I				2	7
City of Leeds	. 18	1 14	47	140	25	343	750	I	2	619	1521	7306

Two deaths from diphtheria, 2 deaths from phthisis, 6 from influenza and diseases of the air-passages other than consumption, and 189 deaths from other causes, occurred in the City of persons not belonging to Leeds; on the other hand 124 deaths occurred during the year of Leeds persons in West Riding Asylums and other public institutions, outside the City. Of these, 1 death was from diphtheria, 18 were from phthisis, 6 from the lung groups, and 99 from other causes not given in table.

The diarrhoea group includes two deaths from English cholera, both registered in the North district.

TABLE 21.

Shewing the mortality of the Sub-Districts stated in deaths per 1,000 of the population as estimated to the middle of 1908.

90	Small-pox.	Measles.	Scarlatina.	Diphtheria.	Whooping-cough.	"Fever."	Diarrhea.	All seven.	Membranous.	Other non- spasmodic.	Phthisis.	Influenza and diseases of the air-passages, other than consumption.	All causes.
Leeds, North		0.40		0.03	0.58	0.07	1.14	1.93			1.98	3.88	16.29
,, West		0.55	0.02	0.12	0.52	0.09	0.21	1.53	0.01		1.21	2.99	15.09
,, S. E.		0.64		0.11	0.29	0.14	1.48	2.96			2.35	6.29	24.34
Hunslet		0.40		0.13	0.50	0.09	0.98	2.12			0.41	3.33	14.73
Holbeck		0.75	0.11	0.11	0.20		0.89	2.45			1.19	3.36	17.13
Wortley		0.35	0.02	0.03	0.13	0.03	0.21	1.10			1,00	2.20	13.93
Kirkstall		0.04		0.15	0.31	0.05	0.53	0.43			0.98	2.10	10.29
Bramley		0.10	0.02	0.02	0.50	0.02	0.50	0.66		0.02	1.33	1.64	14.10
Chapeitown		0.11		0.11	0.13	0.04	0.33	0.43	*	0.03	0.01	2.13	11.87
Osmondthrp	***				***	***	2.86	2.86				5.2	20.03
City of Leeds		0.32	0.03	0.10	0.50	0.02	0.41	1.22	0,00	0,00	1.58	3.14	15.08

Two deaths from diphtheria, 2 deaths from phthisis, 6 from influenza and diseases of the air-passages other than consumption, and 189 deaths from other causes not mentioned in the table, occurred in the City of persons not belonging to Leeds.

## TABLE 21a. NORTH LEEDS.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

Year.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890* 1891 1892 1893 1894 1895 1896* 1897	60,436 60,563 60,564 60,526 60,456 60,331 60,176 59,997	2,345 2,401 2,405 2,300 2,310 2,343 2,318 2,338	38·2 39·8 39·8 38·1 38·3 39·0 37·9 39·1	1,495 1,619 1,355 1,544 1,273 1,381 1,298 1,436	24.4 26.8 22.4 25.6 21.1 23.0 21.2 24.0	387 464 422 491 398 431 410 456	165 193 175 213 172 184 177 195
1898 1899 1900 1901 1902* 1903 1904 1905 1906 1907	59,925 59,658 59,475 59,257 59,166 59,082 59,004 58,932 58,866 58,866	2,261 2,234 2,147 2,096 2,100 2,057 1,875 1,870 1,758 1,623	37.9 37.6 36.2 35.5 34.9 31.9 31.8 30.0 27.7	1,307 1,260 1,290 1,324 1,161 1,090 1,149 1,040 1,010 946	21.9 21.2 21.8 22.4 19.3 18.5 19.5 17.7 17.2 16.1	392 356 353 394 325 319 356 303 281 235	173 159 164 188 155 155 190 162 160 145
Average of years 1898 to 1907	59,217 58,752	2,002 1,651	33.9	1,158	19.6	33I 249	166

<sup>\*</sup>The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

# TABLE 21 b. WEST LEEDS.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

YEAR.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890*	82,907	2,394	28.4	1,774	21.1	389	162
1891	83,558	2,417	29.0	1,726	20.7	445	184
1892	83,898	2,321	27.8	1,573	18.8	408	176
1893	84,157	2,270	27°I	1,735	20.7	453	200
1894	84,371	2,261	26.9	1,385	16.5	327	145
1895	84,519	2,166	25.7	1,675	19.9	436	201
1896*	84,545	2,253	26.2	1,534	17.9	387	172
1897	84,519	2,180	25.9	1,620	19.2	427	196
1898	84,415	-2,339	27.8	1,683	20.0	439	188
1899	84,499	2,085	24.8	1,548	18.4	378	181
1900	84,455	2,214	26.3	1,662	19.7	427	193
1901	84,374	2,145	25.5	1,631	19.4	398	186
1902*	84,517	2,186	25.5	1,455	16.9	347	159
1903	84,670	1,994	23.6	1,332	15.8	304	152
1904	84,832	1,921	22.7	1,473	17.4	334	174
1905	85,005	1,905	22.2	1,290	15.2	285	150
1906	85,186	1,869	22.0	1,388	16.4	302	162
1907	85,376	1,809	21.3	1,328	15.6	220	122
Average of years 1898 to 1907	84,733	2,046	24.2	1,479	17.5	343	168
1908*	85,576	1,975	22.7	1,312	15.1	247	125

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

#### TABLE 21 c.

#### SOUTH-EAST LEEDS.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

YEAR.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890* 1891 1892 1893 1894 1895 1896* 1897	33,147 33,363 33,502 33,629 33,736 33,865 33,942 34,022	1,279 1,241 1,310 1,208 1,240 1,180 1,146 1,183	38.0 37.3 39.2 36.0 36.9 35.0 33.2 34.9	922 1,063 814 1,022 771 836 834 896	27.4 32.0 24.4 30.5 22.9 24.8 24.2 26.4	255 293 266 307 218 269 213 284	199 236 203 254 176 228 186 240
1898 1899 1900 1901 1902* 1903 1904 1905 1906	34,104 34,161 34,235 34,327 34,444 34,564 34,688 34,817 34,949 35,085	1,222 1,207 1,221 1,100 1,227 1,258 1,254 1,235 1,240 1,211	36.0 35.5 35.8 32.2 35.1 36.5 36.3 35.6 35.6 34.6	850 824 876 881 819 801 928 771 844 804	25.0 24.2 25.7 25.8 23.4 23.3 26.8 22.2 24.2 23.0	282 241 284 288 255 233 294 251 233 213	231 200 233 262 208 185 234 203 188 176
Average of years 1898 to 1907	34,537 35,226	1,218 1,220	35·3	840 871	24.4	257 248	211

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

## TABLE 21d. HUNSLET.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

YEAR.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890*	57,042	2,127	36.7	1,393	24.0	410	193
1891	58,515	2,231	38.3	1,307	22.4	380	170
1892	59,734	2,187	36.7	1,177	19.8	393	180
1893	60,903	2,203	36.3	1,347	22.2	482	219
1894	62,105	2,171	35°I	1,046	16.9	328	151
1895	63,290	2,190	34.7	1,314	20.8	446	204
1896*	64,414	2,141	32.7	1,273	19.5	380	177
1897	64,894	2,292	35.4	1,215	18.8	436	190
1898	66,086	2,198	33.4	1,149	17.4	401	182
1899	67,241	2,271	33.9	1,264	18.9	432	190
1900	68,329	2,296	33.7	1,481	21.7	450	196
1901	69,383	2,401	34.7	1,347	19.5	461	192
1902*	70,666	2,340	32.6	1,287	17.9	411	176
1903	71,959	2,282	31.8	1,120	15.6	387	170
1904	73,262	2,264	31.0	1,344	18.4	408	180
1905	74,576	2,140	28.8	1,080	14.2	342	160
1906	75,901	2,143	28.3	1,244	16.2	375	175
1907	77,237	1,994	25.9	1,147	14.9	278	139
Average of years 1898 to 1907	71,464	2,233	31.3	1,246	17.5	395	177
1908*	78,584	2,056	25.8	1,176	14.7	331	161

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

# TABLE 21 e.

### HOLBECK.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

							-
Year.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 Births registered.
1890* 1891 1892 1893 1894 1895 1896* 1897	23,168 23,818 24,410 25,266 26,035 26,860 27,642 29,026	798 800 837 806 866 916 913 997	33.9 33.7 34.4 32.0 33.4 34.2 32.5 34.5	568 537 522 563 497 587 544 602	24.1 22.6 21.5 22.4 19.2 21.9 19.4 20.8	145 134 133 164 163 187 155 213	182 168 159 203 188 204 170 214
1898 1899 1900 1901 1902* 1903 1904 1905 1906	29,759 30,425 31,074 31,741 32,421 33,105 33,795 34,489 35,189 35,893	1,008 1,063 1,069 1,055 1,106 1,103 1,108 1,075 1,007 1,055	34.0 35.1 34.5 33.4 33.6 33.4 32.9 31.3 28.7 29.5	584 674 640 679 589 609 630 594 595 537	19.7 22.2 20.7 21.5 17.9 18.5 18.7 17.3 17.0 15.0	202 180 208 221 187 191 197 158 185 141	200 169 195 209 169 173 178 147 184 134
Average of years 1898 to 1907	32,789	1,065	32.2	613	18.7	187	177
1908*	36,604	1,029	27.7	637	17.1	139	135

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

## TABLE 21f. WORTLEY.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

YEAR.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890*	48,631	1,699	34.4	1,015	20.5	277	163
1891	49,722	1,658	33.5	1,070	21.6	271	163
1892	50,815	1,683	33.5	954	18.8	279	166
1893	51,868	1,658	32.1	996	19.3	319	192
1894	52,943	1,702	32.3	925	17.5	274	161
1895	54,004	1,662	30.9	1,054	19.6	311	187
1895*	55,008	1,723	30.8	950	17:0	316	183
1897	55,969	1,765	31.6	1,028	18.4	299	169
1898	56,948	1,755	30.0	1,108	19.5	325	185
1899	57,916	1,777	30.8	1,108	19.2	338	190
1900	58,770	1,805	30.8	1,143	19.5	309	171
1901	59,585	1,790	30.I	1,045	17.6	315	176
1902*	60,618	1,863	30.3	1,049	17.0	317	170
1903	61,660	1,760	28.6	1,010	16.4	269	153
1904	62,710	1,666	26.7	1,100	17.6	292	175
1905	63,769	1,653	26.0	943	14.8	245	148
1906	64,837	1,616	25.0	917	14.2	225	139
1907	65,915	1,509	23.0	974	14.8	206	137
Average of years 1898 to 1997	61,273	1,719	28.1	1,040	17.0	284	165
1908*	67,002	1,497	22.0	948	13.9	189	126

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

## TABLE 21g. KIRKSTALL.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

YEAR.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births
1890* 1891	29,307 30,243	923 908	30.1 31.0	543 517	18·2 17·2	147 125	registered.
1892 1893 1894 1895	31,538 32,787 34,063 35,326	926 994 946 1,039	29.5 30.4 27.9 29.5	420 605 471 561	13.4 18.5 13.9 15.9	98 177 120 179	106 178 127 172
1896* 1897 1898	36,510 37,639 38,779	1,040 1,026	28.0	537 576 548	14.2 15.4	118 153	113 149 ———————————————————————————————————
1899 1900 1901 1902*	39,875 40,889 41,859 43,055	1,067 1,085 1,027 1,098	26.9 26.6 24.6 25.1	602 661 535 560	15.1 16.2 12.8	148 191 148 112	139 176 144 102
1903 1904 1905 1906	44,258 45,468 46,686 47,911	1,101 1,069 981 1,020	25.0 23.6 21.1 21.4	526 551 511 513	11.0 10.7	124 143 119 99	113 134 121 97
Average of years 1898 to 1907	49,144	1,049	19.6	556	12.7	132	126
1908*	50,385	999	19.5	542	10.6	100	100

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

## TABLE 21 h. BRAMLEY.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

Year.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890* 1891 1892 1893 1894	14,526 14,867 15,203 15,515 15,820	453 497 460 462 506	30.7 33.5 30.4 29.9 32.1	338 260 256 312 215	22.9 17.5 16.9 20.2 13.6	78 50 60 89 66	172 101 130 193 130
1895 1896* 1897	16,109 16,351 16,568	468 481 483	29·2 29·3 26·5	273 280 273 298	17.8 16.9 16.5	70 82 71 85	150 170 147
1899 1900 1901 1902*	17,003 17,188 17,365 17,628	444 496 449 479 456	29°3 26°2 27°7 25°5	315 262 256 274	18.6 15.3 14.8 15.3	56 66 78 59	191 113 147 163 129
1903 1904 1905 1906 1907	17,895 18,164 18,435 18,709 18,986	491 470 459 465 458	27.5 26.0 25.0 24.9 24.9	259 290 246 233 260	14.5 16.0 13.4 12.5 13.7	56 68 47 44 58	114 145 102 95 127
Average of years 1898 to 1907	17,817	467 476	26.2	269 276	15.1	62	132

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutiors have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

# TABLE 21 i. CHAPELTOWN.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

Year.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages.	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890*	13,420	308	22.6	185	13.6	32	104
1891	13,956	373	26.8	180	12.0	50	134
1892	14,994	403	27.0	201	13.4	49	122
1893	16,089	438	27.3	234	14.6	55	126
1894	17,319	488	28.3	203	11.8	47	96
1895	18,677	500	26.9	250	13.4	49	98
1896*	20,546	552	26.4	261	12.2	56	IOI
1897	22,686	638	28.2	321	14.5	106	166
1898	24,690	654	26.6	314	12.8	82	125
1899	26,936	735	27.4	322	12.0	82	II2
1900	29,524	802	27'3	416	14.1	98	122
1901	32,306	796	24.7	409	12.7	114	143
1902*	34,148	860	24.8	403	11.6	89	103
1903	35,998	941	26.2	396	II.0	100	106
1904	37,856	930	24.7	454	12.0	106	II4
1905	39,720	1,016	25.7	465	11.8	113	III
1906	41,594	964	23.3	471	11.4	82	85
1907	43,477	1,046	24°I	480	II.I	89	85
Average of years 1898 to 1907	34,625	874	25.3	413	11.0	96	109
1908*	45,369	1,098	23.8	547	11.0	111	IOI

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901.

#### TABLE 21 k.

#### OSMONDTHORPE.

Shewing for each year from 1890 to 1908 inclusive the births registered, the birth rate per thousand per annum, the deaths at all ages, and the death rate per thousand living, the deaths under one year of age and the ratio to the thousand births in the same period. Shewing also the average in these respects of the ten years previous to 1908.

YEAR.	Population estimated to middle of each year.	Births registered.	Birth rate per 1,000 per annum.	Deaths at all ages,	Death rate per 1,000 per annum.	Deaths under one year.	Death rate under one year per 1,000 births registered.
1890*	434	10	22.7	5	11.3	I	100
1891	429	12	28·I	6	14.0		
1892	423	14	33.2	2	4.7		
1893	417	9	21.7	7	16.8	I	III
1894	411	12	29.3	7	17.1	I	83
1895	406	14	34.6	3	7.4	I	71
1896*	401	6	14.7	10	24.6	2	333
1897	396	10	25.3	6	15.2	2	200
1898	391	9	23°I	13	33.4	2	222
1899	387	4	10.4	7	18.1	I	250
1900	383	3	7.9	4	10.2	I	333
1901	378	9	23.9	5 6	13.3		
1902*	373	9	23.8	6	15.8	4	444
1903	368	9	24.5	7	19.1	2	222
1904	363	4	II'I	4	II.I		
1905	358	3	8.4	6	16.8		
1906	353	II	31.3	7	19.9	2	182
1907	349	II	31.6	7	20°I	2	182
Average of years 1898 to 1907	370	. 7	19.5	7	17.9	I	194
1908*	344	6	17.2	7	20.0	2	333

<sup>\*</sup> The years 1890, 1896, 1902, 1908, were 53 week years, all the others 52.

Births in workhouses have been ascribed to the districts in which they occurred. The deaths in workhouses and other public institutions have been transferred to the districts to which the patients belonged, those from outside the City having been entirely omitted. Deaths of Leeds people dying outside the City have not been added, as our information was generally insufficient to fix the district to which they should be referred. Information about such is to be found in table D, part 2. For the method of obtaining the populations see Annual 1906, page 109, and the annual report for 1901. The population since 1901 is probably underestimated. It was more probably 569 than 344 in 1908.

## TABLE 22.

Table showing deaths from all causes at all ages, and death rates at all ages in the intercepts of the wards and townships of Leeds for the year 1908 (53 weeks).

				Deaths, 1908.	Average death rate per thousand.
Ногвеск	Holbeck West Hunslet*			553 83	16.66 21.37
HUNSLET	West Hunslet East Hunslet South			413 596 168	13.71 14.82 17.56
SOUTH-EAST LEEDS	South } Central } East	26.71	{	105 33 733	25°04 33°89 23°94
OSMONDTHORPE	East*	12.80	1	7	20.04
CHAPELTOWN (part of)	North-east* North (C. A.)	9.11	{	193 52 225	17·81 9·23 9·08
NORTH LEEDS	North North-east Central Central in W.	13.09	 {	291 456 243	12.05 20.51 12.03
WORTLEY	New Wortley Armley Wortley Farnley		{	325 439 142 42	17.41 12.73 14.38 8.37
Bramley	Bramley			276	14.10
KIRKSTALL	Kirkstall Burley Headingley	10.29	{	57 337 148	10.23 10.21
CHAPELTOWN (part of)	Headingley North-west Brunswick	15.93	{	29  48	20·26  14·34
West	Brunswick North-west Mill Hill West			275 469 116 446	13.61 13.10 17.00
Сіту				7,306	15.08
	Outsiders			199	

<sup>\*</sup>The rates are calculated on populations estimated by the Registrar General's method, described at p. 88 of the Annual for 1904. The rates for West Hunslet (in Holbeck), for Osmondthorpe, and for N.E. (in Chapeltown), are more probably 10'99, 12'10, and 11'86, and that for Osmondthorpe with N.E. in Potternewton 12'03.

In Annual for 1891, tables 22, 23, and 24 give deaths and rates in sections of insanitary area No. 1, i.e., the triangular area in the North-East ward. The numbers have not been used for any tables since till 1904, when No. 22 was assigned to this table. In 1894 two tables dealing with Camp Field and West ward, and in 1895 two tables dealing with Camp Field and the York Street area, were inserted unnumbered between tables 21 and 25.

Shewing case-houses examined on account of certain diseases heard of during 1908, and some of the conditions found as to drainage and closet arrangements.

	1	2	3.	4	5	6	7	8	9	10								
				I	rains	severe	d.											
			Water	-close	t.						53 weeks, 1908.							
	Inside. Outside. T.W.C. M. or P.																	
	def.	not	def.	not	def.	not	def.	not	def.	not.								
Through Back-to-back											}	Smallpox						
Through Back-to-back	***	108		I 2		89 214		63	4	4	} :	2. Scarlet fever						
Through Back-to-back	18	98 30	 I		19 42	54 169	<sub>I</sub>	5 58			} :	3- Diphtheria						
Through Back-to-back		***				I 2					} 4	Membranous croup						
Through Back-to-back		1									} :	6- "Croup"						
Through Back-to-back						5				I	} 6	. Typhus fever						
Through Back-to-back	8 I	13	I	2 I	3 7	18 48		2 23		2	} 7	· Typhoid fever						
Through Back-to-back											} 8	Continued fever						
Through Back-to-back		24 26		Ι	 I	51 106		48		3	} 9	Erysipelas						
Through Back-to-back	1	 I			2	2		I 2		I 2	} 10	. Puerperal fever						
Through Back-to-back		2 3			I 3	10 75	1 3	1 39		I	} 11	· Measles : death-houses						
Through Back-to-back	I	4 2			1 6	14 54	 I				} 12	. Measles : recovery houses						
Through Back-to-back						3		 I			} 13	Measles: recoveries in death-						
Through Back-to-back		11 6		3		20 113		9 96		 I	} 14	. Diarrhoea						
Through Back-to-back	3	19 14	1	1	7	33 113	2	7 36		2 4	} 15	Phthisis : death-houses						
Through Back-to-back	3 1	21 22	1	 I	9	40 162		9		I I	} 16	. Phthisis: notified in life						
Through Back-to-back		24 8				36 142		4 74		1	} 17	. Broncho-pneumonia						
Through Back-to-back		16 15	***		***	32 116		5 53		2 2	} 18	Pneumonia						
Through Back-to-back		 I			***	2 I		2			} 19	. Pleuro-pneumonia						
Through Back-to-back					***	5 3		I I		1	} 20	. Pleurisy						
Through Back-to-back		 I						 I	***		} 21	. Laryngitis						
Through Back-to-back		21 5				14 36		2 17			} 22	. Influenza						
Through Back-to-back		363 178	3	8 5	40	421 1371	2	60 625	4	19								
Both		541	4		100000000000000000000000000000000000000	1792		685	4	31								

			1	2	3	4	5	6	7	8	9	10	11			
								s not s	evered					C	ases.	Total
			-		Water-	-closet			_							deaths in
3				Ins F.V.	ide. not	F.V.	Out	side.	T.V	V.C.	М.	or P.	No drain	Alive.	Dead.	City.
			de	f. not	def.	not	def.	not	def.	not	def.	not				
	1. {	Through . Back-to-back .														
	2. {	Darle to Look		7			 I	19 34	2	10		 I		252 388		14
	3. {	Through . Back-to-back .		1 12	1		3	13	1 7	10	 I			224 390	1 3	49
	4. {	Deale to book												I 4		I
	5. {	Through .												1		2
*	6. {	Through .												5		***
	7. {	Through .					3 7	3 8		1 8			I	56 118	I	25
i	8. {	Through .														
	9. {	Through .		. 2				6 22		20		 I	2	93 233		11
	10. {	Through						1	 I	 I				6		13
	11. {	Through Back-to-back		. 1				I		18					19 162	181
	12.	Through Back-to-back					2 I	3							25 92	
	13. {	Through Back-to-back														
ı	14. {	Through Back-to-back						6 31		38			 I		54 288	343
ı	15. {	Through Back-to-back		8 1				9 20		I 14		1	 I		88 243	621
	16. {	Through Back-to-back		2				8 38	2	2 43				98 397		
	17. {	Through Back-to-back						5 26		26			 I		70 284	358
	18. {	Through Back-to-back				1		3 25		I 16					63 232	314
1	19. {	Through Back-to-back						I		2					3 7	10
	20. {	Through Back-to-back						2		 I					8 7	15
	21. {	Through Back-to-back													2	4
	22. {	Through Back-to-back						2 12							- 39 77	121
		Through Back-to-back Both		30	I	I	8 42	80 264 344	I 24	19 225 244	 I I	1 3 4	3 3 6	732 1556 2288	371 1400 1771	2082

TABLE I.

Table of Ward Inspectors' Work. Year 1908 (53 weeks).

Houses and premises   House	Total 1908.	14875		40	431	916		100	100	900	12	5000	98	1.4	653		-	3403		m	0 001	6718	340	10094	1104	195	407	0	18050	
Houses and premises	2	3778	-		141	184	22	1 9	ar,	5	-		3 :	:	194	TO	430	90		:		555	2887		200	53		2349	4392	
Houses and premises (Infective diseases 130 2 21 104 105 406 33 Special examinations of drains by tests 1149 111 11 11 11 11 11 11 11 11 11 11 11 1	Ee.	8600	200	:	81	190	30		0.0	92	4	-	9	:	94	129	539	1023	N.		:00	500	3021	2726	397		. 2	2481	1269	
Houses and premises (Infective diseases 130 2 21 104 105 406 33 Special examinations of drains by tests 1149 111 11 11 11 11 11 11 11 11 11 11 11 1	Suar II.	10041	0	. "	122	300	31	+ 1	F 00	11	7			7	214	107	4.5			н	100	755	3142	2955	283	300	118	2115	6151	
HOUSE INSPECTION.  Houses and premise, Inclurive disease  completely exam.  Alleged nuisances  192 21 226 159 75 34 Defects found by dirto  examined  Houses and premise.  House and premise.  House and premise.  Alleged nuisances  192 21 226 159 75 34 Defects found by dirto  examined  Completely exam.  House and premise.  House same premise.  Defects which in the premise of the p		130	10,	+ 01	00	227	-1		. 6	++	:	4 9	500	0	151	100	351	843	н	ČV.	00 5	230	050	8162	218	200		497	3704	T
Houses and premises (Thicetive disease 120 221 220 159 729 420 231 Special found by ditto Coupling Occupants where found in the certain and Offices 201 221 222 120 729 420 720 420 72		111		: :	:	: :	:	;		:	:	:	: :	:	:	:	:		:	:	:		-	-						
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4966   33     Houses and premises   Infective disease   190   221   226   159   730   34     Houses and premises   Buildings and Offices   393   328   322   234   1907   39     Houses and premises   Drainage   201   440   441   1607   39     Formulator of houses wholly or partly examined   478   6947   352   4014   3195   41     Total number of above houses where sanitary defects   142   159   1710   6408   44     NUISANCES, &c.   88   194   123   149   554   40     Authors dirty   Authors which a man por dilapidated   132   82   82   110   404   41     Authors dirty   Authors with defective cavegutters or   139   184   194   100     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   1			· ·	non																				75				88		
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4966   33     Houses and premises   Infective disease   190   221   226   159   730   34     Houses and premises   Buildings and Offices   393   328   322   234   1907   39     Houses and premises   Drainage   201   440   441   1607   39     Formulator of houses wholly or partly examined   478   6947   352   4014   3195   41     Total number of above houses where sanitary defects   142   159   1710   6408   44     NUISANCES, &c.   88   194   123   149   554   40     Authors dirty   Authors which a man por dilapidated   132   82   82   110   404   41     Authors dirty   Authors with defective cavegutters or   139   184   194   100     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   1			. olo	bitat					90					C.'s.			South											ogre	*	
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4966   33     Houses and premises   Infective disease   190   221   226   159   730   34     Houses and premises   Buildings and Offices   393   328   322   234   1907   39     Houses and premises   Drainage   201   440   441   1607   39     Formulator of houses wholly or partly examined   478   6947   352   4014   3195   41     Total number of above houses where sanitary defects   142   159   1710   6408   44     NUISANCES, &c.   88   194   123   149   554   40     Authors dirty   Authors which a man por dilapidated   132   82   82   110   404   41     Authors dirty   Authors with defective cavegutters or   139   184   194   100     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   1		in : : :		n ha	4.9	: :	:	:	close	:		:	18	×.		ted	de to	d	:	:	:	:	ne	e bec		:		in pr	:	
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4966   33     Houses and premises   Infective disease   190   221   226   159   730   34     Houses and premises   Buildings and Offices   393   328   322   234   1907   39     Houses and premises   Drainage   201   440   441   1607   39     Formulator of houses wholly or partly examined   478   6947   352   4014   3195   41     Total number of above houses where sanitary defects   142   159   1710   6408   44     NUISANCES, &c.   88   194   123   149   554   40     Authors dirty   Authors which a man por dilapidated   132   82   82   110   404   41     Authors dirty   Authors with defective cavegutters or   139   184   194   100     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   1		cont		nma		- :			ater	ide	9		close	tside	0	spec	19 100	ecte					k do	hav		- in	ovec	ork		
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4966   33     Houses and premises   Infective disease   190   221   226   159   730   34     Houses and premises   Buildings and Offices   393   328   322   234   1907   39     Houses and premises   Drainage   201   440   441   1607   39     Formulator of houses wholly or partly examined   478   6947   352   4014   3195   41     Total number of above houses where sanitary defects   142   159   1710   6408   44     NUISANCES, &c.   88   194   123   149   554   40     Authors dirty   Authors which a man por dilapidated   132   82   82   110   404   41     Authors dirty   Authors with defective cavegutters or   139   184   194   100     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   185     Indip yearthded   185   185   185   185   1		S by	2000	for h	-	ired			w y	Outs	Insti		Her (	y cu	1, &c	On H	Tion	18 eff		ped	Wale	ied	wor	pund		Deve	rem	ect w		
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4968   33		Odia:	d	ij.	le seri	repa	ired	red	dima	(a)	3		O WE	linar	shee	ruch	Sune	drain		SIIOO	Will S	med	bove	cts fe		reme	mces	inspe	:	
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4968   33			erve	dere	- Carlo	Sc.,	repa	epar	10 01	P	-	1	d in	O OF	w-94	Sonst	en o	onse		E S	n to	es re	ch a	defe	pe.	suon.	nuisi	d to	ed	
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4968   33		VOR tions y dit	ers s	9	Hises	mg,	l or	97	d int	ecte		. 7	verte	in i	E C	010	l wh	of ho	dn	e we	er c	sanc	whi	l all	eams	ullat	stic	s pai	abat	
Houses and premises   Completely exam   Houses and premises   Infective disease   1954   915   1047 1939   4968   33		X mina	i lett	onse	msed ad ho	pout	nsed	enan	verte	ts er		npin	con	erte	msed	onrse	23 Portor	suoi	lled.	rivat	wat	e nui	s for	vhiiel	es ch	oction of view	lome	visite	nces	
Houses and premises   Completely exam   Alleged nuisances   190   221   226   159   736   34   190   190   221   226   159   736   34   190   221   226   159   736   34   190   221   226   159   736   34   190   221   226   159   736   34   190   221   226   129   736   34   190   232   234   130   232   234   130   232   234   130   232   234   130   232   234   230   232   232   234   230   232   232   234   230   232   232   234   230   232   232   234   230   232		EXA four	s and	9.0	cies	Ve S	s cle	Cess	com	close	ă,	ry as	Seets	COUN	cles.	IN O	insn	nect	ols fi	or p	dns s	snou	ouse	s in s	gullip	Ve a	J-HOL	mai	unsa	
Houses and premises   Completely exam   Alleged nuisances   190   221   226   159   736   34   190   190   221   226   159   736   34   190   221   226   159   736   34   190   221   226   159   736   34   190   221   226   159   736   34   190   221   226   129   736   34   190   232   234   130   232   234   130   232   234   130   232   234   130   232   234   230   232   232   234   230   232   232   234   230   232   232   234   230   232   232   234   230   232		ectal feets	otice	velli	ouses	fecti	deni-	thula	ivies	ater	-	hining	il ck	C.'s	osets	anns		SCOIL	ods:	Dillic	onse	her	tal h	ouse	reet	lensi	her 1	ditie	tal n	
Houses and premises   Infective disease   196   915   196																	1 10		0.			0	500			300				
Houses and premises   Insertical Description   Insertical D	7 E 80	2.0.0		-	16	_	-		-	-	-	-	-		(%)	-	-	_	_	_	-	_	-	_	-					000
HOUSE INSPECTION.  Houses and premises [Infective disease]  completely exam:  In III. III.  Houses and premises [Infective disease]  completely exam:  Completely exam:  Completely examined  examined  conty as to  Number of houses where saminary defects  were found above houses where saminary defects  were found in above houses where saminary defects  Number of houses where saminary defects  were found in above houses  Sanitary defects found in above houses  Nulsances found in above houses  Another of alloy or partly examined  control or dispidated  nother of alloy or dispidated  found in above houses  Nuisances where saminary defects  Another or dispidated  nother of alloy or dispidated  commodation  with dirry closets  No. of houses in which above misances were found  stopped  commodation  with other nuisances  (a) with insufficient ashpit ac-  commodation  (b) with the nuisances ound in houses  (c) with the nuisances were found  stopped  with other nuisances were found  table of the there is the there		24													m							1946	140			-00				
HOUSE INSPECTION.  Houses and premises (Infective disease completely exam. Alleged nuisances and premises (Occupants and premises)  Completely exam. Alleged nuisances and premises (Occupants and Offices only as to a number of above houses where samitary defects found in above houses where samitary defects found in above houses where samitary defects of the overcrowded and overcrowded and overcrowded and overcrowded and offices of offices and offices of offices and offices and offices and offices and offices and offices of offices and offices of offices and offices of office		5 105	000			133	121															3 300				7	-			3
Houses and premises Infective disease  completely exam- ined on accent of Alleged nuisances ined on accent of House-to-house work  Rannined Cocupants  examined Cocupants  Entitlings and Offices 2978  Buildings and Offices 393  Only as to Drainage  I oral number of above houses where samitary defects  NUISANCES, &c.  Houses dirty  overrowded 4587  NUISANCES, &c.  Houses dirty  with defective cave-gutters or fall pipes and ordinated above or without sink drain  above or commodation above houses:  (a) with insufficient ashpit accommodation and the drains &c., temporarily should be a supple of the drain and the drains &c., temporarily should be a supple or commodation and the drain a	EF.	104			505	125	151	12	10	00	0.	40				5	3	46	+1	-	69	372	329	39	00 4	426	-		187	61
HOUSE INSPECTION.  Houses and premises [Infective disease completely exam: Alleged nuisances ined on accent of House-to-house work Houses and premises [Occupants examined only as to Drainage Number of houses wholly or partly examined Total number of above houses where sanitary defects found in above houses in with defective eave-gutters or House dirty [All pipes hadly drained with houses: [All pipes hadly drained other of the main hadly remitled accommodation [All high houses: [All high houses in with drains, &c., temporarily stopped with drains, &c., temporarily stopped with other nuisances found in houses (A) with insufficient ashpit accommodation with drains, &c., temporarily stopped with other nuisances found in houses (A) with houses (B) houses in which above nuisances were found complaints unfounded Complaints unfounded Complaints unfounded Complaints Nuisances found paid to houses [Completion of Reports	Quart II.	915	2151	440	0947	1526	1842	101	100	85	200	200	1			, hav	6/6	324	226	-	1052	4010	3562	300	46	4685	100		033	37
HOUSE INSPECTION.  Houses and premises (Infective disease completely exampled on account of House-to-house work Houses and premises (Occupants accounted only as to Drainage Drainage only as to Occupants and Offices only as to Occupant only or partly examined only or dilapsidated o		1054 130 2426	578	201	4782	1452	1897	00	45	132	900	9000	1	:	:	- cy	0.00	532	145	000	200	4326	3729	268	6	247	15		830	17
Houses and premises (Infective disease completely example (Infective disease completely example (Infective disease in and on accent of (House-to-house variation) and only as to (Drainage and Off Drainage (Infective carried and premises wholly or partly examine Total number of above houses where samina were found (Infective carried and property of and property of any or dilapidated (Infective carried and above or (Inferior and Inferior and Infe		:::	. :	: :	: 81	:	÷		:	:	10	: :	:	1		30°-	30-	:			: :	:	:	:		:	: :		:	. :
Houses and premises (Infective disease completely example (Infective disease completely example (Infective disease in and on accent of (House-to-house variation) and only as to (Drainage and Off Drainage (Infective carried and premises wholly or partly examine Total number of above houses where samina were found (Infective carried and property of and property of any or dilapidated (Infective carried and above or (Inferior and Inferior and Infe		: ' 2	: 4	:	defe		:		1				:	:			hpit			porar	: :		puno			:	: :			: :
		se ices wo	Office		tary				-	D.	e-S					nt c	at as				es.		ere.							uts
		N. lisea nisar nous	bud 6		San					date	cay		Insim		De	Tion	ficies	tion	vets.	,	Samo		nes w					Ξ.	43 000	Sepo
		ive c	ants	age.	ny e		South	:	pel	illap	CHIVE	ined	ink c	ited	tillat.	coon	nsu	apou	clo		r nu		isani	1		: :		00N	Seast	of I
		nfect llegations	ccup	rain	es w		ove	í	rowc	10.	dete	dra	sut 8	B.	ven	nuo.	th	moc	diri	ura.	othe	ses	e nu	:				× :	D e	tion
		2	000	3	ly on		de N	irty	vero	die.	OHA F	adly	vithe	ardly:	adly	(a)	W (A		and the	1111	with	i hot	abov					O.S	ecti	mple
		nises of	Nex	- Pro-	who		Lead 1	Ses d	0		>	200		100			0				,	ii pu	f.	pd	1000	od b	led	= 1	Z	Co
		pren exal	prem	to	of al	-	NIO.	Hon					10.5			*				**		ton s	II W	ddor	THE PERSON	Four S	ounc	HE.		ses
		and stely	and i	yas	ber o	oune	efect	9					100	=	T.							ances	ses I	les s	of the sa	THEE	unt s	0	its	hou
		mple or or	exe.	tho a	num	ere	uy a						Same	nd 1	ove (	Sec.						nuisa	hou	E S	Ne s	unisa	aints	2000	vis	1 to
		Hou co ine	Ноц	- Court	otal	W.	annta						Zes	for	and a	hou						otal	0.0	reet	The state	otal	duno	*		paie
			1						:		· ·	-																1	. ,	-

Third quarter 14 weeks.

## ADMINISTRATIVE WORK.

CHANGES IN STAFF.

Miss Sharples, chief woman inspector, who ranked as a divisional, having, to my very great regret, resigned to undertake some other work, Miss Maynard was appointed to take the position of Chief Woman Inspector of Nuisances, with the rank of Divisional Inspector.

On the 25th January, one of the assistant women inspectors, Miss Bhose, resigned, and on the 7th March, Ward Inspector Grunwell, was appointed sanitary inspector at Horsforth. On the 12th September, the junior meat inspector, Mr. Bentley, entered on his duties as meat inspector in Bradford.

Mr. Grunwell belonged to the Scavenging department, was appointed weighman at Armley Road Destructor in 1900, worked at the subject of public health and obtained the inspector's diploma of the Sanitary Institute in 1903. For about three months he was a foreman in the Cleansing Department, and in April, 1904, was made a probational inspector. In January, 1905, he was made an assistant inspector and had charge of the Brunswick Ward. In 1907 he had charge of the Burley district and in that year I had the pleasure of recommending him for an increase of salary. When he became an assistant inspector he attended classes for building construction, and took the Science and Arts certificate in that subject and in advanced hygiene, and the City and Guilds certificate in mine surveying the following year. It is pleasant to find intelligent men working through all the grades in this way.

Bentley was a man of whom we entertained a very high opinion. He had attended several technical and scientific classes, receiving certificates in chemistry, plumbing, building construction, and hygiene. He took the ordinary diploma of the Sanitary Institute in June, 1902, and in the following year obtained their certificate for meat inspection. He had been trained as a butcher and came to us as a probational ward

54

TABLE 11.
Analysis of work done by District Inspectors in the several Wards, 1908.

	54																_
		ivision,	а		973 77 2572	45 100 728	4595	1475 2088		888	965	: -	1049	194	418 1046 4736 3905	132 132 186 5126 6	
		tral. th of Lane).	C.		392	.5	365	88		919	111	: : :	48	::	98 195 193	208	
	on.	Central. (North of Lady Lane).	1		69 446	7	179	187		2145	13	: : :	139	127	123 240 914 903	9738276	
	No. IV. Division. Population-127,361,		-		3223	13: :-	73	0000		ю ;г-	10	:::	25	Hoo	2823	109	
	V. D	Brunswick	C.		168	10	969	88		8118	103	:::	104	112	38 631 597	52 12 19 714	
	Popu	. West.	N		254	625	935	383		980	2384	::	181	3253	125 1015 900	1130	
	-	ujeh.	ng		3223	192	98	550		464	312	:-	588	122	181 038 038 701	132	
		Herall	Kir		459	200	555	159		4-0	73	: :	32	15.44 11.44	8853	14 2911	
		-Suiba (maq)	Yel I		284	115	537	538		10011	158	::	156	13 .	31 181 569 518	499	-
	Ü.	inoisivi III			202	101 248	4100	887		233	28.E=	: :	675	277	513 699 3352 3074	28 28 28 28 28 28 28 28 28 28 28 28 28 2	-
	isi 09,81	annjey.			140 61 574	3 m 83	876	321		1663	8216		28	1010	59 365 316 316	82551	_
	Di.	ourjeh.	11		132128	848	1365	339		2300	124	:::	320	117	328 328 396 3	80885	
	o. III Divisio	ortley.			195	15	891 13	109	-	282	88		178	88	120 121 890 1	166 17 127 14	
	No. III Division Population—109,813.	Vest.			213	111 56	970	312		10 10	252	::	139	22	162 159 701 581	7913	-
		-			111	111	-	ğ : :		:::	p : :	:::	ac.	ac-	ş : : : <u>:</u>	1111	
	1909.						1	dete		:::	gutters	: : :		bit :	temporarily s s		
1					rork	pices	ined	itary						ashpit	s s were		
	vd,			ż	ances ances ase w	d Oil	xam	es::		ated	eave		cient	-	Samces moes y	:::::	
-	95	1		110	nuis o-bor	nts gs an	rthy	vhere hous	&c.	: bid	pes ped	ed	odati	odat close	nuisan	44111	
	an	sć.		INSPECTION.	Infective disease Alleged nuisances House-to-house work	Occupants Buildings and Offices Drainage	or pa	hors v		dirty overcrowded damp or dilapidated	with defective eave fall pipes badly drained	badly lighted badly ventilated	(a) with insufficient commodation	(o) with insufficient commodation with dirty closets	with drains, &c., i stopped with other nuisances d in houses ch above nuisances w		
	9	ARDS.		NSF	H H	O B C	olly	e hot	NCES,	dirty overci damp	with badly witho	adly	a) w	with c	with s with chirch chabe		
	de	*			nises ined f	nises	w si	above						: :	ound whic	pped nlatio isanc ound under	
	en			HOUSE	uses and prem pletely examin on account of	uses and premi examined only as to	snoq	und ects	NUISA	Houses		: : :	*		s in y	cum cum le nu noes l	
	eks			Ĭ	tely, acco	mined as to	ir of	ul number of were found tary defects			Socies		le .		niisai	gullie ve ac outsic outsi	
	we				Houses and premise completely examined on account of	Houses and premise examined only as to	Number of houses wholly or partly examined	Lotal number of above houses where sam were found Sanitary defects found in above houses			Nuisances	in	other	nonses	", with drains, &c., temporarily stopped , with other nuisances	Street gullies stopped Offensive accumulations Other outside nuisances Total nuisances found Complaints unfounded	
	53 weeks ended Jan. 2nd,				1. H	4 H	Z:			10,1	5 41 N	NO 12	_	6,		\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	
	ė.		-			931				193	OIFO	03	454	1903 190	- 14	258 228 284 28 284 284 284 284 284 284 284	-
1	No. II Division. Population-119,317.	noisivi "11		-	1172 2 167 2 3241		5 5925	2 2292 9 2798		52 38 2 62 2				503	7 1261 4 4537 3 3923	12100	_
1	2	lunslet. olbeck.			9 301 11 42 3 812	620	1780 1845	926 1082 1188 1309		710	6 112	: :	86 103		8 563 8 697 7 1734 4 1443	88 221 59 2027	-
1	lation D	Tunslet.			3 369	15 292	6 178	3118		1123	99 208		3	98 176 34 80	9 128 1 188 1 188 7 1217	2 158 6 29 6 75 8 1479	-
	No.	Isasi	-		363	004	4 1186	55 159		1200 t	88 146 38 102	.03	205	999	8 868 128 1888 1986 1986 1986 1986 1986 1986 198	1100	
	2	South.			9 139 0 949	0.00	5 1114	1 125							105 9 105 4 649	8 53 11 878 878 6	-
	ė.	noisivi	D		0 1119 7 371 6 1520	3319 9 1111 3355	2 6775	2 891		\$88 \$88	2 374	: :	6 414	236	431 929 4 3049 4 2874	245 285 365 365 365 365 365 365 365 365 365 36	_
	visior -120,616.	East.			8 230 2 436		9 682	222		36 159 16 16 17 1	1 44 62 4	::	2 66	1 102 42	9 195 0 387 1 1074 5 1074	3 83 5 19 6 1207 3 23	- 1
		Assal A			5 418 9 582	7 1752 9 24 8 7	1 2829	334		17 3 17 11	9 41 3 138 3 4	::	66 257	258	8 160 2 871 5 875	55 7 1 145 7 1076 2 3	-
	- D	North,			385 143 249	1567 59 518	2731	274			161	1 :	9		228	96,215,8	-
	No. I Di Population	entral, south of the Lane).	8)		185	:	74	34		10 :H	004	::	6/3	: 6	333	12122	
1	2	101H 101	X		3888	.89	459	155		9:2	8º :	::	23	9.0	021 281 285 285	10 32 329 7	
1		CLTY TOTAL.			4,066 736 10,196	3,525	21,395	5,545		244 409	1,038 2,493 23	10	2,592	1,606	2,081 3,935 15,674 13,776	1,236 235 335 8,140 68	
1		70			1		64						- 4		717	1,	

4.10
700
67.
- 22
- 54
50
. 5%
7.94
-
22
- 22
24
199
- 1
_
_
_
_
ш
-
- 8
-
44
ш
_
-
ABL
-
_

Control   Cont							one one intermediate the large	33		
Country   Coun	noisiv .VI	DE		616 1981 22 1450	4289 2192 345 15 2 2 79 79	146 116 116 116 116 116 116 116 116 116	63 472 48 977 574 1572 2913	2865 103 39 3288 3288	4414	
MARION   Mario   Mar	tral. h of lame).	.;		512 :09	25 25 108 108 108 108	20 ::: 21 :::	51 162 183 183 183 183 183 183 183 183 183 183	123	299	
MARRINS   MARR	Cen (Nort	-		91 75 122	127	19: 1 : 1 : 2 : 19	245	698	756	
MARRINS   MARR	swick.	J.		12:2	962 : : : : : :	= : : : °: : : : ° = : . : °	-rag:::288	5 :- :- :8		
MARTINS   110 220   110	Bruns	.:		288 518 518	588 188 1 : : : : : : : : : : : : : : : : : : :	17 16 19 10 10 10 10 10 10 10 10 10 10 10 10 10	8885::: Karka	32 18 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	394	
Countral	West.	'N			03102144					
Country   Coun	ujeh:	Bu		300						
Countries   Coun	kstall.	Kir		88 : n	558 55 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		455 1112 141	82.00	249	
Control   Cont	-Suiba (traq)	ley (		2368 212 236 216	514 727 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 : 20 : 4 : 20	245 245 245 245	245 684 684	494	
Control of the cont	ivision III.	D!		2121 2621 84 1094	4062 731 37 48	\$1-1584 \$81E	112 356 86 645 2 2 512 1156 2727	2066 250 21 103 1677	3588	
High High   Hi	umley.	Bu		55,255	325 :: 525	25 : : 25 : : 25	228 : : : : : : : : : : : : : : : : : :	2362 : 164	429	6
High High   Hi	outley,	ALU.		885388	210 15 15 15	100 100 100 100 100 100 100 100 100 100	20 76 115 1156 1166 469 1220	55. 4 - 120 35.01	1286	pecto
High High   Hi	ortley.	A.		424 1594 46 319	384 6 : : : 88	84 : 400 : 128 12	233 233 234 644	578 147 7 27 366	986	Ins
High High   Hi	1			1310 318 129	1103 2862 101 :: : : 14 10	3°: 2: 2: 18	94 377 1146 174 295 635	634 9 52 58 693	865	Viddish
Colored   Colo				1111		2111111111111		g : : : : : :		
County   C	:			::::	 closed sitation	11.11111110		we by		
County   C	1 :				ation hal	· ·	octed de to	4 d	:	nspe
County   C			N.		tests abit	ter of le loset outs	nspe n do n ma ectex ectex	foun sdied ovec ork		ks
County   C			00		s by	y way hutsid nside	ion i uction ction is eff ined wate wate	ved reme		
Alie	DS.		RK	or R	drain dr.: dr. wit	repa irred (a) C (b) L (c) vs ordii	truct onne drain bolisi wn's vrn's rep med	defe :: remo sams ance inspe	: ,	four
County   C	VAR		WO	e dis	s of c to serve it for dere	&c., reps reps to or d / (	cons hen couse buse lls a h to loset cs re	ed ions		þ
Central Land Countral Land Countral Land Countral Land Land Land Land Land Land Land Land	=		64	isan isan mple ber C	y dity	ing, dor or vies rived ad interest in recte section in	2 2 0 2 0 0 2	hich eans nulat ver o estic s pai	aba	
Control Contro	1		Ī	1235	mins md b nts d let d let ouse ouse ansec ed ho	pout anser repa verte ets e ets e ets e o, shpit ovids sconverne	ours lo. pecte ions illed rined pplies d wa	w sd ccum of riv dom visit	noce	
Control Contro	:		0	onal paid ses	s four strength of the strength of the strengt	ive s s cle idder con closs closs D. D. D. D. s pr	ins ins ins ins ins of ins	s in nedie gulfi ive a lons onal	nuisa	es w
Central Land Countral Land Countral Land Countral Land Land Land Land Land Land Land Land	-			sits for for	ectect ppoin otice welli welli	efect rinal kld mi shipla ater ew d shibin all cli losett	Do. Do. iscort iscort iscort ouse ouse ouse ouse ouse ouse ouse ouse	ren ren reet ffens olluti ther dditi	otal	clud
Contral of Line   Contral of				_					TT.	able it
Contral of Line   Contral of	.II	a							377 7	This t
Central County of Lags 112 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2						94 4 . 01 . 57			_	
Central Mill Hill.  20 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	-			Beng .			pri i	75.55	38 18	
Central Mill Hill.  20 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	West.				1128			094 1 15 17 17 17 17 17 17 17 17 17 17 17 17 17	23	
Central Mill Hill.  20 25 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	East			0.		H		78 8 78 8	11	
Central Mill Hill.  Central Contral Co						272 272 272 272 273 274 141			_	
Central (Cortinal Contral Cont		-	-			*				
65 725 5.55 5.55 5.55 5.55 5.55 5.55 5.55		1				88 -1 -1 - 88	7.0		200	
65 735 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.					200	88 4 1 55 6 51		5103	502 1.	
	North of	Lac								
C.r.v. 10,747. 1,599 11,104 11				-	10 10 10 10 10 10 10 10 10 10 10 10 10 1	000 : : : : : : : : : : : : : : : : : :	86 43 119 212 212 36 289 338 338			
		-	_						-	

inspector in 1903. He made himself acquainted with the duties of the workshops inspectors, and in March, 1904, was made an assistant inspector and given charge of the West Ward. In July of the same year he was put on to temporary duty as an assistant meat inspector.

#### WARD INSPECTION.

Particulars will be found in tables I. and II., as usual. It will be noticed that the houses wholly or partially inspected amounted to 21,395 against 21,669 the previous year—a decrease of 274. But the number of houses wholly examined from top to bottom, whether for infectious disease, alleged nuisance, or in pursuance of our house-to-house examination, showed an increase of 1857, and as the complete examination is far the more important, I regard the real work done in this respect as an actual increase.

#### INSPECTION OF WORKPLACES.

Bakehouses.—During the 53 weeks of 1908, 2,639 visits were paid to 996 bakehouses. Of the latter, 952 were above ground, 44 were underground bakehouses, a diminution of five in the latter during the year. Of the bakehouses above ground, in 174, persons neither members of the family nor residing in the place were employed. They numbered 325, or a little under two to each bakehouse. The remaining 778 bakehouses above ground belonged, therefore, to the domestic type, and formed with 18 of those below ground a large proportion (practically 80 per cent.) of the bakehouses in the city.

In 55 cases requirements in sections 97 to 100 in regard to sanitary conditions of bakehouses had not been complied with, and notices were accordingly sent out. The work has been done to the satisfaction of the Inspectors in 49 of these 55 cases.

The overground bakehouses increased by 15, 84 new ones having been opened and 69 existing discontinued. The underground diminished by five.

In the Central Ward the inspection of bakehouses was part of the work done by three inspectors. All bakehouses North of Lady Lane and South of Benson Street were visited by the Yiddish speaking inspector. From Benson Street to the Ward boundary the inspection was included in that of the Brunswick Ward. The bakehouses South of Lady Lane were inspected by the officer who also takes Mill Hill. Altogether these three inspectors made 100 visits to 35 bakehouses in the Central Ward. Of these 21 were of the domestic type, 3 underground, 18 above. In 12 bakehouses above ground, 38 persons not members of the family were employed; in 2 of those underground, 7 outsiders were employed.

Eight visits were made by my laboratory assistant, Mr. Ferguson, chiefly with reference to alterations in underground baking places. Sixteen visits were made by the senior workshops inspector or his assistant, 2 to bakehouses underground and 14 to those above ground. The Unhealthy Areas Committee re-arranged the underground bakehouse at the bottom of Trafalgar Street to the satisfaction of the Sanitary Committee.

The number of underground bakehouses in this ward was the same at the end of 1908 as at the beginning. The number of those above ground decreased by one during the year, the total of both at the end of the year being 35. The decrease of one above ground was brought about by the addition of four new and the discontinuance of five existing overground bakehouses.

In the North Ward 101 visits were paid by the ward inspector to 49 bakehouses. In 17 of the 44 above ground employés not members of the same family were found to the number of 32. In 3 of the 5 underground bakehouses strangers to the number of 8 were employed. The workshops inspector, or his assistant, made 11 visits, all to places above ground. This raises the total visits paid to 49 bakehouses to 112.

The bakehouses, which at the beginning of the year numbered 48, were 49 at the end, one bakehouse above ground having been added. The North-East Ward Inspector paid 156 visits to 80 bakehouses; of 79 of these, which were above ground, 66 were domestic. At the remaining 13, 19 outsiders were employed. In the single underground bakehouse there was also an cutsider, making it into a workshop. Mr. Lonsdale and his sub-inspector made 6 other visits, all to overground bakehouses, making the total visits 162. The bakehouses increased from 76 to 80 during the year, 4 new ones above ground having been opened.

In the East Ward, the number of bakehouses is small. They are only 48, and are all above ground. In 7, 13 outsiders were employed; the visits paid were 112. Two further visits were paid by the assistant workshops inspector, making the total 114. Five bakehouses were discontinued, one new one opened, all above ground.

In the South Ward there were 67 bakehouses above ground and 3 below. There were three employés, one in each, in the three undergrounds, and in 11 of the 67 above ground there were 22 employés, an average of 2 each. The remaining 56, all above ground, were domestic bakehouses. The number of visits paid by the ward inspector were 279. Another visit by the assistant to the workshops inspector to an above ground bakehouse raised the inspections to 280. Three new bakehouses were opened, 5 existing (above ground) discontinued, leaving 67 above and 3 below ground.

In East Hunslet, 234 visits were paid by the ward inspector to 88 bakehouses. Two of these were underground, employing 4 outsiders, 86 were above ground and 82 of the 86 were domestic bakehouses, in the remaining 4 there were 5 outsiders employed. The senior workshops inspector paid 4 visits, all to above ground bakehouses, making the total inspections 238.

At the beginning of the year there were 90, at the close only 88 bakehouses. Two new were opened above ground, four discontinued. The two underground remained. In West Hunslet there were 108 bakehouses, of which 103 were domestic. In 2 of the 6 underground there were 3 persons employed, not members of the family or residing in the house, and in 3 of the 102 above ground there were 12 outside employés, an average of 4 each. The visits paid during the year were 166 by the ward inspector, and two each by the workshops inspector and his assistant, making the total 170. Two new bakehouses above ground were opened during the year, but 11 were discontinued.

In Holbeck there were 90 bakehouses, a domestic one underground. Of the remaining 89, 77 were also domestic; in the 12 not so there were 25 outsiders employed. The visits paid were 249 by the ward inspector, 1 by the workshops inspector, and 7 by his assistant, making 257 in all.

There were 4 bakehouses fewer at the end than at the beginning of the year. Fifteen, including one underground, had been discontinued, and 11 new ones above ground opened.

In Mill Hill there were only 14 bakehouses. The only one underground employed 2 outsiders; 10 above ground employed 32 outsiders. The remaining 3 were domestic bakehouses. The number of visits paid by the ward inspector was 80. Two visits were paid by the assistant workshops inspector, one of them to an underground, one to an above ground bakehouse, making 82.

Two of the three bakehouses underground were discontinued during the year. One ordinary bakehouse was given up and one new one started.

In the West Ward there were 61 bakehouses, to which 125 visits were paid by the ward inspector during the year. Ten of those situated above ground employed 18 persons outside the family; 50 were domestic. The only underground bakehouse was also of the domestic type.

The assistant workshops inspector paid 3 visits to bakehouses above ground, making the total visits paid 133. Nine new overground bakehouses were opened during the year, two of the old ones being given up. In the North-West Ward there were 73 bakehouses, of which 57 were of the domestic type. In 12 of those above ground there were 20 outsides employed, and in 4 of the 7 below ground 7 outsiders were employed. The visits paid were 196 by the ward inspector. The workshops inspector made one, to an above ground, his assistant two to above ground and three to underground bakehouses. My laboratory assistant separately visited one underground bakehouse twice, thus bringing the total inspections to 204. Five new bakehouses above ground were opened, but four were given up. The undergrounds were not altered.

In the Brunswick Ward the number of bakehouses is not large; with a population of 23,164, they only numbered 49, 46 above and 3 below ground. The 3 below ground were all "domestic" and 40 of the 46 above ground were also domestic. In the remaining 6 bakehouses above ground, 15 persons were employed who were not members of the family residing in the house. The ward inspector, who is also the inspector for part of the Central Ward, paid 112 bakehouse visits in this ward. The assistant workshops inspector also paid 3 visits, 2 to above ground and 1 to an underground bakehouse. There has been no change to the number of bakehouses during the year; 2 old ones have been discontinued and 2 new ones opened.

Armley and Wortley has been under the charge of three inspectors, two of them taking respectively the township of Armley and the district of Upper Wortley, the remaining inspector taking the district of Lower Wortley and the New Wortley Ward. Adding the inspections in the Lower Wortley part to those in the Armley and Upper Wortley portion, we have for the municipal ward a total of 334 visits paid to bakehouses. Altogether in the ward there were 73 bakehouses on the list, 2 underground and 71 above ground. In the 2 underground there were 2 employés not members of the family, in the 71 above ground 25 employed outsiders to the number of 34, leaving 46 purely domestic bakehouses. The assistants to the

workshops inspector paid 5 visits to bakehouses above ground during the year, making the total number of visits paid in the Municipal Ward to 339. The use of 1 underground bakehouse was discontinued during the year, 11 of those above ground were also discontinued, but 14 new overground bakehouses were established.

New Wortley is the part of the township of Wortley not belonging to the Armley and Wortley Ward. The bakehouses were visited by the same officer who visited those in Lower Wortley. He made 142 visits in this ward to 42 bakehouses. In 4 of these there were 6 persons employed, in the remaining 38 there were no outside employés. The number of bakehouses in this ward, which contains none underground, increased from 33 to 42; 12 new ones had been established and 3 old ones discontinued. One visit was paid by the assistant workshops inspector, making the total visits 143.

Bramley Ward, which includes the township of Farnley, had 29 bakehouses at the end, 25 at the beginning of the year, 5 new ones were established, above ground, 1 old discontinued during 1908. There still remains 1 underground bakehouse in the ward. This bakehouse received 4 visits during the year from the ward inspector, who made 83 visits to those above ground. The single underground and 22 of those above ground were domestic bakehouses. In each of the remaining 6 an outsider was employed. In addition to the 87 visits made by the ward inspector, 3 visits were paid by Mr. Lonsdale and one of his assistants, 2 to the underground, and 1 to a bakehouse above ground, making the total visits 90.

The number of bakehouses in the Headingley part of the Headingley ward was unaltered during the year. In the Burley portion, however, there was an increase of 4, 6 new ones having been established above ground and 2 existing ones, I above and I below ground, discontinued. In the Kirkstall portion of the district, 2 new bakehouses were established, both above ground.

# TABLE III.

Shewing the number of drains or sources of pollution diverted from the River Aire and its tributaries and connected to the town sewers.

Date.	Mills, factory, house drains, stables, and pigstyes.	Water closets.	Privies.	Trade pollu- tions.	Total.
Previous to 28th Dec.,	5,888	512	233	81	6,714
During the 53 weeksend- ed 2nd Jan., 1909				I	I
Totals	5,888	512	233	82	6,715

TABLE IV.

Shewing the sanitary conditions at time of visit of workshops on register and occupied, during the 53 weeks ended January 2nd, 1909.

	to pps.		MPLOYE		VENT	FILA-	С		TION O		ops sed.
DATE.	Visits to workshops.		i				roc	ms.	clos	ets.	rksh d clo
1908.	V	male.	female.	total.	good.	defec- tive.	clean.	dirty	clean.	dirty.	Workshops found closed.
5 weeks ended Feb. 1	36	127	167	294	36		26	10	21	15	5
4 weeks ended ,, 29	88	368	326	694	88		80	8	76	12	5
4 weeks ended Mar. 28	45	169	203	372	45	***	36	9	38	7	5
5 weeks ended May 2	75	157	408	565	75		60	15	58	17	3
4 weeks ended ,, 30	110	231	473	704	110		88	22	93	17	24
4 weeks ended June 27	76	111	407	518	76		68	8	64	12	5
5 weeks ended Aug. 1	144	538	721	1,259	144		119	25	115	29	21
4 weeks ended ,, 29	157	482	605	1,087	157		148	9	142	15	15
5 weeks ended Oct. 3	170	350	594	944	168	2	142	28	152	18	8
4 weeks ended ,, 31	201	816	643	1,459	199	2	164	37	165	36	9
4 weeks ended Nov. 28	151	397	370	767	149	2	110	41	125	26	27
5 weeks ended Jan. 2	42	124	87	211	42		38	4	36	6	19
Totals	1,295	3,870	5,004	8,874	1289	6	1079	216	1085	210	146

TABLE V.

Shewing workshops not previously visited to which visits have been paid during the year, and the sanitary arrangements at time of visit.

		Desc	RIPTIC		SIT	UATION	OF CLOS	ETS	
	ops to		I I		ins	ide.	out	side.	cshops closed.
DATE.	Workshops added to register.	cut off.	not cut off.	none.	w.c. soil-pipe carried up.	w.c. soil-pipe not car- ried up.	Water Closets,	Privies.	Workshops found closed
5 weeks ended Feb. 1	18	11	2	5	5		13		
4 weeks ended ,, 29	17	13	1	3	4	2	11		
4 weeks ended Mar. 28	17	11	2	4	7		10		1
5 weeks ended May 2	22	16	3	3	11	***	11		
4 weeks ended ,, 30	36	23	7	6	14	***	22		2
4 weeks ended June 27	28	17	7	4	11	3	14		1
5 weeks ended Aug. 1	32	20	4	8	11	1	20		1
4 weeks ended ,, 29	4	3		I	3		I	***	5
5 weeks ended Oct. 3	40	23	7	10	14		26		3
4 weeks ended ,, 31	19	15	2	2	11	I	7		5
4 weeks ended Nov. 28	27	16	2	9	12	2	12	1	5
5 weeks ended Jan. 2	35	22	4	9	16		18		I
Totals	295	190	41	64	119	9	165	I	24

One new workshop without any convenience.

TABLE IVa.

# Factories, Workshops, Laundries, Workplaces, and Homework. 1.—INSPECTION.

Including Visits and Inspections made by Sanitary Inspectors or Inspectors of Nuisances.

		Number of	
Premises	Inspections.	Written Notices.	Prosecutions
Factories (Including Factory Laundries.)	 717	99	
Workshops (Including Workshop Laundries.)	 3,497	255	
Workplaces	 297	25	
Total	 4,511 +	379	

#### 2.—DEFECTS FOUND.

	N	umber of Defe	ects.	Number
Particulars.	Found.	Remedied.	Referred to H.M. Inspector.	of Prosecu- tions.
Nuisances under the Public Health Acts:-*				
Want of cleanliness	370	335	***	***
Want of ventilation	14	10	***	
Overcrowding	4	4		
Want of drainage of floors	1		***	
Other nuisances	437	406		
Sanitary accom- (insufficient	81	41		
modation. unsuitable or defective	215	187	***	
Sec. 22 in force. not separate for sexes	4	I		
Offences under the Factory and Workshop Act: Illegal occupation of underground bake-				
house (S. 101) Breach of special sanitary requirements for	16	5		
bakehouses (SS. 97 to 100)	55	49		
Other offences	***		***	
Total	1,197	1,038		

<sup>\*</sup> Including those specified in Sections 2, 3, 7, and 8, of the Factory Act as remediable under the Public Health Acts.

<sup>†</sup> Exclusive of 2,639 visits to 996 bakehouses by ward inspectors, and 10 by laboratory clerk. See pp. 56-6

# TABLE IVa-continued.

# 3, 4, 5.—OTHER MATTERS.

Homework:	Nu	mber of
List of Outworkers (S. 107):-	Lists.	Outworkers
(No homeworkers on our register except amongst those engaged in making wearing apparel) Lists received twice in the year	376 13	C. W. 450 1898 3 33
Addresses of outworkers { received from other Authorities forwarded to other Authorities Notices to occupiers not sending lists	Ι,	46 3 44  255
Homework in unwholesome premises:—  Instances		111
Homework in infected premises:  Instances		10 <sup>®</sup>
Workshops on the Register (S. 131) at the end of year— Ordinary (145 trades) Domestic do. (19 trades) Bakehouses on register as workshops Do. domestic Total number of workshops on Register		019 489 200 796
Matters notified to H.M. Inspectors of Factories:  Failure to affix Abstract of the Factory and Workshop Act (S. 133)  Action taken in matters referred by H.M.  Inspectors as remediable under the Public Health Acts, but not under the Factory Act (S. 5).  Notified by H.M.  Inspector  Reports (of action taken) sent to H.M.  Inspectors	3,	16 65 8
Other		 I
In use at the end of 1908		44

<sup>\*</sup> Of these 10, 3 were removed to hospital for scarlet fever, 7 were cases of measles left at home but work suspended and disinfection of articles carried out.

The total number at the end of the year in the whole ward was therefore 87, of which 6 were underground. The whole ward thus contained 81 bakehouses above ground, 59 of them domestic, 22 workshop. In these 22, 28 persons outside the family were employed. In the 6 underground bakehouses, 11 persons were employed, none of the undergrounds being domestic workshops. The two ward inspectors sharing in the inspection of this ward paid 166 visits, while 10 other visits, 2 of them to the undergrounds, were made by the works inspector or his assistant.

Workshops.—The visits paid to workshops already on the register, exclusive of bakehouses were 1,295, against 1,429 in 1907, and 1,037 in 1906. The findings are recorded under the various months in table IV.

Table V. shows first visits to workshops and the sanitary conditions found at the time of such visits. The number of these first visits was again in excess of those made in 1907. The number of workshops found closed was again less than in 1907.

Table IVa. is the modified table now required by the Home Office. Under the heading of "Inspection," when compared with that for the previous year, it shows a decrease of 226 visits to workplaces. In these are included return visits as well as first inspections. Eighty-nine more visits were made by men than last year, but 6 less was recorded in table Vb., making the excess only 83. On the other hand, the visits by women were 315 fewer.

Outworkers.—The number of complete inspections on first visits to outworkers was 293, against 476 in 1907. The additional visits on account of work ordered were 862. This work is entirely done by the women inspectors, and is referred to in a later part of this report.

Other work.—The special work of the senior inspector and his assistant, not included in tables IV. and V., is given in table Vb. For these special purposes the number of visits

TABLE Va. (Outworkers).

	Complete	Addi	tional visits	about	
Wards.	of houses on first visit.	work ordered.	infectious disease.	other causes.	Total.
Central	14	23	1	8	46
North	36	28	2	62	128
North East	36	25		51	112
East	42	36	13	62	153
South	20	13	I	25	59
East Hunslet	2 [	18	3	24	66
West Hunslet	56	37	8	61	162
Holbeck	15	10	2	26	53
Mill Hill	4			5	9
West	65	48	2	83	198
North West	18	I	2	41	62
Brunswick	19	2 I	3	31	74
New Wortley	18	3		18	39
Armley and Wortley	13	I	4	35	53
Bramley	I				1
Headingley	15	τ		24	40
Totals	393	265	41	556	1,255

to factories paid by him or his assistant was 46 more than in 1907, and to workshops and workplaces 52 less. Other work done showed an increase of 59 for factories and an increase of 69 for workplaces.

#### WOMEN INSPECTORS.

Infectious diseases.—On account of puerperal fever 24 houses have been completely examined and 218 other visits paid. In addition to visiting cases reported during life as puerperal fever, visits were paid where the death of a puerperal woman was recorded from this disease or some similar cause.

Thirty-five visits were paid by midwives, and 43 by women, who, though not certified midwives, had been more or less in contact with puerperal cases, to the disinfecting station for the purpose of being disinfected personally and as to their wearing apparel, their bags and appliances, under the personal oversight of our women inspectors.

This number does not include relations and neighbours who assisted in nursing the patients, some of whom visited the disinfecting station. In other cases the clothing of the nurse was sent from the house, where the illness occurred, to be disinfected at the station. Among the houses visited on this account, four were found to be dirty. One was cleansed; one on return visit found empty.

Action was also taken and the midwife's clothes disinfected in seven cases where a rise of temperature after child birth had occurred, in two where she had been in contact with measles, and in another where the contact was with influenza.

On account of infectious disease among persons employed 97 visits of enquiry were made to factories, 18 to workshops, and 2 to private houses.

Twenty houses of absent employés were visited in connection with this work.

In the girls' and infants' departments of schools 475 visits of inspection and 143 return visits were made on account of infectious illness. To the houses of absentees 276 visits were paid, and 14 other visits were paid in connection with this branch of work. Notices to the number of 66 were sent to the offices of the Education Committee informing them of cases in which it was considered inadvisable that children should return to school until medical advice had been obtained. It was necessary to give 9 notices for nuisances, all of which have been complied with.

Outworkers.—Table Va. gives, as in previous years, the work of our women inspectors in visiting at their homes persons employed as outworkers. In addition to those given in Table Va, as to the outworkers, 88 visits were paid to their employers. Eighty-five notices for the cleansing of premises occupied by outworkers were given, and these have all been complied with except eleven. Two notices lapsed because the premises became unoccupied. Three structural defects required notices, of which two were complied with. Other sanitary defects to the number of 21 have been found, 17 were remedied.

Workplaces.—There were 716 inspections made of workshops, and 852 return visits were paid. Nine notices were given for defective ventilation, and seven complied with. For cleansing and limewashing 221 notices were given. Of these 7 lapsed because the occupiers had left; 197 have been complied with. In the case of 28 other nuisances for which notices have been given, three have lapsed because the workshop was closed, 24 were complied with.

Of workshop laundries 21 inspections were made and 18 return visits paid. There were 5 inspections of and 6 other visits to domestic laundries. Twelve notices were given for cleansing and two for sanitary defects. Both 11 and 1 respectively were complied with.

Other Visits paid by Senior Workshops Inspector and his Assistant on account of

	Factories.	Workshops.	Workplaces.
Non-abatements	285	869	60
Drain inspection			
Drains tested	14	13	
Disease enquiries	58	6	13
River pollution	I		
Complaints	109	144	- 13
Measurement of workrooms		8	
Wage enquiries			
underground		II	
Bakehouses above ground		79	
Other causes	140	425	120
Appointments	40	64	6
TOTAL	647	1,619	212

# Work done.

	Factories.	Workshops.	Workplaces.
River pollutions abated	 		
Nuisances abated	 201	377	22
Total	 201	377	22

Of restaurant kitchens 29 inspections were made, and 27 other visits paid. Two notices were sent on account of defects and complied with, while 7 notices were sent for cleansing and limewashing, and 6 complied with.

In addition to the 41 factories visited on account of infectious illness, 4 were visited on complaint, while 4 further visits were paid to them and 9 on account of defects found. In connection with this work 20 visits were made to the homes of absent employés.

For cleansing and limewashing closets 42 notices were given, which were all complied with. One written notice for a nuisance was given and 16 verbally; all of these have been attended to.

Infant mortality.—During the year, in South East Leeds, 328 investigations were made of deaths of infants, and 435 return visits paid. In connection with this work, 86 notices were given to cleanse and limewash. Of these 59 have been complied with, 14 lapsed because the occupants left. Notices for other defects were given to the number of 20; 16 of these have been complied with. Ten nuisances noticed in 1907 were found complied with in 1908.

Visits to the newly born.—In this branch of the work, 1,140 first visits were made to advise mothers how best to keep their babies in health, and 5,454 return visits were paid to these homes.

Seven of the babies visited were systematically weighed, and for this purpose 73 extra visits were paid.

Thirteen notices for sanitary defects, and 25 for limewashing were given and in 26 cases the defect was remedied.

In addition to these visits in South-East Leeds, 240 first visits and 716 return visits were paid in a certain district of West Leeds. Five babies were systematically weighed. The district was chosen as being a particularly suitable one in which to make the Home Office enquiry into the effect of women's

# TABLETVI.

Ashpits put down for cleansing during the 53 weeks ended 2nd January, 1909.

Requisitions to cleanse sent to Cleansing Sub- Department from Sanitary Office.	Number of latter returned as carried out.	Ashpits not cleansed within four days of requisition.
5,011	4,970	27

# TABLE VII.

Refuse Removal (same period).

No of	No. of No. of No. of	LOAI					
midden emptyings.	dry ashpit or tub emptyings.	box or pail emptyings.	Total.	Night- soil.	Dry ashes.	Rubbish.	Total.
See text.	1,897,021	12,665	1,909,686	-	-	-	172,594

#### TABLE VIII.

Work done in connection with the Cowsheds and Dairies Order during the 53 weeks ended 2nd January, 1909.

Cowkeepers on the register				139
Milk-retailers "				453
Visits to cowsheds				472
" (veterinar	y)			585
" milkshops				754
" railway stations				203
Cowkeepers discontinued bus	iness			4
New cowkeepers registered				5
New cowsheds built				_
Cowsheds reconstructed and				
additional light, ventilation				4
Farms or milkshops visited	on a	accoun	t of	
infectious disease				96

work upon the infant mortality and sickness rate. The population is varied, and it was thought probable that proportionately more women worked after marriage in this district than in South-East Leeds.

Midwives' Act.—Part of the work, done in the supervision of midwives has been mentioned already under the heading Infectious diseases. Thorough inspection of books and bags was made in 117 cases. In addition to 288 other visits paid, 40 interviews with certified midwives took place at the Public Health Offices, and 6 interviews with maternity nurses or uncertified midwives.

The number of midwives who, during January, 1908, notified their intention to practise was 70. Six others did so later. During the past year one midwife died, two were struck off the roll, and six left.

Altogether 3,126 cases were attended by certified midwives during the year. This number of course includes the still-births. of which 80 were notified. It does not include the cases taken by uncertified midwives, many of whom still continue to practise.

Of the 24 cases notified as puerperal fever, II were attended by certified midwives. In all, 10 of the cases recovered. Of the II cases taken by midwives 8 were fatal.

In such cases special attention has always been given to the disinfection of the bags and their contents, as well as to that of the clothing and persons of those attending these cases. Figures have been already given.

Notifications of 80 still-births have been received during the year. There were 192 notifications of requests for medical assistance, and 9 deaths of infants and one of a mother were notified where no medical practitioner was in attendance.

In the course of examination of 26 midwives' houses, one sanitary defect was found and remedied.

Reference has already been made (p. 68) to the attention paid to midwives in contact with diseases of a suspicious kind. In consequence of investigation of deaths in the Registrars' returns 81 visits were paid to ascertain if a midwife had had any connection with the case.

Other work.—On receipt of complaints 31 inspections of houses were made and 132 other visits paid; in 15 cases cleanliness was enforced, and in 23 instances other defects were remedied. In connection with public conveniences for women, 20 inspections were made in parks and 7 return visits paid, 20 inspections and 1 return visit were made to other lavatories in the town. In all 7 sanitary defects were found and the remedy secured.

In addition to the work already given, 335 visits were made for various purposes which cannot be classified under any of the previous headings.

#### CLEANSING.

Ashpit cleansing.—Tables VI. and VII. contain the usual information about ashpits. For some years now there has been a difficulty about getting the number of midden emptyings and loads removed respectively from middens and dry-ash-places, as some re-arrangement took place a few years ago in book-keeping. The reason for the change was that the midden-privy had practically disappeared, and that the small number of middens still remaining were emptied in the day time by the ordinary day staff. The practice is to empty these middens as far as possible first, but they are getting so few that no separate account is kept of them; the number of emptyings of these is therefore included in the dry ashpit emptyings. The total loads removed of nightsoil, dry ashes, and rubbish was 172,594, against 179,813 the previous year, 184,993 in 1906, 191,814 in 1905, and 181,807 in 1904.

Destructors.—The following work has been done at the four destructors:—

At Armley Road 26,978 loads of rubbish, weighing 23,678.65 tons (0.88 tons or 17.55 cwts. per load) were destroyed

during 310 working days. On an average of 12 cells, the work per cell per day would be 6.37 tons. The highest observed temperature was 1,500° Fahr.,\* the lowest 600°; average, 1485°. There were 7440 observations taken. The firemen employed averaged 12.9 a day, and the amount turned over by each averaged 5.9 tons daily.

At Beckett Street, 23,995 loads of rubbish, weighing 19,499'4 tons (0'81 tons, or 16'25 cwts. per load) were destroyed in 6 cells during 310 working days, being an average of 10'48 tons per cell per day. The highest observed temperature was 1,500° Fahr.,\* the lowest 870°; average 1,478°. There were 7,440 observations taken. The average number of firemen employed was 6'4, and their daily turn over 9'8 tons.

At Kidacre Street, 25,763 loads of rubbish, weighing 21,523'05 tons (0'84 tons, or 16'71 cwts. per load) were destroyed in 12 cells during 304 working days, being an average of 5'9 tons per cell per day. There were 7,296 observations of temperature taken, the readings averaged 1,465° Fahr., the highest was 1,500°,\* the lowest 590°. The average number of firemen was 11'7, and they turned over an average of 6'04 tons a man daily.

At Meanwood Road, 15,893 loads of rubbish, weighing 12,205:35 tons (0.77 tons, or 15.36 cwts. per load) were destroyed in 8 cells during 257 working days, being an average of 5.94 tons per cell per day. There were 6,168 observations of temperature taken, the readings averaged 1,470° Fahr., the highest was 1,500°,\* the lowest 650°. The average number of firemen was 6, and they turned over an average of 7.92 tons each day.

Street Cleansing.—This heading is intended to include the work done in the ordinary sweeping and gully cleansing to the paved streets, in the watering of streets and roads, in the cleansing of certain Macadam roads and their gullies, and in the removal of snow.

The pyrometer does not register above 1,500° Fahr.

Mr. Mann reports that during 309 working days, 330,197 street cleansings were effected, an average of 1,069 a day. The length of paved streeting cleansable by us is 322 miles.

The cleansing of gullies was equivalent to cleansing 255,061 or an average of 825 per day; charges of disinfectant were applied to all gullies cleansed. In addition to this, 84,830 loads of street refuse were carted away (275 a day), and 109,260 cleansings of courts and yards were effected, an average of 354 a day.

The number of horse-days for street cleansing was 27,422 and for watering 5,432, being an average of 89 and (during 91 days) 60 horses a day respectively.

During the 91 street watering days 95,941 barrels of water were used.

The work done in connection with the unpaved streets was equivalent to the cleansing of 30,858 roads and 22,457 gullies; whilst 18,342 loads of refuse were removed, averaging for 305 working days, respectively 101 roads, 74 gullies, and 60 loads per day. The number of horse-days was 4,755, an average of 16 horses a day.

During the 53 weeks, the sub-department removed 8,517 loads of snow.

#### FOOD INSPECTION.

FOOD, DRUGS, AND DAIRIES.

Tables VIII., VIIIa., VIIIb., relate to dairies and cowsheds, and to milk samples examined for tubercle. They are on the same lines as last year. In the report for 1906 I went very fully into the manner in which cowsheds found dirty or otherwise unsatisfactory were dealt with and return visits made.

In the report for 1907, partly owing to pressure of time, and partly owing to some rather interesting investigations which were not completed, very little was said about the veterinary inspection of cattle. During 1907 the Veterinary Assistant to the Medical Officer of Health had made 520 visits to City cowsheds. Forty-two of these were visits paid to the farm to re-examine special animals, 38 of them for single cows; in 4 cases 2 cows were examined at the same visit. The udders of these 46 cows had been previously examined and the animals put aside on suspicion of tubercle, although in most of the cases it seemed probable that the disease was only mastitis.

Four hundred and seventy-eight of the 520 visits were made in the ordinary course of the periodical examinations of the cows in the borough.

In 60 of these visits no cows were examined, either because the animals were in the field, or in a few cases because the farmer had given up cow keeping. At the 418 remaining visits 6,537 cows were examined. Many of these had been examined twice, or even three times before in the same year and found healthy.

During 1908 the corresponding figures were 585 total visits to cowsheds at farms of which at 28 the cows were out in the field and not examined. At 9 no cows were kept, at 2 the premises were locked up. One was a visit made to re-examine some dirty sheds, and 64 were special visits made on account of the diseased condition of cows already examined, 5 of them for the purpose of testing with tuberculin. There were thus 481 visits made in the ordinary course of farm inspection, at which 7,397 cows were examined.

Tuberculous cows in 1907 and 1908.—In 1907, 29 cows had been found to have some disease of the udder. In these the further examination showed that the condition was that of either simple or more frequently suppurative mastitis and the disease afterwards cleared up, showing that it was not of a tuberculous nature. In 12 the disease from the symptoms observed and its course was evidently of a tuberculous nature and in some of these the tuberculous condition of the animal was confirmed by the use of tuberculin.

In 1908 the total number of animals found with udder disease was 46. Of these 20 proved to be cases of simple or suppurative mastitis. Thirteen others were of less acute affections of the udder but which afterwards under observation turned out to be not of a tuberculous nature. Two cases of suspected tubercle were removed before diagnosis could be verified and 11 were proved on further examination to be definite cases of tuberculosis of the udder. In addition to these, 4 other cows were under observation where the udder was not evidently affected. One was a case of more or less generalised tuberculosis. One was a case of the disease formerly called parturient apoplexy, one of acute lymphangitis not affecting the udder, and the fourth was a case of septic metritis from retention of membranes.

Cases of disease of udder found in 1907 and 1908.—In the two years we had therefore a large number of cases of udder disease under our observation, and the practice of the Corporation was, where there was some doubt as to the exact nature of the condition of the udder, to make some compensation to the farmer for loss of milk during the time that a suspected animal was kept out of the herd. In this way during 1907 we paid £16 18s. 5d. to 7 farmers. During 1908 this amount rose to the rather alarming total of £72 12s. 3d., but omitting £8 5s. 6d. paid to farmers or milk dealers for keeping back milk during an outbreak of diphtheria, the amount paid to farmers whose cows were suspected of having tubercle was £64 6s. 9d., nearly four times the amount of the previous year.

It may be asked, why this sudden change? It is difficult to say whether or not tuberculosis has been more prevalent during the latter part of 1907 and the beginning of 1908, or whether our mode of examination has been more thorough. Probably a considerable amount of the increased cost has been due to some little difficulty at two or three farms. A few of these I propose to mention, without, of course, giving the names. The most startling and perhaps the most instructive case occurred towards the close of 1907.

Difficulty of finding the cow giving tuberculous milk.—On the 27th November, 1907, in the ordinary course of inspection, at a farm in one of the suburbs of the town (No. 120 in our list), the udders of 23 cows were carefully examined by Mr. J. Dixon, M.R.C.V.S., the Veterinary Assistant to the Medical Officer of Health, to ascertain whether there was any induration, thickening or increased resistance. There was nothing to indicate any disease. It has been our practice now for some years to direct our biological tests principally to milks from outside the town, relying largely upon a careful veterinary examination of the udders of the cows in the town itself to protect us against the risk of tubercle in their milk. On December 4th, 1907, only a few days after this careful examination of these cattle, a specimen of milk was taken from a can from this farm by the dairies inspector. It was sent to the Medical School. January 13th we received a report from the Medical School that this particular milk had produced tubercle in the guinea pig. Mr. Dixon visited the farm on the afternoon of the same day and again examined all the cows previously examined on the 27th November. . The udders were carefully felt in every case.

In only one, a light roan cow, was there any condition that could be called suspicious, and in this it scarcely amounted to a hardening, rather to a slight increase in the resistance to the touch. This animal was put aside by the farmer, who promised not to use the milk. At the same time another cow, suffering from a cough, but without any suspicious condition of the udder, was also isolated. A sample of milk was taken from each of these cows. On the 5th of February, Mr. Dixon again visited this farm and examined 21 other cows in the herd without being able to detect anything decidedly wrong with the udder in any of them. In both the cows already isolated there was a little greater resistance to palpation of the udder than is usual. On the 3rd of March we received word from the Medical School that the milk from the light roan cow contained tubercle bacilli, and Mr. Dixon visited the farm the same day. He re-examined

the whole herd of 23 cows, including the 2 already isolated. The condition of the light roan cow isolated on the previous visit was now easily enough recognised as one of tuberculous udder. The white cow with the cough was just in the same condition as before, the udder not perfectly soft, but not distinctly tuberculous. On this occasion he also removed from the herd a third cow, a red and white one, in which there was some induration of the right-hind quarter not detectable a month earlier. The remaining 20 cows showed no indication of anything wrong with the udder. A sample was taken from the milk of the red and white cow on the 11th of March. On March 18th, a week later, the light roan cow still had the slightly indurated udder now evidently tuberculous; in the white cow the condition was much the same as on the 11th. The udder of the red and white cow was much more suspicious than a week earlier. The other 20 cows were apparently healthy. A sample of mixed milk of these 20 cows in the large shed was taken with the usual precautions and sent to the Medical School. On the 23rd the the condition was much the same. On the 2nd of April we received information from the Medical School that the milk of the red and white cow contained a large number of pus cells and certain acid-fast bacilli, and later further biological tests showed positive evidence of tubercle bacilli. On April 7th there were 20 cows in the large shed all apparently healthy. Mr. Dixon arranged for destruction of light roan cow, white cow as before, red and white cow's udder distinctly tuberculous.

On the 8th of April Mr. Dixon made a *post-mortem* examination of the light roan cow, and found an old-standing tuberculosis in the mesenteric lymphatic glands, miliary tuberculosis along with old lesions in the lungs, tubercle throughout the lymphatic system generally, and in the udder. On the 10th of April the sample of milk from the white cow taken on the 13th of January was reported as not tuberculous. On May 9th, message was received from the Medical School that sample of milk taken on March 18th was tuberculous. This milk was that

taken from the rest of the herd after the isolation of the three cows. On May 9th there was another veterinary inspection of the whole herd, and samples were taken from the two cans containing the mixed milk of the cows other than the two separated; on the 13th of June one of these samples was reported as tuberculous and one free from tubercle. On May 11th, the Medical Officer of Health and Mr. Dixon and Mr. Walker all visited and arranged with owner for the tuberculin test. On May 12th, 13th, 14th, 15th, tuberculin test applied to 19 cows, one in calf omitted. Fourteen responded distinctly and 4 doubtfully. The milk from each separate cow was then examined biologically. One only of the nineteen cows gave a milk infecting the guinea pig, and this one had no disease of the udder to be discovered by ordinary palpation as late as August, 1908. After this she was sold to a cattle dealer, and the farmer had no complaints.

Illustrative cases of udder disease in 1908.—On the 2nd of January, at cowshed 67 (see Table VIIIa.), 9 cows were examined. The udder was healthy in 8, but in one there was an inflammatory swelling on the left hind quarter. The cow was revisited on the 9th, and the inflammation had cleared up. The milk had not been used in the interval. Compensation to the amount of £1 17s. 6d. was granted for loss of milk during the period of observation.

On the 10th, at farm 45, one cow, out of 20 examined, had an inflammatory condition of the udder with suppuration. The cow was visited again on the 16th and 24th of January, and again on the 31st, when the udder was found to be dry. Fourteen shillings was voted by the Committee for milk withheld from sale.

On the 15th of January, at farm 909, 17 cows were examined. One had mastitis with suppuration of the right fore quarter. The cow was examined again on the 21st and 28th of

TABLE VIIIa.

Veterinary inspection of Cattle, year ended 2nd Jan., 1909.

			Cattle	e and Conc	lition.	
Date of	Register					Condition of Shed.
Inspection	No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Siled.
1908.						
Jan. 2.	67	N.	9	I	others healthy.	Satisfactory.
	- 7	411	9	(mastitis)		
Jan. 3.	170	,,	22		healthy	
						walls dirty.
,,	543	,,	22	***	,,	Satisfactory
,,	4	,,	13		"	Do.
,,	665	,,	16		;; (See	Do.
Jan. 9.	67	,,	I	Passaranal	Jan. 2nd)	
Jan. 10.	45	,,	20	Recovered I	others healthy.	Satisfactory.
13.		,,,		(mastitis)		
,,	739	NT 12	22		healthy	Do.
,,,	138	N.E.	35	26	,,	Do.
Jan. 13.	120	Bmy.	23	2*	,,	Fairly clean.
Jan. 15.	405	A. & W.	25		,,	Satisfactory.
,,	173	Bmy.	18		22	Do.
,,	801	"	5		others	Do.
,,	909	,,	17	I (mastitis)	others healthy.	Do.
				(III/ISCICIO)	1 1.1	D.
,,	77	"	37		healthy	Do.
,,	635	,,	10		"	Do.
,,	78	,	20		"	Do.
,,	199a	,,	13		,,	Do.
,,	249	"	9		"	Do.
,,	400	"	27		"	Do.
I " - 6	73	,,,	25	***	"	Do.
Jan. 16.	351	E.	10	***	,,	Do. Do.
,,	101	N E	15	***	"	Do.
,,	478	N.E.	24		22	
33	136	,,	14	***	- 11	Do.
"	220	"	19	***	"	Do. Do.
"	137	". N.	30	***	(See	100.
Ian "	45	Hdy.	I 7		Jan. 10th) healthy	Some cows dirty, sheds
Jan. 17.	812	ridy.	7		neartify	dirty
,,	88	N.W.	26		,,	Satisfactory.
,,	559	,,	5		,,	Do.
,,	284	,,	22		,,	Do.
,,	553	Bnk.	16		,,	Do.
,,	39	N.	29		,,	Do.
Jan. 21.	909	Bmy.	I		Jan. 15th)	
Jan. 22.	287	A. & W.	8		healthy	
				0.0		shed unsatisfactory.
,,	256	A. &W	8		, ,,	Satisfactory.
,,	38	,,	26	I	others healthy.	Do.
	99		26	(mastitis)	healthy	Do.
,,,	99	,,	2.0		- Careiry	

<sup>\*</sup> See text p. 79.—" Difficulty of finding cow giving tuberculous milk."

TABLE VIII a .- Continued.

			Cattle	and Cond	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908. Jan. 22.	36	Bmy.	2		healthy	Fairly clean. Some pigs in shed.
,,	126	,,	13	.,.	,,	Some cows dirty, sheds satisfactory.
,,	557	E.H.	5		,,	Satisfactory.
,,	266	,,	3	***	,,	Do.
,,	835	S.	I 2	4.1	,,	Do.
,,	708	A. & W.	15		"	Do.
Jan. 23.	430	Bmy.	15		,,	Some cows dirty, shed
,,	332	W.H.	5.5	I (mastitis)	others healthy.	satisfactory. Satisfactory.
	591a	,,	18	imasciers	healthy	Do.
,,	96	,,	8		,,	Do.
"	85	Hol.	8		,,	Do.
"	150	,,	15		,,	Fairly clean.
	64	W.H.	12		,,	Satisfactory.
"	135	,,	11		,,	Do.
,,	390	,,	19		32	Do.
,,	392	,,	9		33	Do.
,,	43	,,	40		* others healthy.	Do.
Jan. 24.	431	A. &W.	37		healthy	Do.
,,	813	,,	39		,,	Do.
,,	321	Hdy.	15		"	Dirty.
,,	164	,,	3		>>	Satisfactory.
,,	30	,,	No cows kept.		,,	Do.
,,	35	W.	10		,,,	Do.
-,,	45	N.	I		Jan. 16th)	
Jan. 28.	909	Bmy.	I		Jan. 21st)	
,,	38	A. &W.	I		Jan, 22nd)	
,,	332	W.H.	I		Jan. 23rd)	
,,,	43	N7 117	I	***	(See (Jan. 23rd)	C-41-f-4
Jan. 29.	49	N.W.	27		healthy	
,,	609	Hdy.	14		2.2	Do.
"	213	22	5		,,	Do.
"	393	,,	34		,,	Do.
,,	347	,,	6		,,	Do. Do.
,,	738	,;, N	6	***	"	Do.
,,	195	N.	19		,,	170.
Jan. 31.	45	,,	1	(recovered)	(See Jan. 24th) (See	
Feb. 4.	909	Bmy.	1	(recovered)	Jan. 28th) (Sec	
''	38		1	(recovered)	Jan. 28th)	
,,	332	W. H.	I	(recove: ed)	Jan. 28th)	

<sup>\*</sup> One cow acute lymphangitis, not affecting the udder.

TABLE VIII a .- Continued.

			Cattle	e and Cone	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908.			ı			
Feb. 5.	92	Bmy.	6		healthy	Satisfactory.
,,	406	,,	1		,,	Do.
,,	407	,,	5		,,	Do.
,,	34	A. & W.	3		,,	Do.
,,	148	Bmy.	15		,,	Do.
,,	141	,,	18	2 (mastitis).	others healthy.	Do.
,,	318	,,	24	(mastitis).	healthy	Do.
. ,,	127	,,	28		13	Do.
,,	128	,,	5		,,	Do.
,,	120	,,	23	2*	,,	Do.
,,	515	,,	10		33	Do.
,,	199b		18		,,	Do.
,,	398	,,	1-2		,,	Do.
,,	765	,,	13		,,	Do.
Feb. 6.	167b	Hdy.	17		,,	Do.
,,	912	,,	20		,,	Do.
,,	146	,,	32			Do.
,,	591b	,,	11	I	(others healthy)	Do.
,,	592	,,	9	(mastitis)	healthy	Do.
,,,	353	,,				Unoccupied.
,,	676	,,	5		healthy	Satisfactory.
,,	550	,,	13		,,	Do.
,,	714	,,	12		,,	Fairly clean.
,,	75	,,	19		"	Satisfactory.
,,	338	N.	2		,,	Do.
,,	94	Hdy.	7		,,	Do.
,,	522	N.	25		,,	Do.
,,	196	,,	22		,,	Do.
Feb. 7	7	C.				Locked
,,	153	,,	7		,,	Clean, but confined.
,,	66	,,	11		,,	Satisfactory
,,	544	N.	10	***	,,	Do.
,,	553	,,	26		,,	Do.
Feb. 11.	141	Bmy.	2		(See Feb. 5th)	
,,,	591b	Hdy.	I	nearly dry.	(See Feb. 6th)	
Feb. 13.	389	"	9		healthy	Satisfactory.
,,	167a	,,	14	I (tuber- culous).	others healthy.	Do.
Feb. 18.	141	Bmy.	2	dry	(See Feb. 11th)	
Feb. 20.	360	,,	24		healthy	Satisfactory.
>>	63	,,	5			Do.
,,	70	,,	4	†ı	others hea thy.	Do.
				(† tuber- culous).	1.07	
,,	410	"	6		healthy	Do.

<sup>\*</sup> See page 79. + D

TABLE VIII a .- Continued.

			Cattle	e and Conc	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908. Feb. 20.	147	Bmy.	7		healthy	Satisfactory.
,,	51	,,	6		,,	Do.
,,	322	,,	5		,,	Do.
,,	470	,,	3		,,	Do.
,,	310	,,	6		,,	Do.
,,	227	,,	14		,,	Do.
"	337	,,	2 I	I (!tuber- culous)	others healthy.	Do.
,,	352	,,	7		healthy	Do.
,,	209	,,	11		,,	Some cows dirty, shed
						dirty
Feb. 21	372	A.& W.	4		,,	Satisfactory.
,,	10	,,	5 -		"	Some cows dirty, sheds satisfactory.
"	402	"	11	I (?tuber- culous)	others healthy.	Satisfactory.
,,	246b	,,	6	(?tuber-	others healthy.	Do.
,,	246a	,,	10	culous)	healthy	Do.
,,	593	"	4		,,	Do.
Feb. 24.	75	Hdy.	19		,,	Do.
Feb. 25.	159	E.H.	24	***	,,	Do.
,,	633	,,	10		,,	Do.
"	493	,,	36	I (mastitis)	others healthy.	Fairly clean.
,,	204	W.H.	7	***	healthy	Clean.
,,	378	,,	5		"	Some cows dirty, shed dirty.
,,	585	,,	11		,,	Dirty.
Feb. 26.	90	E.	28		,,	Satisfactory.
,,	19	,,	2 I		,,	Do.
11	145	,,	26		- ,,	Do.
. "	964	,,	15		,,,	Do.
,,	172	"	33	I (? tuber- culous)	others healthy.	Do.
,,	329	,,	7		healthy	Do.
,,	295	N.E.	9		,,	Do.
,,	7	C.	5		,,	Do.
,,	246b	A.& W.	I	(not tuber- culous)	(See Feb. 21st)	
,,	402	22	I	(not tuber- culous)	(See Feb. 21st)	
Feb. 27.	514	Bmy.	14		healthy	Satisfactory.
,,	408	,,	14		,,	Do.
,,	682b	,,,	7		,,	Clean.
"	590	E	6		,,	Satisfactory.
22 .	104	A & W.	22		,,	Do.
						W. 14

TABLE VIII a .- Continuea.

			Cattle	e and Cone	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908.						
Feb. 27.	243	Bmy.	8		healthy	Satisfactory.
,,	201	,,	3		,,	Do.
-,,	682a	,,	20		3)	Do.
,,	822	,,	10		,,	Do.
,,	2 I	,,	8		,,	Do.
,,	337	,,	-	(diseased cow sold)	(See Feb. 20th)	
Feb. 28	896	N.	7		healthy	Satisfactory.
,,	343b	,,	27		,,	Do.
,,	343a	,,	17		,,	Do.
,,	602	,,	23		,,	Do.
Mar. 3.	120	Bmy.	23	*2 (?tuber- culous) *1 tuber- culous,	others healthy.	
Mar. 4.	172	E.	I	(not tuber- culous)	(See Feb. 26th)	
,,	351	,,	9		healthy	Satisfactory.
,,	IOI	,,	13		,,	Do.
,,	478	N.E.	25	I (? tuber- culous)	others healthy.	Do.
,,	136	,,	15		healthy	Do.
,,	220	,,	17		,,	Do.
,,	137	,,	30		,,	Do.
,,	138	,,	45		,,	Do.
Mar. 5.	266	E.H.	5		,,	Do.
,,	557	,,	5		,,	Do.
,,	835	S.	- I 2		,,	Fairly clean.
Mar. 10.	478	N.E.	I	cert. t.	(See Mar. 4th)	
Mar. 11.	120	Bmy.	3	*3	(See Mar. 3rd)	
,,	128	,,	6		healthy	Satisfactory.
,,	515	,,	9		,,	Do.
,,	127	,,	27			Do.
Mar. 13	4.5	Ñ.	16	1	others healthy	Do.
	1.7			(7tuber- culous).	nearthy	
,,	739	,,	20	curous).	healthy	Do.
,,	553	"	26		,,	Some cows dirty. Sheds fairly clean.
Mar. 17.	45		1		(See Mar. 13th)	min, vienn
Mar. 18.	120	Bmy.	20	*	healthy	Satisfactory.
	78		13	122		Do.
"	199a	"	13		23	Do.
"	765	"	12		,,	Do.
,,	407	17	5		"	Do.
"	406	,,	No cows		,,	
"	92	. "	kept.			Do.
"	249	**	10		,,	Do.
,,	400	"	27		"	Do.
"	7.3	"	27	***	"	Do.
	1.5		-1		"	20.

TABLE VIII a .- Continued.

			Cattl	e and Conc	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908.						
Mar. 18.	635	Bmy.	9		healthy	
,,	77	. "	38		,,	Do.
,,	909	,,	16		- 23	Do.
,,	801	,,,	5		,,	Do.
,,	405	A. & W.	24		19	Do.
,,	173	Bmy.	17		others	Do.
Mar. 19.	167b	Hdy.	18	(Ftuber- culous)	healthy.	Do.
,,	287	A. &W.	7		healthy	Do.
,,	256	,,	10		22	Do.
,,	38	,,	26		,,	Do.
,,	99	,,	25		,,	Do.
,,	36	Bmy.	2 -		"	Do.
,,	126	,,	13		22	Do.
,,	431	A. & W.	36		,,,	Do.
,,	813	"	38	I (! tuber- culous)	others healthy.	Do.
,,	30	Hdy.	no cows kept.			
17	164	,,	3		healthy	Satisfactory.
,,	321	,,	14		,,	Do.
,,	35	W.	10		,,,	Do.
,,	812	Hdy.	7		,,,	Do.
Mar. 20.	45	N.	diseased cow sold.		Mar. 17th)	
"	553	,,	-		(Ser	Cleaner.
Mar. 23.	120	Bmy.	3	*	Mar. 11th)	
Mar. 25.		A. &W.	I		Mar. 19th	
,,	167b		I		Mar, 19th) others	0 6 .
Mar. 27.	665	N.	17	2 (! tuber-	healthy.	Satisfactory.
,,	4	,,	14	culous)	healthy	Do.
April 2.	813	A. &W.	1	cert. t.	(See Mar. 25th)	
,,	167b		I	healthy	Mar. 25th)	
,,,	665	N.	2		Mar. 27th)	
April 3.	665	,,	†2	both cert.	April 2nd)	0.14
, ,,	39	,,	38		healthy	Satisfactory.
April 7.	148	Bmy.	14		others	Do.
"	141	"	18	(mastitis)	healthy.	Do.
,,	318	,,	24		healthy	Do.
,,	199b	"	17	I (mastitis)	others healthy.	Do.
,,	398	11	I 2		healthy	Do.
. ,,	120	,,	20	长	,,	Do.
"	34	A. &W.	cows out			Do.
April 8.	85	Hol.	8	I	others healthy	Do.
,,	150	,,	14	(mastitis)	healthy	Dirty.

TABLE VIII a .- Continued.

			Cattle	and Cond	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908. April 8.	64	W.H.	11	I (mastitis)	others healthy.	Fairly clean.
,,	135	,,	11		healthy	Satisfactory.
,,	390	,,	20		,,	Do.
,,	392	,,	9		,,	Do.
,,	43	,,	38		,,	Do.
,,	430	Bmy.	15		, ,,	Do.
,,	332	W.H.	52		,,	Do.
"	591a	,,	14		,,	Some cows dirty. Sheds dirty.
,,	96	,,	8		,,	Satisfactory.
April 9.	593	A. &W.	4		,,	Do.
,,	246a		10		,,	Fairly clean.
,,	246b	4	6		,,	Satisfactory.
,,	708	,,	14	I	others healthy	Do.
				(mastitis)		D
April 10.	67	N.	9		healthy	Do.
,,	170	,,,	22		"	Dirty.
4	543	,,,	22		(Sec	Satisfactory.
April 14.	199b		I		April 7th)	
",	708	A. &W.			April 9th)	2
"	402	"	10		healthy	Satisfactory.
,,	10	"	5		,,	Do.
A'1'	372	NT 137	4		"	Do.
April 15.	88	N.W.	27		,,,	Do.
,,	559	"	4		,,	Do.
"	284	,,,	19		,,	Do.
,,	49	11.1	27		,,	Do.
"	609	Hdy.	14		"	Do.
"	213	"	5		,,	Do.
,,	393	,,	35		,,	Do.
"	347	,,	7		13	Do.
"	738	NT.	4		,,	Do.
A	195	N.	18		(See	Do.
April 22	708	A. & W.			April 14th)	8-4:-6-4
,,	243	Bmy.	9		healthy	
,,	201	>>	3		"	Dirty.
"	682a	1	20		"	Satisfactory.
"	822	"	10		,,	Do. Do.
"	21	"	9		",	
,,	574	,,	14		,,	Some cows dirty. Sheds fairly clean.
,,	408	,,	14		25	Satisfactory.
,,	682b	0.000,000	8		,,	Clean.
"	167a	Hdy.	17		,,	Satisfactory.
	389	,,	10		,,	Do.

TABLE VIII a .- Continued.

			Cattle	and Cond	lition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908. April 23.	64	W.H.	1		(See April 8th)	
,,	585	,,	12		healthy	
,,	378	22	5		,,	Dirty.
.,,	204	",	no cows kept.			
April 24.	553	Bnk.	15		healthy	The state of the s
22	896	N.	8		,,	Do.
,,	343b	,,	27		22	Do.
,,	343a	,,	15		,,	Do.
, ,,	602	,,, D	2 2		yy (See	Do.
April 28.	199b		I	recovered	April 14th	
April	708	A.&W.		recovered	April 22nd)	Satisfactory
April 29.	167b	Hdy.	16 cows	***	healthy	Satisfactory. Do.
**	912	22	out.	***	healthy	Do.
,,	146	"	32	***		Do.
,,	591b	"	9 cows	***	,,	Do.
"	592	"	out.		healthy	Do.
,,	353 676	2.5				Do.
11		"	4		"	Do.
,,,	550	"	19		"	Do.
,,	75 338	Ň.	2	***	22	Do.
13	94	Hdy.	8		"	Do.
May 1.	153	C.	8		"	Clean but confined.
	7	,,	_	_	"	Locked.
"	66	,,	12		healthy	
May 4.	522	N.	24		,,	Fairly clean.
,,	196	,,	20		"	Satisfactory.
,,	544	,,	10		,,	Do.
May 5.	493	E.H.	32		,,	Fairly clean.
,,	64	W.H.	I		(See April 23rd)	
,,	633	E.H.	9		healthy	Satisfactory.
,,	159	,,	25		,,	Do.
May 6.	295	N.E.	9		,,	Do.
"	592	Hdy.	10	I	others healthy.	Do.
				(? tuber- culous)		
,,	912	92	2 I		healthy	Do.
,,	714	,,	12		,,	Some cows dirty, sheds satisfactory.
May 7.	104	A. &W.	22		,,	Satisfactory.
,,	63	Bmy.	5		,,	Do.
,,	360	,,	25		,,	Do.
,,	209	,,	9		22	Some cows dirty. Sheds
						dirty.
,,	352	,,	cows			Satisfactory.
,,	337	,,	out.			Do.
						*

TABLE VIII a .- Continued.

					-Continu	
			Cattle	and Conc	lition.	
Date of Inspection.	Register No.	Ward.	No. Examiced	Udder diseased.	General Condition	Condition of Shed.
1908.		1				
May 7.	310	Bmy.	_			Unoccupied.
,,	227	,,	cows out.			Satisfactory.
,,	470	,,	3		healthy	Do.
,,	51	,,	cows			Do.
,,	322	,,	cows			Do.
	147		out 8		healthy	Do.
"	410	,,	cows			Do.
"	70	,,	out 4		healthy	Do.
May" 8.	7	Č.	5			Do.
May 9.†	120	Bmy.	21	2*	others	Do.
21149 9.1	120	Diny.		?tuber-	healthy	150.
May 15.	34	A. &W.	5	culous.)	healthy	Some cows dirty. Shed
may 15.	34	21.0011.	2		incarring	dirty.
May 18.	120	Bmy.	20	*	apparently	Satisfactory.
			20	*	apparently healthy.	Do.
May 20.	120	W.H.	2 I		(See	170.
Man, "	64		I	recovered.	May 5th)	Catiafaatam
May 22.	120	Bmy.	2 I		apparently healthy	Satisfactory.
"	553	N.	2 2	111	healthy	Do.
"	739	,,	2 I		,,,	Do.
35 "	45	77.1	II	(not tuber-	,, (See	Do.
May 25.	592	Hdy.	COWN	culous)	May 6th)	0
"	393	,,,	out.		***	Satisfactory.
"	347	,,	out	***		Do.
"	738	222	out			Do.
35 "	195	N.	out.	***		Do.
May 26.	120	Bmy.	2 I	*	apparently healthy	Do.
June 2	120		2 I	*	,,	Do.
June 4.	170	N.	out			Fairly clean.
_ ,,	543	,,	out.			
June 5.	964	E.	15		healthy	
,,	19	"	18		23	Do.
- "	145	,,,	23		. ,,,	Do.
June 11.	67	N.	9	I	others healthy	Do.
June 15.	67		I	(mastitis)	(See	
	138	N.E.	Cows		June 11th)	Fairly clean.
"	100000000000000000000000000000000000000	N.	out.		healthy	rairly clean.
June 16.	543		23		neartny	
Julie 10.	765	Bmy.	1	(tuber- culous)		
,,	78	,,	13	***	healthy	
,,	120	,,	23	*	apparently healthy	170.
June 18.	590	E.	6		healthy	Do.
,,	765	Bmy.	I	p.m.t.	(See June 16th)	
June 19.	136	N.E.	11		healthy	Satisfactory.
,,	220	,,	19		,,	Do.
,,	137	,,	22		,,	Do.
	0,	1,1			"	

<sup>\*</sup> See page 79. † May 12th, 13th, 14th, and 15th, 19 cows tested by tuberculin at 120 Bmy.

TABLE VIII a .- Continued.

				Cattle	and Cond	ition.	
I	Date of aspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
To	1908. ine 22.	6-	N.			(See	
		67 90	E.	1		June 15th) healthy	Satisfactory.
	ine 23.	337	Bmy.	23			Do.
1		352		cows.		"	Do.
	,,	227	,,	out.		healthy	Do.
	"	322	,,	6			Do.
	,,	51	"	6		"	Do.
	,,	410	,,	5		,,	Do.
Iı	ine 25.	120	"	2 I	*	apparently healthy	Do.
1	,,	765	,,	8		healthy	Do.
In	ine 26.	136	N.E.	preparing for test.			
1	,,	67	N.	I		(See June 22nd)	
1	"	170	,,	23		healthy	Satisfactory.
Ju	me 29.	67	,,	I		(See June 26th)	
	ine 30.)	136	N.E.	11	(tested by tuberculin)		
	aly 3.	120	Bmy.	2 I	*	apparently healthy	Satisfactory
1	,,	128	,,	cows out.		manny	Do.
1	,,	515	,,	10		healthy	Do.
1	,,	88	N.W.	10		,,	Do.
1	,,	559	,,	no cows kept.			
1	,,	17	,,	8		healthy	Satisfactory.
J	uly 6.	136	N.E.	II		apparently healthy.	Do.
	,,	67	N.	I		June 29th)	
J	uly 8.	172	E.	29		healthy	Satisfactory.
	,,	329	,,	7		,,	Do.
١.	. ,,	351	,,	9		,,	Do.
1	uly 9.	120	Bmy.	2 I	*	apparently healthy	Do.
1.	, ,,	128	,,	5		healthy	Do.
J	uly 10.	141	,,	17		19	Do.
	"	318	,,	24		13	Do.
	11	148	,,,	13		22	Do.
	,,	127	,; NT	26		(See	Do
	"	67	N.	I	tuberculin	July 6th)	
I	uly "11.	120	Bmy.	2 1	tested	apparently	Satisfactory.
	uly 13.		"	2,		healthy	
	uly 14.	67	N.	I	recovered	July 6th)	Do.
	uly 14.	592	Hdy.	11			Do.
	uly 20.	295	N.E.	8		healthy	
1	,,	101	E.	13		,,	Do.
	,,	478	N.E.	24	2 (? tuber-	others healthy	
		1.06	1		culous)	healtha	Satisfactory.
T	uly ", 22.	136	"	11	one	healthy	Satisfactory.
1	uly 22.	478	,,	2	recovering	(See July 20)	

TABLE VIII a .- Continued.

			Cattl	e and Con	dition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908.						
July 24.	708	A. & W.	15		healthy	Satisfactory.
,,	120	Bmy.	2 I	*	apparently healthy	Do.
July 31.	896	N.	9		healthy	Do.
,,	343b	,,	26		,,	Do.
,,	343a	,,	15		,,	Do.
,,	602	,,	22		,,	Do.
Aug. 5.	478	N.E.	I	cert. t.	(See July 22nd)	
Aug. 6.	120	Bmy.	21	*	apparently healthy	Satisfactory.
,,	136	N.E.	11		,,	Do.
,,	138	,,	45		healthy	Do.
Aug. 12.	120	Bmy.	2 I	*	apparently healthy	Do.
Aug. 13.	136	N.E.	II		healthy	Do.
Sep. 3.	120	Bmy.	2 I	*	ap-parently	Do.
Sep. 4.	136	N.E.	12		healthy	Do.
	478		26		healthy	
Sep. 7.	167a	Hdy.	18	I	others	Do.
оер. 7.		LLuj.		(mastitis)	healthy.	
,,	167b	,,,	23		healthy	Do.
Sep. 9.	49	N.W.	26		22	Do.
,,	609	Hdy.	14		,,	Do.
,,	213	,,	4		,,	Do.
,,	94	,,	10		,,	Do.
,,	522	N.	24		,,	Do.
1,	196	,,	2 I		,,	Do.
,,	544	,,	10		,,	Do.
Sep. 11.	550	Hdy.	cows out.			Fairly clean.
Sep. 17.	39	N.	35		**	Satisfactory.
,,	167a	Hdy.	I	recovered	(See Sept. 7th)	
Sep. 18.	120	Bmy.	2 I	*	apparently healthy	Satisfactory.
,,	136	N.E.	II		100000000000000000000000000000000000000	Do.
Sep. 21.	45	N.	15	I	others healthy	Do.
	10.7			(?tuber- culous)		
Sep. 23-	553	,,	24		healthy	Satisfactory.
,,	739	,,	14		,,	Do.
,,	45	,,	I		(See Sept. 21st)	
Sep. 24.	353	Hdy.	8		healthy	Satisfactory.
,,,	550	11	5		,,	Do.
,,	75	,,	cows out.			Do.
,,	338	N.	cows out.			Do.
,,	738	Hdy.	cows out.			Do.
,,	195	N.	cows out.			Do.
Sep. 25.	153	C.	7		healthy	The state of the s
	7		5		,,	Satisfactory.
,,	66	,,	10			· Do.
,,	543	Ň.	2 I	1	others	Do.
,,	343			(?tuber-	healthy.	
				culous)		

TABLE VIII a .- Continued.

			Cattl	e and Con-	dition.	
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908. Sep. 29	85	Hol.	7	1 !tubercu- lous	others healthy	Satisfactory.
,.	64	W.H.	10		healthy	Do.
,,	135	,,	ΙΙ		,,	Do.
,,	390	,,	16		,,	Do.
,,	392	,,	7		17	Do.
,,	43	,,	36		,,	Do.
,,	150	Hol.	15		,,,	Do.
Oct. 1.	543	N.	I		(See Sept. 25th)	
Oct. 2.	120	Bmy.	23	*	apparently healthy	Satisfactory.
0. "	136	N.E.	11		Sec (Sec	Do.
Oct. 6.	45	N.	1	sold later	Sept. 23rd) (See	
Oct. 13.	543	,,, D	I	*	Oct. 1st) apparently	Satisfacts
Oct. 15.	120	Bmy.	2 2		healthy	Satisfactory.
"	4	N. N.E.	14		healthy	Do. Do.
Oct " ** )	136	N.E.	11		healthy	100.
Oct 15.) Oct. 16.)	543	N.	I	cert. t. †	tuberculin tested	
Oct. 10.)	167a	Hdy.	1	I		
				(mastitis)		
Oct. 20.	266	E.H.	4		healthy	Satisfactory
,,	557	"	10		others	Do.
"	835	S.	13	I (mastitis)	healthy	Do.
Oct. 21.	256	A. &W.	7		healthy	Do.
,,	38	,,	24		,,	Do.
"	99	,,	cows			Do.
,,	36	Bmy.	No cows kept.			Do.
,,	126	,,	14		healthy	Do.
,,	63	,,	4		,,	Do.
,,		A. & W.	15		,,	Do.
Oct. 22.	167a		20	(See Oct. 19th)	others healthy	
,,	45	N.	1	I	Oct. 6th)	
,,	35	W.	9		healthy	Satisfactory.
. "	321	Hdy.	14		(See	Do.
Oct. 23.	835	S.	I	recovered	Oct. 20th)	Do.
"	329	E.	7		healthy	Do.
Oct " - 0	590	W II	6		"	Do.
Oct. 28.	332	W.H.	55	*	apparently	Do.
Oct. 29.	120	Bmy.	23		healthy (See	Do.
,,	167a 812	Hdy.	I	recovered	Oct. 22nd)	Satisfactory
,,	284	N.W.	4 cows		healthy	Satisfactory. Do.
"	67	N.W.	out.			Do.
Oct. "30.	85	Hol.	out.	improving	(See	170.
	136	N.E.	12		Sept. 29th) apparently healthy	Satisfactory.
Nov. 3.	136		1		healthy	Do.
,,,,,	-30	"			curry	
	page 79					

TABLE VIII a .- Continued.

			Cattle and Condition.				
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.	
1908.					1		
Nov. 3.	220	N.E.	cows out.			Satisfactory.	
,,	137	,,	17		healthy	Do.	
Nov. 4.	73	Bmy.	27		,,	Do.	
arment and	400		27			Do.	
,,	249	,,	10	- F. C.	,,	Do.	
,,	199a	"	15		,,	Do.	
,,		,,			,,	Do.	
"	78	"	23		"	Do.	
13	635	: 2	12		32 healthy.		
,,	77	,,,	33		1 m'lk fever	Do.	
,,	909	,,	18		healthy	Do.	
,,	801	,,				Unoccupied.	
,,	173	,,	17		healthy	Satisfactory.	
Nov. 5.	493	E.H.	33		,,	Some cows dirty. Shed	
						fairly clean.	
Nov. 6.	138	N.E.	46		,,	Satisfactory.	
	665	N.	18			Do.	
,,	170		cows		"	Fairly clean.	
Nov. 10.	430	Bmy.	out. 16	1 3350	healthy	Satisfactory.	
1404. 10.	406	W.H.	16			Fairly clean.	
"		11.11.	8		,,	Satisfactory.	
>7	96	T2 T.T	1 8		"		
Nov. 11.	159	E.H.	24		"	Do.	
"	633	****	9		,,,	Do.	
"	378	W.H.	5		",	Do.	
,,,	585	,,,	14		,,	Do.	
Nov. 17.	550	Hdy.	13		,,	Do.	
Nov. 18	676	12	9		,,	Do.	
,,	353	,,	10		,,	Do.	
Nov. 19.	347	,,	7		,,	Do.	
,,	393	,,	35		,,	Do.	
	94	,,	11		,,	Do.	
"	609		13		333	Do.	
"	213	,,	5	1	,,	Do.	
. ,,	49	N.W.		111	,,	Do.	
"	284	The state of the s	24		,,	Do.	
N "		A 8- W	2 I		,,	Do.	
Nov. 20.	372	A.& W.			,,		
22	10	33	3		,,	Do.	
,,	402	,,,	10		,,,	Do.	
"	246b		7		37	Do.	
,,	246a	,,	10		,,	Do.	
"	593	,,	6		"	Do.	
Nov. 25.	92	Bmy.	5		,,	Do.	
,,	801	,,,	5 5		.,	Do.	
,,	407	,,	4	I *	others healthy.	Do.	
11	765	,,	10	culous)	healthy	Do.	

P.M. verified.

# TABLE VIII a .- Continued.

Cattle and Condition.						
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.
1908.						
Nov. 25.	398	Bmy.	12		healthy	Satisfactory.
Nov. 26.	553	Bnk.	19	I (tuber- culous)	others healthy.	Do.
,,	896	N.	9		healthy	Do.
,,	343b	,,	29		,,	Do.
,,	343a	,,	15		25	Do.
,,	602	,,	23		10 healthy	Do.
Nov. 27.	592	Hdy.	II	1 tuber- culous.	but dirty.	Do.
"	591b	,,	II	I (mastitis) Sold later.	others healthy	Do.
,,	146	,,	32		healthy	Do.
,,	912	,,	1.9		"	Do.
19	164	,,	2		,,	Do.
,,	30	,,	No cows kept.		others	-
Dec. 4.	111	Bmy.	20	I (mastitis)	others healthy	Do.
Dec. 9.	287	A.& W.	. 8	(mastrus)	healthy	Clean.
,,	104	,,	22		,,	Satisfactory.
,,	682a	Bmy.	20	***	,,	Do.
,,	243	,,	9		,,	Do.
,,	20 I	,,	1		,,	Do.
,,	822	,,	12		,,	Do.
,,	2 1	,,	7	***	"	Do.
,,	574	,,	14		,,	Do.
,,	408	,,	15	***	,,	Do.
,,	682b		8	***	22	Clean.
D "-6	389	Hdy.	12		,,	Satisfactory.
Dec. 16.	431	A.& W.			,,	Do.
Dec	813	Ň.	36		13 healthy	Do. Do.
Dec. 17.	45	IV.	14		13 healthy, 1 slightly ill.	
,,	739	,,	17		healthy	Do.
Dec. "	553	,,	24		yy (See	Do.
Dec. 21.	45	IId.	I	improving.	Oct. 22nd)	Satisfact
Dec. 22.	714	Hdy.	12		healthy	
29	75	N.	2 1		- 11	Do.
. "	338		2		"	Do. Do.
,,	522 738	Hdy.	25	***	,,	Do.
"	195	N.	7 17	***	"	Do.
Dec. 23.	195 199b		20	***	,,	Do.
	318		24		"	Do.
"	141	"	20		"	Do.
"	148	"	14		",	Do.
,,,	140	,,	- 4		,,	

TABLE VIII a - Continued.

			Cattl	e and Con	dition.		
Date of Inspection.	Register No.	Ward.	No. Examined	Udder diseased.	General Condition	Condition of Shed.	
Inspection.  1908. Dec. 23.  "" Dec. 24. Dec. 31.  "" ""	No.  127 128 515 120 34 400 964 19 145	Bmy. ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,	27 4	Udder diseased.  *  I † (tuber-culou-)	Condition	Satisfactory.  Do.  Do.  Do.  Do.  Do.  Do.  Do.  D	

TABLE VIII b.

Samples of Milk sent to the Bacteriological Laboratory for Examination for Tubercle during 1908.

Date		Where fa		No. of retailer.	Result of the test.	
190	8					
Jan.	6	Shadwell		438	Not tuberculous.	
					Do.	
Jan.	10	Leeds		 138		
- "		Do.		 138	Do.	
Jan.	13	Do.		 120	Do.	
,,,		Do.		 120	Do.	
,,,		Do.		 120	Do.	T.
Jan.	29	Barnoldswie	ck	 42I	Do.	
,,		Earby		 В.	Do.	
Feb.	12	Thorner		 71	Do.	
a received to		Halton		 71	Do.	
Feb."	17	Yeadon		 581	Do.	
Feb.		Whinmoor			Do.	T
1.60.	19			 221	Do.	-
Eab "	-6	Harewood		 221		
Feb.	26	Leeds		 208	Do.	
,,		Middleton		 562	Do.	
Mar.	3	Hawes		 158	Do.	
,,		Whinmoor		 374	Do.	
Mar.	IO	Bramhope		 559	Do.	7
,,		Cookridge		 539	Do.	
Mar.	II	Leeds		 120	Do.	-
Mar.	17	Pannal		 421	Do.	
	-/	Arthington		 176	Do.	
Mar.	TO	Leeds		 120	Do.	-
Mai.	19	Do.			Tuberculous.	
35	- 1			 120		_
Mar.	24	Bramhope		 601	Not tuberculous.	
. 22		Eccup		 596	Do.	
April	I	Rawdon		 15	Do.	
1)		Yeadon		 198	Do.	
April	7	Pannal		 306	Do.	7
		Arthington		 42I	Do.	
April	14	Bramhope		 319	Not tuberculous.	
April	29	Bardsey		 421	Do.	
	-9	Do.		 421	Do.	
May	6	Middleton			Tuberculous.	
	U	Do.		 151	Do.	
Mov	-			 557		
May	9	Leeds		 618	Not tuberculous.	
May	II	Do.		 120	Do.	
,,,		Do.		 120	Do.	
May	18	Do.		 120	Do.	
,,		Do.		 120	Do.	
,,		Do.		 120	Do.	-
,,		Do.		 120	Do.	

TABLE VIII b. - Continued.

May 19	est.
May         19         Pool          421         Not tuberculous           May         26         Do.          421         Do.            Do.          421         Do.            Do.          120         Do.            Do.          120         Do.            Do.          120         Do.           June         2         Otley          421         Do.            Do.          120         Do.            Do.          120         Do.            Do.          120         Do.            Do.          120         Do.           June         II         Do.          120         Do.           June         II         Do.          120         Not tuberculous.            Do.          329         Tuberculous.            Do.          329         Tuberculous.	
May         26         Do.	
May         26         Do.	2+
Do.   Leeds   Do.   Do	
Leeds	
Do.   Do.	
Do.   Do.	
June   2   Otley     120   Do.   Do.	
June   2   Otley   Do.   421   Do.	
Do.   Leeds   120	
Do.   Do.	
Do.   Do.	
Do.   Do.   Do.   Tuberculous.	
June   II   Do.   120   Not tuberculous.	
June   II   Do.   120   Not tuberculous.	ti_
June   II   Do.   120   Do.   Do.   Do.   Do.   Tuberculous.   Do.   Do.   Tuberculous.   Do.   Do.	
"""       Do.        120       Do.         """       Seacroft        329       Tuberculous.         """       Do.        329       Not tuberculous.         """       Do.        329       Tuberculous.         """       Do.        421       Do.         June 18       Middleton        557       Not tuberculous.         """       Do.        557       Do.         June 24       Thornton        B.       Do.         """       Do.        B.       Do.         July 2       Otley        421       Do.         """       Do.        421       Do.         """       Do.        421       Do.         July 6       Do.        421       Do.         July 9       Leeds        136       Do.         July 13       Middleton        557       Tuberculous.         """       Do.            """       Do. <td></td>	
""         Seacroft         329         Tuberculous.           ""         Do.         329         Not tuberculous.           ""         Do.         329         Not tuberculous.           ""         Do.         329         Tuberculous.           ""         Do.         421         Do.           June 18         Middleton         557         Not tuberculous.           ""         Do.         557         Do.           ""         Do.         557         Do.           June 24         Thornton         B.         Do.           ""         Do.         B.         Do.           July 2         Otley         421         Do.           ""         Do.         136         Do. <t< td=""><td></td></t<>	
Do.   329   Do.   Not tuberculous.   Do.   329   Do.   Not tuberculous.   Tuberculous.   Tuberculous.   Do.   Do.   421   Do.   Tuberculous.   Do.   Tuberculous.   Do.   Tuberculous.   Do.   Tuberculous.   Do.   Tuberculous.   Do.   Do.   Tuberculous.   Do.   Do.   Do.   Tuberculous.   Do.   Do.   Do.   Do.   Tuberculous.   Do.   Do	
Do.   329   Not tuberculous.	
June 17 Wakefield	
June         17         Wakefield          421         Do           June         18         Middleton          557         Not tuberculous           June         18         Middleton          557         Do           June         24         Thornton          B.         Do           June         24         Thornton          B.         Do           July         2         Otley          421         Do           July         2         Otley          421         Do           July         6         Do          421         Do           July         6         Do          421         Do           July         9         Leeds          136         Do           July         13         Middleton          557         Tuberculous           July         13         Middleton          557         Not tuberculous	
June 18         Middleton          421         Do.           June 18         Middleton          557         Not tuberculous,           June 24         Do.          557         Do.           June 24         Thornton          B.         Do.           June 24         Thornton          B.         Do.           July 2         Otley          421         Do.           July 2         Otley          421         Do.           July 3         Do.          421         Do.           July 4         Do.          421         Do.           July 5         Leeds          136         Do.           July 13         Middleton          557         Tuberculous.           July 13         Middleton          557         Not tuberculous.	
June         18         Middleton          557         Not tuberculous,           ,,         Do.          557         Do.           June         24         Thornton          B.         Do.           ,,         Do.          B.         Do.           July         2         Otley          421         Do.           ,,         Do.          421         Do.           ,,         Do.          421         Do.           July         6         Do.          421         Do.           July         9         Leeds          136         Do.           July         13         Middleton          557         Tuberculous.           ,,         Do.          557         Not tuberculous.	
Do.   Do.	
June 24 Thornton	1
June 24       Thornton B.       Do.         July 2       Otley 421       Do.         July 2       Do 421       Do.         July 3       Do 421       Do.         July 4       Do 421       Do.         July 5       Do 421       Do.         July 9       Leeds 136       Do.         July 13       Middleton 557       Tuberculous.         July 13       Middleton 557       Not tuberculous.	
July       2       Otley         B.       Do.         July       2       Otley         421       Do.         July       Do.           Do.         July       6       Do.           Do.         July       9       Leeds             Do.         July       13       Middleton	
July       2       Otley        421       Do.         ,,       Do.        421       Do.         ,,       Do.        421       Do.         July       6       Do.        421       Do.         July       6       Do.        421       Do.         July       9       Leeds        136       Do.         July       13       Middleton        557       Tuberculous.         July       13       Middleton        557       Not tuberculous.	
"""         Do.         """         421         Do.           """         Do.         """         421         Do.           """         Do.         """         421         Do.           July         6         Do.         """         421         Do.           """         Do.         """         421         Do.           July         9         Leeds         """         136         Do.           """         Do.         """         136         Do.           July         13         Middleton         """         557         Tuberculous.           """         Do.         """         557         Not tuberculous.	
July 6 Do	
July 6 Do	
July         6         Do.          421         Do.           July         9         Leeds          136         Do.           July         13         Middleton          557         Tuberculous.           July         13         Middleton          557         Not tuberculous.	
July 9 Leeds 136 Do.  July 13 Middleton 557 Tuberculous.  Do 557 Not tuberculous.	
July 9       Leeds 136       Do.	
July 13 Middleton	
July 13 Middleton 557 Tuberculous. ,, Do 557 Not tuberculous.	
July 13 Middleton 557 Tuberculous.  Do 557 Not tuberculous.	
Do 557 Not tuberculous.	
Y 1 Y 1 1 1	
,, Leeds 572 Not tuberculous.	
,, Do 120 Do.	
,. Do 120 Do.	
July 21 Do 135 Do.	
,, Do 64 Do.	
July 28 Middleton 557 Tuberculous.	
Do 557 Do	
,, 55/ 56.	

# TABLE VIII b .- Continued.

Date	Where farm is	No. of	Downley of the test
Date.	situate.	retailer.	Result of the test.
1908.			
July 28	Seacroft	153	Tuberculous.
July 29	Wakefield	42I	Do.
July 30	Do	42I	Not tuberculous.
,,	Do	42I	Do.
Aug. 5	Weeton	421	Tuberculous.
11	Arthington	176	Not tuberculous.
,,,	Seacroft	153	Tuberculous.
,,	Do	153	Do.
Aug. 12	Skipton	76	Not tuberculous.
,,	Long Preston	306	Do.
. "	Knostrop	363	Tuberculous.
Aug. 20	Birstwith	306	Do.
- 22	Do	306	Do.
Aug. 21	Rawdon	435	Not tuberculous.
Aug. 25	Alwoodley	113	Do.
,,	Do	113	Tuberculous.
Aug. 26	Rawdon	174	Not tuberculous.
. ,,	Bingley	617	Do.
Sept. 1	Cookridge	579	Incomplete.
,,	Adel	573	Not tuberculous.
Sept. 2	Cookridge	245	Do.
,,	Horsforth	347	Do.
,,,	Do	30	Do.
Sept. 9	Rawdon	513	Do.
,,	Do	561	Do.
. "	Grassington	442	Do.
Sept. II	Cookridge	442	*Do.
0 "	Do	579	*Do.
Sept. 14	Wakefield	421	†Do.
0 "	Do	421	†Do.
Sept. 16	Whinmoor	22	Do.
"	Leeds	443	Do.
- >>	Middleton	597	Do. Do.
Cant av	Do	151	Do. Do.
Sept. 21	Rigton	421	†Do.
,,	Do Do	421	Do.
Sont on		421	Do. Do.
Sept. 22	Cookridge Harrogate	579 618	Do. Do.
* "	D:4	306	†Do.
"	Month Distan		†Do.
Sept 20	Roundhay	42I 193	Do.
Sept. 29 Sept. 30	Steeton	215	Do.
Sept. 30 Oct. 1	Leeds	85	Do.
Oct. 6	Middleton	458	Do.
Oct. 7	Tadcaster	421	Do.
Oct. /	Taucaster	441	20.

<sup>•</sup> From single cows suffering from vaccinia. † From single cows.

# TABLE VIII b .- Continued.

Date.	Where fa			No. of retailer.	Result of the test.
1908.					
Oct. 7	Birstwith			306	Not tuberculous.
1	Do.			306	Do.
"	Seacroft			-	*Do.
,,	Do.			329	*Do.
Oot" TO	Do.			329	Tuberculous.
Oct. 13	Do.			329	
"				329	Not tuberculous.
7.7	Do.			329	Do.
Oat "	Knostrop			304	Tuberculous.
Oct. 14	Thorner			71	Do.
Oct. 20	Bingley			546	Do.
"	Do.			605-	Not tuberculous.
0-1"	Do.			605	Do.
Oct. 2I	Leeds			176	Tuberculous.
Oct. 27	Moortown			113	Not tuberculous.
- 22	Alwoodley			113	Do.
,,,	Roundhay			354	Do.
Oct. 28	Leeds			593	Do.
Nov. 3				581	Tuberculous.
- 77	Guiseley			508	Not tuberculous.
,,	Burley-in-W	harfed	lale	584	Do.
Nov. 10	Shadwell			258	Tuberculous.
,,	Do.			576	Do.
,,	Whitkirk			576	Do.
Nov. 17	Bingley			627	Do.
Nov. 18	Headingley			550	Not tuberculous.
Nov. 19	Gargrave			421	Do.
,,	Thorner			317	*Tuberculous.
Nov. 24	Middleton			557	Not tuberculous.
,,	Do.			557	Do.
,,,	Thorner			317	Do.
,,	Otley			421	Do.
Dec. 4	Gargrave			42I	Do.
"	Do.			421	Do.
17	Thorner			317	*Do.
,,	Embsay			76	Do.
	Thorner			317	Do.
"	Bardsey			421	Do.
Dec. 9	Seacroft	9.9		329	Do.
	Do.			329	Do.
"	Knostrop			304	*Tuberculous.
,,	Do.			304	Not tuberculous.
,,	Do.		200	304	Do.
Dec. 16	Shadwell			438	Tuberculous.
	Horsforth			438	Not tuberculous.
"	Do.				Do.
11	10.			438	10.
-					

<sup>\*</sup> From single cows.

Samples of food sent to the City Analyst for examination during the 53 weeks ended 2nd January, 1909.

	Article.		Genuine.	Poor in quality.	Adul- terated.	Total.	Sum- moned.	Con- victed.	Dis- missed
Milk		 	420		97	517	18	18	
Butter		 	26		6	32	3	2	I
Pepper		 	14		3	17		***	
Lard		 	15		1	16	1	I	
Cream of	Tartar	 	12		1	13			
Cheese		 	2			2			
Cream		 	4		I	5			
Vinegar		 	6		3	9	I	1	
Beer		 	4			4			
Jam		 	1			I			
Flour of S	Sulphur	 	6			6			
Cocoa		 	I		***	1			
Tripe		 	r	***		1			***
Sardines		 	1			1			
Yeast		 	6			6			
	Total	 	519		112	631	23	22	I

## TABLE IXb.

Other Summonses taken out under the Margarine Act, 1887, and the Sale of Food and Drugs Acts, 1875, 1879 and 1899, during the 53 weeks ended 2nd January, 1909.

No. of sample.	Article.		rcentage ulteration			Fines. £ s. d.	Remarks.
96	Butter	88% foreign	fat			_	dismissed
97	Do	83% do.				-	to pay costs
578	Do	89% do.	**1			I 0 0	
583	Margarine			***		0 10 0	exposing for sale with- out label
					£	I 10 0	

TABLE IXa.

Summonses issued during the 53 weeks of 1908 under the Sale of Food and Drugs Acts, 1875, 1879 and 1899\*, for articles other than butter.

No. of sample.	Article.	Percentage o adulteration.	f		Fin		Remarks.
91	Milk	11% added water	***		0 10	0	and costs
114	Do	17% do.			_	-	to pay costs
164	Do	30% do.			-	-11	(See No. 216) do.
177	Do	10% do.	***		-	-	do.
183	Do	16% do.			2 0	0	
216	Do	10% do. 19% fa	t remov	ed	0 01	0	and costs
356	Do	18% do. 7%	do.		2 0	0	do.
408	Do	16% added water			-	-	
409	Do	14% do.			-	-	to pay costs
410	Do	34% do.			-	- ,	
419	Do	12% do.			2 0	0	and costs
442	Do	24% do.			0 10	0	do.
446	Do	11% do.			0 10	0	do.
467	Do	11% do.			0 10	0	
479	Do	21% do.			2 0	0	do.
503	Do	15% do.			1 5	0	
550	Do	28% do.	***		30 0	0	do.
575	Do	28% of fat removed			-		dismissed
586	Do	16% added water			5 0	0	and costs
21	Lard	14% do.	***		0 10	0	do.
313	Vinegar	90% other than malt			I 0	0	do.
				2	57 15	0	

<sup>\*</sup> For cases under Margarine Act see table IXb.

TABLE IXc.

Adulterated Samples where no proceedings were taken.

No. of Sample.	Artic	le.	Adultera	tion.			Remarks.
2	Milk						private sample
5	Do.		5% added water, 28	% fat	remov	ved	do.
15	Do.		15.5% added wate	r	***		do.
55 81	Do.		2.4% do.				purchased officially
	Do.		1.7% do.				private sample
113	Do.	***	6% fat removed				purchased officially
122	Do.		3% added water				do.
123	Do.		3.5% do.		***		do.
133	Do.	***	1.4% do.	***			do.
139	Do.		3.1% do.	***			do.
146	Do.						do.
157	Do.		1.5% do.				do.
158	Do.		1.5% do.		***		do.
162	Do.		3.4% fat removed	***	4.4.4		do.
173	Do.		M		0.00		do.
175	Do.		20% fat removed				private sample
178	Do.		6% do.			***	purchased officially do.
179	Do. Do.			***	***	***	do.
185	Do.	***		•••	***		do.
188	Do.		-10V J-			***	do.
189	Do.	***	-10% 1-		***	**	do.
210	Do.						private sample
800000	Do.			***	444		purchased officially
244	Do.	111			***	***	do.
245	Do.	***	-0/		***		private sample
2017 (20)	Do.		4'5% added water,	y fat	remov	ed	purchased officially
247 262	Do.		1.8% added water,		remov		do.
281	Do.		-9/ 3-				do.
296	Do.	***	.6%	***			do.
W. (5) (1)	Do.		-10% 1-			***	do.
300	Do.		6.75% fat removed	***			do.
384	Do.	200	3.3% added water				do.
	Do.	****					do.
440	Do.		5.75% fat removed				do.
458	Do.		4% added water				do.
461	Do.		4'1% do.				do.
480	Do.						do.
481	Do.						do
482	Do.		2.4% do.				do.
489	Do.		3.9% do.				do.
499	Do.		2°2% do.				do.
502	Do.		9% do.				do.
514	Do.		a two				do.
530	Do.						do.
533	Do.		. 100				do.
556	Do.		3% do.				do.
562	Do.		. 10% do				do.
564	Do.		Q º/				do.
565	Do.		1'2% do.				do.
566	Do.	100					do.
567	Do.						do.
569	Do.						do.
574	Do.		6% do.				do.
579	Do.		1.7% added water			• *	do.
585	Do.						do.
594	Do.		4.4% do.				do.

January, and later, on February 4th, when it was pronounced healthy. The milk was kept out of the supply during the whole of this period.

On the 22nd, at farm 38, 26 cows were examined. One had mastitis with suppuration. She was examined again on the 28th January and on February 4th, at which time the inflammation had disappeared. The whole of her milk was kept out of the supply during this period.

On the 23rd, at cowshed 332, one cow out of 55 had mastitis. She was examined again on January 28th and February 4th, when the discharge had disappeared and the udder had shrunk up. Her milk was kept out of the supply until this had occurred.

On February 5th, at farm 141, 18 cows were examined and 2 had mastitis, both suppurative. Further visits were paid on February 11th and 18th, on which last occasion, both cows were dry. On the 7th April, one of these cows had still an indurated udder, still dry.

On February 20th, 1908, at farm 70 in Bramley, 4 cows were examined. The udder of one was thought to be tuberculous. The cow was dry and was sold before she calved. We had no opportunity of seeing any post-mortem.

At cowshed No. 337 there were 21 cows. One had a condition of the udder which was regarded as possibly tuberculous. When our inspector visited a week later, he found that the cow had meantime been sold, but we were unable to learn where. No compensation, of course, was offered in this case.

On the following day one of eleven cows at cowshed 402, and one of six at cowshed 246b, both in the Armley and Wortley ward, were regarded as having udders possibly tuberculous. They were both visited again five days later. In each case the udder had cleared up and Mr. Dixon was able to pronounce them as not tuberculous.

On February 25th, at farm 493, one of thirty-six cows had mastitis. The cow was not isolated.

On February 26th, at farm 172, one of thirty-three cows had a suspicious condition of the udder. The animal had been bought a couple of days earlier as a newly-calved cow. When seen on the 4th of March, Mr. Dixon was able to regard the udder as not tuberculous.

On March 4th, at cowshed 478, there were 25 cows. One of them had a suspicious udder. The cow was visited again on March 10th specially and declared to be tuberculous. She had been isolated from the previous visit on the 4th and was now dry. We altogether lost sight of this cow, and do not know to whom she was sold.

On March 13th, at cowshed 45 already mentioned in January, of 16 cows examined, I had a suspicious udder. On the 17th the cow was seen again by Mr. Dixon, who offered to apply the tuberculin test and went back on the 20th to do so. Meantime, however, the cow had been sold to a dealer.

On March 19th, at farm 167b, Headingley, 18 cows were examined, and one of them had a suspicious udder. The farmer was the same man who had been fined for not notifying the condition of the udder of one of his cows. On this occasion he had notified to us that one of his cows had a suspicious udder. It was, as said, the only one in the herd in which disease could be detected by manual examination. The owner had already isolated her. A special visit was made on March 25th and another on the 2nd of April. On the second of these occasions the condition found was less suspicious than on the first, and on the third examination Mr. Dixon was able to report definitely that the udder was not tuberculous. The owner was paid £1 3s. 9d. for loss of milk during this period of uncertainty.

On March 19th also, at cowshed 813, 38 cows were examined, and one of them had an udder with an enlarged left hind quarter. This cow was seen again specially on the 25th, and again on April 2nd. On both occasions the condition of the

udder pointed more strongly to tubercle than on the previous visit. Mr. Dixon reported to me that on April 2nd, he diagnosed a tuberculous condition of the udder, and that, as the farmer demurred, he offered to apply the tuberculin test. A day or two afterwards he met the owner who told him he had sold the cow. In this case also we have not the slightest idea where the cow disappeared to, and in this case also no question of compensation was considered.

On March 27th, at farm 665, in the course of the ordinary examination, 2 cows out of 17 in the herd had suspicious udders. These 2 cows were specially visited on the 2nd of April, and permission was obtained to apply the tuberculin test. This was done the same night, and on the 3rd the animals were under close examination. Both reacted as follows:—roan cow, April 2nd, midday 102°, 10 p.m. (time of injection) 102'4°; April 3rd, 7 a.m. 104'2°; 10 a.m. 106'6°; 1 p.m. 106'4°; 4 p.m. 106'5; 7.30 p.m. 105'5; and the Ayrshire, April 2nd, 12.40 p.m. 100'8'; 10 p.m. (time of injection) 101'4; April 3rd, 7 a.m., 103'2°; 10 a.m. 105'6°; 1 p.m. 104'6°; 4 p.m. 104'°; 7.30 p.m. 103'. Mr. Dixon reported that in each case the rise of temperature was accompanied by relaxation of the bowels, but no appreciable change in the induration of the udder. He regarded the re-action as indicative of tubercle in both cases, and certified accordingly.

On April 7th, at cowshed 199b, of 17 cows, one had suppurative mastitis. The cow was examined again on April 14th, and again on April 28th. On the last named date the affected quarter was dry. The owner was awarded £1 19s. 4d. compensation for loss of milk during the time the udder was discharging. The milk was, of course, quite unfit to go into the churn while this was going on, but we had no legal power to prevent it.

On April 8th, at cowshed 85, I of 8 cows had an old indurated udder, the result of previous inflammation. There was no reason to suspect tubercle and the sale of the milk was not interfered with.

On the same day, at cowshed 64, one of eleven cows had suppurative mastitis, probably due to injury. This cow was again seen on the 23rd of April and on the 5th of May, and also on the 20th of that month, at which date the udder was pronounced healthy. The milk was not put into the town supply during that period. Compensation was not asked for.

On April 9th, at cowshed 708, one of fourteen cows had suppurative mastitis. The cow was isolated and seen again on the 14th, and on the 22nd and 28th. At that time her quarter was dry. As the milk was kept out of the supply from the 9th of April to the 28th, or nearly three weeks, the Committee, on my advice, granted £2 17s. od. as compensation for milk destroyed.

These are a few of the cases in the early part of the year, intended to illustrate some of the difficulties that we have to contend with, where we have no power of enforcing the destruction of the animal, and also to show how willing the Corporation of Leeds has been to compensate farmers who consented to keep suspicious animals out of the herd until the question of tubercle could be satisfactorily settled. They show also that while Leeds was willing to pay for keeping out of the supply milk from animals suffering from suppurative disease of the udder we were anxious to ascertain as early as possible whether cases of induration of the udder were really cases of tubercle. Instead, therefore, of continuing the narrative in regard to our dairies inside Leeds, I propose to add a few outside cases met with in the early part of the present year, 1909.

In dealing with Leeds farmers, the number on our books of the dairy has been given; in dealing with outside farmers, who are not registered, we have given the number of the dairyman supplied by them, and in some cases initials indicating the farmer, but these are not in any case the real initials of the cowkeeper, as we do not wish to attach any stigma to any particular man. The real names, of course, are in our books.

Further cases from outside Leeds illustrating points about tubercle in milk.-On March 10th, 1909, sample of milk taken in sterilised bottle from can of R.N., farmer at Horsforth, on delivery to dairyman No. 517, placed in ice and sent next morning to Medical School. April 5th, 1909, telephone message from Medical School "tuberculous," confirmed in writing, April 15th. April 6th, Veterinary Surgeon visited the farm; 15 cows, one said to have been disposed of since the sample was taken and another added to the herd. About this information, however, there seems to be a certain amount of doubt. Except one red cow, none showed any sign of tubercle. This animal, the oldest in the herd, coughed occasionally, but her udder felt natural to the touch. Farm visited again on the 14th of April, conditions as before, tuberculin suggested. April 16th, farmer declined tuberculin test. May 10th, farm visited, 16 cows, 2 added since visit in April, red cow still at the farm, but sold, in calf. Condition no better than before; udder now in a suspicious condition, not distinctly nodular, but whole condition suggesting that she is the animal that contributed the tubercle bacillus to the sample taken on the 10th of March. Now in possession of an extensive cattle dealer in the North of the Riding. Further sample taken April 21st, after suspected cow had been sent away. Reported from Medical School, June 3rd, "Not tuberculous."

Sample taken on the 10th March from farmer's can on delivery to retail dealer No. 561. Telephone message April 15th, "tuberculous." Farm visited 17th; 10 cows, 9 apparently healthy. Three said to have been sold since sample was taken, other three bought. Dark blue roan cow found extensively tuberculous with indurated udder; isolation and destruction of milk promised. On visiting farm May 10th, cow had just been slaughtered. Examination revealed generalised tuberculosis; udder distinctly affected with the disease.

March 16th, 1909, sample taken from milk can of a farmer from Rawdon on delivery to dairyman No. 198. Sample placed in sterilised bottle 4.55 p.m.; bottle placed in ice and sent next morning to Medical School. Telephone message received April 15th, confirmed by letter dated 15th, "tuberculous." Visit made April 17th, 4 cows. Two others said to have been sold since the sample was taken, and one cow had calved in the interval. General condition of cows poor and dirty. One small, red polled cow generally tuberculous, but the udder showed no hardening. May 10th, revisited; red polled cow evidently still tuberculous, but no induration of the udder. This was a very unsatisfactory condition, as there was no evidence that either of the cows sold was tuberculous. In view of the evidence in the second interim report it seemed not improbable that the tuberculous cow was causing the tubercle in the milk but apparently we had no power to interfere. Of course, if we had taken a specimen from this cow and found a month later that the sample had infected the guinea pig, we could have required the cowkeeper to remove her from the herd or stopped the supply if he did not. But all the time till the biological test was complete he could have gone on sending the tuberculous milk into Leeds. Moreover, as the passage of tubercle bacilli from a tuberculous cow is intermittent, the result of a single biological test of the sample might have been negative.

March 16th, specimen of milk taken from can of a farmer, S.Y., from Horsforth, on delivery to dairyman No. 118. Placed in sterilised bottle and ice; sent to Medical School the following day numbered 35. Telephone message April 15th "tuberculous," confirmed by letter dated April 15th. April 17th, visited; 30 cows, 28 apparently healthy. Two were said to have been sold, and four to have calved between the date of sampling and the visit. One red cow had chronic suppurative mastitis in the right hind and left fore quarter. Roan Ayrshire cow had tuberculous mass in the right hind quarter. Owner warned about responsibilities in regard to this cow. May 7th, report received from the sanitary inspector of Horsforth that the cow was being kept satisfactorily isolated. Visited again May 10th, 1909; found the

cow (roan Ayrshire) isolated, but her udder much worse, the red cow with mastitis still there, but condition improved. In a case in another neighbouring township, we had reason to suspect that though a cow of this kind was being isolated, some member of the farmer's staff was putting the milk into the cans, for on frequent examination of the milk sent into town there was always tubercle, until this cow had been destroyed.

March 30th, 1909, sample of milk taken at Midland Station, Armley, at 5 p.m., from cans labelled with the name of a farmer in the Wharfedale Rural District and consigned to dairyman No. 453. Sample was placed in sterilised bottle and in ice and sent the following morning to Medical School. Telephone message May 7, "tuberculous." Visit made May 8th; 23 cows; information about disposal of others since sampling unsatisfactory. Two of the 23 cows had indurated parts of the udder. Udders contained much milk; examination unsatisfactory, resolved to May 10th, 1909, Veterinary Assistant revisited the 23 cows; examined when just milked, failed to detect by touch any evidence of tuberculosis in the udder or elsewhere. The hardenings in the udders of two cows already mentioned considered to be the result of old mastitis. Owner stated that since March 30th, 5 lying-off cows had been sold, whilst 3 in the herd had calved since that date. In this case also the examination was unsatisfactory. Either the tubercle secreting cow had been sold, without warning, or the palpation of the udder failed to reveal the carrier cow.

It will be seen from these recent cases how difficult it sometimes is to find the actual cow giving the tuberculous milk. Gross disease of the udder can generally be detected by the touch. Early stages of udder disease are almost impossible to detect. One of the five cows referred to in the recent interim report of the Tuberculosis Commission was found on post-mortem examination to have tubercle in the udder, which could not be detected in life. Such cases are probably not rare, and there are probably others in which tubercle is given off in the milk

without any disease of the udder at all. We have been coming to this conclusion in Leeds for some years, and some of the difficulties due to these circumstances are illustrated by a case which occupied a good deal of our attention during 1908, and which is detailed somewhat at length on p. 79.

On the other hand the mere examination with tuberculin does not settle the question of the production of tuberculous milk. For instance, in a farm supplying milk to an institution in Leeds, there were in July, 1908, 11 cows. Eight re-acted to the tuberculin test. None of them had any sign of tuberculosis on clinical examination. During the period necessary for the observation of the reaction, Mr. Dixon examined the animals several times, paying particular attention to their udders. No changes were detected in the udders after injection. All the cows appeared, so far as their udders were concerned, to be quite healthy. The 8 re-acting cows were divided into two lots and two samples, taken one from each lot, submitted to biological test, both with negative result. In April, 1909, there were 12 cows at the same farm, all different cows from those examined in July, 1908. Again, the examination of the udders gave no indication of tuberculous disease, but on injecting tuberculin, 8 out of the 12 re-acted typically. Specimens of the milk were taken in the same way in two lots. The results of the biological tests were in both cases negative.

Inspection of cows outside the City during 1908.—While our powers of inspection of cowsheds within the City are ample, and while we have, as already said, for many years not only examined our own Leeds cowsheds, but made systematic veterinary inspection of the cattle in them, our powers of preventing the introduction of tuberculous milk from outside the City are much more limited. The cases just cited (pp. 108-110) illustrate some of the difficulties of dealing with tubercle carriers amongst cows in outside townships.

Our powers in regard to tubercle in outside byres are those contained in the model clauses in our local Act of 1901, which took the place of the somewhat emasculated ones granted us in 1899. Since 1899 we have systematically submitted the cows within our own boundaries to veterinary inspection, and the figures relating to such inspection have been already given at p. 77, and VIIIa. and show the nature of the work done. Outside the borough, except in certain cases to be mentioned presently, we can only thus examine cows where the Leeds Medical Officer has reason to suspect that tuberculosis (under our own clauses) or other infectious disease (under the 4th section of the Infectious Diseases (Prevention) Act of 1890) is being caused. The door of the outside cowshed is locked against us, so far as legislation is concerned, until the health of some of our citizens has been stolen. By a special arrangement with certain large milk purveyors we are enabled, by a clause in the contract under which they purchase, to examine the sheds and cows from which the milk comes to Leeds. Naturally, however, these are few compared with the great mass of outside cowsheds from which some three-fifths of the milk sent into the City comes.

Biological examinations of milks are therefore more frequently made of such as come in from the country. Though we make a few of Leeds milks, it is chiefly, though not entirely, of those where our systematic examination of the cows in the town has indicated that some of them are probably tuberculous, or where we wish to ascertain that the measures taken have had the result hoped for. Table VIII b. gives a list of all such examinations made. It does not show, however, which are "original" examinations, which are further examinations, and which are examinations of milk from suspected cows. "original" examinations we mean examinations of unsuspected samples taken from the retailer, or more frequently from the cans of the cowkeeper himself on delivery of the milk at the station or elsewhere to the retailer. The sample is taken from the cans, generally by a sterilized pipette or other sterilized transferer, and placed in a sterilized bottle, the bottle then placed in ice and sent for examination to the Medical School. In some cases

there may be a consignment of several cans of milk from one farm, and, to make the examination complete, a separate sample should be taken from each.

During 1908 we took 81 "original" samples of country milk in this way, from 64 different farms. These do not include subsequent samples taken, after we had been at the farm to ascertain if the diseased cow had been eliminated. Looked at as a fraction of the 81 samples, the 22 in which the biological test was positive form 25'3 per cent. Looked at, however, as they perhaps ought to be, in reference to the number of farms from which the infecting milk came—that is from 64 farms outside the City-the 22 samples in which the result was positive would indicate that 34 per cent. of the farms were sending tuberculous milk into Leeds. The truth lies probably between the two figures, for in some cases we find that one cow's milk will infect more than one can, owing to the haphazard method of filling the cans at the cowshed. We may, however, regard it as probable that, while about a quarter of the milk examined was capable of causing tubercle in the guinea pig, nearly a third of the farms from which it came were sending infected milk into the town.

In addition to visits paid by the dairies inspector to outside farms, sometimes alone, sometimes with the local sanitary inspector, Mr. Dixon, the Veterinary Assistant to the Medical Officer of Health, paid 61 visits to 25 different outside farms, keeping more or less under observation some 518 outside cows. Thirty of these cows, with the consent of the owner, he tested with tuberculin. He found 13 cows affected with tuberculosis of the udder. Two others were emaciated and evidently tuberculous. At one farm there was a pretty clear history of a cow having recently died of tuberculosis. Counting this last as an infecting animal, the visits revealed 3 per cent. of tubercle distributors amongst 518 cows examined. Forty-four further samples of milk were taken at these visits to assist the investigations. Some of the results of similar examinations during the

early months of 1909 have already been given at pages 108, 110. They are consecutive, but are inserted to show how difficult it often is to detect the tubercle distributor at the farm, and how advantageous a systematic veterinary examination of country cattle would be to the town milk drinker.

Tables IX., IXa., IXb. and IXc. refer to the analysis of food and drugs.

### MEAT AND MARKETS.

Slaughter houses and meat shops.—The inspectors paid 5,421 visits to 85 private slaughter houses, 2 public abattoirs, and 2 knackers' yards. They also visited the general market, the wholesale meat market, and the cattle market, the shops in the town in which meat, fish and fruit are sold, railway stations, and potted meat factories. Their visits to these numbered 5,827.

Slaughter House and Meat Inspection, 53 weeks ended 2nd January, 1909.

Class of meat seized and des- troyed.	Number.	No. of seizures.	No. of persons sum- moned.	No. of convic- tions.	Penalties.
Eggs	420	I	_		_

Sunday trading.—Visits on the same lines as those mentioned in the report for 1906 were made on 51 Sundays of the year to the districts most frequented by Sunday hawkers. On 46 of these Sundays the meat was found not unfit for food. Some of the meat to be presently referred to was destroyed by the owners with our consent. On June 28th, 9 pieces of meat in one cart and several in another, weighing altogether 3 stones, were thus destroyed, and 30 lbs. of overripe tomatoes. On October 4th, 121 lbs. of meat were allowed to be destroyed. Several smaller lots were destroyed by the owners with our consent.

TABLE XI. Smoke, 1908 (53 weeks).

Complaints received		25	
Furnaces inspected	*	7,923	
Observations taken of chimneys (for a period of	sixty		
minutes each)		1,632	
Total number of minutes dense smoke		3,059	
Average minutes duration of dense smoke d	uring		
each observation of one hour (1 minute 5	2 sec	onds)	
Smoke prevention appliances adapted to furnaces		40	
Chimneys newly erected		8	
Furnaces in connection with new chimneys		15	
Notices served upon manufacturers		5	
Do. do. stokers		25	
Persons summoned before the magistrates		5	
Do. convicted		- 5	
Total amount in fines £3	0 0		
Costs £1	0 0	-	

Food unfit.—On the 23rd May a quantity of meat at the N.E. station, weighing 48 stones, was destroyed at Mr. Dixon's request. The other meat destroyed calls for no special remark.

Altogether (omitting the 420 eggs officially seized) 88,418 lbs. of beef, 7,861 lbs. of mutton, 6,093 lbs. of veal and 5,941 lbs. of pork were destroyed by the owners, with our cognisance and consent—in all 7,737 stones. Fish, 4,996 lbs., equal to 357 stones, were also destroyed in the same manner. Besides this 4,013 lbs. of English and foreign offal, and a quantity of offal not usually sold by weight estimated at about 701 lbs., making with 153 tins of corned beef, in all 5,632 lbs. or 402 stones, were sacrificed.

Six hundred and forty-three rabbits and 50 fowls weighing approximately 2,079 lbs. or 148½ stones were destroyed.

Plums 1,188 lbs., tomatoes 142 lbs., carrots 2,016 lbs. and pickled chunks of cucumber 1,248 lbs. were also destroyed, equal to 328 stones. Tins of Swiss milk (69), 100 lbs. of cheese and  $5\frac{1}{2}$  lbs of bacon were also destroyed.

Country dressed carcases.—A smaller number of country dressed carcases were sent in during 1908. They amounted altogether to 712, of which 189 were destroyed, nearly 27 per cent.

### REMOVAL AND DISINFECTING WORK.

Removals.—Table XIII. shows the cases removed to hospital during the year according to the diagnosis at the time they were sent. It will be noticed in comparing Table XIII. with Table XIV., that the 576 cases of scarlet fever removed by our staff, corresponded to 533 cases admitted to the hospital, whilst the 414 cases of diphtheria remained 414. The cases of enteric fever, which were 157, as removed, were 117 as admitted. On the other hand, the "other diseases" sent to hospital were 77, but those admitted 312. Twelve hundred and thirty-four cases altogether were sent to hospital by our ambulance, and 1,384 admitted. Cases sent from outside the town were not always removed by us, and the cases of illness amongst the staff would not usually appear in Table XIII. at all. Most of them would be entered in column 6 of Table XIV., thus accounting for the larger part of the discrepancy between that column and the corresponding column in Table XIII.

TABLE XII.

Work done by Disinfecting Staff, 1908 (53 weeks).

Houses disinfected			2,863
Rooms disinfected (stripped 231, limes	vashed	513)	7,098
Beds and mattresses disinfected			5,845
Articles of bed clothing disinfected			21,858
Articles of wearing apparel disinfected			35,314
Miscellaneous articles disinfected			12,656

TABLE XIII.

Cases removed to hospital by our own staff.

Classified according to diseases certified.

Small- pox.	Scarlet fever.			Typhoid fever.	0.000	Total, 1908.
I	576	414	9	157	77	1,234

(53 weeks).

TABLE XIV.

Return for the 53 weeks ended 2nd January, 1909, of patients in hospital.

	Small-pox. 1	Scarlet Revort.	Diphtheria. co	Typhus 4	Enteric, or typhoid or fever.	Other or doubtful ocases.	Total. 2
No. in Hospital on Saturday, 28th December, 1907	-	150	59		19	35	263
No. since admitted		533	414	8	117	312	1,384
No. discharged		617	332	8	89	281	1,327
No. died		12	22	·	9	36	79
No. remaining in Hospital, 2nd January, 1909		54	119		38	30	241

In addition to the work shown in Tables XII. and XIII. our staff also removed 57 contacts to Manston Hall Cottages, Seacroft. They took 5 persons from Seacroft to the General Infirmary, I to the Maternity Hospital. They also conveyed 39 persons from the hospital, or cottages, to their own homes, I from own home to Hunslet Workhouse, Rothwell, and one patient from her own home to Wakefield, making a total of 104 removals. There were also 23 other ambulance journeys where removal did not take place.

Disinfection.—It is not mentioned in Table XII. that 296 persons went or were taken, to one of our disinfecting stations. Each had a bath, and his or her clothes disinfected. During the year at the laundry in Beckett Street, 18,312 articles of bedding, clothing, etc., from infected houses, have been washed, as well as disinfected.

The work of the disinfecting staff included some disinfections on account of phthisis, which it may be again interesting to separate from the details given in Table XII. The houses disinfected on account of this disease were 451, whilst 577 rooms were stoved. Beds and mattresses to the number of 612; articles of bed clothing to the number of 1,891; articles of wearing apparel and miscellaneous articles to the number of 868 and 464 respectively, were removed and disinfected at the station.

Flushing.—During the 53 weeks of the year, 11 carts, each with 2 attendants, have been employed flushing drains. In this period 71,422 house drains, 42,600 water closets, and 57,124 gullies have been flushed, chiefly on account of illness. The above mentioned figures include the flushing of drains in connection with 384 schools. In addition to this, 2 men with a horse and cart have been engaged putting an iron solution

TABLE XV.
Canal Boats (53 weeks).

Registered during the year 1908			 7
Transferred to fresh owners			 3
Struck off register			 7
On register, 2nd January, 1909			 412
Visits of inspection to wharves and	lock	s	 905
Boats completely inspected			 571

TABLE XVI.
Houses Let in Lodgings.

				Houses.	Rooms.
Registered during the year	; let a	s furnis	hed		
rooms				2	6
Struck off register				7	16
On register, 2nd January,	1909			172	319
Houses let in lodgings	visited	d, but	not		
registered				245	506
Visited for registration pu	rposes			2	6
Visits for additional inspec	ction			7,0	76
Nuisances found and abat	ed—				
Overcrowded rooms				Found.	Abated.
Dirty rooms				69	69
Dirty and bad bedding				11	ΙI
Dilapidated dwellings				67	55
Defective drains				53	40
Dirty closets				6	6
		Total		212	187
					,

TABLE XVII.

Other work of Temporary Dwellings Inspector.

Visits to	common						550
,,	"		, as	to smal	l pox		_
,,,	furnished	rooms a	s to sm	all pox			_
,,	vans						232
>>	tents						9
>>	cellar dw	ellings					59
,,	"	" c	losed				_
,,	overcrow	ded hous	es				17
,,	infectious	diseases					153
,,	test drain	ıs					20
,,	for other	causes					359
Commo	n lodging	houses—					
Drain def	testings ects found	29, af 2.	ter in	fectious	disea	ises;	
Univers	ity lodging	houses-	_				
Hous	es inspecte	d, 18; co	ontaini	ng 67 re	ooms.		
Drain	testings, 3, in 4 hou	30 in 18				ound	
Retes	tings of al	bove, 38.					
	ting of dra 34 (defects				exam	ined	
Retes	ting above	drains o	n comp	oletion	of wor	k, 4.	
Addit	ional visits	s for non-	-abaten	nents, e	tc.		30
Total	visits to th	nese hous	ses				172

into tanks connected with the sewers, and in this manner 64,620 gallons of disinfecting solution have been allowed to trickle into certain of the sewers.

### CANAL BOATS AND TEMPORARY DWELLINGS.

The work done in connection with canal boats, houses letin-lodgings, common lodging houses and students' lodging houses, will be found in Tables XV., XVI. and XVII.

J.S.C.

# TABLE E. VITAL STATISTICS FOR MUNICIPAL YEAR 1908-9.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the fifty-two weeks ended 2nd October, 1909. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

Districts.	Births.	Birth Rate.	Deaths.	Death All causes.	Rate. 7 Zymotics
& (North	 1,504	25.70	909	15.53	1.13
West South-East	 1,913	22:39	1,233	14.43	0.64
South-East	 1,155	32.80	759	21.55	1.51
Hunslet	 1,882	23.73	1,076	13.56	1.25
Holbeck	 999	26.98	583	15.76	1.35
Wortley	 1,380	20.41	887	13.13	0.62
Kirkstall	 987	19.29	533	10.43	0.53
Bramley	 428	22.05	283	14.58	0.57
Chapeltown	 984	21.11	546	11.70	0.56
Osmondthorpe	 13	38.44	7	20.72	
Outsiders	 		188		
Totals	 11,245	23:39	7,004	14:57	0.90

# Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards.	Deat	Death	Wards,	1	Deaths.	Death
Eastern Divis	sion.	Rate.	Western Di	vision.		Rate.
Central	25	0 12.83	Mill Hill		92	13.97
North	59	0 12.10	West		420	17.92
North-East	58	3 17:58	North West		446	12.55
East	64	1 20.94	Brunswick		311	13.45
South	26	7 20.02	New Wortley		285	15.58
East Hunslet	50	7 12.64	Armley .		544	12.29
West Hunslet	49	4 14.61	Bramley		341	13.98
Holbeck	48	5 14.67	Headingley		560	10.60

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in workhouses are included in those of the districts in which these institutions are situated. There were one hundred and four deaths at Manston Hospital during this year.

The rates are calculated for the year on populations estimated by the Registrar General's method described at p. 88 of the Annual for 1904.

Table shewing deaths recorded in the City of Leeds during the fifty-three weeks ended 2nd January, 1909, classified according to cause, age, and the registration sub-districts in which they occurred. TABLE A, Part I.

The Part of the		2	it-	. ×	ov. 5	::	:	: :	:	0.0	: :	:	:	:	1.0	;	:=	9	272	8	137	177	0	
No. 11.   No. 11.   No. 11.   No. 12.   State   No. 11.   No. 12.   No. 11.   No. 12.   No. 11.   No. 12.   No. 12	1		O Sid	-5	pun 2	::	:=	: :	:	::	::	:	:	:	: -	:	:=	:	-10	=	11	1	18	
NASHIP North. West South E. Hunder, Holliede, Workley, Kristanil Remity, Chappel, Ownered, English South, S. Stroke, S	1	BAT	eds	y te		::	:	: :	:	::	::	1:	:	1	: :	:	:00	9	SE	9	盂	124	35	
Name	1	-	Le	Cit	5 5	: .	::	: :	:	1.1	::	1:	;	:	::	1	::	:	: :	1:	1:		12	
North   West   South E   Humbel   Hum			Annual rate per	bop.		0:37	20.00	38	0.59	90.0	0.70	0.00	0.00	3	0.02	0.03	1:28	2-75	1.34	7-68	7-81		10.48	
North   West   Sant E   Hunder   Holloed   Wortey   Kristani   Inames   France   F	ľ		ty.		all	181	49	103	140	.53	341	03 11	, :	1	TT.	12	621	1333	310	3720	3785		96	5.2
Western Worth West, South E. Hunsler, Hollieck, Wortley, Kirkstall Remarks Covern. Hospital, Sec. 28, 576, 58,		Тота	fortal	City	-	10,			F0	: '8	14:	: "	. :	1	127	13	283	770	232					7
No. Corp.   No.	-		~		nmd 5	171	88	-	137	: :	324	C)	:	:	4.2	:	:25	563	10 55	1345		100	2020	9.91
No. Corp.   No.			mley		5.	::	::	: :	:	111	::	:	:	:	: :	:	; -	6	23 :	25	34	8	-	157
North, West, South E. Hunder, Wortley, Kirkstall Brandley, Chaptel Chaptel Chaptel Grand, G	1		Bra		5 5	::::	: :		1	: :	::	:	: 1	:	: :	:	:=	03	4.1	140	03	10	-	
North, West, South E. Hunder, Wortley, Kirkstall Brandley, Chaptel Chaptel Chaptel Grand, G	1	ES.	beck			: :	::	: .	- 1	: :	::	:			: :	:	:40	23	910	16	12	40	57	
NYSHIP North, West, South E. Hunslet, Hollocde, Wortley, Kirkstall framely crown.    Record		HOUS			and 5	::	: :	: :	- 1	::	::	:	:	:	::	:	::		::	:	tt	4		
NYSHIP North, West. South E. Hunslet, Holleck, Wortley, Kirkstall frame; Chaptel Ownord firmary, Huspitals, Percei, Hulleck, Science Science, Scien		ORK	ıslet.		and projection to	::	:::	: :	2:	: :	; <del></del>	1			: :	:	:10	-	4.01	17	27	9	51	
New Harmonian   New Harmonia		=	H		5 5	::	: : :		:		::	:			1:	:	: :	1.	1.1		-	-		
NySHP, North, West, South E. Hunslet, Holbeck, Wortley, Krikstrall Bramley Chaptel, Overn, Hormon, Herman, Hospitals Bramley Chaptel, Overn, Holbeck, Wortley, Michael Chaptel, Overn, Holbeck, Wortley, Krikstrall Bramley Chaptel, Overn, Holbeck, Holbeck, Michael Chaptel, Overn, Holbeck, Holbeck, Michael Chaptel, Overn, Holbeck, Hol	-		eds.	106	_	::	:::		:	: 60	::	;			: : '	-	126	31	17	247	22	171	10	
Nather   North   Nor	-				ping 2	: :	:::		-	: :	::	:			: :	:	:01	9	:03	=	15	42	10	
Nather   North   Nor	1		pitals		-	:	4 00 ;		:	:00	::	: :	:		9 : 11	0	:01	М	4 :	37	2		11	
Name of the colored	L					:40 0	14	1	:	::	::	: :	*		: :		:	-	1	83	23	8		
New Hearth   North			hi- ke.		-	: :	:		:	::	::	: :	;		:	:	:8:	23	88	173	328	109	900	
Nasher   North   Nor	-				-	: :	:- :		:	::	:0	: :	:		4 ==4	:	:01	0	-24	42	3	50		_
Nashiff   North   Nest.   South E. Hunslet   Hollack   Wortley   Kirkstall   Bramley   Chaptel   18100   186   1876   185   186   187			nond orpe.	344		::	:::	: :	;	: :	::	-			::	:	::	-	7 :	1000	O.		t-	0.0
VNS.HIP, North, West, South E. Humslet, Hollveck, Wortley, Kirkstall Bramley limited by the control of the cont	-					::	::	: :	- 1			:				3	::	-						
North	İ		apel wn.	5,369	-	7 :	-	-	- 1				-		:::		-			-		10	133	9.00
North   North   Nest   South E.	-				. 9			-	-		1	:	-		- :	:						-		
North   North   Nest   South E.	-		amle	9,265	50		1000									:							254	13.0
North   Nest   South E.	-		dl Br.			-		3331												1000	-			
North   Nest   South E.			rksta	385	Pig	-		-									1100		100000				474	6.6
North   North   Nest   South E.	ŀ		y. Ki	2000					16		-													-
North   North   Nest   South E.			ortle								-	-				1	- 22						828	12.5
North   North   Nest   South E.	-		k. W										-			-	-			0.000.00		1		-
North   North   Nest   South E.	1		olloc	99,99	o pag		.01		1							-							544	14.6
North   North   Nest   South E.	1		et. H												****	-								-
North   North   Nest   South E.	1		lams	3.58			-	]	63							. 1		-					1045	13.1
North   Nest   Nest   North   Nest   North   Nest   Nest   North   Nest   Nes	-			_					CA .				-	_	N			-	-	-	-		-	
North   Nest   Nest   North   Nest   North   Nest   Nest   North   Nest   Nest   North   North   Nest   North   Nest   North   Nest   North   Nest   North   North   Nest   North   North   Nest   North   N			outh	35,22		:21			- I		-	7				: 1							701	19-6
North. W   North. W	1	S.														: [	.23			-		_	-	
1   1   1   1   1   1   1   1   1   1		KEI	Wes	85.53	5 5	17	10		21	::						:				_			1,06	12-3
VNSHIP, &c. imated lation—  77,107 order and and und order and and und seles relation—  77,107 order or order or doubtful or order or doubtful or or doubtful or or doubtful or or doubtful or order or doubtful or or order or or order or or order or or order orde	1	I	,d			;							-				57							01
vNSHIP, &c. immated lation— 77,107  object and undefined  sales  therina  therina  therina  doubtful  coping. )  doubtful  doubtful  coping. )  doubtful  doubtful  coping. )  doubtful  doubtful  coping. )  doubtful  coping. )  doubtful  doubtful  doubtful  coping. )  doubtful  coping. )  doubtful  doubtful  coping. )			Nort	58,75	5 5	:23	-	: :	_		-												729	12.5
TOWNSHI  &c.  Fatimated Population— 477,107 Under and over 5.  Small-pox Measles Scarlatina Diphtheria Croup (men , undefin Whooping. Cough Diarrhora Cholera Rheumatic Fever Acute & Suh acute Rheu matism Erysipelas Pysemia Puerperal Fever Ague Total over Total  Mortality p 1,000 per 8 1,000 per 9 1,000	-					: :	: :2	ped	-	1 1	= -	:	_	_	1 1-		1 .2		ase				:	an,
			TOWNSHI &c.	Population— 477,107	Under and over 5.	Small-pox Measles	Scarlatina Diphtheria Cronn finen	", undefin	Whooping- cough		E (	Cholera Rheumatic	Fever Acute & Sub	acute Kheu matism	Erysipelas Pyaemia Puerneral	Fever	Ague Phthisis	Pnetimonia	Heart Dise Injury, &c.	Total of Above causes	Ali other	otal { unders		Mortality p 1,000 per a

‡ Including 20 deaths in the Consumptive Hospital, Armley (see quarters returns).

‡ Including 20 deaths in the Consumptive Hospital, Armley (see quarters returns).

‡ Including three deaths of Leeds persons in temporary premises situated in Chapeltown district.

† Deaths of Leeds persons occurring at the West Riding Lumatic Asylums, &c. | 15,49 includes deaths of 199 outsiders dying in Leeds, but not of 124 persons alleged to belong to Leeds dying away. These cannot be allocated to place of residence.

# TABLE A, Part 2. (a)

Table of populations, registered births, and mortality at certain ages, in the registration sub-districts.

(Public institutions regarded as sub-districts.)

Population a	estimated t t each age		of 1908		477,107	12,497	42,974	97,811	96,024	200,690	11,774	15,337	
REGISTRAT	TION	Popula all a	iges.	per .		Mor	tality fro	m all cau	ses, at su	bjoined a	ges.		Death-
SUB-DISTRI OF LEEDS CIT		Census 1901	Estimated to middle of 1908.	Registered Births.	At all ages.	Under 1 year.	and under 5	5 and under 15	15 and under 25	25 and under 60	60 and under 65	65 and upwards	rate per t,000 for each district.
Leeds Township-	-North	59,281	58,752	1,581	723	229	127	18	31	176	41	107	12:22
Do. do	West	84,340	85,576	1,975	1,067	223	115	31	53	281	75	289	12:27
Do. do.	South	34,299	35,226	1,220	701	241	118	25	28	161	30	98	19:59
Hunslet		69,064	78,584	2,056	1,045	325	190	27	36	221	53	193	13.09
Holbeck		31,572	36,604	1,023	544	134	109	20	11	128	33	109	14.63
Wortley		59,328	67,002	1,489	828	182	90	31	35	244	59	187	12:17
Kirkstall		41,561	50,385	999	474	97	41	9	14	141	37	135	9-26
Bramley		17,299	19,265	476	254	36	24	11	17	69	21	76	12.98
Chapeltown		31,845	45,369	1,098	485	109	44	14	14	136	32	136	10.52
Osmondthorpe		379	344	6	7	2	1			2	1	1	20-03
Infirmary					585	42	62	48	65	286	38	44	
*Fever Hospitals					77	3	27	19	8	19		1	
(	Leedst			70	513	25	17	9	17	207	38	200	
Workhouses	Hunslet				61	1		1	3.	20	6	30	
	Holbeck			6	44	3	1		3	11	5	21	
	Bramley		**	8	71	2	3		1	20	11	34	**
Consumptive Ho	spital				20				4	16			
For the whole Cit	y	428,968	477,107	12,007	7,505	1,654	969	263	340	2,138	480	1,661	15:49

<sup>\*</sup> There were 77 deaths at Manston Hospital (outside the city boundary). See note to table B.

<sup>†</sup> Including three deaths of Leeds persons, aged 76, 62, and 65, occurring in temporary premises situated in Chapeltown district.

TABLE A, Part 2 (β).

# Mortality at certain ages in the registration sub-districts. (Deaths in Public Institutions allocated to districts.)

(Dec	itns in Put	7110 11	TOTTE		-	Journ	-	alot		.,	
DISTRICT	1908 (53 weeks).	Deaths at all ages.	Under 1 year.	and under 2	and under 5	5 and under 15	and under 25	and under 60	60 and under 65	65 and up- wards.	Death- rate per 1,000 for each district.
North	Registered in district Registered in institutions Total (see table E)	729 261 990	229 20 249	76 8 84	51 10 61	18 9 27	31 15 46	176 110 286	41 17 58	107 72 179	16.29
West	Registered in district { Registered in institutions } Total (see table E)	1,067 245 1,312	223 24 247	68 12 80	47 11 58	31 15 46	53 12 65	281 95 376	75 12 87	289 64 353	15.09
South-East	Registered in district Registered in institutions Total (see table E)	701 170 871	24I 7 248	71 4 75	47 3 50	25 7 32	28 10 38	161 80 241	30 12 42	98 47 145	24 34
Hunslet	Registered in district Registered in institutions Total (see table E)	1,045 131 1,176	325 6 331	3	69 9 78	27 11 38	36 9 45	22I 5I 272	53 7 60	193 35 228	14.73
Holbeck	$\left. \begin{array}{c} \operatorname{Registered\ in} \\ \operatorname{district} \\ \operatorname{Registered\ in} \\ \operatorname{institutions} \end{array} \right\}$ $\operatorname{Total\ (see\ table\ E)}$	544 93 637	134 5 139	72 4 76	37 7 44	20 4 24	11 10 21	128 29 157	33 8 41	109 26 135	17.13
Wortley	Registered in district Registered in institutions Total (see table E)	828 120 948	182 7 189	54 7 61	36 5 41	31 4 35	35 5 40	244 45 289	59 13 7 <sup>2</sup>	187 34 221	13.93
Kirkstall	Registered in district { Registered in institutions } Total (see table E)	474 68 542	97 3 100	2I  2I	20 2 22	9 8 17	14 9 23	141 32 173	37 4 41	135 10 145	10.20
Bramley	Registered in district { Registered in institutions } Total (see table E)	254 22 276	36  36	13  13	11 3 14	II I I2	17 3 20	69 7 76	2I  2I	76 8 84	14.10
Chapeltown	Registered in district { Registered in institutions } Total (see table E)	485 62 547	109 2 111	2I  2I	23 2 25	14 7 21	14 10 24	136 25 161	32 4 36	136 12 148	11.87
Osmondthorpe	Registered in district Registered in institutions Total (see table E)	7	2	 				2	 	 	20.03
City	Total of line in italies	7,306	1,652	556	393	252	322	2,033	459	1,639	15.08
	Outsiders dying in Leeds institutions.	199	2	4	16	II	18	105	21	22	.41
	Leeds persons dying in in-titu- tions outside.	124				2	6	74	II	31	'25
	NETT TOTAL.	7,430	1,652	556	393	254	328	2,107	470	1,670	15.33

Deaths of Leeds persons in the City Fever Hospitals and in Hunslet Workhouse are allocated to the districts from which they were sent in.

A. 3.

1908.—FIRST QUARTER.

Table shewing Deaths recorded in the City of Leeds during the thirteen weeks ended 28th March, 1908, classified according to cause, age, and the registration sub-districts in which they occurred.

-											_		-	_
Deaths	Striens Striens Cirv.	und ov.	1 : : : - : :	1 :			:	::::	: :	C4 : 00		3 30	48	
-	0	E C	1	L		:   : :		- :	::		1	1	1	
	Annual rate per	dod.	0.63 0.07 0.14 0.02	0.46	0.08	.: 000	0.05	0.03	1.45	3.68	9-11	8.64	17.75	
	20	All	17 25 25 25 25	88	: 6:	: -	03	410 10	172	437 202 86	1083	1027	2110	17.8
TOTAL.	Mortality in City.	over.	4000-11	09	:c :4	: -	04	00 N	166	272	739	100	1148	13.8
-	N	und. over.	106 11	133	::::	::	:	21 :	:9	165 23.1	344	318	662	6.44
	sumptive Hos- pital.	00%.	11111	:	::::	::	:	::::	: 0	: ::	9	:	9	
-	Sumpti. Hos- pital.	Die.	11111	:	:: ::	1::	:	:::	::	: ::	:	:		
	nley.	ov. 5		:	:: ::	::	:	:::	::	: 00 :	00	7	16	
	Hunslet. Holbeck Bramley	5 5	::::::	:	:: ::	::	:	:::	::	7 7		:		
SES.	line ch	i ov.	::::::	:	:: ::	: :	:	:::	:=	⊣ ∞ :	4	ю	00	
ООНЗ	H°	s s	::::::	:	:: ::	::	:	:::	::	: ::	:	-	1	
WORKHOUSES	nslet	d ov.		:	:: :-	: :	:	::::	:-	ю ;;	0	00	13	
-		c s	::::::		11 11	1::	:	::::	111	: ::	:	:		
	Leeds.	ond ov.			:04 ::	1 : :			**********	21 82	1 68	5 76	150	
-			::04::	-	:01 ::	1	-	::::	:-	. 01	13 1	1 2		
	Fever Hospitals	und ov.			: 1	: :						.	27	
-		ov. ur	:::=::		:: ::	1	-	::::	-03	I -8	49 13	. 07		
	firmary, etc.	o pun		:		1:::	····	:- :	::	1 1 2	13 4	13 7	145	
_		5.0	::::::	:	11 11	::	:	:::	::	: ::	:	п		10
	Osmond thorpe. 344	end 5	:::::	:	:::::	1::	:	::::	::	r ::	П	:	5/1	23:3
		0.00	::::::	:	:- ::	::	:	:::		25 23	8	46	0	7
	Chapel. town. 45.369	g 5	:::::	-	:: ::	::	:	<b>-</b> ::	:	r :03	13	21	140	12.4
	ramley.	ov.	::::-	:	: : : :	::	:	ca : :	: 9	13 8	8	27	89	14-2
	Brau 19.	g	:::::	-	:: ::	::	:	:::	::	: -:	N	0		14
	Cirkstall 50,385	5.	:::-::	:	:: ::	::	:	:::	15	2 5 5	3	46	139	1111
	. S	5 5	: " : : : :	7	::::	1:::	:	11:	::	1: 0	16	17	-	1
	Hunslet, Holbeck Wortley, Kirkstall Bramley, 78.584 56,604 67,002 50,385 19.265	und ov.			11 11	: -	03	:::		N 800	85	77	228	13.7
-	k Wo		:07 :::	63	:: ::	::	:	::::		6 :0	19	8		-
	Holbeck 36,604	und ov. 5 5		- 1		: :	:			19 19	49	41	165	18-1
-	H. H.		1: 1: 2:		ю н	1		11 .		25 14	4	15		
	funslet 78.584	und ov.	1 22:	0		: :				42 34 .: 16 3 2	4 73	7 101	315	1.91
						1 : :	:	::::		33 42 13 5: 42	69 84	6 57		
	South E. 35,226	und ov.	:=::::					::::		2 : 2	59 66	40 36	201	23.2
DS.			::::::			::	:	:00 :		45 30 4				
LEED	West, 85.576	und ov.	·4 ·0 · ·	9		: :	:	111		8 :01	40 106	44 122	312	14.6
1		5.0	::::::	: :	: ::	: :	:	:::		55 0 da	57	47		00
	North. 53,752	E-0	19::::	10	: : : :	: :	:	<b>-</b> : :	********	8 ::	23	8	172	11.8
-	1		1::::G79	-	. : FE :	1:		::-	::-		-	-		an.
	Estimated Population— 477,107	Under and over 5.	Smallpox Measles Scarlatina Diplutheria Croup (memb)	Who.	Contin Contin Coultrie Diarrhora	Cholera Rheumatic Fever	acute Rheu-	Erysipelas Pysemia Puerperal Fever	Ague Phthisis Brouchitis	Pleurisy Heart Disease Injury, &c	Total of above causes	All other	Total	Mortality per 1,000 per an
		-							-	-				-

\* There were twenty-seven deaths at Manston Hospital during this quarter. ¶ English,

A. 4.

1908.—SECOND QUARTER.

Table shewing Deaths recorded in the City of Leeds during the thirteen weeks ended 27th June, 1908, classified according to cause, age, and the registration sub-districts in which they occurred.

Deaths	Out- siders courring in City.	5.	:::::	1	::	::	::	:	:::	:=	1	0101	9	8	25	
ă		pun 2	111111	:	::	::	: :	- :-	:::	:-	:	:03	100	5		
	Annual rate per	dod.	50000	0.34	0.02	0.16	: 0-01	0.05	0.03	1.42	2.47	0-5k	6.83	7-29	14.12	
	è	All	10 10 39	9	: 9	19	: -	63	10100	169	294	156	812	998	1678	14.1
TOTAL	Mortality in City.	over.	:0.0 ;	:	: 0	:40	: -	'//	H10 03	162	166	152	255	572	1127	10-7
-	N	und.	:00 ca 4 : :	9	::	14:	: :	:	04 ; ;	1:6	128	:83	257	294	551	39.9
-	sumptive Hos- pital.	5.5	::::::	:	::	::	: :	3	:::	:10	:	::	ю	:	10	
-	S E E	and 5	::::::	:	::	::	: :	:	::::	::	:	::	:	:	-	
	mley.	ov.	::::::	. :	::	::	: :	:	::::	: "	9	9:	13	5	83	
	k Bra	5		:	::	::	: :	:	1:::	:-	-	::	03	64		
JSRS.	Holbeck Bramley	und ov.					: :			:00		- :	10	7	11	
WORKHOUSES.										1 : :	.:	.:	:	13 1	1	1
WOR	Hunslet.	ov. 5 5		:	::	::	: :		::::	1 : :		::		1 1	19	
		ov. u	11111	:	:-	::	: :	:	:::	: 4	00	19	60	49		
	Leeds.	pun	::::::	-	::	::	: :	:	::::	::	4	:⊣	9	0	142	
	Fever ospitals	ov.	:440	:	::	::	: :	:	:: ~	::	:	::	9	ю	16	
8	12	pun 2	:∾∾∺ : :	:	::	: :	: :	:	:::	::	Н	::	9	-	-	
	In- firmary, etc.	und ov.			::	::	: :	:	-::: -::	:10	2	5 16	11 30	19 90	150	
<u> </u>		ov. u		:	1:	::	: :	-	1:::	::	:	::	-	-		-
	Osmond thorpe, 344	g 5	:::::	:	::	::	: :	:	:::	::	:	::	:		1	11.7
	Chapel. town. 45,369	ov.	::: 19 ::	:	::	::	: :	-	:::	15:	12	2,2	47	45	127	11.2
_		ond 5	:	1	::	:	: :	:	-:::	:::	2	7	5 12	133		-
	bramley. 19.265	und ov.	: : : : : :	-	::	::	: -		111		-		4 16	10 19	49	10.2
	all Br		::::::	:	::	:-	: :	:	:04	7.	12	10.01	83	1 88		
	Cirkstall 50,385	und ov.		2	::	::	: :	:	:::	::	4	:03	=	83	8	7.2
	ley. F	5.	::-::	:	;∺	::	: :	:	:- :	14:	15	80	25	99	180	60
	Wortley.	5 5	:0::::	ю	::	:03	: :	:	:::	::	13	:10	8	25	18	10.8
	Holbeck 36,604	5.5		:	::	:	: :	:	:::	:01	13	250	33	39	112	12.3
	Ho	onn S	:-:-::	4	::	::	: :	:	:::	:-	6	: ===	17	18		7
	Hunslet, Holbeck Wortley, Kirkstall Bramley. 78,584 56,604 67,002 50,385 19.265	und ov.	::: = ::	:	:-	::	: :	:	□ : : □ : :		83	16	7 57	, 62	223	11.4
			:: :: ::	9	:=	:4	21	:		7. 1.	19 28	3 3:	42 57	3 47		
	South E. 35,226	and ov.		100	::	. 01:		•			22	:03	36 4	33	115	16-5
DS.		500	::::=::	:	:01	:03	: :	:	:::	:55	23	0 9	76 3	83		
LEEDS.	West. 85,576	und 5	:::-::	11	::	:	: :	:	:::	:⊣	17	:10	25	4	235	11.0
T	North. 58,752	50.	:::::	:	::	::	: :	-	:::	:8	23	22	23	31	12	10.5
	N. 88	e g	: · · · · · ·	5	::	:00	1 1.	:	:::	:-	12		18	8	153	10
TOWNSHIP	Estimated Population— 477,107	Under and over 5.	Smallpox Measles Scarlatina Diphtheria Croup (memls) ,, undefined	Whooping Cough	ontin. Enteric . Other or	- 6	TCholera Rheumatic Fever	acute Rheu-	Erysipelas Pyæmia Puerperal	Ague Phthisis	Premionia	Heart Disease Injury, &c	Total of above causes	All other causes	Total	Mortality per 1,000 per an.

\* There were sixteen deaths at Manston Hospital chring this quarter. " English.

A. 5.

1908.—THIRD QUARTER.

Table shewing Deaths recorded in the City of Leeds during the fourteen weeks ended 3rd October, 1908, classified according to cause, age, and the registration sub-districts in which they occurred.

1 2	. 2	1 3:0	1	1 : ::		1			1	01	:=:	13	1 t	1	1
Deaths	Out- skilers centring City.	und ov.	1::::::						1		::		63	28	
-	E 10 0	dod.	0.20	0.02	2.14	0-01	0.02	0.00	1.22	1.78	1.10	7.47	7.42	14-89	
-	A di i					2 -1	23	4 5/8		_			_		0
1 3	iity	All		İ	27:				143	228	141	999	950	1906	14.9
TOTAL	Mortality in City.	over.	:044 ::	: :10	:10	: -	мэ	214 1∼	139	117	138	500	609	H	80
	N	und.	:8: 22: ::	88 ::	569	ca :	:	:- :	:4	111	113	454	341	795	53.4
	orive orive al.	5,10	:::::	: ::	::	::	:	::::	:-	:	::	2	:	7	
(	Sumptive Hos- pital.	nnd 5	::::::	: ::	::	: :	:	:::	::	:	::	:	:		
		ov.	:::::	: ::	::	::	:	:::	::	ю	er :	7	13	20	
	Bran	onn 5	::::::	: ::	::	: :	:	:::	::	-:	.:	:	:	63	
ES.	beck	ov.	::::::	: ::	::	: :	:	:::	1:	:	∾ :	ю	4	6	
HOUS	Hol	nud 5	:::::	: ::	::	::	:	:::	::	:	::	:	03	)	
WORKHOUSES.	Hunslet. Holbeck Bramley	ov. 5	:::::	: ::	::	: :	:	:::	:-	:	∾ :	ю	12	15	
1	Hur	pun	:::::	: ::	::	::	:	:::	::	:	::	:	:	-	
	Leeds.	ov. 5	:::::	: ::	::	::	:	:::	:8	4	16	55	48	113	
_		pun	:::::	: ::	::	: :	:	:::	:-	н	:=	100	1-	17	
	Fever Hospitals	9.	::-::	: :-	::	: :	:	<b>-</b> ::	:-	-	٦:	9	(2)	6	
_	For	5 5	:::=::	: ::	::	::	:	:::	::	:	::	-	:		
	In- firmary, etc.	ov.	:::::	: ::	:::	: :	:	:- :	:00	9	Siza	4	97	168	
_		pun	111111	1 1 1	0	1::	:	:::	::	1	:00	o	138		
	Osmond- thorpe.	und ov.			:-	: :	:	::::	: :	:	- :	1 2	1	4	43.3
		ov.	::::::	: ::	::	::	:	:: =	:10	10		13	47		
	Chapel town. 45,369	pun 9	::::::	<b>-</b> ::	:21	::	:	:::	1::	9		12	19	106	8.7
	iley.	0v.	::::::	: : .	::	::	-	:- :	:00	63	04-13	83	31	29	9
	Bramley. 19.265	pun	:::::	:::	:10	::	:	:::	::	П	:==	2	6		13-0
	Cirkstall 50.385	und ov. 5 5	:::=::	: ::	::	: -	:	:::	:-	9	t~00	22	51	1114	64.00
	Kirls	em ê	:::::	ю ::	:01	: :	:	:::	:□	9	::	82	19	1	00
	Vortley.	ov.	:::"::	: :-	:-	: :	-	:: -	:::	14	22	3	23	187	10.4
	Won 67.	5 5	:-:::	01 ::	27:	: :	:	:::	::	9	:09	28	36		1
	Holbeck 36,604	ov.	::::::	: ::	::	: :	:	:::	: 9	o	11 9	31	51	133	13.5
	. H.	o pun	111111	4 ::	:23	1 1	:	11 1	::	7	:	40	31		7
	Hunslet, Holbeck Wortley, Kirkstall Bramley, 78,584 36,604 67,002 50,385 19,285	and ov.			:-	: :	:	.H 4	15		3,5	9	59	872	13-2
			:0 .	4 ::	:23	: :	:	:" :	::	88	::	8	63		1.
	South E. 35,226	od ov.		: :-	: :	: :	:	- : -	16	13	94	43	32	195	9.02
S.		5 und		* ::	:6	1 1	:	::::	:"1	21	:-4	8	45		0
LEEDS.	West. 85.576	und ov. 5 5		4	:03	: :	-	: "	:8		16	3	93	270	11.8
LE	1		:2 : : : :		.13	: :		: : :		9 12	:	2	45	-4	-
	North. 58.752	5 5		9 ; ;	8	CQ .	 	::::	:=		1 4	42	36	211	13.4
-						:	_	::::	1 10	22		87	9+	:	
TOWNST	Estimated Population— 477,107	Under and over 5.	. 5.5	Whooping Cough Cough Typhus Cough Outer or	Diarrhoea	Cholera Rheumatic Fever	acute Rhen- matism	Erysipelas Pyzemia Puerperal Fever	Ague Phthisis	Preumonia	Heart Disease Injury, &c	Total of above causes	All other	Total	Mortality per 1,000 per an.
				- dillo	-	•	-					00			

\* There were nine deaths at Manston Hospital during this quarter, "I English.

1908.—FOURTH QUARTER.

Table shewing Deaths recorded in the City of Leeds during the thirteen weeks ended 2nd January, 1909, classified according to cause, age, and the registration sub-districts in which they occurred.

s u	. 68 .	5.0	1111111	1 11	::	1::	:	1:1	1::	-	60	10	52		
Deaths	Siders securring in City.	und ov.	:::-::	:::	::	::	:	:::	::	:	- 23	4	-	9	
	Annual rate per	dod.	0.35 0.01 0.13	0.14	0:34	20-0	0.03	0.02	1.15	3.15	1.28	7.31	7.92	15-23	7.0
	À	All	:: 12:	17	:4	; 03	4	010 -	137	374	152	698	942	1811	15.2
TOTAL	Mortality in City.	over.	:: 913:	1 :-	:10	: 04	4	MW H	130	215	151	579	617	1196	11.4
		und.	:8 :0 ::	19 ::	:88	: :	:	:::	:0-	159	20	062	325	615	44.5 1
Con.	sumptive Hos- pital.	5.0	11111	: ::	::	: :	:	:::	:=	:	::	4	:	4	-
రి	sum He pit	und 5	::::::	: ::	::	: :	:	:::	::	:	::	:	:		
	mley.	l ov.	::::::	: ::	::	: :	:	:::	::	:	<b>*</b> :	4	6	13	
	Holbeck Bramley	on 2	::::::	1,11,	::	: :	:	::::	::	:	::	:	:		
USES.	olbec	und ov.			::		<u>.</u>		:-	:		9	. 10	16	
WORKHOUSES.	et. H	ov. ur	::::::	1 11	::	; ;	:	111	:-	63	- : :	4	01		
Wor	Hunslet.	o gun		: ::	::	: :	:	::::	::	:	: :	:	:	14	
		ov. 5	:::::	:::	::	: :	:	:: -	:55	7	55	45	51	_	
	Leeds,	pun 2	:::::	: ::	::	: :	:	::::	::	-	::	1	10	107	
	Fever ospitals	5.	:::01::	: :0	::	: :	:	<b>-</b> ::	:-	03	٦:	12	4	13	
	12	pun	: 1 : 9 : :	3 ::	::	: :	:	:::	:-	:	::	00	-	, 4	
	firmary, etc.	l ov.	1:::::	: ::	. : :	: :	:	. : : :	:03	ю	19	8	71	122	
		o sond	:::= ::	1 11	::	1 : :	:	111	1 : :	-	1.0	0	12		
	Osmond- thorpe. 344	und ov.			::			111	1 : :			:	:	:	: 1
		0.v. u	:::=:::	; ; :	::	: :	:	111	:40	14	11	13	46		
	Chapel- town. 45.369	pun 2	:::::	ю ::	:03	: :	:	::::	::	10	:-	16	18	113	10.0
		9°.	:::::	: ::	::	: :	-	:r :	-2:	9	3	83	22	20	14.6
	Bran 19.3	pun	:" :" : :	03 ::	::	: :	:	:::	::	5	::	0	12		14
	Hunslet, Holbeck Wortley, Kirkstall Bramley, 78,584 36,604 67,002 50,385 19,265	i ov.	:::::	: ::	::	: :	:	:- :	: 9	8	13	43	12	131	10.4
	7. Kir	und 5	:	7 ::	::	: :	:	::::	:::	17	::	19	14		-
	Vortley 67,002	o ov.	.6	: ::	:-	: -	-	::::	1 16	9 59	5.2	9 76	1 78	233	14:0
	ck W	v. und 5 5	:0:::::	: : :	:4	: :		::::	7. 1	16 19	:10	33 38	39 41		
	Holbecl 36,604	und ov.	o : : : :	ю ::	4	: :	 :		: 22	20 1	:01	40 3	22	134	14.7
-	let. 1	510	:::=::	- ::	;-	: :	:	; <del></del> ;	:=	83	15	19	57	6	2
	Hunslet 78,584	and 5	: 1: 2:	ю ; ;	:01	: :	:	:::	:00	92	: 100	20	19	823	11.7
			:-::::	: :-	::	; :	:	⊣ : :	:00	18	00 03	47	芎	22	ф
10	South E. 35,226	und ov.	;,, ;,, ; ;	<b>⊢</b> ::	:-	: :	:	::::	:	139	:::	32	#	157	17.9
LEEDS.	West. 85,576	und ov.	::=0:::	: ::	:-	: -	-	::::	36:	35	243	8	87	250	11.7
LE	- 33	une 5	1:::::	H ::	:10	: :	:	:::	::	17	:10	22	43	22	7
	North. 58,752	und ov.	.0	: ::	: :	: :	-	::::	: 1	4 29	90	1 57	2 45	193	13.2
- 0		= "	::::: ::::::::::::::::::::::::::::::::	- 11,	:00	: :	_	:::	1 1 1/	24	:03	44	} 47	:	
TOWNSHIP	&c. Estimated Population— 477.107	Under and over 5.	Smallpox Measles Scarlatina Diphtheria Croup (membl	Whooping Cough Cough Typlus Fire Enterior	doubtr	Cholera Rheumatic Fever	acute Rhen- natism	Erysipelas Pyremia Fuerperal Fever	Ague Phulisis	Preumonia	Heart Disease Injury, &c	Total of above causes	All other causes	Total	Mortality per 1,000 per an
								-							

\* There were twenty-five deaths at Manston Hospital during this quarter. † Including two deaths of Leeds persons in temporary premises situated in Chapeltown district. ¶ English.

A. 7.

1909.—FIRST QUARTER.

Table shewing Deaths recorded in the City of Leeds during the thirteen weeks ended 3rd April, 1909, classified according to cause, age, and the registration sub-districts in which they occurred.

Hunslet. Holbeck Wortley, Kirkstall Bramley. 79,943 37,320 68,099 51,635 19,547	Holbeck 37,320
:•::::	:::-::
: :0	: ::
::	::
-	::-
	27 9 35
	2 .1 30
	57 14 88
17	50 34 71
	166 207
	17-9 12-2

There were thirty-four deaths at Manston Hospital during this quarter. † Including the death of a Leeds person in temporary premises situated in Chapeltown district.

English.

# B. I.

# TABLE B, Part I. (SUB-DISTRICTS.)

TABLE OF POPULATION, BIRTHS, AND OF NEW CASES OF INFECTIOUS SICKNESS, coming to the knowledge of the Medical Officer of Health, during the 53 weeks of 1908, in the Urban Sanitary District of Leeds; classified according to Diseases, Ages, and Localities.

	_															_
the als.	13		.JATO]	L	40	382	388	981199	3288	82135	3838	20,25	225	3 : : :	297 634 345	1276
E-E.	12		Other.		19	222	400	25.70	OOPN	:100	400	3 KO KO KO	:-	::::	423	174
Homes on Hos	11		Asibelas	Э	: :0	00	: :*	- : : : :	:	:-=	:000	3 : m H	: : :		1000	47
heir F solatio	10	Cholera.			:::	:::	:::	::::	: : :	:::	: : :	:::	::	::::	:::	1:
om th	6		deral.	nd	: :01	11	: : :	: : :0	· : : 10	::	. : :	:::	:::	::::	: :-	-
d from in the	00		-Suisdep	Ке	111	:::	:::	::::		:::	:::	:::	:::	::::	111	1 :
emoved tment ir	1	evers.	.bəuniin	Col		:::	: : :	:::	: : :	:::	:::	:::	:::	::::	:::	1:
s Rei	- 9	Fe	yphoid.	L	:00	199	H :		:40	:	:=0	-015-			2532	117
Cases for Tr	10		tenc or		: :01		::		:::	1:	:::	::::	::=		:	00
uch ties	4		Croup.		H : ::	- : :	1.1			. :	- :				10 : :	100
Number of such several Localities	63		irədidqi onsadmə		891	700	t-d.k	149	0.40	00-	282		182			2
mber al L	63		carlatina		4500					433					132 114 311 216 77 70	520 400
Nu															1	10
	-	,	od-llam	5	- Olet	T) and to		101010		ю оль	F-00	1-1-0	her o		0100+0	
the	13		.iatoT		288	137	288	15,72	499	382	136	1228	144		432 888 743	2063
2 .	12		Other.		r-614	555	w.~r	222	542	22:24	*****	:-:	200	. : : :	288	214
Locality, coming Officer of Health	=		ı.l.sibeja	Е	4 :01	25-10	:02	N 0 39	212	юs9	20.0	: PO et	200	:::	38 32 38	349
of H	10		Cholera.		1:::	:::	::	::::	:::	::	:::	: : :	::	::::	:::	:
cality icer	6		nerperal.	Ы	: :10	: :10	: :0	::0	: : : : : :	: : 4	:::	:::	: :10		: :8	24
Log	- 00		-Zuisdel	Ke	:::	:::	::	: : : :		:::	::	: : : :				1
each	7	evers.	.beunina		111		::						: : :			1
NE.	9	Fe	.biodqy		04.	100	-mo	700	- KD PO	. 20			.00		488	0
Sickness e of the	5		Abuns.		: :03	- 14									7 12	8 179
of Si		Croup.		T.											10.04	9
ases	4	Membranous			21228		623	858	820	25-10	242	291	888	1 1 1	285	930
3	Diphtheria.			98.58		100	16888				8228	-120				
N.	6.1			-											392	654
	-		od-llem?		111	: : :		:::	: : :	:::			:::	111	111	:
	d - 5, ards,		_	Under 5, 5 under 15, 15 upwards.	5 under 15, 15 upwards.	Under 5, 5 under 15, 15 unwards	Under 5, 5 under 15, 15 upwards.	Under 5, 5 under 15, 15 upwards,	Under 5, 5 under 15, 15 unwards.	Under 5, 5 under 15, 15 unwards	Under 5, 5 under 15, 15 upwards.	Under 5. 5 under 15. 15 upwards.	Under 5, 5 under 15, 15 upwards.	Under 5, 5 under 15, 15 upwards.	ses.	
	Aged under 5, 5 under 15, 15 upwards.		Unde	nunde nunde	Unde	Under 15, under 15 upward	Unde	Unde	Under 5, under 15 unward	Unde	Under 5. under 15 unward	nude	Unde	All ages.		
	15.			155	15.5	-0,	150	150	155	155	150	155	15	15	_	
	pai 's	urp	Hegg H	(4)	1,651	1,975	1,220	2,056	1,029	1,497	999	476	1,098	9	1000	:
										1000	10	10		_	12,	
S. S.	.808	l lo	Estima	(0)	58,752	85,576	35,226	78,584	36,604	67,002	50,385	19,265	45,369	344	477,107 12,007	:
Population at all ages.						100000	-		77000							
Popu		Census, 1901. (b)			59,291	84,340	34,299	69,064	31,572	59,328	41,561	17,299	31,845	379	428,968	:
		Ö			133	ob :	F)	- 36	10	18	<del>=</del>	-	ю:		42	1
	ties	the														
	Names of Localities	adopted for the purpose of these Statistics. (a)				į	-	- 1	- 1		1	- 1		orpe	:	Grand total
	Of L	beto	istic	(4)	-		East	i i	d)	No.	==	ey	Itow	dtho	Totals	pue
	mes	dope	Stat		North	West	South-East	Hunslet	Holbeck	Wortley	Kirkstall	Bramley	Chapeltown	Osmondthorpe	T	Gr
	Z	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			Z	=	O.	I	Ξ	=	×	B	C	0		

Notification has been compulsory since the first of May, 1894. The Small-pox Hospital is at Killing eck, outside the town. New wards for general fever cases were opened on the fast of Recovery) was discontinued in October, 1904, the fever cases being treated entirely in the new hospital at Manston, except that, for a short time during the furnishing, the hitherto unused Small-pox hospital at Killing beck was utilised for the purpose. The wards of the new Small-pox hospital at Killing beck are a quarter of a mile away from any of the buildings on the Manston shopping of Leever, five of diphtheria, and three of "other" disease, admitted to Manston Hospital, came from outside the city, and are not included in this table. Also twelve members of the Manston Hospital staff were admitted to Manston, four for scarlet fever, six for diphtheria, and two for eryspielas, all over fifteen. None of these twelve are counted, as they could not be classified under any district of the city.

	Population at all ages.				New	Cas	es of wledg	New Cases of Sickness in each Locality, coming knowledge of the Medical Officer of Healt										
Names of Localities		08.0	Aged	1	2	3	4	5	6	7	8	9	10	11	12	13		
adopted for the purpose of these Statistics.	Census, 1901.	Estimated to middle of 1908.	under 5, 5 under 15, 15 upwards.	Small-pox.	Scarlatina.	Diphtheria.	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued as	Relapsing.	Puerperal.	Cholera.	Erysipelas.	Other.	Total.		
(a)	(6)	(c)	(d)	S		0	2	I	at-	ပိ	Re	Pu		E				
Central	20,996	19,684	Under 5, 5 under 15, 15 upwards.		5 11 2	14 5 4	_1	 1	2 2					4	1 2 5	21 20 18		
North	38,762	47,942	Under 5, 5 under 15, 15 upwards.		14 14 8	13 46 18		i	5 13			2		36	7 12 9	36 107 87		
North-East	29,084	32,879	Under 5, 5 under 15, 15 upwards.	::	10 22 4	14 54 15		i	3 9			4		5 1 24	4 10 5	33 90 62		
East	28,297	30,482	Under 5, 5 under 15, 15 upwards.		9 13 3	19 4			2 8	::		2		3 12	3 5 3	21 42 32		
South	15,047	13,548	Under 5, 5 under 15, 15 upwards.	::	9	5 6 3			i 1	••		::		1 9	5 3 4	11 20 17		
East Hunslet	33,450	39,593	Under 5, 5 under 15, 15 upwards.		5 12 2	21 33 15		::	5 15			14	::	4 33	7 7 6	33 61 75		
West Hunslet	29,267	33,488	Under 5, 5 under 15, 15 upwards.	::	25 34 14	9 34 13	i	::	1 15 15			2		24	3 7 12	40 92 80		
Holbeck	27,871	32,688	Under 5, 5 under 15, 15 upwards.	::	12 35 6	15 13 7		::	i 10	::		3	::	2 1 22	9 1 2	38 51 50		
Mill Hill	7,736	6,716	Under 5, 5 under 15, 15 upwards.	::	7	4 3 4		::	3 6			**		1 1 1	4 2 3	11 16 14		
West	23,914	23,546	Under 5, 5 under 15, 15 upwards.	::	7 22 6	12 6	1	1 4	2 9				::	2 16	5 4 4	16 44 47		
North-West	32,239	35,316	Under 5, 5 under 15, 15 upwards.		8 18 9	14 30 5		::	5-					2 3 24	2 5	24 53 48		
Brunswick	22,893	23,164	Under 5, 5 under 15, 15 upwards.		10	15 18 12	::	::	1 5			ï		i 14	5 2	25 35 34		
New Wortley	18,734	18,382	Under 5, 5 under 15, 15 upwards.	::	6 12 2	1		::	i 2					9	1	12 14 13		
Armley and Wortley	36,243	43,681	Under 5, 5 under 15, 15 upwards.		18 48 13	6 3			2 7			··· i		2 4 28	11 13 4	39 73 56		
Bramley	21,650	24,204	Under 5, 5 under 15, 15 upwards.		10 16 4	6			1 5 12			3		4 17	i	13 32 37		
Headingley	42,785	51,794	Under 5, 5 under 15, 15 upwards.		32 79 17	21 43 21	1		1 7		::			1 6 26	9 2	59 138 73		
Totals	428,968	477,107	Under 5, 5 under 15, 15 upwards.		172 392 90	170 329 131	3 2	1 7	4 49 126			 24		18 32 299	65 83 66	432 888 743		
Grand total					654	630	5	8	179			24		349	214	2063		

TABLE B, Part 2.-Wards (continued)

		lation at ages.		N	imbe sever	r of	such ocali	Cas ties	es Re for Tr	emov	ed fr	om t	heir latio	Hon Ho	nes i ospita	n the
Names of Localities		to 908,	Aged under 5,	1	2	3	4	5	6	7	8	9	10	11	12	13
adopted for the purpose of these Statistics.	Census, 1901.	Estimated to middle of 1908.	5 under 15, 15 upwards.	Small-pox.	Scarlatina.	Diphtheria.	Membranous Croup.	Typhus.	Enteric or Typhoid.	Continued as	Relapsing,	Puerperal	Cholera.	Erysipelas.	Other.	TOTAL.
14)	(0)	(6)	Under 5,		- 5	14	1		-		-			-	1	21
Central	20,996	19,684	5 under 15, 15 upwards.		9 2 9	5 3 8		ï	2						1 2 5	18 12 22
North	38,762	47,942	Under 5, 5 under 15, 15 upwards.		32 8	28		i	3 9					4	5 11 9	74 40
North-East	29,084	32,879	Under 5, 5 under 15, 15 upwards.	::	7 16 4	10 41 12		··· 1	2 6			2		7	10 5	21 69 37
East	28,297	30,482	Under 5, 5 under 15, 15 upwards.		9 12 3	6 13 3			1 4	:.			::		5 3	19 30 13
South	15,047	13,548	Under 5, 5 under 15, 15 upwards.	::	9	3 1								2	4 3 4	8 15 7
East Hunslet	33,450	39,593	Under 5, 5 under 15, 15 upwards.	::	3 10 1	13 25 5			3 9					3	5 6	18 43 24
West Hunslet	29,267	33,488	Under 5, 5 under 15, 15 upwards.	::	22 33 14	5 25 7			1 13 12	::		2		··· i	3 7 11	31 78 47
Holheck	27,871	32,688	Under 5, 5 under 15, 15 upwards.	::	11 30 6	9 11 4			1 8	::				1 6	8	28 44 28
Mill Hill	7,736	6,716	Under 5, 5 under 15, 15 upwards.	::	7	2 2 2			3 4	::				1	4 2 3	9 15 9
West	23,914	23,546	Under 5, 5 under 15, 15 upwards.		7 20 5	8 1	1	i 4	2 6	••			::		5 4 4	15 35 24
North-West	32,239	35,316	Under 5, 5 under 15, 15 upwards.		6 13 3	10 13 3			4	::				2	i 4	16 27 16
Brunswick	22,893	23,164	Under 5, 5 under 15, 15 upwards.		7	8 9 4			1 2					2	1 3 2	17 19 10
New Wortley	18,734	18,382	Under 5, 5 under 15, 15 upwards.		9 2	1			i				::	::	::	8 10 3
Armley and Wortley	36,243	43,681	Under 5, 5 under 15, 15 upwards.		12 33 11	5 4 1			1 5	::				1 3	3 4	17 42 24
Bramley	21,650	24,204	Under 5, 5 under 15, 15 upwards.		7 10 4	1 4 1			2 8	::			::	1 4	ï	8 18 17
Headingley	42,785	51,794	Under 5, 5 under 15, 15 upwards.		20 61 14	14 24 14	1		1 2					2 2	4 9 2	39 97 34
Totals	428,968	477,107	Under 5, 5 under 15, 15 upwards.		132 1 311 2 77	216	3	1 7	3 33 81			7		1 6 40	44 67 63	297 634 345
Grand total					5.20 4	00	3	8	117			7		47.	174	1276

New cases of Infectious Sickness heard of in the several Sub-districts and Wards of the City of Leeds during the thirteen weeks ended 28th March, 1908.

		Where treated.	Small- pox.	Scar- let fever.	Diph- theria.	Mem- bran- ous croup.	Ty- phus fever.	Ty- phoid fever.	Con- tinued fever.	Puer- peral fever.	Erysi- peias.	Cho- lera.	Other.	TOTALS.
	North	Hosp.		23 I	6 1	I		3		2	3 8		14	$\binom{5^2}{13}$ 65
	West	Hosp.		26 8	15			4 2		2	1 16		15	39 100
	South-East	Hosp.		13	7 2			3					2 I	<sup>23</sup> <sub>10</sub> 33
S.	Hunslet	Hosp.		42	21			6			1		4	74 38 112
SUB-DISTRICTS.	Holbeck	Hosp.		12	6		***	I		1	II	7	5	25)
ISTI		Home Hosp.		22	2			2			7		2 I	27)
B-D	Wortley	( Home ( Hosp.	***	6 27	23	***		I		I	10		I	22 / 49
SU	Kirkstall	Home Hosp.	***	8	6			1			_ 5			20 / 12
	Bramley	Home		2	1	***		3 4	***		6			12 25
	Chapeltown	(Hosp. Home	***	7	8	***		I			7		2	22 25 47
	Osmondthorpe	Hosp. Home												}
	Central	{Hosp. Home		8	3	I		1					3	16 18
	North	Hosp.		16	4 6	***		I					6	27 18 45
	North East	Hosp.		12	7		***	2		2	3		7	33 51
		Home Hosp.		11	6			2 I		I	7			191
	East	( Home ( Hosp.			2			2		1	3		 I	81 21
	South	Home			I						1		1	3 6
	East-Hunslet	Hosp. Home			8			5	***		6		5	27 51
	West-Hunslet	Hosp. Home		39	5 7			2 I			6		4 I	51 69
DS.	Holbeck	Hosp. Home		11 2	4			I I		1	I 5		2	20 30
WARDS.	Mill Hill	Hosp.		4	3								6	13) 14
^	West	Hosp.		14	2			1			 I		6	24 33
	North-West	Home Hosp.		4	3 4			 I		I	5			9)
		Home Hosp.		7 4	- 3 6			1 2			7		3	15) 27
	Brunswick	(Home		1	<u>5</u>			1			_4		7	12) 2/
	New Wortley	( Home		9						***	. 1			7) 18
	Armley & Wortley			13	3			I		1	7	***		16) 31
	Diamiey	{Home		8 2				3 4			1 6			12 25
	Headingley	Hosp. Home		27 8	23								2	52 72
	-	(-20116	***	0	0			I			5_			20) /*
		Hosp.		184	88	I		21		3 5	7		44	348 ) 196 ) 544
	CITY	Home	***	37	51			21		-	73		9	
-		Cases		221	139	I		42		8	80	***	53	544

Two maids contracted scarlet fever, and one nurse and one maid diphtheria. All were treated in the hospital. These are not included in the 184 and 88, given above. Manston Hall is outside the City.

New cases of Infectious Sickness heard of in the several Sub-districts and Wards of the City of Leeds during the thirteen weeks ended 27th June, 1908.

		Where treated.	Small- pox.	Scar- let fever.	Diph- theria.		Ty- phus fever.	Ty- phoid fever.	Con- tinued fever.	Puer- peral fever.	Erysi- peias.	Cho- lera.	Other.	TOTALS.
	North	Hosp.		17	6 2			3			2 10		9	37 55
1	West	Hosp. Home		17	7	 I		3			3		5 2	38 67
	South-East	Hosp. Home		10	5			I			I 4		4	21 11 32
T.S.	Hunslet	Hosp. Home		20	2 I I I			5 3		2	1 11		10	59 87
LIKIC	Holbeck	Hosp. Home		27	12			 I		1	3 4		3	46) 57
SUB-DISTRICTS.	Wortley	Hosp.		19	I			I			12		3 21	24 \ 66 42 \ 66
SUB-	Kirkstall	Hosp.		24	4 7			2 I			1 5		3	34 53
3	Bramley	Hosp.		4 2	2			I			2			7) 12
	Chapeltown	Hosp.		13	5			2 I			5		2	22 46
	Osmondthorpe													···)
				-						•••				
1	Central	{Hosp. Home		5 I	3						2		2	10 14
	North	{Hosp. Home		16 7	5			2 I			1 01		6	26 49
1	North-East	{ Hosp. Home		9	7 5			3			3		3	23 34
	East	{ Hosp. Home		9	4 5			1 1			4		4	18 28
	South	{Hosp. Home		4	2						1		I	8 10
1	East-Hunslet	{Hosp. Home		5 2	11 7			4 2			1 6		5	26   43 17   43
	West-Hunslet	{Hosp. Home	1	14 1	12			!		2	4		5	34 44
tDS.	Holbeck	Hosp.		25	9 2					1	3 4		2	40 51
WARDS.	Mill Hill	{Hosp. Home		2	2 2			2			I		2	7 12
	West	Hosp.		6	3 2			1 2			2 4	117		12 21
	North-West	Hosp.		4 3	3 3			1			2	***	2	10) 18
	Brunswick	{Hosp. Home		5 3	2 2			1 3			 I	***	1 2	9) 20
-	New Wortley	Hosp.		1 2			***	***			5			1) 8
	Armley & Wortley	C * *		18	1			I I	***		7		3 21	23 \ 58
	Bramley	{Home		4 2	2			I		***				7 1 12
1	Headingley	{Hosp. Home		24	4			2			1 1		3	34 53
-				0	7			I	***		_ 5_		***	19/ 33
	City	Hosp. Home		151	66 46	 I		18		3	11		39 24	288 187 \ 475
-		Cases		190	112	1		34		3	72		63	475

One nurse and one maid contracted scarlet fever, and one nurse crysipelas. All were treated in the Hospital. These are not included in the 151 and 11 given above. Manston Hall is outside the City

New cases of Infectious Sickness heard of in the several Sub-districts and Wards of the City of Leeds during the fourteen weeks ended 3rd October, 1908.

		· Where treated.	Small- pox.	Scar- let fever.	Diph- theria.		Ty- phus fever.		Con- tinued fever.	peral	Erysi- pelas.	Cho- lera.	Other.	TOTALS
	North	Hosp.		6 3	14		2	5			4 5		10	41 ) 55 14 ) 55
	West	Hosp.		17	8		5	5			1		6	42 \ 70
		Home Hosp.		5	18			I	***		15		6	16)
	South-East	( Home			2			1		I	- 7			11) 27
CTS	Hunslet	Hosp. Home		13	8					4	13			4I 28 69
RIC	Holbeck	Hosp.		8	3 4			. 4			5		5	9 31
SUB-DISTRICTS.	Wortley	(Hosp.		13	3						3		I	20) 41
B-D		(Home		25	9	I		2		2	10		3	21)
SU	Kirkstall	( Home		11	_ 3						6			20 50
	Bramley	{Hosp. Home		2 2				3			4			9 13
	Chapeltown	{Hosp. Home		8	20 15		I	1 2		 I	1 6		3	34 65
	Osmondthorpe	(Hosp.												)
_		( Home				***	200		*		***			}
_	(	Hosp.		2	7		I	1						11)
	Central	( Home					***				1			1) 12
	North	{Hosp. Home		10	14	***	1	3			3 5	**	8	39 62
	North-East	Hosp.		2 I	7 5		I	2 2			2 5		5	19 33
	East	Hosp.		I	5	***				I			3	9 17
		(Home	***		3	***		1		I	5		4	12)
	South	( Home			_ 3						4			_ 7 j 19
		(Hosp.		4	4			1		4	6	***	4	17 34
	West-Hunslet	Hosp.		ò	5 2			1			6		6	8 29
DS.	Holbeck	(Hosp.		7	3	***		3	***	***	2		5	201 08
WARDS.	Mill Hill	Home Hosp.		2	4			I			4			2)
W		Home Hosp.									***	***	***	)
	West	Home		8	4 3	***	5	4			4		2	$\binom{23}{9}$ 32
	North-West	Hosp.		5	7	***			***		7		2	8 24
	Brunswick	Hosp. Home		2	9						I		2	141 20
	New Wortley	Hosp.		2	2		***		***		4	***	***	41
		Hosp.		10	1			1			2		 I	1) 3
	mine, a morne,	Home		5	1			1			8			14 29
		Home		3	I			3		2	6			6 20
	Headingley	Hosp. Home		25	9	1		***			6		3	38 61
				13	4	***	***	***	***		-	1.11	111	235 01
	CITY	Hosp. Home		97 31	77 56	I	8	16		8	14 71		45	258 180 438
	0111	Cases			33	1	8	26		8	85		49	438

Two nurses contracted diphtheria and were treated in the Hospital. They are not included in the 77 given above. Manston Hall is outside the City.

New cases of Infectious Sickness heard of in the several Sub-districts and Wards of the City of Leeds during the thirteen weeks ended 2nd January, 1909.

	thirteei							7,						
		Where treated.	Small- pox.	Scar- let fever.	Diph- theria.		Ty- phus fever.	Ty- phoid fever.	Con- tinued fever.	Puer- peral fever.	Erysi- peias.	Cho- lera.	Other.	TOTALS.
	North	Hosp.		5	19			4			1 13		7	36 } 52
	West	Hosp.		16	25 15	I	***	10			4		. 7 I	63 101
	South-East	Hosp.		4	7			3					4	18 28
is.	Hunslet	∫ Hosp.		8	21		***	20			4		9	50)
SUB-DISTRICTS.	Holbeck	( Home ∫ Hosp.		4	15	I	***	10		1	27 I		4	31 42
STI	1	(Hosp.		2 I	9			5			5 2		2	11) 4-
B-DI	Wortley	(Home		11	3	***		I		1	11		6	27 )
SU	Kirkstall	( Home		6	16			2			13			44) 8t
i	Bramley	{ Hosp. Home		3	3 2			5			2 I			14 3 17
	Chapeltown	{Hosp. Home		9	58 19			4		 I	7		6	77 35 112
-	Osmondthorpe	Hosp.												}
-					-									
	Central	Hosp.		1	9			1					3	14 15
	North	Hosp.		7	26 11			6		2			5	44 74
	North-East	Hosp.	***	4	42			I			- 1		4	52 67
	East	Hosp.		3	7		***	3		***	8		3	16) 22
	South	(Home		1			***	2			3		5	_ //
		(Home			9			3			2			7 13
	East-Hunslet	Home Hosp.			7			22			16		6	26) 41
	11030 11411310131111	Home	***		6	1		3			10			50 70
WARDS.	Holbeck	Hosp.		4	8						5		1	10 30
WA	Mill Hill	(Hosp. (Home		I	I 2			6			I		I	10 12
	West	Home		4 2	2 2	1		2			I		5	15 21
	North-West	Hosp. Home		9 2	18			2		-::	1 12		I I	31 56
	Brunswick	Hosp.		3	4						1			8) 17
	New Wortley	(Hosp.		3	_ 5 _ 2						4			5 8
	Armley & Wortley	Hosp.	***	15	7	***		4			2	***	2	30) 50
	Repuley	Home Hosp.	***	9	3			6			8			20/ 30
	Hardinglan	Home Hosp.		19	16	***				1	3	***	7	7 ( 25
	, readingley	Home		6	16			3			13			38 84
		Hosp.		SS	169	1		62		1	14		46	381 ) 606
	CITY	Home		27	77	1		15		4	98		3	225 606
	-	Cases		115	246	2		77		5	112		49	606

Two nurses contracted diphtheria and one medical officer erysipelas. All were treated in the Hospital. These are not included in the 169 and 14 given above. Manston Hall is outside the City. In addition to the 381 cases hospitalled (out of the 606 reported during the quarter) one case of erysipelas which had been reported in the previous quarter was also taken to hospital.

B. 7.

New cases of Infectious Sickness heard of in the several Sub-districts and Wards of the City of Leeds during the thirteen weeks ended 3rd April, 1909.

		Where treated.	Small- pox.	Scar- let fever.	Diph- theria.	Mem- bran- ous croup.	Ty- phus fever.	Ty- phoid fever.	Con- tinued fever.	Puer- peral lever.	Erysi- pelas.	Cho- lera.	Other.	TOTALS.
	North	Hosp. Home		6 I	14 7			2			2 17	***	6	30 } 56
	West	{Hosp. Home		22	25 22			5		1 I	6		11	69 117
	South East	{Hosp. Home		5	9			I 3			2 4		3	8 28
TS.	Hunslet	Hosp.		24 4	14	 I		11		1_	3 16		5	58 98
RIC	Holbeck	Hosp.		5	7 31			2 I			I		3	18 62
SUB-DISTRICTS.	Wortley	Hosp.		26	12			I		1	5 3 8		6	49) 72
JB-L	Kirkstall	Home		16	13					2	1		3	33 \ 80
SI	Bramley	(Hosp.		7	5			3 4		I	9			47 )
		(Home		17	7 42			3			I		7	13) 32
	Chapeltown	Home		7	20						15			1) 109
	Osmondthorpe	Home												} 1
	Central	∫ Hosp.		1	8								3	12) 16
		(Home		14	4 20			2			I		4	4) 10
	North	(Home		3	13						20		6	36) //
	North East	Home		5 2	9						II	***		42 65
	East	{Hosp. Home		4 I	8			I			4		3	18 24
	South	{ Hosp. Home		I	2 2			3			 I			3 9
	East-Hunslet	Hosp.		14	5 8	 I		8			I 9		2 I	30 36
	West-Hunslet	{Hosp. Home		12	10	 I		4		1	6		4	33 45
EDS.	Holbeck	{ Hosp. Home	***	3 6	5 30			I			I 5		2	12 34
WARDS.	Mill Hill	{Hosp. Home		5	3			 I			2 I			8 14
	West	{Hosp. Home		4	11 7			3		I	2 5		7	28 42
	North-West	{Hosp. Home		12	5 4			I I			1 6		2	21 33
	Brunswick	{Hosp. Home		3 4	8						1 5		2	14) 22
	New Wortley	{Hosp. Home		I 2	I			I		1	2 2		2	8) 12
	Armley & Wortley	/ * *		21	8 6			2		 I	1 6		4	34) 12
	Bramley	(Hosp.	***	14	8			4						26) 40
	Headingley	Hosp.	***	17	7 13 28			3			I I IO		3	34\ 82
				/	20	***		_ 3_		-	10			491
	CITY	Hosp. Home		131 35	142 135	3		26 21		3 5	18 92		44 I	364 292 656
		Cases		166	277	3		47		8	110		45	656

One maid contracted diphtheria, one nurse typhoid, and one maid erysipelas. All were treated in the Hospital. These are not included in the 142, 26, and 18, given above. Manston Hall is outside the City.

TABLE C.

Table shewing deaths recorded in the City of Leeds during the fifty-three weeks ended 2nd January, 1909, classified according to cause, age, and the registration sub-districts to which the patients belonged. Deaths in institutions allocated to districts to which patients belonged. 0.

	-		LEEDS.	DS.														Osm	Osmond-	Deaths	- sq			-	
TOWNSHIPS, &c Estim. Pop., 477,107		North. 58,752	W. 85.	West. 85,576	Sou 35	South E. 35,226	Hunslet. 78,584	slet. 84	Holheck. 36,604	od.	Wortley.		Kirkstall. 50,385		Bramley. 19,265	Chap 45	Chapeltown. 45,369	tho 34	thorpe. 344	outsiders occurring in City.	ders ng in y.	T ii	For At. mortality in City.		Annual
Under and over 5	under 5	er over	un Jer	over 5	under · 5	over 5	under 5	over 5	under 5	over ur	under on	over un 5 5	under over 5 5	er under 5	er over	under	over 5	under 5	over 5	under	over 5	under	over 5	All ages.	pop.
Small-pox Chicken-pox		11	: :	1.1	2.1	2.1		: :	: "	1.1	2.7		11		::	::'	::	::	: :	::	::	: 01		: 0	0,00
Scarlet fever	N : : :		2 " : :	- 0 : 10	N : : :	- : : 50	8:::	m : : M	7 ° : :	::	Q N ; ;	n m : n			::: <del>=</del>	01::	: : : *		1111	: ::: :	::::		29:5	2 7 : 2	0.37
1151	: - 11	: 2 . :	0 5 + :	22.7	: : 2 0	[10] H	; · (N 00	; <u>r</u> = 0	: : ;; ;	: 5 = 0	: - 0 +	: 2 : 4	1201		: " : :	: :9 =	:00 : *	::::	::::	:::=	:::=	: 6 60		121 40 40	0,33
Cholera (English) Diarrhea, &c	0 15 0 15		: 60	: 0	1 10	; 0	: 42	: +	: 89	: -	33:	: 0	: =		: :	: 12	13	:"	4:	::	::	324	17	341	0,00
Ague	:		;		3	:		:	:	:	:	:	1		:	:	:	1	-	:	:	:	:	:	:
Zoogenous discases	1	:	:	:	:	:	:	:	:	:	:		:	1	:	:	:	:	:	;	:	:	:	:	:
Syphilis Gonorrhæa Stricture of urethra	00 :	: m	n ;	; m	eo :	* :	: :	: :	- :	: :	÷ :	: :	: " " :	: :	: :	* :	: :	: :	: :	::	: -	8 :	H 00	m 00	0.05
1.1	-			-	2	es .	-	-	:	:	н	-	:	1	OI .	-	:	:	:	:	:	4	7	=	0,03
Phagedena (o) Septicemia (9) Phlebitis (4)	-	;	:	m	2	:	-	D)	:	:	:	CN CN	m :		ē4	:	:	:	:	1	-	64	12	7	0.03
ver	- 1	0	:	:	:	-	:	0	:	C4	:	н	:		:	:	C0	:	:	:	:	:	13	13	0,03
Parasitic diseases	-	-	:	-	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	64	61	0,00
Starvation, &c	10	: 01	00 ;	: 10	<b>s</b> :	; m	=:	: "	60 ;	: "	e :	- +	M :		::	*:	1:	::	::	::	: "	67	20 I	20 88	0.04
Rheumatic fever Acute and Sub-acute)			:	-	:		:	:	:	:	:	61	:	:		:	: '	:	:	:	:	:	I/S	10	10,0
Rheumatism			: :	e +	0 (	: +	:	: :	: :	: *	: :	+ +			70 H	: :		: :	: :	: :	: :			: :	0.03
		-	: : :	: : :	9			- :	+	-	: N	-				: 01	ex :	::	1	: =	- :	: ;	0 =	9 4	0,00
Canoer		338	-	80	1	38		63	-	30		80	43		17	-	30		-		41	1	-	163	96,0

Annual	per 1,000	dod.	0.00 11288 0.15 0.00 100 0.00 0.00	0.50	0.00	0,03	0.55 0.00 0.74 0.04 0.03 0.03	1.31 0.02 0.03 0.03 1.31 0.03 1.4
y		all ages.	621 621 621 621 631 631 631	244 77 324	319 71 71 71 71 102 102 13 31	15	268 1 359 10 10 36	55 69 8 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
TOTAL mortality	City.	over 5	2 2 2 2 3 3 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	324	311 62 71 17 17 17 17	6	267 355 10 10 36	2 80 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
ш		under	0 + + + 4 4 4 4 7 7 4 7 5 7 4 7 5 7 7 4 7 7 7 7	76	8 E : 1 : 4 5 5 4	9	*:*::::	13 1 106 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Deaths of outsiders	City.	over 5	:::+ + + : + 0	: : :	oo : : : : : : : : : : : : : : : : : :	1	а; т; нн	1110-0111
Deat	occurring in City.	under 5		: " :	:::::::::::::::::::::::::::::::::::::::	*	11 11 1111	:::::::
	pe.	over 5	::::::::	: : =	:::::::::::::::::::::::::::::::::::::::		3:47:::	:::::::::::::::::::::::::::::::::::::::
d	thorpe.	under 5	11111111	: - :	::::::::::	:	::::::	111711111
	Chapeltown.	over 5	; w ; <del>\$</del> + w ; w w	: : %	mo = 10 8 8 ; ; 8	;	8 : 12 + a : 5	:::W002 - : +
	Chape	under 5	H 0 : 0 0 : : : :	15	8 m : : : : : : : : : : : : : : : : : :	:	::=::::	: : = 0.50 . : : 0
	Bramley.	over 5	: : : 0 ++ : +0	: : 61	ŭ : 4 10 ; H : ; 0	:	5:8:::4	:: = 0 + 10 : = =
	Brar	under 5	:*:::::	= * :	: " : : : " = :	:	1:4:::::	::::0+::::
	Kirkstall.	over 5	: m + 4 : m : m m	: : 8	0 40 N N H ; ; N	н	50 = 50 u w ; u	:::802:04
	Kirk	under 5	мення:::	17 2	: +: -: : : * + :	н	::::::	:::004:::
	Wortley.	over 5	HO:848:00	: : 8	8 4 10 4 4 1 1 10	69	13:8 N N : M	:::5 * 2 8 :: 5
	Woo	under 5	201005:1:	37 :	a = : : : : : : : :	:	1111111	::: 20 00 00 :: 10
	Holbeck.	over 5	: 4 : 8 4 4 : 4 4	: : 15	7 a 4 0 a a : : +	-	8:5::-	:::%• a a a a -
	Hol	under 5	**********	2 7 :	:a::::p+:	:	1011111	:::022 =:=
	Hunslet.	over	H E : 50 50 F : H II	: : : : : : : : : : : : : : : : : : : :	\$250 E 4:: 2	:	8 : # N N H + N	# : : 5 0 \$ 00 4
	Hu	under 5	200 400 : : :	12 :	19:::::	*	-1111111	а:: # £ ф:: н
	South E.	over 5	: = : = 0 0 : 0 0	: : 3	10 0 0 0 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0	н	5:18 = : 4	1::372:::
	Sou	under	*******	35 1 :	:::-2::	:	:::::::	:::550::"
LEEDS.	West.	over 5	: 0 1 0 E 0 : F 00 :	: " &	14 7 6 6 6 7 1 1 2 5	01	4:50:40	37 37 16
LE	*	under	0 m = 10 : E : : :	39 :	aw::::###	1	::::::	:::% ##:::%
	North.	over	:-:640:00	: : %	00-00 to to to to to	:	8:20004	:::40 64 13 13 13 14 15 15 15 15 15 15 15 15 15 15 15 15 15
		under		£ 00 :	10::::19:	6	-:-::::	:::452:::2
	TOWNSHIPS,	Under and over 5	Tabes mesenterica Tub. meningitis Hydrocephalus Phthisis Tub. peritonitis Other tuberculous Scrofula Anæmia Diabetes, &c	Premature birth Malformations and atelectasis (32)	Brain discase  Meningitis  Apoplexy Paralysis Gen. paralysis Insanity Convulsions Lazyngismus stridulus Other diseases of nervous system	Dis. of organs of special sense	Endocarditis, &c Pericarditis	Laryngitis Croup (membranous) Croup (undefined) Bronchitis Broncho-preumonia Pheumonia Pleurisy Other respiratory

Annual

rate

TOTAL mortality in City. pop.

all ages.

over 5 2002211317582

H : U T 0:00 - D - H 5 F 45

0.01

8 % 200

0 00 mm

0,0

00

D

0,08

37

34

00

90,0

34

27

10,0

40

90.0

308

230

0.05

400000

40:54

15,40

7,505

4,882

7,505

15.2

#### NOTES TO TABLE C.

This table is printed for the first time in the report for 1892. In it the causes of death are more detailed than in the other tables. They are classified as in Table A, part 2, according as the deaths were those of persons under or over the age of five. All the deaths which occurred in the following public institutions: the Infirmary, the Women and Children's Hospital, the Borough Fever and Small-pox Hospitals, the Leeds, Hunslet, Holbeck, Bramley Workhouses, and the Home for Consumptives at Armley (the latter for the first time in 1905), have been classified under the districts to which the patients belonged. The 199 deaths of persons who belonged to no district in the city have been separated in two columns by themselves, as deaths of outsiders; these deaths are, however, included in the total mortality of the city. As far as possible, the order of the Registrar-General has been followed in the arrangement of this table. The horizontal lines correspond with the groups in the Registrar-General's annual report.

Septicamia includes deaths from pyamia (1), phlebitis (4), phagedana (0), septicamia (not puerperal) (9). Parasitic diseases include thrush (0). Starvation includes purpura hamorrhagica (1), scurvy (2), privation and want of breast milk (6), malnutrition (15), and inanition (44 deaths). Rheumatic fever in reports previous to 1892 had only the deaths ascribed in those terms to this disease by the medical attendant. Deaths from acute and sub-acute rheumatism had previously been classed under "rheumatism." A separate line has been given, both in Table C and Table A, to prevent confusion and enable comparison. "Rheumatism" includes chronic rheumatism and disease simply described as "rheumatism" (see Report, 1893, page 144). Anamia includes chlorosis (1), homophilia (1), but not leucocythemia; deaths from the latter have been referred to diseases of the ductless glands. In malformations are included cyanosis (3), patent foramen ovale (0), spina bifida (10), atelectasis (32), imperforate anus (1), cleft palate (2), harelip (3), and (26) other congenital defects.

Brain disease includes deaths registered from such causes as cerebral congestion, cerebral homorrhage, and softening of the brain. Meningitis includes diseases classified as meningitis (95), and spinal (0) meningitis, but not tuberculous. Apoplexy includes all apoplexies not otherwise defined. Paralysis includes hemiplegia, paraplegia, and "paralysis." General paralysis (5) is included under insanity, and does not include deaths from "softening of the brain." Gonvulsions includes diseases so certified, and deaths (0) due to "fits." Fits of apoplexy, &c., come under other headings. We have tried, as far as possible, to keep to the old headings.

Endocarditis, &.c., includes valvular disease of the heart. "Heart disease" includes such diseases as hypertrophy, atrophy, fatty degeneration, weak heart, cardiac disease or degeneration and "disease of the heart." Angina pectoris includes only those deaths in which the symptom but no disease is stated. Aneurism includes all the aneurisms so stated. Other diseases of the circulatory system includes atheroma. Other respiratory diseases includes asthma (21), emphysema (23), empyæma (6), pulmonary congestion (9), "lung disease" (1), and others (9). Tonsillitis, &.c. includes pharyngitis (0), parotiditis (0). Diseases of the stomach includes dyspepsia, hœmatemesis, gastritis. Disease of liver includes hepatitis (2). Diseases of the bowels includes melœna (0), ulcer of intestines, obstruction of bowels, strangulation not due to hernia, intussusception, appendicitis. Kidney disease includes deaths from granular kidney (10), Bright's disease (49), other kidney diseases (18), and uraemia (8). Albuminuria includes only deaths in which the symptom without any pathological cause was registered. Diseases of the urinary system includes calculus, hœmaturia, cystitis and other diseases of the bladder. Disease of the generative organs includes uterine disease (2), ovarian disease (4), and "other diseases" of the generative organs, male (25), female (6). Childbirth includes all the accidents of parturition, except puerperal fever.

Diseases of the bones and joints includes disease of the spinal column, but not, of course, such diseases as spinal sclerosis, which are now referred to disease of the nervous system. A comparison of mortality previous to 1890 is difficult, as the term spinal disease was used to include both diseases of the spinal column and of the spinal marrow. Abscess includes cellulitis (10), carbuncle (4). Injury includes deaths from accident or negligence, homicide, misadventure, suicide, and execution.

TABLE D, Part 1.—Shewing death-rates from certain causes for the years 1890 to 1908.

Influenza and diseases of the air-passages other than consumption.	5.62	11.9	4.26	4.60	3.64	4.34	4.02	3.30	3.41	3.72	4.19	3.46	3.52	3.00	3.21	3.07	2.70	3.15	3.15
Phthisis.	99.1	64.1	1.42	02.1	1.46	1.55	1.50	1.44	1.39	1.41	1.41	141	1.31	1.27	1.40	1.23	1.23	1.29	1.28
Croup (mem- branous and undefined)	60.0	0.08	0.13	81.0	21.0	0.12	60.0	0.10	0.12	0.12	90.0	20.0	0.02	0.03	0.05	0.03	0.03	10.0	10.0
All seven.	2.39	2.41	2.18	3.55	86.1	2.65	2.27	2.79	3.10	2.73	2.93	3.14	2.00	1.74	2.57	09.1	2.23	1.29	1.55
Diarrhœa.	86.0	98.0	01.1	09.1	0.45	1.58	69.0	1.58	1.24	96.0	60.1	1.47	19.0	0.62	10.1	0.80	26.0	0.41	0.20
"Fever." Diarrhæa.	0.30	0.50	0.17	0.30	0.14	0.22	0.51	0.51	0.23	0.17	0.50	61.0	81.0	0.13	0.11	0.12	0.11	90.0	90.0
Whooping cough.	0.20	0.41	0.42	0.44	0.34	0.50	09.0	0.24	0.39	0.38	0.36	0.33	0.46	0.27	0.46	0.27	0.32	0.34	0.56
Diph- theria.	20.0	0.04	0.08	0.15	0.15	0.10	0.10	0.13	0.49	14.0	0.25	0.38	0.18	0.14	60.0	80.0	91.0	0.14	0.10
Scarlatina.	0.28	0.18	0.30	80.0	0.13	0.13	0.18	0.23	0.56	0.15	0.12	61.0	0.13	0.25	0.13	60.0	20.0	0.12	0.03
Measles.	0.27	0.71	0.50	06.0	0.75	0.35	0.48	0.40	0.45	0.37	0.58	0.58	0.43	0.28	0.77	0.24	09.0	0.55	0.37
Small-pox.	00.0	00.0	0.03	80.0	0.01	:	0.00	:	0.00	:	00.00	:	10.0	0.02	00.0	10.0	:	:	:
	1890 (53 wks.)	1891 (52 wks.)	1892 (52 wks.)	1893 (52 wks.)	1894 (52 wks.)	1895 (52 wks.)	1896 (53 wks.)	1897 (52 wks.)	1898 (52 wks.)	1899 (52 wks.)	1900 (52 wks.)	1901 (52 wks.)	1902 (53 wks.)	1903 (52 wks.)	1904 (52 wks.)	1905 (52 wks.)	1906 (52 wks.)	1907 (52 wks.)	1908 (53 wks.)

See note to table D, part 2. I

2. Races from 1890 to 1900 not recalculated.

## TABLE D, Part 2.

### For whole District.

	D 1.:	Birth	S.	Deaths one year			s at all Total.		Deaths	Deaths	Death ages	at all net.
Year.	Population estimated to middle of each year.	Number.	Rate.*	Number	Rate per1,000 births regis- tered.	Number	Rate.*	Deaths in Public Institu- tions.	of non- resid'nts regis- tered in district.	tered beyond	Number	Rate.*
1	2	3	4	5	6	7	8	9	10	11	12	13
+1890	363,018	12,336	33.2	2,128	173	8,370	22.7	819	132	No return	8,238	22.3
1891	369,034	12,538	34.1	2,216	177	8,429	22'9	869	144	do.	8,285	22.2
1892	375,081	12,546	33.6	2,114	168	7,403	19.8	789	129	do.	7,274	19.5
1893	381,157	12,348	32.2	2,542	206	8,512	22'4	874	147	24	8,365	22.0
1894	387,259	12,502	32'4	1,945	156	6,935	18.0	772	142	7	6,793	17.6
1895	393,387	12,478	31.8	2,384	191	8,101	20'7	882	167	No return	7,934	20.5
+1896	399,535	12,573	31.0	2,120	169	7,682	18.9	908	161	8	7,521	18.2
1897	405,716	12,912	31.9	2,454	190	8,148	20.5	881	175	I	7,973	19.7
1898	411,895	12,971	31.6	2,372	183	7,996	19.5	940	142	9	7,854	19.1
1899	418,101	12,939	31.1	2,222	172	8,105	19.5	1,005	181	26	7,924	19.0
1900	424,322	13,091	31.0	2,397	183	8,619	20.4	1,084	184	90	8,525	20'2
1901	430,575	12,898	30.1	2,429	188	8,283	19.3	1,176	171	92	8,204	19.1
11902	437,036	13,245	29.8	2,113	160	7,814	17.6	1,154	211	96	7,699	17.3
1903	443,559	12,996	29.4	1,992	153	7,334	16.6	1,094	184	113	7,263	16.4
1904	450,142	12,561	28.0	2,207	176	8,096	18.0	1,185	173	116	8,039	17.9
1905	456,787	12,337	27°I	1,875	152	7,124	15.6	1,225	178	102	7,047	15.2
1906	463,495	12,093	26.5	1,837	152	7,405	16.0	1,271	183	128	7,350	15.9
1907	470,268	11,678	24.9	1,533	131	7,227	15.4	1,301	188	128	7,167	15.3
Averages for years 1898-1907		12,681	28.8	2,098	165	7,800	17.7	1,144	180	90	7,707	17.5
†1908	477,107	12,007	24.8	1,654	138	7,505	15.2	1,371	199	124	7,430	15.3

<sup>\*</sup> Rates calculated per 1,000 of estimated population. The populations given in column 2 for the 11 years, 1890 to 1900, are those estimated by the method of interpolation from the census figures for 1881, 1891 and 1901. The rest are those of the Registrar-General.

The deaths included in column 7 of this table are the whole of those registered during the year as having actually occurred within the City or of Leeds persons in the fever hospital at Seacroft or the Hunslet workhouse at Rothwell. The deaths included in column 12 are the numbers in column 7, corrected by the subtraction of the numbers in column 10 and the addition of the numbers in column 11. Column 11 is, however, incomplete in some of the years.

By the term "Non-residents" is meant persons brought into the district on account or illness, and dying in some public institution, and paupers from townships outside the City dying at the Workhouse; and by the term "Residents" is meant persons who have died outside Leeds in some public institution, other than our own fever hospitals, and inmates of the County Asylums from the City townships.

<sup>† 53</sup> week years, the others 52.

TABLE E.
VITAL STATISTICS FOR 1908.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the fifty-three weeks ended 2nd January, 1909. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

Districts.	Births.	Birth Rate.	Deaths.	Death All causes.	Rate. 7 Zymotics
Ø ∫North	 1,651	27.67	990	16.59	1.89
West	 1,975	22.72	1,312	15.00	1.24
South-East	 1,220	34.10	871	24.34	2.96
Hunslet	 2,056	25.76	1,176	14.73	2.15
Holbeck	 1,029	27.68	637	17:13	2.45
Wortley	 1,497	22.00	948	13.93	1.10
Kirkstall	 999	19:52	542	10.59	0.72
Bramley	 476	24:32	276	14.10	0.66
Chapeltown	 1,098	23.83	547	11.87	0.72
Osmondthorpe	 6	17:17	7	20.03	2.86
Outsiders	 		199		
Totals	 12,007	24.78	7,505	15:49	1.55

Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards.	D	eaths.	Death:	Wards.		Deaths.	Death
Eastern Divi	ision.		Rate.	Western Di	rision.		Rate.
Central		282	14.10	Mill Hill		116	17:00
North		568	11.66	West		446	18.65
North-East		649	19.43	North-West		469	13.07
East		740	23.90	Brunswick		323	13.73
South		273	19.84	New Wortley		325	17:41
East Hunslet		596	14.82	Armley		581	13.00
West Hunslet		496	14.58	Bramley		318	12.93
Holbeck		553	16.65	Headingley		571	10.85

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in workhouses are included in those of the districts in which these institutions are situated. There were seventy-seven deaths at Manston Hospital during this year.

E. 2.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the thirteen weeks ended 28th March, 1908. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

Districts.	Births.	Birth Rate.	Deaths.		Rate. 7 Zymotics.
o (North	 421	28.8	240	16:4	0.9
West	 535	25.1	386	18.1	0.9
South-East	 318	36.2	251	28.6	3.1
Hunslet	 519	26.5	343	17:5	2.5
Holbeck	 287	31.5	182	20.0	3.4
Wortley	 372	22.3	259	15.5	0.8
Kirkstall	 238	19.0	162	12.0	I.I
Bramley	 105	21.9	76	15.8	0.4
Chapeltown	 294	26.0	161	14.2	0.3
Osmondthorpe	 1	11.7	2	23.3	
Outsiders	 •••		48		
Totals	 3,090	26.0	2,110	17.8	1.4

# Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards. Deaths		. Death	Wards.	D	eaths.	Death Rate.			
Eastern Div	ision.	Rate.	Western Div	Western Division.					
Central	69	14.1	Mill Hill		45	26.9			
North	140	11.7	West		124	21.1			
North-East	180	22.0	North-West		143	16.3			
East	216	28.4	Brunswick		84	146			
South	84	24.9	New Wortley		72	15.7			
East Hunslet	174	17.6	Armley		174	16.0			
West Hunslet	143	17.1	Bramley		89	14.8			
Holbeck	156	19.2	Headingley		169	13.1			

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in workhouses are included in those of the districts in which these institutions are situated. There were twenty-seven deaths at Manston Hospital during this quarter.

E. 3.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the thirteen weeks ended 27th June, 1908. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

Districts.	Births.	Birth Rate.	Deaths.	Death Rate. All causes. 7 Zymoti					
i (North	 447	30.5	222	15.2	1.0				
West South-East	 499	23.4	294	13.8	1.0				
South-East	 329	37:5	191	21.8	1.7				
Hunslet	 539	27.5	266	13.6	1.4				
Holbeck	 255	28.0	136	149	1.0				
Wortley	 363	21.7	215	12.0	0.7				
Kirkstall	 275	21.9	106	8.4	0.5				
Bramley	 126	26.3	56	11.7	0.6				
Chapeltown	 265	23.4	139	12.3	0.0				
Osmondthorpe	 2	23.3	I	117					
Outsiders	 ***		52						
Totals	 3,100	26.1	1,678	141	1.0				

# Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards.		Deaths.	Death	Wards.		Deaths.	Death
Eastern Division.			Rate.	Western Div		Rate.	
Central		73	14.9	Mill Hill		28	16.7
North		136	11.4	West		105	17.8
North-East		148	18.1	North-West		105	11.9
East		158	20.8	Brunswick		65	11.3
South		6 i	18.1	New Wortley		77	16.8
East Hunslet		136	13.8	Armley		129	11.9
West Hunslet		111	13.3	Bramley		65	10.8
Holbeck		118	145	Headingley		III	8.6

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in workhouses are included in those of the districts in which these institutions are situated. There were sixteen deaths at Manston Hospital during this quarter,

E. 4.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the fourteen weeks ended 3rd October, 1908. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

	Districts.	Births.	Birth Rate.	Deaths.	Death Rate. All-causes. 7 Zymoti				
i iv	North	 426	27.0	279	17.7	4.1			
LEEDS.	West	 466	20.3	322	14.0	2.4			
E	South-East	 290	30.7	235	24.9	5.2			
	Hunslet	 513	24:3	309	147	3.4			
	Holbeck	 259	26.4	157	16.0	3.4			
,	Wortley	 431	24.0	220	12.3	1.8			
	Kirkstall	 248	18.3	132	9.8	1.0			
	Bramley	 135	26.1	70	13.5	0.6			
(	Chapeltown	 293	24.1	119	9.8	I.I			
(	Osmondthorpe	 2	21.7	4	43.3	10.8			
	Outsiders	 		59					
	Totals	 3,063	23.9	1,906	14.9	2.6			

Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards. Death	ns. Death	Wards.		Deaths.	Death
Eastern Division.	Rate.	Western Div		Rate.	
Central 70	13.3	Mill Hill		22	12.2
North 156	5 12.1	West		114	18.0
North-East 159	18.0	North-West		110	11.6
East 200	24.5	Brunswick		87	14.0
South 79	21.7	New Wortley		93	18.9
East Hunslet 156	5 14.7	Armley		119	10.5
West Hunslet 115	12.8	Bramley		78	12.0
Holbeck 147	16.8	Headingley		142	10.5

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in workhouses are included in those of the districts in which these institutions are situated. There were nine deaths at Manston Hospital during this quarter,

E. 5.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the thirteen weeks ended 2nd January, 1909. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

Districts.	Births.	Birth Rate.	Deaths.	Death Rate. All causes. 7 Zymoti				
North	 357	24.4	249	17.0	1.4			
West	 475	22.3	310	14.5	0.6			
South-East	 283	32.2	193	22.0	1.7			
Hunslet	 485	24.8	258	1,3.2	1.2			
Holbeck	 228	25.0	162	17.8	2.0			
Wortley	 331	19.8	254	15.2	1.0			
Kirkstall	 238	19.0	142	11.3	0.5			
Bramley	 110	22.0	74	154	1.0			
Chapeltown	 246	21.8	129	11.4	0.6			
Osmondthorpe	 1	12.7						
Outsiders	 ***		40					
Totals	 2,754	23.2	1,811	15.2	1.0			

Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards.		Deaths.	Death	Wards.	Deaths.	Death
Eastern Div	ision.		Rate.	Western Div	Rate.	
Central		70	14.3	Mill Hill	21	126
North		136	11.4	West	103	17.6
North-East		163	19.9	North-West	111	12.6
East		165	21.7	Brunswick	87	15:1
South		49	145	New Wortley	83	18.1
East Hunslet		130	13.2	Armley	159	14.6
West Hunslet		127	15.2	Bramley	86	143
Holbeck		132	16.2	Headingley	149	11'5

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in workhouses are included in those of the districts in which these institutions are situated. There were twenty-five deaths at Manston Hospital during this quarter.

### E. 6.

The following Births and Deaths were recorded in the several Sub-Registration Districts of the City of Leeds during the thirteen weeks ended 3rd April, 1909. The figures in italics after the Births and Deaths give the proportion per annum per 1,000 of the estimated population.

Districts.	Births.	Birth Rate.	Deaths.	Death Rate. All causes. 7 Zymotic					
¿ (North	 415	28.4	273	187	0.8				
West South-East	 472	22.I	383	17.9	0.7				
South-East	 317	36.0	226	25.6	I.l				
Hunslet	 467	23.4	317	15.9	I.I				
Holbeck	 248	26.7	185	19.9	1.5				
Wortley	 330	19.4	244	144	0.6				
Kirkstall	 254	19.7	165	12.8	1.0				
Bramley	 98	20°I	91	18.7	0.8				
Chapeltown	 246	20.9	180	15:3	0.4				
Osmondthorpe	 4	47.4	. 2	23.7					
Outsiders	 		52						
Totals	 2,851	23.6	2,118	17.6	0.0				

Considered as occurring in the Municipal Wards, the foregoing Deaths are classed as follows:—

Wards.	De	aths.	Death	Wards.		Deaths.	Death
Eastern Divi	sion.		Rate.	Western Div		Rate.	
Central		69	14.2	Mill Hill		29	17.7
North	1	94	15.8	West		121	20.7
North-East	I	80	21.6	North-West		141	15.8
East	I	97	25.7	Brunswick		96	16.6
South		73	22.0	New Wortley		76	15.6
East Hunslet	1	37	13.6	Armley		149	13.4
West Hunslet	I	55	18.2	Bramley		110	180
Holbeck	1	61	19.4	Headingley		178	13'5

In both these tables deaths occurring in public institutions have been referred to the districts to which the patients belonged. The births in worknowness are included in those of the districts in which these institutions are situated. There were thirty-four deaths at Manston Hospital during this quarter.

#### TABLE F. (1.)

Shewing Births, Deaths, from all and certain causes, Home Patients of the Dispensary, admissions to the Fever Hospitals, and some of the Meteorological conditions and the Death-rates from certain causes in Leeds: with the Birth and Death-rates from all causes in the 76 large English towns for each of the thirteen weeks ended 28th December, 1907.

í		OCTOBER.							OVE	MBEI	2 1	D	ECE	MBEI	1	1	
-			-	-			Ti.	1000								OR ES.	
	1907.		5th.	12th.	19th.	26th.	2nd.	9th.	r6th.	23rd.	30th.	7th.	14th.	21st.	28th.	TOTALS OR AVERAGES.	VEAR.
			Oct.	Oct.	Oct.	Oct.	Nov.	Nov.	Nov.	Nov.	Nov.	Dec.	Dec.	Dec.	Dec.	TOT	^
3	Total Births Total Deaths	1 2	215	208	208 158	237 158	22I 167	205 120	215	180 152	195	212	180 160	243 171	154	2,673 1,938	7,227
	Under I year I to 2 years 2 to 5 years 5 to 60 years 60 yrs, and upwards	3 4 5 6 7	48 12 9 51 23	52 13 6 43 30	58 9 9 48 34	57 13 5 44 39	49 9 10 65 34	25 6 11 45 33	26 18 13 41 34	36 11 9 50 46	27 6 7 65 43	24 18 16 52 41	29 12 15 60 44	31 14 15 61 50	27 15 9 41 42	489 156 134 666 493	1,533 478 386 2,637 2,193
4	Deaths: Small-pox Measles Scarlet Fever *Diphtheria Whooping-cough (Typhus Fever Typhoid Fever Other or doubtful Diarrhoea or Dysent.	8 9 10 11 12 13 14 15 16	 1 3 1 4 	I I 26	 1 4   15	3 1  1  1	 5 1  1  7	3 2 2 1 	3  4 1 	7 1 1 2 2	10  1  2	 10 1 4  2	11 1 2 4 1	18 2 2 2 1  1	15 2 3 1  4	85 14 21 25  12  95	104 54 69 161  26 
	All seven	17	28	28	21	20	15	12	10	13	13	20	20	25	27	252	608
,	Cholera (English) Croup Dis, of Resp. System Influenza† Phthisis Dis, of Circul, System Violent Deaths Inquest cases Deaths in Pub. Inst.	21 22	24 1 13 13 2 8 19	 22  6 9 4 12 12	25 2 8 11 4 12	32  11 10 8 13 20	37 1 14 14 5 17 24	 20  8 18 3 6 25	33 1 9 7 7 14 28	36 1 13 13 9 19	27 2 13 14 5 18 27	32 1 16 4 10 19 30	37 2 13 22 6 17 27	33 2 13 16 13 22 41	27 3 8 13 4 9	385 16 145 164 80 186 342	1 3 1,477 84 605 739 285 690 1,301
	Dispensary: visits pd.	27	202	232	260	267	297	250	262	276	303	325	370	397	232	3,673	12,214
	Cases admitted to our own hospitals	00	30	33	49	52	26	35	46	21	38	35	32	43	21	461	1,580
-	Attached Ther. °F Dry bulb Wet bulb Humidity Mn.othighestreading ,, lowest ,, ,, daily range Total raintall (inches)	30 31 32 33 34 35 36 37	60.08 56.77 53.31 79.08 60.71 49.00 11.71 0.09 sw.nw	56.8s 52.38 49.62 82.15 58.86 47.14 11.72 0.82	57.62 51.46 49.54 86.85 55.86 46.14 9.72 2.45	56.08 48.23 46.23 86.31 52.86 43.14 9.72	57 54 49 40 47 9- 89 2, 52 71 45 00 7 71 1 13	60.08 50.08 48.62 89.85 53.00 47.00	57.02 46.62 43.38 77.62 51.29 40.57 10.72 0.33	54.69 42.38 40.69 86.92 46.29 37.14 9.15 1.08	51.77 46.08 38.77 89.15 44.29 35.43 8.86	52.77 41.54 39.77 86.38 45.00 36.71 8.29	53.62 43.15 41.00 84.00 46.57 38.00 8.57	54 54 46 77 45 08 87 62 48 71 40 29 8 42	51.83 37.92 36.17 84.58 41.71 35.00 6.71	46.73 44.67 85.37 50.60 41.58 9.02	29 ·84 58 ·53 50 ·68 47 ·26 78 ·33 55 ·48 43 ·08 12 ·40 25 ·74 
	Birth-rate (Leeds) Death-rate (Leeds) Death-rate (76 towns) Birth-rate (76 towns)	42	15.9		23°1 17°5 15°7 25°5		24.5 18.5 15.7 26.5	22.7 13.3 14.6 27.4	14.8	15'3	21.6 16.4 16.0 24.9	16.0	20°0 17°8 16°1 24°4	27.0 19.0 16.8 27.5	17°1 14°9 14°7	22·8 16·5 15·4 25·5	24'9 15'4 15'4 27'0
	D.R. lung dis. (Leeds) D.R. 7 Zymotics		3.1	3.1 3.1	2.8	3.6	4.1	1.3	3.7	4.0 1.4	3.0 1.4	3.6	4°1 2°2	3.7	3.0	3.3	3.3

The Dispensary returns are furnished me by the kindness of the resident staff, and have regard to a week ended in each case a day earlier than that given in the heading.

The meteorological data are compiled from returns sent us by Mr. Crowther. They are uncorrected readings, made at 10 a.m. and 4 p.m. The humidity each week is the average of the humidities calculated on each of the thirteen observations of the wet and dry bulbs. On January 17th, 1906, the attached thermometer was removed into an inner room in which there was a fire.

<sup>\*</sup> Includes membranous croup. Line 19 includes non-spasmodic croup not returned as membranous. † Line 20 includes line 21,

## TABLE F. (2).

Shewing Births. Deaths, from all and certain causes, Home Patients of the Dispensary, admissions to the Fever Hospitals, and some of the Meteorological conditions and the Death-rates from certain causes in Leeds: with the Birth and Death-rates from all causes in the 76 large English towns for each of the thirteen weeks ended 28th March, 1908.

			JAI	NUAF	RY.		F	EBR	UARY	Y.		MAR	RCH.		
1908.		Jan. 4th.	Jan. 11th.	Jan. 18th.	Jan. 25th.	Feb. 1st.	Feb. 8th.	Feb. 15th.	Feb. 22nd.	Feb. 29th.	Mar. 7th.	Mar. 14th.	Mar. 21st.	Mar. 28th.	TOTALS OR AVERAGES.
Total Births Total Deaths	1 2	222 144	224 169	280 177	238 147	237 175	246 160	207 204	211 179	234 168	238 172	243 143	249 134	261 138	3,090 2,110
Under 1 year	3 4 5 6 7	23 10 13 53 45	40 15 11 51 52	31 13 6 71 56	19 16 14 56 42	29 13 9 59 65	33 16 11 56 44	36 12 13 72 71	23 20 9 59 68	26 13 14 57 58	29 12 12 65 54	21 14 6 54 48	23 5 7 60 39	28 12 5 54 39	361 171 130 767 681
Deaths: Small-pox Measles Scarlet Fever *Diphtheria Whooping-cough Typhus Fever Typhoid Fever Other or doubtful Diarrhæa or Dysent.	8 9 10 11 12 13 14 15 16	 5  1 2  2	 12 I I I 	 10 3 5 	 II 7  I	6 6 1	3 3 3 8 	5  5  2	5 2  4 	 5  1  1	3  7  1	3 1  4 	5  1 1  2	3 4 	 75 8 17 55  9 
All seven	17	10	15	20	20	15	18	13	12	_ 7	13	8	10	10	171
Cholera (English) Croup Dis. of Resp. System Influenza† Iththisis Dis. of Circul, System Violent Deaths Inquest cases Deaths in Pub. Inst.	21	1 31 1 12 15 11 19 23	45 1 9 17 9 19	 41 2 18 15 7 16 25	38 1 16 12 4 11 21	52 4 15 25 5 14 32	30 1 10 17 9 16 35	 64 13 10 21 4 13 37	56 15 13 25 5 16 25	50 14 13 19 8 14 31	55 12 19 17 9 15 33	31 12 14 10 5 12 33	34 11 8 15 6 16 22	31 3 15 13 4 10 27	558 90 172 221 86 101 365
Dispensary: visits pd.	27	294	256	285	309	315	280	281	379	356	298	351	390	411	4,205
Cases admitted to our own hospitals	28	26	23	35	34	25	43	29	28	29	36	22	26	26	382
Attached Ther, "F Dry bulb	30 31 32 33 34 35 36 37 38 39 40	47 '23 33 '54 31 '85 81 '08 36 '29 30 '29 6 '00 0 '01 NE 1	48.46 38.23 36.85 86.23 42.50 31.50 0.84 sw 1	50·54 43·62 41·46 81·92 46·14 36·29 9·85 0·02 sw 1	48·85 36·46 34·85 84·85 39·86 31·14 8·72 0·04 sw 1	47 '54 41 '38 38 '08 74 '31 45 '43 35 '29 10 '14 0 '44 w 2	51·62 43·54 40·77 79·31 47·90 36·14 10·86 0·03 NW I	53.85 44.54 42.15 83.00 47.57 39.86 7.71 0.13 w.nw	54°46 45°92 43°54 83°23 49°29 40°57 8°72 0°78 w 2	52'46 41'69 38'92' 79'00 45'57' 36'00 9'57' 0'37' w 2	50°46 37°92 35°69 82°08 42°29 33°29 9°00 1°18 NE NW I	54'54'42'15'39'15'77'77'48'00'36'29'11'71'0'36'www_2'	53:46 38:08 35:31 76:92 42:29 30:86 11:43 0:87 NE I	57:23 45:31 41:92 77:62 49:71 36:86 12:85 1:19 sw I	40°95 38°50 80°59 44°79 34°99 9°80 6°26  I
Birth-rate (Leeds) Death-rate (Leeds) Death-rate (76 towns) Birth-rate (76 towns)	42	16.0	24.2 18.2 19.3 29.3	30.6 19.4 20.0 29.4	26.0 16.1 18.5 27.5	18.3	26.9 17.5 18.3 29.7	22.6 22.3 18.6 27.8	23.1 19.6 18.4 25.8	25.6 18.4 17.3 26.2	26.0 18.8 17.6 28.3	26.6 12.6 12.6 15.6	27.2 14.7 16.9 27.8	28.5 15.1 17.4 27.6	26.0 17.8 17.9 28.3
D.R. lung dis. (Leeds) D.R. 7 Zymotics	45 46	3.4 1.1	4.6 1.6	4.2 5	4.5	5.7	3.3	7.0 1.4	1.3 6.1	5.2	6.0	3.4	3.7	3,4	4.7 1.4

The Dispensary returns are furnished me by the kindness of the resident staff, and have regard to a week ended in each case  $\alpha$  day earlier than that given in the heading.

The meteorological data are compiled from returns sent us by Mr. Crowther. They are uncorrected readings, made at to a.m. and 4 p.m. The humidity each week is the average of the humidities calculated on each of the thirteen observations of the wet and dry bulbs. On January 17th, 1906, the attached thermometer was removed into an inner room in which there was a fire.

<sup>\*</sup> Includes membranous croup. Line 19 includes non-spasmodic croup not returned as membranous. † Line 20 includes line 21.

## TABLE F. (3).

Shewing Births, Deaths, from all and certain causes, Home Patients of the Dispensary, admissions to the Fever Hospitals, and some of the Meteorological conditions and the Death-rates from certain causes in Leeds: with the Birth and Death-rates from all causes in the 76 large English towns for each of the thirteen weeks ended 27th June, 1908.

	_						MAY.								
		-	A	PRII				М.	AY.			JU	NE.		a4 vi
1908.		Apl. 4th.	Apl. 11th.	Apl. 18th.	Apl. 25th.	May 2nd.	May 9th.	May 16th.	May 23rd.	May 30th.	June 6th.	June 13th.	June 20th.	June 27th.	TOTALS OR AVERAGES.
Total Births Total Deaths	1 2	225 159	225 141	236 132	234 121	265 150	249 137	234 134	250 121	224 142	254 120	209 102	252 109	243 110	3,100 1,678
Under 1 year	3 4 5 6 7		24 13 8 54 42	12 12 12 49 38	7 3 60 30	22 6 5 67 50	35 16 8 34 44	23 12 8 51 40	26 16 7 44 28	29 10 8 59 36	23 10 11 47 29	26 9 5 28 34	18 7 .5 57 22	20 13 6 41 30	316 138 97 657 470
Deaths: Small-pox Measles Scarlet Fever *Diphtheria Whooping-cough Typhus Fever Typhoid Fever Other or doubtful Diarrhœa or Dysent.	8 9 10 11 12 13 14 15 16	6	3 1 1 5  1	5  1 2  1	 I I  2 	3  1 2  1	8  2 3 	7  2  1	 5  2  	2 2 1 2  1	3 3 	3	1  4 	 2  4  	39 4 11 40  6 
All seven	17	7	13	9	4	7	15	12	9	10	12	4	6	11	119
Cholera (English) Croup  Dis. of Resp. System Influenza† Phthisis Dis. of Circul. System Violent Deaths Inquest cases Deaths in Pub. Inst.	21	 46 4 16 19 7 14 29	27 6 11 12 2 7 35	23 1 11 10 6 11 28	26  16 15 4 7 28	30 3 16 15 4 14 29	32 2 9 8 3 12 20	19 15 19 9 16 38	 23 1 11 8 7 12 21	22  18 12 6 18 42	25 1 8 16 5 9 20	20  16 8 4 14 27	12 1 13 14 7 12 27	 23  9 11 3	328 19 169 167 67 157 363
Dispensary: visits pd.	27	392	376	370	254	320	336	357	336	308	321	227	265	269	4,131
Cases admitted to our own hospitals	28	33	30	22	23	27	23	22	28	26	29	12	19	19	313
Humidity Mn.ofhighestreading ,, lowest ,, daily range Total rainfall (inches) Wind {Direction Force 0-6 Amount of Cloud  Birth-rate (Leeds) Death-rate (76 towns) Birth-rate (76 towns)	30 31 32 33 34 35 36 37 38 39 40 41 42 43 44	59'31'47'85'43'08'68'62'52'43'40'43'12'00'0'41' w 2 24'6 17'4 16'8 27'6	58'40'31'42'54'74'77'50'43'38'43'12'00'0'15'NE'NW I	50 83 45 42 40 67 68 25 52 00 38 00 14 00 0 09 NE 1  25 8 14 4 15 2 25 0	52 54 40 38 37 00 74 00 45 71 34 00 11 71 0 57 NW 1  25 6 13 2 15 4	57 15 53 38 49 38 76 23 58 14 42 86 15 28 1 58 NE SE 1	60°38 55°23 51°15 76°00 59°43 46°71 12°72 0°82 sw w 1	62'46 54'54 50'23 74'54 59'43 44'57 14'86 0'69 SB NE 1  25'6 14'7 13'2	02 15 56 92 52 15 72 08 63 43 47 14 16 29 0 38 NW 1  27 3 13 2 13 2	03.15 62.77 56.31 67.15 69.00 48.29 20.71 0.01 NESW 1  24.5 15.5 12.6	05'54 64'08' 57'92' 68'54' 70'29' 50'00 20'29' 0'37' NE I  27'8 13'I 12'7	62'38 59'92 53'54 65'08 63'29 50'00 13'29 0'08 W 2  22'9 11'2 11'8	61.77 58.54 52.46 67.38 63.14 47.86 15.28 0.40 sw.w. 1  27.6 11.9 11.6	65.62 66.15 59.38 65.46 73.00 50.43 22.57	60.62 54.79 49.61 70.64 59.98 44.52 15.46 5.55  1  26.1 14.1 13.7 28.0
D. R. lung dis. (Leeds) D. R. 7 Zymotics	45 46		3°0 1°4	1.0 5.2	2.8	3.3	3.2	1.3 1.3	1.0	2'4	2.4	2°2 0°4	0.4	3.2 1.5	2.8 1.0

1

The Dispensary returns are furnished me by the kindness of the resident staff, and have regard to a week ended in each case a day earlier than that given in the heading.

The meteorological data are compiled from returns sent us by Mr. Crowther. They are uncorrected readings, made at 10 a.m. and 4 p.m. The lumidity each week is the average of the humidities calculated on each of the thirteen observations of the wet and dry bulbs. On January 17th, 1906, the attached thermometer was removed into an inner room in which there was a fire.

<sup>\*</sup> Includes n.embranous croup. Line 19 includes non-spasmodic croup not returned as membranous. † Line 20 includes line 21.

## TABLE F. (4).

Shewing Births, Deaths, from all and certain causes, Home Patients of the Dispensary, admissions to the Fever Hospitals, and some of the Meteorological conditions and the Death-rates from certain causes in Leeds: with the Birth and Death-rates from all causes in the 76 large English towns for each of the fourteen weeks ended 3rd October, 1908.

							AUGUST.   SEPTEMBER.									
	JULY.									1		OR ES.				
1908.		July 4th.	July 11th.	July 18th.	July 25th.	Aug. 1st.	Aug. 8th.	Aug. 15th.	Aug. 22nd.	Aug. 29th.	Sep. 5th.	Sep. 12th.	Sep. 19th.	Sep. 26th.	Oct. 3rd.	TOTALS OR AVERAGES.
Total Births Total Deaths	1 2	243	216 124	212	251 132	215 135	175 150	218 162	229 179	229 151	199	229 125	241 133	200 132	206 133	3,063 1,906
Under I year	3 4 5 6 7	21 7 4 49 29	24 7 4 53 36	27 5 3 41 24	33 5 9 47 38	51 7 4 43 30	55 8 11 47 29	57 13 6 54 32	77 13 8 53 28	55 8 6 46 36	54 10 2 46 28	28 12 2 53 30	36 11 5 47 34	34 9 7 46 36	36 8 13 40 36	588 123 84 665 446
Deaths: Small-pox Measles Scarlet Fever *Diphtheria Whooping-cough Typhus Fever Typhoid Fever Other or doubtful Diarrhoea or Dysent.	8 9 10 11 12 13 14 15 16	3	3 4	 I 2  I	4 1  1	3  1  21	 2  1  23	3	3	 2   34	 I I  28	 2  1  	3 14	 2   14	 2  5  	25 1 6 28  3  274
All seven	17	8	15	9	17	26	27	43	64	36	30	18	17	16	11	337
Violent Deaths	19 20 21 22 23 24 25	 18 1 8 13 3 8	16 2 11 15 3 9 24	1 13  8 8 8 4 8 22	17  6 6 6 10 15 27	18  11 7 6 9 21	23  14 9 8 13	13 1 15 11 4 12 23	18 1 16 8 5 14 26	14  12 12 12 9 14 20	 9  5 10 9 16 24	13  17 12 3 8 34	23  5 14 10 17 24	20 I 8 II 7 II 30	 27  7 17 6 11 26	2 242 6 143 153 87 165 341
Dispensary: visits pd.	27	229	204	276	282	225	208	273	224	220	244	233	239	265	228	3,350
Cases admitted to our own hospitals	28	30	11	13	18	27	21	Į Į	14	19	29	16	20	17	-26	272
Attached Ther, °F Dry bulb Wet bulb Humidity Mn. ofhighestreading ,, lowest ,, ,, daily range Total rainfall (inches) Wind { Direction Force 0-6 Amount of Cloud	30 31 32 33 34 35 36 37 38 39 40 41 42 43	69°15 68°46 60°31 63°08 77°00 54°14 22°86 0°03 E 1	64'46'60'54'56'46'77'62'65'14'53'29'11'85'1'02'NE'1'02'13'6'11'4	63.62 59.54 56.08 80.15 64.43 53.00 11.43 1.31 W.W. 1 23.2 10.9 11.1	67.77 68.38 61.00 64.46 73.57 55.71 17.86 0.01 W I  27.4 14.4 11.9	70.31 66.77 58.77 60.85 72.00 53.86 18.14  w 1	70.77 65.46 59.38 68.38 71.71 54.86 16.85 0.02 w 1	66.46 60.38 55.38 71.85 64.29 52.29 12.00 0.25 w 1 	64.00 58.92 55.38 79.23 64.00 52.14 11.86 0.57 NE NW 1  25.0 19.6 15.8	65.85 61.69 56.38 70.38 66.86 51.57 15.29 0.76 sw 2  25.0 16.5 15.6	61.54 55.62 50.31 69.92 63.00 47.00 16.00 0.58 w.ne 1  21.8 15.3 14.6	61:46 57:38 52:54 71:77 62:43 49:43 13:00 0:12 NW W 2  25:0 13:7 14:2	60.00 59.31 56.08 80.92 64.00 49.71 14.29 0.64 sw 1  26.4 14.5 13.9	61 38 58 31 56 00 85 92 63 00 52 00 11 00 0 88 NB 1  21 9 14 4 13 2	65.62 66.92 62.31 76.92 74.29 54.86	29 '90 65 '17 61 '98 56 '88 72 '96 6 ' '55 52 '42 15 '13 6 '32 1 23 '9 14 '9 13 '3 26 '9
D.R. lung dis. (Leeds) 4 D.R. Diarrhœa 4	15	2.0	1.7	1.4	1.0	2.0	2.2	1'4	2.0	1.2	1.0	1.4	2.2	2.5	3.0	1.9

The Dispensary returns are furnished me by the kindness of the resident staff, and have regard to a week ended in each case a day earlier than that given in the heading.

The meteorological data are compiled from returns sent us by Mr. Crowther. They are uncorrected readings, made at 10 a.m. and 4 p.m. The humidity each week is the average of the humidities calculated on each of the thirteen observations of the wet and dry bulbs. On January 17th, 1906, the attached thermometer was removed into an inner room in which there was a fire,

<sup>\*</sup> Includes membranous croup. Line 19 includes non-spasmodic croup not returned as membranous. † Line 20 includes line 21.

#### TABLE F. (5).

Shewing Births, Deaths, from all and certain causes, Home Patients of the Dispensary, admissions to the Fever Hospitals, and some of the Meteorological conditions and the Death-rates from certain causes in Leeds: with the Birth and Death-rates from all causes in the 76 large English towns for each of the thirteen weeks ended 2nd January, 1909.

_										u jan	- 77						
			(	OCTO	BER.		N	OVE	MBEF	٤.		DEC	M 16				
1908.		Oct. 10th.	Oct. 17th.	Oct. 24th.	Oct. 31st.	Nov. 7th.	Nov. 14th.	Nov. 21st.	Nov. 28th.	Dec. 5th.	Dec. 12th.	Dec. 19th.	Dec. 26th.	Jan. 2nd.	TOTALS OR AVERAGES,	YEAR.	
	Total Births	1 2	263 117	222 163	196 128	209 139	201	198 146	221 145	201 118	184 160	221 158	238 146	164 120	236 156	2,754 1,811	12,007 7,505
1 2 5	Inder I year to 2 years to 5 years to 60 years o yrs. and upwards	3 4 5 6 7	47 7 5 31 27	53 9 9 59 33	26 19 10 39 34	41 14 9 39 36	31 9 4 43 28	28 14 7 55 42	27 12 11 48 47	20 2 9 50 37	31 7 6 68 48	17 10 6 63 62	24 5 5 48 64	14 12 6 50 38	30 8 11 59 48	389 128 98 652 544	1,654 560 409 2,741 2,141
	Deaths: Small-pox Measles Scarlet Fever *Diphtheria Whooping-cough Typhus Fever Typhoid Fever Other or doubtful Diarrhœa or Dysent.	8 9 10 11 12 13 14 15 16	··· 2 ··· ·· ·· ·· ·· ·· 7	 4  2  3  14	3  1  3	 5  1 	    5	3  I I 	6 1 2 1 2	 4  1 	 I I 	3	3 3 3 	4 4 	5  4 2  3 	 42 1 16 17  7  41	 181 14 50 140  25  341
1	All seven	17	9	24	7	11	6	7	12	6	3	3	10	10	16	124	751
I	Dis. of Resp. System nfluenza† Phthisis Dis. of Circul. System Violent Deaths nquest cases	21	 24  5 3 5 13	 30  18 16 3 13 25	 25  7 13 3 11 16	 29  6 10 7 16 23	 27  6 15 4 10	38 2 11 14 4 8	32 I II I7 7 17 22	29  11 11 10	43 1 15 15 12 15 36	38 I 13 20 6 21 26	32 I 10 8 3 10 22	 22  15 12 5 11 30	 30  9 12 11 26 34	399 6 137 166 70 181 299	2  1,527 121 621 707 310 694 1,368
		27	237	296	288	299	267	323	344	326	270	309	296	273	22 <b>I</b>	3,749	15,435
_	Cases admitted to our own hospitals		48	30	23	36	22	21	25	37	29	24	42	30	34	401	1,368
II N	Innitity In. ofhighest reading In. of highest reading In. of highest reading In. of highest rainfall (inches) In. of highest reading In. of high reading In.	31 32 33 34 35 36 37 38 39 40	56 92 54 77 86 62 63 71 50 43 13 28 0 23 NESE 1	59 05 56 15 53 92 86 00 60 86 50 29 10 57 0 08 NB I	55 40 49 77 47 62 85 00 54 71 45 43 9 28 0 57 E NE 2	55 92 51 77 50 31 90 08 56 00 43 29 12 71 0 36 NE SE 1	60°15 48°31 46'92 90'00 51'71 43'29 8'42 0'02 SENR I	50 77 44 69 43 00 87 62 50 86 38 43 12 43 0 65 8E I	57.77 46.15 44.23 86.08 50.71 41.57 9.14 0.17 w	58'00 49'69 46'85 80'54 53'71 42'86 10'85 0'33 w 2	55 15 38 77 37 77 90 92 43 29 34 57 8 72 0 05	54 54 42 15 40 69 88 38 45 86 37 57 8 29 0 51 w I	55 09 44 31 43 08 90 54 47 71 40 14 7 57 0 62 8w I	54 25 43 50 42 17 89 33 45 57 39 43 6 14 0 03 E SE I	45 23 34 62 33 62 84 15 38 14 28 86 9 28 0 59 8E I	46·70 45·01 87·32 50·99 41·24 9·75 4·21	29°90 58°63 51°31 47°68 77°79 56°08 43°49 12°59 22°34  I
I	Birth-rate (Leeds) Death-rate (Leeds) Death-rate (76 towns) Birth-rate (76 towns)	42 43 44	12.8	13.9	14.0	15.3	12.6	16.0	24°2 15°6 15°6 24°3	22.0 12.9 15.6 24.4	20°I 17°5 15°6 23°I	24.2 17.3 15.5 24.6	26.0 16.0 15.3 24.8	17.9 13.1 12.9 18.5	25.8 17.1 18.2 25.0	23°2 15°2 14°9 24°9	24.8 15.5 14.9 27.0
DI	R. lung dis. (Leeds) R. 7 Zymotics.,	45 46	2.6	3.3	2.2 0.8	3.5	3'0	4°2 o°8	3.2	3.5	4°7 0°3	4°2 0°3	3.2	2'4 1'1	3'3	3'4 1'0	3.5

The Dispensary returns are furnished me by the kindness of the resident staff, and have regard to a week ended in each case a day earlier than that given in the heading.

The meteorological data are compiled from returns sent us by Mr. Crowther. They are uncorrected readings, made at 10 a.m. and 4 p.m. The humidity each week is the average of the humidities calculated on each of the thirteen observations of the wet and dry bulbs. On January 17th, 1906, the attached thermometer was removed into an inner room in which there was a fire.

<sup>\*</sup> Includes membranous croup. Line 19 includes non-spasmodic croup not returned as membranous. † Line 20 includes line 21.

#### TABLE F. (6).

Shewing Births, Deaths, from all and certain causes, Home Patients of the Dispensary, admissions to the Fever Hospitals, and some of the Meteorological conditions and the Death-rates from certain causes in Leeds; with the Birth and Death-rates from all causes in the 76 large English towns for each of the thirteen weeks ended 3rd April, 1909.

		1	IANU	ARY		F	EBR	UAR	Υ.	MARCH.					
1909		Jan. 9th.	Jan. 16th.	Jan. 23rd.	Jan. 30th.	Feb. 6th.	Feb. 13th.	Feb. 20th.	Feb. 27th.	Mar. 6th.	Mar. 13th.	Mar. 20th.	Mar. 27th.	Apl. 3rd.	TOTALS OR AVERAGES.
Total Births Total Deaths	1 2	210 152	217 150	222 139	186 180	218 156	200 157	249 143	192 147	200 178	212 196	230 174	251 189	264 157	2,851
Under 1 year	3 4 5 6 7	29 10 5 60 48	34 17 6 54 45	8 8 63 48	26 10 6 77 61	27 8 10 53 58	20 6 13 72 46	21 3 9 54 56	23 3 5 67 49	23 5 6 79 65	34 7 7 73 75	33 7 13 65 56	23 13 6 65 82	23 13 10 60 51	328 104 104 842 740
Deaths: Small-pox  Measles Scarlet Fever *Diphtheria Whooping-cough Typhus Fever Typhoid Fever Other or doubtful Diarrhœa or Dysent.	8 9 10 11 12 13 14 15 16	3	5 4  5 4  2	3 	I I I 	2 3  2	5 4  2	3 1	 I I 	3  1	1 2 I	5  1	5  I I	 1 3 	25 4 27 24  14
All seven	17	11	16	10	4	8	13	6	2	6	6	8	7	6	103
Cholera (English) Croup Dis. of Resp. System Influenza† Phthisis Dis. of Circul System Violent Deaths Inquest cases Deaths in Pub. Inst.	21	36 3 9 14 6 11 22	33  11 14 6 14 31	40 3 14 15 9 15 28	 42 2 15 24 7 19 34	46 3 12 11 9 15 28	43 5 17 11 6 9 32	35  12 15 8 14 32	44 5 14 22 5 16 29	58 3 12 26 3 13 29	73 13 14 17 5 20 29	48 9 17 21 6 13 26	65 16 10 14 6 20 45	 42 5 14 16 4 12 29	605 67 171 220 80 191 394
Dispensary: visits pd.	27	307	301	284	320	301	301	303	341	363	366	375	279	351	4,192
Cases admitted to our own hospitals	28	25	27	39	26	32	26	41	35	26	20	25	35	29	386
Wet bulb	30 31 32 33 34 35 36 37 38 39 40 41	53'38 42'69 41'08 87'15 46'29 38'29 8'00 0'13 NW W 2 	52 08 40 77 38 08 79 15 44 86 36 14 8 72 0 86 w 2 23 4 16 2	53.77 39.15 37.08 53.23 43.71 33.86 9.85 0.01 w 2 	47 '23 31 '15 29 '85 86 '23 36 '57 26 '43 10 '14 0 '01 E I 	54.77 44.54 42.54 85.69 48.57 38.00 10.57  w 5 	52.23 36.54 35.08 86.69 39.29 32.86 6.43 0.30 NB 3  21.6 16.9	53.38 39.77 36.77 76.85 45.43 32.00 13.43 0.03 W E 2  26.8 15.4	50°54 36°92 34°54 79°62 43°43 30°43 13°00 0°01 NW NE 1 	48 00 34 00 33 00 89 46 38 00 28 14 9 86 0 41 EWN 1	50'46'36'92'35'62'88'77'40'00'32'86'7'14'0'79'NE NW 2	53.85 41.31 38.31 76.62 46.71 33.43 0.16 NE 2  24.8 18.8	50.08 44.46 41.54 79.46 49.00 37.43 11.57 0.50 w se 2  27.1 20.4	57.62 47.15 44.00 78.54 51.43 38.86 12.57 0.99 NE 2  28.5 16.9	52°57 39°64 37°50 82°88 44°10 33°75 10°35 4°20  2 
D.R. lung dis. (Leeds)	44	3.9 1.2		4 1		5.0	1 4	3.8 0.6 18.1		6·3	7.9 0.6	22°1 27°4 5°2 0°9	7.0 0.8	17.9 27.9 4.5 0.6	18·7 26·7 5·0

The Dispensary returns are furnished me by the kindness of the resident staff, and have regard to a week ended in each case a day earlier than that given in the heading.

The meteorological data are compiled from returns sent us by Mr. Crowther. They are uncorrected readings, made at 10 a.m. and 4 p.m. The humidity each week is the average of the humidities calculated on each of the thirteen observations of the wet and dry bulbs. On January 17th, 1906, the attached thermometer was removed into an inner room in which there was a fire.

<sup>\*</sup> Includes membranous croup. Line 19 includes non-spasmodic croup not returned as membranous. † Line 20 includes line 21.



