

[Report 1897] / Medical Officer of Health, Mirfield U.D.C.

Contributors

Mirfield (England). Urban District Council.

Publication/Creation

1897

Persistent URL

<https://wellcomecollection.org/works/cdvsvmjn>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Merfield Urban District Council.

Report of the Medical Officer of Health for the Year
1897.

To the Melfield Urban District Council.

ANNUAL REPORT FOR 1897.

GENTLEMEN,

It is my privilege once again to present you with an Annual Report of the number of Births registered in your District; also an account of the Deaths; together with the amount of preventable Sickness; and to try to point out what useful Sanitary work has been done, and where in the near future your efforts should be directed. Sanitary work must be always progressing, and I hope you will all agree with me that the numbers for 1897 are most satisfactory; they appear to me to point out conclusively that the work performed by the Council and its Officials is beginning to tell; but a great deal more requires to be done before you can stay your hand from spending money.

Population.

I am estimating the population to the middle of June, 1897, at 12,110. A slight reduction has been made, as the navvies engaged on the new Railway have all left.

Births.

During the year 317 births (165 males, 152 females,) have been registered. This is the largest number since 1887, the number then being 337, and 74 above the average of the last 10 years. In the tabulated list below you will see the number for the last 10 years. The birthrate for the year is at the rate of 26.17 per 1,000; for England and Wales it is 29.7.

In 1888	...	...	...	308	In 1893	...	...	...	308
" 1889	...	...	...	270	" 1894	...	...	...	256
" 1890	...	...	...	270	" 1895	...	...	...	262
" 1891	...	...	...	261	" 1896	...	...	...	239
" 1892	...	...	...	263	" 1897	...	...	...	317

Deaths.

During the year 166 deaths have been registered, (87 males, 79 females) 63 less than the preceding year, and 44 below the average of the last 10 years. The deathrate for the year is at the rate of 13.74 per 1,000. For England and Wales it is 17.4. You will see by the tabulated list below that in this year the great decrease in the mortality has been between the ages of 5 years and 25, though as you will see in all the periods of life the figures are more favourable.

Tabulated list of deaths since 1888 according to age as requested by the Local Government Board—

	1888	1889	1890	1891	1892	1893	1894	1895	1896	1897	T'tls
Under 1 year	48	49	42	42	66	43	41	38	44	39	452
1 year and under 5 years	26	44	32	39	15	20	24	26	39	23	288
5 years	15	18	8	15	7	13	10	11	17	5	119
15 "	11	9	17	13	15	15	21	8	18	5	132
25 "	60	48	51	78	49	64	61	72	61	52	596
60 " and upwards.	36	59	67	72	64	47	38	45	50	42	520
Totals	196	227	217	259	216	202	195	200	229	166	2107

Infants.

The deaths of 39 infants during the year is 6 below the average of the last 10 years. The infant deathrate is at the rate of 3.22 per 1,000 deaths; and 81.26 per 1,000 births registered as against 184.10 in 1896.

Phthisis.

This disease, which is considered more or less a preventable one, has caused 11 deaths, 7 below the average of the last 8 years. From the numbers given below it looks as if this disease is steadily, and we hope surely decreasing. I may here mention that I consider that the dwellings of Mirfield, being spread over such a wide area, help to diminish the risk of this disease, and I hope the Council will always continue to urge upon persons building cottages, the necessity of having plenty of space around them, as the Microbes of Phthisis will not flourish in pure air.

In 1890	...	25 deaths.	In 1893	...	20 deaths.	In 1896	...	14 deaths.
" 1891	...	15 "	" 1894	...	27 "	" 1897	...	11 "
" 1892	...	16 "	" 1895	...	19 "			

Pneumonia, Pleurisy, Bronchitis.

The diseases of the Respiratory System have caused 34 deaths, 15 of these being children under 5 years of age. Although the number is the same as in 1896, the per centage of deaths is greater than in that year, as you will see by the following table.

In 1890	...	46 out of 217 deaths.	In 1894	...	43 out of 195 deaths.
" 1891 (<i>Influenza year</i>)	79 "	259 "	" 1895	...	44 " 200 "
" 1892	...	56 " 216 "	" 1896	...	34 " 229 "
" 1893	...	52 " 202 "	" 1897	...	34 " 166 "

Deaths not certified.

There has been one death uncertified.—An infant 3 months old.

Inquests.

There were 15 Inquests held during the year as against 17 in 1896, & 20 in 1895. I am pleased to note there has been a greater number of Post Mortem Examinations as compared with former years, for without these examinations the real cause of these sudden deaths cannot be accurately ascertained. *e.g.*—1.—A Man aged 43 years found dead in bed, the verdict was "Dyspepsia aggravated by neglect of himself". 2.—An Infant 12 weeks old "Debility from premature birth, &c." 3.—An Infant 7 months old "Convulsions about 20 minutes, &c." 4.—A Woman aged 57 years, knocked down by a vehicle on the Highway, "Rupture of Spleen," post mortem revealed the correctness of the Diagnosis. 5.—A Boy aged 14 years fractured his skull by falling off the scaffold at Calder Bridge constructed for the new Railway. 6.—A Man aged 55 years injured on the head by a trap door falling on him, he lived 10 weeks. 7.—A Man aged 53 years found dead in the field, cause of death attributed to Bronchitis and Heart Disease. 8.—A child aged 3 yrs. 6 months burnt by her dress catching fire, lived 31 hours. 9.—A Woman aged 49 years, Chronic Rheumatism aggravated by neglect. 10.—A Woman aged 34 years, Cerebral Hæmorrhage came on while helping to move a piece at a Woollen Mill, lived 13 days, a post mortem was held. 11.—A Man aged 56 years was found hanging, his feet touching the floor, verdict Temporary Insanity. 12.—A Man aged 49 years, died from Pneumonia as a result of accidentally falling into the River Calder. 13.—A Man aged 55 years, died suddenly in bed, verdict probably Heart Disease. 14.—A Man aged 52 years, died suddenly on his way home. P.M. disclosed Disease of Heart & Bloodvessels, Liver & Kidneys. 15.—A Woman aged 38 years, Heart Disease.

Zymotic.

The deaths due to the Zymotic class are 22, comparing favourably with 1896, and 4 below the average of the last 10 years. You will see there has been a diminution in the deaths from Scarlet Fever, Measles, & Diphtheria, but an increase in those from Diarrhoea.

	88	89	90	91	92	93	94	95	96	97	Total
Smallpox	0	0	0	0	1	1	0	0	0	0	2
Scarlet Fever	11	7	0	2	1	3	0	1	13	2	40
Measles	0	22	0	11	0	0	0	10	15	0	58
Typhoid Fever	2	3	2	4	0	2	0	0	2	1	16
Continued Fever	0	0	0	3	3	0	0	0	1	0	7
Diarrhoea	1	2	0	2	3	7	4	4	2	8	33
Diphtheria	1	3	5	6	0	0	3	2	4	2	26
Membranous Croup	0	1	6	2	1	0	1	1	1	0	13
Erysipelas	0	2	1	3	3	0	1	0	0	0	10
Pycæmia	0	1	0	0	0	0	0	0	0	0	1
Puerperal Fever	0	0	0	1	0	0	1	0	1	2	5
Whooping Cough	4	12	5	3	5	4	6	0	8	7	54
Total	19	53	19	37	17	17	16	18	47	22	265

Infectious Diseases Notification Act.

During the year 95 cases have been notified, as against 339 in 1896—of these 95 cases, 19 were children under 5 years of age. The following list will show you the number of cases and deaths in each year since the adoption of the Act in 1890:—

	1890		1891		1892		1893		1894		1895		1896		1897	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Smallpox	0	0	0	0	11	1	9	1	0	0	0	0	0	0	0	0
Scarlet Fever	10	0	41	2	23	1	39	3	13	0	32	1	339	13	66	2
Diphtheria	8	4	16	6	5	0	0	0	6	3	8	2	26	4	10	2
Membranous Croup	6	5	3	2	1	1	0	0	1	1	1	1	4	1	2	0
Typhoid Fever	13	4	4	4	2	0	3	2	3	0	17	0	14	2	5	1
Continued Fever	0	0	3	3	1	1	0	0	0	0	1	0	0	1	0	0
Puerperal Fever	0	0	1	0	1	0	0	0	1	1	0	0	1	1	3	2
Erysipelas	4	1	11	3	16	3	4	0	10	0	9	0	10	0	9	0
Cholera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	41	14	79	20	60	7	55	6	34	5	68	4	394	22	95	7

I will once more call your attention to the diminishing number of deaths in proportion to the cases notified—

In 1890—14 deaths in 41 cases, or 1 death in 2.95

" 1891—20 " 79 " 1 " 3.95

" 1892—7 " 60 " 1 " 8.57

" 1893—6 " 55 " 1 " 9.16

" 1894—5 " 34 " 1 " 6.98

" 1895—4 " 68 " 1 " 17.0

" 1896—22 " 394 " 1 " 17.90

" 1897—7 " 95 " 1 " 13.4

Smallpox.

There have been no cases during the year. As mentioned in my last Report, the systematic neglect of vaccination will some day, not far distant, be a cause of great anxiety and expense to the Council.

Scarlet Fever.

This Fever seems to be endemic amongst us. As you will see from the above table it has been more or less prevalent for the last eight years. I do not think enough care is exercised by the parents; the men ought to have their clothes disinfected *after* the removal of the patient to the Fever Hospital, and *before* they go to their work; this applies equally to all the members of the family in which the illness occurs; if this were done it would in all probability prevent a second case in the same house. Of the 66 cases there has been one from Eastthorpe; 19 from Lower Hopton; 10 from Upper Hopton; 12 from Battysford; 5 from Knowle; 11 from Northorpe; 2 from Lee Green; 2 from Towngate; 3 from Church Lane: of these 13 were notified in January, 6 in March, 7 in April, 1 in May, 1 in July, 2 in August, 9 in September, 9 in October, 11 in November, and 7 in December. You will see that nearly half the cases have occurred in Hopton, but to that I shall allude again.

Diphtheria & Membranous Croup

12 cases and 2 deaths, as against 30 cases and 5 deaths in 1896. These occurred in the following places and months:—2 in June—1 in Lower Hopton, and 1 in Eastthorpe; 1 in July at Lower Hopton; 2 in August at Upper Hopton; 2 in September at Upper Hopton; 3 in October—1 at Lower Hopton, 2 in Dark Lane; 2 in December at Upper Hopton. Hopton again claiming 9 out of the 12 cases, and Upper Hopton 6 out of the 9.

Typhoid & Continued Fevers.

5 cases and 1 death during the year, as compared with 14 cases and 2 deaths in 1896. These 5 cases appeared in the following parts of the District, viz:—1 at Northorpe in January; 1 at Eastthorpe (Lowlands) in February; 1 at Wellhouse Lane in October; and 2 in November, 1 being at Battysford, the other at Lower Hopton. The precautions taken in each case prevented any spread of the disease.

Puerperal Fever.

3 cases with 2 deaths. This is a larger number of cases than we have had for some years, and more than we ought to have.

Measles.

The District has been fairly free from this disease during the year, never shewing any signs of spreading. We have usually had an epidemic every 2 or 3 years, often fatal amongst very young children. If ever we are to be able to check an epidemic of Measles, it must be by receiving early intimation of the first case. I think you should make notification compulsory in the way I mentioned last year.

Whooping Cough.

7 deaths from this disease, against 8 in 1896. They occurred as follows—1 in January at Lower Hopton; 1 in March at Crossley; 1 in April at Snakehill; 3 in May at Battysford; 1 in August at Battysford. Five of these cases were at Battysford. This disease is not sufficiently guarded against, and with proper care ought not to be so fatal as it is.

Erysipelas.

9 cases, no deaths. All these were over 5 years of age, all adults or nearly so.

Drainage.

The drainage of Upper Hopton requires as much speed as possible for its completion. The continued prevalence of Fever and Diphtheria in that District is due in a very great measure to the absence of any drainage from most, if not all the Farms from which the inhabitants draw their milk supply. Contaminated milk is in my opinion a fruitful cause of Fever.

Water.


The Water supplied to the Township has been abundant in quantity, and the quality has been better. There have also been fewer complaints of lead poisoning.

Occupation.

I have again drawn out a Summary of the Occupation, Disease, and Ages of Deaths for the year—if this is regularly followed out, we may be able to gather some very useful information as regards the healthfulness or the reverse of different occupations—I will again mark out the deaths from Phthisis & their occupation and compare with 1896:—

In 1896.			In 1897.		
Coal Miner,	aged 19 years.		Market Gardener,	aged 51 years	
Colliery Banksman,	" 42 "		Card Room Tenter, (female)	" 16 "	
Railway Engine Cleaner	" 23 "		Railway Engine Driver	" 44 "	
Wood Sawyer	" 37 "		Machine Tenter in Woollen Mill		
Wood Turner	" 39 "		(female)	" 35 "	
Farmer	" 51 "		Carder in Cotton Mill	" 49 "	
2 Woollen Weavers (females)	" 26 & 17 "		Woollen Card Cleaner	" 41 "	
1 do. do. (male)	" 36 "		Woollen Spinner	" 48 "	
Dressmaker	" 22 "				

Occupation.	Age.	Disease.
Colliery Banksman ...	Æt 43 years.	...Found dead in bed
Quarryman ...	54 "	...Pneumonia
Grocer ..	70 "	...Heart Disease
Labourer on New Railway ..	35 "	...Pneumonia
Maltster's Labourer...	56 "	...Pneumonia
Waggoner...	55 "	...Accident
Shoemaker ...	68 "	...Bronchitis, &c.
Cloth Fuller ...	28 "	...Rheumatic Fever
Machine Tenter in Woollen Mill (female)	35 "	...Phthisis Pulmonalis
Mason ...	44 "	...Bronchitis and Asthma
Coal Leader ...	53 "	...Found dead in field
Cotton Spinner ...	70 "	...Disease of Knee
Market Gardener ...	81 "	...Apoplexy
Overlooker in Woollen Mill ...	66 "	...Dyspepsia, &c.
Maltster ...	51 "	...Disease of Heart, &c.
Carder in Cotton Mill ...	49 "	...Pneumonic Phthisis
Boat-builder ...	31 "	...Tubercular Enteritis
Road Stone Breaker ...	63 "	...Bronchitis
Station Master ...	50 "	...Heart Disease
Iron Broker ...	72 "	...Cancer
Weaver (male) ...	62 "	...Jaundice, &c.
Market Gardener ...	67 "	...Hemiplegia
do. do. ...	51 "	...Pneumonic Phthisis
Card Room Tenter...	16 "	...do. do.
Master Maltster ...	61 "	...Pernicious Anæmia
Keel Owner ...	56 "	...Suicide
Pit Sinker...	66 "	...Bronchitis
Painter ...	46 "	...Apoplexy
Cloth Finisher ...	73 "	...Senile Decay
River Sand Dredger...	49 "	...Pneumonia after falling in River
Blanket Raiser ...	55 "	...Sudden Death
Railway Engine Driver ...	44 "	...Phthisis Pulmonalis
Bacon Factor ...	80 "	...Ulcerative Colitis
Coal Miner ...	68 "	...Cancer
Railway Labourer ...	29 "	...Lead Poisoning & Bright's Disease
Blanket Weaver ...	58 "	...Cancer
Working Maltster ..	74 "	...Heart Disease, &c.
Woollen Card Cleaner	41 "	...Acute Pnæumonic Phthisis
do. do. ...	65 "	...Bronchitis
House Painter ...	52 "	...Disease of Heart, &c.
Green Grocer ...	54 "	...Bronchitis



Occupation.	Age.	Disease.
Grocer	Æt 42 „	...Acute Rheumatism
Auctioneer's Clerk	" 20 „	...Typhoid Fever
Cabinet Maker, &c.	" 64 „	...Heart Disease, &c.
Woollen Spinner	" 19 „	...Caries of Spine
Maltster	" 68 „	...Bronchitis
Currier and Farmer	" 90 „	...Old Age
Woollen Spinner	" 48 „	...Pneumonic Phthisis

Infectious Hospital.

This Hospital was opened for the reception of Scarlet Fever cases on September 21st, and from that date to the end of the year 24 cases were admitted belonging to Mirfield, with one death, viz:—3 in September, 8 in October, 6 in November, 7 in December. This Hospital is supplying what was a great want, viz: the early isolation of cases of Scarlet Fever. At the same time it is not large enough. A Convalescent Room is wanted; also a Ward or two Wards for Typhoid Fever; this not so much for ourselves as for our neighbours at Liversedge, for it appears that while we seem always to have Scarlet Fever amongst us, they seem to have Typhoid. We have also felt the great want of a Private Ward; but all future additions should be of a more permanent character.

During the year a great deal of useful work has been done by your Inspector, he has given me very willing assistance at all times, for which I am very grateful.

I am, Gentlemen,

Your obedient Servant,

THOS. B. FAIRCLOUGH,

May 14th, 1898.

MEDICAL OFFICER OF HEALTH.

Abstract of the Report

The following report was prepared for the purpose of showing the results of the work done during the year 1900. It is divided into two parts, the first of which contains a general statement of the work done, and the second contains a detailed statement of the work done in each of the several departments.

The work done during the year 1900 was of a general nature, and was directed towards the improvement of the methods of teaching the subjects of the course.

The work done during the year 1900 was of a general nature, and was directed towards the improvement of the methods of teaching the subjects of the course.

THE TEACHERS

The following are the names of the teachers who have been employed during the year 1900.