

[Report 1902] / Medical Officer of Health, Mirfield U.D.C.

Contributors

Mirfield (England). Urban District Council.

Publication/Creation

1902

Persistent URL

<https://wellcomecollection.org/works/pv36a4y2>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.


This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.




Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>


... Mirfield ...
Urban District Council.



Report of the Medical Officer of Health
for the Year 1902.



Annual Report for 1902.



GENTLEMEN,


In once more presenting you with my Annual Report of the sanitary condition of the district, together with the statistics in relation to Births, Deaths, and Disease, you will perhaps agree with me: that it is on the whole satisfactory.

Population.—On comparing the number of births and deaths which have taken place during 1902, there is an excess of 79 births over deaths—there being 276 births. 197 deaths, and as 39 infants died under one year, I am calculating an addition of 40 to the population, which is perhaps a doubtful increase, more especially when we consider that a few miners have left the neighbourhood finding work elsewhere; the Mills have however, been fully employed.

Births.—During the year 276 births have been registered—136 males, 140 females.—The birthrate for the year is at the rate of 24.24 per 1000; for 1901 it was 25.26. For England and Wales the birthrate is 28.6.

I also give you the number of births, arranged in quarters, for the last 3 years; also the total number for the last 10 years, the number of births are 6 below the average of the last 10 yrs., though in 1894, 1895, 1896, & 1899, the numbers are lower than in 1902.

	1900	1901	(1902 males females)		
In the first quarter	83	82	80—	40	40
„ second „	76	83	68—	34	34
„ third „	69	65	61—	29	32
„ fourth „	73	68	67—	33	34
	301	298	276	136	140



Digitized by the Internet Archive
in 2018 with funding from
Wellcome Library

<https://archive.org/details/b29802003>

Number of births registered during the last 10 years—

In 1893	-	308	In 1898	-	314
„ 1894	-	256	„ 1899	-	268
„ 1895	-	262	„ 1900	-	301
„ 1896	-	239	„ 1901	-	298
„ 1897	-	317	„ 1902	-	276

Deaths.—197 deaths have been registered as having taken place in Mirfield during 1902—97 males, 100 females. 9 of these were non-residents—2 males, 7 females; 4 died at the Memorial Hospital, 2 belonging to Ravensthorpe, 1 to Thornhill, and 1 to York. 3 died at the Crossley Hospital, 1 belonging to Liversedge, 1 to Mapplewell, and 1 to Cleckheaton. 1 belonging to Huddersfield, died while on a visit. Of the other the native town was not mentioned. This brings the deaths down to 188. Then there have been two deaths at the West Riding Lunatic Asylum, kindly notified by Dr. Kaye, this brings the number to 190. There have also been 6 deaths—3 males, 3 females—at the Dewsbury Union Workhouse, kindly notified by the Master, bringing the total to 196. Thus taking off the number of deaths of non-residents dying in the district, and adding the number of deaths of residents dying away, reduces the total number of deaths by 1. The deathrate for year for the 197 deaths is at the rate of 17.30—3 below the average of the last 10 years—while for the 196 it is 17.21: for England and Wales the deathrate is 16.3, the lowest annual deathrate ever recorded for England and Wales. You will observe in the tabulated list for the preceding 10 years, in 1894, 1897, 1899, 1900, & 1901, the number of deaths irrespective of calculation of population, is lower than in 1902, the other years being in some cases a good deal more.

I again give you the number of deaths arranged in the quarters ending March, June, Sept., and Dec., comparing the 3 preceding years, thinking this may give us a better idea of the healthiness or otherwise of the different seasons—

		1890		1891			1892		
				M.	F.	Total	M.	F.	Ttl.
Quarter ending	March	31	71	34	29	63	23	32	55
„	June	30	43	17	28	45	30	24	54
„	Sept.	30	39	18	25	43	16	22	38
„	Dec.	31	43	24	18	42	28	22	50
Total		196		93	100	193	97	100	197

[Faint, illegible text, likely bleed-through from the reverse side of the page. The text appears to be organized into several paragraphs.]

I daresay some may be interested in noticing in which months more deaths take place, at the different age periods, and for comparison I include 3 years, viz. 1900, 1901, & 1902.

For 1900 :—	Jan.	Feb	Mar	Apl	May	June	July	Aug	Sep	Oct	Nov	Dec	T'tls
Under 1 year ...	6	7	4	5	5	2	2	7	1	3	2	3	47
1 year & under 5 yrs.	5	4	3	1	nil	1	1	1	1	1	3	2	23
5 years " 15 "	nil	nil	1	1	1	nil	nil	nil	nil	1	nil	1	5
15 " " 25 "	nil	2	2	1	nil	nil	nil	1	1	nil	nil	2	9
25 " " 65 "	9	8	7	8	7	4	6	7	4	4	4	4	72
65 " and upwards.	5	7	1	1	6	nil	2	4	1	4	3	6	40
Total ...	25	28	18	17	19	7	11	20	8	13	12	18	196

For 1901 :—	Jan	Feb	Mar	Apl	May	June	July	Aug	Sep	Oct	Nov	Dec	T'tls
Under 1 year ...	3	5	2	6	2	2	3	7	4	1	1	4	40
1 year & under 5 yrs.	1	2	2	1	1	nil	nil	nil	1	1	nil	4	13
5 years " 15 "	1	nil	1	nil	2	nil	2	1	nil	nil	nil	nil	7
15 " " 25 "	2	nil	1	1	1	nil	1	nil	nil	1	nil	nil	7
25 " " 65 "	5	8	7	4	9	4	7	4	5	7	4	8	72
65 " and upwards	9	9	5	4	4	4	2	4	2	2	4	5	54
Total ...	21	24	18	16	19	10	15	16	12	12	9	21	193

For 1902 :—	Jan	Feb	Mar	Apl	May	June	July	Aug	Sep.	Oct.	Nov	Dec	T'tls
Under 1 year ...	3	2	7	5	5	2	nil	3	4	5	2	1	39
1 year & under 5 yrs.	1	1	3	1	2	3	3	1	1	1	3	nil	20
5 years " 15 "	nil	nil	1	nil	2	nil	nil	nil	1	1	1	1	7
15 " " 25 "	2	nil	1	nil	1	nil	2	2	nil	1	nil	1	10
25 " " 65 "	9	7	8	6	6	6	3	3	5	4	8	9	74
65 " and upwards.	4	2	4	3	8	4	6	2	2	2	4	6	47
Total ...	19	12	24	15	24	15	14	11	13	14	18	18	197

Also yearly for 10 years :—

	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902	T'tls
Under 1 year ...	43	41	38	44	39	42	31	47	40	39	404
1 year & under 5 yrs	20	24	26	39	23	15	19	23	13	20	222
5 years " 15 "	13	10	11	17	5	12	7	5	7	7	94
15 " " 25 "	15	21	8	18	5	12	7	9	7	10	112
25 " " 65 "	64	61	72	61	52	82	74	72	72	74	684
65 " and upwards...	47	38	45	50	42	55	51	40	54	47	469
Total ...	202	195	200	229	166	218	189	196	193	197	1985



And also divided according to sex :—

<i>Infants under 1 year</i>	...39	...	18 males	21 females
<i>1 year & under 5 yrs.</i>	...20	...	11 "	9 "
<i>5 yrs. " 15 "</i>	...7	...	5 "	2 "
<i>15 " " 25 "</i>	...10	...	1 "	9 "
<i>25 " " 65 "</i>	...74	...	42 "	32 "
<i>65 years and upwards</i>	...47	...	20 "	27 "

Causes of the Infant Deaths.—7 died from Bronchitis, 3 from Broncho-pneumonia, 6 from Measles, 2 from Whooping Cough, 1 from Acute Dyspepsia, 4 from Enteritis (Diarrhœa), 4 from Convulsions, 2 from Dentition, 3 from Premature Birth, 4 from Congenital Debility, 1 was found dead in bed, 2 from Atelactasis.

12 died during the 1st. quarter...	Jan. 3,	Feb. 2,	Mar. 7.
12 " " " 2nd. " ...	Apl. 5,	May 5,	June 2.
7 " " " 3rd. " ...	July nil.	Aug. 3,	Sep. 4.
8 " " " 4th. " ...	Oct. 5,	Nov. 2,	Dec. 1.

The infant mortality is 141.3 per 1000 births registered
 For England & Wales it is 133 " " "
 For 76 great Towns " 145 " " "
 For 103 smaller Towns 135 " " "
 For England & Wales, less the 179 Towns, 119 do. do.

1 year & under 5 yrs.—11 males—9 females, total 20, as against 13 in 1901, although considerably more than in 1891 it is still 2 below the average of the last 10 years.

Five died in the 1st. Quarter.	Jan. 1,	Feb. 1,	Mar. 3.
Six " 2nd. " ..	Apl. 1,	May 2,	June 3.
Five " 3rd. " ..	July 3,	Aug. 1,	Sep. 1.
Four " 4th. " ...	Oct. 1,	Nov. 3,	Dec. nil.

Causes of the deaths :

	1901	1902
Broncho-pneumonia	... nil	3
Pneumonia	... nil	1
Measles	... 1	3
Tubercular meningitis	... 1	3
Convulsions	... nil	1
Phthisis (Tubercular)	... 2	1
Scarlet Fever	... nil	3 (1 Lv'sedge)
Jaundice	... nil	1
Dentition	... 2	1
Heart	... nil	1



Bronchitis...	1	1
Enteritis (Diarrhœa)	2	1
Whooping Cough	1	nil
Typhoid Fever	1	L'sedge nil
Diphtheria	1	nil
Burns	1	nil

5 years and under 15 years.—7 deaths—5 males, 2 females (1 non-resident) the same number as in 1901, but if we deduct the death of the non-resident there were only 6.

1 died in the 1st quarter—in March.

2 „ 2nd „ in May.

1 „ 3rd „ in Sept.

3 „ 4th „ 1 in Oct. 1 in Nov. 1 in Dec.

Causes of the deaths :	1901	1902
Tubercular Meningitis	—	2
„ Disease of Bowels	2	—
„ „ Lungs	1	1
Diphtheria	1	—
Typhoid Fever	—	1 Liversedge
Scarlet „	1	—
Measles	—	1
Nephritis	1	—
Influenza and Bronchitis	—	1
Dyspepsia	1	—
Burns	—	1

15 years & under 25.—10—1 male, 9 females, 2 were non-residents—one more than in 1901.

3 died in the 1st. Quarter, Jan. 2, Feb. 0, Mar. 1.

1 „ 2nd. „ in May.

4 „ 3rd. „ July 2, Aug. 2.

2 „ 4th. „ Oct. 1, and Dec. 1.

Cause of death :	1901	1902
Acute Peritonitis	2	—
Broncho-pneumonia	1	—
Pneumonia	1	1
Measles, &c.	—	1
Typhoid Fever	1 non-resident.	1 non-resident.
Heart Disease	—	2
Phthisis Pulmonalis	—	1
Tubercular Meningitis	—	1
Gastric Ulcer, opr.	—	1 non-resident.
Cerebral Abscess	—	1
Drowning	—	1



25 yrs. & under 65.—74 deaths—42 males, 32 females
2 more than in 1901.

24	in the 1st. Quarter...	Jan. 9,	Feb. 7,	Mar. 8.
18	" 2nd. "	Apl. 6,	May 6,	June 6.
11	" 3rd. "	July 3,	Aug. 3,	Sept. 5.
21	" 4th. "	Oct. 4,	Nov. 8,	Dec. 9.

Cause of death :

	1901	1902
Bronchitis	7	3
Pneumonia	4	7
Broncho-Pneumonia...	1	—
Heart Disease	16	15
Hemiplogia	(2	1)
Apoplexy	(2	6)
Osteo-Arthritis	1	—
Phthisis Pulmonalis...	5	10
Enteritis & Diarrhœa ...	2	—
Typhoid Fever	3(1 non-resid't)	1 non-resident
Puerperal „	1	—
Bright's Disease	6	2
Cirrhosis	2	1
Alcoholism	1	—
Epilepsy	1	—
Ulcer	1	—
Malignant Disease	12	6
Hernia... ..	2	—
Biliary Colic	1	—
Diabetes	1	—
Suicide	1	3
Accidents	—	3
Erysipelas	—	1
Septic Inflammations ...	—	3
Pernicious Anæmia	—	2
(Anæmia c Lead Poisoning	—	1
{ Due in a great measure to his employment		
Gout	—	1
Nephritis	—	3
Cirrhosis of Kidneys	—	1 non-resident
Tubercular Joints	—	1
Pericarditis	—	1
Appendicitis	—	1
Intestinal Obstruction ...	—	1
	<hr/> 72	<hr/> 74



65 years and upwards.—47, 20 males, 27 females

In 1901—54, 23 " 31 "

10 died in the	1st. Quarter...	Jan. 4,	Feb. 2,	Mar. 4.
15 "	2nd. "	Apl. 3,	May 8,	June 4.
10 "	3rd. "	July 6,	Aug. 2,	Sep. 2.
12 "	4th. "	Oct. 2,	Nov. 4,	Dec. 6.

Cause of death.	1901	1902
Heart Disease	10	7
Apoplexy	6	6
Senile Decay	8	11
Bronchitis	7	9
Malignant Disease	4	3
Rheumatism	—	2
Accidents	—	2
Sudden death	1	1
Diabetes	—	1
Jaundice	—	1
Tuberculosis	2	1
Senile Gangrene	2	1
Cirrhosis of Liver	—	1
Softening of Brain	—	1
Pneumonia	3	—
Broncho-Pneumonia	2	—
Laryngitis	1	—
Influenza	1	—
Cystitis	2	—
Paraplegia	1	—
Diarrhœa	1	—
Dyspepsia	1	—
Bright's Disease	2	—
	54	47

Phthisis Pulmonalis or Tubercular Disease of Lungs.—12 deaths have taken place from this disease during the year...4 males, 8 females. Ages—13 months, 12 years, 17 years, 26 years, 27 years, 31 years, 41 years, 47 years, 50 years, 52 years, 58 years, and 70 years. Occupation of the males—Cloth Finisher, aged 70; Gardener's Labourer, aged 52; Woollen Warper, aged 47. Residences—Camm Lane, Hand Bank, and Towngate. Occupation of Females—2 were Woollen Weavers, aged 50 and 17 years; 1 was a Domestic Servant aged 58; 4 were married, aged 26, 27, 30, and 41; 1 was a child, 12 years of age. Residences—Lower Hopton, Towngate, Lower Row, Nab Lane.



As I stated in my Report last year, I have not yet heard of a Sanatorium where poor people can be treated. A great deal more can be done at home, windows should be made so as they could not be shut, instead of, as is so often the case in Mirfield at any rate, kept shut, and bags, filled either with sand or bran, so placed that no fresh air enters the bedrooms.

No. of deaths for the last 10 years :

In 1893 ... 20 deaths	In 1898 .. 18 deaths.
„ 1894 ... 27 „	„ 1899 ... 15 „
„ 1895 ... 19 „	„ 1900 ... 10 „
„ 1896 ... 14 „	„ 1901 ... 8 „
„ 1897 ... 11 „	„ 1902 ... 12 „

Total 156. 3 less than the average for the last 10 years.

7 deaths have also occurred from diseases of a Tuberculous nature.

Pneumonia, Pleurisy, Bronchitis, and Broncho-Pneumonia.—35 deaths ; 17 males, 18 females. (In 1901 there were 32 deaths from diseases of the respiratory system.) Of the 35 deaths, 4 were in January, 2 in February, 2 in March, 4 in April, 4 in May, 1 in June, 2 in July, 0 in August, 2 in September, 3 in October, 5 in November, 6 in December. 14 were children under 4 years of age, most of them infants a few months old, while 9 were over 70, 4 being over 80 years. Occupations of some of the adults—retired gardener, farmer's teamer, lamplighter, power loom tuner, railway guard, actress, worker in cotton mill, farmer, retired dressmaker.

Deaths not certified.—One infant, 4 months old. Death supposed to have been due to Convulsions. Apparently no Inquest considered necessary.

Cancer.—This disease has been the cause of 9 deaths—2 males (1 non-resident), and 7 females. The occupation of the 2 males, one a stoker, and the other a coal miner, aged respectively 54 and 69. The ages of the 7 females—39, 42, 43, 59, 62, 66, and 73.

As I mentioned last year, the majority again lived in low-lying parts of the district, viz :—2 at Battysford, 1 at Ravens-thorpe, 1 at East-thorpe, 2 at Lower Hopton ; the remaining 3 lived on higher ground, viz :—Mirfield Moor, Greenside, and Northorpe.



In 1901 there were 18 deaths—9 males, 9 females.

In 1900 „ 12 „

In 1899 „ 21 „

Inquests.—13 Inquests have been held during the year on 9 males and 4 females, the cause of death being as follows :
Injured Spine (fracture) at his work.

Scalds extensive „ „

2 fell in their homes living only a few days

2 were drowned

2 committed suicide by strangulation

1 „ „ cutting the throat

3 were found dead in bed—one being an infant, the ages of the other two were 64 and 71

one, a child, died from burns on the chest.

In 1897 there were 15 inquests

„ 1898 „ 12 „

„ 1899 „ 15 „

„ 1900 „ 19 „

„ 1901 „ 6 „

I will now direct your attention to the deaths and illnesses of the Zymotic class:—the number of deaths in 1902 is 22—males 12, females 10, five of these were non-residents, one Scarlet Fever from Mapplewell died at Crossley Hospital; three Typhoid from Liversedge, also died at Crossley Hospital; one infant from Huddersfield: this reduces the deaths to 17.

I think in the future the deaths of non-residents should be omitted from the tables, if our tables are to be an accurate account for Mirfield:

Table of deaths of the Zymotic class for 10 years:—

	93	94	95	96	97	98	99	1900	1901	02	T'tl.
Smallpox ...	1	0	0	0	0	0	0	0	0	0	1
Scarlet Fever ...	3	0	1	13	2	2	1	2	1	2	27
Measles ...	0	0	10	15	0	2	1	4	2	11	45
Typhoid Fever ...	2	0	0	2	1	2	1	2	4	0	14
Continued „ ...	0	0	0	1	0	0	0	0	0	0	1
Diarrhœa ...	7	4	4	2	8	9	2	3	7	1	47
Diphtheria ...	0	3	2	4	2	0	1	2	2	0	16
Membranous Croup ...	0	1	1	1	0	1	1	0	0	0	5
Erysipelas ...	0	1	0	0	0	0	0	2	0	1	4
Puerperal Fever ...	0	1	0	1	2	1	0	1	0	0	6
Whooping Cough ...	4	6	0	8	7	2	1	2	1	2	33
Total ...	17	16	18	47	22	19	8	18	17	17	199



Smallpox.—No cases occurred during the year.—There was one case which caused us a little anxiety at first, but subsequent events proved its true nature, and that it was not smallpox—where our cases of smallpox should be treated has been several times under discussion, and at last the Dewsbury Corporation have very kindly consented to take our cases, provided they had empty beds.

Scarlet Fever.—There have been 43 cases & 2 deaths of this disease during the year—of these 18 were males, and 25 females, 30 of these were removed to the Crossley Hospital, 13 were treated at home. Only in one instance after a child had returned home, did the illness break out again, while in the 13 treated at home, 2nd, & even 3rd. & 4th. attacks took place. It is most difficult to completely isolate a patient at home. The disease broke out in the following places: East-thorpe 3, Lower Hopton 4, Upper Hopton 3, New Scarbro' 1, Battieford 4, Bracken Hill 2, Nab Lane 1, Knowl 7, Old Bank 3, Nickhouse 1, Crossley Lane 3, Northorpe 9, Shillbank 2; and in the months as shewn in the following tables, and for six years:

	1897	1898	1899	1900	1901	1902	Tt'l.
January ...	13	1	7	2	0	1	24
February ...	0	17	9	2	6	2	36
March ...	6	5	8	1	3	9	32
April ...	7	4	9	0	1	5	26
May ...	1	5	0	3	5	8	28
June ...	0	5	5	1	5	7	23
July ...	1	2	5	3	3	1	15
August ...	2	4	1	3	2	1	13
September..	9	7	1	2	3	3	25
October ...	9	9	0	3	10	3	34
November...	11	5	5	1	1	2	25
December...	7	10	2	3	0	1	23
Total	66	74	58	24	39	43	304

Diphtheria & Membranous Croup.—There have been no cases notified during the year. This has been the only year since the Notification Act was adopted in Feby, 1900.

Typhoid Fever.—Three cases during the year, 2 males & 1 female, all recovered, 2 were removed to Crossley, one remained at home, being too ill at the time for removal. Two were at Upper Hopton and occurred in the early part of the year; the other at Wellhouse Lane in the latter part of the year. In 1901 there were 6 cases and two deaths.



You are again to be congratulated on the comparative immunity from this Fever.

Whooping Cough.—2 deaths—1 male, 1 female ; both infants under one year, also belonging to Lower Hopton, both deaths occurred in August. Not enough attention is paid to this disease.

Measles—This disease has been the cause of 11 deaths : 6 males & 5 females, 8 were children under 2 years of age, in fact 6 were under 12 months. Very young children succumb easily to acute diseases, the disease was more prevalent in the Lower Hopton and Battyeford districts, and during the months of March, April, May and June.

Erysipelas—10 cases--6 males, 4 females ; one death. One in January, 2 in March, 3 in May, 1 in October, 2 in November, 1 in December. This disease is more prevalent in cold weather, most of the cases were in persons over 45 years of age, 4 being over 60 years, viz : 64, 2 at 65, 1 at 66, the youngest was 18 years old. The cases occurred in different parts of the district. In 1901 there were 8 cases.

Diarrhœa—The name of this disease for death returns has been altered ; I will not enter into the details of the several names, they may be certified under 5 different names, but practically the same disease. There have been 5 deaths of infants : 2 at 2 months, 1 at 4 months, and 2 at 9 months.

Infectious Notification Act.

The total number of cases notified during the year has been 57 :

Scarlet Fever...43...2 deaths.	Typhoid Fever...3
Erysipelas ...10...1 death.	Smallpox ...1

Below you will see the number of cases notified since Feb. 1st, 1890—also the number of deaths :

In 1890	41 cases	..	14 deaths	..	1 in 2.95
" 1891	79 "	...	20 "	...	1 " 3.95
" 1892	60 "	...	7 "	...	1 " 8.57
" 1893	55 "	...	6 "	...	1 " 9.16
" 1894	34 "	...	5 "	...	1 " 6.98
" 1895	68 "	...	4 "	...	1 " 17.00
" 1896	394 "	...	22 "	...	1 " 17.9



In 1897	95 cases	...	7 deaths	...	1 in 13.4
" 1898	106 "	...	6 "	...	1 " 17.
" 1899	72 "	...	4 "	...	1 " 18.
" 1900	53 "	...	9 "	...	1 " 5.8
" 1901	58 "	...	5 "	...	1 " 11.6
" 1902	57 "	...	3 "	...	1 " 19.0

Water—The Town's Water has been very plentiful during the year; there have been fewer complaints of the discolouration of the water.

Crossley Hospital.

This Hospital is continuing to do very useful work: 32 cases belonging to Mirfield have been under treatment. I mentioned in my last annual Report that we were greatly in need of a new Ambulance; this was started during the year, I mean the collecting of subscriptions, which has been successfully carried out. It is a great boon, the patients are now comfortably conveyed to the Hospital.

During 1892 no systematic inspection of Factories and Workshops took place, due in a great measure to the change in the Sanitary Inspectorship.

It is with great pleasure I have to thank the Sanitary Inspectors, first Mr. Ledgard and then Mr. Haworth, for their readiness and willingness in carrying out my suggestions. I believe our treatment of infectious disease and its surroundings are being conducted on the best principles.

I am, Gentlemen,

Your obedient Servant,

THOS. B. FAIRCLOUGH,

MEDICAL OFFICER OF HEALTH.

July, 1903.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
125 WEST 4TH STREET
NEW YORK, N. Y.

1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
125 WEST 4TH STREET
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
125 WEST 4TH STREET
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
125 WEST 4TH STREET
NEW YORK, N. Y.

1911

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
125 WEST 4TH STREET
NEW YORK, N. Y.

THE NEW YORK PUBLIC LIBRARY
ASTOR LENOX TILDEN FOUNDATION
125 WEST 4TH STREET
NEW YORK, N. Y.

Table of Cases of Infectious Diseases under the
Notification Act.

			1892		1893		1894		1895		1896	
			Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Smallpox	11	1	9	1	0	0	0	0	0	0
Scarlet Fever	23	1	39	3	13	0	32	1	339	13
Diphtheria	5	0	0	0	6	3	8	2	26	4
Membranous Croup	1	1	0	0	1	1	1	1	4	1
Typhoid Fever	2	0	3	2	3	0	17	0	14	2
Continued Fever	1	1	0	0	0	0	1	0	0	1
Puerperal Fever	1	0	0	0	1	1	0	0	1	1
Erysipelas	16	3	4	0	10	0	0	0	10	0
Cholera	0	0	0	0	0	0	0	0	0	0
Total	60	7	55	6	34	5	68	4	394	22

1897		1898		1899		1900		1901		1902		Total.	
Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
...	0	0	0	0	0	0	0	0	0	1	0	21	2
...	66	2	75	2	58	1	24	2	39	1	43	751	26
...	10	2	8	0	3	1	4	2	5	2	0	75	16
...	2	0	1	1	1	1	1	0	0	0	0	12	6
...	5	1	6	2	2	1	11	2	6	2	3	72	12
...	0	0	0	0	0	0	0	0	0	0	0	2	2
...	3	2	1	1	0	0	2	1	0	0	0	9	6
...	9	0	15	0	8	0	11	2	8	0	10	101	6
...	0	0	0	0	0	0	0	0	0	0	0	0	0
...	95	7	106	6	72	4	53	9	58	5	57	1052	78

