

**San Francisco cancer survey : fourth preliminary report (seventh and eighth quarterly reports) / by Frederick L. Hoffman.**

**Contributors**

Hoffman, Frederick L. 1865-1946.  
Prudential Insurance Company of America.

**Publication/Creation**

[Newark, N.J.] : [Prudential Press], [1928?]

**Persistent URL**

<https://wellcomecollection.org/works/jct89rjc>

**License and attribution**

The copyright of this item has not been evaluated. Please refer to the original publisher/creator of this item for more information. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use.

See [rightsstatements.org](https://rightsstatements.org) for more information.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

1.



# SAN FRANCISCO CANCER SURVEY

**FOURTH  
PRELIMINARY REPORT**

(SEVENTH AND EIGHTH QUARTERLY REPORTS)

**HOFFMAN**



22900319788

Med  
K18569

# SAN FRANCISCO CANCER SURVEY

## FOURTH PRELIMINARY REPORT

*(Seventh and Eighth Quarterly Reports)*

*By*

FREDERICK L. HOFFMAN, LL.D.,

Consulting Statistician, Prudential Insurance Company of America  
Newark, N. J.

1928

Conducted under the auspices of the John Hancock Mutual Life Insurance Company, The Pacific Mutual Life Insurance Company, and The Prudential Insurance Company of America.

65154  
PRINTED IN U. S. A.  
by Prudential Press

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	QZ

## TABLE OF CONTENTS

	Page
Introduction .....	5
Seventh and Eighth Quarterly Reports.....	9
Notes on Questionnaire Method of Cancer Research.....	19
List of Appendices.....	21
Form of Cancer Questionnaire.....	225
List of Cancer Papers by Frederick L. Hoffman.....	227



Digitized by the Internet Archive  
in 2017 with funding from  
Wellcome Library

<https://archive.org/details/b29809460>

## SAN FRANCISCO CANCER SURVEY

### INTRODUCTION

THE consolidated report for the Seventh and Eighth Quarters of the San Francisco Cancer Survey covers the six months ending with June 30, 1926. A large amount of new material has been examined, tabulated and critically considered as far as available time and circumstances would permit. At present more than 35,000 cancer death certificates are in my possession and are receiving special consideration, aside from approximately 3,000 questions concerning living cancer patients in San Francisco, Buffalo, New Orleans, the State of Massachusetts, Mayo Clinic (Rochester, Minn.), Newark, N. J., and Battle Creek, Mich. Progress with so large an amount of information is necessarily slow, but the present publication will add materially to the information now available. The scope of the survey has, during the year, been extended to several Canadian provinces, the city of Winnipeg and the city of Montreal. Information concerning Montreal is included in the present publication.

I have also received from the board of health of Manila, P. I., copies of cancer death certificates for the year 1925, through the courtesy of Major-General Wood, the governor of the Islands and the director of the local board of health. At present I have under consideration a further extension of the scope of the investigation to include Kansas City, Mo., Richmond, Va., and possibly Atlanta, Ga. The present publication includes ten appendices and, among other important matters, complete details of a large number of questionnaires which reveal a very interesting though quite variable amount of suggestive information.

There has also been included a complete statement of the cancer deaths in Chicago during 1924 by streets and houses, corresponding to the information published in the Third Report for Boston and San Francisco. I also hope to be able in my next report to include original data on cancer in Mexico, collected during the present summer. The statistics for Chicago for 1925 afford an interesting means of comparison with the data for 1924 published in the preceding report. It is doubtful, however, whether the Chicago data will be continued in the future, although the question is still open. While I have received a considerable amount of information for Buffalo, the statistics as yet have not been dealt with in detail. The same is true of statistics for East Orange, N. J., and the city of Winnipeg, for which all the certificates have not been received.

All the statistical tabulations were heretofore made by the Health Conservation Service of the John Hancock Mutual Life Insurance Company under the direction of Miss Bertha Boutelle, to whom I wish to express my sincere appreciation on this occasion.

To avoid any possible misunderstanding regarding the plan and scope of the San Francisco investigation, I wish to say that I am not aiming primarily at the discovery of cancer cause or cancer cure. I am only concerned with the correct ascertainment of cancer facts, permitting of being dealt with by statistical methods in a manner useful for research purposes on the part of those most qualified to consider the technical aspects of the cancer problem. Most commendable efforts in a similar direction are being made by the Health Committee of the League of Nations, which, during the present year, has published a number of extremely valuable reports. The same conclusion applies to the admirable cancer publications of the British Ministry of Health. As far as practicable I am coördinating my own methods to these investigations, while likewise, I am gratified to be able to say, the Massachusetts Cancer Commission has adopted the major portion of my questionnaire and has introduced that method into its local study of the cancer situation.

The fundamental conclusions thus far arrived at, which seem not to admit of serious controversy, may be stated as follows:

1. Cancer is unquestionably on the increase in proportion to the population, but varies widely in its local incidence, according to the organs and parts affected. These variations have heretofore received only slight attention, although deserving of extended consideration as perhaps the most promising line of inquiry yielding definite results.

2. The parasitical theory of cancer is disproven by the detailed analysis of cancer deaths by streets and houses in the different cities which have been locally investigated. Additional information upon this phase of the problem will be forthcoming in course of time.

3. The investigation clearly shows that there is no seasonal prevalence of cancer such as would be the case if the disease were of parasitical origin.

4. Data concerning cancer deaths in hospitals clearly show that in its terminal stages cancer receives hospital attention in more than one-half of the deaths recorded. Almost the same conclusion applies to operative treatment. If these facts were clearly recognized by the public it would be apparent that the inexcusable delay which now intervenes between the earliest recognition and the earliest qualified treatment could be materially reduced and to the decided benefit of the patient.

5. Cancer statistics of Montreal clearly indicate profound variations in the cancer liability of the French Canadian population and the population of other racial origins. This phase of the question will, however, be further pursued, but a considerable amount of available information is made public on the question in the present publication.

6. Upon the question of cancer in native races, a special publication has been issued and is now available to those who are interested in this aspect of the cancer problem. As yet the material has not been dealt with

for San Francisco and other cities on the basis of the racial distribution of the population, but it is in prospect. An extended study of the cancer situation in Mexico was made during last summer, and the results of that investigation will also be published in due course of time, probably in the publication of the Cancer Research Society. In a general way the results of my investigations among the Indians of the Southwest and the Indians of Mexico were entirely negative and suggestive of the fact that cancer is extremely rare among populations not living in close contact or under the identical conditions of civilized populations.

7. As yet the questionnaires have not been dealt with on a sufficient scale or in final form to justify definite conclusions. The indications are, however, that the results will show the profound influence of an excessive diet of either meat or sugar or both, and the direct relation of excessive smoking habits in cancer of the buccal cavity. The investigation will further show the presence of intestinal stasis in a large proportion of the cancer cases under observation. The evidence of heredity as an important factor is largely in the negative. The most important conclusion derived from the investigation is the lamentable unnecessary delay in qualified treatment made evident by the relatively long average known duration of the disease, particularly in certain organs and parts. The information published upon this phase of the question covers the most extensive observations ever made public. It represents facts of the very first importance to physicians and surgeons who are daily confronted by inoperable cases which do not admit of a curative prognosis. It is my firm belief that as a result of the knowledge which has been acquired, probably one-third of the cancer deaths could have easily been prevented if treatment had been more prompt and more qualified.

8. While the present investigation is not primarily concerned with cancer treatment, considerable data has come to my attention, which seem to justify the conviction that the only hopeful treatment of cancer is by means of surgery, radium, diathermy and cautery, or any of these in combination with each other as may seem best to the surgeon in charge. The evidence is overwhelming that a large number of persons are living today and have been operated upon or treated by proper methods for cancer affections who would certainly have died years ago if it were not for the timely interference with the cancerous growth. Such investigations as I have personally made of alleged medical cancer cures have but led to the conclusion that they are a dangerous imposition upon public credulity.

F. L. H.



## SEVENTH AND EIGHTH QUARTERLY REPORTS ON THE SAN FRANCISCO CANCER SURVEY

THE material collected in connection with the San Francisco Cancer Survey is constantly increasing and the outlook is now very hopeful that complete data for 1925 and 1926 will be furnished in due course of time by most of the cities in the localities concerned. The additional information which has become available for the last few months may be briefly referred to. From San Francisco I am receiving current cancer death certificates for 1926; New Orleans has furnished complete data for 1925; East Orange for 1925 and for 1926 to date; for Boston the data will be forthcoming for 1925 and also for 1926; from Saskatchewan I received reports for 1920-24; the city of Winnipeg, 1920-23; the Province of Alberta, 1920-24; British Columbia, 1920-24. For Chicago, unfortunately, no additional information subsequent to 1925 will be available. It must be considered that all these certificates are furnished free of charge by the different health officers, to whom I am under profound obligations. They have, in some instances, gone to extraordinary trouble to meet my needs. In this connection also, I may state that the city of Manila, Philippine Islands, has recently furnished me with cancer death certificates for 1924, later to be followed by corresponding data for 1925. Fortunately, our standard death certificates are used throughout the Philippine Islands, so that the data are strictly comparable. They are of value in my supplementary investigations on "Cancer Mortality in Native Races."

### (1) CANCER IN NATIVE RACES

There has been issued within the last few months, through the courtesy of The Prudential Insurance Company, an address of mine on "Cancer in Native Races," which has been widely distributed. As a result of this investigation I was authorized to proceed to Mexico and Northern Central America to investigate the cancer situation among the Mexican and other native populations. My report upon the results will be forthcoming in due course of time. The results, in a general way, support my conclusion that cancer among native Indian tribes throughout Mexico and Northern Central America is relatively of very rare occurrence. The same applies to certain Indian tribes of the Southwest, particularly the Pueblo Indians, the Zunis, Navajos, Hopis, Papagoes and Pimas. The data collected from these tribes will probably be dealt with in a report on the "Mortality of Cancer in Mexico."

### (2) CANCER IN BRITISH COLUMBIA

The statistics of British Columbia have been analyzed and will be dealt with in an appendix to the present report, when available in final form.

They, however, support the conclusion arrived at for San Francisco, indicative of a decidedly higher cancer mortality, in practically all forms, on the Pacific Coast.

### (3) CANCER CAUSATION AND CANCER CURES

Nothing is more perplexing than the constant flow of new cancer announcements, both as regards cancer causation and cancer cures. Most of these announcements are premature and of no possible value. Some are decidedly mischievous and misleading. In my judgment, the most important duty at the present time is to assemble the known facts regarding the disease and make this information available to those who carry on more technical research activities. What has been done in this respect by the Cancer Committee of the League of Nations and the British Ministry of Health is decidedly encouraging and in the right direction. In November last I delivered an extended address on "Some Cancer Problems of Today" before the Philadelphia Medical Society and at a meeting of the College of Surgeons, New Orleans, on January 26, 1926. This address, which summarized some of the results of the San Francisco Cancer Survey, has been printed as an appendix to the Third Preliminary Report which has recently been issued. It emphasizes many important conclusions, but particularly the wide variation in local cancer incidence in particular forms, on organs and parts of the body affected.

### (4) REQUESTS FOR INFORMATION

Increasing demands for exact data and requests reach me from practically all parts of the world for the results of my San Francisco investigations. In the nature of the situation, progress in this direction must necessarily be slow. I have not the facilities for rapid analysis, being now concerned with more than 35,000 cancer death certificates, a larger number of individual records than have probably ever before been available to any one investigator. There is an increasing public appreciation of statistical investigations aiming at a concise and trustworthy presentation of existing facts of the cancer problem.

### (5) CANCER DEATHS BY STREETS AND HOUSES

The Third Preliminary Report, recently distributed, contains extended appendices, of which two are of particular importance. One gives the cancer mortality of San Francisco by streets and houses, while the other gives the corresponding information for the city of Boston. As far as I know, it is the most comprehensive statement of its kind ever published. Every now and then startling announcements are made, suggestive of the possibility that cancer is a parasitical or infectious disease and therefore subject to the laws of epidemiological occurrence. I have given my own evidence in full and additional evidence will be later forthcoming from other cities. All of my own data seem to disprove the theory that cancer is a house or street disease, or, in other words, spread by personal contact from man to man. The latest discussion on this subject which would seem

to lend support to the parasitical theory is by Dr. Louis W. Sambon, published in the *Journal of Tropical Medicine and Hygiene*, August 16, 1926, which seems to show the concentration of cancer cases in certain houses and certain streets of selected Italian villages. The evidence presented cannot be set aside without extended consideration.

#### (6) THE PARASITICAL THEORY OF CAUSATION

Dr. Sambon is one of the most distinguished investigators of today and what he has to say on the subject is entitled to very serious consideration. Dr. Sambon's present conclusion is identical with the results of my own investigations, that "the organs or parts of the body more frequently affected by cancer vary, not only in countries far removed from one another, but also, and often strikingly, in adjoining districts." This conclusion has my hearty endorsement and is fully supported by the results of my own investigations, as presented in my address to the Philadelphia Medical Society on "Some Cancer Problems of Today."

#### (7) CANCER CLUSTERS

I, however, cannot endorse, at the present time, Dr. Sambon's conclusion that "as a rule, cancer cases seem to be distributed in groups or clusters. A first case usually is followed by one, two, three or more cases, either in the same house, or in adjoining or neighboring houses, the successive patients being sometimes related, more often not." I have no evidence in support of this statement, nor can I endorse Dr. Sambon's further conclusion that "often in cancer cluster, all or the majority of the patients, whether related or not, are affected in the same organ or in the same part of the body." It had been my intention to have made a thorough house-to-house survey of cancer cases in all the houses with more than two deaths from cancer, but my attempts in this direction in San Francisco met with difficulties that proved insuperable. I feel, however, that such an investigation would prove well worth while and should be deserving of encouragement.

#### (8) FLUCTUATIONS IN LOCAL INCIDENCE

Dr. Sambon also advances the rather startling conclusion that "notwithstanding general progressive increase or decline, cancer exhibits, in its local incidence, noticeable fluctuations from year to year, such as are witnessed in all epidemic diseases." For this statement I am not aware of any evidence deserving of confidence. The incidence of cancer varies but slightly over a period of years, except for an upward trend, and, in a general way, variations in the death rate are not suggestive of an epidemic influence, such as characterizes the frequency occurrence of recognized infectious diseases.

Neither am I aware of any evidence that cancer has ever completely died out in any one section previously affected. Quite to the contrary, most of the evidence is conclusive that cancer is increasing everywhere

under normal population conditions. It may reach a stationary condition when an excessive death rate has been obtained, and a slight decline, but I do not know of a single recorded instance where a normal population, once subject to a high death rate from cancer, has suffered any material or complete decline in its incidence.

#### (9) NO SUDDEN OUTBREAKS OF CANCER

Dr. Sambon also makes the statement that "cancer may break out suddenly in a place long immune, then disappear, or it may remain quiescent, at least in so far as man is concerned, for many years." I do not know of any data to support this statement.

#### (10) CANCER AND HEREDITY

Among his other conclusions, Dr. Sambon holds that "heredity does not seem to be a determining factor." This statement is in conformity with my own conclusions, based upon the examination of over 3,000 individual records for living cancer patients carefully investigated.

#### (11) CANCER AND TUBERCULOSIS

It has been suggested to me that I should give attention to the possible coincidence of cancer and pulmonary tuberculosis. I considered this phase of the question some years ago, as dealt with in my "Mortality from Cancer Throughout the World," and I came to an entirely negative conclusion. The most definite data were obtained from the Henry Phipps Institute in Philadelphia, where a special examination of post-mortem records was made for the purpose. There recently appeared a statement in the *Journal of the American Medical Association*, of a case of associated tuberculosis and carcinoma of the right breast in a woman of thirty-eight, reported by Smith and Mason, but without clinical evidence of any other associated tuberculosis. The authors reviewed the literature on the subject, indicating that there were only eighteen other cases on record that can lay claim to proof of concurrence of the two diseases. The obvious theoretical conclusions are, therefore, that the two conditions either occur independently or are dependent on each other, but that in the present case, tuberculosis was apparently superimposed on a scirrhous carcinoma.

#### (12) CANCER OF THE LUNGS

Of much greater importance are investigations concerning the occurrence of cancer of the lungs. That form of cancer is apparently on the increase and of comparatively recent origin. What the conditioning circumstances may be that determine this increase has not as yet been ascertained. An important contribution on cancer of the lungs has recently been contributed by Drs. Lichty, Wright and Baumgartner, of Clifton Springs, New York, to the *Journal of the American Medical Association*, July 17, 1926. This report deals with seventeen cases, the subject being introduced with the statement that, "Carcinoma of the lungs in the most recent studies shows a much higher incidence than was formerly thought. It has come to be recognized as occurring comparatively frequently; so much so that

in the consideration of diseases of the chest, especially of the chronic form, one should always hold in mind the possibility of primary carcinoma of the lungs." (See also *U. S. Naval Medical Bulletin*, October, 1926.)

Dr. Moses Barron reports that there were 4,362 autopsies performed in the University of Minnesota between 1899-1921, there having been recorded thirteen cases of primary carcinoma of the lungs or 0.3 per cent., while between 1899-1911, or during a period of twelve years, not a single case had been reported in 1,333 autopsies. Taking the period 1912-18, the proportion was 0.2 per cent., while in the two and a half years ending 1921, the proportion was 0.9 per cent. The author of the report quoted Fried, according to whom, between 1913-21, there had not been a case of primary carcinoma of the lungs, while between 1921-25 there had been five cases. I dealt with the question of lung cancer in my report on "Mortality from Cancer Throughout the World," but on the basis of varied and inadequate data. At that time lung cancer in this country was practically unknown. For the present I cannot enlarge upon this important matter further than to say that it is receiving special consideration.

### (13) CANCER AND VENEREAL INFECTIONS

There have also been some recent observations on the possible coincidence of venereal infections, particularly syphilis and cancer of the uterus and ovaries. My own investigations throw no particular light on this phase of the subject, for my questionnaire did not raise the issue. However, in my Mexican investigations I have been struck by the frequency of venereal infections in the mixed Mexican population and the really extraordinary relative frequency of cancer of the uterus and adjacent sexual organs. Certainly in quite a number of the cases which were shown to me, the coincidence of syphilis and cancer was clearly established. This subject also will receive more extended consideration in the future.

### (14) CANCER ANALYSIS OF MONTREAL

The preliminary analysis of the cancer deaths for Montreal, obtained through the courtesy of Dr. M. O'Brien Ward, statistician for the Board of Health for the period 1909-1925, will form one of the appendices to the Fourth Preliminary Report. The analysis will concern 6,928 tabulatable deaths, of which 2,888 were males and 4,040 were females. There were also 88 additional deaths from cancer which could not be tabulated. Of the 6,928 deaths of both sexes, 3,968 or 57.3 per cent. were deaths of French Canadians.

I may say in this connection that the records in question have been kept for sixteen years as a matter of private enterprise by Dr. Ward, who deserves much credit for his never failing interest in the cancer problem of the Canadian population. The great value of these records is that they include a statement on the racial origin of the deceased, but for the time being only one separation has been made and that is into French Canadians and other Canadians. It was not feasible for the present to extend the analysis to other racial elements of the Canadian population. For the

male cancer deaths, the proportion of French Canadians was 54.6 per cent. and for females 59.2 per cent. Later on it is my intention to correlate these deaths to the corresponding population by age and sex and racial origin, as far as information is obtainable through Canadian census reports. The average age at death for both sexes for all nativities and for both sexes combined was 58.5 years, or respectively 59.8 years for males and 57.5 years for females. These averages conform quite closely to the facts for American cities. For Boston, for illustration, the average at death for both sexes combined was 60.9 years, or respectively 61.8 years for males and 60.2 years for females.

Rather significant is the relatively low proportion of cancer deaths in Montreal at ages under ten years, which have been 0.4 per cent. for both sexes combined, against 0.7 per cent. for the city of Boston and 0.5 per cent. for the city of Chicago. The proportion is always somewhat larger at younger ages for males than for females, a fact which heretofore seems not to have attracted attention. For males the proportion was 0.6 per cent. and for females 0.3 per cent. For San Francisco I may say in this connection that the proportion of cancer deaths at ages under ten was 0.6 per cent., or respectively for males 0.7 per cent. and for females 0.5 per cent. In a general way, the results conform to each other.

Likewise, at ages over 90, the proportion of cancer deaths in Montreal was 0.53 per cent., while for Boston the proportion was 0.50 per cent. At this age period the position of the sexes is reversed in that the larger proportion of deaths occur among females, or respectively 0.3 per cent. for men and 0.6 per cent. for women. In the city of Boston, the corresponding proportion was 0.4 per cent. for men and 0.6 per cent. for women, but in San Francisco the proportion was much lower, or 0.2 per cent. for both sexes, or respectively 0.1 per cent. for men and 0.2 per cent. for women.

The distribution of cancer deaths by racial origins includes some twenty-eight different elements, including Jews, which, as far as I know, have nowhere else been tabulated in detail in American mortality reports. The number of cancer deaths of Jews in Montreal during the period under observation was 348 for both sexes, or 5 per cent. of the total deaths, or respectively 6.2 per cent. for males and 4.2 per cent. for females.

This phase of the problem will subsequently be dealt with according to organs and parts of the body affected. I am not informed at this time whether the Jewish population of Canada has been tabulated according to age and sex in the census returns for 1921, but this will be ascertained later. Aside from the French Canadian, most of the other cancer deaths of Montreal have been among natives of England and Wales, Ireland and Scotland and the United States. The number of deaths of Germans was only 28, while that of natives of France was 64 and of Italy 72. There were also 11 Chinese and 5 persons of color. Until the population data have been worked out it will not be feasible to deal with the question of precise mortality rates for the French Canadian element and the remainder of the Montreal population, but a table will be included in the appendices showing the percentage of distribution by different organs and parts, which

reveal some astonishing differences. Of the total mortality 57.3 per cent. were cancer deaths of French Canadians. The proportion of such deaths from cancer of the lip was 73.1 per cent., cancer of the maxillary, 65.9 per cent., cancer of the mouth, 76.2 per cent., cancer of the tongue 61.4 per cent.; but, conversely, cancer of the esophagus was only 34.2 per cent., and cancer of the gall bladder only 6.7 per cent. There was an excessive proportion of deaths among French Canadians from cancer of the liver, 63.8 per cent., cancer of the stomach, 60.6 per cent., and cancer of the duodenum, 86.5 per cent. The proportionate mortality was also excessive in cancer of the throat, or 77.4 per cent., cancer of the face, 71.7 per cent., and cancer of the uterus, 67.2 per cent. In very marked contrast there was an exceptionally low proportion of deaths from cancer of the ovaries, or only 27.5 per cent. of the total mortality from all forms of cancer among French Canadian women. Cancer of the breast appears to have been about normal, or 57.8 per cent., for French Canadians and 42.2 per cent. for other Canadians. The proportion of cancer deaths for other Canadians for cancer of the stomach and liver combined was 53.7 per cent., cancer of the colon, 55.6 per cent., cancer of the sigmoid, 75 per cent., cancer of the rectum, 61.6 per cent., cancer of the rectum and intestines combined, 55.8 per cent., cancer of the bladder, 53.2 per cent., cancer of the bones, 65.2 per cent., cancer of the larynx, 56.9 per cent., cancer of the pelvis, 73.6 per cent. All of these are below the average for the whole group. Cancer of the prostate, which was 39.8 per cent. for French Canadians, was 60.2 per cent. for other Canadians.

For the present purpose this statement cannot be further enlarged upon, but it is obviously suggestive of the importance of a more extended study of the cancer problem of the Canadian population, particularly by racial origin.

I wish to express to Dr. Ward on this occasion my sincere appreciation for having placed this valuable material at my disposal.

#### (15) ANALYSIS OF CANCER QUESTIONNAIRES

The questionnaire analysis has thus far been completed for 834 tabulatable cases of male cancer patients and 602 tabulatable female cancer patients, making a total of 1,436. About 1,500 more questionnaires are available for future analysis. They will receive consideration in the Fifth Report, which will be largely devoted to the questionnaire method of cancer research. Complete details are given in the appendices which represent living cancer patients in San Francisco, New Orleans, Newark, the State of Massachusetts, Buffalo and Chicago. Additional questionnaires are available for Battle Creek Sanitarium and the Mayo Clinic. The questionnaire has been printed in Spanish for use in Mexico, and it is hoped that a sufficient number of replies will be returned by Mexican physicians to amplify the existing information upon many of the questions dealt with.

#### (16) MALE CANCER PATIENTS

Of the 834 male cancer patients for whom information was secured by means of questionnaires, the average duration of residence at the place

where the disease occurred was 26.5 years. The average age at death was 57.1 per cent. Of 834 male patients it was ascertained that 601 were married while 213 were single, and 431 married males had had children. The average number of children to a family was 3.7. The average height of 769 cancer patients was 67.4 inches. The average normal weight of males was 161.8 pounds, while the average present weight was 143.6 pounds. There was therefore a loss of weight during the progress of the disease of approximately eighteen pounds.

With reference to habits, diet, etc., some very suggestive information was elicited, briefly summarized as follows: Of 834 male patients 350, or 42.0 per cent., were heavy eaters; 368, or 44.1 per cent., were heavy smokers. This information will later be dealt with according to organs and parts of the body affected, and the fact will be brought out that in most of the cases of cancer of the buccal cavity the patients have been habitually heavy smokers. The proportion of heavy meat eaters, or 284, was 34.1 per cent., and the number reporting themselves as heavy sugar eaters was 245, or 29.4 per cent. An effort was made to ascertain the results of exposure to gas and fumes, but this information was apparently not sufficiently reliable to justify consideration. The number of males who reported themselves as heavy fat eaters was 164, or 19.7 per cent.

Another question concerns the habitual use of purgatives. Of the 834 male patients 339, or 40.6 per cent., answered this question in the affirmative; 384, or 46.0 per cent., were habitually constipated; while 237, or 28.4 per cent., habitually used laxatives. The number of patients who had appendicitis was 40; gall stones, 9; ulcers of some kind, 19; and those who had rheumatism, 247, or 29.6 per cent. of the total. This rather heavy incidence of rheumatism it seems to me must be looked upon as suggestive. It is met with in most of the returns for different localities, and while it would be a natural coincidence to a certain extent, considering the high average age of the patients, it may, nevertheless, be significant in its possible relation to cancer. The number of patients who had diabetes was 13. Since the question has been raised by Sir Arbuthnot Lane and others as to the rarity of cancer among persons with red hair, it was ascertained that 42 of the patients belonged to this class, which is probably normal for the general population, but further information on this point is wanting. Of the 834 male patients 140, or 16.8 per cent., reported warts or moles; 253, or 30.3 per cent., had undergone operations; and 207, or 24.8 per cent., had been treated with radium, while 28, or 3.4 per cent., were treated by cauterization. Loss of weight was experienced on the part of 576 of the 834 male patients, or 69.1 per cent. There was a gain in weight of 70 patients, while the weight was apparently stationary in 158 patients. There was a family history of cancer in 78, or 9.4 per cent., of the deaths of all male patients.

For San Francisco, out of 427 male patients 23, or 5.4 per cent., had a family history of cancer, while out of 262 male patients for Buffalo 38, or 14.5 per cent., replied to this question in the affirmative. This wide divergency in the results is suggestive of the necessity of a much larger

number of cases for observation before definite conclusions can be arrived at.

#### (17) FEMALE CANCER PATIENTS

Of the 602 female patients the average duration of residence at the place of death was 26.7 years, which compares with 26.5 years for male patients. This almost precise conformity in the result would indicate that the place of residence was accurately ascertained. The average age of female cancer patients was only 52.8 years, which compares with 57.1 years for males. This is rather a suggestive difference probably due to the smallness of the number considered.

Of the female patients 91.4 per cent. were married, which is much larger than the corresponding figure of 73.8 for male patients. Out of 550 married women, 455 had had children, or an average of 3.8 children to a family, which compares with 3.7 children for male patients or approximately the same. Unfortunately there are no corresponding figures for the general population of the localities and sections considered. The average height of 565 female patients was 63.8 inches, while the average normal weight of 354 patients was 149.8 pounds and the average present weight 143.8 pounds. There was therefore a loss of only 6 pounds, which compares with the loss of 18 pounds for male patients. Here again is shown the need of a large number of cases to justify definite conclusions, but the results confirm the general understanding that progressive loss of weight is one of the most certain of diagnostic signs in malignant disease. Of the 602 female cancer patients 185, or 30.7 per cent., reported themselves as heavy eaters; 11, or 1.8 per cent., as heavy smokers; 97, or 16.1 per cent., as heavy meat eaters; and 149, or 24.8, as heavy sugar eaters. There were 73, or 12.1 per cent, who reported themselves as heavy fat eaters.

Of the 602 female patients 251, or 41.7 per cent., were habitual users of purgatives; 296, or 49.2 per cent., suffered from habitual constipation; while 242, or 40.2 per cent., were habitual users of laxatives. The number who had appendicitis was 50; gall stones, 20; and those who had some form of ulcers, 8. The numbers who had had rheumatism was 146, or 24.3 per cent. of the total, while only 8 had had diabetes. The number of red-haired persons was 25. Of the 602 female patients, 88 had warts or moles; 307, or 51.0 per cent, had undergone operations; 239, or 39.7 per cent., were treated by radium; and 27, or 4.5, by cauterization. Of the 602 female patients 368 had experienced a loss in weight, 79 had experienced a gain, while the remainder were stationary or unascertainable. Out of the total number of female patients 85, or 14.1 per cent., reported a family history of cancer, which compares with 9.4 per cent. for male patients. In San Francisco out of 156 female patients only 20, or 12.8 per cent., had a family history of cancer, while for Buffalo, out of 269 female patients 35, or 13.0 per cent. of the cases reported a family history of cancer.

For the present the foregoing is not enlarged upon further, since a larger amount of material will be dealt with in the Fifth Preliminary

Report. The fact should not be overlooked that a limited amount of information concerning living cancer patients is also included among the appendices of the Second Preliminary Report, but amplified by certain data as to smoking habits by organs and parts for male patients, the number of which in the meantime, however, has considerably increased. This subject will receive more extended consideration in my next report.

In concluding this report I wish to again express my appreciation of the John Hancock Mutual Life Insurance Company's generosity in supplying clerical facilities for all of the statistical analysis of the mortality data. The cancer questionnaires, however, have been tabulated under my personal direction by Miss Barbara Hoffman. The questionnaires have been collected by different workers, or for San Francisco under the direction of the health officer, by Mrs. Harriet Drake, and at Buffalo under the direction of Dr. Burton Simpson of the State Institute for the Study of Malignant Disease, by Miss Rachel Jenss. In Chicago the questionnaires were collected by different physicians under direction of Dr. H. N. Bundessen, health commissioner. The Massachusetts questionnaires were obtained for various localities through the coöperation of the State Cancer Commission. Forthcoming questionnaires for Battle Creek Sanitarium, concerning both cancer and non-cancer patients, were collected by Miss Lydia Giberson, under the direction of Dr. J. H. Kellogg and Dr. Case of the Battle Creek Sanitarium. Miss Jenss has also collected a considerable number of questionnaires from non-cancer patients in the city of Buffalo.

In my Fifth Preliminary Report I expect to present additional data for San Francisco by occupations and possibly for sarcoma, separately considered. It may be feasible also to include in that report the returns for the provinces of Saskatchewan and Alberta and the city of Winnipeg. Aside from the foregoing, one year's death records have been furnished by the health officer of Manila, through the coöperation of Major-General Wood. Questionnaires have also been collected for me at the Mayo Clinic, through the assistance of Dr. Wm. J. Mayo and Dr. V. C. Hunt. Dr. Edward Ill has obtained for me some additional cases for Newark, which will be included in my next report, but the larger portion of the questionnaires have been collected by persons especially employed for the purpose. It is not feasible to have the work done through nurses and internes, as it would be encroaching too much upon the regular routine of their duties.

All of which is respectfully submitted.

F. L. H.

July 1, 1926.

## NOTES ON QUESTIONNAIRE METHOD OF CANCER RESEARCH

1. The questionnaire method regarding essential facts concerning living cancer patients was developed from the outset of the San Francisco Cancer Survey, but never carried as far as had been hoped for. A copy of the cancer questionnaire used in the San Francisco Cancer Survey is printed in this issue. The questionnaire was the result of extended conferences with some of the foremost authorities on cancer research. It covers, broadly speaking, most of the essential questions concerning which the patient is in a position to give reasonably trustworthy information.

2. The questionnaires have in most cases been obtained by carefully selected investigators and in all cases through direct contact with the patient. The questionnaires for San Francisco were collected by Mrs. Harriet Drake, under the supervision of the health officer, Dr. William C. Hassler. The questionnaires in Buffalo were collected by Miss Rachel M. Jenss under the direction of Dr. Burton T. Simpson of the State Institute for the Study of Malignant Diseases, Dr. B. F. Shreiner of the same Institute and with the cooperation of Dr. F. E. Fronzac the health officer. The questionnaires for New Orleans were obtained through the cooperation of Dr. Rudolph Matas, mostly from the Truro Infirmary. The questionnaires for Boston were secured from different sources, mostly through the cooperation of Dr. Francis X. Mahoney, health officer, Dr. George H. Bigelow, and the Cancer Committee of that State. The questionnaires for Newark were obtained from Dr. Edward J. Ill from his private surgical experience.

Additional questionnaires for most of the localities represented will be made public in subsequent reports. Questionnaires will also be forthcoming for certain cancer and non-cancer patients of the Battle Creek Sanitarium through the cooperation of Dr. John Harvey Kellog. The actual work at Battle Creek, however, was done by Miss Lydia Giberson of Bath, New Brunswick. In future issues questionnaires for the Mayo Clinic will be dealt with, obtained through the cooperation of Dr. William J. Mayo and Dr. Verne C. Hunt. The questionnaires for both the Mayo Clinic and the Buffalo Institute for the Study of Malignant Diseases have the additional value that they will be checked up from year to year as regards deaths or survivals of patients, as the case may be. Additional questionnaires will be obtained from Montreal through the cooperation of Dr. Walter Chipman and Dr. A. K. Haywood of the Montreal General Hospital. That work will be done by Miss Lydia Giberson. The same investigator will also collect cancer questionnaires at the Winnipeg General Hospital during the summer of 1927, through the cooperation of Dr. L. J. McLean and the superintendent of the hospital, Dr. Stephens. Questionnaires of exceptional value are also being collected for me through the courtesy of Dr. Henry Schmitz of Chicago. All the Buffalo and Mayo

Clinic questionnaires will later be traced for post-operative treatment results. The statistical work in connection with all the questionnaires has been done by Miss Barbara Hoffman with the exception of some special studies on physique and habits carried on for me at the Health Conservation Department of the John Hancock Mutual Life Insurance Company by Miss Bertha J. Boutelle. The results of these investigations will be dealt with in a forthcoming address on "Cancer Increase and Over-Nutrition" to be presented at the International Health Congress of the Royal Institute of Public Health, Ghent, Belgium.

3. The information obtained on each questionnaire has been given in full detail in the tables, but not all of this information has as yet been tabulated. Wherever the minus sign — is used it means that the answer was in the negative or not obtainable. The positive sign + in all cases indicates that the answer was in the affirmative. It was not feasible in all cases to obtain both the present and the normal weight of the patient, but this is always clearly indicated in the tables. Generally the normal weight of the patient was given, the present weight being, of course, in most cases substantially less than the normal, depending upon the duration of the disease.

The reference to appendicitis, gall stones, gastric ulcers and rheumatism, as well as diabetes, has of course reference to diseases from which the patient had suffered or was suffering at the time he was found to be afflicted with cancer. The reference to ulcers, warts or moles means the presence of such impairments at the time the patient was interviewed, or previous thereto if an operation had been performed. The reference to operation means that the patients had or had not undergone an operation as indicated by the plus or minus sign. The same applies to radium treatment or cauterization. Special efforts were made to ascertain correctly the facts of the patients' family history from cancer.

## LIST OF APPENDICES

	PAGES
Information Regarding Living Cancer Patients:	
Table 1—New Orleans, La.....	22-28
Table 2—Newark, N. J.....	29-38
Table 3—San Francisco, Calif.....	39-79
Table 4—Boston, Mass.....	80-89
Table 5—Buffalo, N. Y.....	90-127
Table 6—Chicago, Ill.....	128-130
Summary Male Cancer Cases.....	130-131
Summary Female Cancer Cases.....	131
Table 7—Cancer Mortality of Chicago by Streets and Houses— 1924 .....	132-162
Table 8—Cancer Mortality of Chicago—1925.....	163-200
Table 9—Cancer Mortality of Montreal—1909-1925.....	201-223
Table 10—Monthly Distribution of Cancer Deaths in Selected American Cities—1924-1925.....	224

Information Regarding Living Cancer Patients

Table 1—New Orleans, La., 1925  
(A) With Regard to Physical Facts of Living Patients

Males								
Number	Years in New Orleans	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
1	10	W	33	S	—	67	145	—
3	6	W	63	M	7	67	125	—
10	62	W	62	M	5	68	135	—
13	47	W	47	M	6	67.5	150	—
14	65	W	65	M	7	66	150	—
19	35	W	67	S	—	64	166	—
21	45	W	59	S	—	66	135	—
24	—	W	4	—	—	40	30	—
25	14	W	53	M	5	66	112	—
26	—	W	42	S	—	68	150	—
27	2	N	41	M	—	70	180	—
34	64	N	64	M	7	70	105	—
35	5	W	57	M	—	66.5	125	—
36	—	N	65	M	6	70	167	—
41	—	N	74	M	12	69	131	—
43	—	W	50	S	—	68	135	—
45	22	W	60	M	2	69	170	—
47	—	W	40	S	—	65	217	—
48	—	W	54	S	—	66	119	—
50	45	W	70	M	10	68	170	—
51	—	W	38	M	—	68	130	—
52	—	W	51	S	—	65.75	99.5	—
53	55	W	55	M	4	71	150	—
54	45	W	76	M	3	67	117	—
56	50	N	63	M	2	70	120	—
58	67	W	67	M	4	70	160	—
61	1	W	48	M	11	69	152	—
63	82	W	83	M	1	60	125	—
66	30	W	56	M	—	69.25	130	—
73	10	W	70	S	—	67	140	—
74	39	W	44	M	7	66	120	—
75	—	W	57	M	4	68	140	—
76	40	N	40	M	—	67	140	—
77	72	W	72	M	10	72.5	165	—
Total	913	28 W 6 N	1,890	24 M 9 S 1 —	113	2,271.5	4,705.5	
No. (34)	(24)		(34)		(19)	(34)	(34)	
Average	38.0		55.6		5.9	66.8	138.4	

Females								
Number	Years in New Orleans	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
2	13	W	50	M	3	65	135	—
4	60	W	75	M	5	62	150	—
5	61	W	61	M	4	66	125	—
6	6	W	30	M	1	63	108	—
7	15	W	58	M	3	66	170	—
8	—	W	56	S	—	68	200	—
9	2	W	42	M	11	62	146	121
11	20	W	50	M	1	68	125	—
12	30	N	45	M	1	64	140	—
14	—	W	42	M	5	65	115	—

*Information Regarding Living Cancer Patients*

**Table 1 (A)—New Orleans, La., 1925—Females (Continued)**

Number	Years in New Orleans	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
16	—	W	50	M	2	66	210	—
17	5	W	45	M	3	65	120	—
18	50	N	50	M	9	64	140	140
20	—	W	61	M	—	68	155	—
22	—	N	39	M	1	70	120	—
23	42	N	42	M	—	67	133	—
28	—	N	36	M	6	64	150	—
29	46	N	47	M	3	67	100	—
30	—	W	37	M	2	64	147	—
31	4	W	46	M	2	64	108	—
32	54	W	54	M	6	(?)	(?)	(?)
33	5	W	50	M	10	63	130	—
37	3	N	74	M	16	62	138	—
38	53	N	53	M	8	62	150	—
39	38	W	38	M	—	65	115	—
40	60	W	72	M	4	60	175	—
42	5	N	37	M	7	61	100	—
44	30	N	48	M	1	—	130	—
46	20	W	56	M	3	60	170	—
49	—	N	48	M	3	67	175	—
55	—	N	35	M	1	65	124	—
57	36	N-W	36	M	5	67	140	—
59	10	N	53	M	1	66	120	—
60	—	N	44	M	3	69	225	—
62	3	N	48	M	8	67	125	—
64	—	W	42	M	—	65	115	—
65	11	N	54	M	17	67	140	—
67	38	N	38	M	8	64	109	—
68	46	W	46	M	4	64	100	80
69	47	N	47	M	1	70	190	—
70	43	N	43	M	10	61	130	—
71	61	W	61	S	—	61	110	—
72	37	W	37	M	—	64	119	—
Total	954	23 W 19 N 1 N-W	2,076	41 M 2 S	178	2,658	5,827	341
No. (43)	(32)		(43)		(36)	(41)	(42)	(3)
Average	29.8		48.3		4.9	64.8	138.7	113.7

**(B) With Regard to Habits of Living**

Number	Males					
	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
1	—	—	—	—	—	—
3	—	—	—	+	—	—
10	—	+	—	—	—	—
13	—	—	—	+	—	—
14	+	—	+	—	—	+
19	+	—	+	+	—	+
21	—	—	—	+	—	+
24	—	—	—	—	—	—
25	—	+	—	—	—	—
26	+	—	—	+	—	+
27	+	—	+	+	—	—
34	+	+	+	+	—	+
35	+	—	+	—	—	+

*Information Regarding Living Cancer Patients*

**Table 1 (B)—New Orleans, La., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
36	+	+	+	—	—	+
41	—	+	—	—	—	—
43	—	—	—	—	—	—
45	+	—	+	+	—	—
47	+	+	—	—	—	+
48	—	+	—	—	—	—
50	—	—	—	—	—	—
51	+	+	+	+	—	+
52	—	+	+	—	—	+
53	—	—	—	—	—	—
54	—	+	—	—	—	—
56	—	+	—	—	—	—
58	+	—	+	+	—	—
61	—	—	—	—	—	—
63	—	+	—	—	+	—
66	—	—	—	+	—	—
73	—	—	—	+	—	—
74	+	+	+	—	—	—
75	—	—	—	—	—	—
76	+	—	+	—	—	—
77	—	—	—	+	—	—
No. (34)	13	13	12	13	1	10
Per cent.	38.2	38.2	35.3	38.2	2.9	29.4

**Females**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
2	+	—	+	—	—	+
4	—	—	—	—	—	—
5	—	—	+	—	—	—
6	—	—	+	+	—	—
7	—	—	—	—	—	—
8	—	—	—	+	—	—
9	+	—	+	—	—	—
11	—	—	+	—	—	+
12	—	—	—	—	—	—
14	—	—	—	—	—	—
16	—	—	—	—	—	—
17	—	—	—	—	—	—
18	—	+	—	—	—	—
20	—	—	—	+	—	+
22	—	—	+	+	—	—
23	+	—	+	—	—	—
28	+	—	+	—	—	—
29	—	—	—	+	—	—
30	+	—	—	+	—	—
31	—	—	—	—	—	—
32	—	—	—	—	—	—
33	—	—	—	—	—	—
37	+	—	+	—	—	+
38	+	—	+	+	—	—
39	—	—	—	—	—	—
40	—	—	—	+	—	—
42	—	—	—	+	—	—
44	—	—	+	—	—	+
46	+	—	+	—	—	+
49	+	+	+	+	—	+

*Information Regarding Living Cancer Patients*

**Table 1 (B)—New Orleans, La., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
55	+	—	—	+	—	—
57	—	—	+	+	—	+
59	+	—	+	—	—	+
60	—	—	—	+	—	—
62	—	+	—	+	—	—
64	—	—	—	—	—	—
65	—	—	+	—	—	—
67	—	—	—	—	—	—
68	—	—	—	—	—	+
69	+	—	+	+	—	+
70	—	—	—	+	—	—
71	—	—	—	—	—	—
72	—	—	—	—	—	—
No. (43)	12	3	17	16		11
Per cent.	27.9	7.0	39.5	37.2		25.6

**(C) With Regard to Known Impairments**

Number	Males								Red Hair
	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	
1	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	+	—	—
10	+	+	+	—	—	—	—	—	—
13	+	—	—	—	—	—	+	—	—
14	+	+	—	—	—	—	—	—	—
19	+	+	+	—	—	—	—	—	—
21	—	—	—	—	—	—	—	—	—
24	—	—	—	—	—	—	—	—	—
25	—	—	—	—	—	—	—	—	—
26	+	+	+	—	—	—	—	—	—
27	+	+	+	—	—	—	—	—	—
34	—	—	—	—	—	—	—	—	—
35	+	+	—	—	—	—	—	—	—
36	—	—	—	—	—	—	—	—	—
41	—	—	—	—	—	—	—	—	—
43	+	+	—	—	+	—	—	—	—
45	+	—	—	—	—	—	—	+	—
47	—	—	—	—	—	—	—	—	—
48	—	—	—	—	—	—	—	—	—
50	—	+	—	—	—	—	+	—	—
51	+	+	—	—	—	—	—	—	—
52	—	—	—	—	—	—	—	—	—
53	+	+	+	+	—	—	—	—	—
54	—	—	—	—	—	—	—	—	—
56	—	—	—	—	—	—	—	—	—
58	+	+	—	—	—	—	—	—	—
61	+	—	+	—	—	—	—	—	—
63	+	+	+	—	—	—	—	—	—
66	+	+	—	—	—	—	—	—	—
73	—	+	—	—	—	—	+	—	—
74	—	—	—	—	—	—	—	—	—
75	—	—	—	—	—	—	—	—	—
76	+	+	+	—	—	—	—	—	—
77	+	—	—	—	—	—	—	—	—
No. (34)	17	15	8	1	1		4	1	
Per cent.	50.0	44.1	23.5	2.9	2.9		11.8	2.9	

*Information Regarding Living Cancer Patients*

Table 1 (C)—New Orleans, La., 1925—Continued

Number	Females								
	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
2	—	—	—	+	—	—	—	—	—
4	—	—	—	—	—	—	—	—	—
5	+	+	+	—	—	—	—	—	—
6	+	+	—	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—
8	+	+	—	—	—	—	—	—	—
9	—	+	—	—	—	—	+	—	—
11	—	—	—	—	—	—	—	—	—
12	+	+	—	—	—	—	—	—	—
14	—	—	—	—	—	—	+	—	—
16	+	+	+	—	—	—	—	—	—
17	—	—	—	—	—	—	+	—	—
18	+	—	—	—	—	—	—	—	—
20	+	—	+	—	—	—	—	—	—
22	+	+	—	—	—	—	+	—	—
23	—	—	—	—	—	—	—	—	—
28	+	—	—	—	—	—	—	—	—
29	+	+	+	—	—	—	+	—	—
30	+	+	—	—	—	—	—	—	—
31	—	—	—	—	—	—	—	—	—
32	—	—	—	—	—	—	—	—	—
33	+	+	+	—	(?)	—	+	+	—
37	+	—	—	—	—	—	—	—	—
38	+	—	—	—	—	—	—	—	—
39	—	—	—	+	—	—	—	—	—
40	—	—	—	—	—	—	—	—	—
42	+	+	+	—	—	—	—	—	—
44	+	+	—	—	—	—	—	—	—
46	+	+	+	—	—	—	—	—	—
49	+	+	—	—	—	—	+	—	—
55	+	+	—	—	—	—	+	—	—
57	+	+	—	—	—	—	—	—	—
59	+	+	—	—	+	—	—	—	—
60	+	+	—	—	—	—	—	—	—
62	+	+	+	—	—	—	+	—	—
64	+	—	+	—	—	—	—	—	—
65	+	—	—	—	—	—	—	—	—
67	—	+	—	—	—	—	—	—	—
68	+	+	—	—	—	—	—	—	—
69	—	—	—	—	—	—	—	—	—
70	+	+	—	—	—	—	+	—	—
71	+	+	—	—	—	—	—	—	—
72	+	—	+	—	—	—	—	—	—
No. (43)	29	23	10	2	1		11	1	
Per cent.	67.4	53.5	23.3	4.7	2.3		25.6	2.3	

*Information Regarding Living Cancer Patients*

**Table 1—New Orleans, La., 1925—Continued**

**(D) With Regard to Treatment and Remedial Diagnosis and Family History**

<b>Males</b>						
Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
1	—	—	—	—	Loss	—
3	+	—	+	+	—	—
10	+	—	+	—	Loss	—
13	—	+	+	—	—	—
14	—	—	—	—	Loss	—
19	+	—	—	+	—	+
21	+	—	+	—	—	—
24	—	+	—	—	—	—
25	—	—	—	—	—	—
26	+	+	+	—	Loss	—
27	—	—	+	—	Loss	—
34	+	—	—	—	Loss	—
35	—	—	—	—	Loss	—
36	—	—	—	—	—	—
41	—	—	+	—	—	—
43	—	+	—	+	Loss	—
45	—	—	+	—	Gain	—
47	+	+	—	—	Loss	—
48	—	—	—	—	—	—
50	—	—	—	—	Loss	—
51	+	—	—	—	Loss	—
52	—	+	+	—	Loss	—
53	—	+	—	—	Loss	—
54	+	+	+	—	—	—
56	+	+	+	—	Loss	—
58	—	+	—	—	—	—
61	—	—	+	—	—	—
63	+	+	+	—	Loss	—
66	—	—	+	—	Loss	—
73	+	—	+	—	Loss	—
74	+	+	+	—	—	+
75	—	—	+	—	Loss	—
76	—	+	+	+	Loss	—
77	+	—	—	—	—	—
No. (34)	14	13	18	4	19 L., 1 G 14—	2
Per cent.	41.2	38.2	52.9	11.8	55.9 Loss	5.9

<b>Females</b>						
Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
2	—	—	+	—	Loss	+
4	+	—	—	—	—	—
5	—	+	+	—	—	—
6	+	+	+	—	—	—
7	+	—	—	—	—	—
8	—	—	—	—	Loss	+
9	—	—	+	—	Loss	—
11	+	—	—	—	Loss	—
12	—	—	—	—	Loss	—
14	—	—	+	—	Loss	+
16	—	+	+	—	—	+
17	—	+	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 1 (D)—New Orleans, La., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
18	—	—	+	—	Loss	—
20	—	+	—	—	Loss	—
22	—	+	+	—	Loss	—
23	—	—	+	—	Loss & Gain	—
28	—	+	—	—	Loss	—
29	—	+	—	—	Loss	—
30	—	—	—	—	Loss	—
31	—	—	+	—	Loss	—
32	—	+	+	+	Gain	—
33	—	+	+	+	Loss	—
37	—	—	+	—	Loss	—
38	—	—	+	—	Loss	—
39	+	+	—	—	Loss	—
40	+	—	—	—	Gain	—
42	—	—	—	—	Gain	—
44	—	—	—	—	Loss	+
46	+	+	+	—	Loss	—
49	—	—	+	—	Loss	—
55	—	—	—	—	Gain	—
57	—	—	—	—	—	+
57	—	+	+	+	Loss	—
59	—	—	+	—	Loss	—
60	—	+	+	—	Loss	—
62	—	—	—	—	Loss	—
64	—	—	—	—	—	—
64	—	—	+	—	Gain	—
65	—	+	—	—	Gain	—
67	—	—	+	—	Loss	—
68	+	+	—	+	Loss	+
69	—	—	—	+	Loss	—
70	+	—	+	—	Loss	—
71	—	+	—	—	Loss	—
71	—	+	—	—	Loss	—
72	—	+	—	+	Gain	—
<hr/>						
No. (43)	9	18	22	6	27 L., 7 G. 1 G. & L., 8 —	8
<hr/>						
Per cent.	20.9	41.9	51.2	14.0	62.8 Loss	18.6

Information Regarding Living Cancer Patients

Table 2—Newark, N. J., 1925

(A) With Regard to Physical Facts of Living Patients

Males								
Number	Years in Newark	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
1	33	W	69	M	3	63	120	—
2	36	W	50	S	—	71	140	—
3	40	W	66	S	—	65	120	—
4	14	W	42	S	—	63.5	145	—
5	64	W	64	M	4	—	—	—
6	60	W	60	M	2	70	143	—
7	57	W	69	M	8	68	140	—
7a	—	W	52	M	3	63	160	—
8	52	W	52	M	1	69	170	—
9	76	W	76	M	2	65	115	—
10	—	W	47	M	3	66	145	—
11	30	W	57	M	1	66	175	—
43	40	W	51	M	9	67	—	—
44	13	W	59	M	4	70	125	—
45	36	W	36	M	1	70.5	195	—
46	36	W	36	M	1	70.5	195	—
46	59	W	59	M	3	69	130	—
47	16	W	40	M	2	65	125	—
64	19	W	42	M	3	65	136	—
70	5	W	50	M	6	65	171	—
72	31	W	61	M	1	—	130	—
73	4	N	(?)	S	—	61	131	—
74	18	W	61	M	5	71	120	—
75	16	W	60	S	—	66	125	—
76	58	W	58	M	1	64	148	—
77	20	W	60	S	—	68.5	140	—
78	42	W	60	M	1	71	125	—
79	5	W	59	S	—	72	110	—
80	36	W	74	M	9	67	115	—
81	65	W	65	M	—	67	135	—
82	65	W	65	S	—	66	127	—
83	32	W	74	M	2	68	125	—
84	25	W	51	M	3	(?)	(?)	—
85	—	W	42	M	4	67	126	—
86	15	W	(?)	M	—	67	160	—
87	—	W	73	M	4	62	120	—
88	—	W	63	M	6	70	182	—
96	—	W	66	M	4	65	107	—
104	—	W	51	M	2	65	154	—
105	—	W	56	M	4	64	210	—
106	—	W	60	M	1	72	185	—
107	—	N	57	M	3	65	160	—
111	45	W	56	M	6	68	160	—
114	16	W	51	M	1	66.5	115	—
115	23	W	23	S	—	68	125	—
116	48	W	61	M	14	69	130	—
121	—	W	75	M	—	67	138	—
Total	1,214	44 W 2 N	2,523	37 M 9 S	126	2,878.0	6,058	
No. (46)	(35)		(44)	(46)	(34)	(43)	(43)	
Average	34.7		57.3		3.7	66.9	140.9	

*Information Regarding Living Cancer Patients*

Table 2 (A)—Newark, N. J., 1925—(Continued)

Females								
Number	Years in Newark	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
12	21	W	54	S	—	65	110	—
13	4	W	76	M	5	(?)	(?)	—
14	20	W	(?)	M	8	65	115	—
15	2	W	35	M	1	66	115	—
16	51	W	51	M	5	64	176	—
17	56	W	56	M	—	66	125	—
18	42	W	39	M	4	65	115	—
19	28	W	71	M	7	66	177	—
20	14	W	57	M	6	60	145	—
21	16	W	61	M	—	62	125	—
22	5	W	37	M	1	61	168	—
23	24	W	47	M	—	64	170	—
24	17	W	18	S	—	60	130	—
25	35	W	58	M	8	64	120	—
26	40	W	40	M	1	65.5	116	—
27	22	W	49	M	5	66	113	—
28	4	W	38	M	2	62	125	—
29	—	W	59	S	—	65	160	—
30	—	W	61	M	—	64	195	—
31	10	N	67	M	10	65	130	—
32	2	W	53	M	—	64	212	—
33	—	W	40	M	5	64.5	120	—
34	52	W	52	M	—	67	188	—
35	—	W	73	M	1	62	100	—
36	—	W	62	M	—	64	173	—
37	25	W	58	M	—	66	160	—
38	35	W	35	S	—	64	120	—
39	28	W	47	M	2	64	120	—
40	—	W	46	M	3	65	146	—
41	21	W	33	M	3	65	170	—
42	—	W	64	M	1	65	204	—
43	40	N	63	M	2	—	—	—
49	25	W	59	M	2	67	160	—
50	41	W	65	M	6	67	135	—
51	—	W	54	M	—	64	208	—
52	—	W	52	M	2	66	107	—
53	—	W	51	S	—	64	101	—
54	—	W	46	M	2	63	119	—
55	—	W	49	M	10	—	220	—
56	—	W	62	M	2	72	235	—
57	—	W	56	M	5	—	150	—
58	—	W	52	M	2	63	153	—
59	—	W	44	M	1	63	106	—
60	—	W	42	M	1	63	212	—
61	—	W	70	M	4	—	—	—
62	—	W	57	M	4	—	195	—
63	3	W	62	M	2	61	118	—
65	5	W	69	M	4	60	100	—
66	—	W	68	S	—	60	110	—
67	30	W	74	M	3	62	115	—
68	42	W	42	M	2	66	135	—
69	43	W	43	M	1	64	128	—
89	4	W	35	M	1	66	165	—
90	30	W	74	M	5	67	135	—
91	40	W	40	M	7	66	155	—
92	—	W	—	M	1	62	110	—
93	—	W	46	S	—	60	96	—

*Information Regarding Living Cancer Patients*

**Table 2 (A)—Newark, N. J., 1925—Females (Continued)**

Number	Years in Newark	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
94	—	W	66	M	11	—	157	—
95	—	W	51	M	3	—	185	—
97	—	W	75	M	5	64	168	—
98	—	W	50	M	1	64	130	—
99	—	N	45	S	—	63	(?)	—
100	—	W	60	M	6	60	130	—
101	—	W	50	M	4	63	105	—
102	—	W	35	M	1	62	130	—
103	—	W	68	M	9	60	130	—
108	—	W	38	M	5	64	165	—
109	—	W	47	M	2	62	197	—
110	6	W	65	M	4	65	135.5	—
112	—	W	41	M	4	64	124	—
113	—	W	53	M	—	63	150	—
117	25	W	58	M	2	65	125	—
118	5	W	48	M	1	63	105	—
119	8	N	36	M	—	65	135	—
120	12	W	48	M	5	66	172	—
121	22	W	41	M	2	65	125	—
122	22	N	47	M	—	64	125	—
123	30	N	49	M	2	66	115	—
124	—	W	46	S	—	63	130	—
Total	1,007	73 W 6 N	4,029	70 M 9 S	214	4,543.0	10,749.5	
No. (79)	(43)		(77)		(58)	(71)	(75)	
Average	23.4		52.3			64.0	143.3	

**(B) With Regard to Habits of Living**

Number	Males					
	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
1	—	—	—	—	—	—
2	—	—	—	+	—	—
3	—	—	+	+	—	+
4	+	+	+	—	+	—
5	+	—	+	—	—	—
6	+	—	+	+	—	+
7	—	—	—	—	+	—
7a	+	+	+	—	+	+
8	+	—	+	—	—	—
9	—	+	—	+	—	—
10	—	—	—	+	—	—
11	—	+	+	—	—	—
43	+	—	+	+	+	+
44	—	+	+	+	—	+
45	+	—	—	—	—	—
46	+	—	—	—	—	+
47	—	—	—	—	+	—
64	+	—	+	—	+	+
70	+	—	—	—	—	—
72	—	—	—	—	—	—
73	+	—	—	—	—	—
74	—	—	+	—	—	—
75	—	+	—	—	—	—
76	+	+	—	—	+	+

*Information Regarding Living Cancer Patients*

**Table 2 (B)—Newark, N. J., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
77	+	—	+	+	—	+
78	—	—	—	—	—	—
79	+	+	+	—	+	—
80	—	—	—	+	+	—
81	+	+	—	—	—	—
82	—	—	—	—	—	—
83	—	—	—	—	—	—
84	—	+	+	—	—	—
85	—	—	—	—	—	—
86	—	+	—	—	—	—
87	—	+	—	—	—	—
88	+	—	+	—	—	—
96	—	—	—	—	—	+
104	+	+	—	+	+	—
105	—	—	—	—	—	—
106	—	—	—	+	—	—
107	—	—	—	—	—	—
111	+	—	+	+	—	—
114	+	+	+	+	—	—
115	+	+	—	—	—	+
116	—	+	—	—	—	—
121	—	+	—	—	—	—
No. (46)	20	17	17	13	10	11
Per cent.	43.5	37.0	37.0	28.3	21.7	23.9

**Females**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
12	—	—	—	—	—	—
13	—	—	—	—	—	—
14	—	—	—	+	—	—
15	—	—	—	—	+	+
16	+	—	+	+	—	—
17	—	—	—	+	—	+
18	—	—	—	—	—	—
19	—	—	—	—	—	+
20	—	—	+	+	—	—
21	—	—	—	—	—	—
22	+	—	+	+	—	—
23	—	—	—	+	—	—
24	+	—	+	+	—	—
25	—	—	+	—	—	—
26	—	—	—	—	—	—
27	—	—	—	—	—	—
28	—	—	—	+	—	—
29	—	—	+	—	—	+
30	+	—	+	+	—	+
31	—	—	—	+	—	—
32	+	—	—	+	—	+
33	—	—	—	—	—	+
34	+	—	+	+	—	+
35	—	—	—	—	—	—
36	+	—	+	+	—	—
37	+	—	+	+	—	+
38	—	—	+	—	—	—
39	—	—	+	—	—	—

*Information Regarding Living Cancer Patients*

**Table 2 (B)—Newark, N. J., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
40	+	—	—	—	—	—
41	+	—	—	—	—	—
42	+	—	+	+	—	—
43	—	—	—	—	—	—
49	—	—	—	—	—	—
50	+	—	+	—	+	+
51	+	—	—	—	+	—
52	+	—	—	—	—	—
53	—	—	—	+	—	—
54	+	—	—	+	—	—
55	—	—	—	—	—	—
56	+	+	+	—	—	+
57	—	—	+	—	+	—
58	+	—	—	—	—	+
59	+	—	—	—	—	+
60	+	—	—	—	—	—
61	+	—	+	—	—	—
62	+	—	+	—	—	—
63	—	—	—	—	—	—
65	—	—	—	—	—	—
66	—	—	+	—	—	+
67	—	—	—	+	—	—
68	—	—	—	—	—	—
69	+	—	—	—	—	—
89	+	—	+	—	—	—
90	—	—	—	—	—	—
91	—	—	—	—	—	—
92	—	—	—	—	—	—
93	+	—	—	—	—	+
94	+	—	—	—	—	—
95	—	—	—	—	—	—
97	—	—	—	—	—	—
98	—	—	+	—	+	—
99	+	—	—	+	—	+
100	—	—	—	—	—	—
101	—	—	—	—	—	—
102	+	—	—	—	—	—
103	—	—	+	—	—	+
108	—	—	+	—	—	—
109	—	—	—	—	—	—
110	+	—	—	+	—	—
112	+	—	—	+	—	—
113	+	—	+	—	—	—
117	—	—	—	—	—	—
118	—	—	—	—	—	—
119	+	—	+	+	—	+
120	—	—	—	—	—	—
121	—	—	—	—	—	—
122	+	—	+	+	—	+
123	+	—	—	—	—	—
124	—	—	—	—	—	—
No. (79)	33	1	26	23	5	19
Per cent.	41.8	1.3	32.9	29.1	6.3	24.1

*Information Regarding Living Cancer Patients*

**Table 2—Newark, N. J., 1925—Continued  
(C) With Regard to Known Impairments**

Males									
Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
1	—	+	+	—	—	—	+	—	—
2	—	—	—	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—
4	+	+	+	—	—	—	—	—	—
5	—	—	—	—	—	—	+	—	—
6	—	—	—	—	—	—	+	—	—
7	—	—	—	—	—	—	+	—	—
7a	—	—	+	—	—	—	—	—	—
8	+	—	—	—	—	—	—	—	—
9	—	—	—	—	—	—	+	—	—
10	—	—	—	—	—	—	—	—	—
11	—	—	+	—	—	—	+	—	—
43	+	(?)	—	—	—	—	+	—	—
44	+	+	+	—	—	—	—	—	+
45	+	+	—	—	—	—	—	—	—
46	+	—	+	—	—	—	—	—	—
47	+	+	—	—	—	—	—	—	—
64	+	—	—	—	—	—	—	—	—
70	—	+	—	—	—	—	—	—	—
72	—	+	—	—	—	—	—	—	—
73	+	+	+	—	—	—	—	—	—
74	—	(?)	—	—	—	—	—	—	—
75	—	+	—	—	—	—	—	—	—
76	+	—	—	—	—	—	—	—	—
77	+	+	—	—	—	—	—	—	—
78	+	+	+	—	—	—	—	—	—
79	—	+	—	—	—	—	—	—	—
80	+	+	+	—	—	—	+	—	—
81	+	—	+	—	—	—	—	—	—
82	+	+	—	—	—	—	—	—	—
83	+	—	—	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—
85	—	+	—	—	—	—	—	—	—
86	+	—	—	—	—	—	—	—	—
87	+	+	—	—	—	—	—	—	—
88	+	+	—	—	—	—	—	—	—
96	+	—	—	—	—	—	+	—	—
104	+	+	+	+	—	—	—	—	—
105	—	—	—	—	—	—	—	+	—
106	+	+	—	—	—	—	—	—	—
107	—	—	—	—	—	—	+	—	—
111	—	—	—	—	—	—	—	—	—
114	+	+	+	+	—	—	—	—	—
115	+	—	+	—	—	—	+	—	—
116	—	—	—	—	—	—	—	—	—
121	+	+	+	—	—	—	—	—	—
No. (46)	25	21	14	2			11	1	1
Per cent.	54.3	45.7	30.4	4.3			23.9	2.2	2.2

*Information Regarding Living Cancer Patients*

**Table 2 (C)—Newark, N. J., 1925—(Continued)**

Number	Females								
	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
12	+	—	+	+	—	—	+	—	—
13	—	+	—	—	—	—	+	—	—
14	—	+	—	—	—	—	—	—	—
15	+	+	—	—	—	—	—	—	—
16	+	—	+	—	—	—	—	—	—
17	+	—	+	—	—	—	—	—	—
18	+	—	+	—	—	—	—	—	—
19	+	+	+	—	—	—	+	—	—
20	+	+	+	—	—	—	—	—	—
21	+	+	—	—	—	—	—	—	—
22	+	—	+	—	—	—	—	—	—
23	+	—	—	—	—	—	—	—	—
24	—	—	+	+	—	—	—	—	—
25	+	+	—	—	—	—	—	—	—
26	+	—	—	—	—	—	—	—	+
27	+	+	—	—	—	—	—	—	—
28	—	+	—	—	—	—	+	—	—
29	+	+	+	—	—	—	+	—	—
30	—	+	+	—	—	—	+	—	—
31	+	+	—	—	—	—	+	—	—
32	+	+	+	—	—	—	—	—	—
33	+	+	—	—	—	—	—	—	—
34	+	+	—	+	—	—	—	—	—
35	—	—	+	—	—	—	+	—	—
36	—	—	+	—	—	—	—	—	—
37	+	+	+	—	—	—	+	—	—
38	+	+	+	—	—	—	—	—	—
39	—	—	—	—	—	—	—	—	—
40	—	—	—	—	—	—	—	—	—
41	—	+	+	—	—	—	—	—	—
42	+	+	+	—	—	—	—	—	—
48	+	(?)	—	—	—	—	—	—	—
49	+	+	—	—	—	—	—	—	—
50	+	+	—	—	—	—	—	—	—
51	—	—	—	+	—	—	—	—	—
52	+	+	+	—	—	—	—	—	—
53	+	—	—	—	—	—	—	—	—
54	+	—	—	—	—	—	—	—	—
55	—	—	—	—	—	—	+	—	—
56	+	+	—	—	—	—	—	—	—
57	—	+	—	—	—	—	—	—	—
58	+	—	—	—	—	—	+	—	—
59	—	—	—	—	—	—	—	—	—
60	—	—	—	—	—	—	+	—	—
61	+	+	—	—	—	—	+	—	—
62	—	—	—	—	—	—	+	—	—
63	+	+	—	—	—	—	+	—	—
65	+	+	+	—	—	—	+	—	—
66	+	—	—	—	—	+	—	—	—
67	+	—	—	—	—	—	—	—	—
68	—	+	—	—	—	—	—	—	—
69	+	+	+	—	—	—	—	—	—
89	+	—	+	—	—	—	+	—	—
90	+	—	—	—	—	—	—	—	—
91	+	—	—	—	—	—	—	—	—
92	+	+	—	—	—	—	—	—	—
93	+	+	—	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 2 (C)—Newark, N. J., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
94	—	—	—	—	—	—	—	—	—
95	+	—	—	+	+	—	+	—	—
97	+	—	—	—	—	—	—	—	—
98	+	—	—	+	—	—	+	—	—
99	+	—	—	—	—	—	—	—	—
100	+	+	—	—	—	—	+	—	—
101	+	—	—	—	—	—	—	—	—
102	—	—	—	—	—	—	—	—	—
103	+	+	—	—	—	—	—	—	—
108	—	—	—	—	—	—	—	—	—
109	+	+	—	—	—	—	—	+	—
110	+	+	+	—	—	—	+	—	—
112	+	+	—	+	—	—	+	—	—
113	+	+	—	—	—	—	—	—	—
117	—	+	+	—	—	—	—	—	—
118	+	—	—	—	—	—	—	—	—
119	+	+	—	+	—	—	—	—	—
120	+	+	—	—	—	—	—	—	—
121	—	—	—	—	—	—	—	—	—
122	+	—	—	—	—	—	—	—	—
123	+	+	+	—	—	—	+	—	—
124	+	+	—	+	—	—	—	—	—
No. (79)	57	42	24	9	2	1	23	1	1
Per cent.	72.2	53.2	30.4	11.4	2.5	1.3	29.1	1.3	1.3

**(D) With Regard to Treatment and Remedial Diagnosis and Family History**

Males							
Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History	
1	—	—	—	—	Loss	—	
2	—	—	—	—	Loss	+	
3	—	+	—	+	Loss	—	
4	—	—	—	+	—	—	
5	—	—	—	—	Loss	+	
6	—	—	+	+	Loss	—	
7	+	—	—	—	Loss	+	
7a	+	+	+	—	Loss	—	
8	—	—	—	—	—	—	
9	+	+	+	—	—	—	
10	—	+	—	—	Gain	—	
11	—	+	+	—	Loss	+	
43	—	—	+	—	Loss	—	
44	—	—	—	—	(?)	—	
45	—	+	—	—	Loss	—	
46	—	+	—	—	Loss	+	
47	—	—	—	—	Loss	—	
64	—	+	—	—	Loss	—	
70	—	—	+	—	Loss	—	
72	+	+	—	+	Loss	—	
73	—	+	—	—	Loss	—	
74	—	—	—	—	—	—	
75	—	—	—	—	Loss	—	
76	—	—	+	+	—	—	
77	—	+	—	—	—	—	
78	—	—	—	—	Loss	—	

Information Regarding Living Cancer Patients

Table 2 (D)—Newark, N. J., 1925—Males (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
79	—	—	—	—	Loss	+
80	—	—	—	—	Loss	—
81	—	+	—	—	Loss	+
82	—	—	—	—	Loss	—
83	—	—	—	—	—	—
84	—	—	—	—	—	—
85	—	—	—	—	Loss	—
86	—	—	—	—	Loss	+
87	—	+	—	—	Loss	+
88	—	—	+	—	—	—
96	—	+	—	—	Loss	—
104	—	+	—	—	Loss	—
105	—	+	—	—	Loss	—
106	—	+	—	—	Loss	—
107	—	+	—	—	Loss	—
111	—	+	—	—	Loss	—
114	—	+	—	—	Loss	—
115	—	+	+	—	Loss	—
116	Lump on cheek	—	—	—	Loss	+
121	—	—	—	—	Loss	+
No. (46)	5	21	9	5	35 L, 1 G 10 —	11
Per cent.	10.9	45.7	19.6	10.9	76.1 Loss	23.9

Females

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
12	—	+	—	—	—	—
13	—	+	—	—	—	—
14	+	+	+	+	Loss	—
15	—	+	—	—	Loss	—
16	—	+	—	+	Loss	—
17	—	+	—	+	Loss	+
18	—	+	—	—	Loss	—
19	—	+	—	—	Loss	+
20	—	+	+	—	—	—
21	—	+	—	—	—	+
22	—	—	—	—	Gain	—
23	—	—	—	—	—	+
24	+	+	+	—	Gain	—
25	+	+	—	—	—	—
26	+	+	+	—	Loss	—
27	—	—	—	—	Loss	+
28	—	+	—	—	Gain	+
29	—	+	+	—	Loss	—
30	+	—	—	—	—	—
31	+	+	+	—	Loss	—
32	—	+	+	—	—	—
33	—	+	—	—	Gain	—
34	—	—	—	—	—	—
35	—	+	—	—	—	—
36	—	—	—	—	—	—
37	+	+	+	—	—	—
38	—	+	+	—	—	+
39	+	+	+	—	Gain	—
40	+	+	—	—	—	—
41	+	+	+	—	—	—
42	—	+	+	—	Loss	—
48	—	+	—	—	Loss	—

*Information Regarding Living Cancer Patients*

**Table 2 (D)—Newark, N. J., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
49	—	—	—	—	Loss	—
50	—	—	—	—	Loss	—
51	—	—	+	—	Gain	+
52	—	+	+	—	Loss	+
53	—	+	—	—	Loss	+
54	—	—	+	—	Loss	—
55	—	+	—	—	Loss	—
56	—	—	—	—	Loss	—
57	—	+	—	—	—	—
58	—	+	—	—	—	—
59	—	+	—	—	Loss	—
60	—	+	+	—	—	—
61	—	—	+	—	Gain	—
62	—	—	+	—	Gain	—
63	—	+	+	—	Gain	—
65	—	—	—	—	Loss	—
66	—	—	—	—	Loss	—
67	—	+	—	—	Loss	—
68	—	+	—	—	—	—
69	—	—	—	—	Loss	+
89	—	+	—	—	—	—
90	—	—	—	—	Loss	—
91	—	+	—	—	—	—
92	—	—	—	—	Loss	+
93	—	—	—	—	Loss	—
94	—	+	—	—	—	+
95	—	—	+	—	Loss	—
97	—	+	—	—	Loss	—
98	—	+	—	—	Loss	—
99	—	—	+	—	Loss	—
100	—	—	+	—	Loss	—
101	—	—	+	—	Loss	—
102	—	—	+	—	—	—
103	—	—	+	—	Loss	—
108	—	+	+	—	Loss	—
109	—	+	+	—	Loss	—
110	—	+	—	—	Loss	—
112	—	—	+	—	Loss	—
113	—	—	+	—	Loss	—
117	—	+	—	—	Loss	—
119	Lump	+	—	—	Loss	—
120	Lump	+	—	—	Loss	+
121	Lump	+	—	—	Loss	—
122	+	—	—	—	Loss	—
123	—	+	—	—	Loss	—
124	—	+	—	—	—	+
No. (78)	14	50	29	3	45 Loss 9 G., 24—	15
Per cent.	17.9	64.1	37.2	3.8	57.0 Loss	19.2

Information Regarding Living Cancer Patients

**Table 3—San Francisco, Calif., 1925**  
**(A) With Regard to Physical Facts of Living Patients**

Males								
Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
1	18	W	64	S	—	68	175	140
2	30	W	79	M	—	73	180	110
3	10	W	58	M	4	65	140	—
5	35	W	61	M	1	65	162	—
6	30	W	51	M	1	73	190	120
7	5	W	66	M	1	69	145	—
8	18	W	67	M	—	68	165	130
9	20	W	55	S	—	68	140	—
10	50	W	61	M	5	71	196	145
11	5	W	30	S	—	67	150	110
12	10	W	62	M	2	69	150	125
13	27	W	57	S	—	69	160	125
14	5	W	52	S	—	69	160	—
15	3	W	65	S	—	73	180	150
16	20	W	69	S	—	71	150	—
17	56	W	66	M	3	68	150	—
18	34	W	57	M	—	71	170	—
19	35	W	52	S	—	74	—	140
20	50	W	71	S	—	64	125	100
21	15	W	71	(?)	(?)	68	140	—
22	10	W	51	M	5	64	148	—
23	5	W	64	S	—	68	155	110
26	14	W	70	M	4	66	140	—
27	8	W	75	M	2	67	140	—
28	43	W	43	S	—	66	150	125
29	40	W	80	S	—	62	130	—
31	7	W	60	M	3	67	140	—
32	4	W	64	M	3	68	160	—
33	40	W	74	S	—	75	180	—
34	—	W	49	M	3	69	160	—
35	32	W	66	M	—	72	180	153
36	40	W	58	M	4	73	180	130
37	12	W	76	S	—	68	150	—
38	45	W	62	M	4	71	170	—
39	37	W	57	M	8	68	165	125
40	49	W	49	M	2	68	162	—
41	27	W	54	S	—	72	175	—
43	48	W	67	M	—	69	160	—
44	4	W	60	S	—	68	165	—
45	—	W	75	M	2	65	166	136
48	15	W	43	M	4	68	150	—
49	—	W	62	M	—	70	165	—
50	29	W	55	M	5	70	150	—
51	6	W	43	S	—	67	140	—
52	16	W	62	M	10	(?)	(?)	(?)
53	16	W	76	M	5	65	130	—
54	15	W	55	S	—	69	180	—
56	34	W	64	S	—	72	170	—
57	27	W	36	M	2	66	140	—
58	50	W	60	M	—	72	180	—
59	3	W	34	M	—	69	135	—
60	23	W	57	M	3	68	155	—
61	22	W	61	M	—	68	168	—
62	—	W	54	S	—	70	165	145
64	25	W	56	S	—	68	140	—

Information Regarding Living Cancer Patients

Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
67	52	W	53	M	—	68	160	—
68	—	W	66	M	3	71	150	—
69	30	W	72	M	—	72	170	—
71	46	W	68	(?)	(?)	68	165	125
72	10	W	42	S	—	—	120	110
73	15	W	37	S	—	—	160	125
74	—	W	70	S	—	72	225	185
75	33	W	65	S	—	—	150	120
76	8 mos.	W	47	M	—	—	—	—
78	7	W	69	M	—	65	140	—
80	30	W	56	S	—	—	160	—
81	50	W	74	M	3	72	205	140
83	1	W	56	S	—	72	170	150
84	4	W	62	M	—	71	165	135
85	32	W	52	M	1	67	140	130
87	4	W	62	S	—	69	168	168
88	2	W	60	M	—	72	175	—
89	—	W	59	—	—	67	140	—
91	26	W	45	S	—	—	135	125
96	3	W	49	S	—	73	169	150
98	32	W	75	M	2	69	166	136
101	—	W	57	S	—	66	160	150
102	10	W	70	M	—	72	195	180
103	11	W	57	M	2	—	195	165
108	—	W	69	M	1	69	160	130
109	43	W	59	S	—	66	140	140
110	20	W	50	S	—	67	163	130
111	—	W	51	M	2	63	130	110
112	30	W	60	M	—	71	186	124
113	12	W	55	S	—	69	175	135
114	10	W	74	M	1	67	157	80
115	7	W	63	S	—	—	155	130
116	3	W	51	S	—	—	165	130
117	20	W	60	S	—	73	170	140
118	4	O	48	S	—	—	121	105
119	25	O	60	S	—	58	145	113
120	5	W	49	S	—	66	150	115
121	6	W	56	M	—	69	170	140
122	5	W	26	S	—	67	140	—
123	15	O	46	M	1	57	120	100
125	20	O	49	S	—	62	128	105
131	3 mos.	W	68	S	—	73	180	140
142	5	W	55	S	—	67	150	—
145	—	W	35	S	—	66	130	120
146	30	W	65	M	2	72	160	—
147	3	O	40	S	—	63	130	—
148	5	O	40	M	—	63	120	—
156	7	W	57	M	5	71	180	165
157	16	W	43	M	2	72	—	—
159	9 mos.	W? N?	42	—	—	69	140	—
165	—	—	42	S	—	67	186	160
160	6	W	44	S	—	—	150	120
164	2	W	68	M	3	71	160	140
166	—	W	58	M	5	67	160	140
167	2	W	2	—	—	—	7.5	—
168	18	O	60	M	—	60	—	—
170	38	W	38	S	—	72	233	150
172	2	W	66	M	—	65	152	119
176	18	W	58	S	—	67	150	—

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
177	—	W	49	M	—	68	150	—
179	29	W	57	S	—	66	155	148
180	3	W	56	S	—	66	153	113
181	—	—	24	S	—	—	—	—
182	—	—	64	M	—	72	170	—
183	30	W	30	S	—	68	145	—
184	31	W	56	M	—	72	170	160
185	5	W	49	M	3	68	160	135
187	19	W	40	—	—	69	195	180
188	4	O	60	M	—	62	120	—
189	6	W	45	S	—	68	140	—
196	33	W	60	M	2	73	—	170
197	7 wks.	W	65	S	—	—	—	—
200	2	W	59	M	—	69	162	140
201	10	W	29	S	—	66	125	—
202	20	W	48	(?)	(?)	—	135	109
204	3 wks.	W	31	S	—	64	125	—
205	16	W	50	M	2	66	140	—
206	9	W	73	M	—	72	172	132
209	7	W	38	S	—	68	140	—
210	1	W	33	S	—	—	125	116
211	2	W	53	S	—	70	170	—
212	18	W	71	S	—	72	158	120
213	31	W	56	(?)	(?)	67	160	125
214	5	W	60	M	2	66	150	130
215	3	W	60	M	—	72	180	130
216	60	W	73	M	1	64	140	113
217	55	W	72	S	—	(?)	(?)	(?)
218	14	W	37	(?)	(?)	69	190	135
219	(?)	W	57	M	—	(?)	(?)	(?)
221	20	W	56	S	—	72	180	150
222	38	W	58	S	—	73	189	150
224	(?)	W	62	M	4	69	185	160
225	55	W	55	M	2	68	160	(?)
226	(?)	W	51	S	—	67	150	—
227	3	W	59	M	—	72	200	150
230	13	W	64	M	—	72	170	121
232	12	W	36	S	—	66	150	130
235	3 wks.	W	72	M	—	(?)	175	128
237	—	W	57	M	1	69	170	—
239	4	O	59	M	1	60	120	—
240	2	W	56	M	4	72	175	146
241	(?)	W	56	M	—	(?)	160	130
242	9	N	10	S	—	48	100	—
244	3	O	50	M	2	57	110	—
245	(?)	W	82	M	1	71	160	—
246	43	W	74	M	2	—	200	150
247	15	W	60	M	2	72	160	115
248	(?)	(?)	60	M	5	66	135	135
250	7	W	60	M	—	72	160	—
251	14	O	38	S	—	60	110	—
252	1 wk.	W	65	M	2	67	160	140
253	3	W	64	M	4	69.5	—	—
254	(?)	W	49	M	4	65	145	140
255	47	W	54	M	1	67	160	127
256	48	W	68	S	—	66.5	130	—
257	1	W	53	M	—	64	165	135
259	6	W	68	M	2	67	—	—
260	3	W	52	M	3	67.5	140	110

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
262	35	W	69	M	—	73	180	—
264	37	W	64	M	—	67	130	115
265	3	W	49	M	2	68	162	162
266	3	B	30	S	—	63	125	—
267	17	W	43	M	—	71.25	180	—
268	25	W	63	M	—	72	170	150
269	—	W	58	M	—	—	—	—
270	1.5	W	49	S	—	67	185	160
272	3	W	60	S	—	70	—	—
273	—	W	45	—	—	72	(?)	—
274	2.5	W	46	M	4	71	147	100
276	25	W	54	M	—	71	172	155
277	14	W	50	M	2	67	—	—
278	40	W	59	M	3	72	175	—
279	13	W	39	S	—	68	145	—
280	62	W	62	M	2	68	150	—
282	44	W	44	S	—	66	145	141
283	23	W	66	M	—	66	128	—
284	(?)	O	46	M	2	60	100	—
285	15	W	56	S	—	—	150	125
286	19	W	66	M	—	69	190	175
287	—	W	42	M	—	64	140	—
288	3	W	40	S	—	—	130	120
289	—	O	23	S	—	—	130	115
290	—	W	64	S	—	—	160	140
291	—	O	43	M	3	60	145	131
295	1	W	61	M	—	73	170	130
297	21	W	54	M	4	68	175	135
298	20	W	64	M	2	71	185	140
299	4	O	45	S	—	63	120	—
300	25	W	66	M	—	—	156	140
301	27	W	50	M	3	—	135	100
302	3	W	54	S	—	69	148	128
303	23	W	56	S	—	69	140	90
304	1	W	59	M	—	(?)	(?)	(?)
305	10	W	45	S	—	68	145	—
306	15	W	57	M	3	67	165	140
307	—	W	62	S	—	66	140	100
308	1	W	54	S	—	72	175	160
309	30	O	49	(?)	(?)	61	120	100
310	—	W	58	(?)	—	(?)	(?)	(?)
311	7	W	44	M	—	67	185	160
312	32	W	48	M	—	66	145	127
314	—	—	60	S	—	72	—	100
315	3	W	49	S	—	66	120	—
317	37	W	58	M	4	63	130	—
318	—	W	46	M	—	66	150	90
319	3	W	62	M	2	72	170	130
320	3	O	31	S	—	63	120	—
321	5	O	38	M	2	60	120	—
322	33	W	61	M	—	69	145	115
325	28	W	54	M	—	69	145	130
327	4	W	47	M	—	74	200	168
328	—	W	61	M	1	60	120	105
329	2	W	58	M	—	72	160	145
331	58	W	58	M	—	72	180	160
333	1	W	84	M	2	—	215	190
336	15	W	55	M	2	—	148	125
339	2	W	36	S	—	63	174	154

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
340	50	W	77	S	—	72	172	138
342	14	W	70	M	—	63	155	130
345	6	N	31	M	3	69	180	175
347	20	W	59	S	—	73	180	174
349	22	W	55	M	1	72	150	150
350	35	W	54	M	—	68	170	95
351	2	W	55	S	—	64	178	142
352	1.5	W	49	S	—	68	(?)	(?)
353	36	W	62	M	—	72	175	—
354	10	O	48	M	2	(?)	(?)	(?)
355	16	W	79	(?)	(?)	(?)	200	160
356	30	W	42	M	—	67	140	140
357	20	W	49	S	—	—	190	170
359	—	W	68	M	—	—	180	150
360	14	W	53	M	—	66	(?)	(?)
361	2	W	56	M	—	66.5	160	145
362	—	W	63	M	—	60	155	129
363	4 mos.	W	55	S	—	—	140	100
365	3 wks.	O	43	S	—	60	143	131
366	20	W	60	(?)	(?)	66	145	124
367	—	W	55	S	—	72	210	200
368	30	W	67	S	—	73	200	145
369	30	W	62	S	—	68	140	115
370	39	W	74	M	2	73.5	214	140
371	25	W	67	M	1	64	(?)	(?)
372	55	W	55	M	—	66	192	132
373	22	W	55	M	1	67	150	150
376	33	W	44	S	—	73	170	—
379	20	W	50	S	—	65	140	120
380	42	W	60	M	—	65	145	135
381	50	O	66	M	—	60	—	100
382	—	W	52	S	—	69	130	—
383	15	W	53	M	2	62	156	126
386	3	W	67	M	—	72	160	—
387	40	W	68	(?)	—	69	150	—
388	43	W	63	M	3	66	160	—
391	30	W	49	S	—	67	135	111
392	36	O	61	M	—	(?)	(?)	(?)
393	3	W	60	M	—	66.5	160	155
395	2.5	W	49	M	2	65	135	—
396	14	W	62	M	5	62	171	115
397	32	W	56	(?)	—	64	130	—
398	2	W	60	M	4	63	150	135
399	50	W	79	S	—	68	160	140
400	42	W	42	S	—	66	154	111
401	12	W	37	S	—	71	145	—
403	3	W	59	M	1	75	195	145
404	15	O	56	S	—	58	110	—
405	35	W	57	M	1	72	180	—
406	2.5	W	52	M	—	73	170	155
409	12	W	58	M	3	70	180	—
411	10	N	43	M	—	72	170	—
412	5.5	W	58	S	—	66	140	—
419	50	W	70	S	—	67	160	—
420	41	W	71	M	1	66	175	—
421	1	O	45	M	3	58	100	—
423	52	W	52	M	1	66	160	120
426	3	W	43	M	—	66	135	—
428	—	W	51	M	—	—	135	95

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
429	7	O	49	M	3	60	110	—
432	33	W	66	M	1	68	169	136
433	30	W	60	M	—	66	130	—
434	18	W	59	M	1	64	140	120
435	7	W	64	M	1	73	180	210
436	8	W	59	S	—	—	220	175
438	60	W	64	M	3	72	180	—
440	59	W	59	M	5	74	180	—
441	18	W	60	M	1	69	205	160
442	3 wks.	W	65	S	—	66	135	—
443	3	W	65	M	2	66	158	150
445	14	W	41	S	—	73	170	150
448	6 mos.	W	59	M	—	72	175	—
450	15	W	73	M	—	66	165	141
452	58	W	58	S	—	66	135	115
453	—	W	83	S	—	71	200	140
458	—	W	49	M	—	71	170	125
461	—	W	52	S	—	73	170	—
462	—	W	70	M	2	73	170	—
465	18	W	39	M	—	66	130	122
466	—	W	60	M	—	72	200	190
468	20	W	60	M	2	70	195	192
470	18	W	72	M	—	72	170	—
472	20	W	49	M	2	66	178	—
476	—	W	55	M	—	67	135	100
480	20	W	66	M	—	67	160	142
482	40	W	62	S	—	75	180	—
483	3	W	67	M	8	64	154	140
484	—	W	48	S	—	73	170	—
485	6	W	62	M	3	71	165	140
486	4	W	40	S	—	68	130	—
488	3	W	46	M	2	63	165	145
490	32	W	59	S	—	63	146	120
491	24	S	62	S	—	64	155	115
492	67	W	67	S	—	74	180	150
497	8	W	66	M	5	—	200	162
498	14	W	64	S	—	63	160	145
499	2	W	51	M	3	75	165	155
501	43	W	63	S	—	68	130	120
502	10	W	55	M	—	66	140	110
506	2	W	39	S	—	67	150	142
507	18	W	50	M	4	66	160	115
509	70	W	81	M	5	—	135	105
514	10	W	63	(?)	(?)	74	210	170
515	12	W	63	S	—	62	165	140
517	35	W	70	M	6	70	190	140
519	—	O	50	S	—	60	100	85
521	19	W	48	S	—	68	140	130
522	39	W	39	M	1	71	210	185
523	7	W	51	M	3	73	190	—
525	17	W	58	M	2	61	120	—
526	6 mos.	W	27	S	—	68	175	145
528	—	W	32	M	1	71	—	—
529	—	W	35	M	—	65	133	110
530	50	W	68	M	2	73	180	140
532	33	W	59	M	1	63	140	120
533	16	W	63	M	2	68	160	—
534	—	W	59	M	—	74	180	—
539	12	W	54	M	7	64	101	—

Information Regarding Living Cancer Patients

Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
541	20	W	61	M	—	65	200	125
544	2.5	W	72	M	4	62	—	90
548	—	W	67	M	6	68	160	160
549	7	W	56	M	—	63	140	—
551	56	W	56	M	2	69	185	148
552	4	W	33	S	—	63	150	111
554	—	W	29	S	—	65	160	—
555	—	W	40	M	4	66	165	112
556	4	W	49	S	—	66	160	—
558	57	W	57	M	2	70	180	130
561	21	W	54	M	—	70	180	140
563	—	W	83	M	4	71	170	110
564	7	W	54	M	—	66.5	190	165
565	15	W	61	S	—	65	160	135
566	58	W	58	M	—	65.5	185	110
570	25	W	55	M	—	66	165	135
571	—	W	43	S	—	67	145	145
575	12	W	62	M	—	66	175	148
576	—	W	60	S	—	68	160	150
577	15	W	67	M	3	71	200	200
582	18	W	54	M	4	68	170	140
584	16	W	42	M	3	64	140	—
586	—	W	47	S	—	63	190	140
587	—	W	60	M	3	67	—	156
588	20	W	58	S	—	62	120	—
589	3 mos.	W	54	M	6	60	124	—
590	—	W	44	S	—	73	180	—
592	34	W	43	M	—	72	170	130
594	3	W	76	M	3	71	140	101.5
595	5	W	58	S	—	74	180	140
599	—	W	58	M	—	66	120	114
600	4	W	35	M	1	69	170	140
602	—	W	21	S	—	72	170	—
603	26	W	44	S	—	71	160	145
604	8	O	56	S	—	61	120	—
605	2	W	36	M	—	70	128	103
607	43	W	73	M	—	69	175	155
608	31	W	31	S	—	66	145	—
609	15	W	76	M	—	63	125	100
610	40	W	40	M	3	64	130	92
611	50	W	75	M	6	66	140	—
613	28	W	57	S	—	63	140	101
614	24	W	52	M	—	68	170	130
615	1.5	W	70	M	—	(?)	155	140
616	1	O	55	S	—	61	105	—
617	1.5	W	49	M	2	68	170	—
618	13	W	49	M	—	65	145	113
619	5	(?)	41	M	—	(?)	187	162
620	25	W	70	M	—	64	170	—
622	—	W	45	S	—	—	—	—
623	7	W	66	M	—	63	125	100
624	12	W	50	M	3	67	165	145
626	52	W	69	M	—	70	160	140
627	12	W	58	S	—	68	140	125
630	15	W	57	M	6	72	—	175
634	40	W	75	S	—	66	160	150
635	46	W	64	S	—	75	230	180
641	—	W	58	S	—	70	170	120
642	—	W	68	M	—	72	180	180

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Males (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
644	35	W	49	S	—	—	170	190
646	27	W	47	S	—	72	170	180
647	60	W	65	S	—	65	125	85
649	6 wks.	W	40	S	—	65	155	125
651	—	W	57	S	—	70	192	125
654	—	W	75	M	7	67	160	—
655	30	W	53	M	3	68	140	—
656	6 mos.	N	70	M	—	66	162	—
657	—	W	48	M	3	66	140	125
658	7	W	45	M	—	70	220	180
659	38	W	60	M	3	63	150	130
662	30	W	56	S	—	71	155.5	133.5
663	10	W	66	M	1	68	135	—
664	16	W	48	S	—	69	186	150
665	42	W	42	M	5	71	—	—
666	40	W	50	M	10	73	200	—
668	26	W	59	M	2	72	160	—
674	52	W	52	M	3	65	148	148
Total	7,096.25		23,799	254 M 156 S 17 —	432	25,765.25	62,564.0	35,316.0
No. (427)	(358)		(427)		(148) *	(380)	(396)	(261)
Average	19.8		55.7		2.9	67.8	158.0	135.3
(Comparable normal and present weights).....							41,457.5	34,385.0
							161.9	134.3

(256)

**Females**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
281	—	W	55	M	4	66	160	—
292	18	W	60	M	1	64	130	120
293	30	W	65	M	—	57	105	85
294	8	W	37	M	—	62	155	100
296	14	W	66	M	—	65	160	120
313	—	W	37	M	4	63	140	105
316	2.5	N	31	M	—	63	165	138
323	10	W	70	M	—	66	150	100
324	42	W	68	M	4	64	—	—
326	17	W	62	M	2	62	—	—
330	2	W	46	M	5	63	155	155
332	7	W	31	M	1	60	100	85
334	2	W	38	M	6	61	—	—
337	—	W	60	M	—	(?)	139	117
338	3	W	35	M	1	66	201	201
341	4	W	75	M	—	60	108	85
343	11	W	31	M	2	66.75	190	190
344	20	W	50	M	2	64	135	127
346	2	N	48	S	—	69	160	150
348	18	W	39	M	2	63	170	160
358	7	W	34	M	1	68	145	—
364	50	W	74	M	4	57	100	—
374	10	W	35	M	—	64	165	200
375	7	W	63	M	3	64	165	145
377	4	W	41	M	—	63	170	163
378	11	W	46	S	—	56	100	92
384	26	W	40	M	1	60	150	—
385	3	W	41	M	1	61	200	170
389	(?)	W	(?)	M	1	60	118	108

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Females (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
394	45	W	45	M	4	62	122	—
390	13	W	51	M	—	65	130	—
402	18	W	47	M	2	60	115	—
407	44	W	44	M	1	66	145	—
408	2	W	47	M	2	60	150	—
410	20	W	69	M	2	61	100	—
413	60	W	61	M	—	64	140	—
414	43	W	43	M	5	67	150	140
415	1	W	37	M	5	66	140	—
416	40	W	64	M	—	65	150	90
417	3.5	W	66	M	1	62	120	—
418	39	W	54	M	—	64	162	139
422	6	W	73	M	2	64	130	110
424	16	W	43	M	2	67	145	—
425	6	W	44	M	2	68	165	—
427	43	W	49	M	7	63	175	—
430	35	W	73	M	3	61	130	—
431	32	W	48	M	1	61	140	120
437	4	W	68	M	—	60	160	—
439	5	W	50	M	1	66	160	—
444	5	W	58	M	4	66	170	150
446	49	W	76	M	4	64	140	—
447	3	W	39	M	—	62	125	—
449	48	W	75	M	—	60	120	—
450 <sup>1</sup> / <sub>2</sub>	—	W	19	S	—	62	120	—
451	9	W	72	M	1	64	140	110
454	—	W	38	M	1	66	150	135
455	20	W	53	M	—	59	120	—
456	33	W	33	M	—	68	140	—
457	—	W	68	M	2	66	130	—
459	—	W	52	M	2	61	127	107
460	4	W	59	M	—	—	135	84
463	20	W	56	M	4	62	140	110
464	12	W	37	M	6	58	130	110
467	—	W	50	M	—	66	135	—
469	27	W	44	M	2	70	140	120
471	47	W	48	M	—	66	210	155
473	13	W	47	M	1	68	170	162
474	8	W	52	M	1	66	140	130
475	2	W	52	M	2	61	120	—
477	45	W	45	M	3	65	185	165
478	13	W	40	M	5	63	150	112
479	5	W	45	M	2	59	110	—
481	—	W	52	M	—	62	110	—
487	—	W	58	M	6	62	110	105
489	40	W	78	M	4	62	165	125
493	60	W	60	M	—	61	118	115
494	—	W	58	M	2	66	140	130
495	—	W	69	M	3	64	165	165
496	—	W	39	M	—	65	195	194
500	—	W	60	M	1	67	200	—
503	—	W	52	M	1	63	130	—
504	1.5	W	51	M	3	—	—	—
505	39	W	80	M	8	62	130	120
508	12	W	54	M	5	62	170	160
510	15	W	45	M	2	65	160	120
511	19	W	59	M	3	60	150	115
512	—	W	65	M	3	64	160	135
513	9	W	36	M	3	60	110	95

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Females (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
516	—	W	21	M	1	58	90	84
518	65	W	87	M	—	71	175	115
520	17	W	52	M	1	66	190	170
524	12	W	51	M	1	59	110	—
527	7	N	39	M	—	65	189	—
531	20	W	74	M	—	62	120	95
535	11	W	40	S	—	59	100	—
536	—	W	44	M	2	62	120	105
537	—	W	54	M	6	62	140	135
538	14	W	56	M	8	66	160	133
540	12	W	59	S	—	(?)	175	145
542	—	W	60	M	4	62	100	130
543	58	W	83	M	2	68	190	—
545	—	W	66	M	3	61	110	90
546	—	W	40	M	1	71	180	160
547	2	W	26	M	2	62	124	112
550	—	W	(?)	M	1	58	105	—
553	—	W	38	M	4	72	205	160
557	18	W	38	S	4	64	180	—
559	20	W	34	M	1	—	125	107
560	—	W	43	M	4	61	150	130
562	—	W	65	M	3	62	130	110
567	—	W	53	M	8	—	230	190
568	40	W	64	M	—	65	180	120
569	—	W	73	M	2	67	160	120
572	—	W	62	M	6	68	180	150
573	13	W	32	M	2	66	135	—
574	3	W	42	M	3	63	130	—
578	5	W	52	M	—	66	160	160
580	3	W	76	M	3	64	125	125
579	53	W	53	M	2	65	150	120
581	—	W	47	M	1	59	105	—
583	30	W	58	M	—	68	140	125
585	16	W	47	M	2	66	160	—
591	—	W	31	M	—	64	140	108
593	25	W	60	M	—	71	150	125
596	5	W	48	M	3	61	130	—
597	16	W	49	M	3	61	140	125
598	43	W	43	M	1	63	170	155
601	—	W	49	M	—	69	150	—
606	16	W	30	M	—	60	120	—
612	6	W	71	M	9	60	130	105
621	30	W	53	M	1	63	130	—
625	12	W	78	M	4	62	120	100
628	56	W	57	M	4	62	130	148
629	16	W	56	M	—	62	168	118
631	30	W	35	M	3	60	120	110
632	44	W	44	M	—	60	115	85
633	57	W	57	S	—	61	120	95
636	25	W	55	M	—	64	—	160
637	—	W	49	M	3	64	160	133
638	2	W	47	M	—	66	—	140
639	1	W	22	M	3	62	—	—
640	—	W	44	M	3	66.5	168	130
643	25	W	56	M	2	62	150	124
645	45	W	45	M	2	65	140	125
648	60	W	60	M	2	61	110	95
652	7	W	64	M	4	62	108	—
653	7	W	44	M	—	65	152	132

*Information Regarding Living Cancer Patients*

**Table 3 (A)—San Francisco, Calif., 1925—Females (Continued)**

Number	Years in San Francisco	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
660	12	W	86	M	1	59	100	—
661	—	W	58	S	—	68	190	170
667	24	W	54	M	5	66	170	—
669	—	W	58	M	1	66	180	160
670	12	W	37	M	—	—	120	102
671	8	W	54	M	8	64	175	—
672	44	W	44	S	—	61	161	—
673	17	W	48	M	9	61	120	—
675	7	W	63	M	3	66	162	—
	2,433.5		8,006	147 M 9 S	320	9,452.25	21,547	12,580
No. (156)	(119)		(154)	(156)	(108)	(149)	(149)	(98)
Average	20.4		52.0		3.0	63.4	144.6	128.4
(Comparable normal and present weights)							14,355	12,280
							149.5	127.9

(96)

**(B) With Regard to Habits of Living**

Number	Males					
	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
1	+	+	+	—	—	—
2	+	+	+	—	—	—
3	+	+	+	—	+	—
5	+	+	—	+	+	—
6	+	+	—	+	—	—
7	—	+	—	+	—	—
8	+	+	+	+	—	+
9	+	+	—	+	+	—
10	+	—	+	—	+	—
11	+	+	+	+	+	—
12	—	—	+	+	—	—
13	—	+	+	—	+	—
14	+	—	+	+	+	—
15	+	+	+	—	+	—
16	—	+	+	+	+	—
17	—	+	+	+	—	—
18	+	+	—	+	+	—
19	—	—	+	+	—	—
20	+	+	+	—	+	—
21	+	+	+	+	+	—
22	+	+	—	+	+	—
23	+	+	+	+	+	—
26	—	—	—	+	—	—
27	+	+	+	—	—	—
28	—	—	—	—	—	—
29	+	+	—	+	—	—
31	—	+	—	—	—	—
32	—	—	—	+	—	—
33	+	—	+	+	—	—
34	+	+	—	—	+	—
35	+	+	—	—	+	—
36	+	—	+	—	+	—
37	—	+	+	+	+	—
38	+	+	+	—	—	+

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
39	+	—	+	—	—	—
40	+	+	+	—	+	—
41	+	—	+	+	+	—
43	—	—	—	—	—	—
44	—	—	—	+	—	—
45	—	—	—	—	—	—
48	—	+	+	—	—	—
49	—	—	+	—	+	—
50	+	+	+	+	+	—
51	—	—	—	—	+	—
52	+	+	+	+	+	—
53	—	+	+	—	—	—
54	—	+	(?)	(?)	+	(?)
56	+	+	+	—	—	—
57	—	—	—	—	+	—
58	—	+	+	+	+	+
59	—	—	+	—	+	—
60	+	—	+	+	+	—
61	—	—	—	—	+	—
62	—	+	—	+	—	—
64	—	—	+	—	—	—
67	—	—	—	—	—	—
68	+	+	+	—	+	—
69	—	—	+	—	+	+
71	(?)	(?)	(?)	(?)	(?)	(?)
72	—	—	—	—	—	—
73	—	—	—	—	—	—
74	—	—	+	+	+	+
75	(?)	(?)	(?)	(?)	(?)	(?)
76	+	+	+	—	+	—
78	—	—	+	+	+	—
80	—	—	+	+	—	—
81	+	—	+	+	—	—
83	+	+	+	+	—	+
84	—	—	+	+	—	—
85	—	+	—	—	—	—
87	—	+	+	+	+	—
88	+	—	+	+	+	—
89	—	—	—	+	—	—
91	(?)	(?)	(?)	(?)	(?)	(?)
96	—	+	+	+	+	—
98	—	—	—	—	—	—
101	—	+	—	—	+	—
102	+	+	+	—	+	+
103	+	+	—	—	+	—
108	—	—	—	—	—	—
109	—	—	—	—	+	—
110	—	—	+	+	+	+
111	—	—	—	—	—	—
112	+	+	+	+	—	—
113	+	+	+	+	+	—
114	+	—	+	+	+	+
115	—	—	—	—	+	—
116	+	+	+	—	—	—
117	—	—	—	—	—	—
118	—	—	—	—	—	—
119	—	—	—	—	—	—
120	+	+	+	—	+	—
121	+	+	+	+	+	+

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
122	—	—	—	—	+	—
123	—	+	—	—	+	—
125	—	—	—	—	—	—
131	+	—	—	+	+	+
142	+	+	—	—	+	+
145	—	+	—	—	+	—
146	—	—	—	+	+	+
147	—	—	—	—	+	—
148	—	—	—	—	+	—
156	+	+	+	+	—	—
157	(?)	(?)	(?)	(?)	(?)	(?)
159	(?)	(?)	(?)	(?)	(?)	(?)
160	+	+	+	+	+	—
164	+	+	+	+	+	—
165	+	+	+	+	—	—
166	—	—	+	—	—	—
167	—	—	—	—	—	—
168	(?)	(?)	(?)	(?)	(?)	(?)
170	+	+	+	+	+	—
172	—	—	+	—	+	—
176	+	+	+	+	—	—
177	+	+	+	—	—	—
179	—	+	—	—	—	—
180	—	—	+	+	+	—
181	(?)	(?)	(?)	(?)	(?)	(?)
182	(?)	(?)	(?)	(?)	(?)	(?)
183	—	—	+	+	—	—
184	—	—	+	—	+	+
185	+	+	+	+	—	+
187	+	+	+	+	—	+
188	—	+	—	—	—	—
189	—	+	—	—	+	—
196	+	+	+	+	+	+
197	(?)	(?)	(?)	(?)	(?)	(?)
200	—	—	—	—	—	—
201	—	+	—	—	+	—
202	—	+	+	—	—	—
204	—	+	—	—	—	—
205	—	+	+	—	+	—
206	+	+	+	+	+	—
209	—	+	—	—	—	—
210	—	+	—	—	—	—
211	+	+	+	+	+	+
212	+	—	+	+	—	—
213	(?)	(?)	(?)	(?)	(?)	(?)
214	+	—	—	—	+	—
215	(?)	(?)	(?)	(?)	(?)	(?)
216	+	—	+	—	+	—
217	+	+	+	+	+	—
218	+	+	+	+	+	—
219	(?)	(?)	(?)	(?)	(?)	(?)
221	+	+	+	+	—	+
222	+	+	+	—	+	+
224	+	—	+	+	+	—
225	+	+	+	+	—	—
226	+	+	+	—	+	—
227	+	+	+	—	+	—
230	+	+	+	—	—	—
232	+	+	+	—	+	—

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
235	—	+	—	—	+	—
237	+	+	—	—	—	—
239	—	+	—	—	+	—
240	+	+	+	—	+	—
241	—	+	—	+	+	—
242	—	—	—	—	—	—
244	—	+	—	—	+	—
245	—	—	—	—	—	—
246	+	+	+	+	+	+
247	(?)	(?)	(?)	(?)	(?)	(?)
248	+	+	—	+	+	—
250	—	+	+	—	+	—
251	—	+	—	—	+	—
252	—	+	+	—	+	—
253	(?)	(?)	(?)	(?)	(?)	(?)
254	—	+	—	—	—	—
255	+	+	+	+	+	—
256	—	—	—	—	—	—
257	+	+	+	—	—	—
259	+	+	+	—	+	—
260	—	—	+	+	—	+
262	+	+	+	+	+	—
264	+	—	+	+	+	—
265	—	—	+	+	+	—
266	—	—	—	—	—	—
267	+	+	+	+	—	—
268	+	+	—	+	+	—
269	(?)	(?)	(?)	(?)	(?)	(?)
270	+	+	+	—	+	—
272	—	+	+	—	+	—
273	(?)	(?)	(?)	(?)	(?)	(?)
274	—	+	+	+	—	—
276	+	+	+	—	—	—
277	—	—	+	+	+	—
278	+	+	+	+	—	—
279	—	+	+	—	+	—
280	—	+	—	—	+	—
282	(?)	(?)	(?)	(?)	(?)	(?)
283	—	+	—	+	+	—
284	—	+	—	—	+	—
285	+	+	+	—	+	—
286	+	+	+	—	+	—
287	+	+	+	—	+	—
288	+	+	(?)	(?)	+	(?)
289	—	+	—	+	+	—
290	+	—	+	+	+	+
291	—	—	—	—	—	—
295	+	+	+	+	+	—
297	+	+	+	—	+	—
298	+	+	+	—	+	+
299	—	+	—	—	—	—
300	(?)	(?)	(?)	(?)	(?)	(?)
301	+	+	+	—	+	+
302	(?)	+	(?)	(?)	(?)	(?)
303	+	+	—	—	—	—
304	—	—	—	—	+	—
305	+	—	+	—	—	—
306	+	—	—	—	—	—
307	—	—	—	—	+	—

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
308	+	+	+	—	+	—
309	—	—	—	—	—	—
310	(?)	(?)	(?)	(?)	(?)	(?)
311	+	+	+	—	(?)	—
312	—	+	—	—	—	—
314	(?)	(?)	(?)	(?)	(?)	(?)
315	+	+	+	—	—	—
317	—	—	—	—	—	—
318	+	—	+	—	—	—
319	—	—	—	—	—	+
320	—	—	—	—	—	—
321	—	—	—	—	+	—
322	—	—	—	—	+	—
325	+	—	+	—	+	—
327	+	+	+	+	—	—
328	—	—	—	+	—	—
329	(?)	(?)	(?)	(?)	(?)	(?)
331	+	+	+	—	+	—
333	+	—	+	—	+	—
336	—	+	+	+	—	—
339	+	+	—	+	+	—
340	+	+	+	—	—	—
342	+	+	+	—	—	—
345	+	—	+	+	+	—
347	+	+	+	+	—	—
349	+	—	—	—	—	—
350	+	+	+	+	—	—
351	+	+	+	—	—	—
352	(?)	(?)	(?)	(?)	(?)	(?)
353	+	+	—	—	+	—
354	—	+	—	—	+	—
355	+	+	(?)	(?)	(?)	(?)
356	—	+	—	+	—	—
357	+	+	+	—	—	—
359	(?)	(?)	(?)	(?)	(?)	(?)
360	+	+	+	—	—	+
361	(?)	(?)	(?)	(?)	(?)	(?)
362	—	+	—	—	+	—
363	—	—	+	—	—	—
365	—	+	—	—	—	—
366	+	+	+	—	+	—
367	+	+	+	—	—	—
368	+	+	—	—	—	—
369	+	—	+	—	—	—
370	+	+	+	+	+	—
371	—	—	—	—	—	—
372	—	+	(?)	(?)	+	—
373	—	+	—	—	—	—
376	—	—	—	—	—	—
379	(?)	(?)	(?)	(?)	(?)	(?)
380	—	—	—	—	+	—
381	—	+	(?)	(?)	(?)	(?)
382	—	—	—	—	—	—
383	+	+	+	—	+	—
386	+	+	+	—	+	—
387	—	—	—	—	+	—
388	—	—	—	—	+	—
391	—	—	—	—	+	—
392	—	+	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
393	—	—	—	—	+	—
395	+	+	+	—	—	—
396	—	+	—	+	+	—
397	(?)	(?)	(?)	(?)	(?)	(?)
398	—	+	—	—	—	—
399	+	+	+	(?)	(?)	(?)
400	+	+	+	—	+	—
401	(?)	(?)	(?)	(?)	(?)	(?)
403	—	—	—	—	+	—
404	—	+	(?)	(?)	+	—
405	+	—	+	+	—	—
406	+	+	+	—	—	+
409	+	+	+	—	+	—
411	+	—	—	+	—	—
412	—	—	—	—	—	—
419	—	—	—	—	—	—
420	+	—	+	+	+	—
421	—	+	—	—	—	—
423	+	—	+	+	+	—
426	—	—	—	+	+	+
428	—	—	—	—	+	—
429	—	—	—	—	+	—
432	+	+	—	+	+	—
433	—	+	+	—	—	—
434	—	—	—	—	—	—
435	+	+	+	—	—	+
436	+	+	+	—	+	—
438	+	—	+	—	+	(?)
440	+	—	+	+	—	—
441	+	+	+	+	+	—
442	—	—	—	—	—	—
443	+	+	(?)	(?)	(?)	(?)
445	+	—	+	—	—	—
448	+	+	+	—	—	—
450	+	+	+	+	—	—
452	—	+	+	+	+	—
453	+	+	+	—	—	—
458	+	+	+	—	—	—
461	+	+	+	—	+	—
462	+	—	+	+	—	—
465	—	—	+	—	+	—
466	+	—	+	+	+	—
468	+	—	+	—	—	—
470	—	—	—	+	+	—
472	+	+	+	—	+	—
476	—	+	—	—	—	—
480	+	+	+	—	—	—
482	+	+	+	+	—	—
483	+	—	(?)	(?)	(?)	(?)
484	+	—	—	—	+	—
485	(?)	+	(?)	(?)	+	(?)
486	—	—	—	—	—	—
488	+	+	+	+	—	—
490	+	+	+	—	+	—
491	—	+	—	—	—	—
492	+	+	+	—	—	—
497	+	+	+	+	—	—
498	+	+	—	—	—	—
499	(?)	(?)	(?)	(?)	(?)	(?)

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
501	(?)	(?)	(?)	(?)	(?)	(?)
502	—	+	+	—	—	—
506	+	+	—	—	+	—
507	+	—	—	+	+	—
509	+	+	+	+	+	—
514	+	+	+	+	+	—
515	+	—	+	+	—	—
517	+	—	+	—	+	—
519	—	(?)	(?)	(?)	(?)	(?)
521	—	+	—	—	—	—
522	+	—	+	+	—	—
523	+	+	—	—	+	—
525	—	—	—	—	+	—
526	+	+	+	+	+	+
528	+	—	—	—	+	—
529	—	+	—	—	—	—
530	+	—	+	+	—	—
532	—	+	—	—	+	—
533	+	+	—	+	—	+
534	+	+	+	+	+	—
539	—	+	—	+	+	—
541	+	—	+	—	+	—
544	—	—	—	—	+	—
548	+	—	—	—	—	—
549	+	+	—	+	+	—
551	+	+	(?)	(?)	(?)	(?)
552	—	—	—	—	+	—
554	(?)	(?)	(?)	(?)	(?)	(?)
555	+	+	—	+	+	—
556	+	+	+	—	—	—
558	+	+	+	+	+	—
561	+	+	+	—	+	—
563	+	+	+	+	—	—
564	+	+	+	—	—	—
565	+	+	+	—	+	—
566	+	+	+	+	+	—
570	+	+	—	—	+	—
571	+	—	+	—	—	—
575	+	—	—	—	—	—
576	(?)	+	(?)	(?)	(?)	(?)
577	+	—	+	+	—	—
582	+	+	+	+	+	—
584	+	+	+	—	+	—
586	—	—	+	—	—	—
587	—	+	(?)	(?)	(?)	—
588	—	—	—	—	—	—
589	—	—	+	—	—	—
590	+	+	+	—	—	—
592	+	+	+	+	+	+
594	+	+	+	+	+	—
595	+	+	+	—	+	—
599	—	—	—	—	—	—
600	+	—	+	—	+	—
602	+	+	+	—	+	—
603	—	+	+	—	+	+
604	—	+	—	—	+	—
605	+	+	+	+	+	—
607	+	+	+	+	+	+
608	(?)	(?)	(?)	(?)	(?)	(?)

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
609	—	—	—	—	+	—
610	—	+	+	—	+	—
611	+	+	—	+	+	—
613	+	+	+	—	+	—
614	—	+	+	—	+	—
615	+	+	+	+	+	+
616	—	+	—	—	—	—
617	+	—	+	—	+	—
618	—	—	—	—	+	—
619	+	—	+	+	—	—
620	(?)	(?)	(?)	(?)	(?)	(?)
622	(?)	(?)	(?)	(?)	(?)	(?)
623	—	—	—	—	+	—
624	+	+	+	—	+	—
626	+	+	+	—	—	+
627	+	+	—	+	+	—
630	+	+	—	+	+	—
634	+	—	—	—	—	—
635	—	—	—	—	—	—
641	—	—	—	+	—	—
642	+	+	+	+	+	—
644	+	+	+	+	—	—
646	+	—	+	—	+	+
647	—	—	—	—	—	—
649	+	—	+	—	+	—
651	+	+	+	—	+	+
654	—	—	—	—	—	—
655	+	+	—	+	—	—
656	+	+	+	—	—	—
657	—	+	—	—	+	—
658	+	—	+	+	+	—
659	+	—	—	+	—	—
662	+	+	+	+	+	—
663	—	+	—	+	—	—
664	—	—	—	+	—	—
665	+	+	+	+	—	—
666	+	+	+	—	—	+
668	—	—	—	+	+	—
674	+	—	—	—	—	—
No. (427)	220	239	219	144	209	40
Per cent.	51.5	56.0	51.3	33.7	48.9	9.4

**Females**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
281	—	—	—	+	+	—
292	—	—	—	—	+	—
293	—	—	—	—	—	—
294	—	—	—	+	—	—
296	—	—	—	—	—	—
313	+	—	+	—	—	—
316	—	—	+	+	—	—
323	+	—	+	+	—	—
324	—	+	—	—	—	—
326	+	—	—	—	—	—
330	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
332	—	—	—	—	—	—
334	—	—	—	—	—	—
337	—	—	+	—	—	—
338	—	—	+	+	—	—
341	—	—	—	+	—	—
343	+	—	+	—	—	—
344	—	—	—	—	—	—
346	+	—	+	—	—	—
348	—	—	—	—	—	—
358	+	—	+	+	—	—
364	—	—	—	—	—	—
374	+	—	+	+	—	—
375	+	—	+	—	+	—
377	+	+	—	+	—	—
378	—	—	—	—	—	—
384	+	+	+	+	—	—
385	—	—	—	—	—	—
389	—	—	—	—	—	+
390	+	—	+	+	—	—
394	—	—	—	—	—	—
402	—	—	—	—	—	—
407	+	—	—	—	—	—
408	+	—	—	+	—	—
410	—	—	—	—	—	—
413	—	—	—	—	—	—
414	—	+	—	+	—	—
415	—	—	—	—	—	—
416	—	—	—	—	—	—
417	—	—	—	—	—	—
418	+	—	—	—	—	—
422	—	—	—	—	—	—
424	+	—	—	+	+	—
425	+	—	—	—	—	—
427	+	—	—	+	—	—
430	—	—	—	—	—	+
431	—	—	—	—	—	—
437	+	—	—	+	—	+
439	+	—	—	+	—	—
444	+	—	+	—	—	—
446	—	—	—	+	—	—
447	—	—	—	—	—	—
449	—	—	—	—	—	—
450½	—	—	—	—	—	—
451	—	—	+	—	—	—
454	—	—	—	—	—	—
455	—	—	—	—	—	—
456	—	—	—	—	—	—
457	—	—	—	—	—	—
459	—	—	—	—	—	—
460	—	—	—	—	—	—
463	(?)	(?)	(?)	(?)	(?)	(?)
464	—	—	—	—	—	—
467	—	—	—	—	—	—
469	—	—	—	+	—	—
471	+	—	—	+	—	—
473	+	—	+	+	—	—
474	+	—	+	—	—	—
475	—	—	—	—	+	—
477	+	—	+	—	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
478	+	—	+	+	—	+
479	—	—	—	+	—	—
481	—	—	—	—	—	—
487	—	—	—	—	—	—
489	+	—	—	+	—	—
493	—	—	—	—	—	—
494	—	—	—	—	—	—
495	—	—	—	+	—	—
496	+	—	—	+	—	—
500	+	—	—	+	—	—
503	—	—	—	+	—	—
504	+	—	—	+	—	—
505	—	—	+	+	+	+
508	+	—	+	+	—	—
510	+	—	+	+	—	+
511	+	+	+	—	—	—
512	—	—	+	+	+	—
513	—	—	—	—	—	—
516	—	—	—	—	—	—
518	—	—	—	—	—	—
520	+	—	+	—	+	—
524	—	—	—	—	—	—
527	+	—	—	+	—	—
531	—	—	—	+	—	—
535	—	—	—	—	—	—
536	—	—	—	+	—	—
537	+	—	—	+	—	—
538	—	—	—	—	—	—
540	+	—	+	+	—	—
542	+	—	—	—	—	—
543	+	—	+	+	—	—
545	—	—	—	—	—	+
546	+	—	—	—	—	—
547	—	—	—	—	—	—
550	—	—	—	—	—	—
553	+	—	+	+	—	—
557	+	+	—	+	+	—
559	—	—	—	+	—	—
560	+	—	—	—	—	—
562	—	—	—	—	—	—
567	+	—	+	+	—	—
568	+	—	+	+	—	—
569	+	—	—	+	—	—
572	+	—	+	+	—	—
573	—	—	—	—	—	—
574	—	—	—	—	—	—
578	—	—	—	—	—	—
579	—	—	+	+	—	—
580	—	—	—	—	+	—
581	—	—	—	—	—	—
583	—	—	—	—	—	—
585	+	—	+	+	—	—
591	—	—	—	+	—	—
593	+	—	—	—	—	—
596	—	—	—	+	—	—
597	—	—	+	—	—	—
598	+	—	+	—	—	—
601	—	—	—	+	—	—
606	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (B)—San Francisco, Calif., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
612	—	—	—	—	—	—
621	—	—	—	—	—	—
625	—	—	—	—	—	—
628	—	—	—	—	—	—
629	—	—	—	—	—	—
631	—	—	—	—	—	—
632	—	—	—	—	—	—
633	—	—	—	—	—	—
636	+	—	+	—	+	—
637	+	—	+	+	—	—
638	—	—	—	—	—	—
639	—	—	—	—	—	—
640	—	—	—	—	—	—
643	+	+	+	+	—	—
645	—	—	—	—	—	—
648	—	—	—	—	—	—
652	—	—	—	—	—	—
653	+	—	—	+	—	—
660	—	—	—	—	—	—
661	+	—	—	—	—	—
667	+	—	—	+	—	—
669	+	—	+	+	—	—
670	—	—	—	—	—	—
671	+	—	+	—	—	—
672	—	—	—	+	—	—
673	—	—	—	—	—	—
675	—	—	—	+	—	—
No. (156)	57	7	39	59	11	7
Per cent.	36.5	4.5	25.0	37.8	7.1	4.5

**(C) With Regard to Known Impairments**

**Males**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
1	+	+	—	—	—	—	—	—	—
2	+	+	—	—	—	+	+	—	—
3	+	+	—	—	—	—	+	—	—
5	+	+	—	—	—	—	+	—	—
6	+	+	—	—	—	—	—	—	—
7	+	+	—	—	+	—	+	—	—
8	+	+	—	—	—	—	+	—	—
9	+	+	—	—	—	—	—	—	—
10	+	+	+	—	—	—	—	—	—
11	+	+	—	+	—	—	—	—	—
12	+	+	—	—	—	—	—	—	—
13	+	+	—	—	—	—	+	—	—
14	+	+	—	—	—	—	+	—	—
15	+	+	+	—	—	—	—	—	—
16	+	+	—	+	—	—	+	—	+
17	—	—	—	—	—	—	+	—	—
18	+	+	—	—	—	—	—	—	—
19	+	+	+	—	—	—	—	—	—
20	+	+	—	—	—	—	+	—	—
21	+	+	—	—	—	—	—	—	—
22	+	+	—	—	—	—	+	—	—

Information Regarding Living Cancer Patients

Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
23	+	+	—	—	—	—	+	—	—
26	+	+	—	—	—	—	—	—	—
27	+	+	—	—	—	—	+	—	—
28	+	+	—	—	—	—	—	—	—
29	+	—	—	—	—	—	+	—	+
31	+	+	—	—	—	—	+	—	—
32	—	—	—	—	—	—	+	—	—
33	+	+	—	—	—	—	—	—	—
34	—	—	—	—	—	—	—	—	—
35	+	+	—	—	—	—	—	—	—
36	+	+	—	—	—	—	+	—	—
37	+	+	—	—	—	—	+	—	—
38	+	+	—	—	—	—	+	+	—
39	+	+	+	—	—	—	+	—	—
40	—	—	—	—	—	—	—	—	—
41	+	+	+	—	—	—	+	—	—
43	(?)	—	(?)	—	—	—	—	—	—
44	+	+	—	—	—	—	—	—	—
45	+	+	—	—	—	—	—	—	—
48	—	—	—	—	—	—	+	—	—
49	+	+	—	+	—	—	—	—	—
50	—	+	—	—	—	—	—	—	—
51	—	—	—	—	—	—	—	—	—
52	—	+	—	—	—	—	—	—	—
53	+	+	—	—	—	—	—	—	—
54	(?)	(?)	(?)	(?)	(?)	(?)	(?)	+	—
56	—	—	—	—	—	—	—	(?)	—
57	—	—	—	—	—	—	—	—	—
58	—	—	—	—	—	+	—	—	+
59	+	+	—	—	—	—	—	—	—
60	—	—	—	—	—	—	+	—	—
61	+	+	—	—	—	—	—	—	—
62	+	+	—	—	—	—	—	—	—
64	—	—	—	—	—	—	—	—	—
67	—	+	—	—	—	—	—	—	—
68	+	+	—	—	—	—	+	—	—
69	—	—	—	—	—	—	—	—	—
71	(?)	+	—	—	—	—	—	—	—
72	+	+	—	—	—	—	—	—	—
73	+	+	—	+	—	—	—	—	—
74	—	—	—	—	—	—	—	—	+
75	+	+	—	—	—	—	—	—	—
76	+	—	—	—	—	—	—	—	—
78	(?)	+	—	—	—	—	+	—	—
80	(?)	+	—	—	—	—	—	—	—
81	(?)	—	(?)	—	—	—	+	—	—
83	—	—	—	—	—	—	—	—	(?)
84	+	+	—	—	—	—	—	—	—
85	—	—	—	—	—	—	—	—	—
87	(?)	—	(?)	—	—	—	—	—	—
88	+	—	—	—	—	—	—	—	—
89	+	+	—	—	—	—	—	—	—
91	(?)	(?)	(?)	(?)	(?)	(?)	+	(?)	(?)
96	—	—	—	—	—	—	(?)	(?)	(?)
98	+	+	—	—	—	—	—	—	+
101	—	—	—	—	—	—	+	—	—
102	—	—	—	—	—	—	—	—	—
103	—	+	(?)	(?)	(?)	(?)	(?)	(?)	+
108	+	+	—	—	—	—	—	—	—

Information Regarding Living Cancer Patients

Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
109	—	+	—	+	—	—	—	—	—
110	—	—	—	—	—	—	+	—	+
111	(?)	(?)	(?)	—	—	—	—	—	—
112	+	+	—	—	—	—	—	—	—
113	+	+	—	—	—	—	—	—	—
114	—	+	—	—	—	—	+	—	—
115	+	+	—	—	—	—	+	—	—
116	+	+	—	—	—	—	—	—	—
117	+	+	—	—	—	—	—	—	—
118	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
119	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
120	+	—	—	—	—	—	+	—	—
121	+	+	—	—	—	—	—	—	—
122	(?)	(?)	—	—	—	—	—	—	—
123	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
125	(?)	(?)	—	—	—	—	—	—	—
131	+	+	+	—	—	—	—	—	—
142	+	+	+	—	+	—	—	—	—
145	+	+	+	—	—	—	—	—	—
146	—	—	—	—	—	—	—	—	—
147	(?)	+	(?)	(?)	(?)	(?)	(?)	(?)	—
148	+	+	—	—	—	—	—	—	—
156	+	+	—	—	+	—	—	+	—
157	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
159	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
165	+	+	—	—	—	—	+	—	—
160	—	—	—	—	—	—	+	—	—
164	+	+	—	—	—	—	+	—	—
166	—	—	—	—	—	—	—	—	+
167	child								
168	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
170	+	+	—	—	—	—	—	—	—
172	+	—	—	—	—	—	—	—	—
176	+	—	—	—	—	—	—	—	—
177	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
179	+	+	—	—	—	—	+	—	—
180	+	+	—	—	—	—	+	—	—
181	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
182	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
183	+	—	—	—	—	—	—	—	—
184	—	+	—	—	—	—	+	—	+
185	+	+	+	—	—	—	—	—	—
187	+	+	—	—	—	—	—	—	—
188	+	+	+	—	—	—	—	—	—
189	—	—	—	—	—	—	—	—	—
196	+	+	—	—	—	—	—	—	—
197	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
200	+	+	—	—	—	—	+	—	—
201	+	+	—	—	—	—	—	—	—
202	+	—	—	—	—	—	—	—	—
204	—	—	—	—	—	—	—	—	—
205	—	—	—	—	—	—	—	—	—
206	+	+	—	—	—	—	—	—	—
209	+	+	—	—	—	—	—	—	—
210	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
211	—	—	(?)	(?)	(?)	(?)	(?)	—	—
212	+	+	—	—	—	—	—	—	—
213	—	—	—	—	—	—	—	—	—
214	+	+	—	—	—	—	+	—	—

Information Regarding Living Cancer Patients

Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
215	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—	—
216	+	+	—	—	—	—	+	—	—
217	—	—	—	—	—	—	—	—	—
218	—	+	—	—	—	—	—	—	—
219	—	—	—	(?)	(?)	(?)	(?)	(?)	—
221	—	—	—	—	—	—	—	—	—
222	—	—	—	—	—	—	—	—	—
224	+	+	—	—	—	—	—	—	—
225	—	—	—	—	—	—	—	—	+
226	+	—	—	—	—	—	—	—	—
227	—	—	+	—	—	—	—	—	—
230	—	—	—	—	—	—	—	—	+
232	+	+	—	—	—	—	+	—	—
235	+	+	—	—	—	—	—	—	—
237	+	+	—	—	—	—	—	—	—
239	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
240	+	+	—	—	—	—	—	—	—
241	+	+	—	—	—	—	—	—	—
242	—	—	—	—	—	—	—	—	+
244	—	—	—	—	—	—	—	—	—
245	—	—	—	—	—	—	—	—	—
246	+	+	—	—	—	—	—	—	—
247	—	—	—	—	—	—	—	—	—
248	+	+	—	—	—	—	+	—	—
250	—	+	—	—	—	—	—	—	—
251	—	—	—	—	—	—	—	—	—
252	—	—	—	—	—	—	—	—	—
253	(?)	(?)	(?)	(?)	(?)	(?)	(?)	+	—
254	—	—	—	—	—	—	—	—	—
255	—	—	—	—	—	—	+	—	—
256	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
257	+	+	—	—	—	—	+	—	—
259	+	+	—	—	—	—	+	—	—
260	—	—	—	—	—	—	+	—	—
262	+	—	—	—	—	—	—	—	—
264	—	—	—	—	—	—	—	—	—
265	+	—	—	—	—	—	—	—	—
266	—	—	—	—	—	—	—	—	—
267	—	—	—	—	—	—	—	—	—
268	+	—	—	—	—	—	—	—	—
269	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
270	—	—	—	—	—	—	+	—	—
272	+	+	—	—	—	—	—	—	+
273	+	—	—	—	—	—	+	—	—
274	—	—	—	—	—	—	—	—	—
276	—	+	—	—	—	—	—	—	—
277	+	+	—	—	—	—	—	—	—
278	+	+	—	—	—	—	—	—	—
279	+	+	—	—	—	+	+	—	—
280	+	+	—	—	—	—	+	—	—
282	—	—	—	—	—	—	—	—	—
283	+	+	—	—	—	—	—	—	+
284	+	+	—	—	—	—	—	—	—
285	+	+	—	—	—	—	+	—	—
286	—	+	—	—	—	—	—	—	—
287	—	—	—	—	—	—	+	—	—
288	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
289	+	+	—	—	—	—	—	—	—
290	+	+	+	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
					(?)	(?)	(?)	(?)	—
291	—	+	(?)	(?)	(?)	(?)	(?)	(?)	—
295	+	+	+	—	—	—	—	—	—
297	+	+	—	—	—	—	—	—	—
298	+	+	—	—	—	—	+	—	—
299	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
300	+	+	—	—	—	—	—	—	—
301	+	+	—	—	—	—	—	—	—
302	+	+	—	—	—	—	—	—	+
303	—	—	—	—	—	+	—	—	+
304	+	+	—	—	+	—	—	—	—
305	+	+	—	—	—	—	+	—	—
306	—	—	—	—	—	—	—	—	—
307	+	+	—	—	—	—	—	—	—
308	+	+	—	—	—	—	—	—	—
309	—	+	—	—	—	—	—	—	—
310	(?)	(?)	(?)	—	—	—	—	—	—
311	+	+	—	—	—	—	—	—	—
312	—	+	—	—	—	—	—	—	—
314	(?)	(?)	(?)	—	—	—	—	—	—
315	+	—	—	—	—	—	—	—	—
317	+	+	—	—	—	—	—	—	+
318	+	+	—	—	—	—	—	+	—
319	+	+	—	—	—	—	—	—	—
320	—	—	—	—	—	—	—	—	—
321	—	—	—	+	—	—	—	—	—
322	+	+	—	—	—	—	+	—	—
325	—	—	—	—	—	—	—	—	—
327	+	+	—	—	—	—	—	—	—
328	—	—	—	—	—	—	—	—	—
329	+	+	—	—	—	—	—	—	—
331	+	+	—	—	—	—	—	—	—
333	+	+	—	—	—	—	—	—	+
336	+	+	—	—	—	—	+	—	—
339	—	—	—	—	—	—	—	—	—
340	+	—	—	—	—	—	+	—	—
342	—	—	—	—	—	—	+	—	—
345	—	—	—	—	—	—	—	—	—
347	+	—	—	—	—	—	+	—	+
349	+	+	—	—	—	—	+	—	—
350	+	—	—	—	—	—	—	—	—
351	+	+	—	—	—	—	+	—	+
352	—	—	—	—	—	—	—	—	—
353	—	—	—	—	—	—	—	—	—
354	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
355	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
356	—	+	—	—	—	—	—	—	—
357	+	—	+	—	—	—	—	—	—
359	—	+	—	—	—	—	—	—	+
360	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
361	—	—	—	—	—	—	—	—	—
362	+	+	—	—	—	—	+	—	—
363	—	+	(?)	(?)	(?)	(?)	(?)	(?)	+
365	+	+	—	—	—	—	—	—	—
366	+	+	—	—	—	—	—	—	—
367	+	+	—	—	—	—	—	—	+
368	+	+	—	—	—	—	—	—	—
369	+	+	—	—	—	—	—	—	—
370	—	+	—	—	—	—	—	—	—
371	—	+	—	—	—	—	+	—	—

Information Regarding Living Cancer Patients

Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
372	+	—	—	—	—	—	—	—	—
373	+	—	—	—	—	+	+	—	—
376	+	—	—	—	—	—	—	—	+
379	—	+	—	—	—	—	—	—	—
380	+	+	+	—	—	—	+	—	—
381	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
382	+	+	—	—	—	—	—	—	—
383	—	—	—	—	—	—	—	—	—
386	—	—	—	—	—	+	+	—	—
387	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
388	+	+	+	—	—	—	—	—	+
391	+	+	—	—	—	—	—	—	—
392	—	—	—	—	—	—	—	—	—
393	+	—	—	—	—	—	—	—	—
395	+	+	—	—	—	—	—	—	—
396	—	—	—	—	—	—	+	—	—
397	(?)	(?)	(?)	(?)	(?)	(?)	+	—	—
398	+	+	—	—	—	—	(?)	(?)	(?)
399	(?)	+	—	—	—	—	+	—	—
400	—	—	—	—	—	+	+	—	—
401	—	—	—	—	—	—	+	—	—
403	—	—	—	+	—	—	—	—	—
404	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
405	+	—	—	—	—	—	—	—	—
406	—	—	—	—	—	—	+	—	—
409	+	+	—	—	—	—	—	—	—
411	+	—	—	—	—	—	+	—	—
412	+	—	+	—	—	—	—	—	—
419	+	—	—	—	—	—	—	—	—
420	—	—	—	—	—	—	—	—	—
421	—	—	—	—	—	—	—	—	—
423	—	—	—	—	—	—	—	—	—
426	+	+	—	+	—	—	—	—	—
428	+	+	—	—	—	—	+	—	—
429	+	+	—	—	—	—	—	+	+
432	—	—	—	—	—	—	+	—	—
433	+	+	—	—	—	—	+	—	—
434	—	—	—	—	—	—	+	—	—
435	+	+	—	—	—	—	+	—	+
436	+	+	—	+	—	+	+	—	—
438	+	—	—	—	—	—	+	—	—
440	+	+	—	—	—	—	+	—	—
441	+	+	—	—	—	—	+	—	—
442	+	+	—	—	—	—	+	—	—
443	+	+	+	—	—	—	+	—	—
445	—	—	—	+	—	—	—	—	—
448	—	+	—	—	—	—	—	—	—
450	+	+	—	—	—	—	—	—	—
452	+	+	—	—	—	—	—	—	—
453	+	+	+	—	—	—	—	—	—
458	+	+	+	—	—	—	—	—	—
461	—	—	—	—	—	—	—	—	—
462	—	—	—	—	—	—	+	—	—
465	+	+	—	—	—	—	—	—	—
466	+	+	—	—	—	—	—	—	—
468	+	+	—	—	—	—	—	—	—
470	+	—	—	—	—	—	+	—	—
472	+	—	—	—	—	—	—	—	—
476	—	—	—	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
480	+	+	—	—	—	—	+	—	—
482	+	+	—	—	—	—	—	—	—
483	+	+	—	—	—	—	+	—	—
484	+	—	—	—	—	—	—	—	—
485	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	+
486	—	—	—	—	—	—	—	—	—
488	+	+	—	—	—	—	+	—	—
490	—	—	—	—	—	—	+	—	—
491	+	+	—	—	—	—	+	—	—
492	+	+	—	—	—	—	—	—	—
497	+	+	+	—	—	—	—	—	—
498	—	+	—	—	—	—	+	—	—
499	—	—	—	—	—	—	+	—	—
501	+	+	+	—	—	—	+	—	—
502	+	+	—	—	—	—	—	—	—
506	+	+	—	—	—	—	—	—	—
507	+	+	—	—	—	—	+	—	—
509	+	+	—	—	—	—	—	—	—
514	+	+	—	—	—	—	+	—	+
515	—	—	—	—	—	—	+	+	—
517	+	+	—	—	—	—	+	—	—
519	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	—
521	+	+	—	—	—	—	+	—	—
522	—	—	—	—	—	—	—	—	—
523	—	—	+	—	—	—	—	—	—
525	+	+	—	—	—	—	+	—	—
526	+	+	—	—	—	—	—	—	—
528	+	+	—	—	—	—	—	—	—
529	+	+	—	—	—	—	+	—	—
530	+	+	—	—	—	—	+	—	+
532	+	—	—	—	—	—	+	—	—
533	+	+	—	—	—	—	—	—	—
534	+	+	+	—	—	—	—	—	—
539	—	+	—	—	—	—	—	—	—
541	+	+	+	—	—	—	+	—	—
544	+	+	—	—	—	—	—	—	—
548	—	—	—	—	—	—	—	—	—
549	—	—	—	—	—	—	—	—	—
551	+	+	—	—	—	(?)	+	—	—
552	+	+	—	—	—	—	—	—	—
554	—	+	—	—	—	—	—	—	—
555	+	+	—	—	—	—	+	—	—
556	—	—	—	—	—	—	—	—	—
558	—	—	—	—	—	—	—	—	—
561	—	—	—	—	—	—	—	—	—
563	+	+	(?)	(?)	(?)	(?)	(?)	(?)	—
564	—	—	—	—	—	—	—	—	—
565	+	+	—	—	—	—	+	—	—
566	+	+	—	—	—	—	—	—	—
570	+	+	—	—	—	—	+	—	—
571	+	+	—	—	—	+	—	—	—
575	+	+	—	—	—	—	—	—	—
576	+	+	—	—	—	(?)	+	(?)	(?)
577	+	+	+	—	—	—	—	—	—
582	+	+	+	—	—	—	—	—	—
584	—	—	—	+	—	—	+	—	—
586	+	+	—	+	—	—	+	—	+
587	+	—	—	—	—	—	+	—	—
588	+	+	—	—	—	—	—	—	—

Information Regarding Living Cancer Patients

Table 3 (C)—San Francisco, Calif., 1925—Males (Continued)

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
589	+	—	—	—	—	—	—	—	—
590	+	+	—	—	—	—	—	—	—
592	+	+	—	—	—	+	—	—	—
594	+	+	—	—	—	—	+	—	—
595	+	+	+	—	—	—	+	—	—
599	+	+	—	—	—	—	—	—	—
600	—	—	—	—	—	—	—	—	+
602	+	—	—	—	—	—	—	—	—
603	+	+	+	—	—	—	—	—	—
604	+	+	—	—	—	—	—	—	—
605	+	+	+	+	—	—	—	—	—
607	+	+	+	—	—	—	+	—	—
608	+	+	—	—	—	—	—	—	—
609	—	—	—	—	—	—	—	—	—
610	+	+	—	—	—	—	+	—	+
611	+	+	—	—	—	—	—	—	—
613	+	+	+	—	—	—	+	—	—
614	—	—	—	—	—	—	—	—	—
615	—	—	—	—	—	—	—	—	—
616	—	—	—	—	—	—	—	—	—
617	+	+	—	+	—	—	—	—	+
618	+	+	+	—	—	—	—	—	—
619	+	+	+	—	—	—	—	—	—
620	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
622	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
623	+	+	—	—	—	—	+	—	—
624	—	—	—	—	—	+	+	—	—
626	+	+	—	—	—	—	—	—	—
627	—	—	+	—	—	—	—	—	—
630	—	—	—	—	—	—	+	—	+
634	+	—	—	—	—	—	+	—	—
635	—	—	—	—	—	—	+	—	—
641	—	—	—	—	—	—	—	—	+
642	+	+	—	—	—	—	+	—	—
644	+	+	+	—	—	—	+	—	—
646	—	—	—	+	—	—	—	—	—
647	+	+	—	+	—	—	+	—	—
649	—	+	—	—	—	+	—	—	—
651	+	+	—	—	—	—	+	—	—
654	—	—	—	—	—	—	+	—	—
655	+	+	—	—	—	—	—	—	—
656	—	—	—	—	—	—	—	—	—
657	+	+	+	+	—	—	+	—	+
658	+	+	—	—	—	—	—	—	—
659	—	—	—	+	—	—	+	—	—
662	+	+	—	—	—	—	—	—	—
663	—	—	—	—	—	—	+	—	—
664	—	—	—	+	—	—	—	—	—
665	+	+	—	—	—	—	—	—	—
666	+	+	—	—	—	—	+	—	—
668	—	—	—	—	—	—	—	—	—
674	+	+	—	—	—	—	—	—	—
No. (427)	248	243	37	19	4	12	135	8	38
Per cent.	58.1	56.9	8.7	4.4	0.9	2.8	31.6	1.9	8.9

*Information Regarding Living Cancer Patients*

**Table 3 (C)—San Francisco, Calif., 1925—(Continued)**

Number	Females								
	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
281	+	+	—	—	—	—	—	—	+
292	—	+	—	—	—	—	+	—	—
293	—	—	—	—	—	—	—	—	—
294	+	+	—	+	—	—	—	—	—
296	+	+	—	+	—	—	+	—	—
313	+	—	—	—	—	—	—	—	+
316	+	+	—	—	—	—	+	—	—
323	+	+	—	—	—	—	+	—	—
324	(?)	(?)	(?)	—	—	—	+	—	—
326	+	+	—	—	—	—	—	—	—
330	—	—	—	—	—	—	—	—	—
332	—	—	—	—	—	—	—	—	—
334	—	—	—	—	—	—	—	—	—
337	—	—	—	+	—	—	—	—	—
338	—	—	—	—	—	—	—	—	—
341	+	—	—	—	—	—	—	—	—
343	—	+	—	—	—	—	—	—	+
344	—	—	—	—	—	—	—	—	—
346	—	—	—	—	—	—	—	—	—
348	+	—	—	—	—	—	+	—	—
358	—	—	—	+	—	—	—	—	—
364	+	+	—	—	—	—	+	—	—
374	+	+	+	—	—	—	+	—	—
375	+	—	—	—	—	—	+	—	—
377	+	—	—	—	—	—	—	—	—
378	—	—	—	—	—	—	—	—	+
384	+	+	—	—	—	—	—	—	—
385	—	—	—	—	—	—	—	—	—
389	+	+	—	—	—	—	—	—	—
390	—	—	—	—	—	—	—	—	—
394	—	—	—	—	—	—	—	—	—
402	—	—	—	—	—	—	+	—	—
407	+	—	—	—	—	—	—	—	+
408	+	—	—	—	—	—	+	—	—
410	+	+	—	—	—	—	+	—	—
413	+	+	—	—	—	—	—	—	—
414	+	+	—	—	—	—	+	—	—
415	+	+	+	—	—	—	—	—	—
416	—	—	—	—	—	—	—	—	—
417	+	+	—	—	—	—	+	—	—
418	+	+	—	—	—	—	+	—	—
422	+	+	—	—	—	—	+	—	—
424	+	+	—	—	—	—	+	—	—
425	—	—	—	—	—	—	—	—	+
427	+	+	—	—	—	—	+	—	—
430	+	+	—	—	—	—	—	—	—
431	+	+	—	—	—	—	—	—	—
437	+	+	+	—	—	—	—	—	—
439	+	+	+	+	—	—	+	—	—
444	+	+	—	—	—	—	+	—	+
446	+	—	—	—	—	—	—	—	—
447	+	+	—	—	—	—	—	—	+
449	—	—	—	—	—	—	—	—	—
450½	—	—	—	—	—	—	—	—	—
451	+	+	—	—	—	—	—	—	—
454	+	—	—	—	—	—	—	—	—
455	+	+	—	—	—	—	—	—	+

*Information Regarding Living Cancer Patients*

**Table 3 (C)—San Francisco, Calif., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
456	—	—	—	—	—	—	—	—	—
457	+	+	—	—	—	—	—	—	—
459	+	+	—	—	—	—	—	—	—
460	+	+	—	+	—	—	—	—	—
463	—	—	—	—	—	—	+	—	—
464	—	—	—	—	—	—	—	—	—
467	+	+	—	—	—	—	—	—	—
469	—	—	—	—	—	—	—	—	—
471	—	—	—	—	—	—	—	—	+
473	+	—	—	—	—	—	—	—	—
474	+	+	—	—	—	—	—	—	—
475	+	—	—	—	—	—	+	—	—
477	+	+	—	—	—	—	—	—	—
478	—	—	—	—	—	—	—	—	—
479	—	—	—	—	—	—	—	—	—
481	—	—	—	—	—	—	—	—	+
487	—	—	—	—	—	—	—	—	—
489	+	+	—	—	—	—	—	—	—
493	—	—	—	—	—	—	+	—	—
494	—	—	—	—	—	—	—	—	—
495	—	—	—	—	—	—	—	—	—
496	—	—	—	—	—	—	—	—	—
500	+	+	—	—	—	—	—	—	—
503	+	+	—	+	—	—	+	—	—
504	—	—	—	—	—	—	—	—	+
505	+	+	+	—	—	—	+	—	—
508	—	—	—	+	—	—	—	—	—
510	+	+	—	—	—	—	+	—	—
511	—	—	—	—	—	—	+	—	—
512	+	+	—	—	—	—	—	—	+
513	—	—	—	—	—	—	—	—	—
516	—	—	—	—	—	—	—	—	—
518	+	+	—	—	—	—	—	—	—
520	+	+	—	—	—	—	—	—	—
524	—	—	—	—	—	—	+	—	—
527	+	—	—	—	—	—	—	—	—
531	+	+	—	—	—	—	+	—	—
535	—	—	—	—	—	—	—	—	+
536	+	+	—	—	—	—	—	—	—
537	+	+	—	—	—	—	—	—	+
538	+	+	—	—	—	—	+	—	—
540	—	—	—	—	—	—	—	—	—
542	+	—	—	—	—	—	—	—	—
543	+	+	—	—	—	—	+	—	—
545	+	+	—	—	—	—	—	—	—
546	—	—	—	—	—	—	+	—	—
547	—	—	—	—	—	—	—	—	—
550	—	—	—	—	—	—	—	—	—
553	—	+	—	—	—	—	+	—	—
557	+	+	—	—	—	—	—	—	—
559	+	—	—	+	—	—	—	—	+
560	+	+	—	—	—	—	—	—	—
562	+	—	—	—	—	—	+	—	—
567	+	+	—	—	—	—	—	—	—
568	—	—	—	—	—	—	—	—	—
569	+	+	—	—	—	—	+	—	—
572	+	+	—	—	—	—	+	—	—
573	+	+	—	—	—	—	—	—	—
574	+	+	—	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (C)—San Francisco, Calif., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
578	+	+	—	—	—	—	+	—	—
579	+	+	—	—	—	—	+	—	—
580	+	+	—	—	—	—	—	—	—
581	—	—	—	—	—	—	—	—	—
583	+	+	—	—	—	—	—	—	—
585	—	—	—	—	—	—	+	—	—
591	—	—	—	—	—	—	—	—	—
593	+	+	—	—	—	—	—	+	—
596	—	—	—	—	—	—	—	—	—
597	+	—	—	—	—	—	—	—	+
598	—	—	—	—	—	—	—	—	—
601	+	+	+	—	—	—	+	—	+
606	+	+	—	—	—	—	—	—	—
612	+	+	—	—	—	—	+	—	—
621	+	+	—	—	—	—	—	—	—
625	+	+	—	—	—	—	+	—	—
628	—	+	+	—	—	—	—	—	—
629	—	—	—	+	—	—	—	—	—
631	+	+	—	—	—	—	—	—	—
632	+	+	—	—	—	—	—	—	+
633	+	—	—	—	—	—	—	—	—
636	+	+	+	—	—	—	—	—	+
637	+	—	—	—	—	—	—	—	—
638	—	—	—	—	—	—	—	—	—
639	—	—	—	—	—	—	—	—	—
640	—	—	—	—	—	+	—	—	—
643	+	+	—	—	—	—	+	—	—
645	+	+	+	—	—	—	—	—	—
648	+	+	+	+	—	—	—	—	—
652	+	+	—	—	—	—	—	—	—
653	+	—	—	—	—	—	+	—	—
660	+	—	—	—	—	—	—	—	—
661	+	—	—	—	—	—	—	—	—
667	+	—	—	—	—	—	+	—	—
669	+	+	—	—	—	—	—	—	—
670	—	—	—	—	—	—	+	—	—
671	+	+	—	—	—	—	—	—	—
672	—	—	—	—	—	—	—	—	+
673	+	+	—	—	—	—	—	—	—
675	—	—	—	—	—	—	—	—	—
No. (156)	96	78	10	11	.	1	47	1	21
Per cent.	61.5	50.0	6.4	7.1		0.6	30.1	0.6	13.5

**(D) With Regard to Treatment and Remedial Diagnosis and Family History**

**Males**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
1	+	—	+	—	Loss	—
2	+	—	—	—	Loss	—
3	—	—	—	—	Loss	—
5	—	+	—	+	—	—
6	—	—	+	—	Loss	—
7	—	—	+	—	—	+
8	—	—	—	—	Loss	—

Information Regarding Living Cancer Patients

Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
9	+	—	—	—	Loss	—
10	—	+	—	—	Loss	—
11	+	—	—	—	Loss	—
12	—	—	—	—	Loss	—
13	—	—	+	—	Loss	—
14	—	—	—	—	—	—
15	+	—	—	—	Loss	—
16	—	—	—	—	Loss	—
17	—	—	+	—	Loss	—
18	—	+	+	+	Loss	—
19	+	—	—	—	Loss	—
20	—	—	—	—	Loss	—
21	—	—	+	—	—	—
22	—	—	—	—	Loss	—
23	+	—	—	—	Loss	—
26	—	+	—	—	Loss	+
27	—	—	—	—	Loss	—
28	—	—	—	—	Loss	—
29	—	—	—	—	—	—
31	—	—	—	—	—	—
32	—	—	—	—	—	—
33	—	—	+	—	—	—
34	—	—	—	—	—	—
35	—	+	—	—	Loss	—
36	—	—	+	—	Loss	—
37	—	—	—	—	Loss	—
38	—	—	—	—	Loss	—
39	—	—	—	—	—	—
40	—	—	—	—	Loss	—
41	—	—	—	—	Loss	—
43	—	—	—	—	—	—
44	—	+	—	—	Gain	—
45	—	+	—	—	Gain	—
48	—	—	—	—	Loss	—
49	+	+	—	—	—	—
50	—	+	+	—	—	—
51	—	+	—	—	Gain	—
52	—	+	—	—	Loss & Gain	—
53	+	+	—	—	Loss	—
54	—	—	+	—	Loss	—
56	—	+	+	—	—	—
57	+	+	—	—	Loss	—
58	+	+	—	—	—	—
59	—	+	—	—	Loss & Gain	—
60	—	+	+	—	—	—
61	+	+	—	—	—	—
62	+	—	+	—	Loss & Gain	—
64	—	+	—	—	—	—
67	—	+	+	—	Gain	—
68	+	+	+	—	Gain	—
69	—	—	+	—	—	—
71	—	—	—	—	Loss	—
72	—	—	+	—	Loss	—
73	—	—	—	—	—	—
74	—	+	—	+	—	—
75	—	—	—	—	—	—
76	—	—	—	—	Loss & Gain	—
78	—	—	—	—	Loss	—
80	—	—	+	—	Gain	—
81	+	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
83	—	—	—	—	—	—
84	—	+	—	—	Gain	—
85	—	+	—	—	—	—
87	—	+	—	—	—	—
88	+	+	—	—	Gain	—
89	+	—	—	—	—	—
91	—	—	—	—	Loss	—
96	+	—	+	—	—	—
98	—	+	+	—	Loss	+
101	+	+	—	—	—	—
102	—	+	—	—	Loss & Gain	—
103	—	—	—	—	—	—
108	—	—	—	—	—	—
109	—	—	+	—	—	+
110	—	—	—	—	Loss	—
111	—	—	—	—	Loss	—
112	—	—	—	—	Loss	—
113	—	—	—	—	—	—
114	—	—	—	—	Loss	—
115	(?)	—	—	—	Loss	+
116	—	—	—	—	Loss	—
117	+	—	—	—	Loss	—
118	—	—	—	—	—	—
119	—	—	—	—	—	+
120	—	—	—	—	Loss	—
121	—	—	—	—	—	(?)
122	+	—	+	—	—	—
123	—	—	—	—	—	—
125	(?)	—	—	—	Loss	—
131	(?)	—	—	—	—	—
142	(?)	—	—	—	—	—
145	—	—	—	—	Loss	—
146	—	+	—	—	—	—
147	—	—	—	—	Loss	(?)
148	(?)	—	—	—	—	(?)
156	—	+	+	—	—	—
157	—	—	—	—	—	—
159	—	—	—	—	—	—
160	—	+	—	—	Loss & Gain	—
164	—	—	+	—	Loss	—
165	(?)	+	+	—	Loss	—
166	—	—	+	—	Loss	—
167	—	—	—	—	—	—
168	—	—	—	—	—	—
170	—	—	—	—	Loss	—
172	—	—	—	—	Loss	—
176	—	—	—	—	—	—
177	—	—	—	—	Loss	—
179	—	—	—	—	Loss	—
180	+	—	—	—	Loss	—
181	—	+	—	—	—	—
182	—	—	—	—	Loss	—
183	—	+	—	—	Loss	—
184	—	—	—	—	Loss	—
185	+	—	—	—	Loss	—
187	—	—	—	—	Loss	—
188	—	—	+	—	—	—
189	—	+	—	—	—	—
196	—	—	—	—	Loss	—
197	—	—	—	—	—	—

Information Regarding Living Cancer Patients

Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
200	—	—	—	—	Loss	—
201	—	—	—	—	Loss	—
202	—	—	—	—	Loss	—
204	—	+	—	—	Loss & Gain	—
205	—	+	—	—	Loss	—
206	—	—	—	—	Loss	—
209	—	+	—	—	Loss	—
210	—	—	—	—	Loss	—
211	—	+	—	—	Loss	—
212	+	+	—	—	Gain	—
213	+	—	—	—	Loss	—
214	—	+	—	—	Loss	—
215	—	—	—	—	—	—
216	+	—	+	—	Loss	—
217	+	—	—	—	Loss	—
218	—	—	—	—	—	—
219	—	—	+	—	Loss	—
221	—	—	+	—	Loss	—
222	—	+	—	—	Loss	—
224	—	—	—	—	Loss	—
225	—	—	—	—	Loss	—
226	—	—	—	—	—	—
227	—	—	—	—	Loss	—
230	—	—	—	—	Loss	+
232	—	+	—	—	Loss	—
235	—	—	—	—	Loss	—
237	—	—	+	—	Loss	—
239	—	—	—	—	Loss	—
240	+	—	—	—	Loss	—
241	—	—	—	—	—	—
242	—	+	—	—	Loss	—
244	—	—	+	—	Loss	—
245	—	—	—	—	Loss	—
246	+	—	—	—	Loss	—
247	—	—	—	—	Loss	—
248	—	+	—	—	—	—
250	+	—	+	—	Loss	—
251	+	—	—	—	Loss	—
252	—	—	+	—	Loss	—
253	—	—	—	—	—	—
254	—	—	—	—	Loss	—
255	—	+	—	—	Loss	—
256	—	—	+	—	Loss	—
257	—	—	—	—	Loss	—
259	—	—	—	—	Loss	—
260	—	—	—	—	Loss	—
262	—	+	—	—	—	(?)
264	—	—	—	—	Loss	—
265	—	+	—	—	—	—
266	—	+	—	—	—	—
267	—	—	—	—	Loss	—
268	+	+	—	—	Loss	—
269	—	—	—	—	—	—
270	—	—	—	—	Loss	—
272	—	—	—	—	Loss	—
273	—	—	—	—	Loss	—
274	—	—	—	—	Loss	—
276	—	—	+	—	Loss	—
277	—	—	—	—	Loss	—
278	—	+	—	—	Gain	—

*Information Regarding Living Cancer Patients*

**Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
279	—	+	—	—	Loss	—
280	—	—	—	—	Loss	+
282	—	—	—	—	Loss & Gain	—
283	—	+	—	—	—	—
284	—	—	—	—	Loss	—
285	—	—	—	—	Loss	—
286	—	—	—	—	Loss	—
287	—	—	—	—	Loss	—
288	—	—	—	—	Loss	—
289	—	—	—	—	Loss	—
290	—	—	—	—	Loss	—
291	—	—	—	—	Loss	—
295	—	—	—	—	Loss	—
297	—	—	—	—	Loss	—
298	—	—	—	—	Loss	—
299	—	—	—	—	Loss	—
300	—	—	—	—	Loss & Gain	—
301	—	—	—	—	Loss	—
302	—	—	—	—	Loss	—
303	—	—	—	—	Loss	—
304	—	—	—	—	Loss	—
305	—	—	—	—	Loss	—
306	—	—	—	—	Loss	—
307	—	—	—	—	Loss	—
308	—	—	—	—	Loss	—
309	—	—	—	—	Loss	—
310	—	+	—	+	—	—
311	—	—	+	+	Loss	—
312	—	—	—	—	Loss	—
314	—	—	—	—	Loss	—
315	—	—	—	—	—	—
317	—	—	—	—	Loss	—
318	+	—	—	—	Loss	—
319	—	—	—	—	Loss	—
320	—	—	—	—	—	—
321	—	—	—	—	Loss	—
322	—	—	+	—	Loss	—
325	—	+	—	—	Loss	—
327	—	—	—	—	Loss	—
328	—	—	—	—	Loss	—
329	—	—	—	—	Loss	—
331	(?)	—	+	—	Loss	—
333	—	—	—	—	Loss	+
336	—	+	—	—	—	—
339	—	—	—	—	Loss	—
340	—	—	—	—	Loss	—
342	—	—	—	—	Loss	—
345	—	+	—	—	Loss	+
347	—	—	—	—	Loss	—
349	—	—	+	—	—	—
350	—	—	+	—	Loss	+
351	—	—	+	—	Loss	—
352	—	—	—	—	Loss	—
353	—	—	—	—	Loss	—
354	—	—	—	—	—	—
355	—	—	—	—	Loss	—
356	—	—	—	—	Loss	—
357	—	—	—	—	Loss	—
359	—	—	—	—	Loss	—
360	—	—	—	—	Loss	—
361	—	—	—	—	Loss	+

*Information Regarding Living Cancer Patients*

**Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
362	—	—	—	—	Loss	—
363	—	—	—	—	—	—
365	—	—	—	—	Loss	—
366	—	—	—	—	Loss	—
367	—	—	—	—	Loss	—
368	—	—	—	—	Loss	+
369	—	—	—	—	Loss	—
370	—	—	—	—	Loss	—
371	—	—	—	—	Loss	—
372	—	—	—	—	Loss	—
373	+	—	—	—	—	—
376	—	—	+	—	Loss	—
379	—	—	—	—	Loss & Gain	—
380	—	—	—	—	Loss	—
381	+	—	—	—	—	(?)
382	—	—	—	—	—	+
383	—	—	+	—	Loss	—
386	+	+	—	—	Loss	—
387	—	+	—	+	—	—
388	+	+	—	—	Loss	—
391	—	+	—	+	Loss	—
392	—	—	—	—	Loss	—
393	—	—	—	—	Loss	—
395	—	—	—	—	Loss	—
396	—	—	—	—	Loss	+
397	—	—	—	—	Loss	—
398	—	—	—	—	Loss	—
399	—	—	—	—	Loss	—
400	+	+	—	—	Loss	—
401	—	—	—	—	Loss & Gain	—
403	—	+	—	—	Loss	—
404	+	+	—	—	Loss & Gain	—
405	—	—	+	—	Loss	—
406	—	—	—	—	Loss	—
409	—	—	—	—	Loss	—
411	+	—	—	—	Gain	—
412	—	—	—	—	Loss	—
419	—	—	—	—	Loss	—
420	—	—	—	—	Loss	—
421	+	—	—	—	Loss	—
423	—	—	—	—	Loss	—
426	—	—	—	—	Loss	—
428	—	—	—	—	Loss	—
429	—	—	—	—	Loss	—
432	—	—	—	—	Loss	—
433	—	—	—	—	Gain	—
434	—	+	+	—	Loss & Gain	—
435	—	—	—	—	Loss	—
436	+	—	—	—	Loss	—
438	—	+	—	—	Loss	—
440	—	—	—	—	Loss	—
441	—	—	—	—	Loss	—
442	—	—	—	—	Loss	—
443	—	—	—	—	—	+
445	—	—	+	—	Loss	—
448	+	—	—	—	Loss	—
450	—	—	—	—	Loss	—
452	—	—	—	—	Loss	+
453	+	+	—	—	—	—
458	—	—	—	—	Gain	—
461	+	+	—	—	Loss	—

Information Regarding Living Cancer Patients

Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
462	—	+	+	—	Loss	—
465	—	—	—	—	Loss	—
466	—	—	—	—	Loss	—
468	—	—	—	—	—	—
470	—	—	—	—	Loss	—
472	—	—	—	—	Loss	—
476	—	—	—	—	Loss	—
480	+	—	—	—	Loss	—
482	—	—	+	—	—	—
483	+	—	—	—	Loss	—
484	+	—	+	—	Loss	—
485	—	—	—	—	Loss	—
486	—	—	—	—	Loss	—
488	—	—	—	—	Loss	—
490	—	+	—	—	Loss	—
491	—	—	—	—	Loss	—
492	—	—	—	—	Loss	—
497	+	—	—	—	Loss	—
498	—	+	—	—	Loss	—
499	—	—	—	—	Loss	—
501	—	—	—	—	Loss	—
502	—	+	—	—	Loss	—
506	—	—	—	—	Loss	—
507	—	+	+	—	Loss	—
509	—	—	—	—	Loss	—
514	+	—	—	—	Loss	—
515	+	—	—	—	Loss	+
517	+	—	+	—	Loss	—
519	+	—	—	—	Loss	(?)
521	+	—	—	—	Loss	—
522	—	+	+	+	Gain	+
523	—	—	—	—	Loss	—
525	+	—	—	—	Loss	—
526	—	—	—	—	Loss	—
528	—	—	—	—	Loss & Gain	—
529	—	+	—	—	Loss & Gain	—
530	—	—	—	—	Gain	—
532	—	—	—	—	Loss	—
533	—	+	+	—	Loss	—
534	+	+	—	—	Loss	—
539	—	+	—	—	Loss	(?)
541	—	+	—	+	—	—
544	—	—	—	—	Loss	—
548	+	+	—	+	—	—
549	—	+	+	—	Loss	—
551	—	—	—	—	Loss	—
552	—	+	—	—	Loss & Gain	+
554	—	—	+	—	Loss	—
555	+	—	—	—	Loss	+
556	—	+	—	—	Loss	(?)
558	—	+	—	—	Loss & Gain	—
561	—	+	—	+	Loss	—
563	(?)	—	—	—	Loss	—
564	—	—	—	—	Loss	—
565	—	—	—	—	Loss	—
566	—	+	+	—	Loss	—
570	—	—	+	—	Loss & Gain	—
571	+	—	—	—	—	—
575	—	+	—	—	Loss & Gain	—
576	—	+	+	+	Loss & Gain	—
577	—	—	—	—	Loss	—

*Information Regarding Living Cancer Patients*

**Table 3 (D)—San Francisco, Calif., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
582	—	+	—	—	Loss	—
584	—	—	—	—	Loss	—
586	—	—	+	—	Loss	—
587	+	+	—	—	—	—
588	—	—	—	—	Loss	—
589	+	+	—	—	Loss	—
590	—	—	—	—	Loss	—
592	—	—	+	—	Loss	(?)
594	+	—	—	—	Loss	—
595	—	—	—	—	Loss & Gain	—
599	—	—	—	—	—	—
600	—	—	+	—	Gain	—
602	—	+	+	—	Loss & Gain	—
603	+	+	—	+	Loss	—
604	+	—	—	—	Loss	—
605	—	—	—	—	Loss	—
607	+	—	—	—	Loss	—
608	—	+	+	—	Loss & Gain	—
609	—	—	—	—	Loss	—
610	—	+	—	—	Loss	—
611	—	+	—	—	Loss	—
613	—	—	—	—	Gain	—
614	—	—	—	—	Loss	—
615	—	+	—	—	Loss & Gain	—
616	+	+	—	—	Gain	—
617	+	—	—	—	Loss & Gain	—
618	—	—	—	—	Loss & Gain	—
619	+	—	—	—	Loss	—
620	—	—	+	—	Loss	—
622	—	+	—	—	—	—
623	—	—	—	—	—	+
624	—	+	—	—	Loss	—
626	+	+	—	—	Loss	—
627	—	—	—	—	Loss	—
630	—	+	—	—	Loss & Gain	—
634	—	—	—	—	Loss	—
635	—	—	—	—	Gain	—
641	—	+	—	—	Loss	—
642	—	+	—	—	—	—
644	—	+	—	—	Loss & Gain	—
646	—	+	—	—	Loss	—
647	—	—	—	—	Loss	—
649	+	—	—	—	Loss	—
651	+	+	—	—	Gain	—
654	—	—	+	—	—	—
655	—	+	—	—	Loss	—
656	—	—	—	—	Loss & Gain	+
657	—	—	—	—	Loss	—
658	—	—	—	—	Gain	—
659	—	+	—	—	Loss & Gain	—
662	+	+	—	—	Loss	—
663	—	+	—	—	Gain	—
664	+	+	—	—	Loss	—
665	+	—	+	—	Gain	—
666	—	—	—	—	Loss	—
668	—	+	—	—	Loss	—
674	+	+	+	—	Gain	—
No. (427)	75	115	69	13	24 G., 286 L. 30 G & L., 87 —	23
Per cent.	17.6	26.9	16.2	3.0	67.0 Loss	5.4

Information Regarding Living Cancer Patients

Table 3 (D)—San Francisco, Calif., 1925—(Continued)

Number	Females					
	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
281	—	—	—	—	Loss	+
292	—	—	—	—	Loss	—
293	—	—	—	—	Loss	—
294	—	—	—	—	Loss	—
296	—	—	—	—	Loss	—
313	—	—	+	—	Loss & Gain	—
316	—	—	—	—	Loss	—
323	—	+	—	—	Loss	—
324	—	—	—	—	—	—
326	—	—	—	—	Loss	—
330	—	+	—	—	—	—
332	—	+	—	—	—	—
334	—	+	—	—	—	—
337	—	—	—	—	Loss	—
338	—	+	—	—	—	—
341	—	—	+	—	Loss	—
343	—	—	+	—	—	+
344	—	+	—	—	Loss	—
346	—	—	—	—	Loss	—
348	—	—	—	—	Loss	+
358	—	+	—	—	—	+
364	—	—	—	—	Loss	—
374	—	+	—	—	Gain	—
375	—	—	—	—	Loss	—
377	—	+	—	—	Loss	—
378	—	—	—	—	Loss	—
384	—	+	—	—	—	—
385	—	+	—	—	—	—
389	—	+	—	—	Loss	+
390	—	+	—	+	—	—
394	—	—	—	—	—	+
402	—	—	—	—	Loss	—
407	—	—	—	—	Loss	—
408	—	+	—	—	Loss	—
410	—	—	—	—	—	—
413	—	—	—	—	Loss	—
414	—	—	—	—	Loss	—
415	—	+	—	—	—	—
416	—	+	—	—	Loss	—
417	—	—	—	—	Loss	—
418	—	+	—	—	Loss	—
422	—	+	—	+	Loss	—
424	—	+	—	—	Loss & Gain	+
425	—	—	—	—	Loss	—
427	—	+	—	—	Loss & Gain	—
430	—	—	+	—	Loss	—
431	—	+	+	—	Loss	—
437	—	—	—	—	Loss	—
439	—	+	—	—	Loss & Gain	—
444	—	+	—	—	Loss & Gain	—
446	—	—	—	—	Loss	—
447	—	+	—	—	Loss	—
449	+	+	—	—	—	—
450½	—	—	—	—	Loss	—
451	—	—	—	—	Loss	—
454	—	+	—	—	Loss & Gain	—
455	—	—	—	—	—	—
456	+	+	—	—	—	—

Information Regarding Living Cancer Patients

Table 3 (D)—San Francisco, Calif., 1925—Females (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
457	—	—	—	—	Loss	—
459	—	+	—	—	Loss	—
460	—	+	—	—	Loss	—
463	—	+	—	—	Loss	—
464	—	+	—	—	Loss	—
467	+	—	—	—	Loss	—
469	—	—	—	—	Loss	+
471	—	+	—	—	Loss	—
473	—	+	—	—	Loss & Gain	—
474	—	+	—	—	Loss	—
475	—	+	—	—	—	+
477	—	+	—	—	Loss	—
478	—	+	—	—	—	—
479	—	+	—	—	—	—
481	—	—	—	—	Loss	—
487	—	—	—	—	Loss	—
489	+	—	—	—	Loss	—
493	—	—	—	—	Loss	—
494	+	+	+	—	Gain	—
495	—	+	—	—	—	—
496	—	+	+	—	Loss	+
500	—	—	—	—	—	—
503	—	—	—	—	Loss	—
504	—	+	—	—	—	—
505	—	—	—	—	Loss	+
508	—	—	—	—	—	—
510	+	+	—	—	—	—
511	+	—	+	—	Gain	—
512	+	—	—	—	Loss	—
513	—	+	—	—	Loss	—
516	—	—	—	—	Loss	—
518	—	—	—	—	—	—
520	—	—	—	—	Loss	+
524	—	—	—	—	—	—
527	—	+	—	—	Loss & Gain	+
531	—	—	—	—	Loss	—
535	+	—	+	—	Loss	—
536	—	—	+	—	Loss	—
537	—	—	—	—	Loss	—
538	—	—	—	—	Loss	—
540	—	—	—	—	Loss	+
542	—	—	—	—	Loss	—
543	+	—	—	—	Loss	—
545	—	—	—	—	Loss	—
546	+	+	+	—	Loss	—
547	—	+	—	—	Loss & Gain	—
550	—	+	—	—	—	—
553	—	—	—	—	Loss	+
557	—	+	—	—	Loss & Gain	—
559	+	—	+	—	Loss	—
560	—	—	—	—	Loss	+
562	—	—	+	—	Loss	+
567	—	+	—	—	Gain	—
568	—	—	—	—	Loss	—
569	—	+	—	—	Loss	—
572	—	—	—	—	Loss	—
573	—	—	—	—	Loss	—
574	—	+	—	—	—	—
578	—	—	—	—	—	—
579	—	—	—	—	Loss	—

Information Regarding Living Cancer Patients

Table 3 (D)—San Francisco, Calif., 1925—Females (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
580	+	+	—	—	Loss	—
581	—	+	—	—	Loss & Gain	—
583	—	+	—	—	Loss	—
585	—	—	—	—	Loss	—
591	—	—	—	—	Gain	—
593	—	—	—	—	Loss	—
596	—	—	—	—	—	—
597	—	+	—	—	—	—
598	—	—	—	—	Loss	—
601	—	—	—	—	Loss	—
606	—	—	—	—	Loss & Gain	—
612	—	+	—	—	Loss	—
621	—	—	+	—	Loss & Gain	—
625	—	—	—	—	—	—
628	—	—	+	—	—	—
629	—	—	—	—	Loss	—
631	—	—	—	—	Loss	—
632	+	—	—	—	Loss	—
633	—	+	+	—	Loss & Gain	—
636	+	+	—	—	—	—
637	—	—	—	—	Loss	+
638	—	+	+	—	Loss & Gain	—
639	—	—	+	—	Loss	—
640	+	—	—	—	Loss	—
643	—	—	—	—	Loss	—
645	—	—	+	—	Loss & Gain	—
648	—	+	—	—	Loss	—
652	—	+	+	—	Loss	+
653	—	+	—	—	Loss	—
660	+	+	+	—	—	+
661	—	—	—	—	—	—
667	+	+	—	—	—	—
669	—	—	+	—	—	—
670	—	+	—	—	Loss	—
671	—	—	+	—	—	—
672	—	+	—	—	—	—
673	+	—	+	—	Loss	—
675	—	+	—	—	Loss & Gain	—
No. (156)	19	68	24	2	94 L., 5 G. 17 G. & L. 40—	20
Per cent.	12.2	43.6	15.4	1.3	60.3 Loss	12.8

*Information Regarding Living Cancer Patients*

**Table 4—Boston, Mass., 1925**  
**(A) With Regard to Physical Facts of Living Patients**

Males								
Number	Years in Boston	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
1	—	N	50	M	—	—	—	—
4	—	W	46	M	—	—	—	—
5	—	W	59	M	—	—	119	—
6	57	W	57	M	6	—	135	—
6a	—	W	61	M	—	—	—	—
11	27	W	32	M	1	—	138	116
12	—	W	67	M	1	—	165	145
14	—	W	63	M	—	—	—	—
19	—	W	67	M	4	—	—	—
20	18	W	38	S	—	—	130	102
21	—	W	68	M	5	—	—	—
24	—	W	59	S	—	—	115	—
25	—	W	65	M	6	—	140	—
26	40	W	40	M	6	—	—	—
28	—	W	54	M	6	—	145	—
31	25	W	68	M	—	67	185	—
32	24	W	46	M	12	67	109	—
35	35	W	55	M	3	67	195	—
37	—	W	59	M	2	65	125	—
43	48	W	48	M	1	63	140	—
44	38	W	38	S	—	70	152	—
45	47	W	67	M	—	69	160	—
46	37	W	72	M	11	69	110	—
47	65	W	65	S	—	71	165	—
48	35	W	53	M	8	65	150	—
49	44	W	44	S	—	65.5	135	—
53	45	W	70	M	2	68	150	—
54	35	W	56	M	5	67	139	—
55	16	W	62	M	1	62	200	—
56	44	W	58	M	1	67	162	—
57	20	W	20	S	—	72	135	—
58	40	W	58	M	3	67.5	190	—
63	20	W	47	M	3	69	150	—
64	40	W	60	M	8	70	130	—
67	23	W	60	M	12	68	125	—
67a	—	W	74	S	—	69	150	—
69	—	W	71	M	4	67	155	—
70	20	W	73	M	—	66	145	—
71	—	W	54	M	—	66	140	—
72	20	W	37	M	3	70	125	—
73	2	W	37	M	5	65	144	—
74	25	W	58	M	2	68	120	—
76	—	W	81	—	—	67	150	—
84	—	W	—	S	—	70.5	180	—
85	50	W	68	S	—	67	120	—
86	—	W	78	M	5	72	155	—
87	—	W	60	M	2	67	160	—
88	—	W	77	M	3	69	150	—
89	—	W	56	S	—	64	135	—
90	—	W	71	—	—	59	148	—
91	—	W	55	S	—	68	125	—
92	—	W	62	S	—	66	163	—
96	—	W	43	S	—	69	170	—
97	—	—	—	S	—	68	150	—
98	—	W	70	M	3	65	177.5	—

*Information Regarding Living Cancer Patients*

**Table 4 (A)—Boston, Mass., 1925—Males (Continued)**

Number	Years in Boston	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
99	—	W	62	M	7	70	175	—
106	36	W	52	M	5	71	198	—
107	3	W	43	M	—	71	170	—
109	—	W	65	M	7	65.5	147	—
112	15	W	29	M	3	65	151	—
113	—	W	50	M	—	64	145	—
114	8	W	53	M	5	64	283	—
115	—	W	59	M	1	70	172	—
116	5	W	60	M	—	62	101	—
118	—	W	38	M	3	63.5	105	—
1,007			3,568	49 M 14 S	165	3,357.5	8,703.5	363
No. (65)	(33)		(63)		(37)	(50)	(58)	(3)
Average	30.5		56.6		4.5	67.2	147.5	121.0
(Comparable normal and present weights).....							433	363
							144.3	121.0

(3)

**Females**

Number	Years in Boston	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
2	—	W	21	S	—	(?)	(?)	(?)
3	—	W	52	M	9	(?)	(?)	(?)
7	40	W	40	M	—	(?)	107	100
8	—	W	65	M	8	(?)	(?)	(?)
10	—	W	59	M	—	(?)	(?)	(?)
13	—	W	55	M	4	(?)	(?)	(?)
15	27	W	49	M	—	(?)	(?)	(?)
16	—	W	62	M	4	(?)	(?)	(?)
17	—	W	41	S	—	(?)	120	92
18	—	W	62	M	10	(?)	(?)	(?)
22	—	W	65	M	5	(?)	(?)	(?)
23	—	W	39	M	1	(?)	112	(?)
27	—	W	54	M	—	(?)	(?)	(?)
29	21	W	42	M	4	62	165	—
30	23	W	54	M	1	64	145	165
33	30	W	50	M	3	66	140	—
34	—	W	50	M	3	60	105	—
36	16	W	62	M	2	65	120	—
38	14	W	45	S	—	64	130	125
39	27	W	55	M	3	64	200	—
40	31	W	58	M	—	65	140	—
41	39	W	71	M	1	62	138	—
42	12	W	64	M	7	66	98	—
50	58	W	58	M	3	64	175	—
51	27	W	32	M	—	62.5	152	—
52	38	W	40	M	2	62.25	178	—
59	71	W	71	M	8	65	140	—
60	35	W	65	M	2	63	146	—
61	40	W	68	M	3	63	107	—
62	11	W	50	M	6	63	200	—
65	51	W	52	M	13	64	156	—
66	77	W	77	S	—	65	109	—
67	—	W	41	M	2	60	102	—
68	20	W	52	M	9	61	196	—
75	40	W	74	M	—	66	115	—
77	—	W	82	M	3	—	—	—
78	—	W	48	M	1	56	83	—
79	—	W	65	S	—	64	128	—

*Information Regarding Living Cancer Patients*

**Table 4 (A)—Boston, Mass., 1925—Females (Continued)**

Number	Years in Boston	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight	
80	5	W	42	M	3	—	—	—	
81	—	W	51	S	—	58	124	—	
82	2	W	84	M	7	61	115	—	
83	—	W	72	S	—	—	—	—	
93	—	W	53	M	—	—	—	—	
94	30	W	63	M	1	60	94	80	
95	1	W	33	S	2	58.5	63	—	
100	4	W	62	M	3	63	125	—	
101	30	W	66	M	10	—	125	—	
102	28	W	44	M	8	65	108	—	
103	4	W	45	M	2	—	150	—	
104	2	W	55	S	—	68	200	—	
105	—	W	48	M	3	62	125	—	
108	18	W	37	M	—	63	120	—	
110	—	W	51	M	2	63	135	—	
111	50	W	67	M	8	63	124	—	
117	7	W	55	M	4	63	105	—	
		<hr/>				<hr/>		<hr/>	
	929		3,018	46 M 9 S	170	2,264.25	5,420	562	
No. (55)	(34)		(55)		(38)	(36)	(41)	(5)	
Average	27.3		54.9		4.5	62.9	132.2	112.4	
							596	562	
							119.2	112.4	

(5)

**(B) With Regard to Habits of Living**

Number	Males					
	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
1	+	—	—	—	—	—
4	—	—	—	—	—	—
5	—	—	—	—	—	—
6	+	—	—	—	—	—
9	—	—	—	—	—	—
11	+	—	—	—	—	—
12	—	—	—	—	—	—
14	—	—	—	—	—	—
19	+	—	—	—	—	—
20	—	—	—	—	—	—
21	+	—	—	—	—	—
24	—	+	—	—	—	—
25	—	—	—	—	—	—
26	+	—	—	—	—	—
28	—	—	—	—	—	—
31	—	—	—	—	—	—
32	+	+	—	—	—	—
35	+	—	+	—	—	+
37	—	+	+	—	—	—
43	—	+	—	—	—	—
44	+	—	—	+	—	+
45	—	+	—	+	+	—
46	—	+	+	—	—	+
47	—	+	+	—	—	—
48	—	+	+	—	—	+
49	+	+	+	+	—	—
53	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 4 (B)—Boston, Mass., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
54	—	—	—	—	—	—
55	+	+	—	—	—	+
56	—	+	—	+	+	—
57	+	—	+	+	—	+
58	+	+	—	+	—	+
63	+	+	+	—	—	+
64	+	+	+	—	—	—
67	—	+	+	—	—	+
68	—	+	+	—	+	+
69	—	—	—	—	—	—
70	—	—	—	—	+	—
71	—	—	—	—	+	—
72	—	+	—	—	—	—
73	—	—	—	—	—	—
74	+	—	—	—	—	—
76	+	—	—	+	+	+
84	—	—	+	+	+	—
85	+	+	—	+	+	—
86	—	—	+	+	—	—
87	—	—	—	—	—	—
88	—	+	—	—	+	+
89	+	—	—	—	—	—
90	—	—	—	—	—	—
91	+	+	—	—	+	—
92	—	+	—	+	+	—
96	+	—	+	—	—	—
97	—	—	—	—	—	—
98	—	+	—	—	+	—
99	—	—	—	—	+	—
106	—	—	—	—	—	—
107	+	+	—	—	—	—
109	—	+	+	—	+	—
112	+	+	—	—	+	—
113	—	+	+	—	—	+
114	—	—	—	+	—	—
115	—	+	+	—	+	—
116	—	—	—	+	—	—
118	—	—	—	—	—	—
No. (65)	23	27	17	14	16	13
Per cent.	35.4	41.5	26.2	21.5	24.6	20.0

**Females**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
2	+	(?)	(?)	(?)	(?)	(?)
3	+	(?)	(?)	(?)	(?)	(?)
7	—	(?)	(?)	(?)	(?)	(?)
8	(?)	(?)	(?)	(?)	(?)	(?)
10	+	(?)	(?)	(?)	(?)	(?)
13	(?)	(?)	(?)	(?)	(?)	(?)
15	+	(?)	(?)	(?)	(?)	(?)
16	(?)	(?)	(?)	(?)	(?)	(?)
17	(?)	(?)	(?)	(?)	(?)	(?)
18	+	(?)	(?)	(?)	(?)	(?)
22	—	(?)	(?)	(?)	(?)	(?)
23	(?)	(?)	(?)	(?)	(?)	(?)
27	—	(?)	(?)	(?)	(?)	(?)
29	+	—	—	+	—	—

Information Regarding Living Cancer Patients

Table 4 (B)—Boston, Mass., 1925—Females (Continued)

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Cases	Much Fat
30	—	—	—	—	—	—
33	—	—	—	—	—	+
34	—	—	—	—	—	—
36	+	—	+	—	—	—
38	+	—	—	—	—	—
39	—	—	—	+	—	—
40	—	—	+	—	—	—
41	—	—	—	+	—	—
42	—	—	—	—	—	—
50	—	—	—	—	—	+
51	+	—	+	—	—	—
52	+	—	—	—	—	+
59	—	—	—	—	—	—
60	—	—	+	—	—	—
61	+	—	—	—	—	—
62	+	—	—	—	—	—
65	—	—	+	+	—	—
66	—	—	—	+	—	—
67	—	—	—	—	—	—
68	—	—	—	—	—	—
75	—	—	—	—	—	—
77	—	—	—	—	—	—
78	—	—	—	—	—	—
79	—	—	—	—	—	—
80	—	—	—	—	—	—
81	—	—	—	—	—	—
82	—	—	—	—	—	—
83	—	—	—	—	—	—
93	+	—	—	—	—	—
94	—	—	—	—	—	—
95	—	—	—	—	—	—
100	—	—	—	—	—	—
101	—	—	—	—	—	—
102	—	—	—	—	—	—
103	—	—	—	+	+	—
104	—	—	+	—	—	—
105	—	—	—	—	—	+
108	—	—	—	—	—	—
110	—	—	—	+	—	+
111	—	—	—	—	—	—
117	—	—	—	—	—	—
No. (55)	13		6	7	1	5
Per cent.	23.6		10.9	12.7	1.8	9.1

(C) With Regard to Known Impairments

Males

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
1	—	—	—	—	—	—	—	—	—
4	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)	(?)
5	—	+	+	+	—	—	—	—	—
6	—	—	—	—	—	—	—	—	—
9	—	+	—	—	—	—	—	—	—
11	—	—	—	—	—	—	—	—	—
12	—	+	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—
19	—	—	—	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 4 (C)—Boston, Mass., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
20	—	—	—	—	—	—	—	—	—
21	—	+	+	—	—	—	+	—	—
24	—	+	—	—	—	—	—	—	—
25	—	+	—	+	—	—	—	—	—
26	—	+	+	—	—	—	—	—	—
28	—	+	+	—	—	+	—	—	—
31	—	—	—	—	—	—	+	—	—
32	—	—	—	—	—	—	—	—	—
35	—	+	—	—	—	—	—	—	—
37	—	—	—	—	—	—	—	—	—
43	+	+	+	—	—	—	—	—	—
44	—	+	+	—	—	—	—	—	—
45	+	+	+	—	—	—	—	—	—
46	—	—	—	—	—	—	—	—	—
47	—	—	—	—	—	—	+	—	—
48	—	—	+	—	—	—	+	—	—
49	—	+	—	—	—	—	—	—	—
53	—	—	—	—	—	—	—	—	—
54	—	—	—	—	—	—	—	—	—
55	—	—	—	—	—	—	—	—	—
56	—	+	+	—	—	—	+	—	—
57	—	—	—	—	—	—	—	—	—
58	+	—	+	—	—	—	—	—	—
63	+	+	—	—	—	—	—	—	—
64	—	—	—	—	—	—	—	—	—
67	—	—	—	—	—	—	+	—	—
68	—	—	+	+	—	—	—	—	—
69	—	—	—	—	—	—	—	+	—
70	—	—	+	—	—	—	—	—	—
71	—	—	—	—	—	—	—	—	—
72	—	—	—	—	—	—	+	—	—
73	—	—	—	—	—	—	—	—	—
74	—	—	—	—	—	—	—	—	—
76	+	—	—	—	—	—	+	—	—
84	+	—	+	—	—	—	+	—	—
85	—	+	—	—	—	—	—	—	—
86	+	+	—	—	—	—	+	—	—
87	—	+	—	—	—	—	—	—	—
88	+	—	—	—	—	—	—	—	—
89	—	—	—	—	—	—	—	—	—
90	—	—	—	—	—	—	—	—	—
91	—	—	—	—	—	—	—	—	—
92	+	+	—	—	—	—	—	—	—
96	—	—	—	—	—	—	+	—	—
97	+	+	—	—	—	—	+	—	—
98	+	+	—	—	—	+	+	—	—
99	+	+	+	—	—	—	+	—	—
106	—	—	—	—	—	—	—	—	+
107	—	—	—	—	+	—	+	—	—
109	+	+	+	—	—	—	+	—	—
112	—	—	—	—	—	—	—	—	—
113	+	+	—	—	—	—	—	—	—
114	—	—	—	—	—	—	+	—	—
115	+	+	—	—	—	—	—	—	—
116	+	—	+	—	—	—	—	—	—
118	—	—	—	—	—	—	+	—	—
No. (65)	16	25	16	3	1	2	18	1	1
Per cent.	24.6	38.5	24.6	4.6	1.5	3.1	27.7	1.5	1.5

*Information Regarding Living Cancer Patients*

**Table 4 (C)—Boston, Mass., 1925 (Continued)**

Females									
Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
2	—	—	—	—	—	—	—	—	—
3	+	+	—	—	—	—	—	—	—
7	—	+	—	—	—	—	—	—	—
8	(?)	(?)	(?)	—	—	—	—	—	—
10	+	—	—	—	—	—	—	—	—
13	—	+	—	—	+	—	—	—	—
15	(?)	(?)	(?)	—	—	—	+	—	—
16	—	+	—	—	—	—	—	—	—
17	+	+	—	—	—	—	—	—	(?)
18	—	—	—	—	—	—	+	—	—
22	+	+	—	—	—	—	+	—	—
23	—	—	—	—	—	—	+	—	—
27	+	—	—	—	—	—	—	—	—
29	+	+	—	+	—	—	+	—	—
30	+	+	—	—	—	—	—	—	—
33	+	+	—	—	+	—	—	—	—
34	—	—	—	—	—	—	+	—	—
36	—	+	+	—	—	—	—	—	—
38	—	—	—	—	—	—	+	—	—
39	—	+	—	—	—	—	—	—	—
40	—	—	—	—	—	—	—	—	—
41	—	—	—	—	—	—	—	+	—
42	—	—	—	—	—	—	+	—	—
50	—	—	+	—	—	—	+	—	—
51	—	—	—	+	—	—	—	—	—
52	+	+	+	—	—	—	—	—	—
59	—	—	—	—	—	—	—	—	—
60	+	+	—	—	—	—	—	—	—
61	—	+	+	—	—	—	—	—	—
62	—	—	—	—	—	—	—	—	—
65	—	—	—	—	—	—	—	—	—
66	—	—	—	—	—	—	+	—	—
67	+	+	—	—	—	—	—	—	—
68	+	+	+	—	—	—	—	—	—
75	—	—	+	—	—	—	—	—	—
77	—	—	—	—	—	—	—	—	—
78	+	—	—	—	—	—	—	—	—
79	—	—	—	—	—	—	—	—	—
80	+	+	+	—	—	—	—	—	—
81	—	+	—	—	—	—	—	—	—
82	+	+	+	—	—	—	—	—	—
83	+	+	+	—	—	—	—	—	—
93	—	—	—	—	—	—	—	—	—
94	+	+	—	—	—	—	—	—	—
95	+	+	—	—	—	—	—	—	—
100	—	—	—	—	—	—	—	—	—
101	—	—	—	—	—	—	—	—	—
102	—	—	+	—	—	+	+	—	—
103	+	+	+	—	—	—	—	—	—
104	+	+	—	—	—	+	—	—	—
105	+	—	—	—	—	—	+	—	—
108	—	—	+	—	+	—	—	—	—
110	—	+	+	—	—	—	+	—	—
111	+	—	—	—	—	—	—	—	—
117	+	+	—	—	—	—	—	—	—
No. (55)	23	26	13	2	3	2	13	1	
Per cent.	41.8	47.3	23.6	3.6	5.5	3.6	23.6	1.8	

*Information Regarding Living Cancer Patients*

Table 4—Boston, Mass., 1925—(Continued)

(D) With Regard to Treatment and Remedial Diagnosis and Family History

Number	Males					
	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
1	+	+	+	—	—	—
4	—	+	—	—	Loss	—
5	—	+	—	—	Loss	—
6	—	—	+	—	—	—
9	—	+	—	—	Loss	—
11	—	+	—	—	—	—
12	—	+	—	—	—	—
14	+	+	—	—	—	—
19	—	+	—	—	—	—
20	—	—	—	—	—	—
21	—	+	—	+	—	—
24	—	+	—	—	Loss	—
25	—	+	—	—	—	—
26	—	—	—	—	Loss	—
28	—	—	—	—	—	—
31	—	—	—	+	Loss	—
32	—	+	—	—	Loss	—
35	—	+	—	—	—	—
37	—	+	—	—	Loss	—
43	—	+	—	—	Loss	—
44	—	+	—	—	—	—
45	+	+	+	—	—	—
46	+	+	—	—	Loss	—
47	—	—	—	—	—	—
48	+	—	—	—	Loss	—
49	+	+	+	—	Loss	—
53	—	—	+	—	Loss	—
54	—	+	+	—	Loss	—
55	—	+	—	+	Loss	—
56	—	—	—	—	Loss	—
57	—	—	—	—	—	—
58	—	+	—	—	Loss	—
63	—	+	—	—	Loss	—
64	—	+	—	—	Loss	—
67	—	—	—	—	Loss	—
68	—	+	—	—	Loss	—
69	—	+	—	—	—	—
70	—	+	—	—	Loss	—
71	—	—	—	—	Loss	—
72	—	—	—	—	Loss	—
73	+	—	—	—	Loss	—
74	—	—	—	—	Loss	—
76	—	—	—	—	—	—
84	—	—	—	—	Loss	—
85	—	—	—	—	Loss	—
86	+	—	—	—	Loss	—
87	—	—	—	—	Loss	—
88	—	—	—	—	Gain	—
89	+	—	—	—	—	—
90	—	—	—	—	—	—
91	—	—	—	—	Gain	+
92	—	—	—	—	Loss	—
96	+	+	+	—	Gain	—
97	+	—	—	—	Loss	—
98	+	—	+	—	—	—

*Information Regarding Living Cancer Patients*

**Table 4 (D)—Boston, Mass., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
99	—	+	—	—	Loss	—
106	—	—	+	—	Loss	—
107	—	—	+	—	Loss	—
109	—	+	—	—	Loss	+
112	—	+	—	—	Gain	+
113	—	—	—	—	—	—
114	—	—	—	—	Loss	—
115	+	+	—	—	Loss	+
116	—	—	—	—	—	—
118	—	—	—	—	Loss	—
No. (65)	14	32	10	3	39 L., 4 G. 22 —	4
Per cent.	21.5	49.2	15.4	4.6	60.0 Loss	6.2

**Females**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
2	—	+	—	—	Gain	—
3	—	+	—	—	Loss	—
7	—	+	—	—	Loss	—
8	—	+	—	+	—	—
10	—	+	—	—	—	—
13	—	+	—	—	—	—
15	—	+	—	—	—	(?)
16	—	+	—	—	—	—
17	—	+	—	—	—	(?)
18	+	+	—	—	—	+
22	—	+	—	+	Loss	—
23	—	—	+	—	Loss	(?)
27	—	—	—	—	Loss	—
29	—	+	+	+	Loss	—
30	—	+	—	—	Loss	—
33	—	—	—	—	Loss	—
34	—	+	—	—	—	(?)
36	—	—	—	—	Loss	—
38	—	—	—	—	Loss	—
39	—	+	—	—	Loss	—
40	—	+	—	—	—	+
41	—	—	—	—	Loss	—
42	—	+	—	—	Gain	—
50	—	+	—	—	—	—
51	—	—	+	—	Loss	—
52	—	+	—	—	—	—
59	—	+	—	—	—	—
60	—	+	—	—	—	—
61	—	+	—	—	Loss	+
62	—	—	—	—	Loss	—
65	—	+	+	+	Loss	—
66	—	—	+	—	Loss	—
67	—	—	—	—	—	—
68	—	+	—	—	—	+
75	—	—	—	—	Loss	—
77	+	—	—	—	—	—
78	—	+	—	—	Gain	—
79	—	—	—	—	—	—
80	—	+	—	—	—	—
81	—	+	—	—	—	—
82	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 4 (D)—Boston, Mass., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
83	—	—	—	—	Loss	—
93	—	—	—	—	Loss	—
94	—	—	+	—	—	—
95	—	—	—	—	Loss	—
100	—	—	—	—	Loss	—
101	—	—	—	—	Loss	—
102	—	+	—	—	—	—
103	—	—	—	+	Loss	—
104	—	—	—	—	Loss	+
105	—	+	—	—	—	—
108	—	+	—	—	Gain	—
110	—	+	—	—	—	+
111	—	—	+	—	—	+
117	—	+	—	—	Loss	—
No. (55)	2	32	7	5	26 L., 4 G. 25 —	7
Per cent.	3.6	58.2	12.7	9.1	47.3 Loss	12.7

Information Regarding Living Cancer Patients

Table 5—Buffalo, N. Y., 1925

(A) With Regard to Physical Facts of Living Patients

Males								
Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
4	6	W	54	S	—	65	155	150
8	2	W	59	M	—	68	135	130
9	54	W	54	M	1	71.25	178	178
10	21	W	35	M	4	69	190	193
12	27	W	61	M	2	68	200	—
13	21	W	60	M	2	74	220	150
15	50	W	67	M	2	68	155	135
19	3	W	67	M	2	68.5	180	190
22	15	W	41	M	3	68	130	123
23	14	W	41	M	5	76	198	201
28	57	W	73	M	1	70	175	163
32	73	W	77	M	1	68.5	165	149
39	18	W	75	M	7	65	144.5	150
40	48	W	48	M	1	68	180	170
41	51	W	72	M	4	70	—	163
45	17	W	39	M	6	68	155	133
47	32	W	62	M	—	60.5	—	155
48	37	W	52	M	—	68.5	150	133
49	55	W	75	S	—	66.5	132	127
50	20	W	54	M	—	72	130	127
53	5	W	36	M	2	72	160	144
57	40	W	64	M	8	73.5	196	189
58	62	W	64	S	—	69	185	163
63	40	W	69	S	—	67	131	131
67	15.5	W	40	M	8	67	160	145
68	49	W	49	M	2	70.5	175	173.5
75	2	W	28	M	1	71.5	150	145
77	35	W	66	M	2	62	150	146
81	5	W	48	M	2	60	140	160
89	40	W	66	M	—	66	145	148
91	40	W	57	M	—	69	186	155
92	64	W	86	M	2	69	160	160
96	41	W	—	M	2	63	125	115
97	55	W	55	M	3	72	190	190
104	32	W	61	M	2	72	168	160
106	57	W	57	M	—	70	165	165
107	5	W	53	M	—	57	130	178
109	72	W	72	M	2	66	168	165
110	59	W	59	M	—	69	165	165
113	15	W	31	S	—	68	145	145
114	56	W	56	M	—	69	140	132
116	18	W	52	M	4	69.25	138	124.5
118	15	W	34	M	2	66.5	168	166.5
121	3	W	71	M	2	64.75	170	182.25
122	74	W	74	M	—	65.5	143	—
129	71	W	71	M	7	65.75	175	172
130	12	W	73	S	—	67.5	165	166.75
132	7	W	69	M	11	64.25	130	137
133	13	W	73	M	4	69.75	225	220.75
135	20	W	51	M	2	64.25	148	140
136	31	W	31	M	2	70	148	111.5
139	30	W	68	M	2	66.75	179	160
141	16	W	59	M	2	67.5	170	155.5
144	8	W	64	M	2	68.25	155	145
145	67	W	70	M	4	68.5	160	161

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
146	—	W	65	M	1	66.5	138	123.5
147	66	W	66	M	—	62.5	185	180
150	30	W	53	M	3	70.5	200	199
152	62	W	67	M	2	66.5	180	193
153	6	W	40	M	3	69.25	175	188.25
154	12	W	17	S	—	63.25	128	128.5
155	68	W	68	M	1	69.5	170	165.75
156	61	W	61	M	8	64	155	114
157	37	W	62	M	1	67	150	136
158	63	W	63	S	—	65	—	—
159	4	W	47	M	—	70	170	175
160	5	W	76	M	4	58.5	—	175
161	—	W	73	S	—	72	180	126.5
162	45	W	45	M	1	69	195	190
164	37	W	54	M	6	68.25	187	181.5
166	24	W	65	M	4	67	165	125
169	37	W	59	M	—	69	158	142
171	61	W	61	M	5	72	180	172.5
172	40	W	60	M	1	62.75	143	136.5
174	6	W	53	M	3	67.75	180	164.5
175	42	W	62	M	8	61.5	130	125
179	25	W	37	S	—	67	145	136.25
180	12	W	70	M	4	72.5	165	151.5
181	5	W	64	M	7	66.75	160	155.25
182	3	W	60	M	5	65.5	150	154.5
185	30	W	72	M	4	66.5	140	127
189	76	W	78	M	2	67.5	190	162.25
190	66	W	67	M	2	67	190	187
191	3	W	49	M	6	68.5	160	159.25
198	35	W	70	M	6	61.25	169	170
199	30	W	65	M	—	65.5	140	136.75
203	53	W	53	M	4	72	185	160
204	25	W	48	M	2	71.25	105	127.25
205	46	W	46	M	3	68	175	163
207	12	W	60	M	5	69.25	228	224.25
211	36	W	74	M	2	64.5	200	199.5
213	26	W	64	M	—	70.5	135	126
214	12	W	70	M	3	60.75	127	119.75
217	13	W	60	M	4	69	150	133.75
219	42	W	74	M	—	62.5	135	105
223	36	W	72	M	7	72	150	140
225	5	W	20	S	—	66.75	127	125.5
226	3	W	55	M	10	53.25	146	140
227	43	W	43	S	—	68	145	136.5
228	23	W	70	M	4	64	250	210
229	71	W	71	M	1	62.5	190	197
231	38	W	62	M	2	63.5	140	126.5
232	58	W	62	M	5	66.5	145	140
233	64	W	69	M	6	70.75	210	186.25
236	45	W	89	M	5	60	130	110
237	32	W	39	M	—	67.5	176	160
239	31	W	74	M	—	66.25	145	124
241	8	W	59	M	9	65.25	165	154
243	22	W	75	M	—	67.25	160	121.25
244	36	W	63	M	3	68	160	150.25
245	39	W	63	M	8	65.5	130	127
248	19	W	81	M	5	69.5	175	159
249	17	W	34	M	4	63	140	133
252	6	W	27	M	—	67	160	159

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
253	31	W	70	M	2	70	135	130
255	10	W	73	M	—	67.5	150	149
257	37	W	60	M	3	67	173	176.25
258	22	W	49	M	6	67.5	160	154
260	24	W	44	M	—	65.5	150	149.25
261	26	W	55	M	3	67	128	125.25
262	—	W	61	M	—	66.75	175	181
263	40	W	57	M	3	67.5	160	170
266	26	W	26	S	—	68	191	139
267	58	W	79	M	4	66.75	153	149.5
270	55	W	74	M	4	65.75	160	149.25
272	6	W	53	S	—	68.25	142	161.5
273	67	W	67	M	1	68.25	160	155
275	30	W	59	M	2	61.25	150	150
276	50	W	50	M	4	67.25	158	159.75
278	25	W	75	M	5	68.5	140	145.5
279	54	W	75	M	2	67	185	176.5
281	45	W	55	M	6	70.75	265	266.5
285	12	W	70	M	3	70.25	145	135.25
289	36	W	52	M	16	69	215	234
292	41	W	41	M	6	67.75	155	153.25
294	36	W	59	M	9	66.5	145	144
297	62	W	63	M	4	66	155	146.5
299	34	W	61	M	5	64.25	170	108
302	16	W	65	M	2	61	150	150
305	57	W	57	S	—	64.75	145	110.5
308	40	W	66	M	—	62	140	141
310	5	W	64	M	5	66.75	118	120
315	65	W	65	M	—	68	175	179
318	67	W	67	M	—	64	170	145
320	21	W	21	S	—	69	150	142
422	50	W	69	S	—	67.5	155	148
425	9	W	47	M	—	66.5	150	150
429	31	W	31	M	2	69.75	164	150
431	7	W	38	M	—	63.75	127	123
432	45	W	71	M	4	70	110	225.75
433	21	W	64	M	10	62.5	135	128.25
435	30	W	66	M	3	66.5	152	150
437	47	W	62	M	6	69.75	140	111
439	31	W	70	M	—	64.75	140	111
440	17	W	66	M	4	68	136	135.25
443	53	W	53	M	2	69.25	145	144
444	55	W	79	M	4	64	160	140
445	39	W	59	M	3	72.5	170	163
446	67	W	67	M	—	68.25	155	136
448	35	W	61	M	1	65.5	140	135
449	4	W	64	S	—	68	144	107
451	40	W	58	M	4	69.5	180	175
452	9	W	72	M	1	64.75	150	140
453	27	W	62	M	4	70.5	150	157
455	40	W	57	M	3	66	178	176
457	50	W	50	M	3	63.75	145	135
459	65	W	72	M	8	66	150	162
461	59	W	59	S	—	61.25	130	133
463	39	W	57	M	4	67	135	115
464	38	W	58	M	5	67.25	200	201
466	28	W	32	M	5	64.75	175	171
467	57	W	57	M	1	66	164	141
472	4	W	69	M	3	67	160	157.25

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
473	65	W	65	M	2	75.5	140	123
474	53	W	53	M	2	64	140	144.25
475	58	W	58	M	—	68.25	206	215
477	59	W	59	M	2	63.5	135	151.75
480	10	W	63	M	1	67	135	120
484	35	W	79	M	6	68	165	182
486	68	W	68	M	7	67	200	183
488	65	W	82	M	9	63.75	—	130.25
489	46	W	61	M	6	66	155	152
490	30	W	30	M	1	61.5	185	185
495	20	W	59	M	2	68.5	165	123
498	61	W	61	M	1	65.75	215	210.75
499	36	W	36	M	1	65	140	134
507	—	W	69	M	—	66.5	138	135
509	21	W	63	M	12	69	216	210
512	40	W	58	M	3	70.25	155	153
514	17	W	55	M	1	70.25	130	128
517	3	W	72	M	4	65.5	125	119.25
518	5	W	45	M	4	64.25	130	121
519	35	W	80	M	3	63	155	145.5
521	51	W	51	M	3	67.25	181.25	182
525	42	W	76	M	10	65.25	204	201
533	80	W	80	M	6	67.75	150	154.25
534	33	W	62	M	4	70.25	180	171
535	65	W	65	M	3	64.5	—	128.5
536	26	W	54	M	2	68	155	153.5
537	14	W	46	M	2	69	180	135.5
538	13	W	53	M	—	70.5	140	140
543	4	W	68	M	—	68.5	168	170
545	34	W	64	M	9	64	130	129.75
549	26	W	63	M	1	69	186	177
551	21	W	65	M	10	65.5	200	174
553	68	W	68	S	—	70	150	143.25
556	—	W	45	M	2	68	148	150
558	38	W	38	M	—	68	153	120
560	20	W	66	M	3	71.5	—	155
561	34	W	71	M	—	69.75	240	225
564	13	W	48	M	1	69.25	180	174
565	40	W	76	M	1	65.25	145	143.60
568	73	W	73	M	3	65.5	165	162
570	10	W	47	M	2	68.5	180	178
572	50	W	50	M	2	70.5	173.5	135
574	40	W	62	M	5	70.25	170	160.5
575	35	W	78	M	1	68.5	167	160.5
576	30	W	73	M	9	68	175	130
579	7	W	66	M	10	66.5	200	187.75
581	59	W	59	M	8	67.5	200	164.75
584	58	W	63	M	6	68.5	155	139
586	12	W	68	M	6	62	156	152.25
587	12	W	55	M	2	68	186	143
588	30	W	54	M	3	68.5	128	122
589	14	W	87	M	5	67.5	140	150
590	37	W	62	M	—	67.5	145	98.5
591	16	W	69	M	8	64.5	148	135
593	40	W	67	M	—	66	140	117.5
594	19	W	49	M	2	67.25	138	152.5
596	58	W	75	M	3	70	170	151.5
598	38	W	54	S	—	66.75	155	149
599	16	W	50	M	6	65	170	155.5

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
601	21	W	66	M	1	67.75	180	150.75
606	2	W	75	M	6	67	200	218.25
609	6	W	65	M	—	71	200	193
614	42	W	77	M	6	66	158	148
615	—	W	62	M	—	67.5	145	136
616	4	W	50	M	6	66.5	150	145
618	3	W	32	M	2	67.25	180	165
619	35	W	73	M	6	67.25	276	231
620	10	W	30	M	2	66.5	210	198
621	10	W	38	M	—	66.75	140	135
622	48	W	51	S	—	67.5	200	156.5
623	35	W	42	M	4	64	165	143.5
624	62	W	68	M	8	68.25	190	189
625	36	W	64	M	5	71.5	130	110.5
626	69	W	69	M	5	65	130	120
627	30	W	58	M	9	60.25	135	129
628	27	W	60	S	—	63	120	113
629	4	W	53	M	1	66	145	127.5
630	27	W	51	M	4	67.5	204	134.5
633	36	W	57	M	—	63.5	125	114.5
634	15	W	67	S	—	64	190	189
636	47	W	53	M	—	61.5	185	180.5
638	20	W	49	M	6	69.75	165	159.5
640	12	W	76	M	7	66.75	145	144.25
644	20	W	69	M	3	64	135	105
645	36	W	66	M	1	69.5	220	175
646	8	W	38	M	4	65	150	141.5
647	49	W	49	S	—	67.75	135	138.75
648	10	W	32	M	—	65.5	175	161
650	40	W	72	M	5	66.25	135	128
	8,509.50		15,521	237 M 25 S	773	17,558.25	41,315.25	39,700.35
No. (262)	(256)		(261)		(193)	(262)	(255)	(259)
Average	33.2		59.5		4.0	67.0	162.0	153.3
(Comparable normal and present weights).....							40,972.25	38,793.60
							161.9	153.3
								(253)

**Females**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
1	6	W	54	M	5	53.5	115	111.5
2	3	W	23	M	2	65.5	140	110
3	28	W	48	M	6	64	147	120
3a	59	W	66	M	8	66.5	250	197.25
5	25	W	57	M	—	67	170	157
6	42	W	65	M	6	62	200	192
7	30	W	57	M	—	60	135	129
11	35	W	59	M	1	64.5	200	179
14	3	W	75	M	4	63	120	120
16	1	W	41	M	3	64	130	113
17	28	W	28	M	1	66	125	121
18	72	W	74	S	—	67	150	148
20	29	W	29	M	3	63	184	163
21	43	W	49	M	1	66	174	165
24	36	W	59	M	1	66	140	135
26	5	W	55	M	1	64.5	150	112
27	11 mos.	W	40	M	—	66	—	120

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
29	25	W	55	M	9	64	160	137
31	11 mos.	W	64	M	1	64	152	145
34	39	W	39	M	2	70	160	—
37	40	W	74	M	2	62	131	120
42	6	W	28	M	—	70	155	149
44	44	W	45	M	2	65	180	132.5
46	30	W	64	M	10	65	175	174
52	12	W	54	M	4	66	182	180
54	36	W	36	M	5	65	150	121.5
55	69	W	72	M	—	67	115	112
56	11	W	65	S	—	68	165	159
60	72	W	72	S	—	66	125	—
62	60	W	76	M	2	62	96	95
64	51	W	51	M	5	66	125	125
65	19	W	56	M	2	66	120	110
66	10	W	51	M	1	65.25	190	180
69	15	W	57	M	3	64	155	153.5
70	36	W	70	M	4	63	124	114.5
71	12	W	69	M	2	65	165	159
72	56	W	56	M	3	61	215	214
73	5	W	51	M	—	64	170	180
74	18	W	43	M	4	62	201	193
76	15	W	36	S	—	62	113	—
78	67	W	67	M	6	62	165	163.5
80	3	W	35	M	3	64	156	135
82	50	W	50	M	2	65.5	168	158.5
84	50	W	64	M	2	63	145	139
85	36	W	47	M	—	63.12.5	150	145
90	35	W	66	M	2	65	200	175
95	2	W	65	M	—	66	156	138
98	45	W	45	M	—	62	132	—
99	30	W	61	M	2	68	198	199
100	38	W	56	M	7	63.5	128	113
101	17	W	34	M	—	64	140	132.5
102	49	W	49	S	—	63	190	190
103	9	W	33	M	8	66	150	152
105	72	W	72	M	9	62	182	182
108	17	W	57	M	4	64	196	188
111	3	W	68	M	—	62.5	105	105
112	24	W	45	M	3	64.25	153	129.25
115	20	W	66	M	4	63.25	200	160.25
117	7	W	49	M	1	62.75	118	119.75
119	43	W	43	M	2	62	135	126
120	31	W	55	M	5	64.5	140	132
123	41	W	58	M	4	68	135	131.5
124	78	W	78	M	8	56.25	—	137.5
125	61	W	61	M	1	62.25	135	135.25
126	46	W	46	M	2	63.5	122	122
127	20	W	49	M	1	67.25	138	133.5
128	39	W	58	M	3	68.12.5	217	210.25
131	60	W	60	M	4	67.5	135	133.5
134	68	W	68	M	1	61.75	120	95.25
137	25	W	39	M	—	67.25	160	150.25
138	44	W	44	S	—	64	108	108.5
140	10	W	10	S	—	56	64	67.25
142	42	W	42	M	1	57.25	135	115.75
143	2 mos.	W	42	M	3	53	145	123
148	8	N	47	M	2	64.5	170	170
149	18	W	69	M	10	64	110	93

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
151	29	W	63	S	—	67	125	120
163	1	W	55	M	3	63.25	120	119
165	67	W	67	M	4	63.75	187.25	172
167	23	W	31	S	—	64.5	133	133
170	22	W	53	M	1	63.5	160	160
173	10	W	75	M	9	61.75	150	144.5
176	34	W	34	M	2	63	160	147
177	32	W	56	M	3	65.5	150	140.75
178	37	W	37	M	3	65	145	143
183	33	W	41	M	7	62.5	175	173
184	32	W	61	M	1	66.25	155	149
186	15	W	58	M	—	65.25	160	153.75
187	7	W	61	M	3	62.5	175	164.5
188	24	W	60	M	—	60.25	130	111.5
192	82	W	82	M	6	61.25	136	136
193	8	W	30	M	1	60	180	143.5
194	5	W	67	M	3	58.75	130	137.25
195	39	W	39	M	5	62.25	115	117.5
196	46	W	69	M	4	62.75	—	193.75
197	36	W	65	M	3	67.25	225	225
200	30	W	62	M	—	61.5	100	100
201	19	W	69	M	4	57.25	—	124.75
202	80	W	80	M	4	62.75	158	141.25
206	4	W	64	S	—	64.25	115	117.75
208	7	W	33	M	1	68.50	150	143.75
209	16	W	51	M	3	62.25	172	179.75
210	37	W	37	M	—	62	140	144.25
212	8	W	58	M	3	61.75	135	131.25
215	13	W	52	M	4	54.5	205	195
216	63	W	63	M	3	61	95	90
218	47	W	69	M	3	65	180	180
220	10	W	37	M	1	65.25	145	136
221	6	W	49	M	4	53.25	155	135
222	9	W	46	M	2	57.75	170	171.25
224	15	W	52	M	2	51.75	130	131.5
230	20	W	59	M	3	67.75	210	194.75
234	25	W	51	M	2	65	150	154
235	22	W	69	M	5	63.25	150	149.25
238	32	W	58	S	—	68	170	165
240	35	W	63	M	2	67	173	178.75
242	53	W	53	M	8	64.50	200	195
246	1	W	76	M	1	60	160	142.75
247	1	W	65	M	1	60.50	155	160
250	20	W	45	M	4	62.25	125	110
251	44	W	44	M	10	64	175	200
254	60	W	59	M	1	65.25	145	122.25
256	22	W	64	M	5	63.75	180	176
259	36	W	36	M	2	64	125	121.75
264	40	W	51	M	4	62.25	115	111.75
265	5	W	37	M	1	61.25	155	150
268	55	W	72	M	9	61.50	155	120
269	69	W	69	M	2	58.25	130	130.75
271	34	W	61	M	2	63.75	104	117.25
274	40	W	65	M	5	60.25	137	140.75
277	61	W	70	M	2	62	105	102
280	23	W	63	M	—	62.75	125	131.5
282	42	W	60	M	7	61.5	125	112
283	10	W	46	M	2	63	157	141.5
284	67	W	74	S	—	61	130	130

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
286	25	W	65	M	3	53.5	115	104.25
287	22	W	57	M	—	61	107	104
288	9	W	52	M	2	64	195	178.5
290	20	W	52	M	—	68	180	184.5
293	—	W	42	M	7	65.5	200	186
295	26	W	50	M	5	62.75	112	121.25
296	42	W	42	M	3	61.5	136	135.75
300	71	W	71	M	1	63.25	153	153.5
301	34	W	58	M	4	65	160	177.75
303	35	W	51	M	1	63.25	135	139.5
304	28	W	49	M	11	51.5	150	138
306	21	W	63	M	10	66.5	136	145
307	29	W	57	M	3	61.25	145	121
309	69	W	69	M	4	65	192	165
311	12	W	39	M	8	61.5	177	140
312	8	W	50	M	4	64	200	192.5
313	34	W	42	S	—	60	138	140
314	30	W	35	M	—	68.5	160	172
316	22	W	56	M	8	64	155	158
317	30	W	52	M	3	67.25	128	126.75
319	20	W	57	M	2	61.5	120	125.25
321	40	W	60	M	—	63.25	200	187.25
322	14	W	74	M	8	64.5	140	121
421	6	W	43	M	2	64.5	105	103
423	20	W	36	M	3	65.75	130	108
424	8	W	67	M	3	67.25	135	108
426	24	W	44	M	8	67.25	185	177
427	8	W	31	M	—	64	135	147.5
428	40	W	40	M	3	64	190	145
430	32	W	46	M	2	66	135	185
434	4	N	32	M	—	65	149	135
436	35	W	64	M	4	64	115	110
438	66	W	66	M	3	65.5	240	243.75
441	35	W	63	M	4	64	135	128
442	12	W	42	M	3	61.5	165	190
447	21	W	65	M	10	60.25	169	159
450	30	W	55	M	7	64.5	150	139
454	60	W	72	M	2	64	170	150
455	55	W	55	M	3	64	161	148
456	23	W	43	M	6	66	150	110
460	33	W	52	M	5	63	(?)	157
462	40	W	67	S	—	62	160	157.75
465	24	W	47	M	9	62.5	141	137.5
468	33	W	60	M	4	62.5	200	213
469	28	W	43	M	3	62	165	160
470	36	W	55	M	4	63.5	150	143
471	30	W	55	M	—	68	(?)	(?)
476	9	W	9	S	—	52	52	51.5
478	74	W	74	M	7	65.5	150	163.75
479	43	W	74	M	2	61	125	113
481	33	W	51	M	1	64	168	165
482	66	W	66	M	3	66	160	155
483	48	W	48	M	6	65.25	170	164.5
485	35	W	51	M	7	67.25	170	172
491	24	W	48	M	1	61.5	145	126
492	11	W	11	S	—	65.25	—	81
493	—	W	53	M	9	66.75	115	110
494	5	W	37	M	5	67	140	110
496	61	W	61	S	—	67	185	164

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
497	21	W	69	M	5	64.5	150	150
500	48	W	48	M	1	68	130	119.75
501	9	W	37	M	2	64.75	120	118.25
502	15	W	67	M	—	64	125	118
503	14	W	52	M	15	64.25	230	213.5
504	30	W	62	M	4	65	135	131
505	57	W	57	M	6	64.25	—	150.75
506	10	W	58	M	2	63	105	110
508	44	W	50	M	1	66.5	—	145
510	6	W	70	M	—	—	166	128
511	27	W	27	M	1	64.75	135	104
513	8	W	54	M	2	66.5	115	135.25
516	42	W	42	M	1	63.25	110	111
522	32	W	58	M	5	65.75	170	167.5
523	37	W	67	M	2	65	210	185
524	38	W	51	M	3	68	170	117
526	56	W	60	M	3	66.25	145	149
527	—	W	81	M	6	63.25	144	108.75
528	59	W	59	S	—	63.5	144	136.25
529	6	W	42	M	5	64.75	111	122.5
530	15	W	46	M	7	64.5	171	167.25
531	11	W	64	M	6	67.5	151	149
532	52	W	60	S	—	66.25	186.5	179.5
539	12	W	62	M	2	64	—	115
540	31	W	51	M	3	68	175	160
541	48	W	74	M	6	64	130	117
542	4	W	51	S	—	68.5	187	170
544	12	N	37	M	2	66	135	137
546	12	W	24	M	1	66.75	125	124
547	33	W	54	M	2	67.25	175	170
548	30	W	30	M	1	64.5	—	112
550	6	W	68	M	4	66.5	140	123.25
552	14	W	62	M	5	65	240	231
554	50	W	50	M	3	64.75	115	140
555	54	W	54	M	8	66.67	175	172.5
557	54	W	54	M	3	62	—	145
559	37	W	37	M	2	65	—	127
562	40	W	71	M	4	64	135	120
563	44	W	84	M	—	63.5	125	119
566	73	W	73	M	5	67.75	170	169.5
567	6	W	64	M	1	66.75	125	127.5
569	66	W	66	M	—	67.25	—	163
571	24	W	38	M	4	64	100	97
573	5	W	54	M	3	66.25	135	124.25
577	29	W	33	S	—	66.25	110	98
578	10	W	49	M	1	67.25	150	164
580	45	W	68	M	4	64.75	118	123.5
582	40	W	40	M	5	64.75	117	112.5
583	7	W	53	M	5	65.75	200	171.75
585	1	W	29	M	1	63	160	173
592	39	W	41	M	2	68.75	145	144
595	20	W	62	S	—	63.25	135	140.75
597	22	W	53	M	5	67.25	160	171.75
600	20	W	72	M	3	65.75	180	137.5
602	6	W	32	M	2	66.25	120	127.75
603	37	W	40	M	—	66	160	157
604	30	W	54	M	3	64.5	125	127.5
605	11	W	34	M	1	61	140	90
607	15	W	69	M	2	66.75	200	181.5

*Information Regarding Living Cancer Patients*

**Table 5 (A)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Years in Buffalo	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
608	64	W	64	M	5	64	112	111.25
610	43	W	43	M	6	65	174	163
611	19	W	33	M	6	64	126	124
612	20	W	43	M	2	65	130	162
613	25	W	55	M	5	66	175	168
617	61	W	61	M	11	66.5	115	114
631	20	W	39	M	4	64	200	159
632	10	W	27	M	4	66	125	59.5
635	30	W	75	M	—	64	192	182
637	6	W	62	S	—	64	170	172
639	1	W	54	M	—	62	128	118.5
641	15	W	41	M	8	60.5	120	107.5
642	15	W	56	M	10	65	178	141.5
643	5	W	58	M	2	60.5	100	92.5
649	12	W	43	M	6	63.75	—	163
651	35	W	63	M	3	65.75	125	121
	7,857		14,451	246 M 23 S	831	17,124.67	38,221.75	37,725.00
No. (269)	(266)		(269)		(215)	(268)	(254)	(264)
Average	29.5		53.7		3.9	63.9	150.5	142.9
(Comparable normal and present weights).....							37,691.75 150.8	35,790.25 143.2 (250)

**(B) With Regard to Habits of Living**

Number	Males					
	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
4	—	+	—	—	—	—
8	—	—	—	+	—	—
9	—	+	—	—	—	+
10	+	+	—	+	—	—
12	+	—	—	+	—	—
13	—	—	—	—	—	—
15	—	—	—	—	—	—
19	—	+	—	+	—	—
22	+	+	—	+	—	—
23	+	+	—	—	+	—
28	—	—	—	+	+	—
32	—	—	—	—	—	—
39	+	+	—	—	—	—
40	+	—	—	—	—	—
41	+	+	—	+	—	—
45	+	—	—	—	—	—
47	—	—	—	—	—	—
48	—	—	—	—	—	—
49	—	+	—	+	—	—
50	—	+	—	—	—	—
53	—	+	—	+	—	—
57	+	—	—	+	—	—
58	—	—	—	+	—	—
63	—	—	—	—	—	—
67	—	—	—	—	—	—
68	—	+	—	—	—	—
75	—	+	—	+	+	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
77	—	—	—	—	—	—
81	+	+	—	—	—	+
89	—	—	—	—	—	—
91	—	—	—	—	—	—
92	—	—	—	+	—	—
96	—	—	—	—	—	—
97	—	—	—	—	—	—
104	—	—	—	—	—	—
106	—	—	—	—	—	—
107	—	—	—	—	—	—
109	—	—	—	—	—	—
110	+	—	—	—	—	—
113	—	—	—	—	—	—
114	—	—	—	+	—	—
116	—	—	—	—	—	+
118	—	—	—	—	—	+
121	—	—	—	—	—	—
122	—	—	—	+	—	—
129	—	—	—	—	—	+
130	—	—	—	—	—	—
132	—	—	—	—	—	—
133	+	—	+	+	—	+
135	—	+	—	—	—	—
136	—	—	—	—	—	—
139	—	—	—	—	—	+
141	—	—	—	—	+	+
144	—	—	—	—	—	—
145	—	—	—	—	—	+
146	—	—	—	—	—	—
147	+	+	—	—	—	—
150	+	—	—	—	—	+
152	+	—	—	—	—	—
153	—	—	—	—	—	+
154	—	—	—	—	—	—
155	—	—	—	+	—	—
156	—	+	—	+	—	—
157	—	+	—	—	—	—
158	—	—	—	—	—	—
159	—	—	—	+	—	—
160	—	—	—	—	—	—
161	—	—	—	+	—	—
162	+	—	—	+	—	—
164	+	—	—	—	—	—
166	+	+	—	—	—	—
169	—	—	—	+	—	+
171	+	—	—	—	—	—
172	—	—	—	—	—	—
174	—	—	—	+	+	—
175	—	—	—	—	—	+
179	—	+	—	+	+	+
180	—	—	—	—	—	—
182	—	—	—	—	—	+
185	+	—	—	+	—	—
189	+	—	—	—	—	—
190	+	—	—	+	—	+
191	+	—	—	—	—	—
198	—	—	—	—	—	—
199	—	+	—	+	—	+
203	+	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
204	—	+	—	—	—	—
205	—	—	—	—	—	—
207	—	+	—	—	—	—
211	—	—	—	—	—	—
213	—	—	—	—	—	+
214	—	+	—	—	—	—
217	—	+	—	+	—	—
219	—	—	—	—	—	+
223	+	—	—	—	—	+
225	—	—	—	—	—	—
226	—	—	—	—	—	—
227	+	+	—	+	—	+
228	+	—	—	—	—	+
229	+	—	—	—	—	+
231	—	—	—	—	—	+
232	+	—	—	—	—	+
233	+	—	—	—	—	+
236	—	—	—	—	—	+
237	+	—	—	—	+	—
239	—	—	—	—	—	—
241	+	—	—	—	+	+
243	—	—	—	—	—	+
244	—	—	—	—	—	+
245	+	—	—	+	—	+
248	—	—	—	—	—	—
249	—	—	—	—	—	—
252	+	+	—	+	—	—
253	—	—	—	—	—	—
255	—	—	—	—	—	—
257	+	+	—	—	—	—
258	—	—	—	+	—	+
260	+	+	—	—	—	+
261	+	—	—	—	—	—
262	—	+	—	—	—	+
263	—	—	—	+	—	+
266	—	—	—	—	—	+
267	—	—	—	—	—	—
270	+	+	—	—	—	—
272	—	—	—	+	—	+
273	—	—	—	—	—	—
275	—	—	—	—	—	—
276	—	—	—	—	—	—
278	—	+	—	—	—	+
279	—	—	—	—	—	—
281	—	+	—	—	—	+
285	—	—	—	—	—	—
289	—	—	—	—	—	+
292	+	—	—	—	—	+
294	—	+	—	+	—	—
297	—	—	—	—	—	—
299	—	—	—	—	—	—
302	—	—	—	+	—	—
305	—	+	—	+	—	—
308	—	—	—	—	—	—
310	—	—	—	—	—	+
315	+	—	—	—	—	+
318	—	—	—	—	—	+
320	+	—	—	—	—	—
422	—	—	+	—	—	+

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
425	+	+	+	—	—	+
429	+	—	—	+	—	—
431	+	—	+	—	—	+
432	+	—	—	—	—	+
433	—	—	+	—	+	—
435	+	—	—	—	—	—
437	—	+	—	—	—	—
439	—	—	—	—	—	—
440	—	—	—	—	—	—
443	—	+	—	—	—	+
444	—	—	—	—	—	—
445	+	—	—	+	—	—
446	—	—	+	—	—	+
448	—	—	—	—	—	+
449	—	+	—	+	—	+
451	+	—	+	—	—	—
452	+	—	—	—	—	+
453	—	—	—	—	—	+
455	+	+	+	—	—	—
457	—	—	+	—	—	—
459	+	—	—	—	—	+
461	—	—	—	—	—	—
463	—	—	—	—	—	—
464	+	+	—	—	—	—
466	—	—	—	—	—	—
467	—	+	—	—	—	+
472	+	+	—	—	—	—
473	—	—	—	—	—	+
474	+	+	—	—	—	+
475	+	+	—	—	—	+
477	—	+	—	—	—	—
480	—	—	—	—	—	—
484	—	—	—	+	—	—
486	—	—	—	—	—	—
488	—	—	—	+	—	—
489	+	—	—	—	—	—
490	+	—	—	—	—	+
495	—	+	—	—	—	—
498	+	+	—	—	—	+
499	—	—	—	+	—	—
507	—	—	—	+	—	—
509	+	—	—	+	—	+
512	—	—	—	—	—	—
514	—	—	—	—	—	+
517	—	—	—	—	—	—
518	+	+	—	—	—	—
519	+	—	—	+	—	—
521	—	+	—	—	—	—
525	—	—	—	+	—	—
533	—	—	—	—	—	—
534	—	+	—	+	—	—
535	—	+	—	—	—	—
536	—	+	—	—	—	+
537	+	—	+	—	—	—
538	—	+	—	—	—	+
543	+	—	—	—	—	+
545	+	—	—	—	—	—
549	+	+	—	+	—	—
551	—	+	+	+	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
553	—	—	—	+	—	—
556	—	—	+	—	—	+
558	+	+	—	—	—	+
560	—	—	—	—	—	+
561	—	—	—	—	—	+
564	+	—	—	—	—	—
565	—	—	—	—	—	+
568	—	+	+	—	—	+
570	—	—	—	—	—	+
572	—	+	—	—	—	—
574	—	—	—	+	—	—
575	—	—	—	—	—	—
576	+	—	—	—	—	+
579	+	—	+	—	—	+
581	+	+	+	—	—	+
584	—	—	+	—	—	+
586	—	—	—	—	—	+
587	—	—	—	—	—	+
588	—	—	—	+	—	+
589	+	—	—	—	—	+
590	—	—	—	—	—	—
591	—	—	—	+	—	+
593	—	—	—	—	—	—
594	—	+	—	—	—	—
596	—	—	—	—	—	—
598	—	—	—	—	—	—
599	+	+	—	—	—	+
601	+	—	—	—	—	+
606	—	—	+	—	—	—
609	—	—	—	—	—	—
614	—	—	—	+	—	+
615	—	—	—	—	—	—
616	+	+	—	+	—	+
618	+	+	—	—	—	—
619	+	+	+	—	+	+
620	—	—	+	+	—	+
621	—	—	—	+	—	—
622	+	+	—	—	—	—
623	—	—	—	—	—	—
624	+	+	—	—	—	+
625	+	+	—	—	—	—
626	+	+	—	—	—	+
627	—	—	—	—	—	—
628	—	+	—	—	—	—
629	+	—	—	—	—	—
630	—	—	—	—	—	—
633	—	—	—	—	—	+
634	—	—	—	—	—	—
636	—	—	—	—	—	—
638	—	—	—	—	—	—
640	+	—	—	—	—	—
644	—	+	—	—	—	—
645	—	—	—	+	—	—
646	—	—	—	—	—	—
647	+	—	—	+	—	—
648	+	+	—	+	—	—
650	—	—	—	—	—	—
No. (262)	84	72	19	61	10	90
Per cent.	32.1	27.5	7.3	23.3	3.8	34.4

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Continued**

Number	Females					
	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
1	—	—	—	—	—	—
2	—	—	—	—	—	—
3	—	—	—	—	—	—
3a	+	—	—	—	—	+
5	—	—	—	+	—	—
6	—	—	—	—	—	—
7	—	—	—	—	—	—
8	—	—	—	—	—	—
14	—	—	—	—	—	—
16	+	—	—	—	—	—
17	—	—	—	—	—	+
18	—	—	—	—	—	—
20	+	—	—	—	—	—
21	—	—	—	—	—	—
24	—	—	—	—	—	—
26	—	—	—	—	—	—
27	+	—	—	—	—	—
29	—	—	—	+	—	—
31	—	—	—	+	—	—
34	—	—	—	+	—	—
37	—	—	—	—	—	—
42	+	—	—	+	—	—
44	—	—	—	—	—	—
46	+	—	—	+	—	—
52	+	—	—	—	—	—
54	—	—	—	—	—	—
55	—	—	—	—	—	—
56	+	—	—	—	—	—
60	—	—	—	—	—	—
62	—	—	—	—	—	—
64	—	—	—	—	—	—
65	+	—	—	—	—	—
66	+	—	—	—	—	—
69	—	—	—	—	—	—
70	—	—	—	—	—	—
71	—	—	—	—	—	—
72	—	—	—	—	—	—
73	—	—	—	+	—	—
74	+	—	—	—	—	—
76	—	—	—	—	—	—
78	—	—	—	—	—	—
80	—	—	—	—	—	—
82	—	—	—	—	—	—
84	—	—	—	—	—	—
85	—	—	—	—	—	—
88	—	—	—	—	—	—
90	—	—	—	—	—	—
95	—	—	—	—	—	—
98	—	—	—	—	—	—
99	—	—	—	—	—	—
100	—	—	—	+	—	—
101	+	—	—	—	—	—
102	—	—	—	—	—	—
103	—	—	—	—	—	—
105	+	—	—	—	—	—
108	—	—	—	—	—	—
111	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
112	—	—	—	—	—	—
115	+	—	—	—	—	—
117	—	—	—	+	—	—
119	—	—	—	—	—	—
120	+	—	—	—	—	—
123	—	—	—	—	—	—
124	—	—	—	—	—	—
125	—	—	—	—	—	—
126	—	—	—	—	—	—
127	—	—	—	—	—	—
128	+	—	—	—	—	—
131	—	—	—	—	—	—
134	—	—	—	—	—	—
137	—	—	—	—	—	—
138	—	—	—	—	—	—
140	—	—	—	—	—	—
142	+	—	—	—	—	—
143	+	—	—	—	—	—
148	+	—	—	—	—	—
159	+	—	—	—	—	—
151	—	—	—	—	—	—
163	+	—	—	—	—	—
165	—	—	—	—	—	—
167	—	—	—	—	—	—
170	—	—	—	—	—	—
173	—	—	—	+	—	—
176	—	—	—	—	—	—
177	—	—	—	—	—	—
178	+	—	—	—	—	—
183	—	—	—	—	—	—
184	—	—	—	—	—	—
186	+	—	—	—	—	—
187	—	—	—	—	—	—
188	—	—	—	—	—	—
192	—	—	—	—	—	—
193	+	—	—	—	—	—
194	+	—	—	—	—	—
195	—	—	—	+	—	—
196	—	—	—	+	—	—
197	—	—	—	—	—	—
200	—	—	—	—	—	—
201	—	—	—	—	—	—
202	—	—	—	—	—	—
206	—	—	—	—	—	—
208	—	—	—	—	—	—
209	—	—	—	—	—	—
210	—	—	—	—	—	—
212	—	—	—	—	—	—
215	—	—	—	—	—	—
216	—	—	—	+	—	—
218	—	—	—	—	—	—
220	—	—	—	—	—	—
221	—	—	—	—	—	—
222	+	—	—	—	—	—
224	—	—	—	+	—	—
230	+	—	—	—	—	—
234	+	—	—	—	—	—
235	—	—	—	—	—	—
238	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
240	—	—	—	—	—	—
242	—	—	—	—	—	—
246	—	—	—	—	—	—
247	+	—	—	—	—	—
250	—	—	—	—	—	—
251	—	—	—	+	—	—
254	—	—	—	—	—	—
256	—	—	—	+	—	—
259	+	—	—	—	—	—
264	—	—	—	—	—	—
265	—	—	—	—	—	—
268	—	—	—	—	—	—
269	—	—	—	—	—	—
271	—	—	—	—	—	—
274	+	—	—	—	—	—
277	—	—	—	—	—	—
280	—	—	—	—	—	—
282	—	—	—	—	—	—
283	+	—	—	+	—	—
284	—	—	—	—	—	—
286	—	—	—	—	—	—
287	—	—	—	—	—	—
288	—	—	—	—	—	—
290	—	—	—	—	—	—
293	+	—	—	—	—	—
295	—	—	—	—	—	—
296	+	—	—	—	—	—
300	+	—	—	—	—	—
301	—	—	—	—	—	—
303	—	—	—	—	—	—
304	—	—	—	—	—	—
306	—	—	—	—	—	—
307	—	—	—	—	—	—
309	—	—	—	+	—	—
311	—	—	—	—	—	—
312	+	—	—	—	—	—
313	—	—	—	—	—	—
314	—	—	—	+	—	+
316	—	—	—	—	—	—
317	—	—	—	—	—	—
319	—	—	—	—	—	—
321	—	—	—	+	—	—
322	—	—	—	—	—	—
421	+	—	+	—	—	—
423	—	—	—	+	—	—
424	—	—	—	—	—	—
426	—	—	—	—	—	—
427	—	—	—	—	—	—
428	—	—	—	—	—	—
430	—	—	—	—	—	—
434	—	—	—	—	—	—
436	—	—	—	—	—	—
438	+	—	—	—	—	—
441	+	—	—	—	—	—
442	+	—	—	—	—	—
447	+	—	—	—	—	+
450	+	—	—	—	—	—
454	—	—	—	—	—	+
455	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
456	—	—	—	—	—	—
460	—	—	—	—	—	—
462	—	—	—	—	—	—
465	—	—	—	—	—	—
468	—	—	—	—	—	—
469	—	—	—	+	—	—
470	—	—	—	—	—	—
471	—	—	—	—	—	—
476	—	—	+	—	—	—
478	+	—	—	—	—	—
479	—	—	—	—	—	—
481	+	—	—	—	—	+
482	+	—	—	+	—	+
483	+	—	—	—	—	+
485	—	—	—	+	—	—
487	—	—	—	+	—	+
491	—	—	—	—	—	—
492	—	—	+	—	—	—
493	+	—	—	—	—	—
494	+	—	—	—	—	+
496	—	—	—	—	—	+
497	—	—	—	—	—	+
500	+	—	—	—	—	—
501	—	—	—	—	—	—
502	—	—	—	—	—	—
503	+	—	—	—	—	—
504	—	—	—	—	—	—
505	—	—	—	—	—	+
506	—	—	—	—	—	—
508	+	—	—	—	—	+
510	—	—	—	—	—	—
511	—	—	—	—	—	—
513	+	—	—	—	—	—
515	—	—	—	+	—	—
516	—	—	—	—	—	+
522	+	—	—	+	—	—
523	—	—	—	—	—	—
524	—	—	—	+	—	—
526	+	—	+	—	—	+
527	—	—	—	+	—	+
528	—	—	—	—	—	—
529	—	—	—	—	—	—
530	—	—	—	—	—	—
531	—	—	—	—	—	—
532	—	—	—	—	—	—
539	—	—	—	+	—	—
540	+	—	—	—	—	+
541	—	—	—	+	—	—
542	—	—	—	—	—	—
544	—	—	—	—	—	—
546	+	—	+	+	—	—
547	—	—	—	—	—	—
548	+	—	+	—	—	+
550	—	—	—	—	—	+
552	+	—	+	—	—	+
554	—	—	—	—	—	—
555	—	—	—	—	—	—
557	—	—	—	—	—	+
559	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (B)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
562	—	—	—	—	—	—
563	—	—	—	+	—	—
566	+	—	—	—	—	—
567	+	—	—	—	—	—
569	—	—	—	+	—	+
571	—	—	—	—	—	—
573	—	—	—	—	—	—
577	—	—	—	—	—	—
578	—	—	—	—	—	+
580	—	—	—	—	—	—
582	—	—	—	+	—	—
583	—	—	—	—	—	+
585	+	—	—	+	—	+
592	—	—	—	—	—	—
595	+	—	—	—	—	—
597	—	—	—	—	—	—
600	+	—	—	+	—	—
602	—	—	—	—	—	—
603	+	—	+	—	—	—
604	—	—	—	—	—	—
605	+	—	—	+	—	+
607	+	—	—	+	—	—
608	+	—	—	—	—	+
610	—	—	—	—	—	—
611	—	—	—	—	—	—
612	—	—	—	+	—	—
613	—	—	+	—	—	—
617	—	—	—	—	—	—
631	+	—	—	—	—	—
632	—	—	—	—	—	—
635	—	—	—	—	—	+
637	—	—	—	—	—	—
639	—	—	—	—	—	—
641	—	—	—	—	—	—
642	+	—	—	—	—	+
643	—	—	—	+	—	—
649	—	—	—	—	—	—
651	+	—	—	+	—	+
No. (269)	70	—	9	44	—	31
Per cent.	26.0	—	3.3	16.4	—	11.5

**(C) With Regard to Known Impairments**

Males									
Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
4	—	—	—	—	—	—	+	—	—
8	—	—	+	—	—	—	+	—	—
9	+	—	+	—	—	—	—	—	—
10	—	+	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—
15	—	—	—	—	—	—	—	—	—
19	+	—	+	—	—	—	—	—	—
22	—	+	+	—	—	—	—	—	—
23	—	—	+	—	—	—	—	—	—
28	—	+	+	—	—	—	—	—	—

Information Regarding Living Cancer Patients

Table 5 (C)—Buffalo, N. Y., 1925—Males (Continued)

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
32	—	+	+	—	—	—	—	—	—
39	—	—	+	—	—	—	—	—	—
40	—	+	+	—	—	+	—	—	—
41	—	—	+	—	—	—	—	—	—
45	—	—	+	—	—	—	—	—	—
47	—	—	+	—	—	—	—	—	—
48	—	+	+	—	—	—	+	—	—
49	—	+	+	—	—	—	—	—	—
50	—	+	—	—	—	—	—	—	—
53	—	—	—	—	—	—	—	—	—
57	—	+	+	—	+	+	+	—	—
58	—	+	+	—	—	+	—	—	—
63	—	—	+	—	—	—	+	—	—
67	—	—	—	—	—	—	—	—	—
68	—	+	—	—	—	—	—	—	—
75	—	—	—	—	—	—	+	—	—
77	—	+	+	+	—	—	—	—	—
81	—	—	—	—	—	—	—	—	—
89	—	—	+	—	—	—	+	—	—
91	—	+	+	—	—	—	—	—	—
92	—	—	+	—	—	—	—	—	—
96	—	—	+	—	—	—	—	—	—
97	—	—	—	—	—	—	—	—	—
100	—	—	+	—	—	—	+	—	—
104	—	—	+	—	—	—	—	—	—
106	—	—	+	—	—	—	+	—	—
107	—	—	+	—	—	—	—	—	—
110	—	—	+	—	—	—	—	—	—
113	—	—	—	+	—	—	—	—	—
114	—	—	—	—	—	—	—	—	—
116	—	—	+	—	—	—	—	—	—
118	—	—	—	—	—	+	—	—	—
121	—	—	—	—	—	—	+	—	—
122	—	+	+	—	—	—	—	—	—
129	—	+	+	—	—	—	—	—	—
130	—	+	+	—	—	—	+	—	—
132	—	—	+	—	—	—	+	—	—
133	—	—	+	—	—	—	—	—	—
135	—	—	—	—	—	—	—	—	—
136	—	—	+	—	—	—	+	—	—
139	+	—	—	—	—	—	—	—	—
141	—	+	+	—	—	—	—	—	—
144	—	—	+	+	—	—	—	—	—
145	—	+	+	—	—	—	+	—	—
146	—	—	+	—	—	—	+	—	—
147	—	—	+	—	+	—	+	—	—
150	—	—	—	—	—	—	+	—	—
152	—	—	+	—	—	—	+	—	—
153	—	—	+	—	—	—	—	—	—
154	—	—	—	—	—	—	—	—	—
155	—	—	—	—	—	—	—	—	—
156	—	+	+	—	—	—	+	—	—
157	+	+	+	—	—	—	—	—	—
158	+	—	—	—	—	—	+	—	—
159	—	—	+	+	—	—	+	—	—
160	—	—	—	—	—	—	—	—	—
161	—	+	+	—	—	—	—	—	—
162	—	—	+	—	—	—	—	—	—
164	—	—	—	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
166	—	—	—	—	—	—	—	—	—
169	—	—	+	—	—	—	—	—	—
171	+	—	—	—	—	—	+	—	—
172	—	+	+	—	—	—	—	—	—
174	—	+	+	—	—	—	—	—	—
175	—	—	—	—	—	—	—	—	—
179	—	—	—	—	—	—	+	—	—
180	—	+	+	—	—	—	+	—	—
181	—	—	+	—	—	—	+	—	—
182	—	—	+	—	—	—	+	—	—
185	+	—	+	—	—	—	—	—	—
189	—	—	+	—	—	—	—	—	—
190	—	—	—	—	—	—	—	—	—
191	—	+	—	—	—	—	—	—	—
198	—	—	+	—	—	—	—	—	—
199	—	—	+	—	—	—	—	—	—
203	—	+	+	—	—	—	+	—	—
204	+	+	+	+	—	—	—	—	—
205	—	—	—	—	—	—	—	—	—
207	—	—	+	—	—	—	—	—	—
211	—	—	+	—	—	—	—	—	—
213	—	+	+	—	—	—	—	—	—
214	+	+	+	—	—	—	—	—	—
217	+	+	+	—	—	—	—	—	—
219	—	—	+	—	—	—	+	—	—
223	—	—	+	—	—	—	+	—	—
225	—	—	—	—	—	—	+	—	—
226	—	—	—	+	—	—	—	—	—
227	—	—	—	—	—	—	—	—	—
228	+	+	+	—	—	—	+	—	—
229	+	+	—	—	—	—	—	—	—
231	—	+	+	—	—	—	—	—	—
232	—	+	+	—	—	—	—	—	—
233	—	—	—	—	—	—	—	—	—
236	—	+	+	—	—	—	+	—	—
237	—	—	+	—	—	—	—	—	—
239	—	—	+	—	—	—	—	—	—
241	—	—	+	—	—	—	+	—	—
243	—	—	+	—	—	—	+	—	—
244	—	—	—	—	—	—	+	—	—
245	—	—	+	—	—	—	+	—	—
248	—	—	+	—	—	—	+	—	—
249	—	—	—	—	—	—	—	—	—
252	—	+	+	—	—	—	—	—	—
253	—	—	—	—	—	—	—	—	—
255	—	+	+	—	—	—	—	—	—
257	—	—	+	—	—	—	—	—	—
258	—	—	—	—	—	—	—	—	—
260	—	—	—	—	—	—	+	—	—
261	+	+	+	—	—	—	—	—	—
262	—	—	—	—	—	—	—	—	—
263	—	—	—	—	—	—	—	—	—
266	—	—	+	—	—	—	—	—	—
267	—	—	+	—	—	—	—	—	—
270	—	+	+	—	—	—	+	—	—
272	—	—	+	—	—	—	—	—	—
273	—	—	+	—	—	—	—	—	—
275	—	+	+	—	—	—	—	—	—
276	—	—	—	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
278	+	—	—	+	—	—	—	—	—
279	—	—	+	—	—	—	+	—	—
281	—	+	+	—	—	—	—	—	—
285	—	—	+	—	—	—	—	—	—
289	—	—	+	—	—	—	—	—	—
292	—	—	+	—	—	—	—	—	—
294	—	+	—	—	—	—	—	—	—
297	—	—	—	—	—	—	—	—	—
299	—	—	—	—	—	—	—	—	—
302	—	—	—	—	—	—	—	—	—
305	—	—	+	—	—	—	—	—	—
308	—	+	+	—	—	—	—	—	—
310	+	—	+	—	—	—	—	—	—
315	—	+	+	—	—	—	+	—	—
318	—	+	+	—	—	—	—	—	—
320	—	—	+	—	—	—	—	—	—
413	+	+	+	—	—	—	—	—	—
422	—	+	+	—	—	—	+	—	—
425	—	—	—	—	—	—	—	—	—
429	—	—	—	—	—	—	—	—	+
431	—	—	—	—	—	—	+	—	—
432	—	—	+	—	—	—	—	—	—
433	+	+	+	—	—	—	+	—	—
435	—	—	+	—	—	—	+	—	—
437	—	—	+	—	—	—	+	—	—
439	+	+	+	—	—	—	—	—	—
440	+	+	+	—	—	—	—	—	—
443	+	—	—	—	—	—	—	—	—
444	—	—	+	—	—	—	—	—	—
445	—	—	—	—	—	—	—	—	+
446	—	—	—	—	—	—	+	—	—
448	—	—	+	—	—	—	+	—	—
449	—	—	+	—	—	—	+	—	—
451	—	—	+	—	—	—	+	—	—
452	—	—	—	—	—	—	—	—	—
453	+	—	—	—	—	—	+	—	—
457	—	+	+	—	—	—	+	—	—
458	—	—	+	—	—	—	—	—	—
459	—	—	—	—	—	—	—	—	—
461	—	—	—	—	—	—	—	—	—
463	—	—	—	—	—	—	—	—	—
464	—	—	+	—	—	—	+	—	—
466	—	—	—	+	—	—	—	—	—
467	+	—	—	—	—	—	—	—	—
472	+	+	+	—	—	—	—	—	—
473	+	+	+	—	—	—	—	—	—
474	—	—	—	—	—	—	—	—	—
475	—	—	—	—	—	—	—	—	—
477	—	+	+	—	—	—	—	—	—
480	—	—	—	—	—	—	—	—	—
484	—	+	+	—	—	—	—	—	—
486	—	—	+	—	—	—	+	—	—
488	—	—	+	—	—	—	—	—	—
489	—	+	+	+	—	—	—	—	—
490	—	+	+	—	—	—	—	—	—
495	—	—	—	—	—	—	—	—	—
498	—	+	+	—	—	—	+	—	—
499	—	—	—	—	—	—	—	—	—
507	—	+	+	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
509	—	—	+	—	—	—	+	—	—
512	—	—	—	—	—	—	—	—	—
514	—	+	+	—	—	—	+	—	—
517	—	+	+	—	—	—	+	—	—
518	—	—	—	—	—	—	—	—	—
519	+	+	—	—	—	—	—	—	—
521	—	—	—	—	—	—	—	—	—
525	—	—	—	—	—	—	+	—	—
533	—	+	+	—	—	—	—	—	—
534	—	—	+	—	—	—	+	—	—
535	—	—	—	—	—	—	+	—	—
536	—	—	—	+	—	—	+	—	—
537	—	—	+	—	—	—	+	—	—
538	+	+	+	+	—	—	—	—	—
543	—	—	—	—	—	—	—	—	—
545	—	—	—	—	—	—	+	—	—
549	—	+	+	—	—	—	—	—	—
551	—	+	+	—	—	—	—	—	—
553	—	+	+	—	—	—	+	—	—
556	—	—	+	—	—	—	+	—	—
558	—	—	—	—	—	—	—	—	—
560	—	—	—	—	—	—	—	—	—
561	—	+	+	—	—	—	+	—	—
564	—	—	—	—	—	—	—	—	—
565	—	—	—	—	—	—	—	—	—
568	—	—	+	—	—	—	+	—	—
570	—	+	+	—	—	—	+	—	—
572	—	—	—	—	—	—	—	—	—
574	—	—	—	—	—	—	—	—	—
575	—	+	+	—	—	—	+	—	—
576	—	+	+	—	—	—	+	—	—
579	—	—	—	—	—	—	—	—	—
581	—	—	—	—	—	—	—	—	—
584	—	—	+	—	—	—	—	—	—
586	+	—	—	—	—	—	—	—	—
587	—	—	—	—	—	—	—	—	—
588	—	+	+	—	—	—	—	—	—
589	—	—	+	—	—	—	—	—	—
590	+	+	+	—	—	—	—	—	—
591	—	—	+	—	—	—	—	—	—
593	—	—	—	—	—	—	+	—	—
594	—	—	—	+	—	—	+	—	—
596	—	—	+	—	—	—	+	—	—
598	—	—	—	—	—	—	+	—	—
599	—	—	—	—	—	—	—	—	—
601	—	—	+	—	—	—	—	—	—
606	—	—	+	—	—	—	—	—	—
609	—	—	—	—	—	—	—	—	—
614	—	+	+	—	—	—	+	—	—
615	—	—	—	—	—	—	—	—	—
616	—	—	—	—	—	—	+	—	—
618	—	—	+	—	—	—	—	—	—
619	—	—	+	—	—	—	+	—	—
620	—	—	—	—	—	—	—	—	—
621	—	—	+	—	—	—	—	—	—
622	—	—	—	+	+	—	+	—	—
623	—	—	—	—	—	—	—	—	—
624	+	+	+	—	—	—	—	—	—
625	—	+	+	—	—	—	+	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
626	—	+	+	—	—	—	+	—	—
627	—	—	+	—	—	—	—	—	—
628	—	—	+	—	—	—	—	—	—
629	—	—	+	—	—	—	+	+	—
630	—	—	—	—	—	—	—	—	—
633	—	+	—	—	—	—	+	—	—
634	—	—	+	+	—	—	—	+	—
636	—	—	+	—	—	—	—	—	—
638	—	+	+	—	—	—	—	—	—
640	—	+	+	—	—	—	+	—	—
644	—	—	+	—	—	—	—	—	—
645	—	—	—	—	—	—	+	—	—
646	—	—	—	+	—	—	—	—	—
647	—	—	+	—	—	—	—	—	—
648	—	—	—	—	—	—	—	—	—
650	—	+	+	—	—	—	—	—	—
No. (262)	29	81	162	15	3	4	86	2	2
Per cent.	11.1	30.9	61.8	5.7	1.1	1.5	32.8	0.8	0.8

**Females**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
1	—	+	+	—	—	—	+	—	—
2	—	—	+	—	—	—	—	—	—
3	+	+	—	—	—	—	—	—	—
3a	+	+	+	—	—	—	—	—	—
5	—	—	+	—	—	—	—	—	—
6	—	+	+	—	—	—	—	—	—
7	—	—	—	—	—	—	—	—	—
11	+	+	—	—	—	—	+	—	—
14	—	+	+	—	+	—	—	—	—
16	—	—	—	—	—	—	—	—	—
17	—	—	—	—	—	—	—	—	—
18	—	—	—	—	—	—	+	—	—
20	+	+	—	+	—	—	—	—	—
21	—	—	+	—	—	—	—	—	—
24	+	+	+	—	—	—	+	—	—
26	—	—	—	—	—	—	—	—	—
27	+	+	+	—	+	—	—	—	—
29	+	+	+	—	—	—	—	—	—
31	—	+	+	—	—	—	—	—	—
34	—	—	—	—	—	—	—	—	—
37	—	+	+	—	—	—	—	—	—
42	—	+	+	—	—	—	—	—	—
44	—	+	+	—	—	—	—	—	—
46	—	+	+	—	—	—	—	—	—
52	+	+	+	—	—	—	+	—	—
54	—	—	+	—	—	—	—	—	—
55	—	—	+	—	—	—	+	—	—
56	+	—	+	—	—	—	+	—	—
60	—	+	+	—	—	—	—	—	—
62	—	—	—	—	—	—	—	—	—
64	—	+	+	—	—	—	—	—	—
65	+	+	+	—	—	—	+	—	—
66	—	+	+	+	—	—	—	—	—
69	+	+	—	—	—	—	—	—	—
70	—	—	+	+	—	—	—	—	—
71	—	+	+	—	—	—	—	—	—
72	+	+	+	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
73	—	—	+	—	+	—	—	—	—
74	—	+	+	—	—	—	—	—	—
76	—	+	+	—	—	—	—	—	—
78	—	—	+	—	—	—	+	—	—
80	—	—	+	—	—	—	—	—	—
82	—	—	+	—	—	—	—	—	—
84	—	—	—	—	—	—	—	—	—
85	—	—	+	—	—	—	—	—	—
88	—	+	+	—	—	—	+	—	—
90	—	+	+	+	—	—	—	—	—
95	—	+	+	—	—	—	+	—	—
98	—	—	—	—	—	—	—	—	—
99	—	+	+	—	—	—	+	+	—
100	—	—	+	—	—	—	—	—	—
101	—	+	+	—	—	—	—	—	—
102	—	+	+	—	—	—	—	—	—
103	—	—	+	—	—	—	—	—	—
105	—	—	+	—	—	—	—	—	—
108	—	+	+	—	—	—	+	—	—
111	—	—	—	—	—	—	—	—	—
112	—	—	+	—	—	—	+	—	—
115	—	+	+	—	—	—	—	—	—
117	+	—	—	—	—	—	—	—	—
119	—	—	+	—	—	—	—	—	—
120	—	—	+	—	—	—	—	—	—
123	—	—	+	—	—	—	—	—	—
124	—	—	+	—	—	—	—	—	—
125	—	—	—	—	—	—	—	—	—
126	—	+	+	+	—	—	+	—	—
127	+	+	+	—	—	—	—	—	—
128	+	+	+	—	—	—	—	—	—
131	—	—	+	—	—	—	—	—	—
134	—	—	—	—	—	—	—	—	—
137	+	+	+	—	—	—	—	—	—
138	—	—	+	—	—	—	—	—	—
140	—	—	—	—	+	—	—	—	—
142	—	—	+	—	—	—	—	—	—
143	—	—	+	—	—	—	—	—	—
148	+	+	—	—	—	—	+	—	—
149	—	—	+	—	—	—	+	—	—
151	—	—	+	—	—	—	—	—	—
163	—	—	+	—	—	—	—	—	—
165	+	—	—	—	—	—	+	—	—
167	—	—	—	—	—	—	+	—	—
170	+	—	—	—	—	—	+	—	—
173	—	+	+	—	—	—	—	—	—
176	—	+	+	—	—	—	—	—	—
177	—	—	+	—	+	—	—	—	—
178	+	+	+	—	—	—	—	—	—
183	—	—	—	—	—	—	—	—	—
184	—	—	—	—	—	—	—	—	—
186	+	—	—	+	—	—	—	—	—
187	—	—	+	—	+	—	—	—	—
188	—	—	—	—	+	—	—	—	—
192	—	—	—	—	—	—	—	—	—
193	—	+	+	—	—	—	+	—	—
194	—	+	+	+	—	—	—	—	—
195	—	+	+	—	—	—	—	—	—
196	—	+	+	—	—	—	—	—	—
197	—	—	+	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
200	—	—	+	—	—	—	—	+	—
201	—	—	—	—	—	—	+	—	—
202	—	—	+	—	—	—	—	—	—
206	—	+	+	—	—	—	—	—	—
208	—	—	+	—	—	—	—	—	—
209	—	—	+	—	—	—	—	—	—
210	—	—	+	—	—	—	—	—	—
212	+	+	+	+	—	—	—	—	—
215	—	—	+	—	—	—	—	—	—
216	—	—	+	—	—	—	—	—	—
218	—	+	+	—	—	—	—	—	—
220	+	+	+	—	—	—	—	—	—
221	+	—	+	—	—	—	—	—	—
222	+	—	—	—	—	—	—	—	—
224	—	+	—	—	—	—	—	—	—
230	—	—	+	+	—	—	+	—	—
234	—	—	—	—	—	—	—	—	—
235	—	—	+	—	—	—	+	—	—
238	—	+	+	—	—	—	+	—	—
240	—	—	+	+	—	—	—	—	—
242	—	—	+	—	—	—	+	—	—
246	—	+	+	—	—	—	+	—	—
247	—	+	+	—	—	—	—	—	—
250	—	+	+	—	—	—	—	—	—
251	—	+	+	—	—	+	—	—	—
254	—	+	+	—	—	—	—	—	—
256	—	—	+	—	—	—	+	—	—
259	—	+	+	—	—	—	—	—	—
264	—	—	+	—	—	—	+	—	—
265	—	—	—	—	—	—	—	—	—
268	—	+	+	—	—	—	+	—	—
269	—	—	+	+	—	—	—	—	—
271	—	—	+	—	—	—	—	—	—
274	—	+	+	—	—	—	—	—	—
277	—	+	+	—	+	—	—	—	—
280	—	—	+	—	—	—	—	—	—
282	—	—	+	—	—	—	—	—	—
283	—	—	+	—	—	—	—	—	—
284	—	+	+	—	—	—	—	—	—
286	+	+	+	—	—	—	—	—	—
287	—	—	+	—	—	—	—	—	—
288	—	+	+	+	—	—	+	—	—
290	—	—	+	—	—	—	—	—	—
293	—	+	+	+	—	—	—	—	—
295	—	+	—	—	—	—	—	—	—
296	—	+	+	—	—	—	—	—	—
300	—	+	+	—	—	—	—	—	—
301	—	+	+	—	—	—	—	—	—
303	—	—	—	—	—	—	—	—	—
304	—	—	—	—	—	—	—	—	—
306	+	+	+	—	—	—	+	—	—
307	—	+	+	—	—	—	—	—	—
309	—	+	+	—	—	—	—	—	—
311	—	—	+	—	—	—	—	—	—
312	—	—	+	—	—	—	—	—	—
313	—	—	—	—	—	—	—	—	—
314	—	+	+	—	—	—	—	—	—
316	—	+	+	—	—	—	—	—	—
317	—	—	+	+	—	—	—	—	—
319	+	—	+	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
321	—	+	+	—	—	—	—	—	—
322	—	—	+	—	—	—	+	—	—
421	—	+	—	+	—	—	—	—	—
423	—	+	+	—	—	—	+	—	—
424	+	+	—	—	—	—	—	—	—
426	—	+	+	+	—	—	—	—	—
427	—	+	+	—	—	—	—	—	—
428	—	+	+	—	—	—	—	—	—
430	+	+	—	—	—	+	+	—	—
434	—	+	+	—	—	—	—	—	—
436	—	+	+	—	—	—	—	—	—
438	—	+	+	—	—	—	+	—	—
441	—	—	+	—	—	—	—	—	—
442	—	—	+	—	—	—	—	—	—
447	+	+	—	—	—	—	—	—	—
450	—	—	+	—	—	—	+	—	—
454	+	+	—	—	—	—	—	—	—
455	—	—	—	—	—	—	—	—	—
456	—	+	+	—	—	—	—	—	—
460	+	+	+	—	—	—	+	—	—
462	—	+	+	+	—	—	—	+	—
465	—	+	+	—	—	—	+	—	—
468	—	—	+	—	—	—	—	—	—
469	—	—	+	—	—	—	—	—	—
470	—	—	—	—	—	+	+	—	—
471	—	—	+	—	—	—	+	—	—
476	—	—	—	—	—	—	—	—	—
478	—	+	+	—	—	—	+	—	—
479	—	+	+	—	—	—	—	—	—
481	—	—	+	—	—	—	—	—	—
482	+	—	—	—	—	—	+	—	—
483	—	—	—	—	—	—	—	—	—
485	—	—	—	+	+	—	—	—	+
487	—	—	—	—	+	—	—	—	—
491	+	+	+	—	+	—	+	—	—
492	—	—	—	—	—	—	—	—	—
493	+	—	—	—	—	—	+	—	—
494	—	—	—	—	—	—	+	—	—
496	—	—	+	—	—	—	+	—	—
497	—	+	—	—	—	—	+	—	—
500	+	+	—	—	—	—	—	—	—
501	—	+	+	—	—	—	+	—	—
502	—	—	+	—	—	—	+	—	—
503	—	+	—	—	—	—	—	—	—
504	—	—	+	—	—	—	—	—	—
505	—	—	+	—	—	—	+	—	—
506	—	+	+	—	—	—	—	—	—
508	—	—	—	—	—	—	—	—	—
510	—	—	+	—	—	—	—	—	—
511	—	—	+	—	—	—	+	—	—
513	—	+	+	—	—	—	+	—	—
515	—	+	+	—	+	—	—	—	—
516	—	+	+	—	—	—	—	—	—
522	—	+	+	—	—	—	—	—	—
523	—	—	+	+	—	+	—	—	—
524	+	+	—	—	—	—	—	—	—
526	—	+	+	—	—	—	—	—	—
527	—	—	—	—	—	—	—	—	—
528	—	+	+	+	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (C)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gal' Stones	Ulcer	Rheumatism	Diabetes	Red Hair
529	—	—	—	—	—	—	—	—	—
530	—	—	—	—	—	—	—	—	—
531	—	+	+	—	—	—	—	—	—
532	—	—	—	—	—	—	+	—	—
539	—	—	—	—	—	—	—	—	—
540	—	+	+	—	—	—	—	—	—
541	—	—	—	—	—	—	—	—	—
542	—	+	+	—	—	—	—	—	—
544	+	—	—	—	—	—	—	—	+
546	—	—	—	—	—	—	—	—	—
547	—	—	—	—	—	—	—	—	—
548	—	—	—	+	—	—	—	—	—
550	—	—	—	—	—	—	—	—	—
552	—	+	+	—	+	—	+	—	—
554	—	+	+	—	—	—	+	—	—
555	—	+	+	—	—	—	—	—	—
557	—	—	—	—	—	—	+	—	—
559	—	—	—	+	—	—	—	—	—
562	—	—	—	—	—	—	+	—	—
563	—	—	—	—	—	—	—	—	—
566	—	—	—	—	+	—	—	—	—
567	—	+	+	—	—	—	—	—	—
569	—	—	—	—	—	—	—	—	—
571	—	—	—	+	—	—	—	—	—
573	—	+	+	—	—	—	—	—	—
577	—	—	+	—	—	—	—	—	—
578	+	—	—	+	—	—	—	—	—
580	—	+	+	—	—	—	—	—	—
582	—	+	+	—	—	—	—	—	—
583	—	—	—	+	—	—	—	—	—
585	+	—	+	—	—	—	—	—	—
592	—	+	+	—	—	—	—	—	—
595	—	—	—	—	—	—	+	—	—
597	—	—	+	—	—	—	—	—	—
600	—	—	—	—	—	—	+	—	—
602	+	+	+	—	—	—	—	—	—
603	—	—	—	—	—	—	—	—	—
604	—	—	+	—	—	—	—	—	+
605	—	+	+	—	—	—	—	—	—
607	—	—	—	—	—	—	—	—	—
608	+	+	—	—	—	—	—	—	—
610	—	+	+	—	—	—	—	•	—
611	—	+	+	—	—	—	+	—	—
612	—	+	+	+	—	—	—	—	—
613	—	+	+	—	—	—	—	—	—
617	—	—	—	—	—	—	—	—	—
631	+	—	+	—	—	—	—	—	—
632	+	+	—	—	—	—	—	—	—
635	—	+	—	—	—	—	—	—	—
637	—	—	+	—	—	—	—	+	—
639	—	—	—	—	—	—	—	—	—
641	—	—	+	—	—	—	—	—	—
642	+	+	+	—	—	—	—	—	—
643	—	—	—	—	—	—	—	—	—
649	—	—	—	—	—	—	—	—	—
651	—	+	+	—	—	—	—	—	—
No. (269)	46	127	185	26	14	4	62	4	3
Per cent.	17.1	47.2	68.8	9.7	5.2	1.5	23.0	1.5	1.1

*Information Regarding Living Cancer Patients*

Table 5 (D)—Buffalo, N. Y., 1925—Continued

(D) With Regard to Treatment and Remedial Diagnosis and Family History

Number	Ulcer, Wart or Mole	Operation	Males				Family History
			Radium	Cauterized	Gain or Loss		
4	—	—	—	—	—	—	
8	+	+	+	—	Loss	+	
9	+	+	—	—	—	—	
10	+	+	+	—	Gain	—	
12	+	+	+	—	—	—	
13	—	+	+	—	Loss	—	
15	—	+	—	—	—	—	
19	—	—	+	—	Gain	—	
22	—	+	—	—	Loss	—	
23	—	—	+	—	Gain	—	
28	—	—	+	—	Loss	—	
32	—	+	—	—	Loss	—	
39	—	+	—	—	Loss	—	
40	—	+	—	—	Loss	—	
41	—	—	+	—	—	—	
45	—	+	—	—	Loss	—	
47	—	—	—	—	—	—	
48	—	—	—	—	Loss	+	
49	—	—	+	—	Loss	—	
50	—	—	—	—	Loss	—	
53	—	+	+	—	Loss	—	
57	+	—	—	—	Loss	+	
58	+	+	+	—	Loss	—	
63	—	—	—	—	—	—	
67	—	—	+	—	Loss	—	
68	—	—	+	—	Loss	—	
75	—	+	—	—	Loss	—	
77	—	—	—	—	Loss	—	
81	—	—	—	—	Loss	—	
89	—	—	+	—	Gain	—	
91	—	—	+	—	Loss	—	
92	+	—	—	—	—	—	
96	—	+	—	—	Loss	—	
97	—	—	—	—	—	—	
104	+	—	+	—	Loss	—	
106	+	+	—	—	—	+	
107	+	—	—	—	—	—	
109	—	+	—	—	Loss	—	
110	—	—	—	—	—	—	
113	—	+	+	—	—	—	
114	+	+	—	—	Loss	—	
116	—	—	+	—	Loss	—	
118	—	+	—	—	Loss	—	
121	—	—	—	—	Gain	—	
122	—	—	+	+	—	—	
129	—	—	—	—	Loss	+	
130	+	—	—	—	Gain	—	
132	—	—	+	—	Gain	—	
133	+	—	+	—	Loss	—	
135	+	—	+	—	Loss	—	
136	—	+	—	—	Loss	—	
139	—	+	—	—	Loss	—	
141	—	+	+	—	Loss	—	
144	—	—	—	—	Loss	—	
145	—	—	+	—	Gain	—	

Information Regarding Living Cancer Patients

Table 5 (D)—Buffalo, N. Y., 1925—Males (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
146	+	—	+	—	Loss	—
147	—	—	+	—	Loss	+
150	—	—	—	—	Loss	—
152	—	—	—	—	Gain	—
153	—	—	+	—	Gain	—
154	—	+	+	—	Gain	—
155	—	+	+	—	Loss	—
156	—	+	—	—	Loss	—
157	—	+	—	—	Loss	—
158	—	—	—	—	—	+
159	—	—	—	—	Gain	—
160	+	—	+	—	—	—
161	—	—	—	—	Loss	—
162	—	—	—	—	Loss	—
164	—	+	—	—	Loss	—
166	+	—	+	—	Loss	—
169	—	—	+	—	Loss	—
171	—	—	+	—	Loss	—
172	+	—	—	—	Loss	—
174	—	—	+	—	Loss	+
175	—	—	+	—	Loss	—
179	—	+	+	—	Loss	—
180	—	—	—	—	Loss	—
181	—	—	+	—	Loss	—
182	—	—	+	—	Gain	—
185	—	—	+	—	Loss	+
189	—	—	—	—	Loss	—
190	—	—	—	—	Loss	—
191	—	+	+	—	Loss	—
198	—	—	—	—	Gain	—
199	—	—	+	—	Loss	—
203	—	—	+	—	Loss	—
204	—	—	+	—	Loss	—
205	—	—	—	—	Loss	—
207	—	—	+	—	Loss	—
211	—	—	—	—	Loss	—
213	—	—	—	—	Loss	—
214	—	—	—	—	Loss	—
217	—	+	—	—	Loss	—
219	—	—	+	—	Loss	+
223	—	+	+	—	Loss	+
225	—	+	—	—	Loss	—
226	—	+	—	—	Loss	+
227	—	—	—	—	Loss	—
228	—	+	+	—	Loss	—
229	—	—	—	—	Gain	—
231	—	—	+	—	Loss	—
232	—	—	—	—	Loss	—
233	—	—	+	—	Loss	—
236	—	—	—	—	Loss	—
237	—	+	+	—	Loss	—
239	—	—	—	—	Loss	—
241	—	+	+	—	Loss	—
243	—	—	+	—	Loss	—
244	—	—	—	—	Loss	—
245	—	—	—	—	Loss	—
248	—	—	—	—	Loss	—
249	—	+	+	+	Loss	—
252	—	+	—	—	Loss	—
253	—	—	—	—	Loss	+

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Males. (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
255	+	—	—	—	Loss	—
257	—	—	—	—	Gain	—
258	—	—	—	—	Loss	—
260	—	—	—	—	Loss	—
261	—	—	—	—	Loss	—
262	—	—	+	—	Gain	—
263	—	—	—	—	Gain	—
266	—	+	—	—	Loss	—
267	—	—	—	—	Loss	+
270	+	—	—	—	Loss	—
272	—	—	—	—	Gain	—
273	—	—	—	—	Loss	—
275	—	—	—	—	—	—
276	+	—	—	—	Gain	—
278	—	—	—	—	Gain	—
279	—	—	—	—	Loss	—
281	—	—	—	—	Gain	—
285	—	—	—	—	Loss	—
289	—	—	+	—	Gain	+
292	—	—	—	—	Loss	—
294	—	—	—	—	Loss	+
297	+	—	—	—	Loss	—
299	—	—	—	—	Loss	—
302	—	—	—	—	—	—
305	—	—	+	—	Loss	—
308	—	—	+	—	Gain	—
310	—	—	+	—	Gain	—
315	—	—	—	—	Gain	—
318	—	—	+	—	Loss	—
320	—	+	+	+	Loss	—
422	—	—	—	—	Loss	+
425	—	—	—	—	—	—
429	—	+	+	—	Loss	—
431	—	—	—	—	Loss	—
432	+	—	—	—	—	—
433	—	—	+	—	Loss	—
435	—	—	—	—	Loss	—
437	—	—	—	—	Loss	—
439	—	—	—	—	Loss	—
440	—	+	+	—	Loss	—
443	+	+	—	—	Loss	—
444	—	—	—	—	Loss	—
445	—	—	—	—	Loss	+
446	—	—	—	—	Loss	+
448	—	—	—	—	Loss	+
449	—	—	—	—	Loss	—
451	—	+	+	—	Loss	—
452	—	—	—	—	Loss	—
453	—	+	—	—	Gain	—
457	—	—	—	—	Loss	—
458	—	—	—	—	Loss	+
459	+	+	—	—	Gain	—
461	—	+	—	—	Gain	—
463	—	+	—	—	Loss	—
464	—	—	—	—	Gain	—
466	—	+	—	—	Loss	—
467	—	—	+	—	Loss	—
472	—	—	+	—	Loss	+
473	—	—	+	—	Loss	+
474	—	—	+	—	Gain	—

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
475	—	—	—	—	Gain	—
477	—	—	—	—	Loss	—
480	—	—	+	—	Loss	—
484	—	—	—	—	Gain	+
486	—	—	—	—	Loss	+
488	—	—	—	—	—	—
489	+	—	—	—	Loss	+
490	—	—	—	—	—	—
495	—	+	—	—	Loss	—
498	—	—	—	—	Loss	+
499	—	+	+	—	Loss	+
507	—	—	+	—	Loss	—
509	—	—	+	—	Loss	—
512	—	+	—	—	Loss	—
514	—	—	+	—	Loss	—
517	—	—	—	—	Loss	—
518	—	—	—	—	Loss	—
519	—	—	—	—	Loss	—
521	—	—	—	—	Loss	—
525	—	—	—	—	Loss	—
533	—	—	—	—	Gain	—
534	—	—	—	—	Loss	—
535	—	+	+	—	—	+
536	—	—	—	—	Loss	+
537	—	+	—	—	Loss	—
538	—	—	—	—	—	—
543	—	—	—	—	Gain	+
545	—	—	—	—	Loss	—
549	—	—	—	—	Loss	—
551	—	—	+	—	Loss	—
553	—	—	+	—	Loss	—
556	—	—	—	—	Gain	—
558	—	+	—	—	Loss	—
560	—	—	—	—	—	—
561	—	—	—	—	Loss	—
564	—	—	—	—	Loss	—
565	—	+	—	—	Loss	—
568	—	—	—	+	Loss	—
570	—	—	+	—	Loss	—
572	—	—	+	—	Loss	—
574	—	—	—	—	Loss	—
575	—	+	+	—	Loss	—
576	—	+	+	—	Loss	+
579	—	+	—	—	Loss	—
581	—	+	—	—	Loss	—
584	—	+	+	—	Loss	—
586	—	—	—	—	Loss	+
587	—	+	+	—	Loss	—
588	—	—	+	—	Loss	—
589	+	—	—	—	Gain	—
590	—	—	+	—	Loss	—
591	—	—	+	—	Loss	—
593	—	—	—	—	Loss	—
594	—	—	—	—	Gain	—
596	+	—	—	—	Loss	+
598	—	—	—	—	Loss	—
599	—	—	+	—	Loss	—
601	—	+	—	—	Loss	—
606	—	—	+	—	Gain	—
609	—	—	+	—	Loss	—

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Males (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
614	—	—	—	—	Loss	—
615	—	—	+	—	Loss	+
616	+	—	+	—	Loss	—
618	—	—	+	—	Loss	—
619	—	—	+	—	Loss	—
620	—	—	+	—	Loss	—
621	—	+	—	—	Loss	+
622	—	—	—	—	Loss	—
623	—	—	+	—	Loss	—
624	—	+	—	—	Loss	—
625	—	+	+	—	Loss	—
626	—	—	—	—	Loss	—
627	—	—	—	—	Loss	—
628	—	—	—	—	Loss	—
629	—	—	—	—	Loss	—
630	+	+	+	—	Loss	—
633	—	—	—	—	Loss	—
634	+	+	—	—	Loss	+
636	—	—	+	—	Loss	—
638	—	—	+	—	Loss	—
640	—	—	—	—	Loss	—
644	—	—	+	—	Loss	—
645	+	+	+	—	Loss	+
646	—	+	—	—	Loss	—
647	—	—	—	—	Gain	—
648	—	+	+	—	Loss	—
650	—	—	—	—	Loss	—
No. (262)	32	72	101	4	197 L., 40 G. 25 —	38
Per cent.	12.2	27.5	38.5	1.5	75.2 Loss	14.5

**Females**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
1	—	+	+	—	Loss	+
2	—	—	+	—	Loss	+
3	+	+	+	—	Loss	—
3a	—	—	+	—	Loss	+
5	—	+	+	—	Loss	—
6	—	+	—	—	Loss	—
7	—	+	+	—	Loss	—
11	+	—	+	—	Loss	—
14	+	+	—	—	—	—
16	—	—	+	—	Loss	—
17	+	+	+	—	Loss	—
18	—	+	+	—	Loss	—
20	+	+	+	—	Loss	—
21	—	+	—	—	Loss	—
24	—	—	—	—	Loss	—
26	+	+	—	—	Loss	+
27	+	+	—	—	—	—
29	—	—	—	—	Loss	+
31	+	—	+	—	Loss	+
34	—	—	—	—	Loss	—
37	—	+	+	—	Loss	—
42	+	+	+	—	Loss	—
44	—	—	+	—	Loss	—
46	—	+	—	—	Loss	—

Information Regarding Living Cancer Patients

Table 5 (D)—Buffalo, N. Y., 1925—Females (Continued)

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
52	+	—	+	—	Loss	—
54	+	—	+	—	Loss	—
55	—	—	+	—	Loss	+
56	+	—	+	—	Loss	—
60	—	—	+	—	—	—
62	—	—	—	—	Loss	—
64	—	+	—	—	—	—
65	—	+	—	—	Loss	—
66	+	+	—	—	Loss	—
69	—	—	—	—	Loss	—
70	—	+	+	+	Loss	+
71	—	+	+	—	Loss	—
72	—	+	+	—	Loss	+
73	—	—	+	—	Gain	—
74	+	+	+	—	Loss	—
76	—	+	—	—	—	—
78	—	+	—	—	Loss	—
80	+	—	—	—	Loss	—
82	+	+	+	—	Loss	—
84	—	+	+	—	Loss	—
85	—	—	—	—	Loss	—
90	—	+	+	—	Loss	—
95	+	+	—	—	Loss	—
98	—	—	—	—	—	—
99	—	—	+	—	—	+
100	—	—	+	—	Loss	—
101	+	—	+	—	Loss	—
102	—	+	+	—	—	—
103	+	+	+	+	Gain	—
105	—	—	—	—	—	—
108	+	—	—	—	Loss	—
111	—	—	+	—	—	—
112	—	—	+	—	Loss	+
115	+	+	+	—	Loss	—
117	—	+	+	—	Gain	+
119	—	+	—	—	Loss	—
120	+	—	+	—	Loss	—
123	—	+	—	—	Loss	—
124	—	—	+	—	—	+
125	—	—	—	—	—	—
126	—	+	—	—	—	—
127	—	+	—	—	Loss	—
128	+	—	+	—	Loss	+
129	+	—	—	—	Loss	—
134	+	—	—	—	Loss	—
137	+	+	+	—	Loss	—
138	—	—	+	—	—	—
140	+	+	—	+	Gain	—
142	+	+	+	—	Loss	+
143	—	+	+	—	Loss	—
148	—	—	+	—	—	—
149	+	—	+	—	Loss	+
151	+	+	+	+	Loss	—
163	—	—	—	—	Loss	—
165	—	+	+	—	Gain	—
167	—	+	+	—	—	—
170	—	—	+	—	—	—
173	—	—	+	—	Loss	—
176	—	+	+	—	Loss	—
177	+	—	+	—	Loss	—

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
178	—	—	+	—	Loss	—
183	—	—	+	—	Loss	—
184	—	+	+	—	Loss	—
186	—	—	+	—	Loss	—
187	—	—	+	—	Loss	—
188	—	+	—	—	Loss	—
192	+	—	—	—	—	+
193	—	+	+	—	Loss	—
194	—	+	+	—	Gain	—
195	—	+	+	—	Gain	+
196	—	—	—	—	—	—
197	—	+	+	—	—	—
200	—	+	+	—	—	—
201	—	—	—	—	—	—
202	+	—	—	—	Loss	—
206	—	—	—	—	Gain	—
208	—	—	+	—	Loss	—
209	—	—	+	—	Gain	—
210	—	+	—	—	Gain	—
212	—	—	+	—	Loss	+
215	—	—	+	+	Loss	—
216	—	+	+	—	Loss	—
218	—	—	+	+	—	—
220	—	—	+	—	Loss	—
221	—	+	+	—	Loss	—
222	—	+	+	—	Gain	—
224	—	+	—	—	Gain	—
230	—	—	+	—	Loss	—
234	—	+	—	—	Gain	—
235	—	—	—	—	Loss	+
238	—	—	+	—	Loss	—
240	—	+	—	—	Gain	—
242	—	—	+	—	Loss	—
246	—	—	—	—	Loss	—
247	—	—	+	—	Gain	+
250	—	—	—	—	Loss	—
251	+	—	—	—	Gain	—
254	—	+	—	—	Loss	—
256	+	—	—	—	Loss	—
259	—	+	—	—	Loss	—
264	—	—	+	—	Loss	—
265	—	+	—	—	Gain	—
268	—	+	+	—	Loss	—
269	—	—	—	—	Gain	—
271	—	—	+	—	Gain	—
274	—	—	—	—	Gain	—
277	—	—	—	—	Gain	—
280	—	—	—	—	Loss	—
282	—	+	—	—	Loss	—
283	—	—	+	—	Loss	—
284	—	—	+	—	—	+
286	—	—	+	—	Loss	—
287	—	+	—	—	Loss	—
288	—	—	+	—	Loss	+
290	—	+	—	—	Gain	—
293	—	+	—	—	Loss	—
295	—	—	—	—	Gain	—
296	—	+	+	—	Loss	—
300	+	—	—	—	Gain	—
301	—	—	—	—	Gain	—

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
303	—	+	—	—	Gain	—
304	—	—	+	—	Loss	—
306	—	+	+	—	Gain	—
307	—	—	—	—	Loss	+
309	—	+	+	—	Loss	—
311	—	—	—	—	Loss	—
312	—	—	+	—	Loss	—
313	—	+	—	—	Gain	—
314	—	+	+	—	Gain	—
316	—	+	—	—	Gain	—
317	—	—	+	—	Loss	—
319	—	+	—	+	Gain	—
321	—	+	—	—	Loss	—
322	—	—	+	—	Loss	—
421	—	—	+	—	Loss	—
423	—	+	+	—	Loss	—
424	—	—	+	—	Loss	—
426	—	+	+	—	Loss	—
427	—	+	—	—	Gain	—
428	—	—	+	—	Loss	—
430	—	+	+	—	Gain	—
434	—	+	+	—	Loss	—
436	—	—	+	—	Loss	—
438	—	+	—	—	Gain	—
441	—	—	+	—	Loss	—
442	—	+	—	—	Gain	—
447	—	—	—	—	Loss	—
450	—	—	+	—	Loss	—
454	—	+	—	—	Loss	—
455	—	+	+	—	Loss	—
456	—	+	—	—	Loss	—
460	—	+	—	—	—	—
462	—	+	—	—	Loss	—
465	—	+	+	—	Loss	—
468	—	—	—	—	Gain	+
469	—	+	—	—	Loss	+
470	—	—	+	—	Loss	—
471	—	—	—	—	—	—
476	—	+	+	—	—	—
478	+	—	—	—	Loss	—
479	—	+	+	—	Loss	—
481	—	—	+	+	Loss	—
482	—	+	—	—	Loss	—
483	—	+	+	+	Loss	—
485	—	—	—	—	Gain	—
491	—	—	—	—	Loss	—
492	—	—	+	—	—	—
493	—	+	—	—	Loss	+
494	—	+	+	—	Loss	—
496	—	+	+	—	Loss	+
497	—	—	—	—	—	+
500	—	+	—	—	Loss	—
501	—	+	—	—	Loss	—
502	—	+	+	—	Loss	—
503	—	—	+	—	Loss	—
504	—	+	—	—	Loss	—
505	—	+	—	—	—	—
506	—	+	+	—	Gain	—
508	—	—	—	—	—	—

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
510	—	+	—	—	Loss	—
511	—	+	—	—	Loss	—
513	—	—	+	—	Gain	—
516	—	+	+	—	Gain	—
522	—	—	+	—	Loss	—
523	—	+	+	—	Loss	—
524	—	—	+	—	Loss	—
526	—	+	—	—	Gain	+
527	+	—	—	—	Loss	—
528	—	+	—	—	Loss	—
529	—	—	+	—	Gain	—
530	—	—	+	—	Loss	—
531	—	+	+	—	Loss	—
532	—	+	—	—	Loss	—
533	—	—	+	—	—	—
540	—	+	+	—	Loss	—
541	—	—	+	—	Loss	—
542	—	+	—	—	Loss	—
544	—	+	—	—	Gain	—
546	—	—	—	—	Loss	—
547	—	+	—	—	Loss	—
548	—	+	+	—	—	—
550	—	—	+	—	Loss	—
552	—	+	+	—	Loss	—
554	—	+	—	—	Gain	—
555	—	—	+	—	Loss	—
557	+	+	—	—	—	—
558	—	+	—	—	—	—
562	—	—	+	—	Loss	—
563	—	—	—	—	Loss	—
566	—	—	—	—	Loss	—
567	—	+	+	—	Gain	+
569	—	—	+	—	—	—
571	—	—	+	—	Loss	—
573	—	+	+	—	Loss	—
577	—	+	—	—	Gain	—
578	—	+	—	—	Gain	+
580	—	—	+	—	Gain	—
582	—	+	+	—	Loss	—
583	—	+	+	+	Loss	—
585	—	—	+	—	Gain	—
592	—	—	+	—	Loss	—
595	—	—	—	—	Gain	—
597	+	—	+	—	Gain	+
600	+	+	—	—	Loss	—
602	—	—	+	—	Gain	—
603	—	+	+	—	Loss	—
604	—	—	+	—	Gain	—
605	—	+	+	—	—	—
607	+	+	—	+	Loss	—
608	—	+	+	—	Loss	—
610	—	+	—	—	Loss	—
611	—	—	+	—	Loss	—
612	—	+	—	—	Gain	+
613	—	+	+	—	Loss	—
617	—	—	—	—	Loss	—
631	—	+	+	—	Loss	—
632	—	+	+	—	Loss	—
635	—	—	+	—	Loss	—

*Information Regarding Living Cancer Patients*

**Table 5 (D)—Buffalo, N. Y., 1925—Females (Continued)**

Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
637	+	+	+	—	—	—
639	—	—	+	—	Loss	—
641	—	+	+	—	Loss	—
642	—	+	+	—	Loss	—
643	—	+	+	—	Loss	+
649	—	—	+	—	—	—
651	+	—	+	—	Loss	—
<hr/> No. (269)	<hr/> 44	<hr/> 139	<hr/> 157	<hr/> 11	<hr/> 176 L., 54 G. 39 —	<hr/> 35
Per cent.	16.4	51.7	58.4	4.1	65.4 Loss	13.0

*Information Regarding Living Cancer Patients*

**Table 6—Chicago, Ill., 1925**

**(A) With Regard to Physical Facts of Living Patients**

<b>Males</b>								
Number	Years in Chicago	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
11	57	W	67	S	—	70	210	—
13	44	W	68	M	2	70	134	—
15	70	W	70	M	—	68	144	—
18	40	W	68	M	—	(?)	(?)	—
	211	4 W	273	1 S 3 M	2	208	488	
No. (4)	(4)		(4)			(3)	(3)	
Average	52.8		68.3			69.3	162.7	

<b>Females</b>								
Number	Years in Chicago	Race	Age	Married or Single	Children	Height	Average Weight	Present Weight
1	39	W	39	S	—	64	120	—
2	2	W	76	M	2	64	115	—
3	18	W	41	M	—	65	130	—
4	56	W	56	S	—	64	165	—
5	3	W	61	M	3	(?)	123	—
6	56	W	61	M	3	72	180	—
7	35	W	36	M	—	64	160	—
8	10	W	27	M	4	64	136	—
9	22	W	46	M	3	65	90	—
10	2	W	31	M	1	68.5	220	—
12	26	W	54	M	2	65	105	—
14	(?)	W	36	M	3	66	132	—
16	11	W	46	M	1	64	190	—
17	30	W	54	M	5	67	125	—
19	(?)	W	39	M	1	62	168	—
20	(?)	W	53	M	8	62	150	—
	310		756	14 M 2 S	36	976.5	2,309	
No. (16)	(13)		(16)		(12)	(15)	(16)	
Average	23.8		47.3		3.0	65.1	144.3	

**(B) With Regard to Habits of Living**

<b>Males</b>						
Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
11	—	+	—	+	—	—
13	—	—	+	—	—	—
15	—	—	+	—	—	—
18	—	—	—	—	—	—
No. (4)	—	1	2	1	—	—

*Information Regarding Living Cancer Patients*

**Table 6 (B)—Chicago, Ill., 1925—Continued**

<b>Females</b>						
Number	Heavy Eater	Heavy Smoker	Heavy Meat Eater	Heavy Sugar Eater	Exposed to Gases	Much Fat
1	—	—	—	—	—	—
2	—	—	—	—	—	—
3	—	—	—	+	—	—
4	—	—	—	—	—	—
5	—	—	—	—	—	—
6	—	—	+	—	—	—
7	+	—	+	+	—	—
8	—	—	—	—	—	—
9	—	—	+	—	—	—
10	+	—	+	—	—	—
12	—	—	—	—	—	—
14	—	—	—	—	—	—
16	—	—	—	—	—	—
17	—	—	—	—	—	—
19	+	—	—	—	—	—
20	—	—	—	—	—	+
No. (16)	3	—	4	2	—	1

**(C) With Regard to Known Impairments**

<b>Males</b>									
Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
11	+	—	—	—	—	—	+	—	—
13	+	—	—	—	—	—	+	—	—
15	+	—	+	—	—	—	—	—	—
18	—	—	—	—	—	—	—	—	—
No. (4)	3	—	1	—	—	—	2	—	—

<b>Females</b>									
Number	Used Purgatives	Constipated	Laxatives	Appendicitis	Gall Stones	Gastric Ulcer	Rheumatism	Diabetes	Red Hair
1	+	—	—	—	—	—	—	—	—
2	+	—	+	—	—	—	—	—	—
3	—	—	—	—	—	—	—	—	—
4	(?)	—	(?)	—	—	—	—	—	—
5	(?)	—	+	—	—	—	—	—	—
6	—	—	—	—	+	—	—	—	—
7	+	—	+	—	—	—	—	—	—
8	+	—	—	—	—	—	—	—	—
9	—	—	+	—	—	—	—	—	—
10	—	—	—	—	—	—	—	—	—
12	—	—	—	—	—	—	—	—	—
14	—	—	—	—	—	—	—	—	—
16	+	—	+	—	—	—	—	—	—
17	+	—	—	—	—	—	—	—	—
19	—	—	—	—	—	—	—	—	—
20	+	—	—	—	—	—	—	—	—
No. (16)	7	—	5	—	1	—	—	—	—

Information Regarding Living Cancer Patients

Table 6—Chicago, Ill., 1925—Continued

(D) With Regard to Treatment and Remedial Diagnosis and Family History

Males						
Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
11	—	+	—	—	Loss	—
13	—	—	—	—	Gain	—
15	—	—	—	—	Loss	—
18	—	+	+	+	Loss	—
<hr/>		<hr/>		<hr/>		<hr/>
No. (4)		2	1	1	3 L., 1 G.	

Females						
Number	Ulcer, Wart or Mole	Operation	Radium	Cauterized	Gain or Loss	Family History
1	—	+	—	—	—	—
2	—	—	—	—	Loss	—
3	—	+	—	—	Gain	+
4	—	+	—	—	—	—
5	—	+	+	—	Loss	—
6	—	+	—	—	—	+
7	+	—	+	+	—	—
8	—	+	—	—	Loss	—
9	—	—	—	—	Loss	—
10	—	+	—	—	Loss	—
12	—	—	+	—	Loss	—
14	—	—	—	—	Loss	—
16	—	+	—	—	Loss	—
17	—	—	+	—	Loss	—
19	—	+	+	—	Loss	—
20	—	+	—	—	Loss	—
<hr/>		<hr/>		<hr/>		<hr/>
No. (16)	1	10	5	1	11 L., 1 G.	2

Summary—Male Cancer Cases

	Aggregate	No. of cases considered	Average
1 Number of cases.....	834	—	—
2 Duration of local residence.....	18,739	706	26.5 years
3 Present age.....	47,301	829	57.1 "
4 Married .....	601	814	{ 73.8 per cent.
5 Single .....	213		
6 Number of children.....	1,609	431	3.7 "
7 Height (inches).....	51,830	769	67.4 inches
8 Normal weight (lbs.).....	123,346	786	158.8 lbs.
9 Present weight (lbs.).....	75,379	523	144.1 "
10 Number of heavy eaters.....	350		42.0 per cent.
11 Number of heavy smokers.....	368		44.1 "
12 Number of heavy meat eaters.....	284		34.1 "
13 Number of heavy sugar eaters.....	245		29.4 "
14 Number of heavy fat eaters.....	164		19.7 "
15 Number using purgatives.....	339		40.6 "
16 Number constipated.....	384		46.0 "
17 Number using laxatives.....	237		28.4 "
18 Number having had appendicitis.....	40		4.8 "
19 Number having had gall stones.....	9		1.1 "
20 Number having had gastric ulcers.....	19		2.3 "
21 Number having had rheumatism.....	247		29.6 "

## Information Regarding Living Cancer Patients

### Summary—Male Cancer Cases (Continued)

	Aggregate	No. of cases considered	Average
22 Number having or having had diabetes.....	13		1.6 per cent.
23 Number having red hair.....	42		5.0 "
24 Number having had warts or moles.....	140		16.8 "
25 Number having been operated upon.....	253		30.3 "
26 Number having been treated with radium.....	207		24.8 "
27 Number having been cauterized.....	28		3.4 "
28 Number having lost weight.....	576		69.1 "
29 Number having gained weight.....	70		
30 Number having weight stationary.....	30		
31 Number having weight not stated.....	158		
32 Number having a family history of cancer.....	78		9.4 "

### Summary—Female Cancer Cases

	Aggregate	No. of cases considered	Average
1 Number of cases.....	602	—	—
2 Duration of local residence.....	13,180	494	26.7 years
3 Present age.....	31,580	598	52.8 "
4 Married .....	550	602	91.4 per cent.
5 Single .....	52		
6 Number of children.....	1,713	455	3.8 "
7 Height (inches).....	36,042	565	63.8 inches
8 Normal weight (lbs.).....	81,765	561	145.7 lbs.
9 Present weight (lbs.).....	51,208	370	138.4 "
10 Number of heavy eaters.....	185		30.7 per cent.
11 Number of heavy smokers.....	11		1.8 "
12 Number of heavy meat eaters.....	97		16.1 "
13 Number of heavy sugar eaters.....	149		24.8 "
14 Number of heavy fat eaters.....	73		12.1 "
15 Number using purgatives.....	251		41.7 "
16 Number constipated .....	296		49.2 "
17 Number using laxatives.....	242		40.2 "
18 Number having had appendicitis.....	50		8.3 "
19 Number having had gall stones.....	20		3.3 "
20 Number having had gastric ulcers.....	8		1.3 "
21 Number having had rheumatism.....	146		24.3 "
22 Number having or having had diabetes.....	8		1.3 "
23 Number having red hair.....	25		4.2 "
24 Number having had warts or moles.....	88		14.6 "
25 Number having been operated upon.....	307		51.0 "
26 Number having been treated with radium.....	239		39.7 "
27 Number having been cauterized.....	27		4.5 "
28 Number having lost weight.....	368		61.1 "
29 Number having gained weight.....	79		
30 Number having weight stationary.....	18		
31 Number having weight not stated.....	136		
32 Number having a family history of cancer.....	85		14.1 "

*Note*—Additional American Records for San Francisco Female will be found in the Second Preliminary Report, page 179.

**Table 7**  
**CANCER MORTALITY OF CHICAGO—1924**  
**BY STREETS AND HOUSES**

<i>Aberdeen Street</i>			<i>Altgeld Street</i>		<i>Astor Street</i>	
33 Stomach	1		921 Rectum	1	1210 Prostate	1
5306 Jaw	1		2742 Stomach	1	1223 Prostate	1
5754 Stomach	1		3271 Kidneys	1	1301 Bones	1
5952 Stomach	1			—		—
5957 Breast	1			3		3
7306 Neck	1		<i>Anthony Avenue</i>		<i>Augusta Street</i>	
7337 Breast	1		6960 Stomach	1	2342 Lungs	1
	—				3228 Uterus	1
	7		<i>Archer Avenue</i>		5446 Breast	1
<i>Ada Street—South</i>			2881 Stomach	1		—
5535 Stomach	1		3000 Stomach	1		3
			5155 Ovary	1	<i>Austin Avenue</i>	
<i>Adams Street—West</i>				—	1028 Neck	1
1132 Jaw	1			3	1429 Liver	1
4715 Stomach	1		<i>Ardmore Avenue</i>			—
	—		1114 Rectum	1		2
	2		1137 Uterus	1	<i>Avalon Street</i>	
<i>Addison Street</i>				—	7959 Liver	1
740 Skin	1			2		
815 Uterus	1		<i>Argyle Street</i>		<i>Avers Avenue</i>	
1147 Mouth	1		932 Peritoneum	1	2395 Larynx	1
1702 Uterus	1		1423 Breast	1	<i>Ballou Street</i>	
2104 Breast	1		1431 Stomach	1	2136 Liver	1
2424 Oesophagus	1			—		
3800 Bone	1			3	<i>Balmoral Avenue</i>	
5851 Uterus	1		<i>Arlington Place</i>		1046 Breast	1
	—		547 Breast	1	1463 Intestines	1
	8		623 Rectum	1	2434 Oesophagus	1
<i>Ainslee Street</i>			633 Kidney	1		—
1015 Prostate	1			—		3
1756 Gall Bladder	1			3	<i>Baltimore Avenue</i>	
2721 Bladder	1		<i>Armitage Avenue</i>		8706 Uterus	1
3121 Liver	1		3060 Stomach	1	9238 Skin	1
3539 Intestines	1		3222 Lungs	1		—
5043 Oesophagus	1		3700 Prostate	1		2
	—			—	<i>Barber Street</i>	
	6			3	559 Stomach	1
<i>Aldine Avenue</i>					724 Liver	1
532 Rectum	1		<i>Arthington Street</i>			—
			3143 Stomach	1		2
<i>Alice Place</i>			3831 Breast	1	<i>Barry Avenue</i>	
2128 Uterus	1		4007 Uterus	1	665 Stomach	1
			4121 Liver	1	1527 Liver	1
<i>Allport Street</i>				—		—
1611 Rectum	1			4		2
1831 Intestines	1		<i>Arthur Avenue</i>		<i>Beacon Street</i>	
1850 Uterus	1		1457 Breast	1	4442 Neck	1
	—					
	3		<i>Ashland Boulevard</i>		<i>Beethoven Place</i>	
<i>Almond Street</i>			4622 Stomach	1	441 Stomach	1
1031 Liver	1					

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Belden Avenue</i>		6722 Lungs	1	<i>Brigham Street</i>	
522 Bladder	1	6926 Stomach	1	1616 Nose	1
1537 Kidney	1		—	<i>Bingham Street</i>	
3415 Stomach	1	<i>Bissel Street</i>	5	2050 Breast	1
3521 Prostate	1	1634 Rectum	1	<i>Broad Street</i>	
3550 Stomach	1	<i>Blackstone Avenue</i>		3057 Stomach	1
7130 Lungs	1	4862 Stomach	1	<i>Broadway Street</i>	
	—	5461 Ear	1	4070 Larynx	1
	6	5510 Prostate	1	4700 Stomach	1
<i>Belle Plaine Avenue</i>		5639 Stomach	1	5532 Stomach	1
1414 Pancreas	1	8241 Bladder	1		—
1936 Rectum	1		—		3
3317 Kidneys	1		5	<i>Brompton Avenue</i>	
	—	<i>Blain Place</i>		550 Bladder	1
	3	2559 Rectum	1	<i>Bryant Avenue</i>	
<i>Bellevue Place, East</i>		<i>Bloomingdale Avenue</i>		565 Uterus	1
25 Stomach	1	2328 Pancreas	1	<i>Bryn Mawr Street</i>	
58 Prostate	1	2346 Breast	1	1346 Intestines	1
	—		—	1452 Rectum	1
	2		2	1454 Intestines	1
<i>Belmont Avenue</i>		<i>Blucher Street</i>			—
451 Breast	1	1730 Liver	1		3
455 Uterus	1	<i>Blue Island Avenue</i>		<i>Buckingham Place</i>	
606 Intestines	1	1650 Mesentery	1	663 Rectum	1
715 Rectum	1	1909 Uterus	1	815 Liver	1
737 Uterus	1	2476 Pancreas	1		—
1011 Stomach	1	2552 Rectum	1		2
2409 Prostate	1		—	<i>Buffalo Avenue</i>	
	—		4	8330 Liver	1
	7		4	8748 Stomach	1
<i>Berenice Avenue</i>		<i>Bosworth Avenue</i>			—
4856 Breast	1	2325 Stomach	1		2
5953 Neck	1	6525 Breast	1	<i>Bunker Street</i>	
6028 Stomach	1		—	759 Liver	1
6228 Oesophagus	1		2	<i>Burley Avenue</i>	
6312 Uterus	1	<i>Bowen Street</i>		8301 Breast	1
	—	622 Uterus	1	8422 Liver	1
	5		—	8558 Intestines	1
<i>Berkeley Avenue</i>		<i>Bradley Place</i>		8719 Bladder	1
4222 Uterus	1	1848 Uterus	1		—
<i>Bernard Avenue</i>		2125 Stomach	1		4
4249 Bladder	1		—	<i>Burling Avenue</i>	
<i>Berwyn Avenue</i>		<i>Brandon Avenue</i>		1722 Liver	1
1410 Ovary	1	9007 Rectum	1	2052 Neck	1
1410 Pancreas	1	13409 Stomach	1		—
1944 Intestines	1		—		2
1965 Liver	1		2	<i>Burnham Avenue</i>	
	—		2	8039 Bones	1
	4	<i>Briar Place</i>		<i>Byron Street</i>	
<i>Birchwood Street</i>		646 Bone	1	1030 Breast	1
1440 Face	1	703 Uterus	1	1340 Pancreas	1
<i>Bishop Street</i>			—	2238 Intestines	1
4829 Stomach	1		2		
5115 Uterus	1				
6323 Liver	1				

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Byron Street—Continued</i>			<i>Carroll Street</i>			<i>Cleaver Street</i>		
4161	Kidneys	1	1749	Ovary	1	1445	Liver	1
5752	Peritoneum	1	4152	Uterus	1			
		—	4358	Tongue	1	<i>Cherry Avenue</i>		
		5			—	1152	Stomach	1
					3			
<i>Calumet Street</i>			<i>Carver Street</i>			<i>Cleveland Avenue</i>		
1836	Liver	1	2023	Stomach	1	1443	Uterus	1
1840	Rectum	1	2042	Oesophagus	1	1546	Uterus	1
2329	Jaw	1	2224	Stomach	1	1734	Uterus	1
3247	Stomach	1			—	1748	Jaw	1
3332	Breast	1			3	1816	Breast	1
3356	Rectum	1	<i>Castello Avenue</i>			1901	Stomach	1
3422	Rectum	1	3623	Rectum	1	2134	Breast	1
3436	Stomach	1						—
3517	Lungs	1	<i>Castalpa Avenue</i>					7
3906	Pancreas	1	1050	Rectum	1	<i>Clifton Avenue</i>		
4033	Uterus	1	1423	Breast	1	2023	Stomach	1
4208	Intestines	1	1628	Prostate	1	3016	Peritoneum	1
4707	Stomach	1	1637	Lungs	1	3134	Pancreas	1
4758	Stomach	1			—	3210	Oesophagus	1
4849	Stomach	1	<i>Cedar Street</i>			3227	Stomach	1
5137	Rectum	1			4			—
5205	Bladder	1	42	Stomach	1			5
5749	Intestines	1	<i>Center Street</i>			<i>Clybourn Avenue</i>		
5837	Liver	1	501	Liver	1	1750	Neck	1
5919	Bladder	1	850	Lungs	1	2298	Stomach	1
6117	Pancreas	1	854	Intestines	1	2935	Stomach	1
7433	Uterus	1	900	Pancreas	1	3049	Stomach	1
		—	1147	Uterus	1			—
		22	1252	Uterus	1			4
<i>Cambridge Avenue</i>					—	<i>Clyde Avenue</i>		
808	Kidneys	1			6	6724	Liver	1
3170	Larynx	1	<i>Central Park Avenue</i>			8149	Uterus	1
		—	3837	Oesophagus	1			—
		2						2
<i>Campbell Park</i>			<i>Champlain Street</i>			<i>Coles Avenue</i>		
2239	Breast	1	4341	Uterus	1	7418	Rectum	1
2250	Stomach	1	5036	Stomach	1	7758	Lungs	1
		—	6211	Liver	1			—
		2	6215	Stomach	1			2
<i>Canal Street, South</i>			6404	Uterus	1	<i>Colfax Avenue</i>		
30295	Uterus	1	6448	Stomach	1	7427	Intestines	1
<i>Carlisle Place</i>			7136	Intestines	1	7621	Intestines	1
3141	Breast	1	8006	Intestines	1			—
					—			2
<i>Carmen Avenue</i>					8	<i>Colvin Street</i>		
1230	Uterus	1	<i>Chapin Street</i>			2426	Stomach	1
1325	Lips	1	1338	Stomach	1			
1456	Oesophagus	1	<i>Claremont Avenue</i>			<i>Commonwealth Avenue</i>		
1749	Stomach	1	1145	Bladder	1	2317	Breast	1
		—						
		4	<i>Clarendon Avenue</i>			<i>Congress Street, West</i>		
<i>Carpenter Street, South</i>			4035	Oesophagus	1	1512	Jaw	1
5603	Stomach	1	4182	Bladder	1	2820	Jaw	1
8009	Intestines	1			—			—
		—			2			2
		2						

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Corliss Avenue</i>		<i>Coyle Avenue</i>	5400	Bladder	1
10527 Breast	1	2420 Stomach	1		4
<i>Cornelia Avenue</i>		<i>Crandon Avenue</i>		<i>De Koven Street</i>	
662 Uterus	1	6858 Bones	1	628 Liver	1
667 Stomach	1	7314 Rectum	1		
1251 Pancreas	1		2	<i>Deming Place</i>	
1307 Liver	1			536 Breast	1
1307 Bones	1	<i>Crescent Place</i>		<i>Dickens Avenue</i>	
1721 Tongue	1	908 Uterus	1	2915 Breast	1
3722 Liver	1	938 Jaw	1	3418 Liver	1
	7		2	4742 Rectum	1
<i>Cornell Street</i>		<i>Crossing Street</i>			3
1310 Brain	1	1619 Stomach	1	<i>Dickson Street</i>	
1320 Bone	1			1232 Stomach	1
5416 Jaw	1	<i>Crystal Street</i>		1516 Stomach	1
5481 Breasts	1	5464 Intestines	1	1542 Stomach	1
7256 Stomach	1			1544 Rectum	1
	5	<i>Cullom Avenue</i>		1627 Bladder	1
<i>Cortez Street</i>		2233 Oesophagus	1		5
2042 Uterus	1	5136 Kidneys	1	<i>Diversy Parkway</i>	
2236 Breast	1		2	433 Lungs	1
2451 Stomach	1	<i>Cruster Street</i>		520 Peritoneum	1
2538 Oesophagus	1	2020 Bladder	1	849 Bladder	1
2624 Stomach	1	2144 Stomach	1	1003 Stomach	1
	5		2	1044 Stomach	1
<i>Cortland Street</i>		<i>Cuyler Avenue</i>		1528 Uterus	1
1858 Liver	1	1428 Bladder	1	3505 Liver	1
2448 Liver	1	2153 Oesophagus	1		7
2511 Uterus	1	4730 Uterus	1	<i>Division Street, West</i>	
3329 Oesophagus	1		3	4500 Uterus	1
3561 Liver	1	<i>Dakin Street</i>		<i>Dole Avenue</i>	
3714 Breast	1	919 Ovary	1	642 Oesophagus	1
	6	5109 Liver	1	<i>Dorchester Avenue</i>	
<i>Cottage Grove Avenue</i>		5858 Stomach	1	4810 Liver	1
3144 Uterus	1	5906 Intestines	1	5234 Stomach	1
3265 Tongue	1	6116 Liver	1	5463 Pancreas	1
3845 Rectum	1	6155 Stomach	1	5528 Uterus	1
3947 Oesophagus	1		6	5714 Pancreas	1
3976 Appendix	1	<i>Dante Avenue</i>		5726 Vagina	1
4542 Intestines	1	6345 Rectum	1	6009 Intestines	1
4543 Stomach	1	7330 Stomach	1	6123 Uterus	1
4834 Larynx	1	7412 Uterus	1	6146 Bones	1
5040 Intestines	1	8036 Heart	1	6207 Stomach	1
5339 Breast	1		4	6314 Stomach	1
6732 Intestines	1	<i>Dauphin Avenue</i>		6314 Liver	1
11309 Liver	1	9240 Lungs	1		12
11309 Stomach	1			<i>Douglas Boulevard</i>	
	13	<i>Dearborn Street, South</i>		3304 Stomach	1
<i>Coulter Street</i>		2972 Uterus	1	3644 Oesophagus	1
2200 Intestines	1	3843 Bladder	1		
2240 Tongue	1	4120 Rectum	1		2
	2				

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Draper Street</i>			<i>East Walton Place</i>		5637 Bladder	1
1230 Liver	1		79 Breast	1		—
			191 Intestines	1		2
<i>Drexel Boulevard</i>			233 Breast	1	<i>Elkgrove Avenue</i>	
4121 Intestines	1			—	1432 Stomach	1
4140 Face	1			3		
4244 Bladder	1		<i>Eastwood Avenue</i>		<i>Ellis Avenue</i>	
4300 Intestines	1		2224 Lungs	1	3546 Bladder	1
4313 Stomach	1		3011 Eye	1	3262 Pancreas	1
4711 Breast	1		3116 Liver	1	3935 Breast	1
	—			—	3976 Stomach	1
	6			3	4434 Breast	1
<i>Drexel Avenue</i>			<i>Eberhart Avenue</i>		6108 Rectum	1
5559 Stomach	1		6020 Uterus	1	6239 Liver	1
5705 Uterus	1		6114 Pancreas	1	6346 Intestines	1
6233 Bones	1		6137 Mouth	1	6630 Intestines	1
6622 Liver	1		6407 Stomach	1		—
	—		6439 Breast	1		9
	4		6536 Uterus	1	<i>Ellis Park</i>	
			6644 Mouth	1	3638 Liver	1
<i>East Circle Avenue</i>			7036 Stomach	1		
15914 Pancreas	1		10748 Stomach	1	<i>Elmdale Avenue</i>	
				—	1436 Ovary	1
<i>East End Avenue</i>				9	<i>Elmwood Avenue</i>	
6737 Prostate	1		<i>Eden Avenue</i>		2307 Ovary	1
<i>East Elm Street</i>			3837 Breast	1		
6 Tongue	1		<i>Eddy Street</i>		<i>Elston Avenue</i>	
			1923 Stomach	1	934 Oesophagus	1
<i>East Garfield Boulevard</i>			4171 Bladder	1	1018 Stomach	1
220 Intestines	1		4849 Intestines	1	2335 Rectum	1
				—	2961 Face	1
<i>East Grand Avenue</i>				3		—
18 Stomach	1		<i>Edgecomb Place</i>			4
<i>East Goethe Street</i>			819 Bladder	1	<i>Emerald Avenue</i>	
70 Breast	1		<i>Edgemont Avenue</i>		3122 Stomach	1
<i>East Illinois Street</i>			1519 Stomach	1	3718 Liver	1
50 Rectum	1		<i>Eggleston Avenue</i>		4541 Uterus	1
			6911 Oesophagus	1	4601 Nose	1
<i>East Jackson Boulevard</i>			7010 Breast	1	5256 Stomach	1
57 Intestines	1		7046 Testes	1	5650 Stomach	1
			7650 Pancreas	1	6411 Uterus	1
<i>East Marquette Road</i>			12010 Stomach	1	7125 Bladder	1
612 Stomach	1		12034 Bladder	1	7639 Uterus	1
1037 Breast	1		12037 Breast	1	7709 Pancreas	1
1432 Intestines	1		12134 Uterus	1		—
1518 Bladder	1			—		10
1220 Rectum	1			8	<i>Emma Street</i>	
	—		<i>Elaine Place</i>		1424 Stomach	1
	5		3430 Rectum	1	1441 Uterus	1
<i>East Oak Street</i>			3434 Breast	1	1458 Breast	1
108 Uterus	1			—		—
				2		3
<i>East Ohio Street</i>			<i>Elbridge Avenue</i>		<i>Englewood Avenue</i>	
153 Rectum	1		3020 Uterus	1	438 Face	1
<i>East Pearson Street</i>				—	511 Intestines	1
168 Uterus	1		<i>Elizabeth Street, South</i>		551 Breast	1
			6249 Uterus	1		—
				—		3

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Eric Street, West</i>		56 Breast	1	<i>East 47th Place</i>	
2025 Intestines	1	448 Pancreas	1	1358 Rectum	1
		448 Uterus	1		
<i>Escanaba Avenue</i>			—	<i>East 48th Street</i>	
8704 Peritoneum	1		4	1725 Stomach	1
8900 Breast	1	<i>East 33rd Street</i>			
	—	539 Uterus	1	<i>East 50th Street</i>	
	2			649 Pancreas	1
<i>Esmond Street</i>		<i>East 34th Street</i>		654 Lungs	1
11141 Liver	1	516 Stomach	1		—
					2
<i>Estes Avenue</i>		<i>East 35th Street</i>		<i>East 50th Place</i>	
1523 Kidney	1	624 Bones	1	722 Rectum	1
1746 Stomach	1			728 Stomach	1
1942 Stomach	1	<i>East 37th Street</i>			—
	—	316 Rectum	1		2
	3	766 Intestines	1	<i>East 51st Street</i>	
<i>Evans Avenue</i>			—	660 Pancreas	1
4546 Breast	1		2		
7512 Intestines	1	<i>East 39th Street</i>		<i>East 53rd Street</i>	
7801 Stomach	1	208 Uterus	1	354 Intestines	1
7931 Peritoneum	1			1401 Lip	1
7951 Peritoneum	1	<i>East 41st Place</i>		1526 Uterus	1
8004 Liver	1	1026 Intestines	1	1725 Prostate	1
	—				—
	6	<i>East 42nd Place</i>			4
<i>Evergreen Avenue</i>		417 Lungs	1	<i>East 54th Street</i>	
2652 Pancreas	1	524 Prostate	1	222 Intestines	1
2726 Lungs	1	628 Uterus	1	305 Uterus	1
3319 Liver	1	823 Breast	1	326 Breast	1
	—	827 Pancreas	1	809 Tongue	1
	3	942 Breast	1	834 Stomach	1
<i>Ewing Avenue</i>			—	1329 Stomach	1
10018 Breast	1		6	1630 Liver	1
10249 Bone	1	<i>East 43rd Street</i>			—
10719 Penis	1	119 Liver	1		7
	—	343 Stomach	1	<i>East 55th Street</i>	
	3	426 Stomach	1	1655 Uterus	1
<i>Exchange Street</i>		716 Uterus	1	1006 Liver	1
8750 Uterus	1		—	1357 Uterus	1
9724 Stomach	1		4		—
	—	<i>East 45th Street</i>			3
	2	517 Bladder	1	<i>East 56th Street</i>	
<i>East 18th Street</i>				66 Pancreas	1
60 Intestines	1	<i>East 46th Street</i>		221 Stomach	1
		455 Uterus	1	314 Intestines	1
<i>East 25th Street</i>		521 Liver	1	1447 Intestines	1
316 Intestines	1	611 Intestines	1	1642 Breast	1
360 Intestines	1	710 Oesophagus	1	1724 Intestines	1
	—	750 Breast	1		—
	2		—		6
<i>East 29th Street</i>		<i>East 47th Street</i>		<i>East 57th Street</i>	
415 Stomach	1	718 Oesophagus	1	1227 Intestines	1
512 Pancreas	1	720 Breast	1		
	—	917 Intestines	1	<i>East 60th Street</i>	
	2	1035 Lip	1	415½ Stomach	1
<i>East 31st Street</i>			—	1435 Breast	1
6 Bones	1		4		—
					2

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>East 61st Street</i>		<i>East 75th Street</i>		<i>Fargo Avenue</i>	
161 Lungs	1	1353 Bladder	1	1461 Uterus	1
352 Intestines	1	2766 Liver	1		
637 Bones	1		—	<i>Farwell Avenue</i>	
1014 Ovary	1		2	1605 Lungs	1
	—	<i>East 76th Street</i>		1662½ Rectum	1
	4	548 Prostate	1		—
<i>East 62nd Street</i>		2711 Oesophagus	1		2
451 Brain	1		—	<i>Farrell Street</i>	
2618 Uterus	1		2	2829 Liver	1
	—	<i>East 78th Street</i>			
	2	1841 Pancreas	1	<i>Fay Street</i>	
<i>East 63rd Street</i>				666 Oesophagus	1
1408 Kidneys	1	<i>East 80th Street</i>			
		2032 Stomach	1	<i>Federal Street</i>	
<i>East 64th Street</i>				3813 Liver	1
635 Prostate	1	<i>East 81st Street</i>		4646 Breast	1
1308 Stomach	1	1857 Uterus	1	4715 Bone	1
1323 Ovary	1			5254 Stomach	1
	—	<i>East 83rd Street</i>			—
	3	3106 Liver	1		4
<i>East 64th Place</i>				<i>Ferdinand Street</i>	
836 Stomach	1	<i>East 87th Street</i>		5333 Stomach	1
		717 Stomach	1		
<i>East 65th Street</i>		3038 Liver	1	<i>Fifth Avenue</i>	
713 Intestines	1		—	3025 Oesophagus	1
1404 Stomach	1		2	3219 Breast	1
	—	<i>East 87th Place</i>			—
	2	817 Bladder	1		2
<i>East 67th Street</i>				<i>Fillmore Street</i>	
1428 Uterus	1	<i>East 88th Place</i>		2814 Stomach	1
		709 Liver	1	2848 Stomach	1
<i>East 68th Street</i>					—
130 Intestines	1	<i>East 90th Street</i>			2
541 Pancreas	1	3218 Liver	1		
1438 Lungs	1			<i>Fisk Street</i>	
1442 Lungs	1	<i>East 90th Place</i>		3249 Stomach	1
	—	717 Breast	1	3227 Pancreas	1
	4				—
<i>East 69th Place</i>		<i>East 91st Street</i>			2
1403 Breast	1	701 Liver	1	<i>Fletcher Street</i>	
				934 Breast	1
<i>East 70th Street</i>		<i>East 92nd Street</i>		1838 Liver	1
2320 Intestines	1	649 Stomach	1	1944 Stomach	1
				2106 Liver	1
<i>East 71st Place</i>		<i>East 93rd Street</i>		5043 Liver	1
1519 Stomach	1	1556 Bones	1		—
					5
<i>East 73rd Street</i>		<i>East 103rd Street</i>		<i>Flournoy Street</i>	
1043 Liver	1	42 Stomach	1	1509 Ovary	1
2445 Prostate	1			2866 Lungs	1
	—	<i>East 104th Street</i>		2126 Lungs	1
	2	846 Vulva	1	2134 Bladder	1
<i>East 74th Street</i>				2216 Uterus	1
2353 Breast	1	<i>East 110 Street</i>		2436 Uterus	1
2445 General	1	36 Stomach	1	3241 Intestines	1
2636 Bladder	1			3443 Stomach	1
	—	<i>East 114th Street</i>		3616 Intestines	1
	3	31 Stomach	1	3917 Breast	1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Flournoy Street—</i>	2348	Pharynx	1	5132	Stomach	1
<i>Continued</i>	2751	Stomach	1	5656	Uterus	1
3926 Liver	3007	Uterus	1			—
3947 Stomach	4832	Oesophagus	1			4
			—	<i>Grand Boulevard</i>		
			12	3643	Uterus	1
<i>Forest Avenue</i>	<i>Avenue G</i>			4236	Intestines	1
10747 Prostate	10536	Uterus	1	4458	Face	1
11428 Liver			—	4500	Stomach	1
	<i>Garfield Avenue</i>		2	4716	Uterus	1
	351	Uterus		4823	Uterus	1
<i>Forrestville Avenue</i>						—
4331 Breast	<i>Gunnison Street</i>					6
4945 Intestines	5138	Liver	1	<i>Grant Place</i>		
5022 Intestines				312	Bone	1
11111 Bladder	<i>George Street</i>		—	<i>Granville Avenue</i>		
	1427	Liver	1	1309	Uterus	1
	3022	Neck	1	1311	Breast	1
<i>Foster Avenue</i>	4941	Bones	1			—
1415 Breast			—			2
1908 Breast	<i>Giles Avenue</i>		3	<i>Green Street, South</i>		
1950 Stomach	3159	Uterus	1	5616	Breast	1
2639 Bladder	3606	Uterus	1			
	3738	Intestines	1	<i>Greenview Avenue</i>		
			—	2417	Breast	1
<i>Fowler Street</i>			3	3444	Breast	1
2151 Bladder	<i>Gilpin Place</i>			3408	Oesophagus	1
<i>Francisco Avenue, North</i>	1200	Brain	1	3434	Intestines	1
2927 Stomach	1305	Stomach	1	3617	Breast	1
			—	3739	Larynx	1
<i>Frederick Place</i>			2	4334	Stomach	1
1310 Stomach	<i>Gladys Avenue</i>			4510	Neck	1
<i>Fremont Street</i>	3900	Tongue	1	6319	Stomach	1
2140 Tonsils	4115	Intestines	1	6453	Stomach	1
2145 Prostate	4336	Pancreas	1	6538	Oesophagus	1
2217 Stomach			—	6538	Intestines	1
2254 Intestines	<i>Glengyle Place</i>		3	6738	Bladder	1
	919	Face		7630	Breast	1
			—			—
<i>Front Avenue</i>	<i>Glenlake Avenue</i>					14
11514 Stomach	1228	Breast	1	<i>Greenbay Avenue</i>		
11544 Oesophagus				10650	Stomach	1
	<i>Glenroy Avenue</i>			<i>Greenwich Street</i>		
	109	Prostate	1	2135	Intestines	1
<i>Fullerton Parkway</i>				2139	Uterus	1
357 Bladder	<i>Glenwood Avenue</i>		—			—
536 Bladder	6719	Intestines	1			2
	5351	Bladder	1	<i>Greenwood Avenue</i>		
	5550	Uterus	1	5204	Neck	1
			—	5209	Stomach	1
<i>Fullerton Avenue</i>			3	6223	Intestines	1
2330 Jaw	<i>Goodman Street</i>			6401	Pancreas	1
2608 Stomach	5699	Rectum	1	6516	Uterus	1
			—			—
	<i>Grace Street</i>					5
<i>Fulton Avenue</i>	1942	Tongue	1			
1653 Uterus	2434	Jaw	1			
1817 Breast			—			

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Grenshaw Street</i>		<i>Hermitage Avenue, North</i>		<i>Hyde Park Boulevard</i>	
3510 Breast	1	1741 Stomach	1	928 Intestines	1
3625 Liver	1			1401 Intestines	1
3815 Uterus	1	<i>Hermosa Avenue</i>		1511 Uterus	1
	<hr/>	11238 Stomach	1	1600 Kidney	1
	3			1600 Rectum	1
<i>Grove Avenue</i>		<i>Herndon Street</i>		5230 Liver	1
5513 Stomach	1	2620 Oesophagus	1	5307 Rectum	1
5524 Uterus	1	3322 Breast	1	5307 Bladder	1
6448 Uterus	1	3417 Stomach	1	5307 General	1
	<hr/>	3656 Oesophagus	1		<hr/>
	3				9
<i>Grover Street</i>				<i>Independence Boulevard</i>	
5643 Breast	1	<i>High Street</i>		724 Breast	1
		2312 Oesophagus	1	744 Prostate	1
<i>Avenue H</i>		2444 Lungs	1	1107 General	1
9756 Uterus	1			1340 Intestines	1
10434 Intestines	1				<hr/>
	<hr/>	<i>Highland Avenue</i>			4
	2	1534 Stomach	1	<i>Indiana Avenue</i>	
<i>Haddon Avenue</i>				2506 Stomach	1
2040 Stomach	1	<i>Hirsch Boulevard</i>		2525 Stomach	1
2244 Intestines	1	2829 Ovary	1	2709 Breast	1
2244 Stomach	1			2972 Bladder	1
2548 Stomach	1	<i>Hollywood Avenue</i>		3322 Uterus	1
	<hr/>	1325 Uterus	1	3438 Oesophagus	1
	4			3666 Stomach	1
<i>Hammond Street</i>		<i>Holt Street</i>		3937 Uterus	1
1814 Pancreas	1	1306 Stomach	1	4055 Rectum	1
1824 Breast	1	1452 Lungs	1	4539 Pancreas	1
	<hr/>	1518 Uterus	1	4922 Lungs	1
	2			5119 Intestines	1
<i>Houston Street</i>		<i>Homer Street</i>		5133 Rectum	1
8816 Liver	1	4639 Stomach	1	5223 Breast	1
				5334 Stomach	1
<i>Harlem Avenue, North</i>		<i>Honore Street, South</i>		5518 Stomach	1
5629 Liver	1	24 Cheek	1	5601 Stomach	1
<i>Harper Avenue</i>		3617 Breast	1	5941 Liver	1
5312 Pancreas	1	5622 Lungs	1	6001 Pancreas	1
5430 Prostate	1			6220 Tongue	1
6234 Jaw	1			6759 Uterus	1
9341 Pancreas	1			10056 Stomach	1
	<hr/>	<i>Howe Street</i>			<hr/>
	4	2009 Stomach	1	<i>Indianapolis Avenue</i>	22
<i>Harrison Street, West</i>				10057 Jaw	1
3012 Pancreas	1	<i>Hudson Avenue</i>		<i>Ingleside Avenue</i>	
<i>Harvard Avenue</i>		1800 Liver	1	5114 General	1
7302 Stomach	1			5445 Breast	1
<i>Hastings Street</i>		<i>Humboldt Boulevard</i>		5445 Uterus	1
1259 Pharynx	1	1926 Breast	1	6350 Stomach	1
2148 Oesophagus	1			6409 Intestines	1
	<hr/>	<i>Huron Street, West</i>		6416 Skin	1
	2	2030 Uterus	1	6442 Stomach	1
<i>Hawthorne Place</i>				6642 Rectum	1
546 Liver	1	<i>Hutchinson Street</i>		7104 Oesophagus	1
		5053 Stomach	1	7947 Pancreas	1
					<hr/>
					10

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Iowa Street</i>		<i>Kamerling Avenue</i>		<i>King Place</i>	
5423 Breast	1	4201 Stomach	1	877 Pharynx	1
4843 Stomach	1	4305 Lip	1	<i>Kirkland Avenue</i>	
	—		—	2317 Oesophagus	1
	2		2	<i>Komensky Avenue</i>	
<i>Irving Park Boulevard</i>		<i>Keeffe Avenue</i>		3020 Rectum	1
692 Stomach	1	6872 Ovary	1	<i>Kostner Avenue, South</i>	
845 Uterus	1	<i>Keeler Avenue, North</i>		5553 Liver	1
901 Breast	1	2339 Stomach	1	<i>Avenue L</i>	
1448 Ovary	1	<i>Kecley Street</i>		10337 Stomach	1
1452 Stomach	1	2830 Stomach	1	10545 Liver	1
2206 Face	1	<i>Kenmore Avenue</i>			—
2451 Bladder	1	4055 Intestines	1	<i>Lafayette Avenue</i>	
3522 Intestines	1	4302 Stomach	1	5539 Uterus	1
4964 Liver	1	5325 Stomach	1	6600 Stomach	1
5622 Breast	1		—	7124 Bladder	1
6049 Stomach	1		3	7524 Uterus	1
	—		3		—
	11	<i>Kenneth Avenue, North</i>			4
<i>Avenue J</i>		4629 Stomach	1	<i>Lafayette Street</i>	
10745 Rectum	1	<i>Kenwood Avenue</i>		828 Intestines	1
<i>Jackson Boulevard, W.</i>		5466 Uterus	1	923 Breast	1
1607 Rectum	1	5519 Liver	1		—
1656 Stomach	1	5801 Bladder	1	<i>Laflin Street</i>	
1754 Stomach	1	6200 Stomach	1	6343 Stomach	1
1836 Breast	1	6245 Stomach	1	6754 Stomach	1
2410 Breast	1	6348 Intestines	1	7912 Breast	1
3150 Skin	1	<i>Keokuk Avenue</i>			—
3916 Breast	1	4437 Breast	1	<i>Lake Street, West</i>	
3444 Rectum	1	4499 Uterus	1	1656 Stomach	1
3525 Bladder	1		—	5317 Breast	1
3527 Liver	1		2		—
4410 Intestines	1	<i>Kewanee Avenue</i>			2
5077 Uterus	1	4709 Jaw	1	<i>Lake Park Avenue</i>	
	—	<i>Keystone Avenue</i>		3538 Stomach	1
	12	2244 Rectum	1	3600 Uterus	1
<i>Janssen Avenue</i>		<i>Kilpatrick Avenue, North</i>		3829 Intestines	1
3749 Rectum	1	3004 Intestines	1	3839 Prostate	1
3957 Tongue	1	3316 Intestines	1	3920 Stomach	1
	—		—	3937 Jaw	1
	2		2	4066 Liver	1
<i>Jefferson Street, South</i>		<i>Kimball Street</i>		4405 Liver	1
1213 Oesophagus	1	1709 Stomach	1	4549 Intestines	1
1252 Breast	1	<i>Kimbark Avenue</i>		4631 Liver	1
	—	5455 Liver	1	4727 Pancreas	1
	2	5711 Intestines	1	4901 Tongue	1
<i>Jonquil Terrace</i>			—	4923 Breast	1
523 Pharynx	1		2	4961 Kidney	1
<i>Juneway Terrace</i>			2	5019 Uterus	1
1556 Lungs	1		2	5470 Stomach	1
<i>Justine Street</i>			2		—
4516 Oesophagus	1		2		16
5127 Liver	1		2		
6734 Breast	1		2		
	—		2		
	3		2		

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Lakewood Avenue</i>		2023 Liver	1	<i>Long Avenue, North</i>	
6432 Pancreas	1	3233 Breast	1	4749 Liver	1
6557 Stomach	1				
	<hr/>				
	2	<i>Lewis Street</i>		<i>Longwood Drive</i>	
<i>Langley Avenue</i>		2128 Stomach	1	9914 Lungs	1
3967 Uterus	1	<i>Lexington Street</i>		<i>Loomis Boulevard</i>	
4733 Jaw	1	2731 Stomach	1	5719 Liver	1
4761 Oesophagus	1	2947 Kidney	1	5923 Rectum	1
4928 Breast	1	3018 Uterus	1		<hr/>
6127 Uterus	1	3054 Liver	1		2
6642 Stomach	1	3134 Bladder	1	<i>Lowe Avenue</i>	
6833 Intestines	1	3522 Oesophagus	1	3725 Intestines	1
7438 Intestines	1	3659 Uterus	1	5242 Stomach	1
7554 General	1			7601 Stomach	1
7654 Breast	1			7744 Rectum	1
	<hr/>			9432 Tongue	1
	10	<i>Lister Avenue</i>		10047 Bladder	1
<i>Larrabee Street</i>		2319 Stomach	1	11721 Peritoneum	1
1421 Uterus	1	<i>Lincoln Avenue</i>			<hr/>
		1832 Intestines	1	<i>Lowell Avenue</i>	
<i>La Salle Street</i>		1955 Liver	1	2331 Stomach	1
1209 Intestines	1	2612 Rectum	1	5041 Breast	1
1341 Uterus	1	3037 Stomach	1		<hr/>
1546 Bladder	1	3845 Prostate	1		2
	<hr/>	4361 Rectum	1	<i>Loyola Avenue</i>	
	3			1036 Intestines	1
<i>La Salle Street, South</i>					
3241 Uterus	1	<i>Lincoln Street, South</i>		<i>Luella Avenue</i>	
3635 Stomach	1	3320 Breast	1	7544 Stomach	1
3728 Stomach	1	<i>Lincoln Street, North</i>		<i>Luna Avenue, North</i>	
5547 Breast	1	4930 Stomach	1	2502 Stomach	1
5843 Stomach	1	<i>Lincoln Park, West</i>		<i>Lunt Avenue</i>	
	<hr/>	2300 Pancreas	1	1629 Intestines	1
<i>Lawrence Avenue</i>		<i>Linden Place</i>		1769 Stomach	1
924 Uterus	1	2504 Intestines	1		<hr/>
944 Tonsil	1				2
	<hr/>	<i>Linder Street</i>		<i>Lyndale Street</i>	
	2	1412 Breast	1	2337 Liver	1
<i>Leavitt Street, North</i>		<i>Lill Avenue</i>		2344 Uterus	1
1936 Uterus	1	1117 Prostate	1	2824 Breast	1
<i>Leland Avenue</i>		<i>Lock Street</i>		2833 Intestines	1
911 Rectum	1	3058 Rectum	1	3507 Breast	1
925 Stomach	1	3060 Stomach	1	2851 Stomach	1
936 Liver	1			3021 Pancreas	1
2520 Uterus	1			3058 Prostate	1
2659 Intestines	1	<i>Locust Street</i>		3581 Stomach	1
2721 Bones	1	200 Stomach	1		<hr/>
3149 Stomach	1	<i>Logan Boulevard</i>		<i>Avenue M</i>	
	<hr/>	2536 Testes	1	9807 Liver	1
	7	3007 Stomach	1	10009 Bladder	1
<i>Le Moyne Street</i>				10046 Ovary	1
2740 Breast	1			10324 Penis	1
2019 Oesophagus	1				<hr/>
					4

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Macalister Place</i>		6401	Bladder	1	<i>Milton Avenue</i>		
1217	Stomach	1	6520	Uterus	1	809	Bones
					—	834	Uterus
<i>Mackinaw Avenue</i>					6	1147	Uterus
8250	Liver	1	<i>Mason Avenue, North</i>				—
			5600	Stomach	1		3
<i>Magnolia Avenue</i>						<i>Milwaukee Avenue</i>	
4611	Lungs	1	<i>Massacoit Avenue, South</i>			1236	Kidneys
4647	Breast	1	6148	Intestines	1	1566	Oesophagus
5634	Ovary	1	<i>Maud Avenue</i>			1597	Rectum
6412	Intestines	1	1883	Stomach	1	1621	Uterus
6449	Prostate	1				1900	Oesophagus
		—	<i>Maxwell Street</i>			2147	Intestines
		5	540	Stomach	1	2822	Stomach
<i>Malden Street</i>						4316	Liver
4417	Bones	1	<i>McLean Avenue</i>				—
4457	Breast	1	2435	Stomach	1	<i>Minerva Avenue</i>	
4636	Bones	1	3410	Stomach	1	6523	Breast
4651	Intestines	1	3556	Intestines	1		1
4703	General	1	3655	Liver	1	<i>Moffatt Street</i>	
4856	Bladder	1	4339	Heart	1	2459	Ovary
		—			—		1
		6			5	<i>Mohawk Street</i>	
<i>Manitou Place</i>			<i>McReynolds Street</i>			1428	Prostate
2341	Stomach	1	1642	Bones	1	1723	Stomach
<i>Manton Avenue</i>							—
5947	Intestines	1	<i>Medill Avenue</i>				2
<i>Maple Square Avenue</i>			3524	Larynx	1	<i>Monroe Street, West</i>	
3762	Pancreas	1	<i>Melrose Street</i>			2332	Oesophagus
<i>Maplewood Avenue</i>			545	Pancreas	1	2441	Uterus
5924	Lungs	1	652	Intestines	1	3311	Intestines
5942	Uterus	1	1503	Peritoneum	1	3337	Neck
		—	1736	Stomach	1	3841	Pancreas
		2	1738	Stomach	1	4353	Stomach
<i>Margate Terrace</i>			2237	Eyes	1		—
925	Breast	1	2324	Uterus	1		6
<i>Marianna Street</i>			2332	Stomach	1	<i>Montrose Street</i>	
1215	Intestines	1	4951	Breast	1	830	Prostate
<i>Marmora Avenue</i>					—	1051	Oesophagus
2422	Liver	1	<i>Merrill Avenue</i>		9	1511	Stomach
<i>Marquette Avenue</i>			7542	Stomach	1	2045	Uterus
7743	General	1	<i>Michigan Avenue</i>			3751	Breasts
8328	Bladder	1	146	Bladder	1	5023	General
		—	4544	Rectum	1		—
		2	4549	Oesophagus	1	<i>Morgan Street, South</i>	
<i>Marshall Boulevard</i>			4901	Stomach	1	3347	Liver
2119	Liver	1	5023	Breast	1	6038	Uterus
<i>Maryland Avenue</i>			5216	Pancreas	1	6529	Face
5356	Bladder	1	5346	Stomach	1		—
5419	Uterus	1	5823	Intestines	1		3
6323	Intestines	1	5828	Uterus	1	<i>Muskegan Avenue</i>	
6400	Uterus	1			—	8312	Oesophagus
			<i>Miller Street</i>		9	8412	Stomach
			617	Pancreas	1		—
							2

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Neenah Avenue, North</i>		<i>North Avenue, West</i>		2517 Stomach	1
3538 Liver	1	718 Prostate	1	2921 Kidneys	1
		2457 Uterus	1	3435 Breast	1
<i>Nelson Street</i>		3158 Oesophagus	1	4957 Uterus	1
1758 Intestines	1	5639 Stomach	1		—
5011 Intestines	1		—		7
	—		4	<i>North Bernard Street</i>	
	2	<i>North Ada Street</i>		4436 Stomach	1
<i>Newark Avenue</i>		123 Prostate	1	5230 Stomach	1
5658 Breast	1				—
		<i>North Albany Avenue</i>			2
<i>Newberry Avenue</i>		38 Liver	1	<i>North California Avenue</i>	
1708 Stomach	1	1935 Stomach	1	1834 Liver	1
		2020 Pancreas	1	2109 Bladder	1
<i>Newgard Avenue</i>		2467 Kidney	1	2203 Liver	1
6441 Stomach	1	3028 Uterus	1	2523 Stomach	1
6527 Stomach	1	3635 Bladder	1	3242 Ovary	1
6702 Stomach	1	3733 Uterus	1		—
	—	3933 Rectum	1		5
	3	4134 Stomach	1	<i>North Campbell Avenue</i>	
<i>Newport Street</i>		4321 Rectum	1	20 Throat	1
856 Oesophagus	1	4444 Liver	1	1435 Jaw	1
1110 Rectum	1	4509 Stomach	1	1454 Peritoneum	1
4942 Bladder	1	4533 Uterus	1	2731 Stomach	1
	—	4838 Intestines	1	5638 Stomach	1
	3		—		—
			14		5
<i>Newton Street</i>		<i>North Ann Street</i>		<i>North Central Avenue</i>	
937 Neck	1	116 Stomach	1	423 Jaw	1
				1620 Stomach	1
<i>Nevada Street</i>		<i>North Artesian Street</i>		3711 Kidney	1
4532 Bladder	1	7444 Stomach	1	4504 Prostate	1
				4510 Breast	1
<i>Nickerson Avenue</i>		<i>North Ashland Avenue</i>		4746 Pancreas	1
5922 Uterus	1	514 Neck	1		—
		956 Stomach	1		6
<i>Noble Street</i>		1130 Intestines	1	<i>North Central Park Ave.</i>	
1051 Lip	1	1309 Bladder	1	1647 Tongue	1
1135 Stomach	1	1542 Stomach	1	2210 Ear	1
1238 Stomach	1	2844 Stomach	1	3109 General	1
	—	3001 Stomach	1	4545 Rectum	1
	3	3451 Uterus	1	4624 Bone	1
<i>Normal Avenue</i>		3921 Stomach	1	4818 Stomach	1
7720 Breast	1	4433 Liver	1	4838 Liver	1
3138 Stomach	1	4501 Stomach	1		—
6538 Prostate	1	4538 Intestines	1		7
7532 Lungs	1	4917 Tonsils	1	<i>North Chicago Avenue</i>	
7601 Stomach	1	5435 Stomach	1	1919 Tonsil	1
11420 Breast	1	6517 Rectum	1		
	—	6649 Stomach	1	<i>North Christiana Street</i>	
	6	7416 General	1	1049 Breast	1
<i>Normal Boulevard</i>		7742 Rectum	1		
5454 General	1	7616 Breast	1	<i>North Clark Street</i>	
5746 Stomach	1		—	(Northland Hotel)	
6431 Bones	1	<i>North Avers Avenue</i>		Stomach	1
7156 Uterus	1	314 Bladder	1	183 Bladder	1
	—	830 Bones	1	1138 Rectum	1
	4	2500 Stomach	1	1361 Larynx	1
				2236 Jaw	1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>North Clark Street—</i>		<i>North 44th Street</i>		2933	Intestines	1	
<i>Continued</i>		517	Uterus	1	3328	Tongue	1
2326	Stomach						—
2711	Uterus						7
2720	Oesophagus	<i>North 46th Street</i>			<i>North Hermitage Avenue</i>		
3263	Brain	638	Stomach	1	1075	Uterus	1
3326	Bladder	<i>North 48th Street</i>			1839	Stomach	1
5101	Breast	733	Breast	1	1920	Rectum	1
6963	Uterus	<i>North Francisco Avenue</i>			3631	Prostate	1
7121	Breast				3937	Liver	1
		862	Stomach	1	4417	Intestines	1
		902	Uterus	1	4514	Stomach	1
		1945	Breast	1	6345	Intestines	1
<i>North Claremont Avenue</i>		2620	Stomach	1			—
525	Uterus	2637	Liver	1			8
3535	Uterus	2646	Bone	1	<i>North Homan Avenue</i>		
		2927	Stomach	1	1250	Stomach	1
		4043	Intestines	1	<i>North Hoyne Avenue</i>		
<i>North Crawford Avenue</i>		4138	Uterus	1	1024	Bladder	1
131	Kidney				1114	Stomach	1
1853	Rectum	<i>North Halstead Street</i>			1145	Stomach	1
4042	Stomach	1536	Pancreas	1	1320	Intestines	1
4927	Liver	1647	Rectum	1	1570	Pancreas	1
5065	Stomach	1713	Kidney	1	2065	Larynx	1
		1866	General	1	2313	Stomach	1
		2129	Larynx	1	3000	Stomach	1
<i>North Dearborn Street</i>		2451	Stomach	1	3238	Pancreas	1
509	Stomach	2522	Penis	1	3303	Stomach	1
648	Stomach	2736	Breast	1	3415	Uterus	1
1331	Lungs	3030	Uterus	1			—
1335	General	3343	Breast	1			11
1500	Intestines	3621	Intestines	1	<i>North Irving Avenue</i>		
					1215	Breast	1
					1251	Lungs	1
							—
<i>North Drake Street</i>		<i>North Hamilton Avenue</i>					2
4025	Tongue	3433	Intestines	1	<i>North Karlov Avenue</i>		
4044	Stomach				328	Stomach	1
4112	Breast	<i>North Hamlin Avenue</i>			1022	Uterus	1
4521	Tongue	200	Intestines	1	1932	Intestines	1
5705	Liver	218	Bladder	1	4613	Tongue	1
		312	Stomach	1			—
		948	Bladder	1			4
<i>North Eighteenth Street</i>		1121	Liver	1	<i>North Kostner Avenue</i>		
1722	Uterus	1345	Uterus	1	4931	Kidney	1
<i>North Fairfield Avenue</i>		1439	Breast	1	<i>North Keating Avenue</i>		
243	Breast	2918	Stomach	1	2823	Prostate	1
244	Bladder	3219	Bladder	1	<i>North Kedgeway Avenue</i>		
2518	Breast	3313	Stomach	1	3234	Stomach	1
2744	Bladder	4028	Intestines	1	<i>North Kedvale Avenue</i>		
5912	Rectum	4916	Throat	1	1840	Ovary	1
					4605	Liver	1
							—
<i>North Fallman Avenue</i>		<i>North Harding Avenue</i>					2
1756	Liver	453	Stomach	1			
<i>North 41st Street</i>		1736	Stomach	1			
545	Breast	2421	Rectum	1			
		2500	Liver	1			
		2642	Intestines	1			

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>North Kedzie Avenue</i>			<i>North Kostner Avenue</i>			1435	Breast	1
700	Liver	1	3752	Uterus	1	1450	Stomach	1
1412	Lungs	1	4209	Liver	1	1456	Stomach	1
2206	Bladder	1	4931	Breast	1	2102	Bone	1
2427	Stomach	1	4931	Kidney	1	3016	Neck	1
2717	Stomach	1			—	3120	Stomach	1
4125	Intestines	1			4	3325	Intestines	1
		—	<i>North Kolmar Avenue</i>					—
		6	4967	Uterus	1	<i>North Lincoln Street</i>		
<i>North Kedzie Boulevard</i>			<i>North Lamon Avenue</i>			955	Uterus	1
2419	Uterus	1	170	Stomach	1	1110	Lungs	1
2452	Eye	1	817	Ovary	1	3416	Stomach	1
		—			—	4826	Rectum	1
		2	<i>North Laporte Avenue</i>					—
<i>North Keeler Avenue</i>			2239	Stomach	1	<i>North Lockwood Avenue</i>		
1713	Intestines	1	4435	Stomach	1	163	Breast	1
2335	Bladder	1			—	1426	Cheek	1
3518	Oesophagus	1			2	1502	Liver	1
3723	Intestines	1	<i>North Latrobe Avenue</i>			2120	Breast	1
		—	605	Liver	1			—
		4	740	Intestines	1	<i>North Long Avenue</i>		
<i>North Kenneth Avenue</i>			837	Rectum	1	126	Stomach	1
1939	Stomach	1	1706	Uterus	1			—
3725	Pharynx	1			—	<i>North Laramie Avenue</i>		
4029	Liver	1	<i>North Laramie Avenue</i>			560	Stomach	1
4523	Neck	1	551	Rectum	1	<i>North Lorel Avenue</i>		
		—	<i>North Lawler Avenue</i>			329	Breast	1
		4	436	Lip	1	1048	Intestines	1
<i>North Keystone Avenue</i>			1034	Stomach	1	1528	Skin	1
844	Stomach	1	1505	Bladder	1			—
1034	Intestines	1			—	<i>North Lotus Avenue</i>		
1534	Oesophagus	1	<i>North Lawndale Avenue</i>			1538	Intestines	1
4332	Larynx	1	537	Stomach	1	<i>North Lowell Avenue</i>		
4720	Uterus	1	1937	Liver	1	2415	Breast	1
4744	General	1	2650	Kidney	1	<i>North Luna Avenue</i>		
		—	3942	Stomach	1	1418	Stomach	1
		6	4218	Larynx	1	1448	Breast	1
<i>North Kildare Avenue</i>			4852	Intestines	1	1449	Stomach	1
4236	Oesophagus	1			—			—
4532	Stomach	1	<i>North Leamington Avenue</i>					3
		—	230	Pelvis	1	<i>North Mansfield Avenue</i>		
		2	507	Prostate	1	1056	Stomach	1
<i>North Kilpatrick Street</i>			521	Vagina	1	2957	Uterus	1
3344	Throat	1	620	Breast	1			—
		—	1023	Oesophagus	1	<i>North Maplewood Avenue</i>		
<i>North Kimball Avenue</i>					5	1306	Liver	1
1706	Stomach	1	<i>North Le Claire Avenue</i>			1510	Liver	1
1832	Breast	1	204	Ovary	1	2109	Liver	1
1915	Uterus	1	<i>North Leavitt Street</i>					—
2719	Uterus	1	1423	Intestines	1			2
3855	Liver	1			—	<i>North Kedzie Avenue</i>		
4940	Bladder	1			7	700	Liver	1
5422	Uterus	1			—	1412	Lungs	1
		—	<i>North Kolin Avenue</i>			2206	Bladder	1
		7	1426	Stomach	1	2427	Stomach	1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>North Maplewood Avenue</i>		<i>North Nebraska Avenue</i>	2732	Stomach	1			
—Continued		2118	Stomach	1	3116	Breast	1	
2312	Bladder	1			4407	Intestines	1	
2824	Intestines	1	<i>North Noble Street</i>		4634	Uterus	1	
4417	Rectum	1	613	Stomach	1	4708	Kidneys	1
		6						6
<i>North Marmora Avenue</i>		<i>North Oakley Avenue</i>	318	Stomach	1	<i>North Richmond Street</i>		
5759	Stomach	1	2075	Bladder	1	866	Oesophagus	1
			2316	Pancreas	1	1932	Oesophagus	1
<i>North Marshfield Avenue</i>			3023	Stomach	1	1939	Stomach	1
863	Intestines	1	3501	Intestines	1	1945	Bones	1
3416	Stomach	1	3745	Lungs	1	2904	Intestines	1
3817	Stomach	1	3914	Bones	1	3754	Jaw	1
		3	3936	Stomach	1	4306	Stomach	1
			6328	Neck	1	4443	Stomach	1
<i>North Mason Avenue</i>					9			8
1030	Stomach	1	<i>North Oakley Blvd.</i>			<i>North Ridgeway Avenue</i>		
1717	Stomach	1	1330	Lungs	1	720	Stomach	1
		2	1518	Pancreas	1	1126	General	1
<i>North May Street</i>					2	2509	Breast	1
24	Stomach	1	<i>North Park Avenue</i>			3141	Kidney	1
			1357	Bladder	1	4339	Liver	1
<i>North Mayfield Avenue</i>			1846	Stomach	1			5
49	Stomach	1			2	<i>North Robey Street</i>		
151	Breast	1	<i>North Parkside Avenue</i>			2127	Stomach	1
1527	Stomach	1	623	Intestines	1	3816	Rectum	1
		3	922	Stomach	1	4343	Intestines	1
<i>North Menard Avenue</i>			1719	Liver	1	4425	Intestines	1
53	Lungs	1	4124	Liver	1			4
133	Bladder	1			4	<i>North Rockwell Street</i>		
1522	Intestines	1	<i>North Paulina Street</i>			1149	Stomach	1
		3	146	Breast	1	1342	Stomach	1
<i>North Monticello Avenue</i>			407	Uterus	1	2159	Stomach	1
1700	Skin	1	1418	Larynx	1	2530	Pancreas	1
4907	Intestines	1	1455	Stomach	1	4932	Bones	1
		2	1529	Uterus	1	6236	Heart	1
<i>North Mozart Street</i>			3117	Intestines	1			6
1713	Larynx	1	3335	Prostate	1	<i>North Sacramento Blvd.</i>		
1718	Stomach	1	3705	Tongue	1	822	Stomach	1
2450	Oesophagus	1	3831	Stomach	1	2817	Intestines	1
3846	Uterus	1	4151	Intestines	1	4140	Liver	1
		4	4307	Liver	1	4234	Oesophagus	1
<i>North Maple Avenue</i>			4514	Intestines	1	4356	Intestines	1
2252	Stomach	1	4871	Ovary	1	4509	Breast	1
			4908	Uterus	1			6
<i>North Narragansett Ave.</i>			5308	Breast	1	<i>North Sawyer Avenue</i>		
1632	Breast	1	6329	Stomach	1	1619	Tongue	1
2234	Stomach	1			16	1636	Intestines	1
		2	<i>North Polk Sstreet</i>			2236	Uterus	1
<i>North Natchez Avenue</i>			2420	Breast	1	2451	Liver	1
3318	Stomach	1	<i>North Racine Avenue</i>			2838	Stomach	1
			2053	Face	1			

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>North Sawyer Avenue—Continued</i>			<i>North Talman Avenue</i>			1030	Oesophagus	1
4431	Ovary	1	2427	Oesophagus	1	1131	Uterus	1
4433	Liver	1	4920	Prostate	1	1318	Stomach	1
5318	Uterus	1	6324	Uterus	1	1535	Kidney	1
		<hr/>			<hr/>	1600	Stomach	1
		8			3			<hr/>
<i>North Seeley Avenue</i>			<i>North Tripp Avenue</i>					14
3320	Prostate	1	1516	Kidney	1	<i>North Western Avenue</i>		
3616	Oesophagus	1	1841	Intestines	1	1036	Bladder	1
4843	Uterus	1	2201	Rectum	1	1232	Stomach	1
		<hr/>	2235	Pancreas	1	1327	Pancreas	1
		3	3653	Mouth	1	1410	Stomach	1
<i>North Sheffield Avenue</i>			3855	Stomach	1	1413	Uterus	1
2136	Bone	1	4152	Liver	1	4529	Liver	1
		<hr/>	5024	Bladder	1			<hr/>
					<hr/>			6
					8	<i>North Whipple Street</i>		
<i>North Shore Avenue</i>			<i>North Troy Street</i>			4229	Breast	1
1617	Stomach	1	537	Intestines	1	4319	Pancreas	1
1623	Rectum	1	614	Stomach	1			<hr/>
		<hr/>	2630	Bone	1			2
		2	2950	Pancreas	1	<i>North Winchester Ave.</i>		
<i>North Spaulding Avenue</i>			4251	Pancreas	1	843	Stomach	1
539	Breast	1	4736	Kidney	1	2135	Lungs	1
1115	Bladder	1	4915	Kidney	1	5043	Oesophagus	1
1733	Stomach	1	5004	Liver	1	5237	Bones	1
2137	Stomach	1			<hr/>			<hr/>
3705	Neck	1	<i>North Trumbull Avenue</i>					4
4505	Intestines	1	1032	Stomach	1	<i>North Wood Street</i>		
5015	Uterus	1	<i>North Waller Avenue</i>			645	Pancreas	1
5357	Skin	1	311	Stomach	1	901	Stomach	1
		<hr/>	822	Stomach	1	2144	Neck	1
		8	1012	Vulva	1			<hr/>
<i>North Springfield Ave.</i>					<hr/>			3
1144	Uterus	1	<i>North Washtenaw Ave.</i>			<i>Norwood Avenue</i>		
1454	Stomach	1	217	Stomach	1	1319	Kidney	1
2150	Stomach	1	309	Bladder	1	1327	Stomach	1
4046	Rectum	1	1501	Uterus	1			<hr/>
		<hr/>	1504	Uterus	1			2
		4	1519	Tongue	1	<i>Oakdale Avenue</i>		
<i>North State Street</i>			1731	Uterus	1	503	Liver	1
500	Kidney	1	1740	Uterus	1	841	Uterus	1
620	Stomach	1	1942	Oesophagus	1	841	Neck	1
710	Breast	1	2633	Stomach	1	1031	Liver	1
1112	Lung	1			<hr/>	1038	Uterus	1
		<hr/>			9	1530	Uterus	1
		4	<i>North Wells Street</i>			1530	Jaw	1
<i>North St. Louis Ave.</i>			355	Intestines	1	2242	Oesophagus	1
3707	Stomach	1	400	Skin	1	4826	Uterus	1
4257	Kidney	1	513	Ovary	1	5113	Prostate	1
4330	Prostate	1	542	Lungs	1			<hr/>
4706	Brain	1	612	Testes	1			10
4741	Intestines	1	815	Stomach	1	<i>Oakenwald Avenue</i>		
4833	Stomach	1	819	Stomach	1	4212	Stomach	1
5044	Peritoneum	1	904	Breast	1	4369	Intestines	1
		<hr/>	1028	Larynx	1			<hr/>
		7						2

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Ogden Avenue</i>		3124 Lungs	1	3901 Liver	1
1732 Stomach	1	3320 Stomach	1	4739 Stomach	1
1935 Oesophagus	1	6959 Stomach	1		—
2076 Uterus	1	12147 Tongue	1		3
3260 Stomach	1		—		
	—		6	<i>Potomac Avenue</i>	
	4	<i>Patterson Avenue</i>		2615 Stomach	1
<i>Oglesby Avenue</i>		1910 Vulva	1	5464 Breast	1
6941 Ovary	1	1924 Liver	1		—
		1931 Bone	1		2
<i>Olympia Avenue</i>			—	<i>Powell Avenue</i>	
6687 Stomach	1		3	2112 Stomach	1
		<i>Paxton Avenue</i>		2214 Prostate	1
<i>Orchard Street</i>		6821 Stomach	1		—
2140 Uterus	1	7030 Intestines	1		2
2407 Rectum	1	7147 Stomach	1		
	—		—	<i>Prairie Avenue</i>	
	2		3	2209 Uterus	1
<i>Oregon Avenue</i>		<i>Pensacola Avenue</i>		2732 Vagina	1
1339 Breast	1	4914 Liver	1	3112 Stomach	1
				3433 Uterus	1
<i>Oriole Avenue</i>		<i>Peoria Street, South</i>		4156 Intestines	1
6947 Liver	1	1259 Stomach	1	4442 Breast	1
		6408 Rectum	1	4610 Skin	1
<i>Orleans Street</i>		7040 Bladder	1	4824 Uterus	1
446 Stomach	1	7359 Liver	1	5028 Breast	1
		8514 Breast	1	5333 Tongue	1
			—	5956 Breast	1
<i>Osborne Street</i>			5	6035 Stomach	1
542 Kidney	1	<i>Perry Avenue</i>		6040 Breast	1
		6600 Liver	1	11337 Larynx	1
<i>Osgood Street</i>		6913 Stomach	1	11619 Intestines	1
2336 Liver	1	7230 Liver	1	11726 Stomach	1
3349 Liver	1	7233 Oesophagus	1		—
3701 Stomach	1	7322 Breast	1		16
	—	7419 Intestines	1		
	3	7548 Kidney	1	<i>Princeton Avenue</i>	
<i>Otto Street</i>			—	2620 Oesophagus	1
1516 Oesophagus	1		7	2829 Breast	1
		<i>Phillips Avenue</i>		2937 Uterus	1
<i>Point Street</i>		7239 Breast	1	3014 Liver	1
2138 Stomach	1			3022 Stomach	1
		<i>Pierce Avenue</i>		3625 Intestines	1
<i>Palatine Avenue</i>		3323 Uterus	1	4213 Bone	1
7424 Stomach	1			4317 Breast	1
		<i>Pinegrove Avenue</i>		4729 Pancreas	1
<i>Park Avenue</i>		2745 Uterus	1	4758 Stomach	1
1640 Lungs	1	2757 Rectum	1	4758 Uterus	1
1822 Intestines	1	3610 Pancreas	1	5013 Bladder	1
2147 Uterus	1	3740 Uterus	1	5145 Breast	1
3938 Stomach	1	3952 Oesophagus	1	5329 Oesophagus	1
	—		—	5740 Bone	1
	4		5	5756 Breast	1
<i>Parnell Avenue</i>		<i>Pleasant Avenue</i>		5855 Stomach	1
2948 Nose	1	9403 Neck	1	7126 Stomach	1
3029 Stomach	1			7221 Neck	1
		<i>Polk Street</i>		7325 Uterus	1
		3350 Oesophagus	1		—
					20

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Quinn Street</i>			<i>Roscoe Street</i>		6236	Intestines	1	
2876	Stomach	1	509	Skin	1	7627	Bone	1
			654	Uterus	1	7817	Stomach	1
<i>Race Avenue</i>			845	Bone	1	8022	Kidney	1
4641	Intestines	1	911	Uterus	1			—
4922	Pancreas	1	1516	Intestines	1			8
5507	Stomach	1	1715	Peritoneum	1	<i>St. Michael's Court</i>		
5716	Breast	1	2224	Jaw	1	1724	Stomach	1
5731	Breast	1			—			
		—			7	<i>St. Paul Avenue</i>		
		5	<i>Rhodes Avenue</i>			2030	Stomach	1
<i>Racine Avenue</i>			3128	Uterus	1	<i>Schaughnessy Street</i>		
2941	Stomach	1	<i>Rose Street</i>			1319	Intestines	1
			841	Stomach	1	<i>Schiller Street, West</i>		
<i>Rascher Avenue</i>			<i>Rosedale Street</i>			232	Liver	1
1626	Breast	1	1309	Stomach	1	<i>School Street</i>		
<i>Ravenswood Avenue, West</i>			<i>Rose Hill Drive</i>			1531	Breast	1
6036	Rectum	1	1659	Oesophagus	1	1708	Oesophagus	1
			<i>Rosemont Avenue</i>			2145	Stomach	1
<i>Rhodes Avenue</i>			1302	Liver	1	4948	Bladder	1
3144	Pancreas	1	1351	Stomach	1	4954	Rectum	1
3219	Jaw	1	1533	Stomach	1			—
3342	Pancreas	1			—	<i>Schubert Avenue</i>		5
3518	Pancreas	1	<i>Ross Avenue</i>			3050	Stomach	1
3560	Uterus	1	6512	Uterus	1	3106	Bladder	1
6136	Brain	1			—	3301	Stomach	1
6319	Pancreas	1	<i>Ruble Street</i>					—
		—	1826	Uterus	1	<i>Sedgwick Street</i>		3
		7	<i>Rush Street</i>			805	Uterus	1
<i>Rice Street</i>			504	Bladder	1	876	Bladder	1
5947	Liver	1	<i>Saginaw Avenue</i>			1008	Uterus	1
5948	Breast	1	8530	Intestines	1	2212	Intestines	1
		—	8532	Bladder	1			—
		2	8533	Intestines	1	<i>Seeley Avenue, South</i>		4
<i>Ridge Avenue</i>			8707	Breast	1	10718	Face	1
6021	Stomach	1			—	<i>Seminary Avenue</i>		
6506	Stomach	1	<i>St. Anthony's Court</i>		4	2400	Eye	1
		—	4838	Breast	1	2733	Liver	1
		2	<i>St. James Place</i>			3228	Liver	1
<i>Ridgewood Street, South</i>			407	Breast	1	3239	Stomach	1
5455	Stomach	1	452	Palate	1			—
7138	Uterus	1			—	<i>Shades Place</i>		4
		—	<i>St. John's Court</i>		2	642	Uterus	1
		2	225	Stomach	1	<i>Sheffield Avenue</i>		
<i>Rokeby Street</i>			<i>St. Lawrence Avenue</i>			1850	Stomach	1
3742	Bladder	1	4640	Bladder	1	2730	Larynx	1
			4733	Intestines	1	2842	Neck	1
<i>Roosevelt Road, West</i>			6032	Rectum	1	3106	Rectum	1
2014	Stomach	1	6215	Peritoneum	1	3511	Bone	1
2701	Stomach	1			—			—
3022	Breast	1						5
4143	Intestines	1						
		—						
		4						
<i>Root Street</i>								
311	Stomach	1						

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Shelby Court</i>		11216 Pancreas	1	<i>South Artesian Avenue</i>	
1920 Stomach	1	11446 Stomach	1	3333 Oesophagus	1
			—	5667 Intestines	1
			3	6153 Breast	1
<i>Sheridan Road</i>		<i>Stewart Avenue</i>		6159 Uterus	1
628 Liver	1	6401 Stomach	1		—
706 Stomach	1	6508 Lung	1		4
3318 Liver	1	7241 Stomach	1	<i>South Ashland Blvd.</i>	
4422 Liver	1	11723 Brain	1	23 Larynx	1
4442 Stomach	1		—		
4512 Intestines	1		4	<i>Ashland Avenue, South</i>	
4545 Rectum	1	<i>Stoney Island Avenue</i>		708 Uterus	1
4644 Stomach	1	6442 Stomach	1	827 Tongue	1
4846 Uterus	1	6813 Breast	1	925 Breast	1
4849 Intestines	1	7542 Nose	1	1207 Ovary	1
5009 Intestines	1		—	1442 Stomach	1
5042 Larynx	1		3	3339 Breast	1
5349 Pancreas	1	<i>String Street</i>		3644 Kidney	1
5420 Breast	1	1937 Stomach	1	4300 Intestines	1
6255 Kidney	1			5630 Intestines	1
6800 Stomach	1	<i>Sunnyside Avenue</i>		6358 Jaw	1
6821 Breast	1	825 Liver	1	8633 Uterus	1
	—	923½ Rectum	1		—
	17	2441 Bone	1		11
<i>Shields Avenue</i>		3350 Larynx	1	<i>South Auburn</i>	
2631 Intestines	1		—	3409 Intestines	1
2714 Stomach	1		4	3426 Stomach	1
5408 Ear	1				—
	—	<i>Superior Street, West</i>			2
	3	1416 Stomach	1	<i>South Avers Avenue</i>	
<i>Sholto Street</i>		5814 Liver	1	1246 Brain	1
638 Neck	1	5940 Stomach	1	1317 Kidney	1
			—	1647 Stomach	1
			3	2318 Stomach	1
<i>Sloan Street</i>		<i>Surf Street</i>		2451 Uterus	1
1370 Stomach	1	549 Uterus	1		—
					5
<i>Smalley Court</i>		<i>Swann Street</i>		<i>South Bishop Street</i>	
2425 Uterus	1	321 Stomach	1	5220 Prostate	1
		<i>South Aberdeen Street</i>		5618 Prostate	1
<i>Southport Avenue</i>		18 Stomach	1	7840 Lungs	1
2258 Liver	1	712 Brain	1	8507 Stomach	1
3220 Stomach	1	5801 Rectum	1		—
3550 Intestines	1	5919 Oesophagus	1		4
3636 Stomach	1	6344 Stomach	1	<i>South California Ave.</i>	
3940 Breast	1	6949 Stomach	1	116 Stomach	1
	—	9931 Stomach	1	1425 Bladder	1
	5		—	2308 Liver	1
<i>State Street, South</i>			7	2506 Larynx	1
2338 Stomach	1	<i>South Ada Street</i>		4238 Liver	1
2901 Prostate	1	8004 Stomach	1		—
4836 Prostate	1				5
5128 Skin	1	<i>South Albany Avenue</i>		<i>South Campbell Avenue</i>	
11573 Liver	1	5613 Stomach	1	426 Liver	1
	—	6225 Bladder	1	625 Bladder	1
	5		—	704 Prostate	1
<i>Stephenson Avenue</i>			2	5200 General	1
11139 Stomach	1				

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>South Campbell Avenue—</i>	5361	Intestines	1	1432	Intestines	1
<i>Continued</i>			—	3506	Bone	1
6333 Oesophagus	1		6	3627	Bladder	1
6514 Lungs	1	<i>South Desplaines Street</i>		3649	Stomach	1
	—	1136 Tongue	1	5017	Stomach	1
	6	1140 Stomach	1	5256	Intestines	1
<i>South Canal Street</i>			—	6300	Intestines	1
3040 Rectum	1	<i>South Drexel Avenue</i>	2	11761	Breast	1
<i>South Carpenter Street</i>		5519 Stomach	1			—
5000 Breast	1			<i>South Hamilton Ave.</i>		12
5031 Peritoneum	1	<i>South Elizabeth Street</i>		3316	Oesophagus	1
6044 Breast	1	5710 Breast	1			
7336 Stomach	1	6846 Bladder	1	<i>South Hamlin Avenue</i>		
8753 Liver	1		—	152	Uterus	1
8845 Stomach	1		2	1865	Larynx	1
	—	<i>South Fairfield Avenue</i>		2326	Lungs	1
	6	1252 Intestines	1	2329	Breast	1
<i>South Central Street</i>		1331 Uterus	1			—
201 Stomach	1	1628 Oesophagus	1	<i>South Harding Ave.</i>		4
		4325 Stomach	1	1625	Liver	1
<i>South Central Park Ave.</i>		4339 Prostate	1	1801	Pancreas	1
2439 Oesophagus	1	4550 Stomach	1	2504	Stomach	1
		6152 Breast	1			—
<i>South Chicago Avenue</i>			—			3
7813 Bone	1	<i>South Fifty-Ninth Ave.</i>	7	<i>South Hermitage St.</i>		
<i>South Cicero Avenue</i>		1925 Liver	1	50	Uterus	1
109 Rectum	1	<i>South Fisk Street</i>		3416	Bladder	1
739 Jaw	1	1813 Eye	1	5332	Stomach	1
	—			6320	Neck	1
	2	<i>South Francisco Ave.</i>		7942	Uterus	1
<i>South Clark Street</i>		606 Kidney	1			—
309 Lungs	1	1110 Stomach	1	<i>South Homan Avenue</i>		5
435 Larynx	1	4053 Oesophagus	1	1100	Uterus	1
502 Oesophagus	1	4222 Breast	1	1559	Stomach	1
	—	4631 Stomach	1	2253	Eye	1
	3		—	2320	Stomach	1
<i>South Clifton Park Ave.</i>			5	2419	Breast	1
1416 Lungs	1	<i>South Green Street</i>		2437	Stomach	1
1837 Intestines	1	6016 Larynx	1			—
2115 Vagina	1	6554 Liver	1			6
2411 Stomach	1	6706 Liver	1	<i>South Honore Street</i>		
2842 Pancreas	1	7009 Liver	1	4415	Stomach	1
	—	8438 Intestines	1	4430	Uterus	1
	5		—	5357	Liver	1
<i>South Crawford Avenue</i>			5	5953	Kidney	1
2121 Stomach	1	<i>South Green Bay Ave.</i>				—
2633 Oesophagus	1	10705 Stomach	1			4
2720 Pancreas	1			<i>South Hoyne Avenue</i>		
	—	<i>South Grove Avenue</i>		218	Larynx	1
	3	6422 Pancreas	1	517	Prostate	1
<i>South Dearborn Street</i>				707	Uterus	1
3403 Kidney	1	<i>South Halstead Street</i>		2324	Intestines	1
4324 Pancreas	1	227 Oesophagus	1	5415	Uterus	1
4442 Stomach	1	722 Stomach	1	10200	Oesophagus	1
4740 Intestines	1	1122 Larynx	1			—
4809 Stomach	1	1362 Stomach	1			6

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>South Irving Avenue</i>			<i>South Kostner Avenue</i>		6827 Tongue	1
3402 Stomach	1		2316 Stomach	1	7724 Stomach	1
11353 Prostate	1		2831 Uterus	1		—
	—			—		8
	2			2	<i>South Loomis Blvd.</i>	
<i>South Jefferson Street</i>			<i>South Laflin Street</i>		5746 Stomach	1
1723 Stomach	1		613 Bone	1	<i>South Lowe Avenue</i>	
			708 Liver	1	5751 Uterus	1
<i>South Justine Street</i>			4736 Pancreas	1	7232 Stomach	1
4525 Stomach	1		4821 Stomach	1		—
8638 Breast	1		5042 Stomach	1		2
	—		5731 Stomach	1	<i>South Maplewood Ave.</i>	
	2		6142 Stomach	1	5728 Jaw	1
<i>South Karlov Avenue</i>			6549 Liver	1	6807 Stomach	1
207 Stomach	1		6638 Stomach	1		—
1646 Stomach	1		6823 Stomach	1		2
2708 Prostate	1		7006 Liver	1	<i>South Marshfield Ave.</i>	
	—			—	801 Liver	1
	3		<i>South La Salle Street</i>	11	3423 Intestines	1
<i>South Kedvale Avenue</i>			2842 Stomach	1	4544 Rectum	1
622 Stomach	1		3643 Lungs	1	4931 Head	1
1218 Stomach	1		3844 Intestines	1	4946 Breast	1
	—		6053 Uterus	1	6507 Stomach	1
	2			—	6527 Intestines	1
<i>South Kedzie Avenue</i>				4	7136 Stomach	1
741 Stomach	1		<i>South Lawndale Ave.</i>		7142 Intestines	1
749 Lungs	1		1242 Stomach	1		—
1541 General	1		1250 Liver	1		9
1534 Stomach	1		1523 Prostate	1	<i>South Mason Avenue</i>	
1804 Bones	1		1629 Lungs	1	125 Intestines	1
2145 Prostate	1		1914 Stomach	1	1022 Peritoneum	1
2428 Stomach	1		3057 Uterus	1		—
4051 Uterus	1			—		2
	—			6	<i>South May Street</i>	
	8		<i>South Leavitt Street</i>		1030 Stomach	1
<i>South Keeler Avenue</i>			110 Uterus	1	1919 Stomach	1
1240 Throat	1		433 Bladder	1	1941 Liver	1
1306 Intestines	1		902 Liver	1	5531 Intestines	1
1542 Intestines	1			—	5657 Uterus	1
2647 Stomach	1			3	5746 Bladder	1
2657 Stomach	1		<i>South Lincoln Street</i>		7338 Intestines	1
2819 Uterus	1		31 Rectum	1	7753 Stomach	1
3014 Stomach	1		1106 Larynx	1		—
	—		3553 Breast	1		8
	7		3736 Intestines	1	<i>South Michigan Ave.</i>	
<i>South Kildare Avenue</i>			4711 Stomach	1	430 Rectum	1
348 Kidney	1		6127 Stomach	1	3143 Lungs	1
2250 Breast	1		6416 Stomach	1	3824 Breast	1
2709 Uterus	1		6434 Breast	1	5229 Uterus	1
3001 Stomach	1			—	5833 Oesophagus	1
	—			8	6211 Rectum	1
	4		<i>South Loomis Street</i>			—
<i>South Kilpatrick Ave.</i>			4942 Stomach	1		6
6147 Kidney	1		1859 Rectum	1	<i>South Millard Avenue</i>	
			1914 Liver	1	1241 Oesophagus	1
<i>South Kolin Avenue</i>			2950 Stomach	1	1331 Stomach	1
2656 Liver	1		5130 Uterus	1	2427 Kidney	1
			6740 Bladder	1	2535 Liver	1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>South Millard Avenue—</i> <i>Continued</i>		<i>South Parkside Avenue</i>		<i>South Rockwell Street</i>	
2749 Intestines	1	132 Skin	1	4355 Stomach	1
3057 Stomach	1	<i>South Paulina Street</i>		5411 Breast	1
3132 Soft Palate	1	124 Kidney	1	5420 Cheek	1
	7	908 Intestines	1	5924 Bone	1
<i>South Miller Street</i>		925 Uterus	1	5930 Stomach	1
820 Stomach	1	1448 Stomach	1	6134 Uterus	1
<i>South Morgan Street</i>		4501 Stomach	1		6
846 Stomach	1	4621 Stomach	1	<i>South Sacramento Blvd.</i>	
3440 Stomach	1	4722 Bladder	1	40 Oesophagus	1
5243 Liver	1	6811 Stomach	1	701 Breast	1
5634 Vulva	1	6818 Intestines	1	1122 Stomach	1
6014 Stomach	1		9	1130 Stomach	1
6250 Kidney	1	<i>South Peoria Street</i>		5753 Uterus	1
6520 Prostate	1	226 Lungs	1	6336 Stomach	1
6534 Stomach	1	1349 Stomach	1		6
7736 Nose	1	1822 Stomach	1	<i>South Sangamon Street</i>	
8251 Ovary	1	4456 Oesophagus	1	530 Stomach	1
8330 Liver	1	5633 Breast	1	619 Oesophagus	1
8551 Breast	1	6338 Breast	1	1244 Uterus	1
	12	6353 Intestines	1	1306 Stomach	1
<i>South Mospratt Street</i>		6529 Stomach	1	1341 Liver	1
3542 Stomach	1	6529 Stomach	1	1926 Intestines	1
<i>South Mozart Street</i>		7342 Stomach	1	5512 Oesophagus	1
322 Stomach	1	7417 Liver	1	5646 Breast	1
4622 Uterus	1		10	5845 Stomach	1
	2	<i>South Racine Avenue</i>		6016 Rectum	1
<i>South Nagle Avenue</i>		132 Liver	1	6034 Liver	1
5607 Stomach	1	917 Liver	1	6411 Stomach	1
<i>South Newburg Ave.</i>		1931 Rectum	1	6542 Stomach	1
1225 Stomach	1	4713 Uterus	1	6558 Stomach	1
1238 Bladder	1	5217 Stomach	1	6839 Breast	1
	2	7007 Breast	1	7041 Stomach	1
<i>South Oakley Avenue</i>			6	7200 Oesophagus	1
117 Intestines	1	<i>South Richmond Street</i>		7609 Ovary	1
801 Oesophagus	1	6142 Liver	1	7632 Intestines	1
2448 Larynx	1	<i>South Ridgeway Ave.</i>		8046 General	1
	3	1541 Liver	1	8127 Stomach	1
<i>South Park Avenue</i>		1657 Ovary	1	8151 Intestines	1
2623 Larynx	1	2658 Intestines	1	12242 Skin	1
2627 General	1		3		23
3247 Uterus	1	<i>South Robey Street</i>		<i>South Sawyer Street</i>	
5924 Rectum	1	824 Oesophagus	1	1509 Bladder	1
6223 Bladder	1	3614 Jaw	1	1527 Liver	1
7628 Stomach	1	3635 Stomach	1	1825 Intestines	1
	6	5001 Stomach	1	1919 Jaw	1
		5033 Lungs	1	2513 Stomach	1
		5172 Stomach	1	2624 Lip	1
		5219 Breast	1	5931 Lungs	1
		6543 Pancreas	1		7
			8	<i>Sedgwick Street</i>	
				1646 Uterus	1
				<i>South Shore Avenue</i>	
				7812 Intestines	1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>South 68th Street</i>		6330	Liver	1	5035	Stomach	1
1245	Stomach	1	7927	Intestines	1	11155	Bone
							—
							4
<i>South Spaulding Ave.</i>				6			
1253	Stomach	1	<i>South Tripp Avenue</i>		<i>South Wells Street</i>		
1314	Intestines	1	2630	Uterus	1	2837	Liver
		—				3941	Uterus
		2				4455	Uterus
<i>South Springfield Ave.</i>			<i>South Troy Street</i>			4464	Intestines
17	Peritoneum	1	1220	Stomach	1	5352	Ovary
147	Stomach	1	1245	Liver	1	5523	Intestines
509	Bladder	1	1832	Liver	1	5701	Stomach
1626	Stomach	1	2709	Intestines	1	5705	Ovary
1852	Uterus	1	5546	Stomach	1		—
1956	Intestines	1	6025	Stomach	1		8
3043	Stomach	1					—
		—			6	<i>South Wentworth Ave.</i>	
		7	<i>South Trumbull Avenue</i>			3903	Bladder
<i>South State Street</i>			1436	Intestines	1	5321	Stomach
765	Uterus	1	2343	Liver	1		—
807	Liver	1	2440	Uterus	1		2
1007	Intestines	1	3000	Peritoneum	1		
1601	Stomach	1				<i>South Western Avenue</i>	
2600	Liver	1			4	311	Uterus
3122	Uterus	1	<i>South Turner Avenue</i>			901	Stomach
3338	Stomach	1	2119	Uterus	1	920	Face
4401	Rectum	1	2357	Liver	1	3055	Breast
4805	Uterus	1	2834	Oesophagus	1		—
5008	Uterus	1	3025	Liver	1		4
5506	Liver	1	3042	Oesophagus	1	<i>South Whipple Street</i>	
8451	Liver	1	5746	Stomach	1	2215	Ear
10812	Liver	1				5143	Stomach
12013	Stomach	1			6		—
		—	<i>South Union Street</i>				2
		14	1235	Bones	1	<i>South Winchester Ave.</i>	
<i>South St. Louis Ave.</i>			1742	Uterus	1	4813	Uterus
1522	Stomach	1	2545	Bones	1	5203	Jaw
1532	Liver	1	2830	Heart	1	5810	Uterus
1923	Liver	1	3657	Throat	1		—
2536	Liver	1	7757	Intestines	1		3
2809	Liver	1	8934	Face	1		
3650	Uterus	1				<i>South Wood Street</i>	
		—			7	934	Liver
		6	<i>South Wabash Avenue</i>			1601	Breast
<i>South Talman Avenue</i>			4233	Ovary	1	1835	Kidney
1337	Uterus	1	4415	Intestines	1	3301	Uterus
4525	Stomach	1	6952	Stomach	1	3422	Kidney
4540	Uterus	1	7027	Stomach	1	3438	Intestines
6343	Oesophagus	1	7951	Intestines	1	4955	Intestines
7015	Liver	1				5306	Stomach
		—			5	5601	Uterus
		5	<i>South Wallace Street</i>			5956	Breast
<i>South Taylor Street</i>			3641	Stomach	1	7043	Penis
1148	Uterus	1	4200	Larynx	1		—
					2		11
<i>South Throop Street</i>						<i>Talbott Avenue</i>	
1629	Larynx	1				5733	Uterus
2017	Stomach	1	<i>South Washtenaw Ave.</i>				—
3000	Uterus	1	3600	Stomach	1	<i>Tell Place</i>	
4722	Lung	1	5010	Rectum	1	1547	Stomach
							1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Thomas Street</i>		<i>Vernon Avenue</i>		<i>Wall Street</i>	
1938 Prostate	1	6024 Stomach	1	3228 Pancreas	1
2036 Stomach	1	6110 Liver	1		
2219 Stomach	1	6203 Stomach	1	<i>Wallace Street</i>	
3544 Uterus	1	6231 Stomach	1	1202 Stomach	1
	—	6947 Stomach	1	2930 Stomach	1
	4	7040 Uterus	1	3152 Prostate	1
<i>Thorndale Avenue</i>		7109 Stomach	1	3200 Stomach	1
1319 Intestines	1	8006 Liver	1	4643 Oesophagus	1
		11236 Uterus	1	8810 Brain	1
			—	11327 Stomach	1
<i>Thirty-second St., West</i>			9	11343 Stomach	1
5061 Larynx	1	<i>Vernon Park Place</i>		11346 Stomach	1
		1111 Jaw	1	11760 Uterus	1
<i>Throop Street</i>					—
6806 Liver	1	<i>Vilas Place</i>			10
		2178 Bladder	1	<i>Waller Avenue</i>	
<i>Townsend Street</i>				1623 Breast	1
1015 Pancreas	1	<i>Vincinnes Avenue</i>		<i>Walnut Street</i>	
		3846 Uterus	1	1820 Stomach	1
<i>Twenty-first Place</i>		4019 Pancreas	1	3040 Oesophagus	1
2607 Tongue	1	4106 Lung	1	3051 Bladder	1
		4116 Uterus	1	3459 Liver	1
<i>Union Avenue, South</i>		4214 Uterus	1		—
2826 Jaw	1	4430 Stomach	1		4
3136 Larynx	1	4825 Stomach	1	<i>Walton Street, West</i>	
3556 Breast	1	7405 Pharynx	1	2240 Jaw	1
3759 Uterus	1	7405 Rectum	1	2841 Breast	1
3841 Penis	1	8038 Oesophagus	1		—
5545 Bladder	1	10458 Stomach	1		2
6625 Intestines	1	11835 Intestines	1	<i>Ward Street</i>	
6642 Bladder	1		—	3729 Liver	1
7041 Lungs	1	<i>Vine Street</i>	12	3843 Prostate	1
7405 Breast	1	1659 Intestines	1		—
11743 Stomach	1				2
	—	<i>Wabansia Avenue</i>		<i>Warner Avenue</i>	
	11	1516 Rectum	1	1470 Rectum	1
<i>University Avenue</i>		1622 Oesophagus	1	1841 Breast	1
Hotel Hayes—		2048 Intestines	1		—
Peritoneum	1	4825 Intestines	1		2
5339 Liver	1		—	<i>Warren Avenue</i>	
5427 Ovary	1		4	1836 Ovary	1
6045 Bladder	1	<i>Wabash Avenue</i>		2043 Brain	1
6437 Appendix	1	1246 Uterus	1	2216 Breast	1
6524 Oesophagus	1	3005 Prostate	1	2259 Stomach	1
7228 Lungs	1	3838 Bone	1	2401 Breast	1
	—	4041 Uterus	1	2541 Stomach	1
	7	4756 Uterus	1	2641 Stomach	1
<i>Van Buren Street, West</i>		4934 Uterus	1	2706 Stomach	1
1330 Stomach	1	5506 Liver	1	2850 Stomach	1
1836 Larynx	1	5634 Uterus	1	3210 Pancreas	1
2817 Jaw	1	6215 Intestines	1	3226 Prostate	1
4147 Liver	1	10414 Prostate	1		—
4227 Intestines	1	10540 Uterus	1		11
	—	10617 Bladder	1	<i>Warwick Avenue</i>	
	5	10838 Liver	1	4004 Intestines	1
<i>Vanderpoel Avenue</i>			—	4020 Stomach	1
9626 Liver	1		13	4950 Tonsil	1

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>Warwick Avenue—Continued</i>			<i>Webster Avenue</i>			<i>West Austin Avenue</i>		
			402	Stomach	1	117	Throat	1
5050	Vagina	1	635	Throat	1	1653	Rectum	1
5101	Stomach	1	637	Liver	1	2235	Uterus	1
5733	Pancreas	1	752	Rectum	1	4951	Bone	1
		—	1037	Stomach	1			—
		6	1049	Stomach	1			4
<i>Washburn Avenue</i>					—	<i>West Avers Street</i>		
1352	Stomach	1			6	2838	Throat	1
1441	Ovary	1	<i>Wellington Avenue</i>					
1820	Lung	1	544	Breast	1	<i>West Chicago Avenue</i>		
2038	Stomach	1	629	Bladder	1	61	Rectum	1
2250	Stomach	1	649	Liver	1	342	Bladder	1
2416	Stomach	1	1846	Breast	1	342	General	1
2748	Intestines	1	2131	Stomach	1	953	Stomach	1
		—	2826	Liver	1	968	Intestines	1
		7	4845	Stomach	1	1238	Liver	1
<i>Washington Boulevard</i>					—	2009	Uterus	1
1340	Pancreas	1			7	2152	Breast	1
1339	Stomach	1	<i>Wells Street, North</i>			2724	Liver	1
1737	Uterus	1	1762	Rectum	1	3507	Breast	1
2538	Uterus	1	<i>Wendell Street</i>					—
3015	Bone	1	221	Ovary	1			10
3100	Breast	1	360	Stomach	1	<i>West Claremont Avenue</i>		
3246	Stomach	1			—	4552	Uterus	1
3844	Rectum	1			2			
3857	Breast	1	<i>Wentworth Avenue</i>			<i>West Clark Street</i>		
4019	Intestines	1	3938	Prostate	1	1035	Pancreas	1
4153	Prostate	1	4052	Prostate	1	<i>West Congress Street</i>		
4837	Breast	1	4132	Bladder	1	2514	Stomach	1
4927	Oesophagus	1	4512	Neck	1	2720	Stomach	1
5013	Uterus	1	4521	Ovary	1	3101	Intestines	1
5040	Uterus	1	4612	Rectum	1	3501	Ovary	1
5304	Liver	1	5318	Uterus	1	3512	Stomach	1
5469	Ear	1	5404	Stomach	1	4824	Stomach	1
		—	5802	Stomach	1			—
		18	6138	Uterus	1			6
<i>Washington Park Court</i>					—	<i>West Cornell Street</i>		
5036	Uterus	1			10	1542	Stomach	1
5050	Pancreas	1	<i>West Adams Street</i>			<i>West Crawford Avenue</i>		
		—	1625	Pancreas	1	1920	Jaw	1
		2	2528	Liver	1	2146	Pancreas	1
<i>Watt Avenue</i>			2919	Stomach	1			—
11219	Stomach	1	3532	Pancreas	1			2
			3849	Prostate	1	<i>West Cullerton Street</i>		
<i>Waveland Avenue</i>			3935	Breast	1	1433	Stomach	1
636	Uterus	1	4038	Breast	1	1538	Larynx	1
718	Pancreas	1	4922	Bone	1	1627	Stomach	1
1648	Stomach	1			—	1721	Stomach	1
1735	Uterus	1			8	1831	Stomach	1
		—	<i>West Albany Street</i>			2047	Larynx	1
		4	4253	Uterus	1	2607	Intestines	1
<i>Wayne Avenue</i>					—	4056	Oesophagus	1
6203	Intestines	1	<i>West Armitage Street</i>					—
6242	Stomach	1	6909	Prostate	1			8
6824	Breast	1	<i>West Augusta Street</i>					
		—	1345	Stomach	1			
		3						

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>West Diversy Street</i>		4907 Stomach	1	<i>West Mansfield Avenue</i>	
3449 Tongue	1	5056 Kidney	1	1030 Uterus	1
<i>West Division Street</i>			7	<i>West Maple Street</i>	
54 Bladder	1	<i>West Illinois Street</i>		58 Brain	1
535 Rectum	1	<i>West Illinois Street</i>		<i>West Marquette Road</i>	
627 Stomach	1	<i>West Grenshaw Street</i>		54 Stomach	1
643 Stomach	1	2027 Rectum	1	139 Intestines	1
2135 Stomach	1	3534 Oesophagus	1	336 Stomach	1
2648 General	1		2	708 Intestines	1
	6	<i>West Iowa Street</i>		958 Stomach	1
<i>West Elm Street</i>		2604 Intestines	1		5
419 Tongue	1	4856 Liver	1	<i>West Monroe Street</i>	
<i>West End Avenue</i>			2	1102 Oesophagus	1
4307 Uterus	1	<i>West Irving Park Blvd.</i>		1824 Liver	1
4951 Larynx	1	4504 Stomach	1	1911 Ovary	1
	2	<i>West Jackson Blvd.</i>		1953 General	1
<i>West Erie Street</i>		5515 Vagina	1	2142 Uterus	1
60 Stomach	1	<i>West Kedzie Avenue</i>		2236 Jaw	1
1101 Bladder	1	538 Uterus	1	2252 Stomach	1
1109 Kidney	1	3130 Stomach	1	2305 Intestines	1
1315 Stomach	1	4075 Stomach	1	2459 Rectum	1
1416 Oesophagus	1	5346 Brain	1	2917 Uterus	1
4707 Prostate	1		4	3145 Stomach	1
5934 Intestines	1	<i>West Keystone Avenue</i>		3165 Rectum	1
	7	2042 Liver	1	3228 Skin	1
<i>West Garfield Blvd.</i>		<i>West Lake Street</i>		3856 Oesophagus	1
843 Stomach	1	1138 Uterus	1	4840 Uterus	1
916 Ovary	1	1150 Stomach	1	5404 Rectum	1
	2	1243 Oesophagus	1	5448 Stomach	1
<i>West Gladys Avenue</i>		2223 Rectum	1		17
5511 Uterus	1	2519 Liver	1	<i>West Monticello Ave.</i>	
<i>West Grand Avenue</i>			5	2536 Stomach	1
111 Pancreas	1	<i>West Lincoln Park</i>		3732 Stomach	1
<i>West Hamlin Avenue</i>		2100 Oesophagus	1	3778 Stomach	1
2525 Stomach	1	2150 Intestines	1		3
<i>West Harrison Street</i>			2	<i>West Mozart Street</i>	
827 Liver	1	<i>West Madison Street</i>		1122 Stomach	1
1408 Intestines	1	515 Kidney	1	<i>West North Street</i>	
2119 Ovary	1	576 Bladder	1	170 Uterus	1
3110 Bone	1	661 Liver	1	2755 Lung	1
3512 Pancreas	1	661 Intestines	1	2938 Intestines	1
3558 Stomach	1	661 Bladder	1		3
	6	850 Bladder	1	<i>West Ohio Street</i>	
<i>West Huron Street</i>		2146 Breast	1	1718 Prostate	1
148 Stomach	1	2149 Pancreas	1	1900 Lung	1
1253 Breast	1	2310 Bladder	1	1941 Stomach	1
1734 Rectum	1	2852 Stomach	1	2051 Lungs	1
2329 Stomach	1	4327 Stomach	1	2138 Breast	1
2524 Kidney	1		11	2244 Bladder	1
					6



*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>West 15th Street—</i>		2017 Stomach	1	4300 Prostate	1
<i>Continued</i>		2036 Uterus	1	4379 Lungs	1
1724 Lip	1	2109 Pancreas	1		—
3248 Rectum	1	2259 Stomach	1		4
3804 Oesophagus	1	3021 Neck	1	<i>West 28th Place</i>	
	—	3146 General	1	445 Rectum	1
	5	4049 Bone	1	468 Oesophagus	1
<i>West 16th Street</i>			—		—
1741 Stomach	1		9		2
		<i>West 21st Street</i>		<i>West 31st Street</i>	
<i>West 17th Street</i>		1608 Liver	1	535 Stomach	1
1651 Jaw	1	1638 Oesophagus	1	4418 Kidney	1
1737 Stomach	1	1921 Stomach	1		—
1746 Bone	1	1932 Oesophagus	1		2
1825 Rectum	1	2002 Intestines	1	<i>West 32nd Place</i>	
1842 Larynx	1	2018 Jaw	1	918 Face	1
	—	2245 Stomach	1		—
	5	4025 Bladder	1		—
			8	<i>West 32nd Street</i>	
<i>West 18th Place</i>		<i>West 22nd Place</i>		12 Oesophagus	1
1539 Bone	1	268 Liver	1		—
1718 Stomach	1	<i>West 22nd Street</i>		<i>West 33rd Street</i>	
2116 Bladder	1	1718 Lung	1	35 Stomach	1
2331 Heart	1	2240 Stomach	1	839 Testes	1
2332 Stomach	1	2636 Bladder	1	1849 Tongue	1
2333 Larynx	1	2653 Uterus	1	1935 Stomach	1
	—	2654 Uterus	1		—
	6	2853 Lung	1		4
<i>West 18th Street</i>		3014 Gall Bladder	1	<i>West 34th Street</i>	
1132 Stomach	1	3704 Stomach	1	1845 Intestines	1
1136 Oesophagus	1		—		—
1324 Oesophagus	1	<i>West 23rd Street</i>		<i>West 35th Place</i>	
2110 Intestines	1	11 Intestines	1	906 Uterus	1
2112 Stomach	1	2032 Uterus	1		—
2719 Neck	1	2150 Larynx	1	<i>West 36th Street</i>	
	—	2835 Stomach	1	2312 Stomach	1
	6	3215 Oesophagus	1	2600 Bone	1
<i>West 19th Street</i>			—		—
733 Larynx	1	<i>West 24th Place</i>			2
1031 Pancreas	1	228 Uterus	1	<i>West 37th Street</i>	
1125 Uterus	1		5	50 Stomach	1
1841 Throat	1	<i>West 25th Street</i>		518 Stomach	1
2120 Intestines	1	473 Bladder	1	2262 Intestines	1
2214 Uterus	1		—	5065 Stomach	1
2249 Stomach	1	<i>West 25th Place</i>			—
2333 Penis	1	220 Bladder	1		4
	—	253 Liver	1	<i>West 38th Street</i>	
	8	4020 Oesophagus	1	451 Uterus	1
<i>West 20th Place</i>		5226 Uterus	1	2727 Stomach	1
554 Larynx	1		—		—
		<i>West 26th Street</i>			2
<i>West 20th Street</i>		4115 Breast	1	<i>West 39th Street</i>	
2037 Uterus	1	4149 Larynx	1	436 Intestines	1
2655 Oesophagus	1		—	3136 Bladder	1
	—		4		—
	2				2
<i>West 21st Place</i>					—
1636 Uterus	1				1
1926 Breast	1				—
	—				2

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>West 40th Place</i>		<i>West 53rd Street</i>		<i>West 63rd Place</i>	
3141 Stomach	1	925 Lungs	1	5737 Stomach	1
3142 Oesophagus	1				
	<hr/>	<i>West 54th Place</i>		<i>West 63rd Street</i>	
	2	732 General	1	253 Stomach	1
<i>West 41st Street</i>		<i>West 54th Street</i>		1240 Stomach	1
3010 Oesophagus	1	840 Uterus	1	1916 Uterus	1
				2543 General	1
<i>West 43rd Place</i>		<i>West 55th Street</i>			<hr/>
559 Jaw	1	817 Intestines	1		4
639 Jaw	1	821 Tongue	1	<i>West 64th Place</i>	
	<hr/>		<hr/>	2047 Jaw	1
	2		2	5702 Breast	1
<i>West 43rd Street</i>		<i>West 56th Street</i>			<hr/>
640 Kidney	1	445 Intestines	1	<i>West 64th Street</i>	
4951 Stomach	1			940 Ovary	1
	<hr/>	<i>West 57th Street</i>		3326 Stomach	1
	2	538 Oesophagus	1	3443 Intestines	1
<i>West 45th Place</i>		<i>West 58th Street</i>			<hr/>
510 Breast	1	530 Breast	1	<i>West 65th Street</i>	
<i>West 46th Place</i>		<i>West 59th Street</i>		817 Liver	1
635 Uterus	1	338 Liver	1	3307 Oesophagus	1
<i>West 47th Street</i>		717 Testicle	1		<hr/>
719 Liver	1	850 Uterus	1	<i>West 66th Street</i>	
1347 Peritoneum	1	1116 Stomach	1	260 Intestines	1
1500 Tongue	1	3810 Liver	1	3352 Liver	1
1911 Stomach	1		<hr/>		<hr/>
	4	<i>West 59th Place</i>			2
<i>West 50th Street</i>		242 Stomach	1	<i>West 66th Place</i>	
913 Stomach	1	342 Lip	1	3308 Liver	1
1436 Stomach	1		<hr/>	3438 Bone	1
1440 Stomach	1	<i>West 60th Place</i>			<hr/>
2251 Stomach	1	252 Prostate	1	<i>West 67th Place</i>	
	<hr/>	<i>West 60th Street</i>		3702 Stomach	1
	4	230 Pancreas	1	<i>West 68th Street</i>	
<i>West 51st Place</i>		308 Liver	1	916 Stomach	1
822 Intestines	1	636 Ovary	1	<i>West 70th Street</i>	
940 Uterus	1	2524 Stomach	1	146 Oesophagus	1
	<hr/>	3452 Breast	1	1002 Bone	1
	2		<hr/>	2001 Oesophagus	1
<i>West 51st Street</i>		<i>West 61st Place</i>			<hr/>
901 Bladder	1	421 Bone	1	<i>West 71st Street</i>	
943 Stomach	1	<i>West 61st Street</i>		1504 Rectum	1
953 Uterus	1	1252 Rectum	1	2022 Intestines	1
1324 Stomach	1	<i>West 62nd Street</i>			<hr/>
1534 Liver	1	703 General	1	<i>West 72nd Street</i>	
1716 Rectum	1	1411 Bladder	1	209 Stomach	1
2017 Intestines	1	3301 Face	1	1254 Oesophagus	1
3356 Stomach	1		<hr/>		<hr/>
	8				2
<i>West 53rd Place</i>					
928 Stomach	1		3		2

*Cancer Mortality of Chicago—1924*

**Table 7 (Streets and Houses)—Continued**

<i>West 73rd Street</i>		<i>West 107th Place</i>		<i>West 113th Street</i>	
138 Uterus	1	323 Intestines	1	217 Stomach	1
<i>West 74th Street</i>		<i>West 109th Place</i>		<i>West 116th Street</i>	
1229 Peritoneum	1	49 Uterus	1	146 Intestines	1
1252 Stomach	1	49 Liver	1		
	<hr/> 2	122 Stomach	1	<i>West 117th Street</i>	
<i>West 79th Place</i>		135 Intestines	1	353 Uterus	1
441 Uterus	1	1429 Breast	1		
<i>West 90th Place</i>		1338 Stomach	1	<i>West 118th Street</i>	
1712 Bladder	1		<hr/> 6	154 Intestines	1
<i>West 103rd Street</i>		<i>West 110th Place</i>		<i>West 119th Street</i>	
407 Liver	1	34 Liver	1	738 Face	1
<i>West 104th Place</i>		<i>West 110th Street</i>		<i>York Place</i>	
1653 Liver	1	242 Uterus	1	640 Stomach	1
<i>West 105th Place</i>		<i>West 112th Place</i>		<i>Yale Avenue</i>	
246 Stomach	1	25 Breast	1	6630 Stomach	1
<i>West 105th Street</i>		<i>West 112th Street</i>		6808 Breast	1
1754 Neck	1	106 Breast	1	11836 Bladder	1
<i>West 107th Street</i>		302 Prostate	1		<hr/> 3
227 Stomach	1		<hr/> 2		

**Table 8 (A)**  
**CANCER MORTALITY OF CHICAGO—1925**

**By Months**

Month	Total	Per cent.	Males	Per cent.	Females	Per cent.
January .....	287	8.92	138	9.22	149	8.66
February .....	235	7.30	113	7.56	122	7.09
March .....	268	8.33	132	8.83	136	7.90
April .....	300	9.33	138	9.22	162	9.41
May .....	257	7.99	119	7.95	138	8.02
June .....	250	7.77	115	7.69	135	7.84
July .....	300	9.33	136	9.09	164	9.53
August .....	230	7.15	103	6.88	127	7.38
September .....	277	8.61	131	8.76	146	8.48
October .....	275	8.55	140	9.36	135	7.84
November .....	272	8.46	123	8.22	149	8.66
December .....	266	8.26	108	7.22	158	9.19
Total .....	3,217	100.00	1,496	100.00	1,721	100.00

**Table 8 (B)**  
**Birthplace of Mother**

Countries	Males	Females	Total	Grand Total
United States.....	206	349	555	555
Canada .....	24	40	64	
Nova Scotia.....	1	2	3	67
Mexico .....	2	—	2	2
England .....	43	46	89	
Wales and North Wales.....	4	4	8	
Scotland .....	20	18	38	
Ireland .....	164	194	358	493
Sweden .....	91	108	199	
Norway .....	33	42	75	
Denmark .....	21	17	38	
Finland .....	2	—	2	
Poland .....	92	83	175	
Russia .....	73	61	134	
Lithuania .....	20	9	29	652
Austria .....	26	26	52	
Galicia .....	1	1	2	
Hungary .....	16	17	33	
Czecho-Slovakia .....	19	23	42	
Persia .....	1	—	1	
Roumania .....	1	6	7	
Jugo-Slavia .....	3	3	6	
Greece .....	1	4	5	
Bohemia .....	30	34	64	
Croatia.....	1	—	1	
Latvia .....	—	3	3	
Serbia .....	2	—	2	218
Italy .....	32	34	66	
France .....	9	8	17	
Portugal .....	—	1	1	84
Switzerland .....	7	8	15	15
Germany .....	313	351	664	
Bavaria .....	—	3	3	
Prussia .....	—	2	2	

*Cancer Mortality of Chicago—1925*

**Table 8 (B) Birthplace of Mother—Continued**

Countries	Males	Females	Total	Grand Total
Saxony .....	—	1	1	
Belgium .....	5	6	11	
Luxemburg .....	6	4	10	
Holland .....	19	16	35	726
West Indies.....	1	—	1	1
China .....	3	—	3	
Japan .....	1	—	1	4
Unknown .....	203	197	400	400
<b>Total .....</b>	<b>1,496</b>	<b>1,721</b>	<b>3,217</b>	<b>3,217</b>

**Table 8 (C)  
Time of Death**

Hour A. M.	Total	Per cent.	Males	Per cent.	Females	Per cent.
1	90		36		54	
2	100		49		51	
3	131		64		67	
<b>Total</b>	<b>321</b>	<b>21.1</b>	<b>149</b>	<b>21.2</b>	<b>172</b>	<b>21.0</b>
4	129		52		77	
5	120		61		59	
6	126		64		62	
<b>Total</b>	<b>375</b>	<b>24.6</b>	<b>177</b>	<b>25.1</b>	<b>198</b>	<b>24.2</b>
7	142		67		75	
8	136		71		65	
9	139		49		90	
<b>Total</b>	<b>417</b>	<b>27.3</b>	<b>187</b>	<b>26.5</b>	<b>230</b>	<b>28.0</b>
10	128		64		64	
11	166		72		94	
12	118		56		62	
<b>Total</b>	<b>412</b>	<b>27.0</b>	<b>192</b>	<b>27.2</b>	<b>220</b>	<b>26.8</b>
<b>Total A. M.</b>	<b>1,525</b>	<b>100.0</b>	<b>705</b>	<b>100.0</b>	<b>820</b>	<b>100.0</b>
Hour P. M.	Totals	Per cent.	Males	Per cent.	Females	Per cent.
1	104		45		59	
2	110		55		55	
3	127		51		76	
<b>Total</b>	<b>341</b>	<b>22.2</b>	<b>151</b>	<b>21.3</b>	<b>190</b>	<b>23.1</b>
4	122		67		55	
5	139		67		72	
6	146		68		78	
<b>Total</b>	<b>407</b>	<b>26.6</b>	<b>202</b>	<b>28.5</b>	<b>205</b>	<b>24.9</b>
7	142		55		87	
8	132		71		61	
9	119		50		69	
<b>Total</b>	<b>393</b>	<b>25.7</b>	<b>176</b>	<b>24.8</b>	<b>217</b>	<b>26.4</b>
10	133		54		79	
11	137		63		74	
12	121		63		58	
<b>Total</b>	<b>391</b>	<b>25.5</b>	<b>180</b>	<b>25.4</b>	<b>211</b>	<b>25.6</b>
<b>Total P. M.</b>	<b>1,532</b>	<b>100.0</b>	<b>709</b>	<b>100.0</b>	<b>823</b>	<b>100.0</b>

*Cancer Mortality of Chicago—1925*

**Table 8 (C) Time of Death—Continued**

Hour	Total	Per cent.	Males	Per cent.	Females	Per cent.
Total A. M.	1,525		705		820	
Total P. M.	1,532		709		823	
Known total	3,057		1,414		1,643	
Unknown	160		82		78	
Grand total	3,217		1,496		1,721	

**Table 8 (D)**

**Age at Death**

Years	Total	Total Years	Males	Total Years	Females	Total Years
1	3	3	1	1	2	2
2	2	4	—	—	2	4
3	3	9	1	3	2	6
4	1	4	1	4	—	—
5	2	10	2	10	—	—
6	—	—	—	—	—	—
7	3	21	2	14	1	7
8	—	—	—	—	—	—
9	2	18	—	—	2	18
10	—	—	—	—	—	—
11	2	22	1	11	1	11
12	2	24	1	12	1	12
13	—	—	—	—	—	—
14	—	—	—	—	—	—
15	2	30	—	—	2	30
16	2	32	—	—	2	32
17	2	34	2	34	—	—
18	3	54	—	—	3	54
19	4	76	1	19	3	57
20	1	20	1	20	—	—
21	3	63	—	—	3	63
22	4	88	2	44	2	44
23	2	46	1	23	1	23
24	5	120	4	96	1	24
25	5	125	1	25	4	100
26	5	130	1	26	4	104
27	12	324	6	162	6	162
28	13	364	6	168	7	196
29	9	261	3	87	6	174
30	10	300	2	60	8	240
31	6	186	1	31	5	155
32	17	544	5	160	12	384
33	15	495	5	165	10	330
34	19	646	10	340	9	306
35	24	840	10	350	14	490
36	20	720	4	144	16	576
37	27	999	12	444	15	555
38	37	1,406	11	418	26	988
39	28	1,092	9	351	19	741
40	37	1,480	9	360	28	1,120
41	36	1,476	15	615	21	861
42	37	1,554	12	504	25	1,050
43	43	1,849	15	645	28	1,204
44	46	2,024	19	836	27	1,188
45	66	2,970	27	1,215	39	1,755
46	44	2,024	17	782	27	1,242
47	60	2,820	26	1,222	34	1,598

*Cancer Mortality of Chicago—1925*

**Table 8 (D) Age at Death—Continued**

Years	Total	Total Years	Males	Total Years	Females	Total Years
48	68	3,264	25	1,200	43	2,064
49	55	2,695	20	980	35	1,715
50	83	4,150	23	1,150	60	3,000
51	61	3,111	26	1,326	35	1,785
52	76	3,952	33	1,716	43	2,236
53	79	4,187	36	1,908	43	2,279
54	69	3,726	32	1,728	37	1,998
55	91	5,005	48	2,640	43	2,365
56	76	4,256	35	1,960	41	2,296
57	81	4,617	40	2,280	41	2,337
58	96	5,568	49	2,842	47	2,726
59	74	4,366	41	2,419	33	1,947
60	110	6,600	56	3,360	54	3,240
61	92	5,612	56	3,416	36	2,196
62	100	6,200	49	3,038	51	3,162
63	99	6,237	49	3,087	50	3,150
64	117	7,488	52	3,328	65	4,160
65	121	7,865	62	4,030	59	3,835
66	94	6,204	46	3,036	48	3,168
67	87	5,829	52	3,484	35	2,345
68	90	6,120	43	2,924	47	3,196
69	85	5,865	37	2,553	48	3,312
70	70	4,900	38	2,660	32	2,240
71	55	3,976	35	2,485	21	1,491
72	74	5,328	44	3,168	30	2,160
73	61	4,453	31	2,263	30	2,190
74	46	3,404	22	1,628	24	1,776
75	53	3,975	25	1,875	28	2,100
76	49	3,724	26	1,976	23	1,748
77	34	2,618	11	847	23	1,771
78	30	2,340	15	1,170	15	1,170
79	26	2,054	13	1,027	13	1,027
80	21	1,680	10	800	11	880
81	25	2,025	17	1,377	8	648
82	20	1,640	13	1,066	7	574
83	14	1,162	7	581	7	581
84	9	756	4	336	5	420
85	19	1,615	10	850	9	765
86	9	774	7	602	2	172
87	6	522	2	174	4	348
88	5	440	1	88	4	352
89	8	712	2	178	6	534
90	4	360	1	90	3	270
91	1	91	1	91	—	—
92	4	368	1	92	3	276
93	—	—	—	—	—	—
94	2	188	2	188	—	—
95	1	95	1	95	—	—
Unknown	2	—	1	—	1	—
Total	3,217	187,424	1,496	89,513	1,721	97,911
Average age		58.26		59.16		56.29

**Table 8 (D)—Summary**

**Age at Death**

Years	Total	Per cent.	Males	Per cent.	Females	Per cent.
1-10	16	.50	7	.47	9	.52
10-20	17	.54	5	.33	12	.70
20-30	59	1.83	25	1.67	34	1.98
30-40	203	6.31	69	4.61	134	7.79
40-50	492	15.29	185	12.37	307	17.84
50-60	786	24.43	363	24.26	423	24.58
60-70	995	30.93	502	33.56	493	28.65
70-80	499	15.51	260	17.38	239	13.89
80-90	136	4.23	73	4.88	63	3.66
90-100	12	.37	6	.40	6	.34
Unknown	2	.06	1	.07	1	.05
Total	3,217	100.00	1,496	100.00	1,721	100.00

**Table 8 (E)**

**Known Duration of Disease by Months**

Months	Total	Males	Females
1	48	26	22
2	83	43	40
3	154	75	79
4	121	62	59
5	90	39	51
6	491	265	226
7	43	24	19
8	163	98	65
9	93	44	49
10	65	34	31
11	26	14	12
12	559	261	298
13	31	16	15
14	55	32	23
15	42	15	27
16	30	9	21
17	12	3	9
18	178	70	108
19	5	3	2
20	18	7	11
21	7	1	6
22	9	6	3
23	2	1	1
24	352	139	213
25	3	2	1
26	8	3	5
27	6	2	4
28	6	3	3
29	4	—	4
30	25	10	15
31	—	—	—
32	5	—	5
33	1	—	1
34	2	1	1
35	2	—	2
36	114	36	78
37	—	—	—

*Cancer Mortality of Chicago—1925*

**Table 8 (E) Known Duration of Disease by Months—Continued**

Months	Total	Males	Females
38	2	—	2
39	4	1	3
40	—	—	—
41	1	—	1
42	8	6	2
43	1	1	—
44	—	—	—
45	1	—	1
46	—	—	—
47	—	—	—
48	31	13	18
49	—	—	—
50	—	—	—
51	—	—	—
52	—	—	—
53	—	—	—
54	5	—	5
55	—	—	—
56	—	—	—
57	—	—	—
58	—	—	—
59	—	—	—
60	44	14	30
61	—	—	—
62	1	1	—
63	—	—	—
64	—	—	—
65	—	—	—
66	2	1	1
67	—	—	—
68	—	—	—
69	—	—	—
70	—	—	—
72	16	4	12
78	1	—	1
84	8	3	5
87	1	1	—
93	1	—	1
96	8	5	3
100	1	1	—
108	3	—	3
120	12	1	11
132	1	—	1
138	1	—	1
141	1	—	1
144	2	1	1
145	—	—	—
180	2	—	2
312	1	1	—
Known total	3,012	1,398	1,614
Unknown	205	98	107
Grand total	3,217	1,496	1,721

**Table 8 (F)**

**Treatment by Operation**

	Total	Per cent.	Males	Per cent.	Females	Per cent.
Yes .....	1,227	57.7	555	38.3	672	40.1
No .....	1,898	42.3	893	61.7	1,005	59.9
Known method..	2,125	100.0	1,448	100.0	1,677	100.0
Unknown .....	92		48		44	
Total .....	3,217		1,496		1,721	

**Table 8 (G)**

**Autopsy Disposition**

	Total	Per cent.	Males	Per cent.	Females	Per cent.
Yes .....	251	8.1	155	10.8	96	5.7
No .....	2,857	91.9	1,280	89.2	1,577	94.3
Known method..	3,108	100.0	1,435	100.0	1,673	100.0
Unknown .....	109		61		48	
Total .....	3,217		1,496		1,721	

**Table 8 (H)**

**Place of Occurrence**

	Total	Per cent.	Males	Per cent.	Females	Per cent.
Hospital .....	1,171	36.4	640	42.8	531	30.8
Institution .....	19	0.6	4	0.3	15	0.9
Residence .....	2,027	63.0	852	56.9	1,175	68.3
Total .....	3,217	100.0	1,496	100.0	1,721	100.0

**Table 8 (I)**

**Marital Condition**

	Total	Per cent.	Males	Per cent.	Females	Per cent.
Single .....	390	12.1	211	14.1	179	10.4
Married .....	1,843	57.3	987	66.0	856	49.7
Widowed .....	950	29.5	288	19.3	662	38.5
Divorced .....	31	1.0	8	0.5	23	1.3
Unknown .....	3	0.1	2	0.1	1	0.1
Total .....	3,217	100.0	1,496	100.0	1,721	100.0

**Table 8 (J)**

**Organs and Parts**

Parts	Total	Per cent.	Males	Per cent.	Females	Per cent.
Lips .....	11	.34	9	.60	2	.12
Tongue .....	37	1.15	35	2.34	2	.12
Mouth .....	8	.25	7	.47	1	.05
Jaw .....	39	1.21	28	1.87	11	.64
Throat .....	9	.28	9	.60	—	—
Neck .....	14	.44	10	.67	4	.23
Face .....	19	.59	10	.67	9	.52
Eye .....	4	.12	3	.20	1	.06
Nose .....	4	.12	3	.20	1	.06

*Cancer Mortality of Chicago—1925*

**Table 8 (J) Organs and Parts—Continued**

Parts	Total	Per cent.	Males	Per cent.	Females	Per cent.
Ear .....	11	.34	9	.60	2	.12
Head .....	2	.06	2	.13	—	—
Tonsil .....	15	.47	11	.74	4	.23
Cheek .....	6	.19	5	.34	1	.06
Palate .....	4	.12	2	.13	2	.12
Pharynx .....	12	.37	9	.60	3	.18
Oesophagus .....	128	3.98	105	7.02	23	1.34
Stomach .....	790	24.55	453	30.28	337	19.58
Liver and gall bladder.....	305	9.48	130	8.69	175	10.16
Mesentery .....	18	.56	4	.27	14	.81
Intestines .....	290	9.01	126	8.42	164	9.52
Rectum .....	155	4.82	77	5.14	78	4.53
Ovary .....	50	1.55	—	—	50	2.91
Uterus .....	385	11.97	—	—	385	22.38
Vulva and vagina.....	10	.31	—	—	10	.59
Others of this class.....	2	.06	—	—	2	.12
Breast .....	257	7.99	8	.53	249	14.47
Skin .....	12	.37	5	.34	7	.41
Larynx .....	64	1.99	57	3.81	7	.41
Lung .....	59	1.83	34	2.27	25	1.45
Pancreas .....	94	2.92	53	3.54	41	2.38
Kidneys .....	41	1.27	26	1.74	15	0.87
Bladder .....	134	4.16	99	6.62	35	2.03
Brain .....	6	.19	1	.07	5	.29
Bone .....	73	2.27	32	2.13	41	2.38
Heart .....	4	.12	4	.27	—	—
Prostate .....	109	3.39	109	7.28	—	—
Penis .....	3	.09	3	.20	—	—
Testes .....	11	.34	11	.74	—	—
General .....	22	.68	7	.47	15	0.87
Total .....	3,217	100.00	1,496	100.00	1,721	100.00

**Table 8 (J)—Summary—Organs and Parts**

	Total	Per cent.	Males	Per cent.	Females	Per cent.
Cancer of buccal cavity..	323	10.04	257	17.18	66	3.83
Cancer of stomach and liver .....	1,095	34.04	583	38.97	512	29.75
Cancer of peritoneum, intestines and rectum.....	463	14.39	207	13.84	256	14.87
Cancer of female genital organs .....	447	13.89	—	—	447	25.97
Cancer of breast.....	257	7.99	8	.54	249	14.47
Cancer of skin.....	12	.37	5	.33	7	.41
Cancer of other organs, or of organs not specified .....	620	19.27	436	29.14	184	10.69
Total .....	3,217	100.00	1,496	100.00	1,721	100.00

**Table 8 (K)**  
**Average Age, According to Organs and Parts**

<i>LIPS</i>			<i>MOUTH</i>		
Age	<i>Males</i> Number	Total Years of Life	Age	<i>Males</i> Number	Total Years of Life
59	1	59	42	1	42
61	1	61	54	1	54
62	1	62	64	1	64
63	1	63	68	1	68
65	1	65	69	1	69
69	1	69	72	1	72
71	1	71	83	1	83
82	1	82			
86	1	86			
Total	9	618	Total	7	452
Average age (years)		68.7	Average age (years)		64.6
	<i>Females</i>			<i>Females</i>	
64	1	64	68	1	68
89	1	89			
Total	2	153	Total	1	68
Average age (years)		76.5	Average age (years)		68.0
<i>TONGUE</i>			<i>JAW</i>		
Age	<i>Males</i> Number	Total Years of Life	Age	<i>Males</i> Number	Total Years of Life
37	1	37	4	1	4
48	1	48	7	1	7
49	1	49	41	1	41
51	1	51	45	1	45
52	2	104	46	1	46
53	2	106	50	1	50
55	2	110	52	3	156
56	1	56	54	2	108
58	3	174	59	1	59
59	1	59	61	2	122
60	3	180	62	1	62
61	2	122	65	3	195
62	1	62	66	2	132
65	1	65	68	2	136
66	2	132	70	2	140
67	1	67	73	1	73
68	4	272	78	1	78
70	1	70	79	1	79
72	1	72	83	1	83
73	1	73			
75	1	75	Total	28	1,616
77	1	77	Average age (years)		57.7
81	1	81		<i>Females</i>	
Total	35	2,142	16	1	16
Average age (years)		61.2	43	1	43
	<i>Females</i>		44	1	44
51	1	51	48	1	48
76	1	76	60	1	60
Total	2	127	66	1	66
Average age (years)		63.5	67	1	67
			68	1	68
			70	1	70
			75	1	75
			Total	11	557
			Average age (years)		50.6

*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>THROAT</i>			<i>EYE</i>		
Age	Number	Total Years of Life	Age	Number	Total Years of Life
	<i>Males</i>		72	1	72
39	2	78	75	2	150
45	1	45	76	1	76
49	1	49	Total	9	597
57	1	57	Average age (years)		66.3
62	1	62			
65	1	65	<i>EYE</i>		
76	1	76		<i>Males</i>	
90	1	90	80	1	80
Total	9	522	88	1	88
Average age (years)		58.0	90	1	90
			Total	3	258
			Average age (years)		86.0
<i>NECK</i>	<i>Males</i>			<i>Females</i>	
27	1	27	37	1	37
34	1	34	Total	1	37
35	1	35	Average age (years)		37.0
45	3	135			
50	1	50	<i>NOSE</i>		
59	2	118		<i>Males</i>	
82	1	82	43	1	43
Total	10	481	44	1	44
Average age (years)		48.1	51	1	51
	<i>Females</i>		Total	3	138
15	1	15	Average age (years)		46.0
22	1	22			
54	1	54		<i>Females</i>	
58	1	58	12	1	12
Total	4	149	Total	1	12
Average age (years)		37.3	Average age (years)		12.0
<i>FACE</i>	<i>Males</i>		<i>EAR</i>		
53	1	53		<i>Males</i>	
62	1	62	44	1	44
66	1	66	45	1	45
67	1	67	53	1	53
69	1	69	56	1	56
70	1	70	69	1	69
71	1	71	75	1	75
73	1	73	78	1	78
76	1	76	79	1	79
85	1	85	92	1	92
Total	10	692	Total	9	591
Average age (years)		69.2	Average age (years)		65.7
	<i>Females</i>			<i>Females</i>	
40	1	40	34	1	34
53	1	53	65	1	65
65	1	65	Total	2	99
70	1	70	Average age (years)		49.5
71	1	71			

*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>HEAD</i>			<i>PHARYNX</i>		
Age	Number <i>Males</i>	Total Years of Life	Age	Number <i>Females</i>	Total Years of Life
20	1	20	55	1	55
81	1	81	64	1	64
Total	2	101	Total	2	119
Average age (years)		50.5	Average age (years)		59.5
<i>TONSIL</i>			<i>PHARYNX</i>		
	<i>Males</i>			<i>Males</i>	
45	1	45	51	1	51
56	1	56	53	1	53
60	1	60	61	1	61
61	1	61	63	1	63
64	1	64	64	1	64
67	1	67	65	1	65
68	1	68	66	1	66
70	1	70	68	1	68
71	1	71	72	1	72
72	1	72	Total	9	563
81	1	81	Average age (years)		62.6
Total	11	715		<i>Females</i>	
Average age (years)		65.0	33	1	33
	<i>Females</i>		59	1	59
35	1	35	60	1	60
40	1	40	Total	3	152
56	1	56	Average age (years)		50.7
59	1	59		<i>Males</i>	
Total	4	190	<i>OESOPHAGUS</i>		
Average age (years)		47.5	34	1	34
			35	1	35
<i>CHEEK</i>	<i>Males</i>		40	1	40
58	1	58	41	1	41
63	3	189	42	1	42
83	1	83	43	1	43
Total	5	330	44	2	88
Average age (years)		66.0	45	1	45
	<i>Females</i>		46	1	46
79	1	79	48	4	192
Total	1	79	50	1	50
Average age (years)		79.0	52	6	312
			53	2	106
<i>PALATE</i>	<i>Males</i>		54	2	108
65	1	65	55	3	165
74	1	74	56	2	112
Total	2	139	57	7	399
Average age (years)		69.5	58	3	174
			59	1	59
			60	8	480
			61	3	183
			62	3	186
			63	3	189
			64	5	320
			66	7	462
			67	5	335



*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>STOMACH—Females (Continued)</i>			Age	Number	Total Years of Life
Age	Number	Total Years of Life	30	1	30
46	3	138	35	2	70
47	6	282	37	2	74
48	10	430	39	1	39
49	7	343	40	1	40
50	6	300	42	2	84
51	5	255	43	3	129
52	6	312	44	1	44
53	7	371	45	4	180
54	7	378	46	3	138
55	5	275	47	1	47
56	7	392	48	7	336
57	5	285	49	2	98
58	8	464	50	4	200
59	9	531	51	1	51
60	17	1020	52	6	312
61	10	610	53	5	265
62	10	620	54	2	108
63	13	819	55	3	165
64	17	1088	56	4	224
65	13	845	57	2	114
66	13	858	58	5	290
67	8	536	59	5	295
68	12	816	60	6	360
69	11	759	61	3	183
70	5	350	62	7	434
71	8	568	63	4	252
72	8	576	64	4	256
73	7	511	65	3	195
74	4	296	66	2	132
75	7	525	67	5	336
76	8	608	68	3	204
77	9	693	69	1	69
78	3	234	70	1	70
79	4	276	71	2	142
80	5	400	72	1	72
81	3	243	73	4	292
82	1	82	74	3	222
83	4	332	75	3	225
84	1	84	76	2	152
85	5	425	78	1	78
87	1	87	80	1	80
88	2	176	82	1	82
89	1	89	83	1	83
90	1	90	86	2	172
92	2	184			
Total	336	20,834	Total	130	7,507
Average age (years)		62.0	Average age (years)		57.7
Unknown	1				
Grand total	337				
<i>LIVER</i>					
	<i>Males</i>			<i>Females</i>	
27	1	27	33	1	33
28	1	28	35	2	70
29	1	29	36	1	36
			37	1	37
			41	2	82
			42	1	42
			43	3	129
			44	2	88
			45	1	45

*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

*LIVER—Females (Continued)*

Age	Number	Total Years of Life
46	1	46
47	3	141
48	2	96
49	4	196
50	2	100
51	4	204
52	1	52
53	6	318
54	3	162
55	4	220
56	10	560
57	7	399
58	7	406
59	4	236
60	4	240
61	2	122
62	4	248
63	6	378
64	7	448
65	14	910
66	4	264
67	4	268
68	7	476
69	11	759
70	4	280
71	1	71
72	5	360
73	5	365
74	2	148
75	3	225
76	3	228
78	4	312
79	3	237
81	2	162
82	2	164
83	1	83
84	2	168
87	1	87
88	1	88
89	1	89
<b>Total</b>	<b>175</b>	<b>10,878</b>
<b>Average age (years)</b>		<b>62.2</b>

*MESENTERY AND PERITONEUM*

<i>Males</i>		
7	1	7
35	1	35
58	1	58
59	1	59
<b>Total</b>	<b>4</b>	<b>159</b>
<b>Average age (years)</b>		<b>39.8</b>
<i>Females</i>		
2	1	2
3	1	3

Age	Number	Total Years of Life
11	1	11
19	1	19
30	1	30
40	1	40
44	1	44
47	2	94
48	1	48
50	1	50
62	1	62
67	1	67
77	1	77
<b>Total</b>	<b>14</b>	<b>547</b>
<b>Average age (years)</b>		<b>39.1</b>

*INTESTINES*

<i>Males</i>		
22	1	22
24	1	24
26	1	26
27	1	27
28	1	28
37	1	37
38	1	38
41	4	164
43	1	43
44	3	132
45	4	180
46	1	46
47	1	47
48	2	96
49	2	98
50	2	100
51	3	153
52	2	104
53	4	212
54	3	162
55	3	165
56	6	336
57	3	171
58	5	290
59	3	177
60	3	180
61	7	427
62	5	310
63	2	126
64	5	320
65	4	260
66	3	198
67	5	335
68	2	136
69	9	621
71	2	142
72	4	288
73	4	292
75	1	75
76	1	76
78	1	78

*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>INTESTINES—Males (Continued)</i>			<i>RECTUM</i>		
Age	Number	Total Years of Life	Age	Number	Total Years of Life
79	5	395	85	1	85
80	1	80	86	1	86
81	2	162	87	1	87
82	1	82	88	1	88
			89	1	89
<b>Total</b>	<b>126</b>	<b>7,461</b>	<b>Total</b>	<b>164</b>	<b>10,034</b>
<b>Average age (years)</b>		<b>59.2</b>	<b>Average age (years)</b>		<b>61.2</b>
<i>Females</i>			<i>Males</i>		
20	1	20	27	1	27
28	1	28	28	2	56
29	1	29	34	1	34
30	2	60	38	2	76
31	1	31	43	1	43
32	1	32	44	2	88
36	1	36	46	1	46
38	2	76	47	2	94
39	2	78	48	2	96
40	2	80	49	2	98
41	1	41	50	2	100
42	5	210	51	2	102
43	1	43	52	2	104
44	1	44	53	1	53
45	3	135	55	4	220
47	3	141	56	1	56
50	3	150	57	1	57
51	4	204	58	1	58
52	5	260	59	1	59
53	2	106	60	4	240
54	3	162	61	3	183
55	7	385	62	1	62
56	4	224	63	4	252
57	4	228	64	1	64
58	4	232	65	6	390
59	3	177	67	4	268
60	5	300	69	3	207
62	3	186	70	3	210
63	8	504	71	4	284
64	6	384	72	2	144
65	7	455	73	1	73
66	9	594	74	1	74
67	2	134	75	1	75
68	6	408	76	2	152
69	6	414	78	1	78
70	4	280	79	1	79
71	2	142	80	2	160
72	7	504	82	1	82
73	2	146	85	1	85
74	5	370			
75	2	150	<b>Total</b>	<b>77</b>	<b>4,629</b>
76	5	380	<b>Average age (years)</b>		<b>60.1</b>
77	3	231	<i>Females</i>		
78	2	156	15	1	15
79	3	237	23	1	23
80	1	80	24	1	24
82	1	82	25	1	25
83	2	166			
84	1	84			

*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>RECTUM—Females (Continued)</i>					
Age	Number	Total Years of Life	Age	Number	Total Years of Life
26	1	26	46	2	92
27	1	27	47	1	47
29	1	29	49	1	49
33	1	33	50	4	200
36	1	36	51	1	51
37	2	74	52	1	52
38	1	38	54	1	54
40	3	120	56	1	56
41	1	41	60	4	240
42	2	84	62	1	62
43	1	43	63	1	63
48	1	48	65	4	260
49	2	98	66	1	66
50	4	200	67	4	268
51	1	51	69	1	69
52	4	208	70	1	70
54	2	108	75	1	75
57	3	171			
58	1	58	Total	50	2,501
59	1	59	Average age (years)		50.0
60	1	60			
61	2	122			
62	7	434			
63	2	126			
64	5	320			
66	1	66			
67	3	201			
68	5	340			
71	1	71			
72	1	72			
73	2	146			
74	2	148			
75	3	225			
77	1	77			
79	1	79			
80	1	80			
85	1	85			
92	1	92			
Total	78	4,383			
Average age (years)		56.2			

<i>UTERUS</i>		
	<i>Females</i>	
18	1	18
19	1	19
21	1	21
25	1	25
26	2	52
27	3	81
28	2	56
29	2	58
30	1	30
31	2	62
32	4	128
33	5	165
34	3	102
35	5	175
36	4	144
37	6	222
38	6	228
39	6	234
40	10	400
41	6	246
42	9	378
43	11	473
44	9	396
45	17	765
46	8	368
47	6	282
48	14	672
49	11	539
50	17	850
51	8	408
52	10	520
53	12	636
54	11	594
55	12	660
56	7	392

<i>OVARY</i>		
	<i>Females</i>	
21	1	21
26	1	26
27	1	27
29	1	29
30	1	30
32	1	32
34	1	34
38	2	76
39	2	78
40	2	80
41	2	82
42	3	126
43	2	86



*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>BREAST Females (Continued)</i>			Age	Number	Total Years of Life
Age	Number	Total Years of Life	66	4	264
78	1	78	67	2	134
81	2	162	68	1	68
82	1	82	69	1	69
86	1	86	70	1	70
89	2	178	71	1	71
			72	1	72
Total	249	13,547	73	1	73
Average age (years)		54.4	75	1	75
			85	1	85
			87	1	87
			Total	57	3,186
			Average age (years)		55.9
<i>SKIN</i>					
	<i>Males</i>			<i>Females</i>	
32	1	32	35	1	35
54	1	54	36	1	36
80	2	160	65	1	65
81	1	81	70	1	70
Total	5	327	71	1	71
Average age (years)		65.4	75	1	75
	<i>Females</i>		85	1	85
2	1	2	Total	7	367
9	1	9	Average age (years)		52.4
34	1	34			
53	1	53			
73	1	73			
75	1	75			
76	1	76			
Total	7	322			
Average age (years)		46.0			
			<i>LUNG</i>		
	<i>Males</i>			<i>Males</i>	
5	1	5	28	1	28
24	1	24	35	2	70
34	1	34	36	1	36
36	1	36	39	1	39
37	1	37	44	1	44
38	3	114	47	1	47
39	1	39	49	1	49
40	1	40	50	1	50
45	1	45	51	1	51
46	1	46	52	1	52
47	3	141	53	1	53
48	1	48	54	1	54
50	2	100	55	3	165
51	2	102	56	1	56
52	1	52	57	2	114
55	2	110	59	2	118
56	2	112	60	2	120
57	3	171	61	1	61
58	3	174	62	1	62
60	3	180	65	1	65
62	1	62	66	1	66
63	3	189	68	1	68
64	3	192	71	2	142
65	1	65	73	1	73
			76	1	76
			77	2	154
			Total	34	1,913
			Average age (years)		56.3



*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

*KIDNEYS—Males (Continued)*

Age	Number	Total Years of Life
64	2	128
65	1	65
66	2	132
<b>Total</b>	<b>26</b>	<b>1,329</b>
<b>Average age (years)</b>		<b>51.1</b>

*Females*

25	1	25
32	1	32
38	1	38
47	1	47
49	1	49
53	1	53
58	3	174
64	1	64
65	1	65
70	1	70
71	1	71
73	1	73
78	1	78
<b>Total</b>	<b>15</b>	<b>839</b>
<b>Average age (years)</b>		<b>55.9</b>

*BLADDER*

*Males*

34	1	34
35	1	35
39	1	39
42	1	42
46	1	46
47	2	94
48	1	48
49	4	196
50	1	50
51	6	306
52	1	52
53	2	106
54	1	54
55	1	55
57	5	285
58	2	116
59	1	59
60	4	240
61	1	61
62	3	186
63	4	252
64	5	320
65	7	455
66	3	198
67	2	134
68	3	204
69	4	276
70	3	210
71	4	284

Age	Number	Total Years of Life
72	6	432
73	3	219
74	1	74
75	1	75
78	2	156
81	3	243
82	1	82
84	2	168
85	3	255
86	1	86
87	1	87

<b>Total</b>	<b>99</b>	<b>6,314</b>
<b>Average age (years)</b>		<b>63.8</b>

*Females*

43	1	43
46	2	92
48	1	48
49	1	49
50	1	50
52	2	104
58	1	58
60	2	120
62	3	186
64	2	128
65	2	130
66	3	198
67	2	134
68	1	68
71	1	71
72	2	144
73	3	219
74	3	222
80	1	80
84	1	84
<b>Total</b>	<b>35</b>	<b>2,228</b>
<b>Average age (years)</b>		<b>63.7</b>

*BRAIN*

*Males*

62	1	62
<b>Total</b>	<b>1</b>	<b>62</b>
<b>Average age (years)</b>		<b>62.0</b>

*Females*

1	1	1
7	1	7
30	1	30
36	1	36
48	1	48
<b>Total</b>	<b>5</b>	<b>122</b>
<b>Average age (years)</b>		<b>24.4</b>



*Cancer Mortality of Chicago—1925*

**Table 8 (K) Average Age, According to Organs and Parts—Continued**

<i>PROSTATE—Males (Continued)</i>			<i>GENERAL</i>		
Age	Number	Total Years of Life		<i>Males</i>	
85	3	255	Age	Number	Total Years of Life
86	1	86	22	1	22
89	1	89	36	1	36
94	1	94	44	1	44
95	1	95	61	1	61
Total	109	7,312	63	1	63
Average age (years)		67.1	67	1	67
			68	1	68
			Total	7	361
			Average age (years)		51.6
<i>PENIS</i>				<i>Females</i>	
	<i>Males</i>		32	1	32
47	1	47	36	1	36
81	1	81	45	1	45
82	1	82	47	1	47
Total	3	210	48	1	48
Average age (years)		70.0	50	1	50
			51	1	51
			53	1	53
			61	1	61
			62	1	62
			64	1	64
			71	1	71
			73	1	73
			75	1	75
			78	1	78
			Total	15	846
			Average age (years)		56.4
<i>TESTES</i>					
	<i>Males</i>				
17	1	17			
24	2	48			
28	1	28			
29	1	29			
35	1	35			
41	1	41			
60	1	60			
61	1	61			
77	1	77			
94	1	94			
Total	11	490			
Average age (years)		44.5			

**Table 8 (L)**

**Surgical Operation by Organs and Parts**

Parts	Males			Females			Unknown
	Yes	No	Unknown	Yes	No	Unknown	
Lip .....	3	5	1	0	1	1	
Tongue .....	8	23	4	0	2	0	
Mouth .....	4	3	0	0	1	0	
Jaw .....	10	17	1	5	6	0	
Throat .....	2	7	0	0	0	0	
Neck .....	4	5	1	0	3	1	
Face .....	5	4	1	2	5	2	
Eye .....	0	3	0	0	1	0	
Nose .....	0	3	0	0	1	0	
Ear .....	4	5	0	0	2	0	
Head .....	0	2	0	0	0	0	
Tonsil .....	2	9	0	1	3	0	
Cheek .....	3	2	0	0	1	0	
Palate .....	0	2	0	0	2	0	
Pharynx .....	2	7	0	0	3	0	
Oesophagus .....	19	85	1	6	16	1	
Stomach .....	123	311	19	78	245	14	
Liver and gall bladder.....	45	82	3	46	125	4	

*Cancer Mortality of Chicago—1925*

**Table 8 (L) Surgical Operation by Organs and Parts—Continued**

Parts	Males			Females		
	Yes	No	Unknown	Yes	No	Unknown
Mesentery and peritoneum	2	2	0	3	11	0
Intestines .....	69	54	3	78	85	1
Rectum and anus.....	45	30	2	38	39	1
Ovary .....	—	—	—	40	10	0
Uterus .....	—	—	—	162	214	9
Vagina and vulva.....	—	—	—	5	5	0
Others of this class.....	—	—	—	1	1	0
Breast .....	5	3	0	142	102	5
Skin .....	3	2	0	4	3	0
Larynx .....	19	36	2	0	7	0
Lung .....	4	29	1	6	19	0
Pancreas .....	25	26	2	19	21	1
Kidney .....	16	8	2	5	10	0
Bladder .....	53	45	1	10	23	2
Brain .....	0	0	1	0	5	0
Bone .....	14	18	0	17	22	2
Heart .....	1	3	0	0	0	0
Prostate .....	52	54	3	—	—	—
Penis .....	2	1	0	—	—	—
Testes .....	7	4	0	—	—	—
General .....	4	3	0	4	11	0
Total .....	555	893	48	672	1,005	44
Per cent. ....	37.1	59.7	3.2	39.1	58.4	2.6
Known method.....	1,448			1,677		
Unknown method.....	48			44		
Grand Total.....	1,496			1,721		

**Table 8 (M)**

**Female Marital Condition According to Organs and Parts**

Parts	Married	Single	Unknown	Total
Lip .....	2	0	0	2
Tongue .....	2	0	0	2
Mouth .....	0	1	0	1
Jaw .....	9	2	0	11
Throat .....	0	0	0	0
Neck .....	2	2	0	4
Face .....	9	0	0	9
Eye .....	1	0	0	1
Nose .....	0	1	0	1
Ear .....	2	0	0	2
Head .....	0	0	0	0
Tonsil .....	3	1	0	4
Cheek .....	1	0	0	1
Palate .....	2	0	0	2
Pharynx .....	2	1	0	3
Oesophagus .....	21	2	0	23
Stomach .....	310	27	0	337
Liver and gall bladder.....	166	9	0	175
Mesentery and peritoneum.....	9	5	0	14
Intestines .....	91	61	12	164
Rectum and anus.....	69	9	0	78
Ovary.....	46	4	0	50

Cancer Mortality of Chicago—1925

**Table 8 (M) Female Marital Condition According to Organs and Parts—  
Continued**

Parts	Married	Single	Unknown	Total
Uterus .....	158	27	0	385
Vagina and vulva.....	9	1	0	10
Others of this class.....	1	1	0	2
Breast .....	204	45	0	249
Skin .....	5	2	0	7
Larynx .....	7	0	0	7
Lungs and pleura.....	22	3	0	25
Pancreas .....	39	2	0	41
Kidney .....	12	3	0	15
Bladder .....	32	3	0	35
Brain .....	3	2	0	5
Bone .....	30	11	0	41
Heart .....	0	0	0	0
General .....	13	2	0	15
Totals .....	1,482	227	12	1,721
Per cent. ....	86.7	13.3		
Known method.....	1,709			
Unknown method.....	12			
Grand Total.....	1,721			

**Table 8 (N)**

**Known Duration of Disease According to Organs and Parts**

<i>LIPS</i>			<i>MOUTH</i>		
Duration (MONTHS)	<i>Males</i>	Aggregate	Duration (MONTHS)	Number	Aggregate
12	1	12	24	4	96
14	1	14	30	1	30
22	1	22	Total	31	371
24	3	72	Average (months)		12.0
36	3	108	Unknown	4	
Total	9	228	Grand Total	35	
Average (months)		25.3	<i>Females</i>		
16	1	16	6	1	6
180	1	180	12	1	12
Total	2	196	Total	2	18
Average (months)		98.0	Average (months)		9.0
<i>TONGUE</i>			<i>MOUTH</i>		
	<i>Males</i>			<i>Males</i>	
3	3	9	1	1	1
5	4	20	12	3	36
6	2	12	18	1	18
8	4	32	24	1	24
9	1	9	84	1	84
10	1	10	Total	7	163
12	6	72	Average (months)		23.3
13	1	13	141	<i>Females</i>	
14	1	14		1	141
18	3	54	Total	1	141
			Average (months)		141.0

*Cancer Mortality of Chicago—1925*

**Table 8 (N) Known Duration of Disease According to Organs and Parts—  
Continued**

<i>JAW</i>			<i>FACE</i>		
Duration (MONTHS)	<i>Males</i>		Duration (MONTHS)	<i>Males</i>	
	Number	Aggregate		Number	Aggregate
3	4	12	14	1	14
4	2	8	18	1	18
5	2	10	Total	9	84
6	1	6	Average (months)		9.3
7	1	7	Unknown	1	
9	2	18	Grand total	10	
10	1	10	<i>Females</i>		
12	1	12	10	1	10
14	2	28	12	2	24
15	1	15	Total	3	34
16	1	16	Average (months)		11.3
18	2	36	Unknown	1	
19	1	19	Grand total	4	
23	1	23	<i>FACE</i>		
24	2	48	<i>Males</i>		
28	1	28	7	1	7
36	1	36	12	3	36
Total	26	332	13	1	13
Average (months)		12.8	14	1	14
Unknown	2		18	1	18
Grand total	28		24	2	48
<i>Females</i>			Total	9	136
5	1	5	Average (months)		15.1
6	1	6	Unknown	1	
9	1	9	Grand total	10	
12	2	24	<i>Females</i>		
17	1	17	2	1	2
18	2	36	5	1	5
24	2	48	10	1	10
48	1	48	11	1	11
Total	11	193	30	1	30
Average (months)		17.5	48	1	48
<i>THROAT</i>			72	1	72
<i>Males</i>			Total	7	178
6	4	24	Average (months)		25.4
9	1	9	Unknown	2	
13	1	13	Grand total	9	
14	1	14	<i>EYE</i>		
24	2	48	<i>Males</i>		
Total	9	108	9	1	9
Average (months)		12.0	36	1	36
<i>NECK</i>			60	1	60
<i>Males</i>			Total	3	105
5	2	10	Average (months)		35.0
6	3	18	<i>Females</i>		
12	2	24	24	1	24



*Cancer Mortality of Chicago—1925*

**Table 8 (N) Known Duration of Disease According to Organs and Parts—  
Continued**

<i>OESOPHAGUS</i>			Duration (MONTHS)	Number	Aggregate
	<i>Males</i>		7	5	35
Duration (MONTHS)	Number	Aggregate	8	31	248
2	4	8	9	25	225
3	2	6	10	11	110
4	7	28	11	5	55
5	3	15	12	85	1,020
6	29	174	13	3	39
7	3	21	14	9	126
8	6	48	15	3	45
9	2	18	16	1	16
10	2	20	18	19	342
11	1	11	19	1	19
12	24	288	20	2	40
13	1	13	22	1	22
14	2	28	24	41	984
16	1	16	25	1	25
17	1	17	28	1	28
18	2	36	30	3	90
19	1	19	34	1	34
20	1	20	36	9	324
24	4	96	39	1	39
36	1	36	42	2	84
48	2	96	48	5	240
120	1	120	60	4	240
			72	1	72
Total	100	1,131	84	1	84
Average (months)		11.3	144	1	144
Unknown	5				
Grand total	105		Total	426	5,454
			Average (months)		12.8
			Unknown	27	
			Grand total	453	
	<i>Females</i>			<i>Females</i>	
1	1	1	1	3	3
2	2	4	2	9	18
3	3	9	3	12	36
4	1	4	4	14	56
5	1	5	5	13	65
6	4	24	6	60	360
12	4	48	7	5	35
18	1	18	8	17	136
24	1	24	9	10	90
36	1	36	10	5	50
120	1	120	11	1	11
			12	70	840
Total	20	293	13	1	13
Average (months)		14.7	14	2	28
Unknown	3		15	6	90
Grand total	23		16	4	64
			18	23	414
			20	4	80
			21	1	21
			22	1	22
			24	35	840
			29	1	29
			35	1	35
			36	11	396
<i>STOMACH</i>					
	<i>Males</i>				
1	8	8			
2	12	24			
3	24	72			
4	18	72			
5	4	20			
6	88	528			





*Cancer Mortality of Chicago—1925*

**Table 8 (N) Known Duration of Disease According to Organs and Parts—  
Continued**

<i>OVARY</i>			<i>VAGINA and VULVA</i>		
Duration (MONTHS)	<i>Females</i>		Duration (MONTHS)	Number	Aggregate
	Number	Aggregate			
1	1	1	37	1	37
2	2	4	42	1	42
3	2	6	48	6	288
4	3	12	60	5	300
5	1	5	72	4	288
6	13	78	78	1	78
8	3	24	84	2	168
9	1	9	96	1	96
11	1	11	Total	369	6,470
12	8	96	Average (months)		17.5
14	1	14	Unknown	16	
21	1	21	Grand total	385	
24	3	72	<i>Females</i>		
36	1	36	2	1	2
48	1	48	6	1	6
60	3	180	7	1	7
Total	45	617	12	3	36
Average (months)		13.7	14	1	14
Unknown	5		16	1	16
Grand total	50		24	1	24
<i>UTERUS</i>			30	1	30
<i>Females</i>			Total	10	135
1	4	4	Average (months)		13.5
2	6	12	<i>OTHERS OF THIS CLASS</i>		
3	12	36	<i>Females</i>		
4	14	56	1	1	1
5	7	35	24	1	24
6	38	228	Total	2	25
7	5	35	Average (months)		12.5
8	16	128	<i>BREAST</i>		
9	11	99	<i>Males</i>		
10	9	90	6	2	12
11	4	44	17	1	17
12	68	816	24	3	72
13	5	65	48	1	48
14	7	98	60	1	60
15	8	120	Total	8	209
16	2	32	Average (months)		26.1
17	2	34	<i>Females</i>		
18	33	594	1	1	1
19	1	19	2	1	2
20	4	80	3	6	18
21	1	21	4	3	12
22	2	44	5	6	30
23	1	23	6	25	150
24	52	1,248	7	4	28
26	1	26	8	4	32
27	2	54			
28	1	28			
30	5	150			
32	3	96			
33	2	66			
36	22	792			

*Cancer Mortality of Chicago—1925*

**Table 8 (N) Known Duration of Disease According to Organs and Parts—  
Continued**

<i>BREAST—Females (Continued)</i>			<i>BREAST—Females (Continued)</i>		
Duration (MONTHS)	Number	Aggregate	Duration (MONTHS)	Number	Aggregate
9	6	54	18	1	18
10	3	30	60	1	60
11	3	33	Total	7	117
12	31	372	Average (months)		16.7
13	2	26			
14	5	70			
15	2	30			
16	4	64			
17	2	34			
18	17	306			
20	3	60			
21	2	42			
24	43	1032			
25	1	25			
26	1	26			
27	3	81			
30	7	210			
35	1	35			
36	16	576			
37	1	37			
38	2	76			
39	2	78			
42	1	42			
48	3	144			
54	4	216			
60	10	600			
66	1	66			
72	5	360			
84	3	252			
108	2	216			
120	3	360			
132	1	132			
144	1	144			
Total	241	6,102			
Average (months)		25.3			
Unknown	8				
Grand total	249				

<i>LARYNX</i>			<i>LARYNX</i>		
Duration (MONTHS)	Number	Aggregate	Duration (MONTHS)	Number	Aggregate
1	1	1	1	1	1
3	3	9	3	3	9
4	3	12	4	3	12
5	3	15	5	3	15
6	8	48	6	8	48
7	2	14	7	2	14
8	1	8	8	1	8
9	3	27	9	3	27
10	1	10	10	1	10
12	7	84	12	7	84
13	1	13	13	1	13
14	1	14	14	1	14
15	1	15	15	1	15
16	1	16	16	1	16
18	4	72	18	4	72
20	1	20	20	1	20
22	1	22	22	1	22
24	8	192	24	8	192
36	2	72	36	2	72
96	1	96	96	1	96
Total	53	760	Total	53	760
Average (months)		14.3	Average (months)		14.3
Unknown	4		Unknown	4	
Grand total	57		Grand total	57	

<i>SKIN</i>			<i>SKIN</i>		
Duration (MONTHS)	Number	Aggregate	Duration (MONTHS)	Number	Aggregate
3	1	3	2	1	2
4	2	8	3	1	3
14	1	14	5	2	10
96	1	96	6	1	6
Total	5	121	12	1	12
Average (months)		24.2	24	1	24
			Total	7	57
			Average (months)		8.1

<i>SKIN</i>			<i>LUNG</i>		
Duration (MONTHS)	Number	Aggregate	Duration (MONTHS)	Number	Aggregate
2	1	2	3	4	12
3	1	3	4	2	8
9	1	9	5	2	10
10	1	10	6	9	54
15	1	15	7	2	14
			8	4	32
			10	1	10
			12	4	48

*Cancer Mortality of Chicago—1925*

**Table 8 (N) Known Duration of Disease According to Organs and Parts—  
Continued**

*LUNG—Males (Continued)*

Duration (MONTHS)	Number	Aggregate
15	1	15
18	1	18
24	2	48
Total	32	269
Average (months)		8.4
Unknown	2	
Grand total	34	

*Females*

1	1	1
3	4	12
4	4	16
5	2	10
6	3	18
8	2	16
12	5	60
18	1	18
24	2	48
54	1	54
Total	25	253
Average (months)		10.1

*PANCREAS*

*Males*

1	2	2
2	6	12
3	4	12
4	4	16
5	3	15
6	9	54
8	4	32
9	1	9
10	2	20
11	1	11
12	8	96
13	2	26
14	1	14
18	1	18
24	2	48
36	1	36
Total	51	421
Average (months)		8.3
Unknown	2	
Grand total	53	

*Females*

2	1	2
3	5	15
4	1	4
5	2	10
6	9	54
7	1	7

Duration (MONTHS)	Number	Aggregate
8	3	24
9	1	9
11	1	11
12	6	72
18	2	36
24	5	120
26	1	26
36	2	72
60	1	60
Total	41	522
Average (months)		12.7

*KIDNEY*

*Males*

2	1	2
3	1	3
4	1	4
5	1	5
6	7	42
7	1	7
8	1	8
12	2	24
13	1	13
24	3	72
36	3	108
60	1	60
Total	23	348
Average (months)		15.1
Unknown	3	
Grand total	26	

*Females*

1	1	1
3	1	3
6	3	18
8	1	8
12	2	24
14	1	14
17	1	17
24	3	72
36	1	36
Total	14	193
Average (months)		13.8
Unknown	1	
Grand total	15	

*BLADDER*

*Males*

2	2	4
3	2	6
4	3	12
6	10	60
8	9	72

*Cancer Mortality of Chicago—1925*

**Table 3 (N) Known Duration of Disease According to Organs and Parts—  
Continued**

<i>BLADDER—Males (Continued)</i>			<i>BONES</i>		
Duration (MONTHS)	Number	Aggregate	Duration (MONTHS)	<i>Males</i> Number	Aggregate
9	1	9	2	1	2
10	5	50	3	5	15
11	1	11	4	1	4
12	28	336	5	1	5
14	1	14	6	3	18
15	2	30	8	2	16
18	6	108	12	3	36
22	1	22	14	1	14
24	15	360	16	1	16
25	1	25	18	4	72
26	1	26	24	4	96
28	1	28	36	1	36
36	4	144	72	2	144
42	1	42	96	1	96
48	1	48	100	1	100
62	1	62	600	1	600
Total	96	1,469	Total	32	1,270
Average (months)		15.3	Average (months)		39.7
Unknown	3				
Grand total	99				
	<i>Females</i>			<i>Females</i>	
1	1	1	1	2	2
2	2	2	2	1	2
4	1	4	3	3	9
6	2	12	4	1	4
8	3	24	5	2	10
9	2	18	6	4	24
10	1	10	7	1	7
12	8	96	12	7	84
14	2	28	13	1	13
15	1	15	16	1	16
24	6	144	18	1	18
30	1	30	24	8	192
48	1	48	36	5	180
60	2	120	120	1	120
72	1	72	180	1	180
Total	33	624	Total	39	861
Average (months)		18.9	Average (months)		22.0
Unknown	2		Unknown	2	
Grand total	35		Grand total	41	
			<i>HEART</i>		
<i>BRAIN</i>				<i>Males</i>	
Unknown	1		4	1	4
	<i>Females</i>		12	1	12
3	2	6	24	1	24
6	1	6	36	1	36
9	1	9	Total	4	76
12	1	12	Average (months)		19.0
Total	5	33			
Average (months)		6.6	<i>PROSTATE</i>		
				<i>Males</i>	
			1	2	2
			2	2	4
			3	4	12



*Cancer Mortality of Chicago—1925*

**Table 8 (O) Death Rates by Organs and Parts—Continued**

Parts	Total	Rate	Males	Rate	Females	Rate
Head .....	2	.1	2	.1	—	—
Tonsil .....	15	.5	11	.7	4	.3
Cheek .....	6	.2	5	.3	1	.1
Palate .....	4	.1	2	.1	2	.1
Pharynx .....	12	.4	9	.6	3	.2
Oesophagus .....	128	4.3	105	6.9	23	1.6
Stomach .....	790	26.4	453	29.8	337	22.3
Liver and gall bladder.....	305	10.2	130	8.6	175	11.9
Mesentery and peritoneum	18	.6	4	.3	14	1.2
Intestines .....	290	9.7	126	8.3	164	11.0
Rectum .....	155	5.2	77	5.1	78	5.3
Ovary .....	50	1.7	—	—	50	3.4
Uterus .....	385	12.9	—	—	385	26.1
Vulva and vagina.....	10	.3	—	—	10	.7
Others of this class.....	2	.1	—	—	2	.1
Breast .....	257	8.6	8	.5	249	16.9
Skin .....	12	.4	5	.3	7	.5
Larynx .....	64	2.1	57	3.8	7	.5
Lung .....	59	2.0	34	2.2	25	1.7
Pancreas .....	94	3.1	53	3.5	41	2.8
Kidney .....	41	1.4	26	1.7	15	1.0
Bladder .....	134	4.5	99	6.5	35	2.4
Brain .....	6	.2	1	.1	5	.3
Bone .....	73	2.4	32	2.1	41	2.8
Heart .....	4	.1	4	.3	—	—
Prostate .....	109	3.6	109	7.2	—	—
Penis .....	3	.1	3	.2	—	—
Testes .....	11	.4	11	.7	—	—
General .....	22	.7	7	.5	15	1.0
Total.....	3,217	107.4	1,496	98.5	1,721	116.5

**Table 8 (P)**

**Death Rates by Treatment by Operation**

**Rates per 100,000**

	Total	Rate	Males	Rate	Females	Rate
Yes .....	1,219	40.7	545	35.9	674	45.6
No .....	1,905	63.6	903	59.5	1,002	67.9
Known method.....	3,124	104.3	1,448	95.3	1,676	113.5
Unknown .....	93	3.1	48	3.2	45	3.0
Total .....	3,217	107.4	1,496	98.5	1,721	116.5

**Table 8 (Q)**

**Death Rates by Autopsy Disposition**

**Rates per 100,000**

	Total	Rate	Males	Rate	Females	Rate
Yes .....	251	8.4	155	10.2	96	6.5
No .....	2,857	95.4	1,280	84.3	1,577	106.8
Known method.....	3,108	103.8	1,435	94.5	1,673	113.3
Unknown .....	109	3.6	61	4.0	48	3.2
Total .....	3,217	107.4	1,496	98.5	1,721	116.5

*Cancer Mortality of Chicago—1925*

**Table 8 (R)**

**Method of Diagnosis**

	Total	Per cent.	Males	Per cent.	Females	Per cent.
No test.....	71	2.21	22	1.47	49	2.85
Clinical .....	1,678	52.16	733	49.00	945	54.91
Microscopic .....	181	5.63	94	6.28	87	5.06
Laboratory .....	149	4.63	56	3.74	93	5.40
Operation .....	321	9.98	148	9.89	173	10.05
Autopsy .....	209	6.50	141	9.43	68	3.95
X-ray .....	266	8.27	145	9.69	121	7.03
Clinical and laboratory...	291	9.04	132	8.82	159	9.24
Histological .....	1	.03	1	.07	—	—
Pathological .....	37	1.15	20	1.34	17	.99
Biopsy .....	11	.34	3	.20	8	.46
Necropsy findings.....	2	.06	1	.07	1	.06
<b>Total .....</b>	<b>3,217</b>	<b>100.00</b>	<b>1,496</b>	<b>100.00</b>	<b>1,721</b>	<b>100.00</b>

**Table 8 (S)**

**Length of Residence at Place of Death**

Days	Total	Aggregate	Males	Aggregate	Females	Aggregate
1	3	3	2	2	1	1
2	3	6	3	6	0	0
3	5	15	3	9	2	6
4	4	16	3	12	1	4
5	5	25	3	15	2	10
6	4	24	3	18	1	6
7	10	70	4	28	6	42
8	3	24	1	8	2	16
9	3	27	1	9	2	18
10	3	30	2	20	1	10
11	1	11	0	0	1	11
12	4	48	4	48	0	0
13	3	39	1	13	2	26
14	5	70	2	28	3	42
15	3	45	0	0	3	45
16	0	0	0	0	0	0
17	0	0	0	0	0	0
18	3	54	0	0	3	54
19	1	19	0	0	1	19
20	1	20	0	0	1	20
21	0	0	0	0	0	0
22	1	22	0	0	1	22
23	1	23	0	0	1	23
24	0	0	0	0	0	0
25	1	25	0	0	1	25
26	0	0	0	0	0	0
27	0	0	0	0	0	0
28	0	0	0	0	0	0
29	0	0	0	0	0	0
30	0	0	0	0	0	0
<b>Total</b>	<b>67</b>	<b>616 (days)</b>	<b>32</b>	<b>216 (days)</b>	<b>35</b>	<b>400 (days)</b>

*Cancer Mortality of Chicago—1925*

**Table 8 (S) Length of Residence at Place of Death—Continued**

Months	Total	Aggregate	Males	Aggregate	Females	Aggregate
1	40	40	25	25	15	15
2	16	32	10	20	6	12
3	17	51	8	24	9	27
4	12	48	4	16	8	32
5	5	25	2	10	3	15
6	9	54	2	12	7	42
7	5	35	0	0	5	35
8	4	32	1	8	3	24
9	2	18	0	0	2	18
10	4	40	2	20	2	20
11	1	11	0	0	1	11
Total	115	386 (mths.)	54	135 (mths.)	61	251 (mths.)

Years	Total	Aggregate	Males	Aggregate	Females	Aggregate
1	39	39	20	20	19	19
2	76	152	31	62	45	90
3	51	153	19	57	32	96
4	45	180	26	104	19	76
5	44	220	19	95	25	125
6	40	240	19	114	21	126
7	25	175	11	77	14	98
8	32	256	15	120	17	136
9	17	153	7	63	10	90
10	51	510	22	220	29	290
11	18	198	9	99	9	99
12	44	528	17	204	27	324
13	22	286	9	117	13	169
14	22	308	8	112	14	196
15	75	1,125	33	495	42	630
16	26	416	12	192	14	224
17	35	595	18	306	17	289
18	45	810	21	378	24	432
19	33	627	13	247	20	380
20	111	2,220	45	900	66	1,320
21	29	609	13	273	16	336
22	38	836	17	374	21	462
23	34	782	16	368	18	414
24	31	744	15	360	16	384
25	103	2,575	43	1,075	60	1,500
26	16	416	6	156	10	260
27	24	648	7	189	17	459
28	27	756	8	224	19	532
29	17	493	3	87	14	406
30	169	5,070	96	2,880	73	2,190
31	22	682	9	279	13	403
32	70	2,240	28	896	42	1,344
33	56	1,848	22	726	34	1,122
34	38	1,292	15	510	23	782
35	173	6,055	88	3,080	85	2,975
36	45	1,620	23	828	22	792
37	39	1,443	19	703	20	740
38	58	2,204	24	912	34	1,292
39	37	1,443	21	819	16	624
40	200	8,000	101	4,040	99	3,960
41	39	1,599	23	943	16	656
42	48	2,016	24	1,008	24	1,008
43	41	1,763	23	989	18	774
44	44	1,936	29	1,276	15	660

*Cancer Mortality of Chicago—1925*

**Table 8 (S) Length of Residence at Place of Death—Continued**

Years	Total	Aggregate	Males	Aggregate	Females	Aggregate
45	110	4,950	57	2,565	53	2,385
46	21	966	11	506	10	460
47	24	1,128	8	376	16	752
48	21	1,008	8	384	13	624
49	20	980	12	588	8	392
50	127	6,350	58	2,900	69	3,450
51	20	1,020	7	357	13	663
52	23	1,196	9	468	14	728
53	26	1,378	12	636	14	742
54	31	1,674	14	756	17	818
55	35	1,925	15	825	20	1,100
56	21	1,176	8	448	13	728
57	10	570	6	342	4	228
58	20	1,160	8	464	12	696
59	14	826	5	295	9	531
60	50	3,000	25	1,500	25	1,500
61	10	610	5	305	5	305
62	13	806	6	372	7	434
63	9	567	5	315	4	252
64	10	640	3	192	7	448
65	15	975	6	390	9	585
66	7	462	1	66	6	396
67	8	536	7	469	1	67
68	7	476	3	204	4	272
69	1	69	0	0	1	69
70	10	700	4	280	6	420
71	6	426	2	142	4	284
72	1	72	0	0	1	72
73	5	365	1	73	4	292
74	2	148	1	74	1	74
75	3	225	1	75	2	150
85	1	85	0	0	1	85
Total	2,930	92,730 (yrs.)	1,355	43,344 (yrs.)	1,575	49,386 (yrs.)
	182	34	86	12	96	22
Total	3,112	92,764	1,441	43,356	1,671	49,408
Average		29.8		30.1		29.6
Unknown	105		55		50	
Grand total	3,217		1,496		1,721	

**Table 9 (A)**  
**CANCER MORTALITY OF MONTREAL—1909-1925**

**By Sex**

	Males and Females	Males	Females	Not Entered
1909.....	257	97	160	—
1910.....	274	106	168	18
1911.....	298	124	174	11
1912.....	320	134	186	11
1913.....	320	123	197	10
1914.....	342	156	186	5
1915.....	387	161	226	—
1916.....	367	152	215	2
1917.....	405	159	246	—
1918.....	437	177	260	—
1919.....	432	175	257	—
1920.....	457	193	264	2
1921.....	462	180	282	—
1922.....	487	231	256	2
1923.....	537	218	319	22
1924.....	544	246	298	2
1925.....	602	256	346	3
Total.....	6,928	2,888	4,040	88

**Table 9 (B)**

**Single Years of Life**

Age	Males and Females		Males		Females	
	Number	Total Years of Life	Number	Total Years of Life	Number	Total Years of Life
0	8	0	5	0	3	0
1	1	1	—	—	1	1
2	3	6	2	4	1	2
3	4	12	3	9	1	3
4	5	20	2	8	3	12
5	3	15	1	5	2	10
6	3	18	2	12	1	6
7	1	7	1	7	—	—
8	1	8	1	8	—	—
9	2	18	1	9	1	9
10	1	10	1	10	—	—
11	2	22	1	11	1	11
12	1	12	—	—	1	12
13	1	13	1	13	—	—
14	—	—	—	—	—	—
15	3	45	2	30	1	15
16	8	128	2	32	6	96
17	1	17	1	17	—	—
18	4	72	2	36	2	36
19	9	171	6	114	3	57
20	6	120	4	80	2	40
21	11	231	8	168	3	63
22	2	44	1	22	1	22
23	6	138	4	92	2	46
24	6	144	5	120	1	24
25	7	175	1	25	6	150

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (B) Single Years of Life—Continued**

Age	Males and Females		Males		Females	
	Number	Total Years of Life	Number	Total Years of Life	Number	Total Years of Life
26	20	520	4	104	16	416
27	14	378	6	162	8	216
28	15	420	4	112	11	308
29	27	783	5	145	22	638
30	23	690	4	120	19	570
31	25	775	7	217	18	558
32	26	832	10	320	16	512
33	32	1,056	10	330	22	726
34	39	1,326	12	408	27	918
35	38	1,330	14	490	24	840
36	46	1,656	10	360	36	1,296
37	49	1,813	17	629	32	1,184
38	77	2,926	22	836	55	2,090
39	65	2,535	21	819	44	1,716
40	88	3,520	20	800	68	2,720
41	70	2,870	20	820	50	2,050
42	105	4,410	30	1,260	75	3,150
43	95	4,085	25	1,075	70	3,010
44	85	3,740	34	1,496	51	2,244
45	126	5,670	48	2,160	78	3,510
46	107	4,922	34	1,564	73	3,358
47	140	6,580	46	2,162	94	4,418
48	144	6,912	52	2,496	92	4,416
49	140	6,860	49	2,401	91	4,459
50	202	10,100	73	3,650	129	6,450
51	131	6,681	52	2,652	79	4,029
52	200	10,400	77	4,004	123	6,396
53	170	9,010	74	3,922	96	5,088
54	165	8,910	61	3,294	104	5,616
55	152	8,360	70	3,850	82	4,510
56	173	9,688	81	4,536	92	5,152
57	183	10,431	89	5,073	94	5,358
58	196	11,368	76	4,408	120	6,960
59	187	11,033	83	4,897	104	6,136
60	202	12,120	83	4,980	119	7,140
61	167	10,187	68	4,148	99	6,039
62	224	13,888	108	6,696	116	7,192
63	192	12,096	81	5,103	111	6,993
64	213	13,632	91	5,824	122	7,808
65	213	13,845	116	7,540	97	6,305
66	178	11,748	89	5,874	89	5,874
67	194	12,998	94	6,298	100	6,700
68	191	12,988	80	5,440	111	7,548
69	155	10,695	71	4,899	84	5,796
70	189	13,230	84	5,880	105	7,350
71	150	10,650	73	5,183	77	5,467
72	175	12,600	82	5,904	93	6,696
73	136	9,945	64	4,672	72	5,273
74	123	9,102	56	4,144	67	4,958
75	125	9,375	62	4,650	63	4,725
76	109	8,284	53	4,028	56	4,256
77	63	4,851	35	2,695	28	2,156
78	81	6,318	32	2,496	49	3,822
79	62	4,898	27	2,133	35	2,765
80	74	5,920	37	2,960	37	2,960
81	41	3,321	24	1,944	17	1,377
82	35	2,870	14	1,148	21	1,722
83	32	2,656	13	1,079	19	1,577

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (B) Single Years of Life—Continued**

Age	Males and Females		Males		Females	
	Number	Total Years of Life	Number	Total Years of Life	Number	Total Years of Life
84	32	2,688	12	1,008	20	1,680
85	30	2,550	14	1,190	16	1,360
86	10	860	5	430	5	430
87	15	1,305	2	174	13	1,131
88	18	1,584	6	528	12	1,056
89	7	623	4	356	3	267
90	8	720	3	270	5	450
91	9	819	1	91	8	728
92	6	552	4	368	2	184
93	5	465	1	93	4	372
94	3	282	—	—	3	282
98	1	98	—	—	1	98
99	1	99	1	99	—	—
Total	6,925	405,099	2,888	172,829	4,037	232,270
Average age		58.5		59.8		57.5
Unknown	3				3	

**Table 9 (B)—Summary  
Age and Sex**

Age	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Under 10	31	0.4	18	0.6	13	0.3
10-19	30	0.4	16	0.6	14	0.3
20-29	114	1.6	42	1.5	72	1.8
30-39	420	6.1	127	4.4	293	7.3
40-49	1,100	15.9	358	12.4	742	18.4
50-59	1,759	25.4	736	25.5	1,023	25.3
60-69	1,929	27.9	881	30.5	1,048	26.0
70-79	1,213	17.5	568	19.7	645	16.0
80-89	294	4.3	131	4.5	163	4.0
90-99	33	0.5	10	0.3	23	0.6
100	2	0.03	1	0.03	1	0.02
Total	6,925	100.0	2,888	100.0	4,037	100.0

**Table 9 (C)  
Organs and Parts**

*BUCCAL CAVITY*

	Males and Females	Males	Females
Check .....	13	10	3
Jaw .....	47	43	4
Jaw and mouth.....	2	2	—
Jaw and face.....	1	—	1
Lip .....	32	29	3
Epithelioma of lip.....	1	1	—
Maxilla and glands.....	41	32	9
Mouth .....	21	19	2
Mouth and larynx.....	1	—	1
Palate .....	2	2	—
Palate and face.....	1	1	—
Palate and larynx.....	1	1	—
Soft palate.....	4	2	2
Tongue .....	132	128	4

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (C)—Organs and Parts—Continued**

<i>BUCCAL CAVITY—Continued</i>	Males and Females	Males	Females
Tongue and throat.....	9	8	1
Tongue and jaw.....	7	6	1
Tongue and larynx.....	3	3	—
Tongue and neck.....	2	2	—
Tongue and glands.....	2	2	—
Tongue and lip.....	1	1	—
Tongue and lip and cheek.....	1	1	—
Tongue and maxilla.....	1	1	—
Tongue and palate.....	1	1	—
Tonsils .....	8	7	1
<b>Total .....</b>	<b>334</b>	<b>302</b>	<b>32</b>
<i>STOMACH, LIVER, ETC.</i>			
Bile ducts.....	21	11	10
Cardia .....	2	2	—
Oesophagus .....	120	99	21
Oesophagus and stomach.....	3	3	—
Oesophagus and larynx.....	1	1	—
Gall bladder.....	30	7	23
Liver .....	492	187	305
Liver and lung.....	6	4	2
Liver and mediastinum.....	1	—	1
Liver and gall bladder.....	4	2	2
Liver and bile duct.....	1	—	1
Liver and kidney.....	2	1	1
Liver and pancreas.....	1	—	1
Liver and spleen.....	1	1	—
Liver and spine.....	1	—	1
Liver and intestines.....	5	1	4
Liver and skull.....	1	—	1
Liver and bladder.....	1	1	—
Liver and rectum.....	1	—	1
Liver and prostate.....	1	1	—
Liver and mesentery.....	1	—	1
Liver and peritoneum.....	1	1	—
Liver and caecum.....	1	—	1
Pharynx .....	22	15	7
Pylorus .....	103	55	48
Stomach .....	1,570	870	700
Stomach and liver.....	80	40	40
Stomach and intestines.....	21	9	12
Stomach and pancreas.....	4	1	3
Stomach and prostate.....	2	2	—
Stomach and kidney.....	2	1	1
Stomach and gall bladder.....	1	—	1
Stomach and pleura.....	1	1	—
Stomach and bladder.....	2	1	1
Stomach and duodenum.....	1	—	1
Stomach and rectum.....	1	1	—
Carc. ventriculi.....	4	2	2
Throat .....	137	119	18
Throat and mouth.....	2	2	—
Throat and palate.....	1	1	—
Throat and larynx.....	1	1	—
<b>Total .....</b>	<b>2,653</b>	<b>1,443</b>	<b>1,210</b>

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (C)—Organs and Parts—Continued**

<i>PERITONEUM, INTESTINES, ETC.</i>	Males and Females	Males	Females
Anus .....	2	1	1
Appendix .....	1	—	1
Cecum .....	16	6	10
Colon .....	72	36	36
Colon and appendix.....	1	1	—
Digestive tubes.....	1	1	—
Duodenum .....	37	16	21
Ileum .....	4	1	3
Intestines .....	441	175	266
Intestines and pelvis.....	1	—	1
Intestines and peritoneum.....	1	1	—
Intestines and spleen.....	1	—	1
Intestines and bladder.....	1	1	—
Mesentery .....	6	3	3
Omentum .....	4	—	4
Peritoneum .....	19	11	8
Sigmoid .....	36	12	24
Rectum .....	131	61	70
Rectum and intestines.....	77	35	42
Rectum and prostate.....	1	1	—
Rectum and colon.....	1	—	1
Retro—Peritoneum .....	6	3	3
Total .....	860	365	495
 <i>FEMALE GENITAL ORGANS</i>			
Uterus .....	—	—	889
Uterus and bladder.....	—	—	8
Uterus and breast.....	—	—	2
Uterus and intestines.....	—	—	5
Uterus and liver.....	—	—	2
Uterus and ovaries.....	—	—	4
Uterus and pelvis.....	—	—	1
Uterus and vagina.....	—	—	2
Uterus and rectum.....	—	—	6
Uterus and stomach.....	—	—	2
Uterus and annex.....	—	—	4
Ovaries .....	—	—	40
Ovaries and liver.....	—	—	1
Vagina .....	—	—	8
Vagina and bladder.....	—	—	1
Vulva .....	—	—	5
Pleura .....	—	—	1
Clitoris .....	—	—	1
Genitalia .....	—	—	5
Total .....	—	—	987
 <i>BREAST</i>			
Breast .....	545	4	541
Breast and stomach.....	3	—	3
Breast and liver.....	8	—	8
Breast and lung.....	5	—	5
Breast and neck.....	1	—	1
Breast and throat.....	1	—	1
Breast and intestines.....	1	—	1
Total .....	564	4	560

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (C)—Organs and Parts—Continued**

<i>SKIN</i>	Males and Females	Males	Females
Chin .....	1	1	—
Ear .....	4	2	2
Face .....	113	72	41
Forehead .....	2	—	2
Nose .....	6	3	3
Scalp .....	2	1	1
Epithelioma .....	3	1	2
Rodent ulcer.....	2	2	—
Unknown .....	2	—	2
<b>Total .....</b>	<b>135</b>	<b>82</b>	<b>53</b>
 <i>OTHER OR UNSPECIFIED ORGANS</i>			
Abdominal .....	69	20	49
Adrenal .....	3	3	—
Arm .....	6	2 (1 Elbow)	4
Axilla .....	5	2	3
Bladder .....	109	63	46
Bladder and prostate.....	2	2	—
Bones .....	8	7	1
Femur .....	9	1	8
Tibia .....	2	—	2
Mastoid .....	1	1	—
Humerus .....	1	1	—
Pubis .....	1	—	1
Ethmoid .....	1	—	1
Brain .....	13	7	6
Bronchi .....	3	1	2
Cervical glands.....	21	17	4
Chest .....	3	1	2
Eye .....	16	6	10
Genitals .....	3	3	—
Glands .....	12	8	4
Groin .....	4	2	2
Hand .....	1	—	1
Heart .....	1	1	—
Hip .....	10	5	5
Iliac region.....	2	1	1
Kidney .....	46	22	24
Larynx .....	72	62	10
Larynx and testicles.....	1	1	—
Leg .....	35	21	14
Lung .....	55	26	29
Mediastinum .....	19	14	5
Post-Naris .....	1	—	1
Naso-Pharynx .....	1	1	—
Neck .....	47	37	10
Neck and face.....	2	2	—
Neck and jaw.....	1	1	—
Pancreas .....	82	41	41
Parotid gland.....	6	5	1
Pelvis .....	28	5	23
Penis .....	7	7	—
Perineum .....	3	3	—
Prostate .....	93	93	—
Prostate and rectum.....	2	2	—
Prostate and bladder.....	2	2	—
Sacrum .....	5	3	2

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (C)—Organs and Parts—Continued**

	Males and Females		Males	Females
	Deaths	Per Cent.	Deaths	Per Cent.
Scapula .....	2		1	1
Scrotum .....	2		2	—
Shoulder .....	14		6	8
Spinal .....	19		6	13
Spleen .....	7		2	5
Sternum .....	1		1	—
Testicles .....	4		4	—
Thorax .....	7		2	5
Thigh .....	8		5	3
Thyroid .....	19		3	16
Trachea .....	1		1	—
Ureter .....	1		1	—
Urethra .....	1		—	1
Lympho-sarcoma .....	1		1	—
Osteo-sarcoma .....	3		1	2
Sarcoma .....	7		—	7
Dura-mater (brain).....	1		1	—
Mele-sarcoma .....	1		1	—
Myelo-sarcoma (bone marrow)...	1		1	—
Melanigie .....	1		1	—
Respiratory tract.....	1		1	—
Carcinomatosis .....	23		5	18
General and diffused.....	72		17	55
Unknown .....	384		127	257
<b>Total .....</b>	<b>1,395</b>		<b>692</b>	<b>703</b>
<b>Grand total.....</b>	<b>6,928</b>		<b>2,888</b>	<b>4,040</b>

**Table 9 (C)—Summary**

**Organs and Parts**

Organs or Parts	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Buccal cavity.....	334	4.8	302	10.5	32	0.8
Stomach, liver, etc.....	2,653	38.3	1,443	50.0	1,210	29.9
Peritoneum, intestines, etc...	860	12.4	365	12.6	495	12.3
Female genital organs.....	987	14.3	—	—	987	24.4
Breast .....	564	8.1	4	0.1	560	13.9
Skin .....	135	2.0	82	2.8	53	1.3
Unspecified or unknown.....	1,395	20.1	692	24.0	703	17.4
<b>Total.....</b>	<b>6,928</b>	<b>100.0</b>	<b>2,888</b>	<b>100.0</b>	<b>4,040</b>	<b>100.0</b>

**Table 9 (D)**

**Racial Origin**

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
French Canadian.....	3,968	57.3	1,578	54.6	2,390	59.2
United States.....	40	0.6	11	0.4	29	0.7
England and Wales.....	888	12.8	372	12.9	516	12.8
Irish .....	887	12.8	345	12.0	542	13.4
Scotch .....	459	6.6	193	6.7	266	6.6
Germans .....	28	0.4	12	0.4	16	0.4
Jews .....	348	5.0	180	6.2	168	4.2
Italians .....	72	1.0	48	1.7	24	0.6

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (D) Racial Origin—Continued**

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
French .....	64	0.9	34	1.2	30	0.7
Greeks .....	14	0.2	11	0.4	3	0.1
Spanish .....	2	0.03	—	—	2	0.05
Belgians .....	28	0.4	16	0.6	12	0.3
Dutch .....	2	0.03	1	0.03	1	0.02
Swiss .....	8	0.1	4	0.1	4	0.1
Austrian .....	19	0.3	15	0.5	4	0.1
Hungarians .....	2	0.03	—	—	2	0.05
Roumanians .....	5	0.1	3	0.1	2	0.05
Russians .....	13	0.2	7	0.2	6	0.1
Ukrainians .....	2	0.03	2	0.1	—	—
Lithuanians .....	9	0.1	6	0.2	3	0.1
Poles .....	20	0.3	15	0.5	5	0.1
Swedes .....	4	0.1	4	0.1	—	—
Norwegians .....	3	0.04	3	0.1	—	—
Danes .....	3	0.04	1	0.03	2	0.05
Syrians .....	12	0.2	6	0.2	6	0.1
Chinese .....	11	0.2	11	0.4	—	—
Colored .....	5	0.1	3	0.1	2	0.05
Not given.....	12	0.2	7	0.2	5	0.1
Total.....	6,928	100.0	2,888	100.0	4,040	100.0

**Table 9 (E)**

**Racial Origin by Organs and Parts**

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
<i>JAW</i>						
French Canadians.....	24	51.1	23	53.5	1	25.0
Others .....	23	48.9	20	46.5	3	75.0
<i>LIP</i>						
French Canadians.....	25	78.1	24	82.8	1	33.3
Others .....	7	21.9	5	17.2	2	66.7
<i>MAXILLARY</i>						
French Canadians.....	27	65.9	20	62.5	7	77.8
Others .....	14	34.1	12	37.5	2	22.2
<i>MOUTH</i>						
French Canadians.....	16	76.2	14	73.7	2	100.0
Others .....	5	23.8	5	26.3	0	0
<i>TONGUE</i>						
French Canadians.....	81	61.4	79	61.7	2	50.0
Others .....	51	38.6	49	38.3	2	50.0
<i>BILE DUCTS</i>						
French Canadians.....	12	57.1	6	54.5	6	60.0
Others.....	9	42.9	5	45.5	4	40.0
<i>OESOPHAGUS</i>						
French Canadians.....	41	34.2	37	37.4	4	19.0
Others .....	79	65.8	62	62.6	17	81.0
<i>GALL BLADDER</i>						
French Canadians.....	2	6.7	0	0	2	8.7
Others .....	28	93.3	7	100.0	21	91.3

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (E) Racial Origin by Organs and Parts—Continued**

<i>LIVER</i>	Race	Males and Females		Males		Females	
		Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
	French Canadians.....	314	63.8	119	63.6	195	63.9
	Others .....	178	36.2	68	36.4	110	36.1
<i>PHARYNX</i>							
	French Canadians.....	11	50.0	9	60.0	2	28.6
	Others .....	11	50.0	6	40.0	5	71.4
<i>PYLORUS</i>							
	French Canadians.....	48	46.6	41	74.5	7	14.6
	Others .....	55	53.4	14	25.5	41	85.4
<i>STOMACH</i>							
	French Canadians.....	951	60.6	511	58.7	440	62.9
	Others .....	619	39.4	359	41.3	260	37.1
<i>STOMACH AND LIVER</i>							
	French Canadians.....	33	41.3	15	37.5	18	45.0
	Others .....	47	58.7	25	62.5	22	55.0
<i>STOMACH AND INTESTINES</i>							
	French Canadians.....	11	52.4	6	66.7	5	41.7
	Others .....	10	47.6	3	33.3	7	58.3
<i>COLON</i>							
	French Canadians.....	32	44.4	13	36.1	19	52.8
	Others .....	40	55.6	23	63.9	17	47.2
<i>DUODENUM</i>							
	French Canadians.....	32	86.5	14	87.5	18	85.7
	Others .....	5	13.5	2	12.5	3	14.3
<i>INTESTINES</i>							
	French Canadians.....	252	57.1	98	56.0	154	57.9
	Others .....	189	42.9	77	44.0	112	42.1
<i>THROAT</i>							
	French Canadians.....	106	77.4	92	77.3	14	77.8
	Others .....	31	22.6	27	22.7	4	22.2
<i>SIGMOID</i>							
	French Canadians.....	9	25.0	1	8.3	8	33.3
	Others .....	27	75.0	11	91.7	16	66.7
<i>RECTUM</i>							
	French Canadians.....	51	38.9	24	39.3	27	38.6
	Others .....	80	61.1	37	60.7	43	61.4
<i>RECTUM AND INTESTINES</i>							
	French Canadians.....	34	44.2	14	37.8	20	47.6
	Others .....	43	55.8	21	62.2	22	52.4
<i>UTERUS</i>							
	French Canadians.....	—	—	—	—	597	67.2
	Others .....	—	—	—	—	292	32.8

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (E) Racial Origin by Organs and Parts—Continued**

<i>OVARIES</i>		Males and Females		Deaths	Males		Females	
		Deaths	Per Cent.		Per Cent.	Deaths	Per Cent.	
Race								
French Canadians.....		—	—	—	—	—	11	27.5
Others .....		—	—	—	—	—	29	72.5
<i>BREAST</i>								
French Canadians.....		315	57.8	3	75.0	312	57.7	
Others .....		230	42.2	1	25.0	229	42.3	
<i>FACE</i>								
French Canadians.....		81	71.7	53	73.6	28	68.3	
Others .....		32	28.3	19	26.4	13	31.7	
<i>ABDOMINAL</i>								
French Canadians.....		26	37.7	8	40.0	18	36.7	
Others .....		43	62.3	12	60.0	31	63.3	
<i>BLADDER</i>								
French Canadians.....		51	46.8	29	46.0	22	47.8	
Others .....		58	53.2	34	54.0	24	52.2	
<i>BONES</i>								
French Canadians.....		8	34.8	4	40.0	4	30.8	
Others .....		15	65.2	6	60.0	9	69.2	
<i>CERVICAL</i>								
French Canadians.....		7	33.3	5	29.4	2	50.0	
Others .....		14	66.7	12	70.6	2	50.0	
<i>KIDNEY</i>								
French Canadians.....		23	50.0	10	45.5	13	54.2	
Others .....		23	50.0	12	54.5	11	45.8	
<i>LARYNX</i>								
French Canadians.....		31	43.1	29	46.8	2	20.0	
Others .....		41	56.9	33	53.2	8	80.0	
<i>LEGS</i>								
French Canadians.....		19	54.3	12	57.1	7	50.0	
Others .....		16	45.7	9	42.9	7	50.0	
<i>LUNGS</i>								
French Canadians.....		28	50.9	9	34.6	19	65.5	
Others .....		27	49.1	17	65.4	10	34.5	
<i>NECK</i>								
French Canadians.....		25	53.2	19	51.4	6	60.0	
Others .....		22	46.8	18	48.6	4	40.0	
<i>PANCREAS</i>								
French Canadians.....		44	53.7	20	48.8	24	58.5	
Others .....		38	46.3	21	51.2	17	41.5	
<i>PELVIS</i>								
French Canadians.....		6	21.4	2	40.0	4	17.4	
Others .....		22	78.6	3	60.0	19	82.6	
<i>PROSTATE</i>								
French Canadians.....		—	—	37	39.8	—	—	
Others .....		—	—	56	60.2	—	—	

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F)**

**Racial Origin by Organs and Parts**

<i>JAW</i>	Race	Males and Females		Males		Females	
		Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
	French Canadians.....	24	51.1	23	53.5	1	25.0
	English and Welsh.....	6	12.8	5	11.6	1	25.0
	Irish .....	10	21.3	9	21.0	1	25.0
	Scotch .....	1	2.1	1	2.3	—	—
	Jews .....	1	2.1	1	2.3	—	—
	Italians .....	1	2.1	1	2.3	—	—
	Others .....	4	8.5	3	7.0	1	25.0
	<b>Total .....</b>	<b>47</b>	<b>100.0</b>	<b>43</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>
<i>LIP</i>							
	French Canadians.....	25	78.1	24	82.8	1	33.3
	Irish .....	5	15.6	3	10.4	2	66.7
	Italians .....	2	6.3	2	6.8	—	—
	<b>Total .....</b>	<b>32</b>	<b>100.0</b>	<b>29</b>	<b>100.0</b>	<b>3</b>	<b>100.0</b>
<i>MAXILLARY</i>							
	French Canadians.....	27	65.9	20	62.5	7	77.8
	English and Welsh.....	1	2.4	1	3.1	—	—
	Irish .....	8	19.5	8	25.0	—	—
	Scotch .....	1	2.4	—	—	1	11.1
	Italians .....	1	2.4	1	3.1	—	—
	French .....	1	2.4	1	3.1	—	—
	Others .....	2	4.9	1	3.1	—	—
	<b>Total .....</b>	<b>41</b>	<b>100.0</b>	<b>32</b>	<b>100.0</b>	<b>9</b>	<b>100.0</b>
<i>MOUTH</i>							
	French Canadians.....	16	76.2	14	73.7	2	100.0
	English and Welsh.....	2	9.5	2	10.5	—	—
	Irish .....	2	9.5	2	10.5	—	—
	Scotch .....	1	4.8	1	5.3	—	—
	<b>Total .....</b>	<b>21</b>	<b>100.0</b>	<b>19</b>	<b>100.0</b>	<b>2</b>	<b>100.0</b>
<i>TONGUE</i>							
	French Canadians.....	81	61.4	79	61.7	2	50.0
	English and Welsh.....	20	15.2	19	14.8	1	25.0
	Irish .....	19	14.4	19	14.8	—	—
	Scotch .....	10	7.6	9	7.0	1	25.0
	Italians .....	1	0.7	1	8.0	—	—
	Others .....	1	0.7	1	8.0	—	—
	<b>Total .....</b>	<b>132</b>	<b>100.0</b>	<b>128</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>
<i>BILE DUCTS</i>							
	French Canadians.....	12	57.1	6	54.5	6	60.0
	English and Welsh.....	2	9.5	—	—	2	20.0
	Scotch .....	2	9.5	1	9.1	1	10.0
	Jews .....	3	14.3	2	18.2	1	10.0
	French .....	1	4.8	1	9.1	—	—
	Others .....	1	4.8	1	9.1	—	—
	<b>Total .....</b>	<b>21</b>	<b>100.0</b>	<b>11</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

*OESOPHAGUS*

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
French Canadians.....	41	34.2	37	37.4	4	19.0
English and Welsh.....	29	24.2	26	26.3	3	14.3
Irish .....	20	16.7	15	15.1	5	23.8
Scotch .....	11	9.2	8	8.1	3	14.3
Jews .....	16	13.3	10	10.1	6	28.6
French .....	1	0.8	1	1.0	—	—
Others .....	2	1.6	2	2.0	—	—
Total .....	120	100.0	99	100.0	21	100.0

*GALL BLADDER*

French Canadians .....	2	6.7	—	—	2	8.7
English and Welsh.....	7	23.3	—	—	7	30.4
Irish .....	7	23.3	1	14.3	6	26.1
Scotch .....	4	13.3	1	14.3	3	13.0
Jews .....	7	23.3	3	42.8	4	17.4
Others .....	3	10.0	2	28.6	1	4.4
Total .....	30	100.0	7	100.0	23	100.0

*LIVER*

French Canadians.....	314	63.8	119	63.6	195	63.9
English and Welsh.....	45	9.2	15	8.0	30	9.8
Irish .....	44	9.0	9	4.8	35	11.4
Scotch .....	28	5.7	14	7.5	14	4.6
Jews .....	34	6.9	13	7.0	21	6.9
Italians .....	7	1.4	5	2.7	2	0.7
French .....	7	1.4	5	2.7	2	0.7
Russians .....	3	0.6	1	0.5	2	0.7
Poles .....	1	0.2	1	0.5	—	—
Syrians .....	2	0.4	1	0.5	1	0.3
Chinese .....	2	0.4	2	1.1	—	—
Others .....	5	1.0	2	1.1	3	1.0
Total .....	492	100.0	187	100.0	305	100.0

*PHARYNX*

French Canadians.....	11	50.0	9	60.0	2	28.6
English and Welsh.....	4	18.2	2	13.3	2	28.6
Irish .....	1	4.5	—	—	1	14.3
Scotch .....	5	22.8	4	26.7	1	14.3
Others .....	1	4.5	—	—	1	14.3
Total .....	22	100.0	15	100.0	7	100.0

*PYLORUS*

French Canadians.....	82	79.6	41	74.5	41	85.4
English and Welsh.....	3	2.9	2	3.6	1	2.1
Irish .....	10	9.7	6	10.9	4	8.3
Scotch .....	2	1.9	—	—	2	4.2
Jews .....	2	1.9	2	3.6	—	—
Italians .....	2	1.9	2	3.6	—	—
French .....	1	1.0	1	1.8	—	—
Others .....	1	1.0	1	1.8	—	—
Total .....	103	100.0	55	100.0	48	100.0

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
<i>STOMACH</i>						
French Canadians.....	951	60.6	511	58.7	440	62.9
English and Welsh.....	152	9.7	87	10.0	65	9.3
Irish .....	178	11.3	87	10.0	91	13.0
Scotch .....	95	6.1	54	6.2	41	5.9
Jews .....	98	6.2	58	6.7	40	5.7
Italians .....	16	1.0	13	1.5	3	0.4
French .....	15	1.0	11	1.3	4	0.6
Russians .....	6	0.4	4	0.5	2	0.3
Poles .....	7	0.4	7	0.8	—	—
Syrians .....	3	0.2	3	0.3	—	—
Chinese .....	3	0.2	3	0.3	—	—
Others .....	46	2.9	32	3.7	14	1.9
Total .....	1,570	100.0	870	100.0	700	100.0
<i>STOMACH AND LIVER</i>						
French Canadians.....	37	46.3	15	37.5	22	55.0
English and Welsh.....	11	13.8	6	15.0	5	12.5
Irish .....	14	17.5	7	17.5	7	17.5
Scotch .....	9	11.3	5	12.5	4	10.0
Jews .....	4	5.0	3	7.5	1	2.5
Italians .....	1	1.2	1	2.5	—	—
French .....	1	1.2	1	2.5	—	—
Others .....	3	3.7	2	5.0	1	2.5
Total .....	80	100.0	40	100.0	40	100.0
<i>STOMACH AND INTESTINES</i>						
French Canadians.....	11	52.4	6	66.7	5	41.7
English and Welsh.....	3	14.3	—	—	3	25.0
Irish .....	2	9.5	1	11.1	1	8.3
Scotch .....	2	9.5	—	—	2	16.7
Jews .....	3	14.3	2	22.2	1	8.3
Total .....	21	100.0	9	100.0	12	100.0
<i>THROAT</i>						
French Canadians.....	106	77.4	92	77.3	14	77.8
English and Welsh.....	9	6.6	7	5.9	2	11.1
Irish .....	11	8.0	10	8.4	1	5.6
Scotch .....	2	1.5	2	1.7	—	—
Jews .....	4	2.9	4	3.4	—	—
Poles .....	1	0.7	1	0.8	—	—
Others .....	4	2.9	3	2.5	1	5.6
Total .....	137	100.0	119	100.0	18	100.0
<i>COLON</i>						
French Canadians.....	32	44.4	13	36.1	19	52.8
English and Welsh.....	10	13.9	6	16.7	4	11.1
Irish .....	16	22.2	9	25.0	7	19.4
Scotch .....	5	6.9	2	5.6	3	8.3
Jews .....	1	1.4	1	2.8	—	—
French .....	1	1.4	—	—	1	2.8
Syrians .....	1	1.4	—	—	1	2.8
Others .....	1	1.4	—	—	1	2.8
Total .....	72	100.0	36	100.0	36	100.0

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

*DUODENUM*

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
French Canadians.....	32	86.5	14	87.5	18	85.7
English and Welsh.....	3	8.1	1	6.3	2	9.5
Scotch .....	1	2.7	—	—	1	4.8
Others .....	1	2.7	1	6.3	—	—
<b>Total .....</b>	<b>37</b>	<b>100.0</b>	<b>16</b>	<b>100.0</b>	<b>21</b>	<b>100.0</b>

*INTESTINES*

French Canadians.....	252	57.1	98*	56.0	154	57.9
English and Welsh.....	51	11.6	24	13.7	27	10.2
Irish .....	56	12.7	17	9.7	39	14.7
Scotch .....	34	7.7	14	8.0	20	7.5
Jews .....	22	5.0	10	5.7	12	4.5
Italians .....	7	1.6	4	2.3	3	1.1
French .....	6	1.4	2	1.1	4	1.5
Poles .....	1	0.2	1	0.6	—	—
Syrians .....	1	0.2	1	0.6	—	—
Others .....	11	2.5	4	2.3	7	2.6
<b>Total .....</b>	<b>441</b>	<b>100.0</b>	<b>175</b>	<b>100.0</b>	<b>266</b>	<b>100.0</b>

*PERITONEUM*

French Canadians.....	11	42.3	6	42.9	5	41.7
English and Welsh.....	3	11.5	2	14.3	1	8.3
Irish .....	5	19.2	—	—	5	41.7
Scotch .....	1	3.8	—	—	1	8.3
Jews .....	4	15.4	4	28.6	—	—
Italians .....	1	3.8	1	7.1	—	—
Others .....	1	3.8	1	7.1	—	—
<b>Total .....</b>	<b>26</b>	<b>100.0</b>	<b>14</b>	<b>100.0</b>	<b>12</b>	<b>100.0</b>

*SIGMOID*

French Canadians.....	9	25.0	1	8.3	8	33.3
English and Welsh.....	13	36.1	5	41.7	8	33.3
Irish .....	5	13.9	3	25.0	2	8.3
Scotch .....	4	11.1	1	8.3	3	12.5
Jews .....	3	8.3	1	8.3	2	8.3
French .....	1	2.8	1	8.3	—	—
Others .....	1	2.8	—	—	1	4.2
<b>Total .....</b>	<b>36</b>	<b>100.0</b>	<b>12</b>	<b>100.0</b>	<b>24</b>	<b>100.0</b>

*RECTUM*

French Canadians.....	51	38.9	24	39.3	27	38.6
English and Welsh.....	26	19.8	12	19.7	14	20.0
Irish .....	25	19.1	13	21.3	12	17.1
Scotch .....	14	10.7	5	8.2	9	12.9
Jews .....	10	7.6	5	8.2	5	7.1
Italians .....	1	0.8	1	1.6	—	—
French .....	1	0.8	—	—	1	1.4
Others .....	3	2.3	1	1.6	2	2.9
<b>Total .....</b>	<b>131</b>	<b>100.0</b>	<b>61</b>	<b>100.0</b>	<b>70</b>	<b>100.0</b>

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
<i>RECTUM AND INTESTINES</i>						
French Canadians.....	34	41.2	14	40.0	20	47.6
English and Welsh.....	17	22.0	10	28.6	7	16.7
Irish .....	7	9.1	3	8.6	4	9.5
Scotch .....	6	7.8	1	2.8	5	11.9
Jews .....	6	7.8	3	8.6	3	7.1
Italians .....	1	1.3	1	2.8	—	—
Syrians .....	1	1.3	—	—	1	2.4
Others .....	5	6.5	3	8.6	2	4.8
Total .....	77	100.0	35	100.0	42	100.0
<i>UTERUS</i>						
French Canadians.....	—	—	—	—	597	67.2
English and Welsh.....	—	—	—	—	90	10.1
Irish .....	—	—	—	—	99	11.2
Scotch .....	—	—	—	—	49	5.5
Jews .....	—	—	—	—	16	1.8
Italians .....	—	—	—	—	9	1.0
French .....	—	—	—	—	5	0.6
Russians .....	—	—	—	—	1	0.1
Poles .....	—	—	—	—	3	0.3
Syrians .....	—	—	—	—	2	0.2
Others .....	—	—	—	—	18	2.0
Total .....	—	—	—	—	889	100.0
<i>OVARIES</i>						
French Canadians.....	—	—	—	—	11	27.5
English and Welsh.....	—	—	—	—	12	30.0
Irish .....	—	—	—	—	7	17.5
Scotch .....	—	—	—	—	5	12.5
Jews .....	—	—	—	—	2	5.0
Others .....	—	—	—	—	3	7.5
Total .....	—	—	—	—	40	100.0
<i>BREAST</i>						
French Canadians.....	315	57.8	3	75.0	312	57.7
English and Welsh.....	79	14.5	1	25.0	78	14.4
Irish .....	87	16.0	—	—	87	16.1
Scotch .....	31	5.7	—	—	31	5.7
Jews .....	16	2.9	—	—	16	3.0
Italians .....	2	0.4	—	—	2	0.4
French .....	5	0.9	—	—	5	0.9
Others .....	10	1.8	—	—	10	1.8
Total .....	545	100.0	4	100.0	541	100.0
<i>FACE</i>						
French Canadians.....	81	71.7	53	73.6	28	68.3
English and Welsh.....	6	5.3	5	6.9	1	2.4
Irish .....	18	15.9	9	12.5	9	22.0
Scotch .....	3	2.6	2	2.8	1	2.4
Jews .....	2	1.8	1	1.4	1	2.4
Italians .....	2	1.8	1	1.4	1	2.4
Others .....	1	0.9	1	1.4	—	—
Total .....	113	100.0	72	100.0	41	100.0

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

*ABDOMINAL*

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
French Canadians.....	26	37.7	8	40.0	18	36.7
English and Welsh.....	16	23.2	3	15.0	13	26.5
Irish .....	8	11.6	2	10.0	6	12.2
Scotch .....	8	11.6	3	15.0	5	10.2
Jews .....	6	8.7	3	15.0	3	6.1
Italians .....	1	1.4	—	—	1	2.1
French .....	1	1.4	—	—	1	2.1
Others .....	3	4.4	1	5.0	2	4.1
<b>Total .....</b>	<b>69</b>	<b>100.0</b>	<b>20</b>	<b>100.0</b>	<b>49</b>	<b>100.0</b>

*BLADDER*

French Canadians.....	51	46.8	29	46.0	22	47.8
English and Welsh.....	19	17.4	10	15.9	9	19.5
Irish .....	16	14.7	8	12.7	8	17.4
Scotch .....	11	10.1	7	11.1	4	8.7
Jews .....	7	6.4	6	9.5	1	2.2
Italians .....	1	0.9	1	1.6	—	—
French .....	1	0.9	—	—	1	2.2
Others .....	3	2.8	2	3.2	1	2.2
<b>Total .....</b>	<b>109</b>	<b>100.0</b>	<b>63</b>	<b>100.0</b>	<b>46</b>	<b>100.0</b>

*BONES*

French Canadians.....	8	34.8	4	40.0	4	30.8
English and Welsh.....	4	17.4	2	20.0	2	15.4
Irish .....	4	17.4	1	10.0	3	23.0
Scotch .....	3	13.0	1	10.0	2	15.4
Jews .....	2	8.7	—	—	2	15.4
Others .....	2	8.7	2	20.0	—	—
<b>Total .....</b>	<b>23</b>	<b>100.0</b>	<b>10</b>	<b>100.0</b>	<b>13</b>	<b>100.0</b>

*CERVICAL*

French Canadians.....	7	33.3	5	29.4	2	50.0
English and Welsh.....	3	14.3	2	11.8	1	25.0
Irish .....	9	42.8	8	47.0	1	25.0
Scotch .....	1	4.8	1	5.9	—	—
Italians .....	1	4.8	1	5.9	—	—
<b>Total .....</b>	<b>21</b>	<b>100.0</b>	<b>17</b>	<b>100.0</b>	<b>4</b>	<b>100.0</b>

*KIDNEYS*

French Canadians.....	23	50.0	10	45.5	13	54.2
English and Welsh.....	9	19.5	3	13.7	6	25.0
Irish .....	3	6.5	2	9.1	1	4.2
Scotch .....	3	6.5	1	4.5	2	8.3
Jews .....	4	8.7	3	13.7	1	4.2
Italians .....	1	2.2	1	4.5	—	—
French .....	1	2.2	—	—	1	4.2
Russians .....	1	2.2	1	4.5	—	—
Others .....	1	2.2	1	4.5	—	—
<b>Total .....</b>	<b>46</b>	<b>100.0</b>	<b>22</b>	<b>100.0</b>	<b>24</b>	<b>100.0</b>

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
<i>LARYNX</i>						
French Canadians.....	31	43.1	29	46.8	2	20.0
English and Welsh.....	15	20.8	11	17.3	4	40.0
Irish .....	11	15.2	10	16.1	1	10.0
Scotch .....	7	9.7	5	8.1	2	20.0
Jews .....	3	4.2	3	4.8	—	—
French .....	3	4.2	3	4.8	—	—
Poles .....	1	1.4	1	1.6	—	—
Others .....	1	1.4	—	—	1	10.0
Total .....	72	100.0	62	100.0	10	100.0
<i>LUNGS</i>						
French Canadians.....	28	50.9	9	34.6	19	65.5
English and Welsh.....	12	21.8	7	26.9	5	17.2
Irish .....	2	3.6	1	3.8	1	3.5
Scotch .....	3	5.5	1	3.8	2	6.8
Jews .....	5	9.1	4	15.4	1	3.5
French .....	1	1.8	1	3.8	—	—
Poles .....	1	1.8	1	3.8	—	—
Others .....	3	5.5	2	7.7	1	3.5
Total .....	55	100.0	26	100.0	29	100.0
<i>MEDIASTINUM</i>						
French Canadians.....	5	26.3	5	35.7	—	—
English and Welsh.....	2	10.5	1	7.1	1	20.0
Irish .....	5	26.3	3	21.4	2	40.0
Jews .....	5	26.3	3	21.4	2	40.0
Italians .....	1	5.3	1	7.1	—	—
Chinese .....	1	5.3	1	7.1	—	—
Total .....	19	100.0	14	100.0	5	100.0
<i>NECK</i>						
French Canadians.....	25	53.2	19	51.4	6	60.0
English and Welsh.....	7	14.9	7	18.9	—	—
Irish .....	8	17.0	7	18.9	1	10.0
Scotch .....	4	8.5	4	10.8	—	—
Jews .....	1	2.1	—	—	1	10.0
Others .....	2	4.3	—	—	2	20.0
Total .....	47	100.0	37	100.0	10	100.0
<i>PANCREAS</i>						
French Canadians.....	44	53.7	20	48.8	24	58.5
English and Welsh.....	12	14.6	6	14.7	6	14.7
Irish .....	11	13.4	5	12.2	6	14.7
Scotch .....	5	6.1	3	7.3	2	4.9
Jews .....	4	4.9	3	7.3	1	2.4
Italians .....	1	1.2	1	2.4	—	—
French .....	1	1.2	—	—	1	2.4
Chinese .....	1	1.2	1	2.4	—	—
Others .....	3	3.7	2	4.9	1	2.4
Total .....	82	100.0	41	100.0	41	100.0

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (F) Racial Origin by Organs and Parts—Continued**

<i>PELVIS</i> Race	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
French Canadians.....	6	21.4	2	40.0	4	17.4
English and Welsh.....	7	25.0	—	—	7	30.4
Irish .....	6	21.4	2	40.0	4	17.4
Scotch .....	3	10.7	—	—	3	13.0
Jews .....	2	7.2	1	20.0	1	4.4
French .....	1	3.6	—	—	1	4.4
Others .....	3	10.7	—	—	3	13.0
<b>Total .....</b>	<b>28</b>	<b>100.0</b>	<b>5</b>	<b>100.0</b>	<b>23</b>	<b>100.0</b>
<i>PROSTATE</i>						
French Canadians.....	—	—	37	39.8	—	—
English and Welsh.....	—	—	23	24.7	—	—
Irish .....	—	—	9	9.7	—	—
Scotch .....	—	—	15	16.1	—	—
Jews .....	—	—	6	6.5	—	—
Others .....	—	—	3	3.2	—	—
<b>Total .....</b>	<b>—</b>	<b>—</b>	<b>93</b>	<b>100.0</b>	<b>—</b>	<b>—</b>

**Table 9 (G)**  
**Racial Origin by Organs and Parts**  
**(Rates per 100,000 Population)**

	Population	Gastric		Uterus		Ovaries		Breast	
		Deaths	Rate	Deaths	Rate	Deaths	Rate	Deaths	Rate
English and Welsh	1,370,901	253	18.5	90	6.6	12	0.9	79	5.8
Irish .....	537,570	274	51.0	99	18.4	7	1.3	87	16.2
Scotch .....	399,806	146	36.5	49	12.3	5	1.3	31	7.8
Jews .....	667,628	164	24.6	16	2.4	2	0.3	16	2.4
Italians .....	216,762	26	12.0	9	4.2	—	—	2	0.9
French Canadians..	6,077,051	1,450	23.9	597	9.8	11	0.2	315	5.2
Others .....	364,161	115	31.6	29	8.0	3	0.8	15	4.1
<b>Total .....</b>	<b>9,633,879</b>	<b>2,428</b>	<b>25.2</b>	<b>889</b>	<b>9.2</b>	<b>40</b>	<b>0.4</b>	<b>545</b>	<b>5.7</b>

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (H)**

**Age Groupings**

(Rates per 100,000 Population)

Ages	Males and Females			Males			Females		
	Population	Deaths	Rate	Population	Deaths	Rate	Population	Deaths	Rate
Under 5	1,083,700	21	1.9	545,200	12	2.2	538,500	9	1.7
5-9	1,091,400	10	0.9	545,200	6	1.1	546,200	4	0.7
10-14	974,360	5	0.5	482,310	3	0.6	492,050	2	0.4
15-19	914,890	25	2.7	438,290	13	3.0	476,600	12	2.5
20-24	891,180	31	3.5	409,970	22	5.4	481,210	9	1.9
25-29	813,100	83	9.8	391,360	20	5.1	448,740	63	14.1
30-34	788,790	145	18.4	388,030	43	11.1	400,760	102	25.5
35-39	714,180	275	38.5	354,430	84	23.0	349,750	191	54.6
40-44	592,520	443	74.8	301,640	129	42.8	290,880	314	107.9
45-49	464,690	657	141.4	237,230	229	96.5	227,460	428	188.2
50-54	374,230	868	231.9	191,650	337	175.8	182,580	531	290.8
55-59	272,850	891	326.6	133,540	399	298.8	139,310	492	353.2
60-64	221,320	998	450.9	105,260	431	409.5	116,060	567	488.5
65-69	146,450	931	635.7	67,570	450	666.0	78,880	481	609.8
70-74	98,140	773	787.7	43,980	359	816.3	54,160	414	764.4
75-79	50,670	440	868.4	21,090	209	991.0	29,580	231	780.9
80-84	25,670	214	833.7	10,310	100	969.9	15,360	114	742.2
85-89	9,880	80	809.7	3,630	31	854.0	6,250	49	784.0
90-94	2,640	31	1,174.2	800	9	1,125.0	1,840	22	1,195.7
95-99	600	2	333.3	170	1	588.3	430	1	232.6
100 and over	100	2	2,000.0	60	1	1,666.7	40	1	2,500.0
Unknown	72,520	3	—	43,850	—	—	28,670	3	—
<b>Total</b>	<b>9,633,880</b>	<b>6,928</b>	<b>71.9</b>	<b>4,728,570</b>	<b>2,888</b>	<b>61.1</b>	<b>4,905,310</b>	<b>4,040</b>	<b>82.4</b>

**Table 9 (I)**

**Racial Origin**

	Population	Cancer Deaths	Rate per 100,000
English and Welsh.....	1,370,901	888	64.8
Irish .....	537,570	887	165.0
Scotch .....	399,806	459	114.8
Jews .....	667,628	348	52.1
Italians .....	216,762	72	33.2
French Canadians.....	6,077,051	3,968	65.3
Others .....	364,161	306	84.0
Total .....	9,633,879	6,928	71.9

**Table 9 (J)**

**French Canadians**

	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Jaw .....	24	0.6	23	1.5	1	0.04
Lip .....	25	0.6	24	1.5	1	0.04
Maxillary .....	27	0.7	20	1.3	7	0.3
Mouth .....	16	0.4	14	0.9	2	0.1
Tongue .....	81	2.0	79	5.0	6	0.3
Bile ducts.....	12	0.3	6	0.4	6	0.3
Oesophagus .....	41	1.0	37	2.4	4	0.2
Gall bladder .....	2	0.1	—	—	2	0.1
Liver .....	314	7.9	119	7.5	195	0.2
Pharynx .....	11	0.3	9	0.6	2	0.1
Pylorus .....	82	2.1	41	2.6	41	1.7
Stomach .....	951	24.0	511	32.4	440	18.4
Stomach and liver.....	37	0.9	15	1.0	22	0.9
Stomach and intestines.....	11	0.3	6	0.4	5	0.2
Throat .....	106	2.7	92	5.8	14	0.6
Colon .....	32	0.8	13	0.8	19	0.8
Duodenum .....	32	0.8	14	0.9	18	0.8
Intestines .....	252	6.4	98	6.2	154	6.4
Peritoneum* .....	11	0.3	6	0.4	5	0.2
Sigmoid .....	9	0.2	1	0.1	8	0.3
Rectum .....	51	1.3	24	1.5	27	1.1
Rectum and intestines.....	34	0.9	14	0.9	20	0.8
Uterus .....	597	15.0	—	—	597	25.0
Ovaries .....	11	0.3	—	—	11	0.5
Breast .....	315	7.9	3	0.2	312	13.1
Face .....	81	2.0	53	3.4	28	1.2
Abdominal .....	26	0.6	8	0.6	18	0.8
Bladder .....	51	1.3	29	1.8	22	0.9
Bones .....	8	0.2	4	0.3	4	0.2
Cervical .....	7	0.2	5	0.3	2	0.1
Kidney .....	23	0.6	10	0.6	13	0.5
Larynx .....	31	0.8	29	1.8	2	0.1
Lungs .....	28	0.7	9	0.6	19	0.8
Mediastinum .....	5	0.1	5	0.3	—	—
Neck .....	25	0.6	19	1.2	6	0.3
Pancreas .....	44	1.1	20	1.3	24	1.0
Pelvis .....	6	0.2	2	0.1	4	0.2
Prostate .....	37	0.9	37	2.3	—	—
Others and not specified....	512	12.9	179	11.3	333	13.9
Total .....	3,968	100.0	1,578	100.0	2,390	100.0

**Table 9 (K)**

**English and Welsh**

	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Jaw .....	6	0.7	5	1.3	1	0.2
Maxillary .....	1	0.1	1	0.3	—	—
Mouth .....	2	0.2	2	0.5	—	—
Tongue .....	20	2.3	19	5.1	1	0.2
Bile ducts.....	2	0.2	—	—	2	0.4
Oesophagus .....	29	3.3	26	7.0	3	0.6
Gall bladder.....	7	0.8	—	—	7	1.4
Liver .....	45	5.1	15	4.0	30	5.8
Pharynx .....	4	0.5	2	0.5	2	0.4
Pylorus .....	3	0.3	2	0.5	1	0.2
Stomach .....	152	17.1	87	23.4	65	12.6
Stomach and liver.....	11	1.2	6	1.6	5	1.0
Stomach and intestines.....	3	0.3	—	—	3	0.6
Throat .....	9	1.0	7	1.9	2	0.4
Colon .....	10	1.1	6	1.6	4	0.8
Duodenum .....	3	0.3	1	0.3	2	0.4
Intestines .....	51	5.7	24	6.5	27	5.2
Peritoneum .....	3	0.3	2	0.5	1	0.2
Rectum .....	26	2.9	12	3.2	14	2.7
Rectum and intestines.....	17	1.9	10	2.7	7	1.4
Sigmoid .....	13	1.5	5	1.3	8	1.6
Uterus .....	90	10.1	—	—	90	17.4
Ovaries .....	12	1.4	—	—	12	2.3
Breast .....	79	8.9	1	0.3	78	15.1
Face .....	6	0.7	5	1.3	1	0.2
Abdominal .....	16	1.8	3	0.8	13	2.5
Bladder .....	19	2.1	10	2.7	9	1.7
Bones .....	4	0.5	2	0.5	2	0.4
Cervical .....	3	0.3	2	0.5	1	0.2
Kidney .....	9	1.0	3	0.8	6	1.2
Larynx .....	15	1.7	11	3.0	4	0.8
Lungs .....	12	1.4	7	1.9	5	1.0
Mediastinum .....	2	0.2	1	0.3	1	0.2
Neck .....	7	0.8	7	1.9	—	—
Pancreas .....	12	1.4	6	1.6	6	1.2
Pelvis .....	7	0.8	—	—	7	1.4
Prostate .....	23	2.6	23	6.2	—	—
Others and not specified....	155	17.5	59	15.9	96	18.6
Total .....	888	100.0	372	100.0	516	100.0

**Table 9 (L)**

**Irish**

	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Jaw .....	10	1.1	9	2.6	1	0.2
Lip .....	5	0.6	3	0.9	2	0.4
Maxillary .....	3	0.9	8	2.3	—	—
Mouth .....	2	0.2	2	0.6	—	—
Tongue .....	19	2.1	19	5.5	—	—
Oesophagus .....	20	2.3	15	4.4	5	0.9
Gall bladder.....	7	0.8	1	0.3	6	1.1
Liver .....	44	5.0	9	2.6	35	6.4
Pharynx .....	1	0.1	—	—	1	0.2
Pylorus .....	10	1.1	6	1.7	4	0.7

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (L) Irish—Continued**

	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Stomach .....	178	20.1	87	25.2	91	16.8
Stomach and liver.....	14	1.6	7	2.0	7	1.3
Stomach and intestines.....	2	0.2	1	0.3	1	0.2
Throat .....	11	1.2	10	2.9	1	0.2
Colon .....	16	1.8	9	2.6	7	1.3
Intestines .....	56	6.3	17	4.9	39	7.2
Peritoneum .....	5	0.6	—	—	5	0.9
Sigmoid .....	5	0.6	3	0.9	2	0.4
Rectum .....	25	2.8	13	3.8	12	2.2
Rectum and intestines.....	7	0.8	3	0.9	4	0.7
Uterus .....	99	11.2	—	—	99	18.3
Ovaries .....	7	0.8	—	—	7	1.3
Breast .....	87	9.8	—	—	87	16.0
Face .....	18	2.0	9	2.6	9	1.7
Abdominal .....	8	0.9	2	0.6	6	1.1
Bladder .....	16	1.8	8	2.3	8	1.5
Bones .....	4	0.5	1	0.3	3	0.6
Cervical .....	9	1.0	8	2.3	1	0.2
Kidney .....	3	0.3	2	0.6	1	0.2
Larynx .....	11	1.2	10	2.9	1	0.2
Lungs .....	2	0.2	1	0.3	1	0.2
Mediastinum .....	5	0.6	3	0.9	2	0.4
Neck .....	8	0.9	7	2.0	1	0.2
Pancreas .....	11	1.2	5	1.4	6	1.1
Pelvis .....	6	0.7	2	0.6	4	0.7
Prostate .....	9	1.0	9	2.6	—	—
Others and not specified....	139	15.7	56	16.2	83	15.3
<b>Total .....</b>	<b>887</b>	<b>100.0</b>	<b>345</b>	<b>100.0</b>	<b>542</b>	<b>100.0</b>

**Table 9 (M)**

**Scotch**

	Males and Females		Males		Females	
	Deaths	Per Cent.	Deaths	Per Cent.	Deaths	Per Cent.
Jaw .....	1	0.2	1	0.5	—	—
Maxillary .....	1	0.2	—	—	1	0.4
Mouth .....	1	0.2	1	0.5	—	—
Tongue .....	10	2.2	9	4.7	1	0.4
Bile ducts.....	2	0.4	1	0.5	1	0.4
Oesophagus .....	11	2.4	8	4.1	3	1.1
Gall bladder.....	4	0.9	1	0.5	3	1.1
Liver .....	28	6.1	14	7.3	14	5.3
Pharynx .....	5	1.1	4	2.1	1	0.4
Pylorus .....	2	0.4	—	—	2	0.8
Stomach .....	95	20.7	54	28.0	41	15.4
Stomach and liver.....	9	2.0	5	2.6	4	1.5
Stomach and intestines.....	2	0.4	—	—	2	0.8
Throat .....	2	0.4	2	1.0	—	—
Colon .....	5	1.1	2	1.0	3	1.1
Duodenum .....	1	0.2	—	—	1	0.4
Intestines .....	34	7.4	14	7.3	20	7.5
Peritoneum .....	1	0.2	—	—	1	0.4
Sigmoid .....	4	0.9	1	0.5	3	1.1
Rectum .....	14	3.1	5	2.6	9	3.4
Rectum and intestines.....	6	1.3	1	0.5	5	1.9
Uterus .....	49	10.7	—	—	49	18.4
Ovaries .....	5	1.1	—	—	5	1.9

*Cancer Mortality of Montreal—1909-1925*

**Table 9 (M) Scotch—Continued**

	Males and Females		Deaths	Males		Deaths	Females	
	Deaths	Per Cent.		Per Cent.	Per Cent.			
Breast .....	31	6.8	—	—	31	11.7		
Face .....	3	0.7	2	1.0	1	0.4		
Abdominal .....	3	1.7	3	1.6	5	1.9		
Bladder .....	11	2.4	7	3.6	4	1.5		
Bones .....	3	0.7	1	0.5	2	0.8		
Cervical .....	1	0.2	1	0.5	—	—		
Kidney .....	3	0.7	1	0.5	2	0.8		
Larynx .....	7	1.5	5	2.6	2	0.8		
Lungs .....	3	0.7	1	0.5	2	0.8		
Neck .....	4	0.9	4	2.1	—	—		
Pancreas .....	5	1.1	3	1.6	2	0.8		
Pelvis .....	3	0.7	—	—	3	1.1		
Prostate .....	15	3.3	15	7.8	—	—		
Others and not specified....	70	15.3	27	14.0	43	16.2		
<b>Total .....</b>	<b>459</b>	<b>100.0</b>	<b>193</b>	<b>100.0</b>	<b>266</b>	<b>100.0</b>		

**Table 9 (N)**

**Jews**

	Males and Females		Deaths	Males		Deaths	Females	
	Deaths	Per Cent.		Per Cent.	Per Cent.			
Jaw .....	1	0.3	1	0.6	—	—		
Bile ducts.....	3	0.9	2	1.1	1	0.6		
Oesophagus .....	16	4.6	10	5.6	6	3.6		
Gall bladder .....	7	2.0	3	1.7	4	2.4		
Liver .....	34	9.8	13	7.2	21	12.5		
Pylorus .....	2	0.6	2	1.1	—	—		
Stomach .....	98	28.2	58	32.2	40	23.8		
Stomach and liver.....	4	1.1	3	1.7	1	0.6		
Stomach and intestines.....	3	0.9	2	1.1	1	0.6		
Throat .....	4	1.1	4	2.2	—	—		
Colon .....	1	0.3	2	0.6	—	—		
Intestines .....	22	6.3	10	5.6	12	7.2		
Peritoneum .....	4	1.1	4	2.2	—	—		
Sigmoid .....	3	0.9	1	0.6	2	1.2		
Rectum .....	10	2.9	5	2.8	5	3.0		
Rectum and intestines.....	6	1.7	3	1.7	3	1.8		
Uterus .....	16	4.6	—	—	16	9.5		
Ovaries .....	2	0.6	—	—	2	1.2		
Breast .....	16	4.6	—	—	16	9.5		
Face .....	2	0.6	1	0.6	1	0.6		
Abdominal .....	6	1.7	3	1.7	3	1.8		
Bladder .....	7	2.0	6	3.3	1	0.6		
Bones .....	2	0.6	—	—	2	1.2		
Kidney .....	4	1.1	3	1.7	1	0.6		
Larynx .....	3	0.9	3	1.7	—	—		
Lungs .....	5	1.4	4	2.2	1	0.6		
Mediastinum .....	5	1.4	3	1.7	2	1.2		
Neck .....	1	0.3	—	—	1	0.6		
Pancreas .....	4	1.1	3	1.7	1	0.6		
Pelvis .....	2	0.6	1	0.6	1	0.6		
Prostate .....	6	1.7	6	3.3	—	—		
Others and not specified....	49	14.1	25	13.9	24	14.3		
<b>Total .....</b>	<b>348</b>	<b>100.0</b>	<b>180</b>	<b>100.0</b>	<b>168</b>	<b>100.0</b>		

**Table 10**

**Monthly Distribution of Cancer Deaths in Selected American Cities  
1924-1925**

**Thirty-day Basis**

	1924		1925		1924-1925	
January .....	2621	8.48	2680	8.45	5301	8.49
February .....	2448	7.92	2381	7.51	4829	7.73
March .....	2741	8.87	2732	8.61	5473	8.76
April .....	2554	8.26	2692	8.49	5246	8.40
May .....	2555	8.26	2622	8.27	5177	8.29
June .....	2460	7.96	2617	8.25	5077	8.13
July .....	2558	8.27	2653	8.36	5211	8.34
August .....	2551	8.25	2507	7.90	5058	8.10
September .....	2520	8.15	2556	8.06	5076	8.13
October .....	2662	8.61	2727	8.60	5389	8.63
November .....	2564	8.29	2601	8.20	5165	8.27
December .....	2685	8.68	2761	8.71	5446	8.72
Total .....	30919	100.00	31529	100.00	62448	100.00

This table is included as a statement of fact opposed to the theory of Dr. Sambon that cancer conforms in its frequency to diseases of an epidemic nature. It is clearly shown that the mortality from month to month is practically the same.



## QUESTIONNAIRE REGARDING CANCER PATIENTS

No.

1. Name..... Sex.....  
Non-resident
2. Residence.....St.....Ward      Address.....  
 Length of residence in .....years.....months  
 Length of residence in .....years.....months
3. Race:    White.....Negro.....Indian.....Oriental.....Otherwise.....
4. Birthplace of patient .....  
 Birthplace of patient's mother .....  
 Birthplace of patient's father .....
5. Present age.....years.    Married.....Single.....Widowed.....Divorced.....  
 How long married.....years.    How many children.....
6. Physique and health:  
 Height (without shoes).....inches.  
 Weight (in ordinary clothing.....lbs.  
 Stout and fleshy?.....    Much meat eaten?.....Much fat?.....  
 Heavy eater?.....    Much sugar eaten?.....  
 Heavy smoker?.....    Pipe smoker?.....Cigarette smoker?.....  
 Much walking and exercise?.....    Exposed to gases, smoke or fumes?.....
- 6a. Diet:  
 Ordinary daily diet, especially as regards green vegetables, fresh fruits, cereals,  
 white bread, condensed or conserved foods, meats, sugar, including salt, etc.  
 Do you drink much water?.....  
 Do you take purgatives, and if so, in what form?.....  
 .....  
 Are your motions constipated or normal?.....  
 How many movements a day?.....  
 Do you take laxatives in any form, particularly paraffin preparations?  
 .....  
 Have you had appendicitis?.....Have you had gall-stones?.....  
 Have you had gastric or duodenal ulcer?.....  
 Do you suffer from rheumatism or rheumatoid arthritis?.....  
 Have you had tuberculosis in any form?.....  
 Have you had diabetes?.....  
 What is your complexion?.....Color of hair?.....Eyes?.....
7. Specific occupation followed.....How long?.....
8. Health and Disease:  
 Record of any past illness, especially gastric ulcer and intestinal stasis, also  
 appendicitis .....  
 .....  
 Record of any past surgical operation.....  
 .....  
 Record of any past illness or injury.....  
 .....  
 Was growth preceded by ulceration, wart or mole?.....  
 Date of first cancer symptoms?.....  
 Name and address of physician first consulted.....  
 Treatment, if any.....  
 Date of first definite diagnosis.....

Name and address of physician.....  
 .....  
 Treatment followed.....  
 Date of hospital admission.....  
 Name and place of institution.....  
 .....  
 If operation, who performed it?.....  
 What was removed?.....  
 Results .....

Date of radium use.....X-ray use.....  
 Date of cauterization.....  
 Results .....

Any other treatment?.....If so, describe fully, including name of doctor or  
 non-medical attendant.....  
 .....  
 Results .....

Present condition of health.....  
 Any complicating diseases?.....  
 Gain or loss in weight?.....  
 Any change in diet?.....

9. Description of cancerous condition:  
 Specific organ or region of the body affected?.....  
 .....  
 Type of malignant growth—  
     Carcinoma, Sarcoma, Melanoma, etc.  
 Has primary growth metastasized to distant organs, or does it involve nearby  
 parts? .....

Has growth been microscopically examined or determined?.....  
 If so, describe.....

10. Family history:  
 Has cancer or any form of tumor occurred in your family?.....  
 If cancer or tumor has occurred, state number of individuals in your family  
 ....., their ages if alive....., or if dead, age  
 at death and cause of death.....  
 Give details concerning deaths from cancer in your family.....  
 .....  
 Give number of members in your father's family.....  
     Ages, if alive.....  
     Ages at death.....  
     State how many died from cancer.....  
 Give number of members in your mother's family.....  
     Ages, if alive.....  
     Ages at death.....  
     State how many died from cancer.....


Remarks:

Signed:

## LIST OF CANCER PAPERS BY FREDERICK L. HOFFMAN

- THE MENACE OF CANCER.  
Address read at the Thirty-eighth Annual Meeting of the Gynecological Society, Washington, D. C., May 6-8, 1913.
- THE CANCER DEATH RATE.  
*The Spectator*, May 22, 1913.
- THE EDUCATIONAL VALUE OF CANCER STATISTICS TO INSURANCE COMPANIES, THE PUBLIC, AND THE MEDICAL PROFESSION.  
Address read at the Clinical Congress of Surgeons of North America, Chicago, Ill., November 10-15, 1913.
- THE CANCER DEATH RATE IN SELECTED OCCUPATIONS.  
Address read at the Thirty-ninth Annual Meeting of the American Academy of Medicine, Atlantic City, N. J., June 20, 1914.
- THE ACCURACY OF AMERICAN CANCER MORTALITY STATISTICS.  
Address read before the Section of Vital Statistics, American Public Health Association, Jacksonville, Fla., November 30-December 4, 1914.
- SOME ESSENTIAL STATISTICS OF CANCER MORTALITY THROUGHOUT THE WORLD.  
Part of the Commemoration Volume, issued by the American Medical Association at its meeting in San Francisco, June 22 to 26, 1915, as a tribute to the medical sciences, which made possible the building of the Panama Canal and the Panama Pacific Exposition.
- MORTALITY FROM CANCER IN THE WESTERN HEMISPHERE.  
Address read at the Second Pan-American Scientific Congress, Washington, D. C., January 7, 1916.
- MORTALITY FROM CANCER THROUGHOUT THE WORLD.  
The Prudential Press, 1915.
- CANCER FROM THE STATISTICAL STANDPOINT.  
Address read before the Medical Section of the American Life Convention, Birmingham, Ala., March 2, 1916.
- THE STATISTICAL EVIDENCE OF CANCER INCREASE.  
Published in the *Monthly Bulletin* of the New York State Department of Health, March, 1916.
- CANCER IN ITS RELATION TO FRATERNAL INSURANCE.  
Address read at the National Fraternal Congress of America, Cleveland, Ohio, August 22, 1916.
- THE CANCER DEATH RATE DURING 1916.  
*The Spectator*, March 22, 1917.
- SOME NEW ASPECTS OF THE PROBLEM OF CANCER CONTROL.  
Address read before the Minnesota State Medical Association, St. Paul, Minn., September 30, 1920.
- ABSTRACT OF ADDRESS ON THE MORTALITY FROM CANCER IN THE SOUTH.  
Read before the Orleans Parish Medical Society, New Orleans, La., May 9, 1921.
- THE CANCER PROBLEM IN THE SOUTHERN STATES.  
Address read at the meeting of the South Carolina Medical Society, Columbia, S. C., January 12, 1922.
- PROGRESS AND RESULTS IN CANCER CONTROL.  
Address read before the Worcester District Medical Society, Worcester Mass., November 8, 1922, and also at a meeting under the auspices of the American Society for the Control of Cancer, at Pittsburgh, Pa., November 17, 1922.
- CANCER STATISTICS FOR JAPAN.  
*Journal of the American Medical Association*, March 31, 1923.
- STATISTICS OF CANCER IN ALGIERS.  
*Journal of the American Medical Association*, May 5, 1923.
- THE PRESENT CANCER PROBLEM IN THE UNITED STATES.  
*The World's Health*, May, 1923.
- THE CANCER SITUATION OF TODAY.  
*The Spectator*, June 21, 1923.

- CANCER AND CIVILIZATION.  
Address read before The Belgian National Cancer Congress, Brussels, November 18-19, 1923.
- MORTALITY FROM CANCER.  
*Journal of the American Medical Association*, November 17, 1923.
- CANCER IN HONGKONG, SHANGHAI AND BERMUDA.  
*Journal of the American Medical Association*, February 9, 1924.
- THE UNITED STATES CANCER RECORD FOR 1922.  
*The Spectator*, February 7, 1924.
- ON THE CAUSATION OF CANCER.  
Address delivered before the American Association for Cancer Research, Buffalo, N. Y., April 17, 1924.
- PRISON STATISTICS OF CANCER.  
*Journal of the American Medical Association*, May 17, 1924.
- THE CANCER MORTALITY RATE FOR 1923.  
*The Spectator*, June 12, 1924.
- THE EVER-INCREASING CANCER THREAT.  
*Liberty*, September 27, 1924.
- THE FIRST AND SECOND QUARTERLY REPORTS OF THE SAN FRANCISCO CANCER SURVEY.  
The Prudential Press, November, 1924.
- CANCER MORTALITY IN THE MASSACHUSETTS SOLDIERS' HOME.  
*The Boston Medical and Surgical Journal*, May 7, 1925.
- THE APPALLING CANCER RECORD FOR 1924.  
*The Spectator*, May 14, 1925.
- THE THIRD AND FOURTH QUARTERLY REPORTS OF THE SAN FRANCISCO CANCER SURVEY.  
The Prudential Press, 1925.
- CANCER IN CANADA.  
The Prudential Press, 1925.
- CANCER FACTS AND FALLACIES.  
The Prudential Press, 1925.
- CANCER IN JAPAN.  
*The Journal of the American Medical Association*, 1925.
- THE FIFTH AND SIXTH QUARTERLY REPORTS OF THE SAN FRANCISCO CANCER SURVEY.  
The Prudential Press, 1926.
- CANCER AMONG FRENCH CANADIANS.  
*Boston Medical and Surgical Journal*, January 7, 1926.
- CANCER IN NATIVE RACES.  
The Prudential Press, 1926.
- CANCER DEATH RATE HIGH.  
*The Spectator*, July 8, 1926.
- THE CANCER DEATH RATE OF 1926.
- CANCER OF THE BREAST IN JAPAN.  
*Journal of the American Medical Association*, January 29, 1927.
- THE SEVENTH AND EIGHTH QUARTERLY REPORTS OF THE SAN FRANCISCO CANCER SURVEY  
(In print). The Prudential Press, 1927.
- CANCER IN MEXICO.  
(In print) 1927.
- CANCER AND OVER-NUTRITION.  
The Prudential Press, 1927.



02 14