[Report 1937] / Medical Officer of Health, Nelson Borough.

Contributors

Nelson (England). Borough Council.

Publication/Creation

1937

Persistent URL

https://wellcomecollection.org/works/ggxyszhw

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



LIBRARY



BOROUGH OF NELSON

REPORT

OF THE

Medical Officer of Health

For 1937.

R. G. MARKHAM, M.B., D.P.H.,

Medical Officer of Health.







BOROUGH OF NELSON.

REPORT

OF THE

Medical Officer of Health

For 1937.

R. G. MARKHAM, M.B., D.P.H.,

Medical Officer of Health.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

BOROUGH OF NELSON.

HEALTH COMMITTEE.

ALDERMAN R. BLAND (Chairman).

COUNCILLOR H. HAYTHORNTHWAITE (Vice-Chairman).
THE MAYOR (ALDERMAN J. ROBINSON).

ALDERMAN E. BOOTHMAN

R. J. Husband

A. SMITH

H. W. THROUP

R. WINTERBOTTOM

COUNCILLOR E. ASHWORTH

A. Dollimore

W. H. HINDLE

.. D. J. SPEAK

,, J. Stephenson

,, MISS N. TURNER

, J. WIDDUP

,, Miss A. Wilson.

MATERNITY AND CHILD WELFARE COMMITTEE. COUNCILLOR MISS A. WILSON (Chairman).

ALDERMAN R. BLAND

E. BOOTHMAN

A. SMITH

COUNCILLOR E. ASHWORTH

A. Dollimore

., J. Haydock

.. H. HAYTHORNTHWAITE

,, W. H. HINDLE

.. Miss M. Turner

Mrs. Westwell

MISS S. E. WHITTAKER.

Officers of the Public Health Department.

LIST OF LOCAL AND ADOPTED SANITARY ACTS ADMINISTERED BY THE COUNCIL.

Nelson Water and Gas Act, 1866.

Nelson Local Board Act, 1879.

Nelson Improvement Act, 1886.

Nelson Local Board Act, 1888.

Nelson Corporation Act, 1903.

Nelson Provisional Orders, 1871, 1873, 1876, 1890, 1895, 1897, 1899, 1904.

Borough of Nelson (Extension) Order, 1897.

The Infectious Disease (Notification) Act, 1889.

The Public Health Acts Amendment Act, 1890, adopted 1891.

The Infectious Disease (Prevention) Act, 1890, adopted 1896.

The Notification of Births Act, 1907, adopted 1911.

The Public Health Acts Amendment Act, 1907, parts adopted 1912.

The Nelson Corporation Act, 1921.

The Public Health Act, 1925, except Sections 15, 35 and 41.

LIST OF BYELAWS RELATING TO SANITARY MATTERS IN FORCE IN THE BOROUGH.

Date of Adoption.

1890—Common Lodging Houses.

1897—Offensive Trades:—

Blood Boiler.

Blood Drier.

Bone Boiler.

Fellmonger.

Tanner.

Leather Dresser.

Soap Boiler.

Tallow Melter.

Fat Melter.

Tripe Boiler.

Glue Maker.

Size Maker.

Gut Scraper.

1897-Nuisances.

1897 & 1907—Slaughter Houses.

1911—Dairies, Cowsheds and Milkshops Regulations.

1912—Sanitary Conveniences.

1926—New Streets and Buildings.

STATISTICAL SUMMARY

1937.

Area, 3,466 Acres.

Population—Census, 1931	38,306
,, For Birth and Death Rates	35,670
Inhabited Houses—Census, 1931	11,128
,, ,, Rate Books, 31/12/37	11,578
REGISTERED BIRTHS:	,
Live Births—Males, Legitimate 144	
,, ,, Females, Legitimate 166	
,, ,, Males, Illegitimate 9	
,, ,, Females, Illegitimate 7	
Total	326
Still Births—Males, Legitimate 8	
,, ,, Females, Legitimate 8	
,, ,, Males, Illegitimate 1	
,, ,, Females, Illegitimate	
Total ——	17
Birth Rate per 1,000 of population	9.1
Birth Rate per 1,000 of population, Illegitimate	0.45
Deaths Registered	491
Crude Death Rate per 1,000 of population	13.7
Adjusted Death Rate	14.6
Deaths from principal Zymotic Diseases	1
Zymotic Death Rate per 1,000 of population	0.02
Deaths of Infants under 1 year:—	
Legitimate 9	
Illegitimate 1	
Total	10
Infantile Death Rate per 1,000 Births	30
,, ,, ,, Legitimate	29
,, ,, ,, Illegitimate	62
Premature Births	
Violent Deaths and Suicides	
Total	30
Rate of above per 1,000 of population	0.8
Number of persons per house (Census 1931)	3.42
Number of persons per acre (Census 1931)	11.05
Excess of Deaths over Births	165

MAY, 1938.

To the Chairman and Members of the Health Committee.

LADIES AND GENTLEMEN,

I have pleasure in submitting my report on the health and sanitary conditions of the Borough for the year ended 31st December, 1937.

The Registrar General estimated the population at the middle of the year to be 35,670, and on this figure are calculated the Birth and Death Rates for the year.

For 1936 the estimated population was 36,500, the Registrar General therefore estimated a decrease of 830 within the twelve months.

The outstanding features of the figures pertaining to the Vital Statistics for the year are:—

The Live Birth Rate of 9.1 per 1,000 is the lowest recorded since 1919.

The Death Rate of 13.7 is the highest for 4 years, and is slightly higher than the average for the last ten years.

In actual figures the difference between the number of Deaths and Births for the year is 165. Each year since 1927 there has occurred more deaths than births per year, and the average number per annum over this period is now 100.

The Infantile Mortality Rate for the year is the lowest ever recorded. Only 10 deaths of infants under 1 year occurred, and this gives an Infantile Mortality Rate of 30 per 1,000 Live Births.

Comparing the Birth, Death and Infantile Mortality Rates with those of the previous year, the Birth rate shows a decrease of 0.2 per 1,000 of population, the Death Rate shows an increase of 0.6 per 1,000 of population and the Infantile Mortality Rate a decrease of 19 per 1,000 Live Births.

The Registrar General has supplied figures pertaining to the Birth Rate, Death Rate and Infantile Mortality Rate for England and Wales and various sub-divisions of the country for 1937, and when Nelson Rates are compared with these figures we obtain the following data:—

(a) The Birth Rate for Nelson is 5.8 below the rate for England and Wales, 5.8 below the rate for the County

Boroughs and great towns, 6.2 below the rate for the smaller towns and 4.2 below the Birth Rate for London.

- (b) The Death Rate for Nelson is 1.3 higher than the rate for England and Wales, 1.2 higher than the rate for the County Boroughs and great towns, 1.8 higher than the small towns and 1.5 higher than the Death Rate for London.
- (c) The Infantile Mortality Rate for Nelson is 28 per 1,000 births lower than the rate for England and Wales, 32 per 1,000 births lower than the County Boroughs and great towns, 25 per 1,000 lower than the rate for the smaller towns and 30 lower than the Infantile Mortality Rate for London.

There has been no Maternal Death during the year.

Tables are given in the course of this report showing analysis of the Births and Deaths according to ward distribution, the various causes of Death and the rates for these causes, the age incidence at Death, and also comparisons with the figures for previous years.

The number of cases of Infectious Disease notified during the year shows a decrease of 116 on the number notified during 1936. The decrease has occurred chiefly in the number of cases of Scarlet Fever and Diphtheria. Sporadic cases of both these diseases have occurred throughout the year, but at no time has there been any undue prevalence of the diseases.

It will be noted that 15 deaths occurred from Influenza during the year, an increase of 11 on the number of deaths from this cause in 1936. Influenza in a mild form was prevalent in the first quarter of the year and 13 deaths occurred in this period, but the majority of the deaths were of aged persons and there were other contributory causes in addition to Influenza.

The close of the year was marked by the prevalence of a catarrhal diarrhœa, and from information received from the medical practitioners the attack appeared to be very general throughout the town. The majority of the cases were mild and no deaths were reported.

It has been agreed that Nelson should become a constituent authority with the Burnley Joint Hospital Board for the treatment of Infectious Diseases, but we are awaiting the sanction of the Ministry of Health before the scheme is completed. In the meantime it has been agreed that cases in Nelson requiring removal should be treated at the Burnley Joint Hospital Board's Sanatorium, Marsden Road, Burnley.

So far as possible the Housing Records which were instituted to deal with Overcrowding are kept up to date. Some idea of the work involved may be gathered, as you will notice from the body of the report dealing with Overcrowding, that there were 2,850 known removals during the year. In addition the cards are entered week by week according to the Birth and Death Returns.

I have been in close consultation with Mr. Boothman, the Water Engineer, throughout the year, regarding the water supply, and samples of water are regularly sent away for analysis and bacteriological examination. You will notice from his remarks that apparatus for the chlorination of the water has been installed both at Ogden and Coldwell reservoirs.

At the latter reservoir the installation though temporary is to be replaced by a permanent arrangement.

The scheme for the abolition of ashpits and substitution of ashbins is practically completed, and I would suggest a further sanitary improvement would be affected if a scheme for the replacement of all waste-water-closets by fresh-water-closets could be inaugurated.

I. STATISTICS AND SOCIAL CONDITIONS OF THE AREA. Area in Acres 3,466 Population, Census 1931 38,306 Estimated for Birth & Death Rates for 1937 35,670 Ordnance level, lowest point 350 feet ,, highest point 1,100 feet centre of town 458 feet Drainage of Surface Water—Natural, chiefly to Walverden Stream and Pendle Water. Subsoil—Clay, with understratum of sandstone and outcroppings of coal. Number of inhabited houses, Census 1931 11,128 31/12/37, Rate Books ... 11,578 ,, ,, persons per house, Census 1931 3.42 ,, ,, persons per acre, Census 1931 11.05Sum represented by a penny rate (nett) £898 Rainfall Rather heavy

25	0-3	Cold	lwell	Victoria
Month	Ogden	No 1	No. 2	Park
January	4.18	3.96	4.84	4.12
February	6.73	5.46	5.86	6.57
March	1.93	2.32	2.21	2.29
April	4.00	2.85	3.10	3.29
May	2.58	2.58	2.64	2.12
June	3.58	2.16	2.52	2.98
July	2.80	2.15	2.38	2.53
August	3.33	2.27	2.34	2.03
September	3.05	2.05	2 25	1.97
October	2.09	2.53	2.49	1.98
November	2.17	1.95	1.98	1.68
December	2.47	2.07	2.35	2.07
Total for year	38.91	32.35	34.96	33-63
Average over Number of years	49·67 (40 yrs.)		50·63 (20 yrs.)	46.06 (20 yrs.)

RAINFALL FOR FIVE PREVIOUS YEARS.

		Coldw	ell	Victoria	Meteorological Station
	Ogden. Inches.	No. 1.	No. 2.	Park.	(Cemetery). Inches.
1932	52.34	46.38	52.82	. 46.32	44.37
1933	32.22	33.59	37.91	. 29.38	28.56
1934	48.51	42.69	48.50	. 41.19	39.20
1935	57.43	50.90	55.97	. 49.49	49.34
1936	50.08	41.81	49.13	. 45.01	43.64
Average	48.12	43.07	48.87	. 42.28	41.02

METEOROLOGICAL STATION.

Summary of Readings from 1st January to 31st December, 1937.

BAROMETER.
Height of Barometer above Sea Level, 546 feet.

Month		Uncorrected	1 Readings			Press	ure at M	Pressure at Mean Sea Level	vel	
	Mean reading	eading	Range	ıge	Hig	Highest reading	18	Lor	Lowest reading	00
	Millibars	Inches	Millibars	Inches	Millibars	Inches	Day of Month	Millibars	Inches	Day of Month
January	984.4	29.069	45.4	1.341	1033.5	30-519	00	6.986	29-143	18
February	978.8	28.904	40.5	1.196	1016.7	30.023	15	976-2	28.827	27
March	982.3	29.007	46.3	1.367	1029.2	30.392	30	982-0	28.998	13
April	989-2	29-211	39.0	1.152	1031-4	30.457	30	991-2	29-270	16
May	995.6	29.400	29-0	928.0	1027-9	30.345	1	998-4	29.483	21
June	9.966	29.430	19.1	0.564	1025 6	30.286	15	9.9001	29-725	29
July	8.466	29.376	17.2	0.508	1022.2	30.186	18	1005.8	29-701	22
August	6-866	29-498	27.4	608-0	1029.1	30.389	56	1000 9	29-557	17
September	991.9	29-291	33.3	0.983	1023.9	30-236	11	986.2	29-220	15
October	994.7	29.373	57.4	1.695	1036.4	30-605	5	978.0	28.880	25
November	996-2	29.418	43.7	1.290	1034.3	. 30.543	28	990-2	29.241	19
December	989-5	29-220	8.09	1.795	1040-1	30-714	27	979.0	28-910	14
For the 12 months	991-1	29-266	63.0	1.860	1040-1	30-714	27th Dec	976-2	28-827	27th Feb.

THERMOMETERS.

red.		du		83	99	0	0	200	00	000	000	80	90	0	°S	00		
Ground		Temp	4,	43.20	41.6°	40.10	42.70	47.50	52.6	55.3	57.5°	55.8°	52.6	47.70	42.8°	48.8°		
In G		Mean	1,	39.4°	38.00	35.90	44.70	52.40	57.70	59.90	61.6°	54.30	49.00	40.3	9.98	47.5°		
tion	Mean Heading Highest Reading Day of Month		DBG M	21	22	53	25	53	15	31	1	67	5	П	17	15th June		
Radiation			Hig Rea	68.00	85.4	98.5	109.00	119.00	124.0	123.4	122.00	113.00	100.2	84.5	64.0	124.0°		
Solar			51.00	61.9	73.20	8.98	102.80	103.7°	105.6°	108.7°	94.90	78.10	62.70	49.90	81.6°			
60	Temp. Temp. Day of Month		No Da	15	12, 13	П	56	9	18	53	27	12	19	13	10	10th Dec.		
n Grass			16.8°	19.00	10.5°	23.40	25.6°	31.6°	35.4°	31.00	24.00	20·4°	10.00	6.80	6.89			
On		Mean	MIII.	29·6°	28.6°	23.30	33.90	96.96	39.80	44.20	41 5°	36.00	31.20	23.10	20.5°	32.4°		
	Mean Range M			8.4°	8.6°	10.4°	11.7°	15.10	12.80	12.30	17.00	13.80	11.9°	10.5°	7.80	11.70		
		Mean Temp.		.8.68	39.00	35.70	46 4°	52.50	54.90	59.00	59.50	53.70	48.7°	40.5°	36.0°	46.9°		
		outh y of	Da Da	15	12	1	1	1, 16	တ	17	27, 28	12	19	13	10	10th Dec.		
	Minimum	in.	Lov Ter	25.20	26.40	22.40	31.00	37.00	40.50	45.20	41.00	96.00	33.80	23.00	19.8°	19.8°		
		Minimum	Minimum	outh of	M	4	4	19	10	67	9	3, 18	13	1	1	67	23	3 & 18 July
reen				Min	Min	hest in. qm	BiH M I9T	45.20	45.60	45.00	50.50	55.6°	56.00	61.6°	59·0°	58.30	54.0	48.80
In Screen		76	Mean	35.6°	34.70	30.5°	40.5°	44.6°	48.5°	52.80	51.00	46.8°	42.70	34.90	32.10	41.2°		
	n	-	-	y of	No Da	26	28	11	4	12	н	28, 26	16	12	20	19	18	26th Jan.
		west.	Lor Maren	31.00	33.00	32.40	44.00	49.00	54.00	57.00	25.09	53.20	47.20	35.20	31.20	31.00		
	Maximum	y of	W	22	23	19	6	53	10	တ	13	27	1	00	24	3rd July		
	M	hest ax. mp.	High M TeT	54.80	51.20	53.0	0.09	74.00	71.20	77.80	77.00	72.20	64.60	55.6°	53.80	77.8°		
			Mean	44.00	43.3°	40.60	52.20	59.7°	61.3°	65.10	.0.89	·9·09	54.6°	45.4	39.9°	52.9°		
	Month			January	February	March	April	May	June	July	August	September	October	November	December	For the 12 months		

12

RAINFALL AND HUMIDITY.

Month	Mean Relative	Total 1	Rainfall		Daily nfall		atest fa		No. of	No day
	Humid- ity %	m. m.	Inches	m.m.	Inches	m.m	Inches	Day of mnth	days with Rain	
Jan	94.5	123.19	4.85	3.97	0.16	33.78	1.33	5	24	7
Feb		181.36	7.14	6.48	0.26	30.73	1.21	25	22	6
Mar	90.0	52.83	2.08	1.70	0 07	12.19	0.48	16	25	6
April	87.6	73.15	2.88	2.44	0.10	14.22	0.56	16	18	12
May	84.3	57.15	2.25	1.84	0.07	16.26	0.64	20	14	17
June		59.69	2.35	1.99	0.08	25.91	1.02	3	17	13
July	84.2	58.93	2.32	1.90	0.07	9.40	0.37	15	15	16
Aug	82.7	52.07	2.05	1.68	0.07	13.21	0.52	13	12	19
Sept	83.3	53.85	2.12	1.80	0.07	11.68	0.46	18	18	12
Oct	87.7	52.58	2.07	1.70	0.07	12.70	0.50	23	14	17
Nov	87.9	43.43	1.71	1.45	0.06	12.95	0.51	30	11	19
Dec	93.1	52.07	2.05	1.68	0.07	9.14	0.36	4	24	7
For the 2 mths.	87.4	860 30	33.87	2.36	0.09	33.78	1.33	5 Jan	214	151

BRIGHT SUNSHINE.

Month	Total Bright	Mean Daily Bright	Higher one o		No. of days with	No. of days
	Sunshine	Sunshine hours	Amount hours	Day of month	Bright Sunshine	Without Bright Sunshine
Jan	17.3	0.6	4.3	25	15	16
Feb	37.7	1.3	7.3	23	17	11
Mar	70.1	2.3	8.0	23	21	10
April	78.1	2.6	12.6	25	25	5
May	167.3	5.4	12.2	2	30	1 2 2
June	129.0	4.3	14.1	21	28	2
July	109.1	3.5	11.1	31	29	2
Aug	176.9	5.7	13.3	7	30	1
Sept	103.3	3.4	9.3	3	26	4
Oct	76'5	2.5	9.1	4	23	8
Nov	62.1	2.1	6.7	9	19	11
Dec	23.5	0.8	5.1	12	12	19
For the 12 mths.	1050.9	2.9	14.1	21 June	275	90

SOCIAL CONDITIONS.

The chief industry of the district is weaving, either cotton or silk, and the various trades allied thereto. The condition of trade leaves much to be desired, and unemployment has fluctuated considerably during the year. From the records available there does not appear to have been any influence on the public health generally which could be attributed to any occupation, nor does there appear any evidence, statistical or otherwise, that unemployment has exercised any significant influence on the health or physique of children or adults.

II.-VITAL STATISTICS.

		Per 1,0	000 of Populat	ion		ernal ity Rate	Rate of
	Live Birth Rate	Crude Death Rate	Death Rate from Tuberculosis of Respiratory System	Death Rate from Cancer	Per 1,000 Live Births	Per 1 000 Total Live and Still Births	Deaths under 1 year per 1,000 Live Births
1937	9.1	13.7	0.39	1.42	Nil	Nil	30
1936	9.3	13.1	0.30	1.50	Nil	Nil	49
Increase or decrease in 1937 on pre- vious year	+0.2	+0.6	+0.09	- 0.08	Nil	Nil	-19
Mean of 5 years 1932-1936	9.8	13.0	0.48	1.53	4.72	4.45	62
Increase or decrease in 1937 on 5 years average	- 0.7	+0.7	- 0.09	-0.11	-4.72	-4.45	-32

bitting (righted supplied by registrat deficial).	
Total Number of Registered Live Births	320
Males	153
Females	173
Legitimate Males	14
,, Females	16
Illegitimate Males	
,, Females	
Total Number of Registered Still-births	1
Males (Legitimate 8, Illegitimate 1)	
Females (Legitimate 8, Illegitimate 0)	
BIRTH RATES.	
Corrected Birth Rate for year calculated on population	
of 35,670	9.
Legitimate Births (alive)	8.
Illegitimate Births (alive)	0.
Legitimate Births (still-births)	0.
Illegitimate Births (still-births)	0.
Legitimate Births (alive and still-births)	9.
Illegitimate Births (alive and still-births)	0.
Total Births (alive and still-births)	9.
Still-births only	0.

Monthly Analysis of Births in Wards (Notified).

	Gross Total of Notified Births	Dead	1	67	70	1	1	1	:	1	1	1	1	1	16
	Gross Total of Notified Birth	əviIA	22	28	24	24	39	36	27	24	25	16	20	12	297
	Total	Dead	1 :	:	1	1	:	:	:	:	:	;	:	:	2
gh	To	avilA	1:	67	တ	03	C1	00	-	-	1	:	67	Н	18
sorou	Nether- field	Dead	1:	:	-	-	:	:	:	:	:	:	:	:	G4
Out of Borough	Nethe	əvilA	1:	1	CI	7	C4	00	-	1	1	:	C4	1	15
Out	lley	Dead	:	:	:	:	:	:	:	:	:	:	:	:	1:
	Bradley	evilA	:	1		-	:	-	::	:	:	:	:	:	00
	les	Dead	-	C1	4	:	7	-	:	Т	1	Н	1	1	14
	Total	Alive	55	56	21	22	37	33	56	23	54	16	18	11	279
	de-	Dead	1:	:	:	:	:	:	:	:	:	:	:	:	1:
	Whit	evilA	1:	01	-	1	9	67	00	C7	63	C3	00	03	26
	n n	Dead	1:	1	:	:	:	;	:	-	:	:	-	:	00
Walver- den		evilA	130	9	00	co	9	4	0	00	-	C7	00	-	52
	Id th	Dead	1:	1	:	:	:	:	:	:	::	:	:	:	-
(South- field	evilA	00	4	7	2	4	9	-	:	:	5	03	C7	833
	ld ld	Dead	:	:	41	:	:	:	:	:	:	1	:	-	9
-	hether	evilA	+	4	9	-	-	_	00	00	9	C3	:	-	47
	Marsden	Dead	:	:	:	:	7	:	:	:	1	:	:	:	C4
	Mare	evilA	60	-	00	П	တ	00	00	4	01	7	4	7	29
	ul II	Dead	:	:	:	:	:	:	:	:	:	:	:	:	:
Š	Clover	evilA	63	00	C4	4		-	-	C4	4	-		П	53
	tral	Dead	1:	:	:	:	:	:	:	:	;	:	:	:	:
	Central	əvilA	07	-#	01	1	00	:	4	00	C4	-	1	C3	25
	lley	Dead	1	:	:	:	:	1	:	:	:	:	:	:	C3
	Bradley	evilA	00	00	00	ന	-	41	9	1	1	C1	4	-	38
	Month	Ta HOTE	Jan	Feb	March .	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total

Births in the Fern Lea Maternity Home are allocated to the Wards of the Borough in which the patients reside.

DEATHS. (Figures supplied by the Registrar-General).
Total number of deaths in district
Number of deaths of non-residents
Number of deaths of residents occurring outside the
Borough
Total Nett Deaths for the year
Crude Death Rate, calculated on population of 35,670
13.7 per 1,000
Adjusted Death Rate (Comparability Factor 1.07) 14.6 per 1,000
Increase on last year 0.6
Excess of Deaths over Births in 1928
Excess of Deaths over Births in 1929
Excess of Deaths over Births in 1930
Excess of Deaths over Births in 1931
Excess of Deaths over Births in 1932 70
Excess of Deaths over Births in 1933
Excess of Deaths over Births in 1934
Excess of Deaths over Births in 1935 107
Excess of Deaths over Births in 1936
Excess of Deaths over Births in 1937
Average excess of Deaths over Births for 10 years 100

CAUSES OF DEATH.

	ALL CAUSES.			Male	es 249 Femal	es 2	42
		M.	F.			M.	F.
1	Typhoid & Paraty- phoid Fevers			21	Other Respiratory Diseases	5	1
2	Measles			22	Peptic Ulcer	6	2
3	Scarlet Fever			23	Diarrhœa, &c. (under 2 years)		
4	Whooping Cough	1		24	Appendicitis	1	3
5	Diphtheria			25	Cirrhosis of Liver	1	1
6	Influenza	11	4	26	Other Diseases of Liver, &c	1	3
7	Encephalitis Lethargica			27	Other Digestive Diseases	4	7
8	Cerebro-Spinal Fever	1		28	Acute and Chronic Nephritis	10	10
9	Tuberculosis of Respiratory System	7	7	29	Puerperal Sepsis		
10	Other Tubercular Diseases	2	1	30	Other Puerperal causes		
11	Syphilis	1		31	Congenital Debility Premature Birth Malformation,&c.	4	2
12	General Paralysis of the Insane Tabes Dorsalis	1		32	Senility	7	7
13	Cancer, Malignant Disease	26	25	33	Suicide	7	2
14	Diabetes	3	8	34	Other Violence	10	11
15	Cerebral Hæmorr- hage, &c	16	14	35	Other defined Diseases	16	19
16	Heart Disease	64	75	36	Causes ill-defined or unknown		
17	Aneurysm	3	1				1
18	Other Circulatory Diseases	24	19		Special causes in cluded in No. 35		
19	Bronchitis	8	15		Smallpox		
					Poliomyelitis		
20	Pneumonia all forms	9	5		Polioencephalitis		

DEATH RATES PER 1,000 OF POPULATION FROM VARIOUS CAUSES. COMPARISON WITH THE FIVE PREVIOUS YEARS.

		Death R	ate per 1	,000 of F	opulation	1.
CAUSE OF DEATH	1937	1936	1935	1934	1933	1932
All Causes	13.7	13.1	12.4	12.7	14.2	12.8
Typhoid and						
Paratyphoid Fevers						0 026
Measles				0.027	0.026	
Scarlet Fever			0.081	6.053	0.053	
Whooping Cough	0.028	0.054		0.027	0.079	0.026
Diphtheria		0.191	0.081	0.027	0.026	0.026
Influenza	0.420	0.109	0 188	0.134	0 981	0.287
Encephalitis		0.000		0.050	0.050	0.050
Lethargica		0.082		0.053	0.053	0.052
Cerebro Spinal Fever	0.028	0 027		0.027	***	
Tuberculosis of	0.200	0.301	0.620	0.535	0.451	0.540
Respiratory System Other Tubercular	0.392	0.901	0.020	0.999	0.451	0.549
Th.	0.084	0 054	0.054	0 241	0 185	0.183
0 1 111	0.000	0.027	0.054	0.053	0.106	1000000
General Paralysis of		0.021	0 004	0 000	0.100	
the Insane, tabes						
dorsalis	0.000	0.027	0.054	*		0.026
Cancer, Malignant	0.20	0 021	0 001	***		0 020
Disease	1.429	1.506	1.267	1.766	1.750	1.386
Diabetes	0.000	0.109	0.350	0.375	0 238	0 156
Cerebral Hæmorr-	0 000	0.100	0 000	0010	0 200	0 100
hage, &c	0.841	0 712	0.674	0.696	0 716	0 941
Heart Disease	3.897	3 369	3.262	3.105	3 712	3.505
Aneurysm	0.112	0 082		0.080		0 052
Other Circulatory						
Diseases	1.205	0 904	0.647	0.856	0.610	0.837
Bronchitis	0 645	0.876	0 620	0.348	0.875	0.654
Pneumonia, all forms	The Control of the Co	0.328	0.877	0.455	0.636	0.523
Other Respiratory						
Diseases	0.168	0.109	0 134	0.053	0.132	0.052
Peptic Ulcer	0.224	0.191	0.16		0.132	0 052
Diarrhœa, &c.						
(under 2 years)		0.027	0.027	0.107		
Appendicitis		0 027	0.161	0.053	0 106	0.052
Cirrhosis of Liver	0.056				0 106	0 078
Other Diseases of						
Liver, etc	0.112	0.109	0.161	0.214	0.079	0 209
Other Digestive	0.000	0.44	0.755	0.05	0.000	
Diseases	0 308	0.410	0.512	0.375	0.238	0 313
Acute and Chronic	0.501	0.004	0.000	0.455	0.051	0.500
Nephritis	10000	0.684	0 296	0.455	0.371	0.523
Puerperal Sepsis		***				0.026
Other Puerperal Causes				0.000	0.100	0.000
		***		0.0.0	0.106	0.026
Congenital Debility, Premature Birth,						
Malformations, etc.	0.168	0.273	0.512	0.241	0.451	0.444
Senility	0.000	0 548	0 404	0.428	0.397	0.549
Suicide	0.252	0 137	0.377	0.214	0.337	0 156
Other Violence	0.589	0 383	0.404	0.482	0.424	0.209
Other defined Diseases		1.452	0.916	1 124	0.954	0.758
Causes ill-defined or	0.001	1.102	0.010	2 121	0 001	0.100
unknown		0.027		0.053	0.026	0.130
Special Causes						
(included in other						
diseases)						
Smallpox		***				
Poliomyelitis						
Policencephalitis						0.026
-	-					

Comparison of Number of Deaths from Various Causes, with Corresponding Figures for 1936.

Causes of Death	No. of Deaths 1936	No. of Deaths 1937	Increase for Year	Decrease for Year
Typhoid and Paratyphoid Fevers				
Measles				
Scarlet Fever				
Whooping Cough	2	1		1
Diphtheria				7
Influenza	4	15	11	
Encephalitis Lethargica	3			3
Cerebro Spinal Fever	1	1		
Tuberculosis of Respiratory System	11	14	3	
	2	3	1	
Other Tuberculous Diseases	1	1		
Syphilis	-			***
General Paralysis of the msane, tabes	1	1		
dorsalis	55	51	***	4
Cancer, Malignant Disease	4	11	7	_
Diabetes	100			
Cerebral Hæmorrhage, etc	26	30	4	
Heart Disease	123	139	. 16	
Aneurysm	3	4	1	
Other Circulatory Diseases	33	43	10	***
Bronchitis	32	23		9
Pneumonia (all forms)	12	14	2	***
Other Respiratory Diseases	4	6	2	
- cperc C.cor	7	8	1	
Diarrhœa, etc. (under 2 years)	1			1
Appendicitis	1	4	3	
Cirrhosis of Liver		2	2	
Other diseases of Liver, etc	4	4		
Other Digestive Diseases	15	11.		4
Acute and Chronic Nephritis	25	20		5
Puerperal Sepsis				
Other Puerperal Causes				
	***	***		***
Congenital Debility, Premature Birth, Malformations	10	6		4
	20	14		6
Senility	7.0	9		
Suicide	5		4 7	***
Other Violence	14	21	1	10
Other defined diseases	53	35		18
Causes ill-defined or unknown	1	***		1
Special causes (included in other diseases):—				
Smallpox				
Poliomyelitis	***			
Polioencephalitis				

SUMMARY OF AGES AT DEATH.

	Age	Gro	ups		Deaths in Nelson			ward sfers	Inv	vard sfers	Tota	l Dea ed to	ths allo- Nelson	% of each group to total
					M.	F	M	F.	M.	F.	M.	F.	Total	deaths
		year			6	2			1	1	7	3	10	2.0
Over	1 a	nd un	der 2 y	years	2	1					2	1	3	0.6
**	2	**	5	,,		1			***	1		2	2	0.4
**	5	,,	10	,,	1	1				2	1	3	4	0.8
"	10	,,	15	22	2				1		3		3	0.6
**	15	**	20	**	1				1		2		2	0.4
,,	20	,,	25	,,	2	8				2	2	4	6	1.2
**	25	,,	30	,,	2	4			1		3	4	7	1.4
,,	30	**	35	,,	3	1		1	2		5		5	1.0
,,	35	,,	40	,,	6	2			1	3	7	5	12	2.5
,,	40	,,	45	,,	5	3	1	1	6	4	10	6	16	3.3
,,	45	,,	50	,,	8	8			4	1	12	9	21	4.3
**	50	,,	55	,,	18	9		1	6	2	24	10	34	7.0
,,	55	,,	60	,,	18	20	2		3	3	19	23	42	8.6
,,	60	,,	65	,,	29	20	1	1	7	3	35	22	57	11 6
,,	65	**	70	,,	30	28	1		11	4	40	32	72	14 7
**	70	,,	75	**	25	33	1	1	6	11	30	43	73	14.8
**	75	27	80	**	24	35		1	5	5	29	39	68	13.7
,,	80	,,	85	,,	8	23			5	4	13	27	40	8.2
,,	85	33	90	,,	4	7				1	4	8	12	2.5
,,	90	,,	95	,,	1	***	***			1	1	1	2	0.4
"	95	1,7	100	,,										
		Tota	als		195	200	6	6	60	48	249	242	491	

% of deaths of 70 years and over, 39 7.

Monthly Analysis of Deaths in Wards in 1937.

								200							
	In	10	18	00	2	14	80	6	4	00	2	11	00	108	
Total	Out	:	П	00	C4	:	C1	:	:	:	-	-	C1	12	491
T	Deaths in Nelson	49	51	37	36	56	33	15	20	28	21	24	55	395	77
g	In	00	C4	7	-	:	co	C1	:	C3	:	-	4	19	
tefiel	Out	:	:	П	:	:	:	:	:	:	:	:	:	-	72
Whitefield	Deaths in Nelson	-	00	7	4	4	20	C1	00	10	24	9	6	54	
1	E E	2	4	::	:	:	-	C4	C3	C4	-	-	C4	17	
rerde	Out	:	:	:	:	:	:	:	:	:	:	:	1	-	9
Walverden	Deaths in Nelson	7	00	0	00	4	67	:	7	00	4	+	9	50	99
q	In		00	67	C4	C4	-	-	:	-	Ç4	:	:	14	
Southfield	Out	:	:	::	:	:	:	:	:	:	:	:	:	:	56
Sou	Deaths in Nelson	60	9	4	80	1	t-	7	4	1	67	C4	8	42	
ld	In	1	C7	C7	:	4	-	-	-	***	:	-	:	13	
erfie	Out	:	:	-	:	:	:	:	:	:	:	:	:	1	09
Netherfield	Deaths in Nelson	9	4	9	က	v#	10	20	1	60	2	8	œ	48	
	T	67	:	:	-	Н	:	:	:	:	-	1	:	9	
Marsden	Out	:	:	:	:	;	:	:	::	:	:	:	:	:	47
Mar	Deaths in Nelson	60	00	4	00	C3	22	:	:	4	1	က	9	41	
п	H F	1	00	:	-	63	67	:	:	1	:	C1		13	
Clover Hill	Out	:	:	:	:	:	:	:	:	:	:		:	1:	7.1
Clove	Deaths in Nelson	9	œ	-	00	4	4	5	67	5	4	1	6	58	
	립티	1	1	:	:	1	:	1	1	:	:	:	:	5	
Central	Out	:	:	:	:			:			::	:	:		80
Cen	Deaths in Nelson	5	Ľ-	60	1	CI	4	00	-	2	00	1	?1	34	
	In	:	00	00	:	4		C7	:	CI	Н	10	Н	21	
Bradley	Out	:	1	Н	77	:	-	:		:	1	-	1	8	81
Bra	Deaths in Nelson	12	1	7	0	9	4	-	5	20	00	-	12	89	
	Month	Jan.	Feb	Mar.	Apr	May	June	July	Aug.	Sept	Oct.	Nov.	Dec.	Totals	Nett Deaths

21

MONTHLY ANALYSIS OF DEATHS SHOWING RATES.

	Actual I in Ne		Outv	vard sfers	Jnw Trans		Nett Deaths for Nelson		
Month	Number Rate		Number	Death Rate	Number	Death Rate	Number	Death Rate	
Jan	49	16.5			10	3.4	59	19.8	
Feb	51	17.1	1	0.3	18	60	68	22 9	
Mar	37	12 4	3	10	8	2.7	42	14.1	
April	36	12 1	2	0.7	5	1.7	39	13.1	
May	26	8.7			14	48	40	13.4	
June	33	11.1	2	0.7	8	2.7	39	13.1	
July	15	5 0			9	3 0	24	8 1	
Aug	20	6.7			4	1.3	24	8.1	
Sept	28	9.4			8	2.7	36	12.1	
Oct	21	7.1	1	03	5	1.7	25	8.4	
Nov	24	8.1	1	0.3	11	3 7	34	11.4	
Dec	55	18.5	2	0.7	8	2.7	61	20.5	

AVERAGE AGE AT WHICH DEATH OCCURRED.

		1937		1936	1935	1934
	Male	Female	Total Persons	Total Persons	Total Persons	Total Persons
Deaths in Nelson: Excluding infants under 12 months	61.29	66-06	63.72	62.01	59.52	61.24
12 months	59.48	65.39	62 42	60.00	55.81	58.64
Deaths in Nelson of non- residents: Excluding infants under 12 months	60·33 60·33	59·57 59·57	59-92 59-92	49 85 49·85	50·09 42·38	53·12 53·12
Deaths of residents of Nelson in other districts: Excluding infants under	59.07	59.17	59.11	59.01	59.69	55-87
12 months Including infants under	05 01	00 11	03 11	03.01	00 00	00 01
12 months	58.08	57:95	58 02	56 65	56.34	54 06
Nett deaths allocated to Nelson: Excluding infants under			22.00		20.01	00.40
12 months	60-81	64.87	62-80	61.92	60.21	60-49
Including infants under 12 months	59.12	64.05	61.53	59.74	56.68	57.95

INFANTILE MORTALITY.

Total number of Deaths under 1 year of age in Nelson	8
Number of Deaths of Infants in Nelson non-resident	_
Number of Deaths of Infants outside Nelson transferred	
to Nelson	2
Nett Deaths under 1 year	10
Decrease on last year	7
Infantile Mortality Rate	30
Average for the previous five years per 1,000 births	58
The causes of deaths of Infants during the last ten ye	ars
are shown in the following table.	

Year	Infectious Diseases	Diarr- hœal Diseases	Premature Births, Congenital Defects and Injury at Birth	Wasting Diseases	Chest Diseases	Other Diseases	Total
1928	1	5	10	2	6	1	25
1929	2	1	8	6	7	2	26
1930		2	26	2	2	5	37
1931	2	1	10	1	3	1	18
1932	1		16	1	5		23
1933	4		17	2	4	4	31
1934	3	3	9		5		20
1935		1	19	2	3	2	27
1936	1		10		2	4	17
1937			6		1	3	10

COMPARISON OF INFANTS' DEATHS AT VARIOUS AGE PERIODS.

		1936			1937	
AGE GROUP.	No of Deaths	% of Infant Deaths	Mortality Rate per 1000 Births	No. of Deaths	% of Infant Deaths	Mortality Rate per 1000 Births
Under 1 day	5	29.4	14			
Over 1 day and under 2 days				1	10.0	3
,, 2 days ,, 3 ,,	1	59	3	1	10.0	3
,, 3 ,, ,, 4 ,,				1	10.0	3
,, 4 ,, ,, 5 ,,				****		
,, 5 ,, ,, 6 ,,						
,, 6 ,, ,, 7 ,,				1	10.0	3
Total under 1 week	6	35.3	17	4	40.0	12
Over 1 week and under 2 weeks	1	5.9	3			
,, 2 weeks ,, 3 ,,	2	11.8	6			
,, 3 ,, ,, 4 ,						
Total under 1 month	9	58.0	26	4	40.0	12
Over 1 month and under 3 months	3	17.6	8	1	10.0	3
,, 3 months ,, 6 ,,	2	11.8	6	3	30 0	9
., 6 ,, ,, 9 ,,				1	10.0	3
,, 9 ,, ,, 12 ,,	- 3	17.6	8	1	10.0	3
Total Deaths	17	100.0	49	10	100.0	30

Comparisons of Infantile Mortality Rates per Quarter and per Month (Notified Births).


	Number of Infant Deaths.	Infantile Mortality Rate.
March quarter	2	 27
June quarter	3	 30
September quarter	. 1	 13
December quarter	4	 83


	No. of		Infa	nt Deat			
Month.	Live Birt Notified	for month	1.	Total to-date	Infant I or mont		lity Rate to-date.
January	22	 1		1	 45		45
February	28	 . 1		2	 35		40
March	24	 _		2	 _		27
April	. 24	 2		4	 83	1	40
May	39	 1		5	 25		36
June	36	 _		5	 _		28
July	27	 _		5	 -		25
August	24	 1		6	 41		26
September	25	 		- 6	 _		24
October	16	 1		7	 62		26
November	20	 1		8	 50		28
December	12	 2		10	 166		33

Infantile Mortality Rates according to Various Causes of Death.

Cause of Death.	No. of	Deaths.	Rate per 1,000 Births.
Congenital Defects		5	15
Pneumonia		1	3
Meningitis		1	3
Convulsions		1	3
Other causes		2	6

under Total 10 10 : : Nett Deaths from stated causes at various ages under One Year. under band 6 3 mths 6 mths 9 mths 12 mhs : 1 and 2 and 3 and Total 1 and 3 and 6 and under under under under under -: : : 9 00 : : : : : : : : : : : : : : : H ŝ : : : : : : : : : : : : : : : : : : 4 wks. 2 and 3 and Total d 3 wks. 4 wks. : : : : 2 wks. : under under under under under under 2 days 3 days 4 days 5 days 6 days 7 days 1 week 1 and 2 and 3 and 4 and 5 and 6 and Total * * : : : : : : : : : : : : : INFANTILE MORTALITY DURING THE YEAR 1937. : : : : : : : -Under 1 day : : : : : : : : : Atrophy, Debility, Marasmus Totals.... Scarlet Fever Diarrhœa Atelectasis Premature Birth Other Causes Diphtheria and Croup..... Meningitis (not Tuberculous) Influenza financia Syphilis Chickenpox Erysipelas Convulsions Gastritis..... Rickets Injury at Birth Other Tuberculous Diseases Congenital Malformations. OF DEATH. Abdominal Tuberculosis Tubercular Meningitis Measles Bronchitis Preumonia (all forms) ALL CAUSES. Whooping Cough Suffocation CAUSES Smallpox Enteritis





BIRTHS AND DEATHS CLASSIFIED IN WARDS. (NOTIFIED BIRTHS).

Ward	Live Births Notified	Deaths Registered	Infantile Deaths Registered	Infantile Mortality Rate
Bradley	38	81	3	79
Central	25	37	1	40
Clover Hill	29	70	1	34
Marsden	29	47	1	34
Netherfield	47	60	2	42
Southfield	33	56	1	30
Walverden	52	66		
Whitefield	26	72	1	38
Total	279	489	10	35

BIRTH AND DEATH RATES IN NELSON FOR THE LAST TEN YEARS. (Per 1,000 of population).

Year	Birth Rate	Crude Death Rate	Zymotic Death Rate	Infantile Death Rate per 1000 Births
1928	11.5	12.3	0.15	54
1929	10.9	14.1	0.22	59
1930	11.7	12.1	0.25	78
1931	10.5	13.0	0.16	44
1932	10.9	12.8	0.08	54
1933	10.4	14.2	0.21	78
1934	9.2	12.7	0.24	57
1935	9.5	12.4	0.19	76
1936	9.3	13.1	0.27	49
1937	9.1	13.7	0.02	30
Average for 10 years	10.30	13.04	0.17	58

The particulars for the year have been added to the appended diagram, showing continuously for the years 1908 to 1937:—

- A.—The actual number of births year by year in Nelson.
- B.—The actual number of infant deaths year by year in Nelson.
- C.—The actual Infantile Death Rate per 1,000 births.
- D.—The Birth Rate per 1,000 of population.

VITAL STATISTICS OF WHOLE DISTRICT DURING 1937 AND PREVIOUS YEARS.

District	ages	Crude Rate 13	12:3 14:1 13:0 14:2 13:4 13:7
Nett Deaths belonging to the District	At all ages	Number 12	488 562 483 506 490 536 476 460 480 491
aths belon	Under 1 year of age	Number 1000Nett Number Births 11 12	54 44 78 74 78 76 80 80
Nett De	Under 1 y	Number 10	25 26 37 18 23 31 20 27 17
Transferable Deaths	0	dents notregis- tered in District 9	81 104 88 103 95 97 105 106
Transfera Deaths	Of Non-	residents dents regist'r'd notregis, in the tered in District District 8 9	10 10 10 13 13 13 13 13 13
eaths	l in the rict	Rate 7	10.5 11.8 10.1 10.7 10.6 10.9 10.9
Total Deaths	Registered in the District	Number 6	417 470 405 413 405 462 401 868 401 895
	gistered)	Rate	11.5 10.9 11.7 10.5 10.4 9.2 9.5 9.5
Live Births	Nett (Registered)	Number 4	456 436 469 406 420 394 345 345 345 326
		Corrected Number (notified)	472 446 479 415 418 334 334 334 325 297
	Population estimated to middle of	each year 2	39560 39760 39760 38640 37710 37360 37090 36500
	Year	H	1928 1929 1930 1931 1932 1933 1934 1935 1936

BIRTH RATES, DEATH RATES, AND ANALYSIS OF MORTALITY IN THE YEAR 1937. (England and Wales, London, 125 County Boroughs and Great Towns, and 148 Smaller Towns).

-
APR.
46
0
100
200
-
uri
-640
d3
-3
M
1
160
2
-
2000
0
rte
-
PM.
100
YW
prof
200
0
V
mme.
~
-
ave.
5
**
No.
KJy
print!
1.4
period .
MIL
30
- Q2
J'ee
-
100
E
-
on V
uo pes
uo pes
uo pes
uo pes
uo pes
s. Based on
uo pes
s. Based on
figures. Based on
I figures. Based on
figures. Based on
I figures. Based on
I figures. Based on
I figures. Based on
I figures. Based on
ional figures. Based on
ional figures. Based on
sional figures. Based on
ional figures. Based on
visional figures. Based on
visional figures. Based on
visional figures. Based on
sional figures. Based on
visional figures. Based on
rovisional figures. Based on
visional figures. Based on
rovisional figures. Based on

		27	7			
on	Infantile M'rt'lity Rate		-1	1	Nochange	_ 6 19
Decrease r 1936		Crude Death Rate	+0.3	+0.5	+0.4	+0.6
Increase or Decrease on Rates for 1936	Rate	Still. Births	-0.01	No change	No change	+0.01
Inc	Birth Rate	Live Births	+0.1	No change No change	+0.3] -0.3 -0.2
1,000 irths	Total Deaths under One Year.		58	6-2	22	80
Rate per 1,000 Live Births	sitin ; (s)	Diarrho and Ente (under Two year	8-9	7.9	8.5	0.0
	9:	Violenc	0.54	0.45	0.42	0.51
tion	TEZ	uənµuI	0.45	0.33	0.43	0.38
Popula	Whooping Cough Diphtheria		0.07	0.08	0.05	0.00
1,000			0.04	0.0	0.03	0.06
ate per	GVer	Scarlet Pever		0.01	0.01	0.00
eath-Ra	Annual Death-Rate per 1,000 Population Measles Measles Mooping Cough Cough Tever	Measle	0.03	0.03	0.03	0.00
anal D		odlisma	:	:	:	::
Anı		Typhoid Paratyph	00.00	0.01	00-0	00.00
		Typhoid Typhoid Paratyph	12.4	12.5	6-11	12.3
te e	Rate Population Still- Still- births		09-0	0.67	0.64	0.54
Ra			14.9	14.9	15.3	13.3
				Great Towns, including London 148 Smaller Towns (Esti-	tions 25,000 to 50,000 at Census 1931)	CountyNelson

III.—GENERAL PROVISION OF HEALTH SERVICES FOR THE AREA.

Hospital Accommodation: -

(a) Smallpox, Scarlet Fever, and Other Diseases.

When the scheme is in operation whereby Nelson becomes a member of the Burnley Joint Hospital Board, the present Infectious Diseases Hospital at Nelson will be administered by that Authority.

Patients are not required to contribute towards the cost of treatment.

(b) Maternity cases, 10 beds, situated at Fern Lea, and provided by the Council.

No hospital accommodation is provided for

- (a) Tuberculosis.
- (b) Children.

The Public Assistance Institution for the district is the Municipal Hospital, Burnley.

AMBULANCE FACILITIES.

Two motor ambulances are provided by the Local Authority and are kept at the Fire Station. These are available for use in cases of accidents and other non-infectious cases, including maternity cases, requiring removal to or from Hospital. Arrangements for use are made through the Superintendent of the Fire Brigade, who has charge of this service.

For infectious cases there is a motor ambulance under the centrol of the Public Health Department.

CLINIC AND TREATMENT CENTRES.

The following is a list of the Clinic and Treatment Centres available to Nelson residents.

(a) Maternity and Child
Welfare Centre.

Provided by the Local Authority
and situated in Carr Road. A
weekly session is held on Wednesday afternoon.

(b) School Clinic. Provided by the Local Authority, situated in Carr Road, and open daily.

(c) Orthopædic Clinic.

Provided co-jointly by the Local Authority and the County Council. Weekly session held at the School Clinic on Friday.

(d) Artificial Light Clinic.

Provided by the County Council in conjunction with their provision for tubercular patients, and situated at the Tuberculosis Dispensary.

(e) Tuberculosis Dispensary. Provided by the County Council and situated at 64, Carr Road.

(f) Venereal Diseases Treatment Centre. Provided by the County Council and situated at the Victoria Hospital, Burnley.

Public Health Officers of the Local Authority.

The staff of the Public Health Department consists of (a) the Medical Officer of Health, who is also School Medical Officer and has charge of the Infectious Diseases Hospitals, (b) a Chief Sanitary Inspector, (c) two Assistant Sanitary Inspectors, one of whom acts as Chief Clerk, (d) General Clerk, (e) a supervisor for the purposes of overcrowding and the keeping of house records in connection therewith, (f) two whole-time Health Visitors and one part-time Health Visitor, in the latter case part time is devoted to work in connection with the School Medical Service, (g) Matron of the Maternity Home, the staff thereat being under her control, and (h) a part-time Veterinary Inspector who has made examination of all dairy herds and farm premises within the Borough.

THE NURSING HOMES REGISTRATION ACT, 1927.

There are no premises within the Borough that are registered under the above Act.

PROFESSIONAL NURSING IN THE HOME.

An annual contribution is paid to the District Nursing Association, and an agreement with them provides nursing assistance to be rendered in certain cases of Measles, Ophthalmia Neonatorum, and Puerperal Pyrexia. The arrangements for nursing assistance have to be made through the Medical Officer of Health, following a request by the medical practitioner in attendance, and a fee is paid to the Nursing Association according to the number of visits made.

No application for Nursing assistance has been made during the year. The association supply three District Nurses, but no midwifery or monthly nursing is undertaken. No co-ordination exists between the Nursing Association and the Local Authority in respect of Maternity and Child Welfare duties.

The Local Authority contribute annually to Reedyford Hospital, Nelson, and also to the Manchester Hospitals, including the Royal Infirmary, St. Mary's, the Royal Eye Hospital and the Royal Children's Hospital.

MILK, ETC., FOR EXPECTANT MOTHERS AND INFANTS.

A scheme is in operation for the provision of milk in necessitous cases both for ante-natal mothers and infants, whilst Ostermilk and Almata are sold at nett cost price. Cod Liver Oil Emulsion and Lactogol are also sold.

The following figures give an indication of the amount of milk supplied free during the year.

Numl	er in rece	ipt of Fr	ee Milk,	1st January, 1937	67
,,	,,	,,	,,	31st December, 1937	90
,,	,,	,,	,,	during year	153
Daily	supply of	milk at	1st Janu	uary, 1937 67 p	ints
,,	,,	,,	31st De	cember, 1937 100 p	ints

LEGISLATION IN FORCE.

A list of the local and adopted Sanitary Acts administered by the Council is given on page 4.

WATER SUPPLY.

This is derived from two gathering grounds, one 4 miles distant on the east side of the town, supplying Coldwell Reservoir and one 4 miles distant on the west side of the town, supplying Ogden Reservoir.

Lower Coldwell Reservoir: — Altitude 943 feet; capacity 80,000,000 gallons; Filtration: — 4 "Bell" Pressure Filters. Upper Coldwell Reservoir: — Altitude 990 feet; capacity 43,500,000 gallons. Nature of water, good, very slightly hard.

Ogden Reservoirs: — No. 1, Altitude 989 feet; capacity 54,500,000 gallons. No. 3, Altitude 837 feet; capacity 157,500,000 gallons; filtration, 12 "Bell" Vertical Pressure Filters, and two "Paterson" Horizontal Pressure Filters, followed by Chloramine treatment. Nature of water, good, soft.

Ridgaling Service Reservoir:—Altitude 755 feet; capacity 5,000,000 gallons.

Waidshouse Service Reservoir:—Altitude 718 feet; capacity 2,000,000 gallons.

The total storage capacity of the Reservoirs is approximately 160 days' supply.

Average daily consumption, 2,285,206 gallons, which includes Compensation water discharge from Lower Coldwell Reservoir. Daily consumption per head of population in area of supply, 40.01 gallons. At the Barley Filter House a modern Chloramine plant has been installed which injects Chlorine and Ammonia gases into the water in very minute doses; this provides an additional safeguard in that harmful Bacteria which pass through the Filters are rendered innocuous. At the Coldwell Filterhouse, a temporary Chlorine Gas Injection plant has been in operation, but it is anticipated that during the coming year a permanent installation on the lines of that at Barley will be a feature of the treatment.

During the past year the Water Department has carried forward the schemes of replacing old joint service pipes, which are proving inadequate for present demands, by means of new mains with separate service pipes to each house. Altogether since the commencement of this scheme ten years ago 383 rows of houses have been so treated; every house dealt with under this scheme now has a satisfactory water supply.

There has been no curtailment of the supply during 1937.

At the 31st December, 1937, none of the reservoirs were full and the amount in storage was:—

 At Ogden
 95,595,000 gallons

 At Coldwell
 83,224,000 gallons

RIVERS AND STREAMS.

The provisions of the Rivers Pollution Acts are administered by the Ribble Joint Committee.

DRAINAGE AND SEWERAGE.

Nature of drainage of district, water carriage; situation of Sewage Works, Linedred; mode of delivery of sewage at Works, high level gravitating sewer. (Sewage from low-lying district of Lomeshaye is carried by a low-level sewer which is emptied into the high level sewer by means of automatic ejectors at the Works).

No area is without a drainage system. Drain-testing, flushing, etc., is carried out by the Corporation staff when necessary.

CLOSET ACCOMMODATION.

No. of Privy Middens (in town)	1
No. of Pail Closets	46
No. of Fresh Water Closets	4,564
No. of Waste Water Closets	8,146
No. of Dry Ashpits, excluding Middens	158
No. of Portable Receptacles for Refuse	12,156
Conversions during the year:—	
No. of Privies or Privy Middens (on outskirts of town)	
converted to Fresh Water Closets	Nil
No. of Pail Closets to Fresh Water Closets	Nil
No. of Waste Water Closets to Fresh Water Closets	33
No. of Houses at which Portable Ashbins have been	
substituted for Ashpits	142

In all new property Fresh Water Closet accommodation and Portable Ashbins are now being provided.

CLEANSING AND SCAVENGING.

The removal and disposal of house and shop refuse, and street scavenging is carried out by the Cleansing Department under the control of the Director of Public Cleansing, who has kindly supplied me with the following particulars relative to the work of the Department.

Street scavenging is carried out by Motor sweepers, which combine both sweeping and picking up the refuse. There are a few orderlies also engaged for the collection of paper, etc., from the footpaths, whilst a vacuum gully cleanser is used for emptying the street gullies.

All house refuse is incinerated after having the cinders, fine dust and unburnable material extracted therefrom. No crude refuse is tipped. The clinkers from the furnaces, the fine dust, pots and glass are all disposed of at the Reedyford Tip.

Trade refuse of all descriptions is fed by hand direct on to the conveyor belt leading to two furnaces, which are capable of burning some 35 tons per day of eight hours. The plant does not function at night or week-ends.

Weight o	of refuse received for disposal (tons)	8,923
,,	,, refuse collected by own vehicles ,,	8,252
,,	", ashpit refuse removed,	308
,,	,, ashbin refuse removed,	6,228
,,	,, trade refuse removed,	1,288
,,	,, garbage removed,	428
No. of 10	,000 sq. yards of streets swept (machines)	4,563
,, gu	llies cleansed by Mechanical Gully Cleanser	22,727
,, loa	ds of street sweepings collected (machines)	867
,, loa	ds of snow collected (approx.)	449
,, ар	plications received for opening drains, etc	563

Sanitary Inspections during 1937.

A summary of the work carried out under this heading is as follows:—

No. o	f complai	nts of nuisan	nces received and investigated	106
,,	premise	s in general	inspected	1,545
,,	,,	,,	re-inspected	150
,,	,,	visited		231
,,		ons—Stables		38
,,	,,	License	d Premises	26
,,	,,	Offensiv	re Trades	Nil

No. of inspections—Slaughter Houses	981
,, ,, Bakehouses	144
,, ,, Re Water Supply	5
,, ,, Meat Stalls	149
,, ,, Workshops	110
,, ,, Factories	32
,, ,, Dairies and Cowsheds	126
,, ,, Housing	253
,, visits—infectious diseases and contacts	72
,, structural defects found	73
,, drainage defects found	26
,, lack of cleanliness found	27
,, offensive accumulations found	12
,, defective waste-pipes found	15
,, defective waste water closets	15
,, defective water closets	13
,, defective drains found	19
,, defective ashpits found	Nil
,, Verbal Notices given	111
" Informal Notices sent	40
" Informal and Verbal Notices complied with	147
,, Legal Notices sent	6
,, Legal Notices complied with	6
,, Legal proceedings	Nil
" Smoke observations	144
", insufficient W.C. accommodation	Nil
SMOKE OBSERVATIONS.	
	111
Number of Smoke Observations taken during the year	144
Number of chimneys concerned	36
Time limit 5 minutes in 30 min	nutes
Number of times limit has been exceeded	1
	Nil
Legal Proceedings	IVII
The total time the chimneys were under observation 72 hours, and during this period the total amount of sr emitted was:—	
Black Smoke. Moderate Smoke. Light Smoke. Clear.	
hrs. min, secs. hrs. min, secs. hrs. min, secs. hrs. min,	secs.
0 59 45 7 3 45 22 48 15 41 8	15

The average time per observation was 30 minutes, and the average result per observation — Black Smoke 0.42 minutes, Moderate Smoke 2.94 minutes, Light Smoke 9.50 minutes, Clear 17.14 minutes.

An average hour's observation, for comparison with the average hour's observation for each year from 1928 is as follows:—

	Black Smoke. Minutes.	Moderate Smoke. Minutes.	Light Smoke. Minutes.	Clear. Minutes.
1928	 . 1.2	11.0	31.6	16.2
1929	 0.6	6.2	35.8	17.4
1930	 0.7	7.6	39.6	12.1
1931	 0.5	5.6	36.8	17.1
1932	 1.8	4.2	22.2	31.8
1933	 0.1	4.7	35.6	19.6
1934	 0.2	3.8	16.2	39.8
1935	 0.2	3.6	15.6	40.6
1936	 1.1	7.0	20.9	31.0
1937	 0.8	5.9	19.0	34.3

OFFENSIVE TRADES.

No. of offensive trades in Borough Total	Nil
Tripe Boilers	Nil
No. of Complaints of nuisances arising from same	Nil
No. of inspections	Nil
No. of defects or nuisances found	Nil

WORKSHOPS AND WORKPLACES.

A.—Inspection of Factories, Workshops and Workplaces.

Premises. Factories (including Factory	Number of inspections.	Number of written notices.	Number of prosecutions.
Laundries)	32	1	-
Workshops (including Workshop Laundries) Workplaces, other than out-	254	2	-
workers' premises	1	_	_
Total	287	3	-

B.—Defects Found in Factories, Workshops and Workplaces.

Timber to Residence Interior to the	Number of Defects:			er of	
Particulars	Found	Rem- edied	Referred to H.M.I.	Number of	
Nuisances under Public Health Acts:					
Want of Cleanliness					
,, Ventilation					
Overcrowding					
Want of drainage of floors					
Other Nuisances	5	5	1		
Insufficient					
Sanitary defective Accommodation Not separate for	6	6			
sexes					
Offences under the Factory and Workshops Act:					
Illegal occupation of underground Bakehouse					
Other Offences	8	8			
Total	19	19			

C.—Home Work.

	0	utworkers' I	ists.	Section	107.
		Lists recei	ived from Ei	mployers.	
Noture of Work	Twice Yearly			Once yearly.	
Nature of Work		Outworkers.			
	Lists	contracts	workmen	Lists	Outworker
Making Wearing Apparel	Nil.	Nil,	Nil,	Nil.	Nil.

D.—REGISTERED WORKBHOPS.

(Workshops on the Register at the end of the year).

Trades	Ordinary	Domestic	Men's	Total
Bakehouses	60	54	9	123
Tailors	3	1	1	5
Dressmakers	7	8		15
Milliners	6	3		9
Shoe and Clog Makers		8	21	29
General	9	7	8	24
Totals	85	81	39	205

E.—Other Matters.

CLASS	Number
Failure to affix Abstract notified to H.M. Inspector	None 1 None None None

COMMON LODGING HOUSES.

There is no Common Lodging House in the Borough.

Schools.

The Sanitary condition of the Schools in the Borough on the whole remains satisfactory. All are supplied with town's water. No closure of a School has been necessary during the year.

Number of Schools in Bo	orough—Secondary 1	
	Senior 4	
	Junior Mixed 6	,
	R.C. Mixed 3	
	Infants 10	,
	Open Air 1	

CANAL BOATS ACT.

The Council are exempt from the administration of the Canal Boats Act, owing to the short length of canal within the Boundaries.

IV.-HOUSING.

Housing Statistics for the Year 1937.

Number of new houses erected during the year: -

(a) Total [including numbers given separately under (b)]	74
1. By the Local Authority	66
2. By other Local Authorities	Nil
3. By other bodies or persons	8
(b) With State assistance under the Housing Acts:	
1. By the Local Authority (Aged Persons Houses)	Nil
2. By other bodies or persons	Nil

1.	Ins	pection of o	dwelling houses during the year:	
		housin Housin (b) Numb (a) Numb sub-he	number of dwelling houses inspected for any defects (under Public Health or ng Acts)	. 295 . 362
			ations, 1925	
	(3)	Number o	per of inspections made for the purpose of dwelling houses found to be in a state so s or injurious to health as to be unfit for)
	(4)	Number of	abitationof dwelling houses (exclusive of those of under the previous sub-heading) found	9
			in all respects fit for human habitation	
2.	Re	formal no		
			of defective dwelling houses rendered fi quence of informal action by the Loca	
			or their officers	
3.	Ac	ion under	statutory powers during the year:	
I	Α.		s under Sections 9, 10 and 16 of the Act, 1936—	9
		notice	per of dwelling houses in respect of which es were served requiring defects to be	Э.
			oer of dwelling houses which were ren fit after service of formal notices—	
		(a) By ov	vners	
			ocal Authority in default of owners	. Nil
1	В.		s under Public Health Acts— per of dwelling houses in respect of which	1
			es were served requiring defects to be	е
			per of dwelling houses in which defect remedied after service of formal notices—	
		7 7 9	y Local Authority in default of owners	
(G.		s under Sections 11 and 13 of the Housing	
		Act 1936-		

demolition orders were made	31
2. Number of dwelling houses demolished in	
pursuance of demolition orders	31
D. Proceedings under Section 12 of the Housing Act,	
1936—	
1. Number of separate tenements or underground	
rooms in respect of which closing orders were	
made	Nil
2. Number of separate tenements or underground	
rooms in respect of which closing orders were	
determined, the tenement or room having been	
rendered fit	Nil
The following list, kindly supplied by the Boro	_
Surveyor, shows the number of houses erected by the Lo	ocal
Authority under their Housing Schemes.	
Sheridan Street Site	
St. Paul's Road Site 108 ,,	
Lynthorpe Road Site 50 ,,	
Marsden Scheme B 100 ,,	
,, ,, C	
,, ,, D 50 ,,	
,, ,, <u>E</u> 70 ,,	
,, ,, F 100 ,,	
,, ,, Н 50 ,,	
,, ,, J 44 ,,	
Hodge House Scheme G	
,, ,, K 50 ,, L 44 ,,	
"	
,, ,, N	
M 38	
0 44	
Lee Park Fetate Scheme D 93	
Plack Hall Schome O 20	
Pinder Street, Scheme R	
Lomeshaye Scheme	
Hodge House Scheme T., U. & V 66 ,,	
Total completed 1135	

HOUSING CONDITIONS.

According to the Rate Books, there were 11,578 inhabited houses in the Borough at the 31st December, 1937. Based on the estimated population for the year, the average number of occupants per house is 3.08 persons.

There does not appear to be any shortage of houses, as from the particulars obtained from the overcrowding statistics there appears to be approximately 420 empty houses in the town at the end of the year.

On the whole the housing conditions in the town are good, the majority of the houses are well constructed and of a good working class type.

Action taken under the Housing Act, 1936, during the year comprises—

- (a) Demolition Orders were made in respect of 31 houses in regard to which Clearance Orders had been made during the previous year.
- (b) Inspection and report was made of 34 houses situated in 7 small areas, and a Ministry of Health inquiry resulted in Clearance Orders being confirmed for these properties.
- (c) One small area comprising 3 houses was closed voluntarily and the premises utilized for purposes other than habitation.
- (d) A further area of 8 houses was dealt with, 6 houses being re-conditioned and 2 demolished voluntarily.

There are no tent dwellers in the area, nor have we any houses let in lodgings registered as such. There are a few isolated caravan dwellers, but these are on the extreme outskirts of the town.

OVERCROWDING.

At the end of 1936 there still remained 11 cases of overcrowding to be dealt with, 6 of these being found at the enumeration, and 5 after the enumeration. The latter 5 having been brought about by the removal of families or the fact of children attaining the age of 10 years and thus being counted as one unit.

During 1937, a further 9 cases were found, making a total of 20 cases to be dealt with, but at the end of the year it was found that 16 of these had been abated, leaving only 4 cases yet to be dealt with.

The following table shows particulars of these cases: -

TABLE SHOWING PARTICULARS RE CASES OF OVERCROWDING DURING 1937.

CASES	TO BE	DEALT	мттн	AT TH	E END	BE DEALT WITH AT THE END OF 1936.		NEW CASES		FOUND DURING 1937	DURIN	G 1937			
Foun	Found at Enum.	num.	Foun	Found after Enum. but during 1936.	Enum. 1936.	Total	Foca	Found by Local Authority.	y rity.	Loca	Notified to Local Authority.	to ority.	Total	Grand	
C.P.	0.0.	H	C.P.	0.0.	T.	Groups	C.P.	0.0.	T.	CP.	0.0.	E	Groups		
က	1	64	:	1	4	11	1	1	7	:	:	:	6	20	Total cases of Overcrowding during 1957.
C4	:	1	:	1	4	80	1	П	9	:	:	:	80	16	Cases abated during 1957.
1	П	1	:	:		en .	.:	:	1	:	: .	:	1	4	Cases to be dealt with at end of 1937.
															ANALYSIS OF ABATED CASES.
1	:	:	:	:	. :	1	1	:	:	:	:	:		2	Re-housed by Corporation.
1	:	:	:	:	:	1	:	:	:	:	:	:	:	1	Re-housed under Clearance Scheme by
:	:	1	:	:	:	1	:	:	:	:	:	:	:	1	Abated conditionally.
:	:	:	:	1	:	1	:	:	:	:	:	:	:	1	Death in family.
:	:	:	:	:	C3	63	:	:	61	:	:	:	67	4	Removed voluntarily to larger premises.
:	:	:	:	:	ď	67	:	П	62	:	:	:	90	5	Removal of member of family.
:	:	:	:	:	:	:	:	:	1	:	:	:	1	1	Increased habitable accommodation.
:	:	:	:	:	:	:	:	:	1	:	:	:	1	1	Removal of lodgers.
C4	0:10	-	:	1	4	8	-	1	9	:	:	:	80	16	Total cases abated.
C.P.—In Corporation Property.	n Corl	oration	n Prope	erty.	0.0	O.O.—In Owner Occupied Property.	ner Oc	cupied	Prope	rty.	T	In Ter	T.—In Tenanted Property.	operty.	

As an explanation of the number shown to be abated by "removal of members of family," these are cases where sons or daughters have been married and left home, or cases where married sons or daughters have been continuing to live at the home of one of their parents and thereby caused the premises to be overcrowded, but after interview have found other accommodation.

Records of the occupation of houses are amended as far as is practicable from information available at the office. This information comprises records of removals in the town, notification of births and the Registrar's returns of deaths.

Some indication of the changes of occupation that occur is shown by the fact that during 1937 approximately 2,850 removals took place, this being an average of 55 per week.

An analysis of these removals is shown as follows:-

Removals, 1937.

Total No. of Removals dealt with	2,850
Total No. of Removals into town	472 or 16.6%
Total No. of Removals out of town	497 or 17.4%
Total No. of Removals within the town	1,881 or 66.0%

V.-INSPECTION AND SUPERVISION OF FOOD.

MILK SUPPLY.

At the end of the year the number of cowkeepers, dairymen, etc., on the register was as follows:—

Cowkeepers not selling milk in Nelson	3
Cowkeepers, milk sold wholesale	
Cowkeepers and Purveyors of milk (resident)	21
Cowkeepers and Purveyors of milk (non-resident)	42
Milk Purveyors only	18
Shopkeepers selling new milk	

There is only one farm within the Borough at which designated milk is produced, in this case the milk being accredited. There are premises within the immediate vicinity at which either Certified T.T. or Accredited Milk is produced, and this is retailed within the Borough. Pasteurised Milk is also retailed within the Borough, but there are no pasteurising plants in Nelson.

Routine examination of the milk supply is carried out throughout the year, samples of milk being tested at our own Public Health Laboratory.

EXAMINATION OF MILK.

EXAMINATION OF MILK.	
The following figures show the results obtained from carried out on informal samples of milk which have purchased for examination during the year. No. of samples purchased for examination	
MILK FAT.	
No. of samples tested	272
No. found of genuine quality	271
No. found below standard quality	1
Average amount of milk fat per sample	3.48%
Solids.	
No. of samples tested	272
No. found of standard quality	272
	12.16%
Average amount of solids not fat per sample	8.18%
VISIBLE CLEANLINESS.	
No. of samples tested	272
No. found unsatisfactory	2
Coliform Bacilli.	
No. of samples tested	272
No. showing coliform Bacilli present in .01 c.c	86
Percentage of samples with coliform bacilli present 3	
Bacterial Count.	, -
No. of samples tested	079
No. of samples with less than 10,000 bacteria per c.c	
do. over 10,000 but less than 50,000 per c.c.	
do. 50,000 do. 100,000 do.	43
do. 100,000 do. 200,000 do.	21
do. 200,000 do. 300,000 do.	7
do. 300,000 do. 400,000 do.	%
do. 400,000 do. 500,000 do.	2
do. 500,000 do. 600,000 do.	2
do. 1,000,000 do. 2,000,000 do.	2
do. 5,000,000 bacteria per c.c	3

TUBERCLE BACILLI.

	ested		
Me	THYLENE BLUE REDUCTION TI	EST	
	ested		979
	hylene Blue reduced in 2 ho		
	do. under 4½ hrs. but o		
	do. under $5\frac{1}{2}$ hrs. but	over 4 hr	s 16
do.	do. was not reduced in	1 5½ hour	s 238
COMBINE	RESULT METHYLENE BLUE	TEST AND	
	BACTERIOLOGICAL TEST.		
	A.—Designated Milk.		
			n bacilli
	No. of bacteria per c.c.	absent in .01 c.c.	
Methylene Blue not reduced in $5\frac{1}{2}$ hours.	Under 10,000	16 10 —	=
	B.—Non-Designated Milk.		
	No. of bacteria per c.c.	absent in	m bacilli present in .01 c.c.
Methylene Blue	Over 500,000 but under 600,000		1
reduced under 2 hours.	,, 1,000,000 ,, ,, 2,000,000 ,, 5,000,000 ,, ,, 6,000,000		3
Methylene Blue	Over 50,000 but under 100,000	_	1
reduced in 4½ hours but not in 2 hours.	,, 100,000 ,, ,, 150,000 ,, 150,000 ,, ,, 200,000	1	2
	,, 200,000 ,, ,, 300,000 ,, 300,000 ,, ,, 400,000	1	2
	,, 400,000 ,, ,, 500,000	_	2 1
	,, 500,000 ,, ,, 600,000	_	1 1
			1
Methylene Blue reduced in 5½ hours	Over 10,000 but under 50,000 ,, 50,000 ,, ,, 100,000	3	1
but not in $4\frac{1}{2}$ hours.	,, 100,000 ,, ,, 150,000	_	5
	,, 150,000 ,, ,, 200,000 ,, 200,000 ,, ,, 300,000	_	5 2 3 1
	,, 300,000 ,, ,, 400,000	_	1
Methylene Blue not	Under 10,000	25	2
reduced in 5½ hours.	Over 10,000 but under 50,000	105	32
	,, 50,000 ,, ,, 100,000 ,, 100,000 ,, ,, 150,000	18	19 4
	,, 150,000 ,, ,, 200,000	1	2

Under the Food and Drugs Acts, 28 samples of milk have been taken by the County Police Authorities. Superintendent Pickering reports that all the samples were genuine.

Routine examination of the farm premises and a veterinary inspection of the dairy herds is made by the Veterinary Inspector, who submits the following condensed report on his inspections for the year.

REPORT OF THE VETERINARY INSPECTOR FOR THE BOROUGH OF NELSON.

31st December, 1937.

During the year I have examined all the cowsheds and cattle on farms within the Borough of Nelson.

I find 737 bovine animals, of which 489 are cows in milk, and the remainder are cows not in milk and young cattle. Thirteen cows have one deficient teat, one has two teats not useful, but there is no milk or discharge from any of these teats.

The Ministry of Agriculture have deemed it prudent, at this juncture—at last—to follow the example of Nelson, and are about to install throughout the country properly qualified inspectors to make periodical inspection of premises and cattle used for dairy purposes, and thereby to obtain a yet better safeguard of the public health.

The farming community ought also to grasp with both the opportunity of obtaining lime at half-price, as this district has been much neglected for the sweeting effects of it, during the past fifty years.

There is yet more need for progress in the housing of cattle and a sounder idea of how to make the poor cow comfortable, many of the innovations are in policy unsound.

The number of cattle destroyed in 1937 is twelve, all of which we have inspected post-mortem and found unfit for food or milk production.

> JOHN BARKER, M.R.C.V.S., Veterinary Inspector.

Tuberculosis Order.

No. of	f animals dealth with during the year	12
,,	cows in milk	10
,,	other bovine animals	2
,,	animals which on post-mortem examination were	
	found to have suffered from advanced Tuberculosis	
	under the Order	11
,,	animals found to have suffered from Tuberculosis,	
	but not advanced	1
,,	animals which on post-mortem examination were	
	found not to have suffered from Tuberculosis	Nil
Total	amount of compensation paid in respect of these	
	18 animals £38	8-5-0

MEAT, &C.

Statement of Slaughterhouses: -

	I	n 1920.	In Jan	n., 193	57. In D	ec., 1937	
No. Regist	tered	. 1		1		1	
No. Licen	sed	. 12		10		10	
		-		_			
Total		. 13		11		11	

981 visits of inspecition have been paid to the slaughterhouses during the year. So far as is possible these inspections coincide with the time at which slaughtering is taking place, thus facilitating inspection of the meat.

Regular inspection and supervision of the slaughterhouses is necessary to keep the premises in a more or less satisfactory condition and to maintain a reasonable standard of cleanliness. When the tenant of a slaughterhouse is also the owner, and there is no dual occupation, a reasonable standard is maintained, but the difficulties of maintaining this standard are increased in the case of dual occupations.

Under the Slaughter of Animals Act, 1933, it is compulsory, in Nelson, for all animals, including sheep, to be mechanically stunned as a preliminary to the slaughtering process.

Routine inspection is made of premises where food is prepared ,and conditions found during the year have been satisfactory. Meat stalls are also subject to routine inspection, both in regard to the condition of the stall and the quality of the meat sold.

The number of inspections carried out during the year was:—

Meat Stalls		149
Bakehouses,	etc	127

The following list shows the amount of food which has been condemned and surrendered as unfit for human consumption during 1937.

Tubercular carcases and parts:-

Tinned goods:-

Tubercular carcases and parts:—	
5 bovine carcases, 4 fore quarters and 1 hind quarter	$36\frac{1}{2}$ cwts.
38 pigs' heads and 12 pigs' plucks	
1 pig's carcase	. 93 lbs.
10 pairs bovine lungs.	
Diseased, unsound or unwholesome meat, other t	han above:—
1 bovine carcase	$6\frac{1}{4}$ cwts.
7 bovine livers	71 lbs.
9 pigs' livers	55 lbs.
3 sheep's livers	11 lbs.
Beef	70 lbs.
Pork	37 lbs.
1 pair bovine lungs.	
Other foodstuffs:—	
Cod fish	$55\frac{1}{4}$ lbs.
Halibut	32 lbs.

FOOD AND DRUGS ACT.

The various Acts included under this heading are administered by the County Police Authority for this area. Superintendent Pickering has kindly supplied me with the following particulars of samples taken by his officers during the year.

The samples are submitted to the County Council's Analyst for analysis.

Arrowroot	2
Butter	3
Lancashire Cheese	3
Pearl barley	3
Sugar	3
Lard	4
Rice	5
Tea	1
Coffee	3
White pepper	4
Tapioca	1
Olive Oil	2
Milk	28)
Mustard	2
Boiled Sweets	3
Flour	1
Fruit salad	1
Oatmeal	1
Ground ginger	2
Baking powder	1
Blancmange powder	1

There has been no report of any suspected food poisoning during the year.

VI.—PREVALENCE OF AND CONTROL OVER INFECTIOUS DISEASE.

112 notifications have been received during the year under the Infectious Diseases Notification Act. This is a decrease of 116 on the number of notifications received in 1936, and is 95 less than the average for the last ten years.

Compared with 1936 the increase or decrease is as follows:—

	Decrease.	Increase.
Scarlet Fever	. 40	 _
Diphtheria	. 69	 _
Enteric Fever	. —	 _
Erysipelas	. 5	 _
Encephalitis Lethargica	. 1	 _
Cerebro-Spinal Meningitis	. 1	 _
Pneumonia	_	 4
Ophthalmia Neonatorum	. —	 1
Puerperal Pyrexia	4	 _
Puerperal Fever	1	 -
Pulmonary Tuberculosis	_	 1
Non-pulmonary Tuberculosis	. 1	 _

There appears to be no outstanding features from a study of the various analyses of the notifications. The majority of the cases being all more or less of a sporadic nature.

The following table shows the number of cases of each notifiable disease for the last 10 years (except where the notifications have been compulsory for less than that period) and the monthly and ward analysis during 1937.

Year	Sma'lpox	Scarlet Fever	Enteric Fever	Puerperal Fever	Puerper'l Pyrexia	Diphtheria, incl'g Membraneous Croup	Erysipelas	Ophthalmia Neonatorum	Ac. Poliomyelitis	Polio Encephalitis	Enceph. Letharg.	Cerebro-Spinal Meningitis	Pneumonia	Malaria	Dysentery	Pulmonary Tuberculosis	Tuberculosis (other forms)	Chickenpox	Total
1928	19	34	3		3	11	9	6			4		38			32	14	62	235
1929		157	2		4	6	25	5					47			27	24		297
1930		36		2	2	13	20	3			3		19			32	14		144
1931		124	2		4	7	13	4	1				28			42	17		242
1932		69	1	1	3	7	7	2		3			31			28	22		174
1933		58			3	4	16	1					77			37	15		211
1934		165			1	15	12	1			1	1	37			19	23		275
1935		63	1		2	17	13	4					18			23	13		154
1936		63	***	1	4	94	14	1			2	1	17			15	16		228
1937		23				25	9	2			1		21			16	15		112
Av. for 10 yrs	1.9	79-2	0.9	-1	2 6	19-9	13.8	2.9	-1	.3	1.1	-2	33.3			27.1	17:3		207

You will note from this table that the total number of notifications received is the lowest for any year for the period over which the figures are submitted. This is due practically to the small number of cases of Scarlet Fever reported, the number 23 being considerably below the average for the previous 10 years.

CASES OF INFECTIOUS DISEASE NOTIFIED DURING 1937.

				N	Number of		Cases	s No	Notified.					st	Total	Deaths
	14					At A	Ages-	-Years	rs.					[tra	cases	pitalof
NOTIFIABLE DISEASES.	alla	Un-	Н	22	00	7	5	10	15	20	35	45	65	I D	ed to	p'rs'ns
	ages		201	200	ე 4	5 5	22	12 12	202	35	to 45	65	and	Fota	Hospi- tal	ing to
		1	-	1	1	1	1	İ	1	1	1		İ			dion.
Smallpox	:	:	:	:	:	:	:	:	:		:	:	:	:	:	:
Cholera	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Plague	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Diphtheria (including					23	V.		19	18	28	139					
Membraneous Croup)	25	:	:	-	1	1	13	67	C7	7	-	:	:	:	00	:
Erysipelas	6	:	:	:	:	:	:	:	:		4	C1	C3	1	:	::
Scarlet Fever	25	:	:	:	:	C4	-	5	4	co	C4	:	:	:	4	:
Typhus Fever	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Enteric Fever	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Relapsing Fever	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Continued Fever		:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Puerperal Fever	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Puerperal Pyrexia	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
Cerebro-Spinal Meningriis	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:	:
Poliomyelitis	:	:	:	:	:	:	:	:		:	:	:	:	:	:	:
Encephalitis Lethargica		:	:	:	:	:	:	:	:	-4	:	:	:	:	:	:
Ophthalmia Neonatorum	C4	C1	:	:	:	:	:	:		:	:	:	:	:	:	::
Pulmonary Tuberculosis	16	:	:	:	:	:	:	:	7	00	C1	00	C4	14	:	:
Other forms of Tub're'l'sis	15		:	:::	C3	1	-	00	C1	#	Т	:	1	00	:	::
Pneumonia	21	:	:	:	:	-	00	:	:	41	4	41	5	14	:	:
Malaria	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Dysentery	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Polio-encephalitis	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Totals	112	67	:	н	00	5	24	10	6	25	14	0	10	88	7	:
	-	-	-		-	-					1					

MONTHLY INCIDENCE OF NOTIFIED DISEASES.

Disease	Jan.	Feb	Mar	Apl.	May	Jun.	July	Aug.	Sep.	Oct.	Nov	Dec.	Total
Scarlet Fever	1	1	1	2	2	5	5	1	1	1	3		23
Diphtheria	4	2	4	5	1	1	1			1	4	2	25
Puerperal Pyrexia													
Puerperal Fever													
Erysipelas	1	1		2		1					1	3	9
Pulmonary													
Tuberculosis		1	3	2	2	1		1	3	1	1	1	16
Non-Pulmonary					1 1				150				
Tuberculosis	1		1		3	1	1	1	3	1		3	15
Ophthalmia											2,500	-	-
Neonatorum				1	1								2
Encephalitis	1			-	-		1						
Lethargica			1	1000	1000								1
Cerebro Spinal			-	***							***		-
Meningitis													
Pneumonia		6	1		3				1		4	1	21
r noumonia		0	1	***	0				1		-	1	21
Totals	12	11	11	12	12	9	7	3	8	4	13	10	112

WARD ANALYSIS OF NOTIFICATIONS.

Disease	Bradley	Central	Clover Hill	Marsden	Netherfield	Southfield	Walverden	Whitefield	Total
Scarlet Fever	5		4	5	1	3	3	2	23
Diphtheria	6	3	6	1	1	2	3	3	25
Puerperal Pyrexia									
Puerperal Fever									
Erysipelas	1		2			1	3	2	9
Pulmonary Tuberculosis		3	2	1	1	4	3	2	16
Non-Pulmonary Tuberculosis	2	l	2	2	3	2	4		15
Ophthalmia Neonatorum	1	1							2
Encephalitis Lethargica							1		1
Cerebro Spinal Meningitis									
Pneumonia	5		2	3	3	3	4	1	21
Total	20	7	18	12	9	15	21	10	112

COMPARISON OF CASE RATES FOR CERTAIN INFECTIOUS DISEASES NOTIFIED DURING 1937.

	England and Wales	125 County Boroughs and Great Towns including London	148 Smaller Towns (resident populations 25,000 to 50,000 at 1931 census)	London Administrative County	Nelson
Notifications.		Rates per	Rates per 1,000 of Population.	pulation.	
Smallpox	0.00	1	0.00	1	0.00
Scarlet Fever	2.33	5.56	2.42	5.09	79.0
Diputneria	1.49	1.81	1.38	1.93	0.70
Enteric Fever	0.05	90.0	0.04	0.02	0.0
Erysipelas	0.37	0.43	0.34	0.44	0.25
Pneumonia	1.36	1.58	1.20	1.18	0.58
		Rates p	Rates per 1,000 Total Births.	Births.	
Puerperal Fever	13.93	17.59	11.52	4.15	0.00

SMALLPOX.

No case of this disease has been reported during the year.

SCARLET FEVER.	
Cases notified	23
Number of Deaths	Nil
Case mortality per cent	Nil
Attack Rate per 1,000 of population	0.64
Death Rate per 1,000 of population	Nil
Cases removed to Hospital	4
Number of cases under school age	1
,, cases over school age	10
,, cases attending school	12
,, houses affected (1 with 2 cases,	
and 21 with 1 case)	22
Primary cases	22
Secondary cases	1
Return cases	Nil
Diphtheria and Membraneous Croup.	
Cases Notified	25
Number of Deaths	Nil
Case Mortality per cent	Nil
Attack rate per 1,000 of population	0.70
Death rate per 1,000 of population	Nil
Cases removed to Hospital	3
No. of Bulbs (8,000 units each) supplied free	77
No. of Swabs examined for diagnostic purposes	199
No. of cases under school age	1
,, cases over school age	7
,, cases attending school	17
,, houses affected (1 with 3 cases, 1 with 2 cases,	
20 with 1 case)	22
A supply of antitoxin in Bulbs of 8,000 units is kep	
hand at the Police Station, and is available for use by	the
medical practitioners at any time.	
ENTERIC FEVER.	
No. of cases notified	Nil
,, deaths	Nil
Case mortality per cent	
Attack rate per 1,000 of population	Nil
Death rate per 1 000 of population	Nil

ERYSIPELAS.

No. of cases notified	9
Attack rate per 1,000 of population	0.25
Facial affections	
Affections on other parts of body	
Pneumonia.	
Total number of cases of Pneumonia notified	
Influenzal Pneumonia	
Primary Pneumonia	7
Lobar Pneumonia	
No. of deaths (all forms)	14
Attack rate per 1,000 of population on cases notified	0.58
Death rate per 1,000 of population	0.39
OPHTHALMIA NEONATORUM.	
Number of cases notified	2
Attack rate per 1,000 live births	
Number of cases with vision impaired (slight)	1
Number of cases with vision not impaired	1
Number of cases receiving Hospital treatment	1
Number of cases receiving nursing assistance	_
Puerperal Pyrexia.	
Number of cases notified	Nil
Number of deaths	
Attack rate per 1,000 live births	Nil
Attack rate per 1,000 total births	Nil
Number of cases in which services of Consultant were	
requested	Nil
Number of cases receiving Hospital treatment	Nil
Puerperal Fever.	
Number of cases notified	Nil
Number of deaths	Nil
Attack rate per 1,000 live births	Nil
Attack rate per 1,000 total births	Nil
Number of cases in which services of Consultant were	. (1)
requested	Nil
Number of cases receiving Hospital treatment	Nil

OTHER DISEASES.

Indication of the prevalence or otherwise of the nonnotifiable infectious cases is shown by the reports of the Health Visitors, the returns of medical inspections and reports from the School Medical Service Department.

Sporadic cases of Measles, German Measles, Chickenpox, Mumps and Whooping Cough have occurred, but there has been no general infection of these diseases during the year. Small isolated centres of infection have occurred, but no special action has been necessary in dealing with them. The cases were generally of a mild type and only one death occurred, this being from Whooping Cough.

SCHOOL CLOSURE.

It has not been found necessary to close any of the schools during the year on account of infectious disease.

SCHOOLS AFFECTED (SCARLET FEVER AND DIPHTHERIA).

Delioops Affected (Deliter 11	VER AND DITTI	minin).
	Scarlet Fever.	Diphtheria.
Bradley Senior Boys	1	—
Edge End Senior Boys	1	
Walverden Senior Girls	—	
Whitefield Senior Girls	—	
Bradshaw Street Junior A	—	
Bradshaw Street Junior B	—	2
Great Marsden Junior	1	
Leeds Road Junior	—	—
Little Marsden Junior	—	
Lomeshaye Junior	—	
Holy Saviour's Mixed	1	—
St. George's Mixed	1	2
St. Joseph's Mixed	—	2
Open Air	1	—
Bradley Infants	1	—
Bradshaw Street Infants	3	—
Great Marsden Infants	1	—
Holy Saviour's Infants	—	2
Leeds Road Infants	—	—
Little Marsden Infants	—	1
St. George's Infants	1	1
St. Joseph's Infants	—	4
Walverden Infants	—	1

Whitefield Infants	_	 1
Secondary	_	 _
Out of Borough	_	 1
Private School	_	
	_	_
Total	12	 17

No reports have been made during 1937 under Section 14 (4) of the Sanitary Officers Order, 1922.

INFLUENZA.

Number of deaths, 1937	15
Number of deaths, 1936	- 4
Increase on previous year	11
Death rate per 1,000 of population from Influenza	0.42

It will be noted from the following table that although deaths from Influenza show an increase on the three previous years, the deaths from other diseases, i.e., Pneumonia, Bronchitis and Other Respiratory Diseases show little change.

Disease.	1933	3.	Nu 1934	mbe	er of 1935	De	aths 1936	1937.
Influenza								
Pneumonia (all forms)	24		17		14		12	 14
Bronchitis	33		13		23		32	 23
Other Respiratory diseases	5		2		5		4	 6
	_		_		-		-	_
Totals	99		37		49		52	 58

CONTACTS, RETURN CASES, CARRIER CASES.

No action has been necessary in regard to any of the above cases.

SCHICK AND DICK TESTS.

These tests have not been used, nor has any method of immunisation against diphtheria or scarlet fever been applied.

VACCINATION.

No vaccinations or re-vaccinations have been performed by the Medical Officer of Health during the year.

PATHOLOGICAL, CHEMICAL AND BACTERIOLOGICAL EXAMINATIONS.

These are carried out at the Public Health Laboratory, 21 Carr Road. Medical practitioners are supplied with the requisite outfits for taking specimens when necessary.

No. of Specimens, &c., Sent or Obtained for Examination	ON.	
Swabs, Throat	199	
Sputum for T.B. (Positive 14, Negative 54)	68	
Hair for Ringworm	1	
Blood, for count	6	
Blood Smears, microscopical examinations	32	
Blood, for Organisms by Culture	_	
Blood, Widal reaction	4	
Faeces	10	
Pleural Effusions	3	
Urine, sugar estimation	14	
Water	8	
Urine, general examination for bacteria and nature of		
deposit	122	
Pus, for Gonococcus	39	
Pus, for organisms	26	
Cerebro-Spinal Fluid	6	
Specimens for Malignancy, &c	37	
Sewage	_	
Specimens from Animals-Smears, Tissues, &c	72	
Milk deposits	110	
Milk for T.B. by inoculation	43	-
Milk, for Milk Fat, S.G. Solids, &c	272	
Milk, for visible cleanliness	272	
Milk for B. Coli	272	
Milk for Bacterial Count	272	
Milk for Reductose Test	276	
Other specimens	10	
Total number of examinations or tests made in		
connection with the above	5167	

DISINFECTION.

The method adopted for disinfection is (a) for bedding, clothing, etc., by means of a steam disinfector, (b) for articles which would be damaged by steam, exposure to formaldehyde gas in a closed chamber, and (c) for rooms, formalin spray and the generation of formaldehyde gas. The steam disinfector is situated at the Destructor Works, Charles Street.

On visiting cases of Infectious Disease a bottle of disinfectant fluid is left and instructions given as to its use. A form of certificate is also left with the householder for the medical practitioner to sign when the patient has recovered, and when

this certificate is returned to the Public Health Office, arrangements are made for the necessary disinfection to be carried out.

Disinfection is compulsory in cases of Scarlet Fever, Diphtheria, Enteric Fever, Tuberculosis and Puerperal Fever. In other cases including Measles, Pneumonia, Erysipelas, etc., disinfection is carried out if a request is made.

Fumigation of rooms and houses is also carried out in cases of verminous infestation. In addition to fumigation by sulphur dioxide, special preparations of spraying fluids are used in these cases.

Particulars of the work carried out during the year are as follows:—

No.	of rooms fumigated and sprayed	558
,,	articles of bedding disinfected (steam)	755
,,	articles of wearing apparel disinfected (steam)	228
,,	miscellaneous articles disinfected (steam)	2
,,	books, boots, etc., disinfected (formaldehyde)	69
,,	schools fumigated and sprayed	Nil
,,	public offices fumigated and sprayed	Nil

The figure for the number of rooms fumigated includes rooms disinfested. During the year 37 houses have been treated for the eradication of bed bugs, 3 of these houses were owned by the Council.

The work of disinfestation is carried out by the staff of the Public Health Department.

The Disinfecting Station is adapted for use for the cleaning of verminous persons. There has been no instance during the year of disinfestation being carried out.

CANCER.

No special inquiries have been made in respect of Cancer. Analysis of the deaths in Nelson during 1937 from malignant disease shows an increase of 4 on the number of deaths in 1936. The death rate per 1,000 of population for 1937 was 1.429, the average rate for the previous five years being 1.535.

Pathological examination of specimens is made at the Public Health Department Laboratory, the specimens being obtained after operative treatment and examination carried out to determine the nature of the growth.

Where radium treatment is recommended the Radium Clinic at Burnley Victoria Hospital is available to patients.

The following table shows the analysis of the deaths from malignant disease according to age and the location of the disease.

													Age at Death	at De	sath										Tot
Location of Growth	Und	Under 25	10 8	25-30	30-35	35	35.40	10	40-45	1 2 1	45-50	20	50-55	1 99	55.60	0.0	60-65	99	65-70	- 0	70-75	-	over 75		for
	M.	E.	M.	压	M.	E	M.	표	M.	Ŧ.	M	E	M.	7.	M	H		E.	M	F	M F.	M.	Œ	Tot.	7
Tongue	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:	:	:	:	:	:	1	1
	500	:	:	Н	:	:	:	:	:	:	:	:	:	:	:	П	7	:	:	:		:		4	C1
Oesophagus.	:	:	:	:	:	:	:	;	:	:	:	:	:	:	:	:	7	:	:		:	:	:	-	9
Lungs	:	:	:	:	:	:	:	:	:	:	П	1	::	:	:	1	:	:		:		:	:	41	00
Stomach	:	:	:	:		:	:	:	::	:	7	:	62	;	1	C)	00	::		:	:		:	11	10
Bowels	:	:	:	:	:	:	::	:	1	:	:	::	:	:	П	:	:	1	C1	-	63			10	10
Liver	:	:		:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:	C1				8	4
Kidneys	:	П	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	-	_
Pancreas	:	*	:	:	:	:	:	:	:	:	:	:	:	:		:	:	:	:		:	:			C3
Bladder	::	:	:	:	:		:	:	:	:	:	:	:	:	:	:		:	::	1				1	7
Spleen	:	:	:	:	:	:	:	:	:	;	:	:	:	:	:	:	:	:	:	:	: ::	:	:	:	:
Bones	:	:	:	:	:	:	:	:	:	::	:	:	:	::	:	::	:	::			:		:	:	
Skin	:	:	:	:	:	:	:	:	:	:	:	:	::	:	:	:	::	:	1			•	:	-4	-
Glands	:	:	:	:	:	:	:	:	:	:	:	:	:	1	:	:	:	::		:	:			oc ·	03
Uterus	::	:	:	:	:	:	:	:	:	:	:	1	:	7	:	:	:	1	:	-		:	:	431	vii.
Ovary	:	***	:	:	:	:	:	:	:	:	:	:	::	:	:	:	:	1		:	:		:	_	:
Vulva	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	::	:	:			::	:	:	:	:
Breast	:	:	:	:	:	:	:	:	:	-1	:	-	:	:	:	-	:	:		1	:			2	0
Totals	1:	1	1:	-	:	:	1:	T:	1	-	63	- 80	52	03	60	5	9	4	60	9	5	67	4	51	47
										Male	Males 26				Fen	Females	25								

Tuberculosis.

No. of cases of Pulmonary Tuberculosis notified	16
" cases of other forms of Tuberculosis notified	15
Notifications from Sanatoria admitted (Pulmonary 15, Non-Pulmonary 3)	18
No. of specimens of Sputum examined	68
No. Positive	14
No. Negative	54
No. of deaths from Pulmonary Tuberculosis	14
No. of deaths from Non-Pulmonary Tuberculosis	3
Death Rate per 1,000 of population—Pulmonary Tuberculosis	0.392
Death Rate per 1,000 of population—Non-Pulmonary Tuberculosis	0.084

NEW CASES AND MORTALITY DURING 1937.

Age		New	Cases			De	aths	
Period,	Pulme	onary	Non-pul	monary	Pulmo	nary	Non-pul	monary
Years	Μ.	F.	M.	F.	М.	F.	M.	F.
0-1	_	-	_	_	_	_	_	
1-5	_	-	1	2	_	-	_	-
5-10	_	_	1			-	-	1
10-15	-	-	1	2	-	-	_	-
15-20	-	1		2	-	-		_
20-25		2	1	1	1	3	_	
25-35	5	1	_	2	2	1	2	-
35-45	1	1	-	1	-	-	_	_
45-55	_			-	2 2	-	_	_
55 - 65	1	2	-	- 1	2	2	-	-
65 and								
over	-	2	-	1	-	1	-	-
Totals	7	9	4	11	7	7	2	1
	1	6	1	5	1	4		3

With one exception notification of the disease has been received prior to death of the patient. In the case not notified the disease was non-pulmonary with sudden onset and fatal result.

No action has been necessary for wilful neglect or refusal to notify, notification on the whole being efficient.

The following is a list of occupations, if any, followed by patients notified during 1937:—

	Pulmonary.	Non-pulmonary.
Cotton Operative	4	6
Home-duties	6	1
Out-door Worker	—	—
Shop Assistant	—	1
Clerical & Professional	2	—
School Children	—	4
No occupation & Infants	4	3

Public Health (Prevention of Tuberculosis) Regulations.

No action has been necessary under these Regulations with reference to tuberculous employees in the milk trade.

Public Health Act, 1925, Section 62.

No action has been necessary under this section relative to the removal to hospital of patients suffering from pulmonary tuberculosis and who are without proper and suitable home accommodation.

I am indebted to Dr. MacPhee, the Consultant Tuberculosis Officer for this area, for the following report of the work carried out in Nelson, dealing with Tuberculosis during 1937.

PREVENTION AND TREATMENT OF TUBERCULOSIS.

The Lancashire County Council Tuberculosis Dispensary is situated at 64, Carr Road, Nelson. It is, therefore, most conveniently placed for the Borough of Nelson, and is open for insured and non-insured persons alike.

The Consultant Tuberculosis Officer is in attendance on Tuesday afternoons at 12-30 o'clock, and on Friday mornings by appointment.

Notifications of Persons Suffering from Tuberculosis in the Borough of Nelson in 1937.

	Pulmonary.	. Non-pulmonary.	Total.
Form "A" (new cases)	16	15	31
Number of new patients	examined at th	he Dispensary	105
Number of new patients	examined at the	heir homes	8
			-

Of the total of 113 patients, 33 were found to be suffering from Tuberculosis in one form or another, and 80 were discharged after varying periods of observation, as nontuberculous.

Total 113

No. of re-examinations of "old cases"	83
(" early" cases)	5
No. of patients who received treatment in Pulmonary Hospitals (advanced cases)	14
No. of patients who received treatment in General and	
Special Hospitals (surgical cases)	13
	2
No. of X-ray examinations made	50
Details are appended of the work in Nelson of the Tube culosis Health Visitor, Nurse H. M. Alcock:—	1*-
No, of primary visits to patients	31
No. of "following-up" visits to patients 9	47
Total9	78

Of the 31 patients visited by the Health Visitor for the first time 16 were suffering from pulmonary or lung tuberculosis, and the following table indicates the condition found with regard to isolation in the home, and what was effected as a result of that visit:—

Patients occupying

Condition in the home as regards isolation of the patients at the time of the Nurse's	Patients occupying separate bedroom	others sharing	Patients occupying bed with another
first visit	9	2	5
Condition subsequent to and as a result of			
the Nurse's visit	14	2	_

During the past year in order to effect isolation, three patients required assistance under the arrangements adopted by the County Tuberculosis Committee, whereby bedsteads and mattresses are given out on loan to necessitous cases.

Bed rests, air cushions, and other utensils were lent to seven patients.

During 1937 in the Borough of Nelson there were under observation 89 cases of pulmonary tuberculosis, and 78 cases of tuberculosis other than pulmonary. Of the 89 pulmonary cases, 56 at some time or other had tubercle bacilli present in the sputum. Of the latter number, 11 are cases without symptoms or sputum, and in which the disease is quiescent, these patients have all been on full work for over three years.

Since 1922 the Ministry of Health have allowed cases of tuberculosis to be written off as recovered; pulmonary cases after having been without symptoms for five years, and nonpulmonary cases after three years.

During 1937 the following number of cases were written off as recovered:—

ULTRA-VIOLET RADIATION TREATMENT.

Two Carbon-arc Lamps, one Jesionek Mercury Vapour Lamp, and one Kromayer Mercury Vapour Lamp are installed at 64, Carr Road, Nelson, for the treatment of suitable cases of non-pulmonary tuberculosis, including lupus, and during the year ended 31st December, 1937, 18 patients from Nelson received treatment.

B. MACPHEE,

High Lea, Whalley Road, Accrington. Consultant Tuberculosis Officer.

6th May, 1938.

VII.-MATERNITY AND CHILD WELFARE.

This work is carried out by the Local Authority under the supervision of the Medical Officer of Health. One part-time and two whole-time Health Visitors are employed, the work of the part-time nurse being divided between the Infant Welfare Service and the School Medical Service.

The following figures refer to the work carried out under your Maternity and Child Welfare Service. This comprises the work of the Health Visitors, the attendance at the Infant Welfare Centre and the consultations thereat, the use of the Maternity Home and the attendances at the Orthopædic Clinic so far as it affects pre-school children.

The services of the Consultant have been requested on 8 occasions. 3 patients were in residence at the Maternity Home and in the other 5 cases the Consultant visited the home of the patient. In these latter 5 cases, all were admitted to Reedyford Hospital for cæsarean section to be performed.

The arrangements have been continued by which prior to the end of each school term, girls who are eligible for leaving the senior girls' schools attend the Infant Welfare Centre for a practical demonstration of mothercraft. A descriptive lecture is given by the Health Visitor and the pupils see the actual bathing of a baby together with the necessary preparations.

No. of births notified in area during the year und	er the
Notification of Births Act, 1907:—	
Live Births	297
Still Births	16
Total	313
By Midwives (including Maternity Home)	249
By Doctors and Parents	64
No. of Confinements Primipara	163
,, ,, Multipara	143
Cases of Twin Births notified	7
,, ,, Triplet Births notified	
Percentage of multiple births	2.29%
No. of illegitimate births notified	10
Percentage of illegitimate births to total births notified	3.2%
Percentage of still-births to total births notified	5.1%
Failure to notify birth	Nil
No. of cases in which services of Consultant were	
requested	8
No. of cases in which nursing assistance was requested	_
No. of births by Cæsarean Section	11
Number of visits paid during the year by the Health Visit	ors:-
To expectant mothers—First visits	194
Total Visits	408
To children under 1 year of age—First visits	285
Total visits	3904
To children between the ages of 1 & 5 years—No. visited	1153
Total visits	3460
Average number of visits per infant	13.7
Average number of visits per child	3.0
Average number of visits per mother	2.1
No. of ineffectual calls	745
No. of special visits made for supply of milk	59
No. of special visits made for assistance in Ophthalmia cases	74
No. of special visits made for nursing assistance in other	14
	105
cases	195

in the area during the year:— As Midwives
As Maternity Nurses
but not practising as Midwives and actng as Maternity Nurses
but not practising as Midwives and actng as Maternity Nurses
Maternity Nurses
No. of confinements attended by Medical Practitioners 290 Percentage attended by Medical Practitioners 94.7%
Percentage attended by Medical Practitioners 94.7%
170. Of Theumoma Jackets made
Occupation of Mothers within Nine Months of
CONFINEMENT.
Cotton Operatives
Housewives
Other occupations
PERIOD OF TIME BETWEEN WORKING AND CONFINEMENT.
Under One Month
One Month
Two Months
Three Months
Four Months
Five Months
Six Months
Seven Months
Eight Months 4 or 2.4%
FIRST METHOD OF FEEDING INFANTS BORN DURING YEAR.
Breast Bottle Breast & Bottle Spoon Not Fed 79.1% 11.1% 8.8% 0.3% 0.7%
Continuous records have been obtained of the methods of

Continuous records have been obtained of the methods of feeding 301 infants born during the period January 31st, 1936, to February 1st, 1937, with the following results:—

Food Used	First fort- night	2—6 weeks		-	6 9 mths.	9—12 mths.
Breast	230	174	133	108	85	10
Breast and Cow's Milk	25	21	9	7	3	
Breast and Dried Milk		1	1		***	
Cow's Milk	19	43	76	98	125	
Cow's Milk (Designated)	8	25	28	32	35	
Cow's Milk and other Prepared					1.55	1000000
Foods	5	13	18	25	26	
Dried Milk	10	18	28	28	23	
Nestle's Milk	4	5	7	2	3	
Normal Diet, 9-12 months				***	***	291
Goat's Milk		1	1	1	1	

Explanations offered in certain cases babies (beyond the age of 3 months) on continuing with same after having comm	breast milk, or not							
Mother's Milk gradually decreased until to	102							
Owing to Mother returning to work Retracted Nipples								
Mastitis								
Discontinued on Doctors' advice								
Discontinued on miscellaneous advice								
Mother did not persevere Mother ill								
Twin Babies	the second of th							
Hare Lip and Cleft Palate	1							
The Infant Welfare Centre is situated	at No. 9 Carr Road,							
Nelson, and is open on Wednesday after	rnoons, from 2 p.m.							
	1936. 1937.							
Number of meetings held								
Total No. of attending infants								
,, ,, ,, children ,, ,, expectant mother								
,, ,, expectant mother								
Total number of attendances:	1936. 1937.							
Infants								
Children	1082 1002							
Expectant Mothers	187 112							
	25442714							
Average Attendance per session:—	1936. 1937.							
Infants	42.2 36.4							
Children								
Expectant Mothers	3.1 2.5							
Average number of attendances per								
Infant	4.2 4.6							
Child	2.6 2.4							
Mother	3.1 2.1							
Attendances in Detail.								
	Children, Ante-natal Infants, 1 to 5. Mothers.							
One attendance 90								
	86 9							
	The state of the s							

Infants. 1 to 5. Mother								
Three attendances 37 52 5								
Four ,, ,,								
Five ,, ,,								
Six ,, ,,								
Seven ,, ,,								
Eight ,, ,, 9 1								
Nine ,, ,,								
Ten ,, ,, 5 5 –								
Eleven ,, ,, 13 2 —								
Twelve ,, ,, 6								
Thirteen ,, ,,								
Fourteen ,, ,,								
Fifteen ,, ,, 2 1 —								
Sixteen ,, ,,								
Seventeen ,, 2 – –								
Eighteen ,, ,,								
Nineteen ,, ,, 1								
Twenty ,, ,, — — —								
Twenty-one ,, 1								
Twenty-two ,, 2 – –								
Twenty-three ,, 1								
Twenty-four -,								
A summary of the attendances of infants and expectant mothers from the various wards of the Borough gives the following figures:—								
Bradley Central Clover Hill Marsden Netherfield	1							
117 73 66 75 138								
Southfield Walverden Whitefield Out of Borough	1							
117 118 98 13								
No. of Infants for whom consultations were requested 246	;							
G. 11.1								
,, consultations for Infants 506)							
,, ,, Children 405	5							
,, ,, Ante-natal Mothers 21								
Total Consultations	2							

No. of consultations for Infants, Children and Ante-natal Mothers:—

			Infants.	C	hildren.	te-natal others.
No.	requiring	one consultation	. 114		175	 21
,,	,,	two consultations	. 64		46	 _
,,	,,	three consultations	. 38		16	 -
,,	,,	four consultations	. 15		10	 _
,,	,,	five consultations	. 7		2	
,,	,,	six consultations	. 4		4	
,,	,,	seven consultations	. 2		1	 -
,,	,,	eight consultations	. 1		-	 -
,,	,,	nine consultations	. 1		1	 -

MATERNITY HOME.

The Maternity Home is situated in Netherfield Road, and with the present accommodation was opened on May 28th, 1921.

The fee for admission to the Home is £2-2-0 per week for residents, and £3-3-0 per week for non-residents.

For residents the application for admission is made on a form which gives an option to the applicant, according to their financial status, to

- (a) Agree to pay the full fee in one payment,
- (b) Agree to pay the full fee by instalments,
- (c) Apply for a reduction of the fee, or
- (d) Apply for free admission.

In the latter two cases the Maternity and Child Welfare Committee consider the application and decide what fee should be paid.

The services of the Consultant have been requested on 3 occasions during the year at the Maternity Home, in 2 cases prior to confinement and in 1 case after confinement. Of these 3 cases, 1 was removed to Reedyford Hospital for caesarean section to be performed, and 2 remained in the Maternity Home for treatment.

The ante-natal clinics which for a greater part of the year were held at the Maternity Home, are now held at the Infant Welfare Centre in Carr Road. The clinics at the Home were held under difficulties owing to the lack of suitable accommodation, and it was found that slight alterations carried out at the Infant Welfare Centre would render these premises much more suitable for the purpose.

The ante-natal clinic is held twice weekly, one being an afternoon session and the other an evening session, the latter to give opportunity for working mothers to attend. The clinic is conducted by the matron of the Maternity Home, and all applicants for admission to the Home are advised to attend for examination.

Attendance at the clinic is not confined to patients intending entering the Home. An agreement has been made whereby the State Midwives appointed for this area by the Lancashire County Council can arrange for their patients to attend the ante-natal clinic for examination.

It has been suggested to the local medical practitioners that these premises are available if they themselves wish to make examination of any ante-natal patients on whom they will eventually have to attend.

In regard to the examinations carried out by the Matron, any abnormal condition found is reported to the Medical Officer of Health and the patient advised to consult her own medical practitioner. Systematic examination of urine is carried out.

Particulars of the administration of the Ante-natal Clinic during 1937, are: -No. of Ante-natal mothers who attended for consultations 180 Attendances by ante-natal mothers 1573 Ante-natal mothers found to require treatment ... 76 Ante-natal mothers advised to obtain medical advice (included in the above) 64 Ante-natal mothers who were admitted to the Home for special treatment following medical advice 12 Ante-natal mothers for whom Hospital treatment was advised 9 Patients advised special home treatment 21 Particulars of the work carried out at the Home during 1937 are: -

Total	number	of patients admitted to the Home from	
d	late of re	-opening to 31st December, 1937	3054
No. o	of patients	admitted during year	. 168
,,	,,	who agreed to pay full fee	132
11	11	" applied for a reduction of the fee	. 36
,,	,,	" were admitted at a reduced fee	. 18
,,	,,	,, ,, ,, free	. 13

No.	. of patients admitted who were not resident in the	
	Borough 1	8
,,	Births for year (alive) 16	3
,,	,, ,, (still-born)	6
,,	Twin Births 4 case	S
,,	Abortions N	il
,,	Patients for whom the services of the Consultant	
	Practitioner were required	3
	The following is a list of admission to the Home pe	r
mo	onth for the year:—	

25 ()	Number	Number	of Births	Number of Deaths		
Month	Admitted	Alive	Dead	Infants	Mothers	
January	13	10	_		_	
February	11	10	1		_	
March	16	15	1		_	
April	16	15	1	1	_	
May	20	19				
June	20	20	1	_	_	
July	14	13	_	_		
August	15	18	-		_	
September	17	17	1	_	_	
October	8	9	_	-	-	
November	11	11		_		
December	7	6	1	-	_	
Totals	168	163	6	1	_	

No. of patients admitted per year since re-opening:—
1921 (7 months)
1922 66
1923 148
1924 199
1925 (11 months) 204
1926 236
1927 189
1928 238
1929 222
1930 244
1931 210
1932 219
1933 191
1934 153
1935 171
1936 168
1937 168

200							1 (1 1	
Av							r day through	
To		e year						
10	tai iiuiii	ner or pac	ieni da,	yo				. 2010
							how the bed	s have
be	en occup	oied throug	ghout th	ne y	ear:-	_		
On	26 days	during th	ne year				oeds were occ	upied.
	17	,,	,,	10 1	oeds v	were o	ccupied.	
, ,	31	, ,	,,	9	,,	,,	,,	
,,		,,	,,	8	,,	,,	,,	
,,		, ,,	,,	7	"	,,	11	
2.2		,,	,,	6	,,	"	,,	
,,		,,	"	5	"	"	,,	
"		,,	"	4	"	"	,,	
	28	,,	,,	3	"	,,	"	
	12	,,	"	2	"	"	***	
,,	2	, ,	"	1	bea w	as occ	cupied.	
	The f	following	table	give	es th	e per	centage of	births
ос	curring	in the Ma	ternity	Hon	ne:—			
No	o. of pati	ients admi	tted to	Mat	ernity	y Hom	e	168
No	of non	-residents	include	d in	abov	е		18
Ре	rcentage	e of total	numbe	r				10.7%
Ре	rcentage	e of total i	number	in	1936			10.7%
To	tal birth	ns notified	in Nels	son	incluc	ling S	till-Births	313
								169
Pe	rcentage	e of Births	in Mat	terni	ty Ho	me		53.9%
Ре	rcentage	e of Births	in Ma	tern	ity Ho	ome ir	1936	47.8%
Ex		the num gh patient		Bir	ths i	relatin	g to out of	
N	ımber o	f Births in	Mater	nity	Hom	e		151
Pe	rcentage	e of Births	in Mat	terni	ity Ho	me		51.5%
Р	rcentage	e of Births	in Mat	erni	ty Ho	me in	1936	45.0%
	ъ.	.,		10				

During the year one death has occurred in the Home, particulars regarding which are as follows:—

Date of Death	Age	Cause of Death	Length of Time in Home
	MATERN	VAL DEATHS	
	1	NIL.	
	Infa	NT DEATHS	
April 30	3 days	Convulsions, Partial Pulmonary Atelectasis	

INCIDENCE OF MATERNAL MORTALITY, STILL-BIRTHS AND INFANT DEATHS.

No. of Maternal Deaths—			
Puerperal Sepsis			Nil
Other accidents and diseases of p	regnancy	and	
parturition			Nil
Total			Nil
Maternal death rate per 1,000 of populatio			Nil
Maternal Mortality Rate per 1,000 Live Bir			
England	d and Wales.	Nelson	1.
Puerperal Sepsis	0.97	Nil	
Others	2.26	Nil	
Total	3.23	Nil	
Maternal Mortality Rate per 1,000 Total B	irths—		
Puerperal Sepsis	0.94	Nil	
Others	2.17	Nil	
Total	3.11	Nil	
No. of deaths of infants under 1 year			10
,, infants born during year who died d			7
,, deaths under 1 year due to prematu			
defects or injury at birth			6
Application of accounting of mother an			

Analysis of occupation of mother and period of time of ceasing work before confinement in these 6 cases.

Cause of Death	Occupation of Mother	Time of ceasing work before Confinement	
Congenital	Creàper	Same day 3 months 5 months — — 1 month	

				2		3		ge	
"	,,		"	3	"		,,		4
1,5	,,		2.2		2.7	4	"		1
"	,,		"	4	"	5	,,		1
Death 1	rate p	er 1,00	00 bir	ths, a	verage	numb	er for fo	our years-	-
Ove	er 1 b	ut und	ler 2	years	of age				8
, ,	, 2	,,	3	,	,				_
	, 3	,,	4		,				3
	, 4	11	5		,				3
Causes	or acc	SOUTH THE							
C	ause of c	ieath.	Ov but to 2 ye	er 1 under ears.	Over but un 3 year	der s.	Over 3 but under 4 years.	Over 4 but und 5 years	ler
c Pne	ause of c	death. nia	Ov but to 2 ye	er 1 under	Over but un 3 year	2 der	Over 3 but under 4 years.	but und	ler
e Pne Inf	ause of o eumor antile	_{leath} . nia	Ov but t 2 ye	er 1 under ears. 1	Over but un 3 year	der s.	Over 3 but under 4 years 1	but und	ler
Pne Inf	^{ause of c} eumoi antile Iemip	_{death.} nia legia	Ov but t 2 ye	er 1 under ears. 1	Over but un 3 year	der s.	Over 3 but under 4 years 1	but und	ler
Pno Inf Gor	ause of c eumor antile Iemip ngenit	^{death.} nia legia al	Ov but t 2 ye	er 1 under ears. 1	Over but un 3 year	der s.	Over 3 but under 4 years 1	but und	ler
Pno Inf H Con	ause of c eumon antile Iemip ngenit Defect	^{death.} nia legia al	Ov but to 2 ye	er 1 under ears. 1	Over but un 3 year	2 der s.	Over 3 but under 4 years 1	but und	ler
Pno Inf H Con I	ause of ceumon antile Iemip ngenit Defect Aalfor	death. nia legia al or mation	Ov but to 2 ye	er 1 under ears. 1 1	No Over but un 3 year	g der s,	Over 3 but under 4 years 1	but und 5 years —	ler

STILL-BIRTHS (NOTIFIED).

	Time	Stage of	Ot	her (Child	ren.	by or	
Occupation of Mother	between working and con-	develop ment of child in months.	Alive	Dead	Still-born	Abortion	Attended b Doctor Midwife.	Remarks.
Twin WeaverBabies	2 days	7					Doctor	Cause not known
"	4 wks.	9					,,	Albuminuria. Macerated foctus
,,	6 wks.	71/2					**	Macerated loctus Macerated. Doctor said due to fall at half term
11	2½ mths.	9	1				,,	Macerated. Spina Bifida Meningocele
,,	4 mths.	9					11	Large Meningocele
Baker	3 days	9					,,	Macerated. Doctor said been dead some time
Home Duties		7					,,	Spina Bifida. Macerated
,,		81	8				,,	A fall 2 weeks before confinement.
**		7					,,	Spina Bifida. Macerated.

DIED DURING BIRTH (NOTIFIED).

	Time	Stage of	Otl	ner C	hildr	en.	by r	
Occupation of Mother	between	develop- ment of child in	Alive	Dead	Still-born	Abortion	Attended b Doctor or Midwife.	Remarks
Weaver		9	2				Doctor	Mal. Presentation
,,		9			1		,,	Strangulation by umbilical cord
,,		9					"	Mal. Presentation. Very big baby
,,		9					. "	Difficult forceps delivery (a10lbs.baby
* 3		9	2	1			,,	Hydraminos
.,		9	2				,,	Mal. Presentation

No scheme is in operation for dealing with unmarried mothers, illegitimate children, or children permanently or temporarily deprived of a home with their own parents.

ORTHOPÆDIC CLINIC.

The Orthopædic Clinic is held weekly on Fridays at the School Clinic in Carr Road. The scheme is run in conjunction with the Local Education Committee, the Lancashire County Council and the Colne Local Authority.

The following figures refer to the children who have been in attendance following a recommendation from the Infant Welfare Centre.

No. o	f times Clinic was open during year	30
"	infants who attended during year	
,,	attendances made by these infants	
,,	infants under treatment at Biddulph, 31st December,	
	1936	
,,	infants sent to Biddulph Hospital	Nil
,,	,, discharged from Biddulph	Nil
,,	,, under treatment at Biddulph, 31st December,	
	1937	Nil

The number of new cases admitted to the Clinic per month during the year is:—

NY 6	I		9
No. of new cases in	January		2
	February March		_
	April		2
	May		3
	June		2
	July		2
	August		2
	September		3
	October		3
	November		1
	December		_
No. of cases dischar	ged during the year		8
No. of cases who ha	ve attained school age during th	e year	
and been transf	erred into the School Medical S	ervice	
Section			14
No. of cases on book	ks at 31st December, 1937		44
The defects nec	essitating orthopædic treatment	in the	21
	been admitted during the year ar		
	ed rickets —		
	the hip — the lower limbs 15		
	the upper limbs —		
	the spine 1		
	ects 7		
DETAILS OF A	ATTENDANCES AT ORTHOPÆDIC CLIN	NIC.	
Attendances.		Children	ı
One attendance		13	
Two attendance	es		
Three ,,			
Four ,,			
Six ,,			
Seven ,,			
Eight ,,	•••••••	1	
C	PHTHALMIA NEONATORUM.		
Attack Bate per 1 00	00 live births		6.1
rivack react per 1,0	JO III C DII CIIO		-

	Cases		Vision	Vision	Total	
Notified	Tre	eated	unimpaired	impaired (slight)	blindness	Deaths
1937	Home	Hospital		(slight)		
2	1	1	- 1	1	- /	_

PUERPERAL PYREXIA.

No. of ca	ases repe	orted .			Nil
No. of c	ases in	which	services of	a trained nurse were	
requ	iested				Nil
No. of d	eaths				Nil
Attack F	Rate per	1,000	Total Births		0.00
Attack F	Rate per	1,000	Total Births	(England and Wales)	13.93
,,	,,	,,	,,	125 County Boroughs	17.59
			,,	148 Smaller Towns .	11.52
,,	,,	,,	,,	London	18.49

A change in the notification of Puerperal Sepsis and Puerperal Pyrexia has occurred during the year, whereby all these cases are now classified as Pyrexia.

CONCLUSION.

In the compilation of this report I am indebted to the following officials, who have supplied me with particulars relating to the work that comes under their supervision.

Mr. F. V. Alexander, Borough Surveyor.

Mr. A. Boothman, Borough Water Engineer.

Mr. H. Reid, Borough Treasurer.

Dr. F. Hall, County Medical Officer of Health.

Supt. T. Pickering, Lancashire County Constabulary.

Dr. B. MacPhee, Consultant Tuberculosis Officer.

Mr. J. T. Nutter, Director of Public Cleansing.

Before concluding, I have to acknowledge the willing assistance and co-operation I have received throughout the year from the whole of the members of my staff. Any work apportioned to them has been carried out efficiently, and on occasions when this has necessitated working outside recognised hours, their services have been given willingly.

I am, Ladies and Gentlemen,

Your obedient Servant,

R. G. MARKHAM, M.B., D.P.H.,

Medical Officer of Health.



Borough of Nelson.

Annual Report

of the

School Medical Officer

for 1937.

R. G. MARKHAM, M.B., D.P.H., School Medical Officer.

BOROUGH OF NELSON

School Medical Service Sub-Committee.

ALDERMAN A. SMITH, J.P., C.C., Chairman. THE MAYOR (Alderman J. Robinson, J.P.).

ALDERMAN R. BLAND

E. BOOTHMAN, J.P., C.A.

R. Winterbottom

COUNCILLOR W. BANNISTER

H. Dewhurst

J. Haydock

J. WIDDUP

MRS. S. J. COOPER, J.P.

Officers and Staff of the School Medical Service Department.

School Medical Officer R. G. MARKHAM, M.B., D.P.H.
Dentist Mr. Thomas Jackson, L.D.S.
Nurses Miss E. Simpson†, Mrs. E. A. Saville-Smith, Miss L. P. Sparks & Mrs. A. H. Frankland*+.
Senior Clerk
Junior Clerk J. W. Tattersall
Director of Education Mr. W. H. Shepherd, B.A.
+ Absent due to sickness. * Part time. + Temporary.

School Clinic, 11 Carr Road.

List of Schools in the Borough.

Secondary Day School				Oxfo	rd Roa	d
SENI	OR.					
	ommoda	tion.		ember,	on Rolls 1937. Juder 5.	
Bradley Boys C	320		197		_	
Edge End Boys C	480		289		_	
Walverden Girls C	480		268		_	
Whitefield Girls C	320		197			
JUNIOR	MIXE	D.				
Bradshaw Street C. (A)	400		248		_	
Bradshaw Street C. (B)	350		276			
Great Marsden	264		249		_	
Leeds Road C. of E	200		205		_	
Little Marsden	105		70		-	
Lomeshaye C	200		163		-	
D.C. 14						
R.C. M		*				
Holy Saviour	210		133	***	-	
St. George's	88		89		_	
St. Joseph's	210		94			
Open Air C.	130		125		_	
INFA	NTS.					
Bradley C	250		173		43	
Bradshaw Street C	350		238		56	
Great Marsden	130		117		22	
Holy Saviour R.C	95		56		8	
Leeds Road C. of E	100		37		4	
Little Marsden	65		61		15	
St. George's R.C	92		38		12	
St. Joseph's R.C	150		65		26	
Walverden C	250		182		48	
Whitefield C	300		184		36	
Totals	5539		3754		270	

NELSCN,

March, 1938.

To the Chairman and Members of the Nelson Education Committee.

LADIES AND GENTLEMEN,

I have pleasure in submitting a report on the work of the School Medical Services Department for the year ended 31st December, 1937.

The various duties have been carried out throughout the year on similar lines to previous years.

In the course of the report each branch of the work of the School Medical Services is dealt with individually and relative figures submitted.

Comparative tables are given by which the result of this year's work may be compared with previous years.

A study of the figures submitted in the various tables shows no outstanding features, and the comparison with previous years tends to show a general uniformity.

The general health of the school children is very good, and a satisfactory standard of stamina maintained. When one takes into consideration the trade conditions of the town, with the consequent lower earnings, this is very satisfactory. In this respect I think some credit may be claimed by the Education Committee for the provisions they continue to make for the supplying of free meals to necessitous cases, and also for the general provision of milk for school children throughout the whole of the elementary schools in the Borough.

Though in the aggregate, the number of defects found or treated may appear large, the majority were defects of a minor character, and soon yielded to treatment.

ROUTINE INSPECTIONS.

1,225 children have been medically inspected at the Routine Inspections at the schools. This is 55 children more than the number inspected in 1936. The 1,225 children comprise 389 in the entrants group, 410 in the second age group (i.e., 8 years of age), and 426 in the third age group (i.e., children of 12 years of age).

Of these children 101 in the entrants group, 104 in the second age group and 66 in the third age group, were found with a defect which required treatment.

On a percentage basis the following figures show the percentage of children requiring treatment in each group for 1937, and the three previous years. These figures show that although the figure for the second age group indicates a slight increase, the other two groups show a decrease, and the total percentages are the lowest for the past four years.

	1934.	1935.	1936.	1937.
Entrants	29.1	 31.17	 34.54	 25.96
Second Age Group	29.8	 34.48	 20.98	 25.37
Third Age Group	22.4	 19.92	 16.81	 15.49
Total Code Groups	26.9	 28.54	 24.53	 22.12

The following table shows a summarised analysis of the defects found in the course of the Routine Medical Inspection, which required treatment or to be kept under observation. It will again be noticed that Diseases of the Nose and Throat and Defective Vision show the highest figure, being approximately 40% of the defects found.

Requiring

	. 0	bservation, but not
	Requiring treatment.	requiring treatment
Defect or Disease of the Skin	11	2
Defect or Disease of the Eye	6	3
Defective Vision, including Squint	73	4
Defective Hearing	2	4
Disease of the Ear	7	2
Disease of the Nose and Throat	80	15
Defective Speech	3	6
Enlarged Cervical Glands (Non-Tuberculous)	12	7
Defect or Disease of the Heart & Circulation	22	9
Defect or Disease of Lungs (Non-Tuberculous)	24	5
Defect or Disease of Nervous System	14	9
Tuberculosis (definite or suspected)	2	1
Deformities	17	13
Other Defects and Diseases	45	20
Total	318	100

A figure representing the number of individual defects per 1,000 children inspected annually, has been calculated over a period of 10 years and an average figure obtained for these ten years. With these latter figures can be compared the results found in the 1937 Routine Inspections, and for further comparison I have included the results of the Routine Inspections during 1936 carried out by the Lancashire County Council School Medical Service, in connection with the public elementary schools in the County that come within their province.

DEFECTS FOUND DURING ROUTINE INSPECTIONS CALCULATED PER 1,000 SCHOOL CHILDREN INSPECTED. 0=Observation. T=Treatment.

15.48 8.16 Other Skin Diseases 11.25 7.32 19.13 11.36 15.08 8.90 20.1 \$2.8 11.56 14.11 11.67 T. 0 Non-Tubercular 5.95 8.75 7.03 99.8 8.47 2.52 0.73 2.53 1.63 19.0 9.74 : 0 8.18 7.50 99.8 29.91 20.1 80.6 6.53 10.6 10.94 11.41 8.24 E 4.79 61.5 4.84 1.50 2.20 5.44 6.33 19.0 18.9 8.71 1.41 and O. : : Impetigo 0.33 : : : 0 4.40 6.33 1.50 2.70 2.44 6.87 4.84 19.0 1.41 E 0.85 0.40 19.0 26.6 98.0 0.21 T. and O. : Scabies : : : 0 0.85 20.2 0.10 98.0 19.0 19.0 T. ... : : : : 0.47 0.57 8.47 1.84 and O. : : : Ringworm Body. 80.0 0.87 : 0 68.0 0.27 19.7 1.84 : : H 0.33 0.78 68.0 1.73 19.0 T. and O. 14.37 : Ringworm Scalp. : : : : : : : 0 0.33 0.73 0.85 1.78 19.0 14.37 : H 8.13 3.32 7.05 4.89 96.92 7.42 2.68 69.4 5.50 4.65 and O. Malnutrition 3.15 3.00 2.68 97.1 2.96 1.87 2.19 69.4 2.61 0 : 2.32 3.73 4.84 19.0 81.0 97.7 3.52 0.81 18.9 : E Average for 10 yrs Elem. Schools for 1986 Lanes. County Council Year 1928 1980 1982 1933 1935 1986 1987 1929 1981 1934

Squint	O and O	1.40 7.73	1.87 8.12	1.46 5.85	0.87 8.47	1.50 5.26	0.67 8.35	8.03	2.22 5.19	0.70 1.41	5.12 8.54	1.58 5.69	2.44 4.07	8.28 14.66
	H	6.33	6.25	4.39	19.7	3.75	89.7	8.03	5.96	0.40	3.45	4.11	1.63	88.9
Vision	and O	110.48	93.75	103.95	777.39	126.22	86.57	69.34	71.21	84.56	66.66	92.34	58.76	68.96
	0	0.10	:	2.92	:	0.15	:	0.73	1.48	:	0.85	0.74	0.81	48.48
Defective excluding	H	109.78	93.75	101.02	77.39	125.47	86.57	19.89	69.73	84.56	99.14	91.60	57.95	47.91
cities	and 0	1.40	0.62	1.46	19.7	0.75	1.34	0.73	:	2.13	:	1.10	0.81	0.42
Corneal Opacities	0	0.10	:	0.73	0.87	:	19.0	:	:	0.10	:	0.37	:	0.36
Corne	Ŀ	00	0.62	0.73	1.74	0.75	19.0	0.73	:	1.41	:	0.73	0.81	90.0
90	and 0	:	:	:	:	0.15	:	:	:	:	:	0.02	:	:
Keratitis	0	:	:	:	:	:	:	:	:	:	:	:	:	:
P	I	:	:	:	:	0.15	:	:	:	:	:	20.0	:	:
itis	T and O	0.10	2.20	1.46	5.61	1.20	:	0.73	2.55	2.83	1.70	1.62	2.44	6.83
Conjunctivitis	0	:	:	:	:	:	:	:	:	0.10	:	10.0	:	5.04
Con	E	0.10	2.20	1.46	2.61	1.20	:	0.73	2.55	2.13	1.70	1.55	2.44	1.79
sis	and O	3.21	3.75	:	:	3.00	1.34	2.18	1.48	1.41	2.26	1.92	:	8.55
Blepharitis	0	5.80	:	:	:	0.75	:	0.73	:	:	:	0.43	;	3.15
Bl	I	0.10	8.75	:	:	2.52	1.34	1.45	1.48	1.41	2.56	1.49	:	20.9
;	Year	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	Average for 10 yrs	1937	Lanes. County Council Elem. Schools

	00	Other Eye Conditions	ye	Defec	Defective Hearing	aring	Oti	Otitis Media	lia	01	Other Ear Diseases	ıı	Enla	Enlarged Tonsils only	nsils	Ade	Adenoids only	nly
Year	H	0	and 0	I	0	and 0	E	0	and 0	H	0	and 0	H	0	and 0	Ð	0	and 0
1927	1.40	:	1.40	5.63	1.40	7.03	:	:	:	1.40	1.40	2.80	43.63	96.11	55.59	9.82	2.80	12.66
1928	2.20	1.25	3.75	8.75	1.25	10.00	0.63	:	0.63	6.25	:	6.35	40.00	2.00	45.00	8.13	1.87	10.00
1929	1.46	99.8	5.15	5.15	1.46	82.9	2.19	:	2.19	8.18	0.73	19.6	45.38	11.71	57.10	1.46	1.46	2.92
1930	2.61	:	2.61	7.85	:	7.82	5.61	0.87	3.47	5.21	0.87	80.9	16.89	6.95	28.09	80.9	0.87	6.95
1981	0.15	2.52	3.00	4.20	:	4.20	3.00	:	3.00	94.9	0.15	7.51	46.58	4.50	60.19	92.9	2.52	10.6
1932	1.34	2.01	3.32	11.9	5.68	68.6	98.9	:	98.9	6.04	1.34	7.38	56.37	6.04	62.41	2.01	19.0	2.68
1983	2.19	2.19	4.38	2.92	:	26.2	2.84	:	78.9	99.9	:	99.9	43.06	5.84	48.90	1.45	:	1.45
1934	0.74	1.48	2.55	19.9	5.96	9.64	3.71	0.74	64.45	3.71	0.74	4.45	14.00	:	14.09	19.9	1.48	8.16
1935	2.83	1.41	4.53	2.13	1.41	3.25	4.53	:	4.53	4.53	:	4.53	33.94	0.20	34.64	2.13	0.40	2.85
1936	:	:	:	2.56	2.26	5.15	4.27	:	4.27	8.55	1.70	10.52	32.48	3.45	35.30	:	0.85	0.85
Average for 10 yrs	1.58	1.42	3.00	5.28	1.37	6.65	3.18	0.16	3.34	5.75	0.75	6.50	40.04	5.61	46.55	4.45	1.30	5.75
1987	1.63	2.44	4.07	1.63	3.56	4.89	1.63	:	1.63	4.08	1.63	5.71	81.05	8.16	39.18	6.23	:	6.23
Lanes. County Council Elem. Schools for 1936	1.15	1.40	2.55	2.44	2.23	4.76	3.40	09.0	4.00	5.70	2.34	8.04	20.76	68.13	68.88	1.27	4.13	5.40

							E	Enlarged	-									
	Enla	Enlarged Tonsils and Adenoids	nsils	Othe	Other Conditions Nose and Throat	tions	Cervical (Non-Tul		Glands percular)	Defec	Defective Speech	eech	Hea	Organic Heart Disease	ase	F. Hea	Functional Heart Disease	al
Year	ij	0.	and 0.	Ē.	0.	T. and 0.	E.	0.	T. and O.	Ë	0.	and O.	T.	0.	T. and O.	Ë	0.	and 0.
1927	5.63	0.10	6.33	22.21	10.55	33.07	99.18	21.11	52.78	0.40	0.10	1.40	:	5.63	5.63	:	8.44	8.44
1928	2.00	:	2.00	38.12	10.62	48.75	16.25	:	16.25	1.35	1.87	3.13	:	8.13	8.13	0.62	3.75	4.37
1929	7.32	2.19	9.21	25.62	13.17	38.80	10.55	9.21	19.76	2.65	2.19	5.13	:	2.95	2.93	0.73	89.9	7.85
1980	5.51	:	5.51	36.25	69.8	45.21	8.69	3.47	12.17	1.74	1.74	3.47	1.74	3.47	5.31	1.74	96.9	69.8
1931	4.20	:	4.50	44.40	5.26	49.66	4.50	4.50	10.6	3.00	3.00	6.01	91.0	1.20	2.52	:	1.51	67.51
1932	:	:	:	28.85	2.01	98.08	14.09	8.72	22.81	:	4.70	4.10	:	2.01	2.01	:	3.35	3.35
1933	1.45	:	1.45	34.30	3.65	37.95	16.05	10.51	96.56	0.23	2.95	3.65	0.13	2.19	2.92	:	5.84	5.84
1934	5.19	:	5.19	69.73	11.87	81.60	66.55	8.16	31.15	:	5.36	5.96	:	5.55	5.55	:	2.63	5.98
1985	6.34	:	6.34	50.03	6.34	26.37	19.73	4.93	24.66	:	4.93	4.93	:	2.13	2.15	:	3.25	3.25
1936	3.45	:	3.45	41.88	4.27	46.15	22.22	17.09	39.31	1.70	3.45	5.13	0.85	1.71	2.26	:	1,20	1.70
Average for 10 yrs	4.40	0.33	4.69	39.50	7.64	46.84	16.64	8.77	25.41	1.30	2.84	4.04	0.40	5.69	3.03	0.31	5.36	5.67
1937	5.71	:	5.71	22.04	4.08	26.12	61.6	5.71	15.50	2.44	4.89	7.33	1.63	1.63	3.56	1.63	3.56	4.89
Lanes. County Council Elem. Schools for 1936	13.23	10.11	23.34	5.64	37.65	43.29	2.33	46.03	48.86	0.76	4.09	4.85	0.61	4.55	5.16	0.24	30.21	30.45

THE RESERVE AND ADDRESS.	STATE SALES		-	and the last		-	-	-	-	-	-	NAME OF TAXABLE PARTY.	-	
nary	and 0.	0.40	1.25	0.73	:	1.20	3.85	1.45	:	0.10	0.85	1.05	1.62	0.51
Non-Pulmonary Tuberculosis Glands	0.	:	0.62	:	:	:	1.34	1.45	:	0.40	0.85	0.20	0.81	0.27
Non	T.	0.40	0.62	0.73	:	1.20	2.01	:	:	:	:	0.22	0.81	0.24
ry sis d	and O-	1.40	:	0.73	:	:	:	:	:	:	:	0.51	:	0.18
Pulmonary Tuberculosis Suspected	0	1.40	:	0.73	:	:	;	:	:	:	:	0.51	:	0.03
Tu	E	:	:	:	:	:	:	:	:	:	:	:	:	0.15
ry	and O.	:	:	:	:	:	:	:	:	:	:	:	:	90.0
Pulmonary Tuberculosis Definite	0.	:	:	:	:	:	:	:	:	:	:	:	:	0.03
Pull Tu	E.	:	:	:	-:	:	:	:	:	:	:	:	:	0.03
nlous	and 0.	26.03	35.00	35.13	15.65	17.28	68.6	16.78	16.32	12.68	3.41	18.76	9.78	7.86
Other Non-Tuberculous Diseases of Lungs	0.	20.40	22.50	69.75	7.83	12.03	6.71	10.94	9.64	7.05	2.26	12.23	2.44	7.13
Non- Disea	T.	5.63	12.50	12.44	7.85	5.26	89.7	2.84	19.9	2.63	0.85	6.23	7.34	0.73
82	T. and O.	16.88	9.87	16.83	11.30	13.52	12.07	13.86	19.58	16.50	8.24	13.78	13.87	22.65
Bronchitis	0.	14.07	2.20	8.05	4.34	10.9	3.32	3.65	8.16	6.34	0.85	5.73	1.63	16.88
B	T.	2.80	28.9	8.78	6.95	19.1	8.73	10.51	11.13	98.6	69.4	8.05	12.24	5.77
	T. and 0.	2.63	14.37	8.78	92.6	10.6	6.71	16.78	13.35	14.09	8.24	10.68	17.13	9.07
Anæmia	0.	4.92	1.87	2.65	1.74	0.9	19.0	4.38	0.74	4.93	0.85	2.30	2.44	5.67
7	T.	0.10	12.50	5.85	7.83	3.00	6.04	12.40	13.61	91.6	69.4	7.78	14.69	3.40
	Year	1927	1928	1929	1930	1931	1932	1988	1934	1935	1936	Average for 10 yrs	1937	Lanes. Council Elem. Schools for 1936

	T. and O.	0.40	0.62	0.73	:	0.15	19.0	1.45	0.74	:	:	0.57	:	0.33
Epilepsy	0.	0.10	::	0.73	:	0.75	0.67	:	0.74 (:	:	98.0	:	0.54
Epi		0	0.62	0	:	0	0	1.45	0	:	;	0.51 0	:	0 60.0
	E.		0		:	:	:	1	:	:				
onary osis rms	and 0.	0.40	:	0.73	:	:	:	:	:	:	:	0.14	0.81	98.0
Tuberculosis Other Forms	o.	0.10	:	:	:	:	:	:	:	:	:	20.0	:	0.30
Tu	T.	:	:	0.73	:	:	:	:	:	:	:	0.02	0.81	90.0
sis	T. and 0.	:	:	:	:	:	:	:	0.74	:	:	0.02	:	0.15
Non-ruimonary Tuberculosis Skin	0.	:	:	:	:	:	:	:	0.74	:	:	0.07	:	90.0
Tul	H.	:	:	:	:	:	:	:	:	:	:	:	:	60.0
sis Joints	and O.	:	:	:	:	:	:	:	:	0.10	:	0.07		0.13
Tuberculosis ther Bones & Join	0.	:	:	:	:	:	:	:	:	00	:	0.02	:	0.13
Tuberculosis Other Bones & Joints	Ŧ.	:	:	:	:	:	:	:	:	:	:	:	:	:
	T. o.	1.40	:	1.46	:	:	:	:	:	:	:	0.58	:	:
Non-Pulmonary Tuberculosis Hip	0.	1.40	:	1.46	:	:	:	:	:	:	:	0.58	:	:
Tul	T.	:	:	:	:	:	:	:	:	:	:	:	:	:
sis	and O.	;	:	:	:	0.15	:	:	:	:	:	0.07	:	:
Tuberculosis Spine	0.	:	:	:	:	:	:	:	:	:	:	:	:	:
Tul	I.	:	:	:	:	0.15	:	:	:	:	:	20.0	:	:
	Year	1927	1928	1929	1930	1981	1932	1933	1934	1935	1936	Average for 10 yrs	1937	Lancs. County Council Elem. Schools for 1936

Year T. O. T. 1927 0.70 0.70 1928 0.62 1.25 1.87 1929 0.73 0.73 1.46 1930 1.74 1.74 1931 2.25 0.75 3:00 1932 1.34 0.67 2:19 1933 2.19 2:19 1934 1.48 1:48 1935 1.41 2:12 3:53 1936 1.70 1:70 Average for 10 yrs 1:34 0:62 1:96	d T.	tomo mis	Nervous System				o bund	Spinal Curvature	ture	De	Other Forms Deformities	ms	Other	Other Defects Diseases	s and
0.70 0.62 1.25 0.73 0.73 1.74 2.25 0.75 1.84 0.67 2.19 1.41 2.12 1.70 1.34 0.62		0.	and 0.	ij.	0.	T. and O.	Ţ.	0.	T. and O.	T.	0.	and O.	T.	0.	and O.
0.62 1.25 0.73 0.73 1.74 2.25 0.75 1.34 0.67 2.19 1.41 2.12 1.70	70 1.40	6.33	7.73	:	3.51	3.51	0.40	0.10	1.40	6.33	9.82	16.18	34.48	27.44	61.95
0.73 0.73 1.74 2.25 0.75 1.34 0.67 2.19 1.41 2.12 1.70	37 7.50	6.25	13.75	1.87	1.55	3.13	2.00	1.87	28.9	2.00	5.63	10.62	88.12	13.75	101.87
1.74 2.25 0.75 1.34 0.67 2.19 1.48 1.41 2.12 1.70	99.8 91	8.78	12.44	2.65	:	26.7	4.39	:	4.39	8.78	13.30	22.69	19.03	16.83	35.87
2.25 0.75 1.84 0.67 2.19 1.48 1.70 1.78 0.62	80.9	14.78	20.87	:	:	:	1.74	0.87	2.61	13.31	4.34	18.26	24.85	13.91	38.36
1.34 0.67 2.19 1.48 1.41 2.12 1.70	10.9 00	11.56	17.28	0.15	0.15	1.20	0.15	0.75	1.50	9.01	10.6	18.05	22.54	15.03	37.56
2.19 1.48 1.41 2.12 1.70	11.9 10	12.08	18.79	1.34	19.0	2.01	98.9	:	5.36	8.72	68.6	18.11	20.80	15.43	36.23
1.48 1.41 2.12 1.70 1.34 0.62	11.9 6.11	10.94	16.05	:	0.73	0.73	1.45	61.7	3.64	3.65	4.38	8.03	16.05	18.24	34.39
1.41 2.12 1.70 1.34 0.62	61.9	10.38	15.58	:	0.74	0.74	3.71	3.71	7.42	8.16	14.09	22.25	14.09	8.30	22.99
1.34 0.62	53 5.63	7.75	13.38	2.13	:	2.13	27.75	0.10	8.45	20.1	12.68	19.73	16.91	13.33	30.30
1.34 0.62	0.83	10.36	17.09	:	:	:	5.13	:	5.13	10.25	5.98	16.23	85.48	20.51	52.99
	96 5.41	88.6	15.29	06.0	92.0	1.66	3.23	1.08	4.67	8.09	8.95	17:01	28.88	16.34	45.22
1937 0.81 0.81 1.62	10.01	6.23	17.14	:	:	:	2.44	0.81	3.52	11.43	62.6	21.31	36.73	16.32	53.05
Lanes. County Council Elem. Schools for 1936	00 0.57	0.91	1.18	92.0	4.64	5.40	0.94	5.85	3.76	8.41	19.40	27.81	9.17	18.73	27.90

SPECIAL INSPECTIONS.

987 Special Inspections have been made during the year, the children inspected under this category including:—

- A. Children brought forward by the Head Teacher at the School at the time of my Routine Inspection.
- B. Children brought to the Clinic by parents, or sent direct from school to the Clinic.
- C. Children inspected for a particular object, i.e., admission to Open Air School, visit to Convalescent Home, or suitability for part-time employment.

Comparative figures are not applicable for the results of the Special Inspections, as in most of the cases it is the evidence of a defect, which has necessitated the medical inspection.

A summary of the defects found as a result of the Special Inspections is:—

	Requiring treatment.	obse	equiring ervation, but not equiring eatment.
Defect or Disease of the Skin	126		4
Defect or Disease of the Eye	22		2
Defective Vision, including Squint	13		1
Defective Hearing	3		_
Diseases of the Ear	18		1
Diseases of the Nose and Throat	102		16
Defective Speech	3		1
Enlarged Cervical Glands (Non-Tuberculous)	25		3
Defect or Disease of Heart and Circulation	47		4
Defect or Disease of Lungs (Non-Tuberculous)	48		6
Defect or Disease of Nervous System	41		3
Tuberculosis (definite or suspected)	2		_
Deformities	13		3
Other Defects and Diseases	149		27
Total	612		71

Combining the results of the Routine and Special Inspection in terms of the defects found, both for treatment and observation, we get the following table. From this can be ascertained which defects are the most prevalent, and as the figures for 1936 are given, how the figures for 1937 compare therewith.

			1937				1936	
DEFECT OR DISEASE.	Total number found requir- ing treatment	Per- cent- age	Total number found requiring observation	Per- cent- age	Total number found requir- ing treatment or observation	Per- cent- age	Total number found requir- ing treatment or observation	Per- cent- age
Defect or Disease of the Skin	187	14.73	9	3.51	143	12.99	137	11.81
Eve	28	3.01	2	2.92	33	3.00	23	1.98
Defective Vision, including Squint.	86	9.25	2	20.03	91	8.26	171	14.74
Defective Hearing	5	0.54	4	2.84	6	0.85	12	1.03
Disease of the Ear	25	5.69	3	1.75	28	2.54	53	1.57
Nose and Throat		19.57	31	18.13	213	19.35	187	16.12
Defective Speech		0.64	1	4.09	13	1.18	9	0.55
Inlarged Cervical Glands (Non-	37	3.98	10	5.86	47	4.27	92	2.60
Defect or Disease of the Heart	69	7.42	13	09.1	83	7.45	61	5.26
Defect or Disease of the Lungs Non-Tuberculous	72	7.74	111	6.43	83	7.54	74	6.38
Defect or Disease of Nervous	55	5.91	12	7.03	19	80.9	61	5.26
Tuberculosis (definite or suspected).	4	0.43	1	0.58	5	0.45	00	0.56
Deformities	30	3.23	16	98-6	46	4.18	37	3.19
Other Defects and Diseases		20.86	47	27.49	241	21.89	270	23.28
Total	930	100.00	171	100.00	1101	100.00	1160	100-00

RE-INSPECTIONS.

1,584 re-inspections have been carried out during the year. These inspections are made either at the school at the time of my routine inspection, or at the School Clinic. They include the re-inspection of all children who at a previous inspection, either routine or special, have been found with a defect. In addition the periodic inspections of the children at the Open Air School are classified as re-inspections.

The medical inspections during 1936 revealed 1,198 defects and from the following table it will be seen that 888 had been cured, 230 were improved and 80 were either unchanged or not seen owing to the child having left school. These figures represent 74.12% cured, 19.20% improved and 6.68% unchanged or not seen.

11 | 123 | 10 | 10 | 11 |

8

absent or left school Unchanged Result of Re-inspection, 1957. Improved 230 Cured 22244422244422222 888 Observation Referred Number found in 1956. RE-EXAMINATION SUMMARY 209 824-17-20234518-18-63 Treatment Referred 686 Defective Speech
Defect or Disease of Heart and Circulation
Defect or Disease of Lungs (Non Tuberculous) ...
Tuberculosis (Definite or Suspected) Defect or Disease of Nervous System Defective Hearing
Defect or Disease of Nose and Throat
Enlarged Cervical Glands (Non Tuberculous) Other Defects or Diseases Defect or Disease of Skin Defect or Disease of Eye Defective Vision and Squint
Defect or Disease of Ear
Defective Hearing Malnutrition (slightly subnormal) Defect or Disease. Totals

FOLLOWING UP MEDICAL INSPECTIONS.

It is necessary with certain defects, for children to be referred to their own medical practitioner, and in order to keep in touch with these cases to see that the advice has been carried out and treatment given, the nurse has to visit the homes to interview the parents or see the children at school. It is also found in some of the minor defects that the children do not attend the School Clinic for treatment, and the nurse has to follow up these cases to ascertain if the requisite treatment has been given. On occasions when no parent or guardian is present at the medical inspection, it is necessary that the nurse should visit the home to acquaint them of the findings of the inspection.

A statement is prepared at the end of the year to give an indication as to how the defects found during the year are progressing, and the following up of the nurses shows that of 1,136 defects found during the year, 64.26% had been cured, 26.58% were improved, leaving 9.16% showing little change.

HOME VISITING.

During the year 786 homes have been visited by the School Nurses and 831 visits paid.

EXAMINATION OF CHILDREN AS REGARDS CLEANLINESS.

The School Nurses have paid 85 surprise visits to the schools and made 12,639 examinations as regards clealiness. 3,601 individual children were examined and of these 3,364 were found satisfactory. Details of the results of the examinations are:—

Number of boys examined	1788		
Number clean	1750	or	97.87%
Number with few nits	3	or	0.17%
Number with many nits	24	or	1.34%
Number with pediculi	11	or	0.62%
Number of girls examined	1813		
Number clean	1614	or	89.02%
Number with few nits	53	or	2.92%
Number with many nits	123	or	6.79%

Number with pediculi	23	or	1.27%
Total children examined	3601		
Number clean	3364	or	93.42%
Number with few nits	56	or	1.56%
Number with many nits	147	or	4.08%
Number with pediculi	34	or	0.94%

For comparative purposes the figures for 1936, along with this year's figures are submitted as follows:—

	Perce	ntage of	children	examined	I found to	o have
	Few	Nits	Man	y Nits	Pedi	culi
	Boys	Girls	Boys	Girls	Boys	Girls
1937	 0.17	2.92	1.34	6.79	0.62	1.27
1936	 0.00	2.98	1.07	8.16	0.65	2.59

It will be noted that the figures for 1937 show a slight improvement on the figures for the previous year.

In the course of the medical inspections 14 cases of Scabies were found and these all received treatment at the School Clinic. In these cases it was found that contact outside school was responsible for the spread of the infection.

Co-ordination with the Public Health Department is maintained in dealing with the treatment of this disease.

TREATMENT OF DEFECTS.

The School Clinic has been open on 267 days during the year with an average daily attendance of approximately 32.

Children attend the Clinic for medical Inspection, advice or treatment and the following table shows the number of each particular defect which has necessitated attendance at the Clinic. For comparative purposes each defect is calculated per 1,000 school children and the corresponding figures for the two previous years are included.

DEFECT OR DISEASE	Number found or suspected	Rate	e per 1000 se children	chool
	in 1937	1937	1936	1935
	110	01.01	90.00	00.75
mpetigo	119	31.31	30.39	23.75
Cczema	13	3.42	1.81	3.00
eborrhoea	24	6.31	8.83	7.25
Alopecia	1	0.26	1.04	2.00
Septic Sores	89	23.42	22.33	19.75
Ringworm	4	1.05	1.81	5.25
Other Skin Diseases	108	28.42	34.02	27.25
Verminous and Sore Heads	7	1.84	0.78	1.25
Vision	241	63.42	74.54	74.50
Blepharitis	11	2.89	5.97	5.25
Conjunctivitis	11	2.89	4.41	6.25
)ther Eye Diseases	21	5.52	9.09	4.50
Otorrhoea	25	6.57	10.64	8.50
Vax in Ears	19	5.00	7.01	4.00
Other minor Ear Defects	13	3.42	6.23	4.50
Consillitis	36	9.47	15.84	20.00
Consils and Adenoids	46	12.10	10.64	2.00
haryngitis	12	3.15	4.41	0.50
other Diseases of the Nose and Throat	46	12.10	14.80	22 75
Enlarged Thyroid		_	0.26	1.00
Enlarged Glands (Non-Tuberculous)	57	14.73	16.88	14.00
Ieart Disease	10	2.63	2.08	1.00
Diseases of Lungs and Chest	75	19.73	22.59	17.50
Pre Tuberculosis (Pulmonary)	-	_	_	_
Von-Pulmonary Tuberculosis	_	_	_	_
horea	25	6.57	9.09	9.25
Nervous Debility	10	2.63	5.97	6.75
Swollen Joints and Swellings	12	3.15	5.19	6.25
Rickets	_	_		_
Crippling Defects	_	_	3.89	3.50
Debility	163	42.89	37.40	52.25
nfectious Diseases	121	31.84	22.85	25.75
Minor Accidents	151	39.73	57.14	48.50
Other Defects or Diseases	187	49.21	63.63	47.25

In regard to the actual treatment of defects, the Local Authority's scheme at the School Clinic provides only for the treatment of:—

- (a) Minor eye defects.
- (b) Minor ear defects.
- (c) Minor skin diseases.
- (d) Slight defects of the nose and throat.
- (e) Minor injuries, bruises, etc.
- (f) Crippling defects.
- (g) Defective vision, including refractions and the provision of spectacles.

In these cases Clinic treatment is optional, and the parents of the children are always at liberty to consult their own medical practitioner, and to accept treatment from him if they so desire. For all other cases where medical treatment is required the parents are instructed to call in their own doctor. The Local Authority has no scheme for operative treatment such as in certain cases of nose and throat defects involving tonsils and adenoids, and these cases are referred to private practitioners.

At the Clinic during the year, 1,886 defects were treated, this number comprising 518 defects or diseases of the skin, 65 minor eye defects, 60 minor ear defects, 902 minor injuries, bruises, etc., 125 defects of the nose and throat, 68 orthopædic or postural defects and 148 errors of refraction.

The Nurses' reports show that 8 defects or diseases of the skin, 7 ear defects, 73 minor injuries, 46 defects of the nose and throat and 11 cases of defective vision have received treatment privately and independently of the Authority's scheme. The primary diagnosis of these defects took place at either a routine or special inspection.

This gives a total of 2,031 defects which have received treatment during the year. At the beginning of the year there were 131 defects under treatment at the Clinic, 1,526 new defects were admitted during the year, and 1,536 were discharged. This leaves 121 defects receiving treatment at the end of the year.

148 cases of defective vision have received treatment and examination to determine the error of refraction, and in 120 cases spectacles have been prescribed. Under the Authority's scheme 117 pairs of spectacles have been supplied.

Analysis of the 120 cases requiring spectacles in respect of the particular defect found is:—

Hypermetropia	19
Hypermetropic Astigmatism	28
Hypermetropia and Hypermetropic Astigmatism	23
Myopia	27
Myopic Astigmatism	3
Myopia and Myopic Astigmatism	13
Other Defects	7

It will be noted that whereas 241 cases attended the Clinic for suspected defective vision, in only 148 cases was it found necessary for a test for error of refraction to be carried out.

In the other cases the primary tests revealed that no further treatment was necessary.

ORTHOPÆDIC CLINIC.

This Clinic, organised by the Lancashire County Council co-jointly with the Nelson and Colne Authorities, is held weekly on Fridays at the School Clinic, Carr Road, Nelson. An orthopædic nurse appointed by the County Council attends on these days, and once each month an orthopædic consultant, also appointed by the County Council, attends for the examination of new cases, or the re-examination of cases under treatment.

The Clinic is a combined one for dealing with children both of school age and under, from Nelson, Colne and from the immediate surrounding area under the jurisdiction of the County Council medical services.

The following details of the work at the Orthopædic Clinic refer only to Nelson children of school age.

No. of times Clinic has been open during the year	30
Total number of school children on the books at 31st	
December, 1936	79
Total number of cases admitted during the year	31
Included in these are—New admissions	17
Transferred from Infant Welfare	
Centre	14
No. of cases discharged during the year	26
" ,, on books at 31st December, 1937	84
No. of children on books who did not attend during 1937	44
No. of children in attendance during 1937	66
No. of attendances made by these children	273
Average attendance per session	9.1
,, ,, ,, child for the year	4.1

No.	of school ch	nildren at I	3iddu.	lph o	on 31st Dece	ember, 1	936	1
,,	,,	,, sen	t to B	iddu	lph during	the year	·	4
		disc	charge	ed f	rom Biddu	lph dur	ing	
,,	,,							3
,,	11	,, at 1	Biddu	lph,	31st Decem	ber, 193	7	2
		s of the att	endar	ices	made per c	hild dur	ing	tne
yea	r is:—							
	Number of	children r	nakin				23	
	,,	,,	"		attendances		14	
	,,	,,	,,	3	,,		8	
	,,	,,	,,	4	,,		4	
	,,	,,	,,,	5	,,		2	
	,,	,,	,,	6	,,		2	
	,,	,,	,,	7	,,		4	
	,,	,,	,,	8	,,		1	
	,,	,,	,,	10	,,		1	
	,,	,,	,,	11	,,		1	
	,,	,,	,,	12	,,		1	
	,,	,,	,,	15	,,		1	
			,,	18			2	
	,,	,,		19	,,		1	
	,,	,,	"	21	,,		1	
	,,	,,	,,		,,			
					degree the			
	ects found i		dren	who	have been	on the	regis	ster
dur	ing the year							
							4	
					or hands		8	
	Defect or d	eformity of	f the l	hip .			7	
	Defect or d	eformity of	the l	eg o	r foot		77	
	General de	fect or defe	ormity	wh	ich may be	due to		
	rickets,	infantile	paraly	vsis,	etc		26	
						_		
	Total						122	

EMPLOYMENT OF CHILDREN AND YOUNG PERSONS.

During the year 72 boys and 1 girl have been examined following their application for part-time employment certificates. In all the cases the certificates were granted. The nature of the employment to be followed was: 25 in the delivery of milk, 46 in the delivery of newspapers and 2 for other employment.

EXCEPTIONAL CHILDREN.

The list of exceptional school children is amended from year to year, and the following summary shows the number of these children on the books at the end of the year under review.

Blind	Nil
Partially Sighted	
Deaf	
Partially Deaf	
Mentally Defectives	
Epileptics, severe	
Pulmonary Tuberculosis	
Non-Pulmonary Tuberculosis	
Delicate Children	125
Cripples, i.e., those with a severe degree of crippling such	
as to interfere with a normal mode of life	
Heart Disease, severe	
Multiple Defects, not included above	
The allocation of these children in regard to school is	:
Number attending certified Blind School	3
,, ,, Deaf School	
,, ,, Mentally Defective School	
,, Open Air School	
,, in Sanatorium or Hospital	
,, attending Public Elementary School	
,, who do not attend school	11
The following table gives an approximate idea of	the
number of exceptional children of school age in the a	rea,
calculated per 1,000 school children.	
Blind or Partially Sighted	0.78
Deaf or Partially Deaf	
Montollar Defection	0.52
Epileptics, severe	3.15
Pulmonary Tuberculosis	0.00
Non-Pulmonary Tuberculosis	0.26
Dollanto Children	5.26
Cripples	2.89
HOSPI Theorem	3.15
Multiple Defects	1.31
	0.78

No notification of a school child has been made to the local mental deficiency authority during the year.

OPEN AIR SCHOOL.

No changes have been made during the year in the arrangements for the admission of children to the Open Air School or in their treatment whilst at the school.

In the following tables details are given of the admissions to the school, the discharges therefrom, showing the length of stay at the school and the gain in height and weight of each child, the work carried out by the Nurse, and the attendances throughout the year.

There were 130 children in attendance at the beginning of the year, 68 children admitted during the years and 75 children discharged, leaving 123 children in attendance at the end of the year. The average length of time at the school by the children who have been discharged during the year is 17.8 months.

							Boys	s. Girls.	Total.
No. of c	hildre	n in attenda	nce	31st De	cember, 1936 .		67	63	130
,,	,,	admitted	duri	ing the	year		34	34	68
2.2	,,	discharge	d du	uring the	year		37	38	75
,,	,,	in attenda	ance	31st Dec	cember, 1937 .		64	59	123
						High	hest.	Lowest.	Average
Percenta	age of	attendance	1st	Quarter		8	6.1	55.7	79.0
23		23	2nd	۱ ,,		9	4.7	85.1	91.2
2.5		,,	3rd	,,		9	1.9	87.5	89.9
			4th			8	8.0	73.9	82.8

Particulars regarding children admitted during the year.

	Total Boys	Girls	252 27 4 4 7 1 1 2 4 4	89
7		Total	8 11 9 8 11 11 8 11 11 8	34
		13	1111111111	:
		12	111411111	1
	LS. Children	11	2	60
		10	нея : : : : : : : : : : : : : : : : : : :	5
	GIR Ages of	6	0101 : : : : : : : :	10
	Age	00	19 1 1 1 1	11
		7		00
68		9	-::::::::	-
pa .		5	11:11:11:11	:
No. of Children admitted		Total	01:00:00:00	34
		13		:
ldre		12		:
Chi	78. Children	11	1-11111111	-
of.		10	0101-111-1111	9
No		6	H 04 H	বা
	Ages	œ	0100	6
		-	4044 4	10
		9		4 10
		5	1111111111	:
	Defect or disease	necessitating admission	Anæmia Debility Bronchitis Chorea Nervous Debility Enlarged Glands Rheumatism Bronchiectasis Adenitis Asthma Pre-tubercular	Total

Particulars of children discharged during the year.

GIRLS	38
-------	----

Age of child on discharge	ength of stay at school in months,		admittance.	Gain in weight in pounds.	h	Gain in eight i inches	in
10	 6		Debility	71		2	Left town
12	 6		Chorea	4		_	Discharged, Parents' req't
11	 7	***	Debility	2		4	
8	 8		Anæmia	31		1	
9	 8		Debility	6		1	
10	 8		Debility	91		$1\frac{1}{2}$	
6	 9		Debility	34		3 4	
8	 11		Chorea	2		$2\frac{1}{2}$	Trans. to Biddulph
10	 11		Bronchitis	61		24	
7	 11		Anæmia	81		21	
10	 11		Debility	6		7	
13	 11		Debility	134		$2\frac{3}{4}$	
12	 12		Debility	11		14	
13	 12		Anæmia	124		24	
11	 14		Debility	9		41	
12	 14		Rheumatism	8		3	
8	 14		Anæmia	9		3	
13	 14		Debility	4		41	
7	 14	***	Debility	11	***	31	
12	 15		Anæmia	$13\frac{3}{4}$		31	
10	 16		Adenitis	111		3	
12	 16		Debility	13		21	
11	 16		Anæmia	27		43	
7	 16		Debility	8		31	
9	 17		Bronchiectasis	6		14	
10	 18		Chorea	10		41	
11	 01		Debility	13		3	
12	 00		Chorea	164		31	
10	 06		T.B. Contact	9		61	
9	 06		Post Nasal Catar			41	
9	 06		Debility	154		43	
9	 06		Enlarged Glands	9		51	
12	 00		Anæmia	254		54	
11	 71		Bronchitis	20		9	
9	 70		Anæmia	113		51	
13	 77		Debility	29		8	
13	 777		Debility	27		6	
11	 41		Anæmia and	194		7	
	12		Pre-Tubercular	102	***	,	

Age of child on discharg		ength of stay at school in months.		Defect or disease on admittance.	Gain in weight in pounds.	Gain ir height inches	in
8		_		Debility		 _	Did not attend. Left town
8		5		Bronchial Asthma	. –	 _	Did not attend (Illness)
8		5		Debility	11/2	 14	Did not neteria (ximess)
13		7		Debility	34	 14	
9		7		Debility	41	 1 1 1	
13		8		Rheumatism	114	 21	
11		8		Chorea	7	 54	
13	***	8		Anæmia	$7\frac{1}{2}$	 11	
10 •		11		Chorea	41	 13	
8		11		Chorea	71	 23	
9		11		Debility	5	 2	
8		12		Debility	5	 21	
8		14		Anæmia	7	 21	
10		14		Debility	134	 31	
10		15		Post Chorea	64	 3	
8		16		Anæmia	81	 3	
11		17	***	Debility	83	 31	
12		17		Bronchitis	74	 3	
8		17		Bronchial Asthma	7	 34	
10		17		Anæmia	91	 34	
10		-17		Debility	12	 31	
9		19		Bronchiectasis	91	 5	
8		19		Debility	81	 33	
10		23	***	Debilily	123	 34	
11		23		Chorea	13	 3	
9		23		Anæmia	151	 53	
11		23		Debility	121	 3	
12		24		Debility	18	 33	
10		25		Nervous Debility	83	 4	
11		25		Debility	15	 4	
8		29		Anæmia	$14\frac{3}{4}$	 53	
11		29		Bronchial Asthma	16½	 5	
10		32		Chronic Bronchiti	s 15	 51	
9		33		Anæmia	121	 34	
10		35		Bronchitis	13	 51	
10		37		Nervous Debility	201	 71	
1.1		70		Λ	003		

TREATMENTS AT OPEN AIR SCHOOL.

Number of children receiving Clinic treatment	. 128
Number of defects treated	. 289
Number of treatments carried out	3158

The treatments are carried out by the Schol Nurse, who is in attendance at the school either morning or afternoon on each day the school is open. In addition to giving necessary treatments, the Nurse undertakes supervision of the weekly bathing.

Details of the treatments are: -

Defect or Disease.	Number of Defects.	Number of treatments carried out.
Impetigo	12	 163
Other Skin Diseases	36	 369
Blepharitis	8	 38
Other diseases of the eye	7	 33
Enlarged Tonsils	6	 49
Inflamed Tonsils	6	 31
Other diseases of the nose and throat	18	 258
Otorrhoea	7	 227
Defective hearing	1	 6
Wax in ears	5	 27
Enlarged Glands	10	 346
Other disease or defects	172	 1611
Ringworm of skin	1	 13

Convalescent Home.

Through the generosity of the Managers and Secretary of the Thursby Convalescent Home, Lytham St. Annes, the practice of sending children to this home for convalescence has been continued during the year. 36 girls and 22 boys have been sent, and in 3 instances the child has been sent on a second occasion during the year.

The usual procedure is adopted, and each child has two medical inspections prior to being sent to the home. The first inspection being for the suitability for treatment, and the second to ensure freedom from infectious disease.

Infectious Diseases.

A decrease in the number of cases of Scarlet Fever and Diphtheria amongst school children is noticeable when compared with the figures for the previous year. The number of cases reported being 12 Scarlet Fever and 17 Diphtheria, whilst the figures for the previous year were 44 Scarlet Fever and 47 Diphtheria.

Throughout the year there has been no epidemic of either notifiable or the common non-notifiable infectious diseases. Sporadic cases occurred of Mumps, Chickenpox and Measles, and to these could be traced a few further cases, but no extensive spread of infection was noticeable. A mild form of Influenza was prevalent in the early months of the year, a catarrhal cold being the commonest form of attack. There were however cases accompanied by chest and throat affections, but the majority of these were not serious. Towards the close of the year a catarrhal form of Diarrhæa was prevalent. This was not confined solely to school children. In the majority of cases the attack soon subsided, but convalescence was prolonged in a number of others.

The deaths occurring amongst school children numbered 6 during the year, the mortality rate being 1.56 per 1,000 school children, a decrease of 0.78 on the rate for 1936.

Details of the deaths occurring during 1937 are: -

Age	Sex.	Cause of death.
5	 F.	 Meningitis (Non T.B.).
6	 F.	 Cardiac failure.
6	 F.	 Tuberculous Meningitis.
10	 M.	 Broncho Pneumonia.
12	 M.	 Accidental.
13	 M.	 Cardiac failure.

Comparison with the deaths of school children in the five previous years is:—

	ber of d	eaths. Mor	rtality Rate per O school children.
1936	 9		2.34
1935	 8		2.00
1934	 13		3.12
1933	 6		1.38
1932	 8		1.88

PROVISION OF MILK TO SCHOOL CHILDREN.

There has been no change in the scheme during the year. The milk is derived from herds which have satisfied the Tuberculin Test, and samples are tested from time to time in the Public Health Laboratory, Nelson, to note the quality of the milk.

During the year 560,231 bottles of milk each containing $\frac{1}{3}$ pint have been supplied to school children. This is an increase of 50,494 bottles on the number for the previous year. The figure of 560,231 bottles represents a consumption of approximately 23,342 gallons of milk.

The milk is supplied to the whole of the elementary schools in the Borough, and Mr. Shepherd the Director of Education has kindly supplied me with the following figures giving particulars relative thereto.

School	Average No. of children on rolls	Date of commencement of scheme for year	No. in receipt of milk at commencement	Weekly average No. of children taking milk	Total No. of bottles of milk supplied
Bradley Senior	191	1st January, 1937	141	150	25,933
Bradley Infants	212	do.	141	153	25,188
Bradshaw Street Junior "A"	267	do.	191	228	41,661
Bradshaw Street Junior "B"	274	do.	235	249	55,660
Bradshaw Street Infants	286	do.	189	202	40,010
Lomeshaye Junior	165	do.	153	158	32,767
Walverden Senior	263	do.	198	217	32,539
Walverden Infants	228	do.	151	163	33,167
Whitefield Senior	191	do.	146	170	28,740
Whitefield Infants	218	do.	169	173	45,287
Great Marsden Junior	257	do.	199	213	34,902
Great Marsden Infants	139	do.	100	102	14,907
Leeds Road Junior	203	do.	172	172	31,896
Leeds Road Infants	46	do.	38	38	7,150
Little Marsden	145	do.	91	92	14,042
Holy Saviour Mixed	133	do.	95	111	17,711
Holy Saviour Infants	73	do.	53	50	8,340
St. George's	133	do.	77	96	16,080
St. Joseph's Mixed	06	do.	99	63	11,667
St. Joseph's Infants	82	do.	45	49	7,928
Edge End Senior	283	do.	215	231	34,656
Grand Total	3,879		2,865	3,082	560,231

Percentage of bottles of milk supplied free ... 12.7%

PROVISION OF MEALS.

Free meals have been supplied in necessitous cases throughout the year, but it will be noted that the supply of teas in addition to dinners has been discontinued. The meals are provided on the premises of the caterers which are central and easy of access. Arrangements have been made by your Committee during the year whereby supervision is maintained over the arrangements.

At the commencement of the year 100 children were in receipt of free meals, and there were 101 children receiving meals at the close of the year. During the year 159 children have received meals, a total of 23,915 dinners having been supplied.

A comparison with the previous year's figures is shown in the following table.

Year.	Com		ent	eals at End of year.	of	otal N childre eceivin meals.	en g	Number of dinners.	Number of teas.
1937		100		101		159		23915	 Nil
1936		114		100		166		25140	 379
1935		144		114		228		35988	 5117
1934		197		144		303		40770	 11229
1933		194		197		291		47648	 18050
1932		140		194		426		52785	 20396
1931		74		140		238		30044	 5023

SWIMMING BATHS.

During the year there were 25,791 attendances of elementary school children at the Public Baths in Bradley Road. This figure shows an increase of 5,588 on the figure for 1936.

Attendance at the Baths for instruction in swimming is not compulsory, though it forms part of the school curriculum for the older scholars during the summer months, and every encouragement is given for the scholars to attend.

CONCLUSION.

For the successful working of the School Medical Services co-operation between the officers, nurses, teachers and parents is essential, and it is pleasing to report that throughout the year this co-operation has been maintained.

Where treatment has been considered necessary either at the Clinic or through Private Practitioners, I have experienced little difficulty in having the treatment carried out.

Every assistance has been given by the Director of Education and the members of his staff, and this has been beneficial to the working of the department.

During the year preparation has been made for the erection of a Nursery School. This school will be opened in the coming year and children in attendance there from the age of 2-5 years will to a certain extent come under the supervision of the School Medical Services.

I have received every assistance from the members of the staff of the School Medical Services Department, their duties having been carried out very efficiently throughout the year, all of which has contributed to a successful year's work.

I am, Ladies and Gentlemen,

Your obedient Servant,

R. G. MARKHAM, M.B., D.P.H.,

School Medical Officer.

BOROUGH OF NELSON.

Medical Inspection Returns.

TABLE I.

MEDICAL INSPECTIONS OF CHILDREN ATTENDING PUBLIC ELEMENTARY SCHOOLS.

A.—ROUTINE MEDICAL INSPECTIONS.

Number of Inspections in the	presci	ribed	Grou	ps:			
Entrants							389
Second Age Group							410
Third Age Group							426
			otal				1225
Number of other Routine Insp	ection	ıs					Nil
	Gra	and T	otal				1225
B.—OTHER	INSPI	ECTI	ONS.				
Number of Special Inspection	ns .						987
Number of Re-Inspections							
		Л	Cotal				2571
C.—CHILDREN FOUND T	O RE	QUIF	RE TI	REA	ТМІ	ENT	
Number of Individual Child Inspection to require Tr Nutrition, Uncleanliness a	reatme	ent (exclu	ding	De		
Prescribed Groups:							
Entrants							101
Second Age Group							104
Third Age Group							66
Total (Prescribed Groups)							
Other Routine Inspections							
	Gra	and T	Cotal				271

TABLE II.

A.—Return of Defects found by Medical Inspection in the Year ended 31st December, 1937.

		Routine I	nspections	Special In	nspections
		No. of	Defects	No. of	Defects
	DEFECT OR DISEASE.	Requiring Treatment	Requiring to be kept under observation but not requiring Treatment	Requiring Treatment	Requiring to be kept under observation but not requiring Treatment
	(1) Ringworm - Scalp				
	(2) ,, Body				
Skin	(3) Scabies			14	***
	(4) Impetigo	3		31	1
	(5) Other Diseases (Non-				
	Tuberculous)	. 8	2	81	3
	Total (Heads 1 to 5)	11	2	126	4
	/10/ 73 3 111			0	1
	(6) Blepharitis			9	
	(7) Conjunctivitis	3	***	9	
	(8) Keratitis				
	(9) Corneal Opacities	1	***	2	
Eye	(10) Other Conditions (excluding Defective Vision and Squint)	2	3	9	2
	Total (Heads 6 to 10)	6	3	22	2
	(11) Defective Vision (excluding				
	Squint	771	1	9	0.000
	(12) Squint	71	3	4	1
	(12) Squite	2			-
	(13) Defective Hearing	2	4	3	
Ear	(14) Otitis Media	2	-	9	
Eat	(15) Other Ear Diseases	5	2	9	1
р.	(16) Chronic Tonsillitis only	38	10	40	
ose and Throat	(17) Adenoids only	8	***	11	2
e iro	(18) Chronic Tonsillitis and				
Nose and Throat	Adenoids	7		2	:::
Z	(19) Other Conditions	27	5	49	14
(20) T	Enlarged Cervical Glands				
(20) 1	(Non-Tuberculous)	12	7	25	3
	(
(21) I	Defective Speech	3	6	3	1
pu	Heart Disease				
ar	Heart Disease :	2	9		4
rt nla	(22) Organic	2	4	3	4
Heart and Circulation	(23) Functional (24) Anæmia	18	3	44	
Lungs	(25) Bronchitis	15	2	12	
un	(26) Other Non-Tuberculous	9	3	36	6
H	Diseases	J	0	00	0

TABLE II .- Continued.

A.—Return of Defects found by Medical Inspection in the Year ended 31st December, 1937.

	Routine I	nspections	Special Ir	spections
	No. of	Defects	No. of	Defects
DEFECT OR DISEASE	Requiring Treatment	Requiring to be kept under observation but not requiring Treatment	Requiring Treatment	Requiring to be kept under observation but not requiring Treatment
(Pulmonary:				
.g (27) Definite				
(27) Definite (28) Suspected Non-Pulmonary: (29) Glands (30) Bones and Joints (31) Skin				
(29) Glands	1	1	1	***
Bones and Joints				
(32) Other Forms	1			
Total (Heads 29 to 32)	2	1	1	
第 員 ((33) Epilepsy				3
\$ 3 (34) Chorea	1	1	23	
$ \stackrel{\text{def}}{\underset{\text{def}}{\text{def}}} \left\{ \begin{array}{l} (33) \text{ Epilepsy} \\ (34) \text{ Chorea} \\ (35) \text{ Other Conditions} \end{array} \right. $	13	8	18	
육호 (37) Spinal Curvature	3	1	2	
ਹੁੰਦੇ ਹੋ ਸ਼੍ਰੀ (36) Rickets (37) Spinal Curvature (38) Other Forms	14	12	11	3
(39) Other Defects and Diseases (excluding Defects of Nutrition, Un-	45	20	110	97
cleanliness and Dental Diseases)	45	20	149	27
Total	318	100	611	71

B.—Classification of the Nutrition of Children Inspected during the Year in the Routine Age Groups.

AGE GROUPS	Number of Children		A ellent)	(Nor			C ghtly ormal)	(H	D Bad)
	Inspected	No.	%	No.	%	No.	%	No.	%
Entrants	389	1	-26	376	96.66	11	2.82	1	.26
Second Age Group	410	3	.73	399	97-32	8	1.95		
Third Age Group	426	4	.94	405	95*07	17	3.99		
Other Routine Inspect's									
Total	1225	8	·65	1180	96-33	36	2.94	1	.08

TABLE III.

Return of all Exceptional Children in the Area.

BLIND CHILDREN.

At Certified Schools for the Blind	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
_	_	_	_	Nil.

PARTIALLY SIGHTED CHILDREN.

At Certified Schools for the Blind		At Public Elementary Schools	At other Institutions	At no School or Institution	Total
3	_	_	_	_	3

DEAF CHILDREN.

At Certified Schools for the Deaf	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
_	_	_	_	Nil.

PARTIALLY DEAF CHILDREN.

At Certified Schools for the Deaf	At Certified Schools for the Partially Deaf	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
_	2	_	_	_	2

MENTALLY DEFECTIVE CHILDREN. Feeble-Minded Children.

At Certified Schools for Mentally Defective Children	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
12	_	_		12

EPILEPTIC CHILDREN.

Children suffering from Severe Epilepsy.

At Certified Special Schools	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
_	-	-		Nil.

PHYSICALLY DEFECTIVE CHILDREN.

A .- Tuberculous Children.

I.—Children suffering from Pulmonary Tuberculosis.

At Certified Special Schools Open Air School	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
_	1	_	_	1

II.—Children suffering from Non-Pulmonary Tuberculosis.

At Certified Special Schools Open Air School	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
6	11	3	_	20

B .- Delicate Children.

At Certified Special Schools Open Air School	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
117	8	_	_	125

C.—Crippled Children.

	At Certified Special Schools	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
-	_	6	3	3	12

D .- Children with Heart Disease.

At Certified Special Schools	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
_	_	_	5	5

CHILDREN SUFFERING FROM MULTIPLE DEFECTS.

Combination of Defect.	At Certified Special Schools	At Public Elementary Schools	At other Institutions	At no School or Institution	Total
Mentally Defective and Epileptic	_	_	_	1	1
Mentally Defective and Cripple	_	_	_	2	2

TABLE IV.

Year ended 31st December, 1937.

TREATMENT TABLES.

GROUP I.—Minor Ailments (excluding Uncleanliness, for which see Table VI.).

		of Defects tre tment during	
DISEASE OR DEFECT.	Under the Author- ity's Scheme	Otherwise	Total
Skin— Ringworm-Scalp— (i) X-Ray Treatment. If none, indicate by dash (ii) Other Treatment Ringworm-Body Scabies Impetigo Other skin disease	5 20 129 364		 5 20 129 372
Minor Eye Defects—(External and other, but excluding cases falling in Group II.) Minor Ear Defects Miscellaneous (e.g., minor injuries, bruises, sores, chilblains, etc.) Total	65 60 902 1545	7 73 88	65 67 975

Group II.—Defective Vision and Squint (excluding Minor Eye Defects treated as Minor Ailments—Group I.).

	No. of Defects dealt with		
	Under the Author- ity's Scheme	Other- wise	Total
Errors of Refraction (including Squint) (Operations for squint should be recorded separately in the body of the School Medical Officer's Report) Other defect or disease of the eyes (excluding those recorded in Group I.)	148	11	159
Total	148	11	159
No. of Children for whom spectacles were (a) Prescribed (b) Obtained	120 117	11 11	131 128

TABLE IV .- Continued.

GROUP III.—Treatment of Defects of Nose and Throat.

Number of Defects. Received Operative Treatment.											*		
Under the Authority's Scheme in Clinic or Hospital			s	ap	Praction Ho part f Author	y Private actitioner Hospital rt from the uthority's Scheme			To	tal		Received other forms of Treatment	Total number Treated
(i)	(ii)	(iii)	(iv)	(i)	(ii)	(iii)	(iv)	(i)	(ii)	(iii)	(iv)	1	
				32	6	6	2	32	6	6	2	125	171

⁽i) Tonsils only. (ii) Adenoids only. (iii) Tonsils and adenoids. (iv) Other defects of the nose and throat.

GROUP IV.—Orthopædic and Postural Defects.

	Under t	he Authori	ty's Scheme		m		
	Residential treatment with education.	Residential treatment without education.	Non-residential treatment at an orthopaedic clinic.	Residential treatment with education.	Residential treatment without education.	Non-residential treatment at an orthopaedic clinic.	Total number treated
Number of children treated	5	1	68	_		_	74

GROUP V.—Dental Inspection and Treatment.

 Number of children inspected by the Dentist. 		No.
(a) Routine age-groups. (b) Specials Aged 5 6 7 8 9 10 11 12 13 14 Total		386 422 415 395 416 411 377 379 3201 Nil
(c) Total (Routine and Specials)		3201
(2) Number found to require treatment		2268
(4) Attendances made by children for treatment		1341
(5) Half-days devoted to :—		1011
Inspection	63	171
\ /	238 15	253
(7) Extractions: Permanent Teeth1 Temporary Teeth21	.97 .15	2312
(8) Administrations of general anaesthetics for extractions .		Nil
(9) Other Operations : Permanent Teeth	554 564	1018
Group VI.—Uncleanliness and Verminous Con	ditior	1.
(i) Average number of visits per school made during the year the School Nurses	ear by	4
(ii) Total number of examinations of children in the School School Nurses	ols by	12639
(iii) Number of individual children found unclean		237
(iv) Number of individual children cleansed under Section and (3) of the Education Act, 1921	87 (2)	Nil

(v) Number of cases in which legal proceedings were taken:—

(a) Under the Education Act, 1921

(b) Under School Attendance Byelaws

Nil Nil

TABLE V.

Defects found in course of Medical Inspection (Routine and Specials) followed up by the School Nurses.

DEFECT	OR DISEASE.	Total number found and referred for treat- ment or observa- tion	Number found to be cured	Number found to be im- proved	Number found to be un- changed or not seen
	Ringworm { Head Body				
SKIN	Scabies	1.1	10	4	
SIXIIV		14	33	2	***
	Other Diseases (Non- Tuberculous)	35 94	86	7	1
	Blepharitis	2	2		
	Conjunctivitis	12	11	1	
	Keratitis				
EYE	Corneal Opacities	3	2		1
	Other Conditions	16	13	3	
	Defective Vision	81	67	2	12
	Squint	10	1	7	2
	Defective Hearing	9	5	4	
EAR	Otitis Media	11	10	1	
	Other Ear Diseases	17	14	2	1
	Chronic Tonsillitis only	88	58	24	11
NOSE AND THROAT	Adenoids only Chronic Tonsillitis and	21	9	10	2
	Adenoids	9	3	4	2
	Other Conditions	95	60	25	10
Enlarged Cervical Gla	nds (non-Tubercular)	47	80	13	4
Defective Speech		13	1	9	3

TABLE V .- Continued.

Defects found in course of Medical Inspection (Routine and Specials) followed up by the School Nurses.

DEFECT OF	R DISEASE.	Total number found and referred for treat- ment or observa- tion	Number found to be cured	Number found to be im- proved	Number found to be un- changed or not seen
HEART AND CIRCULATION	Heart Organic Disease Functional	8 9 65	34	4 5 24	4 4 7
LUNGS	Bronchitis Other Non-Tubercular Diseases	29 54	16 42	11 12	2
TUBERCULOSIS	Pulmonary Definite Suspected Glands Bones and Joints Skin	3		2	 1
NERVOUS SYSTEM	OtherForms Epilepsy Chorea Other Conditions	1 3 25	11		3 4
DEFORMITIES	Rickets	39 6 40	17 1 14	19 4 24	3 1 2
Other Defects and Diseas	es	241	169	51	21
MALNUTRITION	Slightly Sub-normal Bad	35 1	16	16 1	3
	TOTALS	1136	730	302	104

TABLE VI.

Defects found in course of Medical Inspection, 1936, and

re-examined by School Medical Officer in 1937.

			er found 1936	Resul	t of Insp in 1937	ection
DEFECT OF	R DISEASE.	Referred for Treat- ment	Referred for Observa- tion	Number cured	Number im- proved	Number un- changed absent or left School
SKIN	Ringworm { Head Body Scabies Other Diseases (Non- Tuberculous)	2 3 21 29 78	4	2 3 22 29 71	 1 6	 2 1
EYE	Blepharitis Conjunctivitis Keratitis Corneal Opacities Defective Vision Squint Other Conditions	5 8 2 150 4 7	 11 6 1	4 8 2 140 5 7	1 12 3 1	 9 2
EAR	Defective Hearing Otitis Media Other Ear Diseases	9 20 26	3 5 2	12 22 23	 3 5	
NOSE AND THROAT	Chronic Tonsillitis only Adenoids only Chronic Tonsillitis and Adenoids Other Conditions	47 6 6 118	4 1 5	27 4 4 90	12 3 2 22	12
Enlarged Cervical Gland	s (non-Tubercular)	43	22	40	20	5
Defective Speech		2	4	4	1	1

TABLE VI.—Continued.

Defects found in course of Medical Inspection, 1936, and re-examined by School Medical Officer in 1937.

			r found 1936	Resul	t of Insp in 1937	ection
DEFECT OF	R DISEASE.	Referred for Treat- ment	Referred for Observa- tion	Number cured	Number im- proved	Number un- changed, absent or left School
HEART AND CIRCULATION	Heart Organic Disease Functional Λημεμία	1 47	9 3 1	31	6 2 12	4 1 5
LUNGS	BronchitisOther Non-Tubercular Diseases	33 33	5	19 27	18	1 3
TUBERCULOSIS	Pulmonary Definite Suspected Glands Bones and Joints Skin Other forms	2	 1	 2 	i i	
NERVOUS SYSTEM	Epilepsy	21 20	2 3 15	15 20	2 7 12	 2 3
DEFORMITIES	Rickets	 6 22	9	3 19	3 9	
Other Defects and Diseas	es	218	52	211	12	4
MALNUTRITION	Slightly Sub-normal Bad		38	22	12	4
	TOTALS	989	209	888	230	80

TABLE VII.

Monthly Summary of Work at School Clinic.

MONTH.	No. of defects under treatment at beginning of month	No. of defects admitted during month	No. of defects discharged during month	No. of defects under treatment at end of month	No. of visits by children to Clinic	No. of homes visited by Nurse	No. of visits to homes	No. of pairs of Spectacles supplied or ordered	No. of Examinations by Nurse at School
January	131	99	47	183	408	12	19	7	348
February	183	140	71	252	881	26	86	17	1350
March	252	179	277	154	1018	122	133	11	1357
April	154	139	54	239	788	65	68	2	1828
May	239	120	103	256	693	22	22	16	1419
June	256	120	65	311	542	247	254	13	1350
July	311	34	36	309	135	4	4	1	_
August	309	153	183	279	881	33	34	8	2340
September	279	99	111	267	393	13	15	5	939
October	267	157	51	373	889	61	62	14	215
November	373	202	378	197	1332	127	129	15	2449
December	197	84	160	121	709	54	55	30	443
TOTALS	2951	1526	1536	2941	8669	786	831	139	14038

Average Attendance per day ... 32

TABLE VIII.

Anthropometric Table showing Average Height and Weight of children examined at various ages.

	BOYS		GII	RLS
AGE	HEIGHT in inches	WEIGHT in pounds	HEIGHT in inches	WEIGHT in pounds
3 Years	38.43	34.60	38.08	33.42
4 ,,	39 83	38.54	40.57	87.35
5	42.80	42.65	43.24	42.01
6 ,,	44.91	46.92	44.74	42.26
7 ,,	47.87	52.09	47.98	50.24
8 ,,	49.42	56.68	49.50	59.88
9 ,,	51.64	62.74	51.49	62.26
10 ,,	54.05	68.25	51.53	67.41
11 ,,	54.79	72.05	55.19	75.22
12 ,,	56.10	78.29	57.02	85.41
13 ,,	57.96	86.89	57.99	90.89
14 ,,	60.50	91.00	59.58	91.75

TABLE IX.

Condition of Children examined by Nurses at School. Number of surprise visits paid to Schools: 85. Results of Examinations:

		No. of Exam'ations	Number Examined	Clean	Few Nits	Many Nits	Pedi
	Infant Departments	1887	569	551	2	13	3
BOYS	Junior ,,	2168	618	610		2	6
DUIS	Senior ,,	1723	460	452	1	5	2
	Mixed ,,	552	141	137	***	4	
	Infant Departments	1847	570	499	13	50	8
OTDIO	Junior ,,	2359	643	574	21	39	9
GIRLS	Senior ,,	1594	448	411	13	20	4
	Mixed ,.	509	152	130	6	14	2
	Totals	12639	3601	3364	56	147	34

TABLE X.

Monthly incidence of cases of Scarlet Fever and Diphtheria from the various Schools during 1937.

				1	Sca	rle	et	Fe	ve	r								D	ipl	hth	er	ia				
School	January	February	March	April	May	June	July	August	September	October	November	December	Total	January	February	March	April	May	June	July	August	September	October	November	December	Thotal
Bradley Senior Boys						1							1													
Edge End Senior Boys										1			1													
Walverden Senior Girls																										
Whitefield Senior Girls																										
Bradshaw St. Jr. Mix. A																										
Bradshaw St. Jr. Mix. B														1					1							1
Great Marsden Jr. Mix.					1								1				-									
Leeds Rd. Jr. Mixed																										
Little Marsden Jr. Mix.																										
Lomeshaye Jr. Mixed																										
Holy Sav. R.C. Mixed						1							1													
St. George's R.C. Mix.				1									1											2		
St. Joseph's R.C. Mix.													***			1			**	1						
Open Air							1						1													
Bradley Infants													1													
Bradshaw St. Infants	1000		0.70			2			1				3													
Great Marsden Infants						1							1													
Holy Sav. Infants																										I
Leeds Road Infants				1.0												P. C. C.	200	0.00								
Little Marsden Infants																									1	
St. George's Infants				• • •									1											1		F
St. Joseph's Infants	***	•••	0.00	• • • •				1.00							1	3										
Walverden Infants																									1	F
Whitefield Infants																	1									F
Secondary School																				• • • •						
School out of Borough				***		**	100										1			+					***	F
Private School		•••	•••	•••	•••		•••		• • • •		•••	**													• • • •	
Totals	1	1		1	1	5	1		1	1			12	1	1	4	4		1	1				3	2	1

TABLE XI.

Return of Medical Inspections for purposes of Employment of Children and Young Persons, 1937.

	er	r of ates	Natur	e of Emplo	yment
	Number Examined	Number of Certificates Granted	Delivery of Milk	Delivery of News- papers	Other Employ- ment
Boys	72	72	24	46	2
Girls	1	1	1		
Total	73	73	25	46	2



Borough of Nelson.

Annual Report

of the

School Dental Clinic

For the Year 1937.

THOMAS JACKSON, L.D.S., Dental Surgeon.

SCHOOL CLINIC,

11 CARR ROAD, NELSON.

December, 1937.

To the Chairman and Members of the Nelson Education Authority.

I have the honour and pleasure in submitting my Annual Report as School Dentist to your Authority.

We still proceed on the lines as formerly, giving every child from 6 years of age up to school leaving age the privilege of inspection and treatment.

I have nothing new to report; matters continue very much as reported in former years.

The indifference and ignorance of dental matters is much the same, but the appalling indifference of the Senior Scholars is still very apparent and causes me much concern. Instead of the parents controlling the children, the children control the parents. The results are disastrous so far as the children's teeth are concerned.

The percentage of those requiring no treatment still goes up a little and the percentage of children attending the Clinic is also increased.

There is also a general improvement in the Dental Cleanliness of the children.

I have spent 63 half-days in Inspections and 108 half-days in treatment — also 3 half-days at the commencement of the year in clerical work and 9 half-days at the end of the year, in addition to which I spend 3 hours each week in clerical work after Inspections.

I receive every assistance from the Headmasters, Headmistresses and teachers at the Inspections and also the help of the School Clinic Nurses during the hours of treatment, all of which I appreciate.

I am,

Your obedient Servant,

THOS. JACKSON, L.D.S.,

School Dentist.

TABLE I.
Shewing Results of Inspections.

	r	7	Cemporary	7	1	Permanen	t		
Age in Years and Sex	Number Inspected	Sound	Savable	Un- savable	Sound	Savable	Un- savable	Nils	Urgents
6—Girls	190	2417	265	258	873	10		56	2
Boys	196	2584	326	339	806	8		46	4
7—Girls	202	1786	172	395	1812	36	1	42	17
Boys	220	2190	175	416	1752	26		57	16
8—Girls	209	2175	87	403	2402	76	4	55	32
Boys	206	1400	79	397	2217	59	3	49	28
9—Girls	199	674	22	360	2859	138	23	53	52
Boys	196	901	41	367	2494	104	16	59	32
10-Girls	207	355	2	391	3565	151	67	57	59
Boys	209	489	9	342	3169	175	36	58	59
11—Girls	196	94	1	155	3479	128	125	68	58
Boys	215	268		259	3918	150	91	73	65
12—Girls	179	19		57	4158	102	138	67	48
Boys	198	40		121	4384	134	109	67	58
13—Girls	190	2		30	3534	116	159	65	60
Boys	189	2		35	4413	132	186	61	54
Total	3201	14496	1179	4725	45835	1545	958	933	644

TABLE II.
Shewing Percentages of Inspections.

Year	Sex	Number of Children Inspected	Sound Dentition	Require Urgent Treatment	Require Treatment
6	Girls	190	29.47	1.05	69.48
	Boys	196	23.47	2.04	74.49
7	Girls	202	20.79	8.41	70.80
	Boys	220	26.00	7.27	66.73
8	Girls	209	26.31	15.31	58.38
	Boys	206	23.80	13.60	62.60
9	Girls	199	26.63	26.13	47.24
	Boys	196	30.61	16.32	53.07
10	Girls	207	27.53	28.50	43.97
	Boys	209	27 75	28.23	44.02
11	Girls	196	34.70	29 59	35.71
	Boys	215	34:00	30.23	35.77
12	Girls	179	37.43	26.81	35.76
	Boys	198	33-83	29-29	36 88
13	Girls	190	34.21	31.58	34.21
	Boys	189	32.27	28.56	39.17
Divi	de by 16	3201	468-80	322-92	808-28
ned 936		200.1	29.30	20.18	50.51
Compared with 1936	Increase		2.69		
Q. W.	Decrease	11.21		1.54	1.01

TABLE III.

Shewing Percentages of Attendances at Clinic.

Years	Sex	Number Inspected	Treated at Clinic	Percentage
6	Girls	- 190	122	64.21
	Boys	196	141	71.93
7	Girls	202	109	54.00
	Boys	220	109	49.54
8	Girls	209	104	50.00
	Boys	206	101	49.00
9	Girls	199	90	45.22
	Boys	196	102	52.04
10	Girls	207	92	44.44
	Boys	209	70	33.49
11	Girls	196	58	29.58
	Boys	215	78	36.28
12	Girls	179	31	17.31
	Boys	198	58	29.29
13	Girls	190	29	15.26
	Boys	189	47	24.86
Divide	e by 16	3201	1341	666-45
Average Compared with 1936 Increase Decrease		200-00	83.81	41.65
		11.31	1.99	00.88

TABLE IV.
Shewing Total Treatments.

Years	Extractions		Fillings		Dressings		Extract'ns	
	Tem'ry	Perm'nt	Tem'ry	Permn't	Tem'ry	Permn't	under local An'esth'tic	
6	462		14	7	363	5	165	
7	430	2	1	20	193	13	114	
8	412	5		29	84	44	118	
9	367	7		33	24	86	101	
10	255	39		49		66	105	
11	130	55		30		56	73	
12	45	43	***	37	***	48	49	
13	14	46		31		36	48	
Total	2115	197	15	236	664	354	773	

TABLE V.
Shewing Total Attending Clinic.

Age	Girls	Boys	Total
6 years	122	141	263
7 ,,	109	109	218
8 ,,	104	101	205
8 ,,	90	102	192
10 ,,	92	70	162
11 ,,	58	78	136
12 ,,	31	58	89
13 "	29	47	76
Total	635	706	1341

TABLE VI.

Shewing Total Average on Number Inspected.

	100.00	100.00		
Left after Inspection, or Untraced through removal to other schools	4.04	7.16	_	3.12
Taken to Own Dentist	25.17	24.07	1.10	-
Sound Dentition	29.14	28.00	1.14	-
Total Average Attendance at Clinic	41.65	40.77	0.88	_
	1937.	1936.	Increase.	Decrease.

TABLE VII.

Shewing Comparisons in Number of Children Inspected.

	1937.	1936.
Number of Children Inspected	3201	3381
Number of Nils	933	947
	2268	2434
Number of Children Attending Clinic	1341	1373
Percentage of Children Attending Clinic who		
were actually sent for	59.12	56.41
Increase Percentage of Children Attending		
Clinic	2.71	

TABLE VIII.

Shewing Comparisons of Children Inspected.

		1937.	1936.	Increase.	Decrease.
6	Years	 386	400	_	14
7	Years	 422	423	_	1
8	Years	 415	391	24	_
9	Years	 395	441	_	46
10	Years	 416	459	_	43
11	Years	 411	411	_	_
12	Years	 377	379	_	2
13	Years	 379	477	_	98
		3201	3381	24	204

Nett Decrease Inspected, 180, of whom 127 had left School.

INDEX

	Page
Ambulance Facilities	28
Birth and Death Rates for the last ten years	
Births	
Births and Deaths classified in Wards	
Births classified in Wards, per month	
Blind, Deaf, Defective and Epileptic Children	
Bye-laws relating to Sanitary Matters in force in the Borough	4
Canal Boats Act	37
Cancer	
Causes of Death	
Cleansing and Scavenging	
Clinic and Treatment Centres	
Closet Accommodation	
Common Lodging Houses	
Conclusion	
Contacts, Return Cases, Carrier Cases	
Convalescent Home	
Deaths	
Deaths classified in Wards, per month	
Deaths of Infants during Birth	
Details of Attendances of Infants at Infant Welfare Centre	
Diphtheria and Membraneous Croup	
Disinfection	
District Nursing Association	
Drainage and Sewerage	
Employment of Children and Young Persons	
Enteric Fever	
Erysipelas	
Examination of Children as regards Cleanliness	
Factories and Workshops	
First Methods of Feeding Infants Born during Year	
Following up Medical Inspections	
Food and Drugs Acts	
General Provision of Health Services in the Area	
Health Committee	
Home Visiting	
Housing	
Housing Conditions	
Infant Deaths	
Infantile Mortality	
Infectious Diseases	
Infectious Diseases in Schools	
Influenza	
Inspection and Supervision of Food	
Legislation in Force	
List of Schools in the Borough	

INDEX-continued

	Page
Maternal Mortality	72
Maternity and Child Welfare	63
Maternity and Child Welfare Committee	
Maternity Home, Fern Lea	68
Meat and other Foods	
Meteorological Station and Tables	
Milk, &c., for Expectant Mothers and Infants	
Milk Supply	
Nursing Homes Registration Act	
Occupation of Mothers within 9 months of confinement	
Offensive Trades	
Officers and Staff of the School Medical Service Department	
Open Air School	
Ophthalmia Neonatorum	
Orthopædie Clinic	
Other Diseases	
Overcrowding	
Pathological, Chemical and Bacteriological Examinations	
Period of Time between Working and Confinement	
Pneumonia	
Professional Nursing in the Home	
Provision of Meals	
Provision of Milk	
Public Health Laboratory	
Puerperal Fever and Pyrexia	
Rainfall	
Re-inspections	
Rivers and Streams	
Routine Inspection	
Sanitary Acts administered by the Council	
Sanitary Inspections during 1937	
Scarlet Fever	
Schick and Dick Tests	
School Closure	
School Dentist's Report	. 125
School Medical Officer's Report	. 77
School Medical Service Sub-Committee	. 78
Schools	. 37
Slaughterhouses	. 46
Smallpox	. 53
Smoke Observations	. 34
Social Conditions	. 12
Special Inspections	
Staff of Public Health Department	
Statistical Summary	
Statistics and Social Conditions of the Area	. 8
Still-births	
Summary of Deaths at various age periods	
Swimming Baths	107

INDEX—continued.

		Page
TABL	ES—Report of Medical Officer of Health:	
1.	Vital Statistics of Whole District during 1937 and previous years	26
2.	Cases of Infectious Disease notified during the year 1937	50
3.	Infantile Mortality during the year 1937, Nett Deaths from stated causes at various ages under 1 year	24
4.	Birth Rate, Death Rate, and Analysis of Mortality during 1937 \dots	27
	School Medical Officer's Report:	
1.	Return of Medical Inspections	109
2.	Return of Defects found by Medical Inspection in the year ended 31st December, 1937	
3.	Return of all Exceptional Children in the Area	
4.	Return of Defects treated during the year ended 31st December, 1937	
5.	Defects found in course of Medical Inspection (Routine and Specials) followed up by School Nurses	
6.	Defects found in course of Medical Inspection in 1936 and re-examined by School Medical Officer in 1937	120
7.	Monthly Summary of Work at School Clinic	122
8.	Anthropometric Table, showing average height and weight of Children examined at various ages	122
9.	Condition of Children examined by Nurses at School	
10.	Monthly incidence of Scarlet Fever and Diphtheria from the various Schools during 1937	123
11.	Return of Medical Inspection for purposes of Employment of Children and Young Persons, 1937	124
	School Dentist's Report:	
1.	Shewing Results of Inspection	127
2.	Shewing Percentages of Inspections	
3.	Shewing Percentages of Attendances at Clinic	
4. 5.	Shewing Total Treatments	
6.	Shewing Total Averages	
7.	Shewing Comparisons in Number of Children inspected	
8.	Shewing Comparisons of Children inspected	
Troo	atment of Defects	93
	erculosis	
	erculosis Officer's Report	
	erculosis Order	
Vac	eination	56
	erinary Inspector's Report	
	1 Statistics	26
	er Supply	30
WOL	kshops and Workplaces	35





