[Report 1918] / School Medical Officer, Northamptonshire County Council.

Contributors

Northamptonshire (England). County Council.

Publication/Creation

1918

Persistent URL

https://wellcomecollection.org/works/y6kwvmkf

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Northamptonshire County Council.

ANNUAL REPORT

ON THE

MEDICAL INSPECTION OF CHILDREN IN SCHOOLS, FOR THE YEAR 1918.

BY

CHARLES E. PAGET.
County Medical Officer of Health.

Inspecting Staff:
MRS. M. J. NEWTON, M.B., Ch.B.
Temporary Assistant School Medical Officer.

NORTHAMPTON;
Printed by LEA & Co., LTD., Gold Street,
1919.

TABLE OF CONTENTS.

	PAGE
Prefatory Remarks	3
Staff	4
Treatment of Blind, and Deaf and Dumb Children	4
Physical Training Classes in Evening Schools	4
Provision of Buildings	5
Provision of Spectacles	5
Extent of Medical Inspection	5
Entrants and Leavers (Table I.)	8
Heights and Weights (Tables III. and VI.)	9
Return of Defects (Tables II. and VII.)	9-10
Clothing and Cleanliness	9
Nutrition	, 9
Nose and Throat	11
External Eye Disease	11
Ear Disease and Hearing	12
Teeth	12
Deformity and Disease	12
Speech	13
Mental Condition	13
Vision	13
Treatment of Defects (Tables IV. and V.)	4-15
Secondary School Inspections	16

NORTHAMPTONSHIRE COUNTY COUNCIL.

EDUCATION COMMITTEE.

ELEVENTH ANNUAL REPORT

ON THE

MEDICAL INSPECTION OF CHILDREN IN SCHOOLS,
FOR THE YEAR 1918,

BY

CHARLES E. PAGET,

County Medical Officer of Health

Prefatory Remarks. I have the honour herewith to present the Eleventh Annual Report on the Medical Inspection of Children, except where stated otherwise, in the Public Elementary Schools of the Administrative County of Northampton, exclusive of those situated in the Urban District of Kettering, where elementary education is administered separately. The period covered by the report is the year 1918.

I am indebted to Mr. J. L. Holland, the Secretary of the Education Committee, for the following administrative information:—

- (a) STAFF. Dr. J. H. Mason, the School Medical Officer, was on military service during the whole of the year 1918, and the work has been carried on solely by the Acting School Medical Officer, Mrs. M. J. Newton.
- (b) Treatment of Blind, and Deaf and Dumb Children. Particulars are submitted herewith in tabular form respecting the Institutional treatment of Blind, and Deaf and Dumb children. During the year no further new cases have been reported, so that the number who were under treatment during part or the whole of the year remains at 31. One Blind child and two Deaf and Dumb children were withdrawn from Institutions during the year on reaching the age of 16 years, whilst the responsibility for one Deaf and Dumb child was transferred to the Hendon Education Committee in October, 1918. There were thus 27 children left under treatment at the end of the year.
- (c) Physical Training Classes in Evening Schools. Notwithstanding that at the beginning of the Session war-time conditions obtained, some increase is to be noted in the number of Classes as compared with the Session 1917–18. 23 Classes were formed, and, although two have since been closed, the remaining 21 are still being conducted at the following schools:—
 Irthlingborough, Kettering Rockingham Road, Long Buckby, Rothwell and Wellingborough. With three exceptions, all the classes are for women and girls. The average attendance per class is slightly in excess of 14, which, in the circumstances, may be regarded as satisfactory. One of the classes at Kettering was arranged for Teachers only—in Eurhythmics—and has been very successful.

Particulars as to Children who were at Institutions for the Blind, and Deaf and Dumb, during any part of the Year 1918.

_			en who were at institution	ma for the Billiu,	and Dear and D	umb, u	atting any part	
No.	Initials of Child.	Residence of Parent or Guardian.	Name of Institution.	Date of Entering Institution.	Date of Leaving Institution.	Annual Charge by Insti- tution.	Weekly Contribution of Parent.	Report upon Case.
1	Blind Children. Florence E. E.	Hackleton	Royal Institution for	20 Jan., '15	28 June, '21	£ 40	3/-	Satisfactory report.
2	Florence C	Rushden		29 Mar., '12	3 April, '19	30	1/6	Has been suffering from Chorea, hence little mental work undertaken.
3	N. F. B	Bulwick	Liverpool Do.	25 Oct., '12	22 Feb., '19	30	1/-	Has made good progress. Conduct ex- cellent.
4	R. F	Cogenhoe	Do.	25 Oct., '12	10 Mar., '21	30	1/-	Very intelligent. Has made good progress. Passed with honours Grade II. L.S.M.
5	w. c	Little Weldon	Do	7 Jan., '13	4 April, '21	30	1/-	Well conducted. Class work fair; manual good.
6	W. F. H. L	Stanion	Do.	24 Sept., '15	17 Feb., '21	30	6d.	Has made good progress. Very promising pupil.
7 8	W. E. D C. A. B	Duddington Bulwick	Do. Yorkshire School for the Blind	11 Jan., '16 27 Oct., '13	4 Oct., '25 11 Nov., '21	30 30	1/- 1/-	Very persevering. Making good progress. No report received.
9	E. S	Charlton		13 Jan., '14	29 June, '22	27	1/-	Very good report: applies himself and works well.
10	W. T	Burton Latimer		17 Jan., '14	14 Mar., '21	30	2/-	Good at all manual work. A helpful boy in School.
11	A. H. R	Castle Ashby	London Society for teaching and training Blind	16 Jan., '14	5 Oct., '21	40	3/-	Satisfactory
12	Kate S	Lowick		14 Oct., '14	11 Dec., '21	40	1/-	Learns slowly, but works well; hand work very good indeed.
13 14	Annie F Dorothy L		Do. Barclay Home for Blind Girls, Brighton	6 Jan., '15 20 Aug., '15	10 Mar., '24 31 July, '18	40 30	1/- 2/-	Doing well; hand work very good. Left the Institution in July, 1918.
15	Deaf and Dumb Children. S. W	Silverstone	Royal Institution for Deaf and Dumb, Birmingham	23 Mar., '16	25 Mar., '25	33	2/6	Is doing very well.
16 17 18	Doris R	Duston	Do. Do.	26 April, '16 5 May, '16 23 April, '17	24 Sept., '20 20 Dec., '18 26 Jan., '26	33 33 33	1/- 4/- 1/6	Making good progress. Left the Institution in November, 1918. Is making good progress. Speech improving.
19	Florence E. H.	Rushden	Royal Institution for the Deaf and Dumb, Derby	18 Nov., '11	15 Oct., '20	33	1/-	Report good, with speech "fair."
20 21 22	Ethel R Edith R L. H		Do. Do.	11 Jan., '12 29 Aug., '13 16 Mar., '15	10 Feb., '24 6 June, '22 13 Oct., '22	33 33 33	3/- 1/- 6d.	Speech "poor"; all other subjects "good." Very good report. Good at handwork; other attainments "fair" to "good."
23 24	Elsie M. F Gertrude W			10 Sept., '17 17 Jan., '10	2 Oct., '25 2 Dec., '18	33 43.15	2/6	Attainments" good "; speech only " fair." Left the Institution in December, 1918.
25	J. T	Wellingborough		16 Jan., '11	28 July, '19	43.15	1/-	Progress slow, due to poor memory. Slight improvement in most subjects.
26 27	C. J G. H	Harpole	Do. Do.	1 May, '11 11 Jan., '13	18 April, '20 13 Feb., '21	43.15 43.15		Is making progress, though slowly. Quick and alert. Speech and lip-reading a drawback.
28 29	G. A. R A. E. P	Woodford, Thrapston Brackley	Do. Do.	7 April, '13 6 Sept., '15	30 Sept., '21 30 May, '24	43.18 43.18	1/-	Shows great improvement. Responsibility accepted by Hendon Committee, October, 1918.
30 31	L. G Edith M. J	Grendon	Do. Deaf and Dumb Institution, Brighton	17 Jan., '16 4 Sept., '16	10 July, '24 14 Mar., '21	43.18	2/- 2/-	Should make a good oral pupil in time. Very bad vision, which affects work. Fifth in examination in class of twelve.
					The second second second second			

- (d) Provision of Buildings. No new buildings were provided during the year in question. The Medical Inspection Room at Brackley Council School was brought into use during the year.
- (e) Provision of Spectacles. During the year 1918, Dr. Harries-Jones saw 266 children, as against 252 in 1917, and 193 in 1916. The inspections were held at Wellingborough, Northampton, Kettering, Oundle, Rushden and Brackley. Each of the Centres was visited with the exception of Daventry, and it is expected that this one will be visited early during the current year. In 19 of the cases examined, no spectacles were found to be necessary. Spectacles have been provided for 237 of the children the remaining ten children paying for them by instalments which were not completed at the end of the year. During the year, 26 applications for assistance towards the payment of the examination fee and the cost of spectacles were considered by the Committee. In eight cases the examination fee was remitted; in five the examination fee and part of the cost of spectacles were excused; and in eight no charge at all was made. In respect of one case the Committee made no reduction. The Poor Law Guardians paid for the examination of, and the provision of spectacles for, four children.

Extent of Medical Inspection. It will be remembered that, in my report for the year 1917, I referred to the fact of limitations in the inspection of school children having been made at the instance of the Board of Education Inspector; similarly, during the year 1918, the inspections were limited to children of 11 years of age or over, and such other children as were considered to be in need of attention. These latter have been classified under the headings of "Special Cases," and "Re-examined"; they numbered in all 765 and 1,159 respectively. The parents of 48.8 per cent. of the children inspected attended during their examination, as against 52.7 per cent. in the year 1917.

The following table shows on the plan of previous years, the full number of the public elementary school children who were newly examined during the year 1918, arranged in age-groups irrespective of sex, together with the corresponding figures for the year 1917, for the sake of comparison:—

										1917	1918
(i.) N	o. of	ch	ildı	en n	ew	ly exa	mined be	etween t	he ages		
		0	f 3	and	4	years,	routine	inspect	ions	164	
(ii.)	,,	,,	4	,,	5	,,,	,,	,,		308	
(iii.)	,,	,,	5	,,	6	,,	,,	,,		239	
(iv.)	,,	,,	6	,,	7	,,	,,	,,		129	
(v.)	,,	,,	7	,,	8	,,	,,	,,		29	
(vi.)	,,	,,	8	,,	9	,,	,,	,,		1	
(vii.)	,,	,,	9	,,		,,	,,	,,		1	
(viii.)	,,		10			,,	,,	,,		0	
(ix.)	,,		11	,,		,,	,,	,,		170	65
(x.)	,,		12			,,	,,	,,		1624	1792
(xi.)	,,		13			"	,,	,,		357	315
(xii.)	,,		14				,,	,,		12	13
,							ges, speci			1112	765
											-
							Total	s		4146	2950

From this it will be seen that there was a considerable falling off in the number of newly examined children as compared with the very favourable record for the year 1917; but this is fully accounted for by the unavoidable absence of the Acting School Medical Officer in the months of September and October, and by the unfortunate epidemic of Influenza which led to the closure of so many of the schools during the last three months of the year. To these same causes, moreover, is to be attributed the fact that, either wholly or in part, the schools in the following Public Health Districts were deprived of the advantages of inspections, namely, Brackley Borough and Rural, Daventry Borough and Rural, Crick Rural and Middleton Cheney Rural.

The distribution of the scholars who were examined in respect of the several Urban and Rural Districts of the County is shown in the following table:—

	Re	outine I	nspectio	ons.	Sp	ecial	dasalid			
PUBLIC HEALTH DISTRICTS.	Entr	ants.	Lea	vers.		ctions,		TOTAL:	S.	
	Boys	Girls	Boys	Girls	Boys	Girls	Boys	irls	Total	
Brackley Borough										
Daventry ,,										
Higham Ferrers ,,			16	21	11	10	27	31	58	
Desborough Urban			33	47	25	14	58	61	119	
Finedon ,,			34	37	6	8	40	45	85	
Irthlingborough ,,			44	48	1	2	45	50	95	
Oundle ,,			10	13	2	2	12	15	27	
Raunds ,,			48	35	12	11	60	46	106	
Rothwell ,,			43	52	24	23	67	75	142	
Rushden ,,			129	103	32	23	161	126	287	
Wellingborough ,,			163	161	72	79	235	240	475	
Brackley Rural	1		2	7	4		6	7	13	
Brixworth ,,			14	25	19	16	33	41	74	
Crick ,,										
Daventry ,,			13	13	8	12	21	25	46	
Easton-on-the-Hill,,			14	6	2	1	16	7	23	
Gretton ,,			7	4	2	2	9	6	15	
Hardingstone ,,			31	60	10	9	41	69	110	
Kettering ,,			111	141	31	43	142	184	326	
Middleton Cheney ,,										
Northampton ,,			41	48	9	7	50	55	105	
Oundle ,,			51	38	10	14	61	52	113	
Oxendon ,,			16	18	8	5	24	23	47	
Potterspury ,,			9	15	4	5	13	20	33	
Thrapston ,,			52	60	29	22	81	82		
Towcester ,,			67	69	28	33	95	3.10	100000	
Wellingborough "			81	135	34	41	115			
TOTALS			1029	1156	383	382	1412	1538	2950	
		2	185	14 1 1/2	7	65				

Entrants and Leavers. The following Table I. is in the form adopted from the year 1914, in accordance with the desire of the Board of Education, and shows the total of 4,109 examinations, inclusive of the 1,159 re-examinations, made during the year, as against the total of 5,552 for the year 1917.

TABLE I.

Number of Children Inspected from 1st January to 31st December, 1918. A "Code" Groups.

		E	NTRA	NTS.								
Years	3	4	5	6	7–10	Total	11	12	13	14	Total	Grand Totals.
Boys Girls							41 24	1 7 5 5 5 5	125 190	4 9	1029 1156	
Totals							65	1792	315	13	2185	2185

B. GROUPS, OTHER THAN "CODE."*

61 58 15 1 24 22 45	Intermediate.	Special Cases.	Re-examined.	Totals.
Boys		383	565	948
Girls		382	594	976
Totals		765	1159	1924

^{*} In areas where routine inspections have been suspended and the "ailing children" basis adopted, the number of children inspected should be entered in column 3.

Heights and Weights. The facts as to heights and weights of the children examined during 1918 are set out in Tables III. and VI. at the end of the report. From what has been said already, it is obvious that these facts can only afford indications in respect of the children at or towards the close of their school-life: but, so far as they represent average conditions in respect of such children, it is clear that both sexes show improvement of standard in respect of both height and weight at the older ages than in the year 1917, and more particularly so in the rural than in the urban districts. The anthropometric position of the boys in the rural districts appears to have been well maintained in spite of adverse war conditions in respect of dietary.

Return of Defects. In accordance with the plan of previous reports, the returns showing the physical condition of the children examined in routine inspection are set out in Table VII. at the end of this report. It will be remembered that the figures therein for the year 1918 relate only to "Leavers."

- (a) CLOTHING AND CLEANLINESS. The records for satisfactory Clothing and Footgear are specially good, the percentage rates for these being 99.67 and 99.45 respectively. More satisfactory still is it to be able to note that improvement is shown over some preceding years in respect of Cleanliness of Body and of Head, the total rate for the former being 96.56 per cent., and for the latter 92.49 per cent. In respect of uncleanliness of head among the girls, as compared with girl leavers in other years, it is encouraging to note that the rate for such uncleanliness in 1918 was 12.4 per cent., as against 16.0 per cent in 1917, 15.7 per cent. in 1916, and 12.8 per cent. in 1915. If this record may be taken to indicate that greater disciplinary attention in the interests of the schools has been paid to this subject during the year 1918, it provides in itself sufficient ground for increased vigilance on the part of teachers.
- (b) NUTRITION. Considering the war conditions with regard to food which prevailed during the year, it cannot be said that

TABLE II.

RETURN OF DEFECTS FOUND IN THE COURSE OF MEDICAL INSPECTION IN 1918.

			CODE (Groups.	Spec	IALS.
DEFECT OR DISE.	ASE.		Number referred for Treatment.	Number requiring to be kept under observation, but not referred for Treatment.	Number referred for Treatment.	Number requiring to be kept under observation, but not referred for Treatment.
(1)			(2)	(3)	(4)	(5)
Malnutrition Uncleanlines			5	2 2 3	4	3 2 2 3
Ringworm—						3
Skin Scabies Impetigo Other Diseas				i	 i	1 2
Eye (Defective Vi External Ey	sion& Squ e Disease		156 1	2	102 6	7 5
Ear Defective Here Ear Disease Dental Disease			1 2 54	i	7 4 12	4
Nose Senlarged To Adenoids	nsils		27	4	9 31	7 2
Throat Enlarged To Adenoid Defective Sp	ls		3	··i	6	3 1
Heart & Heart Disease Organic Function	se—			18		15 1
lation Anæmia		is:	25	6 4	io	5
Lungs Definite Suspect	ed		4 2	9 9	6	13 4
Chronic Bro	se '			27	2	19
Nervous System Epilepsy Chorea Other Diseas				1		5 1 1
Non-pulm. T Glands	uberculos		5	3	2	1
Other F				1		
Rickets Deformities Other Defect		 ses	2 18	. 7 . 7	3 7	i0 3
TOTAL		-	309	110	213	124

the returns as to nutrition are otherwise than consoling. It is true apparently that the rate for "below normal" was above the average, but there was no record of any case of "bad" nutrition, and 2,053 of the 2,185 children examined showed normal conditions, while, in respect of 13 others, their nutrition is set down as being excellent. Under all the circumstances, the rate of 5.45 per cent. for sub-normal nutrition is certainly better than might have been reasonably anticipated.

- (c) NOSE AND THROAT. The rate of freedom from defect in the naso-pharyngeal region amounted to 84.89 per cent., which certainly is not more than should be looked for among leavers. The figures under this heading are not appreciably better than those given in previous reports; but it is satisfactory to observe that the rate of noticeable mouth-breathers among the leavers in 1918 was slightly under 2 per cent. of the children examined, and that the rate for total tonsillar enlargement was not higher than the average. In my report for 1917, I noted that there was no evidence afforded by which it could be calculated to what extent the regular cultivation of breathing exercises had operated in the reduction of naso-pharyngeal defects as compared with the records of earlier years, and it could hardly have been supplied at any time during the period of the war under the difficult conditions in which medical inspection of school children has been carried on. But I greatly hope that, with the return to pre-war conditions, it may be possible for special observations, however limited in extent as to particular schools and classes of children at specified ages, to be set on foot for the purpose of eliciting precise information on the subject.
- (d) EXTERNAL EYE DISEASE. The nearly complete absence of serious forms of external eye-disease is a matter for much satisfaction; no corneal opacities were noted and only two cases in which there was conjunctivitis. The existence of blepharitis or inflammation of the eyelids was recorded in only eleven of the 2,185 children examined.

- (e) EAR DISEASE AND HEARING. Similar immunity from serious disease of the ear was also recorded, there being 99.45 per cent. of the children with "no disease," no case of obstruction in either ear, and a few cases only with discharge from one or other ear. No child was recorded as being deaf and dumb, and hearing was reckoned as normal in 99.5 per cent. of those examined.
- (f) TEETH. The prospect that children leaving the public elementary schools with sound teeth at the rate of 50 per cent. of their number may be Utopian, and not likely to be realised for many years to come; but it is some satisfaction to find in this County that there is a slowly improving tendency in that direction, and the figures for 1918 show that 37.39 per cent. had sound teeth, as compared with 35.9 per cent. among the leavers in 1917. No case of sepsis was recorded; but 10.44 per cent. had four or more decayed teeth, and 52.17 per cent. less than four teeth decayed, while 59.95 per cent. were stated to have dirty teeth.
- (g) DEFORMITY AND DISEASE. Deformity was found to be present in 11 cases only, or at the rate of 0.50 per cent. of those examined. This is the most satisfactory rate that I have hitherto been able to report even among leavers; the rate for the year 1917 was 1.25 per cent., which was itself below the average of previous years. I am glad also to be able to note a great improvement in respect of noticeable anæmia, a matter which occasioned some concern during the two preceding years when the rates showed unexpected increase, and it has now to be recorded that the rate for anæmia in 1918 was 1.97 per cent., as against 4.35 per cent. among the leavers in 1917. The rate of organic heart disease was less, moreover, than for the preceding year, being, in respect of leavers, 1.19 per cent., as against 2.68 per cent. in 1917. All lung conditions appeared to be better than in the year 1917, and the total freedom from disease in this respect amounted to 95.98 per cent., as against 94.92 per cent.; the same is to be said in regard to the Nervous System, and only one case of epilepsy was noted, as against two among the leavers in 1917. In neither year was any case of chorea recorded. There was an entire

absence of rickets, and only 7 cases of skin disease, of which 1 was ringworm. The foregoing records give reasonable ground for satisfaction when due account is taken of the social and climatic conditions of the year.

- (h) Speech. There was absence of defective speech to the extent of 99.45 per cent. of the children examined, which is not quite so high as the rate of 99.63 per cent. for leavers in 1917; but the rate is a marked improvement on years preceding 1917, and is unquestionably the outcome of the continuous endeavours in the schools to overcome defective articulation by systematic exercises. The rates for defective articulation and stammering in 1918 were respectively 0.41 per cent. and 0.14 per cent., as against 0.28 per cent. and 0.09 per cent. in 1917.
- (i) MENTAL CONDITION. The proportion of dull or backward children found in 1918 was much less than among the leavers in 1917, the rates for these two years being 2.97 per cent. and 4.07 per cent. respectively. Both these rates are considerable improvements on preceding years.
- (j) Vision. Still more favourable than in either of the four previous years are the returns as to normal vision among leavers in 1918. The proportion of normal vision, in respect of each eye, was found to amount to 74.87 per cent., as against 70.36 per cent. in 1917, 71.39 per cent. in 1916, 67.27 per cent. in 1915, and 67.02 per cent. in 1914. I cannot but believe that this progressive improvement is one of the outcomes of early attention to conditions imperilling eyesight, in consequence of the institution of medical inspection of school children. On the other hand, it is clear that the scope for remedial treatment in respect of squint is widening, inasmuch as the rate of this defect for the year amounted to 1.19 per cent., as against 0.92 per cent. in 1917, 0.14 per cent. in 1916, 0.42 per cent. in 1915, and 0.59 per cent. in 1914. There was no case of total blindness.

TABLE IV. TREATMENT OF DEFECTS OF CHILDREN DURING 1918.

No. of Percentage		:	:	1 00.00	:	3 20.00	108 30-72	1 63-63	14 33-33				:	2 57.14	:	7 46-66		1 66.67	:	::	179 48.60	1 80.00	14 46-93	417 42-58
aent.	Unchanged.	:	:	:	:	:				:	-			:	:	:		:	:	:	:	:	:	-
Results of Treatment.	Improved.	:	:	:	:	3	14	33	67	4	24	15	:	1	:	1-		67			4	4	12	95
Rest	Remedied.	:					45	4	7	29	8	67	:	က	:	:					223	:	11	322
No. of	defects treated.	:	:	:	:	33	59	1	6	33	33	17	:	4	:	-1		67	::		227	4	23	428
1 oft		:	:	:	:	:	18	67	4	36	91	:	:	:	:	-	-	:	:	::	48	:	00	133
No. of defects for	wmen no report is available.	:	:	:	:	:	7	-	:	-	:	:	:	-		:			:		13	:	4	27
t was ssary.	Total.	:	:	1	:	9	192	11	27	125	73	24		-	:	15		က	:	. 1	46/	20	49	1005
which Treatment was considered necessary.	New.	:	:	:	:	က	84	-	14	65	40	16	:	50	:	4		-	:	:000	300	5	37	581
which	From previous year.	:	:	. 1		က	801	4	13	09	33	00	:	67	:	11		22	:		191	•	12	424
	Condition.	Clothing	Footgear	Cleanliness of Head	Cleanliness of Body	Nutrition	Nose and Throat	External Eye Disease	Ear Disease	Teeth	Heart and Circulation	Lungs	Nervous System	Skin	Rickets		Inberculosis—Non-	pulmonary	Speech	Wental Condition	Vision and Squint	Hearing	Miscellaneous	TOTAL

Treatment of Defects. Herewith are given Tables IV. and V. in respect of treatment as required by the Board of Education. They are self explanatory; but it is necessary to point out that the percentage of 42.58 for defects treated can hardly be regarded as very satisfactory, especially when compared with the record for the year 1917, in which 50.88 per cent. of the defects were treated. I am glad, therefore, to be able to report that negotiations have been entered into with the Northamptonshire District Nursing Association for the use of their nurses in following up defects in children found at the medical inspections, and for the treatment of verminous children. The Association have drawn up a scheme, which is now under consideration by the Education Committee, which is intended to cover the whole administrative area, with the exception of the Wellingborough, Rushden and Higham Ferrers Urban Districts, where the appointment of fulltime nurses by the Education Committee has been already decided upon.

TABLE V.

INSPECTION. TREATMENT. &c., OF CHILDREN DURING 1918.

4109	. The total number of children medically inspected (whether Code Group, special, re-examined, or ailing child)	(1)
	. The number of children in (1) suffering from defects (other than uncleanliness or defective clothing or footgear) who require to be kept under observation (but not referred for treat-	(2).
419	ment)	(3).
572	The number of children in (3) who received treatment for one or more defects (excluding uncleanliness,	(4)
353	defective clothing, etc)	

Secondary School Inspections. In the Kettering and Wellingborough High Schools, there were 47 girls examined: there were also 12 re-examinations. The rate for normal vision was well above the average, being 89.36 per cent., as against 85.72 per cent. for 1917, and 75.98 per cent. for 1916. In respect of other defects there were three cases of organic, and two of functional disease of the heart, two of anæmia, three of slightly enlarged tonsils, and one of below normal nutrition. Twenty-two girls had defective teeth—seventeen with less than four decayed, and five with four or more decayed. Eight girls had dirty teeth, and there was one case of uncleanliness of the head (nits only).

With regard to treatment, the parents of fourteen girls were written to for attention to the following defects:—Defective Teeth 9, Defective Vision 3, Anæmia 2. Teeth were extracted in four of the cases, one of the cases of anæmia received medical treatment, and glasses were obtained in the three cases of defective vision.

CHARLES E. PAGET,

County Medical Officer of Health.

COUNTY HALL,

NORTHAMPTON,

March 29th, 1919.

In respect of the columns "Ages" and "No. Examined" certain of the children were not examined, viz.:—

Aged 11—12, 5 for Height, 7 for Weight

,, 12—13, 91 ,, 138 ,,
,, 13—14, 29 ,, 41 ,,
,, 14—15, 2 ,, 2 ,,

TABLE III.


****	-		AND DESCRIPTION OF THE PARTY OF				
	No.	Sum of	Averag	ė Height.	Sum of	Average	Weight.
AGES.	Examined	Heights.	English	Metric	Weights.	English	Metric
		(Inches.)	(Inches.)	(Centimetres.)	(Lbs.)	(Lbs.)	(Kilos.)
COMBINED URBAN DISTRICTS:							
BOYS, 11—12 years of age 12—13 ,, ,, 13—14 ,, ,, 14—15 ,, ,, GIRLS. 11—12 ,, ,,	28. 452 39 1	1403½ 23631½ 1801 60	54 54 ³ / ₄ 56 ¹ / ₄ 60	137·1 139·1 142·9 152·4	$ \begin{array}{r} 1751\frac{1}{2} \\ 31514 \\ 2300\frac{1}{2} \\ 90\frac{1}{2} \end{array} $ $ \begin{array}{r} 1758\frac{1}{2} \\ \hline 1158\frac{1}{2} \end{array} $	$ 67\frac{1}{4} \\ 73\frac{1}{2} \\ 76\frac{7}{2} \\ 90\frac{1}{2} $	30·5 33·3 34·7 41·0
11—12 ,, ,, 12—13 ,, ,, 13—14 ,, ,,	447 49	23483 2251½	$56\frac{1}{2}$ $57\frac{3}{4}$	143·5 146·7	$\begin{array}{c} 31122\frac{1}{2} \\ 2982\frac{1}{2} \end{array}$	75 78½	34·0 35·6
COMBINED RURAL DISTRICTS:	,						
11—12 years of age 12—13 ,, ,, 13—14 ,, ,, 14—15 ,, ,,	13 407 86 3	$635 \\ 21579 \\ 4639\frac{1}{2} \\ 115$	53 55‡ 58 57½	134·6 140·3 147·3 146·0	$\begin{array}{c} 751 \\ 27343\frac{1}{2} \\ 6045\frac{1}{2} \\ 162\frac{1}{2} \end{array}$	$\begin{array}{c} 68\frac{1}{4} \\ 74\frac{1}{4} \\ 77\frac{1}{2} \\ 81\frac{1}{4} \end{array}$	30·9 33·7 35·1 36·8
GIRLS. 11—12 years of age 12—13 ,, ,, 13—14 ,, ,, 14—15 ,, ,,	3 486 141 9	$ \begin{array}{r} 156\frac{1}{2} \\ 26632 \\ 7998 \\ 477 \end{array} $	52 57 $59\frac{1}{4}$ $59\frac{1}{2}$	132·1 144·7 150·5 151·1	$ \begin{array}{r} 183 \\ 33368 \\ 10499\frac{1}{2} \\ 740\frac{1}{2} \end{array} $	$\begin{array}{c} 61 \\ 75 \\ 82 \\ 92\frac{1}{2} \end{array}$	27·6 34·0 37·2 41·9
	2185						

TABLE VI.

SECONDARY SCHOOLS.

One girl, aged 13-14, was not examined for Height and Weight.

	No.	Sum of	Avera	ge Height.	Sum of	Average	Weight.	
AGES.	Examined	Heights.	English. (Inches.)	Metric (Centimetres.)	Weights.	English (Lbs.)	Metric (Kilos.)	
GIRLS. 6— 7 years of age 8— 9 ,, ,,	1 5 2 10 11 10 7 1	$\begin{array}{c} 46 \\ 248\frac{1}{2} \\ 110\frac{1}{2} \\ 527\frac{1}{2} \\ 632 \\ 592\frac{1}{2} \\ 371\frac{1}{2} \\ 58 \end{array}$	$\begin{array}{c} 46 \\ 49 \frac{3}{4} \\ 55 \frac{1}{4} \\ 52 \frac{3}{4} \\ 57 \frac{1}{2} \\ 59 \frac{1}{4} \\ 61 \frac{3}{4} \\ 58 \end{array}$	116·8 126·3 140·3 134·0 146·0 150·5 156·8 147.3	$\begin{array}{c} 46\frac{1}{2} \\ 277 \\ 140\frac{1}{2} \\ 611 \\ 816 \\ 924 \\ 547 \\ 84 \\ \end{array}$	$ 46\frac{1}{2} 55\frac{1}{4} 70\frac{1}{4} 61 74 92\frac{1}{4} 91 84 $	21·1 25·0 31·8 27·6 33·6 41·8 41·3 38·1	






TABLE VII. Return Showing Physical Condition of Children Inspected.
TOTAL (URBAN AND RUBAL DISTRICTS COMBINED).

TOTAL (UI	IBAN AND RUBAL DIST	BACTS	COMBIN	ED).	
	DITION.	1	LEAV	ERS.	-
CON	pirios.	Boys.	Girls.	Total.	Per Cent.
Total Inspected	-	1029	1156	2185	
CLOTHING	Satisfactory	1027	1151	2178	99-67
FOOTGEAR	Unsatisfactory	1026	1147	2173	99-45
	Unsatisfactory	1009	1012	2021	92-49
CLEANLENESS OF HEAD	Clean (i.e., no nits or pediculi) Nits only	19	141	160	7:32
	Pediculi	1	3	2110	96 56
CLEANLINESS OF BODY.	Dirty	991 35 3	1119 32 5	67 8	3-07
NUTRITION	Excellent	5 960 64	8 1093 55	13 2053 119	0 59 93 96 5-45
NOSE AND THROAT	No defect	881 29	974 14	1855	84·89 1·97
	Tonsils slightly enlarged	101	137	238	10-89
	Tonsils much enlarged	17 34	28 40 1	45 74 2	2·06 3·39 0·09
EXTERNAL EVE	No disease	1015	1143	2158	98 76
DISEASE	Blepharitis Conjunctivitis Corneal Opacities Other disease	11 2	12	3	1-05 0-14 0-05
EAR DISEASE	No disease	1024	1149		99-45
	Obstruction—Right Obstruction—Left	2	::,		0.27
- 11	Otorrhoa—Right Otorrhoa—Left Other disease	2 1	2 1	4 2	0-19
Тенти	Sound	372 533 124	645 607 104	817 1140 228	37-39 52-17 10-44
HEART AND CERCULATION	No disease Organic Disease Functional disease Ansemia Other defects	988 12 19 10	1099 14 10 33	2087 26 29 43	95-52 1-19 1-32 1-97
Luses	No disease	972	1125	2097	95-98
	Bronchial Catarrh Tuberculosis Tuberculosis sus-	11	8 3	17	0.78
	pected Other disease	9 28	16	13 44	0·59 2·01
NERVOUS SYSTEM	No disease Epilepsy	1027	1153	2180	99.76
Sistem	Chorea Other disease	"1	3	"4	0-19
SKIN	No disease Ringworm, Body Ringworm, Head	1025	1153	2178	99-67
	Impetigo	3		3	0-05
	Scabies Other disease	"1	2	3	0-14
RICKETS	No disease Slight Marked	1029	1156	2185	100
DEFORMITIES	No deformity Deformity present	1024 5	1150 6	2174 11	99·50 0·50
TUBERCULOSIS Non-Pulmonary	No disease	1029	1155	2184	99-95 0-05
	Bones and Joints Other forms	**	**	77	::
SPEECH	DefectiveArticulation		1152	2173	99-45 0-41
MENTAL	Normal	980	11135	2115	96-80
CONDITION	Normal Dull or Backward Mentally defective, all grades	47	18	65	2·97 0·23
VISION	6/6 each eye (Vision Normal)	779	857	1636	74 87
	6/6 Right	67 53	82 58	149	6.82
	6/9 Right	114	129	243	5-08
	6/12 Right	120	142	262	2-65
	6/18 Right	28	36	64	2 93
	Left	21	26 31	49 52	2 24 2 38
	6/24 Right Left	10	10 8	18 18	0.82 0.82
	6/36 Right Left	9	10 11	21 20	0-96 0-92
	6/60 Right Left	5	6 5	8 10	0:37 0:46
	6)0 Right	1 4	2 8	3 12	0-14
SQUIRT	-	14	12	26	1-19
HEARING (Whisper)	20 ft. each ear (Hearing Normal)	1024	1150	3174	99-50
	20 ft. Right Left	. 22	3	5 6	0-23 0-27
	10 ft. Right	. 3	3		0-27
	5 ft. Right	1 3		5	0 23
	Left	1	**		100