[Report 1940] / Medical Officer of Health, Oxfordshire County Council.

Contributors

Oxfordshire (England). County Council. n 81006935

Publication/Creation

1940

Persistent URL

https://wellcomecollection.org/works/uddvcu9a


License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.





Oxfordshire County Council

ANNUAL REPORT

ON

County Health Services

PART II

Report of the

County Medical Officer

H. C. JENNINGS

M.A., B.Sc. (Oxon), M.B., B.S. (Lond.), D.P.H.

1940

STATISTICS AND SOCIAL CONDITIONS OF AREA.

(a) GENERAL STATISTICS.

Area (acres), 470,808.

Population (Census 1931), 129,082.

Population (Estimated mid-1940), 157.850.

Number of inhabited houses (1931), 50,638.

Number of families or separate occupiers (1931), 52,838.

Rateable value for whole County, £718,497.

Estimated product of penny rate for whole County (1941-1942) £3010.

(b) Social Conditions.

The County is mainly agricultural, but a considerable number of persons employed at works situated within the City of Oxford reside in villages around the City, within a radius of approximately ten miles. There are furniture, cabinet and box factories at Banbury and iron and aluminium works in the neighbourhood of this town.

Gloving is carried on in Woodstock, Charlbury and Witney districts, whilst blanket making is an important industry at Witney. There are cement works at Shipton-on-Cherwell and Chinnor.

(c) EXTRACTS FROM VITAL STATISTICS FOR THE YEAR.

Live Births	Total	M.	F.
Legitimate	2077	1069	1008
Illegitimate	98	54	44
	2175	1123	1052

Rate per 1000 of the estimated resident population 13.8 (15.3).

Stillbirths. Rate per 1000 total (live and still) births 34.2 (39.5).
M. 38 F. 39 T. 77

Deaths. Rate per 1000 of the estimated resident population, 12.6 (12.0).

	Deaths	Rate per 1000 total (live and still) births
Puerperal sepsis Other puerperal causes	— (1) 1 (-)	.44
Total	1	.44

The maternal death rate per 1000 of total live births is .45 (.96).

Death rate of	infants	under	one	year	of	age—
---------------	---------	-------	-----	------	----	------

All infants per 1000 live births			51.3	(38)
Legitimate infants per 1000 legitimate	live b	irths	51.3	(36)
Illegitimate infants per 1000 illegitimate	e live	births	50.5	(44)
Deaths from measles (all ages)			4	
Deaths from whooping cough (all ages)			1	
Deaths from diarrhoea (under 2 years)			8	

There were 51 deaths due to Influenza; 4 to Diphtheria; none to Encephalitis Lethargica.

(Figures in brackets are those for year 1939.)

Birth Rate. This rate is a decrease as compared with the previous year, the figures being 13.8 and 15.2 respectively. The corresponding figure for England and Wales for 1940 is 14.6.

The illegitimate births number 4.5 per cent of the total births for the year.

Death Rate. This rate is slightly higher compared with 1939, the figures being 12.6 and 12.1 respectively. The corresponding figure for England and Wales for 1940 is 14.3.

Infant Mortality Rate. The rate (51) is much higher than in 1939 when it was 36. It is to be noted however that whereas in 1939 deaths from bronchitis and pneumonia, and congenital defects and prematurity represented a rate of 6 and 24 per 1000 live births, the figures for 1940 were 9 and 35.

General. There was a further decrease in the number of women dying from conditions directly associated with Childbirth (including sepsis), the numbers for 1937, 1938, 1939 and 1940 being 5, 3, 2 and 1. The maternal mortality rate therefore for 1940 was .44 as compared with 2.16 for England and Wales.

Cancer. The total number of deaths from cancer recorded during the year was 270, which number is 13.5 per cent of the total number of deaths from all causes. The rate for 1940 was 1.71 as compared with 1.75 for 1939.

DEATHS FROM CANCER.

Urban Districts.

					1000
			1	21	30
			-	19	20
	 	 		1	1 21

Rural Districts.

		 0	1	5	15	45	- 65
Males	 	 _		_	3	28	75
Females	 	 _	1	_	5	32	37

Facilities for treatment by radium are available at the Radcliffe Infirmary, Oxford.

Table Showing the Chief Killing Diseases in Oxfordshire During 1940.

Total	number of
	deaths
 	492
 	270
 	234
 	140
 	107
 	55

Vital Statistics of whole County during 1940 and previous years.

	Population	Bir	BIRTHS.	NE	NETT DEATHS BELONGING	NG TO THE DISTRICT.	TRICT.
Veap	estimated to			Under I y	Under I year of Age.	Ata	At all Ages.
******	middle of each year.	Number.	Rate per 1000 of population.	Number.	Rate per 1,000 Nett Births.	Number.	Rate per 1000 of population.
I	64	3	+	5	9	7	00
1927	136,310	2,079	15.2	103	49	1,760	6.21
1928	137,800	2,265	16.4	86	37.9	1,634	6.11
1929	125,680	2,037	15.7	105	51	1,831	14.2
1930	127,200	1,979	15.5	92	38	1,563	12.3
1931	128,490	816,1	15.8	59	30.7	1,586	12.3
1932	130,580	1,850	14.1	75	40.5	1,624	12.4
1933	130,950	1,855	14.1	92	6.04	1,648	12.5
1934	131,300	1,880	14.3	72	38.2	1,638	12.4(10.1)
1935	131,400 -	1,938	9.41	75	38.1	1,583	12.0 (6.8)
1936	132,550	1,920	14.4	83	43.2	1,627	12.2(10.00)+
1937	133,660	2,051	15.3	87	42.4	1,725	12.9 (10.2)+
1938	135,200	2,167	0.91	75	34.6	1,635	12.0 (6.28)+
1939	B.R. 142,530	2,116	15.2	78	36.4	1,727	12.1 (9.8)+
1940	D.R. 137,660 157,880	2,175	13.8	117	51.3	1,987	12.6

The birth rate is calculated on the higher estimate. * This is an estimate of the civil population and the death rate is calculated upon it.

+ A corrected rate having been adjusted for age and sex distribution.

Table showing vital statistics for 1940 of each Urban District in the County

				Nett Deat to the	Nett Deaths belonging to the District	Bu
				Under 1 Year of age	At all Ages	Ages
				Rate per 1000 Nett Births	Rates	tes
Banbury	:	6	:	99	Crude C Rate 12.2	Corrected Rate 12.5
Bicester	:	:	:	42	14.5	13.0
Chipping Norton	orton	:	:	100	14.3	11.3
Henley	:	:	:	49	15.2	12.6
Thame	:	:	:	74	15.2	12.9
Witney	. :	:	:	37	12.5	12:1
Woodstock	:	:	:	53	10.2	7.7

The death rates "at all ages" are given under two headings "crude" and "corrected." The variations in the crude rates are due not to mortality alone but to differences in population constitution. The corrected rates give the death rates adjusted for age and sex distribution; and are obtained by multiplying the crude rate by a comparability factor supplied by the Registrar General.

Table showing vital statistics for 1940 of each Rural District in the County

y 36 10.0 Rate Dor 1000 Rate Dor 1000 Rate Dor 1000 Rate Dor 1000 Rate Conder Con					Nett Deaths belonging to the District	: Deaths belong to the District	ting
Rate per 1000 Rate per 1000 y 42 15·6 don 36 10·6 g Norton 41 10·1 ey 35 12·1 ey 35 12·1 ey 82 14·0					Under 1 year of age	At all	Ages
42 Crude Rate 15·6 16·6 orton 41 10·6 41 10·1 35 12·1 82 12·1 82 14·0					Rate per 1000 Nett Births	Ra	tes
y 42 15·6 don 36 10·6 g Norton 41 10·1 ey 35 12·1 ey 82 14·0							Correcte
don 36 10·6 g Norton 41 10·1 41 10·1 ey 35 12·1 ey 82 14·0	Banbury	:	:	:	42	15.6	13:1
g Norton 55 12·9 41 10·1 ey 35 12·1 82 14·0	Bullingdon		:	:	36	9.01	10.0
ey 41 10·1 35 12·1 82 14·0	Chipping N	orton	:	<i>.</i> :	55	12.9	11.2
ey 35 12·1 82 14·0	Henley	:	:	:	41	10.1	9-2
82	Ploughley	:	:	:	35	12:1	11.0
	Witney	:	:	:	82	14.0	12.7

The death rates "at all ages" are given under two headings "crude" and "correct." The variations in the crude rates are due not to mortality alone but to differences in population constitution. The corrected rates give the death rates adjusted for age and sex distribution; and are obtained by multiplying the crude rate by a comparability factor supplied by the Registrar General.

Planet and pure types of the control of the contr					2	RBA	O N	STR	URBAN DISTRICTS								-	RURAL DISTRICTS	TD	ISTE	UCT	S					a
Market M	CAUSE OF DEATH	Und 1	- ier	7		5-14	-	5-44	4	5-64	9	100	TOTAL	i i	nder 1		4	· 5.	14	15	4	45	-64	65	1	TOTAL	CRAN
Second column		N	4	N						F	M	F		M	H	M	H	M	1	M	14	M	F	M	H	1	
System	hoid and paratyphoid fevers	1	1	1	1	1	1		1	1	1	1	-	1	1	1	1	1	1	-	1	1	1	1	1	1	2
Septem		1	1	-	1	1	67	1	1	1	1	1	4	61	-	1	-	1	1	1	-	1	1	1	1	00	12
System	:	-1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1
System Syst		1	1	I	1	1	1	-	-	1	1	1	1	1	1	1	1	1	1	1	1	l	1	1	1	1	-
System	:	1	1	1	-	63	1	1	1	-	1	1	8	1	1	1	1	1	-	1	-1	-1	1	. 1	1	1	4
cuchosis cuchos	reulosis of Resp. System	1	1	1	1	1	1		1	22	- 1	-	15		-	1	1	1	- 1	6	-	9	1	-	6	30	45
Septicity (M)	r forms of Tuberculosis		1	1					1					-	-	0			-						1	10	0.
Hencephi	ulitic Diseases		-			1 3								-	-	4	1	1	1	1	4	- 0	-	-		01	10
Hencephi Harmony Harmo	Liscases		1	1	1	1	I.	1 3	1	1	1	1	1	1	1	1	1	1	1	1	1	7	1	1	1	04	2
Hencephi	:	1	1	-	1	1	1	-	65	-	10	9	19	-	1	1	-	1	1	40	63	9	3	9	00	32.	51
Hertocphii — — — — — — — — — — — — — — — — — —		1	1	1	1	1	1	-	1	. 1	1	1	1	1	1	-	1	-	1	1	1	1	-	1	1	4	4
supplies (M). duodenum	polio-myel: & poli-enceph:	1	4	1	1	-	1	-	1	1	1	1	1	1	1	.1	1	1	1	1	1	1	1	1	1	-	1
seyle; (M). — — — — — — — — — — — — — — — — — — —		1	1	1	1	1	1	-	1	1	1	1	1	1	1	-1	1	1	1	1	1	1	- 1	1	1	1	1
98	er of b: cav: & œsoph: (M),	1	1	1	1	1	1	-	-	22	9	62	=	1	1	1	1	1	1	1	-	1	4	9	10	17	28
es	er of stomach & duodenum	1	1	1	1	1	1	-	5	60	9	60	18	1	1	1	1	1	1	-	1	4	67	=	7	25	43
ons		1	1	1	1	1	-	r	1	60	1	10	00	1	- 1	1	1	-	1	1	8	1	10	1	-	14	22
ons	er of all other sites	1	1	1	1	1	1	4	15	4	18	=	53	1	, 1	1	1	1	1	-	-	24	16	58	24	124	177
ons .		-	1	1	1	1	-		1	-	2	61	7	1	1	1	1	. 1	1	1	-	1	9	8	7	. 81	25
system - - - - - - - - -	-cran; vasc; lesions	1	1	1	1	1	-	-	-	6	18	35	64	1	1	1	1	1	1	1	01	17	20	57	74	170	234
system 1	t disease	1	1	1	1	-	1	64	17	14	56	67	158	1	1	1	1	1	1	4	10	24	19	132	150	334	492
6 2 2 2 2 1 1 1 2 1 4 2 15 23 48 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	r diseases of circ - system	1	1	1	1	1	1	-	3	-	=	7	22	1	1	1	1	1	1	1	1	1	4	17	20	41	63
6 2 2 2 2 1 1 1 1 7 1 7 4 34 5 5 2 2 2	:	1	1	-	1	-	1		4	0.1	15	23	48	-	-	1	1	1	1	1	1	10	6	59	40	92	140
undennum — — — — — — — — — — — — — — — — — — —		9	61	61	01	-	1	_	7	-	7	4	34	10	10	62	63	1	1	62	01	9	9	20	13	63	26
usolenum ————————————————————————————————————	r Resp : diseases	1	1	1	1	1	1		61	-	1	9	10	1	1	61	1	1	1	1	1	00	01	7	10	19	58
rrs 2 3 1 1 5 - 2 - 1 1 2 8 8 88 88 88 88 88 88 88 88 88 88 88	of stomach or duodenum	1	1	1	1	1	1	-	3	1	1	1	3	1	1	1	1	1	1	22	1	65	1	01	60	10	15
ses	hoea under 2 years	63	65	1	1	1	1	-	1	1	1	1	10	1	61	1	-	1	1	1	1	1	1	1	1	69	00
ses — 1 1 1 — — — 1 1 3 1 — 4 2 4 3 16 1 — — — — 2 3 2 4 6 4 2 2 4 2 4 3 13 14 2 2 4 5 4 2 4 3 8 13 3 1 T. sepsis — — — — — — — — — — — — — — — — —	:	1	1	F	1	1		-	-	-	1	1	80	1	1	-	1	-	-	22	1	1	1	1	57	00	11
t: sepsis	r Digestive Diseases	1	1	-	1	1	1	1	4	64	77	3	16	-	1	1	1	1	1	61	8	63	4	9	4	22	38
tt sepsis — — — — — — — — — — — — — — — — — —		1	1	1	1	1	1	co	-	1	*	-	10	1	1	1	1	1	1	1	00	7	65	00	13	31	41
fr.m. 6 2	peral & post-abort: sepsis	1	1	1	1	1	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
matriculus: 11 5 — <t< td=""><td>r maternal causes</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>-</td><td>1</td><td>1</td><td>1</td><td>1</td><td></td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>1</td><td>-</td></t<>	r maternal causes	1	1	1	1	1	1	-	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	-
s		9	61	1	1	1	1	1	1	1	1	1	00	14	10	1	1	1	1	1	1	1	1	1	1	24	32
s -	mal: birth inj: infant: dis:	11	10	1	1	1	1	1	1	1	1	1	16	16	12	1	1	1	1	1	-	-	1	1	1	29	45
3 - <td></td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>-</td> <td>-</td> <td>22</td> <td>8</td> <td>1</td> <td>1</td> <td>9</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>-</td> <td>-</td> <td>-</td> <td>1</td> <td>64</td> <td>10</td> <td>11</td>		1	1	1	1	1	-	-	22	8	1	1	9	1	1	1	1	1	1	1	-	-	-	1	64	10	11
1 - 1 1 1 1 2 1 6 1 2 - 16 1 - 4 2 - 8 3 6 38 6 5 3 6 38 2 1 3 - 1 3 4 4 7 21 16 62 1 - 4 1 3 1 5 10 12 15 53 41 146 25 16 7 8 7 5 22 33 84 58 176 191 632 43 33 16 12 13 6 57 53 137 133 425 427 1355 1	Traffic accidents	1	1	1	1	-	1	60	4	1	1	1	6	1	1	1	1	9	-	13	-	9	22	00	-1	33	42
2		1	-	I	-	-		-	9	1	61	1	16	-	-	1	4	63	1	00	65	9	10	. 00	9	38	54
25 16 7 8 7 5 22 33 84 58 176 191 632 43 33 16 12 13 6 57 53 137 133 425 427 1355		1	61	1	65	1	-	4	4	7	21	16	62	1		4	1	60	-	10	10	122	15	53	41	146	208
		25	91	1	00					58	176	191	632	43	33	16	12	13	9	57		100		1			987

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

INFECTIOUS DISEASES.

Smallpox.

No case of the disease occurred during the year.

Scarlet fever.

The number of cases notified was 285 as compared with 163 in the previous year.

Diphtheria.

54 cases were notified as compared with 78 in 1939. There were four deaths from diphtheria.

Enteric fever.

There was no case of this disease notified during the year.

Pneumonia (all forms).

116 cases of pneumonia were notified during the year.

Erysipelas.

34 cases were notified.

Measles.

2181 cases were notified. Four deaths were registered during the year. This disease was prevalent throughout the County during the latter part of the year.

Whooping cough.

67 cases were notified. There was one death.

Ophthalmia Neonatorum.

3 cases were notified during 1940.

			Vision		Total	Deetha
Notified	at nome	in nospitat	unimpaired	impairea	blindness	Deaths
3	0	3	3	0	0	. 0

Puerperal pyrexia.

1 13	No. of Cases notified during	No. of Cases visited by Officers	No. of Cases removed to
Disease	the year	of Council	Hospital
Puerperal Pyrexia	. 15	12	4

There was no death from puerperal sepsis.

During the year the number of schools closed for infectious diseases were :—

Influenza		 	8 schools.
Scarlet Fever		 	3 schools.
Measles		 	5 schools.
Conjunctivitis		 	1 school.
Cerebro-spinal Fe	ver	 	1 school.

MATERNITY AND CHILD WELFARE.

The following is the report for the year of the Inspector of Midwives:

The number of midwives notifying their intention to practise during the year was 124. The number of cases of midwifery attended by midwives in the County was 1893.

nuwives in the county was 1000.				
The following notifications were rec	eived from	midv	vives :-	-
Still births				33
Deaths				14
Laying-out of the dead				32
Contact with infectious disease				36
Artificial feeding of infants advise	ed			17
				132
				132
Records of sending for medical help	(as under):—		
Pregnancy.				
Ante-partum haemorrhage				26
Abortion and threatened abortion	1			12
Swelling of legs				2
Albumen				18
Miscarriage				32
Other conditions				46
Labour.				
Mal presentation				21
Petained placents				12
Ruptured perineum				219
Delay in labour	•••			83
Excessive Bleeding	****		•••	5
Other conditions				27
Lying In.		-		
Rise in temperature				35
Other conditions				44
Child.				
Dangerous Feebleness				20
Infection of Eyes				31
Stillbirth				4
Congenital malformation				3
Other conditions				43

683

15 cases of puerperal pyrexia were notified. 5 midwives were temporarily suspended owing to having been in attendance upon cases of infectious disease.

The Inspector paid 409 visits for routine inspection of midwives to observe their methods of practice and examine appliances and registers. 89 other visits were paid. There is close co-operation in this work with the Superintendent of the Oxfordshire Nursing Federation.

MIDWIFERY.

Fees earned by the County Council Midwife at Henley-on-Thames amounted during the year to £57 15s. 6d. Her services are given without charge to persons unable to afford payment of the fees. Fees amounting to £860 11s. 11d. were paid to medical practitioners called in to assist midwives in emergency. Contributions from patients, amounting to £98 8s. 9d. were collected towards the cost. Hospital provision for maternity is made by the Radcliffe Infirmary at their hospital in Walton Street, Oxford. For the north of the County accommodation is available at the Warwickshire County Council Maternity Hospital at Leamington; and for the South of the County at the Royal Berkshire Hospital, Reading. Arrangements have also been made with local hospitals to accept cases in emergency.

The Council contributed £750 per annum towards the cost of treatment at the Radcliffe Infirmary Maternity Home.

Home Helps were provided on three occasions.

DOMICILIARY ANTE-NATAL AND POST-NATAL SCHEME.

During the year 662 women were examined under this scheme. Consultants were provided for three difficult cases. Payment for dental extractions was made in one case when, as a result of ante-natal examination, the medical practitioner considered such treatment advisable. 120 post-natal examinations were made.

MATERNAL MORTALITY.

It is gratifying to record that the number of maternal deaths during the year was one only as compared with 2 in the previous year.

The rate per 1000 live births is .46 as compared with .93 for 1939. The corresponding rate for England and Wales for 1940 was 2.16.

All deaths of mothers are carefully inquired into. The services of a consultant in cases of difficult labour are available, and his services were made use of in one case. Sterilized maternity outfits were provided for women where in the opinion of the Health Visitor or midwife in attendance such provision was desirable. The services of the Emergency Obstetrical Unit were used in three cases.

Maternity and Nursing Homes.

The County Council is the Local Supervisory Authority under the Nursing Homes Registration Act 1927. There were 9 homes on the register at the end of the year of which 8 were Maternity Homes.

Year 1939.

Number of applications for registration		1
Number of Homes registered		1
Number of Orders made refusing or cancelling registr	ration	nil
Number of appeals against such orders		nil
Number of applications for exemptions from registra	tion	nil
Number of cases in which exemption has been grante	ed	nil

No application has been made to the County Council by a County District Council for the delegation of powers.

Chippinghurst Manor Emergency Maternity Home.

This home was adopted from a country house and was taken over by the Ministry of Health as a maternity home, primarily for evacuee expectant mothers from the county of Kent. Before the Home was in complete running order the Council was asked to take over and exercise supervision. The beds number 30 and the staff appointed consists of a Matron and five midwives. Two local practitioners provide medical assistance when required.

The home was opened in May, 1940 and 100 children were born in the home during the remainder of the year.

Maternity and Child Welfare Centres.

There are now 30 centres in the county, one new one being opened during the year at Hook Norton, in March. A complete report of the work done at the centres is appended on page 13 and from this it will be seen that 687 meetings were held during the year and that the following attendances were made—

	Infants under 1 ye	ear			9986	
	Infants 1—5 years	s			10659	
		То	tal	-	20645	
whilst the	number of infants at	tending	for th	e first	time	was—
	Under 1 year				1280	
	1—5 years				727	

2007

Twenty-four lectures and films were given on Mothercraft and other subjects.

Hospital treatment continues to be provided under the County Infant Welfare Scheme. 10 children were treated at Burford Cottage Hospital at a cost of £20 9s. 6d. 7 children received in-patient treatment at the Wingfield-Morris Hospital at a cost of £182 17s. 0d. 3 children suffering from ophthalmia neonatorum were treated at the Oxford Eye Hospital. 42 children under five years of age were examined by an Ophthalmic Surgeon and glasses were provided in 35 cases.

Infant Welfare Centres.

Name of Centre	No. of	Attendances Infants		No.of Infants attending for the first time			Lecture
	Meet- ings	under 1 yr.	1-5 yrs.	under 1 yr.	1-5 yrs.	present	given
Adderbury	22	252	385	33	14	20	
Bampton	23	163	313	31	16	23	1
Benson	22	307	311	27	28	22	-
Bicester	22	341	405	54	16	20	2
Burford	24	242	227	30	9	24	1
Charlbury	24	268	295	54	47	24	2000
Chinnor	24	354	341	27	23	24	1
Chipping Norton	23	565	453	79	35	21	-
Deddington	23	213	225	30	10	22	
Dorchester	23	293	358	34	16	23	1
Eynsham	24	375	555	38	22	24	-
Filkins	23	94	172	19	13	21	2
Goring	22	189	321	25	21	20	-
Great Milton	11	103	138	24	20	11	
Handborough	23	191	243	28	13	23	2
Henley	24	343	535	55	16	24	3
Hook Norton	20	270	311	45	34	9	
Kidlington	26	594	481	89	42	25	
Kidmore End	12	158	106	26	9	12	
Kirtlington	13	98	178	14	15	12	
Littlemore	23	410	253	55	10	19	
Rose Hill	48	607	717	49	47	24	
Sandhills	47	815	625	81	63	23	-
Shipton-u-Wychwood	23	246	260	11	11	23	-
Stoke Row	12	154	255	28	9	12	-
Thame	24	480	390	58	47	24	-
Watlington	12	142	144	17	13	12	12
Wheatley	23	303	240	39	30	23	
Witney	24	764	742	97	39	24	
Woodstock	23	565	680	83	39	23	-
	687	9986	10659	1280	727	611	24

Health Visitors.

There are now seventeen health visitors, including 3 temporary ones. The health visitors are whole-time officers of the County Council and the majority have been in the service of the Council for many years. Their experience is invaluable.

The following visits were paid by Health Visitors in connection with the Maternity and Child Welfare Scheme—

Visits to expectant mothers	 	1,231
Visits to children under 1 year	 	20,773
Visits to children between 1—5 years	 	22,619

Public Health Act, 1936. Infant Life Protection.

The number of children on the register at the end of the year was 128. 877 visits to children were paid by the Health Visitors.

Adoption of Children Act, 1926.

The Superintendent Health Visitor acted as guardian ad litem in 23 cases. Adoption orders were made in all but two cases.

Provision of Milk to Expectant and Nursing Mothers.

The introduction of the National Milk Scheme during the year superseded the Authority's Scheme for the supply of extra milk for Expectant and Nursing Mothers. A supplementary allowance was made in a few cases. The facilities under the new Scheme were made known to the public by the Health Visitors and the change over worked quite smoothly.

VENEREAL DISEASES.

The Counties of Oxfordshire and Berkshire and the City of Oxford continue the Agreement with the Governors of the Radcliffe Infirmary whereby free treatment is given to all applicants at the Infirmary. The total cost to the Infirmary is divided in respect of out-patients' treatment in proportion to the attendances made by patients from the areas of the three authorities and as regards in-patients' treatment in accordance with the number of days on which beds are occupied by such patients.

An agreement has also been entered into with the Royal Berkshire Hospital for the treatment of Oxfordshire patients.

Each authority pays the cost of the pathological examinations of its own patients. Return relating to all persons who were treated at the Treatment Centre at Oxford during the year ended the 31st December, 1940.

at Oxford during the year ended the 31st D	ccemoci	Totals	
Number of Cases on 1st January under treat-	M.		Totals
ment or observation	24		47
Number of Cases dealt with for the first time	24	20	47
	44	17	61
during the year under report	44	17	01
Number of Cases discharged after completion of			
treatment and final tests of cure or after	10	90	10
diagnosis as non-venereal	16	32	48
Number of Cases remaining under treatment or	00	00	0.5
observation on 31st December	39	26	65
Total Attendances	765	442	1207
(a) for individual attention of the medical			000
officer(s)	364	442	806
(b) for intermediate treatment, e.g., irriga-			
tion, dressing	401		401
	765	442	1207
In-patients:—		-	
(a) Total number of persons admitted for			
treatment during the year	7	1	8
(b) Aggregate number of "In-patient" days			
of treatment given	81	27	108
Pathological Work :—	0.		100
Number of specimens examined at, and by			
the Medical Officer of the Treatment Centre,			
			105
for Syphilis			
for Gonorrhœa			104

TUBERCULOSIS.

(Report by DR. N. J. ENGLAND.)

Vital Statistics. The incidence of tuberculosis as shown by notifications and deaths is demonstrated in the following table:—

	N	ew Case	S				Deaths		
Age			N	on-	Age			N	on-
Groups	Puli	monary	Puli	monary	Groups	Puli	nonary	Pul	nonary
	M.	F.	Μ.	F.		Μ.	F.	M.	F.
0-	-	-	-	1	0—	-	1	1	- 1
1—	1	1	3	3	1—	-	-	2	-
5—	-	2	6	4	5—	-	-	-	1
10-	1	2	2	7	15—	14	18	-	2
15—	7	1	3	4	45—	7	2	1	1
20-	9	6	4	2	65	1	2	1	-
25—	19	6	3	3	75—	-	-	-	-
35—	13	5	2	4					
45—	13	4	1	2					
55—	4	2	-	1					
65—	1	3	1	-					
	_	_	_	-		-	_	-	-
	68	32	25	31		22	23	5	5
	-	_	-	_		-	_	_	_

	No. New T.B. Cases	Total T.B. & Suspected cases, excluding contacts	% increase in Total T.B. & Suspected cases over 1934	Pop.
1934	110	231	_	131,300
1935	97	249	7%	131,400
1936	96	307	31%	132,550
1937	78	294	27%	133,660
1938	88	343	48%	135,200
1939	92	346	48%	142,530
1940	142	376	63%	157,850

During 1940 increasing use has been made of Tuberculosis services in the County as can be seen by the returns. Much additional work was caused by Evacuation and every effort was made to ensure that

- (a) Evacuees were not billeted in tubercular households and that
- (b) Tubercular evacuees were given suitable billets and any treatment they required.

Owing to the haphazard nature of a considerable proportion of the evacuation and the secrecy surrounding this disease information in respect of these factors was largely received by chance or through the Health Visitors.

The following table shows the number of deaths and rates per 100,000 living in the County since 1912:—

	Pulmo	nary	All forms		
		Rate per		Rate per	
	Number	100,000	Number	100,000	
1912	103	75	130	94	
1913	97	70	126	91	
1914	104	75	130	93	
1915	113	89	141	117	
1916	112	92	150	123	
1917	168	144	195	168	
1918	142	119	162	135	
1919	105	84	137	109	
1920	90	69	107	82	
1921	99	75	121	92	
1922	97	73	113	85	
1923	89	66	108	81	
1924	86	64	107	79	
1925	72	53	96	71	
1926	82	61	95	70	
1927	99	72	118	86	
1928	67	48	85	62	
1929	91	70	107	83	
1930	73	57	94	74	
1931	61	47	74	57	
1932	64	49	71	54	
1933	63	48	77	58	
1934	54	41	66	50	
1935	54	41	70	53	
1936	56	42	72	54	
1937	38	28	51	38	
1938	42	31.1	50	37	
1939	51	35.7	60	42	
1940	45	28	55	35	
Ten year per	riod average—				
1911-20	114	89	142	111	
1921-30	85	64	104	78	
1931.40	53	39	65	48	

TREATMENT OF TUBERCULOSIS. RETURN FOR THE YEAR 1940.

A. Return showing the work of the Dispensaries

	GRAND	142 57 177=376	5 8 220 = 233	17	442= 50=493
	Children. M. F.	14 12 12 6 36 39	57 58 22	2 5	
TOTAL	Adults. M. F.	73 43 19 20 56 46	3 - 3 - 3 - 73 73 73	5 7	
MONARY	Children. M. F.	9 1		-	42 27
Non-Pulmonary	Adults. M. F.	6	111	2 1	28 36
NARY	Children. M. F.	8		- 21	13 9
PULMONARY	Adults. M. F.	65 34	1 1	9	166 122
Diagnosts	A.—New Cases examined during the year (excluding contacts)	(a) Definitely tuberculous (b) Diagnosis not completed (c) Non-tuberculous	B.—Contacts examined during the year:— (a) Definitely tuberculous (b) Diagnosis not completed (c) Non-tuberculous	C.—Cases written off the Dispensary Register as :— (a) Recovered (b) Non-tuberculous (including any such cases previously diagnosed and entered on the Dispensary Register as tuberculous)	December 31st, 1939

457	GR	107	101	40	1116	4.1		413	1451	1011	238	*11*	+/+	165	-
				****							-				
****			:					***					:		
		-													
				***	:										
	vears	sol " 8	200		:								***		
****	evious	nd case		:		-					***				
****	3 in pr	neme a			***										
***	Head	the scl											***	:	
	under	under			****						***		:		
	scharge	stance									***			***	
***	fter dis	her assi												3lst	
***	rned a	ng furt	0			::					***			cember	
lst.	ses retu	desirir									***	-k		on De	
muary	and cas	ses not	Canses	-		:						LLV WOI		egister	
r on Ja	areas	eas, car	lle/ p							and a	na	ispensa	-	nsary r	
Register	other	ther ar	as Dea			al	Office	Cuito	ors	San Care Contract	Sydilli	with D		Dispe	
sary b	d from	d to of	e vear	110000	dispen	person	culosis	curvaia	h Visit	· continue	nrann	sction,	11	es on	
Disper	nsferre	nsferre	ring th	40000	ices at	Number of consultations—personal	Tuber	TOTAL TA	. Healt	Number of energiness of enuture accoming	de to et	n conne	Lane man	IUS CAS	cuees
ases on	ises tra	uses tra	off du	tondon	rendar	nsulta	isits by		isits by	A CONTRACT	vocame.	-rays i	中中	1.D. p	E = Evacuees
er of ca	er of ca	er of ca	written	or of a	ei oi a	er of co	er of V		er or v	ar af or	10 10	er of N	11 20 40	er or	-
I. Number of cases on Dispensary Register on January	Number of cases transferred from other areas and case	Number of cases transferred to other areas, cases not	Cases written off during the year as Dead (all causes)	Number	Number of attendances at dispensaries	Numb	Numb	AT	Number of Visits by Health Visitors .	Numb	7	Number of X-rays in connection with Dispensary worl	Number	number of 1.b. pius cases on Dispensary register	
	7	3.	4.	u		9	7		ò.	0		10.	11	11.	

BLIND PERSONS ACTS 1920 to 1938.

160 persons were relieved during the year at a cost of £3958.

Blind Persons in Oxfordshire.

Age-period		Tota	al Blind.
0- 5	 		0
5-16	 		3
16-21	 		3
21-40	 		15
40-50	 		16
50-65	 		41
65-70	 		28
70 upwards	 		90
Unknown	 		2
			198

Age at which Blindness occurred.

Age-period		Number
0- 5	 	 19
5-10	 	 7
10-20	 	 5
20-30	 	 10
30-40	 	 12
40-50	 	 22
50-60	 	 26
60-70	 	 44
70 upwards	 	 40
Unknown	 	 13
		_
		198

VACCINATION.

Work in connection with vaccination is administered through the County Health Department.

Results show that in 1940 only 25.2 per cent of the total number of children whose births were registered during the year were vaccinated.

CIVIL NURSING RESERVE.

Particulars of recruitment and training of Nursing Auxiliaries.

	During 1939 and 1940	During 1940 only
Number of applications received	706	132
Number of applications accepted	704	132
Number whose training was com- pleted at or since enrolment	418*	262

Total number of Registered Personnel at end of each quarter as follows:—

TRAINED NURSES	Full time Mobile	Full time Immobile	Part time
At 31st December, 1939	11	17	32
,, 31st March, 1940	5	12	29
,, 30th June, 1940	6	13	29
,, 30th September, 1940	6	15	29
,, 3Ist December, 1940	6	15	29
Assistant Nurses			
At 31st December, 1939	8	16	7
,, 31st March, 1940	8	13	5
,, 30th June, 1930	9	11	9
,, 30th September, 1940	8	10	8
,, 31st December, 1940	7	11	9
Auxiliaries			
At 31st December, 1939	24	53	78
,, 31st March, 1939	27	60	110
,, 30th June, 1940	32	46	144
,, 30th September, 1940	30	68	144
,, 31st December, 1940	27*	79*	225*

(Note.—The number of full time Trained and Assistant Nurses show a slight decrease at the end of 1940 as compared with 1939. The number of registered Auxiliaries, both full time and part time show a marked increase).

MENTAL DEFICIENCY ACTS 1913 to 1938.

Mental Deficiency Acts Committee.

During the year ended 31st December, 1940, 19 (12 male and 7 female) new cases were ascertained.

^{*}Any discrepancy between the total who have completed training and the number of Registered Personnel at 31st December, 1940 is accounted for by the fact that members have transferred to other areas since completing their training or have withdrawn from the Reserve altogether.

The 19 new cases were dealt with as follows:-

			•	Males	Females	Total
Admitt	ed to	Certified Ins	titutions	8	1	9
Placed	under	Guardianshi	р	4	3	7
,,	,,	Statutory St	pervision	_	_	_
,,,	,,	Voluntary	h	_	3	3
				_		-
				12	7	19
				_		_

The number of defectives ascertained by the Council to be subject to be dealt with or who might have become subject to be dealt with on 31st December, 1940, was 821.

Institutional Accommodation.

On 31st December 1940, there were 95 persons detained under Order in Institutions, distributed as follows:—

in Institutions, distributed as fo	llows:-			
		Male	Female	Total
Borocourt		15	31	46
Billericay		1	_	1
Buntingford		4	_	4
Chipping Norten		15	14	29
Easthamnatas d		1	_	1
Houthorn Colours		2	_	2
Manor House, Aylesbury .		1	3	4
Mount Olivet, Frensham		_	_	_
D. 1. II. II. II D. //		1	1	2
Royal Earlswood		1	_	1
St. Joseph's Home, Sheffield	d	_	1	1
Ct 1 D 1 C 1		2	3	5
Condished Jan II.		_	1	1
				_
		43	54	97
			_	_
During the year ended 31st Decem	nber, 1940).		
No. of Orders made under the M			Acts	16
Of whom (a) admitted to Institu				9
(b) placed under guard				7
(b) placed under guard	nansmp			,
				16
				10
No of Vision Onless				
No. of Varying Orders	to undo	Montal T) of oion and	1
No. of Orders by Secretary of Sta			enciency	
Acts 1913, Section 9				1

No. of urgent cases admitted temporarily to Places of Safety

Notifications by County Education Authority

Notifications by Banbury Education Authority ...

1

2

e: