### [Report 1955] / Medical Officer of Health, Padiham U.D.C.

### **Contributors**

Padiham (England). Urban District Council.

### **Publication/Creation**

1955

### **Persistent URL**

https://wellcomecollection.org/works/pm5d8sn5

### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



HEALTH A=2JUL56 C.R. 23

## URBAN DISTRICT COUNCIL OF PADIHAM.

Livary

ANNUAL REPORT


of the

MEDICAL OFFICER OF HEALTH

for the

YEAR ENDING DECEMBER 31st, 1955.

J. W. J. FORSYTHE, MB., CHB., BAO. Medical Officer of Health.



### PADIHAM URBAN DISTRICT COUNCIL.

Town Hall, PADIHAM.

4th June, 1956.

To the Chairman and Members of the Urban District Council of Padiham. Mr. Chairman, Gentlemen,

I have the honour to present my thirtieth Annual Report dealing with the health of the inhabitants of Padiham during 1955.

Acting on the instructions of the Ministry of Health this will be an interim report, confined to essential or urgent matters which have affected the Public Health during the year, such as, overcrowding, sanitation, distribution of clean food, and outbreaks of infectious diseases etc.

### VITAL STATISTICS.

		30.00	
Population: - Estimated population	in 1955	-	10,030.
	Total.	Males.	Females.
Number of live births registered:-		MITOE !!	
Legitimate Illegitimate	133	78	55 2
select here constitute two state and the	136	79	57
Birth rate per 1,000 estimated popul	lation:-	Orude Adjusted	13.6 14.1
	Total.	Males.	Females.
Number of stillbirths:-			
Legitimate Illegitimate	6	5	1 1 1 1 1 1
	6	_5	1000a
Stillbirth rate per 1,000 total bir	ths.	officers a	42.0
Number of deaths registered:- Male	es 81. Fe	males 82.	Total 163.
Death rate per 1,000 estimated popul	lation:-	Orude. Adjusted.	16.3. 15.3.
Respiratory T.B. death rate  Death rate from Malignant neoplasms.  Maternal mortality rate per 1,000 to			Nil. 2.99 Nil.
Infant Deaths:-			
Deaths under 1 year of age:- Males Deaths under 4 years of age:- Males	2. Fema 2. Fema		Total 2.
Infant mortality rate per 1,000 live Pro-natal mortality rate per 1,000 live			15. 15.

### Causes of death:-

Syphilitic disease	1
Infective and parasitic diseases	2
Malignant neoplasm - Stomach	5
" - Lungs	11
" - Breast	2
" - Uterus	. 1
Other malignant and lymphatic neoplasms	10
Leukaemia.	1
Diabetes	1
Vascular lesions of nervous system	33
Coronary disease, angina	22
Hypertension with heart disease	2
Other heart diseases	30
CONTOUR STOCKE COMMONORS SESSES SESSES SESSES SESSES SESSES SESSES	12
Influenza.	4
	3
Pneumonia	9
Bronchitis.	7
Gastritis, enteritis	1
Nephritis and nephrosis	2
Congenital malformations	1
Other defined and ill-defined diseases	7
Accidents	4
Suicide	2

### SOCIAL CONDITIONS OF THE APEA.

The unemployment which occurred during 1952 and which was more or less confined to Cotton Operatives was still fairly prevalent during 1955.

Most of the mills in Padiham run their own canteens and these should be encouraged and used more than they are, by the workers.

The County Council has control of two nurseries in the area where children under school age, of women engaged in industry, are looked after, and regarding these nurseries the only complaint is the supervision is not strict enough in times of epidemics.

All the schools in the district provide dinners for the scholars and this is to be highly commended.

In connection with the welfare of the old people, a voluntary association has been set up and is doing valuable work, such as, letter writing, doing shopping when necessary, giving advise, and arranging for domestic help in cases of sickness.

So far as the health of the aged is concerned there is no doubt that the sons and daughters will have to bear their fair share of looking after them and not leave it to others.

The health of the inhabitants has been fairly good during the year and so far as recreations are concerned full advantage was taken of all the facilities controlled by the Local Authority and the various Sunday Schools.

A new association has been started in Padiham to help handicapped and disabled people and very valuable work is being done in this respect.

## SANITARY CIRCUMSTANCES OF THE AREA.

### WATER SUPPLY:-

The water supply has been good both in quantity and quality. Chemically and bacteriologically the water has been excellent.

The following are the results of bacteriological and chemical examinations carried out in 1955.

Bacteriological examinations - No. 16.

Results - B. coli per 100 c. c.

0 in 15 samples.

1 in 1 sample.

### Chemical examination: -

- Sample of water from tap at Town Hall, Padiham.
  Sample of water from tank at Wall Green, Padiham.
  Sample of untreated water from Churn Clough Reservoir, Padiham.
  Sample of water from tap at Brook House, Whins Lane, Padiham.
  Sample of water from tap at "Tainvu", Haugh Ave., Simonstone. 3.

		Sample	1. Sample 2.	Sample	3. Sample	4 Sample	5.
Colour Odour Taste Appearance		Nil Clear &			Nil Nil Nil	Nil Nil Nil	
1000000		Bright.	with slight red depos		ear and	Bright.	
pH Value		6.9	7.1	7.1	7.2	7.2	
Nitrogen -	Free & Saline. Albuminoid. Nitrous. Nitric.	0,007	0,002 Nil Nil Nil	Nil 0,018 0,001 0,165	Nil Nil Nil O. 245	Nil Nil Nil O. 165	
Free CO2.		2.5	2.5	2.5	2.5	2.5	
Hardness -	· Temporary. Permanent.	8 37	12 28	7 27	8 28	8 29	
Free Chlor	ine.	Nil	Nil	Nil	Nil	Nil	
Carbonate Nitrate. Chloride.		0.5 2.66 16	0.7 Nil 13	0.4 0.730 14	0.5 1.09 14	0.5 0.730 13	
Total Soli	lds	75	80	70	90	95	
Oxygen abs	corbed in 4 hrs.	0,3	0.75	0.15	Nil	0.16	
Copper	Pb Cu Fe Zn	Nil 0,040 0,32 0,05	Nil 0. CL10 1. 74 0. 05	Nil 0,020 0,24 0,05	0.08 0.040 0.24 0.05		

All results expressed in parts per million.

### OBSERVATIONS.

All the samples are from a chemical point of view of very good quality, free from any deleterious matter and suitable for all purposes of domestic supply.

## WATER SUPPLY (continued):

Sample two had a slight odour of diesel oil or paraffin (Kerosene) which is probably derived from some very local contamination of short duration.

Sample number four shows a trace of lead probably derived from lead piping. The amount is not significant but larger and more significant amounts of lead might be taken up by the water standing in lead pipes for any length of time.

Sample two showed a slight deposit of hydrated oxide of iron which accounts for the relatively high iron content.

### SANITARY INSPECTIONS DURING THE YEAR.

Houses - Public Health Act. Houses - Housing Act. Fireguard Act. Common Lodging Houses. Infectious Disease Cases. Rodent Control. Revisits. Factories. Workshops. Shops Act. Smoke observations. Fish and Chip Shops. Bakehouses. Food Premises. Butchers Shops. Ice Cream Premises. Markets. Slaughterhouses. Milk Sampling. Ice Cream Sampling. Tinned and other foods. Houses disinfected. Houses disinfected. Houses disinfested. Domestic Refuse Collection. Trade Refuse Collection. Refuse Disposal (Tips) Salvage. Miscellaneous.	495408888895342963 11256711888955342963
	2954
Interviews	146
	140

## DERATISATION AND DISINFESTATION.

## (a) RODENT CONTROL:-

This is effectively controlled by the Rodent Operator. Sausage rusk bait and Zinc Phosphide poison, also damp bread mash and arsenic cxide poison were used.

## (b) DISINFESTATION: -

Eight premises were dealt with for vermin, five for cockroaches, two for fleas, and one for crickets.

The refuse tip was periodically dusted with D.D.T. powder to ensure cockroach and cricket control.

### INSPECTION AND SUPERVISION OF FOOD.

### BAKEHOUSES :-

The number of bakehouses on the register is 14. These have been regularly inspected. No contraventions were noted.

### DAIRIES AND COWSHEDS:-

All the dairies and cowsheds were periodically inspected.

Number of	Dairy farms in the district persons registered as distributors of milk.	6
	dealers licensed to use Special Designation "Tuberculin Tested"	8
Number of	dealers licensed to use Special Designation "Pasteurised".	12
Number of	dealers licensed to use Special	
		10
	Total number of approvals.	80

### MEAT REGULATIONS:-

These have been closely watched by the Sanitary Inspector during the year.

### FOOD PREPARATION: -

Regular and frequent visits were made to food preparing premises and it is a pleasure to report that it has not been necessary to make any official representation,

Number of premises registered for sale or manufacture	
of ice cream,	48
Number of premises registered for preparation or	
manufacture of sausage, or potted, pressed,	
pickled or preserved food.	43
Total number of registrations during the year.	3
	-

### FOOD POISONING:-

No cases of food poisoning were reported during the year.

### OFFENSIVE TRADES.

The following offensive trades are now in existence in the area.

Tripe	Boiler.	1
	Maker.	- 1
Fish	Fryers,	12

These premises were inspected on 31 occasions.

### COMMON LODGING HOUSES.

There is one registered common lodging house in the district and 14 visits of inspection were made during the year.

The prospects of this lodging house being closed within the near future seem very bright and this will be very welcome news.

### SMOKE OBSERVATION.

An attempt to stimulate interest in smoke abatement was made by the Local Authority during the year when a Cinema Show was organised. The attendance was very poor.

No serious smoke nuisances were observed during the year.

### HOUSING.

- (a) Number of new houses erected during the year 38.
- (b) Number of houses erected under the various acts:-

1.	Housing Act.	1919.	31
2.	Housing Act.	1923-24.	170
3.	Housing Act.	1930-36。	228
4.	Housing Act.	1936~46.	21
5.	Housing Act.	1946-51.	228
		Total	678

### OVERCROWDING.

No overcrowding as set down in the Housing Act, was observed during the year, although seven cases of complaints were submitted to the Committee.

## HOUSING CONDITIONS.

Preliminary surveys show that 63 houses have been considered as unfit houses at the present time and that 246 houses will fall into the same category in 10 years time.

To give some indication of the extent of the shortage of houses it is only necessary to state that there are 130 families in lodgings, 59 without children, and the rest with 1, 2, 3, or 4 children.

Over 100 aged persons are seeking one bed-roomed bungalows.

Housing schemes are in progress to try and alleviate these conditions.

# PREVALENCE OF AND CONTROL OVER INFECTIOUS DISEASES.

1955 was more or less a normal year apart from an outbreak of measles which however was mild in character - no deaths being recorded.

The following cases of Infectious Diseases (other than Tuberculosis) were notified during the year.

Scarlet Fever	15
Measles.	191
Whooping Cough.	2
Chicken Pox.	3

### TUBERCULOSIS.

The following cases of Tuberculosis were notified during the year:-

Respiratory Non-respiratory 4

All new cases are thoroughly investigated and followed up.

Immediate contacts are X-rayed, given the Montouse Test, and examined by the Chest Physician.

It is hoped to have another visit by the Mass-Radiographic Unit in 1957 and an even better response should be obtained.

In conclusion, I would like to thank the Clerk of the Council, the Sanitary Inspector and the Surveyor for their loyal co-operation during the year.

I am,


Gentlemen,

Your obedient servant,

J. W. J. FORSYTHE,

Medical Officer of Health.







## URBAN DISTRICT COUNCIL OF PADIHAM.

-----

ANNUAL REPORT

of the

SANITARY INSPECTOR AND

CLEANSING

SUPERINTENDENT

for the

YEAR ENDING DECEMBER 31st, 1955.

FRANK HEWITT., A.P.San.I., M.S.I.A.

Sanitary Inspector and Cleansing Superintendent.

\*

### ANNUAL REPORT OF THE

SANITARY INSPECTOR AND CLEANSING SUPERINTENDENT. FOR THE YEAR ENDING 31st. DECEMBER, 1955.

# TO THE CHAIRMAN AND MEMBERS OF THE URBAN DISTRICT COUNCIL.

	A1.		and the same		
Mr.	Chairman.	Madam.	and	Gentlemer	1.

I beg to submit to you my Annual Report for the year 1955.

## 1. Inspection of District:-

(b) Number of complaints inv	estigated during the year: -	1
------------------------------	------------------------------	---

Choked street gullies.  Dampness.  Rat infestation.  Mice infestation.  Choked water closets.	35699974635
Burst water pipes	15

	TAKE OF THE OWNER OF THE OWN ROTHER OF THE PARTY.	
	Brought forward	257
	Defective tipper to waste water closets	1
	Broken water closet pan	1
	Flooded cellars	4
	Choked sewer.	3
	Defective sewer	1
	Defective eaves gutters	4
	Choked drain.	25
	Flies	-0
	Cockroaches	5
	Silver Fish	2
	Fleas	2
	Crickets	2
	Keeping of animals	3
	Defective roof	í
	Industrial dust,	2
	Smoke emission	1
	Defective drainage	3
	Dangerous buildings	5
	Insufficient sanitary accommodation	4
	Full dustbins	451 43625222312135436
	Dirty streets.	
	Offensive smells	9
	Accumulations of manure	77
	Dumping refuse	13
	Defective chimney.	
	Insufficient dustbins	2
	Dirty house	4
	Offensive dustbins	1
	Defective conveniences	34513
		-
		77.4
		714
		714
(0)		714
	defects and other conditions disclosed during the year	714 ear:-
NUISANCES.		714 ear:-
	defects and other conditions disclosed during the yearst walls, roofs, chimneys, etc.	714 ear:-
NUISANCES.	External walls, roofs, chimneys, etc.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates  Defective or dangerous chimney stacks  Dangerous walls.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates.  Defective or dangerous chimney stacks.  Dangerous walls.  Defective eaves gutter.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light.	714 Par:- 728 12234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.	
NUISANCES.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates.	
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe Defective or perished pointing Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Broken wall plaster.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Broken wall plaster. Broken or defective window frames.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Broken wall plaster. Broken or defective window frames. Broken window sash cords.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Broken wall plaster. Broken or defective window frames. Broken window sash cords. Broken window pane.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe. Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Broken wall plaster. Broken or defective window frames. Broken window sash cords. Broken window pane. Broken stone flag floors.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Proken wall plaster. Broken or defective window frames. Broken window sash cords. Broken window pane. Froken stone flag floors. Rotted floor-boards.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks Dangerous walls. Defective eaves gutter Broken rainwater fall pipe. Defective or choked rainwater fall pipe Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Broken wall plaster. Broken wall plaster. Broken window sash cords. Broken window pane. Froken window pane. Froken stone flag floors Rotted floor-boards. Defective treads to stairs.	728234121
i.	External walls, roofs, chimneys, etc.  Defective roof slates. Defective or dangerous chimney stacks. Dangerous walls. Defective eaves gutter. Broken rainwater fall pipe. Defective or choked rainwater fall pipe Defective or perished pointing. Defective sky-light. Broken air grates. Subsidence.  Windows, doors and floors, etc.  Broken ceiling plaster. Broken door frames. Defective floor boards in bedroom. Proken wall plaster. Broken or defective window frames. Broken window sash cords. Broken window pane. Froken stone flag floors. Rotted floor-boards.	

NUISANCES,	defects and other conditions disclosed during the year, nued):-	
iii.	Drainage and sewerage: -	
Statement of the state of the s	Choked drainage. Choked sewers. Defective drainage. Absence of flushing tank to water closet. Defective cistern to water closet. Choked water closet. Choked waste water closet. Burst service pipe to water closet. Broken flush pipe. Defective tippler. No grate to yard gully.	84512669511
iv.	General: -	
The state of the s	Ne rent book.  Defective firegrates.  Smoke emission.  Rodent infestation.  Dampness, general.  Accumulation of refuse.  Refuse bins, dilapidated.  Offensive state of refuse bins.  No ventilation to habitable rooms.  Seepage water in cellar.  Defective wiring of electricity.  No food store.  No facilities for cooking food.	1511535234144
(d)	Arising out of the above work, the following notices were served:-	
1.	Informal notices	243
ii.	Statutory notices - Public Health Act:-	
Ber	Section 39. Defective drainage.  " 45. Defective closet.  " 58. Dangerous building.  " 75. Regulation dustbins.	9372
	Housing Act.	
	Section 9. Repairs	1
11202	Factories Act.	
	Section 7. Sanitary Accommodation	2
2.(a)	DEFECTS, remedied and other improvements executed:-	
	Waste water closets cleared. Water closets cleared. Water closet pedestal renewed. New water closet installed. Water closet cistern repaired. Waste pipes repaired, etc. Burst water pipes repaired. External pointing carried out. Window sash cords repaired. Rain water pipes renewed, repaired or cleared. Rat infestation dealt with. Mice infestation dealt with.	631212025724

## DEFECTS, remedied and other improvements executed (continued):-

Drains repaired	2
Roofs repaired	3
Eaves gutters renewed, repaired or cleared	8
	275
Accumulations of refuse removed	417
W.W.C. converted to F.W.C	<sup>275</sup> 36
Closet compartments repaired	1 2
Waste water closet tippers re-newed or repaired	2
Electric wiring renewed	
	=
Houses closed	5
Houses demolished	
Internal ceiling plaster renewed	6
Internal wall plaster renewed	- 1
Drains cleared	
Wood floors repaired	
Window frames re-newed or repaired	
Cockreach infestations dealt with	5
Sky-light repaired	512
Dangerous walls dealt with	2
Dangerous chimney stacks dealt with	
	-
Sewers cleared	
Cesspits emptied	1
Sewer connections re-made	2
Doors repaired	
Dustbins provided or renewed	211
Distribute to the second of a second	
Disinfestations carried out	7.
Disinfections carried out:	16
Smoky chimneys dealt with	2
Dead animals removed	12
Offensive smells dealt with	
New water closets provided	5
New water crosses provided.	9 2 2
New wash hand basins provided	-

(b) Closet conversion:-	1947	1948	1949	1950	1951	1952	1953		1955	Total.
Applications approved.	8	15	9	15	21	14	35	32	40	189
Conversions completed.	3	9	7	18	14	10	25	36	36	158
Business premises.	-	-	1	-	-		-	-	-	1

The Council have now resolved that the grant of £7.10.0d., be extended to all premises in which foodstuffs are prepared for sale. Five such premises were dealt with during the year.

# 3.(a) FACTORIES AND WORKSHOPS.

### INSPECTIONS.

Premises.	Number Inspections.	of Written notices.
Factories with mechanical power.	28 50	Nil.

## FACTORIES AND WORKSHOPS. continued.

(b)	DEFECTS	found.
-----	---------	--------

Particulars.	Found.	Remedied.	Referred to H.M. Inspector.	Referred by H.M. Inspector.
Unsatisfactory Sanitary conveniences.	3	**************************************	Nil.	3

## CLASSIFICATION of Factories and Workshops:-

Abrasive wheel manufacturing	1
Abr. Crushing and Grinding	ī
Aluminium casting	ī
	1000
Bread and Confectionery	14
Boiled Sweets makers	2
Boot repairers and cloggers	7
Cotton Weaving etc	11
Cabinet makers	1
Clothing makers.	1
Clothing makers	
Corn grinding	1 2
Corn granding.	7
Dress-making, Milliners etc	311
Drysalter	1
Electrical generation	1
Electrical engineering	32
Engineering (Jobbing)	2
Fire-place makers	1
Gas appliances maker	1
Hospital clothing maker	
Iron founding	1 2
from founding.	
Joinery	4
Jute pulling	
Laundry	116
Mortar grounding	1
Motor vehicle repairer	6
Monumental mason	1
Minerals (Aerated) waters	1 2
Mop makers	1
	4
Printers	
Painters	4
Poultry plucking	1
Potato crisps,	1 2
Power owners	2
Photographers	1
Plumbers	4
Rag and Fent sorting	4
Reed makers	1
Salvage packing	ī
	1
Size makers	1
Tailors	
Tripe Dressers	1
Wadding (Laminated)	1
Wheelwright	1

- (d) 1. The number of Factories now in the register is .11.
  - 11. The number of workplaces now in the register is 69.
- (e) The number of bakehouses in the register is now 14.
- (f) To bring about closer co-operation between the local authority and H.M. Inspector of Factories, the Council now advise persons who submit plans for factory premises to consult H.M. Inspector of Factories as to whether the proposed lavatory accommodation etc., complies with legal requirements.

#### SHOPS ACT. 4.

(a)

CLASSIFICATION of shops as shown in Register.	
Book exchange	1
Brokers	4
Butchers	471543129214238422351
Cabinet Maker	1
Cafe	5
Chemist.	4
Clothier	5
Coal merchant.	7
Cooked foods	20
Confectioners	T3
Corn dealers	-
Cycle dealers	1
Draper.	14
Drysalter Dyers and Cleaners	7
Electrical Appliances.	3
Fancy Goods	0
Fire-range dealers.	4
Fish fryer.	10
Fish monger.	7
Furniture dealer.	2
Gas appliances	3
Green grocers.	17
Grocers	11
Hairdresser - Gents.	ス
Hairdresser - Ladies	36
Hardware	
Inn Keeper	10
Jeweller	2
Mineral-waters	2 2
Newsagent	7
Nursery Furniture	711
Optician	ī
Outfitters - Gents	4
	Ā
Off-Licence	12
Paint and Wall paper	7
Photographer	i
Petrol and Oil	3
Pet Shop	3
Pountry dealer	1
Potato Crisps	1
Potato Merchant	1
Radio Sales	2
Sanitary Ware	3
Stationers	4
Sweets and Tobacco	8
Timber Merchant	71331112348142
Tobacconist	4
Wines and Spirits	2
	-
In accordance with the policy laid down by	
County, limited inspectoral duties under the A	10
delegated to the Sanitary Inspector, and in fu	111
of these duties 606 visits were undertaken.	

(b) he are lment

#### 5. OFF ENSIVE TRADES: -

The following offensive trades are now in existance within the district:-

Tripe	Boiler							•								1
	Maker.															1
Fish	Fryers.														1	2

The various premises have been inspected on 31 occasions.

As there is still no evidence of the local rag dealer doing any business in bones, the premises are not included in the list of offensive trades.

Byelaws made under Section 108 of the Public Health Act, 1936, by the Council for the regulation of offensive trades, business, or manufacturers, and the trade or businesses of fish frying, now apply in the district.

The trades affected are: -

Blood boiler and dryer.
Tallow melter, fat melter or fat extractor.
Tripe boiler.
Glue maker and Size maker.
Rag and Bone dealer.
Fish Fryer.

## 6. Common Lodging Houses.

There is one registered common lodging house in the district.

14 inspections were made during the year.

Three aged persons were removed to hospital, one case of Tuberculosis was admitted to hospital and one aged destitute person died on the premises.

# 7. PET ANIMALS ACT, 1952:-

Three persons have been licensed for the keeping of pets for sale.

## 8. FOOD AND DRUGS.

# (a) Slaughter Houses: -

(a) Dadagare		The state of the s				
Carcases and Offal		and c	ond emn ed	in whole	or 1	n part.
	Cattle Excluding C ows	Cows	Calves	& Lambs	Pigs	Horses
Number killed (if known)	39	195	18	1160	105	Nil
Number inspected	39	195	18	1160	105	11
All diseases except Tuberculosis & Cysticerci. Whole carcases condemned.	Nil	Nil	Nil	Nil	Nil	п
Carcases of which some part or organ was condemned.	13	12	11	187	1	п
percentage of the number inspected affected with disease other than T.B. and cysticerci.	33.3%	6.1%	п	16.1%	-9%	п
Tuberculosis only: Whole carcases condemned	Nil	Nil	Nil	Nil	Nil	п
Carcases of which some part or organ was condemned	3	18	11	11	n	п
Percentage of the number inspected affected with tuberculosis	7.7%	9.2%	п	11	11	п
Cysticercosis Carcases of which some part or organ was condemned	Nil	Nil	Nil	Nil	Nil	п
Carcases submitted to treatment by refrigeration	11	11	11	ıı	п	11
Generalised and totally condemned	п	11	11	IT	п	11
	THE RESERVE OF THE PERSON NAMED IN					

There were no cases of Cysticercus Bovis.

## Carcases and Offal inspected and condemned in whole or part (continued).

### ORGANS CONDEMNED.

Cows	Liver	37.		Liver	9.	Sheep Liver	174.
11	Lung	22:	11	Lung	4:	" Lung	13.
11	Stomach	1.	11	Head	4:		
			11	Heart	1.		
			11	Mesentery	1.	Pig Lung	1.

## ii. Slaughter of Animals (Amendment) Act. 1954.

The Slaughter of Animals (Prevention of Cruelty)
Regulations, 1954 and the Slaughter of Animals (Prevention
of Cruelty) (No. 2) Regulations, 1954, have been brought
into operation.

Ten persons applied for and were granted licences to slaughter animals.

(b) THE FUELIC HEALTH (Meat) Regulations, 1924.

No contraventions were observed during the year.

## (c) Milk and Dairies: -

The following registrations and licensing matters were dealt with during the year:-

					as Distributors of Milk.	44
					use Special Designation "Tuberculin Tested".	8
Number	of	dealers	licensed	to	use Special Designation "Pasteurised".	12
Number	of	persons	licensed	to	use Special Designation "Sterilised".	10
			Tot	tal	number of approvals.	80

# (d) Food preparation, etc.

Regular visits were made to food preparing premises, and it is a pleasure to report that it has not been necessary to make any official representation.

The following is the state of registered premises: -

Number of premises registered for sale or manufacture of ice-cream.

Number of premises registered for preparation or manufacture of Sausage or Potted, Pressed, Pickled or Preserved Food.

Total number of registrations during the year.

45

Bye-laws under Section 15 of the Food and Drugs Act, 1938, for securing the observance of sanitary and cleanly conditions and practices in connection with the handling, wrapping and delivery of food sold or intended for sale for human consumption and in connection with the sale or exposure for sale in the open air of food entended for human consumption, now apply.

Washing facilities with soap, towel, and hot water, have been made available for all renters of market stalls.

## e) FOODSTUFFS: -

The following foodstuffs were examined, condemned for original use, surrendered for disposal and destroyed:-

						Cwt.	q.	lbs.	ozs.
1	x	1 1b.	Tin.	Rabbit.	Australia.			1	0
1		1 cwt.	Bag.	Peas, dried.	G.B.	1	0	0	0
1		13 oz.	Tin.	Peaches.	U.S.A.				0 13 0 13
1	x	1 1b.	11	п	South Africa.			1	0
1	x	13 oz.	"	Pears.	Australia.				13
1	X	1 lb.	п	Pears.	Maria Maria			1	0
1	x	1 1b. 1.13/16	1b. "	11	U.S.A.			1 11 23 1 2	13
1112	X	11.5/16	lb. "	Hem.				11	5
1	X	53 lb.		Porl.	Local.	5	0	23	0
1	X	1 lb.	"	Pears.	Northern Ireland.			1	0
2	X	11.5/16 53 lb. 1 lb.	11	Peaches.				2	0
1531112	X	14 OZ.		Tomatoes.	Italy.			0	14
15	x	8 oz.	11	Peas.	G .B.			2	0
13	X	7,0z.	11	Meat, Luncheon.	Denmark			2 1 5	3
1	X	5glbs.	11		Poland.			)	0
1	X	4 02.	"	Sardines.	Portugal.				4
1	. x	4,02.		Shrimps.	Norway.			77.	4
		6½ 1b.	11	Tongue, Ox.	Holland.			13.	0
721	X	1 1b.	"	Peas.	G.B.			1	1
12	x	le oz.	11	Peas.	II.			_	煮
1	x	8 ez.	11	Beans.	T CONTRACTOR OF THE PARTY OF TH			2	0
231	x	16 oz. 8 oz.	11	Soup, vegetable. Fruit Salad.	Ireland:			7	ä
13	X	16 oz.	11	Fruit Dalad.	England.			1	
	X		11	Dingennla	Malaya.			2 1 1 1	
1		16 oz.	11	Pineapple.	Australia.			-	035000405844004808
1	X	15 oz.	11	wilk evanorated	.Nerthern Ireland.	7.75		1	0
1		16 oz.	"	Steak.	il il il	1			8
8	X	16 02.	11	Steak.	Rep. of Ireland.			8	0
		6 lb.	11	Beef, corned.					0
4		1 1b.	11	Apricots.	South Africa.			24	0
1	. x	1 10.		mp110005.	Docon Arrives				
					HELF Doubleforn De	7	0	7	2
					-				

68 packages weighing 7 cwt. e qr. 7 lb. 2 oz.

# FOOD POISONING.

No cases of food poisoning were reported during the year.

# . Food Sampling.

13 samples of milk and 10 samples of ice-cream were taken and submitted to the Public Health Laboratory, Burnley, for Bacteriological and Biological tests. The results were as follows:-

Tubercle Bacilli. 13 samples of milk negative. phosphatase test. 1 " satisfactory.

(g) Food Sampling (continued).

Meth. Blue: -

11 samples of milk satisfactory, 2 unsatisfactory.
6 samples of ice-cream placed in grade 1: n 4. 11

56 samples of other foods including 34 of milk and those set out below were submitted to the County Analyst: -

2 Zinc ointment.

2 Ammoniated tincture of quinine.

1 Coffee.

1 Barley.

1 Bacon.

4 Jam.

I Fish, canned (Brisling in tomato).

1 Honey.

1 Beef sausage.

1 Dripping. 2 Fresh cream

1 Butter.

1 Custard powder. 1 Puffed wheat.

1 Marmalade pudding, canned. 1 Fig sponge pudding, canned.

All the above samples were reported by the County Analyst to be genuine with the exception of the following: -

Action Taken. Result of Analysis. Sample.

Ammonia 0.75% w/v. Deficient Vendor 1 Ammoniated tincture of 0.1% of the minimum amount communicated with. quinine. of ammonia.

1 Formal milk. Deficient 3.3% fat.

1 Fish, canned Tin blown and contents (Brisling in contained 310 parts per tomato). million of tin.

Suggested that further sample be obtained from same stock, but found

that there was no stock remaining.

Vendor notified.

1 Informal The Freezing point milk. indicated the presence of 1.1% of extraneous water.

Vendor cautioned and further sample obtained.

1 Formal milk. Deficient 11.6% and low Vendor notified. in solids-not-fat.

1 Formal milk. Deficient 3.3% fat.

1 Formal milk. The Freezing point indicated the presence of 1.0% of extraneous water.

Same vendor. Vendor cautioned and further samples obtained.

1 Formal milk. Deficient 1.6% fat.

Vendor notified.

# 9. DERATISATION AND DISINFESTATION.

## (a) Rodent Control: -

(a) Rodent Control:-						
2021 2021	Aut	Local hority.	Dwelling Houses Inc. Council Houses.	All other (including Business Premises).	Total of Cols.(1) (2)&(3)	Agri- cultural.
i. Numbe prope Local Distr	rties in Authority	4	3614	363	3981	14
inspe	r of orties octed as a ct of:- etification		79	8	87	
	urvey under the Act.	4		158	162	14
(0) 0	therwise.		201	302	503	
carri	inspections ed out ding aspections.	655	398	772	1825	28
inspe	erties ected which found to be sted with	4	43	8	55	
(b)	Mice.		10	4	14	
v. Number	er of infested erties treated ne L.A.	4	53	12	69	.23
carri	treatments les out re-treatments	14	61	27	102	
under	er of des served r Section 4 he Act.	Nil.	Nil.	Nil.	Nil.	Nil.
(b) Strue	tural .	п	2	п	2	11
in what action follows	er of cases hich default on was taken owing the e of a notice r Sect. 4 of Act.	Nil.	Nil.	Nil.	Nil.	Nil.
The same of the sa	l Preceedings.	Nil.	Nil.	Nil.	Nil.	Nil.
cont	er of 'block' rol schemes ied out.	Nil.	Nil.	Nil.	Nil.	Nil.

## 9. DERATISATION AND DISINFESTATION (Continued):-

(b) The technique advised by the Pest Control Division of the Ministry of Agriculture and Fisheries, was applied in all treatments, and when necessary, a change was made from sausage rusk bait and zinc phosphide poison, to damp bread mash bait, and arsenic exide poison. Warfarin is now frequently used as a bait.

The North East Lancashire Advisory Committee held one meeting during the year.

## (o) DISINFESTATION: -

Eight premises were dealt with for vermin; five for cockroaches, two for fleas and one for crickets. The refuse tip at Lumb Wood was periodically dusted with D.D.T. powder to ensure cockreach and cricket control.

## 10. INFECTIOUS DISEASES:-

The following table gives the number of notifications of infectious diseases and of cases removed to Isolation Hespital.

Disease.	Notified.	Removed to hospital.
Scarlet Fever.	15 191	2
Measles.	191	
Whooping Cough. Chicken Pox.	. 3	
Tuberculosis:-		
Respiratory.	4	3
Non-respiratory.	1	1

16 premises were disinfected by spraying after infectious diseases.

## 11. HOUSING: -

(a) Number of new houses erected during the year. 38 (b) Number of houses erected under the various acts:-

i.	Housing	Act:	1919.	31
ii.	Housing	Act:	1923/24:	170
iii;	Housing		1930/36.	170 228
iv.	Housing		1936/46:	21
v .	Housing		1946/51.	228
				The state of the s
3				678
				-

## (c) Overcrowding:-

No overcrowding, as set down in the Housing Act, was observed during the year although seven cases of complaints by tenants were submitted to the Committee.

HOODING (OCH OTHOGA):-	H	ous	ING	(centinued)	:-
------------------------	---	-----	-----	-------------	----

		No. or
	Repairs:-	Houses.
1 77 \	Dendered fit - informal sation	64

- (v) Public Health Act.
  Defects remedied By owners.

  By L.A.

  Nil.
- (vi) Housing Act, 1936.
  (a) Made fit (Sections 9,10,11 and 16) By owners. 2
  (b) " " By L.A. 1
- (vii) One certificate of disrepair was issued and later rescinded on completion of the necessary work.

## (viii) Detailed list of houses dealt with.

Address.	Order.	Persons affected.
16 Adamson Street. 19 North Street. 21 North Street. 23 North Street. 70 Station Road. 4 Finch Street. 6 Finch Street. 8 Finch Street. 2 Tattersall Street. 12 Ightenhill Street. 3 Dove Street. 9 North Street.	Section 11. "" "" "" "" "" "" "" "" "" "" "" "" ""	2 adults. 3 children.  1 " 1 " Vacant house.  2 adults. 2 adults. 3 children. 2 " 3 " 1 " Vacant house.  1 adult.

# 12. SOCIAL WELFARE: -

The Health Department continues to be available for liason work. The principle activity has been to provide contact with the Home Help Organiser. Eleven cases were dealt with.

Three cases of aged persons needing care were investigated, and passed on to the proper authority and were eventually admitted to hospital

# 13. SMOKE OBSERVATIONS: -

A cinema show was organised to stimulate interest in smoke abatement. Although all persons concerned in this subject were invited, the attendance was very poor.

The "Clean Air Bill" is still being considered by Parliament.

- 14. RAG FLOCK AND OTHER FILLING MATERIALS ACT, 1951:
  Both firms previously operating from licensed premises have not applied for renewal of their licences.
- 15. HEATING APPLIANCES (FIREGUARDS) ACT, 1952,No contraventions observed.

### 11. HOUSING (continued):-

The following list does give a complete picture of the housing demands for the district :-

In Lodgings.	Padiham.	Out of District.	Total.
Man & Wife - No Children. Man & Wife - One Child. Man & Wife - Two Children. Man & Wife - Three Children. Man & Wife - Four Children.	21 24 10 2 1	15 4 - 1	36 28 10 2
The state than one of	58	20	78
Tenants of Houses.	Padiham.	Out of District.	Total.
Man & Wife - No Children. Man & Wife - One Child. Man & Wife - Two Children. Man & Wife - Three Children. Man & Wife - Four Children. Man & Wife - Five Children. Man & Wife - Six Children. Man & Wife - Eight Children.	51 69 87 30 7 5 2 1	10 17 14 11 1 -	61 86 101 41 85 2
Midealar Danson L. Danson			305
In Lodgings. Tenants of Houses.	6 115 121	3 19	9 134 143
	Jan tranga	Grand Total	526

Housing development in hand at the end of the year was: -

St. Johns Rd., No. 4 Scheme - 4 aged persons bungalows. St. Johns Rd., No. 5 Scheme - 18 two bedroom type houses. St. Johns Rd., Eight semi-detached houses. Grove Lane. One bungalow. i. ii. iii.

iv.

(d)	Demolition and Closing Orders.	Numb	er of Persons displaced.
(i)	Housing Act 1936.	nerella p	
	(a) Demolished. Section 11. (b) Closed - undertaking- still in force. (c) Part closed - Section 12.	Nil.	Nil.
(ii)	Housing Act 1949.		
	(a) Closing Orders. Section 3 (1) (b) Demolition Orders. Section 3 (2)	Nil.	Nil.
(iii)	Local Government (Miscellaneous Provisions) Act, 1953.		
	Closing Orders made under Section 10 (1)	Nil.	Nil.

## 16: ACCIDENTS IN THE HOME:-

Arising out of the report of the Standing Interdepartmental Committee on Accidents in the Home, one representative meeting was convened.

A policy of propaganda by displays of posters and the distribution of handbills was pursued.

## 17. REPORTS SUBMITTED TO THE COUNCIL: -

- (a) 12 monthly reports.
- (b) 7 reports relating to alleged overcrowding.

## 18. PUBLIC CLEANSING: -

(a) A fortnightly collection service has been maintained throughout the year except on the occasions where there have been breaks for holiday periods and bad weather.

The policy of urging householders to report full ashbins has met with a degree of success. The number of reports increased from 66 in 1954 to 313 in 1955.

Routine in the collection service has been maintained. The number of loads of domestic refuse dealt with are indicated in the following table:-

Table 1.	Ne of loads Collected.	Approximate weight in Tons.
1946 1947 1948 1949 1950 1951 1952 1953 1954 1955	1,742 1,592 1,607 1,657 1,665 1,665 1,655 1,672 1,657	Not recorded. 2,796 2,716 2,709 2,905 2,950 3,092 3,016 3,310 3,113

## (b) TRACE REFUSE: -

The weekly service for the collection of clinkers from bakehouses, trade premises, schools, chapels, and workshops, has been maintained. 845 loads of refuse weighing approximately 1,124 tons was removed.

604 calls were made for the removal of extraneous materials from domestic and trade premises.

## (c) REFUSE DISPOSAL .-

The controlled tip activities continued satisfactorily, and none of the fears regarding rat infestation, nuisance from smells, and the inadequate disposal of organic matter, have materialised. The following table shows the number of loads of refuse dealt with:-

Table 11.	1950.	1951.	1952.	1953.	1954.	1955.
Number of loads of household refuse deposited on tip.	1,644	1,665	1,680	1,635	1,672	1,657
Number of loads of other refuse deposited on tip.	2,328	2,274	1,989	1,783	1,961	1,690
	3.972	3,939	3,669	3,418	3,533	3,347

## 18. PUBLIC CLEANSING (centinued);-

Damage on the tip by trespassers, is less of a problem and source of worry than in previous years. A steady diminution of this trouble is evident now the tip faces are becoming less accessible.

## (d) STREET SCAVENGING: -

The scavenging of streets is carried out by a mechanical street sweeper and two men with bins and hand trucks.

The mechanical road sweeper has been in use for the full year and its practical value is now beyond doubt a qualified success. 323 tons of "sweepings" were collected.

The more efficient road sweeping service has been maintained at a lower cost than by manual sweeping method.

The gullying machine has maintained a steady routine. The cleansing cycle is as follows:-

- i. Mains at six weeks intervals.
- ii. District Roads (frontages). at 12 week intervals.
- iii. District Roads (back streets). at 16 week intervals.

## (e) URINALS AND PUBLIC LAVATORIES:-

The two urinals and three public lavatories were cleansed daily throughout the year. The Cleansing standard has been maintained resulting in fewer complaints. New lighting has been installed in the Station Read Ledies conveniences.

## (f) TRANSPORT: -

The departmental transport has functioned without serious breakdown, except in the case of the mechanical sweeper which developed a defect in the transmission.

Minor defects in the refuse collecting trucks are now occurring at more frequent intervals.

# 19. SALVAGE: -

The price of waste paper rose from £7.10.0d., to £8. 10. 0d., and fell again to £8. 0. 0d., per ton.

2,150 bales of waste paper were packed and dispatched as against 1,690 for the previous year, an increase of 460 bales.

Table iii. TONNAGE COLLECTED: -

Year.	Paper.	Textiles.	Scrap.		
1941 1942 1943 1944 1945 1946 1946 1947 1948 1951 1952 1953 1954 1955	Paper.  T. C. Q.  52. 5. 2. 49. 4. 1. 44. 12. 1. 39. 17. 0. 27. 11. 2. 28. 8. 0. 68. 2. 3. 92. 17. 2. 117. 5. 0. (Prize) 91. 7. 3. 114. 9. 2. (Prize) 94. 18. 3. 115. 12. 3. 149. 6. 1.	Textiles.  13. 5. 2. 10. 12. 1. 10. 4. 0. 4. 1. 3. 11. 9. 1. 10. 4. 1. 6. 1. 2. 9. 14. 2.	Scrap.  6. 12. 2. 8. 14. 1. 8. 12. 3. 2. 8. 0. 8. 7. 1. 3. 16. 2. 3. 11. 0.		

Table iv. REVENUE FROM SALVAGE SINCE INCEPTION: -

Period.	Total.	Yearly average.			
1941/1950. (10 years)	£5900.	£590·.			
1951/1955. (5 years)	£6268.	£1253.			
1955. (1 year)	£1523.	£1523.			

It appears that the peak of waste paper sales income has been reached and that a decline in prices will occur in the near future.

Table v. REVENUE FROM SALVAGE FOR 1955 COMPARED WITH 1954.

	1954•					1955•						
	· <u>T</u> .	0.	Q.	£.	s.	d.	T.	C.	Q.	£. s.	d	
Waste Paper.	149.	6.	1.	976.	8.	2.	173:	17.	3:	1447.0.	11	
Textiles.	9.	14:	2.	72:	1.	6.	7:	16.	3.	54:17:	3	
Black Scrap.	4.	16.	0.	16:	17:	11.	3:	11:	0.	5: 8:	6	
Scrap tin.	17.	0.	0.	8.	10:	0.	15.	0.	0.	7.10.	0	
Scrap Alum.		6,	0.	17.	0.	0.		3.	0.	8. 4.	6	
	181.	3.	1.	1090.	17.	7.	200.	8.	2.	1523. 1.	2	
	-		-	-		-		-	-	-		

## 20. APPRECIATION: -

Again I would like to express my sincere thanks to the Chairman of the Council, the Chairman of the Health Committee, the Clerk of the Council, the Medical Officer of Health, and members of the staff who have assisted me in so many ways in carrying out the many duties of the office.

I am,

Gentlemen.

Your obedient servant.

+ Newill

A.R.San.1., M.S.I.A.

Sanitary Inspector and Cleansing Superintendent.

