#### [Report 1906] / Medical Officer of Health, Riccall R.D.C.

#### **Contributors**

Riccall (England). Rural District Council.

#### **Publication/Creation**

1906

#### **Persistent URL**

https://wellcomecollection.org/works/vkd4qrqx

#### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution, Non-commercial license.

Non-commercial use includes private study, academic research, teaching, and other activities that are not primarily intended for, or directed towards, commercial advantage or private monetary compensation. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



# ANNUAL REPORT

UPON THE

# Public Health and Sanitary Condition

OF THE

## RICCALL RURAL DISTRICT

FOR THE YEAR 1906,

BY

### BERNARD STEDMAN,

M.D. (Lond.), D.P.H. (Camb.),

MEDICAL OFFICER OF HEALTH.

Belby :

H. M. SPENCER, PRINTER, BOOKSELLER, ETC.

1907.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

#### A RICCALL KO

### RURAL DISTRICT COUNCIL.

. OXXO.

### \* ANNUAL REPORT >

UPON THE

### Public Health and Sanitary Condition for 1906.

GENTLEMEN,

I have pleasure in submitting to you my Annual Report upon the Public Health and Sanitary Condition of your district for the year 1906.

#### BIRTHS.

Seventy-nine births were registered, giving a birth rate of 24.7. This is the lowest rate since 1900, and is three per thousand below the average.

The birth rate for the Rural Districts of England and Wales in 1906 was 26.3.

#### DEATHS AND DEATH RATE.

Thirty-eight deaths occurred in the district, and four persons belonging to the district died in Public Institutions outside. The death rate is 13.1, which is 2.6 below the average rate for the last ten years, and two per thousand below that of the Rural Districts of England and Wales in 1906.

Nine of the deaths were children under one year of age, which gives an infantile mortality (rate per thousand births) well below the average.

Of the deaths from ordinary infectious diseases two were in one family from diphtheria and one from typhoid fever. No deaths of infants occurred from diarrhœa, measles, or whooping cough.

Five deaths were registered from consumption.

#### INFECTIOUS DISEASES.

Three cases of scarlet fever occurred in a house at Riccall in January. In August one was notified at South Duffield, and the following month one at North Duffield. These were all isolated at home.

In November three children were reported from a house in Riccall and removed to Hospital. A week later two cases occurred at another house in the village. These were probably infected from one of the former children, as they had been playing together.

A case of typhoid fever occurred in a child at Barlby in June and proved fatal. A month later another child in the same house was notified, doubtless having contracted the complaint from the first case.

In July a young man was notified at North Duffield and removed to Hospital. The illness in this case was slight, and the examination of the blood gave a negative result.

#### DIPHTHERIA.

Four cases were reported in Barlby Parish during the summer, three of which were removed to Hospital. All these children probably got the complaint from Selby, where they attended school; the disease being prevalent in the town at that time.

Early in October a case occurred at Kelfield, but was not attended by a medical man, and so escaped notification. On the 22nd an inquest was held upon a child who had died in the same house, and the cause of death found to be diphtheria. The following day, with a medical practitioner, I visited the house, and found two children and a young man ill in addition to the first case (a girl), who was now suffering from diphtheritic paralysis.

This girl and the two children were taken to Hospital, the man being too ill to remove. Three days later the mother commenced and was removed to Hospital with her son.

There has been no epidemic of measles or whooping cough, nor has any death from these diseases been recorded during the year.

#### PHTHISIS OR CONSUMPTION.

Five deaths have occurred.

Patients suffering from the disease in an early stage are now admitted into the consumptive block at the Selby Isolation Hospital for a period not exceeding six weeks. By this means they not only gain the advantage of Hospital treatment but are taught to live in such a manner as to reduce to a minimum the danger of infection to those around them.

All spitting, except into spitoons or handkerchiefs, is strictly forbidden in Hospital.

The treatment consists of (1) abundance of fresh air, (2) plenty of good plain food, and (3) rest.

All these could be obtained in an ordinary dwelling house if a person had the necessary means.

Unfortunately many patients are apt to fall back after a time at home. It is, however, hoped that the other inmates of the house will have greater security from infection, and thus justify the Hospital expenditure.

I should add that these patients are kept in Hospital free of charge.

#### ISOLATION HOSPITAL.

Early in the year an arrangement was made with the Selby Isolation Hospital Committee for admission of cases from this district. In August arrangements were made to admit cases of phthisis.

The total number of patients removed to Hospital has been thirteen—eight being diphtheria, three scarlet fever, one typhoid, and one phthisis. One hundred and thirty yards of new sewer were laid at Riccall for the drainage of five houses.

At North Duffield 160 yards were laid for two houses, the sewage from which had been the cause of nuisance for several years.

Owing to a large quantity of hot water being discharged into the sewer on Barlby road complaints were made of the smell from open manholes, especially those near the houses. A ventilating column has been erected and four manhole covers closed.

There are twelve registered cow keepers in the district, half of them being in Barlby Parish. Two send their milk out of the district, the others retailing it in small quantities to their neighbours.

The sheds generally are very fair and kept in good condition.

Six slaughter houses are in use. They have been inspected regularly and found in a clean and wholesome condition.

There are no work shops or work places in the district and no known outworkers. Two of the factories have recently been served with notice to provide sufficient sanitary conveniences.

Details of the sanitary work carried out is given in the Inspector's Report.

I am, Gentlemen,

Your Obedient Servant,

#### BERNARD STEDMAN,

M.D. (London), D.P.H. (Camb).

#### RICCALL RURAL DISTRICT COUNCIL.

### INSPECTOR'S REPORT

For the Year ending December 31st, 1906.

Number of Inspections made				 	210
Number of Nuisances found				 	77
Number of Notices served				 	10
New Sanitary Drains laid by	Private	Owner	rs	 182	yds.
Old Sanitary Drains re-laid by				 58	,,
Water Courses cleansed by Pr				 588	,,
New Sewers laid by Sanitary				 299	,,
Old Sewers re-laid by Sanitar				 45	,,
Water Courses cleansed by S	•		ritv	 1356	,,
New Brick Wells				 	I
New Tubes and Bored Wells				 	I
Old Wells cleansed				 	7
New Pumps				 	4
Pumps repaired				 	5
New Privies and Ashpits built				 	8
Old Privies and Ashpits repai				 	5
D				 	4
Privies converted into Box Cl				 	2
New Urinals to Licensed Hou				 	2
Cesspools cleansed by District				 	162
Cesspools cleansed by Private				 	75
New Cesspools built				 	13
N. C. W.				 	20
C 111 1 1				 	95
Pigstyes removed from houses				 	5
Rooms Disinfected after Zyme				 	12
Plans for New Houses and Bu				 	9
Inspections of New Buildings				 	23
Number of Slaughter Houses				 	6
Inspections of Slaughter House				 	12
Canal Boats inspected				 	8
Cow Sheds inspected				 	28

### A. DOUGLAS,

Sanitary Inspector.

TABLE I.

Name of District, RICCALL RURAL. Vital Statistics of whole District during 1906 and previous years.

	_													
Nett Deaths at all Ages belonging to	the District.	Rate.*	17.8	15.0	19.3	15-7	16.4	9.91	16.4	6-11	15-2	12.5	15.7	13.1
Nett Dea	the Di	Number.	56	45	61	47	52	52	51	37	47	40	49	42
Deaths of	Residents	in Public Institu- tions be- yond the District.	1	1	1	5	4	5	00	1	5	1	53	4
Deaths of	Non- residents	registered in Public Institu- tions in District.	:	:	5	-	57	:	:	:	:	:	:	::
Total	Deaths	Institu- tions in the District.	:			:	:	:	:	;	:	:	:	:
District.	ages.	Rate.*	17.5	14.0	19.4	14.0	15.8	16.0	15.5	11.6	14.5	12.5	15.1	11.9
ered in the	At all ages.	Number.	55	44	62	43	50	50	48	36	45	39	1.1	38
Total Deaths Registered in the District.	ar of age.	Rate per 1000 Births registered.	133	160	188	115	155	118	143	59	122	63	126	114
Total De	Under 1 year of age.	Number.	12	13	17	10	11	111	=	20	=	1	111	6
	HS.	Rate.*	28.7	26.0	26.6	59.0	22.4	30.0	24.8	27.4	29.0	34.6	27.9	24.7
Demonso	DIR	Number.	06	81	85	87	11	93	11	85	06	111	87	7.9
	Popula-	estimated to Middle of each year.	3126	3126	3184	3000	3160	3100	3100	3100	3100	3200	3120	3200
		YEAR.	1896	1897	1898	1899	1900	1901	1902	1903	1904	1905	Averages for years 1896-1905	1906

\* Rates in Columns 4, 8, and 13 calculated per 1,000 of estimated population.

Area of District in acres) (exclusive of area covered by water).)

Total population at all ages Number of inhabited houses Average number of persons per house

3100) 734-At Census of 1901.

TABLE III.—CASES OF INFECTIOUS DISEASE NOTIFIED DURING THE YEAR 1906.—RICCALL RURAL DISTRICT.

Norietable Disease.         At all Ages.         At all I to 5.         At a			Cases Notified in whole District.	Votifie	D IN W	ногв Г	ISTRIC		No. of Cases Removed
At all Ages.       Under 1 to 5.       5 to 15 to 25 to 65 and up- 1.         Jox       1.	Notifiable Disease.			A:	r Ages	-Уван	· S		TO HOSPIT'L
box 9 6 2 1 anous Croup las 1 6 2 1 Fever 10 3 7 Fever 3 2 1 ng Fever 3 2 1 al Fever 3 3 15 3 1		At all Ages.	Under 1.	1 to 5.		15 to 25.	25 to 65.	65 and up- wards	The state of the s
eria 9 6 2 1  anous Croup las 10 3 7  Fever 3 2 1  al Fever 3 3 15 3 1	;								
anous Croup las 9 6 2 1 las 1	:								
Anous Croup las 1		6	-	:	9	23	1	:	∞
las     1      3     7         Fever     3      2     1        Fever     3      2     1        ng Fever       2     1        ed Fever           al Fever           als	Membranous Croup								
Fever       3       7		1	:	:	:	:	1:	1	
Fever       3        2       1          ng Fever        2       1          ed Fever             al Fever             als		10	:	00	1-	:	:	1:	69
Fever     3      2     1        ng Fever           ed Fever          al Fever          als          als									
al Fever al Fast 23 3 15 3 1		00	:	:	63	-	:	:	1
al Fever al Fever 23 3 15 3 1									
al Fever 23 3 15 3 1									
als 23 3 15 3 1									
23 3 15 3 1	:								
		23	:	63	15	က	-	1	12

Isolation Hospital—Selby Urban and Rural Joint Isolation Hospital at Selby.

TABLE IV.— Causes of, and Ages at, Death During Year 1906
Name of District, RICCALL RURAL.

				OINED A			
Causes of Drath.	All ages.	Under 1 year.	1 and under 5.	5 and under 15.	15 and under 25.	25 and under 65.	65 and upwards.
Small-pox							
Measles							
Scarlet fever							
Whooping-cough							
Diphtheria and							
Membranous Croup	2		***	2			***
Croup							
(Typhus							**
Fever Enteric	1			1			
Other continued							***
Epidemic Influenza							
Cholera							
Plague							***
Diarrhœa			***		***		
Enteritis					***		
Puerperal Fever							
Erysipelas		141					
Other Septic Diseases	1		1				
Phthisis (Pulmonary )	-			100000		1	1
Tuberculosis)	5	***		1	2	1	1
Other Tubercular )							
Diseases i	***	***	***	***	***		
Cancer, Malignant	9					0	1
Disease }	3	***	***	***	***	2	1
Bronchitis	2						2
Pneumonia	4					4	
Pleurisy					***		
Other Diseases of )		-				1	
Respiratory Organs						***	
Alcoholism	1						1
Cirrhosis of Liver )	1	***		***	***	***	1
Venereal Diseases							
Premature Birth		***		***	***		
Diseases and Accidents (							
of Parturition )			11		***		***
Heart Diseases	3		***	***	***	1	2
Accidents	**		***	***	***	***	***
Suicides	1			4.14		1	100
All other causes	19	9	2			3	5
433		-	- 0	-		10	10
All causes	42	9	3	4	2	12	12

In recording the facts under the various headings of Tables I., III., and IV., attention has been given to the notes on the Tables.

BERNARD STEDMAN, Medical Officer of Health.

# TABLE V.—RICCALL RURAL DISTRICT. INFANTILE MORTALITY DURING THE YEAR 1906. Deaths from stated Causes in Weeks & Months under One Year of Age.

	CAUSE OF DEATH.		Under 1 Week.	1-2 Weeks.	2-3 Weeks.	8-4 Weeks.	Total under I Month.	1-2 Months.	2-3 Months.	3-4 Months.	4-5 Months.	5-6 Months.	6-7 Months.	7-8 Months.	8-9 Months.	9-10 Months.	10-11 Months.	11-12 Months.	Total Deaths under One Year.
	( Certified		0			,	4				0			1					7
All Causes	Uncertified		3				*		i		2			1	1				7 2
	(Small Pox		-	-	-			-		-	-	-	-			-	-	-	
S. S.	Chicken-pox			***		2.01		**	***	***		•••	***			***			
nor	Measles							i.											
Common Infectious Diseases.	Scarlet Fever																		
DEC	Diphtheria: Croup					34													
	Whooping Cough																		
	( Diarrhœa, all form	S																	
Diarrheal Diseases.	Enteritis, Muco-enteriti																		
Diar	Gastro-enterit Gastritis, Gastro-	1														33			
	( Premature Birth	rh)																	
	Congenital Defects		1		***		1						**						1
50 mg	Injury at Birth		1	***			1							***					
Wasting Diseases.	Want of Breast-mi	lk }												1					-1
PA	Atrophy, Debility,	15	1			1	2		1		1								4
	(Tuberculous Men'		-17																
nlous ses.	Tuberculous Peri- tonitis: Tabes	1																	
Tuberculous Diseases.	Mesenterica Other Tuberculous																		
E.	Diseas	es																	
	Erysipelas																		
	Syphilis															1 . 7			
	Rickets																		
	Meningitis	. )																	
er ses	(not Tuberculous	3) 1												100					9
Other Causes.	Convulsions	***	1																3
-0	Bronchitis	***		***	***					2.50	***	200	1000	800	• • •	***	***		
	Pneumonia	***		***										000		2.13	560		
	Suffocation, overlay	ring																	
	Other Causes			111															
		180000	700		_		-			-			-			-			-
			3			1	4		1		2			1	1				9

District of Riccall Rural. Population (estimated to the middle of 1906), 3,200. Births in the year:—legitimate, 77; illegitimate, 2. Deaths in the year of legitimate infants, 9; illegitimate infants, o. Deaths from all causes at all ages, 42.

