## [Report 1940] / Medical Officer of Health, Rotherham R.D.C.

#### **Contributors**

Rotherham (England). Rural District Council.

### **Publication/Creation**

1940

#### **Persistent URL**

https://wellcomecollection.org/works/h3hpv534

### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



ROTHERHAM
RURAL DISTRICT COUNCIL.

# ANNUAL REPORT

of the

Medical Officer of Health for the Year 1940

J. M. WATT, M.D., D.R.C.O.G., D.C.H., D.P.H.,
MEDICAL OFFICER OF HEALTH

L. A. RATELIPPE, PRINTER, ROTHERHAM



# ROTHERHAM RURAL DISTRICT COUNCIL.

# ANNUAL REPORT

of the

Medical Officer of Health for the Year 1940

J. M. WATT, M.D., D.R.C.O.G., D.C.H., D.P.H.,
MEDICAL OFFICER OF HEALTH.

L. A. RATCLIFFE. PRINTER. ROTHERHAM

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

# Summary of Statistics.

# ROTHERHAM RURAL DISTRICT.

| Area (acres)    |         |         |         |         |         |   | 28,739 |
|-----------------|---------|---------|---------|---------|---------|---|--------|
| Population—193  | 1 Cens  | sus (co | rrected | )       |         |   | 38,734 |
| Population—(Civ | rilian) | 1940    |         |         |         |   | 40,510 |
| Number of Inha  | bited   | House   | s, Cens | us, 19: | 31      |   | 8,673  |
| Number of Pers  | ons pe  | r Hou   | se, Cen | sus, 19 | 931     |   | 4.5    |
| Number of Fam   | ilies o | r sepai | rate Oc | cupier  | s (1931 | ) | 9,206  |

| Years                                      | 1940            | 1939     | Mean of<br>1929–38 | Mean of<br>1919–28 |
|--|-----------------|----------|--------------------|--------------------|
|  | and the same of |          |                    | 1                  |
| Population (Registrar-General, 30th June)  | 40,510          | 40,603   | 40,057             | 37,931             |
| Number of Inhabited Houses (31st December) | 11,157          | 11,114   | 9,706              | 7,639              |
| Rateable Value                             | €156,812        | £153,520 | ₹158,145           | £229,399           |
| Sum represented by a Penny Rate            | ~<br>≠603       | 4593     | €589               | 7942               |
| Births—Number                              | 783             | 845      | 804                | 1,037              |
| Rate per 1,000 population                  | 19.3            | 20.8     | 20.0               | 27.2               |
| Ditto England and Wales                    | 14.6            | 15.0     | 15.2-              | 19.5               |
| Illegitimate Births per 1,000 Infants born | 46              | 38       | 38                 | 41                 |
| Deaths—Number                              | 443             | 385      | 411                | 424                |
| Nett Rate per 1,000 population             | 10.9            | 9.5      | 10.3               | 11.1               |
| Corrected Rate for age and sex, etc        | 13.4            | 11.7     | 11.8               | †11.0              |
| Death Rate England and Wales               | 14.3            | 12.1     | 12.1               | 12.3               |
| NFANTILE MORTALITY—per 1,000 Births        |                 | 54       | 76                 | 90                 |
| England and Wales                          | 55              | 50       | 61                 | 75                 |
| Illegitimate Infants                       | 0.0             | 31       | 110                | *                  |
| Deaths under 1 year                        | 42              | 46       | 61                 | 95                 |
| PRINCIPAL CAUSES OF DEATH-                 |                 |          | 1                  |                    |
| Pulmonary Tuberculosis                     | 13              | 14       | 19                 | 21                 |
| "Other" Tuberculosis                       | 6               | 4        | - 5                | 10                 |
| Influenza                                  | 7               | 5        | 12                 | 16                 |
| Pneumonia                                  | 24              | 29       | .33                | 50                 |
| Bronchitis                                 | 47              | 12       | 17                 | 34                 |
| Cancer                                     | 62              | 56       | 45                 | 30                 |
| Intra-Cranial Vascular Lesions (Cerebral   |                 |          |                    | a .                |
| Hæmorrhage)                                | 36              | 20       | 18                 | *                  |
| Heart Disease                              | 80              | 76       | 67                 | 31                 |
| Acute and Chronic Nephritis                | 9               | 3        | 9                  | 8                  |
| Seven principal "Zymotic" Diseases         | 10              | 13       | 23                 | 32                 |

<sup>\*</sup> Figures not available.

# SUMMARY OF STATISTICS—continued.

| Years                                    | 1940       | . 1939 | Mean of<br>1929–38 | Mean of<br>1919–28 |
|--|------------|--------|--------------------|--------------------|
| DEATH RATES PER 1,000 POPULATION FROM-   |            |        |                    |                    |
| Pulmonary Tuberculosis                   | 0.32       | 0.34   | 0.47               | 0.55               |
| "Other" Tuberculosis                     | 0.15       | 0.10   | 0.12               | 0.26               |
| Seven principal "Zymotic" Diseases       | 0.25       | 0.32   | 0.57               | 0.85               |
| Influenza                                | 0.17       | 0.12   | 0.30               | 0.43               |
| Pneumonia                                | 0.59       | 0.71   | 0.83               | 1.31               |
| Bronchitis                               | 1.16       | 0.29   | 0.43               | 0.90               |
| Other Diseases of Respiratory Organs     | 0.17       | 0.05   | 0.10               | 0.14               |
| Cancer                                   | 1.53       | 1.37   | 1.12               | 0.80               |
| INFECTIOUS DISEASES—Cases Notified—      |            |        |                    |                    |
| Small Pox                                |            |        | 1                  | 11                 |
| Diphtheria                               | 43         | 18     | 63                 | 27                 |
| Scarlet Fever                            | 70         | 101    | 133                | 107                |
| Typhoid and Paratyphoid Fevers           | -          |        | 2                  | 5                  |
| Thirdingles                              | 13         | 11     | 18                 | 20                 |
| Ochtholmia Noonotomm                     |            | 3      | 3                  | 8                  |
| D' I D :                                 | 8          | 7      | 4                  | *                  |
| Dulmonom, Tuboroulogia                   | 21         | 23     | 48                 | 83                 |
| " Other " Tukennis                       | 9          | . 8    | 23                 | 43                 |
| Carabra Cainal Farray                    | 1          | 1      | 7                  | 1                  |
| 46                                       | 1          | 1      | ,                  |                    |
|  |            |        |                    |                    |
| 1,000 population—                        | 1.00       | 0.44   | 1 50               | 0.72               |
| Diphtheria                               | 1.06       | 0.44   | 1.58               |                    |
| Scarlet Fever                            | 1.73       | 2.48   | 3.30               | 2.71               |
| Typhoid and Paratyphoid Fevers           | 0.00       | 0.05   | 0.05               | 0.12               |
| Erysipelas                               | 0.32       | 0.27   | 0.46               | 0.53               |
| Puerperal Pyrexia                        | 0.20       | 0.17   | 0.10               | *                  |
| Pulmonary Tuberculosis                   | 0.52       | 0.56   | 1.20               | 2.18               |
| "Other" Tuberculosis                     | 0.22       | 0.20   | 0.58               | 1.13               |
| Cerebro Spinal Fever                     | 0.27       | 0.02   | 0.20               | 0.02               |
| Number of Deaths From—                   |            |        |                    |                    |
| Diphtheria                               | 5          | 1      | 8                  | 4                  |
| Scarlet Fever                            | 1          | _      | 1                  | 1                  |
| Typhoid and Paratyphoid Fever            | _          | -      | 1                  | 1                  |
| Erysipelas                               | -          | -      |                    |                    |
| Measles                                  | 1          | 1      | 4                  | 8                  |
| Whooping Cough                           | -          | 5      | 4                  | 6                  |
| Cerebro Spinal Fever                     | -          | _      | 4                  | ***                |
| DEATH RATES PER 1,000 POPULATION FROM—   |            |        |                    |                    |
| Diphtheria                               | 0.12       | 0.02   | 0.19               | 0.11               |
| Scarlet Fever                            | 0.02       |        | 0.03               | 0.02               |
| Typhoid and Paratyphoid Fever            | _          |        | 0.02               | 0.04               |
| Erysipelas                               |            |        | 0.01               | 0.00               |
| Measles                                  | 0.02       | 0.02   | 0.11               | 0.22               |
| Whooping Cough                           | 0.02       | 0.12   | 0.10               | 0.17               |
| Complete Sainel Faces                    |            | 0.12   | 0.11               | 0.01               |
| Percentage of Deaths per Cases Notified- | West State |        | 0.11               | 0.01               |
| TS: 1.0                                  | 11.6       | 5.5    | 13.3               | 13.5               |
| Coorlot Posson                           | 1.4        |        | 0.6                | 0.7                |
|  | 1.4        |        | 18.7               | 21.0               |
| Typhoid and Paratyphoid Fevers           |            |        | 18.7               | 21.0               |

<sup>\*</sup> Figures Not Available.

TABLE I.

Birth-rates, Death-rates, Analysis of Mortality, Maternal Death-rates, and Case-rates for certain Infectious Diseases in the year 1940.

|  | Rotherham<br>Rural<br>District                 | England<br>and<br>Wales | County Boroughs and Great Towns including London | Smaller<br>Towns<br>(Resident<br>Populations<br>25,000 to<br>50,000 at<br>1931 Census)   | London<br>Adminis-<br>trative<br>County |  |
|--|--|-------------------------|--|--|---|--|
|  | *Rat   | es per 1,0              | 00 Civilian 1                                    | AND RESIDENCE OF THE PARTY OF T |   |  |
| BIRTHS :—  |  |                         |  |  |   |  |
| Live<br>Still  | 19.3<br>0.84                                   | 14.6<br>0.55            | 16.0<br>0.64                                     | 15.7<br>0.55   | 13.7<br>0.44                            |  |
| DEATHS: All Causes   | 13.4   | 14.3                    | 15.8   | 12.8   | 17.8                                    |  |
| Typhoid and<br>Paratyphoid Fevers  |  | 0.00                    | 0.00   | 0.00   | 0.00                                    |  |
| Scarlet Fever  | 0.02   | 0.00                    | 0.00   | 0.00   | 0.00                                    |  |
| Whooping Cough   | 0.02   | 0.02                    | 0.02   | 0.02   | 0.00                                    |  |
| Diphtheria   | 0.12   | 0.06                    | 0.07   | 0.05   | 0.01                                    |  |
| Influenza  | 0.17   | 0.32                    | 0.29   | 0.30   | 0.18                                    |  |
| Smallpox   | _  | _                       | _  | _  |   |  |
| Measles  | 0.02   | 0.02                    | 0.02   | 0.02   | 0.01                                    |  |
| Notifications :  |  |                         |  |  |   |  |
| Enteric  |  | 0.07                    | 0.06   | 0.10   | 0.06                                    |  |
| Cerebro Spinal Fever   |  | 0.32                    | 0.33   | 0.29   | 0.28                                    |  |
| Scarlet Fever  | 1.73   | 1.63                    | 1.53   | 1.57   | 0.82                                    |  |
| Whooping Cough   | 0.64   | 1.34                    | 1.29   | 1.35   | 0.22                                    |  |
| Diphtheria<br>Erysipelas   | 1.06<br>0.32                                   | 1.16<br>0.33            | 1.29   | 1.21<br>0.30   | 0.61<br>0.35                            |  |
| Constlance   | 0.32   | 0.00                    | 0.36   | 0.30   | 0.33                                    |  |
| Measles  | 26 56  | 10.24                   | 9.23   | 9.99   | 1.78                                    |  |
| Pneumonia  | 1.18   | 1.20                    | 1.37   | 1.00   | 0.87                                    |  |
|  |  | Rates p                 | er 1,000 Liv                                     | e Births.  |   |  |
| Deaths under 1 year of age<br>Deaths from Diarrhœa and {<br>Enteritis under 2 years of { | 53   | 55                      | 61   | 54   | 50                                      |  |
| age  | 3.8  | 4.6                     | 5.9  | 4.4  | 5.8                                     |  |
|  | Rates per 1,000 Total Births (Live and Still). |                         |  |  |   |  |
| MATERNAL MORTALITY (Excluding Abortion): Puerperal Infection (No.                        |  |                         |  |  |   |  |
| 147)   | _  | 0.52                    | ]  |  |   |  |
| Others   | 3.67   | 1.64                    | Not avai   | lable  | 1527                                    |  |
| Total  | 3.67   | 2.16                    | )  |  |   |  |
| Notifications :<br>Puerperal Fever   |  |                         |  |  | 3.34                                    |  |
| Puerperal Pyrexia  | 9.79   | 11.96                   | 13.90  | 9.73   | 13.30<br>including<br>Puerpera<br>Fever |  |

<sup>\*</sup>A dash (—) signifies that there were no deaths.

## DIPHTHERIA IMMUNISATION. Number of children who received a full course of protective treatment against diphtheria during 1940 302 Number of children partially immunised ... 5 SCABIES TREATMENT. Number of cases treated for scabies as Out-patients at Swallownest Isolation Hospital during 1940 ... 30 NUISANCE INSPECTIONS. Nuisances in hand at close of 1939 18 Number of Nuisances during 1940 ... 1,170 Total requiring abatement ... ... 1.188 Preliminary Notices served during 1940—Informal 62 + 80 letters complied with ... 1.166 ... ... Statutory Notices served during 1940 3 complied with (2 in hand). 1 Total number of inspections in 1940 1,412 Nuisances in hand at close of 1940 22 DRAINAGE AND SEWAGE. Number of houses not connected to sewers 560 CLOSET ACCOMMODATION. Number of Privies with open middens ... 12 ... Number of Privies with covered middens ... 339 Number of Pan Closets 163 Approximate number of Water Closets 10.548 Number of Water Closets constructed for new houses 49 WATER SUPPLY. Number of Dwelling Houses on public supply ... ... 11,093 Number of Chemical Examinations Results—Satisfactory, 6; Unsatisfactory, Nil. Number of Bacteriological Examinations ... ... 17 Results—Satisfactory, 14; Unsatisfactory, 3.

| MILK SUPPLY.  |        |       |         |        |
|---|--------|-------|---------|--------|
| Number of cowkeepers in the District  | ***    |       |         | 156    |
| Total number of cowsheds  |        |       |         | 213    |
| Number of Milk Cows (approximate)   |        |       |         | 1,300  |
| Number of cowshed inspections   |        |       |         | 150    |
| Number of wholesale traders registered  |        |       |         | 115    |
| Number of retail milk sellers registered  |        |       | • • •   | 186    |
| MACROSCOPICAL EXAM  | INATI  | ONS.  |         |        |
| Number of samples examined macroscop  | ically |       |         | 21     |
| Results—Satisfactory  |        |       |         | 18     |
| Unsatisfactory  |        |       |         | 3      |
| FOOD AND DRUGS ACT  | 1038   |       |         |        |
| Milk. Drugs. Other  |        |       | To      | tal    |
| Gen. Ad. Gen. Ad. Gen.  |        |       |         | Ad.    |
| 114 9 3 — 9   | _      |       | 126     | 9      |
| As will be noted above, the 9 samples were all of milk.   | found  | to be | e adult | erated |
| The extent of adulteration in three that proceedings were instituted against regard to the remainder Cautions were necessary. | the V  | endo  | rs, and | l with |
| MILK (Special Designations) Orde  | rs 193 | 6 an  | d 193   | 8.     |

|             | LICE     | NCES I | N OPE  | RATION | IN 19 | 40.    |     |
|-------------|----------|--------|--------|--------|-------|--------|-----|
| Accredited  |          |        |        |        |       |        |     |
| Tuberculin  | Tested   |        |        |        |       |        |     |
| Ri          | ESULTS O | F BAC  | TERIOL | OGICAL | Ехам  | INATIO | NS. |
| Accredited- | _        |        |        |        |       |        |     |
| Satisfac    | ctory    |        |        |        |       |        |     |
| Unsatis     | factory  |        |        |        |       |        |     |
| Tuberculin  | Tested—  |        |        |        |       |        |     |
| Satisfac    | ctory    |        |        |        |       |        |     |
| Unsatis     | factory  |        |        |        |       |        |     |

Veterinary Inspections are carried out at least twice a year but no details of individual district inspections are given by the Ministry of Agriculture.

# MEAT INSPECTION.

| MEHT THOTEOTION.  |     |
|---|-----|
| DISTRIBUTING CENTRE (BRAMLEY).  |     |
| Number of inspections made at centre  | 137 |
| Number of inspections made of Farmers' and Cottagers' pigs  | 101 |
| Amount of meat (chiefly offals) condemned on account of either Flukes (Distomum Hepaticum) Cirrhosis or Necrosis lbs. | 236 |
| OTHER FOODS.  |     |
| Number of Bakehouses in District  | 8   |
| Total Number of Inspections   | 19  |
| SMOKE ABATEMENT.  |     |
| Number of observations made on chimneys by Inspectors of the Sheffield Rotherham and District Smoke Abate-            | 100 |
| ment Committee  | 123 |
| Trock discontinued July, 1940.  |     |

INFANTILE MORTALITY RATES, BIRTH RATES & DEATH RATES

ROTHERHAM R. D., WEST RIDING ADMINISTRATIVE COUNTY & ENGLAND AND WALES

FOR THE YEARS 1919 - 1940











