[Report 1953] / Medical Officer of Health, Rothwell (Northamptonshire) U.D.C.

Contributors

Rothwell (Northamptonshire, England). Urban District Council.

Publication/Creation

1953

Persistent URL

https://wellcomecollection.org/works/ak52u464

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



- Library

ROTHWELL URBAN DISTRICT COUNCIL



ANNUAL REPORT

of the

Medical Officer of Health

For the Year 1953

DALKEITH PRESS LIMITED, KETTERING.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

Urban District of Rothwell

Members of the Public Health Committee :

1953 - 54

Councillor T. Nichols (Chairman).

Councillors A. Boyce, H. Cross, J.P., R. L. Dainty,
K. H. Hickinbotham, F. T. Lee and F. J. W. West, C.C.

The Chairman and Vice-Chairman of the Council are ex-officio members.

Public Health Officers of the Local Authority:

Medical Officer of Health:

JOHN TERENCE MURPHY, M.B., B.Ch., B.A.O., D.P.H.

Also holds the appointments of Medical Officer of Health to the Urban Districts of Burton Latimer, Corby, Desborough, the Rural District of Kettering and Assistant Medical Officer of Health and Assistant School Medical Officer to the Northamptonshire County Council.

Surveyor and Sanitary Inspector:

A. SMITH, M.S.I.A., M.R.SAN.I., CERT.S.I.B.

Holds the Royal Sanitary Institute Certificate as an Inspector of Meat and other Foods.

Public Health Department,
75 London Road,
KETTERING,
May, 1954.

To the Chairman and Members of the Rothwell Urban District Council.

Mr. Chairman and Gentlemen,

I beg to present my annual Report on the health and sanitary circumstances of the Urban District for 1953.

The death-rate, infantile mortality rate and the incidence of infectious disease was satisfactory. There was one infant death occurring at five days, due to prematurity.

I wish to express thanks to the Chairman and Members of the Health Committee for their support and also to my colleagues for their help and co-operation during the year.

I am,

Your obedient servant,

J. T. MURPHY,

Medical Officer of Health.

SUMMARY OF VITAL STATISTICS

The following is a summary of the principal statistics for the years 1949, 1950, 1951, 1952 and 1953.

| | 1949 | 1950 | 1951 | 1952 | 1953 |
|--|-------|-------|-------|-------|-------|
| Area (acres) | 3,638 | 3,638 | 3,638 | 3,638 | 3,638 |
| Population (Registrar-General's | | | | | |
| estimate) | 4,677 | 4,671 | 4,584 | 4,649 | 4,692 |
| Number of Live Births | 75 | 50 | 67 | 58 | 67 |
| Legitimate | 73 | 48 | 66 | 57 | 65 |
| Illegitimate | 2 | 2 | 1 | 1 | 2 |
| Birthrate per 1,000 population | 16.03 | 10.70 | 14.61 | 12.48 | 16.41 |
| Number of Still Births | 1 | 2 | _ | 4 | 1 |
| Legitimate | 1 | 2 | _ | 4 | 1 |
| Illegitimate | _ | | - | - | _ |
| Rate per 1,000 total (live and still) | | | | | |
| births | 13.15 | 38.46 | _ | 64.52 | 14.71 |
| Rate per 1,000 population | 0.21 | 0.42 | - | 0.86 | 0.21 |
| Number of Deaths | 54 | 61 | 76 | 47 | 53 |
| Deathrate per 1,000 population | 11.54 | 13.05 | 16.58 | 10.11 | 11.30 |
| Death from Pregnancy, Childbirth and Abortion | | | | _ | _ |
| Infantile Mortality rate per 1,000 live | | | | | |
| births | 40.00 | 20.00 | _ | 17.24 | 14.93 |
| Neonatal Mortality rate per 1,000 live | | | | | |
| births | _ | _ | _ | 17.24 | 14.93 |
| *Deaths from all forms of Tuberculosis | 1 | 1 | 2 | 1 | _ |
| *Deaths from Pulmonary Tuberculosis | 1 | 1 | 2 | 1 | _ |
| Deaths from Malignant Neoplasms | 7 | 8 | 12 | 10 | 12 |
| Deaths from Measles (all ages) | _ | _ | _ | _ | _ |
| Deaths from Whooping Cough (all ages) | _ | - | _ | _ | |
| Deaths from Enteritis and Diarrhoea under two years of age | _ | _ | _ | _ | _ |
| Deaths from Acute Poliomyelitis and Polioencephalitis | _ | _ | _ | _ | _ |

^{*}Registrar-General's figures.

BIRTH-RATE, DEATH-RATE AND ANALYSIS OF MORTALITY DURING THE YEAR, 1953

| Still Alice Still Alice Alic | | Rate per 1,000 | 1,000 | | | Annu | al Death-ra | ite per 1 | Annual Death-rate per 1,000 Population | ion | | | Rate p | Rate per 1,000 live Births |
|--|--|--------------------|-----------------|--|---------------------------|--------------|---|-----------|--|------|---|------------------------------------|-------------------------------|---|
| Still A A A A A A A A A | | Popular | tion | s | P | | | S: -J | ezu | | ei ei lio- litis | sin | Diarr- | Total |
| 1.5 0.35 11.4 0.00 0.01 0.00 0.20 0.16 0.00 0.01 0.01 0.00 0.43 12.2 0.00 0.01 0.00 0.24 0.15 0.00 0.01 0.01 0.34 11.3 — 0.00 0.00 0.19 0.17 0.00 0.01 0.01 0.39 0.21 9.49 — — 0.00 — 0.24 0.15 — 0.01 0.01 0.15 0.01 0.01 0.15 0.01 0.01 | | | Still Births | All | Typhoio Para Typhoi | | Diph therio | Tubei | Influer | | Acut Polio myelii and Pol encepha | Pneumo | Enteritis under 2 years | Deaths under 1 year |
| 1.0 0.43 12.2 0.00 0.01 0.00 0.24 0.15 0.00 0.01 0.01 0.01 0.03 0.03 0.03 0.03 | | 15.5 | 0.35 | 11.4 | 0.00 | 0.01 | 0.00 | 0.20 | | 0.00 | 0.01 | 0.55 | 1.1 | 26.8 |
| 5.7 0.34 11.3 — 0.00 0.00 0.19 0.17 0.00 0.01 7.5 0.38 12.5 — 0.00 — 0.24 0.15 — 0.01 7.39 0.21 9.49 — — — — 0.64 — — 7.39 0.21 9.49 — — — — 0.64 — — 7.39 0.21 9.49 — — — — — — — 8-pregnancy, pregnancy, childbirth and the puerperium toxacmia puerperium toxacmia puerperium Abortion withand the puerperium childbirth and sepsis or sepsis or sepsis or childbirth toxacmia puerperium childbirth toxacmia puerperium childbirth toxacmia childbirth 0.04 0.04 | 160 County Boroughs and Great Towns (including London) | 17.0 | 0.43 | _ | 0.00 | 0.01 | 0.00 | 0.24 | - 13 | 0.00 | 0.01 | 0.59 | 1.3 | 30.8 |
| 7.5 0.38 12.5 — 0.00 — 0.24 0.15 — 0.01 7.39 0.21 9.49 — — — 0.64 — — — Sepsis of Abortion of pregnancy of | 160 Smaller Towns estd. resident populations, 25,000 — 50,000 | 15.7 | 0.34 | | 1 | 0.00 | 0.00 | 0.19 | | 0.00 | 0.01 | 0.52 | 6.0 | 24.3 |
| Sepsis of Abortion Sepsis of Chler toxaemias Haemorrhage Abortion with Chlidbirth and toxaemia puerperium Childbirth toxaemia puerperium Childbirth (Childbirth and toxaemia puerperium Childbirth (Childbirth and toxaemia puerperium Childbirth (Childbirth toxaemia toxaemia puerperium Childbirth (Childbirth toxaemia toxaemia Childbirth (Childbirth toxaemia toxaemia Childbirth (Childbirth toxaemia toxaemia Childbirth (Childbirth Childbirth (Childbirth Childbirth (Childbirth Childbirth (Childbirth Childbirth (Childbirth Childbirth (Childbirth (C | : | 17.5 | 0.38 | | 1 | 0.00 | 1 | 0.24 | | 1 | 0.01 | 0.64 | 1.1 | 24.8 |
| Sepsis of Abortion Other toxaemias Haemorrhage Abortion with- childbirth and toxaemia puerperium childbirth toxaemia 0.10 0.01 0.24 0.13 0.04 | Rothwell Urban District | 17.39 | 0.21 | er to a | 1 | 1 | 1 | 1 | 0.64 | 1 | 1 | 0.21 | 1 | 14.93 |
| Rothwell Urban District | The Maternal Mortality rate England and Wales per 1,0 (Live and Still) Births Rothwell Urban District | rates for 1,000 ns | | Sepsis of pregnancy childbirth sthe puerper 0.10 | | with oxacmia | Other toxi of pregrand the and the puerper | | Haemorrhage of pregnancy and childbirth 0.13 | | ion with- ention of ssis or acmia | Abortion with sepsis 0.06 | | Other compli- cations of Preg- nancy, child- birth and the puerperium 0.18 |

SECTION A. Statistics and Social Conditions.

| Area (acres) Registrar General's estimate of reside Number of inhabitated houses (end of | nt popula 1953) acco | ording to | 3,638 4,692 |
|--|-------------------------|---------------|----------------|
| Rate Book | | | 1,588 |
| Rateable Value | | | £21,731 |
| Sum represented by Penny Rate | | | £82 |
| The chief occupations of the in | habitants | are as follow | ws : |
| Boot and Shoe manufacture, ironston agricultural implements. | e mining | and manu | facture of |
| Extracts from Vital Statist | ics for the | Year: | |
| LIVE BIRTHS | Total | Males | Females |
| LIVE BIRTHS Legitimate | . 65 | 34 | 31 |
| Illegitimate | | | 1 |
| TOTALS | . 67 | 35 | 32 |
| Birth-rate per 1,000 of the estimated | populatio | n | 16.41 |
| STILL BIRTHS | Total | Males | Females |
| Legitimate | | 1 | |
| Illegitimate | | _ | _ |
| Totals | | 1 | |
| TOTALS | | | |
| Rate per 1,000 total (Live and Still) | Births | | 14.71 |
| DEATHS | Total | Males | Females |
| | 53 | 29 | 24 |
| Death-rate per 1,000 of the estimated re- | | | |
| Death-rate per 1,000 of the estimated po | pulation (| corrected) | 9.49 |
| Death from Pregnancy, Childbirth an Death-rate of infants under one year | | | _ |
| All infants per 1,000 live births | | | 14.93 |
| Legitimate infants per 1,000 legit | | | 15.38 |
| Illegitimate infants per 1,000 ille | | | 15.50 |
| Deaths from Measles (all ages) | | | _ |
| Deaths from Whooping Cough (all ag | res) | | _ |
| Deaths from Enteritis and Diarrhoea | (under tw | | |
| age) | | | _ |
| Deaths from Malignant Neoplasms | | | 12 |
| Deaths from Acute Poliomyelitis and | Polioence | phalitis | _ |
| | | | |

Deaths.—Comparability factor for 1953 was 0.84. The crude death-rate per 1,000 population for 1953 was 11.30 which multiplied by the comparability factor of 0.84, supplied by the Registrar General, gives a corrected death-rate of 9.49. This rate of 9.49 is the rate which, it is assumed, would be arrived at if the age and sex distribution of the population of Rothwell Urban District was distributed in the same proportion as that of England and Wales as a whole.

LIVE BIRTH RATES 1953

A comparability factor has been issued for 1953 by the Registrar General which allows for the different age and sex distribution of Rothwell and provides a basis for comparison with that of England and Wales as a whole.

| Rothwell | | | | | 16.41 |
|--------------|-------|-----------|--------|------|-------|
| Rothwell | | | | | |
| corrected by | compa | arability | factor | 1.06 | 17.39 |
| England and | Wales | | | | 15.5 |

INFANTILE MORTALITY RATES 1953

Infantile mortality is the number of deaths in children under one year of age per 1,000 live births. This is an indication of the environmental and social conditions of a community with special reference to housing, overcrowding, and maternity and child welfare.

Rothwell 14.93 England and Wales 26.8

The causes of deaths in children under one year of age with age and sex distribution are given in the following table:—

DEATHS OF INFANTS UNDER ONE YEAR OF AGE:

| A_{i} | | Caus | е | | | | |
|---------|---------------------|------------------|---------|-------|------|---------|-------|
| 5 da | iys M. | Prematurity. | | | | | |
| T | he registered cause | es of death wer | e as fo | llows | :- | | |
| | | | | M | ales | Females | Total |
| All | causes | | | | 29 | 24 | 53 |
| 1. | Tuberculosis, res | | | | - | - | _ |
| 2. | Tuberculosis, other | er | | | | _ | - |
| 3. | Syphilitic disease | e | | | - | - | |
| 4. | Diphtheria | | | | _ | _ | |
| 5. | Whooping Coug | | | | - | | |
| 6. | Meningococcal is | | | | _ | - | _ |
| 7. | Acute poliomyel | | | | - | - | _ |
| 8. | Measles | | | | _ | - | _ |
| 9. | Other infective : | and parasitic of | disease | S | - | _ | _ |
| 10. | Malignant neopl | asm stomach | | | 2 | _ | 2 |
| 11. | Malignant neopl | asm lung bron | chus | | - | _ | _ |
| 12. | Malignant neopl | asm breast | | | _ | 1 | 1 |
| 13. | Malignant neopl | | | | _ | | |
| 14. | Other Malignant | & lymphatic | neopla | sms | 7 | 2 | 9 |
| 15. | Leukaemia, aleu | | | | - | _ | _ |
| 16. | Diabetes | | | | _ | _ | - |
| 17. | Vascular lesions | of nervous sy | stem | | 1 | 5 | 6 |
| 18. | Coronary disease | e, angina | | | 2 | 9 | 11 |
| 19. | Hypertension wi | | | | | 1 | 1 |

| Registered causes of death—Continued. Males | Females Total |
|---|--|
| 20. Other heart disease 3 | 3 6 |
| 21. Other circulatory disease 1 | _ 1 |
| 22. Influenza 2 | 1 3 |
| 23. Pneumonia 1 | - 1 |
| 24. Bronchitis 2 | _ 2 |
| 25. Other disease of the respiratory system — | 1 |
| 26. Ulcer and stomach duodenum 1 27. Gastritis, enteritis and diarrhoea — | _ 1 |
| 28. Nephritis and nephrosis | 1 1 |
| 29. Hyperplasia of prostrate 3 | _ 3 |
| 30. Pregnancy, childbirth, abortion — | |
| 31. Congenital malformations — | |
| 32. Other defined and ill-defined diseases 4 | 1 5 |
| 33. Motor vehicle accidents — | |
| 34. All other accidents — | |
| 35. Suicide | |
| 36. Homicide and operations of war — | |
| SECTION B. General Provision of Health Services. | |
| (a) Laboratory Facilities.—Bacteriological e carried out by the Public Health Laboratory at Northe Laboratory of the Kettering General Hospital. The following specimens were examined:— Blood (Widal) Faeces (b) Ambulance Facilities.—The County Count for Ambulance Services. The St. John Ambulance I the service on behalf of the County Council for non-in- | thampton and by 1 8 cil is responsible Brigade carry out afectious cases. |
| (c) Nursing in the Home.—The County Count for the Home Nursing Service. | icil is responsible |
| (d) Treatment Centres and Clinics.—A Welfare Clinic is held twice monthly. A Medical Or session each month. Treatment of Tuberculosis and Venereal Diseas by the Regional Hospital Board. | fficer attends one |
| DIPHTHERIA IMMUNISATION | |
| The number of children who were immunise follows:— | d in 1953 is as |
| Under 5 years of age | 53 |
| 5 to 14 years of age | |
| and a second of the second of | |
| Total | 58 |
| D | |
| Boosters | 57 |

The number of children who had completed a full course of immunisation at any time up to the 31st December, 1953 is as

| Age at 31.12.53 U | nder 1 | 1 | 2 | 3 | 4 |
|-------------------|--------|------|-----------|------|-------|
| i.e. Born in Year | 1953 | 1952 | 1951 | 1950 | 1949 |
| Number immunised | 5 | 40 | 47 | 39 | 41 |
| Age at 31.12.53 | 5 - 9 | 9 | 10 - 14 | To | otal |
| i.e. Born in Year | 1944 - | 48 | 1939 - 43 | und | er 15 |
| Number immunised | 24 | 7 | 293 | | 712 |

WHOOPING COUGH VACCINATION

| | Under 1 | 1 - 4 | 5 - 14 | Total |
|--|---------|---------|--------------|--------|
| Whooping Cough only | 1 | 2 | _ | 3 |
| *Combined Diphtheria/ Pertussis | 20 | 30 | 1 | 51 |
| *The combined Diphthe figures for Diphtheria Imm | | figures | are included | in the |

VACCINATION

The following table gives the number of vaccinations undertaken during the year: —

| 8 , | Under 1 | 1 - 4 | 5 - 14 | 15 or over | Total |
|----------------|---------|-------|--------|------------|-------|
| Primary | 12 | _ | 2 | 5 | 19 |
| Re-vaccination | — | _ | | 1 | 1 |

National Assistance Act, 1948, Section 47.—No formal action was taken during the year.

SECTION C. Sanitary Circumstances of the Area:

SANITARY INSPECTOR'S ANNUAL REPORT

Water Supply.—The supply and distribution of water is now entirely managed by the Mid-Northants Water Board.

An adequate supply of water has been maintained by supplementing the local supply with water from Northampton via the Harrington main, and no reports of water shortage were received during the year.

Water Analysis.—Two samples of town's water were submitted to the Public Health Laboratory Service for bacteriological examination, with the report that both were "Very Satisfactory".

Kettering Road Area Supply.—Samples of water taken from the seven shallow wells on the properties around the Rothwell Lodge and Grange Farms, Kettering Road, were submitted for bacteriological examination, and all reports were unsatisfactory. All efforts made to persuade the Mid-Northants Water Board to provide a piped supply of water to the above area have so far been unsuccessful, but further efforts are being made to obtain a satisfactory supply of water.

Rainfall.—The figure during 1953 was 19.24 inches, which is the lowest recorded figure for 10 years, and incidently the same as in 1943.

| 1953 | 19.24 | ins. | 1949 | 23.72 | ins. | 1945 | 20.83 | ins. |
|------|-------|------|------|-------|------|------|-------|------|
| 1952 | 23.44 | ins. | 1948 | 28.77 | ins. | 1944 | 21.94 | ins. |
| 1951 | 29.97 | ins. | 1947 | 21.21 | ins. | 1943 | 19.24 | ins. |
| 1950 | 25.58 | ins. | 1946 | 25.94 | ins | | | |

Water Services.—New services were connected to 18 Council Houses, 8 Housing Society Houses and 7 private houses.

Public Swimming Bath.—The indifferent weather during the past summer caused a fluctuation in the number of bathers, which was slightly less than the previous year.

The bath water is chlorinated daily according to its use and the need for treatment, so as to maintain an average residual chlorine content of 1 part per million, which assures the purity of the water and causes no discomfort to the bathers.

Mr. R. Cross again carried out his duties of Bath Attendant with efficiency and enthusiasm, and was assisted by Mr. J. Norman, who attended the bath daily during the school holidays.

Between June and September, the following bathers paid for admission to the bath:—

| Boys | 1020 | | Men | 171 | | |
|--------|----------|-----|-------------|------------|-------|------|
| Girls | 912 | | Women | 82 | Total | 2185 |
| (a dec | rease of | 131 | bathers com | pared with | 1952) | |

SEWERAGE AND SEWAGE DISPOSAL

Extension of Sewers.—The 9 inch sewer in Meadow Road was extended through the new Harrington Road Housing Site with branches connected to Elizabeth Road and Edinburgh Close.

Sewage Disposal Works.—The National Gas Oil Engine which drives the sludge lifting pump is worn out and past repair, and caused a considerable amount of trouble during the year. The installation of electrical power and motors to drive the pumps is anxiously awaited.

Public Cleansing.—A weekly collection of house and trade refuse has been maintained excepting for holiday periods.

The Karrier Bantam refuse vehicle continues to give good service.

Controlled Tipping.—All household refuse is deposited in the Controlled Tip at Thorpe Underwood, and facilities are available for tradesmen to deposit their trade waste in the tip at moderate charges.

Salvage Collections.—The fluctuation in price and demand for waste paper during the year made the collection and disposal of this material rather uncertain, but the Thames Board Mills, even in extreme difficulties, kept to their contract and cleared all waste paper collected, which was 8 tons more than the previous year.

A toal of 56 tons 9 cwts. of waste paper was despatched to the mills during the year, bringing in a revenue of £377 as against £483

for 48 tons 11 cwts. in 1952.

| Annual Tonnage of | Was | ste Pa | per— | | |
|-------------------|-----|--------|-------|--------|------|
| | | | Tons | Crvts. | Qrs. |
| 1947 | | | 22 | 18 | 0 |
| 1948 | | | 52 | 9 | 1 |
| 1949 | | | 51 | 15 | 1 |
| 1950 | | | 54 | 0 | 1 |
| 1951 | | | 52 | 18 | 0 |
| | | | 0.000 | | |

SECTION D. Public Health and Housing Acts.

1952 ...

1953

Housing.—18 new houses were completed by the Council during the year, and a start was made on a further 26.

48

56

4 new houses were completed by the Northamptonshire and District Housing Society Limited.

No houses were demolished under Section 11 of the Housing Act, 1936.

Number of Notices Served-

| Informal | Nuisance | 6 |
|-----------|----------|---|
| | Housing | _ |
| Statutory | | - |

Rodent Control.—28 infestations of rats were successfully dealt with by your Rodent Operator during the year, when 147 bodies were recovered, mostly at the refuse disposal tip and sewage works.

The use of the new rodenticide "Warfarin" has proved most successful, and has been the means of completely exterminating whole colonies of rats, followed by long clear periods before reinfestation.

Sewer treatment was carried out by test baiting 12 manholes on different parts of the system, but no evidence of infestations were found.

Factories Act, 1937.—There are thirty-five factories on the Register—14 inspections were made and 5 defects found; all were remedied.

The number of outworkers in August 1953 was 6.

SECTION E. Inspection and Supervision of Food.

Milk Samples.—13 samples of milk were taken from milk vendors in the area and submitted to the Public Health Laboratory Service to be examined for keeping quality and tested by the Methylene Blue reduction test, with the following results:—

Satisfactory 12 Unsatisfactory 1

Meat and Food Inspection.—All cottagers' pigs slaughtered in the district were found to be free from any disease which would render the meat unfit for human consumption.

The following food stuffs were examined and found to be unfit for human consumption, consequently being surrendered and

destroyed : -

Canned Ham 21 lbs. Canned Milk 7 lbs. Canned Peas 4 lbs.

INSPECTIONS MADE DURING 1953

| Complaints received | | 409 |
|----------------------------|----|---------|
| Nuisance inspections | | 136 |
| Housing inspections | | 273 |
| Factory inspections | | 14 |
| Food Shops inspections | | 20 |
| Food Warehouse inspection | 1S | 6 |
| Bakehouse inspections | | 3 |
| School Canteen inspections | | 2 |
| Rodent infestations | | 28 |
| Nuisances abated | | 116 |
| Housing Defects remedied | | 322 |

SECTION F. Infectious Diseases.

There were 18 notifications during the year. Nine cases were due to Measles and one was admitted to Hospital. There were seven cases of Scarlet Fever of which four were removed to Hospital. All these cases recovered.

TUBERCULOSIS

Public Health (Prevention of Tuberculosis) Regulations, 1925. The regulations empower the Council to prevent persons suffering from Tuberculosis to engage in the milk trade. No action was taken during 1953.

Four cases of Respiratory and four cases of Non-Respiratory Tuberculosis were notified during the year. There were two deaths

from Respiratory Tuberculosis during the year.

The number of cases in the Register at the end of 1953 was as follows:—

RESPIRATORY NON-RESPIRATORY

Males Females Total Males Females Total Total 8 8 16 7 6 13 29

During the year two cases of Respiratory and one case of Nonrespiratory Tuberculosis left the area for other districts.

MONTHLY INCIDENCE OF NOTIFIABLE DISEASES (Other than Tuberculosis)

| Disease | | Jan. | Jan. Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Total |
|----------------|---|------|-----------|------|------|-----|------|------|------|-------|------|------|------|-------|
| Measles | : | 1 | 1 | - | 1 | 1 | 9 | 1 | 1 | 1 | 1 | 1 | 1 | 6 |
| Scarlet Fever | : | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 7 |
| Whooping Cough | : | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 2 |
| TOTALS | : | 1 | 1 | 1 | 1 | 2 | 9 | 1 | 1 | 3 | 1 | 2 | 2 | 18 |

AGE INCIDENCE OF NOTIFIABLE DISEASES (Other than Tuberculosis) 1953

| Disease | -1 | 1-2 | -1 1-2 2-3 3-4 4-5 | 3-4 | | 5-10 | 10-15 | 15-20 | 5-10 10-15 15-20 20-35 35-45 45-65 65 & All over Ages | 35-45 | 45-65 | 65 & over | All Ages | Removed Deaths Age to Hospital Unknown | Deaths | Age |
|-------------------|----|-----|--------------------|-----|---|------|-------|-------|---|-------|-------|-----------|-------------|---|--------|-----|
| Measles | 1 | 2 | 1 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 6 | 1 | 1 | 1 |
| Scarlet Fever | 1 | - | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 7 | 4 | 1 | 1 |
| Whooping Cough | 1 | 1 | 1 | 1 | 1 | - | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 |
| TOTALS | 1 | 4 | 1 | 5 | 2 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | - 18 | 5 | 1 | 1 |

NEW CASES OF TUBERCULOSIS, 1953

| | Respirato | ory | Non-Respiratory | |
|------------------|-----------|--------|-----------------|--------|
| Age Period 0— | Male — | Female | Male — | Female |
| 1— | 1 | - | - | 1 |
| 5— | _ | _ | _ | _ |
| 15— | _ | _ | _ | _ |
| 25— | 1 | _ | 1 | _ |
| 35— | _ | | _ | _ |
| 45— | _ | - | _ | 1 |
| 55— | | | | _ |
| 65— | 2 | | | 1 |
| TOTALS | 4 | _ | 1 | 3 |

DEATHS FROM TUBERCULOSIS, 1953

| | Resp. | iratory | Non-Respiratory | |
|------------|-------|---------|-----------------|--------|
| Age Period | Male | Female | Male | Female |
| 0— | _ | _ | _ | _ |
| 1— | _ | _ | _ | - |
| 5— | _ | _ | | |
| 15— | _ | _ | _ | _ |
| 25— | _ | _ | - | - |
| 35— | _ | _ | _ | _ |
| 45— | _ | _ | _ | _ |
| 55 | _ | _ | _ | _ |
| 65— | 2 | _ | _ | _ |
| TOTALS | * 2 | _ | _ | _ |

^{*}These patients died in Hospital in Kettering Borough and the deaths have been notified as occurring in Kettering Borough.







