[Report 1955] / Medical Officer of Health, Rothwell (Northamptonshire) U.D.C.

Contributors

Rothwell (Northamptonshire, England). Urban District Council.

Publication/Creation

1955

Persistent URL

https://wellcomecollection.org/works/f9yfvuvr

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

ROTHWELL URBAN DISTRICT COUNCIL

ANNUAL REPORT

of the

Medical Officer of Health

For the Year 1955

DALKEITH PRESS LIMITED, KETTERING

5400

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

https://archive.org/details/b3004375x

Rothwell Urban District Council

Chairman of the Council : MR. F. T. LEE, J.P.

Vice-Chairman of the Council : MR. F. J. W. WEST, C.C.

Clerk to the Council : Mr. A. SHARMAN.

Members of the Public Health Committee :

MRS. I. E. ANDREWS, MESSRS. J. T. BUCKBY, R. L. DAINTY, T. NICHOLS, A. E. SHARMAN.

THE CHAIRMAN and VICE-CHAIRMAN of the Council are ex-officio Members.

Public Health Officers of the Local Authority :

Medical Officer of Health :

JAMES CARROLL, M.B., B.Ch., B.A.O., L.M., D.P.H., D.Ch.

Also holds the appointments of

Medical Officer of Health, Burton Latimer Urban District Council. Medical Officer of Health, Corby Urban District Council. Medical Officer of Health, Desborough Urban District Council. Medical Officer of Health, Kettering Rural District Council. School Medical Officer.

Secretary :

MISS M. W. LANGLEY.

Surveyor and Sanitary Inspector :

A. SMITH, M.R.S.I.A., M.R.SAN.I., CERT.S.I.B. Holds the Royal Sanitary Institute Certificate as an Inspector of Meat and other Foods.

To the Chairman and Members of the Rothwell Urban District Council.

MR. CHAIRMAN, MRS. ANDREWS AND GENTLEMEN,

I have the honour to present my second Annual Report on the Health and Sanitary Circumstances of the Urban District for the year 1955.

The birth rate 15.29 showed a decrease on the 1954 figure of 17.41. The death rate 10.40 showed a decrease on the 1954 figure of 12.31 but this figure has remained relatively constant for a number of years. The infantile mortality rate of 69.44 as compared to no infantile mortality rate last year is the highest recorded figure for a number of years. It actually means, as will be seen from the text, that out of seventy-two live births there were five deaths under one year of age. In 1954 there were 82 live births resulting in no deaths under one year of age. There were again no deaths under the heading of Maternal Mortality which is very satisfactory.

Section F deals with the prevalence of and control over Infectious Diseases. There was a great increase in the notifications of Measles, 170 cases compared with none last year, the incidence was confined to the 0—10 age group and occurred in the period May to September. Five cases of Scarlet Fever were notified as compared to six cases last year. There was a decrease in the number of cases of Whooping Cough, four being notified compared to 15 last year. One case of Food Poisoning was notified.

Sections C, D and E of the report have been submitted by your Sanitary Inspector and Surveyor.

Section C deals with the Sanitary Circumstances of the area and an account of the Water Supply, Sewerage, and Sewage Disposal is given. Section D deals with the Public Health and Housing Acts. Section E gives an account of the Inspection and Supervision of Food.

In conclusion, I should like to thank the Chairman and Members of the Health Committee for their help and encouragement and Mr. Smith for information supplied for this report and for his ever ready assistance throughout the year. I should also like to thank Mr. Sharman and staff for assistance on many matters throughout the year. Finally, I appreciate very much the assistance received from Miss Langley in compiling this report.

> I have the honour to be, Your obedient Servant, JAMES CARROLL, Medical Officer of Health.

SUMMARY OF VITAL STATISTICS

The following is a summary of the principal statistics for the years 1951, 1952, 1953, 1954 and 1955

| | 1951 | 1952 | 1953 | 1954 | 1955 |
|------------------------------------|-------|-------|-------|-------|-------|
| Area (acres) | 3,638 | 3,638 | 3,638 | 3,638 | 3,638 |
| Population (Registrar-General's | | | | | |
| estimate) | 4,584 | 4,649 | 4,692 | 4,710 | 4,710 |
| Number of Live Births | 67 | 58 | 67 | 82 | 72 |
| Legitimate | 66 | 57 | 65 | 81 | 70 |
| Illegitimate | 1 | 1 | 2 | 1 | 2 |
| Birth rate per 1,000 population | 14.61 | 12.48 | 16.41 | 17.41 | 15.29 |
| Number of still Births | | 4 | 1 | 3 | 2 |
| Legitimate | | 4 | 1 | 3 | 2 |
| Illegitimate | | | | | |
| Rate per 1,000 total (live and | | | | | |
| still) births | _ | 64.52 | 14.71 | 35.29 | 27.03 |
| Rate per 1,000 population | | 0.86 | 0.21 | 0.64 | 0.42 |
| Number of deaths | 76 | 47 | 53 | 58 | 49 |
| Death rate per 1,000 population | 16.58 | 10.11 | 11.30 | 12.31 | 10.40 |
| Death from Pregnancy, Child- | 10.50 | 10.11 | 11.50 | 12.51 | 10.10 |
| birth and Abortion | | _ | | | _ |
| Infantile Mortality rate per 1,000 | | | | | |
| live births | | 17.24 | 14.93 | | 69.44 |
| Neonatal Mortality rate per 1,000 | | 11.24 | 14.95 | | 09.44 |
| live births | | 17.24 | 14.93 | | 13.89 |
| *Deaths from all forms of Tuber- | | 11.24 | 14.95 | | 13.09 |
| | 2 | 1 | | 1 | |
| culosis | 2 | 1 | _ | 1. | |
| *Deaths from Respiratory | 2 | 1 | | 1 | |
| Tuberculosis | 2 | 1 | | 1 | |
| Deaths from Malignant Neo- | 10 | 10 | 10 | | 10 |
| plasms | 12 | 10 | 12 | 11 | 10 |
| Deaths from Measles (all ages) | | | | | |
| Deaths from Whooping Cough | | | | | |
| (all ages) | _ | _ | _ | _ | |
| Deaths from Enteritis and | | | | | |
| Diarrhoea under two years | | | | | |
| of age | | | - | | |
| Deaths from Acute Poliomyelitis | | | | | |
| and Polioencephalitis | | - | | | |
| | | | | | |

*Registrar-General's figures.

SECTION A. Statistics and Social Conditions.

| Area (acres) | | | | | | | 3,638 |
|------------------------|--------|----------|-----|---------|-------------|-----|----------|
| Registrar General's Es | timate | of resid | ent | populat | tion | | 4,710 |
| Number of inhabited | house | s (end | of | 1955) | according | to | |
| Rate Book | | | | | | | 1,673 |
| Rateable Value | | | | | | | £,23,453 |
| Sum represented by Po | enny R | ate | | | | | £,89 |
| The chief occupa | | | hal | oitants | are as foll | ows | :-Boot |

and Shoe manufacture, Ironstone Mining and manufacture of Agricultural Implements.

| Extracts from | n Vital Stat | istics | for the | e Year : | |
|--|-----------------|--------|-------------|-------------|-----------------------|
| LIVE BIRTHS | | | Total | Males | Females |
| Legitimate | | | 70 | 32 | 38 |
| Illegitimate | | | 2 | 1 | 1 |
| | TOTALS | ` | 72 | 33 | 39 |
| Birth rate per 1,000 of th | ne estimated p | opulat | tion | | 15.29 |
| STILL BIRTHS | | | Total | Males | Females |
| Legitimate | | | 2 | 2 | - |
| Illegitimate | | | _ | _ | |
| | TOTALS | | 2 | 2 | - |
| Rate per 1,000 total (Liv | e & Still) Birt | hs | | | 27.03 |
| England and Wales | | | | | 23.1 |
| DEATHS | | | Total 49 | Males 28 | Females 21 |
| Death rate per 1,000 of t | | | | | 10.40 |
| Death rate per 1,000 of t | | | | | 8.84 |
| Death rate from Pregnan Death rate of infants und | | | | 1 | |
| All infants per 1,000 | | | | | 69.44 |
| Legitimate infants p | | | live birth | 15 | 71.42 |
| Illegitimate infants p | | | | rths | - |
| Death rate from Measles | | | | | - |
| Death rate from Whoopi | ng Cough (all | ages) | | | - |
| Death rate from Enteritie Death rate from Maligna | | | | | age) <u>-</u> 2.12 |
| Death rate from Acute P | | | | nalitis | 2.12 |
| Death rate from Diphthe | | | | | _ |
| Death rate from Respirat | | | | | 0.21 |
| Death rate from Influenz | | | | | 0.21 |
| Death rate from Pneumo | | | | | - |
| Death rate from Typhoid | a and Paratyp | noid F | evers . | | |

4

| The Maternal Mortality | Maternal Causes | Due to | Total Maternal |
|-------------------------|---------------------------|----------|----------------|
| Rates for : | Excluding Abortion | Abortion | Mortality |
| England and Wales per | | | |
| 1,000 Total (Live and | | | |
| Still) Births | 0.54 | 0.10 | 0.64 |
| Rothwell Urban District | | _ | |

Deaths.—Comparability factor for 1955 was 0.85. The crude death rate per 1,000 population for 1955 was 10.40 which multiplied by the comparability factor of 0.85, supplied by the Registrar General, gives a corrected death rate of 8.84. This rate of 8.84 is the rate which, it is assumed, would be arrived at if the age and sex distribution of the population of Rothwell Urban District was distributed in the same proportion as that of England and Wales as a whole. England and Wales ... 11.7

Births.—The following table shows the birth rate for 1955 together with the rate for England and Wales.

LIVE BIRTH RATES, 1955

A comparability factor has been issued for 1955 by the Registrar General which allows for the different age and sex distribution of Rothwell and provides a basis for comparison with that of England and Wales as a whole.

| Rothwell | | | | | | 15.29 |
|--------------|----------|-------|---------|-----------|---------|-----------|
| Rothwell cor | rected b | y com | parabil | ity facto | or 1.14 | 17.43 |
| England and | Wales | | | | | 15.0 |

INFANTILE MORTALITY RATES, 1955

Infantile mortality is the number of deaths in children under one year of age per 1,000 live births. This is an indication of the environmental and social conditions of a community with special reference to housing, overcrowding and maternity and child welfare.

| Rothwell | | | 69.44 |
|-------------------|------|------|-----------|
| England and Wales | | | 24.9 |

NEONATAL MORTALITY RATES, 1955

Neonatal mortality is the number of deaths in children under four weeks of age per 1,000 live births.

| Rothwell | | | | | 13.89 | |
|-------------|-------|--------|---|------|-------|--|
| England and | Wales | | | | 17.3 | |
| 771 | | 1 .1 1 | 1 | C | | |

The causes of deaths in children under one year of age with age and sex distribution are given in the following table :—

DEATHS OF INFANTS UNDER ONE YEAR OF AGE

| Age | Sex | Cause of Death |
|------------|-------|---|
| 20 minutes | F Asp | hyxia Neonatorium. Sub-dural Haemorrhage. |
| 1 month | M Bro | ncho Pneumonia. Prematurity. |
| 1 month | M Dea | ath from accidental Asphyxia. P.M. |
| 2 months | F Me | ningitis. Infected Meningocele. |
| 9 months | M Bro | nchial Pneumonia. Congenital Mental Deficiency. |

| The | e Registered Causes of Death v | | | lows : | |
|------------|---|-------|-------|---------|--------|
| | | Λ | Males | Females | Total |
| All | causes | | 28 | 21 | 49 |
| 1. | Tuberculosis, respiratory | | _ | | |
| 2. | Tuberculosis, other | | _ | - | _ |
| 3. | Syphilitic disease | | | _ | |
| 4. | Diphtheria | | | | |
| 5. | Whooping Cough | | _ | _ | _ |
| 6. | Meningococcal infections | | _ | | |
| 7. | Acute poliomyelitis | | - | _ | |
| 8. | Measles | | _ | _ | _ |
| 9. | Other infective and parasitic diseas | | | | |
| 10. | | | 1 | 1 | 2 |
| | Malignant neoplasm stomach | | 1 | 1 | 2 |
| 11. | Malignant neoplasm lung bronchu | | _ | - | |
| 12. | Malignant neoplasm breast | | | 3 | 3 |
| 13. | Malignant neoplasm uterus | | _ | 1 | 1 |
| 14. | Other malignant & lymphatic neop | lasms | 3 | 1 | 4 |
| 15. | Leukaemia, aleukaemia | | | 1 | 1 |
| 16. | Diabetes | | 1 | 5 | 6 |
| 17. 18. | Vascular lesions of nervous system | | 1 | 5 | 6 7 |
| 19. | Coronary disease, angina Hypertension with heart disease | | ' | 1 | 1 |
| 20. | Other heart disease | | 8 | | 10 |
| 21. | Other circulatory disease | ••• | _ | 23 | 3 |
| 22. | Influenza | | 1 | _ | 1 |
| 23. | Pneumonia | | _ | | _ |
| 24. | Bronchitis | | 1 | - | 1 |
| 25. | Other disease of the respiratory sy | | | | |
| 26. | Ulcer and stomach duodenum | | - | | |
| 27. | Gastritis, enteritis and diarrhoea | | _ | - | |
| 28. | Nephritis and nephrosis | | - | - | |
| 29. | Hyperplasia of prostmate | | 1 | | 1 |
| 30. | Pregnancy, childbirth, abortion | | | | |
| 31. | Congenital malformations | | | 1 | 1 |
| 32. | Other defined and ill-defined disea | ises | 3 | 1 | 4 |
| 33. | Motor vehicle accidents | | | | |
| 34. | All other accidents | | 1 | 1 | 2 |
| 35. | Suicide | | 1 | _ | 1 |
| 36. | Homicide and operations of war | | - | _ | — |

The Registered Causes of Death were as follows :

SECTION B. General Provision of Health Services.

(a) **Laboratory Facilities.**—Bacteriological examinations are carried out by the Public Health Laboratory at Northampton and by the Laboratory of the Kettering General Hospital.

| The | followin | ng | specimens | were | examined | : | |
|-----|----------|----|-----------|------|----------|---|--------|
| | Faeces | | | | | | 11 |

(b) Ambulance Facilities.—The County Council is responsible for Ambulance Services. The St. John Ambulance Brigade carry out the service on behalf of the County Council for non-infectious cases.

(c) Nursing in the Home.—The County Council is responsible for the Home Nursing Service.

(d) Treatment Centres and Clinics .- A County Council Welfare Clinic is held twice monthly. A Medical Officer attends one session each month.

The treatment of Tuberculosis and Venereal Diseases is carried out by the Regional Hospital Board.

DIPHTHERIA IMMUNISATION

The number of children who were immunised in 1955 is as follows :--

| Under 5 years of age | | | | 2 | |
|---|------|-------|----|-----|------|
| 5 to 14 years of age | | | | 7 | |
| TOTAL | | | | 9 | |
| BOOSTERS | | | | 26 | |
| The number of children immunisation at any time up to | | | | | |
| Age at 31.12.55 Under 1 | 1 | 2 | , | 3 | 4 |
| i.e. Born in Year 1955 | 1954 | 1953 | 19 | 952 | 1951 |

| i.e. Born in Year | 1955 | 1954 | 1953 | 1952 | 1951 |
|-------------------|------|---------|-----------|----------|------|
| No. Immunised | 9 | 64 | 50 | 49 | 50 |
| Age at 31.12.55 | 5 | -9 | 10-14 | Total | |
| i.e. born in Year | | 46 - 50 | 1941 - 45 | under 15 | |
| No. Immunised | | 232 | 279 | 733 | |

WHOOPING COUGH VACCINATION

| | Under 1 | 1-4 | 5-14 | Total | Booster |
|----------------------------|---------|-----|------|-------|---------|
| Whooping Cough only | — | - | | | |
| Combined Diphtheria/Pertus | sis 57 | 15 | 1 | 73 | 31 |

VACCINATION

The following table gives the number of vaccinations undertaken during the year :---

| | Under 1 | 1-4 | 5-14 | 15 or over | Total |
|----------------|---------|-----|------|------------|-------|
| Primary | 27 | 3 | - | 1 | 31 |
| Re-vaccination | - | — | — | 2 | 2 |

My thanks are due to the County Medical Officer of Health for the above figures.

National Assistance Act, 1948, Section 47.-No formal action was taken during the year.

SECTION C. Sanitary Circumstances of the Area.

Report by A. SMITH

M.S.I.A., M.R.SAN.I., CERT.S.I.B. CERT. Meat and Foods R.S.I. SURVEYOR AND SANITARY INSPECTOR

I have the honour to present my Annual Report for year 1955.

Water Supply.—An adequate supply of water has been maintained in the town by the Mid-Northamptonshire Water Board, supplementing the local supply with water from Ravensthorpe via the Harrington main, and despite the very dry summer and light rainfall no reports of water shortage were received during the year.

Water Analysis.—Two samples of town's water were submitted to the Public Health Laboratory Service for bacteriological examination, with the report that both were 'very satisfactory'.

Fifty-one samples of town's water were taken by the Water Board and all were found to be bacteriologically satisfactory.

Rainfall.—The rainfall during 1955 was 19.55 inches, which is the second lowest recorded figure for 12 years.

| 1955 19.55 | 1951 | 29.97 | 1947 | 21.21 |
|------------|------|-------|------|-------|
| 1954 29.06 | 1950 | 25.58 | 1946 | 25.94 |
| 1953 19.24 | 1949 | 23.72 | 1945 | 20.83 |
| 1952 23.44 | 1948 | 28.77 | 1944 | 21.94 |

Water Services.—New services were connected to 26 Council houses, and 4 private houses.

Public Swimming Bath.—A warm dry summer caused much more activity and interest at the open air swimming bath which was well attended from June to September.

Mr. R. Cross again carried out his duties of Bath Attendant with efficiency and enthusiasm, and was assisted by Mr. W. Norman, who attended the bath daily during the school holidays.

Between June and September, the following bathers paid for admission to the bath :--

| Boys | 1359 | Men 248 | Spectators 3214 |
|-----------|-------------|---------------------|-----------------------|
| Girls | 1074 | Women 64 | |
| Total 274 | 15, an incr | ease of 972 bathers | s compared with 1954. |

SEWERAGE AND SEWAGE DISPOSAL

Main Sewer.—The section of main sewer running through Mr. Guilford's field off Kettering Road was cleaned out by dredging. This 18 inch sewer was found to be silted up to half bore in some places and many tons of stones, coal, brickbats, pieces of cutlery and other materials were taken out. **Public Cleansing.**—A weekly collection of house and trade refuse has been maintained excepting for holiday periods.

A new engine clutch and gear box were fitted to the Karrier Bantam refuse vehicle, which after eight years continues to give good service.

Controlled Tipping.—All household refuse is deposited in the Controlled Tip at Thorpe Underwood, and facilities are available for tradesmen to deposite their trade waste in the tip at moderate charges.

Salvage Collections.—The total collections of mixed waste paper reached a new high record figure of 72 tons 5 cwts., resulting in an increase of 7 tons over the previous year.

The price of mixed waste paper varied from £7.10.0 per ton for the first three months to £8 per ton for the remaining nine months, so that this record yield of 72 tons 5 cwts. realised £570 against £434 income for last year.

Annual Tonnage of Waste Paper :--

| | Tons | Cwts. | Qrs. |
|------|--------|-------|------|
| 1950 | 54 | | 1 |
| 1951 | 53 | 18 | |
| 1952 | 48 | 11 | |
| 1953 | 56 | 9 | |
| 1954 | 65 | 16 | - |
| 1955 | 72 | 5 | |
| | | | |

Rodent Control.—21 infestations of rats were successfully dealt with by your Rodent Operator during the year, when 65 bodies were recovered, mostly at the refuse disposal tip and sewage works.

The use of the new rodenticide 'Warfarin' has proved most successful and has been the means of completely exterminating whole colonies of rats, followed by long clear periods before reinfestation.

Sewer treatment was carried out by test baiting 12 manholes on different parts of the system, but no evidence of infestations were found.

Factories Act, 1937.—There are 35 factories on the Register—8 inspections were made and 2 defects found, both were remedied.

The number of outworkers in August, 1955 was 31.

SECTION D. Public Health and Housing Acts.

Housing.—24 new houses were completed by the Council during the year, and a start was made on a further 20. 4 Private houses were completed during the year. One house was demolished under Section 11 of the Housing Act, 1936.

Summary of Sanitary Defects Remedied :--

| Drains relaid or repaired | | | | 41 |
|---------------------------|-----|------|------|----|
| Blocked drains cleared | | | | 53 |
| Inspection Chambers repai | red | | | 11 |

Summary of Sanitary Defects Remedied-Continued

| | Inspection Chambers provid | ded | | | | 6 |
|----|------------------------------|--------|----|------|------|-----|
| | Soil and ventilation pipes p | | ed | | | 3 |
| | Tipper Closets converted to | | | sets | | 3 |
| | Water closet compartments | | | | | 15 |
| | Wells and pumps repaired | | | | | 5 |
| | Roofs repaired | | | | | 39 |
| | Rainwater guttering repaire | d | | | | 27 |
| | Dampness to walls remedied | d | | | | 19 |
| | Fireplace repaired or renew | ed | | | | 29 |
| | Floors repaired or relaid | | | | | 12 |
| | Sub-floor ventilation provid | led | | | | 2 |
| | Handrails to staircases prov | ided | | | | 3 |
| | Stairs repaired | | | | | 17 |
| | Ventilation to larder | | | | | 2 |
| | Washing coppers provided | | | | | 47 |
| | Sinks provided | | | | | 14 |
| | Internal water service | | | | | 11 |
| | Dustbins provided | | | | | 134 |
| ~ | | | | | | |
| Sa | nitary Inspections of the | Area | | | | |
| | Complaints received | | | | | 436 |
| | Nuisance inspections | | | | | 111 |
| | Housing inspections | | | | | 325 |
| | Factory inspections | | | | | 8 |
| | Food Shops inspections | | | | | 11 |
| | Food Warehouse inspection | S | | | | 4 |
| | Rat infestations | | | | | 24 |
| | Slaughtering and Meat Insp | pectio | ns | | | 45 |
| | Nuisances abated | | | | | 115 |
| | Housing Defects remedied | | | | | 321 |
| | | | | | | |
| Nu | mber of Notices Served : | - | | | | |
| | Informal : Nuisance | | | | | 10 |
| | Housing | | | | | |
| | Statutory | | | | | |
| | | | | | | |

SECTION E. Inspection and Supervision of Food.

Meat and Food Inspection.—One slaughterhouse in the district has been licensed, and is in regular use.

All cottagers' pigs slaughtered in the district were found to be free from any disease which would render the meat unfit for human consumption.

The following foodstuffs were examined and found to be unfit for human consumption, consequently being surrendered and destroyed :

| Canned Meat | 36 lbs | Preserved Fruit | 560 lbs. |
|--------------|-----------|-----------------|----------|
| Canned Fruit | 17 lbs. | Beef | 149 lbs. |
| | Total wei | ght 762 lbs. | |

I should like to thank all Officers and Staff of the Council for their co-operation, and to you Mr. Chairman and Gentlemen for the support you have given to the various schemes which I have laid before you.

SECTION F. Infectious Diseases.

There were 180 cases notified, compared with 22 cases in 1954.

Whooping Cough.—Four notifications were received during the year.

Measles.—There were 170 notifications during the year compared with none in the previous year. The incidence was confined to those in the 0—10 age group and occurred in the period May to September. All the cases were nursed at home and all recovered.

Food Poisoning .- One case was notified.

Scarlet Fever.—There were five cases notified during the year. All were nursed at home and all recovered.

TUBERCULOSIS

Public Health (Prevention of Tuberculosis) Regulations, 1925.—These regulations empower the Council to prevent persons suffering from Tuberculosis to engage in the milk trade. No action was taken during the year.

During the year three cases of Respiratory Tuberculosis were notified, one case was an inward transfer. There were no deaths from Tuberculosis, one case was removed from the register as cured and one case removed to another district.

The number of cases in the register at the end of 1955 was as follows :---

| F | Respiratory | | No | n-Respirate | ory | Grand |
|-------|-----------------|-------|-------|-------------|-------|-------|
| Males | F emales | Total | Males | Females | Total | Total |
| 10 | 8 | 18 | 8 | 6 | 14 | 32 |

| 1955 |
|---------------|
| Tuberculosis) |
| than |
| (Other |
| DISEASES |
| NOTIFIABLE |
| OF |
| INCIDENCE |
| MONTHLY |

| 1 - 1 1 57 1 57 1 57 | | | - | | Aug. Sept. Oct. 1904. Dec. 10141 |
|---|-------|---|---|---|----------------------------------|
| <u> </u> | | 1 | 1 | | 4 |
| | 94 14 | 4 | 1 | | 170 |
| | | 1 | 1 | | 1 |
| Scarlet Fever 2 | 1 - | 1 | 1 | 1 | 5 |
| TOTALS 1 1 61 | 95 16 | 5 | 1 | 1 | 180 |

AGE INCIDENCE OF NOTIFIABLE DISEASES (Other than Tuberculosis), 1955

| Disease 0- 1- 2- 3- 4- D- 1D- DD- DD- | | | | | | | | | 1. | 00 | 10 | 1 | . 27 | 111 | Damand | Doothe | Acco |
|---|-------------------|-----|----------|----|----|----|-----|-----|----|-----|-----|-----|------|------|-------------|--------|---------|
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Disease | -0 | <u>-</u> | 2- | ÷. | 4- | 20 | -01 | - | -07 | -00 | -04 | + co | Ages | to Hospital | Deatus | Unknown |
| 4 11 15 15 23 101 1 $ -$ | Whooping Cough | | 1 | 1 | 1. | - | - | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | . 4 | 11 | 15 | 15 | 23 | 101 | 1 | 1 | 1 | 1 | 1 | 1 | 170 | ١ | 1 | 1 |
| - - - 2 1 2 - - 5 - 4 11 16 16 26 103 4 - - - 180 - | Poisoning | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | I | 1 | 1 |
| 4 180 | Scarlet Fever | 1 | | | | 2 | 1 | 2 | | 1 | 1 | 1 | 1 | 5 | 1 | 1 | 1 |
| | FOTALS | . 4 | 11 | 16 | 16 | 26 | 103 | 4 | 1 | 1 | 1 | 1 | ١ | 180 | 1 | 1 | 1 |

| RESPIRATORY | | NON-RESPIRATORY | |
|-------------|--------|---|--|
| Male | Female | Male | Female |
| - | - | | - |
| _ | _ | — | |
| — | _ | - | |
| _ | 1 | - | - |
| 1 | — | _ | - |
| _ | - | — | - |
| _ | _ | _ | |
| _ | | _ | — |
| 1 | - | _ | |
| 2 | 1 | | - |
| | Male | Male Female — — — — — — 1 — — — 1 — 1 — 1 — 1 — 1 — 1 — 1 — 1 — | Male Female Male — — — — — — — — — — 1 — 1 — — — — — 1 — — 1 — — 1 — — 1 — — 1 — — |

NEW CASES OF TUBERCULOSIS, 1955

DEATHS FROM TUBERCULOSIS, 1955

| Age Period | RESPIRATORY | | NON-RESPIRATORY | |
|------------|-------------|--------|-----------------|--------|
| | Male | Female | Male | Female |
| 0— | _ | _ | _ | — |
| 1— | | _ | | _ |
| 5— | | _ | | - |
| 15— | _ | _ | | _ |
| 25— | — | _ | _ | |
| 35 | | _ | _ | - |
| 45— | _ | _ | _ | _ |
| 55— | - | _ | | _ |
| 65— | - | | | |
| TOTALS | | _ | _ | |









