## [Report 1908] / Medical Officer of Health, Sedgefield (Union) R.D.C.

## **Contributors**

Sedgefield (England). Rural District Council.

## **Publication/Creation**

1908

### **Persistent URL**

https://wellcomecollection.org/works/gzu8qd6c

## License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



## THE

## RURAL DISTRICT COUNCIL

OF THE

SEDGEFIELD UNION.

# Annual Report

OF THE

MEDICAL OFFICER OF HEALTH,

FOR THE

Year ending December 31st, 1908.

Stockton-on-Tees :

John Sharp, Printer and Stationer, 7, Silver Street.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

## To the Chairman and Members of the Sedgefield Rural District Council.

GENTLEMEN,

I have the honour to bring before you my Eleventh Annual Report upon the health and general sanitary condition of your district, for the year ending December 31st, 1908.

POPULATION.—There has again been during the last year a large increase of houses built, though not so great as in the previous two years. There have been 300 new houses erected, the greater number being built in the Township of Ferryhill.

I estimate the population for the whole of your district to be 29,710.

MORTALITY, or the total number of deaths occurring in your district during the year, was 476. This number does not include the deaths at the County Asylum, except those who were previous residents in your district; but it does, however, include residents in your district who have died in other public institutions, such as the Durham County Hospital, and at the Hartlepool Hospital. The death-rate per 1000 of the estimated population is 17·1, just '4 below the death-rate for the whole county.

Though considerably larger than the death-rate of your district for last year, it will also be noticed that the rate for the county is increased, but it is well below the average for the last ten years. The difference between this and last year is to be accounted for by the increase of deaths notified as arising from Diarrhæa, five only being certified during 1907, whereas during 1908 there were 42. During 1908 there were several periods of hot summer weather, unfortunately always producing an increased mortality amongst infants, whereas during 1907 there was an almost continuous rainfall, with very little summer weather.

BIRTHS registered during the year were returned as 1095, comprising 574 males and 521 females, and of these 29 were illegitimate. During 1907 the births registered were 945. The rate per 1000 of the estimated population is 39.6, being 6.1 increase on the rate per 1000 for 1907 in your own district, and an increase of 2.6 on the rate per 1000 of your county.

Infantile Mortality has now passed beyond the domain of health authorities to become a fashionable topic, the discussion of which now ranges from back parlours to gilded drawing-rooms, where good people (generally without any children of their own) hold forth with unfeigned horror upon (to them) this most shocking state of affairs; until, finally, this question, with many another, presses itself for a solution upon the care of grave statesmen.

While I do not for a moment wish to deprecate the seriousness with which this matter is now receiving attention, I find there are too many who are only too ready to sentimentalize in statistics, and too few who are prepared to deny themselves, and make their own homes the centre of protection of infant life that it should be.

Owing to the measures adopted, upon which I have previously reported, it is now not from want of knowledge if mothers err in the treatment of their children; it is from deliberate choice, and too frequently the easiest method, not the most desirable one for the welfare of the child, is preferred. Nor is this to be wondered at, when the present craze for amusement robs the mother of that help which the father used to give her. Where can you now see the same father who used to lend a hand on a Saturday with the weekly "tidying up?" Is he not to be found swelling the huge football crowds, alas, not a player, but merely lookers-on, which every week depletes homes of men who, if the pride of family was still our national boast, would be not looking on, but actively participating in the game domestic.

The rate of mortality per 1000 births for your district this year is 160, which is a slight increase upon the year 1907 when it was 153; but it compares favourably with the county average—162 for the last 10 years.

In my last two Annual Reports I have shewn that this mortality is not one in which insanitation plays a prominent part, but rather that it arises from sociological causes, and this fact is startlingly manifested this year, for it will be noticed by referring to Table V that the great preponderance of these deaths are due to ante-natal causes; and further, if insanitation be urged as the factor of producing deaths from ante-natal causes, the lowest death-rate should be found in the most sanitary area of your district. This, however, is not so, but quite the reverse, for the township of Ferryhill, which can certainly claim the greatest number of modern and most sanitary houses, has the highest infantile mortality, reaching a total of 185; whilst Cornforth, with a sanitary state less satisfactory than Ferryhill, has an infantile mortality of 156 per 1000 births; and Trimdon, which I consider as the least satisfactory of the three townships from a sanitary point of view, has the lowest infantile mortality of them all, with 136 per 1000.

One of the many remedies proposing to deal with this infantile mortality, was the compiling of the Compulsory Notification of Births Act, which I think your Council acted wisely in your refusal to adopt, for whatever good may come from its application in other districts, your population, possessed of a praiseworthy independence, which we should seek to support rather than undermine, would, I am certain, resent the official inspection of their children, which follows as a natural corollary from the adoption of this Act. And in their very just resentment they would have my sympathy. If aid is to come to the people, in this, as in other matters, to be worth anything it must come from themselves; and in the place of the appointment of an official lady health inspector now proposed, I should like to see in your different townships, appointed and paid for by themselves, aided, if need be, by contributions from your Council, District Nurses for each, who, by their practical sympathy in doing, rather than saying something, would prove of immense service in this as in other matters affecting the health of your district.

ZYMOTIC DEATH-RATE, that is, the deaths from seven principal zymotic diseases, viz.:—Measles, Scarlet Fever, Enteric, Smallpox, Diphtheria, Whooping Cough and Diarrhœal Diseases is 2·7—a rate equal to that of the county, but an increase of 1·4 on the rate for 1907 for your district. But this increase will not seem so great when the larger proportion of deaths from diarrhœa, due undoubtedly to climatic conditions of hot summer weather which we experienced during 1908, is taken into consideration, and also the fact that a virulent epidemic of

Whooping Cough has swept over the whole of the county. Whooping Cough is now well known as a highly infectious disease, which, owing to its protracted nature, is impossible to secure anything worthy of the name of isolation. But, at least, parents might be made to abstain from their selfish flagrant exposure of children suffering from this disorder in public places, such as churches, railway carriages, &c., thus, by their want of thought, becoming the means of the wholesale spread of the disorder.

The following table shows their relative frequency during the last three years:—

			1906	1907	1908
Scarlet Fever		 	6	3	6
Diphtheria		 	6	8	6
Whooping Co	ugh	 	10	2	20
Measles		 	5	12	2
Typhoid Feve	r	 	21	5	5
Diarrhœa		 	63	5	42
			111	35	71

Cases of Infectious Disease notified during the year reached a total of 213, an increase of 10 on the year 1907. This number has been mainly caused by a continued prevalence of Scarlet Fever, confined almost entirely to Cornforth and Trimdon, and also by the fact that there is an increase of 30 cases of Typhoid Fever.

I append a table of these disorders, with a comparison of their relative frequency:—

1		1906	1907	1908
		82	122	121
		51	36	25
		117	14	44
		18	31	23
	•••	1	0	0
			82 51 117 18	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

SCARLET FEVER.—This disease has continued to be prevalent this year as in 1907, with this difference, that whereas in 1907 nearly all the cases arose in Ferryhill, in 1908 only 13 cases occurred in that township, and of the remaining 108, 56 arose at Cornforth, and 52 at Trimdon. The disease has, however, only been of a mild type, and there were only six deaths, all of which occurred in the Trimdon Township, where Measles also was prevalent. These deaths, though returned as from Scarlet Fever, were not pure Scarlet Fever cases, but a hybrid of this disease and Measles, with a tendency for the most part to Measles, so that really the mortality from Scarlet Fever was nil.

Great difficulty is met with in obtaining isolation of Scarlet Fever cases, for the symptoms of the disease are often so slight that in the 24 hours intervening between the receipt of the notification and the visit of myself or the Inspector, all traces of the disease have vanished, and not infrequently our visit has been the first intimation to the guardians of the children that they were suffering from an infectious disorder.

DIPHTHERIA.—I am pleased to be able to report that, notwithstanding the fact of an increased prevalence of this disease throughout the county during the past year, there has been in your district a diminution of the total notifications of 11, the totals being 25 for 1908, as against 36 in 1907.

In no place has the disease shewn itself much more evident than in another, and although, as in previous years, the more rural portions of your district have borne the chief brunt of this disease, the total cases in the Sedgefield district has fallen from 21 in 1907 to 8 in 1908;

Bishopton, with a very small population, has 3 cases; whilst Trimdon, Cornforth, and Ferryhill, with very much larger populations, have 5 and 4 each respectively.

With regard to the improvement noted, I attribute it chiefly to the better climate condition prevailing, the absence of prolonged fogs, a greater ratio of bright sunshine, and lastly, but by no means least, the valuable aid of your hospital in securing efficient isolation, and the free use of anti-toxin both as a preventive and curative agent.

ENTERIC FEVER.—In common with the experience of the rest of the county, your district has been visited with an increased prevalence of this disorder, 44 notifications having been received this year as against 14 last year.

The disease showed itself in every one of your medical districts, proving that there was a universal factor in its undue prominence, and this factor was the great warmth experienced during September, together with heavy rains, conditions which the germ of Enteric revels in to the consternation of health authorities and disaster to individuals.

The cases were distributed as follows:—Ferryhill 17, Cornforth 14, Trimdon 9, Sedgefield 2, Bishopton 2.

From my inspection of the cases, except for those conditions which I shall refer to when I deal with the general sanitation of your district, no especially marked specific factor could be found as a causation of the disease, and from the curious course which many of the cases admitted to the hospital pursued, the character of the disease was not of the virulent nature which is usually found in these cases, and also remembering how difficult

it is to differentiate the "Typhoid State" that in their last stage other diseases assume, great care is necessary least a higher mortality is attributed to this disorder than is really the case.

MEASLES.—There has been a very marked improvement in the mortality from this disease, only two deaths being attributed to it, whereas last year there were twelve; the chief evidence of its occurrence and fatality was in the Trimdons where both the deaths occurred.

SMALLPOX—Your district has, fortunately, not been visited by a single case of this disease, but one case occurred in the adjoining Rural District of Easington, which was promptly removed to your conjoint hospital, and no further cases occurred.

Whooping Cough.—This disease has been exceedingly prevalent over the whole of your district, but it is impossible to state the proportion in each of your townships owing to the fact that medical attention was not generally required.

As a consequence of the protracted nature of the disease, and the selfish thought, only too frequently carried into practice, that every child is bound to have Whooping Cough sometime in its life. Parents allow their children affected with this disease to play about in the roads, and will frequently be seen taking them in railway carriages, etc., when the whoop is still at its worst, thus scattering the disease broadcast with never a thought of the suffering and possible death they may be causing to others.

Twenty deaths occurred; 10 at Ferryhill and 5 at Cornforth and Trimdon respectively.

RESPIRATORY DISEASES.—Deaths from these diseases are very much greater than during 1907, 94 having occurred during 1908, as against 63 during 1907. The rate is 3·1 against a rate of 2·2 during 1907, and it is ·2 greater than that for the county which is 2·81.

The increase can be accounted for by the large amount of Whooping Cough there has been, and which too often ends fatally by means of Pneumonia, the medical attendant not being called in until the latter complication has arisen, when the death is not infrequently accounted for under this heading.

Phthisis Pulmonalis.—33 deaths arose during 1908 from tuberculous disease, and of these 25 were from pulmonary tubercle. Though an increase of 7 on 1907, the rate per 1000 is considerably less than for the county, being as follows:—

	Rate per 1	000 of	Sedgefield	population.		County.
Phthisis			.84			.95
Other Tub	ercular dis	eases	.25			.70
D	eaths from	Injur	ries, 18.	Suicid	es, 3.	

I regret to note that an increase of 5 has to be remarked upon under this heading, but it is only one of the many indications of the rapid change of your district from rural to industrial occupations, with the accompanying levy of life consequent therefrom; and in proof of this Ferryhill, in its proud position in the industrial fight, has the greater number of deaths from accidents, 10 being recorded there, 5 at Cornforth, and 3 at Trimdon.

SUICIDES.—Your district can claim no immunity from this now too common incident of daily life, and I regret to note an increase of 2 upon last year's total, General Sanitation.—I am in despair on this subject, for, notwithstanding my constant urging for years of the needs of Ferryhill, Cornforth and Trimdon, in regard to the question of making streets, drainage, &c., it is with more than regret I have to report that nothing has been done; it would be difficult for anyone to exaggerate the serious state of affairs now existing there. I have previously reported to you that the so-called streets are nothing better than a collection of cesspools, and that you have not a much higher death-rate, or a serious outbreak of epidemic diseases as a consequence, is a piece of good fortune that you have already trifled with too long.

Enteric Fever, which has prevailed in these townships, I attribute as largely arising from this cause; certainly in Ferryhill, where a good class of house is a feature of the district, and I am at a loss to find any other cause. Your Council has very wisely adopted night scavenging in these populous districts, but towards the latter part of this year your scavenging contractors stated that owing to the dangerous state of the approaches to the houses, they were unable to carry out their work at nights as agreed in their contracts, the irony of which, I think, would be difficult to equal, for when the streets are so bad as to be impassable for scavengers, what must be the plight of the less hardy inhabitants of this district? Until this state of affairs is remedied, and that quickly, sanitation must remain in a state of paralysis, for your officials are placed in the impossible and invidious position of asking others to remedy nuisances, when the Council for which they act are the greatest offenders in this respect.

As a remedy for the Infantile Mortality in your district, I should let it be known that when District Nurses are appointed, your Council will be prepared to

contribute to their salaries if a specified portion of their time be available for employment by your Council, as from the quarterly report of the County Medical Officer, I understand the Local Government Board have given their sanction to such payments by the Whichham Urban District Council.

Isolation Hospital.—During the past year the continued practical utility of this institution has again shewn itself, for during the year it has hardly ever been without patients, no less than 44 having been treated there, comprising 28 cases of Enteric Fever, 10 of Diphtheria, and 6 cases of Scarlet Fever.

It is interesting to note that of the total cases treated, cases were removed from all the townships in your district, their respective numbers being as follows:— Cornforth 16, Ferryhill 10, Trimdon 9, Sedgefield 8, and Bishopton 1.

There is one feature about the majority of cases admitted, and this I have frequently encountered in my inspection of infectious cases, that parents will not consent to the removal of their children until they are almost in extremis, consequently the rate of mortality per number of cases treated will always be high; this year the number of deaths was six, three being from Diphtheria, two from Scarlet Fever, and one from Enteric Fever, making a case mortality of 13.6 per cent.

I have always made it a practice, even when the patients were in a dying condition, and their friends wished their removal, to accede to their request, for a frequent source of new cases of infectious disease is the very natural but most dangerous temptation of last farewells; and also by the congregation of friends at funerals,

disease may thus become spread far and wide, all of which dangers are obviated by removal to your hospital.

Lodging Houses.—These have been frequently inspected, and 16 notices served for the cleansing of rooms, &c. No cases of infectious disease have occurred in them, and they are all, with the exception of Mr. Duggan's, of West Cornforth, kept in a cleanly condition; this house on my visit was in a most unsatisfactory condition, but the proprietor promised to rectify matters, and I have had no further cause of complaint.

During the year 530 nuisances have been abated, either following upon notices served from the Sanitary Inspector or the Sanitary Authority. The majority of these notices were in respect, as in previous years, of defective ashpits and privies, no less than 133 being of this nature, and I hope, when the streets are being dealt with, to get all the old ones abolished and replaced by ash closets. There were 120 nuisances abated connected with house drainage, and the remainder dealt with cow sheds, lodging houses, refuse deposits, slaughter houses, animals improperly kept, &c.

SEWERS AND SEWAGE DISPOSAL.—During the year 4306 lineal yards of sewers have been laid. Your sewage disposal works, with the exception of those situated at West Cornforth, where I have had complaints of smells arising from the same, have worked satisfactorily. To overcome the difficulty at West Cornforth, which is only experienced at certain times of the year, and during the prevalence of an east wind, your Sanitary Engineer recommends the covering in of the settling tank.

The sewers have been flushed more consistently, and, with the exception of one situated at Cornforth Lane, I

have had no complaints concerning them; and with regard to Cornforth Lane, on my frequent visits, and that of your Inspector, I could discover no danger arising therefrom.

Burial Acts.—I was asked to report upon a prospective site for a new cemetery for the Township of Sedgefield, situated in Butterwick Lane. I was unable to recommend the same, owing to its undue proximity to dwellings, and the possibility of contaminating a domestic water supply. A Public Enquiry was held by a representative of the Local Government Board, whose report has not yet been received.

Factory and Workshops Act.—These have been regularly inspected, and notices served upon Messrs. Barker & Co., in respect of better sanitary accommodation for their workmen; upon Messrs. Mullholland & Co., West Cornforth, and The Thrislington Coal Co., of the same place, with respect to defective ash closets; and upon Messrs. Teasdale, of Thirfall Bridge, for separate accommodation for female workers.

In conclusion, I wish to thank all the medical men practising in your district, the County Medical Officer, and your Surveyor and Inspectors, for their courteous assistance rendered to me in the execution of my duties.

I am, Mr. Chairman and Gentlemen,

Your obedient servant,

FREDERICK HUNTON,
Medical Officer of Health.

February, 1909.

## VITAL STATISTICS OF WHOLE DISTRICT during 1908 and previous years.

Table I.-SEDGEFIELD.

			Birt	THS	TOTAL	DEATHS THE DI	REGISTER STRICT.	ED IN
YEA	AR.	Population estimated to Middle of			Under 1 Y	ear of Age	At all	Ages
		each year	Number	Rate*	Number	Rate per 1000 Births registered	Number	Rate*
1		2	3	4	5	6	7	8
1898		18860	704	37.4	118	153	342	18.1
1899		19079	767	40.2	119	156	333	17.4
1900		19288	746	38.6	128	158	361	18.6
1901		18927	798	41.5	148	185	353	18:6
1902		19132	706	36.9	104	147	298	15.5
1903		19337	736	38.0	142	192	347	17.4
1904		21292	829	39.9	137	153	377	17.2
1905		23737	828	34	141	170	407	17.1
1906		26061	907	34.8	180	198	510	19.5
1907		28211	945	33.5	145	153	414	14.6
Avera for ye 1898-1	ears	21392	776	37.48	136	166	374	17:4
1908		29710	1095	39.6	176	160	476	17:1

<sup>\*</sup>Rates in Columns 4 and 8 calculated per 1,000 of estimated population.

NOTE.—The deaths to be included in Column 7 of this Table are the whole of those registered during the year as having actually occurred within the district or division.

Area of District in acres (exclusive of area covered by water).

Total population at all ages ... 18722

Number of inhabited houses ... 3671

Average number of persons per house 5

## ADMINISTRATIVE COUNTY OF DURHAM.

## CHIEF VITAL STATISTICS FOR 1908,

and their comparison with 1907, and the average of the ten years 1898-1907.

	Estimate	d popu	lation	(1908	3)		84	3,770	
	Estimate	d popu	ılation	(1907	7) .		83	2,900	
		÷				UAL R			MEAN RATE for 10 years, 1898-1907.
Birth-rate				• • •	37.0	•••	34.8		35.3
Death-rate					17:5		17.0		18.0
Zymotic Dea	th-rate				2.70		1.98		2.23
Infant Morta	ality-rate,	per 1	,000 bir	ths	151		136		162
Smallpox					Nil		Nil		0.008
Scarlet Feve	r				0.07	···	0.06		0.16
Diphtheria a	nd Mem	oranou	s Crouj	р	0.18		0.20		0.19
"Fever" (E	Interic an	d Con	tinued)		0.18		0.10		0.19
Measles					0.27		0.69		0.41
Whooping C	ough				0.53		0.32		0.34
Diarrhœa					1.44		0.59		0.90
Phthisis					0.95		0.97		1.11
Other Tuber	rcular dis	seases			0.70		0.80		0.86
Acute Respi	ratory di	seases			2.81		3.09		3.06

## T. EUSTON HILL,

12th January, 1909.

County Medical Officer of Health.

# VITAL STATISTICS OF SEPARATE LOCALITIES IN 1908 and previous years.

TABLE II.-SEDGEFIELD.

1	Deaths under I year	49	58
lon.	Deaths at all Ages	67	101
Trimdon.	Births registered	213	205
H	Population estimated to middle of each year	6489	6833
	Deaths under I year	30	46
rth.	Deaths at all Ages	66	Ξ
Cornforth.	Births registered	204	293
ဝိ	Population estimated to middle of each year	7845	8261
	Deaths under I year	58	95
nill.	Deaths at all Ages	196	219
Ferryhill.	Births registered	439	517
Ä	Population estimated to middle of each year	10388	10939
	Deaths under I year	1	61
Bishopton.	Deaths at all Ages	6	Ξ
gods	Births registered	21	18
B.	Population estimated to middle of each year	798	840
-	Deaths under I year	9	10
ield.	Deaths at all Ages	34	533
Sedgefield.	Births registered	65	62
SO.	Population estimated to middle of each year	2691	2837
Names of Localities	YEAR	7061	8061

# CASES OF INFECTIOUS DISEASE notified during the year 1908.

Table III—SEDGEFIELD DISTRICT.

E	cases removed	to Hospital	10	:	9	28	44
to y	7	mulysA	:	:	:	:	1:
oved	9 9	Morkhous	:	:	:	:	1:
Rem ch L	10	Trimdon	¢.1	i	60	4	6.1
Jases m ea	4	Cornforth	67	:	c1	12	16
of Cal fro	00	Ferryhill	:	:	:	10	10
Number of Cases Removed to Hospital from each Locality	03	Bishopton	:	:	:	_	-
Nu	-	Sedgefield	9	:	_	-	00
4	-	mulysA	-	:	:	:	-
Total Cases Notified in each Locality	9 8	Workhouse	:	:	:	:	
fied i	20	Trimdon	5	ಬ	52	6	69
es Notifi Locality	4	Cornforth	4	7	55	14	08
Cases	00	Ferryhill	4	-	5	17	41
otal (	0.1	Bishopton	60	-	:	c1	9
I	1	Sedgefield	00	5	_	63	16
		bas 59 sbrawqu	:	-	:	:	-
/hole	ears	29 of 22	60	18	20	61	26
rin 🛪	At Agest-Years	15 to 25	60	-	4	18	26
ified	Ages	31 of 3	14	23	99	15	97
Cases Notified in Whole District	At,	d of I	70	:	48	6	62
Cases		I rebaU	:	1	:	:	1
	S9	gA IIs tA	25	23	121	44	213
	Notifiable Disease		Diphtheria	Erysipelas	Scarlet Fever	Enteric Fever	

Isolation Hospital:—
Sedgefield (Rural District Council).

Total available beds ... ... ... 24 Number of Diseases that can be concurrently treated ... 3

## CAUSES OF, AND AGES AT,

Table IV.—SEDGEFIELD

	Death	s at the S	Subjoined rring in	l Ages o or beyon	f "Resid d the Di	ents" w strict	hether
Causes of Death	All Ages	Under 1 year	1 and under 5	5 and under 15	15 and under 25	25 and under 65	65 and up- wards
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
Measles	2	1	1				
Scarlet Fever	6		3	3			
Whooping Cough	20	11	7	2			
Diphtheria, including Membranous Croup	6		3	2		- 1	
Enteric Fever	5				4	1	
Epidemic Influenza	5		1			2	2
Diarrhœa	10	5	5				
Enteritis	32	27	4				1
Phthisis, Pulmonary Tuberculosis	25		2	1	4	18	
Other Tuberculous Diseases	8	5	2	1			
Cancer, malignant disease	16					11	5
Bronchitis	42	17	7	1		5	12
Pneumonia	51	12	13	3	3	18	2
Pleurisy	1				1		
Other Diseases of Respiratory Organs	4	1	2			1	
Alcoholism, Cirrhosis of Liver	2					1	1
Premature Birth	59	59					
Diseases and Accidents of Parturition	6				1	5	
Heart Diseases	38	1		3	1	17	16
Accidents	18	- 1		3	5	8	1
Suicides	3					2	- 1
All other causes	117	36	13	1	3	31	33
All causes	476	176	63	20	22	121	74

## DEATH DURING THE YEAR 1908.

DISTRICT.

Deaths w	at all Ag thether (	ges of " R	esidents in or be	" belong eyond the	ingto Lo e Distric	calities	
© Sedgefield	Bishopton	E Ferryhill	Cornforth	(g) Trimdon	Workhouse	E Isolation E Hospital	CAUSES OF DEATH
				2			Measles
				6		2	Scarlet Fever
		10	5	5			Whooping Cough
1		1	2	2		3	Diphtheria, including Membranous Croup
	1	3		1		1	Enteric Fever
2			2	1			Epidemic Influenza
		4	3	3			Diarrhœa
	·	15	13	4			Enteritis
1		14	4	6			Phthisis, Pulmonary Tuberculosis
		7		1			Other Tuberculous Diseases
2		8	2	4			Cancer, malignant disease
2	2	15	7	16			Bronchitis
2	2	31	8	8			Pneumonia
		1					Pleurisy
		4					Other Diseases of Respiratory Organs
		2					Alcoholism, Cirrhosis of Liver
6	1	26	12	14			Premature Birth
		2		4			Diseases and Accidents of Parturition
5	1	14	11	7			Heart Diseases
		10	5	3			Accidents
1		1	1				Suicides
11	4	46	36	14	6		All other causes
33	11	214	111	101	6	6	All causes

## INFANTILE MORTALITY

## Deaths from stated Causes in Weeks and Table V.—SEDGEFIELD

						4010	. 02	DULI	
CAUSE OF DE	АТН			100	Under 1 Week	1—2 Weeks	2-3 Weeks	3-4 Weeks	Total under 1 Month
All Causes - Certified					41	6	6	7	60
Uncertified .					1				1
Common Infectious Diseases—							-		
Measles									
Whooping Cough									
Diarrhœal Diseases—									
Diarrhœa, all forms						***			
Enteritis, Muco-enteritis, C	Jastro	o-ente	ritis					1	1
Gastritis, Gastro-intestinal	Cata	rrh							
Wasting Diseases—									
Premature Birth					34	4	2	4	44
Congenital Defects					1				1
Injury at Birth					1				1
Atrophy, Debility, Marasm	nus				1	2	2	1	6
Tuberculous Diseases—									
Tuberculous Meningitis									
Tuberculous Peritonitis: T	Cabes	Mese	enterica	ı					
Convulsions					4				4
Bronchitis							1	1	2
Pneumonia									
Suffocation (overlying)									
Other Causes					1		1		2
					42	6	6	7	61

Population estimated to middle of 1908 ... 29710

Births in the year-

Legitimate Infants .. 1066 Illegitimate Infants ... 29

## FOR THE YEAR 1908.

Months under One Year of Age.

DISTRICT.

-											1
1-2 Months	2—3 Months	3—4 Months	4—5 Months	5—6 Months	6-7 Months	7—8 Months	8-9 Months		10—11 Months		Total Deaths under One Year
10	9	22	18	11	12	5	7	7	4	6	171
1			1	1				1			5
			1								1
1		3	1		3	1				2	11
		2		1				1		1	5
2	2	4	5	4	3		1	2	1	2	27
		1	1	1	1		1				5
	2										
4	5	2	4								59
		2									3
											1
2			1								9
1						-					
									1		1
			1		1			2			4
1		3	1	1			2				12
	1		1	3	2	. 1	3	2	1	1	17
1	1	3	3	1	1	2					12
		1									1
		1		1	1	1		1	1		8
11	9	22	19	12	12	5	7	8	4	6	176

Deaths in the year of-

Legitimate Infants ... 173

Illegitimate Infants ... 3

Deaths from all Causes at all Ages ... 476

BIRTHS - Boys ... 574

Girls ... 521

## RURAL DISTRICT OF SEDGEFIELD.

Annual Report of the Medical Officer of Health for the year 1908, on the administration of the Factory and Workshop Act, 1901, in connection with

Factories, Workshops, Laundries, Workplaces and Homework.

## INSPECTION.

INCLUDING INSPECTIONS MADE BY SANITARY INSPECTORS
OR INSPECTORS OF NUISANCES.

Premises Inspections
Workshops (including Workshop Laundries) ... 84

## OTHER MATTERS.

			Class									Number
Work shops	on	the	Reg	ister (	(s.	131)	at	the	end	of	the	
year			•••									27

F. Hunton,
Medical Officer of Health.

## TABLE of DEATHS during the Years 1878 to 1908 inclusive, in the Rural Sanitary District of Sedgefield.

T T Records Revoluty than all causes at subjuined Deaths from Expendite Diseases										Double from other Phoneses					Rate per 1000 of Population							
BERTHA DEATHS	Mortality 2000 all carees at expression ages  Coder 1-0 5-12 15-25 25-42 45 and agents						1 1		Whooping Diarrhon Elements Cough and Ferry		e Informa	Total Zymotic Diseases	Palmonalis Pi	Bronchinia Pleuricy Passmonia	metable Heart Disease	Injuries	All other Diameter	Hirth I	Death M	Infant fortality Zym per 1000 ow hirths	otte Philip	this Preside
100	1,000	Pos		Enterio Continued	Bringing Pumperal				8 1/2	5 1		80	23	41	10	14				131 5	1 14	2-6
1878   15660   801   432   627   178   177   305   1898   1898   431   432   627   178   177   305   1898   1898   1898   432   432   63	108 65 21 23 50 20 92 40 18 5 66 25 97 51 29 50 85 50 116 66 36 27 60 32 100 47 25 15 67 21 129 47 18 22 39 25 108 68 20 19 42 23 121 65 15 20 64 24 94 47 24 15 60 30	28 9 1 2 17 1 12 5 7 1 14 1 2 2 8 6 1 7	3 3 3 3 3 3 4 4 4 4 4	20 2 4 7 8 4 3 4 1 5 3 5 3 5 3 1 6 3	- 1		3 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	14 2 16 15 7 3 14	2 12 10 13 2 5 5 13 9 13 6	2	111111111111	24 62 53 59 54 71 34 40 45 30 40	23 28 34 29 27 31 32 27 30 28 24	34 51 35 34 64 35 57 56 63 40 52	17 17 18 23 23 17 15 25 17	11 8 12 84* 21 15 4 9 12 12 13	147 152 156 187 140 176 173 168 178	43-3 38-8 41-2 41-3 39-4 46-3 38-4 39-7	19 4 1 18 7 1 13 2 1 12 7 1 18 8 1 18 7 1 18 6 1 19 6 1 17 3	191 3 137 3 152 3 169 3 152 4 191 1 152 2 180 1 134 1	0 14 8 16 2 21 6 17 2 16 2 18 9 17 3 13 7 24 0 17	2·2 2·0 3·8 2·3 3·3 2·3 3·6 2·2
1899 17944 336 320 661 163 163 220 1890 18946 548 334 692 187 163 163 183 189 1894 1894 1899 377 777 205 181 366 1899 1894 1894 1896 379 377 777 205 181 366 363 1894 1894 1894 1894 1894 1894 1894 1894	114 72 18 12 73 57 18 12 73 57 18 12 73 57 18 12 73 57 18 18 17 75 18 18 18 18 18 18 18 18 18 18 18 18 18	7 2 2 3 6 1 6 1 1 6 1 1 6 1 1 6 1 1 6 1 1 6 1 1 6 1 1 6 2 7 6 2 7 5 6 2 7 5 6 2 7 5 6 2 7 5 6 3 5 5 5 5 6 5 6	4 2 4 3 1 1 4 1	1 6 5 3 1 1 1 6 6 4 6 1 3 8 8 6 6 3 1 1 1 2 2 5 5 5	-   1   -   2   -   3   -   5   -   1   -   1   -   1   -   1   -   1   -   -		1 1 2 2	11 1 14 5 16 2 17 2  10 8  3 12  5 5 12 2	6 5 2 1 13 10 1 7 7 5 1 4 1 1 5 1 5 1 1 0 1 0 1 0 0 1 0 0 1 0 0 0 1 0	0 5 7 18 1 18 1 18 1 18 1 18 1 18	4 16 1 1 4 4 4 5 3 3 3 3	55 23 45 64 41 52 45 41 48 34 38 37 21 27 30 39 111 35 86	24 28 29 29 25 22 19 23 18 21 19 23 11 17 20 20 28 28	69 103 65 46 40 53 36 42 52 36 42 53 42 65 79 63 94	18 24 13 14 24 25 25 27 23 17 26 19 22 32 32 37 37 24 38	8 9 8 12 8 13 10 9 11 12 11 15 9 17 10 18 19 15 21	208 184 209 194 178 197 202 170 171 122 151 243 220 142 169 207	38-3 38-0 40-0 40-0 39-5 37-4 40-2 38-6 41-5 38-0 38-0 38-0 38-0 38-0 38-0 38-0 38-0	21-1 19-0 10-6 17-0 20-5 18-7 18-7 18-1 17-4 18-6 18-6 17-4 17-2 17-1 19-5 14-6 17-1	166 1 154 2 159 3 168 2 191 2 150 2 153 4 2 156 2 158 1 185 4 1 185 4 1 147 3 1 158 1 170 2 1138 1 170 2 1138 1	2 04 7 1:197 05 9 06 0 06 3 05 4 05 7 06 15 3 05 7 06	57 55 525 521 229 28 212 221 221 231 231 231 241 25 367 27 27 27 28 367 27 27 28 367 27 28 367 27 28 367 27 28 367 28 367 28 367 367 367 367 367 367 367 367 367 367

. Interpretation of Low Spensymour with the Spensymour Prison District, with an area of 102 serse, and a population of 1044

\*Explosion of "fire damp" at Trimdon Grange Collinsy, 60 killed.

# AF DEATHS during the Years 18

d wille	Mort		EATH	1		HTHE	1			
	Under Jycar			M			M.	fistare doitalu	YEAR	
								THE THE PARTY OF	Buteru	
93	801		177	178	822	412	410	15660	1878	
	48			132			341	15882	1879	
	108	818	145	168	565	247	318	16104	1880	
	92		159		667	357	310	16326	1881	
100	2.6	379	158	226	685	315	320	16832	1882	
66		376	641	197	1685	333	840	16534	1888	
47	GOD	318	136		687	327	360	16836	1884	
7±	128	316	158	162	673	886	337	17038	1885	
80.	108	319	181	8ğî	2709	369	340	17238	1886	
465	121			176		827	342	17440	1887	
047	16	305	1440	164	1075	357	344	17642	1888	
	103	326	1163	163	1880	325	386	17844	1889	
									4	
722	114	365	176		692	354		18046	1890	
385	128	386	1810			372	899	18246	1891	
69	115	363	1156		87 45	363	882	18481	1892	
08	136	374	8185	189	717	342	875	18640	1898	
DO!	122	326	134		718	342	876	18849	1894	100
VO.	147	374	7718		738	360	378	18223	1895†	
08	[125		167		740	885	855		1896	
23	OII	818	366	147	781	344	887	18641	1897	
53	811	342	464	178	404	356	848	18860	1898	
342	6111	888	163	170	767		885	19079	1899	
69	128	361	170	181	746	376	870	19288	1900	
0.14	148	888		190	791		413	18927	1901	
42	101	288				848	868	19132	1902	
		347	191		736	331	405	19887	1903	
		377	176	201	829	406	428	21292	1904	
88	141	407	161	216	828		419	28737	teds	1
69	180	510	254	256	708		460	26061	1906	199
0g			200	214	945		504	28211	toel	444
	176	476	317		1095	521	574	29710	1908	200
							T		1 37 1	200