[Report 1946] / Medical Officer of Health, Spalding R.D.C.

Contributors

Spalding (England). Rural District Council.

Publication/Creation

1946

Persistent URL

https://wellcomecollection.org/works/vzknw3gp

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Spalding Rural District Council

REPORT

OF THE

Medical Officer of Health

AND THE

Sanitary Inspector

TO THE

Spalding Rural District

FOR THE

Year 1946

[&]quot;Free Press" Co., Ltd., Spalding.



SPALDING RURAL DISTRICT COUNCIL

Chairman: Mr. A. C. Casswell, J.P. Vice-Chairman: Mr. A. E. Chappell, J.P.

Members of the Council:

Mr. H. K. Braybrooks,

Mr. H. W. Chappell,

Mr. T. Chatterton,

Mr. T. Clark,

Mr. W. E. Clark,

Mr. J. E. Clifton, J.P.,

Mr. W. D. Cook,

Mr. W. Coward,

Mr. A. Dawes,

Mr. W. L. H. Dillworth,

Mr. W. Dring,

Mr. F. Earl,

Mr R. M. Fletcher,

Mr. A. Gotobed,

Mr. G. W. Machin,

Mr. F. Parkinson,

Mr. M. R. Riddington,

Mr. B. Thorpe,

Mr. A. R. Ward,

Mr. T. A. Warren,

Mr. J. Waterfall,

Capt. J. A. J. Williams,

Mr. H. G. Witherington,

Mr. A. E. Woodhead.

Medical Officer of Health:

I. M. Cullum, M.D., B.S. (Lond), D.P.H., D.C.H.

Sanitary Inspector and Meat Inspector:

F. Luker, M.S.I.A., R.S.I. Insp. Meat & Other Foods.

Spalding Rural District Council, Council Offices, 7, The Crescent, Spalding.

Annual Report of the Medical Officer of Health for the Year 1946.

To the Chairman and Members of the Spalding Rural District Council

Gentlemen,-

I have pleasure in submitting herewith my annual report for the year 1946.

Generally speaking the health of the district has remained satisfactory during the year under review, although the infantile mortality rate was disappointingly high.

Some progress has been made with post-war housing schemes and 56 new houses were ready for occupation during the year.

I wish to express my thanks to the other officials and the members of the Council for their courtesy and consideration at all times.

> I have the honour to be, Gentleman, Your Obedient Servant, I. M. CULLUM.

STATISTICS AND SOCIAL CONDITIONS OF THE AREA.

The area of the District is 87,758 acres.

The resident population is 17,780.

The average population figure given by the Registrar General for the calculation of death rates is 18,800.

The number of inhabited houses according to the rate books is distributed as follows:

| Cowbit | 9 4.1. | 2 | 4 | 160 |
|-------------|-----------|---|---|-----|
| Crowland | | | | 815 |
| Deeping St. | Nicholas | | | 440 |
| Donington | | | | 538 |
| Gosberton | | | | 637 |
| Moulton | Will have | | | 724 |
| Pinchbeck | | | | 985 |
| Quadring | | | | 278 |
| Surfleet | | | | 295 |
| Weston | | | | 344 |
| | | | | |

Total 5,216

The Rateable Value is £45,757 and the sum represented by a penny rate is £172.

EXTRACTS FROM VITAL STATISTICS.

| | | | M. | | F. | |
|-----|--|--------------------|-------|-------|--------|------|
| | Live Births | (Legitimate) | 171 | | 151 | |
| | | (Illegitimate) | 18 | | 18 | |
| | | | | | | |
| | eth distance | Total Live Births | 189 | | 169 | |
| The | Birth Rate pe | er 1,000 estimated | popul | ation | is 19. | .00. |
| | The same of the sa | | M. | | F. | |
| | Still Births | (Legitimate) | 6 | | 1 | |
| | | Illegitimate) | 1000 | | 2 | |
| | | inegitimate) | 7 | | - | |
| | | and a silver | | | | |
| | | Total Still Births | 6 | | 3 | |

The rate of Still Births per 1,000 (live and still) births is 24.52. Deaths.—Total deaths during 1946—182 (Males 106, Females 76).

The death rate per 1,000 estimated population is 9.68.

The above figure has been corrected for transfers in and out of the district but has not been adjusted to make allowance for the age and sex composition of the population.

MATERNAL MORTALITY.

| MAIERNAL MOI | (TALLI | | | |
|-----------------------------------|------------|--------|-----------|---------|
| Deaths from Puerperal Causes. | | | | |
| | | | Nii | |
| Puerperal Sepsis | | | . IVII | |
| Other puerperal causes . | | | . 1 | |
| INFANTILE MOR | RTALITY | 7. | | |
| Deaths of infants under 1 year of | | 1969 | | |
| | M. | | F. | |
| Legitimate | | | 1 1 | |
| | | | seer and | |
| Illegitimate | 1 | | _ | |
| | 0.000 2070 | | | |
| To | tal 14 | | 1 | |
| | | | Terpubde | |
| Dooth mater of infants under 1 m | | Skills | | |
| Death rates of infants under 1 ye | | | | V |
| All infants per 1,000 live births | | | | 41.90 |
| Legitimate infants per 1,000 live | births | | | 43.48 |
| Illegitimate infants per 1,000 il | | | | |
| | | | | |
| Deaths from Cancer (all ages)—3 | | , 20, | remaies | 19). |
| Deaths from Measles (all ages)- | | | | |
| Deaths from Whooping Cough (a | all ages)- | -Nil. | Dank Land | |
| Deaths from Diarrhoea (children | | | | ales 1: |
| Females Nil). | | 3 | (11) | 000 |
| remaies wil). | | | | |

COMMENTS ON THE VITAL STATISTICS.

The vital statistics as a whole remain fairly constant, but the infantile mortality rate, while just below that for the country as a whole, shows a considerable increase over 1945.

CAUSES OF DEATH IN THE SPALDING RURAL DISTRICT DURING 1946.

| 70 | Cause of Death. | М. | F. T | otal |
|----|---|----------|--------|------|
| 1 | Typhoid and paratyphoid fevers | B-45 | - | _ |
| 2 | Cerebro-spinal fever | | _ | _ |
| 3 | Scarlet fever | 11000 | _ | - |
| 4 | Whooping Cough | | _ | - |
| 5 | Diphtheria | - | - | - |
| 6 | Tuberculosis of Respiratory System | 2 | 1 | 3 |
| 7 | Other forms of Tuberculosis | 1 | 1 | 2 |
| 8 | Syphilitic diseases | 1 | - | 1 |
| 9 | Influenza | | - | - |
| 10 | Measles | _ | _ | (77 |
| 11 | Acute Polio-myelitis and polio-encephalitis | (1 to 1) | 1 | - |
| 12 | Acute infantile encephalitis | 3 | STELL. | -2 |
| 13 | Cancer of buccal cavity and aesophagus (M) uterus (F) | 3 | 1 | 3 |
| 14 | Cancer of stomach and duodenum | 5 | 4 | 9 |
| 15 | Cancer of breast | _ | 3 | 3 |
| 16 | Cancer of all other sites | 12 | 11 | 23 |
| 17 | Diabetes | _ | _ | _ |
| 18 | Intra-cranial vascular lesions | 12 | 11 | 23 |
| 19 | Heart diseases | 17 | 8 | 25 |
| 20 | Other diseases of circulatory system | 5 | 1 | 6 |
| 21 | Bronchitis | 6 | 8 | 14 |
| 22 | Pneumonia | 20.7 | - | - |
| 23 | Other respiratory diseases | 5 | 1 | 6 |
| 24 | Ulcer of stomach or duodenum | 3 | _ | 3 |
| 25 | Diarrhoea under 2 years | 1 | - | 1 |
| 26 | Appendicitis | _ | 1 | 1 |
| 27 | Other digestive diseases | 1 | 10061 | 1 |
| 28 | Nephritis | 2 | 2 | 4 |
| 29 | Puerperal and post-abortion sepsis | of acuit | - | - |
| 30 | Other maternal causes | 7 | | 1 |
| 31 | Premature birth | 7 5 | Lical | 8 |
| 32 | Congenital malformations, etc Suicide | 2 | Deat | 6 2 |
| 34 | Suicide | 1 | Deat | . 1 |
| 35 | Other violent causes | 3 | 3 | 6 |
| 36 | All other causes | 12 | 17 | 29 |
| | | COM | | |
| | statistics as a whole remain fairly constant, but | 100 | 70 | 100 |
| | All causes | 106 | 76 | 182 |

HOUSING.

Nuisances.

46 complaints with regard to housing defects and water supplies were investigated during the year and letters sent to the persons responsible requesting abatement.

4 Statutory Notices were served.

The condition of the older houses in the district remains substantially unchanged. The Council erected 50 temporary pre-fabricated houses and 6 Swedish timber houses during the year and building operations were commenced on various sites in the district.

Work on the rural housing survey was further postponed owing to the imposition of additional duties on the Sanitary Inspector under the various "Control of Civil Building" orders issued during the year.

Civil Building Control.

SANITARY CIRCUMSTANCES OF THE AREA.

Water Supply.

There has been no change in the source of water supply.

The villages are supplied with mains water derived from artesian bores at Donington, Pinchbeck, Deeping St. Nicholas, Deeping St. James and Quadring Fen. During peak consumption periods, the supply of water is inadequate, owing to the large quantities of water used for horticultural purposes in this intensely cultivated district.

The water is wholesome but the comparatively large amounts of iron present cause an unpleasant taste and the high degree of hardness renders it unsuitable for use in hot water systems.

Samples have been taken from the Council's bores and the

water has been found satisfactory.

The results in each case were as follows:

Bacteria per m.1 at 37°C—none. B. Coli present per 100 m.1—none.

The water has no plumbo-solvent action and there has been no evidence of contamination.

Particulars of the number of dwellinghouses and the number of the population supplied from public water mains are given below for the several parishes:—

| | Number of Dwellinghouses supplied from the Public | Approx. No. of |
|-------------|--|--------------------|
| Parish | Water Mains. | Population served. |
| Cowbit | 130 | 455 |
| Moulton | 481 | 1,683 |
| Weston | 245 | 857 |
| Pinchbeck | 833 | 2,915 |
| Deeping St. | Nicholas 322 | 1,127 |
| Surfleet | 212 | 742 |
| Gosberton | 480 | 1,680 |
| Quadring | 188 | 658 |
| Donington | 443 | 1,551 |
| Crowland | 644 | 2,254 |
| | 3,978 | 13,922 |

DRAINAGE, SEWERAGE AND REFUSE DISPOSAL.

There has been no change in the services provided during the year.

Salvage collections have been maintained during the year and approximately £602 has been received from the sale of paper, rags, bagging, scrap iron, glass, bones, etc.

The large quantities of tins and other household refuse collected every week is proof of the service rendered and the need for properly organised scavenging.

MILK AND DAIRIES.

Milk Sampling.

There are two Pasteurising Dairies in the district and samples of milk in course of delivery were taken at intervals throughout the year. The results were as follows:—

Dairy A.

Out of 20 samples tested one failed to satisfy the prescribed tests.

Dairy B.

Out of 25 samples tested eight failed to satisfy the prescribed tests.

Three other dealers are licensed by the Council to retail within the district milk pastuerised at dairies without the district.

COWKEEPERS AND MILK WHOLESALERS.

During the year applications for registration were received from six persons carrying on the trade of cowkeeper and wholesale purveyor of milk. In each case registration was granted. Inspections of registered premises have been made and liaison in this respect has been maintained with the Milk Advisory Officer, Holland War Agricultural Executive Committee. As a result of action taken by the Officers of this Council the Milk Marketing Board cancelled the contract of one unsatisfactory wholesaler.

MILK RETAILERS.

The Council decided to cancel the registration of one milk retailer owing to the unsatisfactory conditions prevailing at his premises.

MEAT AND FOOD INSPECTION.

During the year all animals slaughtered for food at the Central Slaughterhouse have been given routine inspections and animals showing any evidence of disease have been subject to a detailed examination. During the year 2,269 cattle, 5,834 sheep, 44 pigs and 419 calves were slaughtered and inspected.

The total weight of meat and offals condemned as unfit for human food during the year was approximately 35 tons 1 cwt. and this was disposed of for other purposes under the Ministry of Food Waste Utilisation Scheme. Among the meat and offals condemned were:—

| Article Examined. | Disease or Condition Found. |
|---|---|
| 38 Carcases of Beef and Offals | Generalised Tuberculosis. |
| 26 Carcases of Beef and Offals | Emaciation and dropsy (Johnes Disease). |
| 3 Carcases of Beef and Offals | Large malignant growth of abdominal, cavity causing generalised dropsy. |
| 2 Carcases of Beef and Offals | Jaundice. |
| 1 Carcase of Beef and Offals | Generalised Actinomycosis, |
| 2 Carcases of Beef and Offals | Extensive severe bruising and dropsy. |
| 1 Cow Carcase and Offals | Milk Fever, badly bled moribund animal. |
| 1 Cow Carcase and Offals 1 Cow Carcase and Offals | Septic Pericarditis and Pleurisy. Septic Mastitis. |
| 1 Cow Carcase and Offals | Badly bled, unwholesome carcase. Sapraemia |
| 1 Heifer Carcase and Offals 4 Calf Carcases and Offals | Immaturity. |
| | Generalised Dropsy. |
| 2 Calf Carcases and Offals | Pyaemia. |
| 2 Calf Carcases and Offals | Generalised Tuberculosis |
| 2 Calf Carcases and Offals | (Congenital). |
| 30 Part Carcases of Beef | Tuberculosis. |
| 21 Part Carcases of Beef | Bruising, dropsy, broken legs, localised abscesses growths, etc. |

| | | - | . 35 840 |
|-----|------|------|----------|
| Art | icle | Exam | ined. |

Disease or Condition Found.

| HOMESHOOKS SERVE THE SOUTHERN |
|--|
| Septic Peritonitis. |
| the second secon |
| Commencing putrefaction. |
| Unwholesome; tainted with foul |
| odour. |
| Bruised Flesh. |
| Affected by maggots of the Warble |
| |
| Fly. |
| Localised dropsy, tuberculosis, |
| abscesses, etc. |
| Actinomycosis. |
| Tuberculosis |
| Actinomycosis. |
| Cancer of Throat. |
| Tuberculosis. |
| Pericarditis- |
| Tuberculosis. |
| Actinomycosis. |
| Parasitic affection. |
| Pneumonia. |
| Echinococcus Cysts. |
| Septic Abcesses. |
| Tuberculosis. |
| Pleurisy (due to abscesses, |
| tuberculosis, etc.). |
| Distomatosis (Liver Flukes). |
| Septic Abcesses. |
| Tuberculosis, |
| Cavernous Angioma. |
| Cirrhosis. |
| |
| Echinococcus Cysts. |
| Fatty Infiltration. |
| Hepatitis. |
| Pentastomum Larvae. |
| Distomatosis (Liver Flukes). |
| Septic Abscesses. |
| Necrosis. |
| Tuberculosis. |
| Nephritis. |
| Tuberculosis. |
| Septic Abscesses. |
| Hydro-nephrosis. |
| Peritonitis. |
| Stale and putrelying. |
| Tuberculosis. |
| Peritonitis. |
| Johnes Disease. |
| Mastitis. |
| Tuberculosis. |
| Cirriosis- |
| Nephritis. |
| Generalised Dropsy. |
| Casualty animals slaughtered on |
| farms; badly bled and unwhole- |
| some carcases. |
| Acute Swine Erysipelas. |
| Generalised Tuberculosis. |
| Evidence of Swine Fever. |
| Jaundice and Dropsy. |
| Rickets with malnutrition. |
| Malignant Growths. |
| Broken legs, localised dropsy, |
| localised abscesses, growths, etc. |
| |
| |
| Tuberculosis. Tuberculosis. |
| |

| Article Examined. | Disease or Condition Found. |
|--|--|
| 23 Pigs Feet and Hocks | Enlarged joints; fibrous flesh. |
| 1 Pigs Skin and Trimmings | Animal killed on farm; unable to scald. |
| 140 lbs. Pork Trimmings | Urticaria. |
| 54 lbs .Pork Trimmings | Bruised flesh. |
| 26 lbs. Pork Trimmings | Peritonitis. |
| 11 Pigs Hearts | rendardius. |
| 1 Pigs Heart | Endocarditis. |
| 20 Pigs Lungs | Pneumonia. |
| 9 Pigs Lungs | Pleurisy. Tuberculosis. |
| 4 Pigs Livers | Echinococcus Cysts. |
| 2 Pigs Livers | Hepatitis. |
| 12 Pigs Kidneys and Trimmings | Nephritis |
| 5 Pigs Kidneys | Cystic. |
| 3 Pigs Plucks and Mesentery | Tuberculosis. |
| 7 Sets Pigs Intestines | Uncleaned; commencing putre- |
| 1 Show Carroad and Officia | faction. |
| 1 Sheep Carcase and Offals 2 Sheep and Offals | Caseous Lymphadenitis. Emaciation and dropsy. |
| 1 Sheep and Offals | Septic Pleurisy and generalised |
| | dropsy. |
| 1 Sheep and Offals | Severe bruising and dropsy. |
| 1 Sheep and Offals | Unwholesome carcase; animal |
| | dead on arrival |
| 9 Part Carcases Mutton | Localised dropsy, abscesses, broken |
| 1 Chang Hoort | legs, etc. Pericarditis. |
| 1 Sheeps Heart 12 Sheeps Lungs | Parasitic Infection. |
| 4 Sheeps Livers | Parasitic Infection. |
| 3 Sheeps Plucks | Inflammation. |
| 22 Sheeps Livers | Distomatosis (Liver Flukes). |
| 7 Sheeps Livers | Echinococcus Cysts. |
| Others foodstuffs condemned were: | Tollowing tholor— |
| 114 x 6lb. Tins Corned Beef | Blown and damaged tins; con- |
| 15 v 6th Ting Council Mutter | tents unwholesome. |
| 15 x 6lb. Tins Corned Mutton | Blown and damaged tins; contents unwholesome. |
| 2 x 1½lb. Tins Vienna Sausages | Blown and damaged tins; con- |
| 2 it 1210. This Floring Cathages | tents unwholesome. |
| 18lbs, Californian Raisins | Wet and mouldy. |
| 17 x 4lb. Packets of Tea | Contaminated with paraffin. |
| 0 | Friedlinghul |

FOOD PREPARING PREMISES.

There have been no new premises opened during the year and the condition of the existing shops has been found fairly satisfactory.

ICE CREAM.

Certificates of Registration to sell ice cream were granted to six retailers, two of whom were also registered as manufacturers of ice cream.

Ten samples of ice cream on sale in the district were taken during the year and nine were found to contain B. Coli organisms. One of the manufacturers concerned has premises in an adjoining district and the authority concerned have co-operated with a view to improving the quality of the product. Appropriate action was taken with regard to the samples manufactured within the district.

FACTORIES.

It has not been found possible to carry out inspections of the numerous factory premises in the district under the provisions of the Factories Act, 1937.

PREVALENCE OF AND CONTROL OVER INFECTIOUS AND OTHER DISEASES.

The number of notifications of infectious disease was much lower than in the previous year, largely due to the absence of measles from the district.

DIPHTHERIA IMMUNISATION.

From the 1st January to 31st December, 1946, 209 children under 5 years of age and 39 children between 5 and 14 years of age were immunised against Diphtheria.

A further 140 children were given a "booster" or secondary injection.

NUMBER OF CASES OF INFECTIOUS DISEASE.

Excluding cases of Tuberculosis, 57 cases of infectious disease were notified during the year. The numbers are shown in the following table:—

| Disease | | | | Ca | ases | Notified |
|---------------------|----|------|-----|----|------|----------|
| Scarlet Fever | | | | | 25 | |
| Whooping Cough | | | | · | 13 | |
| Measles | | | | | 8 | |
| Pneumonia | | | | | 6 | |
| Erysipelas | | | | | 2 | |
| Diphtheria | | | *** | | 1 | |
| Puerperal Pyrexia | 2 | | 1 | | 1 | |
| Ophthalmia Neonator | um | | | | - 1 | |
| | | | | - | _ | |

Total 57

SCABIES.

The joint scheme commenced in 1943 has continued to operate.

29 women and children and 23 men and youths from the Spalding Rural District attended for treatment during the year. A total of 160 treatments were given at the two centres in use.

Analysis of Cases of Infectious Diseases under Age Groups.

| - | Selection of the select | TA L | OU L | Scarlet Fever. | Diphtheria | Measles. | Whooping Cough. | Erysipelas. | Pneumonia. | Puerperal Pyrexia. | Ophthalmis Neonatorum. | nA NL M | |
|------|--|------|------|----------------|------------|----------|--------------------|-------------|------------|-----------------------|---------------------------|------------|-----|
| Und | der 1 y | ear | | | | | 1 | 1 | | | 1 | | |
| | 1 to | 2 | | | | 3 | 1 | | | 8 411 | 6 120 | | |
| | 2 to | 3 | | | | 8 | 2 | | 1 | 9 7/1 | OX IN | 4 | |
| | 3 to | 4 | | 1 | | | 3 | | | 1 40 | er or | 0.0 | |
| | 4 to | 5 | | | | 2 | 1 | 1 | | | 14.0 | 91 | |
| | 5 to | 10 | | 7 | 1 | 2 | 3 | 8 | | | 200 | 00 | |
| | 10 to | 15 | | 7 | | 1 | 2 | | | | le le | | |
| | 15 to | 20 | | 4 | | | | | | | | | |
| | 20 to | 35 | | 4 | | | | | 3 | 1 | | | |
| | 35 to | 45 | | 1 | | | | | | | | 200 | |
| | 45 to | 65 | | 1 | - | | | 1 | 2 | | G0 C1 | 20 | |
| 65 | and o | ver | | | | | | 1 | | | 90 9 | 10 | |
| Tota | als | | | 25 | 1 | 8 | 13 | 2 | 6 | 1 | 1 | Js | 302 |

TUBERCULOSIS.

Analysis of New Cases and Deaths from Tuberculosis.

| - BO 10 | 1 | NEW | CASES | 3. | DEATHS. | | | | |
|--------------|------|-------------------|-------|-----------------------|---------|-------------------|--------|---------------|--|
| Age Periods. | Resp | Respira- tory. | | Non-Respira- tory. | | Respira- tory. | | espira- y. | |
| | М. | F. | М. | F. | M. | F. | M. | F. | |
| Under 5 | | | | 1 | | | 01.1 | | |
| 5 to 10 | | 1 | 2 | 2 | | | 0.1.2 | | |
| 10 to 15 | | 1 | 1 | 1 | 1 | | 0.10 | | |
| 15 to 20 | | 1 | 1 | | | | 07.6 | | |
| 20 to 25 | | 3 | 2 | | Y | .01 | 07.5 | | |
| 25 to 35 | 5 | 1 | 1 | 1 | T | 1 | 10, to | | |
| 35 to 45 | 2 | 1 | 1 | | 1 | 09 | 01 81 | 1 | |
| 45 to 55 | 1 | 4 | | | | - 68 | 1 | | |
| 55 to 65 | 1 | | | | 1 | | | | |
| Over 65 | | | | | | | | | |
| Totals | 9 | 8 | 5 | 5 | 2 | 1 | 1 | 1 | |

| | M. | | F. | Total |
|--|----|----|-----|-------|
| Cases of Tuberculosis on the Pulmonary | | 31 | 27 | 58 |
| Register 31.12.46 Non-Pulmonary | | 15 | 20 | 35 |
| Cases of Tuberculosis removed from Pulmonary | | 2 | - | 2 |
| the Register during 1946 as cured Non-Pulmonary | | 2 | 1 | 3 |
| Cases removed from the Register during 1946 due to the diagnosis Non-Pulmonary not being confirmed | | _ | = | = |
| Cases of Tuberculosis removed from Pulmonary the Register due to removal from Non-Pulmonary the district | | = | 1 - | 1 — |



