

[Report 1949] / Medical Officer of Health, Spalding U.D.C.

Contributors

Spalding (England). Urban District Council.

Publication/Creation

1949

Persistent URL

<https://wellcomecollection.org/works/zytavya9>

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

Spalding
Urban District Council

REPORT

of the

Medical Officer of Health

to the

Spalding Urban District

for the

Year 1949



Public Health Officers of the Spalding Urban District Council

Medical Officer of Health :

J. R. MUNRO, M.D.

Public Health Officer :

L. A. GORNALL, F.I.A.S.S., M.R.S.I.

Sanitary Inspector :

F. LUKER, M.S.I.A.

REPORT OF THE MEDICAL OFFICER OF HEALTH FOR THE YEAR 1949

To the Chairman and Councillors of the Spalding Urban District.

I beg to hand you my Report for 1949.

Area in Acres	7,825
Resident Population	14,780
Number of Inhabited Houses (end of 1949)	4,310
Rateable Value	£71,664
Product of Penny Rate	£278 19 5.4

VITAL STATISTICS

Live Births.	M.	F.	Total
Legitimate	122	133	255
Illegitimate	6	5	11
Total	128	138	266

Still Births.	M.	F.	Total
Legitimate	5	2	7

There were no illegitimate Still Births.

Birth Rate per 1,000 Population	17.9
Birth Rate for England and Wales	16.7
Birth Rate of Still Births per 1,000 Population	0.47
Birth Rate of Still Births for England and Wales	0.39
Birth Rate of Still Births for Administrative County of London	0.37

Deaths.	Males	Females	Total
	90	84	174

Death Rate per 1,000 Population 11.7

Death Rate for England and Wales 11.7

Deaths of Infants under One Year of Age. M. F.

Legitimate 2 6

There were no deaths of illegitimate children under one year of age.

Deaths of Children under Two Years of Age
from Diarrhoea 2

Death Rate of Infants under One Year of Age
per 1,000 Live Births 30

Death Rate for England and Wales 32

Cancer.

Deaths from Cancer (all ages) 23

Half the number were over 70 years of age—average age ... 76.

Average age of those under 70 was 60.

Tuberculosis.

The average age of Deaths from Tuberculosis was 33.

Deaths from All Causes.

Ages	M.	F.
Over 80	21	23
Over 70	32	25
Over 60	17	17

The balance was distributed over the ages from 1 to 60.

GENERAL PROVISION OF HEALTH SERVICES FOR THE AREA

1. Medical Officer of Health (part time), J. R. Munro, M.D.
2. Public Health Officer, L. A. Gornall, F.I.A.S., M.R.S.I.
3. Meat Inspector, F. Luker, M.S.I.A.
4. Assistant Sanitary Inspector, R. H. Grainger, A.R.S.I.

I. CLOSET ACCOMMODATION

During the year 9 vaults have been converted to the water carriage system and the following drainage work has been carried out :

Premises connected to public sewer	88
Cesspools abolished	5
W.Cs. connected to cesspools (outside sewered area)		9

II. PUBLIC CLEANSING

The collection of refuse has been carried out on modern lines by mechanical low loading vehicles. Collection has been weekly for dwelling houses and three times weekly in the cases of hotels and all food premises.

(a) House Refuse—Dust Bins.

A survey of premises to reveal the sanitary condition and type of receptacle used was commenced and it is hoped the survey will be completed shortly. Action under Section 75, Public Health Act, 1936, has been taken in the appropriate cases and during the year 60 Statutory Notices were served on owners of defaulting properties. In 58 cases the owners provided the bins, and the defaulting premises were supplied with bins by the Local Authority, the latter recovering the costs from the owners.

(b) Controlled Tipping.

In view of the increase in the amount of incombustible material in refuse, the Local Authority has acquired the exclusive use of a pit which will be used on "Controlled Tipping" lines. This will supplement our means of refuse disposal and greatly reduce the strain upon the destructor.

(c) Salvage.

The salvage of materials required by industry has been carried out energetically and the sale of such salvaged materials realised for the year as under :

	£	s.	d
Waste Paper	1,597	3	0
Ferrous and Non-Ferrous Metals	61	11	2
Tins, etc.	269	0	11
Total	1,927	15	1

This represents a saving of a 7d. rate.

III. DISINFESTATION

During the year 11 cases of bed bug infestations were dealt with. Treatment with "Zaldecide" and "D.D.T." produced satisfactory results.

IV. HOUSING STATISTICS

1. (a) Total number of houses inspected for defects under the Public Health and Housing Acts ... 97
- (b) Number of inspections made for this purpose 169
2. (a) Number of dwellings (included under subhead 1) which were inspected and recorded under Housing Consolidated Regs., 1925 2
- (b) Number of Inspections made 4
3. (a) Number of dwellinghouses so dangerous or injurious as to be unfit for human habitation 2
4. Number of dwellinghouses not in all respects reasonably fit for human habitation (exclusive of subhead 3) 36

V. REMEDY OF DEFECTS DURING YEAR WITHOUT SERVICE OF FORMAL NOTICE

Number of dwellings rendered fit in consequence of informal action by Local Authority or their officers	54
--	----

VI. ACTION UNDER STATUTORY POWERS DURING YEAR

A. Proceedings under Sections 9, 10 and 16 of the Housing Act, 1936.	
1. Number of dwellings in respect of which notices were served requiring repairs	2
2. Number of houses which were rendered fit after service of such notice	2
B. Proceedings under Public Health Act, 1936.	
1. Number of dwellings in respect of which notices were served requiring defects to be remedied	2
2. Number of dwellings in which defects were remedied after service of formal notice :	
(a) By Owners	2
(b) By Local Authority	Nil
C. Proceedings under Sections 11 and 13 of P.H.A., 1936.	
Number of dwellings in respect of which Demolition Orders were made	Nil
D. Proceedings under Section 12 of P.H.A., 1936.	
Number of separate tenements or underground rooms in respect of which Closing Orders were made	Nil

VII. HOUSING ACT, 1936, PART IV. (OVERCROWDING)

Everything possible has been done during the year to relieve overcrowding but as the solution is governed by the supply of additional houses, very little could be done. Preference has been given to cases of overcrowding in the letting of new and converted council houses.

Number of cases of overcrowding relieved during the year	142
Number of persons concerned in such cases	479
Dwelling houses which have again become overcrowded after the Local Authority have taken steps to abate same	3

VIII. SWIMMING POOL

The Swimming Pool was again used by the Local Swimming Pool Committee who encouraged participation by the younger generation. The Education Committee also utilised this service and instruction was arranged by them for school children from Spalding and District. Regular sampling was carried out twice weekly and Bacteriological examinations proved 'Highly Satisfactory' at all times. Chlorination to break point principle was practiced.

During the winter extensive plant alterations were carried out complete straining, filtration, heating and chlorination plant being installed.

SECTION " E "

A. Clean Food Campaign.

A moderate response has resulted but it is hoped that interest amongst food traders will be stimulated by increase publicity and circulars which is now in hand.

During the year four premises were registered as participants but many more applications are in hand awaiting final approval of minor structural alterations carried out at the Local Authority's request.

B. Milk Supply.

Prior to 1st October, 1949, all cowsheds and dairyfarmers were inspected regularly. The major quantity of milk consumed in this area is produced in surrounding districts and bottled and pasteurised at two bottling establishments in the adjoining Rural Areas. All Retail Purveyor's premises have been regularly inspected and close surveillance maintained regarding the cleanliness of milk utensils and transport.

C. Food Preparing Premises (Section 14, Food & Drugs Act, 1938).

These premises, including Restaurant Kitchens, Bakehouses and Hotels have been inspected. Alterations were carried out at 3 premises during the year with a view to improving the general standard of cleanliness.

D. Ice Cream.

During the year 8 additional retailers have been registered under Section 14, Food & Drugs Act, 1938, for the storage and sale of Ice Cream. These together with all previously registered premises have been inspected and closely supervised. Ice Cream Vendors are showing a marked preference for the wrapped commodity and as supplies locally of this commodity are available, this has done much to safeguard the Public Health from this food.

E. Inspection of Foodstuffs.

During the year the undermentioned foodstuffs were examined and condemned as unfit for human consumption :

Asparagus	28 tins	Meat Loaf	3 tins
Beef (Mixed)	2 tins	Meat Soup	2 tins
Biscuits	11½ lbs	Milk (Evaporated) ...	121 tins
Beetroot	2 tins	Milk (Condensed) ...	18 tins
Beef Loaf	4 tins	Marmalade	1 tin
Bacon	24 tins	Mussels	9 tins
Beans	17 tins	Peas	71 tins
Brawn	4 lbs.	Pears	2 tins
Brislings	2 tins	Peaches	6 tins
Chutney	24 jars	Plums	2 tins
Carrotts	12 tins	Pineapple	1 tin
Crab	1 tin	Pork	4 tins
Cheese	87½ lbs.	Pilchards	2 tins
Cake	9 lbs.	Pickles (Mixed) ...	6 jars
Flour	3 lbs.	Prunes	1 tin
Figs	1 tin	Puddings	6 tins
Fish (Fillets)	1 tin	Salmon	3 tins
Grapefruit	1 tin	Sardines	9 tins
Grapes	11 tins	Sugar	9 lbs
Herring Roe	1 tin	Spaghetti	1 tin
Jam	8 lbs.	Syrup	2 tins
Kippers	84 lbs.	Tomatoes	47 tins
Lard	56 lbs.	Tomato Soup	1 tin
Locust Beans	7 lbs.	Tomato Puree	13 tins
Meat Lunch	3 tins	Tongue (Lamb)	1 tin
Meat and Vegetable ...	2 tins	Tongue (Ox)	7 lbs.
Meat in gravy	20 tins	Tea	¼ lb.
Meat Loaf	3 ins	Veal Loaf	11 tins
Meat Paste	8 jars	Vegetables (Mixed) ...	1 tin
Meat Lamb	1 tin		

X. PUBLIC HEALTH ACT, 1936

1. Common Lodging Houses.

Throughout the year, all registered Common Lodging Houses have been frequently inspected. Structural alterations were effected to the Sanitary Accommodation at one house and conditions regarding same are now satisfactory. Five instances of vermin—bedbug and fleas—infestations were noted but treatment with "D.D.T." proved effective. Generally the standard of cleanliness for this type of Common Lodging House was satisfactory and at no time was statutory action necessary against the keepers or their deputies.

2. Moveable Dwellings.

During the year, the L.A. provided a site for Moveable Dwellings in an attempt to ease the acute housing shortage. The site provided for 18 dwellings and all services were provided. It is intended to provide a further similar site and survey is now in progress.

XI. SCABIES TREATMENT

The treatment of Scabies and Verminous Heads has continued during the year at the Cleansing Station, Short Street, Spalding.

The number of treatments given is shown hereunder :

Number of cases in Spalding Urban District	1
Number of cases in Spalding Rural District	Nil
Number of cases in East Elloe Rural District	Nil
Total number of treatments given	2

The undermentioned statistics clearly indicate the rapid decline in the number of these cases :

Total number of cases	1946	155
	1947	87
	1948	39

XII. TABLE OF NOTIFIABLE DISEASES DURING 1949

Scarlet Fever	24
Whooping Cough	1
Diphtheria	Nil
Erysipelas	4
Measles	3
Pneumonia	5
Ophthalmia Neonatorum	Nil
Puerperal Pyrexia	Nil
Pulmonary Tuberculosis	7
Non-pulmonary Tuberculosis	1

Diphtheric Prophylaxis.

During the year 1949, 175 children were immunised.

Over 5 and under 15 years of age	8
Under 5 years of age	167

Included in this Report are the following appendices :

Appendix A, Tuberculosis Table.

Appendix B, Causes of Death.

Appendix C, Report on Water Supply.

Appendix D, Report of Meat Inspector.

I am, Gentlemen,

Your Obedient Servant,

J. R. MUNRO.

APPENDIX A. TUBERCULOSIS

Analysis of New Cases and Deaths

Age Periods.	NEW CASES.				DEATHS.			
	Respira- tory.		Non-Respira- tory.		Respira- tory.		Non-Respira- tory.	
	M.	F.	M.	F.	M.	F.	M.	F.
Under 1
" 5
" 15	1
" 25	...	2	..	1	1
" 35	...	2
" 45	1	1	1
" 55	...	1	1	1	...
" 65
" 80
Totals	1	6	0	1	0	3	1	1

APPENDIX B.

CAUSES OF DEATH DURING THE YEAR, 1949

Cause of Death	Male	Female
All causes	90	84
Measles	0	0
Tuberculosis of Respiratory System	0	3
Other Forms of Tuberculosis	1	1
Syphilitic Diseases	0	0
Cancer of Mouth, Oesophagus and Uterus	3	1
Cancer of Stomach and Duodenum	1	0
Cancer of Breast	0	2
Cancer of other sites	9	7
Diabetes	0	0
Intracranial Vascular Lesions	7	7
Heart Disease	27	20
Other Diseases of Circulatory System	9	7
Bronchitis	1	2
Pneumonia	2	1
Other Respiratory Diseases	1	2
Ulcer of the Stomach	1	0
Appendicitis	0	0
Other Digestive Diseases	0	1
Nephritis	0	0
Puerperal Sepsis	0	0
Other Maternal Causes	0	0
Premature Births	1	2
Congenital Deformity	0	2
Suicide	3	0
Other Violent Causes	1	1
Road Traffic Accident	1	0
All Other Causes	22	22
Acute Polio-myelitis	0	0
Diarrhoea under 2 years of age ...	0	2
Influenza	0	1

SPALDING URBAN DISTRICT COUNCIL.

WATERWORKS DEPARTMENT

Year ending 31st March, 1950.

Data for the Annual Report of the Medical Officer of Health.

Water Supply.

- (i) An uninterrupted supply of water was maintained throughout the year. The water was at all times of the very highest standard of chemical and bacteriological purity and the quantity available at the source was adequate for all requirements.

The total quantity of water supplied to the Spalding U.D.C. Area was 267,814,000 gallons of which 159,921,000 gallons was on metered supplies and 107,893,000 gallons on domestic and other unmeasured supplies.

The average consumption per head per day on domestic and unmeasured supplies was 21.1 gallons.

In addition to the water supplied to the Spalding U.D.C. Area, a total quantity of 377,603,000 gallons was supplied in bulk to neighbouring authorities.

- (ii) Chemical and bacteriological examinations were carried out at quarterly intervals both at the source and as delivered into supply. Typical results are attached hereto.
- (iii) The water is not plumbo-solvent nor has there been any
- & iv) form of contamination.
- (v) The number of dwelling houses in the area with a piped water supply is 4,030. The number of houses supplied by standpipe is 143. Only 14 houses in the area have no public water supply. The population is approximately 98 per cent. of the total population of the area.

P. A. LAMONT,
M.A., A.M.I.C.E.,
Engineer and Manager.

Water Engineer's Office,
Corn Exchange,
Spalding.
25th September, 1950.

APPENDIX C.
SPALDING URBAN DISTRICT COUNCIL.
WATERWORKS DEPARTMENT

COPY OF CERTIFICATE OF WATER ANALYSIS

Samples collected on 26th and 27th April, 1950, and sent for Analysis to the Counties Public Health Laboratories, London, S.W.1.

Chemical Results in Parts Per Million.	No. 1 Bourne Pumping Station	No. 2	No. 3
	13" Bore	36" Bore	Spalding Tap Water
CHEMICAL ANALYSIS			
Appearance	Clear & bright	Very faint opalescence with very few mineral	Bright with a few mineral particles
Turbidity	Nil	Less than 5	Less than 5
Colour	Nil	Filtered	Nil
Odour	Nil	Nil	Nil
Reaction p.H	7.1	7.2	8.2
Electric Conductivity at 20°C.	640	600	610
Total Solids at 180°C.	430	400	410
Hardness—Total	350	305	330
Hardness—Temporary	230	225	235
Hardness—Permanent	120	80	95
Free CO ²	26	20	17
Alkalinity as CaCO ³	230	225	235
Chlorine in Chlorides	20	19	19
Nitrogen in Nitrates	0.0	0.0	0.0
Nitrogen in Nitrites	Approx. 0.01	Less than 0.01	Approx. 0.01
Free Ammonia	0.000	0.033	0.000
Albuminoid Ammonia	0.000	0.000	0.000
Oxygen absorbed in 4 hours ...	0.25	0.35	0.30
Residual Chlorine	Absent	Absent	Absent
Metals—Iron	Less than 0.03	0.06	0.08
Metals—Zinc	Absent	Absent	Absent
Metals—Others	Absent	Absent	Absent
BACTERIOLOGICAL RESULTS			
Colonies per ml. on Agar			
1 day at 37°C.	Nil	Nil	Nil
2 days at 37°C.	Nil	Nil	Nil
3 days at 20°C.	Nil	Nil	Nil
Presumptive Coliform Reaction			
Present in . . . ml.	—	—	—
Absent in . . . ml.	100	100	100
Bact. coli.			
Present in . . . ml.	—	—	—
Absent in . . . ml.	100	100	100
Cl. welchii Reaction			
Present in . . . ml.	—	—	—
Absent in . . . ml.	100	100	100

REMARKS

No. 1—This sample is clear and bright in appearance, neutral in reaction and free from metals apart from a negligible trace of iron. The water is very hard in character though not excessively so and contains no excess of mineral or saline constituents in solution. It is of the highest standard of organic and bacterial purity.

These results are consistent with a pure and wholesome water suitable for public supply purposes.

No. 2—This sample is reasonably clear and bright in appearance, neutral in reaction and free from metals apart from a negligible trace of iron. The water is very hard in character though not excessively so and contains no excess of mineral or saline constituents in solution. It is of the highest standard of organic and bacteria purity.

These results are consistent with a pure and wholesome water suitable for public supply purposes.

No. 3—(Bathroom tap, 5 Park Road, Spading).

This sample is practically clear and bright in appearance, neutral in reaction and free from metals apart from a negligible trace of iron. The water is very hard in character though not excessively so and contains no excess of mineral or saline constituents in solution. It is of the highest standard of organic and bacterial purity.

These results are consistent with a pure and wholesome water suitable for drinking and domestic purposes.

APPENDIX D.

MEAT INSPECTOR'S REPORT FOR THE YEAR, 1949.

To the Chairman and Members of the Council,

During the year under review, all home killed meat distributed in the Spalding Urban District has been inspected, animals showing any evidence of disease have been examined in detail and the necessary action taken to safeguard the public health.

The total weight of meat and offals condemned as unfit for human food is approximately 35 tons 10 cwts. and this has been disposed of for other purposes under the Ministry of Food Waste Utilisation Scheme.

A summary of the meat inspection is given in the following table and it is interesting to note that the percentages of cattle and pigs affected with Tuberculosis are almost the same as those for 1948 the only difference being a negligible increase in the case of pigs. The continued low incidence of Tuberculosis reflects very favourably on the animal husbandry of the area.

Centralised slaughtering in some form or other appears to be here to stay and it is hoped that the Ministry of Health will take steps to see that the premises used for the purpose are in all respects suitable and where they cannot be made suitable, encourage the erection of modern abattoirs, which should, as far as possible, provide facilities for the private butcher to slaughter animals in his own way. It must be admitted, that although centralised slaughtering is the best procedure, it is not without faults and it is considered that many of these would be eliminated if it were possible for the meat to be handled, from the market to the retail shop, by the butcher himself. Always providing that the present system of 100% inspection is maintained.

F. LUKER,
Meat Inspector.

The following table gives the number of animals slaughtered and condemned :—

Class of Animal	Cattle excluding cows	Cows	Calves	Sheep and Lambs	Pigs
Number killed	1564	509	471	5712	975
Number inspected	1564	509	471	5712	975
All Diseases except Tuberculosis Whole carcasses condemned	12	12	10	11	55
Carcase of which some part or organ was condemned	695		3	118	172
Percentage of car- cases affected with disease other than Tuberculosis	43%		3%	2%	17%
Tuberculosis only Whole carcasses condemned	19	18	—	—	8
Carcases of which some part or organ was condemned	294		—	—	10
Percentage of car- cases affected with Tuberculosis	16%		—	—	2%

Details of the meat condemned and also of other foodstuffs dealt with are contained in the following list.

Article Examined	Disease or Condition Found
19 Carcases of Beef and Offals ...	Generalised Tuberculosis.
2 Carcases of Beef and Offals ...	Traumatic Pericarditis.
2 Carcases of Beef and Offals ...	Generalised dropsy and emaciation
1 Carcase of Beef and Offals ...	Gangrene and dropsy.
1 Carcase of Beef and Offals ...	Generalised Dropsy.
1 Carcase of Beef and Offals ...	Pyæmia and septic peritonitis.
1 Carcase of Beef and Offals ...	Septic pneumonia.
1 Carcase of Beef and Offals ...	Septicæmia.
1 Carcase of Beef and Offals ...	Cancerous growth with evidence of spread.
1 Carcase of Beef and Offals ...	Unwholesome animal died on farm.
1 Carcase of Beef and Offals ...	Large abscess of flank; septicæmia.
16 Cow Carcases and Offals	Generalised Tuberculosis.
7 Cow Carcases and Offals	Generalised Dropsy.
2 Cow Carcases and Offals	Tuberculosis with Emaciation.
2 Cow Carcases and Offals	Pathological Emaciation & Dropsy.
1 Cow Carcase and Offals	Traumatic Pericarditis.
1 Cow Carcase and Offals	Gangrene.
1 Cow Carcase and Offals	Septicæmia.
3 Calf Carcases and Offals	Immaturity.
2 Calf Carcases and Offals	Septic pneumonia and Fever.
2 Calf Carcases and Offals	Unwholesome, commencing putre- faction.
1 Calf Carcase and Offals	Pyæmia.

Article Condemned.	Disease or Condition Found.
1 Calf Carcase and Offals	Septic Pericarditis.
1 Calf Carcase and Offals	Generalised Dropsy and Emaciation
7 Part Carcases of Beef	Localised Dropsy.
4 Part Carcases of Beef	Large purulent growths.
3 Part Carcases of Beef	Tuberculosis.
2 Part Carcases of Beef	Large abscesses.
2 Part Carcases of Beef	Old injuries.
2 Part Carcases of Beef	Fractures.
1 Part Carcase of Beef	Peritonitis and Pleurisy.
1 Part Carcase of Beef	Actinomycosis.
1 Part Carcase of Beef	Injured by lorry.
3 Part Calf Carcases	Fractures, injuries
3 Hindquarters of Beef	Tuberculosis.
2 Hindquarters of Beef	Acute Mastitis.
5 Forequarters of Beef	Tuberculosis.
1 Forequarter of Beef	Broken foreleg.
6 Part Hindquarters of Beef	Heated meat ; tainted.
7 Part Hindquarters of Beef	Broken legs.
3 Part Hindquarters of Beef	Bruised and Dropsical.
1 Part Hindquarter of Beef	Purulent Lesion.
1 Part Hindquarter of Beef	Old injury.
5 Part Forequarters of Beef	Tuberculosis.
3 Part Forequarters of Beef	Heated meat ; tainted.
3 Part Forequarters of Beef	Severe bruising.
1 Part Forequarter of Beef	Purulent abscess of prescapular glands.
1 Part Forequarter of Beef	Broken shoulder.
1,118 lbs. Beef Trimmings	Injuries : bruising.
22 lbs. Beef Trimmings	Peritonitis.
23 lbs. Beef Trimmings	Actinomycosis.
14 lbs. Beef Trimmings	Affected by abscesses.
11 lbs. Beef Trimmings	Affected by maggots of the warble fly.
18 sets Beasts Trotters	Stale and putrefying.
613 lbs. Frozen Hindquarter Beef ...	Bone-taint putrefaction.
24 lbs. Frozen Forequarter Beef ...	Bone-taint putrefaction.
17 Beasts Thick Skirts	Tuberculosis.
5 Beasts Thick Skirts	Pleurisy.
3 Beasts Thick Skirts	Affected by liver abscesses.
1 Beasts Thick Skirt	Oedematous.
23 Beasts Thin Skirts and Trimmings	Tuberculosis.
23 Beasts Thin Skirts and Trimmings	Pleurisy.
22 Beasts Thin Skirts and Trimmings	Affected by abscesses.
13 Beasts Thin Skirts and Trimmings	Peritonitis.
107 Beasts Heads and Tongues	Tuberculosis.
38 Beasts Heads and Tongues	Actinomycosis.
2 Beasts Heads and Tongues	Abscesses of throat.
1 Beasts Head and Tongue	Contaminated.
13 Beasts Hearts	Pericarditis.
4 Beasts Hearts	Tuberculosis.
1 Beasts Heart	Affected by abscess of diaphragm.
261 Beasts Lungs	Tuberculosis.
48 Beasts Lungs	Pulmonary Distoma.
38 Beasts Lungs	Pleurisy.
15 Beasts Lungs	Pneumonia.
9 Beasts Lungs	Echinococcus Cysts.
6 Beasts Lungs	Emphysema.
3 Beasts Lungs	Septic Abscesses.
3 Beasts Lungs	Actinomycosis.
3 Beasts Lungs	Strongyli.

Article Condemned.	Disease or Condition Found.
346 Beasts Livers	Distomatosis.
104 Beasts Livers	Septic Abscesses.
43 Beasts Livers	Tuberculosis.
38 Beasts Livers	Cirrhosis.
34 Beasts Livers	Cavernous Angioma.
5 Beasts Livers	Echinococcus Cysts.
4 Beasts Livers	Fatty degeneration.
2 Beasts Livers	Bacterial Necrosis.
1 Beasts Liver	Hepatitis.
1 Beasts Liver	Pyæmia.
1 Beasts Liver	Tumour.
73 Part Beasts Livers	Distomatosis.
30 Part Beasts Livers	Cirrhosis.
28 Part Beasts Livers	Septic Abscesses.
4 Part Beasts Livers	Necrosis.
1 Part Beasts Liver	Peritonitis.
5 Beasts Spleens	Inflammation.
3 Beasts Spleens	Peritonitis.
2 Beasts Spleens	Septic abscesses.
2 Beasts Spleens	Tuberculosis.
10 Beasts Kidneys	Peritonitis.
7 Beasts Kidneys	Tuberculosis.
4 Beasts Kidneys	Nephritis.
4 Beasts Kidneys	Hydro-nephrosis.
2 Beasts Kidneys	Inflammation.
14 sets Beasts Intestines with mesentery	Tuberculosis.
14 sets Beasts Intestines with mesentery	Commencing putrefaction.
13 sets Beasts Intestines with mesentery	Johne's Disease.
3 sets Beasts Intestines with mesentery	Peritonitis.
28 Beasts Tripes	Commencing putrefaction.
6 Beasts Tripes	Peritonitis and Dropsy.
2 Beasts Tripes	Inflammation.
2 Beasts Tripes	Septic Abscesses.
49 Cows Udders	Mastitis.
2 Cows Udders	Tuberculosis.
1 Calf's Veil	Commencing putrefaction.
86 x 6 lb. cans Corned Beef	Blown, damaged or rusted cans.
5 Sheep Carcases and Offals	Generalised Dropsy & Emaciation
2 Sheep Carcases and Offals	Commencing putrefaction.
1 Sheep Carcase and Offals	Acute Mastitis : fever.
1 Sheep Carcase and Offals	Gangrene.
1 Sheep Carcase and Offals	Extensive severe bruising.
1 Sheep Carcase and Offals	Unwholesome ; animal found drowned.
1 Part Hindleg of Sheep	Abscess of stifle joint.
1 Part Hindleg of Sheep	Injury of leg.
2 Part Forelegs of Sheep	Injured legs.
1 Shank of Mutton	Arthritis.
5 Part Sheep Carcases	Abscesses.
3 Part Sheep Carcases	Pleurisy.
1 Part Sheep Carcase	Localised dropsy.
1 Part Sheep Carcase	Injury.
1 Part Sheep Carcase	Worried by dog.
1 Sheeps Head and Pluck	Pleurisy and contamination.
31 lbs. Mutton Trimmings	Abscess of flank.
19 lbs. Mutton Trimmings	Septic Pleurisy.
28 lbs. Mutton Trimmings	Putrefaction.
11 lbs. Mutton Trimmings	Bruised.

Article Condemned.	Disease or Condition Found.
7 lbs. Mutton Trimmings	Localised dropsy.
2 Sheeps Hocks	Arthritis.
1 Sheeps Hock	Abscess.
2 Sheeps Hearts	Septic Pleurisy.
1 Sheeps Heart	Pericarditis.
2 Sheeps Plucks	Septic abscesses.
18 Sheeps Lungs	Parasitic Infection.
8 Sheeps Lungs	Pneumonia.
3 Sheeps Lungs	Septic Pleurisy.
2 Sheeps Lungs	Echinococcus Cysts.
45 Sheeps Livers	Parasitic infection.
11 Sheeps Livers	Echinococcus Cysts.
4 Sheeps Livers	Distomatosis.
3 Sheeps Livers	Cirrhosis.
1 Sheeps Liver	Septic abscesses.
11 Sheeps Paunches	Stale and putrefying.
1 Sheeps Paunch	Septic abscesses.
18 lbs. Sheeps Pancreatic Glands...	Stale and putrefying.
559 lbs. Sheeps Mesentric Fats	Stale and putrefying.
2 x 6 lb. cans Corned Mutton	Blown and damaged cans.
<hr/>	
17 Pig Carcases and Offals	Generalised Dropsy.
15 Pigs Carcases and Offals	Acute Swine Erysipelas.
10 Pigs Carcases and Offals	Unwholesome; commencing putrefaction.
8 Pigs Carcases and Offals	Generalised Tuberculosis.
3 Pigs Carcases and Offals	Jaundice.
3 Pigs Carcases and Offals	Septic Peritonitis and Dropsy.
2 Pigs Carcases and Offals	Unwholesome; moribund.
1 Pig Carcase and Offals	Septicaemia.
1 Pig Carcase and Offals	Casualty: died of suffocation.
1 Pig Carcase and Offals	Multiple septic injuries.
1 Pig Carcase and Offals	Cancer of abdomen.
1 Pig Carcase and Offals	Large septic growth of abdomen.
20 Part Pig Carcases	Fractures.
8 Part Pig Carcases	Bruising; injuries.
1 Part Pig Carcase	Abscess of spine.
1 Part Pig Carcase	Cancer of throat.
1 Part Pig Carcase	Multiple septic lesions.
1 Part Pig Carcase	Localised dropsy.
128 lbs. Pork Trimmings	Swine Erysipelas.
76 lbs. Pork Trimmings	Bruising; injuries.
102 lbs. Pork Trimmings	Putrefying.
69 lbs. Pork Trimmings	Localised Dropsy.
18 lbs. Pork Trimmings	Inflammation.
8 Pigs Heads	Tuberculosis.
1 part Hindleg of Pig	Enlarged joints.
26 Pigs Feet and Hocks	Enlarged, purulent joints.
18 Pigs Feet and Hocks	Arthritis.
3 Pigs Hocks	Enlarged joints.
1 Boars Skin and Feet	Skinned on farm.
8 Sows Udders	Unwholesome.
9 Pigs Plucks	Inflammation.
7 Pigs Plucks	Pneumonia and Cirrhosis.
2 Pigs Plucks	Putrefaction.
1 Pigs Pluck	Tuberculosis.
1 Pigs Pluck	Pleurisy and Peritonitis.
1 Pigs Pluck	Pleurisy and Cirrhosis.
40 Pigs Lungs	Pneumonia.
19 Pigs Lungs	Pleurisy.
1 Pigs Lungs	Tuberculosis.
1 Pigs Lungs	Congestion.
22 Pigs Hearts	Pericarditis.

Article Condemned.	Disease or Condition Found.
9 Pigs Hearts	Bacterial Endocarditis.
1 Pigs Heart	Myocarditis.
1 Pigs Heart	Congestion.
16 Pigs Livers	Cirrhosis.
6 Pigs Livers	Echinococcus Cysts.
3 Pigs Livers	Inflammation.
1 Pigs Liver	Tuberculosis.
56 Pigs Kidneys	Nephritis.
12 Pigs Kidneys	Hydronephrosis.
4 Pigs Kidneys	Congested.
2 Pigs Kidneys	Urinous.
1 Pigs Kidney and Trimmings ...	Localised Dropsy.
1 Pigs Kidney and Trimmings ...	Haemorrhages.
10 Pigs Tripes	Inflammation.
1 Pigs Tripe	Putrefying.
1 Pigs Tripe and Intestines	Cancer and Dropsy.
17 sets Pigs Intestines	Putrefying.
6 sets Pigs Intestines	Inflammation.
10 sets Pigs Intestines and mesentery	Inflammation.
8 sets Pigs Intestines and mesentery	Peritonitis.
6 sets Pigs Intestines and mesentery	Dropsical.
3 Pigs Mesenteric Fats	Dropsical.
2 Pigs Mesenteric Fats	Inflammation.



