### [Report 1896] / Medical Officer of Health, Spilsby R.D.C.

#### **Contributors**

Spilsby (England). Rural District Council.

### **Publication/Creation**

1896

#### **Persistent URL**

https://wellcomecollection.org/works/jeugxpde

### License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.


Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.




# Spilsby Rural District Council. Medical Officer's Department, Spilsby, Febry 12 1894 DR. F. J. WALKER, MEDICAL OFFICER OF HEALTH, Dear Lir. I my annual ruport- for the Library of the Brisish Medical association as doon as they we printed and I will also continue to do do Whenever they are ordered to be printed by the Conneil. Jours Jaithfully. Francis J. Fracket.

# Spilsby Rural District Council.

DERICER OF HEALTH Spidsby.





## Report

FOR THE YEAR 1896,

PRESENTED TO THE

# Spilsby Rural District Council

BY

FRANCIS J. WALKER, M.D., L.S.Sc.,

M.R.C.S., Eng.; L.R.C.P., London; L.S.A.,

MEDICAL OFFICER OF HEALTH.

SPILSBY :

W. E. PARSONS, PRINTER, MARKET PLACE. 1897.



# Report

FOR THE YEAR 1896,

PRESENTED TO THE

# Spilsby Rural District Council

BY

FRANCIS J. WALKER, M.D., L.S.Sc.,

M.R.C.S., Eng.; L.R.C.P., London; L.S.A.,

MEDICAL OFFICER OF HEALTH.

SPILSBY:

W. E. PARSONS, PRINTER, MARKET PLACE. 1897. Breport

NOBE THE YEAR HOW

une To granicalism

spilsby Runal District

Council

NORSER WALKER MER

MED SER : LECP London Lin

Sinkly and the state of the sta

CHARLES SHARE STREET, NOT SAVE ST. OF

### TO THE

# Spilsby Rural District Council.

GENTLEMEN,

As your Medical Officer of Health I beg to lay before you my Report for the year ending December 31st, 1896.

An initial difficulty occurs with regard to the Report of this year, owing to the fact that in the month of April the Parish of Alford was made into a separate Urban District Council. By this change the population of our district has been reduced nearly 3000 and the area 1079 acres, consequently all past averages have become useless as bases for future comparisons. Under the circumstances I have deemed it best to make all my calculations as though Alford had been removed at the beginning of the year, and to reserve for a separate paragraph any remarks I may have to make with regard to the eliminated Parish for the three months when it was under my supervision. After adopting this plan,

I find that the Birth-rate and the Death-rate for the year still continue remarkably low, each varying but a few decimal points from that of the previous year.

The first part of my Report will treat of the infectious diseases that have occurred during the year, together with the means taken for preventing their spread; the second, of the various sanitary works that have been accomplished; and the third, of vital statistics.

### EPIDEMIC DISEASES.

Measles.—Every year seems to bring some disease especially to the fore, and this year Measles has taken the prominent place. Owing to the fact that this disease is not subject to compulsory notification, it is impossible to give the number of cases that have actually occurred. Suffice it to say that Measles has existed in some part or other of the district throughout the whole of the year, and although the number of cases may have amounted to some hundreds, it is very satisfactory to state that not a single death has been registered under this heading. It has however been found necessary, in order to lessen the spread of the disease, to close the schools in 13 instances. In the early part of the year there were really two diseases prevailing in different parts of the district, which, although distinct, yet owing to close relationship and similitude of symptoms are apt by the inexpert to be confounded as one. I allude to Measles proper or Morbilli, and German Measles or Rotheln. In the table of statistics sent out by the Local Government Board,

and appended to the end of this Report, there is only one column for Measles, the Board evidently not thinking it necessary to distinguish between That they are however nonthese two diseases. identical, I have this year had ample opportunities of satisfying myself, for during that time I have watched at least a score of children who have unmistakeably suffered from both complaints, a fact which goes to show that an attack of one disease is no safeguard against an attack of the other, and explains away many of the cases where people are supposed to have had Measles more than once. These two diseases agree in being highly infectious even on the first day of illness, before the appearance of the rash, and this accounts for their rapid spread. A child, perhaps not feeling very well, and no infectious disease being suspected owing to the absence of rash, is sent to school, and subsequently turns out to have been a source of infection to his neighbours.

It has been pretty well established that the most fatal age for Measles is 2 years, and that the disease is much more prevalent in children under 5 years than in those above. It follows then, that, as Dr. Thorne Thorne says "If in any district Measles, which formerly was epidemic every other year, be so far discouraged by preventive measures as to acquire epidemicity every fourth year, it is clear that a larger number of susceptible children will, when the epidemic arrives, have reached ages at which the disease is little fatal, and that in this way many lives will be saved which formerly were sacrificed to

Measles." The behaviour of our epidemic this year seems in a measure to support this view.

Scarlet Fever.—It is highly gratifying to find that this disease has not been nearly so prevalent as during the preceding 3 years. Altogether 31 notifications have been received, but most of these referred to isolated cases, and in no instance were they congregated together in sufficient numbers to justify the name of an epidemic. Out of the number of cases notified, in 10 the contagion did not spread beyond the patient first attacked, and in 8 beyond the infected house, while in the remainder it in no instance extended beyond a second dwelling. This I think clearly shows the advantages of early notification, for by it we are enabled promptly to resort to isolation, disinfection, and other sanitary measures. There was but 1 death, that of a child 2 years old.

Whooping Cough—We have heard very little of this disease in the district throughout the year. The only death, and that occurred as far back as March, was in the parish of Bilsby, where Whooping Cough prevailed at the time, having been probably imported from Alford.

DIPHTHERIA.—I received 20 notifications of Diphtheria, but out of these 14 referred to cases which were mild in character and did not spread. The remaining 6 all occurred in one household in the parish of Harrington, among the members of which the disease spread with great rapidity. I am glad to say all these 6 recovered. The only fatal case

during the year was that of a child aged 4, at Friskney.

ENTERIC FEVER.—Four cases of Enteric or Typhoid Fever have been notified, and unfortunately 3 have proved fatal. Two of these fatal cases occurred in Spilsby, though with a considerable interval, one in April, the other in September. Both victims had resided in houses in the Halton Road, a part of the town that in my last Report I recommended should have its drainage improved, and this improvement, I am glad to say, has been carried out during the latter part of the year. The third fatal case occurred at Firsby, and the non-fatal one at Wainfleet. These two latter were solitary, and were followed by no extension of the disease, and in each case after much investigation I failed to find a satisfactory explanation as to the origin of the disease.

ERYSIPELAS.—I received 15 notifications of scattered instances of this disease. This number pretty well tallies with that of each of the previous four years. Most of the cases were mild, and all ended in recovery.

DIARRHEA.—I heard very little of this disease during the year, and only one death was recorded.

INFLUENZA.—This disease occasionally showed itself in different parts of the district during the year. In form it was generally mild, and there is every hope that it is gradually taking its leave of us. One death, that of an old man aged 74, was recorded under this heading.

8

In the course of the year I have received 72 notifications of Infectious Diseases, or 36 fewer than during the previous year. This number clearly shows the diminution in the incidence of notifiable diseases, and is far less than the simple removal of Alford can account for. Their distribution under the several headings will be seen in the following table:—

Year.	Small Pox.	Scarlet Fever.	Diphtheria.	Membranous Croup.	Typhus Fever.	Enteric or Ty-	Continued Fever.	Relapsing Fever.	Puerperal Fever.	Cholera.	Erysipelas.	Total.
1896		31	20			4	1	- 5	1		15	72

During the three months that Alford was under my supervision there were 7 births and 12 deaths registered. Three cases of infectious disease were notified, 1 of Diphtheria and 2 of Erysipelas. They were all solitary, and ended in recovery. The most prevalent zymotic disease was Whooping Cough, of which many cases occurred and 3 proved fatal, all of these being children under 2 years of age.

### SANITARY WORK.

Spilsby.—A very important and somewhat extensive structural work has been effected here during the year. In previous Reports I have drawn attention to the inefficient state of the drainage in the eastern part of the town, which includes Halton Road and Alma Place. The new work consisted in

laying (1) 170 yards of 15-inch pipe sewer from the outfall to a manhole in the Halton Road; (2) from this manhole 290 yards of 9-inch pipe sewer to a manhole at the top of New Town; (3) 70 yards of 12-inch pipe sewer from a manhole near the outfall to a previous drain at the bottom of Alma Place. The works have been planned by and carried out under the supervision of your Surveyor, and are supplied with the necessary lampholes, flushing-penstocks, etc., and there is every reason to hope that a portion of this town hitherto in an unsatisfactory state has been put into a greatly improved sanitary condition.

Burgh.—The sewage disposal ground at Burgh, which was re-laid and re-trenched last year, has been found barely sufficient for the satisfactory filtration of the sewage, especially during wet weather; but this is being remedied by the diversion into natural water courses of the storm water which previously ran into the sewers, and so gave extra work to the engine and surcharged the land.

BILSBY.—In August our attention was called to the condition of the Wold Grift Drain as it passes through the parish of Bilsby, and after inspection I reported to your Authority that in its then state the drain was a nuisance and prejudicial to health, especially to those residing in its immediate vicinity. The perpetrators of the nuisance are clearly the inhabitants of the town of Alford, and it rests with the Authority of that town to mitigate the same. All we have to do is to safeguard the inhabitants of Bilsby, and protect them from injury, no matter how or by whom caused.

Friskney.—A representation having been made by the Friskney Parish Council to your Authority, requesting that steps should be taken to procure, if possible, a water supply for the parish, operations have been commenced for this purpose by boring, which it is devoutly to be hoped may prove successful, and so supply a most necessary sanitary requirement to the dwellers in this part of the district.

The following is the Surveyor and Inspector's Report for the year 1896.

Number of nuisances reported		149
Number abated without formal notice		51
Number of formal notices served		98
Number unabated at the close of the year		2
Total number abated		147
Number of legal proceedings taken		2
Houses reported unfit for human habitation	on	4
Houses placed in habitable repair		2
Houses rebuilt		1
Houses pulled down		1
New drainage to houses		12
Defective drainage to houses remedied		35
Houses cleansed and disinfected		26
Old privies removed and new ones erected		4
Old privies repaired and ventilated		3
New earth closets erected		10
New water closets erected		2
New dust bins erected		3
Old dust bins repaired and covered in		6
Cases of overcrowding reported		4

Cases of overcrowding abated		4
New water supply to houses		4
Wells sunk for water supply		4
Wells cleansed and water supply improved		7
Samples of water collected for analysis		18
Slaughter-houses inspected		13
Dairies, cowsheds, and milkshops inspected		39
Schools closed by order		13
Schools ventilated and drained		1
Buildings erected under the Byelaws-Spilsby	5,	
Wainfleet 7, Winthorpe 3, Hundleby	2,	
Sutton 10, Hogsthorpe 2, Burgh 2		31
Buildings erected in other parts of the district		11

The four cases of overcrowding reported were all abated; in two by the provision of additional accommodation, and in the others by the reduction of the number of inmates.

I have analysed eighteen samples of drinking water collected for analysis, and the results were that in eight cases the water was classed as good, in six suspicious, and in four bad.

Legal proceedings were taken in the following cases—(1) Against a man for exposing fish in Spilsby market, the same being unfit for human food; he was fined £5. (2) Against a man for neglecting to abate overcrowding after receiving due notice; he was fined £1 10s. (3) Against two youths for wilfully damaging tombstones in the Spilsby Cemetery; they were fined £1 4s. 6d. each.

No complaint has been made to me of any offensive trade having been carried on in the district.

### VITAL STATISTICS.

In 1896 the Births were 489, and the Deaths 297. The Birth-rate was 22.76 per 1000 population, and is practically the same as that of last year, and 1.82 below the mean rate of the last ten years 1886—1895. The Death-rate was 13.89, and so maintains the exceptionally low character of that of last year, and is 1.96 below the mean-rate of the last ten years. The average relation of Births to Deaths is 1.6 to 1; for 1896 1.6 to 1.

The Birth-rate in England and Wales in 1896 was 29.7 per 1000 of the population, which is lower than the rate in any other year on record excepting 1894, and 1.3 below the mean rate in the ten years 1886—1895. The Death-rate was 17.1 per 1000, and is lower than the rate of any previous year excepting 1894, and 1.7 below the mean rate in the ten years 1886—1895.

The Births were distributed according to quarters as follows:—

	LEG	ITIN	MATE	. 11	LLEG	ITIN	IATE.
	MALES.	FF	MALES	5. M	ALES.	FE	MALES.
Quarter ending March 31st	64		63		4		2
Quarter ending June 30th	56		50		4		4
Quarter ending Sept. 30th	62		56		3		5
Quarter ending Dec. 31st	60		51		3		2
	242		220		14		13
Total Legitimate 462	То	tal ]	Males			. :	256
" Illegitimate 27		,, ]	Fema	les		. 2	233
Grand Total 489	,		G	rand	Tota	1 4	189

For purposes of comparison with former reports, I shall follow the same plan as heretofore adopted, and arrange the deaths in two tables. The first gives the percentage according to age, the second the actual number according to class of disease.

						Ave	rage per
Und	ler			1896.		cer	ntage for rs, 1886-1895.
1	year	 46	or	15.49	per cent.	 16.68	per cent.
2	,,	 7	"	2.36	,,	 3.86	- "
5	,,	 7	,,	2.36	,,	 2.81	,,
10	,,	 4	,,	1.35	,,	 2.56	,,
15	,,	 7	,,	2.36	,,	 1.70	,,
20	,,	 13	,,	4.38	,,	 2.33	,,
30	,,-	 10	"	3.37	,,	 5.18	,,
40	,,	 21	"	7.07	,,	 3.78	,,
50	,,	 16	"	5.39	,,	 5.45	,,
60	,,,	 28	"	9.43	"	 7.66	,,
70	,,	 29	,,	9.76	,,	 13.22	,,
80	,,	 68	,,	22.89	,,	 20.12	,,
90	"	 35			,,	 12.39	Т,
100	,,		,,	1.68	. ,,	 1.90	,,
105	,,	 1	,,	.33	,,		

The percentage of deaths under one year which last year was 18.40 or 3.45 above the average of the last ten years, decreased to 15.49 or 1.28 below the average. Out of the 488 Births 46 or 9.42 per cent. died during the first year of life. One death was recorded at the advanced age of 101 and this is the second centenarian who has died in the district during the last ten years.

Class	,						1896.
I.	Zymotic Dise	ases				4	8
II.	Cancerous Di	iseases					23
III.	Tubercular D	iseases					33
IV.	Diseases of B	Frain, &c.					46
V.	" Н	leart, &c.					43
VI.	" L	ungs, &c.			11 B		35
VII.	" S	tomach, Live	er, &c.				15
VIII.	" К	idneys, &c.					7
IX.	,, V	Vomen and (	Childbir	th			4
X.	,, Sl	kin &c.					0
XI.	Debility, Atro	ophy, and M	arasmu	s			9
XII.	Development	al Diseases					10
XIII.	Old Age						39
XIV.	Violent Deat	hs					8
XV.	Causes not sp	pecified					7
						100	

The eight deaths in the class of Zymotic Diseases were made up of Scarlet Fever 1, Diphtheria 1, Enteric Fever 3, Whooping Cough 1, Diarrhœa 1, and Influenza 1, and these have already been alluded to. The Death-rate per 1000 of the seven principal Zymotic Diseases amounted to '32.

The Death-rate for England and Wales for the same Zymotic Diseases was 2·18 per 1000 against 1·81 and 2·17 respectively in the preceding two years.

TABLE of DEATHS from the Seven Principal Zymotic Diseases during the last ten years.

1896.	1	1	1	1	. 1	60	1	1	1	290	297	.32	13.89	17.1
1895.	60	2	60	1	1	67	1	1	12	325	337	64.	18.82	18.7
1894.	60	5	00	2	1	1	1	-	14	310	324	89.	13.53	9.91
1893.	4	1	1	8	1	69	1	60	19	369	388	64.	16.10	19.5
1892.	1	1	8	1	1	1	1	1	1-	342	349	.29	14.39	19.0
1891.	1	2	1	1	1	9	1	1	6	442	451	98.	18.47	20.5
1890.	1	1	1	13	1	1	1	1	15	420	435	09.	17.67	19.2
1889.	1	1	1	5	1	1	1	2	6	392	401	98.	16.15	17.9
1888.	1	ಣ	00	2	1	တ	1	00	14	416	430	.55	17.17	17.8
1887.	œ	1	1	1	1	2	1	1	14	369	383	99. se	15.17	8.18.8
- wai			:	:	:	:	:	:	rincipal	:	:	cDisease	ll causes	d Wales
:	:	:	:	:	:	Enteric	oubtful	sentery	the 7 p	causes.	:	0Zymoti	O from a	gland an
:	::	ver		Cough	snyc	Typhoid or Enteric	Other or doubtful	and Dys	ths from Disease	m other	ths	per100	per 100	for Eng
Small Pox	Measles	Scarlet Fever	Diphtheria	Whooping Cough	Fever, Typhus	" Tyl	" Oth	Diarrhœa and Dysentery	Total Deaths from the 7 principal Zymotic Diseases	Deaths from other causes	Total Deaths	Death-rate per 1000 Zymotic Diseases 55	Death-rate per 1000 from all causes 15.17	Death-rate for England and Wales 18:8

From whatever sanitary standpoint we survey the year that has just past, the prospect becomes satisfactory and encouraging. Further experience in the working of the Infectious Diseases (Notification) Act, has served only to justify its existence and demonstrate its utility; much solid structural work has been accomplished; and the Vital Statistics are eminently satisfactory. In every direction evidence is forthcoming that Sanitary organisation with its attendant work is having a telling and favourable effect upon Public Health.

I have the honour to be, Gentlemen, Your obedient Servant,

FRANCIS J. WALKER,
Medical Officer of Health.

SPILSBY.

January, 1897.

### APPENDIX.

(A) TABLE of DEATHS during the year 1896, in the Spilsby
Rural Sanitary District; classified according to Diseases,
Ages, and Localities.

Names of Localities adopted for the purpose of these Statistics;	MORTALITY FROM ALL CAUSES AT SUBJOINED AGES.										
public institutions being shown as separate localities.  (Columns for Population and Births are in Table B.)	At all ages.	Under 1 year.	and under 5	5 and under 15	15 and under 25.	25 and under 65	65 and up- wards				
Registration Sub-District.											
SPILSBY	107	14	6	1	8	30	48				
The Workhouse	21	1		2		7	11				
Alford	41	9	1	2	2	6	21				
WAINFLEET	52	12	3	1	2	13	21				
Burgh	47	5	1	4	2	15	20				
STICKNEY	29	5	3	1	3	9	8				
Totals	297	46	14	11	17	80	129				

237 20 87 20 10 37 8 60 31 21 TOTAL. 143 Diseases. 15 18 10 23 All other 2 .asiruţaI AGE. 'ezuənyu] OF 6 9 9 00 30 33 YEARS Heart Disease. Pneumonia, and Pleurisy. 10 10 CI 9 07 3 21 FIVE Bronchitis, 10 CZ 9 Phthisis. UNDER Fever. : TABLE OF DEATHS, ETC .- continued. Rheumatic CHILDREN Dysentery. Bua Diarrhæa Whooping Cough. : OF DEATHS : : : Measles. Erysipelas. DISTINGUISHING :: i Cholera. Puerperal Relapsing SUBJOINED CAUSES, FEVERS Continued Typhoid. 3 CI : : Enteric Typhus. FROM Membranous Croup. ; MORTALITY : Diphtheria. :: Scarlatina. Smallpox. spwdn spwdn apwdu apwdu apwqu Under 5 apwdu Under Under Under Under Under

(B) TABLE of POPULATION, BIRTHS, and of NEW CASES of INFECTIOUS SICKNESS, coming to the knowledge of the Medical Officer of Health, during the year 1896, in the Spilsby Rural Sanitary District; classified according to Diseases, Ages and Localities.

	1	maden Com	: 9	::				١.٨	
	-8	Erysipela		!!!	:-	: :			15
alth.		Сројега.	::	::	::	::	::	::	::
of He	1	Puerperal.	: :	::	::	::	::		
Hicer)		Relapsing.	::	::	: :	::	::	::	::
ical C	FEVERS.	Continued.	1 ::	::	+ 1	::	::	::	1
ve Med	H	Enteric or Typhoid.	:67	::	::	: 67	::	: (:	:4
e of th		Typhus.	::	::	::	: :.	::	::	::
owledg	sno	Membrane Croup.	::	::	::	1::	::	-::	::
the kn	.8	Diphtheri	10	::		:9		1.	10
ng to	.8	Scarlatin	210	::	:∞	.: 13	: "	::	29
, comi	·x	Smallpo	:::	::	1: :	::		::	::
ich Locality		Aged under 5 or over 5.	Under 5 5 upwds	Under 5 5 upwds	Under 5 5 upwds	Under 5 5 upwds	Under 5 5 upwds	Under 5 5 upwds	Under 5 5 upwds
ckness in ec		Registered Births.	131	5	93	123	89	59	489
New Cases of Sickness in each Locality, coming to the knowledge of the Medical Officer of Health.	POPULATION AT ALL AGES.	Estimated to middle of 1894.	6220	!	4149	4794	3448	2828	21,439
New	POPULATIC	Census, 1891.	6471	1	4241	4937	3678	2815	{ 22,142
	NAMES OF LOCALITIES	of these Statistics; Public Institutions being shown as separate localities.	Registration Sub-District.	The Workhouse	Агговр	WAINFLEET	Вивен	STICKNEY	Totals

### APPENDIX.

## RAINFALL FOR 1896.

Month.	No. of days on which 'Cl or more fell.	Amount in inches.	Average for last 21 years.
January	16	1.27	2.02
February	12	.83	2.00
March		2.73	1.70
April	14	1.13	1.72
May		1.00	2.02
June		1.21	2.17
July	8	1.97	3.14
August		1:84	2.73
September	21	5.67	2.72
October		5:39	3.40
November	13	1.48	3.06
December	. 26	4.49	2.43
Total	200	29:31	



