[Report 1932] / Medical Officer of Health, Staffordshire County Council.

Contributors

Staffordshire (England). County Council.

Publication/Creation

1932

Persistent URL

https://wellcomecollection.org/works/wzgj5trd

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.







STAFFORDSHIRE COUNTY COUNCIL

Annual Report

OF THE

MEDICAL OFFICER of HEALTH

W. D. CARRUTHERS, M.B., D.P.H.

For the Year 1932

STAFFORD:
Printed by J. & C. MORT, LTD., 39 Greengate Street
1933

INDEX.

Area and Population		Page
	12	Food— Inspection and Supervision of 63-68
Bacteriological Laboratory—	14	inspection and Supervision of 65-65
Bacteriological Examinations, General	34	Gnosall (Rural)—
Venereal Diseases	34	Water Supply in 52
Biddulph—		Health Services, General Provision of 16
***	56 51	Health Visiting Scheme 46–49
		Hospitals 40
Bilston— Sewerage and Sewage Disposal at		Housing Acts 62
	60	Infantile Mortality 45
Births in urban and rural districts	14	
Brownhills—		Infectious Diseases—Prevalence of and Control over 68–72
Sewage Disposal of Norton Canes	59	Influenza 71
Cannock (Urban)—		
	58	Institutions for unmarried mothers 40
	51	Kidsgrove—
Cannock (Rural)—	50	Water Supply in 51 Sewage Disposal in 56
	58 51	Sewage Disposal in
Cerebro-Spinal Fever	70	Sewerage and Sewage Disposal
Cheadle (Rural)—		Scheme for 57
	57 52	Leek (Rural)—
		Sewage Disposal at Baddeley Green 57
		Lichfield (Rural)—
	49	Sewage Disposal in 59 Water Supply of Yoxall 52
	46	I 1 C
Contributions to District Councils	61	
Coseley-		Maternal Mortality 41-45
Sewage Disposal	60	Maternity and Nursing Homes 40
Darlaston-		Mayfield (Rural)—
Sewage Disposal	60	Water Supplies in 52
Deaths in urban and rural districts	14	Measles 70
Diarrhœa and Enteritis	71	Mental Defectives; Institutional
Diphtheria	69	Provision for the care of 17
Dudley C.B. (Worcs.)-		Midwives, Provision and Inspection
	60	of 17–27
	70	Recovery of fees for medical attendance
Frankalitia Lathanda	70	Subsidies 25 Maternity Outfits 27
	100000	
Enteric Fever	69	Milk Supply 63

INDEX-continued.

	Pa	age	Page
Milk and Dairies Act, 1915		63	Stafford (Rural)—
Milk, Special Designations		67	Water Supply at Aston and Derrington 53
Ministry of Health Inquiries		61	Sewage Disposal of Walton 58
Newcastle Municipal Borough-			Statistics, Summary of 11
Sewage Disposal in		57	Stillbirths 14, 27
Newcastle (Rural)—			Stoke-on-Trent City—
Sewage Disposal in Water Supplies in	::	56 53	Sewage Disposal 57
Nursing Homes Registration Act, 19	927	40	Stone (Rural)— Sewage Disposal at Barlaston 58
Nursing in the home—			Water Supply in Eccleshall 53
General Nursing and Infection	ous		Table—
Diseases		17	Showing comparative birth-rates, 1889–1932
Nutrition		68	Showing death-rates in urban and rural districts, 1889–1932 15
Oldbury (Worcs.)— Sewage Disposal Works		59	Showing deaths under 45 years of
Ophthalmia Neonatorum		72	Showing chief causes of death,
Orthopædic Hospital and Clinics	40-	49	1923–1932 15 Showing population in urban and
Puerperal Fever and Puerpera		43	rural districts 13 Showing number of notified cases of
Pyrexia Regulations			tuberculosis 73
Poor Law Medical Out Relief		17	Showing death-rate from tubercu- losis, 1914–1932
Public Health Officers		7	Showing working of bacteriological examination scheme 30
Quarry Bank— Sewage Disposal		61	Showing working of Sale of Food
Rivers Pollution Prevention	54		and Drugs Acts during 1932 35 Showing examination of milk
Analysis of River Trent	and		samples 32, 33, 66, 68
Tributaries		55	Showing maternal mortality, 1923–1932 42
Rowley Regis—		co.	Tables, General 78–87
Sewage Disposal at Tividale Water Supply in	::	60 51	Showing infectious cases notified in 1932 71 & 84–86
Rugeley-			Showing vital statistics for 1932 78-83
Sewage Disposal Scheme		58	Showing working of the Midwives Acts 18–26
Scarlet Fever		68	Showing work of health visitors
Sedgley—			during 1932 87
Sewerage and Sewage Disposal Water Supply in		61 51	Tamworth (Joint) Sewage Disposal Works 60
Seisdon (Rural)—			Tuberculosis 49, 72–76
Sewerage and Sewage Disposal		60	Tutbury (Rural)—
Wombourne Water Supply of Pattingham		53	Sewage Disposal at Barton-under- Needwood 59
Small-pox		68	

INDEX-continued.

	Page	Page
Uttoxeter (Urban)		Walsall County Borough—
Sewage Disposal Works Water Supplies in	58 53	Sewage Disposal 60
		Walsall (Rural)—
Uttoxeter (Rural)—		Sewage Disposal Works at Aldridge 60
Sewage Disposal at Rocester	58	
		Water Supplies 51-54
Vaccination	72	West Bromwich County Borough—
Venereal Diseases, treatment of Examinations of Pathological	49	Sewage Disposal Works 60
Specimens	34	Whooping Cough 71
Staffordshire cases treated in 1932	50	
		Wolverhampton County Borough—
Vital Statistics (extracts)	11	Sewage Disposal Works 58

Annual Report of the Medical Officer of Health

PRELIMINARY NOTE

The Annual Report for 1932 has been prepared in accordance with the suggestions of the Ministry of Health, and, unlike the periodical reports now required every five years, is not a survey report and deals only with the year in review. Therefore it should be read in conjunction with the Annual Report for 1930, which was the last survey report.

From a health point of view the year 1932 has been extremely favourable. The birth-rate is higher and the death-rate lower than that of England and Wales as a whole. There has been no serious epidemic of infectious disease during the year, and on referring to the tables of statistics it will be seen that fewer cases of pulmonary tuberculosis have been notified compared with last year, and the death-rate from this form of tuberculosis is the lowest yet recorded. This is a most satisfactory feature in view of the fact that the disease attacks those in the most active period of life, and the low death-rate is all the more remarkable because of the long period of industrial depression and the inevitable reaction that this must have on the social conditions generally.

In many of the Annual Reports during recent years we have had to record some diminution in the area of the administrative county, but this year is notable in that there has actually been a small increase due to the Tamworth Borough Extension which took in a neighbouring portion of Warwickshire.

During the year the County Council were able to open the Standon Orthopaedic Hospital, whereby they have been enabled to deal in their own Institution with practically all the cases of crippling defects, and it will be with much satisfaction that this extension of the facilities for the treatment of orthopaedic conditions will be noted.

In the Report some details will be found of the work of the Maternity and Child Welfare Scheme. Unfortunately, the efforts to reduce the maternal mortality rate have not yet been entirely effective, but, as has been stated in a previous Report, we cannot expect the full effect to be realised until the mothers themselves give their active co-operation, and this can only come about by the

slow process of education, for there is unhappily still a great reluctance on their part to take advantage of the ante-natal measures, which, experience has shown, prevents quite half the maternal deaths that now occur.

Again this year will be found a full and most interesting report on the work of the County Bacteriological Laboratory, which shows how essential its work is in any scheme of preventive medicine, and it also effects a further contribution of great value in coordinating curative with preventive medicine by bringing about the active co-operation of the general practitioners with the work of the Public Health Department.

The Report also shows that the work of the Chemical Laboratory has been further developed and now, in addition to the examination of samples under the Food and Drugs Acts, work sent by the County coroners is also undertaken.

Finally I would refer the reader to the epitome of work undertaken by local authorities on water and sewage disposal schemes, from which it will be seen how fully alive they are to the importance of proceeding with them in these difficult times.

Public Health Officers.

(a) .	Medical.	
	County Medical Officer of Health	1
	School, Maternity and Child Welfare and Ante-natal Work: Senior Assistant Medical Officer (Whole-time) Assistant Medical Officers (Whole-time) ,, Officer (Part-time) County Ophthalmic Surgeon (Whole-time) County Dental Officer (Whole-time) Assistant Dental Surgeons (Whole-time)	1 15 1 1 1 10
	General Practitioners (Maternity and Child Welfare only—one Centre per week)	3
	Consultants under the Puerperal Fever and Puerperal Pyrexia Regulations and Consulting Obstetricians	
	County Venereal Disease Medical Officer	1
	District Medical Officers under Poor Law Acts	81
	Public Vaccinators	77
	County Bacteriological and Pathological Laboratory: Medical Staff	2 8
	Standon Hall Orthopaedic Hospital: Medical Staff (House Surgeon)	1 2 38 3
(b)	Others. Veterinary Surgeons (Part-time)	19
	County Chemical Laboratory: Analyst	1 5
	Sanitary Inspector and Assistant	2
	Food and Drugs Inspectors	7

Vaccination Officers 35
School, Maternity and Child Welfare and Ante-natal Work and Tuberculosis Health Visiting: Inspectors of Health Visitors (also act as Inspectors of Midwives)
Appointment of Assistant Bacteriologist and Pathologist:—T. V. Cooper, M.B., B.S., M.R.C.S., L.R.C.P.
Appointment of V.D. Medical Officer:—A. D. Frazer, M.B., Ch.B. (1.7.32).
Assistant Medical Officers:
Dr. Lambe left 17.7.32. Succeeded by W. S. Slater, M.B., Ch.B. M.R.C.S., L.R.C.P., D.P.H. (1.10.32).
General Practitioners:
Dr. Burd (deceased) succeeded by J. D. S. McGeoch, B.Sc., M.B., Ch.B., M.R.C.S., L.R.C.P.
Health Visitors:
Miss Reeds left 29.3.32. Succeeded by Miss E. F. Surridge (27.4.32) (1.2.3.)
Miss Raynes left 19.4.31. Succeeded by Miss M. Whitaker (20.4.31). (1.2.3.4.)
Additional to Tamworth Borough—Miss M. Ryder (1.6.32) (1.2.3.)
Lecturer vice Miss Roberts—Miss S. K. Anderson (9.3 31) (2.5.)
Qualifications:
1. Health Visitor's Certificate (Approved by Ministry of Health, 1926), R.S.I.
2. Trained Nurse.
3. Certificate of C.M.B.
4. Queen's Nurse.
5. Special experience Diatetics and Marasmic Children.

Public Vaccinators:

- Newcastle M.B.; Parishes of Clayton and Keele (No. 11) R. W. Rae, M.B., Ch.B., vice W. Michael (1.4.31).
 - Parish of Silverdale (No. 15) P. G. Johnson, M.B., Ch.B., vice L. A. Daly (1.4.32).
 - Parishes of Croxden, Denstone and Rocester (No. 24) A. H. C. Hill, M.R.C.S., L.R.C.P., vice K. V. Smith (30.6.32).
 - Parishes of Gnosall and Church Eaton (No. 31) D. Hill, B.A., M.B., B.Ch., B.A.O. vice C. B. Davies (1.4.31).
 - Parishes of Brewood, Featherstone, Lapley, Stretton (No. 38) G. P. James, M.R.C.S., L.R.C.P., D.P.H., vice W. B. Kirkaldy (6.6.32).
 - Hednesford (No. 40) J. G. Mitchell, M.B., Ch.B., vice R. Holton (1.7.31).
 - Parishes of Alrewas, Elford, Haselour, Croxall, Edingale, Harlaston (No. 46) A. de la C. Russian, M.R.C.S., L.R.C.P., vice R. Chester (12.3.31).
 - Tettenhall U.D., with Parishes of Codsall and Wrottesley (No. 65) J. N. McTurk, M.D., M.B., Ch.B., vice F. A. Cooke (1.12.31).
- The above-named also took over the offices of District Medical Officer.

District Medical Officer:

Chesterton, S. E. Smyth, M.B., B.Ch., B.A.O., vice F. P. S. Thomas (1.7.31).

This doctor was already the Public Vaccinator for the District.

Digitized by the Internet Archive in 2018 with funding from Wellcome Library

PARTORISHINE COUNT

STAFFORDSHIRE COUNTY COUNCIL

Annual Report of the Medical Officer of Health

Summary of Statistics.

1.—GENERAL STATISTICS.

I.—GENERAL STATISTICS.	
Area of Administrative County (acres) 687,517 Population of Area (as constituted after changes	
in boundary) (1932) 714,300	
Population (for Birth and Death Rates) (1932) 713,670)
Rateable Value at 1st April, 1932 £2,557,426	;
Estimated net product of a penny rate 1932-33 £9,800	
italy rate received the permit rate received	
2.—EXTRACTS FROM VITAL STATISTICS OF THE YEAR.	
Total M. F.	
Live (Legitimate) 11,960 6,171 5,789 Birth-rate 17.3	,
Births (Illegitimate) 375 200 175 Birth-rate 17.3	,
200 170 / 17	
Stillbirths 582 323 259 Rate per 1,000	
The state of the s	
total births 45.0	,
Deaths 8,014 4,190 3,824 Death-rate 11.2	1
Deaths from Puerperal Causes :—	
Rate per 1,000	
Deaths. total births.	
Puerperal sepsis 21 1.6	
Other puerperal causes 29 2.2	
TO THE WEST OF THE PROPERTY OF THE PARTY OF	
Total 50 3.9	
Death Pate of Infants under one weer of age:	
Death Rate of Infants under one year of age:—	
All infants per 1,000 live births 69	
All infants per 1,000 live births)
All infants per 1,000 live births 69 Legitimate infants per 1,000 legitimate live births 69)
All infants per 1,000 live births)
All infants per 1,000 live births	3
All infants per 1,000 live births	33

AREA AND POPULATION.

I have again to record an alteration both in area and population of the administrative county. Under the Tamworth Corporation Act, 1931, the provisions of which took effect on the 1st April, 1932, a portion of the County of Warwick was added to the Borough, the approximate area of which was 616 acres, with an estimated population, based on the 1931 census figures, of 2,517.

Under this Act portions of the administrative county were also transferred to the Borough, as follows:—

	Area in Acres. (Approx.)	Estimated Population (based on 1931 Census figures).
TAMWORTH RURAL DIST	RICT:—	
Part of Parish of Fazele	ey 641	272
" " " Wiggi	nton 1,136	1,413

Under Section 46 of the Local Government Act, 1929, the undermentioned Orders were made and came into operation on the 1st April, 1932:—

Borough of Newcastle under-Lyme (Extension Order, 1931).

Under this Order the boundary of the Borough was altered to include the following areas:—

Wolstanton United Urban District. Part of Newcastle Rural District. Part of Audley Urban District.

Staffordshire (North Western Areas) Order, 1931.

The following are the alterations in the areas of the Sanitary Districts which took effect on the 1st April, 1932:—

District. Added Areas.

Kidsgrove Urban
 Newcastle Rural
 Portion of Audley Urban District.
 Blore Heath Rural District.
 Portion of Stone Rural District.

Stone Urban .. Portion of Stone Rural District.

The estimated populations of the districts affected, as constituted at the 31st December, 1932, are shown in the tables at the end of the report.

As from the 1st April, 1932, the undermentioned Sanitary Districts ceased to exist:—

Audley Urban District.
Wolstanton United Urban District.
Blore Heath Rural District.

As regards the alteration of the boundary of the administrative county, the area has been increased by approximately 616 acres, with an approximate increase in population of 2,517.

As all deaths of persons serving with H.M. Forces are now allocated to their area of residence in the same manner as civilian deaths, the estimates of resident populations as supplied by the Registrar General have been used for the calculation of birth and death rates.

The Registrar General supplies a "standardising factor" for correcting death rates in districts with a population of over 10,000. The rates produced by this method are strictly comparable, the factor being based on the age and sex of the population as indicated at the last census. The standardised death rates in those areas in which this method can be applied are shown in the Tables at the end of the Report.

In the following table the census population of the administrative county for 1931, and the estimated population to the middle of 1932, are set forth:—

	Census, 1931	Estimated Population as at middle of 1932 of area as constituted at 31.12.32.
Urban	 490,632	492,700
Rural	 212,622	221,600
Total	 *703,254	714,300

^{*}The census population of the Administrative County as constituted at the 31st December, 1932, is greater than this figure by about 2,517 owing to the absorption of a portion of the County of Warwick into the Tamworth Municipal Borough.

BIRTHS.

The live births registered in the Administrative County numbered 12,335, compared with 12,752, the previous year, the number in the Urban Districts being 8,740 and in the rural districts 3,595 compared with 9,187 and 3,565 respectively.

Stillbirths. There were 582 stillbirths registered during the year, of which 396 were in urban and 186 in rural districts. The stillbirth rate per thousand of the population for the combined urban and rural districts is 0.81. During the same period the rate for England and Wales was 0.66 and for the large towns in England 0.70.

The mean birth-rates in the whole Administrative County and in the urban and rural districts respectively for eight quinquennial periods and for the past four years are shown in the following table, in which corresponding rates in England and Wales are included. It will be noted from a perusal of this table that the birth-rate has been steadily declining both in the county and throughout England and Wales as a whole, for the last ten years.

		LIVE BIRTH-RATE PER 1,000 OF POPULATION											
	DISTRICTS	1889-	5 yrs 1894– 1898	1899-	5 yrs 1904– 1908	1909-	1914-	1919-	5 yrs 1924– 1928	1929	1930	1931	1932
Staffordshire	Combined Urban and Rural	33,6	33.2	32.5	30.3	27.8	24.0	24.1	20.2	18.4	18.6	17.9	17.3
fford	Urban	35.5	34.7	33.6	31.5	29.2	25.0	25.0	20.7	18.9	19.2	18.5	17.7
Sta	Rural	30.2	30.5	30.2	27.0	24.4	21.6	22.0	19.0	17.4	17.3	16.6	16.3
Eng	land and Wales	30.8	29.7	28.7	26.9	24.5	20.4	21.3	17.8	16.3	16.3	15.8	15.3
Lar	ge Towns in England	31.5	30.7	29.7	27.8	25.2	*20.9	22.0	18.2	16.6	16.6	16.0	15.4

* 4 years.

DEATHS.

The number of deaths in the Administrative County amounted to 8,014, the number in the urban districts being 5,609 and in the rural districts 2,405.

In the following table comparative rates for eight quinquennial periods and for the past four years are given, together with corresponding figures for the country as a whole, and for large and small towns throughout England.

15

			DEATH-RATE PER 1,000 OF POPULATION											
	DISTRICTS		1889-		1899-	1904-	1909-		5 yrs 1919– 1923			1930	1931	1932
Staffordshire	Combined Urban and Rural		18.1	16.9	16.1	14.6	14.1	15.0	12.3	11.4	12.8	10.9	11.7	11.2
fford	Urban		18.9	17.5	16.6	15.1	14.7	15.5	12.6	11.5	13.1	11.0	11.8	11.3
Sta	Rural		16.8	15.7	15.1	13.4	12.7	13.8	11.6	11.2	12.1	10.7	11.4	10.9
7	arace Charles	17			1000	Mar.					C. I	The state of	1/3	
Eng	gland and Wales		19.1	17.4	16.9	15.3	13.9	15.2	12.5	12.0	13.4	11.4	12.3	12.0
Lar	ge Towns		21.0	19.0	18.2	15.8	14.3	15.5	12.6	12.0	13.7	11.5	12.3	11.8
Sm	aller Towns		17.6	15.9	15.7	14.9	13.6	14.1	11.5	11.0	12.3	10.5	11.3	10.8

The death rate per thousand of the population for this year is 11.2, whilst for England and Wales it is 12.0. On referring to the table which shows the death-rates of 44 years it will be observed that the death rate is slightly lower than that for last year and is favourable as compared with England and Wales as a whole.

In the following table I have shown the chief causes of death for the last ten years, the numbers given for 1932 being approximately 67.7 per cent. of the total deaths:—

TABLE SHOWING CHIEF CAUSES OF DEATH.

	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
*Zymotic Diseases	540	271	604	337	386	242	376	301	281	311
Influenza	166	427	325	185	532	116	570	131	311	221
Tuberculosis of Respira- tory System	497	497	530	497	465	423	492	476	497	412
Tuberculosis, other forms		154	143	139	156	99	100	104	112	113
Cancer, Malignant		16.000								
Disease	716	639	790	785	803	851	899	912	897	915
Cerebral Hæmorrhage	485	487	542	464	465	430	462	431	477	510
Heart Disease	900	968	1053	1054	1047	1239	1448	1366	1500	1561
Bronchitis	644	687	648	544	650	395	622	352	485	369
Pneumonia	706	788	809	660	865	563	933	588	630	570
Congenital Debility, &c.	482	551	521	496	453	428	420	409	459	443

^{*}Typhoid and Paratyphoid Fevers, Measles, Small-pox. Scarlet Fever, Whooping Cough, Diphtheria and Diarrhæa.

The chief cause of death in 1932, as in previous years, recorded in the table, is heart disease. On reference to this it will be observed that during the last ten years there has been a progressive increase in the number of deaths from heart disease, and whilst in 1923 there were 900, in 1932, 1,561 deaths were certified from this cause.

The following table has been prepared covering the last 13 years in which the percentage of deaths under 45 years of age is worked out in relation to the total deaths at all ages, and in the table the sexes are divided. It will be observed that though the percentage of deaths under 45 in males is slightly more than the figure for 1931, it is still further reduced in females.

The figures shown in this table for this county confirm the statement often made that the expectation of life is being gradually extended.

DEATHS UNDER 45 YEARS OF AGE—MALE AND FEMALE—SHEWING PERCENTAGE OF TOTAL DEATHS (ALL AGES).

		MALE		FEMALE						
YEAR	Deaths all ages	Deaths under 45	% of Total	Deaths all ages	Deaths under 45	% of Total				
1920	4626	2295	49.61	4084	1935	47.38				
1921	4545	2120	46.64	3985	1759	44.14				
1922	4534	1943	42.85	4191	1793	42.78				
1923	4197	1816	43.27	3788	1556	41.08				
1924	4332	1795	41.43	3906	1520	38.91				
1925	4556	1919	42.12	4161	1724	41.43				
1926	4148	1658	39.97	3808	1441	37.84				
1927	4458	1766	39.61	4082	1564	38.31				
1928	3965	1449	36.54	3563	1180	33.12				
1929	4813	1827	37.96	4293	1453	33.84				
1930	4100	1473	35.92	3672	1211	32.98				
1931	4376	1472	33.64	3933	1272	32.34				
1932	4190	1425	34.01	3824	1174	30.70				

After the age of 45, heart disease becomes increasingly, year by year, the most important cause of death, and next to it is cancer. Bronchitis and pneumonia, as the statistics show, are also more fatal, but on the other hand tuberculosis has declined in recent years as a cause of death. With this in mind, and the information disclosed in the table, which shows that there is a tendency for the percentage of deaths under 45 to be smaller each year, it is obvious how important all measures are which will tend to reduce mortality from these diseases.

GENERAL PROVISION OF HEALTH SERVICES IN THE AREA.

Local Government Act, 1929.

In my Report for 1931 I gave a full account of the proposals for dealing with the sick in the Administrative County. No alterations in this scheme have taken place, and plans are now being prepared for the conversion of the Newcastle and Wordsley Institutions into Hospitals of 400 beds each.

Poor Law Medical Out-Relief.

Since the transfer of this service, under the Local Government Act, 1929, to the County Council, its functions have been coordinated with the general Health Services of the County. Persons in need of treatment whose cases are referred in the first place to the Public Assistance Department, and who would formerly have been dealt with under the Poor Law Acts, are now referred, wherever possible, to the appropriate Committee of the County Council. Children form the majority of these cases, of course, and many of them have been dealt with during last year under the Council's Orthopaedic Scheme, and by the Education Committee.

Institutional Provision for the Care of Mental Defectives.

The only change in this was the resolution of the Council to increase the accommodation at the Sedgley Public Assistance Institution by the provision of 24 beds for chronic male mental cases with physical defects. Work has now been started on the building of the new block required—existing but disused buildings will be utilised in the scheme—and it is hoped that it will be in use in the near future.

NURSING IN THE HOME.

(a) General Nursing.

During the year two new local Nursing Associations have been formed for Alrewas and for Shareshill and Featherstone: otherwise there has been no change in the arrangements detailed in last year's report. There are now 81 local Nursing Associations affiliated to the County Nursing Association, and 11 who work independently. 73 of these Associations undertake midwifery in addition to general nursing.

(b) Infectious Diseases.

In the County Health Visiting Area, arrangements were made several years ago whereby local Medical Officers of Health, in the event of epidemics of measles or diarrhoea, could obtain the services of trained nurses to look after the cases in their own homes. Little advantage, however, has been taken of this arrangement, and during 1932 no application was received from any of the District Medical Officers of Health.

MIDWIVES.

The work undertaken under the Midwives Acts, 1902, 1918 and 1926, relates to the whole of the administrative county, with an estimated population at the middle of the year of 714,300, whilst the health visiting work is limited to the special health

visiting area of the county which now has a population of 308,360, as estimated by the Registrar General.

267 midwives notified their intention to practise during the year. Of these 262 were trained and 5 were bona-fide midwives. There is a reduction since last year of 6 trained and 4 untrained midwives. In addition to these, 91 midwives residing in County Boroughs and adjoining counties have also notified their intention to practise within the administrative county, compared with 85 last year, but only 64 of these actually practised.

The ages of midwives who were practising in the administrative county in the twelve years, 1921-1932, are indicated in groups in the following table, from which it will be observed that the majority are under 45 years of age:—

	21	l to	44	45	5 to	64	65 &	upw	ards	1 1	Total	s.
YEAR	North	Central	South	North	Central	South	North	Central	South	North	Central	South
1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931	58 51 55 50 54 50 55 58 50 54 56 53	52 64 59 56 64 63 57 60 59 63 59 57	60 68 66 62 63 74 72 79 79 65 78 59	28 21 21 22 27 26 26 24 28 26 27 27	22 21 27 26 24 26 30 29 27 23 26 28	23 21 18 19 23 15 15 13 17 20 20 34	21 14 14 13 13 6 3 4 4 4 4	21 16 16 11 8 9 5 6 5 4 2	16 14 11 12 10 9 8 5 5 5 3	107 86 90 86 94 89 87 85 82 84 87 84	95 101 102 93 96 98 92 94 92 91 89 87	99 103 95 93 96 98 95 97 101 90 101 96

The number of cases attended by midwives during 1932 in the three areas of the County are as follows:—

	N	No. of Midwives	Births attended	Total Births. (Live and Stillborn)	Percentage attended by Midwives	Mean number of cases attended per Midwife
North		84	2081	3050	68.2	24.8
Central		87	2715	3655	74.3	31.2
South		96	4825	6212	77.7	50.3

These do not include cases taken by midwives in their capacity as maternity nurses.

The total number of cases attended by midwives only in the administrative county during 1932, was 9,621, the number of live births registered being 12,335 and stillbirths 582. The percentage taken by midwives in the county is, therefore, 74.5 compared with 73.4 in the previous year. The midwives also attended 1,803 cases as maternity nurses, of which 608 were in the northern area, 520 in the central, and 675 in the south of the county. The proportion of the maternity cases to the total cases taken by midwives in their capacity either as midwives or maternity nurses in the three areas of the county is 22.6 per cent. in the northern, 16.1 per cent. in the central, and 12.3 per cent. in the southern area. The number of births that were not attended by midwives in their capacity as midwives or maternity nurses in the administrative county is 1,493, of which 361 are in the northern area, 420 in the central, and 712 in the south of the county.

In compliance with the rules of the Central Midwives Board, 4,145 notifications have been received from certified midwives in 1932 under the four headings set forth in the following table, which includes figures for comparison with the past 12 years, together with the number of births attended by midwives:—

1932	9621	3755	229	==	150	
1931	9787	3741	221	17	140	10th
1930	10115	3505	225	10	142	
1929	10154	3154	233	17	127	
1928	10523		208	13	1117	
1927	10282	2564	212	9	115	
1926	12201	2523	208	20	70	
1925	11780	2219	190	==	09	
1924	11382	2083	211	4	19	
1923	11637		230	5	20	
1922	13033	1992	245	-	29	1
1921	12800	1948	244	4	. 39	
	Number of Births at- tended by Midwives	Sending for medical help	Still Births	Death of Mother	Death of Child	

The following table shows to what extent midwives have had occasion to call in medical assistance at confinements over a period of 18 years. From this it will be observed that there has been a large increase in this period of the requests for medical help, which

can be ascribed to the better trained type of midwife that is now practising. This is also reflected in the increase in the fees paid by the County Council to medical practitioners, as shown in a subsequent table.

Number of Practising Midwives, Confinements taken by Midwives and Doctor's Calls before, at and after Confinement, 1915—1932:—

YEAR	No. of Practising Midwives	Trained	Not Trained	No. of Confinements taken by Midwives as Midwives	Doctors Calls (Mother or Child)	% of Medical Calls
1915	320	129	191	11,325	1,209	10.7
1916	307	137	170	10,632	1,291	12.1
1917	301	145	156	10,377	1,202	11.6
1918	288	152	136	10,174	1,165	11.4
1919	284	179	105	10,616	1,809	17.0
1920	286	181	105	13,770	1,769	12.8
1921	301	207	94	12,800	1,948	15.2
1922	290	224	66	13,033	1,992	15.3
1923	287	230	57	11,637	1,894	16.2
1924	272	225	47	11,382	2,083	18.3
1925	286	247	39	11,780	2,219	18.8
1926	285	250	35	12,201	2,523	20.7
1927	274	252	22	10,282	2,564	24.9
1928	276	263	13	10,523	2,764	26.2
1929	275	262	13	10,154	3,154	31.0
1930	265	255	10	10,115	3,505	34.6
1931	277	268	9	9,787	3,741	38.2
1932	267	262	5	9,621	3,755	39.0

The following figures show the causes which occasioned the sending for medical help:—

Causes of sending for Medical Aid	Northern District	Central District	Southern District	Total
PREGNANCY:				
Threatened Abortion	22	19	17	58
Puffiness of face and hands	6	1	6	13
Fainting	5	3	8	16
Varicose Veins	6	13	28	47
Fits	3	4	4	11
Vaginal Discharge	4	7	22	33
Unsatisfactory condition and				
general health	52	73	134	259
Excessive Sickness	4	16	28	48
Loss of Blood	15	11	29	55
History of previous Still-				
births and Abortions	1	9	15	25
Œdema of Legs	6	20	15	41
Albuminuria	33	46	67	146
Sore of Genitals	_		1	1
Contracted Pelvis	13	17	54	84
Dai Jasen II. genet	170	239	428	837
LABOUR:	F (8)		111111111111111111111111111111111111111	- Sau
Premature Birth	_	3	_	3
Abnormal Presentation	54	32	101	187
Delayed or Difficult	135	272	383	790
Placenta Prævia	2	5	8	15
Hæmorrhage ante	18	14	44	76
Ditto post	10	21	37	68
Eclampsia		5	1	8
Prolapse of Cord	2 5	1	2	8
Lacerated Perinæum	125	126	315	566
Retained Placenta and				100
Membranes	16	26	41	83
Unsatisfactory Condition	15	19	13	47
Inertia	24	51		75
Abortion	31	50	15	96
Dumulant Disabance	1	_	4	5
Courch	3	1	1	5 5
Albuminurio	-	2	9	4
Contracted Pelvis	-	_	2 4	4
18 1 18 1 18 1 18 1 18 1 18 1 18 1	441	628	971	2040

Causes of sending for Medical Aid	Northern District	Central District	Southern District	Total
LYING-IN:				
High Temperature	34	18	52	104
Inflamed and painful leg	8	8	9	25
Convulsions	3	1	4	7
Unsatisfactory Condition	30	27	22	79
Offensive Lochia	4	1	6	11
Unusual Swelling of Breasts	8	4	7	19
Abdominal Swelling and tenderness	2	3	4	9
	89	61	104	254
CHILD:	10	10	00	07
Deformities	19	18	30	67
Convulsions	5	2	2	9
eyes	48	39	107	194
Feebleness and prematurity	23	59	137	219
Unsatisfactory Condition	35	10	19	64
Rash		1	5	8
Pemphigus	2 2 5		1	3
Spina Bifida	5	5	6	16
Hare Lip and Cleft Palate	3	2	8	13
Club Foot	2	1	10	13
Serious Skin Eruption		3 5	1	4
Jaundice	_	5	6	11
Triplets	3	_	-	3
	147	145	332	624
Grand Total	847	1073	1835	3755

Midwives.

In the following Table, in which the County is divided into three districts, the numbers of Midwives practising, with the notifications received from them, together with the visits, interviews and inquiries of the Inspectors of Midwives, are shown :-

VISITS OF INSPECTORS, NOTIFICATIONS, INQUIRIES, ETC., DURING THE YEAR 1932.

			Peeding	:	:	-	
	-		the dead Artificial			4	01
	-		infection infection				
		Ч	Contact wir	45	48	88	126
	-		Puerperal Pyrexia	12	16	40	68
			Puerperal Fever	6	7	7	33
	11.0	SUS	СРИЧ	1	4	C1	1-
ries	Dog	Dearins	Mother	4	4	-	6
Inquiries		S	Still Birth	:	-	60	4
	70	pli	Other Conditions	30	00	9	34
	ance	Child	Inflamed	64	38	122	994
	ssist	g In	Other	9	C1	60	=
1	Medical Assistance	Lying In	High Temp'ture	3.4	17	52	103
	Medi		Labour	:	00	00	9
			Ante-natal	:	00	1	7
1			Artificial Reeding	55	24	40	101
			Laying out	9	15	12	933
		цэ	Contact wi infection	45	48	88	126
X			Puerperal Pyrexia	15	18	75	87
			Puerperal Fever	11	00	11	30
suo	otho	arms	СРІІЧ	42	25	09	150
catio	2	7	Мотрет	4	7.0	C4	=
Notificati		S	Still Birth	77	51	101	229
4	9	Child	Other	86	106	225	430
	tanc	CF	Inflamed Eyes	48	39	107	194
1	ssis	g In	Other Conditions	55	43	52	150
	Medical Assistance	Lying In	High Temp'ture	34	18	52	11,000
	Medi		Labour	1	628	971	887 2040 104
	1	-	Ante-natal	170	239	428	837
			sweiviews.	320	311	236	867
			visits	374	365	249	988
-din	nt		Isitas	- 64	-	ତା	1/3
Equip	me		Full	65	98	94	262
			DenisataU	¢1	-	61	10
			Trained	85	98	94	262
			No. of Mic on List at	84	87	96	267
				:	i	:	
			District	North	Central	South	Totals

On comparing these tables with similar ones in previous reports it is found that medical aid is called in during pregnancy to a much greater extent than formerly, and this would be expected owing to the attention now paid to ante-natal care both by the midwives under the rules of the Central Midwives Board and by the ante-natal work of the Maternity and Child Welfare Scheme.

In addition to the routine enquiries conducted by the Midwives Inspectors, four irregularities were specially investigated: as a result, two midwives received letters of caution and two were reported to the Central Midwives Board—one of these having her name removed from the Register, the other being censured and cautioned.

Since the Act came into operation, the names of 115 midwives have been removed from the Roll in consequence of action taken by the Local Supervising Authority.

During the year only one death of a practising midwife was reported.

In 1932, 9 District Nursing Associations who undertake Midwifery were subsidised to the extent of £416. At the end of the year there were 4 midwives in private practice receiving subsidies, and another midwife is provided with a telephone by the Local Supervising Authority in order that the area of her practice can be enlarged to include two somewhat isolated villages. On December 31st, 1932, there were 67 local Nursing Associations affiliated to the County Nursing Association, and 6 non-affiliated local Nursing Associations undertaking midwifery. The latter are Essington, Penn, Stafford, Stone and Tutbury Nursing Associations, and the Wolstanton Nursing Association have agreed to take emergency cases only.

Under Section 2 (1) of the Midwives and Maternity Homes Act, a total of £2 3s. 0d. was allowed by the County Council to a midwife as compensation for loss of practice on suspension after being in contact with a septic case, the midwife not being in default.

Under the Rules of the Central Midwives' Board, a midwife has to send for medical help if any abnormality occurs, and in the Midwives' Act, 1918, provision is made for the payment of the doctor called in in this way, the fees allowed being according to a scale issued by the Ministry of Health.

During the financial year ended March, 1933, 3,794 notifications of sending for medical help were received, and out of this number medical practitioners claimed their fees from the County Council in 2,255 cases, that is 59.4 per cent. of the possible claims.

The fees paid by the County Council are as follows:—

FEES PAID TO MEDICAL PRACTITIONERS UNDER MIDWIVES
ACT. 1918.

Finan- cial Year	No. of Notifications of sending for Medical Aid	No. of Claims received	Percentage of claims received to Notifications	Total amount paid to Doctors during year	Amounts recovered from Patients during year
1925–26	2228	780	% 35	£ s. d. 1100 15 0	£ s. d. 366 9 9
1926-27	2641	1147	43	1702 19 3	408 4 6
1927–28	2556	1136	44	1598 5 9	503 1 0
1928-29	2874	1419	49	2053 0 6	599 12 3
1929-30	3319	1810	55	2352 17 6	723 6 9
1930-31	3506	1950	56	2631 2 0	616 15 3
1931–32	3775	2176	57	3223 12 6	602 3 9
1932-33	3794	2255	59	2574 17 9	627 3 9

The cost of collection is £200 per year. It will be observed that each year there has been an increase in the percentage of claims of fees from doctors in proportion to the number of requests for medical assistance.

No alteration has taken place in the income scale, which was drawn up for the guidance of the Collector when making application for the recovery of the fees, which is as follows:—

- (i.) Where the net weekly income of the family after deducting 3s. 6d. for each child under 14 years of age does not exceed 30s., the County Council shall not claim repayment of the medical practitioner's fee.
- (ii.) Where the net weekly income of the family, calculated as above, is over 30s., but does not exceed 45s., the County Council shall claim repayment of one-half of such fee.
- (iii.) Where the net weekly income of the family, calculated as above, exceeds 45s., the repayment of the whole of such fee shall be claimed.

Owing to the varying charges made for mileage by the medical practitioners, an arrangement has been made with the Local Branch of the British Medical Association for a uniform mileage fee of 1s 6d. per mile one way only after two miles from the doctor's residence.

The arrangements made in 1930 for the issue of maternity outfits at the various Clinics were continued, and in rural areas where there was no Clinic, Health Visitors were given charge of these. At one time two types were sold, costing 6s. 2d. and 3s., but as a result of experience it was found that an outfit costing 4s. 6d. was best suited to the purpose.

During the year 76 outfits were sold, and although this number is slightly greater than last year, comparatively little advantage appears to be taken of this scheme.

The Ministry require that periodical examinations be made of these outfits to ascertain if they are bacteriologically sterile: so far, the results of our tests have been satisfactory.

STILLBIRTHS.

It has already been noted that 582 stillbirths were registered during the year. Of these 229 were reported by midwives under their rules and on comparing this figure with those for the past 11 years I find that there is little variation in this number. The result of the investigations made by the Midwives Inspectors into the cause of these stillbirths is as follows:—

Albuminuria				 1
Ante-Partum 1	Hæmor	rhage		 1
Cord Prolapse				 5
Cord round ne	ck	nen	200000	 9
Deformities				 30
Difficult Labor	ır			 9
Fall and Shock	k			 14
Ill-nourished				 9
Maceration				 104
Malpresentatio	n			 9
Placenta Præv	ia			 2
Premature				 26
Spina Bifida				 3
Unsatisfactory	Condit	tion of	Mother	 5
Injury during	Birth			 2

County Bacteriological Laboratory.

Dr. J. Menton, the County Bacteriologist, reports that during 1932, 44,358 investigations were conducted, being an increase of 5,195 on the previous year. Of these, 29,618 were of a general bacteriological and pathological nature, 14,225 were for the diagnosis of and tests for cure for venereal diseases, and the remaining 515 were biochemical and pathological investigations conducted on behalf of the Staffordshire General Infirmary. The general

bacteriological work was for the most part from the administrative County, but 746 milk examinations were undertaken for the City of Stoke-on-Trent, 141 for the County Borough of Dudley, and 9 for the County Borough of Derby. Of the tests for venereal diseases, 5,229 were from patients resident in Staffordshire, 7,447 from patients resident in the City of Stoke-on-Trent, 646 from patients resident in the County Borough of Dudley, and 903 from patients resident in other areas outside the administrative County, with which special arrangements have been made. 7 bottles of gono-coccal vaccine were also made.

The steady increase in this work from year to year can be attributed to several circumstances, the most important of which are:—the ever increasing tendency of medical practitioners to use the diagnostic facilities available; the advent of new tests; the additional demands made on the laboratory by the various Acts and Orders regulating the milk supply, and the consequent extensions of the work into the domains of veterinary and dairy bacteriology; the undertaking of work for the County Coroners; the growing interest of the various Sanitary Authorities in the bacteriological purity of water supplies; and the gradually increasing number of specimens received from outside Authorities. In addition, the arrangements for doing the bacteriological and pathological work for the Poor Law Institutions in the administrative County are now complete. The laboratory now also conducts the necessary biochemical and pathological investigations for the Staffordshire General Infirmary, Stafford, in addition to the Public Health bacteriology. This new work started on February 1st, 1932, and the investigations done for this Institution from this date to the end of the year were as follows:—

PATHOLOGICAL AND BIOCHEMICAL WORK CONDUCTED ON BEHALF OF THE STAFFORDSHIRE GENERAL INFIRMARY, STAFFORD.

Fractional Test Meals		 205
Urea (estimation of):		
Urine		 35
Blood		 54
Cerebrospinal fluid		 1
Glucose (estimation of):		
Urine	1000	 33
Blood		 48
Carried forwar	d	 376

County Laboratory.

Brought	forwa	rd	376
Blood:			
Films for differential co	unt		11
Red cell fragility			3
Grouping			7
Fæces:			
Chemical examination			1
Estimation of fats			1
Pathological Sections of hum	ian org	ans	
and tissues			116
Total			515

The details of the general bacteriological and pathological investigations were as shown in Table II. :—

General Bacteriology and Pathology.

Total	7252	7386	7518	7462	29618
Other examinations	491	421	321	450	1683
Maternity outfits				106	106
Pathological work in: cluding Medico-legal investigations	64	116	34	9	220
Food poisoning	161	276	1137	532	2136
Dysentery (all types)	123	179	536	295	1133
Brucella Infections	51	32	101	53	208
Typhoid and Paratyphoid ferer	101	158	456	276	166
Malaria	A June		-	Hall S	-
Ringworm	69	92	79	58	298
Cerebro-spinal fever	189	32	ro	-	227 298
Tuberculosis	1013	926	803	879	3620
Diphtheria	2993 1013	3065	1869	2719	0646
Milk examinations	1929	2038 3065	2081 1869	2007 2719	8055 10646 3620
Water examinations	67	51	96	80	294
	Quarter 1st Jan., 1932 to 31st March, 1932	Quarter 1st April, 1932 to 30th June, 1932	Quarter 1st July, 1932 to 30 Sept., 1932	Quarter 1st Oct., 1932 to 1st Dec., 1932	Total

The 3,620 examinations under "Tuberculosis" included 2,918 sputa; 42 pus; 47 cerebro-spinal fluids; 40 other fluids; 379 urines; 13 fæces; 165 biological tests; and 16 others.

The 208 investigations under the heading of "Brucella Infections" consisted of two examinations of blood specimens from cattle and 206 specimens from human beings. This organism causes contagious abortion in cattle and a type of undulant fever in human beings. One blood from a beast was positive and nine specimens from human beings gave agglutination reactions varying from 1 in 50 to 1 in 2,500.

The majority of the serological tests for food-poisoning were done for exclusion purposes and fortunately proved negative, but there were four cases of mild Salmonella infection in various parts of the County.

In connection with the dysentery investigations, there was one case of infection due to Flexner's bacillus, which occurred in an Institution, and three illnesses due to Sonne's bacillus, one of which occurred in an Institution and two occurred in their homes.

An outstanding feature in connection with the Medico-legal work was a case of strychnine poisoning. This death was the subject of a Coroner's enquiry and a pathological investigation was conducted in conjunction with the chemical examination by the County Analyst.

The 1,683 "other examinations" included 132 bacteriological and cytological examinations of various body fluids and exudates; 115 blood cultures; 11 specimens for anthrax; 28 examinations for Vincent's Angina; and various other miscellaneous investigations.

In connection with the milk examinations, the reasons for these and the sources of the samples are shown in the accompanying tables. It will be noticed that 42 samples of "Grade A" milk gave positive biological reactions for tuberculosis and that one "Grade A, Tuberculin Tested" and two Pasteurised samples gave similar results.

sts.	Total	90 387 122 408 107 406 121 436	7 49 14 61 9 62 17 76	4 4 4 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	ϰ4 Γ⊗ΓΓ	10 27 14 30 24 56 27 56	8 21 8 30 4 117 6 25	706 1067 699 1198 762 1327 802 1339	2 12	47 236 246 246 42 42 — —	3921 7790
Biological Tests.	Positive	6 114 115 7	11-1	1111	1111	2	01	84 96 1112 1117	-11-	432	518
Bic	Negative	84 108 92 114	7 8 8 17	440101	0004	10 12 24 27	8949	622 603 650 685	1-1-	35 203 37	3403
Bacteriological Count and Coliform Content	Total	297 286 299 315	42 53 59	216 48	4048	17 16 32 29	13 113 19	361 499 565 537	1111	189	3869
	Unsatis- factory	230 28 28 28	1000	61 4-	0101-	3112	808	101 204 303 133	1111	8111	1015
Bacteri	Satis- factory	277 262 260 287	45 40 53 53	10 10 7	010000	15 15 21 26	10 17 17 15	260 295 262 404	1111	126	2854
	100	First Quarter Second ;; Third ,,	First " Second " Third " Fourth "	First "Second "Third "Fourth "	First " Second " Third " Fourth "	First " Second " Third " Fourth "	First " Second " Third " Fourth "	First " Second " Third " Fourth "	First ". Second ". Third ". Fourth ".	First ". Second ". Third ". Fourth ".	
		For "Grade A" Standard and "Grade A" Licence	For "Grade A.T.T." Standard and "Grade A.T.T." Licence.	For "Certified" Standard.	For "Grade A. Pasteurised" Standard.	For "Pasteurised" Standard.	Submitted by farmers, retailers and others for their own information.	Milk and Dairies (Consolidation) Act, 1915.	Tuberculosis Order, 1925.	Special Investigation (Sheffield complaint).	

Direct Film for Acid-Fast Bacilli.	ı	1	1	86		111		1	1	1	51		149
Biological Test	540	1597	8	1268		111	1 26	10	149	38	383	1	4015
Bacteriological Count and Coliform Content	1354	1644		1		282	2 4 6 E	53	173	66	325		3869
	From the Official Sampler to the County: (a) Special Designations Order, 1923	(b) Milk and Dairies (Consolidation) Act, 1915	From Veterinary Surgeons:	(b) Milk and Dairies (Consolidation) Act, 1915	From Staffordshire Farm Institute, Producers and	4	(d) For "Certified" Licence and Standard (e) For "Grade A.T.T." Licence and Standard (f) For "Pasteurised" Standard (g) For Information	other than those from Official Sampler) Special Designations Order, 1923	(b) Milk and Dairies (Consolidation) Act, 1915	From Authorities outside the Administrative County: (a) Special Designations Order, 1923	(b) Milk and Dairies (Consolidation) Act, 1915	(c) For information	

In the administrative County, close co-operation continues to be maintained with the private Medical Practitioners, the Medical Officers of Health and Sanitary Inspectors, the Veterinary Inspectors, the School Medical Service and the Staffordshire Farm Institute.

The laboratory is also in constant touch with the Medical Officers of Health, Venereal Diseases Officers, and Sanitary Inspectors of the City of Stoke-on-Trent and the County Borough of Dudley.

The Orthopaedic Hospital, Hartshill, Stoke-on-Trent, has applied to have work done at the laboratory.

Standon Hall Orthopædic Hospital also makes full use of the bacteriological and pathological facilities at its disposal.

The links between animal and human infections concerned mainly those of bovine tuberculosis and undulant fever, the latter disease being a convincing example of the necessity of laboratory facilities for securing accurate diagnosis.

The outstanding research during the year dealt with the different "types" of C. diphtheriae with special reference to the value of antitoxin in the various "types."

The details of the Venereal Diseases tests are shown in the following table:—

EXAMINATIONS OF PATHOLOGICAL SPECIMENS CONDUCTED UNDER THE VENEREAL DISEASES SCHEME DURING THE YEAR 1932.

F	or Detection	of	For Wassermann	Sigma & Kahn	Other Examina-	Total	
	Spirochætes	Gonococci	Reaction	Reactions	tions	Total	
1st Quarter	1	203	1325	1121	123	2773	
2nd Quarter	2	188	1446	1148	122	2906	
3rd Quarter	1	233	1774	1619	229	3856	
4th Quarter	2	336	2040	1979	333	4690	
Total	6	960	6585	5867	807	14225	

The 807 "other examinations" included under the Venereal Diseases Scheme were:—114 cerebrospinal fluids for cell count, globulin and colloidal gold test; 686 complement fixation tests for gonorrhæa; the examination of five urines for gonococci; and the making of two cultures for gonococci.

Chemical Laboratory

Mr. E. V. Jones, the County Analyst, reports that during 1932 by far the largest number of samples analysed is under the Food and Drugs (Adulteration) Act, 1928. Under this Act he has received the following samples, as tabulated:—

the following samples, as tabulated:—												
describer souls		ambe		No. Adulter- ated or below Standard.								
SAMPLE	Total	Formal	Informal	Total	Formal	Informal						
Bicarbonate of Soda . Bismuth and Magnesia Borax, Purified . Brawn Butter Cakeoma Camphor, Flowers of . Cayenne Cheese Cheese, Gorgonzola ,, Gruyere . Chlorate of Potash . Chocolate Milk . Chutney Cinnamon, Ground . Cocoa , Malted Milk witl Coconut, Desiccated				2 3 1 5 3 8 1 1 8 1 1 5 49 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	-2 -5 1 3 -4 - -33 - 1 1 - - - 2 1 - 2	2 1 1 - 2 5 1 1 4 1 5 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1						
Coffee ,, and Chicory . Cornflour British .				6 1 5 1	1 1 1 -	5 4 1						
Cream				13 1 1 8 1	- 1 - 1	13 1 - 8 -		FILLI	11111			
Egg Substitute Powder				2	1	1	-	-	_			

Lori Station of the author								
		3				1 1 1 1 1 1 1 1 1 1 1 1		lter-
				Numl				pelow
CAMPI EC		Examined			Standard.			
SAMPLES.				-	nal		-	lal
			7	na	L	7	ma	H
			Total	Formal	Informal	Total	Formal	Informal
	1		H	1 1	1	H	I	日日
Epsom Salts			9	1	1			last.
Flour			2 2	1 1	1 1		W.	
n			1	1	1		1	
D '1			1	1	1		NO.	1977
Calf maining			19	9	10	To the last of the		
Faa			2	1	1			
Fruit, Mixed			1	1	1		1000	PO SOF
Ginger			5	3	2			
" Ground			14	13	1			
Glauber's Salt			6	2	4			
Glycerin			4	4	4			
Golden Syrup			3		3			
Gregory's Powder			1	1	0			
Groats, Patent			1	1				
Honey			5		5			-
Instant Postum			1	-	1			
Iodine, Tincture of			î		1	11.		
Jam, Apple and Strawberr	v		1	_	î		-	_
" Apricot			2	1	Î	1		1
" Black Currant			1		Î	-		
" Damson			1	See	1	-		1
,, Raspberry			4		4			_
" Strawberry			6		6		_	_
Jelly, Table			1		1			-
Lard			34	26	8	-		_
Lemonade Powder			1	_	1	_	-	
Lemon Cheese			4	-	4			_
Magnesia, Carbonate of			2		2	_	-	-
Margarine			7	3	4	_	-	
Milk		1	394	1094	300	127	99	28
" "Appeal to Cow"			64	64	_	14	14	-
" "Grade A"			40	7	33	2	1	1
" "Grade "A" (T.T.)			11	2	9	1		- 1
,, Pasteurised			24	21	3	-	-	
" Separated			2	2	_	_		-
" Skimmed			1	1	-		-	-
,, Sterilized			12	6	6	1		1
			-	THE RESERVE AND ADDRESS.	The state of the state of			-

				1 3 7		
	N.	ımbei			Adul lor b	
	The state of the s	amin			anda	
SAMPLES.	EX	amm		-50	anda	Iu.
SAMPLES.		77	nal		7	na]
	al	П	LI C	al	П	TIC.
	Total	Formal	Informal	Total	Formal	Informa
	-		Н		1 14	-
Milk Condensed Full	1		1		-	
Cream Sweetened	1					
,, Condensed Full	4	-	4	_		_
Cream Unsweetened						
" Machine Skimmed Sweetened	6	-	6		_	-
Mincemeat	1	-	1		-	-
Mint Sauce		-	1		-	
Mustard		-	2	-		-
Nutmegs		-	1	7-9-	_	-
Oatmeal	5	4	1	-	-	7
Oats	1	-	1	-	-	
Oil, Camphorated		-	7		-	
" Castor	2 3		2	-		70.00
		_	3 3	_		-
" Eucalyptus	3 4		4			
Ointment Boracic	2	1000	2			
7inc	1		1			
Panrika	1		1			
Paraffin, Medicinal	1		1	_	_	_
Paregoric Elixir	2	_	3			_
Parsley (prepared)	1	_	1		_	
Paste, Bloater	2	_	2	-	_	_
,, Crab	2	_	2		-	-
,, Lobster	1	-	1	-		
" Salmon and Shrimp	2	-	2 1	-		-
,, Tongue	1	-		-	-	-
,, Tongue and Turkey	2 2	-	2 2	-	-	-
Peas		-	2		-	-
,, (tinned)	7	10	7	-		
Pepper	28	19	9	-		
Dicklee	1 1	1	1			
Pig Pudding	1		1 1		-	
Rice	11	7	4			
" Ground	8	7	1	-		_
Rochelle Salt	2		2	-	_	
	- 1		- 1		-	-

			Numb		ate	No. Adulter- ated or below Standard.		
SAMPLES.	agnesia	Total	Formal	Informal	Total	Formal	Informal	
Sardines (in olive oil) Sausage		1 10	1	1 9	_	1	1	
semolina		4	4	1 - 1	1	1		
Sild (in olive oil) ,, (in tomato sauce)		1 1	-	1 1		1	-	
Spirits, Rum		9	1 1 -	2 8 1	1 2	1	1	
Suet, Shredded Beef Sugar		3	1 1 3	4 2				
,, Icing Sulphur, Flowers of		1 8	4	1 4	=	7	_	
,, Milk of Sultanas		0	1 - 1	2 2	-		_	
Tablets, Ammoniated Quinine ,, Aspirin ,, Bismuthated Magnesia		1 1 1	=	1 1 1	_			
Tapioca Tartaric Acid		5 3	2	5	_	_	=	
Tea Thyme (prepared) Treacle, Black		1 1	7	8 1 1	-	_	_	
Vinegar, Malt Zinc Oxide		2	_	1	_		_	
		2049	1386	663	152	118	34	

FERTILIZERS AND FEEDING STUFFS ACT, 1926.

		Total.	Satisfactory.	Unsatis- factory.
Barley Meal		 2	1	1
Indian Meal		 3	3	-
Laying Meal		 1	-/-	1
Linseed Cake Mea	1	 1	1	-
Sharps		 2	2	-
White Fish Meal		 1	1	- 18
		_		_
		10	8	2
		Maria -		Section 1

One of the two samples of Barley Meal contained 20% of Oat Shudes, and was, therefore, unsatisfactory. The other sample was of satisfactory quality.

The sample of Laying Meal was unsatisfactory, it was composed chiefly of Wheat Offals. No guarantee as to oil, albuminoids (protein) and fibre was given, which is an offence under the Act.

The sample of White Fish Meal was of satisfactory quality, the percentage of albuminoids (protein) being above the guarantee, the percentage of oil and salt below the guarantee and the percentage of phosphoric acid (P2O5) within the "Limits of Variation."

The three samples of Indian Meal, the one sample of Linseed Cake Meal and the two samples of Sharps were of satisfactory quality, though in one case no guarantee as to fibre was given.

In addition to the samples submitted under the above Acts, I have received 190 Drinking Waters, of which 88 were of satisfactory quality chemically, 12 were of doubtful quality, 56 were sewage polluted, 25 were organically impure, 5 were excessively hard, from 55° to 117° (Clarke), two contained Lead, one Zinc and one Iron.

93 River Waters were submitted, 31 for full, and 62 for partial analysis. Three Canal and one Pond Water were fully analysed.

Of 52 Effluents submitted, 14 were fully and 38 partially analysed.

Seven Police samples were examined for poisons, and one sample which had fallen from a lorry was submitted by the Police for identification; it proved to be Dried Milk.

Five Coroner samples were submitted, each of which was found to contain Strychnine.

Two samples of Urine were examined for Arsenic. One Cattle Food, one Milk and one Human Milk were also fully analysed. One sample of Icing from cake was examined for Arsenic and Lead with negative results.

Hospitals

In the Annual Report for 1930 full details were given of the County's hospital services.

In June, 1932, the Standon Hall Hospital was opened by the County Council. This institution provides for the treatment of women and children suffering from orthopædic conditions, 95 of the 120 beds being allotted to tuberculous cases.

This hospital provides a long-felt want and adds a further weapon to the public health armentorium in the fight against crippling conditions of childhood. At one time it was a common thing to see many adult cripples walking the streets—cases which had been neglected in childhood—but this is comparatively rare nowadays. Children receive careful pre-school supervision at the Child Welfare Centres as well as the usual routine examinations at school, and any case of a suspicious nature is referred to a consultant, either tuberculous or orthopædic. In this way, treatment is commenced as soon as possible after the onset of the disease, with the result that supervision is spread over a shorter time than would have been the case if the child had been neglected.

Maternity and Nursing Homes

At the end of the year the number of premises registered under the Nursing Homes Registration Act, 1927, was 24; three exemptions from registration previously allowed were continued. No applications for registration were received in 1932. The 24 homes registered, with the exception of 6, are for one or two beds only. The County Council have not delegated any of their powers under the Nursing Homes Registration Act, 1927, to District Councils nor have any applications been received for such delegation.

No Maternity Homes have been established by the County Council as yet, but they have arrangements with the Mrs. Legge Memorial Home, Wolverhampton, where prospective unmarried mothers can be sent for their confinement and remain there for six months. The County Council contribute 40/– per patient per week for six weeks, the cost of the remainder of the period being defrayed from philanthropic sources. In 1932 four cases were dealt with at this Home.

In addition, arrangements have been made for midwifery cases to be sent from the Health Visiting Area to the following Maternity Homes:—

Ashbourne (Derbyshire).

Newport (Salop).

Bath Road Maternity Home, Wolverhampton.

Tipton.

North Staffordshire Royal Infirmary.

Crewe.

Longton Cottage Hospital.

Corbett Hospital, Stourbridge.

The cases so sent are limited to those who live in unsatisfactory home conditions or have some complication in connection with their pregnancy which makes it unsafe for them to remain at home. During the year, ten patients who complied with these conditions were sent by the County Council.

Besides the Maternity Homes already mentioned, cases are received at the Wordsley Public Assistance Institution in a private ward of 8 beds for patients who can pay either the whole cost or a portion of the cost of treatment. At the Sedgley Institution there is a special block known as the Rosemary Ednam Maternity Home, built by the late Board of Guardians, in which there are 9 beds for paying patients under similar conditions to those that exist at the Wordsley Institution.

Maternal Mortality

In the accompanying table the maternal mortality rate for the administrative County showing the deaths per thousand live births in the last 10 years is given.

It will be observed that the maternal mortality rate for 1932 is rather more than that for the previous year (4.0 compared with 3.1). It is disappointing to record that this difference is accounted for by an increase in the deaths from puerperal sepsis, but the mean death rate for the last ten years is practically the same, and is lower than that in many other areas. We cannot, however, congratulate ourselves on this, for the death rate gives no indication of the many cases that exist of injury, often of a permanent nature, from what should be a physiological process.

	Time	DEATHS	Maternal		
Year.	Live Births.	Puerperal Sepsis.	Other Diseases and Accidents of Parturition.	Mortality per 1,000 live births	
1923	15,342	20	40	3.9	
1924	15,546	15	- 28	2.7	
1925	15,241	15	32	3-1.	
1926	14,535	19	45	4.4	
1927	13,856	25	27	3.7	
1928	13,742	21	29	3.6	
1929	13,125	17	42	4.5	
1930	13,243	22	23	3.4	
1931	12,752	11	29	3.1	
1932	12,335	21	29	4.0	
Mean for 0 years	13,972	19	32	3-6	

It is the duty of a midwife to notify all deaths that occur in her practice whether as a midwife or as a maternity nurse. This rule only relates to the period in which she is actually in attendance and consequently if the patient is removed to Hospital, or not being attended at the time of death by the midwife, the death is not reported by her. During the year 11 deaths were so reported out of a total of 50 maternal deaths registered.

The causes of death were as follows :-

Adherent Placenta and	Post-P	artum	Hæmo	rrhage	 1
Concealed ante-Partum	Hæmo	rrhage			 1
Eclampsia					 1
Fatty Degeneration					 1
Pernicious Anæmia			. beyon		 1
Pneumonia					 1
Puerperal Cerebral Hær	norrha	ge			 1
Pulmonary Embolism			1.50		 2
Tuberculosis			The state of		 2

In previous reports full details were given of the scheme approved by the County Council for providing the services of obstetric consultants in such cases where the family doctor desires his assistance at any time during pregnancy, during labour, or during the puerperium. Under the same scheme ante-natal clinics have been established in connection with various Infant Welfare Centres and midwives are encouraged to take their patients there for examination by the Medical Officer. At these Centres no treatment is given but if such is found necessary the midwives are advised to send the patients to their own doctors.

I am glad to note that more advantage is now being taken of that part of the scheme which allows the family doctor to call in a Consultant when necessary, this provision being made use of on 25 occasions, as against 13 for 1931.

(a) INVESTIGATION OF MATERNAL DEATHS.

The same arrangements as for 1931 still hold good for investigating maternal deaths. This work is carried out by the Medical Officer of Health of the district concerned or by one of the Assistant Medical Officers of the County Council.

Reports on each maternal death are forwarded to the Ministry of Health when completed, for the information of the special committee set up by that department to deal with this matter.

(b) Work under the Puerperal Fever and Puerperal Pyrexia Regulations.

In previous Annual Reports the scheme adopted by the County Council for carrying out the duties imposed by these Regulations was set forth. The following is the number of notifications during 1932:—

PUERPERAL PYREXIA NOTIFICATIONS, 1932.

		n Healt siting Ar	ot in He siting A	Total.
Urban Districts Rural Districts		19 17	 47	 66 21
	4			87

Puerperal Pyrexia is defined as any febrile condition occurring in women within 21 days after childbirth or miscarriage, in which a temperature of 100·4 or more has been sustained during a period of 24 hours or has recurred during that period. Cases of puerperal fever are included in this definition, and as the latter condition can still be notified the following are the notifications:—

PUERPERAL	FEVER	NOTIFICATIONS,	1932.
-----------	-------	----------------	-------

	n Head	Not in Heavisiting A	Total.	
Urban Districts Rural Districts	 4 9	 1		17 13
				30

During 1932 the case rate per thousand of the population for the County was:—

(a) For puerperal pyrexia	 	 0.12
For England and Wales	 	 0.14

When calculated on the basis per thousand total births (live and stillbirths) the rate for Staffordshire is 6.7 and for England and Wales 8.5.

(b)	For	puerperal fever	 	 	0.04
		England and Wales	 	 	0.05

When calculated on the basis per thousand total births (live and stillbirths) the rate for Staffordshire is 2·3 and for England and Wales 3·3.

The midwives under their rules have also to notify to the Local Supervising Authority any rises of temperature in their practice and these, which number 104, were specially investigated by the Midwives' Inspectors, who reported that the conditions to which they were due were as follows:—

Cystitis						2
Emotional						2
Engorged Brea						2
Labial abscess						1
Mammary absc	ess					2
						15
	• •					2
Offensive Lochi						1
Pelvic abscess						2
				• •		1
Phlegmasia alb					• •	1
Puerperal insar					• •	1
Pyelitis Retained Place	nto one			More		2
Salainaitia		Memi	oranes	11		7
0			The selection			10
Santiammia				•		2
- Prescuille						-

Septic absorpt	ion				 1
Septic cervix					 1
Shock		11-52-11			 1
Thrombosis		841 20	4.		 2
Appendicitis					 2
Bronchitis				"	 2
Constipation					 1
Enteritis					 1
Food Poisoning	3				 1
General condit	ion				 2
Headache (seve	ere)				 1
Influenza					 11
Nasal infection					 1
Pleurisy					 1
Pneumonia					 6
Previous illness	s and	disease			 11
Septic hand					 1
CD " 111.1					 2
Tuberculosis					 2

It will be observed that in several instances the rise of temperature could not be definitely associated with the puerperal state, but although these special investigations have taken up much time of the Midwives' Inspectors there is little doubt that they were worth while and have resulted in no case of septic condition of the genital tract being overlooked. In each case the midwife, according to her rules, had to call in a medical practitioner, so that appropriate treatment could be given. Such cases as comply with the definition given would then be notified by the medical practitioner under the Puerperal Pyrexia Regulations, and during the year under the Health Visiting Committee's Scheme a second opinion was obtained in 5 cases, and 16 cases sent to hospitals. In 7 instances the patients remained at home and special nursing was provided.

In addition to the cases referred to above, it was ascertained that 18 patients from the Health Visiting area were sent to hospital and 3 were seen by Consultants through other agencies.

Infantile Mortality.

The infant mortality rate for 1932 was 69 per 1,000 live births as against 70 last year. The rate in urban districts was 76 compared with 74, and in the rural districts 54 as against 60 in the previous year. In England and Wales in 1932 the infant mortality rate was 65 compared with 66 last year. It has been often noted in examining the causes of death of children under one year that

in recent years there has been no reduction in the deaths from prematurity, malnutrition, and such like causes, and this year I find is no exception, the numbers remaining substantially the same as in former years.

Under the rules of the Central Midwives' Board, deaths of infants within the first 10 days of life are notified by midwives and 150 deaths were so reported, the causes of death being as follows:—

Asphyxiated			 7.1	7
Congenital Heart			 	15
Convulsions			 	13
Deformities			 	6
Feebleness and Pren	naturity	7	 	95
Inattention at birth		/	 	6
Meningitis			 	1
J			 	2
Septic jaundice			 	5

CLINICS AND TREATMENT CENTRES.

The number of Clinics and Treatment Centres were set out in detail in the 1930 Report. Since 1931 the only change has been that, as a result of the extension of the borough under the Tamworth Corporation Act, 1931, the Bolehall Clinic has been taken over by the Health Visiting Committee of the Staffordshire County Council, and infant visiting for that part of the parish of Glascote that remains in Warwickshire is also undertaken by Staffordshire, whilst ante-natal cases in the same parish attend the Clinic at Tamworth.

The County Council have now established 33 Combined School Clinics and Infant Welfare Centres and 9 Infant Welfare Centres. These Centres serve the more populous portions of the County Health Visiting Area and, with the exception of the very smallest Centres, special arrangements have been made for ante-natal work. In addition to these Centres, a voluntary Centre at Tutbury has been in operation, apart from the County Council scheme.

WORK OF THE CENTRES AND OF THE HEALTH VISITING SCHEME.

As already mentioned, the County Health Visiting Area serves a population of 308,360, which at the end of the year included 12 urban and 13 rural districts as well as two parishes forming part of one of the rural districts in Shropshire.

In the table at the end of the report will be found details of the work at the Centres.

In 1932, 744 attendances were made by expectant mothers compared with 771 in the previous year.

26,152 children under one year as against 23,921 in 1931 and 28,716 as against 26,879 children between one and five years attended the Centres.

It is disappointing to note that the attendances of expectant mothers are less than for last year—744 as against 771—but many cases may have been referred by the midwife direct to the practititioner. There has been an increase in attendances of children under one year and between one and five years of age at the Centres. The increase in the latter is especially gratifying because during recent years great efforts have been made to induce the mothers to bring children during the toddler age for examination and it has been found that here, as in other parts of the country, mothers, while fully appreciating the necessity of bringing their children to the Centres during the first year of life, often find it difficult to understand why they should attend during the next few years before they start attending school, especially those who are apparently in good health.

The work of the Centres is chiefly educational; cases requiring treatment being sent to their family doctor, except crippling conditions and those who must be seen by an ophthalmic surgeon. 123 new cases as against 135 last year were sent to orthopædic hospitals for out-patient treatment in the first instance, 7 being admitted as in-patients. In addition 10 more patients were recommended for in-patient treatment, making a total of 17 patients admitted to hospital.

The following is a list of orthopædic cases referred for treatment:—

Arthritis				 4
Birth palsy				 2
Bow Legs				 24
Cerebral diplegia				 2
Club hand				 1
Club foot				 14
Congenital deformities				 1
Deformities due to Po	liomyel	litis		 1
Flat foot				 6
Hemiplegia				 3
Knock knee				 20
Knock knee and flat for	oot	/		 19
Old fracture—malunio	n			 1
Rickets				 18
Spasmodic flexion of the	humbs	and fir	ngers	 1

Spina bifida		 	 	1
Thumb abdu	cted	 	 	1
Torticollis		 	 	2
? Diagnosis		 	 	1

In one further case no treatment was advised.

The eye cases in children under 5 seen by the County Ophthalmic Surgeon included 71 new cases, for whom glasses were necessary in 47 instances. 187 other cases seen previously were reexamined. In 14 cases the Committee provided the glasses prescribed, and in one instance half the cost was contributed.

At the end of the year there were 39 whole-time Health Visitors compared with 38 the previous year, an additional Health Visitor having been appointed consequent upon the extension of the Borough of Tamworth. These Health Visitors serve a population of approximately 232,668, two of them being Lecturers on Mothercraft. Under the scheme approved by the Committee three lecturers were to be appointed, but it was not found possible to fill one of the vacancies. There are 46 part-time Health Visitors serving a population of approximately 75,692, mainly in the Rural Districts. These are District Nurses appointed by District Nursing Associations who, before they took up their duties, received special instruction at Sedgley under the direction of the whole-time Health Visitors there. On reference to the table at the end of the Report the districts and populations served by both whole-time and part-time Health Visitors are set forth.

Until the end of 1930 lectures were given to Health Visitors at Stafford during the winter months, but owing to financial stringency these have been discontinued. It is hoped that it will be possible to start them again in the near future, for they have proved of considerable value to the staff, being the means of stimulating interest and arousing enthusiasm in their work, particularly in the part-time staff who otherwise have little opportunity of conferring with others about the numerous difficulties they meet in the districts.

The visits paid by the Health Visitors during the year were as follows:—

To expectant mothers			
(1) First visits .		 	 1,506
(2) Total visits		 	 4,662
To infants under 1 year	r.		
(1) First visits		 	 5,026
(2) Total visits .		 	 47,785
To children, 1-5 year	s.		
Total visits .		 	 88,913

Lectures on mothercraft which began two years ago have been continued at the Infant Welfare Centres, but owing to the difficulty in completing the number of lecturers authorised, it has not been possible to have lectures at all the Centres as yet.

During the year 419 lectures were given at 22 Centres in various parts of the Health Visiting Area, at which there were 8,432 attendances of mothers.

The County Council have not established any Orthopædic Clinics, but have arrangements with voluntary bodies who have established Orthopædic Clinics, at Leek, Stourbridge, Hartshill, Stafford, Lichfield, Tamworth, Walsall, and Dudley, where cases are received on payment.

The Tuberculosis Dispensaries in the County are under the control of the Joint Committee for Tuberculosis. There are twelve dispensaries of which four are main dispensaries and have been built specially for the purpose.

Children Act, 1908

In the Health Visiting Area the Health Visiting Inspectors, the whole-time Health Visitors, and the part-time Nurses have been appointed as Infant Life Protection Visitors. The work of supervision and visitation of the children who are boarded out under Part I. of the above Act, is carried out by these Visitors. A preliminary examination is carried out by the Health Visitor when an application is received for registration of the foster-home, and monthly visits are subsequently paid by her. Regard is had to the general health and well-being of the children, and the suitability of the premises for their reception. The County Council also have power to limit the number of children under nine years in such a home.

The work carried out under this scheme during the year is shown in the following table:—

Number of children on Register at the end of	
December, 1932	62
Number of reports on visits to children received	
during the year 1932	519
Number of new cases during 1932, for which pre-	
liminary reports were sent in by Health Visitors	13
Number of foster parents on Register at end of 1932	58

Venereal Diseases

Under the County Council scheme for the treatment of Venereal Diseases agreements have been made with the North Staffordshire Royal Infirmary, Stoke-on-Trent; the Staffordshire General Infirmary, Stafford; the Royal Hospital, Wolverhampton; the

General Hospital, Walsall; the Guest Hospital, Dudley; and the Corbett Hospital, Amblecote, for the establishment of special clinics, and arrangements have been made at the County Bacteriological Laboratory for the examination of specimens received from these treatment centres (excluding Wolverhampton and Walsall) and from Stoke Municipal treatment centre, and also from medical practitioners in the administrative County and the City of Stokeon-Trent.

On July 1st, 1932, the clinic at Lichfield was removed to the Staffordshire General Infirmary, Stafford, and is now in charge of a full-time Venereal Diseases Officer, Dr. A. D. Frazer, who is also responsible for the clinic at the North Staffordshire Royal Infirmary, Stoke-on-Trent. The intermediate treatment has been reorganised at these centres and is being utilised to the full extent.

The following table shows the number of Staffordshire cases treated during the year, including cases from the County who attended clinics outside the area:—

STAFFORDSHIRE CASES TREATED FOR VENEREAL DISEASES DURING THE YEAR 1932.

CLINIC.		Syphilis	Soft chancre.	Gonorrhoea.	Non-Venereal.	Total.	Attendances.
Birmingham General Hospital Burton-on-Trent General Infirmary Derby Royal Infirmary Dudley Guest Hospital Leeds General Infirmary Lichfield Salford Stafford (Staffs. General Infirmary) Stoke-on-Trent (N.S.R.I.) Stoke-on-Trent (Shelton) Stourbridge Corbett Hospital Walsall Wolverhampton Royal Hospital	//::::::::::::::::::::::::::::::::::::	10 		15 4 2 37 1 7 1 26 59 55 12 15 84	33 3 5 31 — 1 28 33 38 9 23 106	58 7 15 93 1 11 4 72 144 123 26 56 238	1944 75 289 4751 2 480 20 1212 13174 4034 2290 1950 6429
TOTALS		219	1	318	310	848	36650

In comparing the total number of cases treated at the clinics with those for last year, it has been found that 848 patients were treated as against 820. It is gratifying that the attendances in proportion to the new cases still maintain a high ratio. These figures show that the patients are anxious to get the best out of the treatment.

At the end of 1932 there were 38 medical practitioners authorised to receive free supplies of Salvarsan or its substitutes for the treatment of Staffordshire cases in their practices; 12 doctors on the list availed themselves of this provision during the year.

Water Supplies

In their Annual Reports the District Medical Officers of Health give an account of improvements in the water supplies in their areas which have taken place during the year, and of unsatisfactory conditions now existing for which remedial measures are being undertaken or will have to be considered in the near future. The following information is extracted from this source:—

BIDDULPH U.D.—"The Council has decided to put a new reservoir at Biddulph Park, to carry out certain extensions to mains and to provide an additional engine to the plant at the Elmhurst Pumping Station, providing that the necessary sanction to loans for these purposes can be obtained."

CANNOCK U.D.—The Council have come to an arrangement with the South Staffordshire Waterworks Company for the extension of their mains at Leacroft and water will shortly be available for further houses there.

"During the year 810 yards of new water mains were extended at Cannock Wood to allow 11 premises to be connected."

KIDSGROVE U.D.—In the Newchapel Ward the water supply "has been augmented by connecting up to the mains of the Biddulph U.D.C. and water is obtained in bulk from that authority. An agreement has been entered into with the Congleton R.D.C. to take a supply of water from their reservoir when the proposed scheme is in operation."

ROWLEY REGIS U.D.—Extensions to various localities, amounting to 1,506 yards, have been made to the water main during the year 1932.

Sedgley U.D.—"Twenty-five more old houses have been connected up with a separate water supply in place of a supply from common stand pipes."

Cannock R.D.—"Arrangements have been made with the Wolverhampton Corporation to extend their water mains about 250 yards at Bradnop Lane, Essington, to supply two farms and three cottages."

Slow progress is being made with the connection of houses to the water mains in the parishes of Stretton, Lapley, and Wheaton Aston. Samples of water from wells scattered throughout the district have been tested by the County Laboratories and many of them have been found to be contaminated. In this connection the Medical Officer of Health has the following remarks to make:—
"The remedy in the case of old wells must depend on local circumstances and in some instances it is practicable to enforce the use of a piped supply. In some cases it is possible to find and eliminate the cause of the pollution. In others, where there is no piped supply available, it may be practicable to sink a new well in better ground, but there are places where the area of the premises is not sufficiently large or the nature of the land suitable to permit of this."

Dr. Binks also comments on the water supply at two of the schools in his area, where it is necessary to chlorinate the water.

CHEADLE R.D.—The local authority has had under consideration schemes for improving the water supply to Hollington, Freehay, and Boundary, but in each instance the cost has been found to be prohibitive.

"Cheddleton (Folly Lane).—An extension of 250 yards of water main has been laid in conjunction with an approved layout within the Leek and Cheadle Joint Town Planning Scheme."

Werrington (Clough Lane).—100 yards of water main have been laid to supply four bungalows in conjunction with the proposed layout under the Town Planning Scheme.

Kingsley (Barnfields Lane).—An extension of 53 yards of water main has been laid.

GNOSALL R.D.—In connection with the pollution of wells in rural areas, Dr. Gregory comments as follows:—" In such a scattered area, with many hundreds of wells, it is impossible for the Sanitary Authority to undertake the examination of water samples from all supplies annually. Owners of wells would do a great deal to lessen the chances of pollution becoming serious by attending to the cleaning of the wells at least every year. In this way any gross contamination would be discovered before serious harm had been done."

LICHFIELD R.D.—The Medical Officer of Health draws attention to the unsatisfactory state of the wells in Yoxall, and repeated samples have shown that the water is contaminated.

MAYFIELD R.D.—Apparently in some parts of this district rain water is used for drinking purposes. In this connection the Medical Officer of Health reports that the only available supply at Calton is rain water.

The Council have taken over certain parts of the main at Oxmead and Mill Yard, and there has been an addition, as a result of this, of 73 consumers taking water from the Council's supply.

A duplicate set of pumping machinery has been installed at the Pumping Station.

Newcastle R.D.—The question of the provision of a pipe supply for the parish of Knighton is under consideration, the wells in the district having shown signs of contamination. It is hoped that a supply may be available from the Bearstone Water Supply Scheme, which is being undertaken by the neighbouring rural district of Nantwich, and also for the villages of Onneley and Betley. The total cost of laying the mains to the villages named is estimated at £2,840.

The Medical Officer of Health remarks that an increased water supply will eventually necessitate modification to the sewage disposal arrangements, and that the Council's attitude towards privy conversion and the installation of baths in houses in these areas will require careful consideration.

Samples of water from wells in the parishes of Butterton and Acton have been found satisfactory on analysis.

Seisdon R.D.—Attention is again drawn to the fact that Pattingham is still without a public water supply, but the parish has now been included in the water supply area of the Wolverhampton Corporation under their Act of 1932.

STAFFORD R.D.—There are a few houses at Aston and Derrington for which it is hoped to provide a supply of water from the mains of the Stafford Borough. This is necessary because the well water is very hard and contains salts which are injurious to health, and because many of the wells show signs of recent sewage pollution.

Stone R.D.—Eccleshall.—The Medical Officer of Health reports that the water supply of Eccleshall still remains unsatisfactory. This matter and that of sewage disposal is forming the subject of communication between Stone R.D.C. and the County Council.

TUTBURY R.D.—The supply of water to Rolleston has been taken over by the South Staffordshire Waterworks Company, who have extended their mains from Burton-on-Trent and the supply is now satisfactory.

UTTOXETER R.D.—Denstone.—A portion of the district is now supplied by the Uttoxeter U.D.C. mains, and there is a possibility of this supply being used to supply other houses in this district.

"Stramshall and Bramshall.—These areas are now supplied in bulk from the Urban District Council's reservoir. The majority of the houses in both districts have been connected to the new main."

Rivers Pollution Prevention

A Hydrographical Survey of the River Trent was instituted by the Standing Committee on River Pollution of the Ministry of Agriculture and Fisheries in 1923, and has been continued yearly since that date.

In the accompanying Table the percentage of oxygen saturation in the streams at certain fixed points is shown. The extent of the pollution can be judged when it is remembered that a percentage saturation of oxygen below 65 means that the stream is too polluted to support fish life. On reference to the Table it will be noticed that the heavy pollution of the streams that is now taking place in the industrial areas is observed for a considerable distance down stream. Unfortunately, as the streams in the industrial areas are so small, the degree of purification of effluents before discharge into them has to be much greater than if they found their way into a large river and, consequently, the expense is correspondingly greater. In last year's Report a summary of the work undertaken by the various Sanitary Authorities during the year was given, and this year similar details are included in the succeeding paragraphs.

RIVER TRENT.

	1932	Sept.	37.2	36.4	28.5	37.8	45.4	0.29	63.5	71-0	0.09	44.5	54.5	9.89	23.1	52.0	57.0	57.7	97.4	71.7
	-	July	21.6	1.3	9-9	36.5	43.2	71-1	87.9	77.9	68.1	39.0	47.1	52.2	32.6	28.0	29.7	9.09	89.7	57.0
	12	Sept.	20.0	56.5	99.0	56.5	60.5	67.5	58.0	72.5	62.5	57.5	67.5	81.0	28.5	61.5	71.5	69.5	0.96	78.5
100	1931	luly	90.09	39.5	36.5	50.5	57.5	64.0	0.89	74.0	66.5	51.0	57.5	0.49	5.0	0.19	57.0	58.0	87.0	67.5
-		Sept.	26.0	37.0	34.0	39-0	62.0	53.5	59.5	59.5	42.5	49.0	53.0	75.5	30.0	51.5	53.5	54.0	77.5	0.99
N.	1930	Amf	19.0	28-5 3	13.5	33.5 3	9 0-09	69.5	54.5	81.0 5	49.5	51.5	57.5	79.0 7	50.5	50.05	61-0 8	63.5	104-0 7	84.0
SATURATION		Sept.	6-0		25.0 1	31.5	56.5	62 6	52 5	73 8	42 4	29.5	29.0	29.0	42.5	36.5	10	10	78.5 1(62 8
SATU	1929	Inly	16.5	26.0 19.0	16.5 25	10	.5 56	9 64	99	91 7	44 4	38.5 29	36.5 28	62 58	25.5 42	39 36	47 45	48 52.	84 78	92
1		Sept.	-		10	5 13.	0 49.5			2750	- 22		0.36	25,000	0 25	2000		1127	105 8	
OXYGEN	1928		5 30.0	17-0 14-0	5.50	0.41	51	0 59.5	5 67.5	5 64-0	5 32.5	0 48.0	5 42.0	5 80.5	0 26.0	0 47.5	5 57-5	5 56-5	104	5 73.5
0F (ylul	5 6.5		29.5	14.0	46.5	63.0	5 88	5 66.5	5 57.5	35.0	45.5	5 80.5	9 19.0	39.0	56	5 66.5		5 88.5
AGE	1927	Sept.	40.5	34.5	43	200	9	68.5	67	34.5	52.5	51	51	78.5	31.5	53	67	5 71.5	88.5	78-5
PERCENTAGE	=	Yml	53.5	41	44.5	40 33-5	48	52	36	26.5	40	27.5	35.5	62	37	45	56.5	46.5	83 100 87-5	62
PER	1926	Sept.	1 45	1 29	1 29		43	57	3 75	3 82	2 65	7 34	1 48	92 (1 39	2 46	5 53	1 62	3 100	8 63
- 31	118	Yml	5 41	21	24	2 21	3 40	1 40	9 33	3 56	3 22	1 27	3 31	1 70	1 21	3 37	9 45	7 54		2 58
1	1925	Sept.	5 35	9 30	7 30	8 12	8 33	6 71	2 89	98 9	9 56	8 44	3 46	9 81	3 11	1 46	2 39	7 57	84 100 103	2 72
	15	Amf	7 25	29	3 37	7 38	148	99 1	3 102	3115	69	38	53	66 9	7 13	5 44	3 42	77	100	7 82
	1	Sept.	29 47	29 49	34 43	37 47	60 61	58 71	59 73	99 09	53 69	43 50	61 52	8185	32 37	60 45	74 56	73 65	30	82 77
	1924	lunc	33 2	50 2	50 3	42 3	57 6	73 5	93 5	65 6	74 5	53 4	9 69	71 8	48 3	9 02	72 7	67 7	801 66	74 8
	-		00	25	7	25	55	08	-	8/	88	80	14	99 7	4	34 7	55	9 0/		93 7
7	65	May	38	48	31 4	43 5		44 8	63 10	49 7	44 8	49 6	64 7	8 09	28 4	50 6		58	901 69	5
	1923	Ymf		4	-			-	31	4		ann					- 1			
	Location		River Trent at Strongford Bridge	River Trent at Darlaston above Stone	River Trent at Aston, below Stone	River Sow	River Trent at Great Haywood Mill, below Weir	River Sow at G.N. Railway Bridge	River Sow at Brick Bridge	River Penk at Radford	River Sow at St. Thomas	KIVET HERE AT Weetman'S Bridge, near Little Hay-	Kiver trent at High bildge, below Kugeley Sewage Works	Aith River Tame	before entering Birmingham	Nick Tame at Chetwyng Bridge, above connuence	River Tame Biver Tame	Niver Hent at Burton Bridge (North Boundary of Burton-on-Trent)	Kiver Dove at Monks Bridge, above connuence with	with River Dove

RIVER MERSEY WATERSHED.

BIDDULPH U.D.—" Negotiations have been entered into between the Council and the Lancashire County Council with a view to the treatment of sewage from the Biddulph Grange Orthopædic Hospital at the Marsh Green Works."

Kidsgrove U.D.—Difficulties have been encountered in discharging a satisfactory effluent from the sewage at Harriseahead, Newchapel, and Whitehill, owing to the closing down of the Birchenwood Colliery. The sewage was formerly discharged, following tank treatment, into the Colliery's reservoirs, and some other provision for further treatment is now necessary. It is proposed to enlarge the Rookery sewage works and to divert the sewage from these villages there, and thus concentrate the treatment of the whole of the sewage of the Newchapel Ward at the Rookery works.

Talke Ward.—The Medical Officer of Health comments as follows:—"This ward was annexed to the Kidsgrove U.D. on the 1st April, 1932, under the provisions of the Staffordshire (North Western Areas) Order, 1932. It previously formed part of the Audley U.D. There is no proper system of sewage treatment in this ward, which has a population of approximately 5,000.

"There are four separate outfalls, namely, (1) into stream, (2) into Colliery reservoir, (3) on land, and (4) on refuse heap.

"The County Council were constantly pressing the late Audley U.D.C. to deal with the matter, but nothing was done so far as the Talke sewage is concerned. It is now imperative that proper provision should be made for dealing with the sewage from this ward."

Newcastle R.D.—The first portion of a comprehensive sewerage and sewage disposal scheme was completed in October, 1932. This section deals with sewage from the Bignall End and Audley areas, with the exception of that from the portion of Wereton which will join a proposed sewer from Miles Green, near Wyn Bank. By this means, pollution of the Briery Brook should now be prevented.

With regard to the further section of the scheme, viz., the sewerage and sewage disposal at Halmerend and Alsagers Bank, the Council have now submitted a revised scheme, estimated to cost £47,740, and the County Council have agreed to make a contribution in respect of this. This scheme, of course, will entail an increase in rates of the Audley rural parish and the matter has been referred to the Parochial Committee for consideration.

With reference to the pollution of a stream at Aston, a scheme for the disposal of the sewage has been prepared, but has not yet been carried out.

With regard to the question of the pollution of a brook at Onneley (referred to in previous Reports), informal notices were served in December, 1932, on the owners of eight premises from which pollution was taking place, and I understand that further notices were served in 1933.

RIVER TRENT WATERSHED.

LEEK U.D.—A scheme for sewerage and sewage disposal, capable of dealing with the whole of the present area, and certain adjoining areas, is still in course of construction.

CHEADLE R.D.

Cheddleton (Basford Bridge, and Folly).—The Council are awaiting the decision of the Ministry of Health as a result of an inquiry held in connection with a proposed sewerage and sewage scheme for Cheddleton on the 30th November, 1932.

Cheddleton (Dale House Estate).—"An extension of 165 yards of 9in. sewer has been laid in conjunction with an approved layout within the Leek and Cheadle Joint Town Planning Scheme."

Extensions to the main sewer have taken place in various parishes throughout the district, and provision has been made for a small sewerage system at Tean.

Newcastle M.B.—As the outcome of protracted negotiations between the Newcastle Corporation and the City of Stoke-on-Trent, it has now been decided to accept the terms offered by the Stoke-on-Trent City Council for the treatment of the sewage of the enlarged Borough at the City's new sewage disposal works at Strongford. This should do away with most of the gross pollution of the streams passing through this district, as the sewage from all except one of the outfall works, which now discharge at six individual points, will be dealt with at Strongford.

LEEK R.D.—A scheme for sewering Baddeley Green in the parish of Norton-in-the-Moors was prepared in 1931, and a Ministry of Health inquiry was held as a result of a representation by owners of business premises. The estimated cost of this was about £28,000. The Medical Officer of Health states that no further developments have yet taken place.

CITY OF STOKE-ON-TRENT.—Work is nearing completion on the construction of the new Strongford Works, where the sewage of the Stoke and Fenton districts, and of Newcastle, will be treated. Improvements and extensions are taking place at the Hanley Sewage Works. This will take the sewage of Smallthorne and thus abate the serious pollution of the Ford Green brook.

Stone R.D.—Barlaston.—The Medical Officer of Health reports that a sewage scheme for this village is urgently needed and that a report is now in preparation by a firm of sewerage engineers.

UTTOXETER U.D.—Plans are in preparation for the enlargement of the existing works, as the present system is being used to its utmost capacity.

UTTOXETER R.D.—Rocester.—The Medical Officer of Health reports that the system of sewerage is good here, but that the Disposal Works are inadequate.

Wolverhampton C.B.—The work on the new sewage scheme is nearly completed.

Cannock U.D.—With regard to the extension of the main outfall works referred to in my Report for last year, it was found that some alteration in the original scheme was necessary. Owing to the difficulties in laying the main sewer, due to mining subsidence, it was found preferable to convey the sewage from the Heath Hayes area by gravitation, by an alternative route to new outfall works on a site in Newlands Lane, Leacroft. That part of the scheme which referred to the establishment of a sewage disposal works on this site was approved by the Ministry of Health and a loan sanctioned for an amount of £15,510.

Stafford R.D.—The Medical Officer of Health notes in his Report that in the village of Walton the sewage system is now "quite inadequate to deal with the number of houses in this rapidly growing area."

Cannock R.D.—A sewerage scheme is advised by the Medical Officer of Health for houses at Wood Lane, in the parish of Saredon, and at Wedges Mills in the adjoining parish of Cheslyn Hay. The Medical Officer of Health also notes that the disposal of the sewage of Coven should be re-considered by the Council in the near future.

RUGELEY U.D.—The remarks of the Medical Officer of Health might be quoted here:—"An enquiry by an Officer of the Ministry of Health was held early in the year to consider a proposed sewage disposal scheme to replace the present inadequate works. As a result, permission was given by the Ministry to the Council to carry out a scheme which represented about one-third of the proposals as laid before the enquiring Inspector. This work has not yet been started, delay having been caused by difficulty in the

Council coming to satisfactory arrangements with the Tannery owners in respect of the latter providing for adequate treatment of the trade effluent from their works before its discharge into the Council's sewer."

LICHFIELD R.D.—There are 12 sewage disposal works in this area. Most of them are satisfactory, but a scheme for sewering the southern part of Armitage and Handsacre is necessary. At Brereton, where the Hazelslade works are situated, some extension is necessary to cope with the flow of sewage which has been measured and estimated to exceed the capacity of the existing works by nearly 50 per cent. As these works, however, will be in the Cannock U.D. from April, 1934, no action has been taken in the matter.

At Brindley Village, alterations to the works will apparently have to be considered if satisfactory results are to be obtained, and at Brereton Village the conditions of the sewers and the method of sewage disposal leave much to be desired.

Alrewas.—The scheme of the sewerage and sewage disposal works is nearing completion (the County Council have agreed to make a grant towards this work when completed).

Tutbury R.D.—"A new scheme of sewerage at Barton-under-Needwood has been completed and will shortly come into operation."

RIVER TAME WATERSHED.

OLDBURY U.D. (Worcs.).—The U.D.C. presented a scheme for the approval of the Ministry of Health for a new sewage disposal works at an estimated cost of £104,000. The Ministry suggested a modified scheme should be undertaken, and this is being prepared. Under this modified scheme a portion of the sewage will be dealt with in the existing secondary sedimentation tanks and percolating filters, and new works will be constructed to deal with the remainder of the flow.

Brownhills U.D.—The Medical Officer of Health reports:—
"The number of privies still in the district is large. This is almost entirely due to the want of a proper sewage system in Norton Canes where in years gone by mining subsidences prevented the consideration of an adequate sewage scheme. Now the need for economy has prevented the further consideration of the scheme recently prepared. The sewering of this part of the district is an urgent matter, and one which must undoubtedly be tackled and dealt with as soon as means permit. This part of the district, for one reason or another, has never enjoyed the amenities shared by the other parts of the district."

Walsall R.D.—Re-construction of the Aldridge Sewage Disposal Works was completed in 1932.

DUDLEY C.B. (Worcs.).—"The gross pollution of the Adden Brook by the Dudley Guest Hospital has now been abated and the drainage from the hospital connected to the new disposal works at Priory Estate."

BILSTON U.D.—It is noted from the Medical Officer of Health's report that a scheme for the sewerage of the Bradley Lane area is under consideration.

Coseley U.D.—A small works at Ettingshall Road (commented on in my Report for 1931) has now been abolished, and the sewage is dealt with at the Bilston sewage works.

Darlaston U.D.—The Medical Officer of Health again comments on the inadequacy of the filtering area at the sewage works and the consequent contamination of the River Tame.

Walsall C.B.—A scheme is in preparation for a joint sewage works at Goscote, to deal with sewage in approximately 600 acres in the area of the County Borough and part of the area of the Walsall R.D.

A scheme has been prepared for the extension of the Bescot sewage works by the provision of further bacteria beds and humus tanks, but I understand the matter has been held in abeyance for the time being.

West Bromwich C.B.—Sanction has been received from the Ministry of Health to borrow £37,000 to construct sewers in the Perry Barr portion of the borough, and for £112,000 for a scheme for extending the Friar Park outfall works, and construct outfall works at Ray Hall.

ROWLEY REGIS U.D.—Work upon the enlargement of the inadequate purification plant at the Tividale Sewage Disposal Works of the Upper Stour Valley Main Sewerage Board is now proceeding.

TAMWORTH (Joint).—The pumps at the Joint Committee's station have been found inadequate during heavy storms and new ones, capable of a greater volume of work, are being provided.

RIVER SEVERN WATERSHED.

Seisdon R.D.—The Medical Officer of Health reports:—"The sewerage scheme for Wombourn, I regret to say, has been held up for National economic reasons, but, I understand, will be proceeded with as soon as circumstances permit."

Sedgley U.D.—The new sewerage scheme for Gospel End and Gibbons Hill has been completed and the works are now in operation.

QUARRY BANK U.D.—An extension of the sewerage system was carried out from Caledonia Road into the main sewer of the Upper Stour Valley Main Sewerage Board. This will obviate the pollution of the River Stour, which previously took place.

The Medical Officer of Health notes that the Black Brook is still polluted by sewage from the Birch Coppice area.

MINISTRY OF HEALTH INQUIRIES.

The following Inquiries were held by the Ministry of Health during the year 1932 into applications for loans in respect of schemes of sewerage and sewage disposal :-

District.	Date of Inquiry.	Amount of Loan.	Purpose.
Stoke-on-Trent City	25.5.32	£22,500	For works of sewage disposal.
Rugeley U.D	19.7.32	£9,900	For works of sewage disposal.
Stoke-on-Trent City	20,7.32	£8,000	Reconstruction of culvert, etc., of Fowlea Brook.
Upper Stour Valley Main Sewerage Board	4.8.32	£4,540	For works of sewerage and sewage disposal (Tividale).
Wednesbury M.B	19.10.32	£3,915	For works of sewerage.
Tipton U.D	20.10.32	£4,000	For works of surface water drainage.
Cheadle R.D	13.11.32	£2,600	For works of sewerage and sewage disposal (Chedd-leton).
West Bromwich C.B	25.11.32	£37,000	For works of sewerage (Perry Barr).
" " " "	25.11.32	£112,000	For works of sewage disposal.

CONTRIBUTIONS TO DISTRICT COUNCILS FOR WATER AND SEWAGE DISPOSAL SCHEMES.

In the Report for 1930 the principles governing contributions towards these schemes were set out in full. During the year applications in respect of six schemes have been under consideration, and in two cases it was agreed to make a contribution. The applications in respect of three schemes were refused, and in one case consideration was deferred. In each instance the conditions require that a similar contribution should be given by the District Council in order that the full cost should not fall upon the Parish concerned, and at the end of the financial year the question should be re-considered.

The schemes for which contributions were granted were both for sewerage and sewage disposal, as follows:—

Sanitary District and Scheme Tettenhall U.D.—1931-32 and 1932-33.

Housing

Housing (Rural Authorities) Act, 1931.—This Act which was only in force for a few months, provided a fund from which grants could be given to Rural District Councils for houses for rural workers.

Housing (Rural Workers) Act, 1926.—Under this Act contributions can be given by the County Council for the re-conditioning of old houses in rural areas, and for the conversion into dwellings of buildings not previously used for that purpose. During the year grants were given in six instances, affecting seven houses, one application for assistance was refused, and two were withdrawn. The Rural Districts and Parishes concerned will be found in the following table:—

Rural District.		Parish.			No. of House	Amount of Grant.		
Cannock		Brewood			1	 £100		
Stafford		Colwich			1	 £100		
		Tixall			2	 £150		
Stone		Eccleshall			3	 £300		

HOUSING ACT, 1930.

Under Section 32 of the above Act it is the duty of the County Council to concern itself with working-class housing conditions in each rural district, and where overcrowding or other unsatisfactory housing conditions exist, to examine the efficacy of the action taken or proposed by the District Council responsible, to remedy such evils and provide more housing accommodation.

To enable the County Council to carry out these duties, every rural district is required to furnish the County Council, at intervals, with such information as may be necessary for that purpose.

A questionaire was sent by the County Council to all the Rural Councils in 1931. As noted in my Report for that year, there was a certain lack of uniformity in the information given in the replies to this, and a conference was subsequently held in Stafford to discuss the subject. In the early part of 1933 further amplified questionaires were sent out, and the replies to these will be considered in due course by the Public Health Committee of the County Council.

Some local authorities have recently had their boundaries enlarged, under the Local Government Act, 1929, and have had no opportunity to carry out a survey of their new district, so that their returns under the Housing Act, 1930, are necessarily incomplete, while in others it would appear that their sanitary staffs are insufficient to carry out a detailed housing inspection of the district, as required by the Housing Act, 1925.

Inspection and Supervision of Food MILK SUPPLY.

(1) Chemical Examination.

During the year 1,458 samples of ordinary milk were chemically examined; 141 of these were not satisfactory. 25 prosecutions were instituted in respect of 25 of these samples, and all were sustained. In 51 instances, as the degree of deficiency in fat content was very small, cautions only were issued, in respect of 101 unsatisfactory samples (two or more samples were taken simultaneously from the same purveyor in several instances). Of the 141 samples referred to above, 14 were "appeals to cows," and one was informal, where no action could be taken.

75 samples of specially designated milk were chemically examined and were all satisfactory, except two samples of "Grade A" and one sample of "Grade A (T.T.)." The producer was cautioned in each case.

The following samples were examined:—12 sterilised milk, 5 condensed milk, 7 skimmed milk, and 2 separated milks. On chemical examination these were all found to be satisfactory except one sample of sterilised milk. The producer was cautioned.

(2) Tuberculosis.

Investigations were carried out in 136 cases where tubercle bacilli were found in samples taken from ordinary milk as it was being delivered to the consumer in the county. Under section 4 of the Milk and Dairies Act, 1915, a veterinary inspection was made of the cows on the farms where the milk was produced; 81 cows were slaughtered under the Tuberculosis Order. Veterinary surgeons reported that in 64 instances the disease was advanced and in 17 not advanced. In 21 instances the animals were disposed of by the farmers for slaughter. In addition, 10 positive samples were received of ordinary milk from sanitary inspectors in the county, and veterinary inspections under the Milk and Dairies Act showed that 3 cows were tuberculous and they were slaughtered under the Tuberculosis Order: 2 of them were in an advanced stage of the disease. Apart from these, one tuberculous animal was disposed of by the owner.

From the examination of samples of specially designated milk obtained by the Foods and Drugs Inspectors when taking monthly samples, it was found that 43 were tuberculous. A veterinary inspection followed in 27 cases, representing 23 farms (of the 16 remaining cases 15 were duplicates and one came from a farm outside the county). 14 cows were slaughtered under the Tuberculosis Order, of which 12 were in an advanced stage of the disease. One cow was slaughtered by the owner following the bacteriological investigation. In addition, as a result of the quarterly veterinary inspection of "Grade A" herds, 2 tuberculous animals were dealt with.

Medical Officers of Health of areas outside the county, where milk produced in Staffordshire was sold, made 73 other representations under Section 4 of the Milk and Dairies Act, 1915.

As a result of the veterinary inspections made, 66 animals were slaughtered under the Tuberculosis Order and 11 were disposed of by the owners for slaughter. It was found that 35 cows were in an advanced stage of the disease, 30 not advanced, and one non-tuberculous.

I noted in my Report for last year that an investigation was carried out as a result of a complaint made by the Medical Officer of Health of Sheffield that tubercle bacilli were found in the milk supplied in bulk from a large depot in this county. In February, 1932, a second complaint was received from the Medical Officer of Health of Sheffield with regard to milk from the same depot. Previously the County Council had authorised a special veterinary examination of the herds at all the farms supplying this depot: this time it was agreed that samples should be taken from each farm's supply before being mixed and bulked at the depot. In this way tubercle bacilli were found in 30 samples from 189 farms. A veterinary inspection took place at the farms from which positive samples were obtained, and as a result of this 23 animals from 17 farms, suffering from tuberculosis, were slaughtered—16 of these were in an advanced state and 7 not advanced.

Action in such a case as this is difficult when no representation by the complaining Medical Officer of Health can be made under Section 4 of the 1915 Act, as, owing to the bulking of supplies entering a town, it is impossible to designate the farms from which the milk was supplied.

In addition to the above investigation, as a result of a representation from an outside authority, a veterinary inspection of a "Grade A" herd was made, and three animals were slaughtered under the Tuberculosis Order—one advanced and two not advanced.

15 representations under Section 4 of the Milk and Dairies Act were made to outside authorities of milk sent into this county for sale, from which samples were taken by the County Council's Inspectors. All these cases were investigated by the authorities concerned, in 8 instances with negative results. In the remaining 7 tuberculosis was found and 11 animals were slaughtered.

During the year, as a result of the examination of milk produced in the county, 190 cows were found to be tuberculous and were dealt with under the Tuberculosis Order, 130 of which were in an advanced stage, that is, 68.4% of the total.

In the accompanying table the number of samples taken of the ordinary milk supply in the various sanitary districts is shown and it will be observed that in 195 of these the milk was found to be tuberculous, that is, 11.9% of the total samples taken.

It will have been noted that a large number of the cows slaughtered were suffering from tuberculosis in an advanced stage. Whilst young animals have a relative immunity to this disease, this is lost as they get older, so that from the Public Health point of view much more supervision is necessary in the case of the older animals, and for this reason experience has shown that in the West Riding of Yorkshire, according to the Report of the Standing Committee of the Council of Agriculture, whilst two routine veterinary inspections in a year may suffice for many of the buttermaking farms it is quite inadequate in the case of the milk producing farms where older cows are milked. And this will doubtless be borne in mind in determining the details of the scheme of veterinary inspection now under consideration.

ORDINARY MILK SAMPLES.

1st January to 31st December, 1932.

		7 10 10 10 10 10 10 10 10 10 10 10 10 10	Result of I		
SANITARY AUT	HORITY.	No. of Samples Submitted.	Clear	nliness.	T.B. Found.
		Submitted.	Satisfactory	Unsatisfactory.	round.
Urban.		Delate of the	ENO POS	ELECTION OF THE PERSON OF THE	
Amblecote Audlev		4 3	3	-	THE REAL PROPERTY.
Biddulph		44	35	9	2
Bilston		28	21	7	. 4
		29	19	10	3 2
Brownhills Cannock		28 43	26 31	12	3
Coseley		11	9	2	3
Darlaston		15	8	2 7 3	1
Kidsgrove		21	18	3	1
Leek		17 37	10 29	7 8	1
Lichfield Quarry Bank		3	29	1	4
Rowley Regis	:: ::	41	25	16	1
Rugeley		16	16	-	-
Sedgley		41	32	9	5 3
Short Heath Stafford		17 91	11 61	6 30	3
Stone	:: ::	21	18	3	8 3 4
Tamworth		21	19	2	4
Tettenhall		14	7	7	3
Tipton		21 17	11	10 3	4 6
Uttoxeter Wednesbury		16	11	5	2
Wednesfield		16	12	4	4
Willenhall		13	11	2	1
Wolstanton		10	7	3	1
RURAL.		94	67	27	18
Cheadle		*274	238	36	37
Gnosall		11	3	8	-
Kingswinford		30	24	6	4
Leek		50 148	33 108	17 40	19
Lichfield Mayfield		7	108	3	19
Newcastle		39	27	12	1
Seisdon		79	54	25	12
Shifnal (Staffs.)		13	11	2	-
Stafford		65 63	49 49	16 14	9
Stone Tamworth		41	33	8	6 3 2 2
Tutbury		27	15	12	2
Uttoxeter		24	23	1	
Walsall		37	30	7	11
Totals		1640	1238	402	195

^{*} Special Investigation.

(3) Cleanliness.

1,640 samples of ordinary milk were bacteriologically examined, of which 1,238 were reported as satisfactory from a cleanliness standpoint and 402 were unsatisfactory. Of the unsatisfactory samples 353 were produced in the county and 49 outside. 75.5% of the samples were reported as clean compared with 77.5% last year.

The names of producers of milk not found to be satisfactory, as in former years, are reported to the County Farm Institute, who then communicate with them and offer them every assistance.

If no improvement in the cleanliness of the milk results, the District Council in whose area the producer resides is communicated with, so that the necessary steps can be taken under the Milk and Dairies Order.

(4) Specially Designated Milk.

At the end of 1931, licences had been granted for the production of the following graded milks:—4 for "Grade A. (T.T.)" and 80 for "Grade A." milk. On the 31st December, 1932, there were 2 "Certified" licences, 5 "Grade A. (T.T.)" licences, and 82 "Grade A." certificates in force in the county. With regard to "Grade A." licences, 7 new ones were issued during the year and 5 were relinquished.

Samples are taken monthly of all graded milks for bacteriological investigation to see if the standard of cleanliness laid down in the regulations is maintained and they are examined specially for tuberculosis quarterly. The results obtained are shown in the accompanying table.

As regards the unsatisfactory samples; of those due to an excessive count 73 were produced in the county and 52 outside. Tubercle bacilli were found in 44 produced in the county and 4 in milk produced outside.

It is satisfactory to find that the popularity of these graded milks has been maintained and in fact this has resulted in an increase in the number of licence holders who, as already noted, now number 82 for "Grade A." milk. I find that this number is larger than in most areas of similar size.

SPECIALLY DESIGNATED MILK.

1st January to 31st December, 1932.

Management of State o	in hand	101	Unsatisfactory						
Property Control of the Control of t	Total	Satisfac- tory	Due to Coliform Bacillus	Due to Count	Due to Col. Bac. and Count	Due to T.B.			
"Certified" "Grade A" (T.T.) "Grade A Pasteurised" "Pasteurised"	25 163 1071 12 70	18 143 944 10 55	1 8 39 —	2 2 21 1 11	4 9 26 1	$-\frac{1}{43*}$			
in the party of th	1341	1170	48	37	40	48*			

^{*} Two samples also included under "Due to Coliform Bacillus."

Chemical and bacteriological examinations of food are done in the laboratories established by the County Council at Stafford and the nature of the work undertaken will be found in the reports of the laboratories on a previous page.

Samples analysed under the Food and Drugs Act are shown in the report of the County Analyst already referred to, from which it will be observed that 2,049 samples were submitted, 1,897 of which were found to be genuine and 152 adulterated or below standard.

The action taken is as follows:-

56 retailers were cautioned and 27 proceedings were instituted. All the proceedings were sustained with one exception. Fines amounting to £55 with costs (£51 5s. 6d.) were imposed. 25 proceedings were in respect of milk, one of rum, and one of whisky. Of the 25 milk cases 23 were for added water and 2 for deficiency in fat.

Nutrition

A valuable Circular on Nutrition which summarised all recent work on this subject was issued by the Ministry of Health in October, 1932, and all Assistant Medical Officers in charge of Maternity and Child Welfare Centres were provided with a copy so that full advantage could be taken of the latest researches on this important subject.

Prevention of, and Control over, Infectious Disease

SMALLPOX.—No case of smallpox was recorded in 1932, a similar experience to that of last year.

Scarlet Fever.—The incidence of this disease in the county was rather less than that in the previous three years. There were

787 notifications as against 1,008 last year, 499 in urban districts and 288 in rural districts. Six deaths occurred in urban and none in rural districts. The case rate per thousand of the population is 1·10 compared with 2·12 for England and Wales as a whole. The death rate in urban and rural districts is 0·01 and *nil* respectively. The prevailing type of the disease was mild.

DIPHTHERIA.—Fewer cases were notified in 1932 than in the previous year, the numbers being 505 as against 722. The decrease was mainly in the urban districts where there were 353 cases compared with 484 in 1931. 152 cases were notified in rural districts as against 238 in the previous year. The case rate was 0.71 compared with 1.08 for England and Wales. Twelve deaths occurred in urban districts with a death rate of 0.02 per thousand of the population. Fifteen died in rural districts, which yields a death rate of 0.07. On reference to the tables at the end of the report the numbers and death rates for each Sanitary District will be found.

It is gratifying to note the comparatively small number of cases that have occurred this year, and, as would be expected, the reduction is chiefly found in the urban districts. The prevailing form of diphtheria, although more severe than scarlet fever, was mild. Cases were notified in all but four of the forty-five Sanitary Districts, but in none can it be said to have attained epidemic form.

By arrangement with the District Medical Officers of Health, the Assistant Medical Officers carried out Schick testing and immunization in children attending schools in the Brierley Hill, Rugeley, and Tettenhall Urban Districts, and the Cannock and Walsall Rural Districts. The work undertaken was a continuation of that started in previous years, except in Amblecote where it was resumed after an interval of three years.

The response by the parents to this scheme has been disappointing, and may be due to the protracted period which must elapse before the complete Schick tests and immunization can be carried out. It is hoped, by eliminating the preliminary Schick tests, to persuade a greater number to accept this valuable means of protection against diphtheria.

Full advantage has been taken of the facilities afforded at the County Laboratory for bacteriological investigations and 10,646 specimens were sent by medical practitioners compared with 13,163 in the previous year. This included 330 virulence tests undertaken in special cases.

Enteric Fever.—Ten notifications of typhoid fever in urban and 6 in rural districts were received during the year, compared

with the total of 12 in 1931. No deaths occurred in urban or rural districts. The case rate was 0.02 compared with 0.06 for England and Wales. On reference to the tables at the end of the report, the areas in which these cases occurred will be seen.

ENCEPHALITIS LETHARGICA.—During the year 8 cases were notified, 6 of which were in urban districts. Thirteen deaths were reported, and the districts in which they occurred will be found in the tables at the end of the report.

Dysentery.—During the year 73 cases of dysentery were notified. Fifty-five of these were at the Cheddleton Mental Hospital, and 13 cases were notified from the Babies' Hospital at Canwell Hall in the Tamworth Rural District. Two cases occurred in the Biddulph Urban District, and one in the Cannock Rural District.

CEREBRO-SPINAL FEVER.—During the year 10 cases were notified, 6 in urban and 4 in rural districts: 6 of these recovered. The cases occurred singly. The number of deaths from cerebrospinal fever registered during the year is 5, so that one of the fatal cases was not notified.

Twelve specimens of cerebro-spinal fluid were examined in the County Bacteriological Laboratory. Special arrangements have been made so that the cerebro-spinal fluid can be sent to the laboratory in a portable incubator, because these organisms do not survive if sent through the post in the ordinary way.

Also 163 swabs were examined, 51 agglutination tests carried out and one case for typing.

With reference to non-notifiable infectious diseases, the deaths from measles, whooping cough, diarrhœa and enteritis are as follows:—

MEASLES.—There were 66 deaths in urban districts with a death rate of 0·13, and 12 deaths in rural districts with a death rate of 0·05. As the disease is not notifiable the number of cases is unknown, but from the returns sent by the Head Teachers of elementary schools I find that a total of 3,642 cases of measles and 52 cases of German measles occurred in children of school age.

At the same time, it must be pointed out that the cases so reported relate only to the County Elementary Education Area, having an estimated population of 456,860 out of 714,300 for the Administrative County, and consequently there must have been many more cases.

Whooping Cough.—In 1932 there were 49 deaths in urban districts with a death rate of 0.10 and 7 deaths in rural districts with a death rate of 0.03. The deaths in urban districts occurred in 15 out of the 28 districts.

Only 7 of the 17 rural districts were affected. The school teachers in the County Elementary Education Area reported 1,214 cases in children of school age, but the disease specially attacks children during infancy, and is more fatal at that period of life. As the disease is not notifiable we have no accurate knowledge of its incidence.

DIARRHŒA AND ENTERITIS.—81 deaths occurred in urban districts with a death rate of 9.2 per thousand live births, and 19 in rural districts with a death rate of 5.3 per thousand births in children under 2 years of age, which shows a greater incidence of this disease than in the previous year. The cases occurred in 17 out of the 28 urban districts and in 8 of the 17 rural districts.

INFLUENZA.—In 1932 there were 169 deaths in urban and 52 in rural districts, a noticeable decrease from the previous year when there were 231 deaths in urban and 80 in rural districts.

The number of cases of Notifiable Infectious Diseases with the deaths, in the Administrative County during 1932, are as follows:—

Diseases.		Notifications.		Deaths.		† Cases
		Urban.	Rural.	Urban.	Rural.	admitted to Hospital.
Small-pox			io-ali	_	_	
Scarlet Fever		499	288	6		489
Diphtheria		353	152	12	15	393
Enteric Fever		10	6	_	-	10
Puerperal Fever		17	13)	15	6	19
" Pyrexia		66	21	15	6	(39
Erysipelas		146	77	*	*	15
Cerebro-Spinal Fever		6	4	4	1	7
Poliomyelitis		4	1	2		-
Pneumonia		939	304	427	143	21
Encephalitis Lethargica		6	2	11	2	3
Dysentery		2	71	*	*	55

^{*} Not classified in Registrar General's Return. † Information obtained from District Reports.

OPHTHALMIA NEONATORUM.—The accompanying Table shows the cases for the last 9 years. One hundred and fifty-one out of the total of 194 were not severe, and, as will be noted from the table, 192 were completely cured. In 2 cases the vision was impaired, the condition in each instance being a slight corneal ulcer and opacity. Only 14 cases were in-patients in hospital, 6 were treated in the out-patient department, and the others received treatment at home.

		CA	SES Treated			1	The state of the s		
					Vision un-	Vision	Total Blinds	Deaths	
	Notified	At home		ospital t Out-pat'nt	impaired	impaired	ness		
1924	109	89		20	107	1	_	1	
1925	138	138 96 *42		42	135	1	-	1	
1926	166	149	12	5	162 162	3	B 24	1	
1927	166	135	13	18		3	-	1	
1928	145	129	7	9	143		_	2	
1929	193	170	14	9	190	_	_	3	
1930	148	130	17	1	145	1	_	2	
1931	191	169	20	2	186	1	-	4	
1932	194			6	192	2		_	

^{*} One case removed from district; result not known.

Vaccination

The ineffectiveness of the working of the Vaccination Acts is shown on examination of the Returns of the various Vaccination Officers for the year 1st January to 31st December, 1931, where it is seen that out of 11,234 children born during the year, in whom vaccination was possible, only 33% were subsequently protected against smallpox.

Tuberculosis

At the end of the year there were 6,850 cases of all forms of tuberculosis on the registers of the district Medical Officers of Health, made up as follows:—

TOTAL	The same of	PULMONARY	· .	Non-Pulmonary.					
Cases.	М.	F.	Total.	M.	F.	Total			
6850	2535	2335	4870	1049	931	1980			

This indicates that there is one case of tuberculosis in every 104 persons, or just 9.6 per 1,000 of the population, and on reference to the mortality Tables which follow it will be found that approximately one death occurs amongst thirteen cases in the year.

During the year 412 persons died from pulmonary tuberculosis, giving a death rate of 0.58 per thousand of the population, whilst 113 deaths occurred from other forms of tuberculosis with a death rate of 0.16. The ages at death divided into sexes are shown in the following table:—

Table showing primary cases of tuberculosis and deaths from the disease classified according to ages and sex:—

		New	CASES			DEA	THS.		
Age Periods.	Pulm	onary.		on- ionary.	Pulm	onary.	Non- Pulmonary.		
	M.	F.	M.	F.	M.	F.	M.	F.	
0—	_	1 3	9	4		2	10	4	
5	9 33 14	32 31	32 30 24	$\begin{pmatrix} 32 \\ 24 \\ 20 \end{pmatrix}$	2	7	24 8	19 12	
5	56 55	69 63	15 5	19 10 }	35	57	7	6	
<u></u>	72 67	101 57	6 3	9 4	53 45	38 29	1 3	3 5 2	
5—	60 36	30 17	2	3	55	26	1	2	
5— 5and upwards	8	6	2	-	26 11	19	2	_	
Totals	410	410	128	126	230	182	60	53	

In the General Tables at the end of the Report, the death rates for each sanitary district during 1932 will be found.

On reference to the tables it will be seen that, as regards the pulmonary form of the disease, the incidence is the same in both males and females, but is more marked in females between the ages of 15 and 35. In this area it appears to be more fatal in young women, but after the age of 35 there are more deaths in the male sex from pulmonary tuberculosis. The non-pulmonary forms of the disease occur mainly before adult life is reached, and are particularly fatal during the first year of life. In the succeeding years, the disease is more chronic, and, whilst resulting in much disability and ill-health, does not often cause death. The non-pulmonary forms arise from infection through tuberculous milk and from open cases of pulmonary tuberculosis.

The	following	show	the	number	of	primary	notifications
received	since 1913						

1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925
1722	1399	1233	1048	873	856	699	642	929	971	1029	974	1232
1926	1927	1928	1929	1930	1931	1932		1 -4				

With regard to notifications, speaking generally this duty is satisfactorily performed in the county. As already noted, the ratio of deaths to notifications is approximately one to thirteen, and this compares favourably with the figure laid down by experts that for every death there are at least ten persons suffering from the disease. The District Medical Officers of Health reported 79 cases as against 78 last year that had come to their knowledge in various ways not having been previously notified. It was found that 62 had died without being formally notified under the Regulations, 41 were taken from the death returns of the local Registrars, and 19 were transferable deaths sent by the Registrar-General, that is to say, that the death occurred outside the district where the person usually resided. Two cases were notified to the Medical Officer of Health actually after the death had occurred.

The ratio of non-notified tuberculosis deaths to the total tuberculosis deaths is 1 in 8.47; roughly 7 out of 8 deaths were notified under the regulations before death.

With regard to the unreported cases, I am afraid we cannot expect always to receive the notifications before death especially where the disease is extremely acute, and some cases are bound to occur in which the practitioner was under the impression that the disease had been notified previously.

An account of the treatment afforded for tuberculosis will be found in the annual report of the Joint Committee of the Staffordshire County Council and the Wolverhampton and Dudley County Boroughs. This body is only responsible for treatment and not for measures of prevention, which duty falls upon the District Councils, and their contribution towards the measures for dealing with this complex subject relates to the environmental conditions of the patient, amongst these being adequate housing in each district, which is of paramount importance. An investigation of the environmental conditions of each patient is made by the Health Visitors as soon as the disease is notified and although every effort is made to arrange the accommodation in the house so that the patient can have a room to himself, this has only been found possible in 29.8% of the cases reviewed in the Joint Committee's area in 1932. In every case in which overcrowding occurred the District Medical Officer's attention was specially drawn to the matter, but for some years now it has been found very difficult to take adequate measures.

At the same time I desire to emphasise the necessity of District Councils utilising to the full all the powers they possess under the Housing Acts, for it is one of the primary duties of a Sanitary Authority to provide adequate housing accommodation for the population in their area.

During the year no action was found to be necessary under the Public Health (Prevention of Tuberculosis) Regulations, 1925, which prohibit persons suffering from tuberculosis engaging in milking operations.

No action was taken under Section 62 of the Public Health Act, 1925, during the year.

The accompanying table shows the death rates in the urban and rural districts of the county since 1914, from which it will be observed that since the war years there has been a gradual fall in both urban and rural districts, and in view of the large number of unemployed during these difficult years this is most satisfactory.

	D	eath Rate p	per 1,000 of t	he
Year.	Phth	isis.		orms of culosis.
	Urban.	Rural.	Urban.	Rural.
1914	0.89	0.54	0.31	0.20
1915	0.94	0.67	0.34	0.29
1916	1.01	0.80	0.40	0.29
1917	1.01	0.74	0.34	0.31
1918	1.03	0.88	0.31	0.28
1919	0.83	0.61	0.22	0.30
1920	0.75	0.56	0.30	0.21
1921	0.80	0.53	0.23	0.21
1922	0.80	0.55	0.24	0.17
1923	0.75	0.58	0.25	0.22
1924	0.73	0.58	0.22	0.20
1925	0.83	0.49	,0.22	0.14
1926	0.74	0.50	0.22	0.11
1927	0.73	0.44	0.21	0.22
1928	0.64	0.48	0.14	0.13
1929	0.76	0.54	0.15	0.12
1930	0.72	0.54	0.15	0.13
1931	0.78	0.52	0.17	0.13
1932	0.64	0.42	0.16	0.14

W. D. CARRUTHERS,

County Medical Officer of Health.

September, 1933.

TABLES.

Table showing Population, Number of Persons per acre, Birth and Death-rates as well as the Death-rates at all ages and among Children under 1 year, and the Death-rates from Zymotic Diseases, Tuberculosis, Diseases of the Respiratory Organs, &c.

URBAN.

1																	
o.m.	y ai	Ocngenital Debiliti	0.33	0.59	0.60	0.48	0.97	0.64	98.0	0.94	0.65	0.37	0.53	0-11	0-65	0.24	
	oju	Acute and Chro Mephritis.	:	0.58	0.72	0.28	0.56	0.59	0.23	0.43	0.25	0.15	69-0	:	0.27	0.12	
	.19.	Cirrhosis of Liv	:	0.29	:	90-0	:	:	:	:	:	:	0.05	:	:	:	
	X.D	Other Respirate Diseases.	:	;	0.12	0.03	0.21	0-11	0-17	80.0	0.50	0.15	:	0.23	0.12	0.12	
·(stu	1101	Pneumonia (all	66-0	88.0	0.84	.56	0.91	.13	0.57	0.82	0.65	0.37	0.58	0.58	69-0	09-0	
		Bronchitls.	:	0.29	0-12	0.51	17.	0.86	0.46	0.78	92.0	99.0	0.32	69-0	0.25	0.60	
	aur	Cancer, Maligna Disease.	3.98	3.21	1.80	0.83	.25 1	1.18	1-17	.45	1.82	.54	1.60	.73	.38	.45	
		Other Tubercul Diseases.	:		0-12 1	0.19 0	:	0-11 1	0.14 1	0.04 1	0.15 1	0.15 1	0.21	:	0.21 1	0.12 1	
-	təqs	Tuberculosis of	99.0	.75	0.12 0	0.95 0	0.84	0.64	0.31 0	0.62 0	98	0.59-0	0.48	69-0	50	0.84 0	
Pare	1000	Diarribosa, &c. (under 2 years)	0 :	-:	0 0.9	23.8 0	.:	:	7.4 0	4.3 0	2.9 0	8.2 0	0 6.9	:	1.9 0.	0 :	
-		Diphtheria	:	:	:	0.09	:	:	:	:		:	0.05		0.02	0.12	3,420.
ality.	tion	Cough.	:	.:	:	0 60-0	;)-27	0.03	15	15	20-0	0.02 0	-	0.08	0.24 0	ou of
Mortality	population	Scarlet Fever.			-	0	:	0	0 :	0	0.05 0.1	0 :	0 :	0 :	0.05	0 :	adjusted population
otto	of	Measles.			80.	14-	14	-05		0.27	.02 0	-22	.05		0.05		od po
Zy	er 1000	Zodlisma				0	0	0		0	0	0	0		0		adjust
1	Pe	Paratyphoid Forers,															9 E
000	sul:	regi-teres live bir	-	-	09	9/	01	83	69	03	-	54	62	36	99	70	calculated
-	nort	Rate, Mortality in child	•10	.1 8	9 .	.6 7	2.4 10	io	9-3 6	2.0 10	1.0		1.9		0.7 6	7	
·u	opp	I,000 of popula	64	5 17.		Ξ	-	=	9.5	-	-	0		4	_	00	Rates ::
Der	val	1,000 of Popul General mortal	6 13-2	10.8 0.88 17.5	19.8 0.84 11.5	0.83 11.3	112.6	2 11.2	-	8 12-0	5 10.5	3.6 17.8 1.03 10.0	12.9 15.5 1.06 12.5	0.34 11.4	17.7 1.09 11.1	12.4 15.6 0.60 11.8	1.4.32.
190	91	1,000 of popula	99-0 6	8.0.8	8 0 8	4 0.8	16.5 0.91	3.0 18.1 0.32	4.4 19.3 0.94	1 0.98	4 0.25	8 1.0	5 1.0	8 0-3	7 1.0	9-0-9	200
J.	De	Der acre. Live Birth-rate	5 12.9			8 21.4		0 18	4 19.	7.8 18.1	7 17-4	6 17.	9 15.	5 15.8		4 15.	to ex boun
su	tos.	Number of Per	4.5	:	1.5	16.8	14-1	69	4	7	21.7	÷	12.	2.5	6.3	12.	nased ion in
	1	Estimated to middle of 1932 of areas as constituted after changes in boundary.	3,017	:	8,327	31,360	14,330	18,610	34,930	25,570	19,790	14,830	18,750	8,649	55,630	8,272	(a) Area ceased to exist (b) Alteration in boundary
on Ss.		Estimated to middle of 1932 of areas as constituted after change in boundary	80	(a)	00	31	14	18	34	25	19	(6) 14	18	00		00	(a) A (b) A
Population at all ages.	-			3								=		-	(0)		
Por		Census, 1931.	3,099	13,621	8,346	31,255	14,347	18,368	34,585	25,137	19,736	886'6	18,567	8,507	23,246	8,100	
		Cer 19	33	13,	œ	31,	14,	18,	34,	25,	19,	6	18,	œ	23,	8	
			:	:	:	:	1:	:	:	:	:	:	:	:	:	:	
				:	:	:	-	-	:	:	:			:		-	
		DISTRICT		:	:	:		-	:	:	:	-	:	-			
		Dis	cote	:	ph .	:	y Hi	hills.	k		ton .	ove .	:	bi	stle.	Bar	
			Amblecote	Audley	Biddulph	Bilston	Brierley Hill	Brownhills	Cannock	Coseley	Darlaston	Kidsgrove	Leek .	Lichfield	Newcastle.	Quarry Bank	
			AI	At	Bi	Bi	Br	Br	Ca	3	D	Ki	Le	Li	Ne	Ö	1

Deaths occurring during the year 1932, classified according to Diseases and Localities, together with Births occurring during the year.

URBAN

	Causes ill-defined or unknown.	:	:	-	:	:	:	:	:	:	-	-	-	00	:	-
1	Diseases.	77	-	. 9	21	20	12	81	53	12	=	91	01	34	1	
1	Other Violence.	-	-	3	60	1	9	20	00	9	=	00	8	26	-	ı
1	Suicide	-			2 1	-		9	00	01	-	_		60	-	ı
1	Senility.	67	. 9	67	11	16	=	18	53	6	3	10	•	22	00	ı
1	Malformation, &c.	-	-	10	10	77	12	30	24	13	2	01	-	-	61	ı
1	Congenital Debility, Premature Birth,							63	64					8		
-	Other Puerperal		:	÷	2	-	-	2	2	-	:	2	:	61	-	ı
1	Puerperal Sepsis.	:		-		:		:			:	:	:	61	:	
	Acute and Chronic Nephritis.		2	9	6	00	=	00	=	5	67	13	-	13	-	ľ
	Other Digestive Diseases.	. 2	-		10	9	9	9	00	60	5	9	3	15	00	1
	Other Diseases of Liver, &c.	:	-	:	-	-	-	-	-	-		-	:	00	:	
1	Cirrhosis of Liver.	-	-		2		:	:	:			-	:		:	1
	Appendicitis.			-	:		-	-	1	60	1	1	4		-	1
	(under 2 years).	:	:	-	16	:	:	ic	01	-	7	63	- :	10	:	1
	Peptic Ulcer. Diarrhea, &c.	- 61	-	61	-	-		4	72	-	-	73	-		-	ł
	Diseases.		-	-	-	00	61	9	01	4	01		01	9	-	ł
	Other Respiratory			-				-								ı
	Pneumonia (ail forms).	8	60	7	49	13	21	20	21	13	ıc	=	5	33	rc.	ı
	Bronchitis.	:	-	-	16	16	16	91	20	15	6	9	9	12	S	ı
	Dlseases.	:	61	31	6	61	61	17	8	00	8	6	00	18	9	۱
	Aneurism. Other Circulatory					-										ı
		7	14	17	59	19	36	. 19	51	30	30	73	16	22	23	1
	Hemorrhage, &c.	73	61	0	3	-	1	0	00	01	7	0	9	-	00	-
	Cerebral			10	23	14	17	20	18	112		10		44	-	ı
	Diabetes.		0.1	:	1	-	:	ıc	0	3	:	23	61	113	:	1
	Cancer, Malignant Disease	12	=	15	26	18	22	4	37	36	21	30	15	99	12	l
,	General Paralysis of the Insune, Tabes Dorsalis.	:	:	:	2	:	-	2	:	-		:	:	-	:	1
	Syphilis.				:	- :	60	-	1:		-	-	:	-	:	1
	Diseases.		:	-	9	:	63	10	-	3	21	4	:	10	-	1
9	Respiratory System. Other Tuberculous	67	9		-	~	~	_		7	00	6	9		-	1
	Tuberculosis of				30	12	12	=	16	17	*	٠,		24		d
	Cerebro-Spinal Fever.		:	-:	:		:	:	:	:	-:	:	:	:	:	1
	Lethargica.	:		:	:	01	01	:	61	:	:	-	:	:	:	1
	Encephalitis	01	4	-	-	4	10	6	1	10	8	61	6	0	9	-
3	Influenza.	-		1	3	-				ii.				-		1
	Diphtheria.	- :		- :	3	-	:	-:	-	.:		1	-	4	2 1	-
	Scarlet Fever.	:			-					-		-	-	-		-
	Measles.	-:	-:	6	3	61	-	:		-	3	-		-		-
	Paratyphoid Fevers.	:	-		-			- :				:			-	1
	Das bioid T			-	-	-		-								-
	Smallpox.	- 21								-			5	:	6	-
	Deaths under 1 year.			10	51	24	28	47	48	21	113	18		56		1
	Deaths from all causes.	40	09	96	354	181	208	334	307	209	136	234	66	531	86	1
	Still-Births.	- 61	00	-	26	13	9	33	25	10	14	20	00	52	10	
		39	37	10			7		1000	5			0		6	
	Live Births.	- 60	60	165	671	237	337	676	464	345	242	291	137	842	129	
		1	:	:	:		:	:	:	:	:	:	:	:	k .:	
	5	te.	:		:	H	IIs.	. :	:		e.	:	:	e	an	
	DISTRICT	000	2	lph	n.	ey.	hil	ck	×	sto	rov	:	ple	stl	A B	
	Dis	Amblecote	Audley	Biddulph	Bilston	Brierley Hill	Brownhills	Cannock	Coseley	Darlaston	Kidsgrove	Leek .	Lichfield	Newcastle.	Quarry Bank	
		An	Au	Bic	Bil	Br	Br	Cal	3	Da	Ki	Le	Lic	Ne	Om	
									1			1000	11111111	1000	1000	

_
, O
•
=
tinued
73
Ħ
con
ĭ
Z
4
M
m
Þ

80			Mallormation, Pro Birth	0.51	0.55	19.0	61-0	19-0	1111	0.55	:	06-0	0.50	0.93	0.62	1.12	0.64	19.0	:	
			Acute and Chr Mephritis. Congenital Debili	0.24 0	0.37	0.15	0.19	0.44	0.48	0.18	0.51	0.16	0.33	0.34	0.21	0-37	0.13 0	0.31	:	
		19A	Citthosis of Li	60-0	:	:	:	:	:	:	0-17	0.03	0.17	90.0	:	:	:	0-05	:	
		A10	Other Respirate Diseases.	0.05	81.0	0.10	0.19	0:30	91.0	60.0	0.34	0-11	:	0.18	:	:	0.51	0.12	:	
	·(stu	101	Pneumonia (all	1.25	0.74	1.29	0.19	0.34	0.48	0.46	0-17	1.40	0.33	0.87	0.93	1.02	0.64	98.0	:	
			Bronchitis.	0.77	0.18	0.62	0.19	0.47	0.64	60.0	0.34	0.82	0.17	0.56	0.21	0.37	1.29	0.56	:	150.
	4	an	Cancer, Malign	1-13	0.37	0.93	0.97	1.35	1:1	0.92	1.19	1.04	0.84	1.31	0.72	1.40	1.68	1-28	:	population of 483-450
		_	Other Tubercu Diseases.	0.07	0.37	0.15	0.19	0.30	0.16	0.18	:	0.22	:	0.28	:	0-23	0.39	0.16	:	tion o
		1	Tuberculosis o	08.0	0.37	0.41	0.77	0.88	:	0.64	0.34	0.93	1.17	0.59	0.21	0.56	0.26	0.64	:	Sopula
	Per	1000 Live	Diarrhona, &c. (under 2 ; cars)	5.9	:	6.9	19.8	2.4	:	:	:	14.8	:	13.5	17.8	17.9	13.7	9.5	8.9	8
	y.		Diphtheria	0.03	:	0.10	:	:	:	:	0.17	:		:	0.10	0.04	:	0.05	0-07	. 10,820 7,750 an adjust
	Zymotic Mortality	population	Whooping Cough,	0.29	:	0.05	:	:	:	:	:	0.22	:	0-03	:	60.0	:	0.10	80.0	tion a
	tic Mo		Scarlet Fever.	:	:	0.05	×	:	:	:	:	0.03	*	:	0-10	0.04	:	0.01	0.01	sted population
pe	Хуто	10 0001	Measles.	0.05	:	0.05	:	0.03	:	:	:	0.33	0.33	0.18	:	0.14	0-13	0.13	0-11	adjusted
continued		rer	Smallpox	:	:	:	:	:	:	:	:	:-	:	:	:	:	:	:	0.00	on adj
con			Typhoid and Paratyphoid Fevers.	;	:	:	:	:	:	:	:	:	:	:	:	:	:	:	00-0	ated
BAN	0001	196	Mortality in chil inder one year p	71	57	97	39	99	117	36	:	103	47	98	88	83	82	76	69	calculated
URB	-	-	Standardized 1	11.9	:	Ξ	:	0-11	:	:	:	12.9	:	10.8	:	13.0	14.8	:	:	Rates of the
Þ	19d	TTP.	General morta 1,000 of popul	11.5	8:3 16:3 1:48 10:3	11.2	9.1	==	11.3	9-6	10-2	13.0	11.2	8-01	9.1	20.8 0.88 12.8	14.6	0.80	0.70 11.8	
	19d	ete	Still-births, Ro	10-8 16-3 0-72	1.48	14.9 0.36	0.77	13.8 0.64	4.0 12.3 0.32	0.83	10-0 0-21	0.93	17.6 0.84	0.78	17-4 0-83	88.0	1.16	0.80	0.70	ury 1.4
	16 .no	d a	Live Birth-rate	16-3	16-3	14.9	19.5	13.8	12.3	15.2		22.1		18.4		50.8	18.8	17.7	15.4	exist and
	su	osı	Number of Pe	10.8	8:3	5.0	4.9	8.6	0.7	4.4	3.8	16.8	5.8	15.9	3.8	16.8	:	6.7	:	sed to
	ion es.		Estimated to middle of 1932 of areas as constituted after changes in boundary.	41,390	5,404	19,340	5,164	29,590	(d) 6,381	(e) 11,890	5,872	36,440	5,961	32,120	9,633	21,450	0	1492,700		(d) Alteration in boundary 1.4.32. R (e) (f) Area ceased to exist The mean birth and death rates of
	Population at all ages.		Census, 1931.	41,235	5,262	19,262	5,047	29,485	5,952	7,509	5,769	35,814	606'9	31,531	9,330	21,150	30,525	490,632		
	State of the last		DISTRICT	Rowley Regis	Rugeley	Sedgley	Short Heath	Stafford	Stone	Tamworth	Tettenhall	Tipton	Uttoxeter	Wednesbury	Wednesfield	Willenhall	Wolstanton	Averag	England	

Causes Ill-defined or unknown.	61	:	:	:	:	:	:	-	60	61	64	:	-	5 1	18	10
Diseases.	33	io	14	1	59	17	00	31	33	3	25	9	19	=	400	8
Other Violence. Other Defined	-1	:	-	10	13	-	8	10	18	1	1	1	9	ro.	93 4	-
Suicide.	10		-		-	8	60	00	:	-	9	:	00	61	47 193	
Senility.	18	:	20	4	10	61	4	:	47	10	8	1	18	61	297	-
Malformation, &c.	-	60	60	-	00	1	9		33	3	30	9	24	10	334 2	
Congenital Debility, Premature Birth,	2	:			Anne				00		0.7		64			
Causes.	:	-	-	-	61		:	:	:	:	-	-	:	61	23	
Puerperal Sepsis.	-	:	:	:		:	00	:	-	-	-	-	4.	:	15	
Acute and Chronic Mephritis.	10	0.1	60	-	13	3	63	00	9	63	=	01	00	-	156	
Diseases,	10	:	-	:	14	4	-	62	6	:	Ξ	_	2	60	131	
Liver, &c. Other Digestive	*10		:			-	-	:	00	:	01	-	64		26 1	1
Other Diseases of	4							_	-	-	01	•			00	-
Appendicitis.	00	:	61	-	64	-	-	61	8	:	00	•	-	-	31.1	1
(under 2 years).	4	:	01	61	-	1	:	1	12	1	00	60	00	61	8	1
Peptic Ulcer. Diarrhea, &c.	9				9	:	01	- 2	8	:	:	-	4	-	38	1
Diseases.	-	-	61	-	6	-	-	64	+	:	9	:	:	4	623	1
(all forms). Other Respiratory	52	7	25	-	10	33	10	-	51	01	28	6	22	10	1	-
Pneumonia								1							427	-
Bronchitis.	32	_	12	-	14	4	_	67	30	1	18	67	00	10	275	
Other Circulatory Diseases.	15	4	2	3	17	61	13	-	6	4	00	00	17	9	201	1
Aneurlsm.	:	:	:	:	-	:	:	:	:	:	:	:	:	-	10	
Heart Disease.	74	18	57	0	55	16	21	18	70	20	51	17	52	19	1048	1
Нетогграде, &с.	31	1	60	00	55	00	1	60	23	10	22	10	12	-	1 99	-
Diabetes, Cerebral	4	01	_		6	01	67	-	01		62	-	-	60	2 356	-
Disease.	47	01	00	10	40	-	01	7	38	10	42	-	30	60	3 62	-
Cancer, Malignant	4		-		4		_		3		4		65	-	2 633	
General Paralysis of the Insane, Tabes Dorsalis.						•									-	
Syphilis,	:	01	:	-:	9	:	.:	:	00		9	-	:	:	=	1
Other Tuberculous Diseases.	1														81	
Tuberculosis of Respiratory System.	33	61	00	4	26	i	1	C1	34	7	19	CI	12	61	319	
Fever.	-	-	:	:	:	:	-	:	:	:	1	:	-	:	1 4	1
Lethargica. Cerebro-Spinal	-	:		:	:	1		_	-	:		-	:	:	1 =	1
Encephalitis	00	_	-	-	6	8		77	0	01	*	-		4	!	-
Influenza.	38						*		10						169	
Whooping Cough.	2 1	:	1 2				-	-	00	:	-	-	2 1	:	9 12	-
Scarlet Fever.	-	:	-		;	- :	:	-	-	:		-	-	•	6 49	-
Measles.	64	:	_	:	-	:	:	:	23	01	9	:	9	-	99	1
Paratyphold Fevers.	:	:	:	:	:	:	:	:	:	:	:	:	:	:	1	
Smallpox. Typhold and	1	:	:	:	:	:	:	:	:	-			-	:	1 :	-
Deaths under 1 year.	8	10	28	4	27	6	9	:	83	10	51.	15	37	12	65	
causes.	476	56	217	47	328	71	4	09		67		88			9 6	-
Deaths from all				4			104	9	474	9	346	00	275	113	560	
Still-Births.	30	00	7	4	19	0.1	6	8	34	10	25	00	19	6	396	
Live Births.	676	88	289	101	408	77	165	59	807	105	592	168	447	146	8740 396 5609 665	
	.sc	:	:	:	:	:	:	:	:	:	.:	:	:	:	1 :	
Ici	Reg	:	:	ath	:	:	h.				ury	eld.		on	1 :	
DISTRICT	N.	ev	ey.	He	rd.	:	ort	nha		ete	esb	esfi	ıha	ant	als	
Dr	Rowley Regis	Rugeley	Sedgley	Short Heath	Stafford	Stone	Tamworth	Tettenhall	Tipton	Uttoxeter	Wednesbury	Wednesfield.	Willenhall	Wolstanton	Totals	
	R	R	Se	Sh	St	St	Ta	Te	H	Ut	W	W	W	W	1	-

	ı		۱
ı	۲	٠	ı
į,	ä	d	١
B	٠	٩	ı
ı	n	2	١
ı	H	H	ı
ı	H	-	ı
1	þ	•	,
1		3	٠

				प्रमास	1 4	9	7	2	4	22	7		-	2		01	6	0	8		67	6	1
82				Congenital De Malformation,	1.54	99-0 8	1 0.97	0.45	1 0.44	5 0.25	7 0-44	:	8 0.2	2 0.42		2 0.52	1 0.49	7 1-10	1 0-43		3 0.32	5 0.49	-
		oine	Opto	Acute and Cappritis,	:	0.23	9 0.54		0.3	0.25	3 0.27	:	0.56	5 0.42	3.04	0 0-72	3 0-41	0.47	1 0 1	0.38	0.1	0.35	-
		.19	ΓĮΔ	Cirrhosis of		:	0.03	:	60.0	:	0.03	:	:	0.05	:	0.1	91-0	:	0-1	:	90-0	0.04	
		£1	oter	Other Respi Diseases.	1.54	0.05	0.07	:	:	90.0	0.07	:	0.07	:	1.52	0.41	0.16	:	:	:	90-0	0.07	18
	*(stt	noi	(BII)	Pneumonfa	1.54	0.85	98.0	0.63	0.88	0.45	0.74	:	0.35	0.58	:	0-31	0.58	0.47	98-0	0.38	0.52	0.65	
				Bronchitis.	:	0.38	0-43	0.63	99-0	0.51	0.34	0.27	0.49	0.26	:	0.31	0.33	0.47	98.0	0.38	0.26	0.42	
		gui	ıngı	Cancer, Mal	:	1.32	1.40	1.69	1.01	06.0	1.65	1.36	86-0	1.49	3.04	0.83	1.24	1.42	1.19	1.26	1.24	1.28	1
		sno	luor	Other Tube Diseases.	:	0.05	0.21	0.21	60-0	0.19	0.13	:	0.14	:	:	0.10	0.49	:	0.32	0.12	0.13	0.14	
	·u			Tuberculosis	:	99.0	0.46	0.45	0.44	0.32	0.40	:	0.56	0.37	:	0.10	99-0	0.47	0.43	0.25	0.26	0.42	
		1000	Live	Diarrhess, &c. (under 2 years)	:	6.6	11.2	:	2.6	:	4.2	:	:	1:	:	6.1	6.1	9.8	:	:	7.7	5.3	95
				Diphtheria	:	0.14	0.07	:	0.22	:	0.10	:	:	0.05	:	:	80.0	:	:	1	:	0.02	650
	Zymotic Mortality	population		Whooping Cough.	:	0.05	:	0.21	:	90-0	0.03	:	:	:	:	:	80-0		0-11	:	90-0	0.03	Hon of
	c Mor	hopul	.19	Scarlet Fev	:	:	:	:		:		:	:	:	:	:	:	:	1:	:	:	:	nonulation
	ymoti	1000 of		Measles.	1.54	:	0.18	:	0.13	0.13	:	:	:	0.05	:	:	:	:	1:		:	0.05	adineted r
		Per 10		Smallpox	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	on adin
AL				Typhoid and Paratyphoid Fevers.	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
RURA		F 10	ad a	Mortality in o	91	99	68	12	19	45	62	19	19	34	125	55	61	69	28	91	46	54	natoniated
-	ų	eat	q D	Standardize Rate.	:	6.6	10.5	:	9.6	9.5	6.4	:	:	8.6	:	6.6	11.0	:	:	:	9.1	:	Pares .
				General mor	12.3	9-01	11.3	11.4	10.1	8.01	11.0	11.2	6.6	10.3	13.7	11.7	13.4	10.4	14.6	11.0	9.1	6-01	4 39 1
	n.	te r	Ra	Still-births, 1,000 of Po	:	0.75	1.15	0.21	0.70	1.41	19.0	1.09	1.48	0.74	:	0.72	0.91	0.63	0.21	0.63	82.0	0-84 10-9	1.0
	u.	Der	ete:	I,000 of por	6-91	19.1	16.0	18.0	17.2	16.7	15.9	14-4	14.4	15.4	12.2	6.91	13.6	18.3	15.4	15.6	8.91	16.3	Prist
	uos.	ber	per	Mean Area in acres	:	2.4	1.9	6.1	0.3	4.4	2.4	6.7	2.4	2.3	8.3	5.6	5.5	3.4	5.8	0.9	0.7	5.8	ed to
	ation	- Dan Bare	Estimated to middle	of 1932 of areas as constituted after changes in boundary.	(a)	21,170	27,880	4,723	22,760	15,580	29,600	3,666	(6) 16,860	18,770	657	999'6	016,11 (2)	(4) 5,895	9,238	7,915	15,310	+221,600	(a) Area ceased to exist
	Population at all ages.			Census, 1931.	2,853	20,822	27,452	4,732	22,804	15,030	29,632	3,719	6,117	17,845	199	9,656	12,643	7,280	9,244	7,179	14,953	212,622	
				DISTRICT	Blore Heath	Cannock	Cheadle	Gnosall	Kingswinford	Leek	Lichfield	Mayfield	Newcastle	Seisdon	Shifnal	Stafford	Stone	Tamworth	Tutbury	Uttoxeter	Walsall	Totals and Averages	

Or unknown.	:	:	:	:	:	2	:	:	61	:	:	:	:	:	-	:	:	50
Other Defined Diseases.	-	21	25	4	13	18	26	50	13	12	:	10	16	4	10	4	14	191
Other Violence.	:	10	Ξ	-	00	12	13	4	9	13	-	7	00	5	00	10	4	116
Sulcide.	:	3	4	-	33	10	61	:	61	10	:	01	61	:	8	8	-	361
Senility.	:	21	9	5	9	6	01	6	00	10	-	6	4	4	14	9	9	115
Congenital Debility, Premature Birth, Malformation, &c.	-	14	27	01	10	*	13	:	3	00		3	9	7	4	:	5	109
Other Puerperal	:	1	:		-	-	-	:	-	:	:	:		:	:	:	1	9
Puerperal Sepsis.	:	1	-	:	-	-	:	:	;	;	:	:	:	1	-	-	:	9
Acute and Chronic Nephritis.	-	9 5	5 15	-	3 7	6	8	:	2 8	7 8	61	7	6 5	. 3		5 3	4	3 78
Other Digestive Diseases.		٠,	4,		-	_	10		-			61			4		-	7 68
Other Diseases of Liver, &c.				•			-				•			•		•		
Cirrhosis of Liver.	-:	- :	6 1	- :	1 2	.:	3 1	2	:	2 1	-	_	2 2	-	2 1		-	3 10
(under 2 years). Appendicitis.	-	4	5		65		01		-				-	-			21	9 23
Diarrhoea, &c.							_						20	100		•		-
Diseases. Peptic Ulcer.	-	1 3	01	-		-	57	- :	_	4	-	4	57	-			1 2	6 23
Other Respiratory	_	00		3		1	2		10	-		3	7				00	3 1
Pneumonia (all forms).		8 18	2 24	65	5 20	00	0 22		1	5 1		60	4	60	00	8	4	1 143
Bronchttle.		2000	112	-	_		10						163	-	-	2300		94
Other Circulatory Diseases.	:	ıo	25	10	6	17	24			4		5	00	50	80	3	6	126
Aneurlsm.	:	1	61	:		:	:	:	3	:	:	61	:	:	:	:	1	00
Heart Disease.	3	36	50	10	48	35	78	10	23	47		29	41	14	32	23	33	513
Cerebral Hæmorrhage, &c.		13	10	5	21	7	23	2	13	15		=	00	2	7	9	=	154
Dispetes	:	61	9	-	-	61	4	1	10	9	:	:	2	:	-	01	21	35
Cancer, Malignant Disease.	:	28	39	00	23	14	49	S	14	28	64	00	15	6	=	10	19	282
General Paralysis of the Insane, Tabes Dorsalis,	:	:	:	:	61	:	-	:	:	:	:	:	:	:	-	:	:	4
Syphilis.	:	:	1	:	:	:	-	:	:	-		:	:	:	1	:	-	4
Other Tuberculous Diseases.	:	-	9	-	01	3	4	:	2	:	:	-	9	:	3	1	63	32
Tuberculosis of Respiratory System.	:	14	13	63	10	10	12	:	00	1	:	-	00	8	77	01	4	93
Fever.	:	:	:	:		:	:	:	:	:	:	:	:	:	:	:	:	-
Lethargica. Cerebro-Spinal	:	:	:	:	:	:	:	:	-	:	:	-	:	:	:	:	:	61
Influenza. Encephalitis	:	67	10	:	10	61	6	-	7	60	:	:	63	:	10	10	-	52
Diphtheria.		8	01	:	10	:	00	:	:	-	:	:	_	:				l no
Whooping Cough.	:	-	:	-	:	-	-	:	:	:	:	:	-	:	-	:	-	7
Scarlet Fever.	:	:	:	:	:	:	:	:	1	:	:	:	:	:	:	:	:	:
Measles.	-	:	10	:	8	63	:	:	:	-	:	:	:	:	:	:	:	12
Typhoid and Paratyphoid Fevers.	:	:	:		:	:	:	:	:	:	:	. ;	:	:	:	:		
Smallpox.	:	:	:	:	;	:	:	:	:	:	:	:	:	:	:	:	:	:
Deaths under I year.	-	27	40	_	24	11	29	-	4	10	-	6	10	00	4	64	12	194
Desths from all	00	225	315	54	231	169	325	4	131	194	6	113	162	99	135	87	140	405
Still-Births.	:	91	32	-	16	22	61	7	21	14	:	7	=	4	63	5	12	862
Live Births.	=	405	447	85	392	261	470	53	205	290	00	164	164	116	142	124	258	3595 186 2405 194
17712	:	:	:	. :			:	:	:	:	:		:			:	:	
F	ath.	:	:	:	Kingswinford		:	:		:		por.	-		(Staffs, por.	:	:	1
RIC	Hes	Sk.	e	I	vin		pla	PI	stle	п.	- 2	d.	:	orti	Y.	ter		Is
DISTRICT	re	noc	Cheadle	Gnosall	SS	k	hfie	yfie	vca	Seisdon	fina	(Staffs.	ne	Mu	bun	oxe	sal	Totals
	Blore Heath	Cannock	Che	Gne	Kin	Leek	Lichfield	Mayfield	Newcastle	Seis	Shifnal	Stafford	Stone	Tamworth	Tutbury,	Uttoxeter	Walsall	H
			1	10000		110000	and the		1	3.74	- 199	1000		-	1000			

Table showing the number of cases of certain Infectious Diseases notified in each sanitary area during the year 1932, and the Attack-Rates per 1,000 of the population.

URBAN

revia revia sees	fd.	61		:	11	-	-	:	89	:	3	2	:	67	:
phalitis pargica sees	Lett	:	:	:	1	:	01	:	:	:	:	1	:	:	:
myelitis ases	0	:	-	:	:	:	:	:	:	:	:	1	:	:	:
ro-spinal	Cereb Feve	:	:	:	:	:	:	-	:	:		:	:	:	:
nonia	Rate	66-0	2.92	2.76	2.80	1.25	3.33	0.54	1.56	1.72	1.32	0.53	0.81	0.84	2.90
Pneumonia	Cases	60	10	23	88	18	62	19	40	34	18	10	7	40	24
Erysipelas	Rate	:	:	0.24	0.32	0.14	0-64	0.23	0.58	0.10	0.44	0.21	0.23	0.35	0.36
Erysi	Cases	:	:	61	10	61	12	90	15	61	9	4	01	17	3
eral er	Rate	:	:	:	90-0	:	0.16	90-0	:	:	0.07	0.05	:	0.04	
Puerperal Fever	Cases	:	:	:	23	:	60	57	:	:	1	-	:	63	:
Fever	Rate	:	:	:	0.03	:	0.05	90.0	:	:	:	:	0.23	:	1
Enteric Fever	Cases	:	:	:	1	:	-	67	:	:	;	:	2	:	:
heria	Rate	66-0	0.58	2.64	0.51	1.46	0.54	0.77	0.43	0-65	99-0	3.30	0.34	0.73	1.09
Diphtheria	Cases	3	5	22	91	21	10	27	=	13	6	62	00	35	6
Fever	Rate	99-0	0.29	0.36	0.51	1.04	26-0	08-0	0.35	96-0	0.44	06-0	1.15	0.52	2.05
Scarlet Fever	Cases	2	-	60	16	15	18	28	6	61	9	17	10	25	17
xod-	Rate	:	:	:	:	:	:	:	:		:	:	:	:	:
Small-pox	Cases	:	:	:	:	:	:	:	:		:	:	:		:
Estimated Population in the middle of	calculating rates	3,017	3,420	8,327	31,360	14,330	18,610	34,930	25,570	19.790	13,590	18,750	8,649	47,630	8,272
District		Amblecote	Audley	Biddulph	Bilston	Brierley Hill	Brownhills	Cannock	Coseley	Darlaston	Kidsgrove	Leek	Lichfield	Newcastle	Quarry Bank

URBAN -- continued

sosu)														
lerseral gixeria	d	12	:	-	:	1	-	:	-	10	-	:	4	9	:
sphalitis hargiea ases	Tet	-	:	:	:	:	:		:	-	:	:	:	:	:
myelitis Jases		:	:	:	:	-	1	:	:	:	:	:	:	:	:
ro-spinal	Cereb Feve	-	57	:	:	:	:	57	:	:	:	:	:	:	:
Pneumonia	Rate	3.67	1.29	4.65	1.35	1.48	2.23	1.20	2.38	2.63	19-0	1.24	1.04	1.91	1.42
Pneu	Cases	152	7	06	7	#	14	13	14	96	4	40	10	41	Ξ
Erysipelas	Rate	0.22	0.18	0.46	0.58	0.50	:	0-46	0.17	0.24	0.33	0.34	:	0-14	0.51
Erysi	Cases	6	-	6	3	9	:	20		6	01	=	:	3	7
peral	Rate	:	:	. :	:	0.07	:	:	:	0.05	:	0.03	:	:	0.13
Puerperal Fever	Cases	:	:	:	:	67	:	:	:	67	:	-	:	:	1
Fever	Rate	:	:	:	:	0.03	:	:	:	0.03	:	90-0	:	:	:
Enteric Fever	Cases	:	:	:	:	-	:	:	:	-	:	67	:	:	:
heria	Rate	0-63	0.37	0.52	0.77	0.30	0.48	60-0	1.36	0.27	:	0.25	0.62	1.07	:
Diphtheria	Cases	26	61	10	4	6	69	-	œ	10	:	œ	9	23	:,
Fever	Rate	1.01	81.0	86-0	0.97	1.38	0.32	1.57	1.19	1.97	0.50	0-81	3-11	2.10	0.39
Scarlet Fever	Cases	42	-	19	10	17	2	17	7	72	3	26	30	45	8
xod-	Rate	:	:	:	4:	:	:	:	:	:	:	:	:	:	:
Small-pox	Cases	:	:	:	:	:	:	:	1	:	:	::	:	:	:
Estimated Population in the middle of	calculating rates	41,390	5,404	19,340	5,164	29,590	6,271	10,820	5,872	36,440	5,961	32,120	9,633	21,450	7,750
DISTRICT		Rowley Regis	Rugeley	Sedgley	Short Heath	Stafford	Stone	Tamworth	Tettenhall	Tipton	Uttoxeter	Wednesbury	Wednesfield	Willenhall	Wolstanton

RURAL

00																		
Leregre sixorr sosa	L.	:	3	+	1	01	:	1	1	-	1	:	-	61	-	:	1	01
phalitis nargica sess	Let	:	:	:	:	:	:	:	:	-	:	:	:	:	:	-	:	
sess;		:	:	V:	:	:	:	:	:	:	:	:	1	:	:	:	:	:
faniqa-or		:	:	1	:	-	:	:	:	:	:	:	1	:	-	:	:	:
Pneumonia	Rate	:	1.04	2.90	1.90	0.92	0.77	1.89	:	86-0	06-0	:	0.83	1.07	2.05	0.65	0.38	1.89
Pneu	Cases	:	22	81	6	21	12	99	:	14	17	:	00	13	13	9	8	53
Erysipelas	Rate	:	0.33	0.75	:	0.26	0.51	0.54	0.27	0.28	0.10	:	:	80-0	0.63	:	0.25	0.32
Erys	Cases	:	7	21	:	9	00	16	-	4	61	:	:	-	4	:	2	5
Puerperal Fever	Rate	:	0.14	0.11	:	0.04	0.13	0.03	:	:	0.05	:	;	80-0	:	:	:	90-0
Puer	Cases	:	60	8	:	-	2	-	:	:	-	:	:	-	;	:	:	-
Enteric Fever	Rate	:	60-0	:	:	0.04	0.19	:	:	;	:	:	:	:	:	:	:	:
Enteric	Cases	:	67	:	:	-	3	:	:	:	:	:	:	:	:	:	:	:
Diphtheria	Rate	:	1.65	0.57	0.21	1.32	0.19	19-0	0.27	0-07	96-0	:	0.72	0.33	0.63	0-11	0.12	0.65
Dipht	Cases	:	35	91	-	30	9	20	-	-	18	:	7	4	4	-	-	10
Scarlet Fever	Rate	:	1.75	2.72	1.27	1.23	0.64	1.21	:	0.35	1.22		1.34	0.74	1.58	1.62	0.38	Ξ
Scarlet	Cases	:	37	76	9	28	10	36	:	2	23	:	13	6	10	15	60	17
Small-pox	Rate	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Smal	Cases	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:
Estimated Population in the middle of	1952 for calculating rates	650	21,170	27,880	4,723	22,760	15,580	29,600	3,666	14,220	18,770	657	9,666	12,080	6,335	9,238	7,915	15,310
DISTRICT		Blore Heath	Cannock	Cheadle	Gnosall	Kingswinford	Leek	Lichfield	Mayfield	Newcastle	Seisdon	Shifnal	Stafford	Stone	Tamworth	(Staffs. por.) Tutbury	Uttoxeter	Walsall

111														P	artic					-	- 000	77.50		100000	nt or end					1932.										h-les	charge. I	SC Oat II ST After to ST After to ST Oat II ST Oat III	LV also not the part of the delicate LV also not LV, also not the delicated	tree part of Lock & St	of on part
11	Ì-								Bir	1									head					Top Service		344	On Brain			Mildren on		100	Marie I			Widon God							No. of Street		
34	3 2												Street, Street,											17111									nge Markin ele danng I	Man on		Affendants inst Tenn.	14	Total Street	Afterdam's		200		- William		
										Widow.	- 0	Rather ton Stepte	and said	100			Tenn				Super-												100			Children			Chicago.			STATE OF THE PARTY NAMED IN	NAME OF	Security .	11/00
29																	1100 110	-		-	Marine			the big				A A		to Real	Table In Sulfa	Mother Co.	Today on you	Supposed S.	Metan	State	And I	Arthur S	Coder Street						
																																													AUSTRAL
																															2 200	1 7	79	100	100	111	-	100	1000 100	100			310	Billiogh (note the Senior	PROPERTY.
													25																			3 2	2	5	100	2	2	-	= =		1		* 17		Decrees.
													2			100			100	-			-	211				2 40			1 .34	1 1	4	=	1	2	10	2	11 1	100	1				Source,
900	10 1	- 1	2	- 3	2 2		10				2 10		12	1 3		2	-		1000	100	-	-	100	361			- 2	1 4		- 4	- 4		-	-	10	-		-	216 10				6 11		
. 140	14	M . A	100		2 4					-			19			2				-	-	-	101 100 104 To	100					7 3		- 10		0	2	2	40	3	70 1	1111 0						Granes Sans
	10 2	24 A		- 2	0 4					200			10	- >		-																1 2	1	No.		-	-	-	No. 100				1	The Atlanta Contra	Steener.
		10								-	1 11		100	919				0 3	1151	100	25	175 4	102 10A	311						- 1	- 4			100		-	14	2	MA 10					Block those Gotton Looks Good Center	
													-								36	-	ms. Hv	766			- 2 -	- 76	9 9	- 10			2	122	-	2	2	4	22 .23	1 1			. 1	State of Control Street LANS:	
-	0 1	3 10	101			-	1 0			41	2 11		1						***	2			*** ***		2 -			- 10	2 1	- 8	3 20		100	-		8	8		60 0	- 11					Distriction.
. 100		DE 160	14		0 3		- 10				2 44		-			-	40 1		1				150 150	1400	1			-			- 15		-	100	100	2	10	2 1	100						Westerness.
																																1 .	160	150		100	39		100	-				Percent Control of the Sensor	- Thirties
					4 -					12									-	-	-	118 1																							ROBA
Em.	9 4	20 10		1 4		10				401	1 4		- 64	. 10		119 1			100		100		100	2000				4	4 4	1 2		1 =	2	22		2	2		- 1		1				Person Black
40	4 4									161	4 4		100				70 1		THE	101		400 0	200 44	-								1 5	8	1		181	8		2 4	5	1			Christian Caster.	Course.
																								3363								1 3	- 2	2		2	20	3		2				Street Corne	Green.
																м																	1	20	1	8	20		11 11	100	3 .		100	Printered Control Printers Control Single-Saled Control	Managemen
													100	-		-	7														9 11 100		1	100		2	1		100 3	-					tion.
																								140																			= 17	- Name Contra	Mannes.
1- 1000		10 N	-	0 15	1	7	100			100	70			1			71 7	20	100	4340	20	100	200 200	444			10	1 10	2 1	- 4	- 100		100	1		2	-		100	20	3 .		10		Series
1000		6 0	100	1 2	1/4		- 6	- 3	1 -	24	1 0		-20 -	- 24		46 1			2002	-		100	100 000	100				- 44		- 4		1 7	2	45	1	20	2	-	25 0	4	68			Collect Coales.	
											4 54		14																			1 =	1.8	1.3		20	10	= 1	100	1 2	3		200		Stereon.
					0 1			- 2		,530	2 25		15 -	- 20		A100 1	66 15	410	1364	ARE	880 1	Alle N	174 147	ADI	1 -					- 5			12	2		-			100 00	-				1 Sent Reproduction	Statute.
																							100	244				- 26		- 4			1	1	100		-			-				1 British Comm.	Tanana.
																							100					20	2 3	- "	- 10		10	100		70			100 10					1 Party later Name and Con-	
											1 4		44 -										ON 100				-	-			-	1 -	70	-		70	20			-					Crescia
																																1 -	15	2	1	2	10	1	***	1 2	1				Wassel
-	ar.				1-1													10	(110)	204	16	111 1	-	. 10																					PARTE
					1		100	1 10					40 0			-			-	-		-																							Division an
200	100		200						100					100			-	1			100		1000	1000	200				27 000	A 1988			2000	296	200	2161	1006	TO 8	MARK DAVIS						



