[Report 1940] / Medical Officer of Health, Stratford-upon-Avon Borough, Straford-upon-Avon R.D.C., Shipston-upon-Stour R.D.C.

Contributors

Stratford-upon-Avon (England). Borough Council.

Publication/Creation

1940

Persistent URL

https://wellcomecollection.org/works/fsqdgb9j

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



ANNUAL REPORT OF THE MEDICAL OFFICER



To :

Fo.

1) The Mayor and Corporation of Stratford-upon-Avon.
2) The Chairman and Members of the Stratford-upon-Avon R.D.C.
3) The Chairman and Members of the Shipston-on-Stour R.D.C.

I beg to submit herewith my Annual Report for the year 1940.

In accordance with Circular 2067 of the Ministry of Health which states"These Reports should be confined to essential "and urgent matters arising from and connected with the war"outbreaks of Infectious Disease etc." Consequently, I have
confined the scope of these Reports to a general survey of the public health services in the district, with details of the Vital Statistics-the incidence of Infectious Diseases and Tuberculosis stated separately for each district.

Borough	of	Stratford-upon-Avon.
DOL OWNER	100	DOT COTOL OF COLORS

Live Births

Legitimate Illegitimate

Birth rate per 1,000 estimated population = 12,93

Stillbirths -

Legitimate Illegitimate

Rate per 1,000(live and stillbirths)

= 16.04

Male. 72. Female. 118. Total 190. Death Rate per 1,000 estimated population = 14.21. Corrected" " " " = 12.36.

Deaths from Puerperal causes -

Puerperal sepsis Nil Other Puerperal causes. ... One. Death Rate of Infants under one year -

All Infants per 1,000 live births ... 38.04

Deaths from Measles(all ages) Nil Whooping Cough(all ages) .. Nil. Diarrhoea (under two years). Cancer (all ages) ... Two 28

Estimated Population - 13,370.

AND THE REAL PROPERTY OF THE PERSON OF THE P 100 Test test

Rural District of Stratford-on-Avon.

Live B	Legitimate	. Male. 104	Female. 120 5	Total. 224 16
	Birth rate per 1,00	O estimated	d population	on = 15.05.
Stillb	irths- Legitimate Illegitimate	Male. 7	Female. 2	Total.
	Rate per 1,000(live	and still	oirths)	= 36.14.
Deaths	Death rate per 1,00 ted " " "			e.103.Total 206 on = 12.29 = 10.74
Deaths	from Puerperal caus	es-		
	Puerperal sepsis Other Puerperal cau			
Death	rates of infants und	er one year	2	
	All infants per 1,0	00 live bir	ths 29	0.16.
Deaths	from Measles(all ag " Whooping cough " Diarrhoea(unde " Cancer(all age	(all ages). r two years	3)	Mil.
	Estimated Popu	lation = 1	15,940	
	Rural District of S	hipston-on-	-Stour.	
Live B	irths- Legitimate Illegitimate	. Male. 53	Female. 43	Total. 96 4
	Birth rate per 1,00	0 estimated	population	on = 12.70
Stillb	irths- Legitimate	Male.	Female.	Total.
	Rate per 1,000(live	and still	oirths)	= Nil.
Deaths	Death rate per 1,00 ted " " "	Male. 54	. Female.7	74. Total 128. on = 16.39. = 12.45.
Deaths	from Puerperal caus	es-		
	Puerperal sepsis Other Puerperal cau			
Death	rate of Infants unde	r one year-		
	All infants per 1,0	00 live bir	ths	110
Deaths	from Measles(all ag " Whooping cough " Diarrhoea(unde " Cancer(all age Estimated popu	(all ages). r two years	3)	Nil Nil

· St. Afte mottale con colora too COU. Long offer which · 1:55 V

CONDITIONS DUE TO THE WAR

In the early part of the War the District received large numbers of evacuees, principally from the cities of Birmingham and Coventry.

During 1940 a considerable percentage of these returned to their homes but were again evacuated to the District after the heavy raids of October and November.

There have also been a very large number of unofficial evacuees, principally from towns in the South of England and from London.

The populations of the Districts have also been much increased by the presence of His Majesty's Forces.

There has been, secondly, a considerable amount of overcrowding, particularly in the Rural Districts. The general health of the districts however has continued to be, on the whole, satisfactory.

INCIDENCE OF INFECTIOUS DISEASE.

There has been no marked increase in the incidence of Infectious Disease. The number of cases notified is larger than the previous year but not out of proportion to the very large increase in the population.

With the exception of Whooping Cough and Measles and Pneumonia, practically all other cases of Infectious Disease have been admitted to the Joint Hospital which has also accommodated cases from the Troops stationed in the District.

IMMUNISATION AGAINST DIPHTHERIA.

A start was made on the routine immunisation of children between the ages of 5 - 15 during December 1940 and this work has since been completed.

The percentage of children protected in the different districts is:-

Stratford Borough 63. 3 Stratford Rural District........ 67.7 Shipston-on-Stour Rural District... 66

NOTIFIABLE DISEASES (AGE GROUPS)

Borough of Stratford-upon-Avon. 1940.

)isease	Unde 1 Year	1-2	2-3	3-4	4-5	5-10		15- 20	20- 35	35- 45	45 - 65	Over 65	cases	Cases admit ted to Hospital	-Total
Scarlet fever		4	1	12	9	18	5	1	3	4			57	49	nil
Diphth- eria			1				3			2	1		7	7	1
Puer- peral Pyrexia								1	5	1			11	5	nil
Pneumon- -ia	1					3	2	3	3	2	8	1	23	3	1
Measles		5	4	1	1	15	3	1	5	3			38	1	nil
Whooping cough.	1	2	1	8	4	1	1			1			19	nil.	nil
Erysip- elas					-			1	2	1		1	5	nil.	nil
Ophthal mla Neonat- orum.	1												1	1	nil
Polio- myeliti	8								1				1	1	nil
Cerebro spinal fever.	1					1			1				2	2	nil
Para- typhoid "A"	1								1				1	1	1

IN THE LOCK COURSE OF THE STREET CARE ASSESSED.

NOTIFIABLE DISEASES (AGE GROUPS)

STRATFORD-UPON-AVON RURAL DISTRICT COUNCIL 1940

Disease	Under 1 Year	1-2	2-3	3-4	4-5	5-10	10-	15-20	20-	35-	45- 65	over 65	Ttal nases	Cases admitted to Hospital	death
Scarlet Fever			1	7	6	21	10	1	4	1	2		53	43	nil
Diph- theria					1	1	1	1		1	1		6	5	nil
Puer- peral Pyrexia								1	2				3	3	nil
Pneu- monia.			1	1	1					1	10	3	17	nil	1
Polio- myeliti		1				1							2	1	nil
Cerebro- spinal fever.									1				1	1	nil
Para- typhoid "B"						1	1						2	1	nil
Whooping Cough.	1	8	4	5	8	18			2				46	nil	nil
Erysip- elas										1			1	1	nil
Measles	2		2	6	9	26	9	7	5	1	1		68	nil	nil

1 - 2 - 5 - 123

NOTIFIABLE DISEASES (AGE GROUPS)

SHIPSTON-ON-STOUR RURAL DISTRICT COUNCIL. 1940.

Disea se	Under 1 Year.	1-2	2-3	3-4	4-5	5-10	10 -15	15- 20p	20- 35	35 - 45	45 - 65		cases	Cases admit- -ed to Hospital	Deaths
Scarlet Fever.				2	1	11	9	1	1	2		1	28	21	nil.
Pneumoria		1						1	3	1	3		9	nil	nil
Diph- theria				1	1								2	2	nil
Cerebro spinal fever	1			1			1						3	2	1
Measles	1	2	3	10	9	38	2	3	3	2	1		74	nii	nii
Puer- peral Pyrexia	a			and the same of th					1				1	1	nil
Erysip-elas											1		1	nil.	nil

(agione ana) Brancett RIBATTITON D

STIPSTON-ON-STOUR ROSAL DISCULOR COUNCID, 1940.

.

				1	38					Tobut	
											100010
			E								reland laves
											comunity
											-112
*	8								-		
1		24									ni Isani
fin											-025

The following pathological specimens were submitted for analysis during the year.

Throat Swabs for Diphtheria Bacilli	=	46
Sputum etc. for Tubercle Bacilli	=	51
Blood for Widals Reaction	=	8
Blood for Bacillus Abortus	=	6
Chemical Analysis of Water	=	41
Bacteriological " " "	=	20
Chemical Analysis of Sewage Effluents	=	16
Bacteriological Analysis of Milk	=	72

Tuberculosis.

The following tables show (1) the incidence of Tuberculosis and(2) death rate from Tuberculosis:-

Borough of Stratford-upon-Avon.

		New Ca	ses.			Deat	hs.	
Age Periods.	Pulmona	ry	Non- Pulmona	ary.	Pulmona	ry.	Non- Pulmonary.	
	M.	F.	и.	F.	М.	F.	M.	F.
0 - 1								
1 - 5								
5 - 10				•				
10 -15								
15 -20				1				
20 -25	1							
25 -35		2		1		2		
35 -45								
45 -55					2.			
55 -65					1			
65 and upwards.								
TOTALS.	1	2		2	3	2		

Rural District of Stratford-upon-Avon.

		New Ca	ses				Deaths	
Age Periods		nary.	Non		Pulmo	nary.	Non- Pulmo	nary.
Periods	M.	F.	M.	F.	M.	F	M.	F.
0 - 1								
1 - 5								
5 - 10								
10- 15								
15- 20	1	1				2.		
20- 25								
25- 35		1	1		-			-
35- 45	11	-	1					
45- 55		1	-			1		
55- 65								
65 and upwards.								
Totals.	2	3	1			ð		

Rural District of Shipston-on-Stour.

	1	New Ca	ses.		Deaths.					
Age Periods	Pulmon	ary.	Non- Pulmor	ary.	Pulm	onary.	Non-	nary.		
	M.	F.	M.	F.	M.	F.	M.	F.		
0 - 1			1			-	1			
1 - 5			1				1			
5 - 10			1							
10- 15										
15- 20	1	1				1				
20- 25										
25- 35										
35- 45	1		2		I					
45- 55	1				1					
55- 65	1									
65 and upwards										
Totals.	3	1	5		2	1	2			

AND PARTY OF THE P 0 .

CAUSES OF DEATH, 1940.

		atford ough.	Strat	ford R.D.	Shipston R.D.		
Cerebro-spinal fever.	M.	F.	М.	F.	M.	F.	
Whooping Cough,	-		1				
Diphtheria.	1	2			3		
Tuberculosis (Respiratory		3	8	3	2	1	
Tuberculosis(other)	10	0				-	
	-	-	1	-	2	-	
Syphilis	-	1	-	1	1	-	
Influenza	4	-	2	3	2	4	
Encephalitis lethargica		1	-	1	-	-	
Cancer of buccalcavity(M & oesphagus(M)&uterus(F)	5	3	-	-	-	1	
Cancer of stomach & duodenum.	1	2	1	_	-	-	
Cancer of breast.	-	5	-	2	-	2	
Cancer-other sites	5	10	9	8	6	5	
Diabetes	-	-	2	-	-	1	
Intra-cranial vascular lesions.	6	16	13	12	7	6	
Heart disease	24	24	28	32	5	19	
Other diseases of circulatory system.	5	9	4	4	4	6	
Bronchitis	6	7	6	7	5	5	
Pneumonia	3	3	2	2	1	1	
Other respiratory diseases.	-	-	1	1	-	1	
Ulcer of stomach or duodenum.	1	2	1	-	2	-	
Diarrhoea(under 2 years)	1	1	_	2	-	-	
Appendicitis	-	-	1	-	-	1	
Other digestive disorder	's-	5	4	6	6	4	
Nephritis.	2	6	5	2	2	4	
Other maternal causes.	-	1	-	-	-	-	
Premature birth.	1	1	-	2	1	2	
Congenital malformation,	, 2	2	1	-	3	2	
birth injury, etc.,							
Suicide	-	-	-	2	-	-	
Road accidents.	-	-	5	1	-	-	
Other violent causes.	-	2	4	-	-	-	

· back in the second 1051 . Tanin or wished · AND THE PERSON OF THE PERSON .. * -** ×

	Stratford Borough.		Strat	ontinued) ford R.D.	Shipston R.D.		
All other causes.	M. 4	F. 13	M.	F. 12	H. 4	F 9	
	72	118	103	103	54	74	

I have the honour to remain, Ladies and Gentlemen,
Your obedient servant,
L.L.FYFE
Medical Officer of Health.

hap enibed, element of women and pred I