[Report 1898] / Medical Officer of Health, Stroud (Union) R.D.C.

Contributors

Stroud (Gloucestershire, England). Rural District Council.

Publication/Creation

1898

Persistent URL

https://wellcomecollection.org/works/ezdcnzfd

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



STROUD RURAL DISTRICT COUNCIL.

MEDICAL OFFICER'S

AND

SANITARY INSPECTORS'

REPORTS

for

→ 1898. **→**

STROUD: Frederick Steel & Co., Wallbridge Works, (1005) PO

THOMACON CHANGE OF THE CONTRACTOR

ENERGY JAJUNE

SASTITACE VOLETORA

REPORTS

25th ANNUAL REPORT

OF THE

MEDICAL OFFICER OF HEALTH, For 1898.

TO THE STROUD RURAL DISTRICT COUNCIL.

MR. CHAIRMAN, LADIES AND GENTLEMEN,

For the twenty-fifth time I have to submit my Annual Report on the Sanitary state of the District.

The comparative Death Rates for the past quinquennial periods are satisfactory, as the Table annexed shows a gradual decrease in the Mortality, and the Zymotic Rate is considerably lower.

The Infantile Mortality, though slightly lower, would probably be less, were the affections of a preventable character less prominent in the list. Ignorance of proper nursing, or, as we know in some cases, neglect is too often the "probable" cause.

The Uncertified Deaths still shew a number (50 per cent.) of "probable" causes indicating an absence of Medical attention.

The Zymotic list of cases is heavier than last year.

Diphtheria is a very prominent affection, and, in most instances, is caused by insanitary states as to drainage, water supplies, or accumulations of decomposing refuse.

Typhoid, or Enteric Fever, furnishes 7 cases and 2 deaths. Advice has been given as to the Sanitary action required, and further particulars under the proper headings are given. The general drainage (so much needed) of the District is now under the consideration of the Council, and proposed plans are the subject of discussion.

The following particulars will explain the general state of things:-

VITAL STATISTICS.

The Population to the end of 1898 estimated for increase is about 30,380.

During that period 642 Births were registered—314 males and 328 females—a rate of 21.1 per 1,000 of the Population.

352 Deaths were recorded—181 males and 171 females, including 20 in the Workhouse (8 males and 12 females), and 7 in the Hospital (4 males and 3 females)—a rate of 11.5 per 1,000 of Population.

The Birth and Death Rates for last year, 1897, were 21'1 and 14'6 per 1,000 respectively.

The Births and Deaths for all England and Wales were 29'4 and 17'6 per 1,000 living.

EPITOME OF DEATHS AT DIFFERENT AGES FOR 1898.

The Land

						No.	W.	H.	Tls.
Und	er 7 ye	ears				 47	1	1	
5 ai	nd und	ler 12 y	ears			 19	0	1	66
5	,,	15	,,			 13	0	0	
15	,,	25	,,			 23	0	I	
25	,,	60	,,			 80	3	4	116
60	,,	70	,,			 65	6	0	
70	,,	80	,,			 71	8	0	
80	,,	90	,,	***		 32	2	0	
90	,,	100	,,			 2	0	0	170
						352	20	7	352

170 persons died upwards of 60 years of age, including 16 in the Workhouse—a rate of 48.3 per cent. of deaths and 5.5 per 1,000 living. Two of this number were upwards of 90 years.

INFANTILE MORTALITY

47 children died under one year, including one in the Workhouse and one in the Hospital—a rate of 73.2 per 1,000 of Births. No special circumstances to note concerning these.

CAUSES OF DEATHS IN INFANTS UNDER ONE YEAR.

Erysipelas		 2	Gastritis H.	 	 I
Diarrhœa		 1	Uncertified	 	 4
Whooping Cough		 1	Inflamation	 	 I
Phthisis W		 I	Debility	 	 2
Bronchitis		 II	Lung	 	 1
Tubercular Mening	gitis	 I	Enteritis	 	 3
Abscess, Shoulder	Joint	 I	Marasmus	 	 4
Natural Causes		 2	Inanition	 	 2
Premature		 6	Eczema	 	 I
Croup		 I	Spina Befida	 	 I
		-			
		27			20

For all England and Wales the rate of Infantile Deaths was 161 per 1,000 of Births.

UNCERTIFIED DEATHS.

Six Uncertified Deaths were recorded :-

- 1 Debility from Birth, age 2 days.
- 1 Premature Birth.
- 1 Probably Bronchitis, age 3 months.
- 1 Found dead in bed. Probably Convulsions, age 7 days.
- 1 Probably Paralysis, age 77 years.
- 1 Age 95 years.

TABLE OF DEATHS.

From	No.		Rate per 1,000	w	orkhou	ncluding ise & F	lospital
Phthisis	 26		.85		4		0
Bronchitis	 56	W	1.8		3		I
Heart Disease	 51		1.6		2		I
Cancer	 30		.98		I		0

Tuberculosis in its different forms is now much in evidence as a preventable disease. Much may be done by attention to general Sanitation, Diet, Wholesome Food—especially of Meat and Milk—and the Inspection of Animals, particularly during the winter months, when kept in the sheds without proper cleanliness and ventilation.

Average Rates for the past Quinquennial Periods and the Last Four Years:—

Quinquennial Periods.	Birth Rates.	Death Rates.	Infantile Rate Mortality. Per cent. of Births.	Zymotic Rate. Per cent. of Deaths.
1875 to 1879 inclusive	29.6	18.3	13.5	9.5
1880 ,, 1884 ,,	28.6	16.5	11.3	8.1
1885 ,, 1889 ,,	27.0	15.8	10.7	6.2
1890 ,, 1894 ,,	23.07	13.3	8.9	4.95
Last 4 years— 1895 to 1898 inclusive	21.8	14.9	9,9	1,96

28 Inquests were held, including-

- I in the Hospital, an accident.
- 1 Premature Confinement, age 34 years.

16 NATURAL CAUSES.

- 1 Probable Convulsions, age 6 months.
- 1 Premature Birth, age 9 hours.
- 1 Found Dead, probably Augina Pectoris, age 62 years.
- 1 Found Dead, probably Heart Disease, age 64 years.
- 5 Probably Heart Disease, ages 53, 60, 60, 13 and 62 years.
- I Found Dead, probably Heart Failure, age 77 years.
- 2 Probable Syncope, ages 75 and 83 years.
- 1 Probably a Stroke, age 60 years.
- 1 Probable Heart Disease, age 44 years
- 1 Probable Heart Failure, age 63 years.
- A Tramp, age 68 years, probably Heart Disease, accelerated by exposure.

II INJURIES.

- 2 Suicides—1 Drowned, age 43 years; 1 Cut his Throat, age 58 years.
- 1 Accidentally Scalded by drinking boiling water from the spout of a kettle, age 2 years and 10 months.
- 1 Accident, age 11 years.
- 1 Found Dead in Canal.
- 3 Accidentally Drowned, ages 13, 42 and 49 years.
- 1 Fall, Accidental, age 71 years.
- 1 Accident, age 26 years.
- 1 In Hospital, an accident, age 36 years.

NOTIFIABLE DISEASES.

93 Cases were notified and seven Deaths—a rate 1 '96 per cent. of Deaths and 0'23 per 1,000 of Population.

For all England and Wales the rate was 2.22 per 1,000 living from this class of Diseases.

SCARLET FEVER.

28 Cases. No Death. The Districts principally affected were: Chalford, 3; Rodborough, 4; Minchinhampton, 4; Stonehouse, 9; Cainscross, 3; Whiteshill, 2; and three other districts one each.

All were visited and isolated so far as practicable. I do not think there was any spread of the Disease from these cases.

In one cottage, with 7 children and father and mother occupying two rooms, the father had the Disease, but no other case resulted.

DIPHTHERIA.

30 Cases. 2 Deaths, both aged 4 years.

The Districts principally affected were:—Bisley, 4; Chalford, 5; Thrupp, 2; Minchinhampton, 2; Woodchester, 2; Stonehouse, 4; Cainscross, 5; and six other Districts had a single case each. One case was traceable to bad Sanitary state as to drains and water at a Railway Station. I had a correspondence with the Secretary of the Company, and the place was put in order at once.

The purity of a Water Supply to a Railway Station is important for the use of employees and Passengers, who, during the hot months, so often have drinks when stopping.

MEMBRANEOUS CROUP.

I Case and I Death, age 3 years, at Painswick.

ENTERIC OR TYPHOID FEVER.

7 Cases. 2 Deaths. Rodborough, 3; Minchinhampton, 1; Whiteshill, 1; Thrupp, 1; Cainscross, 1.

Nearly all, I believe, are traceable to defective drainage. In all cases an examination is made of this and the water supply and the surroundings.

PUERPERAL FEVER.

3 Cases. Mild forms of the Disease.

No special Lesion is mentioned in connection with the parts engaged in Child Birth.

The simple return, as above, without an inclusive definition denoting the local process, does not indicate that any special precautions are necessary, but all are visited and inspections made of Premises as to the Sanitary State. The addition of the word "Septic" would meet the case.

ERYSIPELAS.

24 Cases. 2 Infants died. This affection was generally of a mild character.

Places affected by Notifiable Diseases of the Zymotic Class:-

BISLEY.

6 cases. 4 Diphtheria; 2 Erysipelas.

CHALFORD.

12 cases. 3 Scarlet Fever; 5 Diphtheria (1 death); 4 Erysipelas (1 death).

PAINSWICK.

6 cases. 1 Diphtheria; 1 Scarlet Fever; 4 Erysipelas.

CRANHAM.

2 cases. 1 Erysipelas; 1 Puerperal.

Рітснсомве.

I Scarlet Fever.

MISERDEN.

1 Diphtheria.

BISLEY WITH LYPIATT.

4 cases. 1 Diphtheria; 2 Erysipelas; 1 Puerperal.

THRUPP.

5 cases. 2 Diphtheria; 1 Typhoid; 2 Erysipelas.

WHITESHILL.

4 cases. 2 Scarlet Fever; 1 Erysipelas; 1 Typhoid.

MINCHINHAMPTON.

9 cases. 4 Scarlet Fever; 2 Erysipelas; 2 Diphtheria; 1 Typhoid (1 death).

RODBOROUGH.

Typhoid (1 death). It cases. 4 Scarlet Fever; 3 Erysipelas; 1 Diphtheria; 3

KING STANLEY.

2 cases. 1 Diphtheria; 1 Erysipelas (1 death).

WOODCHESTER.

2 Diphtheria.

STONEHOUSE.

14 cases. 9 Scarlet Fever; 1 Puerperal; 4 Diphtheria (1 death).

CAINSCROSS.

11 cases. 3 Scarlet Fever; 5 Diphtheria; 1 Typhoid; 1 Erysipelas; 1 Membranous Croup (1 death).

LEONARD STANLEY.

1 Erysipelas.

RANDWICK.

2 cases. 1 Scarlet Fever; 1 Diphtheria.

Horsley has this year a clean bill of Health so far as this class of disease is concerned.

The Water Supply at the Village and that at the "Be Thankful Fountain" are about to be improved. It was the subject of a Special Report last February.

NON-NOTIFIABLE DISEASES

Caused 9 deaths-Measles 1; Diarrhæa 4; Whooping Cough 4.

Where cases are known to exist, visits are made, and advice given, as to precautions necessary.

Two Schools were closed owing to Mumps. Horsley and Pitchcombe fourteen days each. Some other Schools were affected but not so badly as to necessitate closing.

Sore Throats have been very common among children generally over the District, probably, in many cases, owing to climatic conditions.

They were under observation in case any other symptoms developed. In one School 30 to 40 children were absent. No signs of Scarlet Fever, though very suspicious.

Drainage Joint Committee.

Meeting's have been held to discuss the matter, and expert's opinion been given. As yet no definite scheme has been adopted. Several places greatly need it. *Complaints* often reach me as to defective drainage, especially as to the Thrupp, Cainscross and Rodborough Districts. Some years since, I sent in a rough sketch of each of these places, that of the former from a large Ratepayer in that locality. I may here say that Horsley, Thrupp, Cainscross, Ebley and Hamwell Leaze are so much in need of drainage, but it may be considered invidious to mention special places when nearly the whole of the Rural District requires improvement in this respect.

WATER SUPPLY.

The Water Company are still slowly extending their mains throughout the District.

At Leonard Stanley a number of houses are without a proper supply.

I specially reported the supply at Horsley Village and the "Be Thankful Fountain" last February, and I am informed that an order has been given to make the necessary improvements.

I have chemically examined 38 samples from different places and found several that, in my opinion, were not potable, and advised the opinion of the County Analyst to be taken.

The Inspection of Cowsheds and Dairies is carried out by the Inspectors, and, where necessary, I visit with them. In a few instances I have found great inattention to general cleanliness and ventilation of the buildings and surroundings.

ABSTRACT OF VISITS AND CASES FROM MEDICAL OFFICER'S JOURNAL.

Dwelling Houses foul and	badly o	drained		 4
Visits to Schools				 9
Closing Schools				 3
Water Supply Defective				 5
Samples of Water Examin	ed			 51
Pollution of Streams				 4
Overcrowding				 2
Reports to Local Governm	ent Bo	ard		 2
Reports to County Council				 I
Reports, Special, Horsley				 3
Visits to District				 70
Cases of Illness visited as	to Sani	itary st	ate:-	
Typhoid				 7
Diphtheria				 30
Erysipelas				 24
Puerperal Fever				 3
Scarlet Fever				 28
Membranous Croup				 1-93
Attending Council Meeting	s			 - 8
Letters and Post Cards				 104
Special Consultations		***		 several
Animals kept so as to be a	nuisar	ice		 several
Inspecting Open Cesspit, C	Cainscr	oss		 2
Inspection of Bakehouses				 12

Abstract of Visits and Cases from Medical Officer's Jour	nal.—cont.
Inspection of Dairies	10
Inspected Cases Exposure of Infectious Disease	2
Quarterly Reports to Council	4
Closets Nuisance, dangerous to health	20
Certificates	20
Brook, Puckshole, receives Drainage from Cashes	
Green	ii ii
Attending Hospital Committee	3
Railway Stations Waiting Rooms	II
Houses unfit for Habitation	2
Conduit from Stroud Sewage Works complained	
of, found it clear and free from smell	I
	357

I have the honour to remain,

Ladies and Gentlemen,

Your obedient Servant,

THOMAS PARTRIDGE, M.R.C.P.I., M.O.H.

STROUD, 8TH FEBRUARY, 1899.

STROUD RURAL DISTRICT COUNCIL,

DISTRICT No. 1.

Sanitary Inspector's Report for 1898

To the Chairman and Members of the Council.

MR. CHAIRMAN, LADIES AND GENTLEMEN,

I beg to submit for the 19th time my Annual Statement giving the number of inspections of various descriptions made during the year which may be summarized under the following headings:—

Inspection of Private Premises				1565
Re-visits of premises during	work in	progr	ess	
under Notices served				141
Visits and Consultations with	Medical	Officer	of	
Health				129
Attended Council Meetings				24
Inspections of Slaughterhouses				41
Inspections of Bakehouses				30

Inspections of Milk Stores, Dairies, &c	18
Inspections of New Houses re Public Health	
(Water) Act	10
Inspections of Canal Boats and Visits to Canal	46
Reports of Places where Animals were kept so as	
to be a nuisance	6
Offensive Accumulations	49
Dwelling-houses overcrowded	3
Dwelling-houses cleansed	2
Dwelling-houses unfit for human habitation	1
Drains defective	34
Drains Tested either by water, smoke, or chemicals	91
Defective Water-closets (inside dwelling-houses)	12
Samples of Water taken for Analysis	14
Improved supplies of Water	5
Improved Privy Accommodation	. 10
Convictions under Section 21 P.H.A., 1875	1
Premises Inspected re Sale of Pretroleum	13
Number of Infectious Disease Cases dealt with	37
Number of Deaths from Infectious Disease	1
Visits and Re-visits to Houses where Infectious	
Disease occurred	106
Rooms fumigated after Infectious Disease	48

The Infectious Disease cases dealt with were 14 Diphtheria, 7 Scarlet Fever, 2 Typhoid Fever, 12 Erysipelas, 2 Pueperal, making a total of 37 as against 36 for last year. On the 13th of April I found a child wandering about the public road at Chalford whilst suffering from Scarlet Fever (skin peeling), the matter was brought under your notice, and the father of the child having appeared before the Council expressing his regret for the occurrence, it was thought this would meet the case without further proceedings being taken in the matter.

The interior of all houses and articles likely to retain infection were thoroughly fumigated by me, and supervision given to all limewashing, cleansing, &c. The following table will give at a glance the names of each Parish where Infectious Disease occurred, also the names and number of Cases, number of Deaths, and number of Houses in which it existed.

Name of Parish.	Name of Disease.	No. of Cases.	No. of Deaths.	No. of Houses.
BISLEY WITH LYPIATT	Diphtheria	6	0	3
,,	Puerperal	I	0	I
,	Erysipelas	2	0	2
CHALFORD	Diphtheria	5	1	5
,,	Scarlet Fever	3	0	3
,,	Erysipelas	2	0	2
CRANHAM	Puerperal	1	0	1
MISERDEN	Diphtherià	1	0	I
PAINSWICK	Scarlet Fever	1	0	1
,,	Diphtheria	1	0	1
,,	Erysipelas	5	0	5
Рітснсомве	Scarlet Fever	1	0	ı
THRUPP	Typhoid Fever	ı	0	I
,,	Diphtheria	2	0	2
,,	Erysipelas	2	0	2
WHITESHILL	Typhoid Fever	1	0	I
,,	Scarlet Fever	2	0	2
	Totals	37		34

Two Public Elementary Schools were closed for a short time, one on account of an epidemic of Mumps, the other owing to Diphtheria being in the Schoolmaster's house, which is situate on the School premises. The latter was probably caused by a defective covered cesspool I discovered on the premises.

In the early part of the year 1891, the Infectious Diseases Compulsory Notification Act was adopted in the district. The number of cases dealt with in each year since its adoption were as follows:—

Year.		No. of Cases.
1891		 130
1892	,	 80
1893		 47
1894		 24
1895		 28
1896		 17
1897		 36
1898		 37
	TOTAL	 399

At the early part of the year I was instructed by the Council to take legal proceedings against an owner of property situate at Painswick for allowing a nuisance to exist. The Magistrates made an order with costs against the defendant directing him to cause the nuisance to be abated within 10 days, in default a penalty of Ten Shillings per day. The owner then set to work and abated the nuisance forthwith.

In making reference to Painswick, I cannot let this Report pass by without again drawing your serious attention to the insanitary state of the town. I have on many occasions drawn attention to the condition of the filthy old rough, dry, stone-walled sewers existing in every street throughout the town. In many places the stone covering is only a few inches underneath the surface. The earth forms the inside bottom of every sewer in the place. They are never flushed until very heavy rains occur. The brook receives every partical of discharge from them, in fact the whole system is bad from beginning to end. The long talked of water supply for the use of the inhabitants of this town has not yet come to hand, and the question of scavinging seems to have fallen through altogether.

Much time of late has been spent at the Thrupp respecting the unsanitary state of drains, water-closets and water supply on various premises; also attention has been given to main sewers. The system of drainage at this Village is not a satisfactory one. The brook running through the valley receives the discharge from sewers and drains.

I am glad to say that the brook at Chalford, complained of some time ago, was cleaned out during the summer, and has now, so far, abated the nuisance, but I must draw the Council's attention to the fact that several drains and closets along the bottom of the Village discharges into it. Some difficulties were dealt with respecting the contamination of one or two public springs at the top of the village.

The Slaughter-houses, Bake-houses, Dairies and Milk-shops are generally kept satisfactory, those requiring attention were brought under your notice.

Complaints are occasionally made in various parts of the district respecting the keeping of Swine in close proximity with dwelling-houses so as to be a nuisance to the occupiers thereof. It would be a good thing if the Council made some regulations with regard to the keeping of such animals.

During the year a new building has been erected in Buckholt Wood, in the parish of Cranham, and I am informed it will be known as "The Cotswold Sanatorium," for the treatment of Consumption. I made several inspections during its construction, re sanitary arrangements and water supply, both of which are satisfactory.

The building will be illuminated by electric light.

I beg to remain, Ladies and Gentlemen,

Your obedient Servant,

ALBERT BAILEY,

Sanitary Inspector

FEBRUARY 1899.

STROUD RURAL DISTRICT COUNCIL.

No. 2 DISTRICT.

Sanitary Inspector's Report for 1898

To the Chairman and Members of the Council.

GENTLEMEN-

I beg to submit for your further consideration my Report respecting the Sanitary duties and matters of supervision fulfilled during the year ending December 31st 1898.

Entries respecting Premises Reported	 294
Nuisances, abatements effected	 110
Improved dwellings	 8
Dwellings unfit for habitation	 2
Dwellings overcrowded, abated	 6
Samples of water taken for test as to purity	 28
New water supplies to premises	 13
Improved water supplies	 3
Bakehouses improved and ventilated	 4
Sanitary conveniences improved	 16
Defective drains tested and set in order	 36
New conveniences provided	 14
New drainage connections	 17
Nuisances arising from keeping animals	 11
Nuisance from slaughter house refuse	 I

All the cases of Infectious Disease that occurred in the district received prompt attention; inquiry and investigation has been made and precautions have been taken to prevent the spread of infection, respecting the following cases, Scarlet Fever 21, Diphtheria 16, Erysipelas 8, Typhoid 5, Puerperal Fever 1, Membraneous Croup 1, Total 52.

Three cases terminating fatally, immediate interment was arranged, and in all cases disinfection has been carried out. In



The plearan

Shi May to adhinostede Some already sent for when I conference the part when I the heart the part atherence your note in plant try have not been secessed they have not been secessed one case the Medical Officer of Health certified that the bedding and other articles be destroyed, which was done in obedience to the directions of the Council.

Visits have been made in company with the Medical Officer of Health respecting sanitary matters and cases, and investigations have been made respecting the water supplies to occupants of premises, and where necessary action has been taken.

The directions of the Council have been fulfilled in dealing with drainage matters and water supplies within the district.

Certificates have been issued to owners of newly erected premises respecting wholesome water provided, and new supplies for drinking and domestic purposes have been provided in place of the former supplies taken from the wells, Owners not having a sufficient means of sewage disposal from their premises.

Suggestions have been made, when needful, to promote the sound construction and proper ventilation of all house drains or receptacles where in use.

The Dairies, Cowsheds, and Milk Stores have been inspected and in respect to two dairy premises notices of requirement for Improved Sanitary Conditions were served, to which compliance was made.

Places where articles of food have been prepared have received attention, and slaughter houses have been inspected and periodically whitewashed and refreshed.

Works of rebuilding and repair have been carried out at the Stonehouse Sewage Tanks, and by scavenging arrangements the house refuse is disposed of in the Cainscross and Stonehouse districts respectively. New connections have been made to the Stonehouse main sewers, and the sewage tank at Minchinhampton has been cleared out as required.

No proceedings have been taken before Justices.

I beg to remain,
Your obedient Servant,
JOHN HALL,
Sanitary Inspector.

February, 1899.




(A) TABLE OF DEATHS during the Year 1898, in STROUD

	Mor	TALITY F	ROM ALI	L CAUSES	, AT SU	BJOINED	Ages.	
NAMES OF LOCALITIES adopted for the purpose of these Statistics; public institutions being shown as separate localities.		Under 1 Year.	and under 5	5 and under 15	and under 25	and under 65	65 and up- wards.	
HORSLEY	18	5	1			5	7	Under 5 5 upwards
BISLEY	22	6	3		2	4	7	Under 5 5 upwards
CHALFORD	41	5	3	3	3	12	15	Under 5 5 upwards
PAINSWICK	42	2	1	2	3	15	19	Under 5 5 upwards
CRANHAM	5		1			2	2	Under 5 5 upwards
РІТСНСОМВЕ	2	1					1	Under 5 5 upwards
MISERDEN	2	1					1	Under 5 5 upwards
BISLEY WITH LYPIATT	3	1				2		Under 5 5 upwards
WHITESHILL	14				1	6	7	Under 5 5 upwards
THRUPP	13	1				8	4	Under 5 5 upwards
MINCHINHAMPTON	38	6	1	1	3	9	18	Under 5 5 upwards
RODBOROUGH	34	5	2	3	2	13	9	Under 5 5 upwards
KINGSTANLEY	14	2	1		1	5	5	Under 5 5 upwards
WOODCHESTER	14	2	1	1		4	6	Under 5 5 upwards
STONEHOUSE	24	5	2	1	2	8	6	Under 5 5 upwards
CAINSCROSS	25		2	2	3	6	12	Under 5 5 upwards
LEONARD STANLEY	5	1				3	1	Under 5 5 upwards
RANDWICK	9	2			2	1	4	Under 5 5 upwards
WORKHOUSE	20	1				6	13	Under 5 5 upwards
HOSPITAL	7	1	1		1	4		Under 5 5 upwards
Totals	352	47	19	13	23	113	137	Under 5 5 upwards

L DISTRICT, classified according to Diseases, Ages, and Localities.

Nembranon Nemb	MORTALITY FROM SUBJOINED CAUSES, DISTINGUISHING DEATHS OF CHILDREN UNDER FIVE YEARS OF AGE.													
1 1 2 3 3 4 2 1 2 1 1 3 6 6 4 1 4 7 8 5 5 10 7 4 5 7 4 2 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 3 6 4 2 6	Total										1919			1
4 1 4 7 8 5 10 7 4 5 7 4 2 3 10 1<	6	3 4			3		1		1					
7 4 5 7 4 2 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9	6			3	1	1		2	1			2	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	8	5 10			8		4				1		4	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 39	3 10	2	4	7	5	4						7	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 4	ī	I		I	1		1					1930	
1 2 3 6 1 4 2 6	I I	1				1								
1 2 3 6 4 2 6	I	1		ı										
4 2 6	I 2												τ	
4 2 6	14	6			3	2	1						2	
1 2 4	1 12	6	2			4								
3 1 1 4 1 4 1 16	7 31	4 16	1		4	2	4	1	1			1	3	
4 1 1 3 5 1 7 12	7 27	7 12	I		5	3	1					1	4	
2 . I I 2 2 I 3	3	3	1		2			1			1		2	
2 I 4 I 6	3	6	1		4									
2 3 1 1 1 7	7 17	4 7	1	1	1		3	1-					2	
1 2 1 4 3 12	2 23	12			3		2						2	1
1 1 3	1 4	3			1	I								
1 2 3 1	7				3	1 2	1							
1 3 3 2 10	1 19	10	-		2	3	3						1	
I I I 3	5	3	1		1	1								
1 30 2 2 1 4 1 1 15 51 6 1 38 18 2	66 86	38 118	I 10	6	51	15 41			4	1	2	2	30	1



			Series of	
			Reference.	
			* 5	
			* 5	
			* 5	
				Course of the Mon
		-		DIELMICE, classing
				OPELSICA, classing
			* 5	T DIVISION; classing
				AL DISTRICT; classiff
				EVE DIVISION, classing
				USYT DIVERSICAL
			Market Street Control of Street Stree	SENOTED BELIEVE DIVERSION; spring
			Market Street Control of Stree	USYT DIVERSICAL
			Market Street Control of Stree	USYT DIVERSICAL
COMME			Market Street Control of Stree	USYT DIVERSICAL
Hebaline			Market Street Control of Stree	USYT DIVERSICAL
CHICOMING			Market Street Control of Stree	USYT DIVERSICAL
TORCOURT				USYT DIVERSICAL
FILCHICONIES.			Market Street Control of Stree	USYT DIVERSICAL
MININGONIAL			Market Street Control of Stree	USYT DIVERSICAL

(B) TABLE OF POPULATION, BIRTHS, AND OF NEW CASES OF INFECTIOUS SICKNESS, coming to the knowledge of the Madical Com. STROUD RURAL DISTRICT; classified according to Diseases, Ages and Localities.

	_	de la constantina				-	100000		-
ALITY,	.8	Erysipela		7	4	4	I		
сн Гос в ог тн	Cyphoid. FEVERS.						1		
OWLEDGE R OF HI	FRV	Enteric Or Typhoid.							
SICKNE THE KN	sn	Membrano Croup.							
New CASES OF SICKNESS IN EACH LOCALITY, COMING TO THE KNOWLEDGE OF THE MEDICAL OFFICER OF HEALTH. Flevers. Flevers. Flevers. Flevers. Flevers. Flevers. Flevers.		Diphtheris		4	5	-			
New C	-	Scarlatina			3	1		1	
	Aged	or or over 5.	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards Under 5 5 upwards		11.4.1.
sirths.	Registered Births.			124		62			
TION AT	POPULATION AT ALL AGES. Estimated to to Census. middle of 1898.								
POPULA ALL A					N.				000000000000000000000000000000000000000
	OCALITIES	rpose of these stitutions being te localities.		: ::				Э	
	NAMES OF LOCALITIES	adopted for the purpose of these Statistics; Public Institutions being shewn as separate localities.	HORSLEY	BISLEY	CHALFORD	PAINSWICK	CRANHAM	PITCHCOMBE	

										-	
	63	ı	2	3	1			1	1		24
							ı				3
	I	1	1	6				1			7
								1			1
	8		14	-	-	2	4	5		I	30
		7	4	4			6	6		I	28
S upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards	Under 5 5 upwards
			95	129			121				642
The state of the s											30,380
				*							27,195
	:	:	:		:		:	:	:		
The state of the s	THRUPP	WHITESHILL	MINCHINHAMPTON	корвокоисн	KING STANLEY	WOODCHESTER	STONEHOUSE	CAINSCROSS	LEONARD STANLEY	RANDWICK	TOTALS