[Report 1949] / Medical Officer of Health, Stevenage U.D.C.

Contributors

Stevenage (England). Urban District Council.

Publication/Creation

1949

Persistent URL

https://wellcomecollection.org/works/zj27vm6h

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



STEVENAGE URBAN DISTRICT COUNCIL.

Annual Report of the Medical Officer of Health for the year ended 31st December, 1949.

June, 1950.

To the Chairman and Members of the Stevenage Urban District Council.

I beg to present the above report prepared in accordance with the directions of Ministry of Health Circular 2/50.

SECTION A.

LOCAL STATISTICS.

Area (in acres)		4,576
Residential Population - Mid. 1949 (Registrar' General's Estimate	···	6,490
Number of inhabited houses		2,006
Rateable Value		£41 ,676
Sum represented by a penny rate		£161

Extracts from Vital Statistics for the

		Year	1949.			
LIVE BIRTHS	(Legitimate (Illegitimate (All	Totals 107 3 110	M. 62 -	F• 45 3 48	Stevenage U.D. Local Rate	
Rate per 1,000	of the estima	ted resid	ent por	ulation	16.9	16.3.
		Totals	M.	F.		
STILLBIRTHS	(Legitimate (Illegitimate (All	2 - 2	2 - 2	-		
Rate per 1,000	total (live a	nd still)	births		18	23
	.acidedam	Totals	M.	F.	med envision a lone	
DEATHS		85	37	48		
Rate per 1,000	of the estima	ted resid		ulation	13.1	11.7
DEATHRATES OF	INFANTS UNDER	ONE YEAR	OF AGE.			
Illegiti	r 1,000 live he to infants per mate infants per number of des Legitimate Illegitims Total	1,000 le er 1,000 ths under	illegit bir	imate ths	19 Nil	32
Deaths from Deaths from Deaths from	Puerperal Cau Cancer (all a measles (all Whooping Coug	ages) ages) h (all ag		TOTAL !	9 artesta	

Deaths from Diarrhoea (under 2 years of age)

COMMENT ON VITAL STATISTICS.

The estimated local population shows and increase of 77 over 1948. The local birth rate for the year is above that for England and Wales while the infant mortality rate is exceptionally favourable.

The local deathrate shows a sharp rise, exceeding a similar rise for England and Wales. In this connection the Registrar General estimates the average local age distribution as older than that for England and Wales as a whole and the application of his Comparability Factor of 0.92 gives a standardised Death Rate of 12.1 (England and Wales 11.7).

The chief causes of death wore: Heart and Other Circulatory Diseases 30, Cancer (all sites) 9, Nephritis 8, and Tuberculosis (all forms) 3. For another year no local death is recorded from Road Traffic Accidents.

The following table shows the main local vital statistics over the ten years 1940-49:-

	Birth Rate.	Death Rate.	Inf. Mort. Rate.		
1949	16.9	13.1.	18		
1948	16.2.	10.4.	29		
1947	18.5	12.1	26		
1946	16.9	12.7	9		
1945	14.5	10.9	22		
1944	16.8	12,1	54		
1943	15.9	12.6	39		
1942	11.1	9.9	55		
1941	11.8	11.4	23		
1940	12.0	10.1	52		

SECTION B.

GENERAL PROVISION OF HEALTH SERVICES.

No important change occurred during the year.

SECTION C.

SANITARY CIRCUMSTANCES OF THE AREA.

Water Supplies.

The Town is supplied by 2 water pumping plants, both electrically operated, from which a constant and normal supply of water is distributed by main to 1962 houses (approximate population 6355), and by stand pipes to 4 houses (approximate population 10), while 40 houses (approximate population 125) are supplied by private wells.

78 samples of Water taken by your sanitary inspector were submitted to the Luton Public Health Laboratory for bacteriological examination, and 30 samples by Messrs. Rideal, Rideal & Sciver, London for bacteriological examination.

Summary of samples submitted for bacteriological examination to the Luton Public Health Laboratory.

Description.	No. of samples.	Satisfactory.	Unsatisfactory.
Town Supply: Raw Water	66	64	2
Town Supply: Chlorinated water	12	12	
Private Wells	-		_

Summary of samples taken for bacteriological examination by Messrs. Rideal, Rideal, & Sciver, London.

De	scription.	No. of samples.	Satisfactory.	Unsatisfactory.
Town Supply:	Raw Water	19	16	3
	Chlorinated Water	11	10	1

General Remarks:

The geological position of Stevenage lies on the edge of a basin and therefore the water supply will always be liable to surface contamination. During recent years the water supply has intermittently been contaminated and, to counteract this a plant was installed in April (1949) for the water to be super-chlorinated at the inlet to the reservoir with de-chlorination at the outlet.

Sanitary Inspection of the Area.

Total number of inspections for all purposes 916, divided as follows:-

Defects under the Housing Acts	286
Defects under the Factories Act	29
	29
Prevention of Infectious Diseases including	40
disinfection and disinfestation	10
Sanitary conditions of school, public halls &	
cinemas.	6
Inspections under the Milk and Dairies Order	
(including farms).	69
Inspection of slaughterhouses, butchers'shops,	
vans and food stores.	94
Meat and Food inspections	15
Miscellaneous food inspections	18
Prevention of nuisances	42
Inspection of drainage etc.	22
	Cola
Inspection of the Town's water supply and	70
water samples.	78
Inspection re rats and mice destruction	8
Inspection re Insect pestation	6
Inspection under the Food and Drugs Act	
(i) Ice Cream	51
(ii) Restaurant Kitchens	41
(iii) Preparation Rooms	8
Inspections re smoke observations	8 7 12
Inspections re Shops Act	12
Inspections re Moveable Dwellings	88
TIP POOLITOID TO INVOITE DIGITINGS	00

Miscellaneous.

Inspections re storage of petroleum	14
Inspections re living and social conditions	
of applicants for council houses	8
Inspections re mortuary	4

Sewage and Sewage Disposal.

The Town is provided with a foul sewer 24" diameter leading to bacterial treatment at the Sewage Disposal works and a 36" surface water sewer discharging into a water-course, both of which are satisfactory.

Refuse Collection and Disposal of Salvage.

House refuse collection, the disposal of same and the cleansing of the Town is supervised and carried out by the Surveyor. The refuse is disposed of by semi-controlled tipping.

During the year 30 tons of materials were salvaged which realised £180.

Smoke Observations.

4 smoke observations were taken at a factory from which intermittently a nuisance was caused by grit emissions. By request a grit arrestor was installed which has given satisfactory results.

Petroleum (Consolidation) Act, 1928.

14 premises are licensed for petroleum, carbide of calcium etc. and the regulations are satisfactorily complied with.

Section D.

Housing.

Routine house to house inspection was carried out at 94 houses and 10 houses were inspected for complaints with regard to repairs.

91 Council houses were erected during the year and 10 by private enterprise.

Overcrowding Act, 1936.

During the year only 1 house was found overcrowded.

Senitary improvements were undertaken in existing dwelling houses, viz:-

Premises re-drained Sanitary improvements including 90 drainage Other work for the abatement 28 of nuisances

3 formal notices were served and the rest of the work was carried out by persuasive methods.

Verminoue Premises.

During the year no complaints were received.

SECTION E.

ANNUAL REPORT OF THE MEDICAL OFFICER OF HEALTH IN RESPECT OF THE YEAR, 1949, FOR THE URBAN DISTRICT OF STEVENAGE, IN THE COUNTY OF HERTFORD.

PART I OF THE ACT.

1. INSPECTIONS for the purposes of provisions as to health (including inspections made by Sanitary Inspectors.

- City	Number on	Number	of	
· Premises.	Register.	Inspections.	Written Notices.	Occupiers Prosecuted,
(i) Factories in which Sections 1,2,3,4 and 6 are to be enforced by Local Authorities	8	3	lucalii mi	
(ii) Factories not included in (1) in which Section 7 is enforced by the Local Authority	46	20	est The	
(iii) Other Premises in which Section 7 is enforced by the Local Authority (excluding out-workers premises).	2	6	Tarres	
TOTAL	56	29	7.10.20.00.00	

2. CASES in which DEFECTS were found

Particulars.	Numbe	Number of cases in			
Want of 22 22 (2.4)	Found	Remedied	Refer To H.M. Inspector	By H.M. Inspector	which prosec- utions were instituted.
Want of cleanliness (S.1) Overcrowding (S.2) Unreasonable temperature (S.3) Inadequate ventilation (S.4) Ineffective drainage of floors (S.6) Sanitary Conveniences (S.7)	3 1	3	in so bee carly nor (restabli- upli ore	o not come double bolls: entering all controls or	
(a) Insufficient (b) Unsuitable or defective (c) Not separate for sexes Other offences against the Act (not including offences relating to Outwork).	6	1	prid pd sea corea for namela sa	Moutino to	of notened
TOTAL	11	11			

PART VIII OF THE ACT.

Number of Outworkers 1. i.e. Wearing apparel.

MILK.

There are only 7 registered producers of milk in the district from which 1 retails Accredited milk, 1 supplies ungraded milk to a dairyman for retail and from the other 5 the milk is collected and pasteurised before distribution.

In addition there are 4 registered retailers from whom milk is produced outside the Stevenage district, 2 being licensed for the sale of Tuberculin Tested milk and 2 for Pasteurised milk.

60 samples of milk were taken for bacteriological examination which gave the following results:-

Description.	No. of Samples.	Passed.	Failed.
Tuberculin Tested	31	19	12
Accredited	9	4	5.
Pasteurised	15	14	1
Ungraded	5	1	4

ICE-CREAM.

At present there are no manufacturers of ice-cream in Stevenage.

43 samples of ice-cream were taken for bacteriological examination from retailers, restaurants etc., and the following summary shows the provisional grading:-

	No. of samples.	Grade 1.	Grade 2.	Grade 3.	Grale 4.
1949	43	13 (30,23%)	12 (27.90%)	8 (18160%)	10 (23,25%)
1948	25	3 (12%)	12 (48%)	2 (8%)	8 (32%)

The average percentages are not very satisfactory and may be accounted for by the following description:-

- 1. At "A's" premises where ice-cream was manufactured (in an adjoining district) under hygienic conditions and with up-to-date machinery, the cause of unsatisfactory samples taken from retailers in Stevenage was attributed to the site of the Factory which was considered a bad one. By persuasion of the Sanitary Inspector in the aforementioned district the firm in question has suspended manufacturing Ice-Cream.
- 2. Mr. "B" a manufacturer (in an adjoining district) supplied 2 retailers in Stevenage namely "C" and "D". At "C's" premises all the samples came out grade 4, (Unsatisfactory) and at "D's" premises all the samples came out grade 1 (Satisfactory).

Following an investigation of "C's" premises the source of their unsatisfactory samples was traced to the refrigerator which was not being defrosted often enough and caused the conservator to be in an unhygienic condition.

It is anticipated that the reports for the year (1950) will be more favourable.

MEAT AND OTHER FOODS.

There are 4 licensed private slaughterhouses (including one knackers' slaughterhouse) in the District which are kept up to a fair standard. Only occasional slaughterings licensed by the Local Food Officer are carried out, amounting in all to 21 pigs of which the carcases of 15 were inspected.

Foodssurrendered as unfit for human consumption in shops, stores, etc., have to be certified before replacements can be made.

Bakehouses, restaurant kitchens, preparation rooms, manufacturers of preserved food and tradesmen's vans etc., are inspected with a view to keeping up a good standard of cleanliness,

1 notification of Salmonella Was received (referred to in Section F).

SECTION F.

PREVALENCE OF, AND CONTROL OVER, INVECTIOUS AND OTHER DISEASES.

Total notifications of infectious disease (after correction) were as follows:- Scarlet fever 13, pneumonia 2, measles 1, acute anterior policmyelitis 1 and food poisoning 1.

The scarlet fever cases were grouped mainly in the fourth quarter of the year and confined to the 3 - 10 age group, the outbreak being of mild severity and low infectivity, accompanied by a considerable number of mild sore thoats without a rash.

The single case of acute policmyelitis occurred in an adult in the month of August during the period of nation wide prevalence.

The single case of food poisoning, confirmed as due to Salm. Typhi-Murium, was carefully investigated but no source of infection could be traced, though a meal taken outside the district was strongly suspected.

For another year no case of dightheria was confirmed in the district. Despite its continued absence from the area the offer of protection of infants by immunisation continued to be accepted by a large majority of parents.

New Cases and Deaths during the year.

Age Periods.	Remi	New C		espiratory	Pagningt		ths. Non-Respirate	7277
ago rorrous.	M.	F.	M.	F.		F.	M.	
0 - 1	ott- m	114		nyar i-ir maran	-on- mody	-01	ana "a'A" da .	
1 - 5	0.000	Ans-son	E -1 '00	oligater comb	notes nell	moo o	TOTAL TOTAL	
5 - 15	ni-ar	2 4	01-1025	beredighter to	The state of	-100	dentary_inst	
15 - 25	-	2	-	1	- OF STEEL	1	man parenegana	
25 - 35	1	19 140		****	Pu'-5na 23	1	an agreement.	-
35 - 45	-	-	-	11 .W.O. 32 1	- Canada	-	storestratiff.	
45 - 55	2 001	ngo r - och	-	ng # 20% toly	nit - Litpin	- n	antention in	
55 - 65	1	Lice on	in-to-	L ac - John	Tot-to-old	-	so les debons.	-
and over	ma (200 m	1	nt i-repri	of the Hotel	1	line at it.	
Totals	2	2	1	1	-80005	3	TOTAL WATER	

Totals of new notifications were identical with the figures for the previous year but deaths from respiratory disease numbered 3 against 1 for 1948.

After final transfers the Registrar General has allocated to the district 2 (female) deaths from respiratory tuberculosis and 1 (female) death from other forms of tuberculosis, giving the same total of 3 deaths from such cause.

and post of the state of the country and after a constant one constitution of the constant of

In conclusion, I would acknowledge having received every help from your chief officers and particularly would I acknowledge the invaluable help received from your Sanitary Inspector, Mr. H. Foden, who has been responsible for compiling the Sanitary sections of this report.

Your obedient Servant,

VICTOR R. WALKER,

District Medical Officer of Health.