Contributors

Totnes (England). Borough Council.

Publication/Creation

1943

Persistent URL

https://wellcomecollection.org/works/d96vxzdv

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

LIBRARY

ANNUAL REPORT. of the Medical Officer of Health for the Borough of Totnes.

YEAR 1943.

Mr. Mayor and Members of the Council,

According to the war-time instructions of the Ministry of Health no report of a statistical nature is to be made.

During the year the general health of the inhabitants of the Borough was satisfactory.

Immunisation against Diptheria which had been carried out in a satisfactory manner by my predecessor Dr. Ian Jefferiss was continued by me during the year.

Treatment of scabies in private houses was not satisfactory but in hostels this was excellent.

During the year no cases of veneral disease were reported to me.

There were six cases of Tuberculosis notified and the majority of these cases received treatment at the Devon County Sanatorium at Hawkmoor.

WATER SUPPLY.

There is a constant and sufficient supply within the Borough. It is all chlorinated but in some cases there is further additional treatment. The quality of the water is not plubbo-solvent and at least 98% of the houses and properties are serviced from the mains and the remaining 2% by standpipes (and/or wells in the rural area of the Borough.)

Signed.

hzaven Daves

Mct .: al Officer of Health.

and a friday to

and the second s a set and there is a set of the set of the