

**[Report 1902] / Medical Officer of Health, Wolstanton R.D.C.**

**Contributors**

Wolstanton (England). Rural District Council.

**Publication/Creation**

1902

**Persistent URL**

<https://wellcomecollection.org/works/hpdgd7zh>

**License and attribution**

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>

REPORT OF THE MEDICAL OFFICER OF HEALTH  
FOR THE YEAR ENDING DECEMBER, 1902.

---

GENTLEMEN,

I have the honour of submitting to you my Sixth Annual Report.

POPULATION.


The population in the Wolstanton Rural District, according to the census of 1901, was 36,970, and estimated to the middle of 1902, amounted to 37,474. The acreage of the district is 10,392.

BIRTHS.

The births registered during the year numbered 1,440. Of these 692 were males and 748 were females, and the total represents an annual rate of increase of 38.4 per 1,000 living. Compared with the year 1901, the births show an increase of 34, the difference in the birth rate being 1.34.

DEATHS.

637 deaths were registered in the district during the year. Of these 72 were those of persons not belonging to the district, but who died in the public institutions in the district. 3 deaths occurred in public institutions outside the district of people who resided in the district. The total deaths of people belong to the district numbered 568, giving an annual rate of mortality of 15.4 per 1000 of the estimated population. When compared with the year 1901, there is a decrease in the number of deaths by 146, and the difference in the death rate is 3.56.



## INFANTILE MORTALITY.

The number of deaths in infants under one year was 194, giving the infantile mortality rate of 134.72 per 1000 born. This is a decrease of 25.98 per 1000 on the rate recorded for the preceding year.

## UNCERTIFIED DEATHS.

18 deaths occurred in persons not attended by a medical man. These deaths were recorded as "not certified."

The supposed causes of death were as follows :—

Convulsions	...	...	11
Debility	...	...	1
Measles	...	...	1
Heart Disease	...	...	3
Apoplexy	...	...	1
Premature Birth	...	...	1
			<hr/>
			18

Digitized by the Internet Archive  
in 2018 with funding from  
Wellcome Library

<https://archive.org/details/b30289038>

The following table will show the number of deaths in each year for the last ten years from the chief Zymotic diseases, as well as the various death rates.

ZYMOTIC DISEASES, ETC.—	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902
Smallpox ...	3	0	0	0	0	0	0	0	0	0
Measles ...	37	0	8	38	31	61	0	63	6	13
Scarlet Fever ...	8	10	9	7	5	18	17	23	7	2
Diphtheria ...	3	9	5	8	4	8	10	40	18	7
Whooping Cough ...	1	14	11	11	16	9	8	6	14	2
Fever of a } Typhus	0	0	0	6	0	0	0	0	0	0
continued } Typhoid	9	11	4	5	4	11	13	16	5	6
character } Doubtful	2	0	0	0	0	0	0	0	0	0
Diarrhoea ...	27	16	25	31	46	37	44	26	30	12
Deaths from Zymotic diseases ...	90	60	62	88	106	108	102	148	89	48
Total Deaths for each year ...	646	584	659	593	712	709	698	720	714	568
Death-rate from Zymotic diseases ...	2.8	1.8	1.91	2.5	3.1	3.1	2.9	4.3	1.6	1.2
General Death-rate ...	20.1	18.1	20.3	17.3	21.3	20.17	20.2	20.9	18.7	15.14
Death-rate of Infants under one ...	131	141	189	157	181	184	181.5	162.2	160.7	134.72



## INFECTIOUS DISEASES.

I am very pleased indeed to state that infectious disease has been very much less prevalent this year than in the previous year, 157 cases having been notified as compared with 270 during the previous year. This is the lowest number notified for over ten years.

SCARLET FEVER :—This disease has been very much less prevalent than in the previous year. 35 cases were notified as compared with 102 during the previous year. Of these cases I was able to remove 10 to the Sanatorium.

The cases occurred as follows :—

Goldenhill	7	Wolstanton	7
Chell	0	Chesterton	0
Newchapel	0	Silverdale	8
Milton	11	Sanatorium	2

The cases at the Sanatorium were those of two of the nursing staff who contracted the disease in the discharge of their duties. The cases as a whole were of a mild character, only 2 proving fatal or 5.7 per cent. In all cases thorough isolation and disinfection was carried out.

ENTERIC FEVER :—This disease has also been less prevalent than in the previous year. 34 cases have been notified as compared with 43 during the previous year. The cases occurred as follows :—

Goldenhill	10	Wolstanton	9
Chell	0	Chesterton	5
Newchapel	1	Silverdale	4
Milton	3	Workhouse	2

Of the total number of cases notified 6 proved fatal, or 18.2 per cent. I was able to remove 12 cases to the Sanatorium.





**MEMBRANOUS CROUP :—**No cases of this disease have been notified during the year.

**ERYSIPELAS :—**31 cases of Erysipelas have been notified during the year as compared with 42 during the previous year. 3 of the cases proved fatal, or 9·6 per cent.

The cases occurred as follows :—

Goldenhill	3	Wolstanton	5
Chell	2	Chesterton	5
Newchapel	2	Silverdale	11
Milton	3	Workhouse	0

**DIPHTHERIA :—**50 cases of Diphtheria were notified during the year as compared with 78 during the previous year. Of the cases notified 4 were removed to the Sanatorium. I should have liked more cases to be removed, but owing to lack of accommodation I was unable to do so.

The cases occurred as follows :—

Goldenhill	9	Wolstanton	7
Chell	5	Chesterton	1
Newchapel	9	Silverdale	0
Milton	18	Sanatorium	1

7 cases proved fatal, or 14· per cent. Antitoxin has been more freely used this year than in previous years, but I hope to see it more freely used in the next. I should suggest to the Council the advisability of providing the Antitoxin free of charge for such cases who from their circumstances were unable to provide it themselves.

In all cases where the disease occurred the houses were thoroughly disinfected.

**MEASLES :—**This disease has been more prevalent than in the previous year. 13 deaths occurred from measles and complications—chiefly pneumonia—as compared with 6 during the previous year. In some parts of the district the disease appeared in Epidemic form when it was considered advisable to close the Schools for a few weeks.



SMALLPOX :—One case of Smallpox was notified during the year. This is the first case in the district since 1894. The case occurred at Wolstanton. Immediately on the case being notified, along with the Inspector I visited the case. The case was one of confluent smallpox, which I regret to say had been ill for some days previous to medical aid being called in. The patient was removed to the Bradwell Sanatorium as soon as possible. The inmates of the house were re-vaccinated, and a strict quarantine of 14 days imposed. The bedding, carpets, etc., were destroyed and the house thoroughly disinfected. I am glad to state that no more cases occurred, and also that the patient affected recovered.

No cases of Typhus Fever, Cholera, Plague, or Arsenical poisoning occurred in the district during the year.

#### VACCINATION.

The number of successful (primary) vaccinations during the year 1902, was as follows :—

Tunstall (Rural) ... ..	220
Milton ... ..	90
Wolstanton ... ..	700
	<hr/>
	1010

Owing to the case of smallpox a large number of people were re-vaccinated.



INFECTIOUS DISEASE.

The following cases have been notified under the Infectious Diseases (Notification) Act, 1889, during the year from the different parishes in the district.

DISEASES.

PARISHES	Smallpox	Scarlet Fever	Typhoid Fever	Diphtheria	Continued Fever	Puerperal Fever	Erysipelas
Goldenhill ...	0	7	10	9	1	1	3
Chell ...	0	0	0	5	0	1	2
Newchapel ...	0	0	1	9	0	1	2
Wolstanton ...	1	7	9	7	0	0	5
Chesterton ...	0	0	5	1	0	1	5
Silverdale ...	0	8	4	0	0	1	11
Milton ...	0	11	3	18	0	0	3
Workhouse ...	0	0	2	0	0	0	0
Sanatorium ...	0	2	0	1	0	0	0
	1	35	34	50	1	5	31



The following table will show the number of cases notified during each year from each disease for the last ten years.

	1893	1894	1895	1896	1897	1898	1899	1900	1901	1902
Smallpox	21	1	0	0	0	0	0	0	0	1
Scarlet Fever	113	336	261	193	87	183	362	369	102	35
Typhoid Fever	46	49	44	24	53	68	59	55	43	34
Continued Fever	11	12	0	2	2	0	2	0	1	1
Diphtheria	23	17	24	25	15	24	58	175	78	50
Membranous Croup	3	3	12	22	9	2	7	8	1	0
Puerperal Fever	5	3	3	10	6	4	5	6	3	5
Erysipelas	54	44	58	62	53	24	52	33	42	31
	276	465	402	338	225	305	545	646	270	157







AT, DEATH DURING YEAR 1902.

COMBINED AGES		DEATHS IN LOCALITIES (AT ALL AGES)							Total Deaths in Public Institutions in the District
25 and under 65	65 and upwards	Milton	Chell	Newchapel	Goldenhill	Wolstanton	Chesterton	Silverdale	
...	...	1	1	3	3	5	...	...	...
...	...	2	...	...	...	...	...	...	1
...	...	2	...	4	1	1	...	1	11
...	...	...	...	...	...	...	...	...	...
5	...	1	...	1	2	2	...	...	6
2	...	...	1	...	...	1	...	...	1
...	...	...	...	...	...	...	...	...	...
...	...	...	...	...	4	1	2	5	1
3	...	...	1	1	...	3	6	1	2
1	...	...	...	...	...	...	1	...	...
1	1	1	...	...	...	2	...	...	...
...	...	...	...	...	...	...	...	...	...
14	1	3	2	1	2	6	4	5	1
3	...	2	4	1	3	4	5	3	3
12	8	2	1	4	2	4	4	3	7
13	18	2	9	5	17	14	9	10	9
9	8	3	4	3	4	8	10	20	5
2	1	...	...	...	...	...	...	3	...
1	...	1	...	...	...	...	...	...	...
4	1	...	2	1	...	2	...	...	1
...	...	...	...	...	...	...	...	...	...
...	...	3	6	...	...	3	3	6	1
3	1	1	...	2	1	1	...	...	...
34	22	3	8	8	7	12	12	11	9
6	...	1	...	1	...	3	2	3	...
5	...	...	1	...	...	4	...	...	...
45	55	14	22	13	36	50	37	42	42
33	116	42	62	48	82	126	95	113	100

NOTIFIED DURING THE YEAR 1902.

No. of Cases Reported to Health Board from each Locality							No. of Cases Reported to Health Board from each Locality						
No.	Name of Locality	No. of Cases	No. of Deaths	No. of Recoveries	No. of Discharges	No. of Deaths	No.	Name of Locality	No. of Cases	No. of Deaths	No. of Recoveries	No. of Discharges	No. of Deaths
1	...	...	...	...	...	...	1	...	...	...	...	...	...
2	...	...	...	...	...	...	2	...	...	...	...	...	...
3	...	...	...	...	...	...	3	...	...	...	...	...	...
4	...	...	...	...	...	...	4	...	...	...	...	...	...
5	...	...	...	...	...	...	5	...	...	...	...	...	...
6	...	...	...	...	...	...	6	...	...	...	...	...	...
7	...	...	...	...	...	...	7	...	...	...	...	...	...
8	...	...	...	...	...	...	8	...	...	...	...	...	...
9	...	...	...	...	...	...	9	...	...	...	...	...	...
10	...	...	...	...	...	...	10	...	...	...	...	...	...
11	...	...	...	...	...	...	11	...	...	...	...	...	...
12	...	...	...	...	...	...	12	...	...	...	...	...	...
13	...	...	...	...	...	...	13	...	...	...	...	...	...
14	...	...	...	...	...	...	14	...	...	...	...	...	...
15	...	...	...	...	...	...	15	...	...	...	...	...	...
16	...	...	...	...	...	...	16	...	...	...	...	...	...
17	...	...	...	...	...	...	17	...	...	...	...	...	...
18	...	...	...	...	...	...	18	...	...	...	...	...	...
19	...	...	...	...	...	...	19	...	...	...	...	...	...
20	...	...	...	...	...	...	20	...	...	...	...	...	...

## CASES NOTIFIED DURING THE YEAR 1902.

NOTIFIED IN EACH LOCALITY.					No. OF CASES REMOVED TO HOSPITAL FROM EACH LOCALITY							
Wolstanton	Chesterton	Silverdale	Sanatorium	Workhouse	Milton	Chell	Newchapel	Goldenhill	Wolstanton	Chesterton	Silverdale	Workhouse
1	...	..	..	..	..	..	..	..	1	..	.	..
...	..	.	..	..	..	..	..	..	..	..	..	..
7	1	..	1	..	..	..	..	2	2	..	..	..
...	..	.	..	..	..	..	..	..	.	..	.	.
5	5	11	..	..	..	..	..	..	..	..	..	..
7	..	8	2	..	4	..	..	2	1	..	3	..
...	..	..	..	..	..	..	..	..	..	..	..	..
9	5	4	..	2	1	..	..	5	3	3	..	..
..	..	..	..	..	..	..	..	..	..	..	..	..
...	..	..	..	..	..	..	..	..	..	..	..	..
...	1	1	..	..	..	..	..	..	..	..	..	..
...	..	..	..	..	..	..	..	..	..	..	..	..
29	12	24	3	2	5	..	..	9	7	3	3	..

I.

Institutions within the District receive  
sick and infirm persons from  
outside the District

UNION WORKHOUSE,  
CHELL.

BRADWELL SANATORIUM,  
CHESTERTON.

# HOLE DISTRICT.

DEATHS AT ALL AGES. TOTAL		Deaths in Public Institutions	Deaths of Non-Residents registered in Public Institutions in the District	Deaths of Residents registered in Public Institutions beyond the District	Deaths at all Ages. Nett.	
Number	*Rate				Number	*Rate
	8	9	10	11	12	13
21	22·6					
16	19·1					
14	18·1					
19	19·9					
13	17·3					
2	21·3					
9	20·8					
8	20·2					
6	22·55	103	65	9	720	20·9
8	20·5	113	70	6	714	18·7
7	20·23					
7	16·98	100	72	3	568	15·14

estimated population.

population at all ages	...	...	36,970	} At Census of 1901
number of inhabited houses	...	...	7,695	
average number of persons per house	...	...	5	

WATER SUPPLY:—The Water Supply in the district has been good and abundant during the year.

DRAINAGE:—No drainage work of any importance has been carried out during the year.

The bake-houses and slaughter-houses have been regularly inspected during the year.

REMOVAL OF NIGHT-SOIL AND ASHES:—This might—and ought to be—greatly improved upon. I have had occasion frequently to complain of the removal of night-soil in the middle of the day, or afternoon, instead of morning and night. I therefore ask the Council to put more stringent regulations on the persons who contract to remove the same.

Over-crowding in dwelling houses has been reported in a few cases, and steps have been taken to remedy the same.

I enclose table 1, 3, and 4, and a summary of sanitary work done during the year.

I have the honour to be, GENTLEMEN,

Your obedient Servant,

T. MCKAY YOUNGSON,

M.B., C.M., (Aberd.)

Medical Officer of Health.

Ivy House, Longport, Staffs.  
FEBRUARY 28th, 1903.



WATER SUPPLY: - The water supply in the district has been good and abundant during the year.

GRAVING: - No district work of any importance has been carried out during the year. The water-bowls and drainage-pipes have been regularly inspected during the year.

REMOVAL OF MOUNTAINS AND SANDS: - This might have been to be greatly improved upon. I have had occasion frequently to complain of the removal of night-soil in the middle of the day, or afternoon, instead of morning and night. I therefore request the Council to put more stringent regulations on the persons who contract to remove the same.

OVER-CROWDING IN DRAINING HOUSES: - This has been reported in a few cases, and steps have been taken to remedy the same.

I enclose table A, B, C, and a summary of sanitary work done during the year.

I have the honor to be, Sir, your obedient servant,

T. MCKAY YOUNGSON,

M.B., C.M. (Aberd.)

Medical Officer of Health.

175 House, Langport, Perth.  
Perth, 20th Dec. 1907.

TABLE 1.—FO

YEAR	Population estimated to Middle of each Year	BIRTHS		DEATHS UNDER ONE YEAR OF AGE	
		Number	*Rate	Number	*Rate
1	2	3	4	5	6
1892	32994	1327	41.6	225	169
1893	33171	1380	43.0	181	131
1894	33348	1270	39.3	187	147
1895	33525	1135	34.3	214	196
1896	33702	1312	38.4	206	157
1897	33879	1321	39.02	239	181.6
1898	34056	1354	39.7	250	184.6
1899	34233	1335	38.7	238	181.5
1900	34410	1344	39.05	218	162.2
1901	37936	1406	37.06	235	160.2
Averages for years 1892-1901	34125	1318	39.01	219	167.0
1902	37494	1440	38.4	194	134.2

\* Rates calculated pe

Area of District in acres }  
 (exclusive of area } 10392  
 covered by water)... }

TABLE 7-FO

Year	Number of persons received	Number of persons discharged	Number of persons who died	Number of persons who were cured
1901	100	80	10	10
1902	120	90	15	15
1903	150	110	20	20
1904	180	130	25	25
1905	200	140	30	30
1906	220	150	35	35
1907	240	160	40	40
1908	260	170	45	45
1909	280	180	50	50
1910	300	190	55	55
1911	320	200	60	60
1912	340	210	65	65
1913	360	220	70	70
1914	380	230	75	75
1915	400	240	80	80
1916	420	250	85	85
1917	440	260	90	90
1918	460	270	95	95
1919	480	280	100	100
1920	500	290	105	105
1921	520	300	110	110
1922	540	310	115	115
1923	560	320	120	120
1924	580	330	125	125
1925	600	340	130	130
1926	620	350	135	135
1927	640	360	140	140
1928	660	370	145	145
1929	680	380	150	150
1930	700	390	155	155
1931	720	400	160	160
1932	740	410	165	165
1933	760	420	170	170
1934	780	430	175	175
1935	800	440	180	180
1936	820	450	185	185
1937	840	460	190	190
1938	860	470	195	195
1939	880	480	200	200
1940	900	490	205	205
1941	920	500	210	210
1942	940	510	215	215
1943	960	520	220	220
1944	980	530	225	225
1945	1000	540	230	230
1946	1020	550	235	235
1947	1040	560	240	240
1948	1060	570	245	245
1949	1080	580	250	250
1950	1100	590	255	255
1951	1120	600	260	260
1952	1140	610	265	265
1953	1160	620	270	270
1954	1180	630	275	275
1955	1200	640	280	280
1956	1220	650	285	285
1957	1240	660	290	290
1958	1260	670	295	295
1959	1280	680	300	300
1960	1300	690	305	305
1961	1320	700	310	310
1962	1340	710	315	315
1963	1360	720	320	320
1964	1380	730	325	325
1965	1400	740	330	330
1966	1420	750	335	335
1967	1440	760	340	340
1968	1460	770	345	345
1969	1480	780	350	350
1970	1500	790	355	355
1971	1520	800	360	360
1972	1540	810	365	365
1973	1560	820	370	370
1974	1580	830	375	375
1975	1600	840	380	380
1976	1620	850	385	385
1977	1640	860	390	390
1978	1660	870	395	395
1979	1680	880	400	400
1980	1700	890	405	405
1981	1720	900	410	410
1982	1740	910	415	415
1983	1760	920	420	420
1984	1780	930	425	425
1985	1800	940	430	430
1986	1820	950	435	435
1987	1840	960	440	440
1988	1860	970	445	445
1989	1880	980	450	450
1990	1900	990	455	455
1991	1920	1000	460	460
1992	1940	1010	465	465
1993	1960	1020	470	470
1994	1980	1030	475	475
1995	2000	1040	480	480
1996	2020	1050	485	485
1997	2040	1060	490	490
1998	2060	1070	495	495
1999	2080	1080	500	500
2000	2100	1090	505	505

II.  
 Institutions outside the District  
 receiving sick and infirm persons  
 from the District

WYWOOD HOSPITAL,  
 BURSLEM.

NORTH STAFFORD  
 INFIRMARY.

Area of District in acres  
 Population of area  
 (Source: Census of 1901)

TABLE III.—CASES OF INFECTIOUS I

NOTIFIABLE DISEASE	CASES NOTIFIED IN WHOLE DISTRICT							TOTAL C	
	At all Ages	Under 1	1 to 5	5 to 15	15 to 25	25 to 65	65 and upwards	Milton	Chell
Small-pox ... ..	1	...	...	...	...	1	...	...	...
Cholera ... ..	...	...	...	...	...	..	...	...	...
Diphtheria ... ..	50	2	16	17	6	7	2	18	5
Membranous Croup ... ..	...	...	...	...	...	...	...	...	...
Erysipelas ... ..	31	...	1	2	8	20	...	3	2
Scarlet Fever ... ..	35	1	12	16	4	2	...	11	...
Typhus Fever ... ..	...	...	...	..	...	...	...	...	...
Enteric Fever ... ..	34	...	...	7	7	20	...	3	...
Relapsing Fever ... ..	...	...	...	..	...	..	...	...	..
Continued Fever ... ..	1	...	...	1	...	...	...	..	...
Puerperal Fever ... ..	5	..	...	...	1	4	..	...	1
Plague ... ..	...	..	..	...	...	...	...	..	...
Totals ... ..	157	3	29	43	26	54	2	35	8

TABLE III—CASES OF INFECTIONS

Cases Reported in Whole District		Cases Reported in District		Cases Reported in County		Cases Reported in City	
Year	Number	Year	Number	Year	Number	Year	Number
1910	10	1910	10	1910	10	1910	10
1911	15	1911	15	1911	15	1911	15
1912	20	1912	20	1912	20	1912	20
1913	25	1913	25	1913	25	1913	25
1914	30	1914	30	1914	30	1914	30
1915	35	1915	35	1915	35	1915	35
1916	40	1916	40	1916	40	1916	40
1917	45	1917	45	1917	45	1917	45
1918	50	1918	50	1918	50	1918	50
1919	55	1919	55	1919	55	1919	55
1920	60	1920	60	1920	60	1920	60
1921	65	1921	65	1921	65	1921	65
1922	70	1922	70	1922	70	1922	70
1923	75	1923	75	1923	75	1923	75
1924	80	1924	80	1924	80	1924	80
1925	85	1925	85	1925	85	1925	85
1926	90	1926	90	1926	90	1926	90
1927	95	1927	95	1927	95	1927	95
1928	100	1928	100	1928	100	1928	100
1929	105	1929	105	1929	105	1929	105
1930	110	1930	110	1930	110	1930	110

TABLE IV.—CAUSES OF, AND

CAUSES OF DEATH	DEATHS IN WHOLE DISTRICT			
	All ages	Under 1	1 and under 5	5 and under 15
Small-pox ... ..	...	...	...	...
Measles ... ..	13	5	7	1
Scarlet Fever ... ..	2	1	...	1
Whooping Cough ... ..	2	1	1	...
Diphtheria and Membranous Croup	7	...	5	2
Croup ... ..	...	...	...	...
Typhus Fever ... ..	...	...	...	...
Enteric Fever ... ..	6	...	...	...
Other Continued Fever ... ..	...	...	...	...
Epidemic Influenza ... ..	2	...	...	...
Cholera ... ..	...	...	...	...
Plague ... ..	...	...	...	...
Diarrhœa ... ..	12	6	6	...
Enteritis ... ..	12	8	1	...
Puerperal Fever ... ..	1	...	...	...
Erysipelas ... ..	3	...	...	...
Other Septic Diseases ... ..	...	...	...	...
Phthisis ... ..	23	2	2	...
Other Tubercular Diseases ... ..	22	11	4	3
Cancer, Malignant Disease ... ..	20	...	...	...
Bronchitis ... ..	66	26	8	...
Pneumonia ... ..	52	20	8	2
Pleurisy ... ..	3	...	...	...
Other Diseases of Respiratory Organs	1	...	...	...
Alcoholism, Cirrhosis of Liver ... ..	5	...	...	...
Venereal Diseases ... ..	...	...	...	...
Premature Birth ... ..	21	21	...	...
Diseases and Accidents of Parturition	5	...	...	...
Heart Diseases ... ..	61	...	...	1
Accidents ... ..	10	1	1	1
Suicides ... ..	5	...	...	...
All other causes ... ..	214	91	11	7
All causes ... ..	568	193	54	18

# Wolstanton Rural



BOUND IN  
 BACKWARDS  
  
 START AT  
 OTHER END.

TREATMENT WHICH GIVES		CLASS OF DISEASE	
Number of cases	Number of deaths	All ages	Infants
1	1	1	1
2	1	2	1
3	1	3	1
4	1	4	1
5	1	5	1
6	1	6	1
7	1	7	1
8	1	8	1
9	1	9	1
10	1	10	1
11	1	11	1
12	1	12	1
13	1	13	1
14	1	14	1
15	1	15	1
16	1	16	1
17	1	17	1
18	1	18	1
19	1	19	1
20	1	20	1
21	1	21	1
22	1	22	1
23	1	23	1
24	1	24	1
25	1	25	1
26	1	26	1
27	1	27	1
28	1	28	1
29	1	29	1
30	1	30	1
31	1	31	1
32	1	32	1
33	1	33	1
34	1	34	1
35	1	35	1
36	1	36	1
37	1	37	1
38	1	38	1
39	1	39	1
40	1	40	1
41	1	41	1
42	1	42	1
43	1	43	1
44	1	44	1
45	1	45	1
46	1	46	1
47	1	47	1
48	1	48	1
49	1	49	1
50	1	50	1