Contributors

Worthing (England). Rural District Council.

Publication/Creation

1944

Persistent URL

https://wellcomecollection.org/works/buqfhpef

License and attribution

You have permission to make copies of this work under a Creative Commons, Attribution license.

This licence permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited. See the Legal Code for further information.

Image source should be attributed as specified in the full catalogue record. If no source is given the image should be attributed to Wellcome Collection.



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

LIBRARY

WORTHING RURAL DISTRICT COUNCIL.



12 -3 0

10, Bulkington Avanue,

Worthing .

July, 1945.

Ladios and Gentlemon,

Annual Report 1944.

Acting on instructions from the Ministry of Health that reports should again be confined to essential and urgent matters which affected the public health during the year, especially any matters arising from or connected with the war, outbreaks of infectious disease, together with any exceptional administrative measures taken or recommended by the Modicel Officer of Health, I beg to make the following observations.

General Statistics.

Area (Acros) 29,779 Resident Population (1944) estimated by the Registrar General, 22,520 Rateable Value (1944) £285,406. Sum represented by 1d. rate, £1,047. No. of inhabited houses (end of 1944) according to rate books, 8,792.

Extracts from Vital Statistics of the Yoar.

Livo Births	-	Total	М.	F.	
	Logitimato Illogitimato	362 49	190 24	172 25	Birth Rate per 1,000 of the estimated resident population, 18-25
Stillbirths		16	7	9	Rate per 1,000 total (live and still) births 37.47
Donths		375	186	189	Doath Rate per 1,000 of the estimated resident population 16.65

Daeths from discessos and accidents of pregnancy and childbirth :-

From Sepsis - Nil

From other causes - 1

Death Rate of Infants under one year of age :-All Infants per 1,000 live births - 34 Logitimate Infants per 1,000 legitimate live births - 36 Illegitimate Infants per 1,000 flogitimate live births - 20 Deaths from Cancer (all ages), 67 Deaths from Measles (all ages), Nil Deaths from Wheeping Cough (all ages), Nil Deaths from Diarrhoee (under 2 years of age), 1

Comparativo Statistics, 1944.

Birth Rato Doath Rato Infantile Doath Rato Pulmonary Tuborculosis		England & Walos. 17.6 11.6 46	West Urban 18.52 16.62 44	Sussox. Rural 19.58 13.36 45	Worthing R.D. 18.25 16.65 34
Death Rate Cencor Doath Rate Zymotic Doath Rate Maternal Mortality Rate		0.52 1.89 -	0.43 2.68 0.14	0.31 2.09 0.04	0.58 2.98 0.04
per 1,000 births	•••	1.93	2.0	2.5	2.34

Infectious Discase .

During the year the following cases of infectious disease were notified :-

	No. Notified	No. of Deaths.
Scarlet Fover	48 (54 in 1943)	0
Diphtheria	2 (Nil " ")	0
Corebro-spinal Fever	2 (Nil " ")	0
Pnoumonia	19 (8 " ")	8
Tuberculosis	16 (32 " ")	9
Measles	196	0
Whooping Cough	108	1
Puerporal Pyrexia	1	0
Erysipolas	6	0
Dysontery	23	0
Malaria	1	0
Ac.Poliomyelitis	2	0

Diphtheria Immunisation.

Diphtheria Immunisation has again been carried out during the year by the County Council. At the end of the year the position was as follows :

> 86.8% of children of school age had been immunised. 48.9% of children under school age had been immunised.

Two cases of Diphtheria were notified in the district during the year, one aged 19 and one aged 13. Neither of these cases had been immunised.

Scabics.

During the year 180 cases of Scabies were brought to the notice of the Health Department, namely :-

66 adults 71 school children 43 children under school ago

Treatment was carried out as follows:

Tetmosol		147	C3,808
Totmos croam		2	CRSCS
Benzyl Benzoato	Emulsion	29	CASES

It will be noted that treatment has been principally by the use of Tetmosol, which has again proved undeubtedly to be the best proparation which has come to the notice of the Department. Only when Tetmosel has not been available have other proparations been used.

Clothes and bedding were disinfected by washing or hot ironing.

Evacuation.

At the end of the year there were 124 adult evacuees, 110 accompanied and 36 unaccompanied child evacuees

Housing .

No new houses were erected during the year.

- 1. Inspection of dwelling houses during the year :-
 - (a) Total number of dwelling houses inspected for housing defects (under Public Health or Housing Acts) ... 153
 - (b) Number of inspections made for the purpose ... 897

- 2 -

		-		
	(2)	 (a) Number of dwelling houses (included under sub-head (1) above) which were inspected and recorded under the Housing Consolidated Regulations, 1925 and 1932. 		24
		(b) Number of inspections made for the purpose	•••	303
	(3)	Number of dwelling houses found to be in a state so dange or injurious to health as to be unfit for human habitation		1
	(4)	Number of dwelling houses (exclusive of those referred to under the preceding sub-head) found not to be in all respects reasonably fit for human habitation		23
2.	Remedy	of defects during the year without service of formal noti	.co :	
		Number of defective dwelling houses rendered fit in consequence of informal action by the Local Authority or their officers.		103
3.	Action	n under Statutory Powers during the year :-		
	۵.	Proceedings under Sections 9, 10 and 16 of the Housing	Act,1930	6:
		 (1) Number of dwelling houses in respect of which notic were served requiring repairs 	•••	4
		(2) Number of dwolling houses which were rendered fit service of formal notices:	aftor	
		 (a) By owners (b) By Local Authority in default of Owners 	••••	1
	в.	Proceedings under Public Health Acts :-		
		 Number of dwelling houses in respect of which notic were served requiring defects to be remodied. 	•••	9
		(2) Number of dwelling houses in which defects were remedied after service of formal notice :		
		(a) By owners (b) By Local Authority		3
	с.	in default of Owners Proceedings under Sections 11 and 13 of the Housing Act		1
	0.	(1) Number of dwolling houses in respect of which Demol		
		Orders were made	***	1
		(2) Number of dwelling houses demolished in pursuance of Demolition Orders	f	4
	D.	Proceedings under Section 12 of the Housing Act, 1936:-		
		There were no proceedings under D.		

. . .

Examination of Milk Samplos .

Taken by County Council 37 201 10 0 Taken by other Local Authorities 2 0 1 0 Taken by own Sanitary Authority 6 17 2 17 Total number taken. 45 218 13 17 Methylene Blue Test: 10 0 10 0 No. complying with standard 35 183 5 4 No. net complying with standard 35 183 5 4 No. net complying with standard 7 18 3 0 Colliform Test:No. receiving no test 44 214 13 17 Colliform Bacillus present: 1 Tubo 0 0 0 0 2 Tubes 1 0 0 0 3 Tubes 0 0 0 0 No. satisfying test 0 0 10 0 Phosphatase test: 0 0 0 2 No. not satisfying test 0 0 2 0		Tubarculin Tested.	Accredited.	Pastourisod	Ordináry	
Taken by other Local Authorities 2010Taken by own Sanitary Authority 617Total number taken.452181317Total number taken.452181317Mothylene Blue Test:No. complying with standard3518354No. complying with standard3518354No. complying with standard3518354Mothylene Blue Test:No. not complying with standard 718354No. not complying with standard 718354Colliform Test:No. receiving no test442141317Colliform Bacillus prosent:11000000000000000000000 <th c<="" td=""><td>Tekan by County Council</td><td></td><td>201</td><td>10</td><td>0</td></th>	<td>Tekan by County Council</td> <td></td> <td>201</td> <td>10</td> <td>0</td>	Tekan by County Council		201	10	0
Taken by own Sanitary Authority617217Total numbor taken. 45 218 13 17 Mothylene Blue Test: No. complying with standard 35 183 54No. not complying with standard 7 18 3 0 Colliform Test: No. receiving no test44 214 13 17 Colliform Bacillus present: 1 Tube00002 Tubes1 0 0 0 3 Tubes0 4 0 0 No. satisfying test0 0 0			0	1	0	
Total number taken. 45 218 13 17 Mothylene Blue Test: No. complying with standard 35 183 5 4 No. complying with standard 7 18 3 0 Colliform Test: No. receiving no test 44 214 13 17 Colliform Bacillus present: 0			17	2	17	
Mothylenc Blue Test: No. complying with standard 3518354No. not complying with standard 71830Colliform Test: No. receiving no test442141317Colliform Bacillus present: 1 Tube00002 Tubes10003 Tubes0400No. satisfying test000			218	12	17	
No. complying with standard3518354No. not complying with standard 71830Colliform Test: No. receiving no test442141317Colliform Bacillus present: 1 Tube00002 Tubes10003 Tubes0000No. satisfying test0400	Total number taken.	42	210	10	-1	
No. complying with standard3518354No. not complying with standard 71830Colliform Test: No. receiving no test442141317Colliform Bacillus present: 1 Tube00002 Tubes10003 Tubes0000No. satisfying test0400	Methylenc Blue Test:					
No. not complying with standard 71830Coliform Test: No. receiving no test442141317Coliform Bacillus present: 1 Tube00002 Tubes10003 Tubes0000No. satisfying test040		35	183	5	4	
Coliform Test: No. receiving no test442141317Coliform Bacillus present: 1 Tube00002 Tubes10003 Tubes0000No. satisfying test0400Phosphatase test: No. satisfying test00100				3	0	
No. receiving no test 44 214 13 17 Coliform Bacillus present: 0 <	these were comparing when been			2		
Coliform Bacillus present:1 Tubo0002 Tubes1003 Tubes0003 Tubes040No. satisfying test040Phosphatase test:0010	Coliform Tost:					
1 Tubo 0 <td>No. receiving no test</td> <td>44</td> <td>214</td> <td>13</td> <td>17</td>	No. receiving no test	44	214	13	17	
1 Tubo 0 <td></td> <td></td> <td></td> <td></td> <td></td>						
2 Tubes 1 0 0 0 3 Tubes 0 0 0 0 0 No. satisfying test 0 4 0 0 Phosphatase test: 0 0 10 0	Coliform Bacillus present:					
3 Tubos00000No. satisfying tost0400Phosphatese test: No. satisfying tost00100	l Tubo	0	0	0	0	
No. satisfying test 0 4 0 0 <u>Phosphatase test:</u> No. satisfying test 0 0 10 0	2 Tubes	1	0	0	0	
Phosphatase test: No. satisfying test 0 0 10 0	3 Tubos	0	0	0	0	
No. satisfying test 0 0 10 0	No. satisfying tost	0	4	0	0	
No. satisfying test 0 0 10 0						
	Phosphatase test:					
No. not satisfying test 0 0 2 0	No. satisfying test	0	0	10	0	
	No. not satisfying test	0	0	2	0	

mator.

There are three public water supplies in this area, namely, Brighton Corporation Supply, Worthing Corporation Supply and Littlehampton U.D.C. Supply, and three private supplies, namely Arundel Estate Supply, Kingston Estate Supply and Rustington Sea Estate Supply. Ten of the parishes in the district have public water supply and the remaining seven parishes have piped supplies to a varying extent from private sources.

During the year 18 samples of water were sent for bacteriological examination as follows:

Raw Water

Kingston	Estate	Supply	t i i i i i i i i i i i i i i i i i i i	3	samples
Rustingto	n Soa I	Estato	Supply	4	samples

Wat.						nt
The second se	and the second second	the second second	in the second seco	-	also allowed as	-

Brighton Corporation	Supply	2	samples
Worthing Corporation	Supply	5	samplos
Littlehampton U.D.C.	Supply	1	sample
Arundol Estate Supply		3	samples

All the samples proved satisfactory.

No chemical analyses were made.

The water is not liable to have plumbo-solvent action.

All houses obtaining water from a piped supply are served direct. The propertion of dwelling houses supplied is 79% and the propertion of population supplied is 78%

Eradication of Bod Bugs.

(1)	Council Houses :- (a) Found to be infested	 1
	(b) Disinfested	 1
(2)	Other Houses:- (a) Found to be infested	 7
	(b) Disinfostod	 6

Where toxic gases are used, the work of fumigation is carried out by the staff of the firm of Fumigators employed, but if the mothod used is fumigation by use of insecticides or by gases other than toxic gases, the work of disinfestation is carried out by the Council.

. Bats and Mice (Destruction) Act, 1919.

. . . .

A Rodont Operator was appointed in April 1944 and, with one change, has worked full time throughout the year.

In addition to dealing with complaints from the public, which have been very numerous as a result of the publicity given to rat infestation, work has been continuously carried out at the Council's Refuse Tips and Depots.

The mothods used in dealing with all infestation have been in accordance with the new technique recommended by the Ministry of Food Technical Staffs and have been very successful.

Number of inspections made	1458
Complaints made by the Public	86
Infestations found as a result of above	84
Infestations found by the Public Health	
Department	93
Total number of premises where nuisances	
found	177
Promises where nuisance remodied	189
Premises where work in progress at end of ye	ar 14
(Disinfestations at Refuse Tips, Salvage Dep	oots
and Works Dopartmonts, stc., which are carr	iod
out as a matter of routine, are not include	d in
the above figures).	
Total number of rats found doad	1348
Total number of rats estimated poisoned	14549
Tatal number of mice tranned or otherwise	

Cotal	number	of	rets	ostimated poisonod	14549
[otal	number	of	mico	trapped or otherwise	
				destroyed	3126

Sanitary Inspection.

I have had a complete report from the Sanitary Inspector, Mr.Oates, as in former years, but as this is not required I do not think it necessary to amplify any further beyond giving the following summary :-

Total number of inspections made for all purposes	7271
Total number of notices served: Informal	658
Statutory	28
Total number of summonses issued	Nil
Complaints investigated	214

Records.

All records, including statistics supplied by the Registrar General, are being carefully preserved in order that after the termination of the war a report can be made dealing more fully with the period from the beginning of 1939 to the end of the last complete year, so that annual records may, as far as practicable, be continuous and complete.

I am, Gentlemon,

Your obedient Servant,

R. H. WILSHAW

Modical Officer of Health.

To the Chairman and Mombers of the Worthing Rural District Council.

