Report of the Committee of Visitors, the Medical Superintendent, and other papers relating to the asylum : printed in pursuance of the standing orders of the County Council 1912-1913 / Essex and Colchester Lunatic Asylum.

#### Contributors

Essex and Colchester Lunatic Asylum. Barrett-Lennard, Thomas. Hodgson, B. T. Roscoe, W. H. Coupland, Sidney. Turner, John. Stephens, Henry.

#### **Publication/Creation**

Colchester : Printed by Cullingford & Co., 1913.

#### **Persistent URL**

https://wellcomecollection.org/works/fw5y6jng

#### License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org

# 1912-1913

# ESSEX AND COLCHESTER

# LUNATIC ASYLUM

# REPORTS

### AND

**OTHER DOCUMENTS** 



# 1912-1913.

Essex and Colchester Lunatic Asylum.

# REPORT

#### OF THE

# Committee of Visitors,

#### THE

### MEDICAL SUPERINTENDENT

AND OTHER

PAPERS RELATING TO THE ASYLUM.

Printed in pursuance of the Standing Orders of the County Council.

#### COLCHESTER :

PRINTED BY CULLINGFORD & Co., 156 HIGH STREET.

1913.

WELLCOME INSTITUTE welMOmec Coli Rep Ann-Call 8 2 No. WLM 3E 2 ٠ 78 E 1912-13



# COMMITTEE OF VISITORS

#### Appointed for the Year ending March, 1914.

SIR THOMAS BARRETT-LENNARD, Bart. WILLIAM THOMAS BILSON, ESq. JOHN ADAMS GUY BODGER, ESq. CHARLES NORMAN BROOKS, ESq. COLONEL GEORGE RICHARDS CHALLENOR. WILLIAM SWAINE CHISENHALE-MARSH, ESq. FRANK GEORGE COSBURN, ESq. FRANCIS DENT, Esq. WALTER FORTESCUE, Esq. EDWARD GOOD, Esq. JOHN BAWTREE HAWKINS, ESq. PHILIP HUTLEY, Esq. DANIEL THOMAS JACKSON, ESq. WILLIAM LANGMAN, Esq. CHARLES ERNEST RIDLEY, ESq. SIR JOHN REYNOLDS ROBERTS. SYDNEY WALTER ROBINSON, ESq. WILLIAM THOMAS ROFFEY, Esq. THE RIGHT HON. JAMES ROUND. JOHN HENRY SALTER, ESq. JOHN SAVAGE, ESq. THOMAS EUSTACE SMITH, Esq. ROBERT STROUD, Esq. JAMES TABOR, ESq. WILLIAM CLEMENT WELLS, ESq.

ERNEST HENRY BARRITT, ESq. ERNEST STANLEY BEARD, ESq. WILLIAM COATS HUTTON, ESq. Asher Prior, Esq. Lent John Watts, Esq.

For the Borough of Colchester.

#### HENRY HAMILTON GEPP,

Clerk to the Visitors.

For the County.

#### The Chairman of each House Committee shall be an ex-officio Member of all other Sub-Committees of the Visiting Committee.

#### Brentwood House Committee.

For the Year ending March, 1914.

SIR T. B. LENNARD, Bart., Chairman.

E. H. BARRITT, Esq.
W. T. BILSON, Esq.
J. A. G. BODGER, Esq.
F. G. COSBURN, Esq.
F. DENT, Esq.
W. FORTESCUE, Esq.
E. GOOD, Esq.
P. HUTLEY, Esq.
D. T. JACKSON, Esq.
W. LANGMAN, Esq.

C. E. RIDLEY, Esq. SIR J. R. ROBERTS. S. W. ROBINSON, Esq. THE RIGHT HON. J. ROUND. J. SAVAGE, Esq. R. STROUD, Esq. J. TABOR, Esq. L. J. WATTS, Esq. W. C. WELLS, Esq.

#### Farm Committee.

SIR T. B. LENNARD, Bart. W. FORTESCUE, Esq. P. HUTLEY, Esq. D. T. JACKSON, Esq. W. LANGMAN, Esq. S. W. ROBINSON, Esq. The Right Hon. J. Round R. Stroud, Esq. J. Tabor, Esq. L. J. Watts, Esq.

#### Harold Court Sub-Committee.

SIR T. B. LENNARD, Bart. F. G. COSBURN, Esq. E. GOOD, Esq. Sir J. R. Roberts.

#### Finance Committee.

C. E. RIDLEY, Esq. W. T. BILSON, Esq. E. GOOD, Esq. L. J. WATTS, Esq. W. C. Wells, Esq.

#### Works Committee.

W. FORTESCUE, Esq.E. GOOD, Esq.D. T. JACKSON, Esq.W. LANGMAN, Esq.S. W. ROBINSON, Esq.

J. SAVAGE, ESQ. R. Stroud, Esq. J. Tabor, Esq. L. J. Watts, Esq.

#### Sub-Committee to Value Live and Dead Farming Stock.

E. GOOD, Esq. P. HUTLEY, Esq. D. T. JACKSON, Esq. THE RIGHT HON. J. ROUND. R. STROUD, Esq.

#### Sub-Committee for Brunswick House.

E. H. BARRITT, Esq. A. Prior, Esq.

### Sub-Committee for Chestnuts.

E. GOOD, Esq.	W. LANGMAN, Esq.
F. G. Cosburn, Esq.	SIR J. R. ROBERTS.

#### Building Committee for Severalls Asylum.

SIR T. B. LENNARD, Bart. E. H. BARRITT, Esq. C. N. BROOKS, Esq. F. DENF, Esq. W. FORTESCUE, Esq. E. GOOD, Esq. J. B. HAWKINS, Esq. D. T. JACKSON, ESQ. W. LANGMAN, ESQ. C. E. RIDLEY, ESQ. SIR J. R. ROBERTS. R. STROUD, ESQ. L. J. WATTS, ESQ.

L. J. WATTS, Esq.

#### Furnishing Committee for Severalls Asylum.

E. S. BEARD, Esq. J. A. G. Bodger, Esq. E. Good, Esq. J. B. Hawkins, Esq. A. PRIOR, Esq.C. E. RIDLEY, Esq.R. STROUD, Esq.

#### **Contracts Committee.**

SIR T. B. LENNARD, Bart. E. S. BEARD, Esq. W. T. BILSON, Esq. J. A. G. BODGER, Esq. C. N. BROOKS, Esq. W. FORTESCUE, Esq. E. GOOD, Esq. J. B. HAWKINS, Esq. W. LANGMAN, Esq. C. E. RIDLEY, Esq. SIR J. R. ROBERTS. R. STROUD, Esq.

#### Officers:

J. TURNER, M.B.	Medical Superintendent
G. N. O. SLATER, M.D	Senior Assistant Medical Officer
ADELE DE STEIGER, M.D	Assistant Medical Officer
J. H. P. CLARKE, M.B., B.Ch., D.P.H.	,, ,, ,,
E. P. COURT, M.R.C S., L.R.C.P.	,, ,, ,,
H. STEVENS, M.A.	Chaplain
W. H. ROSCOE, F.C.I.S.	Clerk of the Asylum
E. S. WHITE	Storekeeper and Organist
H. HEYWARD	Inspector
I. CHERRY	Matron
G. D. RENTON	Clerk of the Works and Engineer

# REPORT

OF THE

# COMMITTEE OF VISITORS.

#### To the Essex County Council and the Borough of Colchester.

The Committee appointed by the Essex County Council and the Borough of Colchester for the purpose of the Asylum erected for the Pauper Lunatics of the said County and Borough, present this their Report, pursuant to the Act of Parliament, 53 Vic., cap. 5.

The Committee Re	port th	at the	ere we	re :		-	
Remaining in the Asylu	ım, 315	t Dec	., 191	I	Males. 718	Females.	Total.
Admitted for the first	time	Males.	Females	. Total.			
during the year		331	316	647			
Re-admitted during the	year	51	*55	106			- 14
Total cases admitte	ed duri	ng the	e year		382	371	753
Total under care d	uring t	he yea	ar		1100	1494	2594
Cases discharged and d	lied :—						
		Males.	Females	. Total.			
Recovered		94	75	169			
Relieved		30	71	IOI			
Not Improved		23	47	70			
Died		176	183	359			
Total cases discha	rged a	nd die	d		323	376	699
Remaining in the Asyle	um, 319	st Dec	., 191	2	777	1118	1893

Including-At Harold Court	 	 73 Males.
At Brunswick House	 •••	 55 Females.
At the Chestnuts	 	 64 Females.

There were also boarded out at other Asylums, in consequence of want of room at Brentwood Asylum :—

	Males.	Females.	Total.	Cost per we	
At Ipswich Borough Asylum	mares.	25	25	16	
"Middlesbrough Asylum	28	30	58	13	5
"Herts County Asylum	9	_	9	15	2
" Monmouth County Asylum	49	50	99	14	0
", Newport Borough Asylum	31	49	80	17	0
"Bethnall House Asylum	20	61	81	18	0
"Bristol City Asylum	—	40	40	13	0
" Oxford County Asylum		20	20	14	0
", Surrey County Asylum, Netherne	85	80	165	15	2
,, Surrey County Asylum, Brookwood	48	73	121	15	2
,, West Riding Asylum, Storthes Hall	49	-	49	14	0
,, Croydon Borough Asylum	—	9	9	15	2
,, West Sussex County Asylum	-	19	19	15	0
,, Leicester Borough Asylum	-	25	25	15	2
	319	481	800		

The cost of maintenance at Brentwood Asylum is 11/8 per week.

The Contract with the Committee of Croydon Borough Asylum was terminated by that Committee. The 25 women there were transferred to Leicester Borough Asylum on July 31st under a new Reception Contract. A Reception Contract was also entered into with the Committee of the West Sussex County Asylum for the reception of 25 women. The Norfolk County Asylum Committee terminated their Contract, and 18 men boarded out at their Asylum were brought back to Brentwood on May 17th.

The total number of patients belonging to the County of Essex and the Borough of Colchester boarded out at other Asylums is exactly 800. There were admitted into the Asylum during the year 382 men and 371 women, a total of 753, an increase of 47 on the previous year's figures; but as 18 of these admissions were male patients brought back from Norfolk County Asylum, the real increase is 29.

The total number of patients resident at the end of the year is 1895, an increase of 54 on those resident at the end of 1911.

It is expected that Colchester Asylum will be receiving patients during May, 1913, and thereby alleviate the ever growing insane population at Brentwood Asylum.

The Committee have entered into a contract with Messrs. Clemens Brothers for alterations at Block F, whereby accommodation will be provided for 54 extra male patients. The work is progressing steadily.

A new Drying Machine has been bought from Messrs. Wardle & Co., making the third purchased from them, and this has much facilitated the work in the laundry.

Several improvements have been carried out during the year. Mention may be made of the following :--

- The vacated sewing room at Block D converted into as general bathroom.
- The old bathrooms at Block D converted into nine bedrooms for nurses.

A children's bath fitted in Ward F3.

- D Block kitchen yard paved with scoria bricks.
- The road from top entrance to main building made into a granite road

Several patients, with the help of an attendant, have made over 600 oak picture frames, and with the purchase of prints, the appearance of the wards has been much improved by these means. Patients working with an attendant have made 67 door mats, and it is proposed to supply Colchester Asylum with mats from the same source.

The conversion of the old kitchen in the main building (mentioned in last year's report) has proved a valuable asset, and in addition to the usual garments made and needlework done for Brentwood Asylum, no less than 14,827 articles of clothing and bedding were made to facilitate the furnishing of Colchester Asylum.

Dr. R. C. Turnbull was appointed by the Committee as Medical Superintendent of the New Asylum in March, Dr. G. N. O. Slater being promoted to Senior Assistant Medical Officer in his place, and Dr. de Steiger to Second Assistant Medical Officer.

Dr. J. H. Will, the Fourth Assistant Medical Officer, resigned and left in June last to take up private practice in New Zealand.

Drs. J. K. P. Clarke and E. P. Court were appointed to fill the vacancies.

Mr. R. Overend, First Assistant Clerk, was appointed Clerk at Colchester Asylum.

The conduct of the Staff has been generally very satisfactory, and good work has been accomplished.

The following have retired under the provisions of the Asylums Officers' Superannuation Act, 1909:—John Manning, Attendant; Albert Edward Love, Attendant; George Horsley, Pigman; William Bell, Shoemaker.

Henry Johnson, Night Attendant, retired under the Committee's pension sheme, with the sanction of the Essex County Council and the Colchester Borough Asylum. Walter Mayers, Assistant Fireman, died suddenly on December 8th, and the Committee granted his widow 10/- weekly for 104 weeks under the provisions of the Asylums' Officers' Superannuation Act.

Miss Agnes Stewart, late Head Attendant at the "Chestnuts' Branch Asylum, who was pensioned on 4th October, 1910, died or January 6th, 1912.

The Committee regret the long absence of Sir John Roberts from the meetings, and view with much sorrow his continuec illness. They sincerely wish him a speedy return to health.

THOS. BARRETT-LENNARD

## REPORT

II

#### OF THE

# COMMISSIONERS IN LUNACY.

BRUNSWICK HOUSE, MISTLEY,

April 1st, 1912.

There are 55 female patients in residence to-day at this branch of the Essex Asylum. With the exception of one woman who was in bed for a cold they were all in good bodily health, and were tidy in their dress and personal appearance.

With the exception of a few appeals for discharge, I received no complaints of their treatment, and I was satisfied that they were being properly cared for.

The house was clean and in good order; spring cleaning had just been begun on the top floor.

The staff consists of a matron and three nurses, a cook, and a gardener and boy.

About 24 patients attend Divine Service at the Parish Church on Sundays, and the like number are taken twice a week for walks in the district.

Dr. Bree visits three times a week, but there are only entries in the Medical Journal at the most twice a month, and more often only once a month. They should be made, as previously pointed out by my colleagues, once a week.

(Signed) B. T. HODGSON,

Commissioner in Lunacy.

#### THE CHESTNUTS,

September 26th, 1912.

I have to-day visited this branch house of the Essex County Asylum, and have seen all the inmates with the exception of three who are out visiting a Picture Palace in the neighbourhood. There are at present 63 female patients in residence, so that there is one vacancy. One of them is in bed, having sustained a fracture of the ankle, caused by the fall of a branch of a tree in the garden. I found the patients in good health; they were neat and tidy in their dress, and with one exception quiet and orderly in behaviour. The excepted case is that of a patient who became excited and aggressive when talking to me. She is, I am informed, liable to outbursts of excitement, which have been more frequent of late, and it may be advisable in consequence to send her back to the Asylum. In the month of March last all those cases which from age or debility or other causes were in need of supervision at night were returned to Brentwood, and since then the services of a night nurse have been dispensed with. The day staff remains of the same strength as before.

Four of the patients work in the laundry and a like number in the kitchen. Fully three-fourths of the whole number attend the Sunday morning service, which is conducted by one of the curates, and every month by the Vicar of the parish. Parties of patients are taken out for walks, and occasionally to Epping Forest, whilst visits to the Picture Palace are frequent.

The single room on the first floor mentioned by colleagues is now occupied by a nurse, another room which communicates with the dormitory being allotted to a patient. A fire alarm, connected with the public Fire Station, has been fitted up in the Matron's room.

I found all parts of the house kept in excellent order, and was accompanied during my inspection by Miss Coote the matron, and Dr. Kennedy the visiting Physician. The records of the cases are now being kept on loose sheets as well as copied into the Case Books.

(Signed) SIDNEY COUPLAND,

Commissioner in Lunacy.

# The Guardians of the Colchester Union reported as follows:

COLCHESTER,

16th July, 1912.

LADIES AND GENTLEMEN,

We visited Brentwood Asylum on Wednesday last, the 10th instant, and personally interviewed all the patients maintained therein from this parish to the number of 69.

Dr. Slater accompanied us round the Institution and answered all our questions, and gave us every facility to question the patients. Only two stated they did not wish to return home.

There appears little hope of recovery of the large majority of the cases, but we are satisfied that everything possible is done for their welfare and comfort.

> (Signed) ANNIE FLORY, A. HARPER, W. CALLAGHAN,

> > Committee.

#### The Guardians of the Risbridge Union reported as follows:

On the 1st August Mr. Crow and I went to the Essex County Asylum at Brentwood.

We were received by Dr. Court, shewn over various parts of the building, and saw the inmates chargeable to this Union, viz. : Herbert Ford, Florence Cowle and Emily Cooper. They all appeared to be well cared for and made no complaint, in fact, the girl Florence Cowle was quite cheerful. But it is physically impossible to expect any real improvement in the condition of these patients. They are all imbeciles, and cannot in the nature of the case ever attain to soundness and sanity.

The other patient chargeable, Samuel Gipps, of the Parish of Kedington Hamlet, we did not see, as he is boarded out. This is due to the congested state of the Institution; but this difficulty will be overcome before long as a New Asylum is being built at Colchester to accommodate 1,100 persons, and it is hoped that this building will be ready in about a year's time.

We found everything quite satisfactory and have nothing but praise for the kindness, care and patience of the doctors and nurses of this Institution.

> (Signed) A. MCKECHNIE, HARRY CROW.

# REPORT

15

OF THE

# MEDICAL SUPERINTENDENT

#### For the Year ending December 31st, 1912.

#### To the Committee of Visitors of the Essex and Colchester Asylums.

GENTLEMEN,

I beg to submit my Annual Report for the year 1912, with the usual statistical tables.

The number of patients at this Asylum and Branches at the end of the year was 1,895, an increase of 55 on those remaining at the end of the previous year.

The admissions for the year numbered 753, being 46 more than were admitted in 1911.

The average number resident was 1,880.

The percentage of Recoveries to Direct Admissions was 25-14.

The percentage of Deaths, calculated on the average number resident, was 19'09. This is a very high percentage. It was largely contributed to by persons admitted in a very feeble state of health, and dying shortly after admission, and also by a large proportion of senile cases. (See Pathological Report.)

The chief causes of death were :- From Tuberculosis 29. General Paralysis 54, Epilepsy 34, Pneumonia 44, and Bright's Disease 38.

But although these are factors in causing our high death rate undoubtedly the main one is the withdrawal from our population of healthy able bodied patients to be boarded out at other Asylums.

There are 800 at the present time of our patients in other Asylums and they have been selected from among the healthiest of our inmates. There were six Inquests during the year :-One on a woman of 25 years, who had taken spirits of salts before admission and died one hour after admission. A second on a man of 41 years, who died from Exhaustion of Mania. A third on a male criminal patient, who died a few hours after admission from Uraemia. A fourth on a man who died from Cerebral Hemorrhage after a fall during a fit. A fifth on a man of 65 years of age, who died from Subdural Hemorrhage; and the sixth on a youth of 19 years, who died from collapse of lung, following rupture of an abscess in the lung.

There was an outbreak of Dysentery and Diarrhœa at D Block lasting from January to October, chiefly among patients of faulty habits. 19 in all were attacked by Dysentery, 11 of whom died, and 22 by Diarrhœa, which caused three deaths.

STATE AID FOR SCIENTIFIC RESEARCH IN MENTAL DISEASES.

A meeting was held at the Guildhall on December 5th, in connection with this subject, when the proceedings were opened by the Lord Mayor of London.

There was a large assembly of alienists from all parts of the country, the Lord Mayor of Cardiff taking the chair on the departure of the Lord Mayor of London.

Dr. Turnbull and myself were deputed to attend the meeting, and we were accompanied by Mr. Dent.

A resolution was unanimously carried declaring that State Aid in the form of grants is expedient for research directed towards the prevention and cure of insanity, and for the establishment of clinics in which early cases could be both treated and studied. A deputation was appointed to wait upon the Lunacy Commissionersand the Home Secretary.

There can be no necessity to labour the point of the desirability of Medical Officers of Asylums taking an intelligent interest in their work, and more especially of engaging in researches likely to shed light on some of the complicated problems of insanity, but the difficulty is to find out a practicable and efficient means for doing this. In the past much good work has been done without assistance from the State and with no extra expense to the ratepayers. But such work is becoming increasingly difficult with our measure of knowledge. And at the present time it is not pathology only that is called for, but clinico-pathological, biological, bacteriological and other aids, all meaning expense and necessitating special knowledge and training.

Although State Aid for special lines of research could be usefully applied in this Asylum, I should like to see a Central Laboratory on the lines of that at Claybury, which has so amply justified the expense incurred in its establishment by the work it has produced under the able directorship of Dr. Mott ; and now that there are three large Asylums for the needs of the County, such an establishment could be run economically-yet of course it would cost money, and add to the rate of maintenance; therefore the question inevitably arises-in the mind of the ratepayers or in that of their representatives, the Committee-What are we going to get for this money? To this I would answer-Nothing at present. I believe the first result of increased knowledge of lunacy would not be to increase the recovery rate, which is what the lay mind looks at, but rather to diminish it. But the recoveries would probably be more worthy of that name, and the term would come to have a more precise and limited significance than at present.

I cannot hold out any certain hopes that we should even eventually, cure more insane or prevent more persons from becoming insane; all I can say is that if such things are possible, the best way of arriving at them is by the scientific route.

In my opinion we should not be asked to produce immediate and definite results from our researches. The most that should be said is that all knowledge is desirable apart from its immediate practical utility, and that it must be taken for granted that an increased knowledge of the causes and symptoms of insanity would be sufficient to justify the outlay. The old observers who set out to find the transmutation of the base metals into gold and the elixir of life, spent endless time and money in their researches and succeeded in neither. But modern chemistry is largely the outcome of their misdirected endeavours, and it is unnecessary for me to attempt to enumerate the benefits that the present generation owes to the labours of the chemist.

The Ex-Lord Mayor, Sir Thomas Crosby, in his remarks to the meeting, spoke very disparagingly on the subject of postmortem examinations. The impression made on my mind from his speech was that these examinations were unnecessary, and that nothing had been learnt from them. I think it is most undesirable that such an impression should get abroad without a word of protest, as there is already much difficulty in getting the consent of relatives to these examinations.

There is far too great a tendency nowadays to regard pathology as a played-out branch of science. Of course the making of postmortems is not the be all and end all of research—no one ever supposed that it was. It is only one means of gathering knowledge of our speciality. Every means at our disposal are required, and not one can be dispensed with with profit.

We have learnt very much in the past from observations made on the tissues of dead bodies, and much still remains to be learnt.

Some, I might almost say all, the most illuminating researches in the past quarter of a century have been founded upon histological studies of human tissues which necessitate the making of autopsies.

It is also due to the examination—naked eye and microscopic —of the tissues of the insane that our conception of insanity has been broadened, so that we are not only able to affirm as Sankey did years ago that a lunatic is a lunatic to the tips of his fingers, but to produce evidence in support of this dictum. I believe that there is an anatomical basis for every case of insanity, although at present we can only discover it in a large percentage of cases. There is no desire on my part to underestimate the value of other lines of study. It is to some of these that we shall probably be indebted for preventive and curative measures. All I desire to emphasise is that we cannot afford to dispense with a thorough knowledge of the anatomical structure of the body in health and in insanity. Doubtless in the future subtle cell changes now unrecognisable will become recognisable. At this point there is a fusion of bio-chemical with anatomical changes, but under whatever name we choose to call them, they will necessitate the making of post-mortem examinations and the histological study of the different tissues.

So many important observations are buried in Asylum records that, to rescue some at least from oblivion, I have this year added a report of some Clinico-Pathological and Pathological work done during the year.

This, I believe, will be found of use to those interested in the study of Insanity, and its usefulness would be increased if other Asylums would adopt a similar plan.

The Institution was visited by the Commissioners in Lunacy on the 20th and 27th of February.


On the 19th of June the East Anglian Branch of the British Medical Association held their annual meeting at the Asylum, when a large number of neighbouring medical men and their wives attended and visited the different wards.

In October the quarterly meeting of the Medico-Psychological Association was held here, and the president (Dr. Soutee) attended.

I greatly regret that, owing to serious illness, Sir John Roberts has not been able to attend the Asylum for some time past, but am pleased to say that at the date I write this he is much better, and there seems a good prospect of his renewing his work on the Visiting Committee. His absence is felt as a serious loss by all with whom he works, and who are in a position to appreciate the value of his services to the Institution.

I have to thank all my colleagues for their hearty co-operation in the work of this Institution.

JOHN TURNER.



#### TABLE A 1.

GENERAL TABLE showing the movement of the Asylum Population during the year 1912.

				CEI	RTIFIED	PATIE	NTS.	
			M.	F.	э.	M.	F.	Т.
On the Asylum Register 1912	s, January 	1st,	718	1123	1811			
Total cases admitted du	ring the ye	ear	382	371	753			
Total cases under treatm year	ent during	g the				1100	1494	2594
Cases discharged or tran the year—	sferred du	ring 						
Recovered			94	75	169			
Relieved			30	71	101			
Not improved			23	47	70			
Died during the year			176	183	359			
Fotal cases discharged and died during the	l, transfe ye <b>a</b> r	rred	S			323	376	699
On the Asylum Register 31st, 1912	ers, Decen	aber				777	1118	189
Average daily number of during the year.	the Regis	sters				747	1133	188

CERTIFIED PERSONS (i.e., separate persons in contradistinction to "cases" which may include the same individual more than once).

					М.	F.	т
Certifie	ed under care o	luring	the year	 	1098	1492	259
,,	admitted	,,	,,	 	380	369	7:
,,	recovered	,,	,,	 	92	75	10

																			LE /															-1	
	Show	wing t	he Ad				rges	, and		_		he m	ean A	Innua	l Moi	rtality		10 32												nce the	openi		rcentage		
Years.	A	Admitte	d	Tota	l No. u	nder nt.	Rec	overed		Relieve		Not im	proved		Died.		31st	t Decer each	mber	Ave	tesiden	umber	I	rcentage lecoveri admissi	68	Re	rcentag coveries et Admi	on	eries y	ielded by rect Ada	y and on	Death	s on Av	rerage	Years.
From Sep. 23rd 1853, to Dec. 25th 1912.	Males	Females.	Total.	Males.	Females.	Total.	Males.	Females.	11.1	Females.	Total.	Males.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females	Total.	Males.	Females.	Total.	From Sept. 23ed, 1853, to Dec. 25th, 1912.
1544 1555 1857 1858 1859 1864 1864 1865 1866 1866 1866 1866 1866 1867 1857 1857 1857 1857 1857 1857 1857 185	204 204 204 204 204 204 204 204	2355 664 855 711 712 717 717 717 719 191 192 719 719 192 719 719 719 719 719 719 719 719 719 719	439 1220 134 135 135 135 135 135 135 135 135 135 135			22070	107 138 131 122 86 94 144 164 154 124 133 150 121 142 101 115 142 101 115 142 101 115 142 101 115 142 101 115 142 144 144 144 154 154 154 154 154 154 154	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	0 30 56 7 5 3 2 0 3 5 1 0 5 6 5 2 8 0 1 8 0 6 4 7 0 2 6 6 6 7 5 4 0 9 0 8 5 9 4 4 8 4 8 5 4 8 5 4 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6 48 7 66 4 74 4 5 <b>3</b> 0 82	60 2 43 67 64 83 67 92 65 101 74	2 1 2 1 1 2 0 2 1 1 1 1 4 0 2 1 4 0 1 1 4 9 0 1 1 4 5 2 2 1 1 2 0 2 1 1 1 1 4 0 2 1 4 0 1 1 4 9 0 1 1 4 5 2 2 0 7 8 2 4 7 3 2 5 2 1 1 2 0 2 1 1 1 4 0 2 1 4 0 1 1 4 5 2 2 0 7 8 2 4 5 1 4 5 2 2 0 1 1 0 5 0 1 1 1 1 1 1 1 3 3 3 3 3 3 3 3 3 3 3 3	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	58 20 20 21 15 20 21 15 20 21 21 21 25 20 21 25 20 20 25 20 21 25 20 20 25 20 21 25 20 20 25 20 25 20 2	200 283 1311 202 224 2319 1222 232 233 232 233 233 233 233 233 23	78 438 522 538 54 54 55 55 55 55 55 55 55 55 55 55 55	124 1359 1466 20 2010 10 2010	183 1955 214 224 224 2252 2262	334 370 399 406 419 447 467 488 521 555 573 599 599 599 606 605 7731 7798 803 7788 803	130 129 1496 1355 1496 1355 2557 2555 255 255 255 255 255 255 255	173 193 207 2300 297 230 200 200 200 200 200 200 200 200 200	303 322 3333 3883 3883 3885 3885 3885 3885	9804 444978207787787787787744888990 555505991435555555555555555555555555555555555	18.64	1000	31-26 	223018 22205	00000000	38100 28512	2013 2014 2014 2014 2014 2014 2014 2014 2014	20-22 29-25 29-25 29-25 23-51	446 1357 1099 1600 825 1292 825 11292 825 11292 825 11292 825 1292 1292 1292 1292 1292 1292 1292 12	1155 1458 1468 1688 1694 1070 7744 1070 7755 1077	19-09	1854 1854 1855 1857 1858 1858 1865 1865 1865 1865 1865 1865 1867 1867 1867 1875 1876 1890 1900 1900 1900 1900 1910 1911 1912 1912 1912 1915



TABLE B 1.

•

Analysis of the Admissions during the year 1912 (excluding Voluntary Boarders).

	Cor	Congenital.	tal.				Α	Acquired.	_;					TOTAL.	
Classes of Admissions.		,		Fir	First attack.	.k.	Not	Not first attack.	tack.	Unkn first a	Unknown whether first attack or not.	nether r not.			
	м.	н,	н.	M.	F.	т.	м.	F.	н.	м.	F.	т.	м.	н.	ŗ.
Direct	36	31	67	231	232	463	59	70	129	9	7	13	332	340	672
Indirect Statutory re-	4	61	9	33	21	54	6	2	14	ŝ	I	4	49	29	78
admission	:	:	:	:	61	61	:	:	:	I	:	I	I	5	ŝ
Total admissions	40	33 73		264	255	519	68	75	143	IO	8	18	382	371	753

B 3




TABLE B 2.

Showing the duration of the present attack of Mental Disorder on Admission in the Direct Admissions during the year 1912, and stating (in those not congenital) whether First Attack or not (Voluntary Boarders excluded).

					.(mannana).	./								
-			-				DIR	ECT AI	DIRECT ADMISSIONS.	NS.				
	Duration of Mental Disorder prior to Admission.		First a	First attack.		Not f	Not first attack	ack.	Unknown first attack	Unknown whether first attack or not.	r not.		Total.	
		м.	F.		T.	M.	F.	т.	м.	F.	T.	м.	F.	н.
	Less than 2 weeks		6	0	80	22	13	35	I	N	m	83	35	118
-	2 weeks and less than I month	30	8	8	38	4	13	17	:	61	61	34	23	57
-	I month 3 months	45	ŝ	3	78	18	21	39	:	5	5	63	56	611
-	3 months 6	I6	61	2	43	ŝ	6	12	:	:	:	61	36	55
-	6	ei	3	I	50	5	3	00	•	:	:	24	34	58
-				4	IO	I	I	61	:	:	:	2	ŝ	12
-	12 ., 18	ei	4	20	44	H	3	*	:	:	:	20	28	48
-	18 ., ,, 2 years	9		3	12	:	I	I	:	:	:	6	4	13
-	2 years 3	II	I	00	29	5	5	5	:	:	:	9I	20	30
-	3 5	7	H	4	21	:	I	I	:	:	:	2	15	22
-		5	ŝ	4	39	:	5	61	:	н	I	5	37	42
-	IO ., ., I5	:	H	5	15	:	:	:	:	:	:	:	15	15
-	:	:	•		:	:	:	:	:	:	:	:	:	:
	Duration unknown		:		4	:	I	н	22	:	5	6	I	IO
B 4	Congenital cases	:	:		:		:	:		:		36	31	67
and the second second	Totals	. 231	232		463	59	70	129	9	2	13	332	340	672




A. Direct		-	-	_	_	a.)	clude	lers e	Boar	otary	Volun	. (1	sions.	Imis	Ad	irect	e Di	of th	ases o	al C	ngenit	e Co		_	_		200	gro	nsfers	Tra	t and	Dire	ions, i	lmise	e Ad	in th	sion,	\dmis	on .	itate	Civil S	und (	es at	e Ag	og th	owin	504	-	-	-			-	-
A Direct and Transferg       a       a       b       a       b       a       b       a       b       a       b <th>Total.</th> <th>-</th> <th>5-90.</th> <th>8</th> <th>.84.</th> <th>80</th> <th>79-</th> <th>73-</th> <th>74-</th> <th>70-7</th> <th></th> <th>-69.</th> <th>65-</th> <th>Т</th> <th>-64.</th> <th>60</th> <th>1</th> <th>-59-</th> <th>55-</th> <th>1</th> <th>50-54</th> <th>1</th> <th></th> <th>-</th> <th>-</th> <th></th> <th>1</th> <th>39-</th> <th>33-1</th> <th>Т</th> <th>-J4-04</th> <th></th> <th>-22.</th> <th>25-</th> <th>T</th> <th>20-24</th> <th>1</th> <th>-19.</th> <th>13-</th> <th>-</th> <th>ρ—Σ4.</th> <th>1</th> <th>n 10 age.</th> <th>ss than irs of a</th> <th>Les</th> <th>18.</th> <th>e age</th> <th>orage</th> <th>Ave</th> <th>-</th> <th>в.</th> <th>nissions</th> <th>of Ad</th> <th>lasses</th>	Total.	-	5-90.	8	.84.	80	79-	73-	74-	70-7		-69.	65-	Т	-64.	60	1	-59-	55-	1	50-54	1		-	-		1	39-	33-1	Т	-J4-04		-22.	25-	T	20-24	1	-19.	13-	-	ρ—Σ4.	1	n 10 age.	ss than irs of a	Les	18.	e age	orage	Ave	-	в.	nissions	of Ad	lasses
A. Direct	H. F.	т. м.	у.	м.	π.	м. р.	τ.	M. F	T.		т. м.	. T	м. у	T. 1	.   T	ı. y.		1	M. P	T.	P.	м.		M. F.	Ŧ	¥.	м.	T.	. <b>r</b> .	т. з	¥.	м.	. T.	м.   1	τ.	y.	м.	. T.	M. 1	r. 1	P. 1	м.	¥.	P	м.	7.		7.	M.					
central       Constrained         B. Direct and	1 <sup>2</sup> 33 <sup>8</sup>	3 342	2	1	5 5	3	19	7 1	30	6 23	37 16	и 33	16 2	39	4 3	5 14	5 23	3	27 21	67	32	35	2 68	36 31	70	33	37	71	3 38	73 3	36	37	7 34	27	55	25	31	8 17	9	3	1									nd	et and	- Dire	issions ers gr	Admi
Classes of Administon. Single. Married. Wildowed. Unknown.										2 223			100	20		. 1	100			100		6 833			1000		1000			100				1000							1000			1992	100						bea	trect as	A. 1 B. 1	
M.     F.     T.     M.     F.     T.     M.     F.     T.     M.     F.     T.       Total Administors - Tirrect and Transfer grouped     13     13     19     37     16     10     32     30     56     6     3     9       Congenital CasesA. Direct <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th>T. 9</th><th>5 3</th><th>т. ж. 86 (</th><th>dowe 7. 56</th><th>W? м. 30</th><th>ied. T. 328</th><th>Marri  8 16</th><th>т. м</th><th>F.</th><th>м.</th><th>and </th><th>Direct</th><th>as — 1</th><th>visil</th><th>d Adr Tran</th><th>-</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>																			T. 9	5 3	т. ж. 86 (	dowe 7. 56	W? м. 30	ied. T. 328	Marri  8 16	т. м	F.	м.	and 	Direct	as — 1	visil	d Adr Tran	-																				



																														1	Ages	in ç	Quine	quen	inial	Per	ods,																												Τ					1
	Civil State.	Less	that s of a	n 10 kge.		10-	-14.			15-	19.			0-1	24.		25	5-29	9.		30	-34			35-	-39-		4	44	-		45-	49-		54	0-51		1	55-	59.		60	-64			6 <u>5</u> -	69.	1	70	-74		75	5- 79	2		80-	84.	1	85	-59		Age	e uni	know	m.		Tot	tals.		
	A Company	м.	Ψ.	T.	м.	. ,		τ.	м.	¥.		r.	м.	¥.	T	. ,	м.	¥.,	π.	м	-	r.	т.	м.	7	. 1	E	м.	γ.	т.	м.	1	T	r. 3	м.	¥.	т.	м.	у.	T		. 1	¥.	τ.	м.	7.	1		H	P.	т.	м.	¥.	т.	м.	γ.	T.			¥.	т.	м.	1			м.			т.	
#	Single	1		1	1		1	3	6	14			18		3					100																3		1.00			7	2	3	5 .8	3	1		4	2 7	1	3	1				1	1						1			89			166	l
Attack Cas	Widowed																				1	1	2	1			3		5	5	1	1		2	2	6	8		3		3	•	2	6				2	1	п	11	3	5	8		1			T		I					16	3	8	241	
Pires A	Totals	-						-	-	-	-	-	-	-		+	-		-	-		23			+	-	+	-				-	-		-	17	-	-	12	-	-	+	-			-	-	-	1	18		_	10	-	-	-		-					-		-	-		•	2	
- Internet	Single									1			5		3	8	2	0	40		3	6	40	2	1	1	3		-1		T	1	1	7		-7	2	1 2	1		5	-	1			1		1		2	29		10	10		1.		. ] .							•	231		2	463	
N.	Married													-			*	2	3			4	5				600				1.00	81.00				3							100			10.0		4		1	1	1 1														37		14	71	
a Demi	Unknown					•					•				•						•											•	• •				**			•	•						•	-		:	1	••					• •		•									I	:	
No. and	Totals						]						5		•	0	3	8	11		•	10	14			6	10	12	8	20	1	7	6 :	:3	10	5	15	6	1	1	2	5	3	8		1	>	9		5	5	2		1 =			-							•		59	2	0	129	
\$1-30-A	Totals of First-Attack & Not First-Attack Cases	1			I	2	1	3		5	15	21	=3	2	2	15	23	33	31	5 2	17	33	60	33		26	59	37	32	71	3	2 3	0 0	62	31	22	53	D	1	8 3	37	23	14	37	8	1	9 3	7	11	23	34	8	10	13	3		•	7			=					290	30	12	592	
	The Ages on First-Attack in the Not-First-Attack Gases		++				1	1	-	2	8	10	7	1	3 =	10	6	11	17		5	1	6	1			19	12	3	17		5	3	8	5	7	12	2		-	=			r			T	1				2										4		9	13	59	2	10	129	
								12		had	1.11	male	OUR I	atta	ck				N	unte		Pro		Atta	achi,	. da 1	he N	ot-F	int-i	\$ these	h Di	net a	t dail	raine	s, ka		to ka	ue de	era In	uted	10 m	courr	y in	an I	nitit	utica			lan.				M			P. 41		Ŧ. 87							T					ľ
								н	ave l	had	2 \$1	rech	015	atta	cks																																							5		15		23												
		1													inas				ias a	unc																		2																				19												

#### TABLE B 4.

Showing in the Direct Admissions during the year 1912, excluding the Congenital Cases and the cases " Unknown whether First Attack or not "--(a) The age at commencement of the Present Attack of mental disorder in both the First-Attack and Not-First-Attack or not "--(a) The age at commencement of the Present Attack of mental disorder in both the First-Attack and Not-First-Attack cases, respectively arranged according to their civil state ; (b) The age on First-Attack in the Not-First-Attack cases, and (c) A statement of the number of Previous Attacks in the Not-First-Attacks, known to have been treated to recovery in an institution or elsewhere. (Voluntary Boarders excluded).



Showing the Form of Mental Disorder on admission in the Direct Multilissions and Analysia united with (Voluntary Boarders excluded. year 1912.

31 42 753 32 H : " : " Total. 19 : 19 371 44 13 : н E. 382 17 23 N. : 151 : 41 : : : : 44: 1 2 4 : 3 2 2 1 : WH 4 4 ::01: : : : 09 81 H Transfers. н с : : H (1 : 0. 10 : ннаю: : 4 1. : : NH 31 -- ~ : 10 4 H : 4 :0 ... 1 21 20 ×. : 01 : : н : : : : : 1 Direct admissions. 672 38 н : H 09 I : H. 340 133 12 : 1 : È. 16 10 332 221 440 ::400 : : 34 : : : : н 4 4 W. { a. Systematised ... . : : : a. Impulse b. Obsession Insanity with grosser brain lesions I. Intellectual  $\begin{cases} a. With epilepsy ... \\ b. Without enilance. \end{cases}$ General paralysis of the insane ... Doubt .. : : : : : : : : : : Senile Secondary 6. Recurrent Melancholia { b. Chronic Insanity with epilepsy.. : : c. Recurrent .. : : : : a. Recent . Forms of Mental Disorder Confusional insanity b. Chronic Chronic Alternating insanity Delusional insanity Volitional insanity Primary dementia 5 a. : Acute delirium Moral insanity Totals Dementia Stupor Mania Moral IO. II. 12. 13. 14. 6 1.00 4 m h °. ei tal deficiency (idiocy or im-pecility) occur-ting as it can be life as it can be observed. Insanity occurring later in life. -uəuı alitantile Congenital or

B 7




#### TABLE B 6.


Symbol. First Attack Cases Total Direct Admission, exclud-ing Congenital Cases. Age at commencement of the Mental Disorder. division. Name of Occupations. Sub-Group. Not-First-Attack Cases. Unknown-whether First-Attack-on-not Total. dano. 75 and upwards Not 10-14. 15-19. 20-24 25-34-35-44-45-54- 55-64. 65-74 M. 1 2 м. м. M. I Z I I T. . . . . . I T. I Z I I ï ..... ... I 2 . . . . . . . 10 10 3 2 \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\* -----ï ......... \*\*\*\* Editor Clerk in Holy Orders Engineers 31 ... 1 Engineers Architect and Surveyor Musician Artist Waiters 40 ....... Walters Domestic Servants Charwomen . . . . Laundresses Commercial Travellers.. Accountant Cerks . . . . . Marine Steward . . . . Marine Steward . . . . Railway Forter . . . . Cachmen . . . . Chauffeur . . . . Chauffeur . . . . . ... •: 3752219111 422191114517311 4 5 2 2 2 3 4 2 2 3 4 2 7 9 1 10 2 1 4 3 2 3 4 3 2 3 4 5 2 15 1 7 8 2 1 4 2 2 5 2 5 7 11 4 15 10 9 8 2 4 6 8 9 11 10 18 2 5 7 1 5 1 HERENARABARA GOUL ·... 7 III ........... ï 40 H 9 5 H 8 H 8 3 9 H 1 ..... 7311 Packer ... Porters ... Telegraphist 1 ï ..... Farmers ... Farm Labourers Gardeners ... Dredgerman ... Coal Dealer ... Stone Sawyer ... Pattern Moulders Blacksmith's Striker 17 9 : 28 9 4 . 1 4 ï III SISIIII SISI IKKKKKKKLMMMMMMNNNNPPQQRSSSTTTTTTTTVVVVVVVVVVVVVVVVXXXXXXXYYYY Maker 111111 nemith ... bat Builders heelwright Boat Builders ... . Noelwright ... Budiders' Labourers ... Bricklayers ... Bricklayers ... Bricklayers ... Carponters ... Prinners ... Cabinet Makers ... Cabinet Maker ... Chair Maker ... Chair Maker ... Chair Maker ... French Polisher ... French Polisher ... French Polisher ... Prinner Sotter ... Prinner Sotter ... Printer Sotter ... Factory Hand ... Draper ... Milliners ... Tallors ... Seamstresses ... Tie Cutter ... Boot Regairers ... Hair Dresser ... Dressmaker ... Clothier and Outfitter Milk Caarler ... Provision Dealer Buchers ... Foolseers ... Miller's Foreman Bakers ... Grocer's Assistant Grocer's Assistant ..... 222232371 - baaxaxaaabababcaaboo sixaaaaaaaaaaaaadddabccadddaaaaaa ....... ..... 331 #111111: +11: : : S S I N I N I I . . . . . . . . . . . ï \*\*\*\* .... III · · · · · · · · · · . \*\* \* . \*\* MH 4113 . 2 . 1 42 . . 1 16 21 511 . . S111 . 40 2216 27 5341 . 2 1111日1日1日1日1日1日1日1日1日1日日1日1日1日 . 1 2 1 . . . . . 4 2 1 3 = ........ 211111431 4821116315111161111 ........ ·: Miller's Foreman Bakers Grocer's Assistant Greengvoor's Assistant Aerated Water Bottler. Barmen Gas Works Labourer Gas Works Labourer Shopkeeper Shopkeeper Labourers Firemen Mechanic Retired Brickmaker Pensioners 12 311 31111 ............. ·:-2 511114<u>361216</u>49 . . . . . . . .27 : 330 I Z I 31231244 10 502218 ..... ·:-1 18 3 Pensioners ... No occupation ... Housewives ... 6 9 4 24 ·6 18 21 15 15 20 29 21 151 Totals .. 231 6 232 463 59 129 70 7 13 296 605 309


Showing the Occupations of the Direct Admissions, excluding the Congenital Cases, during the year 1912, distinguishing between First-Attack Cases, Not-First-Attack Cases, and Cases Unknown-whether-First-Attack-or-not; and, in respect of the First-Attack Cases, arranged according to the age at Commencement of the Mental Disorder. (Voluntary Boarders excluded.)

N.B.-It is not intended that all the groups and sub-groups should appear in each Asylum's Table, but only such as are represented by individual occupations among the cases under Report.



Showing the Ætiological Factors and Associated Conditions assigned in the Direct Admission Computing Computing Compu												First-A	Hack C	upen.		-	T		х	a-First-Ar	tack Cas	et		T	C	ases Unk	nove-el	bether-F	lest-Act	uck-or-a	06.	1			field Dir	ect Ada	nimiona		
JETIOLOGICAL FACTORS	Ity	incipal		Coars	chatory				1	Macipa	4	Cost	uribator	y.				Frincip	a.	Contril	atory.				Princi	pot.	Co	anibetos	7.				Tota Princi	il pal.	Con	Total	·.		Iner
AND Instances where Total In										ances o arded a stial or factor.	s the	Instan regard reloate	ed as a cy facto ed cond	000-	Inch	tal Sence. I	100	etances ignided i sential er factor	s the chief	Instance regarded tributory sociated	as a con-	1	Total scidence.	1		be chief	regar tribut	tod as a ory facto ind com	COB-		fortal identen.	1 1 1	otal inot ore rego mentical facto	unled as	where constril or a	d instance regards butory fo sourcease redition.	od as lactor od	-	foral Identita
	1.	P.	7.	M. ].	9.	π.	×. [ ]	e. 7.	1		9.	н.	F.	T.	H.   P			1.	1	м. Р	1.1.	M.	¥. [	E.   N	r.	T.	ML	н.	¥	M	P. 9		×.	9.					
andity installing cousins, nephews, sisces, and offspring).		4.4		3	9	=	8	9 11	1			yı a	30	45	12 1	10 8				10 JA		15 3	34 3	30											24	005	259 F4	8 1	6 1.5
Neurons (including only Hysteria, Neurasthesia, Spasmodic (Edupathis) Astlana, and Chorea)								1 1 10	1			1.12										1.1.0	-																115
Alexhelism or an evented by mini Instability, as revealed by a. Congenital Mortal Telect, not assumating to Imberility												1	17	15	1 .	17 1		1.0										x	.1						5	**	87	3	22 27
permition of Special Sense. . Hencing . Stath																	: ::							: :								: :							: :
entral Periods. 5. Publicity and Adolescence	111											**	36	22 16 50	· 1	13 3 16 9 14 9					6 1 11		6 1 9	6											 13	(1) (1) (1)	18 17 69		88 81 17 51 54 61
dd Dearlog A Progenery									111				19.4	304		194	111						1	1 11				2.								4	4 1 4		4 1
and Seens. J. Sudden									1.11			ï	:	13		: .	1 17		·:		1			-										iii	7	1	1 5		* 3
Syndrogical Deletts and Errore. Malautration is early file (signs of Rickets, He.) Privation and Sourcentes									11				1. 1.																			1.17				1.4.2	1 * 1		
Control control physical     Active data and a second data an						******			30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		9,1 × 1 × 19 1	18 1 1 1 1 3 1			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				141-1110		911181			1										1 11 + 1 + + \$	81 1 1 1 1 N 1 N 1	w1 + + + 1 1 6		1.41	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
namele. L fejetes 8 Operatures									- 11		-		-	1	:					2 :				****											л. 11 11	1	-		*
Constant of the Revealer System     Contrast Verses     Contrast     Contrast Verses     Contrast     Contrast Verses     Contrast     Contrast Verses     Contrast     Contrast     Contrast     Contrast     Contrast     Contrast     Contrast		111	- 11 -	-			1 1 2		415 1		14 13		1.00.1	113 1	415 .								1 0 1 0									1 10 1 10 10		10 11 10	- 1 1 -		4	15	
Pepannoce Antima, ann Carrin, Ac.) 1. Horner Colling, ann Carrina, Ac.) 1. Conference System (Anamia, Ac.) 1. Conference System 2. Variour Heart Disease 2. Conference Antimeter (Conference) 4. Distant and Various (System) 4. Conference Antimeter (Conference) 4. Conference Antimatin (Conference) 4. Conference Antimeter (Confer									1111 -				1 mm 1	7.5-									1 1411	11.01		1111									1111	1 + 841	7		
Coses in which no Principal Pacter could with certainty and nod, but in which one or more factors were assortabled, a were retrieved as contributory			30 15	-					0 40	184	1 1000						18			-												61		33H 105					-
None Assignable, norwithinsteining the reserve and construction									40		100.0						1		0													32	31						
Totals		31	47	Total	Conger	Inte			231	131	463	Total	Piests Cases	Lttack			39	2 70	129	Total N	ot-First-J	Attack			0 7	- 13	Tota	d cases t	Unknow Mark-or	th-which	er-First	33	349	670	Admi	Direct			






	a de la como			11. 1514	
		- 1		** -	
					1.1.1.
					. 1
				11	
					1 :
v 4			 1.9	 	
			 1.1		
		1.0			
				1	

#### TABLE B 9.

Showing the GENERAL PARALYTICS in the Direct Admissions during the year 1912, arranged according to their ages at Commencement of the Attack and to their Civil State, and also the number of instances in which the attack was ascertained to have been preceded by Syphilis, together with the age at which the latter was contracted.

										A	ge at	Com	meno	emer	at of	the A	ttacl	k of C	Gener	al Pa	ralys	is.											W	th posi	itive
	Civil Sta	ite.	υ	Inde	15.		15-19	<b>)</b> .	2	10-2.	4.	2	5-3	ŀ-	3	5-44	<b>t</b> .	4	5 - 5	4.	5	5-64		65 v	and u	ap-	U	iknov	wn.		Totals.			vidence Syphili	
			м.	¥.	т.	м.	у.	т.	м,	¥.	т.	м.	¥.	т.	м.	¥.	т.	м.	у.	т.	м.	¥.	т.	м.	¥.	т.	м.	¥.	т.	м.	¥.	т.	м.	¥.	т.
Single Married Widowed Unknown		::		::	1::	::::						43::	 I I I	4 4 1 1	4 14 	 2 	4 10 	2 15 1	 I I	2 16 2	****	т  	338:						::::	12 35 3	I 4 2 I	13 39 5 1	2 2 	I 2 I I	3411
	Totals			1								7	3	10	18	2	20	18	2	20	7	I	8							50	8	58	4	5	9
Syphilis, c c   	in a a a a a a a a a a a a a a a a a a a	orior to age 25 25—34 35—44 45—54 at or after age at age unknow					··· ···					·· 1 2 1			:			: 54 : : : :					::::::					::::::	00.000	 6 1  3		 10 6 1 3			

B 11



### TABLE C 1.

An Analysis of the Discharges and Transfers during the year 1912. (Voluntary Boarders excluded.)

		and the second second		The second second second			Canal Statement and		AND A DESCRIPTION OF THE OWNER	THE OWNER ADDRESS OF TAXABLE
		М.	F.	Τ.	М.	F.	Т.	М.	F.	Т.
Discharged as Recovered— From Direct Admissions. First-Attack Cases Not First-Attack Cases Cases unknown whether First Attack or no	  ot	54 25 9	50 18 2	104 43 11	  	 	 	 ::	 	
Total from Direct Admissions					88	70	158			
From Transfers. First-Attack Cases Not First-Attack Cases Cases unknown whether First Attack or no	  ot	·· 2 ·· 3 ·· 1	3 2	5 5 1	 	 	 	 		 
Total from Transfers					6	5	II			•
Total Discharged as Recovered					94	75	169			
		<u> </u>	1	1	1	Reliever	).	No	r Improv	ED.
Discharged (not recovered) as— Relieved Not Improved	::	30 4	71 2	101 6	30	71	101	4	2	6
Total		34	73	107						
Reasons for such Discharge— To go to care of friends		29 I  I 2 I	69 2  2  	98 3  3 2 1	··· ··· ··	  	  		  	  
Total		34	73	107						
Transferred as Relieved Not Improved	::	 19	 45	 64				19	45	64
Total		19	45	64						
Destinations of such Transfers— To other asylums, reg. hospitals, and license To "single care" Other destination	ed houses  	19 	45	64  						
Total		19	45	04						
Total Discharged and Transferred as-					1					
Relieved					30	71	101			
Not Improved								23	47	70
							Contraction of the state	and the second second	В	

B 12

. ....

#### TABLE C 2.

AGE PERIODS {	Lethar	255 n IO.	10-	-14.	15-	-19.	20-	-24.	25-	-29.	30-	.34.	35-	-39.	40 -	44.	45-	49-	50-	54.	55-	59.	60-	-64.	65-	69.	70-	74.	Gre	ater	ages is	n qui	nquer	inla.		nown		Total	
	М.	F.	м.	F.	м.	F.	м.	F.	м	F.	м.	F.	M.	F.	м.	F.	м.	F.	м.	F.	M.	F.	M.	F.	М.	F.	м.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	Т.
Age on Recovery					3	8	6	12	9	8	9	8	16	10	10	12	11	6	13	6	5	3	6		5	2	r										94	75	169
Total Length of this Attack of Mental Disorder.														Age	AT C	OMM	ENCE	MENT	OF 1	Rece	NT A	TTAC	K OF	ME	NTAL	Disc	RDES	4											
Less than I month											2																								I		3		3
1 month and less than 3 months					1	I	I		2		2	I	5		6	2	4		I		I		3					••		••				••	I		27	4	31
3 months " 6 "						2	2	4	3		2	3	6	4	I	2	4	2	4		I	I				Į,	I	••	••	••	••	••		••	••	I	24	20	44
6 9					I	3	I	5	I	2	I	••	I	2	I	5	I	2	2	I		I	I	••	I			••	••		••	••		••	I		12	21	33
9 12					T	2	••	I	I		••	2	2	I	I	1	••	I	2		2	••			2			••		••							п	8	19
					••	I	I		I	3	2	•••	••	I		I	••	•••	I	••	1	••	I	••				••		••		••					7	6	13
		••			••					••									I			••	I	••		21		••		••	••	••					4	2	6
				••	••	••	I	••		2	••	I	••	I		I	••	3		I	••			••	**	••	**	•••	• 3	••							2	9	11
					•••	••	••	I	••	**	•••	••	••	I	I			I	I	••	1			I				••		**							3	4	7
and the second se	1					••	••			**		I						••							**		**										I	I	2
Longer periods specified in guinquennia																																							
Duration unknown																																							
Totals					3	9	7	12	9	7	9	9	15	το	10	12	9	9	13	2	6	2	6	I	3	I	I								3	I	94	75	169
							-																															В	13

Showing in the Total Cases Discharged Recovered during the year 1912 the ages in Quinquennial Periods—(a) On Recovery, and (b) at the Commencement of the Recent Attack of Mental Disorder, arranged according to the Total Length of such Attack. (Voluntary Boarders excluded.)



## TABLE C 3.

Showing the Form of Mental Disorder, on admission, in those Discharged Recovered during the year 1912. (Voluntary Boarders excluded.)

	Forms of Mental Disorder (on Admission).*		М.	F.	т.	CONTRACTOR OF THE OWNER.
	Intellectual without Epilepsy		2	2	4	Non-
	Moral		I		I	Transmission of the local division of the lo
,	Insanity with Epilepsy		3		3	Name of Column
	General Paralysis of the Insane		2		2	ANA POR
	Insanity with grosser brain lesions			I	I	The local division of
	Acute Delirium			4	• 4	A COLUMN TWO IS NOT
	Confusional Insanity		28	5	33	
	Stupor			4, 2	2	
	Primary Dementia		II	5	16	
	(a) Recent	•	12	14	26	
	Mania (b) Chronic		2	I	.3	
	(c) Recurrent			6	6	
	(a) Recent		21	19	40	
	Melancholia (b) Chronic		2	I	3	
	(c) Recurrent			4	4	
	Alternating Insanity			I	I	
	Delucional Incenity (a) Systematised		9		9	
	belusional insanity (b) Non-Systematised			9	9 9 1	
	Alternating Insanity Delusional Insanity { (a) Systematised (b) Non-Systematised Dementia { (a) Senile			I	I	
	Dementia { (a) Senile		I		I	
	Totals		94	75	169	

\* The Terminology in Table B 5 to be used here as far as possible.




					First-A	ttack C	3368.						Not	First-A	ttack Ca	ses.				Cases	Unkno	wn-wheth	er-First-A	Attack-or	r-001.					Total	Recovers	Sen.		
	ÆTIOLOGICAL FACTORS	P	vincipa		Cos	cributor	y.				Prin	cipal.		Contri	ibstory.	1			P	rincipal		Contril	sutory.				Tota	I Princ	ipal.	Total C	ostribut	lory.	G	brand
	AND ASSOCIATED CONDITIONS.		rded as stial or factor.		regard tribut	nces wit led as a sry fact ed cond t	or or		Total tideoce.		Instance regarde resentia fac	d as th l or chi	ie ri	iparded ibutory	es where as a con factor o conditio †	e	Total Incidenc	e.	regar	nces wh thed as t tial or c factor.	he hief	Instance regarded tributory ssociated	as a con- factor or	Is	Total		where he cos	al insta regard ential c factor.	ied as or chief.	where a	instance regarded story fac sociated adition.	an been		Total
-		N.	¥.	т.	34.	¥.	т.	м.	F	r.   1	u.   9		r. 1	e.   P	r.   T.	м.	¥.	Ŧ.	м.	¥.	Τ.	м. Р	T.	м.	¥.	т.	м.	Ψ.	Τ.	м.	P. 3	т.	м.	¥.
	dity (excluding coasin, nephews, nieces, and offspring). Insane Epifepio Neurotic (including only Hysteria, Neurasthenia, Spasmodic (Closephic), Ashina, and Chorea) Eccentricity (in marked degree) Accelulism				13 1 	19	38 T 	13 1  8		33 1				7 .	5 11	1	5. 	12 I I .: 0				1 	:   ::	1  	I	*		11 11	11.11.	н а 		2	21 2  14	25  I  3
10	accounting ral Instability, as revealed by— Moral Deficiency Congenital Menial Defact, not amounting to Imbecility Eccentricity		111			1 * 1			1.0						1 1		т  								1  	1				:: 2 :	**	2.4.1		3 3 
-	Accounting	-																					:		:::					111				
	ical Periods. Poberty and Adolescence	1.1.2	::			7 1 1	7 1 1		7 1 1	7 1 1					4		4	411				:: :	: ::		1  	т  				111	12 1 1	1		12 1 1
	d Bearing. Pregnatory Posrperal State (not septic)					2 5 1	2 5 1		* 5 I	2 5 1								- 1.1				:: :								111	2 5 2	1 5 2		2 5 2
	ad Stress. Sødden	3.9		3 20				3 9		3								7	12.4			:: :	: ::				3 14	ï	3 15	::			3 14	•• 4
	Hological Defects and Errors.     Malsourition in marty life (signs of Rickets, &c.)     Privation and Starvation     Over-separities (Physical)     Maturbations					 										; 'i		1111																
	Sexual excess	16	1	17	3	4 : :	8	19	6	25-	10		10	3		3 13	**	13	•		6			6		6	32	T	33	6	5		38	6 
	Tuberculoss	111141	**		1 . 1			1.4.1.4.1								170100	2  								11111			11111				3.2 2 1	1 m 1 m 1	
	Other Toxina								2													: :	: ::											
	Departies									-		-									-							11	-					
	Leotens of Brain Leotens of Speinal Cord and Nerves Epispay Other defined Neuroses (limited to Hysteria, Neurasthenia, Spannodie, Asthma, and Chorea) Olior Neuronas which occerred in Infancy or Childhood			1011 101			114 1 1		10 H	1.04																								
	(imited to Convolutions and Night-terrors) er Bodly Affections. Ramopointe: System (Amernia, &c.) Cardia-vancular degeneration											2 2 2							1111												1 1 4			
	Internationary Rystem (excluding Tubercalonis) Gamo-laweid System Generative System (excluding System) Generative System (excluding Systellis) Other General Affections, not included above (e.e. Diabetes, Myrandema, Ac.)																		1 1 1 1										111 1	111			1111	
	es in which no Principal Factor could with certainty be assigned in which one or more factors were ascertained, and were	13	48	61			-	-		-	7		18							1	1						20	60	80		-			
	e Assignable, notwithstanding full History and Observation	3	4	9							3	7	10						1	 I	1 3						9 11	11	10 13					
	e Ascertained, History defective	7		7	( Total	Cases	Attack			-	-	-		Total N	Sot-First Cases.	Attack			10	3	12	f Total ca	ses Unkn Attack	own-who	ether-F	inst-	94	-	169	( Total	Direct reries.			

TABLE C 4. Showing the Reiological Factors ascertained in the Recoveries during the year 1912, distinguishing between cases-First-Attack, Not-First-Attack, and Unknown-whether-First-Attack-or-Not. (Voluntary Boarders excluded)

B 15

† An several factors with have somethines been entered in these columns in respect of one case, and, on the other mans, there may hav a All cases indirects in have sourced, an any time in their lines, from Syphila have been entered.
[1] The figures in this column, as far as the end of Group L, should be repeated in Table B 8 in the column similarly marked




#### TABLE D 1.

Showing all the Causes of Death that entered into the Deaths during the year 1912, arranged as PRINCIPAL, CONTRIBUTORY, and Totals of these; also the number of times each Cause (whether Principal or Contributory) was associated with certain selected Causes and the number of occasions each principal Cause of Death was verified by Post-mortem Examination (Voluntary Boarders excluded).

Names of Causes of Death.	re	nstance when turned rincipa	as	No. veri- fied P.M.	re	nstance when turned ntributo	as	I	Total ncideno		of De Pulm	eath (wh	d the s Ger paral	correlat acting a subjoint neral ysis of nsane.	val bed selec	cipal or	Contri ises.	n Cause butory) ronic ight's case.
	м.	F.	Т.		М.	F.	Т.	М.	F.	Т.	М.	F,	М.	F.	M.	F.	М.	F.
Interstital Nephritis Senile Decay Shock and Injury to Stomach through taking Spirits of	2 20	5 47	7 67	7 43	3 1	33	6 4	5 21	8 50	13 71					::		::	::
Salts General Paralysis Phthisis Polmonalis New growth in Abdomen	 48 12  19	I 7 22 I 22	1 55 34 1 41	1 40 27 1 37	   5	 I  3	 2  8	 48 13  24	I 7 23 I 25	1 55 36 1 49	··· ·· ··	::::	  	  	  	  	  	 
Cellulitus of Arm Bronchitis Morbus Cordis Convulsions Colitus	 2 17 1	1 18  7	1 3 35 1 7	1 3 26 1 7	6 20 	1 9 	I 7 29 	-4  8 37 1	2 2 27  7	49 2 10 64 1 7	··· ··· ··				··· ··· ··	  	··· ··· ··	
Congestion of Lungs Carcinoma of Breast and Lung Epilepsy Gangrene of Leg Status Epilepticus	3 25  4	2 2 1 2	3 2 27 1 6	3 2 21  5	17  3  1	  I 	17  4 I I	20  28  5	: 2 3 2 2	20 2 31 2 7	··· ··· ··	······································					  	  
Rupture of left Ventricle Cerebral Softening Exhaustion from Mania Chronic Pancreatitis Organic Brain Disease	I 8 2  I	 3 1 1	I II J I I	I 7 2 I I	 3  1	 4 I 	 7 т 	I II 2  2	 7 2 1	1 18 4 1 2		······································		: : : : : :			· · · · · · · · · · · · · · · · · · ·	··· ·· ··
Myxoedema Brights Disease Erysipelas Uræmia Hemiplegia	I 2 I I 	25  I	I 27 I I I	I 24 I I 	 6  	1 2  I	и 8  и	1 8 1 1	I 27  I I	2 35 1 2 1							··· ···	
Apoplexy	  	I  2  3	I 1 2 1 3	 I 2 I 2	   I	   I	   2	  I I	1  2  4	1 2 1 5		··· ·· ··	······································			::::	· · · · · · · ·	··· ·· ··
Carinoma of Stomach Subdural Hemorrhage Exhaustion of Dementia Pleurisy Pyclo Nephritis Carcinoma of Thyroid and	2 I 	I  I I I	I 2 2 I I	I 2 2 I I	  1 2 	  2	  4 	 2 2 2	    	1 2 3 5 1			······································	··· ·· ··			:: :: ::	
Collapse of Lung caused by the bursting of a pulmonary abscess into the pleural		2	2	2					2	2						1		
Chronic Renal Disease	J 	 I	I	I I	 I	::	ï	I	 I	1 2			::	::	::	::		::
Total	176	183	359	281														

• The figures in this column should correspond with those in the column indicated by an asterisk in Table D 2.

B 16




Showing	the P	rincip	al can	ion of a	losth i	n en el	- deat	h dund					ED			-															
Showing	LUC L	merp	arcau		learn 1	iii eacr	n dean	n duri	ng the	year	1912,	-						uinqu	ennial	period	is. (V	/olunt	tary B	oarde	rs exce	epted).			-		
	-		-			-	_	_				Ages	at Dea	th in Q	uinque	nnial p	eriods.	_												Total	
Principal Causes of Death,		han 10.	_	-14.	_	-19.	20-	-24.	25-	-29.	30-	-34.	35	-39-	40	-44-	45	-49.	50-	-54-	55-	-59.	60-	64.	65	- 69.	70 an	d over.		Totar	
	M.	F.	М.	F.	М,	F.	М,	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	M.	F.	М.	F.	М.	F.	М.	F.	М.	F.	М.	F.	T.
Internitial Nephritis Seeke Decoy Sheck and Injury to Stomach through taking Spirits of Salts . General Paralysis Phrinis Plantonalias New growth in Abdomen Phennonia		·· ·· ·· ·· ··		  2  I	  2 I 		······································	·· · · · · · · · · · · · · · · · · · ·		и: и: и : и	··· ·· ·· ··	I      I	··· ··· IR I ··· 3	I  2 4  1	   	··· ·· ·· ·· ·· ··	   	··· ·· ·· ·· ·· ··	··· ·· ·· ·· ··	::::2::3	   4	a:::::	·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	1 3  1 	1 1  	2 4 	I 19   I	 40   	2 20  48 12  19	5 47 1 7 22 1 22	7 67 1 55 34 1 41
Celluias of Arm				··· ··· ··· ··· 2	·· ·· ·· ··		··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	:::::::	11111114	1141111								1111 m 1111		1 + 1 + 1 × 1 × 1	··· 2 ··· ··· ···	· · · 4 : : : : :			: n : : n :		::::	I : 4 : 8 : :	· 2 17 1 3 25	I I I 8 7 2 2	1 3 35 1 7 3 2 27
Gargene of Legs	··· ··· ··· ··											::::::::									1 : : * : : :		2 						. 4 1 8 2 . 1	и 1	1 6 11 3 1
Bright's Disease														1		1						:6 : : : : :		:*::::::					1 2 1 1 <b>1</b>	: 25 : : 1 1 : 2	1 27 1 1 1 1
Autor Pelinous Mania Autor Pelinous Mania Salural Hemorrhage Bahasiton of Demontia Ferrity. Bycko Reparitis Ayeniona of Thyroid and Liver						:*::::										:-::::			1   										и 		1 3 1 2 2 1 1
collapse of Lung caused by the bursting of a palmonary abcess into the pleural cavity																				2										2	*
Chronic Renal Disease							••							:		::	::	1:1		:	::	ï	::	::		:	::	::		ï	I
Totals	5	2	5	5	9	2	8	6	7	9	8	п	20	14	18	14	12	13	13	15	15	19	19	11	10	10	27	53	176	183	359
				• 3	The figu	ires in	this co	lumn s	hould o	corresp	ond wi	th thos	e in th	e colur	nn indi	cated 1	by an s	sterisk	in Tab	le D I				-					В	17	-

	2.4					
				4.4		
					1.2	
				1. 4		
				4.5		

																Total	duratio	n of Pre	sent At	tack of	Mental	Disorde	er.																	
Pet	m of Mental Disorder (on admission),																		1		1		. 1				- )	Longer	period	s speci	fied in 4	quinqu	ennia.				_		Totals.	
		Less one m	than onth.	than	sd bess 3 m.	3 m. a than	6 m.	6 m. az	9 m.	o m. an than 1	sd less ra m.	tam.s	a yrs.	than 3	nd less ; yrs.	than 5	nd less ; yrs.	than re	od less o yrs.	to yrs. less the yrs	10 15	15 yrs. less that yrs.	02.01	20-2	4.	25-1	17.	30-	34-	35-	-37-	40-	-44-	45-	42	50 yrs	rs. and rer.			
副結		м.	F.	м.	F.	М.,	P.	М.	F.	М.	F.	М.	P.	М.	F.	M.	F	M.	P.	M.	F.	M.	F.	M.	F.	M.	F.	M.	P.	M.	F.	м.	F.	м.	F.	M.	F.	M.	P.	Т.
Market Control of Cont	z. Intellectual ) &. With Epilepsy z. Moral					1  	 	•					4	1 2 1)	 	1 1 		4 .	3	1	1 3 	1 1 	1 1 	3 1 		::	:: .:	:			·: 1 			***				13 9 	5 14 	18 23 
Ins	Insaily with Existence in an existence of the existe	1 411111111111411 411 441 444	1 w1111111111 web we want 1	M. 91 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	**************************************		1.9111111.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	174 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 H 1 1 1 1 1 H H H H H H H H H H H H H	ww111111111ww111111111	1.4.1.1.1.1.4.1.1.4.1.1.4.1.1.4.1.1.1.	1 +11111111 + + + + + + + + + + + + + +	444111144111144141414141		14111111111111111111111111	· · · · · · · · · · · · · · · · · · ·	1 m 1 1 1 1 1 m 1 1 m 1 1 1 1 1 1 1 1 1	w111111111111111111111	+ m; ; ; ; * m m; ; * ; ; * m m; ; ; ; ;	1111111111111111111111	ww11111w111w111w1111w	*************				•												8011111 Han 1 1.401 Han 1 4 4 4 4 4 4	3018 41 001 330 26 10 2	18 52 5 11 19 1 2 2 20 5 3 3 2 9 6 1 13 3 : : : : : : : : : : : : : : : :
	Totals	20	24	30	20	20	17	п	8	10	9	20	28	24	13	9	13	16	24	9	15	6	8	4		I		2			2	x	I	2	I		2	176	:83	359


Showing the 1 otal Duration of the Present Attack of Mental Disorder in the Deaths during the year 1912, arranged according to the Form of Mental Disorder on admission. (Voluntary Boarders excluded.)

TABLE D 3.



																			Ages	n 3150	Decen	ber, 19	012, of	those of	in Reg	sters a	t that	date.													
'etal durat	ion of pa	resent	t attack of		Less 1		10-	-14.	15-	-19.	20-	-24-	25-	-19.	30-	-34-	35-	-39-	40-	44.	45-	49.	50-	-54-	55-	59.	60-	-64	65-	-69.	70-	-74.	75-	-79-	So an	d over	Unk	sown.	1	Totals.	
					M.	F.	м.	F.	М.	F.	М.	F.	м.	F.	М.	F.	М.	F.	М,	F.	M.	F.	М.	P.	M.	F.	M.	F.	M.	F.	М.	F.	М.	F	м.	F.	М,	F.	м.	F.	T.
																						1																			
ogenital			••	**		7	18	9	30	16	25	40	32	35	19			48	10	42	11	25	5	19	3	16	2	8	**	3		I		**				x	184	305	489
in that 3 t					100				2	-	4	3	2	4	5	11	I	8	3	8	I	3	3	7	3	4	2	4	1	4	3	5	I			I	**		31	64	95
posths and							••				3	3	1	+	2	4	1	3	T	3	2	5	4	5	1	3		3		I	1	I		-		4			16	41	57
**									I	I		6	6	7	6	11	8	12	7	7	8	9	9	3	3	8	4	2	2	1	1	4		+		-			66	77	143
			**			**		**		1		2		1	5		1 8	7	I	8	5	8	2	7	I	5		5	x	3		4	1	1		I		1	22	65	87
-		= 31							1000		100	3		3	6	3	4		2	5	8	5	2	5	1	2	5	1	4	**	2	2			**	1			5 <sup>8</sup> 66	IJ	91
ears	**	3			**					3		3		10	10	8	*	4	2		13	13 6	6	9 11	7	1	0	7	I	1 6	1	2							77	73	139
*	- 16	5			**	**						1		8	15	16	20	24	26	13	13	17	8	11	3			19	4	13		2	-	4					123	95	384
-		20			**		**					1.			4	5	10	6		10	10	13	7	14	4	0	5		5		1.00	3		4					54	76	130
		30															2	3			0	8	IO	13	5	12	3		2	6		3		-					40	53	93
-		40											10.00					1		2	6	3	2	10	3	4	3	3	-	12		-				2			20	44	64
		50																							7	-	3											1	20	31	51
-		-																						-	-		-			,				-							3.
								-																	-	-					-							-			
	Totals				13	7	18	9	37	23	65	65	83	80	80	115	78	131	82	134	98	115	66	116	50	90	46	86	33	57	17	40	9	25	2	21		4	777	1118	1895

TABLE E 1.



### TABLE E 2.

Showing the Form of Mental Disorder on 31st December, 1912, of those on the Registers at that date. (Voluntary Boarders excluded.)

Form	s of Mental Disorder on 31st December.	М.	F.	Т.
Congenital or in- fantile mental deficiency (idiocy or imbecility) oc- curring as early in life as it can be observed.	1. Intellectual {a. With Epilepsy b. Without Epilepsy 2. Moral	39 140 5	116 189 	155 329 5
Insanity occurring later in life.	1. Insanity with Epilepsy2. General Paralysis of the insane3. Insanity with grosser brain lesions4. Acute delirium5. Confusional insanity6. Stupor7. Primary Dementia8. Mania $\begin{pmatrix} a. Recent &$	55 34 6  24  81  40 81  40 81  58 31 64 25  11 169 	15 8 10 20 3 231 3 0 12 16 43 11 187 25  3  52 133	70 42 16  44 3 312 9 70 20 23 101 14 12 251 50  4 11 221 133
	Totals	777	1118	1895
Prospect of	mental recovery {Favourable Doubtful Unfavourable	23 35 719	18 45 1055	41 80 1774

.....

# CHAPLAIN'S REPORT

### For 1912.

### To the Committee of Visitors of the Essex and Colchester Asylum.

GENTLEMEN,

I have the honour of presenting to you my Twenty-sixth Annual Report.

According to the official returns the average attendance of the patients at Divine Service on Sundays has been 486, and at the week-day services 39. The Holy Communion has been celebrated twenty-one times to an average number of 22 Communicants-the largest attendance being 53 on Easter Day. A Communicants' Preparation Service has been held in the Chapel on several occasions during the year. One or two Bible Readings are conducted in the Infirmary Wards every week, and a Dining Hall Service in Block F has been held weekly as far as circumstances have permitted. A Choir Practice is conducted every week by Mr. White, and the Choir has rendered efficient assistance in helping to make the services bright and hearty. This efficiency was especially manifested on Good Friday (April 5th), when a large congregation at the afternoon service appreciated the solemn Passion music provided for them by the choir. On April 22nd, a special Memorial Service was held to commemorate the loss of S.S. "Titanic," and on May 5th, a collection made in the Chapel on behalf of the sufferers from this disaster resulted in an offertory of £2 10s. 5d. This amount was added to other sums collected in the Asylum, and altogether £7 125. was contributed to the Daily Telegraph "Titanic" Fund. On September 24th, a very hearty Harvest Thanksgiving Service was held, when the sermon was preached by the Rev. W. J. House (Rector of Fryerning and Rural Dean).

At the Confirmation in Brentwood Church, on November 21st, I presented two female Attendants to the Bishop of Barking, nearly all our Church of England female Attendants having been previously confirmed. During the season of Advent we had special Lantern Services on Sunday evenings, and Thursday evening Services were held in Lent and Advent. I have to thank several of the neighbouring clergy for acting as special preachers at the latter Services.

During the year there have been 123 interments in the Asylum Cemetery. This number includes eleven Roman Catholic burials. On Dec. 13th, I was called upon to perform the sad duty of officiating at the funeral of our Assistant Fireman W. Mayers. The large number of persons present at his funeral testified to the general respect and esteem with which he was regarded by all who knew him.

On February 12th, 146 female patients were entertained at 1ea in the ball room from funds kindly contributed by the ladies belonging to the Letter Guild. The tea was followed by a concert to which other patients were also admitted.

On Christmas morning 207 friendless patients each received a Christmas Card. The expense attending the purchase of these cards was generously defrayed by a member of your Committee.

The After Care Association has again rendered invaluable service in providing homes and obtaining employment for patients who have been discharged. Twenty-four cases have been assisted with the most satisfactory results. I am glad to say that our local branch's contribution to the funds of the parent Association this year was larger than that of last year. This increase was chiefly due to donations from the relatives of deceased patients, given in grateful remembrance of the kind treatment the persons in whom they were interested had received. The number of books circulated from the Library has slightly exceeded last year's circulation. Out of this number (7,055) only 15 volumes have been lost—a very small proportion when the special class of readers is taken into account. The work list of the bookbinder's shop shows the following record of the year's work, viz. :—67 new volumes bound, 457 volumes rebound, 120 prayer books and 108 hymn books bound from the printed sheets, 38 prayer books, 39 hymn books and 33 bibles rebound, 301 items of medical, official and musical books bound and repaired besides cutting the large quantities of paper required for making paper bags by the male epileptic patients.

The Sunday Services and Visitation of the Sick have been continued as usual at Harold Court. During the winter months various efforts are made to amuse the patients at the Court.

I cannot conclude my report without a very grateful acknowledgment of the kindness and sympathy I have received from the Medical Superintendent, the Medical Officers and all the members of the Staff.

> I have the honour to remain, Gentlemen, Your obedient Servant, HENRY STEPHENS.

January 1st, 1913.

			Males.	Females.	Total.
Church of England			593	826	1419
Sect unknown			15	34	49
Independent			29	62	91
Wesleyan			34	55	89
Baptist			24	33	57
Roman Catholic			29	41	70
Presbyterian			3	8	11
Plymouth Brethren			I	6	7
Salvation Army			3	5	8
Lutheran			-	2	2
Peculiar People			I	2	3
Reformed Church of	Engla	nd	I	I	2
Swedenborgian	•		I	-	I
Agnostic			-	I	I
Spiritist			_	I	I
Jews			4	2	6
Unknown			39	39	78
			777	1118	1895

## TABLE OF RELIGIOUS DENOMINATIONS, 1912.

# LUNATIC ASYLUM AT BRENTWOOD

Belonging to the Councils of the undermentioned County and Borough, viz :-

## The Administrative County of Essex

AND

## The Borough of Colchester.

# FINANCIAL STATEMENT

The District Auditors' Act, 1879 (42 Vict. c. 6).

The Local Government Act, 1888 (51 and 52 Vict. c. 41).

AND

The Lunacy Act, 1891 (54 and 55 Vict. c. 65).

## STATEMENT

OF THE

Receipts & Expenditure

OF THE

Visiting Committee of the above-mentioned Lunatic Asylum,

During the year ended 31st March, 1913.

28			-	ADT		
D D C C L D T C			Р	ART		
RECEIPTS.				£		
Balance in hand at the commencement of th	-			2353	II	9
Goods sold, namely :	£	s.	a.			
Farm and Garden Sales	605	7	0			
Do. (Severalls) r Kitchen Stuff and old Stores	907	2	7			
		-				
Sundries	310	12	9		.0	-
Suma and I among the Main			_	2843	10	0
Sums received on account of the Main-						
tenance of Pauper Patients : From Guardians of Unions and						
Parishes within the Contributory						
County and Borough, at 11/8, 12/-,						
12/9 and $13/6$ per head per week 81	150	0	0			
From Guardians of other Unions	159	9	9			
and Parishes, at 14/- per head						
	417	18	0			
From the Treasurers of Counties	41/	10	~			
and Boroughs for Patients						
adjudged chargeable thereto,						
namely :						
Of the Contributory County and						
Borough, at 11/8 and 12/- per						
	900	14	10			
From the Treasurers of the Con-	-					
tributory County and Borough						
under Section 269 (9) of the						
Lunacy Act, 1890, in respect of						
accommodation at other Asylums,						
not exceeding one-fourth of the						
entire weekly charge 6	5963	13	6			
a service and the man build be a service a			-	89441		I
Criminal Patients from Parliamentary Vote	•		••	363	0	0
Funeral and Removal Expenses :						
From Guardians of Unions and						
Parishes	146	19	I			
From Treasurers of County and						
Borough	0	16	0			
			-	147	15	
Other Receipts :		6				1
Attendants' Wages in lieu of notice	3	6	5			
Bank Interest	40	0	0			
Fees for Affidavits, Copies of Re-		-				
ception Orders, &c Contributions from other Authorities	14	7	11			
under Asylums Officers' Super- annuation Act, 1909	80	3	8			
annuation Act, 1909	09	3		146	18	0
				140		_
TOTAL RECEIPTS AND BALAN	NCE			05206	18	II
Transfer to Severalls Asylum Building				93-9-		
Team Labour on Building Land				15	17	00
in a stand of the				- 5		
TOTALS OF RECEIPTS AND BA	ALANO	CES	£	95312	15	II
			-			-

29		
MAINTENANCE ACCOUNT. EXPENDITURE.	c	d
EXPENDITURE. $\pounds$ s. d.	5.	u.
Salaries and Wages (not including Pay-		
ments for Labour appearing in the		
Farming and Gardening Account, nor comprised in the Building and		
Repairs Fund Account), namely :		
Officers 4027 0 2		
Attendants and others 12377 18 2	0	
	4 18	
Malt Liquor, Wine and Spirits (not included in ordin-	, .,	,
ary Diet) 2	-	
Farm and Garden Expenses 298		
do, do Severalls 190 Clothing :	5 5	11
For Patients 2091 15 11		
For Attendants 401 7 11		
Necessaries (including Fuel, Lighting and Washing) 712	3 3	
Surgery and Dispensary 61		
Furniture and Bedding 175	8 14	7
Funeral Expenses 13	1 14	3
Payments to Treasurers of other Asylums for Patients under Contract or arrangement 3204	3 0	I
Transfers to the Building and Repairs Fund Account,	5 -	
namely :		
Excess of Weekly Charge on "Out-County" Patients 6	9 13	0
Excess of Weekly Charge on Criminal Patients 6	0 10	0
Rates and Taxes 233		
Superannuation Allowances under the		
Superannuation Act of 1909 678 19 0 Contributions to other Asylum Au-		
thorities under the Superannuation		
Act of 1909 10 13 2		
Other Payments :- 68	9 12	2
(See detailed list, page 30) 159	5 9	2
TOTAL EXPENDITURE 8820 Balance in hand at the end of the year viz :	3 8	8
Balance in hand at the end of the year, viz : Treasurer 7388 10 1		
Less due to Clerk 369 2 10		
701	9 7	3

TOTALS OF EXPENDITURE AND BALANCES £95312 15 11

.

-

- ---

### PART 1. MAINTENANCE ACCOUNT.

### DETAILS OF PAYMENTS IN RESPECT OF PATIENTS UNDER THE HEADING "OTHER PAYMENTS."

			£ s. d.
Attendants' Belts, Whistles a	and Chains		 15 12 11
Allowances to Patients disch	arged "On	Trial "	 3 0 4
Amusements, including Musi			 91 0 10
Audit Stamp (two years)			 120 0 0
Bookmaker's Materials			 634
Church Subscription			 3 3 0
Cord and Twine			 7 15 2
Clerk's Guarantee			 2 10 0
Cheque Books			 10 0 0
Choir Outing			 10 0 0
Clock Winding and Repairs			 5 18 6
Examining Gas Governors			 10 10 0
Flower Pots			 200
Food Van			 55 0 0
Garden Seats			 19 13 6
Repairing Lawn Mowers			 21 15 9
Legal Expenses			 3 4 10
Marking Ink			 900
Newspapers and Periodicals			 114 14 0
Petty Disbursements			 13 17 4
Postage, Travelling and Carr	iage of Goo	ods	 388 3 5
Printing, Stationery and Adv			 432 16 4
Printing Annual Report			 21 15 0
Repairing Tennis Courts			 7 10 0
Professional Attendance on N			 3 15 0
Removal of Patients to Brand			 5 5 7
Removal of Patients Boarded			 117 16 0
Recapture of Patients			 5 0 4
Repairs to Carts			 19 12 9
Shrubs, Plants and Seeds			 15 17 3
Spectacles			11 14 9
Sweeping Chimneys			 1 12 6
Stamping Weights			 5 17 0
Sawdust			3 7 6
Telephone Service			 20 9 0
Tobacco Pipes			 
Tuning Pianos			 3 6 9 6 10 6
runng rianos			 010 0

£1595 9 2

## AVERAGE WEEKLY COST PER HEAD OF MAINTENANCE, MEDICAL CARE AND CLOTHING OF PATIENTS,

For the Year ended March 31st, 1913.

Payments under the following Headings.		Amo	unt.				Weekly Head.
		£	s.	d.	s.	d.	
Salaries and Wages		16404	18	4	3	4	<u>-6480</u> 98389
Provisions		18049	19	9	3	8	11524
Malt Liquor, Wine and Spirits		27	8	2	-	-	26312 98389
Farm and Garden, Brentwood		2984	3	2	0	71	11511
,, ,, Severalls		1906	-	II	0	41	
Clothing		2493	-	10	0	6	32128
Necessaries		7125	I	II	I		51251
Surgery and Dispensary		619		8	0	112	4706
Furniture and Bedding		1758		7	0	41	
Rates and Taxes		2333			0		98389 76066 98389
Other Payments		2285	-	4	0		98389 29106 98389
other rayments		2205		4	0	52	98389
		55988	11	4	11	41/2	28630 98389
Less Farm and Garden							
Sales and Miscel-							
laneous Receipts —							
Brentwood 1083 13	5						
Ditto-Severalls 1907 2	7						
		2990	16	0	0	$7\frac{1}{4}$	$\frac{1}{9} \frac{7}{8} \frac{8}{3} \frac{8}{8} \frac{7}{9}$
		C					
		552997	15	4		,	
Average Weekly Cost per	hea	d			10	94	$\frac{10743}{98389}$

Weekly Charge for Patients from County and Borough to which Asylum belongs, 11/8.

Average number resident, 1887.

Total number of days of residence, 688,723.

			Quar	TER.	
YEAR.		March.	June.	Sept.	Dec.
		s. d.	s. d.	s. d.	s. d.
1853		_			11 0
1854		II O	II O	II O	II O
1855		10 0	10 0	10 0	10 0
1856		10 0	10 0	10 0	10 0
1857		10 0	10 0	10 0	10 0
1858		10 0	II O	II O	10 0
1859		10 0	10 0	96	96
1860		99	99	10 0	10 0
1861	•••	II O	II O	II O	II O
1862		10 9	10 6	99	99
1863		99	99	96	9 3
1864		9 6	96	96	96
1865		96	99	99	99
1866		10 0	10 0	10 6	10 6
1867		10 6	10 6	10 6	10 6
1868		10 6	10 6	10 3	10 3
1869	•••	10 0	10 0	10 0	9 6
1870		99	99	99	99
1871	e***	99	10 0	10 0	10 0
1872		10 0	10 0	10 0	10 3
1873		10 6	10 6	10 6	III
1874	• •	11	III	II I	10 9
1875	•••	10 9	10 9	10 9	10 9
1876		10 6	10 6	10 96	10 6
1877		10 0	10 0	10 0	10 0
1878		10 6	10 6	10 6	10 6
1879		10 6	10 6	10 6	10 6
1880		10 3	10 3	10 3	10 3
1881		10 3	10 3	10 3	10 3
1882		10 3	10 3	10 3	10 3
1883		IC O	10 0	10 0	10 0

# WEEKLY CHARGE PER HEAD SINCE THE OPENING OF THE ASYLUM.

# WEEKLY CHARGE PER HEAD-continued.

		QUAR	RTER.	
YEAR.	March.	June.	Sept.	Dec.
	s. d.	s. d.	s. d.	s. d.
1884	10 0	10 0	10 0	10 0
1885	10 0	10 0	10 0	10 0
1886	10 0	10 0	10 0	10 0
1887	10 0	10 0	10 0	10 0
1888	10 0	10 0	10 0	10 0
1889	96	96	96	96
1890	96	96	96	96
1891	9 6	96	9 6	96
1892	96	96	96	96
1893	96	96	96	96
1894	96	96	96	96
1895	96	9 6	96	96
1896	96	96	94	94
1897	94	94	9 4	94
1898	94	94	94	94
1899	94	94	94	94
1900	94	94	94	94
1901	94	94	94	94
1902	94	94	94	94
1903	9 11	9 11	10 6	10 6
1904	10 6	10 6	10 6	10 6
1905	10 6	10 6	10 6	10 6
1906	10 6	10 6	10 6	10 6
1907	10 6	10 6	10 6	10 6
8001	10 6	10 6	10 9	10 9
1909	10 9	10 9	10 9	10 9
01910	10 9	10 9	10 9	10 9 -
1911	10 9	10 9	10 9	10 9
1912	11 8	11 8	11 8	11 8
1913	11 8			

#### PART II.-BUILDING AND

s. d.

7 10

#### RECEIPTS.

Balance in hand at the commencement of the year ... 3631 Sums received from the Treasurers of the Contributory County and Borough, viz :--

County of		linar pairs s.		Additions, Alterations and Improvemen (under £400).		lay ndry inery).			
Essex Borough of	6195	I	2	-	78 13	5			
Colchester	305	9	0	_	3 17	7			
	6500	10	2	-	82 11	0	6583	I	2
				1 N			0503		2
From other Lo County Bor Pensions ref	ough			est Ham-Pr	oportic 	ons of	318	4	3
Other Receipts Insurance B Sale of Leat Hire of Roo	onuses her H	ose	st .	······································	7	12 3 7 3 5 0	8	4	6
	eekly	Cha	irge	ance Account on '' Out-Cou e on Criminal	unty Pa	tients "	69 60	13	0

TOTALS OF RECEIPTS AND BALANCES

£10671 0 9

#### 35

# REPAIRS FUND ACCOUNT.

#### EXPENDITURE

Sums paid on account of Or- dinary Repairs	Out of Monies raised by means of Loans. £ s. d,	Out of other Monies. £ s. d. £ s. d. £ s. d. 3766 16 11
Additions, Alterations and Improvements (under £400)		179 15 8
New Buildings aud Extraor- dinary Outlay, viz. : Alterations at "F" Block	1471 14 7	
Laundry Machinery		214 10 0
<ul> <li>Payments to other Local Authorities :—</li> <li>Brentwood Urban District Council, Reception of Sewage (2 years)</li> <li>Ditto, Maintenance of Fire Alarm (2 years)</li> <li>Walthamstow Urban Dis- trict Council, Mainten- ance of Fre Alarm</li> </ul>		100 0 0 16 0 0 <u>0 1 0</u> 116 1 0
Other Payments		126 7 9
Rent		<u>136 5 4</u> <u>262 13 1</u>
Pensions Deposits repaid to Tenderers (Alterations at "F" Block	45 0 0	1914 12 11
TOTAL EXPENDITURE	1516 14 7	6454 9 7 7971 4 2

Balance in hand at the end of the year .. ..  $2699 \ 16 \ 7$ TOTALS OF EXPENDITURE AND BALANCES  $\pounds 10671 \ 0 \ 9$ 

### PART III.-SEVERALLS

#### Year ended

s. d.

#### RECEIPTS.

Balance in hand at the commencement of the year ...

£ s. d. 5632 0 7

Sums received from the Treasurers of the Contributory County and Borough on account of :--

	County Esse			Borou Colcl					
	£	s.	d.	£		d.			
Detached Buildings	43010	0	0	1470	0	0			
Roads, Paths & Pavings	11615	0	0	740	0	0			
Heating and Ventilating	6850	0	0	285	0	0			
Electrical Works	2950	0	0	130	0	0			
Furnishing & Equipment	7005	0	0	175	0	0			
Superstructure	1000	0	0	50	0	0			
Stores Fittings	775	0	0	5-	_				
Kitchen Fittings	595		0	25	0	0			
Laundry Machinery	500	0	0	25	0	0			
Fencing and Planting	150	0	0	-5	10	0			
Dalrow Eittings	450	0	0		10	0			
Padded Rooms	1600	0	0	80	0	0			
radded Rooms	10.50	0	0	00	0	0			
	76500	0	0	3010	0	0			
							79510	0	0
Sundry Receipts								-	
							60	50	
Deposits by Tenderers				••			69	0	0
							85212	14	6

BALANCE ...

...

...

7320 18 0 ... 2.92533 12 6

## ASYLUM ACCOUNT

## 31st March, 1913.

#### PAYMENTS.

£ s. d.

Sums paid on account of :		£	s.	d.	~			
Salaries of Architect's Staff		480	18	0				
Salaries of Clerks of Works			8	0				
Printing and Lithography		44	16	10				
Main Building		9469		0				
Kitchen Fittings		760		0				
Bakery Fittings		291		0				
Padded Rooms		1252	8	0				
Heating and Ventilating, Main Buil	Iding							
Heating and Ventilating, Deta		0.2	-	-				
Buildings		1600	0	0				
Contingencies		142	12	6				
Engineering Clerk of Works		148		0				
Electrical Works		2750		8				
Fencing and Planting		17	12	6				
Detached Buildings		42557	10	0				
Roads, Paths and Pavings		11900	0	0				
Furnishing and Equipment		7808	13	2				
Well Sinking		433	11	4				
Laundry Machinery		345	0	0				
Stores Fittings		800	0	0				
Electric Lighting Engineer's Fees		53	13	6				
Architect's Commission		250	0	0				
					85387	19	II	
Legal Expenses					175	6	10	
Suspense Account re Extraordinary					5435	I	3	
Repairs to existing Buildings, Wag	res, &	cc.			188 18	13	5	
Insurance								
Officers' Salaries					1283		10	
Deposits by Tenderers repaid		••		••••	45	0	0	

£92533 12 E

### SUMMARY OF RECEIPTS IN PARTS I., II. AND III.

#### RECEIPTS.

	1							2	а,	· · ·
Maintena	ance A	ccount						92959	4	2
Building	and R	epairs Fu	nd Account					7039	12	II
Severalls	Asylu	m Accour	nt		•			79580	13	II
							-	79579	11	0
Less Tra	nsfers	from the	Maintenance	Ac	count	to t				
Buildin	ng and	Repairs !	Fund Accoun	t an	d vice	e ver	sa			
(page :	28)				£15	17	0			
(page )	34)		····		130	3	0			
								146	0	0
	-									
	TOTAL	RECEIPT	S	•••			たい	79433	II	0
							-			

## SUMMARY OF

£ s. d.

Dr. Cash in hand				10088		
Less due to Clerk		•••			2	10
Balance due to Treasurer	on Severa	lls Asylum A	ccount	9719 7320	3 18	10 0
4 45 (B) 14 4				£2398	5	10

## SUMMARY OF EXPENDITURE IN PARTS I., II. AND III.

#### EXPENDITURE.

Maintenance Account Building and Repairs Fund Account Severalls Asylum Account	 £ . 88293 . 7971 . 92533	8 4	8 2	
Less Transfers from the Maintenance Building and Repairs Fund Account		-		

...

TOTAL EXPENDITURE

£188652 5 4

#### BALANCES.

Cr. Maintenance Account (page 29) Building Account (page 35)			£ 7019 2699	7	3
Less Debit Balance on Severalls As	ylum Account	-	9719 7320 62398		10 0 10

#### PART IV.-FARMING AND

s. d.

#### RECEIPTS.

to Sums received during the year from Sales 605 7 0 Value of Goods supplied to the Asylum during the year, viz. :--£ s. d. 218 13 5 Pork, 9542 lbs. ... . . . Milk, 308011 galls. 1155 O II .... ... Potatoes ... 657 10 7 ... ... Vegetables 819 7 0 ... ... 2850 11 11 3455 18 11 TOTAL RECEIPTS ... ... Value of Stock at the end of the year (Valuation by The Right Hon. J. Round, E. Good, P. Hutley 2589 2 8 and R. Stroud, Esquires) ... ... ... CREDIT .- Supplied to Severalls Asylum Farm :-Six Yelts 16 10 0 ... ... Strawberry Plants and Rhubarb Roots 12 10 0 29 0 0

...

...

£6074 I 7

		41							
G	ARDENING ACCOUNT								
	EXPEN	DITURE				c			
DEBIT. — Supplied from Severalls Asylum Farm :         One Cow         23       0       0         Four Pigs         6       0       0         29       0									
s	ums paid during the year in res	pect of :-							
	Labour (not that of Davi ata)								
			1.67.00						
				-					
	Stock, Live and Dead (Bought	.)	335		4				
C	ther Payments :								
-			216	=	7				
					~				
	D				7				
	Tithe Rent Charge		39	18	2				
	0					2984	3	2	
	TOTAL EXPENDITURE	•••				5415	I	7	
Ľ		ls Asylum	Fari	n :-					
			-						
	Four Pigs		6	0	0				
								0	
B	Balance in favour of Farm and G	farden				630	0	0	

£6074 1 7

# PART V.-FARMING ACCOUNT,

### RECEIPTS.

Sums receive	d during t	he year from	m Sales			た 1907	s. 2	d. 7
Value of Goo the year :		d to Brentw	ood Asy	lum c	luring			
the year				£	s. d.			
Cow				23	0 0 0 0			
Pigs								
Potatoes					0 0			
Vegetabl	les	•••	• • • •	133	14 0		-	
Team Labour	on Build	ing Land		-		300	14	
Volue of Sta	als at the	and of the	voor (V	aluat	ion hu			
Value of Sto Messrs. Se			year (va	anuar		2036	1.5	
1103513. 50	aton & on	innwade)				2030	10	1.11
Palanaa amai	at Form							
Balance again	nst Farm					240	12	12
								_
		TOTAL				64501	1	1

			43			
SI	EVERALLS, CO	LCHE	STER.			
		A second s	DITURE			
Va	lue of Stock at the c	ommenc	ement of tl	ne year .	2565	s. d. ; 17 6
Su	ms paid during the ye	ar in resp	pect of :	£ s. 0	1.	
	Provender		n	595 12 1 276 16	o 4	
	Seeds and Manures Stock, Live and De			214 13 1 531 12	0	
Ot	her Payments :			00		
~	Straw Sundries			78 4		
	Insurance Rates			191 15 7 5 10 4	1	
	Rates				- 1906	3 11
DE	BITSupplied from					
	6 Yelts Strawberry Plants		Rhubarb	16 10		
	Roots			12 10		0 0
		Total			£4501	I 5

# ASSETS AN

#### 31st Marc

То	Balance at Bank			£	s.	d.	£ 10088	
"	Amounts due for ma Pauper Patients Unions	from		20122	18	9		
"	Pauper Patients fr Treasurer	rom 		216	3	7		
,,	Pauper Patients from and Parishes	other		133	4	0		
,,	Criminal Lunatics			78	10	0		
,,	Amounts due from Borough Treasure of :—							
	Maintenance of F Sec. 269 (9) Lu			2235	17	9		
	Building and Rep	airs		2060	3	I 1		
	Additions, Altera provements		and Im-	179	15	8		
	Laundry Machine	ry		1686	4	7	26712	18

£36801 4

44

## IABILITIES.

**B13.** 

y Amounts due to Tradesmen :		£	s.	d.	£	s. (	1.
Maintenance Account	1	18255	5	11			
, Amount due to Clerk		369	2	10	18624	8	9

Balance in favour of Asylum ... ... ... 18176 16 2

. .

£36801 4 11

W. H. ROSCOE, Clerk of the Asylum. .

ABSTRACT OF THE RETURNS of the Inmates of the Esse and Colchester Lunatic Asylums on the 1st January, 1913, who paeither in whole or in part for their maintenance together with the amounts so paid.

UNIONS.	No.	Amount received per week.	Estimated Amount received during the year.	Estimate total amo received each Uni- during th year.
Billericay	13	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	£ s. (
Bishops Stortford	7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	202 2
Braintree	12	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	121 11
Chelmsford	19	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- 161 12
Colchester	35	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- 247 17

UNIONS.		No.	re	mount ceived week.	Fstimated Amount received during the year.	Estimated total amount received by each Union during the year.
Colchester—continued.			$25 \\ 31 \\ 21 \\ 11$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	£ s. d.
Dunmow		11	$5 \\ 1 \\ 1 \\ 1 \\ 1 \\ 2$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	650 0 0
Edmonton		2	2	1 0	5 4 0	203 0 4
Epping		11		$ \begin{array}{c}             10  9 \\             \\             5  0 \\             2  6 \\             \\             \\         $	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 4 0
Halstead	:	14	$\begin{array}{c}2\\1\\2\\1\\3\\1\\3\end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Lexden and Winstree	••	19	$     \begin{array}{c}       3 \\       2 \\       4 \\       1 \\       2 \\       1 \\       1 \\       3     \end{array} $	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	183 10

ABSTRACT OF THE RETURNS of the Inmates of the Essex and Colchester Lunatic Asylums, on 1st January, &c.—continued.

U.	NIONS.		No.	10	mount eccived r week.	Estimated Amount received during the year.	Estimated ot-1 amous received by each Unior during the year.
Lexden and W	instree—a	ntinued		1 1	s. d.	£ 6 d. 5 7 4 3 18 0	£ 8. d
Linton			Nil.				252 11
Maldon			15	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	··· 5 <sup>°</sup> 0 ··· ·· ·· ··	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
Ongar			7	2 3 1 1	$     \begin{array}{c}                                     $	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	145 6
Orsett			7	1 1 1 1 1 1 1		$\begin{array}{cccccccccccccccccccccccccccccccccccc$	57 6
Risbridge			Nil.				168 9
Rochford			30	7-541123241	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	413 14

# ABSTRACT OF THE RETURNS of the Inmates of the Esse and Colchester Lunatic Asylums, on 1st January, &c.—continued.

UNIONS.	No.	ree	nount ceived week.	Estimated Amount received during the year.	Estimated total amount received by each Union during the year.
Romford	 60	$12 \\ 9 \\ 5 \\ 5 \\ 3 \\ 9 \\ 5 \\ 4 \\ 1 \\ 1 \\ 4 \\ 1 \\ 1$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	£ s. d.
Saffron Walden	 7	$     \begin{array}{c}       1 \\       2 \\       1 \\       1 \\       1 \\       1 \\       1     \end{array} $	${\begin{array}{cccc} 11 & 8 \\ 5 & 0 \\ 4 & 0 \\ 3 & 0 \\ 2 & 0 \\ \\ \cdots \end{array}}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	823 7 6 81 19 <u>1</u> 8
Sudbury	 3	$\frac{2}{1}$	$\begin{smallmatrix}11&8\\3&0\end{smallmatrix}$	$     \begin{array}{ccccccccccccccccccccccccccccccccc$	68 9 4
Tendring	 33	$ \begin{array}{c} 1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\1\\$	··· ··· 11 8 ··· 8 0 ··· ··· ··· ··· ··· ··· ··· ·	$\begin{array}{r} 48 \ 13 \ 10 \\ 35 \ 14 \ 2 \\ 32 \ 19 \ 10 \\ 31 \ 16 \ 8 \\ 30 \ 10 \ 9 \\ 30 \ 6 \ 8 \\ 26 \ 4 \ 11 \\ 23 \ 11 \ 9 \\ 20 \ 16 \ 0 \\ 18 \ 18 \ 0 \\ 16 \ 14 \ 1 \\ 15 \ 6 \ 0 \\ 14 \ 15 \ 0 \\ 13 \ 16 \ 2 \\ 12 \ 16 \ 0 \\ 11 \ 17 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 17 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 15 \ 0 \\ 11 \ 0 \ 0 \\ 9 \ 15 \ 4 \\ 9 \ 8 \ 11 \\ 6 \ 15 \ 0 \\ 6 \ 10 \ 0 \end{array}$	00 0 4

## ABSTRACT OF THE RETURNS of the Inmates of the Essex and Colchester Lunatic Asylums, on 1st January, &c.—continued.

	UNIONS.		No.	re	mount eceived er week.	Estimated Amount received during the year.	Estimated otal amoun received by each Union during the year.
Tendring—co	mtinued			1 1 1 1 1 1 1 1 1 1 1 1	s. d.     	$\begin{array}{c} \pounds \ \text{s. d.} \\ 5 \ 16 \ 10 \\ 4 \ 15 \ 0 \\ 4 \ 4 \ 0 \\ 3 \ 15 \ 0 \\ 3 \ 2 \ 6 \\ 3 \ 0 \ 0 \\ 2 \ 10 \ 0 \\ 2 \ 10 \ 0 \\ 1 \ 10 \ 0 \\ 1 \ 2 \ 0 \\ 0 \ 2 \ 0 \end{array}$	£ s. d.
West Ham		••	223	$\begin{array}{c} 43\\ 34\\ 28\\ 15\\ 4\\ 10\\ 6\\ 6\\ 18\\ 4\\ 2\\ 18\\ 3\\ 2\\ 1\\ 1\\ 1\\ 1\\ 1\\ 1\\ 3\end{array}$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
							3149 9 :
	Т	otal	528	1000		£	7697 1 :

# ABSTRACT OF THE RETURNS of the Inmates of the Essex and Colchester Lunatic Asylums, on 1st January, &c.—continued.

ABSTRACT OF THE RETURNS of all Lunatics chargeable to the Common Fund or to the Parishes comprised within the several Unions in the County of Essex, on the 1st day of January, 1913.

				LUN	ATI	cs.		
UNIONS.	Co	In ounty ylum.		In other Asylums.	U	In nion khouse		With relatives or boarded out.
	Number.	Cost per head per week.	Number.	Cost per head per week.	Number.	Cost per head per week.	Number.	Cost per head per week.
Billericay Bishops Stortford	60 25	11/8 11/8	16 18	11/8 to 13/6 11/8 to 13/6	13 1	5/8 <u>1</u> *	5 10	From 1/9½ to 5/4½ From Medical Relief to 4/-
Braintree Chelmsford Colchester (Borough) Dunmow Edmonton	$55 \\ 64 \\ 82 \\ 38 \\ 18$	$11/8 \\ $	$     \begin{array}{r}       36 \\       43 \\       29 \\       21 \\       7     \end{array} $	11/8 to 13/6 11/8 to 13/6 11/8 to 13/6 11/8 to 13/6 11/8 to 13/6 11/8 to 12/9	$     \begin{array}{c}       20 \\       10 \\       6 \\       7 \\       3     \end{array} $	* * 7/- *	$\begin{array}{c}12\\15\\10\\6\end{array}$	From 1/4 to 3/10
Epping Halstead Lexden and Winstree Linton	56 45 59 Nil.	$     \begin{array}{c}       11/8 \\       11/8 \\       11/8 \\       11/8     \end{array} $	26 18 20	11/8 to 12/9 11/8 to 13/6 11/8 to 12/9 11/8 to 13/6	17 2 4	5/6 5 - 4/6	 8 11	From 1/6 to 3/-
Maldon Ongar Orsett	$     \begin{array}{r}       44 \\       20 \\       56     \end{array} $	$     \begin{array}{r}       11/8 \\       11/8 \\       11/8 \\       11/8     \end{array} $	28 7 29	11/8 to 13/6 11/8 to 12/9 11/8 to 13/6	$     \begin{array}{c}       10 \\       6 \\       13     \end{array} $	* 4/7 <del>1</del> 7/-	$5 \\ 6 \\ 2$	• From nil to 3/- From Medical Relief to 4/21/2
tisbridge           tochford           tomford           saffron Walden	$     \begin{array}{r}       4 \\       98 \\       292 \\       26     \end{array} $	$ \begin{array}{c c} 11/8 \\ 11/8 \\ 11/8 \\ 11/8 \\ 11/8 \end{array} $	$     \begin{array}{c}       1 \\       32 \\       81 \\       14     \end{array} $	11/8 11/8 to 13/6 11/8 to 13/6 11/8 to 12/9	25 7	;;- ;*	$\begin{array}{c} 4\\ 6\\ 19\\ 7\end{array}$	From 2/9 to 5/9 From nil. to 2 11 From 2/6 to 8/7 From 2/- to 3/6
Sudbury	10 83 729	$11/8 \\ 11/8 \\ 11/8 \\ 11/8$	8 37 320	11/8 to 13/6 11/8 to 13/6 11/8 to 13/6	 33 	÷.	3 7 	and a loaf * *
County of Essex	11	11/8						
	1875		791		177	a	136	

\* not stated.

10	
-	
E	
-	
2	
5	
5	
-	
-	
-	
5	
t	
2	
~	
2	
3	
-	
for	
0	
4	
>	
E	
-	
-	
0	
2	
+	
3	
T	
-	
~	
2	
-	
2	
3	
0	
C	
-	
0	
the	
-	
>	
hy	
-	
-	
a	
0	
Borrow	
5	
2	
1	
2	
~	
-	
3.00	
2	
0	
one	
2	
2	
2	

	52			
1	d.		0 4	
Due	ź.		13	
Still Due			2,666	
st	4		2,6	
-		00 0	0 00	-
is it		00 0	0 9	
Amount Paid off.	*	22 2	33 00	
An Pa	$ \substack{ \substack$	3,500 3,400 3,590	9,000 17,333	
				-
qt	\$ 00000 000000000 \$	00 00	4 %	0
onn	x.00000000 000000 0		0 6 13	0
Amonnt Borrowed	$\begin{array}{c} \pounds \\ \$ 500 \\ 9,750 \\ 9,750 \\ 9,750 \\ 9,750 \\ 9,750 \\ 5,000 \\ 5,000 \\ 5,000 \\ 5,000 \\ 5,000 \\ 8,0$	3,500 3,400 3,590	10,000 13,333 6,666	10,000
B	8 + H 7 7 7 7 7 8 4 9 9 9 9 9 9 9 9 9 8 9 8 9 8 9 9 9 9	ຕໍ່ຕໍ່ ຕໍ່	10,000 13,333 6,666	10,0
e				
Rate	म्या <b>य य या या य य य</b> य य य या या या या या मारामारमंड मारामारमंड स	** *	গুৰু হাৰু <b>হাৰ</b> হত হত	33
		Soc.	ion	Co.
	EssexProvident Society Alliance Assurance Co. ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, Clerical Assurance. Society ,, ,, ,, ,, ,, ,, ,, ,, Dunmow Friendly }	A S	orwich Union Life Office yal Exchange Assurance Corp'ation rs. Lluellyn's Trustees	18.
	andl	and sanc	orp 18	d In
Lender.	ide ssun	Frie	han ce ( lyn	land
Leı	Prov Se A Sty Sty	FA PA	Exc Exc ran luel	n H
	Essex Provident So Alliance Assurance """"""""""""""""""""""""""""""""""""	Junmow Friendly Jerical Assurance Society risons Funds	orwich U Office oyal Excl Assuranc rs. Lluel Trustees	i pu
	EssexProvident Society Alliance Assurance Co. """"""""""""""""""""""""""""""""""""	Dunmow Friendly Clerical Assurance Society Prisons Funds	Norwich Union Life Office Royal Exchange Assurance Corp'at Mrs. Lluellyn's Trustees	Hand in Hand Ins. Co.
		: :	: :	-
	13th Feb., 1849 1st July, 1851 3rd Nov., 1851 14th Jan., 1852 July, 1852 July, 1852 July, 1852 29th Nov., 1853 8th August, 1869 1st Oct., 1869 1st Jan., 1869 1st July, 1869 1st July, 1869 1st July, 1869 1st Jan., 1870 1st Jan., 1870 1st May, 1877 1st May, 1877	6th Jan., 1880 17th May, 1881	19th Oct., 1886 """""""""""""""""""""""""""""""""	28th June, 1887
Date.	, 18, 18, 18, 18, 18, 18, 18, 18, 18, 18	, 18 y, 1	1 1	le, ]
Da	Feel Jan	an.	. Oct	Jur
i	13th Feb., 184 1st July, 1851 3rd Nov., 1851 14th Jan., 1855 30th April, 185 —July, 1852 29th Nov., 185 8th August, 18 1st Oct., 1869 1st July, 1870 1st May, 1877 1st May, 1877	6th Jan., 1880 17th May, 188	19th Oct., 188	Sth .
				28
	· · · · · · · · · · · · · · · · · · ·	00	boo	
ved	000 atw	0.4,9	utwe	"
TOV	3000	d, £	Iten	
por	5. 55	£5 vooi	н С. с.	
ich	Bre vlur tate	hop	, wi	
Purpose for which borrowed.	SS, AFJ	Bré	Asy	•
for	ood dinid alini all m 1	all,	jo	
ose	Build Built Built	n'H ekh	ent	
urp	Sreme Seme Vock	Wid	tem (em	••
A	Site, Brentwood Site, Brentwood Asylum Buildings, Brentwood	Recreation Hall, Brentwood, £4,900 } Well, Wickham Bishops	Enlargement of Asylum, Brentwood	
	En En Wee	We	En	

												3																	
0			0		0		0	0	4	10	0	0	4				(	00	00	0	0	0	0	0	0	0		œ	
0			0		0		0	0	13			0	-		13				9	0 0	0	0	0	0	0	0		9	+14
5,000			6,000		3,150		4,500	36,000	7 666	15,000	36,000	36,000	18,666	42,000	18,666	7,650		28,933	9,183	14,328	1,672	3,000	10,000	14,000	10.000	16,000		347,083	Accountant
0			0		0		0	0	x	00	0	0	8	0	8	0		4	+									-	P .
0			0		0		0	0	9		0	0	9	0	9	0		13	13									3	ontra
>25,000		-	24,000	-	10,350		4,500	18,000	9 333	3 000	4.000	4.000	1,333	3,000	1,333	850			316 1	:	:	:	:	:	:	:		269,306 1	OWERS Conntr
0	0	0	0	0	0		0	0	0	00	0	0	0	0	0	0	<	0	0 0	0	0	0	0	0	0	0	1	0	M
0	0	0	0	0	0		0	0	0	00	0	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0		0	1
15,000	5,000	20,000	5,000	5,000	13,500		9,000	54,000	10 000	18 000	-40,000	40,000	20,000	45,000	20,000	8,500		31,000	9,500	14,328	1,672	3,600	10,000)	14,000	10,000	16,000		616,390	F H
33	33	$3\frac{1}{2}$	33	34	300 900 00		24	31	0	000	20 CO	-00	322	33				100 00	20 H	20	33	33	00 00	33	33	50			
The late T. Kemble, Ear	W. B. Blood, Esq.,	Royal Exchange	The Rev T. L. Papillon	W. B. Blood, Esq.,	Mrs. R. J. Buxton's	Fowell Buxton, Esq.	£100 Bearer-	Prudential Assurance			** **			::		General County Capital	Fund Account	Prud'l Assurance Co.	** **	** **	** **				:				
28th June, 1887		3rd July, 1888		•• ••	7th Jan., 1890		6th July, 1897	1st Jan., 1903	14th Anril 1905	Sth Anril 1907	10th July, 1909.	12th Oct., 1909	9th, April, 1910	10th Jan., 1911	8th July, 1911			20th Jan., 1912		8th July, 1912		8th Uct., 1912	" "	11 11		27th Mar., 1913			
Brentwood	**				:		"	/ Borough of			ester					ntwood			hester		:			:		ms,		*	
of Asylum,	:	"	"	"	:		"	rith County		Colohostor.	ings. Colch		: :		:	sylum, Bre		olchester .	ldings, Colc		Colchester.	e, Colcheste	ldings, Colc	ster .	olchester	Padded Roo			
Enlargement of Asylum, Brentwood   28th June, 1		"	:	"			••	Adjustment with County Borough of	Site Colchester	Poundations Colobetav	Asylum Buildings, Colchester		: :	: :		Kitchens at Asylum, Brentwood		Equipment, Colchester	Detached Buildings, Colchester		Foundations, Colchester	Superstructure, Colchester	Detached Buildings, Colchester	Roads, Colchester	Equipment, Colchester	Furniture & Padded Rooms,	Colchester		

# THE ESTABLISHMENT, 31st Dec., 1912

OFFICERS.	Per	r ann				gth vice	
OFFICERS.		8.					
Medical Superintendent	850	0	0		28	6	Apartments, Coals, Gas, Vegetables and Washing.
Senior Medical Officer	412	0	0		18	9	{ Furnished Apart- { ments, Attendance and part Washing.
Medical Assistant	226	17	0		16	6	Furnished Apart- ments, Board, Attendance and Washing.
Medical Assistant	160	0	0			5	Furnished Apart- ments, Board, Attendance and Washing.
Medical Assistant	160	0	0			3	Furnished Apart- ments, Board, Attendance and Washing.
Chaplain, (Harold Court)	$\begin{array}{c} 425 \\ 20 \end{array}$		0 0	}	26	7	Non-Resident.
Clerk to the Visitors	225	0	0		-	-	Non-Resident.
Clerk of the Asylum Stores Auditor	$382 \\ 25$		$\begin{array}{c} 0 \\ 0 \end{array}$	}	24	0	( Non-Resident,   Tea daily.
Storekeeper Organist	259 25	0 0	0 0	}	23	8	Board, Washing and Attendance.
Inspector	144	12	0		14	3	House, Coals, Gas and Uniform.
Matron	125	0	0		3	5	Furnished Apart- ments, Board, Attendance and Washing.
Assistant Matron	74	8	0		5	9	Ditto
Clerk of Works and Engineer	190	8	0		13	3	House, Coals & Gas.
Assistant Clerk	100	0	0			2	Dinner & Tea daily.
Assistant Clerk	92	15	0		14	9	Ditto.
Assistant Clerk	53	15	0		8	0	Ditto.
Dispenser	162	16	0	•••	5	1	Non-Resident.
* An allowance of 10/6	per v	week	is	paie	1 in	lieu	of Board.
		,,			,,,		Lodgings.
† " 5/- , 9/- , £20	o per	annu,	ım		" "		Part Board, Lodgings.

## The Establishment—continued.

#### Male Attendants and Servants-

Per annum. £ s. d.

	£	8.	d.	
One Head Night Attendant	118	9	0	Washing and Uniform.
§One Head Day Attendant	59	9	0	Board, Washing and Uniform.
One ditto ditto	56	0	0	Board, Lodging, Washing & Uniform.
†One Deputy Head Attendant	54	11	0	Board, Uniform and Washing.
†One Mess Room Attendant	52	14	0	Ditto
*†One Mortuary Attendant	52	13	0	Uniform and Washing.
†One Head Farm Attendant	52	2	0	Board, Uniform and Washing.
†One Attendant	52	3	0	Ditto
†Three Attendants	50	11	0	Ditto
†One Attendant	50	3	0	Ditto
+Three Attendants	50	2	0	Ditto
*†One Attendant	50	2	0	Washing and Uniform.
†One Attendant	49	1	0	Board, Uniform and Washing.
†One Attendant	48	1	0	Ditto
†One Attendant	48	0	0	Ditto
†One Attendant	48	9	0	Ditto
One Attendant	47	1	0	Board, Lodging, Washing & Uniform.
One Attendant	46	1	0	Ditto
†One Attendant	46	1	0	Board, Uniform and Washing.
+One Attendant	46	0	0	Ditto
One Attendant	45	10	0	Board, Lodging, Washing & Uniform.
+One Attendant	45	8	0	Board, Uniform and Washing.
+One Attendant	45	1	0	Ditto
Two Attendants	45	0	0	Board, Lodging, Washing & Uniform.
†One Attendant	44	7	0	Board, Uniform and Washing.
Two Attendants	43	0	0	Board, Lodging, Washing & Uniform
Two Attendants	42	18	0	Ditto
One Attendant	42	0	0	Ditto
One Attendant	41	0	0	Ditto
One Attendant	40	19	0	Ditto
One Attendant	39	11	0	Ditto
One Attendant	39	3	0	Ditto
One Attendant	38	17	0	Ditto
Four Attendants	38	10	0	Ditto
One Attendant	38	9	0	Ditto
One Attendant	38	0	0	Ditto
Three Attendants	37	0	0	Ditto

# The Establishment-continued.

#### MALE ATTENDANTS AND SERVANTS-continued.

		anı		
10 111 1	£		d.	
†One Attendant	37		0	Board, Uniform and Washing.
Three Attendants	36		0	Board, Lodging, Washing & Uniform.
One Attendant	34		0	Ditto
Fifteen Attendants	33		0	Ditto
Nine Attendants	32		0	Ditto
‡One Night Attendant	50	2	0	Uniform, Washing and Partial Board.
‡One Night Attendant		11	0	Ditto
Two Night Attendants	49	2	0	Ditto
‡One Night Attendant	49	0	0	Ditto
‡One Night Attendant	48	0	0	Ditto
\$Six Night Attendants	47	0	0	Ditto
‡One Night Attendant	46	2	0	Ditto.
‡One Night Attendant	45	0	0	Ditto
One Attendant and Wife (Cook)	55	5	0	Board, Lodging, Washing & Uniform.
One Attendant and Wife	61	7	0	Ditto
*†One Hall Attendant		14	0	Washing and Uniform.
One Hall Attendant		18	0	Board, Lodging, Washing & Uniform.
†One Dining Hall Attendant	48	0	0	Board, Uniform and Washing.
One Medical Officer's Servant		0	0	Board, Lodging, Washing & Uniform.
	102		0	Non-Resident.
One Assistant Storekeeper	56		0	Board.
One Stores Clerk	27	0	0	Dinner and Tea daily.
One Cook	70	2	0	Board, Cook's Uniform and washing
One cook		~	~	of same.
One Cook	58	2	0	Ditto
†One Cook	38	2	0	Ditto
One Carver	40	0	0	Ditto
One Sculleryman	46	2	0	Ditto
One Sculleryman	25	0	0	
One Sculleryman	22	2	0	Ditto
One House Porter	16	0	0	Board, Lodging and Washing.
Two House Porters	12	0	0	Ditto
One Stoker	26	0	0	Board, Lodging, Washing & Overalls.
	Per	r wei	ek.	· · · · · · · · · · · · · · · · · · ·
Four Stokers	1	3	6	Non-Resident.
One Assistant Engineer	1	17	1	Cottage, Coals, Gas and Overalls.
Three Carpenters	1	10	0	Non-Resident.

# The Establishment-continued.

### MALE ATTENDANTS AND SERVANTS-continued.

	Per we		
One Bricklayer	1 13	0	Non-Resident.
One Bricklayer	1 11	0	Ditto
One Painter	1 12	0	Ditto
One Painter	1 8	0	Ditto
One Blacksmith	1 10	0	Ditto
One Gas Fitter	1 8	0	Ditto
Two Fitters	1 10	0	Ditto
One Fireman	1 14	6	Cottage, Coals, Gas and Uniform.
One Plumber	1 12	0	Non-Resident.
One Sweep	1 6	6	Ditto
One Sweep	1 4	0	Ditto
One Hammerman	1 2	0	Ditto
One Upholsterer	1 9	0	Ditto
One Upholsterer	1 7	0	Ditto
One Tailor	1 12	0	Ditto
One Tailor	1 8	0	Ditto
One Tailor	1 5	0	Ditto
One Tailor	1 4	0	Ditto
Two Gardeners	1 5	0	Uniform.
One Shoemaker	1 7	0	Non-Resident.
One Shoemaker	$1 \ 2$	0	Ditto
One Gate Porter	1 4	0	Cottage, Coals, Gas and Uniform.
One Engine Driver	1 10	6	Non-Resident.
One Engine Driver	1 10	0	Ditto
One Engine Driver	1 8	0	Ditto
One Engine Driver	1 6	0	Ditto
One Bookbinder	1 10	0	Ditto
One Laundryman	1 7	0	Ditto
One Ward Washer	1 8	0	Uniform.
One Ward Washer	1 7	0	Non-Resident
One Tinman	1 9	0	Ditto
One Baker	1 10	0	Ditto
One Baker	1 4	0	Ditto
One Carman	1  2	0	Ditto
One Carman	0 18	0	Ditto
One Pony Boy	0 10	0	Ditto
One Donkey Boy	0 10	0	Ditto

MALE ATTENDANTS AND SERVANTS-continued.

	Pe	er w	eek.	
4	£	8.	d,	
One Messenger Boy	0	7	0	Non-Resident
One Gate Boy	0	5	0	Ditto
One Farm Bailiff	1	3	0	Cottage, Coals, Gas, Washing, Vege tables and Milk
One Cowman	1	6	0	Non-Resident.
One Cowman	1	4	0	Ditto
One Ploughman	1	1	0	Ditto
One Pigman	0	19	0	Ditto
One Labourer	1	3	0	Ditto
Two Labourers	1	0	0	Ditto

#### Female Attendants and Servants-

#### Per annum.

	7.01	C#/#//	C#//# .	
One Head Nurse	43	0	0	Board, Lodging, Washing & Uniform
One Head Nurse	42	0	0	Ditto
Two Head Nurses	41	3	0	Ditto
One Nurse	38	0	0	Ditto
One Nurse	37	14	0	Ditto
One Nurse	37	13	0	Ditto
One Nurse	36	0	0	Ditto
One Nurse	35	13	0	Ditto
Two Nurses	35	10	0	Ditto
One Nurse	35	4	0	Ditto
One Nurse	35	2	0	Ditto
Fourteen Nurses	34	0	0	Ditto
One Nurse	32	17	0	Ditto
One Nurse	28	2	0	Ditto
Fifteen Nurses	27	0	0	Ditto
Two Nurses	25	0	0	Ditto
One Nurse	22	11	0	Ditto
One Nurse	22	1	0	Ditto
Thirty-eight Nurses	21	0	0	Ditto
Sixteen Nurses	20	0	0	Ditto
One Head Night Nurse	42	0	0	Ditto
One Night Nurse	40	0	0	Ditto
One Night Nurse	37	13	0	Ditto
Three Night Nurses	36	0	0	Ditto

### The Establishment-continued.

FEMALE ATTENDANTS AND SERVANTS-continued.

	Per	ann	um.	
	£	8.	d.	
One Night Nurse	34	0	0	Board, Lodging, Washing & Uniform.
One Night Nurse	29	0	0	Ditto
Three Night Nurses	27	0	0	Ditto
Two Night Nurses	26	0	0	Ditto
One Night Nurse	25	0	0	Ditto
	Per	we	ek.	
Two Night Nurses	1	1	6	Partial Board.
	Per	ann	um.	
One Needle Mistress	40	0	0	Board, Lodging, Washing & Uniform.
One Head Laundress	47	0	0	Ditto
One Laundress	29	0	0	Ditto
One Laundress	25	0	0	Ditto
One Laundress	24	0	0	Ditto
Two Laundresses	23	0	0	Ditto
Seven Laundresses	22	0	0	Ditto
	Per	· we	ek.	
Three Laundresses		15	0	Non-Resident.
	Per	ann	um.	
One Mess Room Maid	34	0	0	Board, Lodging, Washing & Uniform.
Two Mess Room Maids	27	0	0	Ditto
One Dining Hall Maid	20	0	0	Ditto
One Housemaid	22	0	0	Ditto
Four Housemaids	<b>2</b> 0	0	0	Ditto

# Harold Court, Harold Wood (for 73 Males).

	Per	ann	um.	
Medical Officer	80	0	0	Non-Resident.
Head Attendant and Wife (Cook)	69	9	0	Board, Lodging, Washing and Uniform.
†One Attendant	50	11	0	Board, Uniform and Washing.
One Attendant	37	17	0	Board, Lodging, Washing & Uniform.
One Attendant	36	0	0	Ditto
	Pe	r we	ek.	
One Farm Foreman	1	1	0	Cottage, Coals, Vegetables and Light.
One Labourer		18	0	Non-Resident.

#### The Establishment-continued.

#### Brunswick House, Mistley (for 55 Females).

	Per	ann	um.	
	£	8.	d.	
Medical Officer	60	0	0	Non-Resident.
Head Nurse	39	0	0	Board, Lodging, Washing & Uniform.
One Nurse	34	0	0	Ditto
One Nurse	27	0	0	Ditto
One Nurse	21	0	0	Ditto
One Gardener and Wife (Cook)	56	4	0	Ditto

#### The Chestnuts, Hoe Street, Walthamstow (for 64 Females).

	Per a	innt	ım.	
Medical Officer	60	0	0	Non-Resident. Board, Lodging, Washing & Uniform.
Head Nurse	39	0	0	Board, Lodging, Washing & Uniform.
One Nurse	34	0	0	Ditto
One Nurse	27	0	0	Ditto
One Nurse	21	0	0	Ditto
One Cook	25	0	0	Ditto

All Attendants and Nurses on passing the Medico Psychological Examinations receive £2 per annum additional pay.

Fourteen Male Attendants comprising the Fire Brigade, each receive £2 personnum additional pay.

# CONTRACT PRICES OF THE PRINCIPAL ARTICLES OF CONSUMPTION.

			Du	ring	the H	lalf-ye:	ar er	nded
ARTIC	CLES.			th Ju 1912			Dece 1912	ember,
Arrowroot		per cwt		S. 12			S. I 2	d. 8
Margarine Mixtu	re	,,	2	4	6	2	3	6
Coals (House)		per ton	0	19	ο	I	2	9
,, (Steam)		,,	0	19	0	I	I	6
Cheese		per cwt.	3	12	0	3	I 2	0
Flour		per sack	1	6	0	I	8	0
Gas		per 1000 ft.	0	3	I	0	3	I
Boned Beef		per 8 lbs.	0	3	II	0	3	11
Roasting Beef		,,	0	4	8	0	4	11
Mutton	,	,,	0	3	2	0	3	2
Sugar (Moist)		per cwt.	I	0	9	0	18	3
,, (Granulated	1)	,,	1	2	3	0	19	6
Soap (Yellow)		,,	0	18	0	I	2	3
,, (Soft)		per firkin	0	10	0	0	10	0
Tobacco	••••	per lb.	0	4	0	0	4	0
Tea (Patients)		,,	0	I	3	0	I	3
Tea (Attendants)		,,	0	I	5	0	I	5



#### BRENTWOOD ASYLUM-DIETARY SCALE FOR PATIENTS.

		BF	EAK	FAS	T.			DINNER.														TEA.												EON	
	,	ALE	s.	FE	MALI	es.				MAL	ES.				FEMALES.										MALI	ts.			F	EMAL	for Working Patients.				
Day of the Week.	Tea	Bread	Margarine Mixture	Tea	Bread	Margarine Mixture	Meat, uncooked	Potatoes	Other Vegetables	Bread	Irish Stew	Soup	Meat Pie	Meat Pudding	Meat, uncooked	Potatoes	Other Vegetables	Bread	Irish Stew	Soup	Meat Pie	Meat Pudding	Tea	Bread	Margarine Mixture	Cake, Currant or Seed	Jam	Tea	Bread	Margarine Mixture	Cake, Currant or Seed	Jam	Bread	Tea	Cheese
	Pt.	Oz.	Oz.	Pt.	Oz.	Oz,	Oz.	Oz.	Oz.	Oz.	Pt.	Pt.	Oz.	lbs.	Oz.	Oz.	Oz.	Oz.	Pt.	Pt.	Oz.	lbs.	Pt.	Oz.	Oz.	Oz.	Oz.	Pt.	Oz.	Oz.	Oz.	Oz.	Oz.	Pt.	Oz.
SUNDAY	I	6	1	I	5	1	7	12		5					7	12		4					I			8		I			8				
MONDAY	I	6	1	I	5	1	6	8	2	5	I				6	8	2	4	I				I	6	1			I	5	1			4	I	2
TUESDAY	I	6	1	I	5	1	3	8		5				I	3	8		5				I	I	6	1			I	5	=			4	I	2
WEDNESDAY	I	6		I	5	1	8		8	5					8		8	4					I	6	1			I	5	1			4	I	2
THURSDAY	I	6	ł	I	5	1	3	8	2		••		12		3	8	2				12		I	6	- 1		I	I	5	1		I	4	I	2
FRIDAY	I	6	닆	I	5	-	3	8		5					3	8		4					I	6	1			I	5	1			4	I	2
SATURDAY	I	6	1 I	I	5	1	3		8	6		11			3		8	4		11			r	6	1			I	5	1			4	I	2
TOTAL	7	42	31	7	35	31	30	42	20	31	I	11	12	I	30	42	20	25	I	11	12	I	7	36	3	8	I	7	30	3	8	I	24	6	12
		DIN	NER			-			CUR	RAN	T C	AKE	(per	100	lbs).		-		SE	ED O	CAKE	E (pe	er 100	lbs)					L	UNC	CHE	ON.			

Sunday ... Beef or Pork (cold) Monday ... Irish Stew Tuesday ... Meat Pudding or substitute Wednesday Beef or Mutton (roast or boiled) Thursday Meat Pie Friday ... Shepherds Pie Saturday... Soup

40 lbs. Flour 15 lbs. Currants 8 oz. Peel 12 lbs. Dripping or Margarine Mixture 2 lbs. Baking Powder 12 lbs. Sugar 10 pts. Milk 30 Eggs of Cocca per week is allowed to eac

- 60 lbs. Flour 12 oz. Seeds 8 oz. Peel 12 lbs. Sugar 2 lbs. Baking Powder 15 lbs. Dripping or Margarine Mixture 10 pts. Milk 30 Eggs

Bread, Cheese and Tea.

RABBITS. One Rabbit to 5 Patients.

BREAD. Extra bread may be issued if required beyond the usual allowance.

4 ozs. of Cocoa per week is allowed to each patient working on the Farm before breakfast







# REPORT

OF

# **CLINICO - PATHOLOGICAL**

AND

# PATHOLOGICAL WORK

During 1912.

TACHER LADIDOJOTTI **CEINTCO** AND FATHOLOGICAL WORK Daring 1912.

## REPORT

OF

# CLINICO - PATHOLOGICAL

AND

## PATHOLOGICAL WORK

During 1912.

## LUMBAR PUNCTURE.

Five males and 17 females, in all 22 cases, have been punctured during the year, and the cerebro-spinal fluid examined :---

- (I) By the Ross-Jones Ammonium Sulphate test.
- (2) For lymphocytosis after 10 minutes of centrifugalisation.
- (3) In some cases for the Wasserman reaction as modified by Fleming.

(3) (For these tests I am indebted to Dr. Cecil Clarke, of the Brompton Hospital for consumption).

Thirteen of these were suspected of being general paralytics; of whom 6, having died, the diagnosis was confirmed by microscopical examination of the brain. One case, suspected of being a general paralytic, failed at the autopsy and on microscopical examination to show any evidence of this disease. It was probably a case of alcoholic confusional insanity (Korsakow's Psychosis).

As a rule the lymphocytosis in general paralysis is not high (anything below 5 per c.m.m. has not been considered a positive lymphocytosis) ranging from 7 to about 20; but in two cases it reached a very high figure, viz., 50.6 (this case also had Tabesdorsalis) and 154 respectively.

Although the main interest in lumbar puncture is diagnostic, several cases improved greatly subsequent to the operation, and were shortly after discharged recovered (see numbers 12, 18 and 19), and one case improved sufficiently for her husband to take her out (Number 14).

The following tables gives full details of the 22 cases :--

## POST MORTEM EXAMINATION.

Autopsies have been made on 133 male, and 148 female, cases; of which a synopsis of the findings is given on the accompanying tables. From this synopsis, I have abstracted some of the main points of pathological interest in the nervous system, thorax, and abdomen.

## NERVOUS SYSTEM.

I. The most prominent anomalous feature seen in the brain was the absence of the corpus callosum in a woman aged 48; a case of dementia prœcox. In spite of this defect she had reached a condition of considerable intelligence and showed no obvious defect of movement.

No.	Initials.	Sex.	Age.	Date of Admission.	Date of Puncture.	Ross- Jones protein	Lympho- cytes		erman.	Diagnosis.	Appearance and rate of flow.	Remarks.
						test.	per c.m.m.	C.S.F.	Blood.			
I	H. N. B.	F			13-1-12	+	7.6	+	+	General paralysis	Clear, but slightly straw tinted.	Died. Diagnosis confirmed by micro scopical examination.
2	Т. Р.	М	II		26—1—12	Not tested	13.0	+	+	Congenital defect with epilepsy	Turbid and blood stained.	Died, No microscopical evidence of general paralysis but had tigns of con genital syphilis.
3	E. C.	F	38	22—12—11	1-3-12	+	23'4			General paralysis	Turbid. Flowed at first quickly in drops.	Died 17-6-12. Diagnosis confirmed by microscopical examination.
4	B, J. G.	F	24	1-1-12	1-3-12	-	o			Dementia prœcox K	Pellucid.	Discharged relieved. 6-11-12,
5	A. T.	F	53	24-2-12	6—3—12	+	3'4			General paralysis	Pellucid. Flowed in quick drops.	Died 26th August. The microscopical appearance was not characteristic o general paralysis. Probably a case of Korsakow's psychosis.
6	F. A. B.	М	48	15-3-12	8-5-12	+	50.6			General paralysis & Tabes Dorsalis	Turbid. Flowed in quick drops.	Died. Diagnosis confirmed by microscopi cal examination.
7	R. J. B.	F	47	17-5-12	29-5-12	?	7'0			General paralysis ?	Turbid and blood-stained.	
			0		5-6-12	-	15.4					
				1	16-10-12	-	5'2	-	-		Clear. Flowed very slowly at first.	Still living.
8	W. G. A.	М	52	16-4-12	9-6-12	+	13.8	+	+	General paralysis	Pellucid. Flowed slowly.	Removed to Berley Asylum
9	E. C.	F	37	20-6-12	16-7-12	+	14.0			General paralysis	Pellucid. Flowed quickly. (Drops).	Died 31-1-13. Diagnosis confirmed by microscopical examination.
10	E. C.	F	52	24-6-12	16-7-12	+	154.8			General paralysis	Slightly turbid. Slow.	Died in October. Diagnosis confirmed by microscopical examination.
11	A. P.	F	30	18-6-12	19-7-12	+	13.8	+	+	General paralysis	Pellucid. Slow.	Still living.
12	M. W.	F	43	26-7-12	5-8-12	-	0				Pellucid. Quick. (Drops).	Discharged recovered, 18-11-12.
13	C.S.S.	F	40	4-6-12	19-7-12	+	15.8	+	+	General paralysis	Pellucid. Quick. (Drops).	Still living.
14	A. M. B.	F	39	28-5-12	24-7-12	-	0	-	-		Pellucid. Quick. (Drops).	Recent mania. Taken out by Husband.
15	E. S. N.	F	50	8-6-12	24-7-12	+	10'4	a	a	General paralysis	Pellucid. Quick. (Drops).	Died 4th August, 1912. Diagnosis con- firmed by microscopical examination,
16	A. F.	F	40	26—7—12	5-8-12	-	o				Pellucid. Quick. (Drops).	Died 24th October, 1912. A case o dementia. No microscopical evidence of general paralysis.
17	N. M. H.	F	54	13-9-12	25-9-12	-	2'0	-	-	Polyneuritic psychosis	Pellucid. Quick. (Drops).	Still living.
18	E. W. H. S.	М	30	2-9-12	25-9-12	-	0	-	-		Very faintly cloudy. Quick. (Drops).	Discharged recovered, 4th November, 1912
19	C. C,	м	58	21-9-12	9-10-12	-	0	-	+		Clear with slight flocculen. Quick.	Discharged recovered.
20	A. S.	F	51	10-9-12	9-10-12	+	7.6	ь	ь	General paralysis	Clear. Slow at first, then quicker.	Still living.
21	A. S.	F	44	4-10-12	16—10—12	-	2.2	-	-		Clear. Average rate.	Died in October, 1912. A case of Korsa kow's psychosis. No microscopica evidence of general paralysis.
22	J. J. S.	F	42	7-12-11	4-12-12	+	20'0	+	+	General paralysis	Slightly flocculent. Quick drops.	Still living.

The Wasserman results in a and b probably incorrect owing to laboratory error. In the case of b a strongly positive result was obtained in both blood and fluid on a second examination.

			. and			
	+			1		
				-	.0.0.	
		33			3.1.0.	
					12.4.5	3
				4	all of all	2
2724					11	
¥2.					W. G. A.	3
	4				8. C.	6
					.0.4	1. A.
	1					x.k. 12
					n.a.d	0.5
			1 53	N.	4.10	30
					.a.z	
						24
					C.C.	CS
						02
			1 11-			15
				-		

### II. Sclerosis of the Cornua Ammonis.

Occurred 6 times among the males and 5 among the females.

It is rare to find this condition except among epileptics; that is to say, a sclerosis limited to the cornua ammonis, and not in the remainder of the brain. Of the 2 cases other than epileptic where it was found in both there was general sclerosis.

Males.		Right.	Left.	Both.	Total.
Epileptic Insanity	 	3	I	_	4
,, Imbecile	 	I	I	-	2

Females.	Right.	Left.	Both.	Total.
Epileptic Imbecile	_	I	2	3
Imbecility without Epilepsy	-	-	I	I
General Paralysis		-	I	I

#### III. Sulcus Lunatus.

This fissure sometimes seen in the occipital lobe corresponds with the Affenspalte; so called because it was considered a peculiarity of Ape's brains; but it has been shown by Professor Elliot Smith and others that it is occasionally met with in human brains.

Amongst the insane, it probably occurs in a larger proportion than among the sane, and so far as the observations made in this Asylum extend (including upwards of 500 persons), it is most frequently found among imbeciles, or cases of dementia prœcox, and least frequently among general paralytics.

It is found more frequently on the left (18) than on the right side (8).

		MA	LES.			Fema	LES.		
	Right.	Left.	Both.	Total.	Right.	Left.	Both.	Total.	Grand Total.
Imbeciles and cases of Dementia Prœcox	I	4	_	5	2	2		4	9
Confusional Insanity (Korsakow's D.)		_	-	_	I	3	-	3	3
Senile & Secondary Dementia	-	I	_	I	2	4	I	7	8
General Paralysis	I	I	2	4	I	-	-	I	5
Delusional Insanity	-	I	I	2	-	-	2	2	4
Acute & Chronic Mania	-	-	-	-	-	2	I	3	3
Acute Delirium	-	I	-	I	-	-	-		I
	2	8	3	13	6	10	4	20	33

### IV. Local Atrophy of the Convolutions.

Only atrophy affecting portions of the surface is here considered. The instances in many cases overlap, *e.g.*, one cerebrum may show localised atrophy in several sites. Notice that the associational areas are deeply affected and that the prefrontal is the next usual site of atrophy—(excluding the vertex which takes in many areas).

			MALES.	]	Females.
Prefrontal			25		27
Frontal			7		3
Parietal			18		25
Vertex ove	r central (o	chiefly)	25		37
and ce	entral		- i -		(24) included in above

4

MALES.		FEMALES.
I		3
2		I
I		1
3		0
	I	I 2 I

V. Softenings due to hæmorrhage old or recent or embolism occurred in the following sites :---

		Ma	LES.			Fема	LES.		
	Right.	Left.	Both.	Total.	Right.	Left.	Both.	Total.	Grand Total.
Lenticular Nucleus	-	-	3	3	3	2	2	7	10
Caudate ", ···	-		-	-		-	I	1	I
Thalamus	2	I	-	3	-	-	I	I	4
Corona Radiata	-	I	I	2	3	I	-	4	6
Frontal Cortex	2	-	-	3*	I	I	-	2	5
Parietal "	2	-	-	3*	I	-	I	2	5
Paracentral ,,	-	I	-	I	-	-	-	-	I
Temp-Sphenoidal Cortex	3	-	-	3	-	-		-	3
Corpus Callosum	-	-	-	1*	-	-	-		I
Internal Capsule	I	-	-	I	-	-	-	-	I
Pons	-		-	1*	-	-	-	3*	4
Cerebellum	I	I	-	2	-	-	-	-	2
Multiple pin-head cortical hæmorrhages	I	-	-	2*	-	-	2	2	4
Pin-head hæmorrhage in Cuneus	-	-	_	-	-	-	-	I*	I
Pin-head hæmorrhage in Occipital Cortex	_	_	_	_	-	I	_	I	I
	12	4	4	25	8	5	7	24	49

\* This indicates that on one or more occasions it is not stated on which side the lesion occurred. VI. Basal vessels diseased in 40 males in 133 P.M's.=30%, and in 41 females in 147 P.M's.=nearly 28%. Although among females the percentage is slightly lower they more frequently get an advanced condition of disease of the vessels than in males. In 11 cases, the vessels were very bad (ulcerated and calcareous) in the brain of the females—in only 5 in the male.

Age- period.	Males.	Females.	Total.	Age- period.	Males.	Females.	Total.
40-44	I	-	I	65—69	5	3	8
45-49	-	-	-	70-74	7	9	16
50-54	3	4	7	75-79	5	II	16
55-59	2	4	6	80-84	3	5	8
60-64	14	3	17	85-89	-	2	2

These figures only refer to gross or naked eye lesions. Microscopical examination showed hyaline thickening of arteries in the meninges or cortex very often when there was no evidence of lesion (naked eye) in the basal vessels. (In 6 out of 19 males examined microscopically, and in 10 out of 15 in the females).

VII. Sub-dural films, hæmorrhages or cysts. (Ranging from slightly rusty staining of inner surface of dura up to an organised membrane nearly 1 inch thick).

Amongst the males a hæmorrhagic membrane (recent or old) was found in 10 instances, and 3 only of these were in general paralytics. The remainder were mostly old or organic dements with bad vessels, but one occurred in an imbecile, subject to epilepsy, aged 25.

In 4 (? 5) the membrane was of old standing and had become firm and organised.

7

Amongst the females, 16 times, as follows :--

4 cases of general paralysis, from 35 to 60 years old.

- 3 ,, senile dementia.
- 3 , confusional (alcoholic).
- 2 ., delusional insanity.
- 1 " acute mania, aged 46.
- 1 ,, mania, ,, 42.
- I " melancholia (? D.P.) aged 46.
- I ,, secondary dementia.

VIII. Tumours.

In the males in 3 cases.

In one of these a senile dement, there were several diffuse yellowish growths in different parts of the brain (? gummata).

In the females in 2 cases.

- S.A.G.—Two tumours adherent to inner side of dura mater, of which the larger was the size of a cob nut. (Not examined microscopically).
- (2) E.M.—Firm yellow sessile growth, size of spanish chestnut, springing from anterior end of thalamus and lying - in lateral ventricle. (? Neuro-fibroma).

#### IX. Angiomata.

None met with in the males examined.

Among the women, 3 were noted, all small.

Two were situated in the pons, Both in senile dementia.

One was situated in the hypophysis. A general paralytic.

X. Microscopical examination of pieces of cortex from the prefrontal lobe, the ascending frontal lobe including paracentral, and the left lateral lobe of cerebellum, were made in 19 males and 44 females.

The tissues were fixed in absolute alcohol for 24 hours embedded in paraffin and stained with Unna's polychrome blue, and in some cases Pappenheim's pyridin and methyl green combination.

It will be noticed that, frequently, nerve cells are spoken of as "degenerated and of a halo type." This refers to cells where the body is generally loose and crumbly and often deficient in places, and where there is an empty space surrounding the nucleus like a halo. A very usual form (especially in the smaller nerve cells) is for only a cup-shaped piece of body to exist below the nucleus, and parted from this latter by a little space—a cup and ball like arrangement. This halo type is probably a form of degeneration characteristic of nerve cells, which are, from their beginning, of insufficient durability.

Another term frequently applied to the Betz cells is "immature." This refers to a condition found in a large majority of all epileptics and other imbeciles and cases of dementia prœcox, and in about 40% of all cases of insanity examined, and least frequently among general paralytics. It is often indistinguishable from early axonal change. The tigroid is dust-like and pale in the centre of the cell. The nucleus generally large and clear and eccentrically placed.

Briefly put, the reasons for looking on this condition as a form of immaturity are :---

- Its very frequent occurrence in imbeciles and cases of dementia prœcox.
- (2) Its likeness to embryonic or very young nerve cells, especially in the eccentric position of the nucleus.
- (3) Its occurrence (Lugaro and others) as a normal adult form in some lower species.

Immature Betz cells are noted :---

(1) In 5 males.

2 cases of confusional (alcoholic) insanity.

I case of imbecility and epilepsy.

I ,, ,, delusional insanity.

I ", " myxœdematous insanity.

(2) In 16 females.

Dementia prœcox		5	Secondary dementia		I
Imbecility with or wit	hout		Recurrent Melancholia	ı	I
epilepsy		2			
Confusional (K.D.)	•••	3	Recurrent Melancholia	with	
			Epilepsy		I
Acute delirium		2	General paralysis		I

Coagulation necrosis of the nerve cells (Nissl's acute cell change) was noted in 3 cases—all females.

#### Gliosis.

MALES.—Only noted twice, and in both cases it took the form of a small cell gliosis of the zonal layer. One was an imbecile subject to epilepsy, and the other was a man aged 65 who died the day after admission.

FEMALES.—Only noted in one, and here also only in zonal layer. Curiously, this woman died two days after admission. She was probably a case of Korsakow's disease.

Hyaline thickening of the meningeal or cortical (or both) arteries was found in 7 male cases—often accompanied by minute extravasations of blood in the cortex. Amongst the females it was noted in 12 cases, and endarteritis in 3. N.B.— This condition of hyaline thickening occurred in 6 cases in males and in 10 in females where there was no naked eye lesion of the basal vessels.

Three cases of general paralysis amongst the males were examined, and as is usually the case, the cerebellum showed very slight if any, pathological change. One case, supposed from the clinical picture to be a general paralysis did not show any evidence microscopically in favour of this diagnosis.

Six cases of general paralysis amongst the women were examined, but the degree of incidence of lesion is only mentioned in 2 cases :—

In one the prefrontal was most implicated.

In one the cerebellum showed no lesion.

One case of confusional insanity with neuritis (Korsakow's disease) was examined in a male, and marked fibrotic atrophy of both posterior tibial nerves was found.

Six cases amongst females were examined, but the posterior tibial nerves in only three. In one it showed no observable lesion. In the other two, marked fibrotic atrophy with disappearance of myeline rings.

Two other female cases were probably instances of Korsakow's disease, but one died two days and the other thirteen days, after admission. Neither of them, however, showed any lesion in their posterior tibial nerves.

## THORAX.

#### Lungs.

Evidence of bygone tubercular disease (phthisis) in the form of little puckered or caseous nodules encapsulated were found at the apices of the lungs in :- -

Six male cases varying in age from 19 to 71.

Four female cases.

## Thyroid.

Showed pathological alterations in 13 men-only 3 women

MEN.

Atrophic (=9 grammes) in one case (Myxœdema).

Hypertrophic in 12 cases, viz. :-

- 3 Imbeciles (25 to 42 grammes).
- 4 Dements (35 to 88 grammes).
- 2 Epileptic insanity (27 to 30 grammes).
- 2 General paralysis (20 to 52 grammes).
- I Acute delirium (20 grammes).

In some of these it was cystic or calcified in part.

#### WOMEN.

- Delusional insanity, died, 79. Fleshy tumour, size of walnut, in right lobe.
- (2) Maniacal depression, died, 51. Weight, 75 grammes cystic growth in right lobe.
- (3) General paralytic, died, 49. Calcareous deposits.

Vessels.

Aorta.

	10—14	20—24	25—29	30—34	35—39	40-44	45—49	50—54
Males Females		I 	 I	5 1	II	9 4	5	6 11
Total	2	I	I	6	12	13	9	17

		55—59	60—64	65—69	70—74	75—79	80—84	85—89	
Males Females	1.1			9 6	1.00	5 10	3 5	2	
Total	 	15	24	15	16	15	8	2	

#### MALES.

The aorta was atheromatous or calcareous in 92 out of 132 cases examined, or just upon 70%.

In many it was only slightly affected, but in others (20) it was very badly diseased, and 3 of these were under 50 years of age.

#### FEMALES.

Aorta diseased in 64 (out of 148)=43%.

In some cases only slightly affected, but in 18 very badly, but of these 18 not one was under 50.

## Coronary Arteries.

Diseased.

		25—29	30—34	35—39	40—44	45—49	5054	55—59
Males Females		1 - 1	1999	I -			3	4 1
Total	 			I	6			5
		60—64	65—69	70—74	75—79	80—84	85—89	
Males	 	1		4	4	2		
Males Females		9	2	4	4			

#### MALES.

In 35, or 26.5%, they were atheromatous or rigid and tortuous.

#### FEMALES.

In 29, or 19.7% they were atheromatous or calcareous, and 13 of these were very bad. Nine under 50.

N.B.—Notice the greater frequency of disease in the aorta than in basal cerebral vessels.

#### Heart.

The foramen ovale was patent.

One case only among the males, an idiot, subject to epilepsy, who died at age of 3.

Two cases among the females :--

(1) Dementia procox, aged 25.

(2) Secondary dementia, aged 62.

#### ABDOMEN,

#### Liver.

#### MALES.

In one case (T.J.A., aged 32) an abscess was found which had, however, apparently originated in the kidneys. This man had been in South Africa.

In two cases, one of which was a case of Korsakow's disease, it was cirrhotic.

The organ was microscopically examined in 9 cases :--

In 5 there was some fatty degeneration. In 3 there was some cirrhotic change In 3 it appeared natural.

Gall stones were found in 6 cases out of 132, or 4.5%.

#### FEMALES.

Examined microscopically in 44 cases :---

Fatty degeneration was found in 16, or 36.3 %.

Cirrhosis was found in 8, or 18.0 %.

Three of these were cases of Korsakow's disease, and in all of these cirrhosis was extreme. One was a typically hob-nail liver.

An angioma was found in two :--One a case of Korsakow's disease; the other a case of dementia prœcox or congenital defect.

Plasma cells were seen in the livers of 3 general paralytics.

N.B.—They are not uncommonly found in the livers of other cases than general paralytics; notably epileptics.

The livers of four cases of Korsakow's disease were examined. Three were cirrhotic.

One showed no cirrhosis, but fatty degeneration.

Gall stones were found in 23 cases or 15.5 %.

#### Adrenals.

#### FEMALES.

Pathological changes noted in 6 :--

In 1 a small hæmorrhage.

In 2 adenomatous growths.

In 1 calcareous deposits.

In I miliary tubercle.

In I secondary carcinomatous growth.

#### Stomach.

#### MALE.

A hair ball or mass of putty-like material mixed with hair was removed from the stomach of a congenitally defective man of vicious and immoral habits, aged 68. It weighed 762 grammes and completely filled the organ. These are usually supposed to be peculiar to hysterical females.

#### FEMALE.

Carcinoma of stomach, I case.

#### Intestines.

#### FEMALES.

Dysenteric ulceration found in 4 cases.

Tubercular ulceration found in 1 case.

Large sarcomatous tumour weighing 1015 grammes was found in the abdomen of a woman.

#### Pancreas.

#### FEMALE.

In one case there were pyæmic foci and extravasation of blood.

## KIDNEYS.

Although among the non-certified population, kidney disease is more common among men than women, the reverse is the case in asylums. The following table shows the result of examination of the kidneys in the two sexes during 1912 :-

		Males.	Females.
I	Granular kidneys	 16, or 12%	 40 or 27 %.
2	Tough (not included in 1)	 IO	 24
3	Stript badly (not included in 1)	 19	 25
4	Cystic (many included in 1)	 19	 16
5	Tubercle of	 I	 2
6	Abscess	 I	 ĩ
7	Lobulation of surface	 5, or 3.7 %	 7 or 4.7 %.

As regards the last feature it is an anomaly, and is the natural appearance of the organ in the adult condition of pigs, oxen, &c., and in the embryonic state of human beings it is also a lobulated organ, and when this condition persists during adult life, it would appear to be an indication of imperfect development. Of the 5 cases in which it was met with in the males :--

2 were general paralytics.

2 were imbeciles subject to epilepsy.

I was a case of melancholia.

Of the 7 cases in which it was met with in the women :--

3 were cases of dementia prœcox.

I was a case of epileptic insanity.

I was a case of idiocy with epilepsy.

I was a case of general paralysis.

I was a case of melancholia.

	Males.	F	emales.
Microscopical examination was made	е		
of the kidney in	9		44
Found to be natural in	4		8
Increase of interstitial growth (not in	-		
cluded in granular-No. 1)	3		17
Cloudy swelling	I		7
Endarteritis	5=5	5 %	24=54%

A renal calculus was found in the pelvis of one man's kidney. And in the case of 2 females —general paralytics —whose kidneys were especially stained and examined, plasma cells were noted but not in a large number.

Our percentage of deaths has been for some years a very high one, but I would point out that the class of cases we get are unfavourable, including many senile people and others in a bad state of health on admission.

Thus glancing at this year's post-mortem records, it will be seen that 20 of the males and 35 of the females were above the age of 68 at death : whilst no less than 24 males and 14 females died within a comparatively few days after admission (from 1 to 25 days), showing that their condition was serious from the first.

tials	Age	L. Re	angth of midence		Synopsis of Case.		nt of halton nmes.		eight of Heart grammes.	Abdomen,	ight of the Kidneys grammes.	Cause of Death.
mbers.	Death.	¥.	м.	D.	synopeix of Case.	Nervous System.	Weight Encepha	Thorax.	Welg Hc in gra		Weigh 2 Ki in gr	
N. A. 1,637	33	16			Epileptic insanity. Frequent attacks of grand mal.	Brain-good pattern ; marked sclerosis of right cornu ammonis.	1369	Consolidation of right lower lobe, cavity in upper. Some atheroma of aorta.	298	Nil abnormal detected.	143	Pneumonia and epilepsy.
J. A. 13,184	63	12		••	Epileptic insanity.	Bram-basal vessels atheromatous; slight atrophy at frontal pole; meninges milky.	1167	Bronchitis. Aortic valves and aorta atheromatous. Coronaries tortuous and hard.	278	Nil abnormal.	177	Epilepsy.
. J. A. 13.217	32		3	**	IV. Standard; slow in learning. Devoloped acutely maniacal symp- toms a few weeks before admis- slom. General paralysis suspected. Had been 2 years in South Africa.	Nil abnormal detected in brain.	1278	Acrtic valves atheromatous. Aorta very atheroma- tous (ulcerated).	295	Abacess in liver and right kidney extending down into scrotum.	R 252 L 167	Renal abscess and mania.
J. A. 23.381	75			5	Senile dement with a history of ex- cessive beer drinking. Serpiginous ulcer on face.	Brain-fair pattern. Old softening in both lenti- cular nuclei and right thalamus.	1364	Old adhesions of pleura on right side. Aortic valves. Aorta and coronaries atheromatous.	340	Kidneys tough, pale, capsules adhe- rent, Cortex narrow.	230	Senility and morbus cordis.
H. A. 13,386	62			25	Agitated melancholia.	Brain-basal vessels atheromatous.	1249	Hypertrophy of left ventricle. Muscle soft. Athe- roma of aortic valves, aorta and coronaries.	275	Kidneys firm, pale capsules stript readily.	190	Erysipelas of face, Morl cordis,
W. B. 4.698	48	33			Imbecile without epilepsy.	Brain-local atrophy in parietal and prefrontal areas in order named. Fair pattern.	1547	Consolidation of right lower lobe and thickening of pleara. Slight atheroms of aceta and at entrance of coronaries. Thyroid large (32).	254	Kidneys tough, capsules adherent, cortex wide.	259	Pneumonia.
W. B. 13,817	75	13	**		Epileptic dement. Fits from age of 62.	Brain-basal vessels atheromatous. Atrophy in frontal poles. Ventricles dilated. Old softening on usder-surface of right lobe of cerebellem- §-inch in diameter and §-isch deep.	1309	Hypertrophy of left ventricle. Muscle soft Aortic and mitral valves atheromatons. Aorta very ditto. Coronaries rigid.	425	Kidneys. Capsules thick, adherent, pale, firm. Cortex thin.	220	Morbas cordis.
W. B.	14	9			Imbecile without epilepsy.	Brain-nil abnormal.	1155	Tubercular cavities in left lower lobe. Heart and vessels natural.	110	Caseating patch in left kidney; tubercle of spleen.	132	General tuberculosis.
W. B. 17,604	64	8			A secondary dement.	Brain-hasal vessels atherematous. Slight atrophy in prefrontal and vertex (over central).	1356	Bloody fluid in pericardium and repture in wall of left ventricle. Aorta atheromatous.	417	Liver fatty-looking and soft. Kid- neys pale, soft. Capsules stript readily.	313	Rupture of left ventricle,
1. B.	66	8			Delusional (hypochondriacal) insanity.	Brain-fair pattern. Atrophy of vertex. Small bremorrhage size of split pea in right subicelum.	1422	Old tubercle (healed) in apices. Atheroma of sorta.	287	Kidneys cystic. Cortex thin, tough. Capsules adherent.	240	Senile decay. Chronic int stitial nephritis.
J. B. 11.441	82				A secondary dement. Here for very many years.	Brain-basal vessels slightly atheromatons. Atrophy very marked at vertex (top of central and in frontal poles)-gyri atrophied and gaping.	1204	Old adhesion in upper third of left pleura. Heart: left ventricle dilated muscle friable, slight athe- roma of aorta and coronaries. Thyroid very large (88) and calcareous and hemorrhage in centre.	405	Liver puckered and tough. Kidneys tough, thin cortex, capsules ad- herent.	285	Interstitial nephritis and card dilatation.
R. T. B. 22,129	20	3			A low grade imbecile without epilepsy. Fility in his habits and trouble- some.	Brain-much atrophy in central region. Sulcus Junatas on right. Microscopic examination of Prefrontal A.F. and correleilum showed no glosis or vascular character halo type, that is where the cytoplasm is dis- integrated, leaving a clear zone around the nucleus.	1228	Old adhesions in left plears. Right lower lobe very ordematons and congeneed.	198	Liver (examined microscopically) was natural. Kidneys fairly good except for some slight endarteritis.	183	Exhaustion of dementia a congestion of lung.
H. G. B 22,246	42	2			Epileptic insanity, Pugnacious and troublesome after fits.	Brainold softening on right parietal lobe and third temporal convolution. No sclerosis of cornu ammonis.	2436	Large, walls hypertrophied. Some atheroma of aorta. Thyroid enlarged and ossified (27).	400	Large cyst in right kidney.	301	Epilepsy.
H. B. 22,487	55	2			All the time dull, inanimate and depressed. No history.	Brain-naked eyed, nil abnormal.	1377	Pleura adherent. Lower right lobe in state of pneumonic consolidation. Slight atheroma of aorta.	335	Kidneys tough but cortex natural and capsules stript well.	325	Pneumonia,
W. B. 32,733	80				Restless, confused and disorientated. Delasion of wealth.	Brain-internal carotids calcareous ; other basal vessels only showed minute atheromators spots. Very slight atrophy in Ace. Parietal and Pre- trontal regions. Brain-softening adjacent to each olfactory bulb. Namerous od softenings in central gaugita of left side. Lateral ventricles enzomously dilated.	1172	Muco pus in broachi. Triceagad valve incompetent. Mirral seecosis. Marked atheroma of norta and coronaries.	208	Kidneys tough, cortex thin, capsules adherent, puckered surface.	175	Chronic bronchitis. Brigh disease.



inials and	Age	R	ength of		Synopsis of Case,	Nervous System.	reight of acephalon grammes.	Thorax,	ht of sart ummes.	Abdomen.	ght of th Kidneys grammes	Cause of Death.
ambers.	Death.	¥.	м.	D.	charles or case.	ivervous system.	Weigh Encep	A DOTAS.	Weight o Heart in gramm		Weigh a K in gr	
J. B. 14/954	33		6		General paralysis with history of alcoholic excess.	Brain-meninges milky and adherent on antero- mesial aspect. Some atrophy, chiefly in pre- frontal region. Lateral and iv. ventricles granular on surface.		Aorta and coronaries slightly athermatous.		Nil abnormal.		General paralysis.
G. B. 13.248	37			7	General paralysis. History of alco- holic excess.	Brain-meninges slightly milky at vertex. Atrophy in prefrontal and sup, parietal region. No organizations, manion of prefrontal and right according frontal and cerebalism showed typical general paralytic heinon-most noted in pre- frontal and least in cerebalism, where there was only a very slight meningeal infiltration.	1331	Pleara thickened and adherent. Aortic valves and aorta atheromatous.	295	Liver showed microscopically slight farty infiltration. Sidney very slight interestitial changes and degeneration of tubal epithe- lium, marked endarteritis.	255	General paralysis.
*3.339	35		2		General paralysis.	Brain-old basal meningitis. Granulations on iv. ventricle. Consistency of cerebrum tough.	1222	Atheroma of aortic valve and aorta and coronaries.	. 214	Kidneys tough, dark coloured. Cortex narrow. Capsules adherent.	290	General paralysis.
F. A. B. 43-345	50		3		General paralysis. History of alco- holio excess.	Brain — marked endarteritis of basal vessels. Meninges milky and bound together at mesial aspect of frontal pole. Spinal cord marked sclerosis visible to naked eye in posterior columns of cervical and humbar regions, chiefly in former. Lesions of general paralysis confirmed microscopic- ally.	1346	Not examined.		Not examined.		Tabo paralysia.
F. B. 23.300	35			8	Acute delirium, History of alcoholic excess.	Brain-marked atrophy over Breca's convolution. Organ very congested.	1475	Left lower lobe pneumonic ; very slight atheroma of norta.	315	Kidneys appeared natural,	215	Pneumonia.
A. B. 23.524	55		I		General paralysis.	Brain-meninges milky and adherent. Atrophy most marked at vertex and in parietal region. No grapulations in fourth ventricle.	1455	Acrta very atheromatous, especially the arch. Coronaries atheromatous.	352	Kidneys appeared natural.	276	General paralysis.
H. G. B 23.715	49		I		General paralysis.	Brain-seasural accept for slight atrophy at top of control power lines. Microscopie scamination of prefrontal, right and heft ascending ronal cortex and cerebellum showed no appearance of general paralysis. Chief fea- tures noted were hysilas hickning of atrobes in The larger nerve cells were all immutate (aconal like).	1240	Nil abnormal.	220	Tumour size of a walnut in spleen. Tough and like wet wash leather. This appeared on microscopic examination to be a fibro adeoom. Capsules of kidneys slightly adherent.	164	General paralysis. (Not con firmed by microscopical ex amination of the brain.)
J. B. 23.767	50			21	General paralysis.	Brain-recent sub-dural bemorrhage from ruptured vessel in meninges over right angelar gyrus. Atrophy in prefrontal region and at vertex.	1345	Right pleara thickened and adherent. Slight atheroms of aorta.	340	Kidneys — capsules stript badly, tough; small cysts,	252	General paralysis.
W, H. B 23,753	76	**		13	Organic dementia.	Brain-slight atheroma of basal arteries. Thick organised false membrane over right cerebral hemisphere, marked general atrophy. Soltening size of a walnut occupying the anterior end of right perforental lobe, and a smaller one about one-thiel of an inch behind this.	1520	Thyroid large (35). Aorta and coronaries athero- matous and aorta and mitral cups thickened and calcareous.	452	Kidneys very cystic. Cortex narrow, Capsules adherent,	285	Cerebral softening. Cysti disease of kidneys.
G. C. 21,746	51	2	2		General paralysis.	Brain-meninges milky, adherent and bound to- gether at mesial surface of frontal pole. Floor of fourth ventricle granular.	1185	Pieural adhesions at left base. Some pericarditis. Aorta very atheromatous and ulcerated. Coro- naries tortuous and rigid.	352	Kidneys-capsulos adherent. Cortex narrow, colour natural.	235	General paralysis.
W. C. \$2,170	19	2			Epileptic imbecile.	Brain-nil abnormal detected.	1251	Caseous deposits at left apex.	265	Kidneys natural.	229	Status epilepticus.
E. C. 22,447	58	r	2		Hilarious, loquacious. Exalted ideas of his wealth and abilities.	Brain-slight atrophy in prefrontal areas.	1463	Pericarditis. Some atheroma of aorta.	435	Kidneys natural.	338	Acute rheumatism. Morbu cordis.
23,118	40		п		General paralysis.	Brain-meninges milky and adherent. No granula- tions in ventricles.	1387	Thyroid (20) cystic and contained hard nodules. Aorta atheromatous.	375	Kidneys natural.	258	General paralysis.



					-	, MALE PO	ST-MO	ORTEMS-continued.				
dals ad	Age	Le Re	ngth of sidence		Synopsis of Case,	Nervous System,	eight of cephalon grammes.	Thoras	cht of eart ummes,	Abdomen.	ght of the Kidneys grammes.	Cause of Death.
ibers.	Death.	¥.	M.	D.		rectour operant.	Weig Encer in gra		Weig H In gri		Welg a P	
. C. 371	84			5	Noisy and restless. Senile dementia.	Brain-basal arteries atheromatous. Atrophy in frontal and occipital regions. Ventricles dilated and granular.	1237	Adhesions of right pleara. Mitral valves stenosed and calcareous. Aortic valves atheromatous. Aorta dilated and calcareous.	287	Small yellow grain-like stones in gall bladder. Kidneys-cystic, pale, tough. Capsules adherent. Cortex thin.	155	Senile decay and morbus cordis. He had a cutaneous horn half an inch in diameter and raj inches long on dorsal surface of lett hand.
. C	36			35	Agitated, depressed and resistive, Picks his skin. Bad health.	Brainmarked milkiness over parietal and frontal regions. Atrophy at top of parietal. No granu- lations. Microscopic examination showed no sign of general paralysis.	1439	Pneumonic condition (red hepatization) of right lower lobe. Some atheronia of aorta.	275	Kidneys engorged. Capsules adhe- rent, leaving granular surface.	275	Pneumonia.
. C. 464	61			11	Demented, restless, dirty in habits, unable to stand. Chronic alco- holic.	Brain basal vessels calcareous. Two recent softenings in left paracentral lobe and small recent hemorrhage in right internal capsule.	1246	Aorta and coronaries atheromatous. Aortic valves atheromatous and calcified.	390	A few small granular stones in gall bladder. Kidneys pale, nil ab- normal noted.	\$57	Cerebral hemorrhage.
C. 483	64			16	Confused, restless, disorientated.	Brain-basal vessels atheromatous; a tough, dirty yellow, well-defined tamour, size of a chestout, occupied the anterior end of corpus callosum and spread into the freesial regions on right side.	1445	Patch of greyish and yellow infiltration with hemorrhage on posterior surface of larynx. Pleural adhesions on left side. Aorta calcareous. Aortic cutys dito. Coronaries hard.	317	Kidneys tough, cortex thin, stript badly. Cysts.	252	Interstitial nephritis. Cerebral tumour.
D.	42	10			Epileptic insanity. Dementia. Alcoholic history.	Brain—Except sclerosis of left corns ammonis nothing abnormal detected. Microscopically—right and left Ase, Pr. and pre- frontal and cerebelium examined, nothing special to note except some hyalins thickening of arteries.	1272	Pleural adhesions at right base. Slight atheroma of mirral and aortic cusps. Atheroma of aorta more marked in abdominal portion.	285	Liver pale and fatty-looking, but microscopic examination showed no fatty nor other change. Kidneysstript badly, pale, showed on microscopical examination no marked change except some slight cloudy swelling.	203	Epilepsy.
, D. 1991	51		4		Dull and apprehensive. Could give no account of his actions prior to his admission. Parcayses of excitement, shouting "Lord have mercy on my soul."	nothing abnormal found. Microscopic examination showed hyaline thickening	1537	Adhesions of left plears at apex. Heart muscle soft and pale. Mitral orifice dilated.	325	Liver showed, microscopically, slight cirrhotic changes and coarse fasty infiltration. Kidneys, microscopically, showed considerable increase of intersitial tissue and moderate endarteritis.	300	Mitral incompetency.
. E.	37			58	Epileptic imbecile.	Brain-slight milkiness of membranes at vertex and atrophy along this region.	1010	Adhesions of left pleura posteriorly; slight thicken- ing of mitral cusps.	232	Nidneys very tough. Cortex thim. Capsules adherent.	187	Epilepsy.
i. E. 1637	70				Subject to fits and noisy, restless and confused after them.	Brain-internal carotida atheromatous. Marked atrophy in right frontal region at vertex. Less noted on left side. A brown softening in right prefrontal cortex.		Atheroma of aorta and corotaries.	270	Kidneys tough. Cortex thin.	204	Senile decay.
, F. 888	41	=5			Epileptic imbecile.	Brain-nil abnormal detected.	1315	Left pleural sac oblisterated, pleura thickened, and the apex of the left lung converted into a dense fibrous mass. Acortic stenosis. Coronaries athercenatous. Thyroid large (25).		Kidneys engorged. Capsules stript badly, Cortex thin.	227	Epilepsy. Morbus cordia.
. F.	42	9			Imbecile and very demented before death with kalatonic symptoms.	Brain-nothing abnormal detected.	1400	Aorta and aortic valve atheromatous.	298	Kidneys-capsules adherent, Cortex thin. Big cyst (half-inch in diameter) on left.	264	Morbus cordis.
. F.	71	41			Secondary dementia.	Brain endarteritis of basal arteries. General atrophy of brain cortex.	1190	Old calcareous patch at left apex. Heart muscle pale and solt. Slight atheroma of aorta and aortic valve.	472	Kidneys—nothing abnormal detected.	232	Fatty degeneration of heart, Senile decay.
H. F. 3-377	42			4	Acute delirious mania.	Brain-Membranes milky, bound together on mesial aspect of frontal lobes. Atrophy in superior parietia and central Microscopical examination-marked hyaline thick- ening of meningeal arteries in prefrontal and cerobellar regions. Betz cells degenerated and erobed.		Aorta atheromatous and sloerated in abdominal part. Aortic valves atheromatous. Coronaries thick and tortuous. Thyroid large (20).	388	Liver showed considerable coarse fatty degeneration on microscopic examination. No cirrhosis. Kidneys (microscopically examined) fairly natural.	298	Heart failure.
						Contraction of the second seco				2	-	M 3



and	Age	L. R	ength o	-	Symopsis of Case,	Nervous System,	ht of halon mmes.	-	eight of Heart grammes.	Abdomes.	t of the dneys	Cause of Death.
ambers.	Death.	¥,	М.	D.	aying the Cr Case.	vervous system.	Weight Encepha	Thorax.	Welg! He in gra	Abounds.	Weight 2 Kidt in gran	
W. F. 13,617	46			14	General paralysis.	Brain — membranes very milky and adherent between frontal poles. Atrophy in prefrontal region.	1259	Nil abnormal.	340	Kidneys-cortex thin. Small cysts.	254	General paralysis.
H. F. 23,802	44			17	General paralysis.	Brain — membranes thick and milky. Atrophy marked in parietal region. Granulations on floor of iv. ventricle.	1593	Heart muscle pale and soft. Aorta very atheroma- tous. Coronaries ditto. Thyroid very large (52).	385	Capsule of left kidney adherent.	294	General paralysis.
J. G. 20,267	51	5			A low type of man with persecutory delusions. Very troublesome and refractory. Alcoholic history.	Brain-nothing abnormal detected.	1230	Heart muscle pale and friable. Granulations on aortic valve. Some atheroma all along aorta and in coronaries.	278	Kidneys—nothing abnormal detected.	240	Endocarditis.
H. G. 22,208	51	2		••	Organic dementia. Dirty in habits and destructive to clothing.	Brain-on opening the dura a quantity of red fluid escaped. Anterior, middle and posterior fosse were lined with a membrane of organised lymph.	1100	Pleurze adherent at bases. Right lower lobe con- solidated.	247	Kidneys appeared natural.	210	Sub dural hemorrhage. Pne monia.
H. J. G. #2,319	38	I	3		Epileptic imbecile.	Brain—simple pattern with oblique sylvian fissure. Microscopic examination—small cell gliosis in zonal layer and corpora smylacea. Betz cells azonal- like (immature). Many hyaline spheres in vessels.	1470	Half-pint of shaggy lymph in left plearal sac. Both lungs showed broncho-pneumonia. Aorta and walves slightly atheromatous. Thyroid large (42).	335	Liver-no cirrhosis or faity changes observed microscopically. Kidneys lobulated. Microscopic examination showed nothing ab- normal.	320	Broncho - pneumonia and pleurisy.
S. W. G. 23,127	57	••	9		General paralysis.	Brain-some atrophy in prefrontal and superior parietal lobes. Membranes very milky.	1390	Aorta very atheromatous. Coronaries atheromatous.	280	Kidneys appeared natural.	330	General paralysis.
F. G. 23,140	60		I	29	Organic dementia.	Brain-basal vessels calcareous, Slight atrophy in sup, parietal and prefrontal. Small softenings (old) in post part of corona radiator and ventti- cular nucleus of both sides.	1327	Aorta very bad, atheromatous and ulcerated. Coronaries tortuous and hard.	288	Kidneys-pale, tough. Cortex thin. Capsules stript easily.	200	Morbus cordis.
E. S. G. \$3.340	44		2	17	General paralysis.	Brain — basal vessels atheromatous. Membranes adherent. Granulations in lateral and iv. ven- tricles.	1344	Aortic and mitral cusps atheromatous. Aorta and coronaries atheromatous.	305	Natural in appearance.	\$77	General paralysis.
J. G. 23.382	79			24	Senile dementia.	Brain-basal vessels atheromatous. General atrophy. Large patch of softening t by 1½ inches on left side in white matter near descending horn of lateral ventricle.	1400	Right pleura adherent. Aortic cosps calcareous. Mitral stenosed. Aorta very atheromatous. Coronaries atheromatous.	395	Kidneys-advanced cystic.	235	Senile decay. Morbus cordis.
J. G. 23.416	70			21	Senile dementia.	Brain-basal vessels calcareous. Local atrophy at vertex, chiefly in sup, parietal region. Diffuse yellow brown growths; (1) at post end of corpus callosum above the pineal gland, (a) on right side implicating cortex, and white matter of cornu ammonis size of pigeor's egg (? gummata).	1326	Bronchitis and emphysema. Atheroma of aortic valves, aorta and coronaries.	322	Duodenal ulcer a quarter of an inch in diameter. Adherent stone, size of a pea, in gall bladder. Kidneys tongh. Cortex very thin. Capsules adherent.	177	Bronchitis. Morbus cordis.
J. G. 23.425	60			10	Demented and depressed.	Brain — basal vessels atheromatous. Appeared natural except for asymmetry of the lateral ventricle, the right posterior hern being very shallow.	1339	Adhesions in both plurze. Lungs congested. Ste- nosis of blcuspid and mitral valves. Slight atheroma of aorta.	192	Cyst, size of a marble, in left kidney.	179	Congestion of lungs.
R. B. H. 16,420	17	10			Epileptic imbecile.	Brain-appeared natural.	1213	Adhestons of right pleura at base and deep con- gestion of lower lobe of right lung.	140	Kidneys appeared natural.	125	Epilepsy.
W. H. 20,899	39	4			General paralysis.	Brain-meninges adherent over temporal lobes. Atrophy at vertex, Salcus lunatus on both sides. IV, ventricle granular.	1303	Slight stenosis of aortic and mitral valves. Slight atheroma of aorta.	320	Kidneys appeared natural.	245	General paralysis.
W. A. H 23,107	17		2		General paralysis on a weak-minded basis.	Brain-membranes adherent. Solcus lunatos on left side. Ventricles dilated. No granulations.	1040	Natural	165	Kidnoya appeared natural.	154	General paralysis.
F. H. #3-373	60		2		Demented, very restless, garrulous and spiteful.	Brain-large. Appeared natural.	1719	Thyroid large and fibrous (73). Aortic valves, aorta and coronaries atheromatous.	300	Small cyst in each kidney. Else- where they appeared natural.	254	Morbus cordia.
G. P. J. 21,897	34	2	2	**	Epileptic insanity.	Brain-some atrophy at vertex.	1562	Heart muscle pale and soft. Slight atheroma of aorta.	298	Kidneys-capsules adherent. Cortex pale and thin. Consistency firm.	373	Epilepsy.



-						MALE PO	DST-MO	DRTEMS—continued.				
Initials and Numbers.	Age at Death.	R	ength o		Synopsis of Case.	Nervous System.	ght of phalon nmmes.	Thoras.	eight of Heart grammes.	Abdomen.	ight of the Kidneys grammes.	Cause of Death.
	L'CHLIL.	Y.	М.	D.			Well Ence		Wei H		Weig a b	
A. J. 21,750	37		9		General paralysis	Brain-meninges milky at vertex. Some atrophy in prefrontal region and along Sylvian fissure. Succus lumatus on Right. Granulations on floor of iv. vestricle.	1201	Slight atheroma of aortic cusps but norta itself healthy.	272	Kidneys—capsules adherent.	225	General paralysis,
W. J. J. 23.316			8		Epileptic imbecile.	Brain-nil abnormal detected.	1313	Heart and vessels natural.	1.50	Kidneys natural.	132	Epilepsy.
G. K. 12,820	63	15			Epileptic insanity	Brain-basal vessels atheromatous.	1362	Bronchitis-Heart moscle pale and soft. Aortic cusps atheromatous and norta also, especially in abdominal portion.	465	Kidneys pale and with this cortices.	131	-
A. H. L. 17.332	37	9			Myxcodematous insanity.	Braintight strephy at vertex and in parietal lobes. Olivary bodies televened. menuing the strength of the strength of the strength ending from locarize and cerebeilum. Small hereve cells characterised by degenerative changes. Broken down body and Lako round uselesse. Betz cells large and axonal-like or immatter with bladder-like nucleus.	1424	Thyroid atrophic—9 grms. Pleura adherent.	382	Kidnøys pale.	232	Myxodema.
A. L. 23.320	13			5	Epileptic tmbecile.	Drain-sclerosis of left corns ammonis. Microscopic examination of prefrontal and rights and decouple and the second second second second second degeneration of the neuro cells in outer layers characterised by crumbling of cytoplasm and formation of halo around neckers. Some feiting of the zonal layer and little bads on left ascend- ing frontal only.	1273	Adhesions of right pleura. Slight atheroma of arch of aorta.	230	Kidneys natural.	195	Epilepsy.
A. L. 23,420	59		6		Acute melancholia.	Brain-atrophy along Rolandic fissure of both sides. Membranes milky.	1359	Left lower lobe consolidated. Slight atheroma of aorta and coronaries.	325	Kidneys—lobulated, hard. Capsules stript badly. Cortex rather thin.	391	Pneumonia.
T. L. #3,677	64			12	Actively manlacal. Described as always having been excitable and obstinate. Here 9 years ago.	Brain-general and considerable atrophy of cortex.	1229	Thyreid small (rog.), pale and tough. Old adhesions in both pleura. Acrta slightly atheromatous in upper parts. Considerable atheroma in lower.	260	Kidneys-cystic. Capsules adherent.	246	Chronic Bright's disease,
S. I. L. 23,816	57			3	Delirious, noisy, restless and in- coherent.	Brain-basal arteries, patches of atheroma. Circle of ills abnormally formed. Atrophy ofcortex on right aide behind angular gyruss and adjacent occipital lobe. Sulcus Innatus on left. Old softenings in right Thalanus.		Adhesions in left ploura. Aorta atheromatous,	215	Six stones in gall bladder. Stone and pus in left kidney.	228	Arterio sclerosis; cerebral soft- enings.
J. M. 18.081	25	8			Probably an epileptic imbedie. Very violent and dangerous and de- graded.	Brain-recent hemorrhagic fam over right side, which had originated from a reparted meningeal ven over the posterior part of the right prid frontal. Sulcos lutants on left. Microscopic examination of right spid footal and right and fut accounting from the source of right and fut accounting from the source of right and in accounting the source of right spin frontal accounting of rupture. No globas, in essent suita accounting of ruptures. No globas,		Right pleara adherent all over,	270	Kidneys appeared natural.	217	Cerebral hemorrhage-
R. H. M. 22,164	53				General paralysis. Alcoholic history.	Brain-Patch of endarteritis in basilar artery, slight rusty discoloration of dura on inner aspect, left silor. Local attrophy very marided (1) on left in syviran fasure and sulces in front of ascending frontal, (a) along sulces bounding the ascending frontal wateriority, (3) Prefrontals. Sulcus iuma- tus both aides. Floor of iv, granular.		Adhesions in right pleara. Cusps of aortic and mitral valves thickened. Atheroma of aorta.	328	Kidneys appeared natural	277	General paralysis.
J. W. M 82,962	42		18		General paralysis.	Brain-Membranes milky. Atrophy over parietal region. Ventricles dilated and floor of iv. granu- lar.		Marked atheroma of aorta. Slight atheroma of coronaries.	355	Kidneys appeared natural.	350	General paralysis.
J. M. 22,123	45		2	12	General paralysis.	Brain-Meninges slightly opaque and adherent. No granulations in ivth. ventricle.	1320	Old adhesions in right pleura. Aortic cnsps athero- matous and aorta very atheromatous.	315	Soft yellow gall stones, Kidneys pale, firm. Capsules stript well.	307	General paralysis.



tials	Age	R	ength o	1	Synopsis of Case,	Names Contra	nt of balon nmes		nt of art nmes.	Abdomen.	of the	Cause of Death.
esbers.	Death.	Y.	м.	D.	opropose or case.	Nervous System,	Weight Encephal	Thorax.	Weigh He In gran	Abdomen.	Weight o 2 Kidn in gram	Caller of Press.
E. M. 3.247	70		3		Senile melancholia.	Brain — basal vessels markedly atheromatous. Atrophy along vertex and in occipital region. Lateral ventricles dilated.	1353	Pneumonic consolidation of both lings. Aortic valves very atheromatous and aorta very bad (atheromatous and ulcerated). Coronaries thickened and tortous.	265	Numerous small yellow gall stones. Kidneys stript well. Cortex thin and pale.	297	Pneumonia.
J. M. 3.273	32		3		Delusional insanity"	Brainatrophy all along vertex from Prefrontal to Parieto - occipital, chiefly in parietal region, Sulcus lunatus on both sides. Brain tough.	1243	Adhesions in both pleurae, Advanced tubercular disease with cavities.	245	Kidneys fair.	289	Pulmonary tuberculosis.
11. M. 23-344	60		7		Senile dementia.	Brain-slight atheroma of basal arteries. Organised sub-dural membrane on right side. Marked atrophy in central convolutions. Deep lakelets on right side beneath meninges.	Not stated.	Adhesions at apex of left pleura. Packering and fibroas tissue at apices. Pneumonic consolida- tion of right lower lobe. Aceta and coronaries bad (atheromatous).	-	Kidneys-nothing special to note.	-	Pneumonia.
M. M. 3-359	25				Congenital defect (Imbecility with epilepsy).	Brain appeared natural.	-	Old adhesions of both pleurae.	295	Kidneys natural.	230	Status epilepticus.
W. M. #3.627	67			4	A feeble, restless old man. Speaks in a whisper only, and can tell nothing about himself. Dirty in habits and requiring everything to be done for him.	tricles dilated.	1500	Aplees thickened and fibrous with calcarsous deposit. Muscle of heart pale and easily broken down. Aorta atberomatous. Mitral steeosis.	290	Kidneys pale and tough.	228	Fatty degeneration of heart.
C. M. a3.707	68		3		Congenitally defective. Vicious and immoral habits.	Brain-simple pattern. Sulcus lunatus on left side.	1473	Lower two-thirds of lower lobes pneumonic. Aorta and its cusps atheromatous.	282	Stomach filled with a mixture of hair and putty-like material, weighing 762 grammes. Kidneys tough. Cortex thin. Stript badly.	224	Pneumonia.
J. M. 23,682	68		1		Confusion with peripheral neuritic symptoms and alcoholic history. (Polyneuritic psychosis.)	Brain-patches of endarteritis on basal arteries, Atrophy chiefly at vertex and in Prefrontal regions. Ventricles dilated. Microscopic examination of posterior tibial nerves showed atrophy and marked deficiency in medal- lated perce fibres.	1246	Adhesions to base and back in right plears. Aortic cusps calcareous. Mitral stenosis Marked atheroma and dilatation of aorta. Atheroma of coronaries.	315	Kidneys tough. Cortex stript badly. Small cysts in both.	245	Chronic kidney disease.
J, M. *3.743	65			I	Delirious. Inquest held.	Brain-slight athercons of head vessels. Recent harmsrchaup hiled richt suddle foss covering the temporal lobe. It appeared to originate from a repured vessel in the membranes near top of temporal lobe. Microtocycle examination. Marked hyalins thicken- lageneing frontal. This sclerosed rim to zonal layer with corpors any lacoar and slight small cell globis in zonal layer of temporal and performal regions. Degenerative changes in nerves cells abarenting frontal. This sclerosed rim to zonal layer with corpors any lacoar and slight small cell globis in zonal layer of temporal and performal regions. Degenerative changes in nerves cells abarentering by crumbing of cell holy and laking frontal region. Bets cells acoust like or isomature in to-rap per cent. Others good. Marked access of pigment. Nil aboremal is cervibilum.	1317	Epitholomations tomore in glands of sock on left side. Calcorese notifies in apices of lange. Slight atheroma of aorta.	-	Kidneys pale and wave looking. Capsules stript with difficulty.	380	Subdural hemorrhage.
W. N	7	2			Epileptic imbecile.	Brain-appeared natural.	1300	Left lung showed patches of broncho-pneumonia.	113	Kidneys natural.	1,42	Broncho-pneumonia.
7. N. 3.066	39		10		General paralysis.	Brain-basal vessels opaque. Membranes thick miky. Atrophy of surface chiefly in Prefrontal area. Lateral venticles dilated. Ploor of iv. weem-eaten aspect.	1330	Mitral casps very rigid. Aperture dilated. Slight atheroma of aorta.	485	Kidneys natural.	235	General paralysis.
. J. N. 3.153	63		8		Dull, steporose and cataloptie, with of out interest in affairs or friends.	Brain-basal vessels acheromatoux. General arrophy of cortex but most marked in central areas.	1575	Heart muscle appeared fatty. Mitral and aortic valves thickened and stenosed. Aorta very athero- matous. Coronaries atheromatous.	485	Kidneys large and fatty looking.	339	Valvular disease of heart.



ials	Age	Le Re	ngth of		Synopsis of Case.	Nervous System.	ht of shalon mmer.	Thoras.	eight of Heart grammes.	Abdomen.	Weight of the 2 Kidneys in grammes.	Cause of Death.
bers.	Death.	¥.	м.	D.		in the option	Weight Encepha		Well H in gr		Weig	
N. 993	19		3		Epileptic imbecile.	Brain-inner surface of right occipital lobe microgyrie. Ventricles dilated and granular right corau ammonis sclerosed. Left outer sur- face over greater part converted into jelly like mass. Floor or iv, granular.	985	NI.	215	Nil.	202	Status epilepticus. Cerebr atrophy.
0.	22		2		Epileptic insanity.	Brain-sclerosis of right cornu ammonis,	1385		345	Kidneys stript badly.	310	Epilepsy.
7. P. 185	61	12			Delusional insanity. Querulous and suspicious.	Brain-basal vessels atheromatous. Atrophy in prefrontal area and vertex. Lateral vestricles dilated.	1399	Old pleural adhesions and fluid on right. Mitral and aortic valves thickened. Thoracic aorta slightly atheromatous. Abdominal aorta very bad, cal- careous. Corconries atheromatous.	630	Kidneys tough. Stript badly. Cystic.	320	Heart disease.
P. 081	47		7	22	General paralysis,	Brain-marked atrophy of convolutions chiefly in prefrontal areas and vertex. No granulations on iv. ventricle.	1230	Adhesions of left pleura at base. Mitral stenosis. Slight atheroma of aorta.	350	Kidneys appeared natural.	250	General paralysis.
Р. =35	11			11	Epileptic imbecile. (Lumbar puncture gave negative re-action to Ross Jones test.)	Brain-naked eye showed nothing but sclerosis of olivary bolies. Spinal cord very firm. Microscopic examination. The prefrontal region was characterised by degreerative changes in this presence of perinsclear halos. In the spinal cord there was marked dilatation of the central canal.	1247	Bronchitis. Slight atherema in aorta.	105	Liver natural on microscopical examination. Kidneys showed cloudy swelling.	128	Convulsions. Bronchitis,
P. 348	41			9	Admitted in acutely maniacal state and continued to have paroxysms of phrenzy till his death. Pro- bably always of low intelligence. (Standard III.)	Brains-recent haemsernlage over 1st frontal convolu- tion on left. Some atrody in sup parietal lobe Microscopic examination of prefrontal and right and left ascending fronting cories showed degenerative changes with holo around succless in outer (pyr) layer, most noted in prefrontal. Small ruptured vessel seen in molecular layer of cerebullam.	1467	Plana adherent on both sides, commencing pres- monia in lower lobe of right. Slight atheroma of aorta.	280	Liver — microscopic examination, some faity degeneration in centre of lobules. Kidneys pale and tough. Showed some interstitial increase. Mode- rate endarteritis of large arteries. Large number of hyaline casts.	240	(Cut throat and fractured rib. Exhaustion of mania and pneumonia.
R. 555	66	11			Organic dementia. Amnesic.	Brain-basal vessels slightly atheromatous. Soften- ings (old) in putamen of both lenticular nuclei and a on right side of cortex. Lateral ventricles dilated.	1235	Stenosis of aortic valve. Old endocarditis of mitral. Aorta very atheromatous.	405	Kidneys typically arterio sclerotic,	196	Senile decay. Chronic Bright
S. 728	79	7		.,	? Delusional insanity,	Brain-marked endarteritis of basal vessels. Very marked atrophy in prefrontal, vertex, superior parietal and messia surface of frontal, both sides. Old cortical lesion with shrinking at top of right accending prefrontal and sup-parietal.	1213	Aortic valves and aorta and coronaries atheromatous.	525	Capsules adherent. Cortex pale, firm.	234	Morbus cordis. Chronic Bright's.
S. 461 -	74	4			Senile dementia. Noisy, foul and abusive in language, but clean in habits.	Brain-basal vessels very bad. A tough pale mem- brane, thickest over central convolutions, lined the dura on right side. General atrophy of con- volutions. Grey atrophy left optic nerve.	1165	Aorta and coronaries atheromatous,	320	Kidneys stript badly Cyst in right.	182	Senile decay.
5. 981	65		5		Depressed and worried by voices from the ceiling saying abusive things about him. Has been 3 times previously an inmate in the past 17 years.	Brain-atrophy over frontal and occipital regions.	1358	Pieura adherent on both sides at bases. Muscle of heart soft. Atheroma of aortic valve. Slight atheroma of aorta.	358	Kidneys pale, firm. Capsules adhe- rent. Cortex thin.	190	Morbus cordis
A. S.	52		6		General paralysis.	Brain-basal vessels atheromatous. Lateral ven- tricles dilated. Floor of iv. granular.	1232	Pneumonic consolidation of right lower lobe. Aortic valve and aorta atherenatous.	205	Kidneys pale. Capsules stript well	185	General paralysis. Pneumon
. S. 520	33			4	Admitted in a stuporose state and mever regained consciousness.	Brain-surface flattened from pressure. Tumour size of bazel nut in right corpus striatura with mammillated surface. Ventricles dilated.	-	Some scattered pleural adhesions on both sides.	310	Kidneys very pale and tough.	370	Uramia. Cerebral tamour.
J. S. 604	35			19	General paralysis.	Brain-meninges milky and adherent and bound together at mesio-frontal surface.	1219	Very slight atheroma of aorta.	265	Kidneys appeared natural	200	General paralysis.



nitials and	Age		ength o		Synopsis of Case,		t of valon		t of urt		of the neys	Cause of Death.
mbers.	Death.	¥.	М.	D,	aynopus or case.	Nervous System.	Weight Encepha	Thoraz.	Weight o Heart in gramm	Abdomen,	Weight o 2 Kidn in gram	
V. S. 1.792	67			29	Demented and amnesic.	Brain-basal vessels atheromatons. Marked atrophy in parietal regions.	1403	Lower part of left lobe in state of pneumonic consoli- dation. Aorta markedly atheromatous.	255	Kidneys appeared natural.	245	Pneumonia.
3. T. 2.944	36		11		General paralysis. Alcoholic history,	Brain-general atrophy of surface.	1280	Adhesions of right pleura. Aorta slightly athero- matous.	299	Kidneys lobulated.	252	General paralysis.
C. T.	50		1		General paralysis. Alcoholic history,	Brain-basal arteries thickened. Marked atrophy in both frontal regions. Floor of iv. ventricle granular.	1335	Adhesions at base of right pleura. Both lower lobes in state of red hepatisation. Aorta markedly atheromatous. Coronaries thickened and tortuous.	370	Kidneys appeared natural.	293	General paralysis. Pneumonia.
V. T. 3.578	35		2	••	General paralysis.	Brain-meninges thickened and bound together at base. Granulations in floor of iv. ventricle	1267	Vessels good.	245	Kidneys appeared natural.	265	General paralysis.
. E. T. 13.728	60	••	2		General paralysis.	Brain-basal vessels atheromatous. Marked atrophy of cerebral cortex. Lateral vestricles dilated and there were granulations on their ependyma and on that of the iv, vestricle.	1360	Patches of broncho-pneumonia is both lungs and calcareous deposits at apices. Atheroma of aorta.	358	Kidneys appeared natural.	22.4	General paralysis. Pneumonia.
E. W. 11,836	34	2			Dementia proccox (hebephrenia).	Brain—Nil abnormal.	1273	Adhesions of both plearse posteriorly. Cavity size of walnus in lobe of right; rest of long in pocu- monic state. Cavity same size in left lung.	215		304	Phthisis pulmonalis.
I. C. W. 22,769	58		9		Confused, amnesic, confabulates (transiently), emotional. Suffers from gout, and has had lead colic —a house painter.	Brain-marked atrophy at vertex (at top of ascend- ing frontals and post, part of first frontal).	1380	Advanced tubercular disease of lungs. Aorta athero- matous.	372	Some sand-like gall stones, Kidneys cystic.	307	Phthisis pulmonalis,
E. W. 13,470	69			5	Senile dementia. Very restless and depressed.	Brain-basal vessels bad, atheromators; small soften- ing size of split pea just below anterior tubercle of left thalamus, also one in pons and in left side of cerebellum, in white matter.	1519	Firm adhesions in post part of left pleara and apex of right. Aortic valves and aorta and coronaries atheromatous. Thyroid 35. Calcareous nodules and harmorrhage in it.	342	Kidneys fair.	280	Morbus cordis.
. W. 5,234	71	23			Secondary dementia. Showed symp- toms of general paralysis on admission.	Brain-baial arteries calcarecos. Marked atrophy in prefrontal areas. A few granulations in upper part of iv. ventricke. Saleas instatus on both sides. Microscopic examination. Profestoral, right and left ascending frontal, and cerebellum some fibroid thickening of meenings and hyaline degeneration of arteries in prefrontal region, otherwise nothing special focul. No general paralytic lesicos.	1250	Pleurae adheront on both sides. Aorta very athero- matous and ulcersied. Coronaries atheromatous.	475	Liver (microscopic examination). Considerable increase of small peri-adventitial naclei and some small plasma cells (verified by Pappenheim's Stain). Also little necrosed or lymphoid patches. Some perivascular cirrhosis. Kisdays cystic.	205	Senile decay.
H. A 12,306	38	2		••	Dementia proecox (katatonia).	Brain-natural.	1518	Right plears adherent and studded with tubercles, Large tubercular abscesses at apex and upper part right lung. Tubercular deposits at apex and middle of left lung. Some atheroma of aorta.	306	Kidneys appeared natural.	296	Pulmonary tuberculosis,
J. W. A. 12,952	49	T	4		General paralysis with history of alcoholism.	Brain-subdural hæmorrhage on left side. Marked atrophy at top of ascending frontal convolutions. Offactory bulbs tough and atrophied. Granu- lations in floor of iv.	1080	Aorta healthy.	298	Kidneys natural.	218	General paralysis,
J. A. 6,212	50		9		? Dementia proscox (hebephrenia).	Brain-very firm. Lateral ventricles dilated.	1283	Pneumonic consolidation of right lower lobe. Mitral valve stenosed. Aorta atheromatous.	460	Kidneys tough. Capsules stript badly.	313	Pneumonia,
J. B.	:46		••	40	General paralysis.	Brain—mesinges milky and slightly adherent. General and marked atrophy of convolutions.	1194	Pleural adhesions on left side. Some atheroma of aorta,	322	Kidneys lobulated. Capsules stript with difficulty. Firm.	259	General paralysis.
L. B.	49		10		General paralysis	Brain-meninges bound together at meso-frontal surface. Atrophy chiefly in prefrontal and frontal areas. Consistency increased.	1330	Right pleura adherent all over, and right lung deeply congested (? early pneumonia). Aorta athero- matous.	345	Kidneys pale and tough.	277	General paralysis.



tials	Age	Le Re	ngth of				t of palon ames.		ht of art mmes.	Abdomen.	it of th dneys ummes	Cause of Death.
	Death.	¥.	M.	D.	Synopsis of Case.	Nervous System.	Weigh Enceph in gran	Thorax.	Weigl He in gra		Weigh 2 K3 in gri	
J. B 723	64		2		Polyneuritic psychosis (Korsakoff's disease). Alcoholic history.	Brain—Thin false membrane in anterior foxa over ethnoid bone. Brain appeared natural. Microscopic examination. Fran ascending frontal showed felted surface with corpora anylaces its harge number of the surface of the second strate of advanced axonal charge. Prefrontal : so thicken- ing of articles or corpora anylaces noted. Care- belium : marked hyaline tackening of vessels in axonal like. Corpora anylaces noted in purkinje cell hyer. Right and left post thislas show Sintroiz arraphy.	1268	Slight stenosis of mitral and nortic valves. Aorta shows some atherona is abdominal part only.	348	Kidneys appeared natural. Liver cirrbotic. machady cirrbotic and with much small cell infirmation. Many plasma cells. Considerable fatty objects and the constant of the throughout cortex and marked endarteritis, especially of the smaller vessels.	245	Cardiac disease and cirrhosis of liver.
F. C ,082	9		11		Low grade imbecile. Subject to epilepsy.	Brain-excess of fluid beneath dura, arachnoid and in ventricles, microgyri in left occipital region. Left side of brain very rudimentary.	R. C. H. 442 L. C. H. 228	Calcareous gland in mediastinum.	132	Kidneys natural.	105	Epilepsy.
C. 831	78		1	14	Senile dementia. Noisy and restless.	Brain-basal vessels very atheromatous. Excess of fluid beneath dura, arachnoid, and in ventricles. Softening size of walnut anterior end of right temporal lobe.	1299	Left pleura adherent and thickened. Stenosis of mitral valve. Atheroma of acrtic valve and aorta.	380	Kidneys Cortex thin. Capsules adherent. Big cyst in left.	290	Senile decay. Cerebral soften- ing.
. C.	62		1		General paralysis.	Brain-meninges thick and milky. General atrophy of convolutions. Some granulations on floor of iv.	1284	Right pleura very adherent and thickened. Aorta very atherematons	380	Kidneys-capsules stript badly.	255	General paralysis,
E. D.	23		2		Epileptic imbecile of low grade.	Brain-tough.	1217	Left lung pneumonic at base,	-	Kidneys lobulated.	225	Epilepsy. Pneumonia.
7. E.	61		2	4	Demented and disorientated. Had two apoplectiform seizures during residence here.	Brain-Softenings near anterior genu and towards centre of corpus collosum. Enormous dilatation of ventricles.	1352.	-	365	Kidneys appeared natural.	320	Cerebral softening.
W. F.	24		10		Imbecile. Degraded habits.	Brain-sulcus lunatus en left.	1208	Heart wall soft and faity. Right auriculo-ventricu- lar orifice incompetent. Mitral stenosis. Slight atheroma of aorta.	195	Kidneys appeared natural.	160	Cardiac disease (valvular).
.н.	27	1	7		Imbecile and subject to epilepsy.	Brain-appeared natural.	1514	-	292	Kidneys appeared natural.	275	Epilepay.
-753 L. 1,824	71			19	Depressed and delusive that he has committed a crime and ought to be locked up. (No grounds for this idea.)	Brain-marked atrophy at vertex.	1246	Adhesions of left pleura at apex. Mitral stonosis, Aorta atheromators.	355	Kidneys small and tough. Small fibrous nodules in cortex (infarcts).	180	Cardiac disease, Senile decay,
H. L.	26			22	Imbecile and subject to epilepsy.	Brain-firm.	1357	-	255	Kidneys appeared natural.	235	Epilepsy.
. M.	55		7		Epileptic insanity.	Brain-basal arteries atheromatons. Slight atrophy in each prefrontal lobe.	1437	Atheroma of aorta and coronaries.	355	Kidneys appeared natural.	210	Epilepsy.
3,502 L. P. 3,358	19				Dementia proscox (katatonia).	Nothing abnormal detected.	-	Half-a-pint of blood-stained serum with flakes of lymph in right pleural soc. Right lung collarsed with several small abscesses at base, one of which had ruptured into pleural suc. Also abscess at apex.	-	Kidneys appeared natural.	-	Rupture of abscess of lung.
F. R.	39	x	1		General paralysis.	Brain-meninges milky and adherent. Atrophy at vertex and sup parietal and temporal chiefly. Granulations in lateral and iv. ventricles.	1403	Marked atheroma of descending arch of aorta. Abdominal part good.	345	Kidneys appeared natural.	300	General paralysis.
H. S.	58		3	14	Dull, depressed and lachrymose.	Nothing abnormal detected.	1635	Adhesions on both sides. Muco pus in bronchial tubes Aorta atheromatous.	185	Kidneys-Capsules adherent.	197	Pneumonia.
. S.	16	7			Congential defect (imbecility) with epilepsy.	Brain-appeared natural.	-	Adhesions in both pleane.	170	Kidneys appeared natural.	198	Epilepsy.



itials	Age	R	ength o	de.			non a		is of		al sea	
mbers.	Death.	¥.	м.	D.	Synopsis of Case,	Nervous System,	Weight Encepha in grame	Thorax.	Weight Heart Bramm	Abdomen.	Weight of the a Kidneys in grammes.	Cause of Death.
I. S. 3,804	66		1		Organic dementia.	Brain-some atrophy of left cerebrum and soften- ing in frontal lobe. Lateral vestricles dilated.	1437	Muco-pus in bronchial tubes. Aorta and coronaries atheromatus.	280	Kidneys appeared natural. Some peri-splenitis.	202	Cerebral softening. Bronchitis.
V. S. 3,882	60			14	Organic dementia with amnesia,	Brain-basal vessels atheromatous. A large soften- ing in post paraetal region penetrating ventricles with recent harmorrhage.	1301	Some atheroma of aorta,	300	Kidneys cystic.	735	Cerebral softening.
V. T. 3.774	22		2		Congenital defect. Epilepsy.	Brain-Nil, abnormal.	1382	Left ventricle dilated, small hæmorrhage in its wall	290	Kidneys appeared natural.	245	Epilepsy.
G. T. 3-455	31		7		General paralysis. Had a seizure on day of his death.	Brain-meninges milky. Atrophy general but chiefy at vertex along prefrontal and central areas. Lateral vestricle control of disked. Microscopic examination of prefrontal and ascending in the creation probability paralytic lesions prefrontal. The corebelium beyond a slight profiltration in the superficial part of meninges aboved no characceristic lesion of general paralytis.	1773	Bronchitis of right long.	308	Kidneys appeared natural.	269	General paralysis.
. W. 3.244	62		10	8	Depressed, and delusive that he is acted on by electricity.	Brain-patches of atheroma in basal vestels. Atrophy at vertes over prefrontal and frontal areas. Sulcus lunatus on left side, Lateral ventricle dilated.	1510	Right pleura thickened at apex. Tubercular deposit size of walnut in left lower lobe, and several hard nodules at apex. Acrta atheromatous,	282	Kidneys granular and cystic.	230	Pulmonary tuberculosis.
V. W. 3-552	59		6	••	General paralysis,	Brain-meninges milky. Lateral ventricles greatly dilated. Ependyma grandular. Ependyma of iv. also granular.	1500	Mitral stenosis. Aorta atheromatous.	300	Kidneys appeared natural.	323	General paralysis.
W.	43		3	••	Epileptic insanity.	Brain-appeared natural.	1302	-	335	Kidneys appeared natural,	225	Epilepsy.
. S. ,115	58	2	11	••	Epileptic insanity. Of very fair intelligence.	Brain-showed nothing abnormal except sclerosis of right corns ammonis.	1489	Slight atheroma of aorta. Thyroid large (30 gs.)	320	Kidneys appeared natural.	235	Epilepsy.
J. P.	72		4	23	Deinsional insanity.	Brain-basal vessels atheromatous. General atrophy of convolutions. Sulcus lunatus on both sides. Choroid plexus cystic.	1272	Congestion (nearly pneumonic) of right base. Tricuspid valves incompetent. Aorta and mitral stenosed. Marked atheroma of sorta. Coronaries atheromatous.	<b>3</b> 88	Kidneys cystic and large.	-	
. C.	4		3		Idiot. Epileptic fits since 6 months old.	Brain-dara very firmly adherent. Complex pattern.	980	Patches of consolidation in both lungs. Muco-pus in lobes.	45	Kidneys natural.	75	Broncho-pneumonia.
H. W. 3,286	3		I	11	Idiot. Epileptic	Bradia-Iregular pattern. Eisense of sylvins very obbigen Gori of patietal lobe and to some extrin, of central gyri, abrunken, tough and patietsed. Lateral ventrich of diated. Olivary beiden very scherosof. Weiden very scherosof. September 2018 and September 2019 and patientse and several several deronal aboved hettropole arrangement of the nerve cells, with degroention cytoplasm and halo-like arrangement round actes.	-	Heart small and with patent foramen ovale.	42	Kidneys appeared natural.	77	Organic brain disease.



initials and	Age	Re	ngth of		Synopsis of Case,	Name Control	ha of halon mmes.	Thorax.	eight of Heart grammes.	Abdomen.	ight of th Kidneys grammes	Cause of Death
umbers.	Death.	¥.	M.	D.		Nervons System.	Weight Encepha	A DOUBLA	Weig Hi Bri		Weigh 2 K in gr	
R. A.	80	z	6		Dementia. Epileptic 12 years. His- tory and habits unknown.	Brain-slight atrophy at vertex only. Fair pattern. Microscopic examination — Betz colls shranken, benvily pipemented. Vessels fair, only one or two shreved accumulation of leucocytes within their hamen.	1208	Lungs-emphysematons. Heart-emusile fatty. Atheroma of aorta and coronaries.	335	Kidneys-granular, contracted Liver-gall stones. Microscopic examination Liver-Marked endarteritis. Kidneys-Very advanced interstitial change. Pysemic foci ? Enormous endarteritis.	185	Cellulitis of arm. Very acut
J. E. A. 23.586	54		4		z sisters died here. z brothers of phthisis. Recurrent melancholia. Albuminuria. Extremely thin. Refused food.	Brain-seft. Atrophy in posterior central convolu- tions.	1327	Lungs-conjested Heart - mitral stenosis. Aorta and coronaries atheromatons.	240	Kidneys—granular. Liver—tough.	194	Chronic Bright's (Arte sclerosis).
R. B. 25,772	22	3	9		Congenital defect. Insane heredity,	Brain–Shrinking in central and posterior parietal. Fair patters. Basal vessels healthy. Microscopic examination–infleration of manages. Prefeottal cells in all stages of decay. Ascend- ing frontal. Bets normal. Vessels, no structural changes.	1147	Lungs-tubercular cavities left apex. Heart and vessels-natural.	235	Liver—pale patches. Kidneys—caseating masses. Microscopic examination— Liver—No fatty changes orcirrhosis. Kidneys—actessive small round cell probleration and giant cells with many nuclei.	274	Tubercle of lungs and kidney
E. B. 21,899	50	3			Dementia proscox (katatonia). Bar- maid.	Brain-eatural, including blood vessels,	1283	Lungs-congested ; muco-pus in tubes, Heart-natural. Aorta aberomatous.	170	Liver-congested. Kidneys-tough.	267	Broncho-pneumonia.
E. B. 23.412	45			23	Confusional. Drank stout. Signs of peripheral neuritis.	Brain-pattern fairly good, Blood vessels healthy.	1260	Lungstubercle in both, especially left. Heartlarge and fatty. Aorta healthy.	310	Liver-pale and friable. Kidneys-Cysts. Stript badly.	230	Tubercle of lungs and intest
1.M.A.B. 23,465	55		4		Recurrent melancholia. In-ane here- dity. Very agitated.	Brain-fair pattern. No atrophy. Vessels natural. Microscopic examination-hyalics thickening of vessels of meningea. Cells pigmented heavily. Some thickening of arterial walls.	1290	Lungs-ordernatous and congested, Heart-valves opaque. Atheroma of aorta.	238	Liver-large and tough. Kidneys-large and tough. Stript badly.	290	Chronic Bright's disease.
P. B. 23,468	64			42	Senile dementia. No history. Alco- hol denied. Arterio-sclerosis.	Brain-arrophy at vertex over central and prefrontal. Arteries natural (angioma in poss). Pattern fair.	1230	Lungs-emphysema and congestion. Heart-vessels atheromatous.	272	Liver-pale and soft. Kidneys-stript badly. Pale.	206	Chronic Bright's disease. Fr degeneration of heart. Brain—Small angioma in ri anterior reticular substa of pons.
H. B. 23.472	79			42	Senile dementia, Alcohol desied. Double mitral disease.	Brain-atrophy at vertex and in parietal region. Meninges, thick, blood vessels fair.	1218	Langs-waterlogged. Heart-dilated. Muscle bad. Valves diseased.	450	Liver-congested and friable. Kidneys-small and friable.	165	Senility and morbus cordis.
C. B. 23.507	68		3		Semile domentia. No history.	Brain-meninges milky. Marked atrophy parietal region.	1085	Lungs—congested. Heart—aorta atheromatous.	280	Liver-pale and firm. One large gall stone occupying whole of gall bladder. Kidneys-small. Stript well.	322	Senile decay,
C. B. 23.742	76			3	Senile dementia. No history. Alco- hol denied.	Brain-marked endarteritis. Atrophy general, chiefly in Prefrontal and ends of T.S. Pin head recent harmorrhage in left occipital outer surface. Old softening in reticular substance of poss.	1115	Lungs-healthy, Heart — muscle triable. Aorta and coronaries atheromatous.	265	Liver—friable. Kidneys—granular. Small hæmorr- hage in left supra-renal.	155	Senile decay. Hæmorrhage left supra-reoal.
A. C. 20,214	25	5			Dementia protox. No history of insanity or alcohol. Melancholic and refused food.	Brain-blood vessels healthy.	1248	Lengs—some broncho-pneumonia. Heart—healthy. Foramen ovale patent.	115	Livernatural. Kidneystough. Stript well.	110	Broncho - pneumonia. Par foramen ovale. Large aj ture.
E. C. 22,983	69	on & off			Senile dementia. Over two years' duration. Insane heredity.	Brain-basal arteries atheromators and tortuous: Recent left subdaral hemorrhage. Basal ganglia riddid small softenings. (Right lenticular nucleus and thalarma.) Old yellow senti-fault softenings of large size, involving superior parteral lobes of both sides and posterior part of temporal lobe on right.	1129	Lungs-emplysemators. Congested. Heart-ventricles, especially left, hypertrophied. Muscle pale and friable. Aoria abseromators, especially abdominal. Coronaries calcareous,	395	Liver-tough. Kidneys-diminished cortex. Cap- sules stript badly.	210	Cerebral softening.
E. C. 22,326	42	1	6		Congenital defect without epilepsy. Insane heredity. Here in 1894.	Brain-Atrophy in parietal region at vertex. Brain firm.	1433	Lungsright, full of tubercle; left, tubercle and pneumonia. Heartmatural. Coronary arteries atheromatous,	875	Liver-pale, firm. Kidneys-large, tough and pale,	250	Pulmonary tubercle.

					-2	1. 15
11 -						
					1 Jan 1	
					Sig 1	
	and shared at a loss of first					
			1			
	million to have a standard on a start		1		1 35	33.472
			1 2			12. Jay
				4		todie -
				1		
				1		TAY.ER
					1	
					-	
-			1			4.0.1
- The f						
				1		
	Section thromation Over this reserve			3	69	8. C. 280,22
23.5	villanati vinanati o distati	1	1	2 2 C 2 C	10	282,22
			1	110	1	
			1			
2 ·		1				
à						B. C.
	Second desire when when a		1 3	1 2	1 50	32,526
213	issues horadity. Issues a size.					
					1	
		1				

itials and	Age		ngth o		Synopsis of Case,	Nervous System,	bt of halon	Thoras.	ht of mart	Abdomen.	of of th idneys ammer	Cause of Death
mbers.	Death.	¥.	M.	D.			Weig Enception grades	A BOOMAL	Weig H.		Weigh a K	
A. C.	51	1	6		Recurrent melancholia. Has an insane son.	Brain-bony spicules in falx cerebri.	1252	Lungs-waterlogged and congressed. Heart-muscle pale and friable. Mitral stenosed.	395	Liver-nutmeg. Kidneys-tough, cystic and fibrous scar (? infarct).	337	Valvalar heart disease.
L C. 1,726	85	1			Senile dementia. Probably alcoholic. Blind.	Brain-blood vessels at base bulky and calcareous. Grey atrophy of optic nerves. Atrophy marked in central regions both sides. Sulcus lunatus on left.	1148	Lungs-grey hepatization. Heart-left ventricle hypertrophied. Aorta and coronaries calcareous.	282	Liver—pale and friable. Kidneys—soft. Covered with cysts. Surface granular.	237	Senile decay. Solcus lunatus.
J. C. J. 021	49		9		Confidential instantity with peripheral hereritin. History of drags, benefits hereritiny. In May, rear, Henese in left stalla and over muscalo- spiral.	Brain-meninges milky. Atrophy over central convolutions. Saless imatus on right side. More mere estimations: estimation of the solution of the bur mere estimation of the solution of the solution parameter. Right and left posterior tibial nerves very advanced fabotic nrophy and very few scattered myelin rings in each bundle. The myelin remaining is broken up loto drops.	1220	Lungs-normal Heart-muscle flabby.	190	Line-sale and very fishle. Kiloneys-cover diminished. Stript Microsopic examination- Liver-like ducts staffed with long stort rod-kite bacills. Some in- crease of pri-sacular nuclei and little patches of the same. No background the stript state of the kidopan cells. Kidopan cells. Kidopan cells. Kidopan cells. Kidopan cells. Mathematical states Considerable endarrerits. Mathed expresent and extravantion of rods in medailary portion.	113	Bright's disease Horpes. Solcus lunatus.
£. C. 3.145	14		3		Epileptic imbecile. Fits since 11. Chorea at 10. Epileptic heredity. Died suddenly in a 51.	Brain-meninges thick, opaque, and milly: strig- with difficulty. Shrinking in front of patients and the string of the string of the string of the corns amonis selected. Microscopic examination-meetinges fibred thicken- ing. Bet: colls of ieff, immature characters. Those of right, normal arrangement of tigrold, but it was very attenuated.	1300	Lungs-bases congested. Heartmuscle faity, greasy, friable.		Liver—excess of fibrous tissue. Kidneys—congested. Microsopie examination— Liver—no cirrhosis. No fat. Kidneys — very alight interstitial changes.	205	Epilepsy. Faity degeneration of heart.
E. C. 3.176	38		6		General paralysis. Lumbar puncture positive (shewed a lympho cytosis of 23 per c.m.m. and gave posi- tive protein re-action. Died with temperature 102". No seizures.	Brain—Meninges milky at vertex. Atrophy chiefly in prefrontal and on its mesial aspect. Consistence very togels. Epeedyma worm-esten at calamas. No granulations.	1045	Lungs—right pneumonic. Both had abscess cavities al base. Heart—pale and friable.	150	Liver—friable and pale. Ridneys—lobulated, pale and friable. Stript well.	206	General paralysis. Pneumonia.
3. C. 3.188	42			42	Recent melaschelle. Insure bere- dity. Confined and agitated. Diaerbora and sickness.	Besin-askied eye. Natural in all respects. Microscopic estimation-offset colls acattered very treggelarly. Heavily loaded duil green-yellow pagment. Many immature forms, nearly all contain dasi-like tigroid. Clusters of Nos episces in vessels. Prefrontal cells more degenerated looking than those of the ascending frontal cortex.	1218	Lunge-matural. Heart-aorta and coronaries afberomators.	172	Liver-natural. Microscopic examination-confirms. Clastero blue spheres in vessels. Kidneys-tough. Capsules adherent. Microscopic examination-large casts. Finely granular appear- ance of tubal epithelium with poverty of nuclei. Intestines-dysteeric ulceration.	208	Dysentery and Bright's disease.
E. C. 3:405	39			21	Recurrent melanchedia with epilepsy. Very emotional and confused. Ill in bed.	Brain-maked eye. Natural. Microscopic examination-left ascending frontal calls devided of alightees trace of tigroid. Ground substance pale and vitrocas. Nucleus often lateral. Excess of satellites. Prefrontal : hyaline thickening of vessels.	1371	Lungs-large tubes full of muco-pus. Dark solid patches scattered throughout. Heart-fair.	240	Liver—large, pale and very triable. Microscopic examination—eo fat. Nidneys—catural. Microscopic exa- mination — some endasteritis, byaline casts.	227	Broncho-pneumonia.
4. C. 3.512	61			49	Congenital defect without fits. Here, on and off, since 1894. De- pressod. Sober.	Brain-naked eye. Atrophy chiefly marked over central gyri. Ventricles dilated.	1423	Lungs-muco-pus in tubes and scattered solid patiches. Heart-pale, friable and fatty. Aorta and coron- aries atheromatons.	240	Liver—pale and friable. Kidneys—soft and stript badly.	229	Broncho-pneumonia.




Initials and	Age		ength o		Synopsis of Case,		ht of halon nmes.		at of art	Abdomen.	a of the dneys	Cause of Death.
nmbers.	Death.	Y.	М.	D,	states a care	Nervous System.	Weight Encepha	Thoras.	Weight Heart in gramn	Academan.	Weight 2 Kid in grar	
E. C. 13,600	52		3		General paralysis confirmed by lum- bar puncture (lymphocytosis of 154 per c.m.m. protein re-action positive). Said to have been sober.	Brain-maked eye. Beyond some local atrophy ehiefly at the inter-parietal faster on right ade, there are no changes indicating general parabysis or otherwise. Microscopical examination — marked infiftration (plasma cells). Figurent very abundant, especi- ally in Berz cells.	1290	Lungs—healthy. Heart—muscle friable, Aorta very atheromatous	205	Liver-very large. Fatty looking. Microscopic examination-plasma cells. No fatty changes, Kideoys-Pall of foci of suppera- tion. Microscopic examination- pyzenic foci and plasma cells.	315	Pyelo-nephritis. Case remar able for not showing nake eye general paralysis tign at post-mortem.
H. C. 23,691	17	••		7	Acute delirium. Mother a drinker. Sister imbecile.	Beain-dura mater adherent along middle lines. Atrophy slight at vertex in (1) superior parietal. (2) prefrontal. Gyri simple. Sylvian fissure rather oblique.	1255	Langa-crepitant. Heart-muscle pale and friable.	235	Liver-large, pale and friable. Kidneys-right, very small, fibroes rissue with mere edge of kidney substance.	R 14 L 165 179	Acute delirious mania. Co genitally defective kidney.
E. C. 23,830	37			2	History of long alcoholic excess. Whisky. Delirious on admission. Died a days after. ? Korsakow's disease.	chiefly at vertex over ascending convolutions	1106	Lungsconjected and ordernatous. Heart-moscle friable.	320	Liververy pale, small dark patch on surface. Kidneystough. Stript fairly. Microscopic examination. Liver Very had, Marked cirrbosis and extreme destruction of cells by faity degeneration. The dark patch found to be an angedoma.	Liver 1348 260	Faity disease of myocardiat Acute delirium. Angeion of liver.
E. D. 23,289	83			14	Senile dementia. Arterio-sclerosia. Noisy, resistive and very feeble.	Brain-extreme atheroma of blood vessels. Meninges milky and thickened. Atrophy general, especially in superior parletal.	1055	Lungs-conpeted and ordenatous, Heart-left side hypertrophied Aurta and coronaries atheromatous.	845	Liver-matural. Kidneys-adherent capsules. Cortex very tough. One large cyst in left. Cysts in both		Sealle decay and chron Bright's.
L. S. D. 23,298	51		9		History of alcohol of long duration and insame heredity. Masia fol- lowed by depression. Here before in 1905.	Brainventricles dilated.	1258	Longs-natural. Thyroid. Large cystic growth in right lobe, projecting backwards. Weight, 75 grms. Heart-flabby and fatty.	<b>\$</b> 50	Liver-large, studded with masses of new growth. Some hard. Some harmorrhagic Kidneys-large, pale and fatty. Cap- sules stript well.	340	Carcinoma of thyroid and live
E. E. 23,172	57		10		Agitated melancholia, arterio-scherosia. Scars on legs suggesting syphilis.	Brain-alight atrophy at vertice over central part.	1193	Langs—emphysematous at edges. Heart—natural.	815	Liver-pale Kidneys-pale and friable. Stripe badly. Adenoma (small) in left supra renal	=37	Chronic Bright's. Adenoma left supra renal.
R. M. E. 23.259	71		8		Senile dementia. Garvalous. Hyper- trophied heart. Died rather sud- denly in the night.	Breim-venels atheromatous. Atrophy of vertex in central regions. Sulcas lunatus on left side.	1167	Lungs-very ordematous. Large plearal effication. Heart-wall of left ventricle pale and tough, crackled under kulfe. Right, friable.	518	Liver—large and tough, Ridneys—tough and stript badly. Left, contracted.	Liver 1300 122 92 214	Syncope. Wall of left ventric in unusual condition.
E. F. 20,012	31	5			Adolescent insanity. Delirium. In- sane heredity.	Brain-atrophy considerable at the vertex, chiefly in superior parietal region.	1187	Longs-left adherent tough and airless. Heart-left ventricle hypertrophied. Arteries slightly atheromatous.	188	Liver-bile stained. Kidneys-capsules adherent. Sub- stance tough. Cortex diminished.	203	Chroeic interstitial cephritis.
E. F. 21,075	33	3			Dementia proscox.	Brain-Microscopic examination: Bets cells numer- ous, small, dark and in advanced stage of axoaal reaction.	1093 less the stem	Lungs-congested and odematous. Heart-atrophied.	152	Liver-friable. Microscopic exami- nation-no cirrhosis No fatty changes. Kidneys-Cortex pale. Microscopic examination-increase of inter-	289	Dysentery. No ulceration colon.
										stitial tissue in places througbout the cortex. Hyaline and granular casts. Colon-congested. No ulceration.		
. E. F. 21,521	36	3			Dementia protox paranoidal. Alco- holic and insane heredity.	Brain-eulcus Innatus on right side.	1237	Lungs—healthy. Heart—healthy.	170	Liver-friable. Kidneys-tough. Capsules stript budly. Surface rough.	187	Chronic nephritis.



Initials and Sumbers.	Age at Death	Re	mgth o	:	Synopals of Case.	Nervous System,	bt of shalon mmes.	Thoras.	bt of part immes.	Abdomen.	ght of the Kidneys grammes.	Cause of Death.
		¥.	M.	D.		· · · · ·	Weight Encepha	1 2002 2014	Weig He He gn		Weigh 2 K	
d. E. F. 22,698	53		•		Delusional insanity. Non-systema- tized. Several previous attacks. Acutely depressed a weeks before death.	Brain-eatural.	1333	Lungs-natural. Heart-hyperrophied left ventricle. Aorta and coronaries atheromatous.	285	Liver-nutsneg. Kidneys-tough. Cortex diminished. Capsules stript hally. Sears and small cysts on surface.	195	Chronic Bright's.
5. E. F. 23,230	49		7		General paralysis.	Brains-meninges thickened and bound together at the base, adherent to cortes. Thick film over whole hemisphere. Atrophy general, but most marked at top of central convolutions and tips of temporo-phenoidal lobes and in left parietal. Ependyma typically granular.	970	Lungs—large. Heart—muscle pale and (riable. [Loaded with fat. Aorta, fatty atheroma.	265	Liver-fatty in appearance and to touch. Kidneys-markedly contracted grams- lar, with cysts	200	General paralysis and chronic Bright's.
A. F. 23,651	40		3		Dementia Dirty in habits. Tremu- lous. Left pupi larger. Slaggish re-action. Lumbar punctare pro- tein re-action negative.	Brain-naked eys. Natural. Oaly very few Berz cells, and they are like the lower pyramids : axecnal-like, centre colouries, with dark rim. No marked vascolar changes.	1113	Langa-broncho-prosimonia. Heart-natural	170	Liver-natural. Microscopic exami- nation-natural. Kicroscopic exami- kicleops-right, natural. left, pale. Stript badly. Microscopic exa- mination-increase of interstitial tissue throughout the cortex. Epithelium narrow and granular Maried endarteritis and strips of of recal epithelium in the vessels.	220	Broncho-pneumonia. Chroni parenchymatous dogenera tion of cortex of brain.
J. G. 22,569	31	1	7		Confusional. Lately alcoholic excess gin. Father a drinker. Sui- cidal tendency marked.	Brain-only one anterior cerebral artery.	1195	Lungs-bealthy. Heart-very pale and friable. Fatty.	160	Liver-natural. Kidneya-pale and tough. Stript fairly well.	190	Fatty degeneration of the heart
A. G. 22,901	9		п		Congenital with epilepsy. Sister died of phthisis.	Brainao notes.	-	Lungs—both taberculous. Left gangrenous. Heart—muscle pale and friable.	77	Liver-pale and friable. Kidneys-small and pale and friable. Intestines-plocration and matting together.	120	Tuberculosis of lungs and in testines.
A. G. 23,262	30	*		6	Acute delirium No history, Rest- less and violent.	Benin-dum matter adheeni along middle line. Sociation and the second sec	1176	Langs-right upper lobe grey hepatization. Left hypostatic congestion. Heart-natural	218	Liver – Microscopie, examination: very pake and frable. Extensive faity degeneration and infiltration- kidneys-congested. Cortas soft, groaxy and pale. Capsules slightly adherest. Microscopie examinas- tionmarked endutionitis. En- generati interstitial increase. Swelling of epithelium and dis- appearance of muclei-	230	Lobar pneumonia.
A. G. 23,209	72		4		Senile dementia. Had fits when young. Attempted suicide 20 years ago. Father drunkard.	Brainvessels slightly atheromatous. Meninges waterlogged. Atrophy very marked, chiefly in prefrontal, superior parietal, and all along vertex.	1009	Lungs-collapsed. Heart-left ventricle hypertrophied. Aorta and coronaries calcarcous.	230	Liver—natural. Kidneys—granular.	165	Senile decay.
S. A. G. 23,510	78		2		Senile dementia. Had an irregular intermittent temperature all the time here. Very restless.	Brain-two tumours on under surface of dura mater: one, size of cobust, pressing against left posterior part of middle froutal. Patches of endarteritis. Slight general atrophy. Small angloma in decussation of the pons right side.	1170	Lungs-congested and ordematous. Emphysematous. Heart-muscle pale. Excessive fax, Aorta and coronaries atheromatous.	238	Livertough and cyanotic patches. Kidneyssmall and tough	252	Senile decay. Angioma i pons.
K. G 23.623	Over 70		2		Semile dementia. Arterio-sclerosis. No history.	Brain-dura mater adherent along middle line. Vessels: small patches of endarteritis. Atrophy general; very marked in superior parietal and and top of ascending parietal.	1103	Lungscongested and emphysematous. Heartmuscle pale and fatty. Vessels athero- matous.	320	Liver-pale and friable. Kidneys-advanced granular.	248	Chronic Bright's. Cellulitis of face.
E. H. 20,35 <sup>8</sup>	72	4	6		Delusional insanity. Alwaya very boisterous and noisy, and quite deaf. Had had a slight paralytic stroke.	Brain-vessels atheromatous. Meninges milky. Atrophy on left side above the sylvian fissure and Brocas convolution. Hard module at lower extremity of ascending frontal. Gyri all shrunken.	1085	Langs-tengh, Heart-wall fatty. Aortic cusps thick. Vessels atheromatous.	322	Liver-pale and tongh, one gal stone size of thrush's egg. Kidneys-granular.	200	Senile docay. Bright's diseas



Initials and Jumbers,	Age	R	ingth (	of e.	Synopsis of Case,	Nervous System.	halon numes.	Thoras.	eight of Heart grammes.	Abdomen.	t of the	Cause of Death.
sembers.	Death.	Υ.	М.	D.		Aurious System,	Weigh Encep	A MARINE.	Wedg HA		Weigh 2 K	
5. E. H. 22,741	35		10		General paralysis. "Peeble-minded maryop "Maried" Several seasons before admission.	Brain-Meninges milky and adherent to cortex, which had "worm-sates" appearance. Arropby marked in prefrontal, less in contral, Granuk- wenriches dilated. Microscople examination-prefrontal most affected. Ester cells stanated and dense without defined tigred. Vessels: market hyaline thickening and typical peri-vascular influention in places.	1125	Lungs-deeply congested. Heart-muscle pale. Aorta, faity atheroma.	215	Liver-drm. Mottled in partie Barty charges. Eastern files, Gland cells in the vessel. Kidenys-cortex swollen. Capatee dd not strip easily. Microscopic examination : slight internation tion of expitedium. Marked endarreritis. Epithelium in vessels.	259	General paralysis.
D. M. H. 22,873	•		7		"Idiet." Admitted with chrona, which improved. Very feable and delicate. Not able to ask for what she wanted. Marked nystagmus on admission.	Consistency of brain "watery, like an infant's "	1182	Langs—healthy. Heari—healthy but very tiny.	43	Liver-watery consistence Micro- scopic examination: coorderable increase of small cells in peri- vacular regions. Kidneys-matural. Microacopic es- amination: cloudy availing Turmort-modular elastic mass bulged forward between laft loke of liver, and the small curvature of Microscopic examination: oval and round cells. No stroms.	100	New growth is abdomen. Spindle-celled sarcoma
E. W. H. 23,278	69			14	Senile dementia. Educated woman. Anzemic, feeble and restless.	Bezinnatural,	1426	Lungsbroncho-pneumonia and congestion. HeartMuscle fatty and friable. Aorta and coronaries atheromatous.	290	Liver-toogh. Large stone size of pigeon's egg. Kidneys - cirrhotic. Capsules ad- berent.	237	Broncho - pneumonia. Senile decay.
R. H. 23,296	75		5		Senile dementia. Restless and gar- ralous. Arterio sclerosis. Ocdema.	Brain-dura mater adherent. Vessels athero- matous Atrophy general. Ventricles dilated.	1042	Lungs-endematoos and emphysematous. Heart-hypertrophied. Aorta and coronaries calcaroous.	280	Liver—tough. Kidneys—granalar	196	Sealle decay.
M. V. H. 23,615	74		. 2		Senile dementia. Very incoherent. Reatless.	Brain-skull cap very thick : § in. in front, $\frac{1}{2}$ in sides, and § in. behind. Dura mater firmly adherent. Vessels atherematous. Tough. Gyri shrunken.	1076	Lungs-congested and ordematous. Heart-muscle rotten Aorta and coronaries calcareous. Very bad.	310	Liver—pale and tough. Medium sized stone Kidneys—large cysts. Granular.	230	Senile decay,
I. H. 23,768	46			21	Acuse mania. Noisy, with auditory hallocinations and delessions of grandeer. Died with temperature too? F.	Brain-cecent film lined dara over central convolu- tions of left side. Arrophy chiefly at top of imperior portical. Safetti minarus on inf. Microcopic examination-hyaline thickening of meningeal arrerise. Bera colla al alloc-coacula- tion necrosis. Clear, Interal nucleus. Many contain a large amount of pigment.	1263	Langs-presentation Heart-periordium leaded with fat Muscle Frinke. Vessels fatty atheroma.	355	Liver rale and tough. Microscopic examination	310	Presmonia,
E. H. 23.511	68	4	6		Recurrent melancholia with stapor. On and off insane since 1905. Spinal curvature. Torticollis and flexed hands.	Basin-ventricles dilated.	1036	Lungs-collapsed. Old fibrous patches at apices. Heart-small. Muscle triable.	160	Liver —seft. Kidoeys — contracted. Granular. Stript badly. Cysts	132	Senile decay. Chronic Bright's
A I 21,866	67	*			Organic dementia. No history ascer- tained.	Brain-vessels very bulky and atheromatous. Meminges milky. Brown softenings in both optic tholami, and a calcareous spicule (probably a blood vessel) in the left.	1330	Langs—congessed and ordernatous. Heart—aorta and coronaries caloureous.	198	Liver—natural. Ridneys—cortex much diminished. Granular surface when stript.	153	Interstitial nephritis.



tials	Age	Re	sidence		Synopsis of Case.	Nervous System.	ht of phalon ummen.	Thorax	ght of leart rammes	Abdomen,	ght of th Kidneyr	Cause of Death.
sbers.	Death.	¥.	М.	D.			Weig Encer		Nei H H B H		Wei	
. 1. 393	57	1	5		Mania. Third attack. Insane bere- dity. Sober.	Brain-atrophy at vertex, chiefly in superior partetal. Solicas inanisa both aides. Microscopic examination-Partice Califordi Arbana Microscopic examination and and and and and dense nucleus on one side. Some increase of dart-stained pigment.		Longs-emphysematous Tubes fail of moco-pas. Heart-ensuice pain and friable. Coronaries, patches of atherona.	180	Livernatural. Microscopic es- ansination-lair. Cells loosely granular. Nervough Stript badly. Microscopic examination tubes dilated and contain granular distu: Vessels contain big masses of renal epithelium. Marked endacteritis.	995	Benechtits. Parenchymatous systemic degeneration of brain (Mayer).
A. K.	62	1	2	s.	Secondary dementia. Had several epileptiform attacks while here. Died with temperature ror 2° F.	Brain-blood vessels atheromatous, especially internal carotids. Atrophy general. Vestricles enormously dilated.	1066	Lungs-very congested. Tubes full of muco-pus. Heart-mitral valves thick. Acria atheromatous.	240	Liver-very friable. Gall stones. Kidneys - pale. Narrow cortex. Stript badly.	204	Chronic Bright's, Broncho- pneumonóa,
. L.,	29	3	5		Dementia process. Here in 1966. Mother insane. Father heavy drinker. ? Sister insane. Patient a beavy drinker.	Brain-superior longitudinal sinus contained hulky decolorized clot.	1310	Longs-right tubercular. Heart-muscle pale and friable. Excessive fat,	305	Liver-very friable. Pale. Kidneys-Pale and soft. Stript well.	221	Tubercle of lung.
L. L. a,886	35	2			General paralysis. " Slow to hears." Lambar puncture. "36 per c.m.m. of hymphocytes and positive pro- tem re-action. No seisures.	firmly adherent to skull-cap. Meninges		Langu—bronch>posumonia. Heart—annecle faity.	240	Liver-pale and friable Microscopic examination-cells in exertor of the bobulases small and markedly futty. Kidneys-bobulased. Soft. Micro- scopic research in a patches throughout the cortex. Marked cloudy swelling. No endarteritis.	266	<ul> <li>Advanced vascular baions of general paralysis with om- paratively good nerve cells."</li> </ul>
L. L. 3.175	13			21	Imbecile. Not epileptic. "Wasted, Anaemic, Only just alive. Joints swellen and distorted. Appear ance of a child of two." Fed with feeding bottle.	Brain-skull cap soft and reddish, like an infant's. Dura mater slightly adherent. Cerebrum simply convoluted. Atrophy marked at vertex, chiefly		Langs-right lower lobe solid pneumonia. Heart-much fat on surface. Muscle pale and fabby.	55	Liver-matoral. Kidneya-mahalhy. Microscopic ex- mination-Ghoneruli all contain a quantity of bright blue hyaline casts. Lumina of tabes in places full of facely granular pale blue material, which is also in the cells.		Preamonia
G. L. 23,210	25			1	Came in in excited state and instantly collapsed. Had taken Spirits of Sall. Inquest. Poculiar for 6 years.	corbes de the cerebeaum.		Lange-excess of blood-sained plearal fluid. Both conpared and ordenations. Heart-mesole rather friable. Aorta, some slight atheroma.	195	Liver — Microscopic exemination: Cossiderable small-colid infiltra- tion of peri-adventitial spaces. Giand colis have a clear, Madder- sens in the vessels. Microscopic examination — closely, swelling interstitial changes. Microscopic examination — closely, swelling interstitial changes. Capsele of gloserval the solution of gloserval the solution and dark patches on the inter- tions.		Sociede. Shock and injury to soonach from taking Spirits of Salts.
. LeG. 13.310	47		2		Chronic mania. Transfer from Beth lent. Very destructive. Incoder rent. No history.	Brahn-endcus lunatus left side. Microscopie examinationBetz cells in wide peri cellular spaces. Sbranken. No tigrold ; clumps of grey-green pigment.	-	Lungs-recent pleural adhesions and lymph; very codemators. Heart-rescie very pale and friable. Cavities dilated.		Liver-natural. Microscopic ex amination-natural. Kidneys-healthy looking. Micro scopic examination-some block ing of lemen of convoluted tubes		Fatty degeneration of the hear



d late	Age	R	ength of		Symopaia of Case.	Nervous System	n mes.	Theray.	ht of art	Abdomen.	it of the idneys	Cause of Death.
mbers.	Death.	Y.	M.	D,		Nervous System	Weigh Encept	T DOTAL	Weig He in gra		Weigh a R	
L. L. 1-350	36		x	:	Melancholia. Probably alcoholic excess. Temperature tot 6 before death.	Brais-atrophy considerable in superior parietal and prefrontal Microcopie examination-by-aline thickening of mesingeal arteries. Cells show very little tigroid. Natural nucleus.	1473	Lenge-emphysionators. Facumonic area in right middle lobe. Heart-encountedy fat on surface.	287	Liver-clay - colored Microscopic examination	260	Pneumonia
. B. L. 22,623	34	1	5		Debusional invanity. Not systema- tized. Always of weak intellect.	Brain-consistency very watery. Sulcus lunatus on right.	1415	Lungs-congested and ordematous, Heart-natural.	157	Liver - tough and congested. Very small stones in gall bladder. Ridesystough. Cortex diminished. Abscess embedded (encapsuled) in right kidney.	165	Bright's disease. Abscess in kidney.
F. M. 20,958	24	4			Dementia procos, Mother insane, Very impulsive at times.	Brain-matural. Right and left ascending frontal, prefrontal and cerebellum examined microscopic- ally. Nearly all the flex cells and 36 per cent. Parkinje cells were immature. Lumps of coal black pignenti apparently contained in cells seen in pia and peri-vascular spaces in prefrontal cortex.	1310	Langs-pos in right plearal cavity. Right pneu- monic. Heart-natural.	390	Liver—thickening of capsale Pri- able Microscopic examination— fairly good. Kidneys—farge. Stripe badly in places. Microscopic examination —showed cloudy swelling.	280	Lobar poeumonia. Empyema.
L. M. 27,408	49	3			General paralysis. Lumbar puncture lymphocytes 322 p.c. m. pro- tein re-action positive. Seizures followed by great excitement.	Iliraia—skull cap very thick, § inch in frontal region. Sub-dural rusty staining in middle fossa. Men- inges very thick. Atrophy childly in prefrontals and frontals, superior parietals, and tempore- ophenoidals at anterior end, where the convolu- tions were shranken and winalided. Ventricless finely granular. Corneas armonis scherosed.	977	Thyroidcalcarous deposit in ene lobe. Lungscongested at bases. Henrtmuscle tough and dark-colored.	215	Liver-tough Kildersever tough. Cortex dimin- ished. Capsulet thick and ad- herent.	304	General paralysis.
E. M. 23,129	36		6		Acute delirium. Stard to have been a director analysis, acute to have been there and had some first years three and Wassermann negative. Symptoms of acute nephritis before she died.	superior parietal. A firm, yellow sessile tumour size of a Spanish chestnut projected into the right lateral ventricle, springing from the		Lungs—both practically solid with tubercule Heart—natural	215	Liver-a wedge-shaped mass with frm yellowish material and saw sur- face. Caseous mass in neck of gall bladder. Microscopic examina- tion-tubercalar foci with giast calls and futly depotention round scale and tray depotention for the difficulty. Microscopic examina- tics-bad Many strands and patches of connective tissue nhroughout the corese. Hyaline and granular cass. Kpitheliam granular.	310	General toberculosis. Tumour in lateral ventricle.
M. M \$3.307	25		2		Epŝleptic. Alcoholic heredity. Fair intelligence. Died in status. Temperature 108°.	Braim-gyri flattened. Meninges injected. Grey and white matter injected. Microscopic examination-performal - large pyra- mids shewed cup-shaped disk of basal cyto- home. Journal, Bert Marchaele home. Journal of the state of dark purple pigment.		Langs—both congested. Heart—excessively fat on surface. Muscle pale,	285	Liver—friable, with pale yellow patches. Several large and assail stones. Microscopic examina- tion—small liver cells in vessels. Kidneys—loulated, flabby and pale. Microscopic examination—general interestitud overgrowth. Pibroid degeneration of glomerail.	250	Status epilepticus.
S. M. #3.545	72		3		Senile demensia. Arterio sclerosis.	Brans-Atrophy general. Meninges thick and ordematous. Solcus Isnatus on right.	1060	Lungs-tough. Heart-very fatty. Aorta : fatty atheroma.	. 305	Liver-tongh. Kidocys-granular.	245	Senile decay.
C. M. 23,644	51		4		Melancholia. Previously in Clay- bury. Suicidal. Insane beredity.	Brain-arieries atheromators.	1335	Lungs-ppeamonic left base. Heart-Sypertrophied and dilated. Hole in one acritic cusp. Aorta, fatty atheroma.	548	Liver-notmeg. Kidneys-lobulated. Stript easily.	307	Pneumonia.



Initials and Numbers.	Age		midence		Synopsils of Case,		it of halon		ht of art	Abdomen,	t of the doers	Cause of Death.
n umbers.	Death.	¥.	М.	D.	aynopus or case.	Nervous System.	Weigh Rnoepl in grad	Thoma,	Weigh Heat in grav		Weigh 2 Ki in gra	
J. M. 23.721	65		T		Agitated melancholia. Sister died here. Hard arteries. Weak heart sounds.	Brain-atrophy at vertex in Rolandic area. Men- ingus milky. Ventricles dilated.	1127	Lungs-congested at bases. Heart-muscle friable. Acrta, faity atheroma.	2 Jo	Liver-pale and tough. Suprarenal partly calcareous. Kidneys - granular. Stript with difficulty. Uterine fibroids.	#37	Senile decay.
L. C. M. #3.733	58		1		Agitated melascholis. Probably dementia procox. (Sister of J. M., above). Attack in 1889. Presystolic mormur at apex of heart.	Brain-sultus innatus on left side. Ventricles diuted.	1168	Lungs-congested and emphysematous. Heart-hypertrophy Micral stenosis.	215	Liver—pale and firm. Kidneys—tough. Granular. Stript with difficulty.	240	Mitral stenosis, Granular kid- neys.
F. N. #3.075	60		34		General paralysis: Pupils, tregalar, Shapih to Ighn Cove Massa with come for three days before she died. Mischbroux, confeed, neisy at night, and confabulated.	Brain-circle of Wills, slightly abnormal, Men- ingen injectiol, clear, non-afterent, Recent Bracoulter, State State State State Bracoulter State State State State State Conductors Angelenas in Bruintary. Microscopic examination-Meningen crowded with typical plasma cells. Moderase infinitation of with attenuated trepold, others barving pig- mented, Large numbers of bright blue spheres in vessels of all regions, and some outside vensels.	1301	Longsright middle lobe pneumonicgrey longattaxion. In Arria also sed friable. Overleaded with fat Arria atheromatons, very bad, first part worst.	293	Liver-pale and fable. Microscopic management of the state of the changes. Slight peri-vascular infiltration. Liver cells are vessely. Many accrosed (? lymphoid) Manyaes stripi badly. Microscopic es- amination – considenable and general interstitut change- tresii, Fairly marked enfarteritis. A few plasma cells Renal cells in the vassels.	202	Lobar preumonia, Pachy- rominging General paraly- sis. Angeloma is pizultary.
E. S. N. 33,363	50				General paralysis. Lambar pusc- ture positive tora positive roman. Jymphocytes : positive protein re-action. Instate berefity. Seizure before admission.	Brake-meninges mily and thicknesd; not asheren: Sight accose find. Arcophy ree marked, chefy along the vertex. Fine granulations is control of the statistical	1310	Lange-left very edensions. Heart-suscept of and this. Mirral cases athere- matous. Aoria, atherematous near biferention.	175	Liver-realber soft. One stone in gall bladder. Small oval whitth thickening in capsule on under surface. Microscopic examina- tion-a small aderoma increase of round nuclei and a few plasma kidneys-capseles thick and ad- berent. Cortes pale and soft. Microscopic examination slight endarterilis.	272	General paralysis.
M. O. 23,232	82			14	Senile dementia.	Braio-basal vessels balky and atheromatous and calcareous. Atrophy marked in central region near vertex. Old softenings in lenticular nuclei of both sides, more on right.	1125	Lungs-grey bepatization in left. Heart-dilated and hypertrophied. Aorts and coronaries calcareous.	300	Liver-mottled and friable. Kidneys-pale and friable. Stript well.	244	Lobar pseumooia, Senile decay.
M, A. I. P 22,855	54		7		Confesional imanity, with arterio scienosis.	Brain-atrophy general; marked at prefrontal and thre of temporo-aphenoidal lobes. Consistence way firm: Market and the state of the state of the state of the state of the state of the state of the tempora. Endatteritis. Clusters of small blue spheres in the vessels a marked feature.	2025	Lunge-emphysionatous. Heart-muscle pule and soft. Aorts, slight atheroma at semant of arch coly. Coronaries. Marked fatty atheroms.	205	Liver-tough Pale in patches. Microscopic entimination - bul- terioric considerable increase of mail cell perivascular infiltra- tion. Kidneys-pale. Soft Stript bally, Microscopic examination-slight general increase of intensitial tissue.	208	Colinis. No ulceration of in- testines.
R. C. P. 21,707	43	2	5		Epéleptic imbecile. Fits from birth, Insane heredity. Had frequent attacks of putit mal and often successions of fits.	Brain-dura mater adherent. Meninges congested ; very milky at vertex. Atrophy marked in pre- frontal and upper parietal regions on both sides. Sulcas lanatus on beit. Corna annouis both relevond, especially the right.	1197	Longs-congested and tough. Heart-walls loaded with fat. Muscle friable.	225	Liver—pale. Natural consistence. Kidneys—pale. Full of small cysts. Beript badly	183	Chronic Bright's
E. R. 22,828	79	1	3		Senile domentia.	Brain-blood vessels bulky and atheromatous. Atrophy not marked.	1019	Longs—congested and externatous. Heart—muscle pale and frilable. Hypertrophied and dilated. Aorta, lower part very bad. Coronaries atheromatous.	335	Liver-very soft. Kidneys-pale. Soft. Stript badly. Colon : Greyish sloughs anduloers.	190	Colinis.

......

itials ind mbers.	Age	R	ength c	Ň.	Synopsis of Case,		t of nation		it of		of th neys	Cause of Death
	Death.	¥.	М.	D,	oyaopais or case.	Nervous System.	Weigh Encept in gram	Thoras.	Weigh Hea In gram	Abdomen.	Weight o z Kidn in gram	Cause of Death and remarks.
R.	62	**	3		Secondary dementia. Eight years' history of delusions. Agitated and depressed.	Brain-carotids atheromatous, Meninges milky,	1262	Longs—emphysematous. Heart—small. Patent foramen ovale.	175	Liverpale, tough. Kidneyscyst on surface. Capsule strips fairly readily.	200	Senile decay. Patent forame ovale.
S. 27	42	*			Dementia proscoz (Hebephrenic). Lumbar puncture, negative protein re-action. No lympho- cytosis.	Brain-thin sub-dural film on right side.	1293	Lungs—congested purplish patches and muco-pus. Heart—muscle friable. Aorta atheromatous at the top of the arch.	215	Liver—fairly natural. Kidneys—deeply lobulated.	#57	Broacho-pneumonia.
L. S. 536	31	,			Dementia proncos (Hebephrenic), Insane heredity, Very destruc- tive and foll of tricks and man- nerisms. Played the piano very well.	Brain-arrophy at vertex, chiefly over central convolutions.	1281	Lungs-both advanced tuberculosis. Heart-natural.	212	Peritoneum—Studded with tubercle. Liver—tough. Capsules thick in places. Ridneys—pale and soft. Small yel- lowish foci in cortes. Fallopian tubes and ovaries tuber- cular.	¥55	General tuberculouls.
io I	53		10		Delusional insanity. Became para- plegic. Probably alcoholic his- tory. Almost spontaneous frac- ture of right humerus.	Brain-arcepty slight in preferental regions. Spinal cool very solir in lumbar regions. Microscopic esamination Bete cells rather baevily- pigmented. Majority retain fair tigroid. Cord cells heavily pigmented	Sp. Cord	Lungs—emphysematous, Hearr-much pab and feiable. Ribs—mediastinum as well as the vertebra were studded with new growth.	220	Liver — studded throughout with nodales of whitish growth of various sizes. Microscopie exami- nation—growth scirrhus. Faity degeneration of liver cells. Kidneys—stript well. Microscopie examination—slight general cir- rhotic change. Some endarteritis	215 Liver 2175	Carcinoma of vertebrae an liver, etc.
5. 041	43	••	9	••	Recurrent mania. Insane heredity. Alcohol.	Brain-atrophy in the central region. Meninges milky.	1213	Langs—tubes contained muco-pus. Lower lobe of left solid. Heart—natural.	182	Liver—natural. Small mones. Kidneys—natural.	205	Broncho-pneumonia.
S. 158	46		7		Acute delirium. Later very destruc- tive, restless and noisy.	Brain-meninges milky over the sulci. Stript readily,	1156	Lungs-congested and ordematous.	132	Liver-firm. Kidneys-tough and granular.	187	Chronic Bright's.
L. S.	55		I	••	Confusional. History of excessive drinking ale and spirits. Korsa- kow's disease.	Brain-circle of Willia-both posterior cerebrais came of the internal carciols. Subdaral film over vertex on both sides. Atrophy marked in certaria regions. Microcoopic examination—Betz cells all assonal-like, with increase of pignent at the sides.	1193	Lungsodemators and congested Heartaccessive fat on surface. Muscle pale but tough.	267	Liverpale and hard. Hobnailed. Microscopic examination very marked perilobular circhosis, with much small-celled infiltration, and mast cells; coare faitty changes. Kidneyspale and tough. Micro- scopic examinationmarked gene- ral interstitial increase and fibroid degeneration of glomeruli.	260	Bright's disease.
I. S. 1.593	76		3		Senile dementia. Knocked down by a cart, May, 1952.	Brain-blood vessels atheromatous. Two large cysts containing red fluid covered the hemsi- pheres, thin sowards the middle line, thicker in depressions, over an inch thick in the parietal regions. Atrophy very marked in parietal regions. Sulcus lenatus on both sides.	(weighed	Lungs—fibrous sear at right apex. Heart—muscle friable. Aorta. Fatty atheroma.	21.4	Liver-tough. One large gall stone weighed az grammes. Kidneys-small. Tough.	190	Senile decay. Pachymeningit
E. S. 3.759	66		I		Senile dementia. Confused, and con- fabulated freely.	Braininternal carotids rigid. Meninges thick and covered by a thick yellow puralent material. Atrophy general. Ventricles diated, full of turbid fluid, which was also found under the corebular meninges at the base.		Pleura—purulent fluid and lymph on right side. Lungs—calcarcoss nodales at the apex. Congested muco-pus in the tubes. Heart—muscle like puty. Aorta calcarcoss, especially abdominal. Coronaries very athero- matous.	280	Liver — tough and pale. Recent lymph and general inflammatory appearance of the peritoneum. Kidneys—pale and friable. Cortes narrow. Stript badly.	222	Senile docay. Purulent me ingitis, pleurisy and pe tonitis.
R. S. 13.780	44			13	Actue delirium. (History of alcohol. Beer, in boats. Father died insane.) Took no notice of her surroundings. Kept up a sawing movement with right arm. Rash on skin. Lombar pancture nega to the same set of the same set of the comm. I Koreakoff. Six weeks before admission lost all power in legs.	Brain-convolutions rather flattened. Mikrowcopie examination-Brain colls small; all immatere, with super-added coagaliation necrois changes. Hyaline thickening of arteries and oppoil of dark pigment. Frefrostal cells more threakes, and many lako forms Thial nerves- to observable poverty of myelin trinss, but myelin is broken up, and the serve fibre itself often stained very dark.		Lungs-very congested. Lower lobe friable, and cut surface looked rough. Heart-loaded with fat. Muscle pale and friable.	263	Liver-pale. Very friable. Very large. Microscopic examination -marked faity degreeration and infitration throughout the lobales. Liver cells in the vessels. Kidney-dabby and friable. Excen- tion-increase of intertifial tissue in the orters. Hyaline degreera- tion of glomeruli. Marked en- darterits.	293 Liver 1485	Acute delirium, Congesti of lungs,



Initials	Age	Re	ingth c	d 2.	Synopsis of Case,	Nervous System	ht of phalon mmes.	Thorax.	eight of Heart grammes.	Abdomen.	ht of th Sidneys rammer	Cause of Death.
umbers.	Death,	¥.	м.	D,	-yadan w caw	And the System	Weig Encer		Wely H H fin gr		Weig a r	
A. M. T. 22,054	24	2	2		Dementia procox. Catatonic symp- toms. Sister died here. A. E. T. (See next case.)	Brain-dura mater very adherent. Pons-Small harmorrhage size of split pea near upper surface.	1195	Lungs-tubercle in left. Heart-muscle friable and pale.	189	Liver-soft and friable. Fatty. Kidneys-tough. Stript fairly well.	#16	Pulmonary tubercle.
A. E. T. 23,795	27		9		Dementia prozox. Depressed and very resistive. Sister died here. A. M. T. (above).	Brain-whole brain anemic.	1249	Langs-natural. Heartaatural.	178	Liner-Tough. Physics and the series of the s	182	Chronic pancreatitis.
E. G. T. 22,628	27	1			Dementia procox of three years' duration.	Brain-Comma-shaped bony plate in falx. Ven- tricles somewhat dilated.	1365	Lungs-tubercle and cavities in both, Heart-natural.	145	Liver-natural. Many gall stones. Kidneys-rather tough.	146	Phthisis pulmonalis.
A. T. 23,169	42		4		Admitted in state of mania with sores on shoulders and brown scars on body suggesting syphilis.	Brain-meninges congested. Thin subdaral film over prefrontal region of each side, chiefy bit. Atrophy chiefy ai vertee and performals Microscopic examination-Betz cells stain diffusely. No tigroid. Much pigment. Nucleas Lateral, small. Vessels engorged and in places ruptured.	2408	Longs-ordematons and congested. Heart-muscle pale but firm.	188	Liver-natural. Microscopic exami- nation-marked faty changes. Shrinking of liver cells. Kidneys tough. Stript badly. Microscopic examination-tubes full of granular debris. Marked endartenits. Hyaline casts.	176	Chronic Bright's.
A. T. \$3,303	53		6		Confusional. Alcoholic excess. Ale, stout and whisky Agitated for zo years. Under treatment for mentions. Lumbur panetame, Am- monium sulphate test positive. No lympho-cytosis.	on right side, thickening into cyst over tip of	1073	Langs-natural. Heart-ensuels pale and flabby. Excessive fat on surfaces. Missai ordice sensored. Vessels very atheremators.	230	Liver-manner, Tough, One small stone in gall bladder. Micro- scopic examination—Some faity infurnation and degeneration at margin of lobules. Kicherys-tough, Capsules außerent. Generent in state of fibrotic atrophy, and strands and islets of of connective tissue. Consider- able endatortiks.	210	Returned as general paralysis. Not confirmed microscopic- ally.
M. W.	31	2			Delusional insanity. Probably de- mentia procox.	Brain-skull cap asymmetrical.	1300	Lungs-tobercular cavities. Heart-friable. Fatty.	145	Liver-natural. Kidneys-lobulated.	212	Pulmonary tubercle.
N. W. 22,652	76	1			Senile dementia.	Brain-vessels atheromatous. Atrophy very marked, especially in superior parietal. Solcus lunatus on left. Small softening in left side of pons.	1106	Lungs-emphysematous. Heart-pale and friable. Aorta and coronaries atheromatous.	252	Liver-friable. Kidneys-Cortex very narrow. Ex- cess of fat in pelves. Stript fairly well.	155	Senile decay.
M.A.E.V 22,760	N. 77		8		Senile dementia.	Brainvessels atheromatous. Meninges milky at vertex. Slight discoloration of inner surface of dura mater. Atrophy enormous, chiefly at vertex over central region. One small softening in left lenticular mucleus.	1201	Lungs-congestion of both lower lobes. Heart-Some hypertrophy. Aceta and coronaries atheromatous.	258	Liver — Greasy and tough. Four stones in gall bladder. Kidneys — Pale. Firm. Capsules very adherent.		Senile decay.
E. W. 22,846	73		9		Senile dementia. Died with pyzenic abscesses.	Brain-Atrophy general	1252	Longs-Emphysematous Heart-Muscle soft and friable and greasy.	285	Liver—very pale and fatty looking. One stone in gall bladder. Kidneys—capsules adherent. Tough.	225	Senile decay.
G E. V 23.394				13	Recent mania. Insame heredity. Duration one month before ad- mission. Actuely excited and neisy. Died in fits. Tempera- ture rozy4. Convalions began about 48 hours before death.		1317	Lungt-congested and friable. Heart-Hypertrophy of left vestricle.	225	Liver-pale. Friable. Microscopic examination – considerable faity change. Free gland cells in the vessels. Kidneys-tough, and stript badly, Microscopic examination-ayaliae casts. Considerable endarteritis.	193	Cerebral hæmorrhage.



_					FEMALE	POST.	MORTEMS—continued.				
tials Age at bers. Death.	B	ongth o	e.	Synopsis of Case.	Nervous System.	halon muses.				of the neys	a d Dut
W. 60	¥.	М.	D,			Weight of Encephalon in grammes,	Thoras.	Weight ( Heart in gramm		Weight of the 2 Kidneys in grammes.	Cause of Death.
W. 62			35	Korakow's disease. Drank beer, Confabilition and confusion very marked.	Microarpic examination—Bet cells, prest extense pietnets, all immature or accoal. Venous en- goggement on right side. Hyaline thickening of the arteries. Right and bit posterior tibala showed fibredic arrophy. Some diminution of myelin fibres.		Lungs-emphysematous. Heart-Valves opaque and thick. Muscle pale and friable.	275	Liver-very tough. Rather pale. Microscopie examination very extensive and marked fatty de- generation. Some peri-vascular cirrhosis. Kidiony tough. Pale. Cyss. Ridiony tough. Pale. Cyss. nation-very bad. Strands of interstitial tissae. Hyalise and granular cars. Endarteritis.	262	Chronic Bright's. Fatty de- generation of heart.
548		5		Melancholia, and probably con- genitally deficient. Always rest- less and agitated, and with suicidal tendency.	Brain-atrophy in superior parietal region.	1267	Lungs-bealthy. Heart-walls fatty. Coronary arteries atheromatous.	170	Liver—natural. Small, Kidneys—capsules stript well.	159	Senile decay.
C.C. 27 221	3	9		Dementia process. Two brothers insane and several other relations. Patient had chorea four years before admission.	Brain-meninges milky at vertex. Matted at base. Atrophy in Rolandic area at vertex,	1241	Lungs-congested and ordematous. Heart-mitral puckered and with recent granula- tions.	175	Liver-congested. Very friable. Kidneys - tough. Capsules stript badly.	195	Mitral disease,
635 12	6		••	A congenital imbecile.	Brain-average pattern. Watery consistence. Ventricles dilated.	862	Lungs-full of miliary tubercle. Heart-natural.	95	Liver-friable. Kidneys-healthy, Stript well.	125	Miliary tuberculosis of langs.
d. B. 43 195	1			General paralysis. Lumbar puncture: Armonium subhate new positive. Lympho-cytosis 7:42 per cmm.	Brain-dura mater very adherent at the vertex. Mininges congenied: slightly milly; adherent propial energy is and pre- tropial energy is an energy of the source of the constraints of the source of the source of the influence of plasma cells). Betz cells immanize type with increase of pigmes. H yalite thicken- ing arteries. Strin obliterated. Cerebellum free from typical changes.	1251	Lungs-congested. Heart-cavities dilated. Extreme fatty degenera- tion.	285	Liver-rather frable. Microscopic examination — marked fatty de- generation of the orils throughout the lobales. Kittenys — paales. thickensd. Strando do interstital growth. Thickening of glomerular capsale. Supraversal-Small decours.	372	General paralysis. Adenoma of supra-renal
A. C. 56 556		6	••	Confusional. Said one glass of beer made her head bad. Defective history.	Brain-skull cap very thick and bossy on internal table. Venuels considerable endarteritis. Atrophy of the vertex. Old softenings in middle of right second. Tempore-sphenoidal lobe and superior parietal lobe.	1263	Lungs-congested at bases. Heart-muscle pale and friable. Valves opaque and norta and coronaries atheromatous.	208	Liver-pale and friable. Kidneys stript badly. Cortex diminished. Surface rough and scarred.	240	Chronic Bright's.
.P. 81 680	6	••		Senile dementia.	Brain-vessels, some atheroma. Hæmorrhage in meninges in region of inter-parietal fissure Gyri shrunken.	905	Lungs-deeply concested. Heart-fatty degeneration of muscle.	255	Liver-very friable. Kidneya-small. Granolar. Stript badly.	177	Senile decay.
P. 67 323	7			Delusional insanity.	Brain-atrophy in prefrontal region on right.	1147	Lungs-great excess of fluid in pleural cavity. Congested and ordernations. Heart-hypertrophied and fatty.	295	Liver-large, pale and friable. Kidneys-pale and friable. Stript budy. Surface granular Peritoreum-studded with tubercles. Great excess fluid. Omentum and Intestines also tuber- cular.	250	Tubercle of intestines and peri- toneum.
W. 65 919	**		10	Secondary dementia. Here pre- vioualy (twice).		1269	Lungs-deeply congested. Heart-natural.	282	Liver-pale, mottled and tough. Kidneys-tough. Diminished cortex. Stript badly.	220	Chronic Bright's.
S. 55		2		Confusional. Ale, stout and port wine (2 or 3 pints daily). Also alcoholic heredity. Korsakow's disease.	Brain-meninges slightly milky at vertex. Water- logged. Atrophy marked at vertex and pre- frontal region. Bulcus lunatus on left.	943	Lungs—both congested and ordematous. Heart—muscle friable and loaded with fat.	265	Liver-very pale and tough. Kidneys-tough. Cyst on surface. Stript badly.	218	Fatty degeneration of heart.
W. 61 655	24			Dementia.	Brain-blood vessels, some atheroma. General slight atrophy.	-	Longs-emphysematous. Heart-muscle friable. Aorta, some atheroma.	310	Liver—pale and friable. Kidneys—pale. Cortex diminished, Capsules thick. Cortex rough when scripped.	292	Chronic Bright's.
	24				disease.	disease. Dementia. Brain-blood vessels, some atheroma. General	Dementia. Brain-blood vessels, some atheroma, General	Dementia. Brain-blood vessels, some atheroma. General Lungs-emphysematous.	Dementia. Brain-blood vessels, some atheroma. General Lungs-emphysematous.	Dementia. Brain-blood vessels, some atheroma. General Langs-emphysematous. Bight atrophy. 310 Liver-pake and fridde. Kitterys-pake Corec diminished. Corec diminished. Corec diminished. Corec diminished. Corec diminished.	Dementia. Brain-blood vessels, some atheroma. General - Lungs-emphysematous. Heart-muscle friable. Aorts, some atheroma. 310 Livro-plase and friable. Control diminished. Control diminished. Control diminished. Control diminished.



Initials and Rumbers.	Age at Death.		M,		Synopsis of Case,	Nervous System*	feight of scephalca grammes.	Thoras.	eight of Heart grammes.	Abdomen,	ght of the Kidneys grammes.	Cause of Death and remarks.
S. A. S. 22,510	71	2			Delusional, excited and abusive.	Brain-vessels, patches of atheroma. Carotids bad-	1250	Lungs-concepted and ordernations.	≥ .ff 315	Liver-very pale and friable.	220	Senile decay. Mitral disease.
M. S.	28	Over 4			Dementia process. Suicidal Insane	of superior frontal and top of ascending frontal.	1115	Heart-left ventricle hypertrophied. Mitral valve stenosed. Aorta, fatty atheroma. Lungs-right base pneumonic. Left apex tabercle.	195	Kidneys—pale and tough. Stript badly. Cysts. Calcareous glands in mesentery.	243	Pneumonia and pleurisy.
					serouty.			Ademas of certical glands. Heart—healthy.	.95	Liver-congested and friable. Kidneys - congested and tough. Surface scarred. Supra-renals. Cortex and medulla fieshy-looking with hard yellow nodules	-	Adenoma of glands.
E. L. 22,633	58	I	9	••	Mania.	Brain-vessels atheromatous. Meninges congested. Atrophy slight about central fissure on both sides.	1334	Lungs-congested at bases. Emphysematous. Heart-fatty degeneration.	280	Liver-large, friable and pale. Kidneys-granulas. Stript badly.	240	Chronic nephritis.
4. H. P. 23,656	53		5		Totally a united.	Brain-atrophy general. Sulcus lonatus both sides.	1147	Lungs-about r pint of purulent fluid on right side. Mass of large cancerous glands in anterior modiastinum. Congested at bases. Heart-Fatty and flabby. Aorta and coronaries atheromatrons.	290	Liver — studded with secondary growths. Kidneys—pale and tough. Stript badly,	280	Secondary carcinoma.
L. G. 23.164	56	1			Kersskow. Confusional. Dvank ale and stout.	Brain-vessels : patches of athercoma. Softenings in while matter on the right : in putamen and himmorhagen : on let. Multiple publication himmorhagen : and himmorhagen : marked infil- tration with small hymphorytes. Marked endu- teritis. Betz cells mostly pale and plump; a few dark and shrenken and promented. Posterior titula nerves showed no pathological changes.	1322	Lungs–Very congested. Heart–Muscle friable. Aorta; fatty atheroma.	212	Liver very congested. Friable. Microscopic examinationmarked periportal circhosis. Kidopy Granular. Contracted. Contracted. Mach code examined connective tissue in the corres. Hyaline degeneration. Marked endarsertis.	139	Chronic kidney disease. Corti- cal homorrhages multiple.
H. T. #3,722	78		3		Senile dementia. Alcoholic excess eight years ago.	Brain-shull egy: nothing houses in foronal region. Venses absorbantons. Arcophy chiefly at the vertex. Pin-head homorrhage, cortical, in the careta Microtocycic examination-prefrontal : all cells bad. Marved endarteritis. Consess : recent homorr- barteritis. Consess : recent homorr- dent elongation of endothelial auclei.	1232	Lungs-congested at bases. Heart-Aorts and coronaries very atheromatous.	332	Liver-verytough. Numerous stones in gall bladder. Microscopic examination - small necrosed plaques and fibroid patches. Many liver cells showed multiple vaccoles. Bile ducts seen blocked up with short stout red-shaped bacilli, Kidneys-contracted. Granular.	168	Senile decay. Cortical hosmorr hage.
A. A.	31	7			Dementia procos.	Brain-anzemic looking. Very pale. Creamy con- sistence.	1250	Lungs-conpested in upper lobes. Heart-natural	198	Peritoneum-studded with tubercles. Liver Adherent to diaphragm. Large. Kidneys-congested.	284	Tuberculous peritonitis.
E. A. 18,369	24	7	6		Dementia procox.	Braio-eatural.	1158	Lungs—Adherent and contained scattered masses of tobercle and cavities. Heart—recent granulations on mitral cusps.	178	Peritoneum-studded with tubercle. Liver-Pale and firm. Intestines – Miliary tubercles and ulcers. Kidneys-Tough. Surface motified. Suprarenal-left contained miliary tubercle.	225	General tuberculosis.
E. A. 16,459	79	10			Senile dementia.	Brain-vessels very had. Middle cerebrals like pipe stems. Memiges cloudy, and water - koped. Artophy general. Sulces hansaw on left. Odd isoftening at americor end of both candate nuclei, implicating anterior part of the internal capsule and lenticular nuclei; also old softening in white matter of right hemisphere behind the ventricle. Hypophysis. Anterior lobe largely composed of fibrous tissue.	1136	Lungs—Congested and codematous in lower parts. Heart—valves bad. Aorta—sacciated assertions of middle third of decomation of small orange, full of clot. Coronative calcareous.	326	Liver-very friable. Several stones in gall bladder. Kidaeys – advanced contracted. Granular,	143	Senile decay. Old cerebral softenings. Aortic aneurism.



Initials Age at	Age	Length of Residence.		6			t of alon mes.			Abdomen.	a of the dneys ummes	Cause of Death
	Death.	· ¥.	М.	D.	Synopsis of Case.	Nervous System.	Weight of Encephalon in grammes	Thorax.	Weight Heart In gramn	ADJOIDEN.	Weight of Kidn a Kidn	and Remarks.
B. B. B. 18,284	34	8			Dementia procox (hebephrenic),	Brain-microscopic examination-Betz cells axonal like. Some show definite tigroid at the edges; some shrunken and darkly stained. Increase pigment.	1296	Lungs-pleura thickened and covered with miliary tubercle. Microscopic examination — multisuclear giant cells seef. Heart—satural.	180	Liver congested. Stones in gall bladder. Microacopic examina- tion no cirrhosis. No fatty change, Kidseya natural. Microscopic examinationcloudy swelling.	177	Tubercular pleurisy.
E. C. 13.375	53	24			Debusional insanity. No alcoholic history.	Brain-vessels slightly atheromatous. Atrophy in performation only. Microscopic examination-cells show remarkably good tiproid pattern. Detr cells heavily pic- mented. Hyalane hickening of vessels. Spheres in vessels.	1500	Hardish white growth is breast (left) ; also is both plears and iangs. Lymph and effusion on left side in pleara. Microscopic examination—racemose adenomatous Heart—accessively fai. Muscle friable, Aorta atheromatous.	365	Pericoseum — studded with new growth. Liver-soft and motifed. Microscopic examination — advanced fatty degeneration and cirrhosis. Cap- sule izvaded by adcommanous proth. Kidowth, and fabby, Micro- scopic examination — widepread and marked interuitial changes. Marked enteruitial changes.	252	Carcinoma and plearisy.
H. C. 13,059	63	16			Secondary dementia.	Beals-strophy slight at vertex. Sulcus lonatos present on both sides. Microscopic examination-thickening of meninges. Detz cells all axonal-like. Excess pigment. Venous engorgement and ruptured vessels.	1115	Lungs-congested and ordematons. Heartmuscle friable, Mitral valve atheromatous. Aorta atheromatous.	180	Liver-natural. Microscopic exa- mination-cirrhotic changes and small celled infiltration. Kidneys congested and tough- Microscopic examination bad. Marked interstitial changes. Hya- line casts. Endarteritis.	235	Morbus cordis. Arterio scler sis. Chronic interstiti nephritis.
A. M. C. 15,863	42	п			Probably dementia process. Pregnant when admitted and melancholic. Later agistated and boisterous.	Brain—meninges milky.	1240	Lungs-emphysematous. Heart-muscle pale, greasy end friable. Mitral valve thickened and puckered.	215	Liver—soft, greasy and pale. Kidneys—natural.	275	Morbus cordis. Valval disease.
C. C. 17,481	21	9			Eptleptic idiot.	Brain-scalp and skull cap very thick.	1150	Lungs-Tubercular foci below apex in right. Left congested. Heart-muscle pale. Excess fat on surface.	177	Liver-pale. Fatty looking. Kidneys-very pale. Stript well.	170	Pulmonary phthisis.
м. а. с.	46	23			Dementia process. Showed marked stereotyped movements.	Brain-atrophy considerable over central regions. Consistence very soft. Water-logged.	1513	Lungs-ordernazous and congested. Excess of pleural effusion. Heart-fairly healthy.	137	Liver — natural. Stones in gall bladder. Kidneys-swall, tough and pale. Lobulated. Uterus-Full of caseous material, which was also found in large cysts in broad ligament.	162	Chronic Bright's.
E. C. 16,803	79	9	7		Delosional insanity.	Brain-dura mater very adherent. Recent effusion of blood above the tentorium cerebelli. Vessels atherematous. Sulcus lunatus both sides.	1951	Lungs-ordematons; muco-pus in the tubes. Heart-dilated. Fatty. Aoria atheromatous. Thyroid-fleshy temour in right lobe, size of walnut.	352	Liver-enlarged, soft and friable. Kidneys-many cysts in both.	335	Fatty degeneration of hea and chronic nephritis.
M. C. 14,229	58	13			Chronic mania and dementia.	Brain-vessels atheromatous. Atrophy around the central fissure.	1276	Lungs-both adherent. Left very congested. Heart-Walls degenerated. Aorta and coronaries atheromatous.	175	Liver—natural. Kidneys—granular. Cysts on surface.	170	Chronic Bright's.
M. G. 11,643	81	16			* Recurrent melancholia.	Brainvessels very atheromatous. Atrophy in superior parietal.	1999	Lungs-recent lymph in pleara. Congested, Muco- pus in tubes. Excess of peri-cardial floid. Heart-Muscle friable Excessively fat. Cavities hypertrophied and dilated. Vessels atheroma- tous.	598	Livertough. Kidneyscortex diminished. Stript readily.	285	Senile decay.
E. L. F. G 18,190	. 14	8			Idiot without epilepsy.	Brain-Olfactory bulbs and tract no bigger than piece of thread. Both temporo-spheroidal lobes completely arophisd. Consisted at each end of bleb the size of a pigeon's egg. Thuse at the back packcered and tough. Consus-ammonis attrophied and tough. Dets: cells large, num- prise, resulted and paid. Dets: dist large, num- prise, resulted and paid. Dets: dist large, num- gence, such as the size of the size of the size of the spice.		Langs—both contained caseous tubercular masses and cavities. Heart—healthy.	70	Liver-ough Microscopic exami- bations-cells seev arrowind and house considerable faity degene- ration. Kidneys-natural. Microscopic exa- mination-some cloudy swelling.	110	Phthisis pulmonalis.



and ambers.	Age at Death.	R	ength	ce.	Synopsis of Case,		t of mes.		n of		of the beys	
		M.	D,		Nervous System	Weigh Enceph is gram	Thecax.	Weight of Heart in gramm	Abdomes.	Veight of 2 Klitner in gramm	Cause of Death and remarks.	
L. G. 5,834	45	26			Dementia procox. Deaf.	Brain-atrophy at the vertex over central region.	1268	Lungs-patches of tubercle and cavities in both. Heart-muscle pale AortaSome fatty atheroma.	290	Liver-fatty. Kidneys - left enlarged and very tough.	230	Pulmonary phthisis.
7. H. 3.710	10	7			Idict, subject to frequent and very bad fits. Spastic paraplegia be- fore death.	Brais-no especial naked eye change.	922	Lungs-dark solid areas in both. Heart-healthy looking.	58	Liver-natural. Kidneys-lobulated, tough, and con-	107	Beoncho-pneumonia.
. H. 1,809	83	24			Delusional and demented.	Brain-vessels dilated and tortnoss. Atheromatous. Meninges very milky at vertex. This subdural film on both sides.	1155	Lungs-pneumonia at right base. Heart-muscle very fatty. Vessels atheromatous.	240	gested. Liver — natural, Numerous gall stones. Kidoeys — pale. Granular. Stript badly.	203	Senile decay.
A. H. 3-775	72	37			Delusonal. No dementia, Very deaf. (Active and needlework until quite recently).	Arophy very marked, Right superior pariently, superior central, and performational (in order manned). Left, posterior part of first frontal, superior central, superior parietal, and prefrontal.	1129	Lungs-crepitant. Natural. Heart-muscle pale and frable. Aorta: fatty athe- roma in thoracic. Calcareous in abdominal.	180	tentoneous — studded with new growth. Liver-pale. Contained many nodules round defined radials hysilow. Siomach-ast findius large, a inches in diamoter, absented surfaces in diamoter, absented surfaces party-looking tissue. Suprarenals-enlarged by new growth. Kidneys-granular.	164	Carcinoma of stomach. Secon dury in liver & suprarenals.
. 366	26	9		**	Congenital defect or dementia procos (katatonic)	Brain-pattern anomalous. Sylvian fassure very short and obtase angled on both sides. Microscopic examination-great majority of cells ef halo type. Bet: all typically immature.	1315	Lungsright apex packered and fibrons. Heart—healthy.	150	Liver—natural. Kidneys—healthy.	200	Exhaustion from melancholia.
V. I. ,642	16	10			Congental without epilepsy. Mania- cal outbursts.	Brain-dura mater very adherent along the middle line. Gyri flattonod. Simple pattern.	1163	Lungs-caseous deposits in both ; in right 1 inch below apex ; in left at apex of posterior lobe. Heart-bealthy.	137	Liver—firm. Some vellowish patches. Kidneys—stript well.		Tubercle of lungs.
L. 1058	36	10			Case of dementia procox (katatonia). Stereotyped movements very marked.	Brain-atrophy considerable at the vertex over the central gyri.	1214	Lungs-recent infarct at base of left lung. Heart-natural.	186	Liver-pale yellow, Kidneys-very pale. Soft. Stript easily. Intestines whole m.m. of large intestine, also of lower part of lieum bickened and inflamed.	390	Colitis.
. L. .251	38	13			Dementia process (katatonic)	Brain-atrophy at vertex. Ventricles dilated.	1303	Lungs-tabercular deposits and cavities in both upper lobes spreading into lower. Heart - muscle ; advanced taity degeneration.	205	Liver-natural. Kidneys-colarged and pale.	227	Tubercle of lungs.
A. M. 937	79	56			Congenital defect and senile dementia	Brain-blood vessels calcareous. Atrophy very marked, especially in superior parietal, and then in prefrontal. Meninges this, stript readly, Microcopic esamination – fibriod thickening of meninges. Hyaline thickening of arteries. A few halo cells seen. Detr cells very heavily pic- mented, immatter or axonal-like. Very marked increase of natellites.	1058	Lungu-matural. Heart-muscle pale and friable. Left ventricle hy- pertrophild and dilated. Aorta and coronaries calcareous.	318	Liver — very friable. Microscopic examination — score portal cir- rboxis and enlarteristic of the bepatic artery. Kidneystonch. Small cysts. Cap- sules thick. Microscopic examina- tion—very bad. General interstitial overgrowth and enormous endar- neritis.	195	Senile decay.
E. M. .074	48	20			Congenital with epilepsy and infantile paralysis.	Brain-dura mater adherent in the frontal region. Arrophy of central convolutions at the vertex. Corrun armonis both sciences de-specially left. Misconcopic examination-Betz cells heavily pig- mented. Stain of moderate tiat with dust like cytoplasm. Engorgement of vessels,	1328	Lungscongested and colematous. Heartexcess pericardial fat. Muscle very friable and fatty. Loft ventricle hypertrophied. Aorta atheromatous.	282	Liver—Soft, greasy, and friable. Microscopic examination — farty degeneration. Free cells in vessels. Kidneys—tough. Casseles adherent. Microscopic examination—marked interstini changes and foroid degeneration of glomeruli. Endar- teritis.	183	Fatty degeneration of heart. Epilepsy.
.N. 167	86	9			Senile dementia. Delusions of perse- cution by telephones. Noisy.	Brain-vessels very atheromatous. Meninges thick and opaque. Atrophy very marked of prefroetal, frontal, and parietal lobes. Softenings in right lenticular nucleus.	1163	Lungs-apices puckered and fibroid congestion of organs. Heart-aortic cusps calcaroous. Aorta and coron- aries calcaroous.	232	Liver — mottled. Stones in gall bladder. Kidneys—granular.	184	Senile decay. Softening of lenticular nucleus.



and a	Age at Death.		sidence		Synopsis of Case,	Nervous System,	ht of phalon immes.	Thoras,		Abdomen,	ight of the Kidneys grammes.	Cause of Death
moers.	Death.	Y.	M.	D.		Nervous System.	Weight Encepha in gramn	A BUTER.	Weight o Heart in gramm		Weigh 2 Ki in gr	and remarks.
586	75	10			Delusional insanity (systematized). Dropsy and paraplegia some months before death.	Brainvessels calcareous. Atrophy marked in pre- frontals. Several small softenings in white matter of right side and in the lenticular nucleus (paramen).	1103	Lungs-congested at bases. Emphysematous at apices. Heart-muscle pale and friable.	265	Liver-pale and friable. One gall stone. Kidneys-right, small, tough, scarred and gravular. Left, natural.	R 60 L 165 225	Senile decay. Softenings in lenticular nucleus, and white matter.
. P. 460	41	14			Congenital with epilepsy.	Beain-strophy slight at prefrontal. Microscopic examination — Betz cells numerous. Not immature. No tigroid. Excess pigment. No structural changes in vessels. Veins engorged.	1295	Lungscongested at bases. Heartexcessively fat on surface. Friable. Aorta ; slight atheroma.	914	Liver-engorged and friable. Micro- scopic examinationalight fatty infification is places. Enormous numbers of liver cells in veins. Kidneyscortex friable; tore when stripped. Microscopic examina- tionscome interstitial overgrowth. Endarteritis.	210	Status epilepticus.
."P. 432	41	16	••		Primary dementia or congenital.	Brain-slight anomaly of circle of Willis. Right posterior cerebral continued from internal carotid.	1149	Lungs-emphysematons Heart-muscle pale and friable.	205	Liver—tough. Kidneys — capsales stript badly. Granular.	185	Chronic Bright's.
A. G. 1,864	38	20			Dementia procox (hebephrenic).	Brain-natural.	1128	Lungs—natural. Heart—muscle pale. Friable.	225	Liver-very pale and friable. Kidneys-large and tough. Stript badly.	300	Chronic Bright's.
. R. .821	60	24		••	Chronic mania and secondary dementia.	Brain-atrophy, chiefly of superior parietal and prefrontal.	1349	Lungs—very emphysematous. Heart—fairly natural.	180	Liver-tough. Several gall stones. Kidneys-very good. Colon-ulcerated.	210	Colitis.
L. R. ,064	46	25			Congenital or dementia procos.	Brain-rusty stalning over left frontal lobe. Old cortical lesses in allocab between first and record discroscopic expansion — Deter cells large and according expansion — Deter cells large and lesson market endarteritis of meningeal vessels. Numerous compound granule corputation and large glia cells occupied the attenuated cortex.	1219	Lungs—congested. Muco-pus in tubes. Heart—natural.	195	Liver — tough. One gall stone. Angioma. Microscopic examina- tion—showed a small angioma and fairly good liver tissue. Kidneys—small, tough, & tobulated. Microscopic examination — bad. Interstitual changes and marked endarteritis.	137	Broncho-pneumonia. Angei oma of liver.
. R.	34	9			Dementia proscox. Maniacal.	Brain-natural.	1254	Lungs—minute scattered foci of tubercle. Heart—muscle pale and friable.	180	Liver-tough. Kidneys-normal.	227	Pulmonary tubercle.
. R. ,264	70	10			Senile dementia.	Brain-dura mater firmly adherent all over to skull cap. Versels atheromatous. Atrophy in pre- frontal and along the vertex.	1367	Lungs-right, collapsed. Left, very congested, Heart-hypertrophied. Vessels calcareous.	300	Liver—very friable. Kidneys — contracted. Granular. Cysts.	170	Senile decay. Chronic Bright's
M. R.	62	8			Melancholia and secondary dementia.	Brain-subdural film over left side of vertex. Atrophy about the median fissure.	1220	Lungs-excess of pleural fluid. Pneumonia in right. Left congested. Heart-excessively fat on surface. Cavities dilated.	372	Liver-nutmeg. Friable. Kidneys - pale. Friable. Cortex diminished. Stript badly. Uterine fibroid.	245	Pneumonia.
L. S. 1,087	40	8			Dementia procos (paranoidal).	Brain-meninges slightly thickened and waterlogged. Atrophy marked chieffy in central region at the vertex and prefrontals.	1287	Lungs-both lungs full of tubercle, caseous, and breaking down. Heart-muscle friable. Mitral cusps thick and opaque. Aorta ; fasty atheroma.	152	Liver-large, pale, putty-like, fatty, and probably lardaceous. Kidneys-large and pale. Surface granular.	215	Palmonary phthisis,
. W.	50	6			Agitated melancholia. Exceedingly noisy and restless, deluded. Broke right thigh about 1 year before death.	Brain-atrophy chiefly in superior parietal and on the left side.	1350	Lungs-old healed tubercular foci at apices. Pneu- monia at left base. Heart-excessively fat on surface. Valves opaque and thick.	230	Liver-friable. Kidneys-tough. Cortex diminished.	220	Pneumonia.
. W.	45	21			Dementia procos. Depraved habits, Ate plants and flowers,	Breis-akuli cap : wry thick inner table. Absence of compressions and the second	1162	Longe-adhesions of plens. Dark patches and meropen in the tube. Heart—muscle pale & friable.	245	Liver-firm. Some softer yellowish patches. Microscopie examina- tion-fairly natural. Kidneys natural. Stript well. Microscopie examination-slight cirrhotic changes. Thickening of glomerular capsules and hyaline degeneration. Endarteritis.	185	Broncho-pneumonia. Absence of corpus callosum.



<section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header>														
Nambers.     Deah     T.     M.     D.     Synopils of Case.     Nervous System.     Torax								FEMALE I	POST-1	MORTEMS—continued.				
R. A. W. Indeg       54       12       ···       Epileptic insunity. dementia.       Secondary       Brain vessels atheromators. Consistence increased.       1181       Large-congested. Collapsed. Hastsmole gale and friable. Vessels atheromators.       356       Liver-very pale and friable. Kultery-correct diministick. Cap. Subscript hally.       370       870       870       8       ···       Delusional insanity. Often melancholic. Non: syst.       Brainvessels very atheromators.       1181       Large-congested. Collapsed. Long-balthy. Heartabdominal aeria calcaroos.       356       Liver-very pale and friable. Kultery-correct diministed. Cap. Sinder Stript hally. Sinder Stript hally.       370       Chronic Bright's         S. R. 3.3,713       66       ··       4       ··       Aglitated melancholic. Resistive. Feeble.       Demented.       Brain vessels rather stress stress diversite field or stress stress diversite stresstres diversites.       125	and		-	1	-	Synopsis of Case.		Nervous System.	feight scepha	Thorax.	Weight of Heart grammes.	Abdomen.	Kidney Kidney gramm	Cause of Death and Remarks
E. W. 77075 70 8 In Delutional insanity. Non: syst. Definitional insanity. Non: syst. Definitional insanity. Non: syst. Definitional insanity. Solution melancholic. Often melancholic. S. R. 33,733 66 4 a. Agitated melancholic. Demended in central convolutions. Seal (pt) being protection of to be showed merely a collection of coal black righteen theorematical. Seal (pt) being protection for to be showed merely a collection of coal black righteen theorematical. Seal (pt) being protection for to be showed merely a collection of coal black righteen theorematical. Seal (pt) being protection for to be showed merely a collection of coal black righteen theorematical. Such as the standard right of the standard region of the standard right	R. A. W. 14,663	54	12			Epileptic insanity. Sec dementia.	ondary	Brain — vessels atheromatous. Veins engorged. Consistence increased.	-	Lungs-congested. Collapsed. Heart-mucle pale and friable. Vessels atheroma-	356	Liver - very pale and friable. Kidneys-cortex diminished. Cap- sules strict hadly.	310	Chronic Bright's
5. R. 66 4 Agitated melancholia. Demented. Brain vessels (rather alternations. Arcychr Resistive. Feeble. Brain vessels (rather alternations. Arcychr Resistive. Feeble. Brain vessels (rather alternations. Arcychr in pertaintial convintions. Second problem of the second		70	8			Delusional insanity. Non Often melancholic.	syst.	Brain—vessels very atheromatous.	1208		255		220	Colitis.
F	S. R. 23.711	66		4		Agitated melancholia. Der Resistive. Feeble.	nented.	Brahn — vessels 'rather atheromatous. Atrophy marked in central covolutions. Small (pin head) covitical 'hamorhaya' in heit gyrns fornicatas. In the second second second second second second a collection of coal black pagment situated chefty in peri-articular space. ("of the second second second gliosis. Hyaline thickening of arterioles.	1365	Lungs—Pnesmonic area §in middle right lobe and posterior left lobe. Heart—natural.	168	Liver-natural		Chronic nephritin.
														F

