

Pharmacopoeia Londinensis : in qua medicamenta antiqua et nova usitatissima, sedulo collecta, accuratissime examinata, quotidiana experientia confirmata describuntur ... Revisa, denuo, recusa, emendatior, auctior.

Contributors

Royal College of Physicians of London.

Publication/Creation

London : John Marriott, 1639.

Persistent URL

<https://wellcomecollection.org/works/a5aeke2y>


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>



XVI r.

66249/8

N 631

The Library of the
Wellcome Institute for
the History of Medicine

MEDICAL SOCIETY
OF
LONDON
DEPOSIT

Accession Number

Press Mark

*PHARMACOPOEIAS,
London, R.C.P.*

T5

ΘΕΟΣ
ΕΝ ΑΝΘΡΩΠΙΝΟΙΣ Ο
ΒΑΣΙΛΕΥΣ



HIPOCRATES COVS.

LONDON MED
Pharmacopoeia
Londinensis
IN QVA
MEDICAMENTA
ANTIOVA ET NOVA
visitatissima, sedulo collec:
ta, accuratissime examinata,
quodidiana experientia
confirmata descri:
buntur.

Diligenter reuisa, denuo recusa,
emendatior, auc tior.
Quinta Editio
Opera Medicorum Collegij
LONDINENSIS.
Ex Serenissimi REGIS mandato
Cum R.M. Priuilegio.



GALENVS PERGAM.



MESVE ARABS




LONDON
Printed for Iohn MARSHOTT and are
to be sold at his shop in Fleetstreet
in S. Dunstons: 1639 Churchyard &c.



AVICENNA PRINCEPS

1688

ORDINAMENTI DELLA UNIVERSITA' DI TORINO



D. M. LXXXVIII
ORDINAMENTI DELLA UNIVERSITA' DI TORINO

GI. B. BIANCHI



SERENISSIMO
PRINCIPI IACOBO
MAGNAE BRITANNIAE,
FRANCIÆ, HIBERNIÆ, &c.

REGI, Collegium Medicorum
LONDINENSIVM

ἰατρικὸν, καὶ εὐρωπαϊκόν.



U MINIS cum hominibus com-
mercium, facilemque ad superos
aditum denotatura antiquitas; (li-
cet sub obscura incertæ noctis ne-
bula titubans, non infagaci tamen
acumine) Deorum simulachra sub
humana specie variis insignita titulis templis intulit:
mutisq; statuis divinos decrevit honores, & assigna-
vit sacrificia quibus vel pacarentur, vel conciliarentur
superi, inferi, medioxymi. Principum plurimos cœ-
litibus assidere voluit, eorum memoriam venerata,
& nihil minus quàm summum in sublunaria impe-
rium

rium attribuens illorum æternitati, quos ut potentiaæ suæ vicarios dum vitali fruerentur aurâ Jupiter constituerat; sic res in publicum bonum præclarè gestæ, atque in subditos paternæ curæ juncta liberalis comitas; dignos præstiterant, qui Deorum immortalium locii haberentur. Nos qui reducto velo & discussa caligine certiora nunc veri numinis beneficio figimus vestigia, ut cœlum justis precibus pervium, & *D. O. M.* ad pia vota facilem experimur: sic te Principem nostrum, (*REX SERENISSIME*) Republicæ Christianæ, Regnorum imprimis tuorum bono terris datum, erga pios probosque omnes flexibilem ac benignum, in tuos tenero & plus quàm paterno affectu propensum cernimus, agnoscimus, atque omnibus obsequii, officiorum, servitii ritibus, quos Omnipotens Regibus hujusce mundi Diis assignavit, purè sancteque colendum pronunciamus. Tam aptus natus es ad bona, ad justa, ad augusta, ut ab hac deflectere semita nec fas tibi sit, nec si velles datum; tantus est naturæ tuæ candor, quæ virtutibus regiis ab incunabulis imbuta, nec novo chromate tingi, nec veterem formam potest deponere! Sic Arcton aspicit magnetico spiritu mobile redditum ferrum, & quantumvis detorqueas, ad punctum redit. Quid attulerit compendii toti Christiano orbi insigne illud pacis studium, quo in mutuam perniciem ruentes principum potentissimorum animos blando amicitiaæ glutine foeliciter ferruminasti: Quid tuis populis æquitas, quæ in cæteris tui similibus mediocris, in te summa, tanquam in suæ activitatis sphæra, triumphat; Quid

Quid veræ Ecclesiæ pastoralis ille amor quo gregem Salvatoris prosequutus, schismata tollere citra ambiciosum fastum quotidie studes, alii loquantur quorum penna nomen tuum posteritati non fucato stylo tradere audacter satagit, materiæ ubertate diffluens, colorum quibus obumbrari si non deturpari solet memoria principum non indiga. Nos quibus MAIESTATI tuæ devincti nodis vivamus, explicemus liberè, & viventi Domino ea persolvamus vota, quæ Iovi nostro (juvans quippe tu nobis pater) debentur. Universalis ille recti bonique amor efficit, ut dum nævos Rempublicam foedantes sedulis perlustras oculis, Regiam aciem in Medicinæ castra deflexeris. Quot abs te istic conspectæ Lacunæ, quot hiatus? quot à via regia, quæ veri Hygieias antistites calcant, aberrantia diverticula monentibus primariis nostrum benigniter notare dignatus es? Exinde factum, ut eodem momento cum errorum notitiâ, tot defectuum resarciendorum irrequieta cupido animum tuum inceslerit. *In actione consistit virtus*, quæ dum in motu est viget, situ obsita quiete elanguescit: in te Domine motu indefinente, veluti primum mobile, ad se omnes animi tui facultates æternum rapit. *Rectum norma est sui & obliqui*: Propterea iussisti (REX OPTIME) ut ab iis quos cæteris prælucere in Medicina faciendâ æquum est, sumerentur faciendorum exordia. Collegium nostrum Medicum ab *Henrico Octavo, &c.* immunitatibus & privilegiis donatum, tu Musarum omnium parens authoritate cumulare voluisti, nequid deesset ad ho-

noris culmen, ne ve relinqueretur lapis aliquis offendiculi. Ita potestate abs te concessa insigniti Medicinæ proceres, in repurgando Augiæ stabulo, atque admittendis veris Asclepiadis, eliminandis iis qui Larvati saltem personam Medicorum induunt, toti sunt. Immortales tibi sint gratiæ (SERENISSIME PRINCEPS) quod vel querelis nostris, vel petitionibus, faciles quotidie aures accommodes, nec à nobis exoptatum quidquam hæctenus, unde schola nostra passa sit repulsam. Sui semper similis virtus cubito situ mutationum nescia subsistit. Hac freti fiducia dum tua capessimus iussa, atque in replendis lacunis & reparando vallo versamur, id Senatui nostro visum est, artifici cuique ad scitum perfectumque opus producendum, necessaria esse idonea instrumenta, quæ urgente necessitate ex penu, ut tela ex armamentario, depromantur. Siqua in re anceps fluctuatio, ea certe in re medica est admodum periculosa, in cujus praxi, quantum homini datum est, statuenda sunt certa remedia, quæ (*Deorum manus à veteribus dicta*) languentibus ægris tuto ab artis peritis administrantur. Quilibet Medicus in antiquorum scriptis vulgatas habet remediorum formulas; sed eas ab invicem ut plurimum discrepantes: ita ut in hac varietate tyronum mentes dubiæ (veluti in trivio) consilii inopes consistant, Pharmacopœiorum opera incertitudine parum fida (ipsis etiam invitis) reddatur. Placuit itaq; Medicorum Collegio *Londinensi* (cujus tu REX munificentissime tutelarior Deus es) tam antiqua quàm nova pharmaca necessaria in unum consarcinare

farcinare velumen, atque donum hoc levidense tuis imponere aris; vel potius te non sinente tantum, sed etiam jubente, Augustæ Majestati tuæ offerre supellectilem, quâ subditorum tuorum corpora in posterum a pestifera morborum lue sarta tecta que præserventur. Fœtus isti gnesii, si propitiam exporrigas frontem, Solis tui perferent radios, qui spurios occæcare solent. Facigitur, ut pro tibi innato more salutarem favoris tui auram opus hoc sentiat, cui (supplices petimus) ut liberum per regnorum tuorum limites indicas & necessarium commeatum. Ut veritas una est, sic certa sit eius notitia. Vitæ subditorum tuorum interest, vt Medici quid præscripturisint, Pharmacopœi quid in usum paratum habituri, compertum habeant. Vacillationis poena non minoris quam ipsius vitæ iactura constat. Tu qui juris legumque fautor es, capitis tuorum tutor esse velis. Edicto cautum sit, ne alia utantur ii (quorum non minus foeliciter quam iuste habenas regis) Pharmacopœiâ, quæ non *Londinensis* solum, sed ex usu (si placet) Anglica in posterum indigitetur. Sic fiet, ut a tritico secernantur paleæ, & agyrtæ atque circulatores (quibus æquitas tua te reddit infensissimum) a genuinis dignoscantur. Sic tu Jupiter eris Liberator: Sic acceptam tibi feret sanitatem tua Respublica; Sic denique dum summi inter humanas res boni Promotor & Conservator eris, ejus, cujus in terris locum obtines, imitorem te prodes verum, & quandiu durabit Vniversi machina, memoriæ hominum heroicæ tuæ virtutes obversabuntur, sicut tui pars melior vivet, tandem aliquan-

EPISTOLA DEDICATORIA.

do tradita, æternitati: Quod ut sero contingat, imo
ut nulli nostrum id videre contingat; sed ut diutissi-
me mundo, patriæ, tuis, subditis, singulis nostrum
te incolumem seruet *D. O. M.* ex animo optant &
precantur

Majestatis tuæ

Humillimi Clientes & fidelissimi

Subditi Socii Collegii Medicorum,

LONDINENSIS.

Candido



Candido Lectori.



Primum te salvere jubet, quæ maximè saluum te facit Medicina; & quo melius adhuc salutæ tuæ consulat, novam construxit officinam pharmaceuticam, quam non instruxit modò locupletissimâ remedium salubrium supellectile, verùm & curam suscepit, ut illa sine fraude fidelius, sine errore tutius in salutem tuam componantur. Sed, opus inquis, quonon est opus. Cum præter veteres recentioresq; plurimos vix aliqua sit transmarina Civitas aut Academia celebrior, quæ istam non abundè Spartam ornaverit.

Verum id forsan. At cedo, si tot isti veteribus non acquieverint, Mesue, Myrepsu, Alexandrino, & aliis; sed suum voluerint singuli Antidotarium; Romani suum, suum Veneti, Florentini suum, suum Bergomenses, Augustani suum, & quos tacemus reliqui, quidni & Londinenses suum? velut vestem propriam, cujus non tantalaus est, quòd sit splendida, quàm quòd propria, non tam si è bisso sit aut purpura, sed si Anglis corporibus adaptata: præterea nos tanta varietate non instrui, sed distrahi magis contigit; ista inopes nos Copia fecit; & morbus ille, cui modò occurrimus, totus est ex plenitudine. Quo vasta magis est silva, pluresque semitæ, facilius per invia, devia dum vagantur, aberrant viatores. Quo mare spaciosius, eo magis est opus Cynosurâ: quâ destituti diù apud nos Pharmacopœi variis fluctibus jactari, & millemodis distrahi videbantur, dum unus isto, iste alio medicandi tramite incederet, unus ad Cordum, alius ad Fernelium, ad Augustanos alius, ad suum forsan alius speculum se componeret; idemque remedium toti haberet Ideas, quot officinas: quod malum cum indies magis grassaretur, non sine summo tam Medicorum, quam agrorum dispendio; volumus hoc opusculo velut jactâ Anchorâ, sic fluctuantem Pharmaceiam stabilire, eamque certis limitibus, & Cancellis coercere, dum unam, & unicam componendi legem & methodum non docemus modò, sed imponimus & imperamus, à qua non liceat, vel latum (ut aiunt) unguem aberrare, ut uno velut filo ducti, tum Medici, tum Pharmacopœi, isti in præscribendo certiùs, hi in componendo rectiùs progrediantur & unanimes conveniant.

Necnon alia adhuc gravior est pestis, ad quam opus Antidotario; aliorum videlicet summa fraus & impostura, qui lucelli gratiâ, & sordido aucupio faces quasdam vilissimas, & spurcissimas sordes sub Pharmacorum nomine & titulo venditant; imò quæ nobis

CANDIDO LECTORI.

bis in pretio sunt maximo, Theriacam, Mithridatium, & Alkermes, aliaq; plurima adulterant; ut remedia non deveniant, sed venena, nec in solatium agris, sed perniciem. Qui sceleratissimi homicidæ et si flagello potius aut furca, quàm Censura hac nostrâ coerceri debuerint; erunt tamen forsàn (pro more Anglo) salvandi beneficio libelli, & cum ipsis miselli agri, quorum vita & sanitati (isto velut sacro codice) consuluimus. Fælix consilium & salutare; cujus tamen gloriam & laudem nobis ipsis non arripimus; sed (ut fateamur quod res est) ejus caput alius, ejus divinior origo; A Jove principium; à nostro inquam Augustissimo & (quod rarius) literatissimo, & (quod gratius) salutis publicæ vigilantissimo REGE JACOBO, qui ut pacem in orbe Christiano, unionem in orbe Britanno, conformitatem in orbe Ecclesiastico studuit semper & feliciter stabilivit; ità nostrum Orbem Apollinarem spheramq; medicam dignatus est lustrare suo lumine, legesq; salutes nobis condere pro concordia medica certa que medendi symphonia, ut sicut antea animarum, sic & corporum saluti; antea subditorum dignitati, modo illorum vite & sanitati consuleret: ut de illo verum sit, quod de Sole Regius vates cecinit, nihil est secretum à calore ejus; nihil ab ejus cura seclusum aut immune; & insculptum videatur divinâ manu idem pectori ipsius, quod nummo, Salus populi suprema Lex. Cum enim Pharmacopæis Londinensibus novas libertates & privilegia nova indulserit literis suis (ut appellantur) patentibus, hoc unum inseri, & exprimi imprimis voluit, ut cum Antidotarium istud prodiret in lucem, ad illud velut sacrum canonem religiosè se astringerent: Legibusq; ferendis à Senatu medico obtemperarent. Cui verè Regio mandato æquum nobis erat morem gerere; fecimusq; tandem ut in lucem prodeat Pharmacopæia Londinensis, apparatu nec sordido nec superbo, nec remediorum paupertate indiga, nec eorum mole aut tumens aut ambitiosa. In qua etsi doctam Antiquorum canitiem veneramur, eorundemq; remedia primâ velut acie collocavimus, non tamen recentioris Chymie nova subsidia rejicimus aut aspernamur, sed illis locû & angulum à tergo concessimus, ut famulentur dogmaticæ Medicinæ; & velut manus auxiliares inserviant. Neq; verò tam superstitiosè incessimus Antiquorum vestigiis, ut nihil ex nostro penu novum apportemus; non enim quæ hic descripta, transcripta sunt omnia, aut mercibus solis transmarinis, & exoticis officinam nostram instruximus, sed quædam adjecimus nova & nostra, quæ crebro usu probata nunc primum in lucem prodeunt publicam; quædam etiam in antiquis formulis immutavimus, salvo tamen authoris sensu & nomine, non tam novitatis studio, quàm necessitate coacti, præsertim ubi non occurrunt, quæ præscribuntur simplicia, in quorum locum alia suffecimus, quæ facultatum cognatione simillima videbantur: Pariterq; fecimus in modo pilulis componendi, quæ si antiquo more cum succis aut aquis in massam redigantur, citò siccitatē nimiam vel situm contrahant, ideoq; Syrupis accommodatis pro diuturniori custodia utendum voluimus. Cum verò in plurimis authoribus, quædam penitus relinqui soleant artificum judicio, potissimum in mellis & sacchari mensura, sub duabus literis Q. S. vel vocolis quantum satis; undè ejusdem pharmaci non eadem apud omnes consistentia, nec facultas eadem; nos de libero artificum arbitrio potestatem omnem in posterum ademimus, & in eandem rem quosdam è Pharmacopæis ipsis in hoc artificio versatissimis adhibuimus in concilium, quorum ope & operâ de certo componendi modo, certâq; mensura convenimus, & dosin designavimus cui nec addant illi, nec adimant. Deniq; cum in plerisq; Antidotariis, tum præscis tum recentioribus, usus & facultas cujusq; remedii exprimat, undè tam inscii, quam impii Circumforanei & agyræ, ex hac pharetra seipos muniant ad praxin medicinæ, nostrosq; gladios insani homunciones in Reipublicæ perniciem arripiant, ideo de remedii viribus nihil adjecimus: solis enim doctis hæc scribimus & Apollinis alumnis, ad vulgi

CANDIDO LECTORI.

non intellectum sed salutem. De ordine quo omnia disposuimus, rationem non opus est reddere; simplicia compositis; interna, externis; liquida solidioribus premisimus; in suas classes singula digessimus, unde nullo negotio depromi, in usumque & praxin referri possint. Habes (Amice Lector) quid fecerimus, & cur fecerimus; Opus quale in fabulis Pandora; in illam Dii omnes; in hoc Collega omnes sua symbola contulerunt, sub auspiciis dignissimi Praefidis, quo non modo Consule aut Praefide, sed cujus consilio & auxilio & indefesso studio, tectum modò & fastigium huic tanto operi imponitur; quod ante annos aliquot inceptum condi, sed inceptum, cujus non cœptæ surgebant turres, ut Poeta iustit. Quale jam aut quantulumcumq; sit, Amice Lector, tuo bono & publico fore commodum speramus & vovemus; quod si & palato tuo arrideat, utere, & Vale.

à Collegio Londinensi septimo die Decembr. anno 1618.

A brieve



A briefe of his MAJESTIES Royall Proclamation
Commanding all Apothecaries of this Realme to follow
this PHARMACOPOEIA lately compiled by the
Colledge of Physitians of LONDON.



Hereas by our especiall commandement there hath bene of late compiled in the Latine tongue by the Colledge of Physitians of London a Booke entitled Pharmacopœia Londinensis, &c. And whereas through the great care and industrie of the said Colledge, the foresaid Pharmacopœia Londin: is now perfected, and is a worke greatly tending to the publique good of our Subjects, and wee wiling that all falshood, differences, varieties, and uncertainties in making or composing of Medicines, and distilling of Oiles, or Waters, be after bee ut crily taken away and abolished: And that in the time to come the manner and forme prescribed by the said booke should bee generally and soley practised by Apothecaries in their compositions of Medicines, and distillation of waters for all such things as are therein named and prescribed: wee ther fore desirous in all things to provide for the common good of our Subjects, and intending to settle and establish the generall use of the said Booke in this Realme of ENGLAND, doe hereby signifie and declare our Royall will and pleasure to bee, and hereby straightly require, charge, and command all and singular Apothecaries, within this our Realme of England or the dominions there, that they and every of them, immediately after the said Pharmacop. Londin: shall be printed and published, doe not compound, or make any Medicin: or medicinable receipt, or prescription; or distill any Oyle, or Waters, or other extractions that are or shall bee in the said Pharmacop. Londin: mentioned and named after the wayes or meanes prescribed or directed, by any other booke or Dispensatories whatsoever, but after the onely manner and forme that hereby is, or shall be directed, prescribed, and set downe by the said booke, and according to the weights and measures that are or shall bee therein limited, and not otherwise, &c. upon paine of Our high displeasure, and to incurre such penalties and punishment as may be inflicted upon offenders herein for their contempt or neglect of this Our Royall commandement. Wiling and commanding also hereby all Majors, Sheriffes, Justices of peace, Constables, &c. to be aiding and assisting. Given at Our Palace of Whitehall 26. of Aprill in the 16. yeare of Our raigene of England, France, and Ireland, and of Scotland the 51. 1618.

THe Kings most excellent Majesty hath not onely commanded the publishing of this Booke, but hath farther been graciousl, pleased to grant full and sole priviledge unto John Marriot of London Stationer (and Printer of this worke) his Executors, Administrators, Deputies, and Assignes, for 21. yeares next ensuing, to imprint, or cause to be imprinted, and to sell, assigne, and dispose of, to his and their best benefit and availe, this booke, and booke, as well in the Latine as English tongue, as also in any other language or tongue whatsoever: Straightly prohibiting any other during the said time, to imprint or cause to be imprinted, to import, utter, or sell, or cause to be imported from any the parts beyond the Seas, uttered or sold, the said booke or booke, or any part thereof within any of his Majesties Realmes and Dominions (without the speciall licence and consent of the said John Marriot, his Executors, Administrators, Deputies, and Assignes, first had and obtained in that behalfe) upon paine of his Majesties high displeasure, and to forfeit five pounds of lawfull English money for every such booke or booke, or any part or parts thereof imprinted, imported, uttered, or sold contrary to the true meaning of this priviledge, beside the forfeiture of every such booke or booke, &c. as more at large appeareth by his Majesties Letters Patents dated the twentieth of March in the fiftieth yeare of his Majesties reigene of England, France, and Ireland, and of Scotland the fiftieth, 1618.

Nomina



NOMINA D. D. COLLEGARVM
SOCIETATIS MEDICORVM LONDI-
NENSIVM HODIE VIVENTIVM.

HENRICUS ATKINS Doc: Med: Regis Medicus
Ordinarius, & Collegii Medicorum Londinensium
Præsicens.

THEODORVS DE MAYERNE Medicinæ Doctor,
Regiarum Majestatum Medicus primarius.

JOHANNES CRAIG. } Regii Medici
GVLIELMUS PADDY Eques. } Ordinarii.

THOMAS FREAR.

THOMAS MOUNDEFORDE.

MARCUS RIDLEY.

EDWARDUS LISTER.

RICHARDUS PALMER.

JOHANNES CRAIG junior, Principi Carolo Archiater.

JOHANNES ARGENT.

EDWARDUS JORDAN.

JOHANNES GIFFORD.

FRANCISCUS HERRING.

MATTHÆUS GVINN, Regius Med: ad Turrim.

MAT.

MATTHÆUS LISTER.

GVLIELMUS HARVEY, med: Reg. juratus.

GULIELMUS CLEMENT.

SIMEON FOX.

LEONARDUS POE, Med: Regius ad familiara.

ROBERTUS ELVDD.

RICHARDUS ANDREVVES.

THOMAS PATTISON.

THEODORVS GOVLSTON.

JOHANNES COLLINS.

SIMON BASKERVILE.

THOMAS WINESTONE.

EDMUNDUS WILSON.

GEORGIUS ROGERS.

JOHANNES RAVEN, Med: Regineus juratus.

PAULUS DE LAUNE.

ELEAZAR HODSON.

OTTVELLUS MEVERELL.

ALEXANDER RAMSEY.

Pondera



PONDERA.

Granum intelligimus signatum illud nostrorum nummulariorum, quorum viginti scrupulum constituunt. Scrupuli tres drachmam. Drachmæ octo unciam. Unciæ duodecim libram.

Granum cujus signum gr. j.
Scrupulus cujus signum ʒ.
Drachma cujus signum ʒ.
Uncia cujus signum ʒ.
Libra cujus signum lib.

MENSURÆ.

Mensuras apud nos usitatissimas hic paucis subjecimus: reliquas minus usitatas, ideoque magis inutiles consultò omisimus.

Cochlearium nostrum in Syrupis continet unciam dimidiam in

aquis distillatis drachmas tres.
Cyathus unciam unam semis.
Hemina (quam Cotylam appellant) uncias novem.
Libra uncias duodecim.
Sextarius uncias octodecim.
Congius Sextarios sex.

B

CATA



PONDERA.

<p>Granum cuius signum gr. i. Scrupulus cuius signum s. Drachma cuius signum d. Lacia cuius signum l. Libra cuius signum lib.</p>	<p>Cranium intelligimus signa- turis nostrorum duntaxat maiorum quorum viginti scrupulum continentur. Scrupuli tres drachmam Drachma octo unciam Lacia duodecim libram</p>
---	---

MENSURAE.

<p>adus distillatis drachmas tres Quatuor unciam unam semis Hemina (quam Corymbam appel- lant) uncias novem. Libra uncias duodecim. Sextarius uncias octodecim. Congius sextarios sex.</p>	<p>Mensurae quae non mensuris sunt hic paucis suspicimus: reliquas minus uisitas in- deo; magis inuiles consulo omnibus. Cochlearium nostrum in Sympis continet unciam dimidiam in</p>
--	---



CATALOGVS SIMPLICIVM AD PHARMACOPOEIAN CONDVCENTIVM.

RADICES.

Acanthi, Brancæ Ursinæ.

Veri, peregrini,
Calami odorati offic.
Acori, {
Vulgaris, Pseudoacori, Gladi-
oli lutei. Liliorum palustri-
um.

Allii, Scorodi.

Alcannæ, Ligustri.

Althææ, Ibisçi, Bismalvæ.

Angelicæ, Sancti Spiritus.

Anchusæ, Buglossi rubri.

Anthoræ, Antithoræ, Napelli Mosis,
Aconiti Salutiferi.

Apii, {
Sativi, Petroselinii.
Vulgaris, Eleoselinii.

Aristolochiæ {
Longæ,
Rotundæ,
Clematidis, tenuis, far-
mentitiæ.

Artanitæ, Cyclaminis, Panis porcini,

Rapi vel umbilici terræ, Testudinarię:
Arthanitæ.

Arundinis {
Vallatoriæ.
Saccharinæ.

Ari, Serpentariæ, Barbæ Aaronis, Pedis
vituli.

Asclepiadis, vincetoxici, hyrundinariæ.

Asari, Baccharis, Nardi Rusticæ.

Asparagi, hortensis, sylvestris, Cur-
rudæ.

Asphodeli veri, {
Hastæ Regiæ, i. Af-
phod: fœ.
Albuci, i. Asph: maris.

Bardanæ, Lappæ majoris, Personatiæ,
arcii Diosc.

Behen {
Albi, Po-
lemonii. } pro {
Rubri, } his. {
Caryophyl-
lata.
Tormentil-
læ.

C A T A L O G U S

Bellidis, Symphyti minimi.
 Betæ nigræ, albæ, rubræ.
 Bistortæ, serpentariæ maris, Britannicæ.
 Borriginis.
 Bryoniæ, Vitis albæ.
 Bryoniæ nigræ.
 Buglossi utriusque.
 Bulbi vomitorii.

Calami Aromatici, exotici, i. acori veri.
 Capparum.
 Caryophyllatæ, Benedictæ, Oculi leporis.
 Caulium.
 Centaurii majoris, falsò Rhapontici.
 Cepæ, Crommii.

Chameleontis { Albi, Carlinæ, Cardopatii.
 Nigri,
 Pancarpi.

Chelidonii { Majoris } Hirundinariæ majoris.
 { Minoris } Ficariæ, Scrophulariæ.

Cinæ, Chinæ.
 Cichorii,
 Colchici, Bulbi agrestis.

Consolidæ { Majoris.
 Minoris.

Costi utriusque.
 Cucumeris agrestis, Asinini, Erratici.
 Cynaræ, Scolymi, Cardui altilis.
 Cynoglossæ, Lycopseos, Linguae caninæ.

Curcumæ, terræ meritæ, cyperi Indici.
 Cyperi utriusque, { longi, Romani
 rotundi.

Dauci.
 Dentariæ major: Squamariæ, Orobandis rad. dentata.
 Dictamni vulgaris, Polemonii, Fraxinellæ.

Doronici,
 Dracontii veri, Dracunculi.

Ebuli, Chamæactes.
 Echii { albi, } Campanicæ.

Ellebori { } Confiliginis vulgaris,
 Veratri { } Melampodii, Ectomi,
 nigri, Entani.

Enulæ Campanæ, Helenii.
 Endiviæ hortensis, Intybi, Scariolæ.
 Eringii, Centum capitum.

Efulæ { majoris, } Characiæ.
 { minoris, } Tithymali Cyparissæ, cupressinæ.

Filicis, Pterios, Bletri.
 Filipendulæ, Oenanthes.
 Fœniculi, Marathri.
 Fraxini.

Galangæ { majoris } Exoticæ, Cyperi
 { minoris } Babylo:

Gentianæ, Aloes Gallicæ.
 Glycyrrhizæ, Liquiritiæ. Rad: Dulcis.
 Graminis, i. Graminis Canini.

Hermodactyli veri,
 Hyacinthi.
 Iridis { nostræ seu vulgaris, cœruleæ,
 Liliæ cœlestis.
 Florentinæ, Illyricæ.

Imperatoris, Magistrantiæ, Laferpitii Gallici. Astantiæ.
 Isatidis, Glaſti.

Labri veneris, Dipſaci.
 Lactucæ.
 Lauri.

Lapathii acuti, Oxylapathi.
 Levistici, Smirni Dioſc:
 Liliæ albi, Rosæ Junonis, Crinanthemi.

Malvæ.
 Mandragoræ, Anthropomorphi.
 Mechoa-

SIMPLICIUM.

- Mechoachanæ, Bryoniæ Peruvianæ.
 Mei, Urfini, Tortuofi.
 Mezerei, Piperis montani, Chamelææ.
 Mororum Celsi, arboris sapientis.
 Morfus Diaboli, Succisæ, Præmorfæ.
 Pycnocomi Dios.
- Nardi } Indicæ.
 Spicæ } Celticæ, Saliuncæ Plinii.
 Nenupharis, Nymphææ.
- Ononidis, Arrestæ Bovis, Acutellæ,
 Reinoræ aratri.
 Ostrutii, Magistrantiæ, Struthii quorfid.
- Pastinacæ fativæ & sylvestris.
 Pentaphylli, Quinquefolii.
 Petasitæ, Galeritæ.
 Peucedani, fœniculi Porcini, Sulphurata,
 Caudæ Porcinæ.
 Pœoniæ Maris, Fœmellæ.
- Phu, Valerianæ } Majoris.
 } Minoris.
- Pimpinellæ, Sanguisorbæ.
 Plantaginis.
 Polypodii, Filiculæ.
 Polygonati, Sigilli Solomonis, Scalæ
 cœli, Genichellæ.
 Porri.
 Prunellorum sylvestrium.
 Pyrethri, Salivaris, Artimonii ex Antid.
 Bononi: in substitutis.
- Squamaris, } Major: Matth.
 Dentariæ, }
- Rhapontici.
 Rhabarbari seu Ravedfeni.
 Rhaphani } domesticæ, Obfoniorum.
 } sylvestris.
 Rhodiæ, rad.
 Rhabarbari Monachorum.
 Rubiæ tinctorum, Erythrodani.
 Rufci, Brusci, Myrsines sylvestris.
- Sambuci.
 Sarzæ Parigliæ, Smilacis asperæ.
 Satyrii utriusque.
- Saxifragiæ albæ.
 Sanguisorbæ, Pimpinellæ Italicæ.
 Scabiosæ.
 Scordii.
 Scillæ, Squillæ, Capæ marinæ.
 Scrophulariæ, Galeopsidis, Millemorbia.
 Scorzonera.
 Seseleos Æthiopici.
 Sifari, Secacul, Siferis.
 Sigilli B. Mariæ, Bryoniæ nigra.
 Solidaginis.
 Sonchi.
 Spinæ albæ, Bedeguar.
 Spatulæ foetidæ.
- Tamarisci, myricæ hymilis.
 Tanaceti.
 Thapsiæ exoticæ, Ferulaginis, Turpeti
 cineritii.
 Tormentillæ, Heptaphylli.
 Trifolii.
 Tribuli aquatici.
 Trachelii, Cervicariæ.
 Trinitatis herbæ, violæ tricoloris.
 Tunicis.
 Tripolii vulg.
 Turbith exotici.
 Tuberum seu Boletorum.
- Victorialis, Allii Alpini.
 Vincetoxici, Hyrundinariæ, Asclepiadis.
 Virgæ pastoris.
 Ulmaria, Barbæ capri, Regina præti.
 Urticæ.
- Zedoariæ, longæ, costi Syriaci.
 Zingiberis.
 Zurumbet, i. Zedoariæ rotundæ, Athoræ Avic:

CORTICES.

Apii. Rad:
 Avellanarum.

CATALOGUS

Aurantiorum.

Berber, Oxyacanthæ.

Casiæ lignæ, Syringis, Xylocasiæ.

Capparis, rad:

Castanearum.

Cinnamomi, Canellæ.

Citri, mali medici.

Ebuli rad:

Enulæ.

Esulæ rad: Tithymali.

Fabarum.

Foeniculi rad:

Fraxini rad:

Granatorum, Malicorium.

Guajaci lign: Ind: Sancti.

Juglandium virid:

Lauri.

Limonum.

Mandragoræ rad:

Myrobalanorum.

Macis, qui Cortex Moschatæ nucis.

Maceris, qui ligni cujusdam cortex
crassus, flavescens, valdè amarus &
astringens.

Petrofelini rad:

Prunelli sylvestris.

Pinearum putamina.

Quercus arboris.

Raphani.

Suberis.

Rad: Sambuci, & caudicis.

Cort: medius Tamaricis.

Tilliæ.

Thuris.

Ulmi.

LIGNA ET EO- RVM SCOBES.

Agallochus, Lignum Aloes.

Alpalathus.

Bresilium.

Buxus.

Cypressus.

Ebenum.

Guajacum, Sanctum Ind:

Juniperinum.

Nephriticum.

Rhodium.

Santalum { Album.
Rubrum.
Citrinum, Moschatellinû.

Sassafras.

Tamarisci.

Xylobalsamum.

HERBÆ ET EA- RVM FOLIA.

Abrotonum { mas.
fœmina.
latifoliû, vulgare.

Abinthiû { Poticû, } Galæ.
tenuifoliû, } Rom.
Seriphium, marinum.
Santonicum.

Abugiliffa, i. Anchusa major.

Aceto-

SIMPLICIUM.

- Acetosa five Oxalis.
 Acanthus vera.
 Adiantum { album, } Ruta muraria,
 { } Salvia vitæ.
 { nigrum, } Polytricū Diosc.
 { } Capillus veneris.
 Adiantum aureum, Polytricum aureū,
 Muscus capillaris.
 Agrimonia, i. Eupatorium Græcorum.
 Ageratum, i. Eupatorium Mefuës.
 Agnus Castus, Vitex, Piper Eunuchorum.
 Alleluja five Lujula, Acedula, Acetofella, trifolium acetosum, oxys Pl:
 Alcea.
 Allium.
 Althæa, Ibiscus, Bismalva, Malvaviscus.
 Alfine, Morfus Callinæ.
 Alchimilla, Pes leonis, Stellaria.
 Alcanna, Ligustrum.
 Amaracus, majorana.
 Angelica.
 Anagallis { mas.
 { fœmina.
 Anethum.
 Apium, Herba Leonis.
 Aparine.
 Aspergula odorata.
 Aquilegia.
 Argentina, Potentilla, Anserina.
 Artanita, i. Ciclamen.
 Aristolochia { longa, Mascula.
 { rotunda, malum terræ.
 Artemisia, Mater herbarum.
 Asparagus.
 Asarum, Baccharis, Nardus rustica.
 Atriplex, Oulus aureum.
 Auricula muris major, pulmonaria galli.
 Attractylis hirsuta. (ca.
 Balsamita, mentha corimbifera, Costus hortorum.
 Barba Jovis, Sedum majus.
 Bardana, Lapathum, Personata.
 Beta { alba.
 { nigra.
 { rubra.
 Benedicta, Caryophyllata.
 { vulgaris.
 Betonica { Pauli est Veronica mas.
 { Coronaria, Caryophyllus hortensis, Herba Tunica.
 Bellis, herba Margarita.
 Blitum.
 Borrago.
 Bonus Henricus, Tota bona.
 Botrys.
 Branca ursina, Acanthus Germanica.
 Bryonia, { Vitis alba.
 { Vitis nigra.
 Bursa Pastoris, Sanguinalis.
 Buglossum.
 Bugula.
 Bupthalmum, Cotula non foetida.
 Buxus.
 Calamintha { Montana.
 { Palustris.
 Calendula, Caltha, Solsequium, Verrucaria.
 Callitrichum, Adianthon.
 Caprifolium.
 Carduncellus, Erigeron, Senecio.
 Carduus { B. Mariæ lacteus.
 { Benedictus.
 Carlina.
 Corallina, Muscus marinus.
 Cassutha five Cuscuta, podagra lini.
 Caryophyllata, Benedicta
 Catuputia minor, lathyris.
 Cattaria, Nepeta.
 Cauda equina, Hippuris, Equisetum.
 Caulis, Brassica { hortensis.
 { sylvestris.
 Centauriū { majus, Rhaponticum.
 { minus, Fel terræ, febrifuga.
 Centinodium, Corrigiola, Polygonum mas.
 Cerefolium { vulgare.
 { Myrrhis.
 Capæa, Anagallis aquatica, Becabungia.
 Ceterach,

C A T A L O G U S

Ceterach, i. Scolopendrium, Asplenon.
 Chamæpitys, Ajuga, Iva arthritica, Thus
 terræ.
 Chamædrys, vera, vulgaris, Calaman-
 drina, Quercula, Triffago, Teucrium
 cæruleum.
 Chamæmelum { fativum.
 { sylvestre.
 Chelidonium utrumque.
 Cinara, Carduus Esculentus, Articho-
 cus.
 Cichorium, Intybum Sylvestre, Chon-
 drilla.
 Cicuta.
 Clematis Daphnoides, vinca pervinca,
 Corona Virginea, Viola mortuorum.
 Confolida { Major, i. Symphytū majus.
 { Media, i. Bugula.
 { Minima, i. Bellis.
 { Rubra, i. Virga aurea.
 { Regalis, i. Delphinium.
 { Saracenicæ solidago.
 Coronopus.
 Cotonaria, Centunculus, Gnaphalium.
 Cruciata.
 Crassula, Faba inversa.
 Crithamus, Herba S. Petri, Creta Mari-
 na, Foeniculum marinum.
 Cucumis Asininus.
 Cyanus { major.
 { minor.
 Cynoglossum, seu lingua Canis.
 Cypressus, Chamæcyparissus, Abroton.
 foem.
 Dictamnus Cretensis { fativ: alb.
 { fylv: purpur.
 Dipfacus, { fativ: alb.
 { fylv: purpur.
 Ebulus, Chamæacte, Sambucus pumila
 arvensis.
 Echium, Viperina.
 Elatine, veronica foemina.
 Empetron, Calcifraga, perforipetra,
 Millegranum, Herniaria.

Endivia, fativa intybus.
 Enula Campana.
 Epithymum, Epithymum Cretense.
 Eruca.
 Eupatorium, { Græc: Agrimonia.
 { Mes: Ageratum.
 { Avicen: Cannabinum.
 Euphrasia, Euphrosyne, herba Oph-
 thalmica.
 Filix foemina.
 Filicula, Polypodium.
 Filipendula.
 Folium Malabathri.
 Foeniculū, Marathrum.
 Fragaria.
 Fraxinus { Lingua avis, passerina, bubula
 { Sorbus aucuparia, Ornus.
 Fumaria, Capnos.
 Galega, Ruta capraria.
 Galion.
 Gentiana.
 Genista, Spartion.
 Geranium { Robertinum.
 { Columbinum.
 { Acus Moschata.
 { Gingidium.
 Gramen, Agrostis.
 Gratiola.
 Hastula regia, Asphodelus.
 Hepatica, Lichen.
 Hedera { Arborea, Corona terræ.
 { Terrestri, Chamæcissus.
 Herba Camphorata.
 Moschata.
 Paralyfis, primula veris.
 Paris, Aconitum salutarium, Mono-
 coccus.
 Roberti, Gratia Dei.
 Venti, i. Anemone,
 Hermaria, millegranum.
 Helxine, Parietaria, perdicium.
 Hippoglossum.
 Hippolapathum.

Hippo-

SIMPLICIUM.

- Hippofelinon olus Atrum.
 Horminum fativum, Sylveſtræ, Sclarea.
 Hydropiper maculoſum.
 Hyſſopus, Alhaſſe, Arabum hyſſopus.
 Hyoſcyamus, Herba Apollinaris, Alter-
 cum, Faba ſuilla.
 Hypericon, Perforata, Fuga Dæmonis.
 { Hypogolottis, Laurus Alexandrina.
 { Hypogloſſum, Lingua Pagana, Boni-
 { facia, Biſlingua, Uvularia.

 Iberis Cardamantice, Lepidium Cam-
 peſtre.
 Inguinalis, Bubonium, Aſter Atticus.
 Iris Germanica, Illyrica, Florentina, Lu-
 ſitanica, Lutea, Cœrulea, Sylveſtris.
 Iſatis, Glaſtum.
 Iva arthetica, Moſchata.
 Juncus odoratus.

 Labrum, lavacrum Veneris, Dipſacus
 Fullonum Carduus.
 Lactuca, Sativa, Sylveſtris.
 Lagopus, Herba leporina.
 Lavendula.
 Laureola, Daphnoides, Chamælea Ger-
 manica.
 Lappa minor, Xanthium.
 Laurus.
 Lentifcus.
 Lens paluſtris.
 Lepidium piperitis.
 Leviticum, Liguſticum.
 Libanotis coronaria Roſmarinus.
 Linaria, Oſyris.
 Linum B. Mariae.
 Liliſium Convallium, Roſa Junaonis.
 Lingua Cervina, Phyllitis.
 Limonium.
 Lotus urbana, Trifolium cervinum.
 Lupulus Salictarius.
 Lychnitis coronaria.

 Macis.
 Magiſtrantia, Imperatoria, Oſtrucium.
 Malva, Sativa, Criſpa.
- Majorana, Amaracus, Sampſuchum.
 Mandragora.
 Marrubium, Praſium { album,
 { nigrum,
 { foetidum.
 Marum verum.
 Matricaria, Parthenium.
 Matrifylva, Periclymenon, herba Cor-
 dialis.
 Maturella, i. Valeriana major, Phu u-
 trumque.
 Melilotus, Corona regia.
 Meliſſa five Meliſſophyllum, Citrigo.
 Mentha { Sativa, Criſpa, Rubea.
 { Aquatica, Siſymbrium.
 Menthaſtrum, Mentha equina.
 Mercurialis, mas, foemina, Linozoſtis.
 Mezereon, Chamælaea, Oleaſtellus.
 Millefolium, Stratiotes.
 Muſcus, Uſnea.
 Myrtus, Myrtilli.

 Nardus Indica, Spica Nard. Exotic:
 { aquaticum, Cardamine, Si-
 { ſymbrium.
 Naſturtium { album, Thlaſpi.
 { hortenſe, Creſſio.
 Nicotiana, Tobacco, Sana ſancta,
 Herba Reginae, Legati, Petum.
 Nummularia, Centumorbia.
 Nymphæa, Nenuphar.

 Ocimum, Baſilicon { vulgare.
 { citratum.
 Oleæ folia.
 Ononis, Aratri remora, Reſta bovis.
 Ophiogloſſon, Lingulaca, Læcea Chri-
 ſti.
 Origanum, Vulgare, Creticum, Onitis,
 Panaceum.
 Oxylapathum, Rumex acutus.

 Papaver { album,
 { nigrum,
 { rubrum, Rhæas, erraticum.
 Parietaria, herba Perdicalis, Vitriola,
 Urceolaris.

Paſtinaca.

C A T A L O G U S

Pastinaca.
 Perficaria non maculata.
 Perfoliata.
 Pentaphyllum, quinque folium.
 Petroselinum, Selinon.
 Pes Columbinus, Geranium alterum.
 Perficorum folia.
 Pimpinella.
 Pilosella, Muris auricula.
 Pithyusa.
 Plantago, Arnoglossum, Septinervia,
 Quinquenervia.
 Polium, Campestre, Marinum, Monta-
 num, Creticum.
 Polygonum, Sanguinaria, Centumno-
 dium.
 Polytrichum offic: Trichomanes.
 Portulaca Sativa, Porcellana.
 Porrum.
 Primula veris, Bellis minor, herba S.
 Petri aut Pauli.
 Prunella, Symphytum minus, herba
 Anthonii.
 Pulegiū, Cervinum, Regale, Glechon,
 Apolecium.
 Pulmonaria, { Impetiginaria, arborea.
 { Symphytū maculosum.
 Pulicaria, i. Conyza.
 Pyrus sylvestris.
 Pyrola, Pyrifolia, Tintinnabulum terre.
 Quercus folia.
 Ranunculus, Batrachium, Apium rifus.
 Raparum folia.
 Rosmarinum coronarium.
 Rosa Solis.
 Rosa alba, rubra, Damascena pallida.
 Rumex, Lapathum.
 Rubus Idæus, pumilus.
 Ruta hortensis, Rhyte, Sylvestris Har-
 mel.
 Ruta muraria, Salvia vitæ, adiantum al-
 bum.
 Sabina, Barathrum.
 Salvia major, Minor, Romana, Sylve-
 stris, Bosci salvia.
 Salicis folia.

Sampfucum, majorana.
 Sanicula, Diapensia, Ferrara minor.
 Saponaria { vulgaris.
 { Struthium & radícula Plinii.
 Satureia, Cunila, Thymbra fativa, Jo-
 seple.
 Saxifragia alba.
 Scabiosa, herba Apostematica.
 Scariola.
 Schoenanthos, Juncus odoratus, Pastus
 Camelorum.
 Scordium verum, non Sylvestre, Sco-
 rodotis.
 Scrophularia, Castrangula, Millemor-
 bia.
 Sedum seu { Majus, { Arborefcens.
 { Minus, { Vulgare.
 { Vermicularis,
 { Illecebra.
 Senna Orientalis, Ægyptia, Alexandri-
 na, Florentina, Italica, Provincialis,
 Syriaca.
 Serpyllum.
 Sigillum Solomonis, Polygonaton.
 Smyrnium.
 Solanum, Uva lupina, Morella.
 Soldanella, Marina Brassica.
 Sonchus { levis } Cicerbita, La-
 { asper } ctucella, lacte-
 rion.
 Sophia Chirurg.
 Spinachia, Olus Hispanicum.
 Spina alba, Arabica, Bedeguar.
 Spica Vulgaris, Romana, Celtica, Sali-
 unca Plinii.
 Stœbe.
 Stæchas { Arabicum,
 { Citrinum, heliochrysum.
 Succisa, five morsus Diaboli.
 Suchaha, Spina Ægyptiaca,
 Symphytum { Majus, vulgare.
 { Medium, bugula.
 { Maculosū, pulmonaria.
 { Petræum, prunella.

Tanacetum, Athanasia.

Taraxa-

Taraxacon, i. Dens Leonis, Hieracium minus, Seris uridaria, Caput Monachi.
 Tamariscus, Tamarix Illyrica.
 Telephium.
 Thlaspi mithridaticum.
 Thymbra, Satura sylvestris.
 Thymum, Thymiamā herba.
 Thymelæa.
 Tithymalus, Esula, Lactuca Marina.
 Tormentilla, Heptaphyllon.
 Trinitas, herba Trinitatis, viola tricolor.
 Trifolium.
 Tuffilago, Ungula Caballina, Bechion, Farfara.

Valeriana, Phu Germanicum, herba D.
 Georgii } major.
 } minor.
 Verbasco, Candelaria, Lanaria, Thapsus barbatus.
 Verbena, Peristero, Columbaris, herba Sacra, Sagminalis, Centum Galli.

Veronica, } Mas, Betonica Pauli.
 } Foemina, Elatine.

Violaria, mater Violarum.
 Vitis Vinifera, pampini.

Vitis } alba } Bryonia.
 } nigra }

Vincetoxicum, Asclepias, Hirundinaria.
 Virga pastoris.

Virga aurea, Consolida rubra.
 Ulmaria, Regina Prati.

Umbilicus Veneris.
 Urtica, major, minor, Romana, hortulana.

Usnea, Lanugo arborum.
 Usne, Cali, Salficornia.

FLORES.

Agni casti, Viticis.
 Amaranthi, Fl: Amoris.

Anethi.
 Armerii.

Aurantiorum.

Basilici, Ocimi.
 Balauftiorum, Sylvestris Punica.

Betonica.
 Borriginis.

Buglossi.

Caryophylli hortensis.
 Calendula, Caltha.

Caprifolii, Matrifylva.
 Capparum.

Carthami, Cnici.
 Centaurii minoris.

Chamæmeli.
 Cheyri, Leucioi lutei, Viola lutea.

Cichorii, Intybi fativi, latifolii.
 Comarum } Absinthii.
 } Matricaria.

Croci.
 Cyani } majoris, frumenti flores Fil: Zaria.
 } charia.
 } minoris.

Cytini, fativa Punica.
 Cynosbati.

Echii.
 Epithymi.

Erica.
 Eruca.

Euphrasia.
 Fabarum.

Fumaria, Fumiterra.
 Genista, Spartii, Scoparia.

Hyacinthi.
 Hyperici, Perforata.

Hyssopi.
 Jasmini, Sambacis.

Labrusca, Vitis sylvestris.
 Lauri.

Lavendula.
 Lamii } albi.
 } rubri.

Ligustri,

C A T A L O G U S

Ligustri, Alcannæ.
 Liliï albi.
 Liliï Convallium, Verni.
 Lupulorum.
 Majoranæ, Sampfuchi.
 Malvæ, utriusq; Rosæ Hiemalis, Au-
 tumnalis.
 Meliloti.
 Melissæ, Melissophylli, Citrariæ.
 Narcissi, albi, lutei.
 Nucum juglandium, Nucamenta.
 Nymphææ utriusq; Nempharis, Clavi
 Veneris, Liliï palustris.
 Origani.
 Othonnæ, Caryophylli Indici.
 Papaveris { nigri.
 { albi.
 { rubri.
 Perficorum.
 Periclymeni, Matri sylvæ.
 Pæoniæ.
 Populi oculi, seu gemmæ.
 Primulæ veris, Paralysis, Verbasculi o-
 dorati.
 Prunellæ, Agricoccimelææ.
 Prunorum sylvestrium.
 Rosæ { albæ.
 { rubræ.
 { Damascenæ pallidæ.
 Rorismarini, five Anthos.
 Salviæ.
 Saliuncæ, Nardi Celticæ.
 Sambacis, Jasmini.
 Sambuci.
 Scabiosæ.
 Schoenanthus, Junci odorati,
 Siliginis.
 Spicæ hortulanæ.
 Stœchados, Arabici, Citrini.
 Tamarisci.

Tanaceti.
 Thapsi barbati, Verbasci.
 Tiliæ.
 Tunicæ, Caryophylli hortulani.
 Tuffilaginis, Farfaræ.
 Vetonicæ.
 Violæ purpureæ { Purpureæ, Martiæ.
 { Matronalis.
 Urticæ mortuæ, Lamii.

F R U C T U S E T G E R M I N A.

Agrestis.
 Alkekengi, Halicacabi, Cerasa Judeo-
 rum, hyemis, terræ.
 Amygdala { Amara.
 { dulcia.
 Amoris poma.
 Anacardi.
 Arantia, mala aurea.
 Avellana, Nux Pontica, Prænestina.
 Balanus Myrepfica, Glans Unguenta-
 ria, Been Utrunque, Serapionis.
 Baccæ { Herbæ Paridis.
 { Juniperi, Grana Turdorum.
 { Lauri.
 Berberis, Oxyacâthæ Gal: Baccæ Cres-
 pini. Matth.
 Cappares majores, minores.
 Caricæ, Ficus aridæ, passæ.
 Caryophyllum.
 Carpobalsamfi, fructus, grana Balsami.
 Cassia fistularis, Siliqua Ægyptiaca.
 Castanea, Glans Sardiana.
 Cerasum { Rubrum, dulce.
 { Nigrum, acidum.
 Citrium malum, Medicum.
 { Rubeum, Venereum.
 Cicer { Candidum, Columbinum.
 { Nigrum, Arietinum.
 Colocynthis, Cucurbitæ sylvestris.
 Corna.

Coni

SIMPLICIUM.

Coni Cupressi, galbuli.
 Cocci orientales, Coccoli.
 Corinthiacæ Passulæ.
 Cucumis Asininus, hortensis.
 Cubebæ, Uvæ Illyricæ.
 Cucurbita.
 Cydonium, Cotoneum.

 Dactylus, Palmula.

 Ebuli grana, Baccæ Chamæactes.

 Ficus virides, albæ.
 Fraga.

 Galla immatura, Turcica.
 Glandes quercinæ, Dryobalani.
 Glandium calyculi.
 Granatum malum, Punicum, dulce, au-
 sterum.
 Grana tinctoria, Coccibaphicæ, infe-
 ctoriæ, Kermes, Alchermes.
 Grossulariæ { Spinosa, uva crispa.
 { Non spinosa, ribes off.

 Juglans, nux Regia.
 Jujubæ sive Zzyzpha, Serica.

 Limones, Mala lemonia.

 Mandragoræ pomum.
 Mala infana, Melangena.
 Melones.
 Mespilum, Tricoccum.
 Mora, Celsi, Sycamina.
 Bati, Rubi { Canini, Cynosbati.
 { Idæi.
 Mirobala- { Emblicæ.
 ni, Glandes { Chebulæ.
 { Citrinæ, Flavæ, luteæ.
 Egypt. { Indæ, Nigræ.
 { Bellericæ, rotundæ.
 Myrti baccæ, Myrtilli.

 Nuclei { Ceraforum.
 { Mali Armeni.
 { Mali Perfici.

Nux { Moschata.
 { Odorata.
 { Aromatica.
 Nux Indica.
 Vomica.
 Methel, Stramonea.

 Oculi Populi, Gemmæ.
 Oliva, muriâ condita.

 Papaveris albi vel nigri Capita.
Permainis vel **Pippins**.
 Perfica.
 Phaseoli, Dolychi.
 Pini nucleus in conis.
 Pistacia, Fistica.
 Poma { dulcia. }
 { acida. }
 Pruna Damascena, Syriaca, Syracusana,
 Ungarica, Vulgaria.
 Prunella sylvestria, Agricoccimela.
 Pyra Moschatellina.
 Aromatica.

 Quercus Germina.

 Ribes, Uvæ Urfinæ.

 Sebesten, Myxa, Pruneola pectoraliâ,
 nigra.
 Sennæ folliculi.
 Siliqua, Panis D. Johannis, Xylocaracta.
 Sorba.
 Spinæ albæ, Baccæ.
 Strobyli.
 Sumach, Rhus Obsoniorum.

 Tamarindi, Palmulæ acidæ, Oxyphæ-
 nicæ.
 Tribulus aquaticus, Nux aquatica.

 Uvæ Passæ, Passulæ.

SEMINA SIVE GRANA.
 Abfinthii Seriphii, Santonicum, Cinæ,
 Barbotina, Contra Lumbricos.
 Acetosæ sive Oxalidis.

CATALOGUS

Acini, Punici semina.
 Agni casti, five Viticis, Salicis marinæ.
 Althææ, Bismaluxæ.
 Ammeos vulgaris, veri, Cumini regii
 Alexandrini.
 Amomi veri.
 Anethi.
 Angelicæ.
 Anguriæ.
 Anisi, Cymini dulcis.
 Anthoræ, semen Rosarum.
 Apii, sativi, crispi
 Aquilegiæ, Aquilinæ.
 Asparagi, Corrudæ.
 Atriplicis, Chrysolachani.
 Aurantiorum.
 Avenæ.

 Bardanæ, Personatiæ.
 Berberis, Oxyacanthæ.
 Bombacis, Xyli.
 Bulbi, Cepæ.

 Cannabis.
 Cardui benedicti, & Mariæ.
 Cardamomi $\left\{ \begin{array}{l} \text{majoris.} \\ \text{minoris.} \end{array} \right.$
 Carpobalsami.
 Carthami, Cnici.
 Carui, Careos.
 Caulis, Brassicæ.
 Ceparum, Crommii.
 Ceraforum.
 Cerefolii.
 Cicutæ.
 Citri.
 Citruli.
 Coriandri, Corii.
 Colocynthidos.
 Crithini.
 Cubebæ.
 Cuscutæ.
 Cucumeris domestici, sylvestris.
 Cucurbitæ, camerariæ.
 Cymini, hort. sylv.
 Cydoniorum, Cotoneorum.

Dauci $\left\{ \begin{array}{l} \text{nostri.} \\ \text{cretici.} \end{array} \right.$

 Ebuli.
 Endiviæ, Intybi, Cichorii.
 Eruca.
 Eryfimi, Irionis.
 Erui seu Orobi

 Fabarum.
 Fœniculi.
 Fœnugræci, Ægocerotis, Siliculæ, Tri-
 folii Græci.
 Fraxini, linguæ avis, Orneoglossi.
 Fumariæ, Capni.

 Garyophyllatæ.
 Genistæ.
 Granum Gnidium, i. Thymelæa.
 Granum Solis, perperâ pro milio Solis.
 Granum Paradisi.

 Harmel, i. Rutæ sylvestris.
 Hederæ.
 Hipposelini.
 Hordei, ejusque farina.
 Hyoscyami, Alterci, utriusque.
 Hyperici, Perforatæ.
 Hyssopi.

 Lactucæ.
 Lapathi acuti, Oxylapathi.
 Lathyridis, Cataputiæ minoris, Esulæ
 vulpinæ.
 Laureolæ.
 Lentes, Lenticulæ.
 Levistici, Ligustici.
 Lini.
 Lithospermi, Milii Solis.
 Lolii.
 Loti Urbanæ, sativæ.
 Lupini.

 Maluæ.
 Mandragoræ.
 Majoranæ, Amaraci.
 Magi-

SIMPLICIUM.

Magistrantiæ, Ostrutii.
 Melonum.
 Melopeponum.
 Mespilorum.
 Mezerei.
 Milii.

 Napi, Buniadis.
 Nasturtii.
 Nigellæ, Gith.

 Ocimi seu Basilici Caryophyllati.
 Oleris atri, Petroselini Alexandriini, hippo-
 selini.
 Oryzæ, Hordei Galatici.
 Orobi.
 Offa Dactylorum.

 Papaveris { albi.
 nigri.
 Panici.
 Pastinacæ sylvestris, Bauciæ, & fativæ,
 Carotis, Staphylini.
 Petroselini { Vulgaris.
 Macedonici.
 Perfoliatæ.
 album.
 Piper { longum.
 nigrum.
 Pimpinellæ, Bipinellæ, Pampinulæ.
 Pifa.
 Plantaginis.
 Porri capitati.
 Portulacæ, Porcellanæ.
 Pœoniæ.
 Pfyllii, Pulicariæ.

 Rapi, Gongyles.
 Raphani, radiculæ.
 Rhois culinariæ five Sumach.
 Ricini, Cataputiæ majoris, manus Chri-
 sti, Granum regium.
 Rosarum.
 Rutæ hortensis, Pegani.

 Saxifragiæ.
 Scariolæ, Seriolæ.

Semen Sanctum, Santonicum, contra
 vermes.
 Sefami veri, vulgaris.
 Sefeleos, vel Sileris Montani Maffili-
 ensis.
 Sinapeos.
 Siliquastri, Capfici, Piperis Indici.
 Solani fativi.
 Staphydisagriæ, Uvæ sylu: Pediculariæ:
 Piper Marinum.

 Thlaspios.
 Trifolii bituminosi, odorati, Asphaltitis.
 Tritici, cujus farina volatilis.

 Vicia.
 Violarum.
 Urticæ vulgaris, Romanæ.
 Vvarum acini, gigartæ.

 Zeæ, Speltæ.

LACHRYMÆ, LIQVORES, GVM- MI, RESINÆ.

Abietina oleosa.
 Ammoniacum, Transma.
 Arabicum, Gummi ex Acacia Ægypti
 spina.
 Animæ gummi.
 Afa { foetida, Stercus Diaboli, recremē-
 tum Laferpitii.
 Dulcis, five Benzoin.
 Bdellium.
 Balsamum { è Peru, Indicum.
 Judaicum.
 Camphora, Caphura.
 Caranna.
 Cedria Pix, Alkitron.
 Ceraforum.

C 2 Elemi,

CATALOGUS

Elemi, Oleæ Æthiopicæ lachryma.
Euphorbium.

Galbanum.

Gum: Amygdalarum.
Juniperi, Sandaracha Arabum,
Vernix.
Hedera.

Laccæ, Cancamum.

Labdanum.

Laferpitium.

Larignea refina.

Lentiscina, Mastiche.

Lycium, Crocolytos.

Mastiche.

Myrrha, arboris Arabicæ.

Olibanum, Thus Masculum.

Opium, lachryma Papaveris nigri.

Opobalsamum, Balsamum Judaicum.

Opoponax, Panacis Heraclei liquor.

Pini refina.

Pix liquida, sicca, navalis, Zopiffa.

Picebitumen.

Pissanthum, Liquidæ picis flos.

Prunorum.

Refina Cypria.

Sagapenum, Serapinum.

Sarcocolla, Carni glutium.

Sanguis Draconis.

Scammonium & Diacrydium.

Calamitis.

Styrax { Ruber, verus, ad suffitum, qui
cortex est.
Liquidus, noster, Myrrha sta-
cte, cujus fæces, comphitæ.

Strobilina Refina.

Tacamahacha.

Terebinthina.

Thus, Olibanum.

Thuris Manna, i. pulvis, concussu elifus.

Tragacanthum.

Vitium Lachrymæ.

S V C C I.

Abfynthii succus, in vesica inspissatus.

Acacia, vel succus Prunellorum sylve-
strium.

Acetum.

Acetositas Citri.

Agresta, Omphacium.

Aloe { Hepatica.
Soccotrina.

Amylum.

Amurca.

Apii succus.

Arantiorum.

Elaterium, è Cucumere agresti.

Eupatorii.

Fæx vini.

Fæcula Brioniæ.

Gerfa serpentaria.

Glauciû, succus Papaveris corniculati,
flore rubro.

Glycyrrhizæ succus.

Grani tinctorii succus.

Hypocistis.

Manna vel Tereniabin, Mel æereum.

Meconium, Maslach, opium offic.

Oleum { recens.

{ vetus.

{ Omphacinum.

Saccharum vel Zucharum, è canna.

Saccharum candum, Tabarzet.

Tartarum.

Vinum.

Viscus Aucupum.

E PLANTIS NATA.

Agaricus, Fungus laricis.
 Bedeguaris, spongia quercini generis.
 Calices glandium, Capulae glandium.
 Epithymum.
 Farina volatilis.
 Furfur.
 Mufcus.
 Viscus quercinus.

ANIMALIA.

Afelli, Millepedes.
 Bombyces.
 Buccinae.
 Capones.
 Cantharides.
 Cancri fluviatiles.
 Catuli.
 Carus fenex, emasculatus.
 Cicadae.
 Cygnorum pulli.
 Erinaceus.
 Formicae.
 Galerita affa.
 Hirudines.
 Hirundines, Sanguisugae.
 Limaces terrestres, Cochleae.
 Lutra.

Lumbrici, seu vermes terrestres, Intestina terrae.

Meli, Taxi.
 Motacillae.

Passer, troglodytes.
 Purpurae.

Ranae virides.

Scorpiones terrestres, triti, usti.

Talpae.
 Testudines.
 Tinea, piscium medici.
 Tineae.

Viperae, Tyri,
 Vulpes.

ANIMALIUM PARTES EXCRE- MENTA, ET EX IIS DESUMPTA.

Caro viperina.
 Calcaneus } Cervi.
 } Leporis.
 Cornu } Cervi, Simplex, Ustum.
 } Unicorni, Monocerotis.
 Rhinocerotis, Caprae.
 Cerebrum } Leporis.
 } Passerum.
 Coagulum leporis, &c.
 Os e corde Cervi.
 Os cruris bovis.
 Cranium humanum, in eo os triquetrum.
 Os, & testa Sepiae.
 Ebur, five dens Elephantis, ex quo fit Spodium.
 Dens Apri, Fibri.
 Blatta Byzantia, Unguis odoratus, Conchula

CATALOGUS

chula Indica.
 Pulmo Vulpis, Agni, Suis, Urſi.
 Hepar { Anatum.
 Aprinum.
 Aſininum.
 Lupi, ejuſq; Inteftina.
 Adeps { Anatis, Ardeæ, Arietis, cameli,
 Canis, Caponis, Capri, Caſto-
 ris, Cuniculi, Equi, Anferis,
 Gallinæ, Hominis, Leonis, Le-
 poris, Lucii, Muris montani,
 Pardi, Serpentum, Tauri, Taxi,
 Timalli, Urſi.
 Axungia porci.
 Pinguedo vituli, Vulturis, Vulpis.
 Sevum Hircinum, Caprinum, Cervi-
 num, Bovinum, Ovinum, Vaccinum,
 Taxinum.
 Medulla bovis, ovis, Agni, Cervi, canis,
 capræ, cruris, vaccæ, tauri, vituli.
 Fel taurinum, vaccinum, Accipitris, Mil-
 vi, Caprinum, Suillum, leporinum.
 Caſeus recens, vetus.
 Caſtoreum, teſtes fibrorum.
 Lapis { ex felle bovis.
 è capite Carpionis, Percarum.
 Mandibula Lucii piſcis.
 Mel.
 Mel virgineum.
 Ovi teſta excluſi pulli.
 Aqua lactis.
 Perna, Coxa Porcina.
 Talus ſuillus.
 Pili Leporis.
 Stercus { Humanum, lupinum, murium,
 ovillum, caprinum, columbi-
 num, equinum, gallinaceum,
 hirundinum, vaccinum, Cani-
 num ſive album Græcum.
 Pelliculæ ſtomachi Gallinæ.
 Spolium ſerpentis, Senecta anguium.
 Saliva.
 Sudor.
 Nidus hirundinum.
 Propolis, in alveorum foribus, & rimis,
 cereum.

Butyrum vaccinum, falis expers, falſum.
 Ichthyocolla, Gluten piſcium.
 Lac aſinæ, capræ, mulieris, ovis, vaccæ.
 Lapis Bezoar Orientalis, Occidentalis.
 Moſchus.
 Zibethum.
 Mumia ſepulchrorum, Piſſaſphaltum.
 Ovum gallinaceum, formicarum.
 Sanguis { Hircinus, Humanus, Anſeri-
 nus, Caninus, Caprinus, Cer-
 vinus, columbinus, Leporis,
 Perdicis, Veſpertilionum, Su-
 is, Taxi, tauri, teſtudinis.
 Serum lactis.
 Sperma { Ranarum.
 Ceti.
 Teſtes { Galli.
 Equini.
 Cera { alba, Citrina, } factitia.
 { rubea, flava, }
 Oeſypus, lanæ ſuccidæ pinguitudo.
 Oculi Cancri, Lapides Gammarorum.
 Sericum crudum. }
 Seta è bombice. }
 Virga Cervina, Taurina.
 Ungula Alces, Aſini, Capræ, Porci.
 Urina hominis, Apri, Capri, Canis,
 Tauri.

MARINA.

Ambra grifea odorata
 Aqua & arena maris.
 Bitumen Judaicum, Aſphaltus.
 Buccinarum teſta.
 Carabe vel Cacabre, i. Succinum, Ele-
 ctrum, nigr: Gagates, Ambra citrina.
 Cancrorum, gammarorum teſta.
 Cionia teſta.
 Concha venerea.
 Corallina.
 Cochlearum teſta.
 Corallium { album } frutex ſaxeus.
 { rubrum }
 Dactyli.

Dactyli.
 Dentalis.
 Entalis.
 Flos falis, Maris, Sperma Coeti.
 Halcyonium, spuma & pila Maris.
 Lapis spongiæ, Spongites.
 Margarita folida, perforata, unio.
 Mater Perlarum.
 Mitulorum testa.
 Muria.
 Naphtha, genus liquidi Bituminis, Petroleum.
 Pumex.
 Purpura.
 Spongia, fungus maris.
 Succinum album, citrinum, nigrum ut prius.
 Tellina.
 Umbilicus marinus.

SALES.

Sal Gemmæ, fossilis, Crystallinus, Indus, Ammoniacus, Armeniacus, Niger, communis, Factitius, Petræ, Marinus, Alkali, &c.
 Nitrum, Sal nitri.
 Aphronitrum.
 Spuma falis è spuma Maris.
 Borax vel Baurach, Tinear.
 Chryfocolla factitia è nitro fossili.
 Terra viridis.

METALLICA
MINERALIA, ET
LAPIDES.

Æs, i. æs Ustum.
 Æris squama, batitura decutita.
 Æris flos, rubigo æris, ærugo.
 Ærugo rasilis, i. viride æris.
 Ætites, Lapis Aquilæ.
 Alabastrites.
 Alabastrum.
 Alana terra, Tripolis vulgo.
 Aleëtorius, lapis Gallinaceus.
 Nativum { Liquidum.
 { Rotundum.
 { Sciffile, plumosum, capillare.
 Alumen { Vulgare rupeū, ex lapide candido. Alumē rochæ.
 { Factitium. { Catinum, ex cineribus Sodæ.
 { Squamosum, ex lapide speculari, Scariolæ.
 { Fæcum, ex fæcibus vini.
 { Zucharinum, ex rupeo aqua rosaceâ, saccharo & ovi albumine.
 Amiantus, seu Amianthus, linū vivum, amentum, pilus Salamandræ.
 Ampelitis terra.
 Amethistus, violacei coloris gem.
 Antimonium, Stibium, Stimmi.
 Antimonii vitrum.
 Argentum { foliatum.
 { Scobs argenti.
 Argentum vivum, hydrargyrus, Mercurius.
 Argentum vivum { præcipitatum.
 { Sublimatum.
 Armenius lapis, seu Armenus.
 Arsenicum, Arrhenicum, i. album sublimatum, crystallinum.
 Auripig-

CATALOGUS

Auripigmentum, i. Arsenicum luteum.
 Argilla.
 Asterius gem.
 Aurum foliatum, obrizum.

Berillus.
 Bolus Armenus, gleba Orientalis.
 Bufonius lapis.

Cadmia nativa, lapis Calaminaris.
 Cadmia fornicaria, botrytis, tutia, officic: ex favilla calaminaris nativæ.

Calx, viva, extincta.
 Cerussa.

Calcanthum, vitriolum, atramentum sutorii, copparosa, $\left\{ \begin{array}{l} \text{alba.} \\ \text{viridis.} \\ \text{cærulea five Roma:} \end{array} \right.$

Chalcitis, atramentum rubrum.
 Chalybs, stomoma ferri.
 Chrysolithus.
 Chrysofapius.
 Cotes.

Creta $\left\{ \begin{array}{l} \text{argentea, alba.} \\ \text{viridis, cærulea, rubra.} \end{array} \right.$
 CrySTALLUS.

Cinnabaris $\left\{ \begin{array}{l} \text{minium nativum.} \\ \text{factitia ex sulphure et argento vivo.} \end{array} \right.$

Diaphryges, fæx æris subsidens quod bis tostum.
 Ferrum, ferri scoria, squama, rubigo.

Granatus, Carbūculus Charcedonicus.
 Gagates, obsidianus lapis, carbo petra.
 Gypsum.

Hæmatites, lapis Sanguinarius.
 Hyacinthus.

Jaspis.

Lazuli, lapis Cyaneus.
 Lapis $\left\{ \begin{array}{l} \text{Lyncis, Afius, Arabicus.} \\ \text{Belemnites, Lincyrius.} \\ \text{Judaicus.} \end{array} \right.$

Lythargyrū colore $\left\{ \begin{array}{l} \text{auri, Chrysitis.} \\ \text{argēti, Argyrites.} \end{array} \right.$

Magnes, Sideritis, Herculeus lapis.
 Marchasita, Pyrites, Zeg nigrum Arabum.

Marmor.

Melanteria.

Miniū $\left\{ \begin{array}{l} \text{nativum, cinnabaris naturalis.} \\ \text{factitiū} \left\{ \begin{array}{l} \text{ex cerussa, Sandix.} \\ \text{ex plumbo calcinato,} \\ \text{minium vulgare.} \end{array} \right. \end{array} \right.$

Myfi, atramentum luteum.

Nephriticus lapis.

Ochra lutea, lutum Montanum.

Ophites, marmor Serpentinum.

Onix, lapis Onychinus.

Opalus.

Plumbum $\left\{ \begin{array}{l} \text{album, argentariū, stannum.} \\ \text{nigrum, vulgare.} \end{array} \right.$

Plumbago, Molybdæna, Galena, Lapis Plumbarius.

Pompholyx five Tuthia Arabum, nihil album.

Rubinus lapis, Pyropus, Carbunculus.

Rubrica fabrilis, synopica.

Realgar: Arsenicum rubrum.

Sapphyrus, Cyanos.

Stannum.

Sardinus lapis, Sarda, Corneolus.

Smaragdus.

Selenites, Specularis lapis.

Spodium, Nil griseum.

Sulphur $\left\{ \begin{array}{l} \text{nativum, vivum.} \\ \text{factitium, vulg.} \end{array} \right.$

Flores sulph.

Sory, Atramentum metallicum, griseum.

Smyris, Smerillus.

Terra $\left\{ \begin{array}{l} \text{Sigillata, Lēnia sacra, Sphragis.} \\ \text{Samia, Selinusia, Chia, melita.} \\ \text{Silefiaca, Strigenfis, Solis Axungia.} \end{array} \right.$

Thracius

SIMPLICIUM.

Thracius lapis, Chimolia.
Tartarum, fæx vini.
Talchum.

Topafius lapis.
Turcofius, Feruzegi Mefues.
Testæ fornaceæ.

Plura iisdem simplicibus nomina, sæpe condonamus, & diversa quandoque specierum individua distinguendo supponimus. Succedanea antiballomena in classes redigere minimè placuit, ne vel in substitutis audaculi, viliora & spuria, pro magis pretiosis & legitimis arripiant: hæc enim (quo decet) suo semper loco subjecimus. Simplicium capita sic recensuimus, ut sub his recensita enumerasse sufficiat. Hæc si advertant, dictum satis.



N V N C V.




SIMPLICIUM


Topica
Tunica
Tela

Topica
Tunica
Tela

Plura ista simplicia nomina, sicut conueniunt & differunt
in quatuor speciebus, videlicet in differentia, in materia,
in effectu, & in virtute. In differentia, quia sunt
quidam simplicia, quae sunt in essentia, sicut sunt
quidam simplicia, quae sunt in materia, sicut sunt
quidam simplicia, quae sunt in effectu, sicut sunt
quidam simplicia, quae sunt in virtute, sicut sunt.



INDEX



N V N C V P A T I O N V M
Q V A R V N D A M C O M M V N I -
U M I N T E R P R E T A T I O .

QUINQUE FLORES
CORDIALES.

Rosarum.
Violarum.
Borraginis.
Buglossi.
Anthos, vel Melissæ.

QUINQUE HERBÆ
EMOLLIENTES.

Althæa.
Malua.
Beta, Branca ursina, Acan-
thus.
Mercurialis.
Violaria. Parietaria.

QUATVOR SEMINA CA-
LIDA MAJORA, CAR-
MINATIVA.

Anisi.
Fœniculi.
Carui.
Cumini.

QUATVOR SEMINA CA-
LIDA MINORA.

Ammeos.
Amomi.
Apii, Latifolij, crispi, sativi.
Dauci, Pimpinellæ vulgaris.

QUATVOR SEMINA FRI-
GIDA MAJORA.

Cucurbitæ.
Cucumeris.
Citruli.
Melonum.

QUATVOR SEMINA FRI-
GIDA MINORA.

Endiviæ, Angustifolij. } In-
Cichorii, Latifolij } tybi.
Lactuæ.
Portulacæ.

QUINQUE RADICES
COMMVNES APERI-
TIVÆ, DIURETICÆ,
MAJORES.

Apii.
Asparagi.
Fœniculi.
Petroselini.
Rusci.

RADICES DVÆ.

Fœniculi.
Petroselini.

QUINQUE RADICES APE-
RIENTES MINORES.

Graminis, i. Canini vulgaris.
Eryngii.
Capparis.

Ononidis.

Rubia.

QUINQUE HERBÆ CAPILLARES.

Adianthū { nigrum, seu Capillus Veneris.
album, seu Ruta muraria. Salvia vitæ.

Polytricon aureum.

Trichomanes.

Asplenium, Ceterach. Scolopendrium.

QUATVOR AQVÆ PLEVRITICÆ.

Cardui B. Mariæ.

Taraxaconis.

Cardui Benedicti.

Scabiosæ.

FLORES COMMVNES CALIDI.

Chamæmeli.

Meliloti.

Ireos, seu Lili.

TRIA OLEA STOMACHICA.

Absinthii.

Cydoniorum.

Mastichinum.

QUATVOR UNGVENTA CALIDA.

Agrippæ.

Althææ.

Aregon.

Martiatum.

QUATVOR UNGVENTA FRIGIDA.

Album Caphuratum.

Populeon.

Refrigerans Galeni.

Rosatam.

QUATVOR UNGVENTA CHIRVRGIS AD MANVM.

Basilicon, digerit, maturat.

Viride Apostolorum, mundificat.

Aureum, incarnat.

Album, cicatrizat.

FRAGMENTA PRETIOSA.

Sapphyri, Syrtitæ.

Granati, Carbunculi Charcedonici.

Smaragdi.

Hyacinthi, Chrysolithi, Amethysti.

Sardæ seu Corneoli, Sardini.

Rubini, Pyropi.

Margaritæ, Unionum.

A Q V A E



AQVÆ SIMPLICI-
ORES DISTILLANDÆ,
QVÆ VSVI, ET SVNT

IN VSV.

Aqua Abrotoni.

Absinthii utriusque.

Acac. prunell. sylvest. Flor.

Acetosæ seu Oxalidis.

Acetosellæ seu Luiulæ.

Adianthi.

Agrimoniæ.

Alchimillæ.

Alkekengi, Halicacabi.

Althea.

Alsines.

Anagalidis.

Anethi.

Angelicæ.

Anguriæ, Melopeponum.

Anthemidis.

Apii.

Aquilegiæ.

Arnoglossi.

Arancior: Flor.

Ari.

Aqua Artemisiæ.

Afari rad.

Asparag.

Auriculæ Muris.

Barbæ hirci, Scurzonera.

Bardana.

Basilici.

Berber.

Betonica.

Betulæ arb.

Borraginis.

Brassicæ.

Brioniæ.

Buglossi.

Bursæ pastoris.

Calami aromatici.

Calaminthæ utriusque.

Calendulæ.

Capillorum Veneris.

Caprifolij florum.

D

Cardui

Aqua Cardui Benedicti.
 Centaurii.
 Centinodiæ, five Polygoni.
 Ceparum.
 Cerasorum nigrorum.
 Cerefolii.
 Chamæmeli.
 Chamæpityos, Ivæ artheticaæ
 Chelidonii.
 Cichorii.
 Citri Pomorum.
 Citrulorum.
 Cochleariæ.
 Cochlearum.
 Consolidæ majoris.
 Corticum Iuglandium.
 Crassulæ.
 Cucurbitæ.
 Cuscutæ.
 Cynoglossi.
 Cytoniorum.
 Dentis Leonis.
 Ebuli.
 Endiviæ.
 Enulæ.
 Eupatorii.
 Euphragiæ.
 Farfaræ seu Tussilaginis.
 Florum Rorismarini.
 Cyani.
 Fabarum.
 Lamii.
 Siliginis.
 Tiliæ.
 Tunicæ.
 Fœniculi.
 Fragariæ, & fragorum.
 Fraxini.

Aqua Fumariæ.
 Fungorum.
 Galegæ.
 Genistæ.
 Gentianæ.
 Geranii.
 Graminis.
 Hederae utriusque.
 Helxines, Volubilis.
 Herniariæ.
 Hippuridis, Caudæ equinæ.
 Hirundinum.
 Hyperici.
 Hyssopi.
 Iridis.
 Juniperi ex granis.
 Lactuæ.
 Lapathi acuti.
 Lavendulæ.
 Levistici.
 Ligustri florum.
 Lili Convallium, & albi.
 Linariæ.
 Lupulorum.
 Majoranæ.
 Malvæ.
 Marrubii seu Prasii.
 Matricariæ.
 Meliloti.
 Melissæ.
 Mellis.
 Melonum.
 Mentastri.
 Menthæ.
 è Mercuriali.
 Milii Solis.
 Millefolii.
 Mororum Celsi.

Aqua Morfus Diaboli.
 Nasturtii.
 Nicotianæ.
 Nucum immaturarum.
 Nummulariæ.
 Nymphææ.
 Ononidis.
 Origani.
 Papaveris utriusque.
 Parietariæ, Helxines.
 Petasitæ.
 Petroselini.
 Periclymeni.
 Picarum.
 Pimpinellæ.
 Plantaginis utriusque.
 Pœoniæ.
 Polygonati, i. Sigilli Salo-
 monis.
 Polytrichi.
 Portulacæ.
 Primulæ Veris.
 Prunellæ.
 Pulegii.
 Pyrolæ.
 Pyrorum sylvestr.
 Quercus, sc: germinum, fol:
 Raparum.
 Raphani.
 Roris Majalis.
 Rosarum } Albarum.
 } Damascenarum.
 } Rubrarum.

Aqua Rutæ.
 Sabinæ.
 Salviæ utriusque.
 Sambuci.
 Saniculæ.
 Satureiæ.
 Satyrionis.
 Saxifragiæ.
 Scabiolæ.
 Scolopendrii, Phyllitidis.
 Scordii.
 Scrophulariæ.
 Sedi seu Semper vivi.
 Senecionis.
 Serpylli.
 Solani.
 Spermatis Ranarum.
 Spicæ Nardi.
 Squamariæ.
 Tamarisci.
 Tanaceti.
 Tormentillæ.
 Valerianæ.
 Verbasci, Tapsi barbati.
 Verbenæ.
 Veronicæ.
 Violarum.
 Vitium lachrymæ.
 Ulmaræ, Regiæ Prati,
 Barbæ Capri.
 Ungulæ Caballinæ, Tussi-
 laginis, Farfaræ.
 Urticæ.

*Distillare jam doctos non docemus, seu per ascensum, seu descensum.
 Monemus modò, caveatur empyreuma.*

AQVÆ COMPOSITÆ.

AQVA ABSINTHII MINVS COMPOSITA.

℞ Absinthii ficci libras duas.
Semin: Anisi libram dimidiam.

Macerentur in Spiritus tenuioris aquæ vitæ congiis sex, per horas viginti quatuor, deinde extrahatur spiritus per Alembicum addendo post distillationem,

Sacchari purissimi quantū satis.
Eodem modo parantur
Aquæ Folior. Angelicæ cum

toto,

Semin: Anisi.

Cortic: Aurantiorum.
Limonum.

Herbar: Melissæ.

Menthæ.

Rorismarini.

Salviæ, &c.

AQVA ABSINTHII MAGIS COMPOSITA.

℞ Absinthii Romani,
Vulgaris ana libram unam.

Salviæ.

Menthæ.

Melissæ ana manipul. duos.

Radic: Galangæ.

Zingiberis.

Calami aromatici.

Enulæ Campanæ ana
drachmas tres.

Glycyrrhizæ unciam unam.

Uvarum passarum exacinarū
uncias tres.

Semin. Anisi.

Fœniculi dulcis ana
drachmas sex.

Cinnamomi.

Caryophyllorum.

Nucis Moschatae ana drachmas
duas.

Cardamomi.

Cubebæ, ana. drachmam unam.

Incidantur incidenda, Contundantur contundenda, & in

Vini Hispanici libris viginti quatuor infundantur per horas viginti quatuor, deinde distillantur in Alembico secundum artem: post adde Sacchari ad gratiam q. s.

AQVA ANGELICÆ MAGIS COMPOSITA.

℞ Angelicæ libras duas.

Anisi semilibram.

Coriandri.

Carvi ana. uncias quatuor.

Zedoariæ concisæ uncias tres.

Macerentur in Spiritus vini tenuioris sex congiis per horas viginti quatuor, deinde extrahatur spiritus fortis, qui Saccharo edulcorandus est.

AQVA

A Q V A B E Z O A R T I C A

B R E V I S L A N G I I

lib. 3. epist. 1.

R Chelidonii cum radicibus lotis manipul. tres semis.

Rutæ manipul. unum.

Scordii manipul. duos.

Dictamni Cretensis.

Cardui benedicti ana. manipul. unum semis.

Radic: Zedoariæ,
Angelicæ ana. drachmas tres.

Cortic: Citri,
Limonum ana. drachmas duas semis.

Florum Tunicæ,
Rosarum ana. drachmas duas.

Cinnamoni,
Cariophyllorum ana. drachmas quinque semis.

Theriacæ Andromachi uncias tres.

Mithridatii unciam unam semis.

Camphoræ scrupulos duos.

Trochiscorum de vipera.

Macis ana. drachmam unam semis.

Xyloaloes scrupulos duos.

Santali Citrini drachmā unam semis.

Conservæ florum Tunicæ uncias duas.

Semin: Cardui benedicti unciam unam.

Specierum Electuarii Liberantis scrupulos quinque.

Limaturæ cornu Monocerotis vel Cervi drachmam unam semis.

Incidenda incidantur & per triduum macerentur in Spiritus vini optimi, &

Vini Maluatici, ana. libris tribus.

Aceti florum Tunicæ libra dimidia.

Et lentissimo igne distillentur per B.M. S.A. in vase vitreo.

Postquam ad medias facta fuerit distillatio; Quod in vase erit, colari possit per pannum lineum, Colatura distillatione reduci in Extractum mellagineum, quod asservetur sub nomine Extracti Bezoartici; & hoc modo ex omnibus penè aquis compositis Extracta parari possunt.

A Q V A B E Z O A R T I C A

M A T T H I O L I.

R Antidoti magnæ Matthioli.

Syrupi de corticibus Citri ana. libram unam.

Aquæ vitæ factæ ex vino præstantissimo, & per distillationes sæpius repetitas rectificatæ & ad quintam essentiam redactæ libras quinque.

Ponantur omnia in Matratio vitreo capaciore, deinde optimè occluso vase ne quid respiret, conquassentur simul diligentissimè, ut Electuarium optimè cum spiritu vini commisceri possit; & sic

stent simul commixta per integrū
mensē, bis in septimana vas ut
prius concutiendo, Electuarium
enim facilè in fundum refidet:
finito mense, aquam claram Ele-
ctuario supernatantem in aliud
vas vitreum leniter effundes: vas
optimè cera & charta pergamena
occludendo; alioqui spiritus facilè
in fumum evolabit.

AQUA CAPONIS.

℞ Caponem evisceratum, atque
in frusta incisum, ademptâ pin-
guedine; decoque in quanti-
tate sufficienti aquæ secundum
artem.

℞ Brodii colati libras duas semis.

Aquarū Borriginis,

Buglossi.

Vini albi ana librā unā
semis.

Flor: Rosarum.

Violarum.

Buglossi.

Borriginis ana drachmas
duas.

Micarum Panis recentis libram
dimidiam.

Cinnamomi electi fracti unciā
unam.

Distillentur in Alembico vitreo se-
cundum artem.

AQUA CINNAMOMI.

℞ Cinnamomi contusi libram u-
nam semis.

Vini Hispanici libras duode-
cim.

Macerentur & distillentur per A-
lembicum. Extrahendo fortioris
lib. iij. tenuioris q. s. Stillatio li-
quori addatur Sacchari purissimi
in tenuissimum pollinem redacti,
quantum satis.

AQUA CINNAMOMI MATTHIOLI.

℞ Cinnamomi contusi libram u-
nam, ponatur in matrarium affun-
dendo.

Aquæ Rosaceæ libras quatuor.

Vini Hispanici librā unā semis,
& optimè occluso vase ponantur
in Balneum tepidum per horas vi-
ginti quatuor, deinde aperto va-
se & superposito rostro distillentur
s. a. juncturis optimè clausis, ne
quid transpiret.

AQUA CINNAMOMI CLARETA PER IN- FUSIONEM.

℞ Cinnamomi contusi uncias qua-
tuor.

Spiritus vini rectificatissimi li-
bras duas.

Fiat infusio per quatrimum vase
amplo, vitreo, subere & vesicâ ap-
primè clauso, vas quotidie bis ter-
ve agitando. Scorsim vero dissol-
vatur libra dimidia Sacchari candi
CrySTALLINI in libris duabus Aquæ
Rosar. Misceantur isti duo liquo-
res colati, & indatur nodulus con-
tinens.

Ambrae

Ambrae griseae scrupulum dimidium.

Moschi Orientalis grana quatuor.

AQUA COELESTIS
MATTHIOLI.

R Cinnamomi unciam unam.
Zingiberis unciam dimidiam.
Santalorum omnium ana. drachmas sex.

Caryophyllorum.
Galangae.

Nucis Moschatae ana drachmas duas semis.

Macis.
Cubebatum ana drachmam unam.

Cardamomi utriusque.
Semin: Melanthii ana drachmas tres.

Zedoariae unciam dimidiam.
Semin: Anisi.
Foeniculi dulcis.

Pastinacae sylvestris.
Ocimi ana drachmam unam semis.

Radic: Angelicae.
Caryophyllatae.
Glycyrrhizae.

Calami odorati.
Phu minoris.

Folior: Sclareae.
Thymi.
Calaminthae.

Pulegii.
Menthae.
Serpilli.

Majoranae ana drachmas duas.

Florum Rosarum rubrarum.

Salviae.

Rorismarini.

Betonicae.

Stoechados.

Buglossi.

Borraginis ana drachmam unam semis.

Corticum Citri drachmas tres.

Terantur quae terenda sunt, & macerentur per dies quindecim in libris duodecim spiritus vini optimi, in vase vitreo optimè clauso, deinde distillentur in B.M.f.a.

Postea aquae distillatae adde Specierum Diambrae.

Aromatici rosati.

Diamoschi dulcis.

Diamargariti frigidi.

Diarrhodon Abbatis.

Electuarii de Gemmis ana drachmas tres.

Santali Citrini contusi drachmas duas.

Moschi,

Ambrae griseae in tela rara ligatorum ana. scrupulum unum.

Julepi Rosati clari libram unam.

Optimè simul conquassentur, ut Julepum cum aqua benè incorporari possit, deinde clauso vasis orificio, cum cera & charta pergamea, reponantur, dum residentiam deposuerint, & aqua sit facta clara.

A Q V A

AQVA CORDI-
ALIS.

℞ Foliorum Angelicæ libram di-
midiam.

Folior: Cardui benedicti unci-
as sex.

Melissæ.

Salviæ ana. uncias quatuor.

Semin: Angelicæ uncias sex.

Semin: Fœniculi dulcis uncias
novem.

Herbæ siccæ, & semina crassiuscu-
lè contundantur, quibus
adde

Specierum Aromatici Rosati
Gabrielis.

Diamoschi dulcis ana. unciam
unam semis.

Infundantur per biduum in vini
Hispanici libris triginta duabus, di-
stillentur secundùm artem, lento
igne, & extrahe aquæ fortioris li-
bras decem, quibus post biduum,
adde sacchari libram unam semis
soluti in aquæ Rosacæ libra una
semis super ignem.

Ex reliquiis aquæ mitioris, libræ
sex aut plures extrahantur, pro ve-
hiculis Cordialium.

AQVA CORDIALIS
FRIGIDA SAX-
ONIAE.

℞ Succu Borraginis.

Buglossi.

Melissæ.

Bistortæ.

Verbenacæ.

Oxylapathi.

Acetosæ.

Rutæ Caprariæ.

Myrrhidis.

Cyani majoris,

minoris vel du-
plum minoris.

Rosarum.

Calendulæ.

Limonum.

Citri, ana. uncias sex.

Succi Pimpinellæ.

Pentaphylli ana uncias
tres.

Aceti vini albi libram unam.

Semin: Portulacæ.

Florum Nymphææ ana
uncias duas.

Tetræ Lemniæ.

Silesiacæ.

Samix, ana unciam u-
nam semis.

Specierum Diatriosfan-
talon drachmas sex.

Margaritarum præpara-
tarum cum acido Ci-
tri drachmas tres.

Infundantur species flores & semi-
na omnia (præter terras & marga-
ritas) in succis, & aceto, factâ ma-
ceratione per tres dies distillentur
in B. per Alembicum vitreum. Li-
quori stillatio addantur terræ
cum Margaritis, & affatim ei mis-
ceantur.

AQVA

AQUA ANTEPILEPTI-
CA LANGII.*Lib. 3. Epist. 1.*

℞ Florum Tiliæ manipul. tres.
 Lili Convallium manipul.
 quinque.
 Semin: Pœoniæ conquassatorū
 unciam dimidiam.
 Infundantur in libris quinque
 vini albi optimi per dies octo, de-
 inde distillentur in B. M. lento ig-
 ne, postea
 ℞ Florum Rorismarini manipul.
 dimidium
 Florum Lavendulæ manipul.
 unum.
 Herb: Rutæ manipul. unum.
 Betonice manipul. dimidium.
 Flor: Stœchados Arabicæ pugil. u-
 num.
 Radic. Pœoniæ drachmas duas
 semis.
 Dictamni albi drachmas duas.
 Scillæ præparatæ drachmam u-
 nam semis.
 Pyrethri drachmam dimidiam.
 Visci Quercini drachmas duas.
 Castorei optimi drachmā unā.
 Cubeborum.
 Cardamomi ana scrupul. unum.
 Macis semidrachmam.
 Caryophyllorum scrupul. duos.
 Nucis Moschatae scrupul. unum.
 Infundantur incisa & conquassata
 per dies sex in prædicta stillatiâ,
 & iterum distillentur per Alembi-
 cum in B. M. lento igne, & servē-

tur in vitro exquisitè clauso. Extra-
 ctum Antepilepticum efficax unâ
 eâdemq; paretur operâ.

A Q V A H Y S T E R I C A.

℞ Succi Radicum Brionie libras
 quatuor.
 Succi Rutæ.
 Artemisie, ana libras duas.
 Folior: Siccorum Sabinæ mani-
 pul. tres.
 Matricarie.
 Nepetæ.
 Pulegii regalis, ana mani-
 pul. duos.
 Folior: Ocimi.
 Dictamni Cretici, ana
 manipul. unum semis.
 Corticis Aurantium flavi recen-
 tis uncias quatuor.
 Myrrhæ uncias duas.
 Castorei unciam unam.
 Vini Canarini generosissimi li-
 bras duodecim.

Digerantur per quadriduum vase
 idoneo, mox fiat in Balneo distil-
 latio, deinde sub medium distil-
 lationis expressio, & colatura: &
 tandem per distillationis conti-
 nationem, & tincturæ inspissa-
 tionem, præparetur Extractum
 Hystericum.

A Q V A I M P E R I A L I S.

℞ Cortic: Citri ficci.
 Aurantium.

Nucis

Nucis Moschatae.
 Caryophyllorum.
 Cinnamomi, ana uncias
 duas.
 Cyperi.
 Ireos Florentinae.
 Calami aromatici, ana
 unciam unam.
 Zedoariae.
 Galangae.
 Zingiberis, una unciam
 dimidiam.
 Summitat: Lavendulae.
 Rorismarini, ana mani-
 pul. duos.
 Folior: Lauri.
 Majoranae.
 Hyssopi.
 Melissae.
 Menthae.
 Salviae.
 Thymi, ana manipul.
 unum.
 Rosarum albarum.
 Pallidarum recentium,
 ana manip. dimidium.
 Aquae rosarum libras
 quatuor.
 Vini albi optimi libras
 octo, &
 Contusis contundendis infun-
 dantur per horas viginti quatuor
 in Alembico vitreo super cineres
 calidos, deinde distillentur ut ar-
 tis est.

AQVA MELISSÆ
MAGIS COM-
POSITA.

℞ Melissae libram unam.
 Thymi.
 Pulegii, ana drachmas tres.
 Cinnamomi drachmas duas.
 Cardamomi minoris drachmā
 unam.
 Granorum Paradisi unciam di-
 midiam.
 Semin: Foeniculi dulcis unciam
 unam.
 Nucis Moschatae.
 Zingiberis, ana drachmā
 unam.
 Galangae, drachmas sex.
 Calami aromatici.
 Cyperi ana drachmam u-
 nam semis.
 Dictamni drachmam di-
 midiam.

Contundantur omnia & infun-
 dantur in vini Hispanici libris
 octo, &
 Cervisiae fortis libris sex, horas
 viginti quatuor.

Distillentur per Alembicum ex-
 trahendo fortioris libras tres.

AQVA MARIÆ.

℞ Sacchari candi libram unam.
 Vini Canarini uncias sex.
 Aquae rosaceae uncias quatuor.
 Fiat Syrupus benè coctus, cui ad-
 de

de Aquæ cœlestis libras duas.
 Ambra grisea.
 Moschi ana. Grana octodecim.
 Croci grana quindecim.
 Santali citrini in aqua cœlesti
 infusi drachmas duas. fiat a-
 qua depurata.

A Q V A M I R A B I L I S.

℞ Caryophyllorum.
 Galangæ.
 Cubebarum.
 Macis.
 Cardamomi.
 Nucis Moschatae.
 Zingiberis, ana drachmam unam.
 Succu Chelidoniae libram dimi-
 diam.
 Aquæ vitæ libram unam.
 Vini albi libras tres.

Infundantur viginti quatuor
 horas, & distillentur per Alembi-
 cum libræ duæ.

A Q U A R O R I S S O L I S,
vulgo dicta, R O S A S O L I S.

℞ Nucis Moschatae,
 Semin: anisi,
 Coriandri, ana unciam
 unam.
 Galangæ,
 Zingiberis,
 Caryophyllorum, ana unciam
 dimidiam.
 Rosarum rubrarum manipul.
 unum.
 Roris Solis manipul. sex.
 Glycyrrhizæ rasæ uncias duas.
 Cardamomi.

Zedoaria.
 Granor: Paradisi,
 Calami aromatici, ana drach-
 mam unam.
 Santali citrini drachmas duas.
 Santali rubri.
 Cinnamomi ana unciam unam
 semis.
 Aquæ vitæ optimæ libras duo-
 decim.
 Infundantur s. a. per octiduum,
 & percolatis adde Sacchari libram
 unam semis.

A Q U A D O C T O R I S
S T E P H A N I.

℞ Cinnamomi,
 Zingiberis,
 Galangæ,
 Caryophyllorum,
 Nucis Moschatae,
 Granor: Paradisi,
 Sem: Anisi,
 Fœniculi,
 Carui ana drachmam unam.
 Herb: Thymi,
 Serpylli,
 Menthae,
 Salviae,
 Pulegii,
 Parietariae,
 Rorismarini,
 Flor: Rosarum rubrarum.
 Chamæmeli,
 Origani,
 Lavêdulæ, ana manipul.
 unum.
 Vini Gasconici libras duodecim.
 Infundantur omnia per horas duode-

duodecim, deinde in Alembico distillentur fortioris libræ tres.

AQVA PROTHERIACALIS.

℞ Fol: Scordii,
Scabiosæ.
Cardui benedicti,
Galegæ, ana manip duos.
Corticum Citri,
Aranciorum sicc: ana uncias duas.
Semin: Citri,
Cardui benedicti,
Seseleos,
Thlaspios, ana unciam unam.
Florum Calendulæ,
Anthos, ana manip. unum.
Incidenda incidantur, & contundenda crassiusculè contundantur, & cum Vini albi meraci libris quatuor, & aquæ Cardui bened: libris duabus, in vas vitreum immittantur bene obturatum, ità ut per duas hebdomadas insolentur, vel in stupa furnaria per aliquot dies macerentur, factâ s. a. agitatione frequenti. Tum demum in B. M. distillentur, ità ut libræ duæ priores extillatæ per se separatim usui reserventur. Quæ verò postea per distillationem effluit aqua, itidem per se usui asservetur; tandemq; singulis libris admisce.
Julapii Alexandrini unciam unam.

Aquæ Cinnamomi cochleare unum.

Haud nos latet plurima simplicia ingredi compositionē Theriacæ, quorum virtutes distillatione factâ in B. M. elici nequeunt adamussim. Hanc igitur ex industria substitui-mus, cui tempore exhibitionis Medicus rationalis pro data indicatione vel Theriacam, vel Diascordiū, vel Syrupum aliquem convenientem poterit adjicere. Receptam tamen Theriacalis stillatitiæ unâ adjunximus, ne prævaricati videamur.

AQVA THERIACALIS LVGDVNENSIS PER INFUSIONEM.

℞ Vini optimi distillati aliquoties,
Vini Cretici,
Aceti acerrimi, (in quo seminū Rutæ uncia semis fuerit incōcta,) ana libras duas.
Theriacæ electæ,
Mithridatii optimi, ana libram dimidiam.
Misce ac insolentur, vel tepore Balnei aliquandiu calefiant, ac deinde asservetur usui aqua colata.

AQVA THERIACALIS STILLATITIA.

℞ Succu putaminis viridis nucum Juglandium libras quatuor.
Succi Rutæ libras tres.
Succor: Cardui benedicti,
Calen-

Calendulæ,
 Melissæ, ana libras duas.
 Radicum Petasitæ recentium li-
 bram unam semis.
 Radic: Bardanæ libram unam.
 Rad: Angelicæ } recentium, ana
 Imperatoriæ } uncias sex.
 Folior: Scordii manip. quatuor.
 Theriacæ Andromachi veteris
 & probatæ,
 Mithridatii, ana uncias octo.
 Vini Canarini generosissimi li-
 bras duodecim.
 Aceti vini albi acerrimi libras sex.
 Succi Limonum libras duas.

Fiat per biduum digestio in fi-
 mo equino, vel Balneo, vase opti-
 mè clauso, deinde per arenam di-
 stillatio: & hinc inter distillandum
 paretur extractum Theriacale.

A Q V A V I T Æ

vulgò sic dicta, ubique venalis,
 ad usum pauperum.

℞ Cervisiæ, & fæcum vini, ana
 quantum vis, extrahatur spiri-
 tus tenuis in Alembico amplo,
 cujus rostrum per aquam frigi-
 dam transeat, in cujus spiritus
 congiis decem macera semin:
 Anisi parùm contusorum li-
 bram unam, per horas viginti
 quatuor, deinde extrahatur spi-
 ritus fortis.

A Q V A V I T Æ C O M -
P O S I T A .

Fit ex spiritibus tenuioribus vi-
 ni, in quorum congiis sex, mace-
 rentur per biduum.

Sem: Anisi semi libra.

Fœniculi,

Carui, ana uncia duæ.

Caryophyllorum.

Cinnamomi.

Zingiberis ana uncia dimidia.

Et postea extrahatur spiritus for-
 tior.

S P I R I T V S C A S T O R E I .

℞ Castorei recentis uncias qua-
 tuor.

Florum Lavendulæ recentium
 unciam unam.

Summitat. Salviæ & Rorisma-
 rini, ana unciam dimidiam.

Cinnamomi drachmas sex.

Macis.

Caryophyllorum ana drachmas
 duas.

Spiritus vini rectificati libras
 sex.

Digerantur in Phiala, ad tertias
 tantum repletâ, vesicâ bubulâ &
 subere optimè clausâ per biduum
 in cineribus tepidulis vel arena,
 deinde spiritus eliciatur per B. M.
 vase diligentissimè obturato asser-
 vandus.

E V S Q V E

V S Q V E B A C H.

℞ Aquæ vitæ fortioris libras viginti quatuor, quibus per quatrimum

Infunde Glycyrrhizæ libram unam.

Uvarum passarum libram dimidiam.

Caryophyllorum unciam dimidiam.

Macis,

Zingiberis, ana drachmas duas. fervetur colatura pro usu.

A Q V A A L V M I N I S
F A L L O P I I.

℞ Aquarum Plantaginis.

Rosarum rubrarum ana libram unam.

Aluminis Rochæ.

Argenti vivi.

Sublimati ana drachmas duas.

Alumen & Sublimatum terantur, deinde ponantur cum aquis in vas vitreum, angustî oris, bulliantq; simul ad consumptionem medietatis, deinde stent per dies quinque ut desideat sublimatum & scæx aluminis, postea effundatur aqua limpidissima, & fervetur in vase vitreo. *Fall.morb.Gal.c.93.*

V I N A





VINA MEDICATA.

VINVM ABSINTHITES.

℞ Absinthii sicci manipulum pro unoquoque Congio vini, immittatur in vas benè obturatum & sic maneat in infusione.

VINVM ANTHOSATVM.

Fit eodem modo, quo vinum Absinthites : sic fit & vinum Euphrasie, ut & reliqua omnia, quando Medico videbitur.

VINVM SCILLITICVM
GALENI.

℞ Scillæ albæ montanæ circiter Canis ortum collectæ in laminas concisæ, libram unam.
Per dies decem in umbra refrigera, deinde scillæ laminas refrigeratas in vitreum vas mitte, & superinfunde vini albi veteris Gallici sextarios duodecim, & suspensum vas per dies quadraginta habeto, postea scillam exime, & abjice.

E 2 ACETA





ACETA MEDICATA.

ACETVM DISTIL- LATVM.

℞ Aceti optimi quantum sufficit; impleatur alembicum ad tertiam tantum partem, imponatur vas in cineres, & distilletur primò lento igne ut phlegma separetur, deinde sensim ignem augendo, tandem forti absolvatur.

ACETVM ROSACEVM. *M E S.*

℞ Rosarum rubrarum mediæ maturitatis, præsectis & abjectis unguibus, absque rore, sine pluvia collectarum, in umbra extra solem ad triduum aut quadratum expansarum & resiccatarum libram unam.

Aceti sextarios octo.

Insolentur diebus quadraginta, deinde coletur acetum ac reponatur; mutari etiam folia Rosarum

possunt, & sic odore gratius fiet acetum.

ACETVM SAMBVCINVM. *M E S.*

Fit ex floribus siccatis Sambuci, ut Rosaceum.

Eodem modo parari possunt
Aceta ex floribus siccatis,

Anthys.

Calendulæ.

Salviæ.

Tunicæ, &c

ACETVM SCILLITICVM. *M E S.*

Scillæ laminæ inter corticem & cor mediæ, ex arte purgatæ, & in taleolas sectæ, Soli aut remisso calore exponantur per triginta aut quadraginta dies: dein libra una minutim concisa (cultro è candidiore ligno parato, aut eburneo) in lagenam demittatur, optimi acetum

ceti libris sex affusis: vasculum ritè obturatum (ne quid exhalet) exponatur æstivo tempore radiis solaribus, triginta aut quadraginta dies: postea aperto vase totum transcoletur, & lagenis diligenter oclusis adservetur.

ACETVM THERIACALE
NORIMBERG.

Radic: Chelidonii majoris un-
ciam unam semis.

Angelicæ.

Ostrutii.

Gentianæ.

Bistortæ sive serpentariæ.

Phu veri, Valerianæ.

Pimpinellæ.

Dictamni albi.

Helenii.

Zedoariæ ana drachmã
unam.

Plantaginis majoris
drachmã unam semis.

Folior: Pilosellæ.

Salviæ.

Scabiosæ.

Scordii.

Dictamni cretici.

Cardui benedicti, ana
manipul. dimidium.

Corticum &

Semin: Citri ana drachmam unam
semis.

Boli Armeni Orientalis drach-
mam unam.

Croci drachmas tres.

Cornu Cervini drachmam u-
nam semis.

Ex his, Crocus, Cornu Cervinum,
Dictamnus, & Bolus Armenus in
linceo ligentur, ac macerentur unã
cum præscriptis in libris quinque
aceti acerrimi per plures dies in vase
vitreo benè clauso ad temperatum
calorem.

In colatura dissolvantur

Theriacæ optimæ drachmæ
quinque.

Et sæpiùs conquassentur, & ser-
ventur ad usum.

ACETVM THERIACALE.

Optimum etiam parabitur Ace-
tum Theriacale, si aquæ Theriaca-
lis propriâ sectione descriptæ mag-
mati addantur Caryophyllorum
uncia duæ, florum Lavendulæ un-
cia una semis, atq; affundantur a-
ceti Rosacei & Sambucini acerr-
mi ana libræ quatuor, fiatq; sine e-
bullitione digestio in fimo per o-
ctiduum, mox per manicam cola-
tura.

E 3

DECOC.



DECOCTA.

DECOCTVM CARMINATIVVM.

℞ Semin: Anisi.
 Dauci.
 Fœniculi.
 Cumini.
 Carui, ana drachmas tres.

Florum Chamæmeli manipulum dimidium.

Uvarum Passarum unciam unam semis.

Coque in libris duabus aquæ ad medietatem ferè.

DECOCTVM COMMVNE PRO COLYSTERE.

℞ Malvæ.
 Violaria.
 Parietaria.
 Betæ.
 Mercurialis ana manipulum unum.

Semin: Fœniculi unciam semis.
 Coquantur in s. q. aquæ ad libram unam.

DECOCTVM COMMVNE PRO MEDICINA, GVAYNERII.

℞ Hordei mundati pugil. unum.
 Prunorum dulcium numero sex.

Uvarum Passarum.
 Tamarindorum.

Glycyrrhizæ ana unciâ dimidiâ

Sem. Anisi.
 Fœniculi, ana Drachmas duas.

Æstate adde,
 Semin. quatuor frigidorū majorum, ana drachmas duas.
 Flor: trium Cordialium, ana Pugil. unum semis.

Fiat decoctio in libris duabus aquæ ad partis mediæ consumptionem.

DECOC.

DECOCTVM EPITHYMI,
M E S.

℞ Myrobalanorum Indarum.
Stœchados Arabicæ.
Uvarum Passarum.
Epithymi, ana unciam unam.
Myrobalanorum Chebularum.
Fumiterræ, ana unciam dimi-
diam.

Folior: Sennæ, unciam unam.
Polypodii quercini drachmas sex.
Turpeti albi unciam dimidiam.
Eupatorii drachmas quinque.
Seri lactis caprini, vel vaccini li-
bras tres.

Bulliant omnia simul præter Epi-
thymum ad consumptionem li-
brarum duarum, tunc adde Epi-
thymum, & semel fervefac: tolle
ab igne, & adde,

Hellebori nigri drachmã
unam.
Agarici drachmam dimi-
diam.
Salis Indi drachmam unã
semis.

Stent per octo horas vel decem
macerata; factã deinde optimã ex-
pressionem colentur.

DECOCTVM FLORVM
ET FRVCTVVM.

℞ Caricarum numero quinque.
Prunorum Damascenorum nu-
mero quindecim.

Jujubarum.

Sebesten, ana numero viginti.

Tamarindorum unciam unam.

Florum Rosarum.

Violarum.

Borraginis.

Buglossi, ana drachmam
unam.

Capillorum Veneris.

Lupulorum.

Endiviæ, ana manipul. dimidium.

Glycyrrhizæ drachmas duas.

Incidantur & contendantur pro
usu, & in libris tribus aquæ fonta-
næ decoquantur ad tertiæ partis
consumptionem.

DECOCTVM PEC-
TORALE.

℞ Uvarum Passarum mundatarũ
unciam unam.

Sebesten.

Jujubarum, ana numero quin-
decim.

Dactylorum numero sex.

Caricarum pinguium numero
quatuor.

Hordei purgati unciam unam.

Glycyrrhizæ unciam dimidiam.

Capillorum Veneris.

Hyssopi.

Scabiosæ.

Tussilaginis, ana manipul. di-
midium.

Incidantur & bulliant in libris tri-
bus aquæ fontanæ, dum libra una
absumat.

DECOC-

DECOCTVM SENNÆ
GEREONIS.

℞ Foliorum Sennæ uncias duas
semis.

Zingiberis drachmam unam.

Florum Borriginis,

Violarum,

Rosarum rubrarum.

Anthos, ana drachmas
duas.

Radic: Polipodii quercini unci-
am dimidiam.

Vvarum Passarum Pur-
gatarum uncias duas.

Sebesten,

Prunorum, ana numero
duodecim.

Aquæ fontis libras qua-
tuor.

Fiat decoctum secundum artem
ad dimidias, ita ut Senna parum
ebulliat, & vas optimè obturatum
per sex horas dimittatur, deinde ex-
primatur.

LAC VIRGINEVM.

℞ Aluminis crudi uncias quatuor.

Decoquantur ad tertias in aquæ
fontanæ libris duabus, postea

℞ Lithargyri libram dimidiam.

Aceti Vini libram unam semis.

Decoquantur ad libram unam, co-
lentur & commisceantur ambæ
aquæ, & agentur dum albescant.

Potio



Potio vulneraria, vulgo decoctum Sclopetarium.

℞ Cancrorum fluviatilium calcinatorum, & in pulverem subtilissimum redactorum drachmas duas.

Radicum Aristolochiæ rotundæ, & Consolidæ majoris.

Foliorum Prunellæ,

Baccarum Lauri levitèr contusarum ana drachmam unam.

Omnia includantur nodulo lineo

raro, & bulliant in libris tribus Vini albi, ad tertiæ partis consumptionem, addendo circa medium decoctionis, Vincæ Pervinæ pugillum unum. Fiat colatura ad usum.

Istud autem decoctum paretur saltem in rem præsentem jubente Medico, uti & reliqua decocta ferè omnia.

SYRVI





SYRUPPI SIMPLICIORES
VNA CVM COMPOSITIS
QVI SVNT IN VSV.

SYRVPVS ACETOSVS
SIMPLEX, LONDI-
NENSIS.

℞ Sacchari albi libras quinque.
Aceti vini albi libras duas.
Liquentur in syrupum s. a.

SYRVPVS ACETOSVS
SIMPLEX, MESVÆ.

℞ Aquæ purissimæ libras qua-
tuor.
Sacchari albi libras quinque.
Coquantur despumando, clarifi-
cando ad consumptionem medie-
tatis aquæ, affunde interim,
Aceti vini albi libras duas, &
Coquantur rursus in syrupum.

SYRVPVS ACETOSVS
COMPOSITVS, MES.

℞ Radic: Apii.
Fœniculi.
Endiviæ, ana uncias tres.
Semin: Apii.
Fœniculi.
Anisi, ana unciam unam.
Semin: Endiviæ unciam dimi-
diam.
Aquæ purissimæ libras sex.
Coquantur in vase vitreato lento
igne, donec dimidium aquæ su-
perfit, tum adde percolatis
Sacchari libras tres.
Clarificentur, & adjice
Aceti vini albi libram unam se-
mis.
Coquantur in syrupum.

SYRV-

SYRVPVS ACETOSI.
TATIS CITRI, MES.

℞ Succī Citri colati sine expressi-
one, & depurati librā unam.
Sacchari libras duas & semis.

Leviter coquantur in syrupum.

Eādē proportione parentur
Syrupi acidi ex Agresta.

Succo Berberorum.

Cerasorum } acid:
Cydoniorum }

Granatorum.

Limonum.

Lujulæ.

Oxalidis.

Ribes.

Et ex reliquis succis acidis clari-
ficatis.

SYRVPVS DE BETONICA
SIMPLEX.

℞ Succī Betonice depurati libras
tres.

Sacchari clarificati libras tres.
fiat Syrupus secundum artem.

Eodem modo parentur Syrupi
ex succo Borraginis.

Buglossi.

Cardui Benedicti.

Chamæmeli.

Cichorii.

Endiviæ.

Fragorum.

Fumariæ.

Hederæ terrestris.

Hyperici.

Lupuli.

Mercurialis.

Plantaginis.

Pomorum.

Scabiosæ.

Tussilaginis.

Veronicæ.

Et sic ex reliquis succis non a-
cidis.

SYRVPVS DE BETONICA
COMPOSITVS.

℞ Betonice manip. tres.

Majoranæ manip. unum semis.

Thymi.

Rosarum, ana manip. unum.

Violarum.

Stœchados.

Salviæ, ana manip. dimidium.

Sem: Fœniculi.

Anisi.

Ammeos, ana unciam di-
midiam.

Radic: Pœoniæ.

Polypodii.

Fœniculi, ana drachmas
quinque.

Fiat decoctio in aquæ libris sex
ad medietatis consumptionem :
colaturæ adde

Succi Betonice libras duas.

Sacchari libras tres semis.

fiat Syrupus secundum artem.

SYRV-

SYRVPVS BIZANTINVS
SIMPLEX, *MES.*

℞ Succi Endiviæ,
Apii, ana libras duas.
Lupulorum,
Buglossi, ana libram unā.
Bulliant dum succi purgentur &
clarescant; his deinde libris qua-
tuor remanentibus, addantur Sac-
chari optimi libri quatuor, lento
igne percoquantur in syrupum s. a.

SYRVPVS BIZANTINVS
COMPOSITVS, *MES.*

℞ Succorum depuratorum analo-
gicè (ut in simplici Syrupo)
libras quatuor. Quibus in-
coque
Rosarum rubrarū uncias duas.
Glycyrrhizæ unciā dimidiam.
Sem: Anisi,
Fœniculi,
Apii, ana drachmas tres.
Spicæ Nardi drachmas duas.
Colaturæ adde
Aceti libras duas.
Sacchari libras quatuor.
Coquantur in syrupum s. a.

SYRVPVS SYDONIO-
RVM, *MES.*

℞ Succi Cydoniorum defæcati li-
bras sex.
Coque prunis lentis ad medias

sensim despumando, deinde af-
funde,

Vini rubri adstringentis libras
tres.

Sacchari albi libras quatuor.
Denuò decoquantur ad syrupi
consistentiam, qui condiatur
Cinnamomi drachmā unā se-
mis.
Caryophyllorum,
Zingiberis, ana scrupulis duo-
bus.

SYRVPVS DE FVMA-
RIA COMPOSITVS
FERNELII.

℞ Endiviæ.
Absinthii Romani.
Lupulorum.
Casthæ.
Scolopendrii veri, ana manipu-
lum unum.
Epithymi unciam unam semis.
Coquantur in libris quatuor a-
quæ ad medias, colatis adde
Succi Fumariæ expurgati librā
unam semis.
Succi utriusque Buglossi, ana li-
bram dimidiam.
Sacchari albi libras quatuor.
Coquantur in syrupum bonæ con-
sistentiæ secundum artem.

SYR V-

SYRVPVS DE PORTV-
LACA. *MES.*

℞ Semin: Portulacæ crassiusculè
tritorum libram dimidiam.

Succi Endiviæ cocti & depurati
libras duas.

Sacchari libras duas.

Aceti uncias novem.

Macerentur semina in succo Endi-
viæ viginti quatuor horas, postea
lento igne coquantur ad dimidias,
colatura tum demum cum Sac-
charo coquatur in Syrupi consi-
stentiam, sub finem acetum affun-
dendo.

SYRVPVS DE TVSSILA-
GINE COMPOSITUS,
RENODÆI.

℞ Tussilaginis recentis manipu-
lex.

Capill: Veneris ver: manipu-
duos.

Hyssopi manipu. unum.

Glycyrrhizæ rasæ uncias duas.

Coquantur in libris quatuor a-
quæ pluviae, vel fontis, ad quar-
tæ partis consumptionem, de-
coctio coletur, & clarificetur, cui
adde

Sacchari albissimi libras tres.

Fiat syrupus perfectè coctus.

JVLAPIVM ALEXAN-
DRINVM.

℞ Aquæ rosarum rubrarum libras
quatuor.

Sacchari albissimi libras duas.

Fiat s. a. Julapium.

JULEPVM ROSATVM,
MES.

℞ Aquæ Rosatum libras tres.

Sacchari clarificati libras tres.

Coque s. a. & fiat Julepum.

JULEPVM VIOLATVM,
MES.

Conficitur eodem modo ut Jule-
pum Rosatum.

OXY SACCHARVM SIM-
PLEX, *NICOLAI.*

℞ Sacchari albi libram unam.

Succi Malorum Granatorum
uncias octo.

Aceti optimi uncias quatuor.

Coque ad ignem lentum ad syru-
pi consistentiam.

SYRVPVS CAPILLORVM
VENERIS, *MES.*

℞ Glycyrrhizæ uncias duas.

F

Capil-

Capillorū Veneris uncias quinque.

Ex infusis in aquæ fontis libris quatuor, decoctis leviter, colatis fortiter, cum

Sacchari clarificati librâ unâ semis.

Fiat syrupus secundum artem.

SYRVPVS DE CINNAMOMO.

℞ Cinnamomi crasso modo contusi uncias quatuor.

Macerentur in vini albi libra una, per triduum; in vase vitreo ad lentum ignis calorem, Colentur, Colaturæ adde

Sacchari albi librâ unam semis.

Lentè omnia coquantur, & fiat syrupus s. a.

Eodem modo parari possunt syrupi ex semin: Anisi.

Fœniculi dulcis.

Caryophyllis.

Nucibus Moschatis.

Zingibere, &c.

SYRVPVS è CORALLIIS SIMPLEX.

℞ Corallii rubicundissimi, tenuissimè pulverisati q. v.

Dissolvatur in matraccio vitreo in B.M. in ea succi berberorum optimè depurati quantitate, ut materiam quatuor digitos supernatet: Collum Matraccii subere, vel cerâ

occludatur, illicque stet per triduum. Effunde quod fuerit dissolutum, & novum succum depuratū fœcibus affunde, & in cæteris procedatur ut prius, usquedum Corallium fuerit dissolutum, & repetatur sæpius, dum succus acidus quid è Coralliis exuxerit. Ad librâ unam dicti succi colati, adde Sacchari albissimi libram unam, & decoquantur ad syrupi consistentiam. In hoc autem syrupo parando cum artificio, tum dexteritate singulari opus, ne è scopo aberraret artifex.

SYRVPVS è CORALLIIS COMPOSITVS.

℞ Corall: rubicundiss: uncias sex Reducantur in Alkool lævigando super porphyrite, cum pauca aqua Rosarum, adde

Succi depurati Limonum in B. M. à phlegmate liberati uncias sedecim.

Succi depurati Berberis uncias octo.

Aceti vini albi acerrimi.

Succi limpidissimi Lujulæ, ana uncias sex.

Fiat digestio in Balneo, vel in fimo equino per octiduum, in phiala vitrea ampla, subere & vesicâ bubulâ optimè clausâ, vas quotidie concutiendo, mox fiat per chartam Emporeticam colatura, de qua cape libram unâ semis.

Succi

Succi purissimi Cydoniorum libram dimidiam.

Sacchari Rosati uncias duodecim.

Misce, & lentissimo Balnei calore superfluous liquor evocetur, donec fiat Syrupus, cui indantur Syrupi florū Vetonicæ rubræ uncia sedecim & nodulus continens

Ambra griseæ drachmam dimidiam.

Moschi orientalis grana quatuor.

Servetur ad usum.

**SYRVVS INFVSIONIS
FLORVM CARYO-
PHYLLORVM,**

Seu

VETONICÆ RVBRÆ.

℞ Florum Caryophyllorum præcis unguibus libram unam.

Infundantur ter in aquæ fontis libris tribus per noctem, postea cū Sacchari libris duabus, coquantur in syrupum secundum artem.

SYRVVS DE CORTICIBVS CITRI, MES.

℞ Corticum exteriorum & tenuissimorum Citri ficatorum uncias quinque.

Granorum Kermes, vel succi eorum advecti drachmas duas.

Aquæ fontanæ libras quatuor. Macerentur per noctem, & coquantur ad medietatis consumptionem, colaturæ adde

Sacchari optimi libras duas semis.

Fiat Syrupus s. a.

Aromatizetur Moschi orientalis granis sex, involutis in Syndone & impendentibus.

**SYRVVS FLORVM NYMPHÆÆ SIMPLEX,
NICOLAI.**

℞ Partium albissimarum florum Nymphææ albæ libram unam.

Infunde in aquæ calidæ libris tribus per horas septem, deinde bulliant parum, colaturæ denuò adde parem florum recentium quantitatem, & par fiat maceratio & expressio; idque ter repetatur; colaturæ clarificatæ adde æquum sacchari pondus, & fiat syrupus s. a.

**SYRVVS NYMPHÆÆ COMPOSITVS
FERNELII.**

℞ Florum Nymphææ recentium libram mediam.

Florum Violarum uncias duas.

Foliorum Lactuæ manipulos duos.

Sem: Lactuæ.

F 2

Portulacæ.

Portulacæ.

Cucurbitæ, ana unciam mediam.

Coquantur in libris quatuor aquæ, dum tres supersint: expresso adde,

Aquæ Rosarum rubrarum stilitatiæ libram mediam.

Sacchari albi libras quatuor.

Percoquantur in syrupum s. a.

**SYRVPVS DE MECO-
NIO, MES.**

℞ Capitem Papaveris albi mediocriter maturorum & recentium uncias octo.

Capitem Papaveris nigri mediocriter maturorum & recentium uncias sex.

Aquæ pluvialis libras quatuor.

Coquantur ad dimidias, deinde adde colaturæ

Sacchari uncias sedecim, & percoquantur in syrupum s. a. pro Diacodio qui potest usurpari.

**SYRVPVS è PAPAVERE
MINVS COMPOSITVS.**

℞ Capitem Papaveris albi,
Nigri, recentium,
ana uncias sex.

Seminum Lactucæ.

Florum Violarum, ana unciam unam.

Aquæ libras octo.

Coquantur dum capita intabuerint, & colaturæ addantur Sacchari libræ quatuor: ad justâ consistentiam rursus coquantur.

**SYRVPVS è PAPAVERE
MAGIS COMPOSITVS,
MES.**

℞ Capitem cum Seminibus Papaveris albi & nigri, ana drachmas quinquaginta.

Capillorum Veneris drachmas quindecim.

Glycyrrhizæ drachmas quinque.

Jujubarum numero triginta.

Sem: Lactucæ drachmas quadraginta.

Sem: Malvæ & Cydoniorum, in linteo raro ligatorum, ana drachmam unam & semis.

Coquantur in libris octo aquæ ultra medietatis consumptionem.

℞ Colaturæ libras tres.

Penidiorum,
Sacchari, ana libram unam.

Fiat Syrupus.

**SYRVPVS DE PAPAVERE
ERRATICO,
seu rubro.**

℞ Florum recentium Papaveris rhæadis libras duas.

Infundantur in libris quatuor aquæ fontanæ per viginti quatuor horas, cum

Sacchari libris tribus.

Percoquantur

Percoquantur in syrupum f. a.

SYRVPVS EX FLORIBVS
PERSICORVM.

℞ Florum Persicorum recentium
libram unam.

Macerentur in libris tribus a-
quæ tepidæ, horas duodecim, de-
inde bulliant parùm & exprimantur.
Tum par florum quantitas
infundatur & exprimatur, quin-
quies iteretur, postremæ colaturæ
libris tribus, adde

Sacchari libras duas semis.
fiat syrupus f. a.

SYRVPVS DE ROSIS
SICCIS, MES.

℞ Aquæ simplicis libras quatuor,
in qua tepida macera horis vi-
ginti quatuor,

Rosarum rubrarum arefactarum
libram unam, in expresso
solve

Sacchari albi libras duas.

Coquantur in syrupum f. a.

SYRVPVS ROSACEVS
SOLVTIVS, MES.

℞ Infusionis Rosarum ex Rosis
pallidis Damascenis recenti-
bus novies infusis (infusio fiat
eâ proportione ut pro qualibet
libra Rosarum sumantur aquæ
libræ quatuor. in quibus, reje-

ctis prioribus floribus, recentes
infundantur) libras sex.

Sacchari libras quatuor.

fiat decoctio f. a. in syrupum.

SYRVPVS ROSACEVS
SOLVTIVS CVM
AGARICO.

℞ Agarici electi concisi unciam
unam.

Zingiberis concisi drachmas
duas.

Salis gemmæ drachmam unam.

Polypodii crasso modo contusi
uncias duas.

Irrorentur vino albo, deinde in-
fundantur per biduum in infusio-
nis Rosarum pallidarum suprascrip-
tæ libra una semis in cineribus ca-
lidis, postea expressioni adde

Sacchari libram unam.

fiat syrupus f. a.

SYRVPVS ROSACEVS
SOLVTIVS HELLEBO-
RATVS, MONTANI.

℞ Corticum Myrobalanorum om-
nium, ana uncias quatuor.

Contundantur crasse, & deinde
infundantur in libris duodecim
infusionis rosarum suprascriptæ per
horas viginti quatuor, addendo
Foliorum Sennæ.

Epithymi.

Polypodii quercini,
ana uncias quatuor.

Caryophyllorum unciam unā.
Sem: Citri.

Glycyrrhizæ, ana uncias
quatuor.

Corticum Radicum Hellebori
nigri veri drachmas sex.

Decoquantur omnia simul lento
igne ad quartæ partis consumptionem, adde postea

Sacchari clarificati libras
quinque.

Rhabarbari electi in no-
dulo ligati drachmas
sedecim.

Fiat syrupus s. a.

SYRVPVS VIOLARVM.

℞ Florum Violarum mundator,
libram unam.

Aquæ fontanæ calentis libram
unam semis, vel quantitatem
sufficientem.

Ponantur in vas fictile vitreatum,
quod subere optimè claudatur, &
relinquantur per horas viginti
quatuor, deindè fiat fortis expres-
sio per prælum: expressionis cape
libram unam.

Sacchari purissimi libras duas.

Misce, & ad levem calorem (ut
Balnei) fiat sacchari dissolutio, &
servetur ad usum.

SYRVPVS è SVCCO VIOLARVM.

Paretur etiam ex succo, cum ea
quantitate succi quæ sit sufficiens

ad dissolvendum saccharum sine
coctione.

SYRVPV COMPOSITI QVORVM SIMPLICES NON PARANTVR.

SYRVPVS DE ABSIN- THIO, M E S.

℞ Absinthii Romani sive Pontici
libram mediam.

Rosarū rubrarum uncias duas.

Spicæ Indicæ drachmas tres.

Vini albi antiqui generosi.

Succi Cydoniorum, ana libras
duas semis.

Macerentur in vase fictili horis vi-
ginti quatuor, dein coquantur ad
consumptionem medietatis, & co-
laturæ addantur

Sacchari libræ duæ.

Fiat syrupus s. a.

SYRVPVS DE ALTHÆA. FERNELII.

℞ Radicum Althææ uncias duas.

Cicerum rubrorum unciam u-
nam.

Radic: Graminis.

Asparagi.

Glycyrrhizæ mundatæ.

Uvarum Passarum enucleata-
rum, ana unciam mediam.

Cymarum Althææ.

Malvæ.

Helxines.

Pim-

Pimpinellæ.
Plantaginis.
Adianthi albi & nigri, ana ma-
nipul. unum.

Quatuor seminum frigidorum
majorum & minorum, ana
drachmas tres.

Coquantur ex aquæ libris sex,
dum quatuor supersint, & colatu-
ra cum

Sacchari albi libris quatuor,
Fiat syrupus.

SYRVPVS DE ARTEMISIA
MATTHÆI DE GRADI.

℞ Artemisiæ manipul. duos.

Pulegii.

Calaminthæ.

Origani.

Melissæ.

Perficariæ, sive Hydropiperis.

Dictamni Cretici.

Sabinæ.

Sampſuchi, i. Majoranæ.

Chamædryos.

Perforatæ, i. Hyperici.

Chamæpityos.

Matricariæ cum flore.

Centaurii minoris.

Rutæ.

Betonicæ.

Buglossi, ana manipul. unum.

Radic: Fœniculi.

Apii.

Petroselini.

Asparagi.

Rusci.

Saxifragiæ.

Enulæ.

Cyperii.

Rubiæ tinctorum.

Ireos.

Pœoniæ, ana unciam u-
nam.

Baccar: Juniperi.

Sem: Levistici.

Petroselini.

Apii.

Anisi.

Nigellæ.

Carpobalsami, sive

Cubebarum.

Costi, seu Zedoariæ.

Radic: Asari.

Pyrethri.

Casiæ lignæ.

Cardamomi.

Calami aromatici.

Phu, ana unciam dimidiam.

Trita, quassata infundantur in
libris duodecim aquæ per ho-
ras viginti quatuor, postea deco-
quantur ad medietatis aquæ con-
sumptionem, & tunc dimittan-
tur ab igne, donec aqua tepuerit,
& fricata colentur, & colaturæ
addantur Mellis & Sacchari, ana
libræ duæ, Aceti acuti uncia quæ-
tuor. Fiat Syrupus, & aromatize-
tur cum

Cinnamomi & Spicæ, ana drach-
mis tribus.

Aromata sub finem bulliant.

SYRV-

SYRVPVS AVGVSTANVS,
VEL DE RHABARBA-
RO AVGVSTA-
NORVM.

℞ Rhabarbari optimi,
Foliorum Sennæ, ana uncias
duas semis.
Florum violarū, manip. unum.
Cinnamomi drachmam unam
semis.
Zingiberis drachmam dimi-
diam.
Aquarum Betonicæ.
Cichorii.
Buglossi, ana librām
unam semis.

Infundantur per noctem: colatu-
ra mane facta decoquatur in sy-
rupum cum

Sacchari electi, libris duabus,
addendo

Syrupi rosati solutivi sequentis
uncias quatuor.

SYRVPVS ROSATVS
SOLVTIVVS SINE
HELLEBORO.

℞ Myrobalanorum omnium, ana
uncias duas.

Contundantur crasso modo, fri-
centur oleo Amigdalorum dolci-
um, & infundantur in libris quin-
decim infusionis rosarum, horis
viginti quatuor, cui adde

Radicum Polypodii uncias du-
as semis.

Sem: Carthami unciā unā semis.

Sem: Anisi.

Fœniculi, ana drachmas sex.

Foliorum Sennæ uncias tres.

Epithymi unciam unam semis.

Corticum citri unciam unam.

Caryophyllorum unciam di-
midiam.

Nucis Moschatæ drachmas tres.

Fiat rursus infusio horis viginti
quatuor, quibus elapsis, fortissima
fiat expressio, & adde ad liquoris
singulas libras duas,

Sacchari libram unam.

Fiat syrupus. Et hic ingreditur
compositionem syrupi de Rha-
barbaro Augustanorum.

SYRVPVS DE CICHORIO
CVM RHABBARO.

℞ Hordei integri.

Radic: Apii.

Fœniculi.

Asparagi, ana uncias
duas.

Cichorii.

Taraxaci, i. dentis leonis.

Endiviæ.

Cicerbitæ seu Sonchi lævis, ana
manipul. duos.

Lactucæ domesticæ.

Lichenis, i. Hepaticæ.

Fumariæ.

Summitatum Lupuli. ana ma-
nipul. unum.

Capillorum Veneris.

Adiathi albi, seu Rutæ Murariæ

Ceterach, seu Aspleni.

Gly.

Glycyrrhizæ.

Semin: Alkakengi.

Cuscutæ, ana drachmas sex.

Coquantur in libris duodecim aquæ fontanæ ad tertiæ partis consumptionem: in colatura dissolve,

Sacchari libras sex.

Cui dum fit coctio, adde

Rhabarbari uncias sex.

Spicæ Nardi drachmas sex.

Hæc in nodulo ex panno raro semel aut iterum bulliant, præmacerata calente decocto, & sæpiùs exprimantur, & in syrupo jam perfectè cocto relinquuntur.

SYRVPVS DIASEREOS
ANDERNACI.

℞ Intybi Latifolii seu Endiviæ.

Cichorii ana manipulum.

Adianthi albi,

Nigri seu Capillorum Veneris.

Agrimoniæ.

Scolopendrii seu Ceterach.

Lupuli, Fumariæ ana manip. semis.

Granorum Halicacabi.

Cuscutæ ana drach: tres.

Radic: Apii.

Foeniculi.

Asparagi ana unciam semis.

Polipodii Quercini unciam unam.

Glycyrrhizæ drach: sex.

Seminis Cnici unciam unam.

Sem: quatuor frigid:

Majorum ana drach: duas.

Hordei excorticati pugill. unum.

Seminum Endiviæ.

Cichorii ana drach: unam semis.

Ulvarum Passarum unciam unam.

Pruna Damascena, numero viginti.

Florum Borraginis.

Buglossæ.

Violarum ana pugillū unum.

Myrobalanorum Citrinarum.

Chebularum ana unciam semis.

Omnia in aqua ad tertias decoquantur, & in hujus decocti juris colati libra & semisse macerentur seorsim per noctem.

Rhabarbari electi uncia duæ semis.

Agarici Trochiscati uncia.

Foliorum Sennæ orient. uncia una semis.

Zingiberis.

Cinnamomi ana drachma.

Expressis colatisque iterum adde Sacchari optimi libram.

Syrupi rosati solutivi uncias tres.

Mixta omnia rursus modice coquantur ad justam spissitudinem.

SYRV-

SYRVPVS DE EPITHYMO,
M E S.

℞ Epithymi boni drachmas viginti.
Myrobalanorum Citrinarum.
Indarum, ana drachmas quindecim.
Cuscutæ.
Fumiterræ, ana drachmas decem.
Thymi.
Calaminthæ.
Buglossi.
Stœchados.
Glycyrrhizæ.
Polypodii.
Agarici.
Myrobalanorum Emblicarum.
Belliricarū, ana drachmas sex.
Rosarum rubrarum.
Semin: Fœniculi.
Anisi, ana drachmas duas semis.
Prunorum dulcium numero viginti.
Uvarum passarum purgatarum uncias quatuor.
Tamarindorum, uncias duas semis.
Post macerationem viginti quatuor horarum coquantur in aquæ libris decem ad libras sex, dein remota ab igne, exprimantur, & expressis addantur,

Sacchari clarificati libræ quinque.

Percoquantur in syrupum.

SYRVPVS DE EVPATO:
RIO, *M E S.*

℞ Radic: Apii.
Fœniculi.
Cichorii, ana uncias duas.
Glycyrrhizæ.
Schœnanthi.
Cuscutæ.
Absinthii.
Rosarum, ana drachmas sex.
Capillorum Veneris.
Bedeguar. { vel ejus vice rad:
Card. Mariæ.
Suchahæ { vel ejus vice rad: Ca-
ryophyllatæ.
Florum aut radicum Buglossi.
Sem: Anisi.
Fœniculi.
Eupatorii, i. Agerati, ana drachmas quinque.
Rhabbarbari.
Mastiches, ana drachmas tres.
Spicæ Nardi Indicæ.
Folii, seu spicæ Romanæ, ana drachmas duas.
Coquantur in aquæ libris octo ad tertiæ partis consumptionem; Expressum cum
Sacchari albi soluti libris quatuor,
Succorum Apii clarificati, &
Endi-

Endiviæ, ana libra dimidia.
Percoquatur in syrupum.

**S Y R V P V S è G L Y C Y R -
R H I Z A, M E S.**

℞ Glycyrrhizæ recentis rasæ &
contusæ uncias duas.

Adianthi albi, seu Polytrichi
unciam unam.

Hyssopi sicci unciam dimidiã.

Macerentur simul per horas vi-
ginti quatuor in aquæ pluvizæ fer-
vefactæ libris quatuor, dein co-
quantur ad dimidias; colatura ex-
pressa clarificetur, cum

Mellis optimi unciis octo.

Sacchari unciis sedecim.

Demùm coquantur in syrupum,
additis ante perfectam illius cocti-
onem

Aquæ rosarum rubrarum stil-
latitiæ unciis sex.

**S Y R V P V S D E H Y S S O P O,
M E S.**

℞ Aquæ fontanæ libras octo.

In quibus circiter horam dimi-
diam coquatur,

Hordei mundati uncia dimi-
dia.

Dein injiciantur

Radicum Apii.

Petroselini,

Fœniculi,

Glycyrrhizæ, incisarum,
ana drachmæ decem.

Et per quartam horæ partem elix-
entur; postea addantur

Jujubarum,

Sebesten, ana numero tri-
ginta.

Passularum mundatarũ
uncia una semis.

Ficum siccarum,

Dactylorum pinguium,
ana numero decem.

Mox imponantur

Semin: Malvæ.

Cydoniorum.

Tragacanthæ linteo ra-
ro inclusorum, ana
drachmæ tres.

Postremò indantur,

Hyssopi mediocriter sic-
ci drachmæ decem.

Capillorũ Veneris drach-
mæ sex.

Coquantur ad libras tres, expressi-
oni clarificatæ adde,

Sacchari libras duas semis.

Fiat syrupus.

**S Y R V P V S J U J V B I N V S,
M E S.**

℞ Jujubarum numero sexaginta.
Violarum.

Semin: Malvæ, ana drachmas
quinque.

Capillorum Veneris.

Glycyrrhizæ rasæ & tufæ.

Hordei mundati excorticati, ana
unciam unam.

Semin: Papaveris albi.

Melo-

Melonum.
 Lactuce.
 Cydoniorum.
 Gummi Tragacanthæ, } in no-
 ana drachmas tres. } dulo.
 Coquantur in libris sex aquæ plu-
 vialis vel fontanæ ad dimidias, ad-
 de colatis
 Sacchari libras duas.
 Fiat Syrupus.

SYRUPVS EX IVA
 ARTHRITICA,
 Seu
 DE CHAMÆPITY.

℞ Chamæpityos manipul. duos.
 Salvia.
 Rorismarini.
 Lolii.
 Origani.
 Calaminthæ.
 Mentastri.
 Pulegii.
 Hyslopi.
 Thymi.
 Rutæ sativæ & sylvestris.
 Betonicæ.
 Serpylli, ana manipul. unum.
 Radic: Acori.

Aristolochiæ } longæ.
 } rotundæ.

Bryoniæ.
 Dictamni.
 Gentianæ.
 Peucedani.
 Phu, ana unciam unam
 semis.

Radic: Apii.
 Asparagi.
 Fœniculi.
 Petroselini.
 Rusci, ana unciam unam.
 Stœchados.
 Semin: Anisi.
 Ammeos.
 Carui.
 Fœniculi.
 Ligustici.
 Seseleos, ana drachmas
 tres.
 Radic: Pyrethri unciam semis.
 Passularum uncias duas.
 Coquantur ex aquæ q. s. postea
 cum
 Mellis, &
 Sacchari, ana libris duabus
 Para, & aromatiza
 Cinnamomo.
 Nuce Moschatâ, &
 Cubebis. s. a.

SYRUPVS MAGISTRALIS
 AD MELANCHO-
 LIAM.

℞ Succu Pomorum odoniferorum
 (vulgò Pearemaynes)
 sesquilibram.
 Borruginis.
 Buglossi, ana uncias no-
 vem.
 Fol: Sennæ orientalis mundatæ
 semilibram.
 Semin: Anisi.
 Fœniculi dulcis, ana drach-
 mas

mas tres.

Epithymi Cretenfis uncias
duas.

Agarici albiſſimi.

Rhabarbari optimi, ana ſemunciam.

Zingiberis.

Macis, ana ſcrupulos quatuor.

Cinnamomi ſcrupulos duos.

Croci ſemidrachmam.

Agaricus & Senna concifa cum ſeminibus, Zingibere, atque Mace crassiufculè contuſis, macerentur cum Epithymo in ſuccis præſcriptis, horas viginti quatuor. Bulliant deinde lento igne, uſque ad deſpumationem, & per manicam Hippoc: colentur. Colaturæ jam factæ adjiciatur Sacchari albiſſimi ſeſquilibra, & coquantur ſ. a. nec ſine deſpumatione, ad conſiſtentiam Syrupi, modò inter coquendum, Crocus panno lineo ligatus infricetur. Tum demùm admisceatur Infuſio Rhabarbari concifi, cum Cinnamomo crassiufculè còtuſo, in Vini albi, & ſucci Pomorum, ana unciis duabus, interim facta, & fortiter expreſſa. Denuò ferveant parùm commiſta ad ignem pro ſyrupo.

SYRVPVS MELISSOPHYLLI,
FERNELII.

℞ Radic: Diſtamni.

Pentaphylli.

Vetonicæ.

Doronici Romani, ana
unciam dimidiam.

Folior: Meliſſophylli.

Stœbes, vel Scabioſæ.

Succifæ, i. Morſus Diaboli.

Florum Bugloſſi utriuſque, &

Roriſmarini, ana manipul. unum.

Semin: Oxalidis.

Citrii mali.

Fœniculi.

Cardui benedicti.

Ocimi, ana drachmas tres.

Coquantur in aquæ libris quatuor ad dimidias: expreſſo adde,

Sacchari albi libras tres.

Succi Meliſſæ.

Aquæ Roſarum, ana libram dimidiam.

Percoquantur in ſyrupum condiendum, cum

Cinnamomi &

Santali Citrini, ana uncia dimidia.

SYRVPVS DE MENTHA
MAJOR, M E S.

℞ Succi Cydoniorum dulcium & muzorum, i. acidodulcium.

Succi Granatorum acidodulcium, dulcium, acidorum, ana libram unam ſemis.

In ſuccis miſtis macera per horas viginti quatuor.

G

Menthæ

Menthæ siccæ libram unam
semis.

Rosarum rubrarum uncias
duas.

Coquantur ad dimidias, colentur,
& addendo,

Sacchari libras quatuor,

Coquantur ad Syrupum : cùm re-
ponitur, aromatizetur cum

Galliæ Moschatae tritæ & in
syndone ligatæ, & ex orifi-
cio vasis suspensæ drachma
una.

SYRUPVS MYRTINVS
NICOLAI.

R̄ Baccarum Myrti uncias duas se-
mis.

Santali albi & rubri.

Sumach seu Rhois Culinariæ.

Balauftiorum.

Berberorum.

Rosarum rubrarum, ana uncia
semis.

Mespilorum libram dimidiam.

Contusa omnia coquantur in li-
bris octo aquæ fontis ad medias,
expresso adde,

Succi Cydoniorum,

Granatorum acidorum,
ana uncias sex.

Sacchari libras tres.

Coque in Syrupum s. a.

SYRUPVS DE POMIS
FERNELII.

R̄ Succi Malorum nostratium vo-
catorum

Dearemayns vel Dippins
libras quatuor.

Succorum Buglossi domestici,
sylvestris.

Aquæ Rosarum stillatiæ.

Succi Violarum è foliis, ana li-
bram unam.

Coque simul, & depurentur, dein-
de adde

Sacchari libras sex.

Percoquantur in Syrupum.

SYRUPVS DE POMIS
REGIS SAVORIS.

MES.

R̄ Succi Pomorum dulcium li-
bras duas.

Succi Borriginis,

Buglossi, ana libram unã
semis.

Foliorum Sennæ uncias duas.

Sem: Anisi unciam semis.

Croci drachmam unam.

Senna maceretur viginti quatuor
horis in succis, semel aut bis ferve-
fiat, coletur, & cum

Sacchari libris duabus,

Percoquatur in syrupum s. a. Cro-
cus in petia ligatus inter coquen-
dum confricetur.

SYRV-

SYRVPVS DE PRASIO.

F. E. R.

℞ Prasii albi recentis uncias duas.

Glycyrrhizæ.

Polypodii quercini.

Radic: Apii.

Fœniculi, ana unciam
dimidiam.

Adianthi albi.

Origani.

Hyssopi.

Calaminthæ.

Thymi.

Stœbes, vel Scabiosæ.

Satureiæ.

Tussilaginis, ana drachmas sex.

Semin: Anisi.

Bombacis, ana drach-
mas tres.Uvarum Passarum expurgata-
rum, uncias duas.Caricarum pinguium, numero
decem.Coquantur in libris octo hydro-
melitis diluti ad dimidias; expres-
sum coquatur in syrupum, cumMellis & Sacchari albi, ana
libris duabus.

Condiatur,

Radic: Iridis Florentinæ unciâ unâ.

SYRVPVS RAPHANI.

FERNELII.

℞ Radicum Raphani domestici,
Sylvestris, seu Rusticani,

ana unciam unam.

Radic: Saxifragæ albæ.

Rufci.

Levistici.

Eryngii.

Ononidis.

Petroselini.

Fœniculi, ana unciam
dimidiam.

Folior: Betonicæ.

Pimpinellæ.

Pulegii.

Cymarum urticæ.

Nasturtii aquatici.

Crithmi.

Callitrichi, seu Capil-
lorum Veneris, ana
manipul. unum.

Fructuum Halicacabi,

Zizyphorum, ana nu-
mero viginti.

Semin: Ocimi.

Bardanæ.

Petroselini Macedoni-
Seseleos. (ci.

Carui.

Dauci.

Lithospermi.

Cortic: Radic: Lauri, ana drach-
mas duas.

Uvarum passerū expurgatarū.

Glycyrrhizæ, ana drachmas sex.

Coquantur secundum artem in li-
bris duodecim aquæ dum octo
supersint, è quibus colatis, cum

Sacchari libris quatuor, &

Mellis expumati libris duabus,
fiat syrupus clarus & conditus.

Cinnamomi unciâ unâ,
Nucis Moschatae unciâ dimidiâ.

SYRVPVS DE QVINQVE
RADICIBVS, *MES.*

℞ Radic: Apii.
Fœniculi.
Petroselini.
Rusci.
Asparagi, ana uncias
duas.

Aquæ fontis libras sex.
Coquantur ad tertiæ partis con-
sumptionem, expressum coquatur
denuò cum

Sacchari libris tribus,
Addendo in fine
Aceti vini albi uncias octo.

SYRVPVS SCABIOSÆ
COMPOSITVS MA-
GISTRALIS.

℞ Radic: Enulæ Campanæ.
Polypodii quercini, ana
uncias duas.

Macerentur in vino albo horas 24.
Passularum majorum enuclea-
tarum unciam unam.

Sebesten numero viginti.
Farfaræ.
Pulmonariæ.
Satureiæ.
Calamenthæ, ana sesquimani-
pulum:
Glycyrrhizæ rasæ semunciam.

Tabaci optimi folium unum
integrum.

Sem: Urticæ.

Bombacis, ana drachma:
tres.

Coquantur in s. q. aquæ mulsæ di-
lutæ, ad uncias octo. Quibus ad-
de percolatis

Succi Scabiosæ depurati uncia
quatuor.

Sacchari albissimi uncias decem
Fiat syrupus s. a. clarificatus, super
addendo deinde,

Olei Sulphuris guttas viginti.

SYRVPVS DE SCOLOPEN-
DRIO, *FERNELII.*

℞ Polypodii è quercu.
Radic: utriusque Buglossi.
Cortic: Radic: Capparis.
Cortic: Tamarisci, ana uncia
duas.

Scolopendrii veri manip. tres.
Lupi salictarii.

Cassuthæ.
Capillorum Veneris.

Melissophylli, ana manip. duos.
Coquantur in aquæ libris novem
dum ad quinque redeant, Colate
adde

Sacchari albi libras quatuor.
Percoquantur in syrupum expur-
gatum & clarum.

SYRV

SYRVPVS DE STOE-
CHADE, MES.

℞ Florum Stœchados uncias qua-
tuor.

Thymi,

Calaminthæ,

Origani, ana unciam unã semis.

Salviæ.

Betonicæ.

Florum Rorismarini, ana unci-
am dimidiam.

Semin: Rutæ,

Pœoniæ,

Fœniculi, ana drachmas
tres.

Coquantur ex aquæ libris decem
ad dimidias : expressum cum

Sacchari, &

Mellis, ana libris duabus

denuò coquatur in syrupum.

Condiatur cum

Cinnamomi,

Zingiberis,

Calami odorati, ana drachmis
duabus.

Quæ raro linteo illigata in syru-
pum sint appensa.

SYRVPVS DE SYMPHYTO,
FERNELII.

℞ Radic: & Cymarum Symphyti
majoris, minoris, ana

manip. tres.

Rosarum rubratum,

Betonicæ,

Plantaginis,

Pimpinellæ,

Polygoni,

Scabiosæ,

Tussilaginis, ana manipulos
duos.

E tuis omnibus recentibus ex-
primatur succus; coquatur ad li-
bras tres, & expumetur, addendo

Sacchari albi libras duas semis.

Fiat syrupus.

SYRVPVS CARDIACVS,
VEL JULEPVM CAR-
DIACVM, NOR.

℞ Vini generosi Rhenensis libras
duas.

Aquæ Rosacæ uncias duas se-
mis.

Caryophyllorum scrupulos du-
os.

Cinnamomi drachmam me-
diam.

Zingiberis scrupulos duos.

Sacchari optimi uncias tres cum
dimidiâ.

Decoquantur ad consistentiam Ju-
lepi, postea addantur,

Ambraë grana tria,

Moschi granum unum.

G 3

MELITA

MELITA ET OXYMELITA.

DIACARYON SEV
DIANVCVM,
GALENI.

℞ Succi nucum Juglandium viridium ab externo cortice expressi libras duas.

Coquendo inspissetur, & additâ Mellis librâ unâ.

Rursus percoquantur ad mellis consistentiam.

DIACODIVM, *GALENI.*

℞ Capita Papaveris albi, nec ni-
miùm viridia, nec niimiùm ma-
tura, numero viginti.

Aquæ pluvix aut fontanæ libras tres.

Macera horis viginti quatuor, post coque, donec capita contabuerint, dein cola, & colaturæ adde

Mellis libras duas.

Coque ad justam consistentiam.

Fit & cum

Sapæ Vini dulcis libris duabus,

Succi Glycyrrhizæ unciis duabus.

DIAMORON, *NICOLAI.*

℞ Succi Mororum, Celsi & Rubi

immaturorum, ana libram unam semis.

Mellis libras duas.

Coquantur lento igne s. a. ad mellis consistentiam.

MEL ANTHOSATVM,
MES.

℞ Florum Rorismarini libram unam.

Mellis boni benè despumati libras tres.

Misce in Olla vitrea, vel vitreata, oris non valdè patuli; insola & serva ad usum.

MEL è MERCVRIALI.

℞ Succi Mercurialis libras tres.

Mellis libras duas.

Coque ad mellis consistentiam.

MEL PASSVLARVM,
NICOLAI.

℞ Uvarum passarum ab acinis purgatarum, libras duas.

Infunde viginti quatuor horas in libris sex aquæ calentis, deinde coque ad medietatem, colaturâ fortiter expressâ, denuò coquantur ad consistentiam mellis, cum libris duabus mellis despumati.

MEL

MEL ROSARVM COM-
MVNE, *MES.*

℞ Rosarum rubrarum nondum
penitus apertarum libras
duas.

Mellis optimi libras sex.
Infolentur secundum artem.

MEL ROSARVM
NICOLAI.

℞ Mellis albissimi optimi despu-
mati libras decem.

Succi recentium Rosarum ru-
brarum libram unam.

Ponantur in Cacabo ad ignem, &
cum bullire inceperint, adde

Rosarum rubrarum recentium
cum forcipibus vel cultello
incisarum ab unguibus li-
bras quatuor.

Bulliantque ad consumptionem
succis, continuè agitando. Colatura
ponatur in vase fictili & servetur
ad usum.

MEL ROSARVM
SOLVTIVVM.

℞ Infusionis rosarum pallidarum
multiplicis libras quinque,
Mellis despumati libras qua-
tuor,

Coquantur in Syrupi consisten-
m.

Simili modo paretur Mel Rosa-

rum ex infusionibus rosarum ru-
brarum.

MEL VIOLARVM.

Mel Violarum eodem modo para-
tur, quo mel rosarum.

OXYMEL SIMPLEX,
MES.

℞ Mellis optimi, aromatici, & de-
spumati, libras quatuor.

Aquæ purissimæ,

Aceti optimi, ana libras duas.

Coquantur secundum artem, do-
nec Syrupi liquidioris consisten-
tiam acquirant; cavendum ne ni-
miâ coctione fiat ingratum.

OXYMEL COMPOSI-
TVM, *MES.*

℞ Cortic: Radic: mundat: incisar:

Fœniculi,

Apii,

Petroselini,

Rusci,

Asparagi, ana uncias
duas.

Semin: Apii,

Petroselini,

Fœniculi,

Anisi, ana unciam unam.

Aquæ libras sex.

Aceti optimi libram unam se-
mis.

Mellis despumati libras tres.

Coquan-

Coquantur secundum artem, ad Syrupi liquidioris consistentiam.

OXYMELLEBORATVM
GESNERI MAJVS.

R Rutæ,
Thymi capitati,
Dictamni Cretici,
Comæ Hyssopi,
Pulegii,
Marrhubii,
Cardui benedicti,
Radicularum Nardi Celticæ sine foliis,
Cortic: Sambuci interiorum, ana manipul. unum.
Calaminthæ Cattariæ montanæ pugil. duas.
Semin: Anisi,
Fœniculi,
Ocimi,
Urticæ Romanæ,
Anethi, ana drachmas duas.
Radic: Angelicæ,
Althææ,
Ari,
Scillæ præparatæ.
Aristolo- { rotundæ,
chiz, { longæ,
 { clematitidis,
Turpeti,
Iridis nostræ,
Costi, qui violas olet,
aut Zedoariæ,
Polypodii,
Cortic: Limonum, ana unciam

unam:

Ellebori nigri fibrarum integrarum,

Efulæ, ana drachmas duas.

Cortic: Radic: Ellebori albi unciam dimidiam.

Agarici drachmas duas, quas sub finem decoctionis injicies.

Omnia sicca, trita, infundantur in * Poscæ (factæ ex æquis partibus aquæ & aceti) libris octo, Sapæ unciis duabus; triduo in Sole, vel ad fornacem, in vitreo, aut figulino vase obturato: Tum decoquantur in terreo aut lapideo tornato vase ad dimidium ferè: cocta colabis modicè exprimendo, addeſque,

Mellis Rosacei, in quo uncia duæ corticis Citri fuerint infusæ libram unam semis, & ad consumptionem poscæ decoques, ut fiat Syrupus, qui sub finem aromatizetur, cum

Caryophyllorum,

Croci,

Zingiberis,

Galangæ,

Macis, in sacculo suspensorum, ana drachmâ unâ.

Servetur in vase vitreo, aut fictili vitreato.

OXYMEL JULIANIZANS.

R Corticum radicum Capparum,

Radic: Ireos,

Fœniculi,

Fœniculi,
Petroſelini,
Ruſci,
Cichorii,
Aſparagi,
Cyperī, ana unciam di-
midiam.

Herb: Scolopendriæ,
Scœnanthūs.

Tamaricis, ana manipu-
medium.

Semin: Fœniculi dulcis unciam
dimidiam.

Coquantur poſt debitam infuſio-
nem in * Poſcæ acidioris libris tri-
bus ad libram unam ſemis : ex co-
latura cum

Mellis optimi, &
Sacchari deſpumatorum, ana
libra dimidia.

Fiat decoctio ad ſyrupi conſi-
ſtentiam.

* Poſca fit ex Aqua & Aceto, idq;
ex re præſenti, vel acidior, vel dilu-
tior, pro intentione Medici.

OXYMEL SCILLITICVM
SIMPLEX, NICOLAI.

℞ Mellis deſpumati libras tres.
Aceti Scillitici libras duas.
Coquantur ſecundùm artem.

OXYMEL SCILLITICVM
DEMOCRITI, MES.

℞ Origani,

Hyſſopi ficci,
Thymi,
Liguſtici,
Cardamomi,
Stœchados, ana drachmas
quinque.

Coque in libris tribus aquæ ad li-
brarum duarum conſumptionem,
colaturam percoque cum

Mellis libris duabus.
Mellis Paſſulati libra dimidia.

Succi Bryoniæ unciis quinque.
Aceti Scillitici libra una ſemis.

Semper deſpumando in ſyrupum.

MEL ANACARDINVM,
AZARAVII.

℞ Anacardios recentes, tere, & in
aqua decoque, donec mellagi-
nem quandam in rubeo colore
fulcam remittant, eam aquæ in-
natantem aufero, ac reponito.

MEL EMBLICARVM,
AVG.

℞ Myrobalanorum Emblicarum
numero quinquaginta.

Contundantur mediocriter, & de-
coquantur in libris tribus Aquæ
ad conſumptionem librarum dua-
rum : reſiduo colato adde Mellis
tantundem, & ad juſtam conſi-
ſtentiam mellis percoque.

ROB



ROB SIVE SAPÆ ET SVCCI.

ROB SIVE SAPA SIMPLICITER.

℞ Vini recenter, ex uvis albis, generosis & maturis expressi, libras duodecim.

Coque igne lento, donec libræ tantum quatuor supersint, vel ut consistentiam mellis acquirant. Repone in vase vitreo, vel fictili vitreato.

ROB DE BERBERIS.

℞ Succi Berberorum optimè colati libras octo.

Coque igne lento ad consistentiam mellis, repone in vase vitreo aut fictili. Paratur etiam cum saccharo, addendo pro singulis libris succi, sacchari libram unam, & coquendo ad mellis spissitudinem.

ROB DE CORNIS.

℞ Succi pulpæ Cornorum libras duas.

Sacchari libram unam semis.

Coquantur secundum artem, ad mellis consistentiam.

ROB CYDONIORVM.

℞ Succi Cydoniorum depurati libras sex.

Coque ad duarum partium consumptionem, addendo sacchari libras duas, denuò bulliant ad mellis spissitudinem: & potest parari sine Saccharo.

ROB PRVNORVM ACIDORVM.

Fit ex succo Prunorum acidorū, ut Cydoniorum.

ROB

ROB DE RIBES.

Paratur ut Rob de Berberis.
 Ut autem probè succus depuretur,
 debet priùs calefieri, dein refideat,
 ut clarescat, tum lento igne co-
 quatur. Sic enim spissitudinem
 idoneam acquirat.

SVCCVS PRVNELLORVM
 PRO ACACIA SVB-
 STITVTVS.

℞ Succi Prunellorum sylvestrium
 f. a. depurati q. v. inspissetur
 lento Balnei calore ad justam
 consistentiam.

Succi inspissati ex Absinthio,
 Eupatorio,
 Fumaria,
 & reliquis quibusvis,
 fiunt ex herbis ipsis tenellis, non
 adultis, contusis, expressis, & ad
 ignem fervefactis, donec bullire
 incipiunt, denuòq; colatis, & ad
 justam spissitudinem lento igne
 evaporatis.

SVCCVS GLYCYRRHIZÆ.

℞ Radicum Glycyrrhizæ boni sa-
 poris probè mundatarum &
 parùm contusarum q. v. mace-
 rentur per triduû in aquæ fon-
 tanæ eâ quantitate, ut duobus
 vel tribus aqua superemineat
 digitis: dein parùm fervefiant
 & colentur: expressus denuò
 liquor levitèr coquatur ad ju-
 stam spissitudinem, & in placen-
 tulas, Trochiscos, aliasve ad pla-
 citum formas effingatur.

MIVA CYDONIORVM,
 MES.

℞ Succi Cydoniorum depurati li-
 bras duodecim.

Coquantur ad medietatis con-
 sumptionem; tum adde vini albi
 veteris libras quinque.

Coquantur lento igne, sæpiùs
 despumentur ad tertiæ partis ab-
 sumptionem. Postquam refede-
 rint, cola, & adde Sacchari sat puri
 libras tres.

Coquantur ad justam Mivæ con-
 sistentiam.

LOHOCH,



LOHOCH,

SIVE

ECLEGMATA.

LOHOCH è CAULIBVS. GORDONII.

℞ Succi Caulium rubearum de-
purati & clarificati libram u-
nam.

Croci drachmas tres.

Mellis despumati,

Sacchari, ana libram dimidiam.

Fiat Lohoch s. a.

LOHOCH DE PAPAVERE. MES.

℞ Papaveris albi drachmas vigin-
ti quinque.

Amygdalarum dulcium,

Nucleorum Pineorum,

Gum: Arabici,

Tragacanthi,

Succi Glycyrrhizæ, ana drach-

mas decem.

Amyli drachmas tres.

Semin: Portulacæ,

Lactucæ,

Cydoniorum, ana unci-
am dimidiam.

Croci drachmam unam.

Penidiorum alborum uncias
quatuor.

Syrupi de Papavere minus com-
positi (quem vide pag. 28.) libras
tres. Omnia contundantur & inci-
dantur & cum syrupo excipiantur
secundum artem.

LOHOCH è PASSVLIS. AVG.

℞ Radic: Pœoniæ maris unciam
dimidiam.

Hyssopi.

Melissæ.

Scolo-

Scolopendrii, five Ceterach,
ana manipul. dimidium.

Glycyrrhizæ unciam dimidi-
am.

Decoquantur in sufficienti quan-
titate aquæ pluviz, Colaturæ
cum expressione valida factæ, ad-
datur Passularum exacinarum
in mortario benè contusarum li-
bra una:

Rursum fiat decoctio, & per pan-
num lineum validè exprimatur,
expressioni adde

Sacchari libram unam.

Fiat Lohoch.

LOHOCH è PINO,

MES.

℞ Nucleorum Pineorum drach-
mas triginta.

Amygdalarum dulcium,

Avellanarum assatarum,

Gum: Tragacanthi,

Arabici,

Pulver: Glycyrrhizæ, & succi ejus-
dem,

Amyli,

Capillorum Veneris,

Radic: Ireos, ana unciam dimi-
diam.

Carnis dactylorum fulvorum
drachmas triginta quinque.

Amygdalarum amararū drach-
mas tres.

Mellis Passulati,

Sacchari albi tabarzet,

Bûtyri recentis, ana uncias qua-
tuor.

Mellis optimi q. s. aut libras
tres.

Dissolvantur quæ dissolvēda sunt,
in sufficienti quantitate decocti
Capillorum Veneris, & reliqua
addantur secundum artem, ut fiat
Lohoch.

LOHOCH è PVLNONE

VULPIS, MES.

℞ Pulmonis vulpis præparati,

Succi Glycyrrhizæ,

Capillorum Veneris,

Semin: Anisi,

Fœniculi, ana unciam
unam.

Sacchari aqua Tussilaginis cla-
rificati uncias quindecim.

Tritis terendis tenuissimè Saccha-
ro excipiantur omnia & ad debi-
tam formam redigantur.

LOHOCH SANVM ET EX-
PERTVM. MES.

℞ Cinnamomi,

Hyssopi siccæ,

Glycyrrhizæ, ana unciam di-
midiam.

Jujubarum,

Sebesten, ana numero triginta.

Uvarum passarum enucleatarū,

Ficum siccarum,

Dactylorum pinguium, ana un-
cias duas.

Semin: Lini,

Fœnuigræci, ana drach-
mas quinque.

H

Capil-

Capillorum Veneris manipulum unum.

Semin: Anisi,
Fœniculi,

Radic: Iridis,
Calaminthæ, ana unciam dimidiam.

Coquantur s. a. in aquæ clarissimæ libris quatuor ad consumptionem medietatis : colaturæ expressæ adde

Sacchari albissimi libras duas.
Coquantur rursus ad consisten-

tiam syrupi, postea insperge sequentia minutissimè incisa & contusa,

Nucleorum Pineorum mundatorum drachmas quinque.

Amygdalarum dulcium,

Glycyrrhizæ,

Gum: Tragacanthi,

Arabici,

Amyli, ana drachmas tres.

Radic: Ireos drachmas duas.

Agitentur omnia simul diligenter & celeriter, donec albescant.

ECLEGMA SCILLITICVM.

M E S.

℞ Succi Scillæ depurati.

Mellis despumati ana libras duas.

Coquantur simul s. artem ad consistentiam mellis.

CON-



CONDITA.

Condiuntur Saccharo diligenter clarificato secundum artem.

Caules {
 Angelicæ.
 Cynaræ.
 Lactucæ.

Cortices {
 Aurantiorum.
 Cinnamomi.
 Citrorum.
 Ligni Guaiaci.
 Limonum.

Flores {
 Aurantiorum.
 Borraginis.
 Citri.
 Genistæ nondum aperti.
 Primulæ veris.
 Rorismarini.
 Rosarum.

Fructus ut sunt {
 Amygdalæ.
 Berberes.
 Cappares.
 Caryophylli.
 Cerasa.
 Corna.
 Citria.
 Cydonia.
 Mala {
 Armeniaca.
 Persica.
 Vulgaria.
 Mespila.
 Myrobalanorum quinque genera.
 Nuces {
 Avellanæ.
 Juglandes.
 Moschatæ.
 Passulæ.
 Pineæ.
 Pistaciæ.
 Olivæ.
 Piper in racemis ex India.
 Poma. (dia.
 Pruna {
 Hortensia.
 Sylvestria.
 Pyra.
 Ulvæ. H 2 Pulpæ

Pulpæ	{	Casia.
		Citri.
		Cucurbitæ.
		Cydoniorum.
Radices	{	Acori vulgaris, Calami Aromatici, Galangæ.
		Angelicæ.
		Borraginis.
		Buglossi.
		Cichorii.
		Crethami agrestis.
		Enulæ Campanæ.
		Eryngii.
		Pimpinellæ.
		Satyrii.
		Scolymi.
		Sisari, Siferis, Secacul.
Symphyti majoris.		
Zingiberis.		
Zedoariæ.		

*Et surculi, & semina præter hæc
condiuntur.*

Modus condiendi sit, ut quæ magis amara, aut substantiâ duriora fuerint, aliquandiù macerentur, primùm in lixivio claro facto ex cineribus lignorum, deinde in aqua fontana calida, donec amaritudinem deposuerint, aut humectata tenerescant; post aquâ leviter expressâ, coquantur in Julepo lento igne, deinde recondantur in vase vitreo, aut fictili vitreato, affundendo. Julepum cui incocta fuerunt; poteruntque condiri aromatibus, ut & moscho, & ambrâ, pro libitû.

Quæ minùs amara, molliora, non opus lixivio ut macerentur, sed leviori ebullitione, Saccharum ut imbibant, & condiantur itidem.

CONSER-



CONSERVÆ & SACCHARA,
HERBARVM, FOLIORVM, FLORVM
ET FRVCTVVM.

CONSERVÆ.

Abſinthii.
Acetofæ.
Acetofellæ ſive Lujulæ.
Adianthi.
Auranciorum.
Betonicæ.
Borraginis.
Bugloſſi.
Cardui benedicti.
Centaurei.
Ceterach, Aſpleni.
Chamædryos.
Caryophyllorū, ſeu Tuni-
Cichorii. (cæ.
Cochleariæ.
Conſolidæ majoris.
Citrariæ.
Cynosbati.
Enulæ.
Euphragiæ.
Fumiterræ.
Geniſtæ non planè matu-
Granatorum. (rorum.
Lavendulæ.
Liliorum alborum.
Lilii Convallium.
Malvæ.
Nymphææ, Nenupharis.
Pœoniæ.
Perficæ.
Primulæ veris.
Prunellæ.
Roſarum { Damascenarū.
 { Rubrarum.

Roriſmarini ſive Anthūs.
Salviæ.
Sambuci.
Scabioſæ.
Stœchados.
Tiliæ.
Tuſſilaginis.
Violarum.
Galegæ ſive Rutæ caprariæ.
Gratiolæ.
Hyſſopi.
Majoranæ.
Meliffæ.
Menthæ.
Rutæ.
Satuireiæ.
Scordii.
Symphyti.

Folia & Flores minutiffimè inci-
dantur, & ſingulis libris florum
aut foliorum addantur

Sacchari albiffimi libræ tres.

Sed ut flores & herbæ, non itidè
parantur Berberes, Prunella, Fru-
ctus acidi in iſtis, exempli gratiâ.

℞ Fruct: Oxyacanthæ ſive Berbe-
rorū q. v. in aquæ fontanæ q.
ſ. ſuper prunas vivaces bul-
liant, dum pulpa ab arillis per-
rarum ſetaceū convenienter
decoletur, deprimèdo: dein
℞ Pulpæ præcolatæ libras ſex, quas

Pone in vitreato vase terreo (quòd acida ab æreo ingratum sapiant) & ad ignem lentum aquosam humiditatem evapora: bacillo ligneo subinde agitando, ne succus aduratur: demùm admisce

Sacchari albi clari (ut est artis) libras decem,
ad consistentiam coquendo debitam.

DIACODIVM SOLIDVM
SIVE TABVLATVM.

℞ Caput Papaveris albi, mediocri magnitudine, nec nimis viridium, neque suprâ modum maturorum numero viginti.
Aquæ pluviae aut fontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur, ad extremum adde Sacchari quantitatem sufficientem, & coquatur ut artis est, ut exindè fiant tabulæ.

MANVS CHRISTI SIM-
PLEX ET PER-
LATA.

℞ Sacchari optimi libram unam.
Aquæ Rosarum pallidarum semilibram.

Coquantur secundùm artem, & projiciendo super marmor, fiat

Manus Christi: Si sub finem coctionis addatur Margaritarum præparatarum & tritarum uncia dimidia, cum foliis auri octo vel decé, fit Manus Christi perlata.

MANVS CHRISTI AD
LUMBRICOS.

℞ Rhabarbari electi scrupulos quatuor.

Agarici trochiscati,

Corallinæ,

Cornu Cervi usti,

Dictamni Cretici,

Sem: Santonici,

Acetosæ, ana scrupulum.

Cinnamomi,

Zedoariæ,

Caryophyllorum,

Croci ana semisrupulum.

Sacchari albissimi tenuiter triti libram unam.

Dissolvatur Saccharum in aquæ Absinthii unciis quatuor cum Vini Absinthites uncia, & aquæ Cinnamomi Cochleari uno, & cum speciebus præscriptis fiant secundùm artem Manus Christi.

PENIDIA.

Constant ex Saccharo, & aqua Hordei, eâ proportione & arte coctis, ut massa quædam exurgat admodum solida, & ita tractabilis, ut digitis non adhæreat, & facilè

in

in fila ducatur tenuiora, crassiora, breviora aut longiora, contorta pro libitu; Plures addunt nonnihil Amyli.

CONFECTIO DE THVRE,
N O R.

℞ Sem: Coriandri præparati un-
ciam semis.

Nucis moschatæ.

Thuris albiss: ana drachmas
tres.

Glycyrrhizæ.

Mastichis ana drachmas duas.

Cubebæ.

Cornu Cervi præparati ana
drachmam unam.

Conser: rosarum rubrarum un-
ciam unam,

Cum sufficienti quantitate Sac-
chari albiss: fiat confectio in mor-
fellis pondere drachmarum dua-
rum.

SACCHARVM ROSATVM.

℞ Florum Rosarum rubrarū non-

dum plenè maturarū unciam
unam.

Forcipibus omnis albedo am-
putetur, deinde in umbra siccen-
tur, & terantur postea optimè in
mortario lapideo, tunc cum unciis
duodecim Sacchari optimi soluti
in aqua Rosarum rubrarum, co-
quantur secundum artem, dum
aqua fuerit absorpta: deinde pro-
jiciatur sensim massa super mar-
more, & fiant vel Manus Chri-
sti, vel placentulæ pro libitu. Sunt
qui inter coquendum addunt
Conservæ Rosarum rubrarum
uncias quatuor optimè immis-
cendo, unde Saccharum, & magis
coloratum, & gustui gratius red-
ditur.

Eodem modo Saccharum con-
flatum Violatum; tabulatum.

Sic è Buglossò.

Capill: Veneris,

Cichorio.

Iride Flor:

Rad: Enulæ.

Sympphyto, & aliis.

SPECIES





SPECIES SIVE PVLVERES.

AROMATICVM CARYO- PHYLLATVM, MES.

℞ Caryophyllorum drachmas sep-
tem.

Macis,

Zedoariæ,

Galangæ minoris,

Santali Citrini,

Trochisc. Diarhodon,

Cinnamomi,

Ligni Aloes,

Spicæ Nardi Indicæ,

Piperis longi,

Cardamomi, ana drachmam u-
nam.

Rosarum rubrarum drachmas
quatuor.

Galliæ moschataë,

Glycyrrhizæ rasæ, ana drach-
mas duas.

Folii,

Cubebarū, ana scrupulos duos.

Ambraë griseæ optimæ drach-
mam unam.

Moschi semiscrupulum.

Sacchari albissimi q. s.

Tritis omnibus diligentissimè fiat
Pulvis.

Cum Syrupi è Citro admisti q. s.
Electuarium fieri potest.

AROMATICVM RO- SATVM GABRIELIS.

℞ Rosarum rubrarum drachmas
quindecim.

Glycyrrhizæ rasæ drachmas sep-
tem.

Ligni Aloes.

Santali citrini, ana drachmas
tres.

Cinnamomi electi drachmas
quinque.

Caryophyllorum,

Macis, ana drachmas duas se-
mis.

Gum: Arabici,

Tragacanthi, ana drach-
mas duas & scrupulos
duos.

Nucis moschataë,

Carda-

Cardamomi minoris,
Galangæ, ana drachmam unã.
Spicæ Indicæ,
Ambra griseæ, ana scrupulos
duos.

Moschi scrupulum unum.

Pulverisentur secundùm artem,
& pulvis seruetur in vase vitreo,
vel fictili vitreato ad usum.

Parari potest sine spica propter
ingratitude, quo nomine &
in reliquis speciebus cordialibus
Spica omitti potest.

PVLVIS CARDIACVS
MINOR, *FERN.* l. 5. c. 21.

℞ Cornu Cervi,
Unicorni,
Margaritarum splendidarum,
Scobis Eboris, ana grana sex.
Fiat Pulvis tenuis : si reservandus,
singulorum quantitas augetur a-
nalogicè.

PVLVIS CARDIACVS
MAJOR, *FERN.*

℞ Radic: Tormentillæ,
Dictamni,
Tunicæ,
Scabiosæ.
Sem: Acetosæ,
Coriandri præp.
Citri,
Cardui Benedicti,
Endiviæ,

Rutæ, ana drachmam u-
nam.

Trium Santalorum,

* Been { albi, } vel succed:
 { rubri, } pag. 58.

Doronici Romani,

Cinnamomi,

Cardamomi,

Croci,

Flor: Buglossi utriusque,

Rosarum rubrarum,

Nymphææ,

Ligni Aloes,

Macis ana scrupulos duos.

Rasuræ Eboris.

Spodii,

Offis è Corde Cervi,

Corallii rubri,

Margaritarum splend:

Smaragdi,

Hyacynthi,

Granati, ana scrupulum unum.

Serici crudi torrefacti,

Boli Armeni,

Terræ Lemniæ, ana semidrach-
mam.

Caphuræ,

Ambra griseæ,

Moschi, ana grana sex.

Fiat Pulvis, & ex octuplo Saccha-
ri, albi aquâ rosarum soluti, tabel-
læ concinentur.

PVLVIS AD CONTVSOS
EX CASV, *AVGVST.*

℞ Terræ sigillatæ,

Sangui-

Sanguinis Draconis,
 Mumia, ana drachmas duas.
 Spermatis Ceti drachmam unam.
 Rhabarbari drachmam dimidiam.
 Fiat omnium Pulvis secundum artem.

SPECIES CORDIALES
 TEMPERATAE.

℞ Ligni Aloes,
 Spodii, ana drachmam unam.
 Cinnamomi,
 Caryophyllorum,
 Ossis de corde cervi,
 Radic: Angelicæ.
 *Been utriusque, (vel eorum loco
 Radic: Caryophyllatæ & Tormentillæ,) ana drachmam unam semis.
 Margaritarum præparatarum drachmas sex.
 Serici crudi tosti.
 Corallii utriusque, ana drachmas duas.
 Hyacinthi,
 Smaragdi,
 Sapphyri, ana drachmam dimidiam.
 Croci scrupulum unum.
 Ambræ griseæ,
 Moschi, ana drachmam dimidiam.
 Folia { Auri,
 { Argenti, ana decem.
 Fiat Pulvis secundum artem.

DIACALAMINTHES SIMPLEX, GAL.

℞ Calaminthæ Montanæ,
 Pulegii,
 Origani
 Sem: Petroselini Macedonici,
 Petroselini,
 Seseleos, ana drachmas duas.
 Sem: Apii,
 Cymarum Thymi, ana unciam dimidiam.
 Sem: Ligustici,
 Piperis nigri, ana unciam unam.
 fiat Pulvis secundum artem.

Fieri etiam potest Electuarium, cum Sacchari albissimi (soluti in aqua Violarum aut Rosarum) libris duabus semis.

SPECIES ELECTUARI
 DIACALAMINTHES
 COMPOSITI, FER.

℞ Pulveris Electuarii Diacalaminthes simplicis unciam dimidiam.
 Folior: Prasii,
 Majoranæ,
 Melissæ,
 Artemisiæ,
 Sabinæ, aridorum, ana drachmam unam.
 Radic: Cyperi,
 Sem: Rubiæ,
 Rutæ,
 Macis,

Cinna.

Cinnamomi, ana scrupulos duos.

Terantur & misceantur diligentissimè; fieri etiam potest Electuarium cum Sacchari in aqua Parthenii soluti duodecuplo.

DIANISVM, MES.

℞ Sem: Anisi elect: uncias duas semis.

Glycyrrhizæ rasæ,
Mastiches, ana unciam unam.

Sem: Carui,
Fœniculi,

Galangæ,

Macis,

Zingiberis,

Cinnamomi, ana drachmas quinque.

Trium Piperum,

Casiz lignæ,

Calaminthæ,

Pyrethri, ana drachmas duas.

Cardamomi,

Caryophyllorum,

Cubebæ,

Spicæ Indicæ,

Croci, ana sesquidrachmam.

Sacchari albi uncias quinque.

Fiat Pulvis, & cum melle despumato Electuarium.

SPECIES ELECTVARI DIACYMINI.

NICOLAI.

℞ Cymini per diem naturalem infusi in aceto, & iterum exicca-

ti, unciam unam, & scrupulum unum.

Cinnamomi,
Caryophyllorū, ana drachmas duas semis.

Galangæ,

Satureiæ,

Calaminthes, ana drachmam unam & scrupulos duos.

Zingiberis,

Piperis nigri, ana drachmas duas, & grana quinque.

Sem: Ligustici,

Ammios, ana drachmā unā & grana octodecim.

Piperis longi drachmam unam.

Spicæ Nardi,

Nucis Moschatae,

Cardamomi, ana scrupulos duos semis.

Terantur, & diligenter recondantur ad usum, in forma Pulveris.

SPECIES ELECTVARI DIAGALANGÆ, MES.

℞ Galangæ,

Ligni Aloes, ana drachmas sex.

Caryophyllorum,

Macis,

Semin: Ligustici, ana drachmas duas.

Zingiberis,

Piperis longi,

albi,

Cinnamomi,

Calami Aromatici, ana drachmam unam semis.

Cala-

Calaminthæ siccæ,
 Menthæ siccæ,
 Cardamomi majoris,
 Spicæ Indicæ,
 Sem: Apii,
 Anisi,
 Fœniculi,
 Carui, ana drachmam unā.
 fiat Pulvis secundum artem.

Fieri etiam potest Electuarium
 cum Sacchari albi, vino Malvati-
 co soluti,
 vel Mellis despumati duo-
 decuplo.

SPECIES ELECTVARI
 DE GEMMIS CALIDI,
 MES.

℞ Trochiscorum Diarhodon,
 Ligni Aloes, ana drachmas
 quinque.
 Margaritarum albarum.
 Zedoariæ,
 Doronici,
 Cortic: Citri.
 Macis,
 Sem: Ocimi Caryophyllati.
 Ambrae griseæ veræ, ana drach-
 mas duas.
 Corallii rubri,
 Succini albi,
 Rasuræ Eboris, ana scrupulos
 quinque.
 Sapphyri,
 Hyacynthi,
 Sardæ,
 Granati,

Smaragdi,
 Cinnamomi,
 Galangæ,
 Zurumbet, ana drachmam un-
 nam semis.
 * Been utriusque (vide succedan-
 pag. 58.)
 Caryophyllorum.
 Zingiberis,
 Piperis longi,
 Spicæ Indicæ,
 Folii, vel Spicæ Celticæ,
 Croci,
 Cardamomi majoris, ana
 drachmam unam.

Folior: Auri,
 Argenti, ana scrupulos
 duos.
 Moschi drachmam dimi-
 diam.

Fiat omnium Pulvis secundum
 artem, & servetur ab aëte conclu-
 sus diligentissimè.

SPECIES ELECTVARI
 DE GEMMIS FRI-
 GIDI.

℞ Margaritarum præparatarum
 drachmas tres.
 Spodii,
 Rasuræ Eboris,
 Corallii utriusque, ana drach-
 mas duas.
 Flor: Rosarum rubrarum drach-
 mam unam semis.
 Hyacynthi,
 Sapphyri,

Smaragdi,
 Sardaë,
 Granati,
 Santali } albi,
 } rubri,
 } Citrini,
 Flor: Borraginis,
 Buglossi,
 Sem: Acetosæ,
 Basilici,
 * Been utriusque (vide pag.
 58.) ana drachmam u-
 nam.
 Offis è corde Cervi drach-
 mam dimidiam.
 Folia Auri,
 Argenti, ana quindecim.
 Fiat Pulvis secundum artem, di-
 ligenter reponatur.

SPECIES ELECTVARIII
 DIAIREOS SIMPLICIS,
 NICOLAI.

℞ Ireos unciam dimidiam.
 Saccharicandi,
 Specierum Diatragacanthi fri-
 gidi, ana drachmas duas.
 Fiat Pulvis.

SPECIES DIALACCÆ,
 MES.

℞ Laccæ præparatæ,
 Rhabarbari,
 Schoenanthi, ana drachmas
 tres.
 Spicæ,

Mastiches,
 Succi Absinthii Romani,
 Eupatorii, i. Agerati,
 Sem: Apii,
 Ammeos,
 Fœniculi,
 Anisi,
 Sabinæ,
 Amygdalarum amararum,
 Myrrhæ,
 Costi, seu Zedoariæ,
 Radic: Rubiæ tinctorum,
 Asari,
 Aristolochiæ } longæ,
 } rotundæ,
 Gentianæ,
 Croci,
 Cinnamomi,
 Hyssopi siccæ,
 Casiæ lignæ veræ,
 Bdellii, ana drachmam unam
 femi.
 Piperis,
 Zingiberis, ana drachmam unâ.
 Fiat Pulvis s. a.

Fieri etiam potest Electuarium
 cum mellis vel Sacchari vino albo,
 vel aquâ Cichorii, soluti, q. s.

SPECIES ELECTVARIII
 DIAMARGARITON
 CALIDI
 APICEN.

℞ Margaritarum albissimarum,
 Pyrethri, ana drachmam unam.
 Zingiberis.

Mastiches, ana unciam dimidiam.

Doronici,

Zedoariæ,

Sem: Apii,

Cardamomi utriusque,

Nucis moschatae,

Macis, ana drachmas duas.

* Been utriusque vide succedan:
pag. 58.

Piperis $\left\{ \begin{array}{l} \text{nigri,} \\ \text{longi,} \end{array} \right.$ ana drachmas
tres.

Cinnamomi drachmas quinque.

Pulverizentur, reponantur ad
usum.

**SPECIES ELECTVARIII
DIAMARGARITON
FRIGIDI, NIC.**

R \bar{c} Semin: quatuor frigidorū ma-
jorum mundatorum.

Sem: Portulacæ,

Papaveris albi,

Endiviæ,

Oxalidis,

Citri,

Trium Santalorum,

Ligni Aloes,

Zingiberis,

Flor: Rosarum rubrarum,

Nymphææ,

Buglossi,

Violarum,

Baccarum Myrti,

Offis è corde Cervi,

Eboris,

Doronici Romani,

Cinnamomi, ana drachmam
unam.

Corallii utriusque, ana drach-
mam dimidiam.

Margaritarum splendidarum
drachmas tres.

Ambrae griseæ.

Caphurae, ana grana sex.

Moschi grana duo.

Fiat Pulvis secundum artem.

Observandum autem, ut semina
frigida Majora & Papaveris mun-
data non prius addantur, quam
species requiruntur à Medico ad
usum, alioqui compositio fiet ran-
cida: & sic in reliquis speciebus,
quarum compositionem hæc se-
mina ingrediuntur.

**SPECIES ELECTVARIII
DIAMBRÆ, MES.**

R \bar{c} Cinnamomi,

Doronici, sive Zedoariæ,

Caryophyllorum,

Macis,

Nucis moschatae,

Folii,

Galangæ, ana drachmas tres.

Spicæ Indicæ,

Cardamomi majoris,

minoris, ana drach-
mam unam.

Zingiberis drachmam unam
semis.

Ligni Aloes,

Santali

Santali Citrini,
Piperis longi, ana drachmas
duas.
Ambræ griseæ sesquidrachmā.
Moschi drachmam dimidiam.
Misce, fiat omnium Pulvis.

SPECIES ELECTVARIII
DIAMOSCHV DVLCIS,
MES.

℞ Croci,
Doronici, seu Galangæ,
Zedoariæ,
Ligni Aloes,
Macis, ana drachmas duas.
Margaritarum albarum,
Serici cruditofti,
Succini,
Corallii rubri,
Galliæ Moschataæ,
Ocimi Citrati, ana drachmas
duas semis.
Zingiberis,
Cubebæ,
Piperis longi, ana drachmam
unam semis.

* Been utriusque, vel succedan:
pag. 58.

Folii, aut Cinnamomi,
Spicæ Indicæ,
Caryophyllorum, ana drach-
mam unam.
Moschi scrupulos duos.
fiat Pulvis secundum artem.
fiet & Electuarium, addendo Sac-
chari vino albo soluti quadruplū.

SPECIES ELECTVARIII
DIAMOSCHV AMARI,
MES.

Ad eadem ingredientia, & pari
dosi, adde

Abfinthii,
Rosarum, ana drachmas tres.
Aloes optimæ lotæ semunciam.
Cinnamomi drachmas duas se-
mis.
Castorei,
Ligustici, ana drachmam unam.
Fiat Pulvis.

SPECIES ELECTVARIII
DIANTHON, NIC.

℞ Flor: Rosismarini unciam unā.
Rosarum rubrarum,
Violarum,
Glycyrrhizæ, ana drachmas sex.
Caryophyllorum,
Spicæ Indicæ.
Nucis moschataæ,
Galangæ,
Cinnamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloes,
Cardamomi,
Sem: Anethi,
Anisi, ana scrupulos qua-
tuor.

Fiat Pulvis secundum artem.

DIAPENIDION, *NIC.*

℞ Penidiorum uncias duas.
 Nucum Pinearum,
 Amygdalarum dulcium mundatarum,
 Sem: Papaveris albi, ana drachmas tres, scrupulum unum.
 { Cinnamomi.
 { Caryophyllorum.
 { Zingiberis.
 Succi Glycyrrhizæ,
 Gum: Tragacanthi,
 Arabici,
 Amyli candidissimi.
 Sem: 4. frig: maj: excortic: ana sesquidrachmam.
 Camphoræ grana septem.
 Sacchari albissimi q. s. vel in forma Electuarii, cum Syrupo Violarum.

DIARHODON ABBATIS,
NICOLAI.

℞ Santalorum alborum,
 rubrorum, ana drachmas duas semis.
 Gum: Tragacanthi,
 Arabici,
 Spodii, ana scrupulos duos.
 Afari,
 Mastiches,
 Spicæ Indicæ,
 Cardamomi,
 Glycyrrhizæ,
 Croci,

Ligni Aloes.

Caryophyllorum,

Galliæ moschatae,

Sem: Anisi,

Fœniculi,

Cinnamomi,

Rhabarbari,

Sem: Ocimi,

Acinorum, Berberis,

Sem: Scariolæ,

Portulacæ,

Cucurbitæ,

Cucumeris,

Citruli,

Melonum,

Papaveris albi, ana scrupulum unum.

Margaritarum.

Offis è Corde Cervi, ana scrupulum dimidium.

Sacchari Candi,

Rosarum rubrarum, ana unciâ unam, & drachmas tres.

Camphoræ grana septem.

Moschi grana quatuor.

Fiat Pulvis s. a.

Fieri etiam potest Electuarium cum octuplo Sacchari dissoluti in aqua Rosacea.

DIOSPOLITICVM,
GALENI.

℞ Cymini præparati,

Piperis longi,

Folior: Rutæ ficcatorum, ana unciam unam.

Nitri unciam dimidiam.

Fiat Pulvis.

SPECIES

SPECIES ELECTVARIII
DIATRAGACANTHI
FRIGIDI,
NICOLAI.

℞ Gum: Tragacanthi albi uncias
duas.

Arabici unciam unam
& drachmas duas.

Amyli unciam dimidiam.

Glycyrrhizæ,

Sem: Melonum,

Papaveris albi,

Citruli,

Cucumeris,

Cucurbitæ, ana drachmas
duas.

Penidiorum uncias tres.

Caphuræ semisrupulum.

Fiat Pulvis f. a.

Fieri etiam potest Electuarium,
cum Syrupi Violacei sufficienti
quantitate: At cautio habenda est
(ut prius) de seminibus frigidis.

SPECIES ELECTVARIII
DIATRION PIPEREON,
GALENI.

℞ Trium piperum, ana drachmas
sex, & grana quindecim.

Sem: Anisi,

Thymi,

Zingiberis, ana drachmam
unam.

Fiat Pulvis: & cum Saccharo in
aqua florum Rosæmarini soluto,

vel melle prout res postulaverit
fieri potest Electuarium f. a.

SPECIES ELECTVARIII
DIATRION SANTA-
LON, NIC.

℞ Santalorum omnium.

Rosarum rubrarum,

Sacchari candi, ana drachmas
tres.

Rhabarbari,

Spodii,

Succi Glycyrrhizæ,

Sem: Portulacæ, ana drachmas
duas, & grana quindecim.

Amyli,

Gum: Arabici,

Tragacanthi,

Sem: Melonum,

Cucumeris,

Citruli,

Cucurbitæ,

Scariolæ, ana drachmam
unam semis.

Camphoræ scrupulum u-
num.

Fiat Pulvis f. a.

Fieri etiam potest Electuarium
cum octuplo Sacchari in aqua
Rosacea soluti.

PVLVIS HALY.

℞ Sem: Papaveris albi drachmas
decem.

I 3

Gum-

Gummi Arabici,
Amyli,
Tragacanthi, ana drach-
mas tres.

Semin: Portulacæ,
Altheæ,
Malvæ, ana drachmas
quinque.
Cucumeris,
Melonis,
Cucurbitæ,
Citriuli,
Cydoniorū mundatorū,
ana drachmas septem.

Spodii,
Glycyrrhizæ, ana drachmas
tres.

Penidiorū ad pondus omnium.

Fiat Pulvis s. a.

LÆTIFICANS GALENO
ADSCRIPTVS.

℞ Florum Ocimi Caryophyllati
aut sem. ejusdem.

Croci,
Zedoariæ,
Xyloaloes,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis.
Nucis moschataæ,
Styracis Calamitæ, ana drach-
mas duas semis.
Rasuræ Eboris,
Sem: Anisi,
Thymi,

Epithymi, ana drachmam u-
nam.

Offis è Corde Cervi,
Margaritarum,
Camphoræ,
Ambraæ,

Moschi, ana drachmam dimi-
diam.

Folior: Auri,
Argenti, ana scrupulum
dimidium.

Fiat Pulvis s. a. reservetur dili-
genter ad usum.

SPECIES CONFECTIO-
NIS LIBERANTIS.

℞ Radic: Tormentillæ,
Semin: Acetosæ,
Endiviæ,
Coriandri præparati,
Citri, ana drachmam
unam semis.

Santalorum omnium,
Dictamni albi, ana drachmam
unam.

Boli Armeni,
Terræ Lemniæ, ana drachmas
tres.

Margaritarum,
Corallii utriusque,
Succini albi,

Rasuræ Eboris,
Spodii,
Offis è Corde Cervi,

* Been utriusque, vel succedan:
pag. 58.

Radic: Angelicæ.

Carda-

Cardamomi,
 Cinnamomi,
 Macis,
 Ligni Aloes,
 Cassiæ Lignæ,
 Croci,
 Zedoariæ, ana drachmam di-
 midiam.
 Penidiorum,
 Sacchari candi,
 Serici crudi tosti,
 Smaragdi,
 Hyacynthi,
 Granati, ana scrupulos duos.
 Flor: Nymphææ,
 Buglossi,
 Rosarum rubrarum, ana
 scrupulum unum.
 Camphoræ grana septem,
 Moschi,
 Ambraë griseæ ana grana tria.
 Fiat Pulvis secundùm artem.

LITHONTRIBON,
NIC. SEC. FERN.

R^x Spicæ Nardi,
 Zingiberis,
 Cinnamomi,
 Melanopiperis,
 Cardamomi,
 Caryophyllorum,

Macis, ana drachmam dimi-
 diam.
 Costi,
 Glycyrrhizæ,
 Cyperi,
 Tragacanthæ,
 Chamædryos, ana scrupulos
 duos.

Sem: Ammeos,
 Apii,
 Asparagi,
 Ocimi,
 Urticæ,
 Citri,
 Saxifragiæ,
 Pimpinellæ,
 Carui,
 Dauci,
 Fœniculi,
 Rusci,
 Petroselini Macedonici,
 Bardanæ,
 Seseleos,
 Afari, ana drachmam u.
 nam.

Lapidis Songiæ,
 Lyncis,
 Cancri,
 Judaici, ana drachmam
 unam semis.
 Sanguinis Hircini præ-
 parati unciam unam
 semis. Fiat Pulvis se-
 cundùm artem.

PVLVIS SAXONICVS.

- ℞ Radic: utriusque Angelicæ,
 Vincetoxici,
 Valerianæ domesticæ,
 Polypodii quercini,
 Radic: Althææ,
 Urticæ, ana unciam di-
 midiam.
 Cortic: Mezerei German: drach-
 mas duas.
 Granorum herbæ Paridis nu-
 mero viginti quatuor.
 Folior: ejusdem, cum toto, nu-
 mero triginta sex.
 Ex maceratis in aceto radicibus, &
 siccatis, fiat omnium pulvis.

PVLVIS PALMARI
 AD MORSVM CANIS
 RABIDI.

- ℞ Folior: Rutæ,
 Verbenæ,
 Salviæ,
 Plantaginis,
 Polypodii,
 Absinthii vulgaris,
 Menthæ,
 Artemisiæ,
 Melissophylli,
 Betonicæ,
 Hyperici,
 Centaurii minoris, ana p. æ.
 Legantur singula, quo tempore
 viribus pollent maximis, quod ad

Junii ferè plenilunium assequun-
 tur. Papyraceis dein chartis con-
 clusa siccentur seorsim in loco, ad
 quem, neque Sol, neque pluvia
 pertingat: Siccata ad futuros usus
 asserventur, eâ lege, ut quotannis
 renoventur:

Quum utendi necessitas incidet,
 singulorum æquale pondus in
 pulverem tenuissimum redigito.

PLERES ARCHONTI-
 CON, NICOLAI.

- ℞ Cinnamomi,
 Caryophyllorum,
 Ligni Aloes,
 Galangæ,
 Spicæ Indicæ,
 Nucis Moschatæ,
 Zingiberis,
 Spodii,
 Schœnanthi,
 Cyperi,
 Rosarum,
 Violarum, ana drachmam unā.
 Folii, seu Macis,
 Glycyrrhizæ,
 Mastiches,
 Styracis Calamitæ,
 Majoranæ,
 Balsamitæ seu Menthæ aqua-
 ticæ,
 Ocimi,
 Cardamomi,
 Piperis longi,
 albi,

Myrti-

Myrtilorum baccarum,
Corticum Citri, ana drachmam
dimidiam & grana sex.

Margaritarum,
* Been { Albi, } vel succedan.
 { Rubri, } pag. 58.

Corallii rubri,
Serici tosti, ana grana octode-
cim.

Moschi grana sex.
Camphoræ grana quatuor.

Fiat Pulvis secundum artem. Po-
terit etiam cum decuplo sacchari
soluti in aqua Melissæ formari in
Electuarium.

PVLVIS PRÆSERVATIVVS
A PESTE, MONTAG.

R Santalorum omnium,
Semin: Ocimi, ana unciam u-
nam semis.

Boli Armeni,
Cinnamomi, ana unciam u-
nam.

Radic: Dictamni,
Gentianæ,
Tormentillæ, ana drach-
mas duas semis.

Semin: Citri,
Acetosæ, ana drachmas
duas.

Margaritarum,
Sapphyri,
Ossis de Corde Cervi, ana

drachmam unam.

Fiat Pulvis secundum artem, dili-
genter reponatur.

SPECIES ELECTVARIII
ROSATÆ NOVELLÆ,
NICOLAI.

R Rosarum,
Sacchari,
Glycyrrhizæ, ana unciam unã,
drachmam unam, scrupulos
duos semis.

Cinnamomi drachmas duas,
scrupulos duos, grana duo.

Caryophyllorum,

Nardi Indicæ,

Zingiberis,

Galangæ,

Nucis moschataæ,

Zedoariæ,

Styracis,

Cardamomi,

Apii, ana scrupulum unum,
grana octo.

Sacchari albissimi q. s.

Fiat Pulvis: inde Electuarium s. a.

PVLVIS AD HÆMORRHA-
GIAM, GALENI.

Meth. l. 5. c. 4.

R Thuris drachmam unam.

Aloes drachmam dimidiam.

Fiat Pulvis. Cùm utendi tempus
instat, tantum hujus cum ovi can-
dido subigitur, quantum mellis

reddat

reddat crassitudinem; hoc Leporis mollissimis pilis excipitur, deinde tum vasi profluenti, tum ulceri toti liberaliter imponitur, adhibitâ ligaturâ convenienti.

PVLVIS AD SCABIEM.

℞ Sulphuris vivi,
Nitri,
Folior: Majoranæ, ana drachmas duas.
Lithargyri auri,
Radic: Ellebori nigri, ana drachmam unam.
Pimpinellæ drachmam dimidiam.
Fiat Pulvis secundum artem.

PVLVIS RADVLPHI HOLLAND.

℞ Sem: Anisi,
Carui,
Fœniculi,
Cymini,
Spicæ Nardi,
Cinnamomi,
Galangæ, ana unciam dimidiam.
Glycyrrhizæ,
Mili Solis, ana unciam unam.
Sennæ ad pondus omnium.
Fiat Pulvis.

PVLVIS SANCTVS, BRASAVOLÆ.

℞ Foliorum Sennæ,
Cremoris Tartari, ana uncias duas.
Caryophyllorum,
Cinnamomi,
Galangæ,
Ammeos, ana drachmas duas.
Diagrydii unciam dimidiam.
Fiat Pulvis secundum artem.

In defectu seminum Ammeos legitimorum aut recentium quibus sapissime destituimur, substituenda quidem Anisi semina convenimus cum Antidotario Bergomenfi.

PVLVIS SENNÆ.

℞ Sennæ optimæ uncias duas.
Cremoris Tartari unciam dimidiam.
Macis scrupulos duos semis.
Zingiberis.
Cinnamomi, ana drachmam unam semis.
Salis Indi drachmam unam.
Fiat Pulvis s. a.

DIATVRBITH MAIJS SINE RHABBARO.

℞ Turpeti optimi unciam unam.
Diagrydii,
Zingiberis, ana unciâ dimidiâ.
Cinnamomi,

Caryo-

Caryophyllorum, ana drachmas
duas.

Galangæ,

Piperis longi,

Macis, ana drachmam unam.

Fiat Pulvis: Et cum Sacchari al-
bissimi unciis octo & drachmis
quinque in aq: Cichorii solutis,
feri potest Electuarium s. a.

DIATVRBITH CVM RHA-
BARBARO, MON-
TAGNANÆ.

℞ Turpeti optimi,
Hermodactylorum, ana unciã
unam.

Rhabarbari drachmas decem.

Diagrydii unciã dimidiam.

Santali rubri,

albi,

Violarum,

Zingiberis, ana drachmam unã
semis.

Mastiches,

Anisi,

Cinnamomi,

Croci, ana drachmã dimidiam.

Fiat Pulvis: Et cum Sacchari al-
bissimi libra una, unciis duabus,
& drachmis duabus in aq: Cicho-
rii solutis, fieri potest Electuarium
secundum artem.

PVLVIS AD LVMBRICOS.

℞ Sem: Sanctonici uncias quatuor.

Folior: Sennæ unciã unam.

Coriandri præparati,

Cornu Cervi, ana drachmam
dimidiam.

Rhabarbari unciã dimidiam.

Rutæ siccæ drachmas duas.

Fiat Pulvis.

ELECTV-





ELECTVARIA.

ANTIDOTVS ANALEP- TICA SIVE ELECTVA- RIVM RESVMPATIVM, FERNELII.

℞ Rosarum rubrarum,
Glycyrrhizæ, ana drachmas du-
as & grana quinque.

Gum: Arabici,
Tragacanthi, ana drach-
mas duas & scrupulos
duos.

Santali albi,
rubri, ana scrupul:
quatuor.

Succi Glycyrrhizæ,
Amyli,

Semin: Papaveris albi,
Portulacæ,
Lactucæ,
Scariolæ, ana drachmas
tres.

Quatuor Semin: frigidorum
majorum.

Sem: { Cydoniorum,
Malvæ,
Bombacis,
Violarum,

Strobilorum,
Pistaciorum recentium,
Amygdalarum dulcium,
Pulpæ Sebesten, ana drachmas
duas.

Caryophyllorum,
Spodii,
Cinnamomi, ana drachmam
unam.

Croci grana quinque.

Penidiorum unciam dimidiam.

Trita omnia excipiantur triplo
Syrupi violati, & fiat Electuarium
mollè.

CONFECTIO ALKERMES, M E S.

℞ Succi Pomorum fragrantium.
Aquæ Rosarum odoratissimæ,
ana libram unam semis.

Quibus

Quibus infunde per horas viginti quatuor,

Serici erudi uncias quatuor.

Expressioni forti adde,

Succi granorum Kermes ad nos advecti, puri libram unam.

Sacchari libras duas.

Coque ad mellis consistentiam, Mixturæ ab igne sepositæ, adhuc autem calenti, adde

Ambra griseæ crudæ minutim concisæ unciam dimidiam.

Quibus optimè liquatis, superinjicito sequentia pulverisata.

Cinnamomi electi,

Ligni Aloes optimi,

Lapidis Lazuli usti in Crucibulo,

(dein pulverisati, & loti primum in aqua communi, dein in aqua Rosacea aut Borraginis, idque multoties, ita ut post lotionem exicetur, denuóque lavetur; & eousque hæc reiteretur operatio, donec aqua limpida post lotionem remaneat) ana drachmas sex.

Margaritarum pellucidarum præparatarum drachmas tres.

Folior: Auri,

Moschi optimi, ana drachmam unam.

Confice secundum artem.

ELECTVARIVM DE BACCIS LAVRI, RHASIS.

R Folior: Rutæ aridorum drach-

mas decem.

Sem: Ammeos,

Cymini,

Ligustici,

Origani,

Nigellæ,

Carui,

Dauci,

Petrofelini,

Amygdalarum amararum,

Piperis nigri,

longi,

Menthastris,

Acori, vel Calami aromatici.

Baccarum Lauri,

Castorei, ana drachmas duas.

Sagapeni unciam dimidiam.

Opopanacis drachmas tres.

Mellis despumati libram unam semis.

Tritis diligenter quæ terenda, fiat Electuarium secundum artem, sub finem additis vino dilutis lachrymis.

ATHANASIA MITHRIDATIS, e GALENO.

R Cinnamomi,

Cassia,

Schœnanthus, ana sesquiunciâ.

Croci,

Myrrhæ, ana unciam.

Costi,

Mei,

Acori,

Agarici,

Scordii,

Dauci,

K

Petro-

Petroselini, ana semunciam:
 Piperis albi grana undecim.
 Mellis q. s.
 Compone, ut artis est.

DIACAPPARIS, GILBERTI
 ANGLI:

℞ Capparis uncias quatuor.
 Radic: Agrimonix,
 Semin: Gith, i. Nigellæ Rom:
 Scillæ,
 Afari,
 Centaureæ,
 Pyrethri,
 Piperis nigri,
 Apii,
 Thymi, ana unciam unam.
 Mellis q. s.

Fiat Electuarium secundum ar-
 tem.

DIACINNAMOMV.
 MES.

℞ Cinnamomi tenu: drachmas
 quindecim.
 Cassiæ Ligneæ,
 Radic: Helenii, ana semunciam.
 Galangæ drachmas septem.
 Caryophyllorum,
 Piperis longi,
 Cardamomi utriusq;
 Zingiberis,
 Macis,
 Nucis Moschatae,
 Xyloaloes, ana drachmas tres.
 Croci drachmam.

Sacchari tabarzet, i.e. cristallini
 albiss. drachmas quinque.
 Moschi scrupulos duos.
 Excepta mellis despumati libris
 duabus, unciis octo, Coque;
 Fiat Electuarium secundum ar-
 tem.

DIACORALLION
 USVAL: COLON:

℞ Corallii albi,
 rubri,
 Boli Armeni veri,
 Sanguinis Draconis, ana drach-
 mam.
 Margaritarum semidrachmam.
 Xyloaloes,
 Rosarum rubrarum,
 Gum: Tragacanthi,
 Cinnamomi, ana scrup: duos.
 Santali albi,
 rubri, ana scrupulum.
 Misce, fit Pulvis, è pulvere Electu-
 arium s. a. cum
 Sacchari albissimi, & Aq:
 Cinnamomi ten: ana q. s.

DIACORVM, MES.

℞ Radic: Secacul, seu Siseris,
 Acori, seu Calami aro-
 matici,
 Pinearum, ana sesquilibram.
 Radicibus Secacul mundatis, inci-
 sis, coctis, pistatis, tritis dum pulti
 similes, affunde
 Mellis despumati libras decem.
 Coquan-

Coquantur agitando, ad justam spissitudinem, tum adde tritas radices Acori, incisas Pineas, mixtas sequenti pulveri;

R Piperis nigri unciam,
longi,
Caryophyllorum,
Zingiberis,
Macis, ana semunciã.
Nucis moschatae,
Galangae,
Cardamomi, ana drachmas tres.

Misce cum radicibus, & Melle q. s. agitando ne grumi relinquuntur. Fiat Electuarium s. a.

ELECTVARIVM à SCORIA
FERRI,
RHASIS.

R Scoriam ferri aceto infusae per dies septem, postea torrefactae, drachmas tres.

Spicae Indicae,
Schœnanthus,
Cyperis,
Zingiberis,
Piperis,
Ammeos,
Thuris, ana semunciam.

Myrobala- { Indarum,
norum. { Belliricarum,
 { Emblicarum,

Mellis decocti cum apozemate Emblicarum uncias sedecim.

Misce: fiat Electuarium.

DYACYDONIVM
SIMPLEX.

R Carnis Cydoniorum mundatorum, & in frusta dissectorum, & in aqua dulci ad spissitudinem coctorum libras octo.

Sacchari albissimi despumati, & ad justam consistentiam concocti libras sex.

Coque ad spissitudinem.

DYACIDONIVM
GALENI CVM
SPECIEBVS.

R Succum Pomorum Cydoniorum, Sacchari optimi, ana libras duas.

Aceti vini albi libram semis in fine decoctionis.

Coctis supra prunas modicè & spumam detractam, adde

Zingiberis uncias duas,
Piperis albi drachmas decem & scrupulos duos

crassiusculè incisorum, deinde rursus lento igne recoque ad mellis crassitudinem.

DIACYDONIVM LONDINENSE COMPOS.

R Sacchari albi libras sex.

Aquae fontanae libras quatuor. Clarificentur cum albumine ovi, & diligenter despumentur: Dein

℞ Cydoniorum maturorum à corticibus exterioribus & seminibus expurgatorum, & in quatuor partes incisorum libras octo.

Coquantur in syrupo prædicto dum carnes teneræ sint, deinde per pannum laneum (sive bouterum vulgò vocatum) coletur succus sive syrupus. Iterum coquantur ad gelatinæ consistentiam cum aceti vini albi unciis quatuor in fine additis, syrupo ab igne remoto, dum adhuc calefcit, insperge has species sequentes, crasso modo incisas, scilicet

Zingiberis unciam unam.

Piperis albi,

Cinnamomi,

Nucis moschatae, ana drachmas duas.

In pyxidibus diversis reservetur.

Eodem modo paretur Diacydonium simplex.

CONFECTIO DE HYACINTHO.

℞ Hyacinthorum,

Corallii rubri,

Boli Armeni,

Terræ sigillatae, ana unciam dimidiam.

Granorum Kermes.

Radic: Tormentillæ,

Dictamni,

Sem: Citri mundat:

Acetosæ,

Portulacæ,

Croci,

Myrrhæ,

Rosarum rubrarum,

Santalorum omnium,

Ossis è Corde Cervi & Cornu,

Rasuræ Eboris præparatæ, ana scrupulos quatuor.

Sapphyrorum

Smaragdi,

Lapidis Topasii

Margaritarum,

Serici crudi,

Folior: Auri,

Argenti, ana scrupulos duos.

Camphoræ,

Moschi,

Ambrae griseæ ana grana quinque.

Cum syrupo de Limonibus fiat Confectio secundum artem.

CONFECTIO HVMAIN. M E S.

℞ Euphrasiæ uncias duas.

Sem: Foeniculi drachmas quinque.

Caryophyllorum,

Cinnamomi,

Cubebarum,

Piperis longi,

Macis, ana drachmam unam.

Pulverizatis, cribellatis, adde

Mellis despumati libram unam

quâ

quâ simul coque, & depura
 Succ: Fœniculi unciam unam.
 Chelidoniæ,
 Rutæ, ana semunciam.
 Cum his confectæ Species in vase
 vitreato reserventur.

ANTIDOTVM HÆMA-
 GOGVM, ROM.

℞ Lupinorum drachmas duas.
 Piperis nigri scrupulos quinque
 & grana sex.
 Glycyrrhizæ scrupulos quatuor.
 Aristolochiæ longæ,
 Arthemisiæ,
 Cassiæ lignæ,
 Sem: Petroselini Macedonici,
 Pyrethri,
 Sem: Rutæ,
 Spicæ,
 Myrrhæ,
 Pulegii ana scrupulos duos &
 grana quatuordecim,
 Sem: Apii,
 Sabinæ ana scrupulos duos &
 grana tredecim,
 Centaurii majoris,
 Dauci Cretici,
 Nigellæ,
 Carui,
 Anisi,
 Caryophyllorum,
 Aluminis ana scrupulos duos.
 Fol: Lauri scrupulum unum se-
 mis & grana tria.
 Xyloaloes scrupulum unum &
 grana quatuordecim.

Shœnanthi scrupulum unum
 & grana tredecim,
 A sari,
 Acori, id est, Calami Aromatici
 vulgaris,
 Amomi,
 Pæoniæ,
 Centauri minoris,
 Sem: Atriplicis,
 Marathri sive Fœniculi,
 ana scrupulum unum
 & grana sex.

Cyperii,
 Helenii,
 Zingiberis,
 Rad: Capparum,
 Cumini,
 Orobi ana scrupulum unum.
 Trita omnia in tenuiss: Pulverem
 excipiantur mellis quadruplo, &
 conficiatur Electuarium ex arte.

DIAIREOS SALOMONIS,
 NICOLAI.

℞ Radic: Iridis unciam unam.
 Pulegii,
 Hyssopi,
 Glycyrrhizæ, ana drachmas sex.
 Tragacanthæ,
 Amyli,
 Amygdalarum amararum,
 Pinearum Nucum,
 Cinnamomi,
 Zingiberis,
 Piperis, ana drachmas tres.
 Caricarum pinguium.

Pulpæ Passularum.

Carnis Dactylorum, ana drachmas tres semis.

Styracis Calamitæ drachmas duas semis.

Sacchari dissoluti in aqua Hyssopi, Mellis despumati, ana duplum ad omnia, fiat Electuarium s. a.

DIASATYRION,

NICOLAI.

R Radic: Cynosorchios seu Satyrii recentis ac solidæ.

Pastinacæ sativæ,

Eryngii,

Pinearum,

Nucis Indicæ, vel si desit Nux Indica Pinearum duplum.

Pistaciorum, ana unciam unam semis.

Caryophyllorum,

Zingiberis,

Sem: Anisi,

Erucæ,

Lingæ avis, quæ est semen Fraxini, ana drachmas quinque.

Cinnamomi,

Caudarum & Lumborū Scincorum,

Sem: Bulbi,

Urticæ, ana drachmas duas semis,

Moschi grana septem.

Sacchari optimi dissoluti in vino Malvatico libras tres: fiat Electuarium s. a.

DIASATYRION MAGIS GRATVM. COLON.

R Radic: Satyrii uncias tres.

Carnium Dactylorum,

Amygdalarum dulcium,

Nucis Indicæ,

Pinearum,

Pistaciorum,

Zingiberis conditi,

Eringii conditi, ana unciam unam.

Zingiberis,

Caryophyllorum,

Galangæ,

Piperis longi,

nigri, ana drachmas tres.

Ambre griseæ scrupulū unum.

Moschi scrupulos duos.

Penidiorum uncias quatuor.

Cinnamomi,

Croci, ana unciam dimidiam.

Vini Malvatici uncias tres.

Nucis moschatæ,

Macis,

Granorum Paradisi, ana drachmas duas.

Lingæ avis, i. Sem: Fraxini,

Ventris & lumborū Scincorū,

Boracis factitii,

Asæ dulcis, i. e. Benzoini, ana drachmas tres.

Ligni Aloes,

Cardamomi, ana drachmas duas.

* Been albi, vide pag. 58.

rubri,

rubri, ana drachmam unā
semis.

Singula simplicia comminuen-
do ac miscendo, tandem excipe
libris duabus & semis syrupi Zin-
giberis conditi.

Fiat Electuariū secundū artem.

ELECTVARIVM DIASPER-
MATON, *FERNELII.*

℞ Quatuor semin: Frigidorum,
majorum, &
minorum.

Sem: Asparagi,
Pimpinellæ,
Ocimi,
Petroselini,

Granorū Halicacabi, ana drach-
mas duas.

Milii Solis,

Succi Glycyrrhizæ, ana drach-
mas tres.

Cinnamomi,

Macis, ana drachmam unam.

Sacchari albi aquā Althææ solu-
ti octuplum: fiat Electuarium se-
cundū artem.

MICLETA, *NICOLAI.*

℞ Myrobalanorum omnium, ana
drachmas duas semis.

Sem: Nasturtii,

Cymini,

Anisi,

Foeniculi,

Ammeos,

Carui, ana drachmam u-
nam semis.

Omnia cruda terantur, & asper-
gantur aceto vini acerrimo, de-
inde pulverisentur, mox addantur
sequentia:

Spodii five Eboris usti,

Balaustiorum,

Sumach,

Mastiches,

Gum: Arabici, ana drachma una,
& grana quindecim.

Omnia misceantur cum Syrupi
Myrtini, ad spissitudinem mellis
cocti, triplo, id est, unciis decem
plūs minus, fiat Electuarium se-
cundū artem.

ELECTVARIVM PECTO-
RALE AD OCCON

AVG.

℞ Succi Glycyrrhizæ,

Amygdalarum dulcium,

Avellanarum, ana semunciam.

Pinearum unciam unam.

Hyssopi,

Capillorum Veneris,

Ireos,

Sem: Urticæ,

Aristolochiæ rotundæ, ana ses-
quidrachmam.

Piperis nigri,

Sem: Nasturtii,

Rad: Enulæ, ana semidrachmā.

Mellis uncias quatuordecim.

Fiat Electuarium s. a.

THERIA.

**THERIACA DIATESSA-
RON, *MES.***

℞ *Gentianæ*,
Baccarum Lauri,
Myrrhæ,
Aristolochiæ rotundæ, ana un-
cias duas.

Mellis libras duas.

Misce: fiat *Electuarium secundum
artem.*

**ANTIDOTVS MAGNA
MATTHIOLI ADVERSVS
VENENA & PESTEM.**

℞ *Rhabarbari*,
Rha Pontici veri,
Radic: Phu,
Acori, vel *Calami* aro-
matici vulgaris.
Cyper,
Quinquefolii,
Tormentillæ,
Aristolochiæ rotundæ,
Pœoniæ maris,
Enulæ Campanæ,
Costi,
Iridis Illyricæ,
Chamæleontis albi, vel
Caryophyllatæ, ana
drachmas tres.
Galangæ,
Imperatoriæ,
Dictamni albi,
Angelicæ,

Millefolii,
Filipendulæ,
Zedoariæ,
Zingiberis, ana drachmas
duas.

Agarici drachmas tres.

Libanotidis,

Gentianæ,

Morsus Diaboli, ana drachmas
duas semis.

Sem: *Citrei mali*,

Viticis,

Granorum Kermes,

Semin: *Fraxini*,

Acetosæ,

Pastinacæ sylvestris,

Napi,

Nigellæ,

Pœoniæ maris,

Ocimi,

Irionis, sive *Erysimi*,

Thlaspeos,

Fœniculi,

Ammeos, ana drachmas
duas.

Baccarum Lauri,

Juniperi,

Hederæ,

Smilacis asperæ, vel illius defe-
ctu duplum cubebærum.

Cubebærum, ana drachmam u-
nam semis.

Folior: *Scordii*,

Chamædryos,

Chamæpityos,

Centaurii minoris,

Stœchados,

Spicæ Celticæ,

Calaminthæ,
 Rutæ,
 Menthæ,
 Betonice,
 Verbenæ,
 Scabiosæ,
 Cardui benedicti,
 Melissophylli, ana drach-
 mam unam semis.
 Dictamni Cretici drachmas
 tres.
 Majoranæ,
 Hyperici,
 Schœnanthi,
 Marrhubii,
 Galegæ,
 Sabinæ,
 Pimpinellæ, ana drachmas
 duas.
 Caricarum pinguium,
 Juglandium,
 Pistaciorum, ana uncias
 tres.
 Myrobalanorum Emblica-
 rum unciam dimidiam.
 Flor: Violarum,
 Borriginis,
 Buglossi,
 Rosarum,
 Lavendulæ,
 Salviæ,
 Rorismarini, ana scrupulos
 quatuor.
 Croci drachmas tres.
 Casiæ lignæ drachmas de-
 cem.
 Caryophyllorum,
 Nucis moschatæ,

Macis, ana drachmas duas
 semis.
 Piperis nigri,
 longi,
 Santalorum omnium,
 Ligni Aloes, ana drachmam
 unam semis.
 Rasuræ Cornu Cervi unciam di-
 midiam.
 Unicornu, vel ejus loco,
 Lapidis Bezoartici
 drachmam unam.
 Offis è Corde Cervi,
 Rasuræ Eboris,
 Virgæ Cervinæ,
 Castorii, ana scrupulos quatuor.
 Terræ Lemniæ drachmas tres.
 Opii drachmam unam semis.
 Perlarum orientalium,
 Fragmentorum Smaragdi,
 Hyacinthi,
 Corallii rubri, ana drachmā
 unam semis.
 Camphoræ drachmas duas.
 Gum: Arabici,
 Mastiches,
 Thuris,
 Styracis,
 Terebinthinæ,
 Sagapeni,
 Opopanacis,
 Laserpitii, sive Myrrhæ, ana
 drachmas duas semis.
 Moschi odorati,
 Ambræ griseæ, ana drach-
 mam unam.
 Olei Vitrioli unciam dimidiam.
 Specierum Cordialium Tempera-
 tarum,

tarum,
 Diamargaritôn,
 Diamoschi,
 Diambrae,
 Electuarii de Gemmis,
 Trochiscorum de Camphora,
 de Scilla, ana drachmas duas semis.
 Trochiscor: de Vipera uncias duas.
 Succorū Acetosæ,
 Sonchi,
 Scordii,
 Ecchii,
 Borraginis,
 Melissophylli, ana libram dimidiam.
 Hypocistidis drachmas duas.
 Theriacæ electæ,
 Mithridatii optimi, ana uncias sex.
 Vini antiqui odorati libras tres.
 Sacchari optimi, vel
 Mellis electissimi libras octo & uncias sex.
 Ex his omnibus summâ diligentia, & arte conquisitis, mundatis, & electis, fiat Electuarium eodem modo, quo componitur Theriaca aut Mithridatium.

DIASCORDIVM, FRACASTORII.

R Cinnamomi,
 Casiæ lignæ, ana unciam dimidiam.
 Scordii veri unciam unam.
 Dictamni Cretici,

Tormentillæ,
 Bistortæ,
 Galbani,
 Gum: Arabici, ana unciam dimidiam.
 Opii drachmam unam semis.
 Styracis Calamitæ drachmas quatuor semis.
 Semin: Acetosæ drachmam unâ semis.
 Gentianæ unciam dimidiam.
 Boli Armeni unciam unam semis.
 Terræ Sigillatæ Lemniæ unciam dimidiam.
 Piperis longi,
 Zingiberis, ana drachmas duas.
 Mellis albi despumati libras duas semis.
 Conservæ Rosarum libram unam.
 Vini Canarini Aromatici libram dimidiam.

Fiat Electuarium s. a:

MITHRIDATIVM, DAMOCRATIS.

R Myrrhæ Arabicæ
 Croci,
 Agarici,
 Zingiberis,
 Cinnamomi,
 Spicæ Nardi,
 Thuris,
 Sem: Thlaspeos, ana drach: decem.
 Seseleos,
 Opobalsami, seu ol: Nuc: mosc:
 per

per express:

Iunci odorati,
 Stœchados,
 Costi veri,
 Galbani,
 Terebinthinæ,
 Piperis longi,
 Castorei Pontici,
 Succi Hypocistidos,
 Styracis optimæ,
 Opopanacis.
 Folior: Malabathri recentium,
 vel in ejus defectu, Ma-
 cis, ana unciam unam.
 Casiæ Lignæ veræ,
 Polii,
 Piperis albi,
 Scordii.
 Sem: Dauci Cretici,
 Carpobalsami, vel Cube-
 barum.
 Trochisc: Cypheos,
 Bdellii, ana drachmas septem.
 Nardi Celticæ purgatæ,
 Gummi Arabici,
 Sem: Petroselini Macedonici,
 Opii,
 Cardamomi minoris,
 Sem: Fœniculi,
 Gentianæ,
 Folior: Rosarum rubrarum,
 Dictamni Cretensis, ana
 drachmas quinque.
 Sem: Anisi,
 Asari,
 Acori, seu Calami Aromatici,
 Ireos,
 Phu majoris,

Sagapeni, ana drachmas tres.
 Mei Athamantici,
 Acaciæ,
 Ventrium Scincorum,
 Summit: Hyperici, ana drachmas
 duas semis.
 Vini quantum sufficit ad soluti-
 onem gummi & succorum,
 Mellis deindè triplum ad
 omnia, præter vinum.

PHILONIVM PERSICVM,
M E S.

R Piperis albi,
 Hyoscyami albi, ana drachmas
 viginti.
 Opii,
 Terræ Lennix, ana drachmas
 decem,
 Lapid: Hamaritæ præp:
 Croci, ana drachmas quinque.
 Castorei,
 Spicæ Indicæ,
 Euphorbii,
 Pyrethri,
 Margaritarum,
 Succini,
 Zedoariæ,
 Doronici,
 Trochiscor: Ramich, ana drach-
 mam unam.
 Camphoræ scrupulum unum.
 Mellis rosati optimi triplum. Mi-
 sce: fiat Electuarium secundum
 artem.

PHI-

PHILONIVM ROMANVM,
NICOLAI.

℞ Piperis albi,
Sem: Hyoscyami albi, ana drachmas quinque.
Opii drachmas duas semis.
Cassia lignea drachmam unam semis.
Semin: Apii drachmam unam.
Petroselini Macedonici veri,
Foeniculi,
Dauci Cretici, ana scrupul. duos, grana quinque.
Croci scrupulum unum semis.
Spicae Indicae,
Pyrethri,
Zedoariae, ana grana quindecim.
Cinnamomi drachmam unam semis.
Euphorbii,
Myrrhae,
Castorei, ana drachmam unam.
Mellis despumati pondus triplum.
Misce: fiat Electuarium s. a.

ELECTVARIVM DE OVO,
MAXIMILIANI
IMPER.

℞ Ovum gallinae recens, & extracto albumine, parvo foramine facto, impleatur vacuum Cro-

co optimo non pulverisato, relicto intus vitello. Postea cum alio putamine rursus obturetur, & lento igne, vel ad fornacem, tamdiu affetur, donec tota testa ovi incipiat nigrescere, diligenter attendendo, ne Crocus comburatur (alioqui corrumpit totum medicamentum) Exempta materia exiccetur, ut minutissimè possit contundi, & in pulverem redigi, addatur pulveris Sinapeos albi quantum praedicta omnia ponderant. Deinde

℞ Pulver: Radic: Dictamni albi, sive Fraxinellae,
Tormentillae, ana drachmas duas.
Myrrhae,
Cornu Cervini,
Radic: Petasitae, ana drachmam unam.
Radic: Angelicae,
Pimpinellae.
Granor: Juniperi,
Zedoariae,
Camphorae, ana unciam dimidiam.

Misceantur universa simul in mortario, & adjiciatur denique Theriaca optima ad pondus omnium: & iterum pistillo benè misceantur per tres fermè horas semper agitando, & affundendo Syrupi limonū, q. s. donec fiat Electuarium s. a.

REQUIES

REQVIES, NICOLAI.

R. Rosarum rubrarum ab unguibus purgatarum,

Flor: Violarum purpurearum ana drachmas tres.

Opii Thebaici vino soluti,

Sem: Hyoscyami albi,

Papaveris albi,
nigri,

Cort: Radic: Mandragoræ,

Sem: Scariolæ, five Intybi,

Portulacæ,

Lactucæ sativæ,

Psyllii,

Spodii vel Antispodii ex Ebore usto,

Gum: Tragacanthi, ana scrupulos duos, & grana quinque.

Nucis moschatae,

Cinnamomi,

Zingiberis, ana drachmam unam semis.

Santali citrini,
albi,

rubri ana drachmam unam semis.

Sacchari in aqua rosacea dissoluti triplum, misce, fiat Electuarium secundum artem.

THERIACA ANDROMACHI.

R. Trochiscorum Scillicorum drachmas quadraginta octo.

Trochiscorum è Viperis,

Piperis longi,

Opii Thebaici,

Magmatis Hedychroi sicci, ana drachmas viginti quatuor.

Rosarum siccarum, resectis unguibus,

Iridis Illyricæ odora,

Succi Glycyrrhizæ,

Sem: Napi dulcis,

Comarum Scordii,

Opobalsami,

Cinnamomi,

Agarici, ana drachmas duodecim.

Myrrhæ,

Costi odorati seu Zedoariæ,

Croci,

Cassia lignæ veræ,

Nardi Indicæ,

Schœnanthi,

Piperis albi,

nigri,

Thuris masculi,

Dictamni Cretici,

Rhei,

Stœchados,

Marrhubii,

Sem: Petroselini Macedonici,

Calaminthes siccæ,

Terebinthinæ,

Radic: Pentaphylli,

Zingiberis, ana drachmas sex.

Comarum Polii Cretici,

Chamæpityos,

Nardi Celticæ,

Amomi,

Styracis Calamitæ,
 Rad: Mei,
 Com: Chamædryos,
 Rad: Phu Pontici,
 Terræ Lemniæ,
 Folior: Malabathri,
 Chalcitidis assæ, vel ejus
 loco Chalcanthi Ro-
 mani usti.
 Radic: Gentianæ,
 Gum: Arabici,
 Succi Hypocistidis,
 Carpobalsami, vel Nucis mo-
 schatæ, vel Cubearum,
 Sem: Anisi frict:
 Cardamomi,
 Sem: Fœniculi,
 Seseleos,
 Acaciæ, vel ejus loco, succi in-
 spissati Prunellorum acerbo-
 rum.
 Sem: Thlaspeos,
 Summitatum Hyperici,
 Sem: Ammeos,
 Sagapeni, ana drachmas qua-
 tuor.
 Castorei,
 Radic: Aristolochiæ longæ,
 Bituminis Judaici,
 Sem: Dauci,
 Opopanacis,
 Centaurii minoris,
 Galbani pinguis, ana drachmas
 duas.
 Vini antiqui Canarini q. l. quo dis-
 solvantur simplicia humida & li-
 quabilia.
 Mellis optimi triplum ad pondus

specierum aridarum, misce secun-
dum artem.

THERIACA LONDI-
NENSIS.

℞ Cornu Cervini limâ dearsi un-
 cias duas.
 Sem: Citri,
 Oxalidis,
 Pœoniæ,
 Ocimi, ana unciam unam.
 Scordii,
 Corallinæ, ana drachmas sex.
 Radic: Angelicæ,
 Tormentillæ,
 Pœoniæ,
 Folior: Diætamni,
 Baccar: Juniperi,
 Lauri, ana unciam dimi-
 diam.
 Florum Calendulæ,
 Caryophyllorum, seu
 Vetonicæ rubræ,
 Anthos,
 Summitat: Hyperici,
 Nucis moschatæ,
 Crocii, ana drachmas tres.
 Radic: Gentianæ,
 Zedoariæ,
 Zingiberis,
 Macis,
 Myrrhæ,
 Folior: Scabiosæ,
 Succisæ,
 Cardui benediæti, ana
 drachmas duas.
 Caryophyllorum,
 Opri,

Opīi, ana drachmam unam.
 Vini Canarini quantum satis.
 Mellis triplum. Misce secundum
 artem.

BENEDICTA LAXATIVA,
 NICOLAI.

℞ Turpeti electi drachmas decem.
 Diagyridii,
 Cort: Radic: Esulæ præparatæ,
 Hermodactylorum,
 Rosarum rubrarum, ana drach-
 mas quinque.
 Caryophyllorum,
 Spicæ Nardi,
 Zingiberis,
 Croci,
 Saxifragiæ veræ,
 Piperis longi,
 Amoni, vel ejus defectu Cala-
 mi aromatici,
 Cardamomi minoris,
 Semin: Apīi.
 Petroselini,
 Carui,
 Fœniculi,
 Asparagi,
 Rusci,
 Milii Solis,
 Salis gemmei,
 Galangæ,
 Macis ana drachmam unam.
 Mellis despumati triplum, fiat
 Electuarium secundum artē. Pos-
 sunt etiam species per se in officinis
 commodè reservari.

CARYOCOSTIVM,
 Bayr: è Gal.

℞ Caryophyllorum,
 Costi candidi, seu Zedoariæ,
 Zingiberis,
 Cymini, ana drachmas duas.
 Hermodactylorum,
 Diagyridii ana unciam dimi-
 diam.
 Mellis despumati in vino albo
 duplum. Misce, fiat Electuarium
 secundum artem.

CASSIA EXTRACTA PRO
 CLYSTERIBVS, AVG.

℞ Foliorum Violaræ,
 Malvæ,
 Mercurialis,
 Betæ,
 Parietaræ,
 Flor: Violarum, ana manipulu-
 num.

Fiat decoctio in sufficienti quanti-
 tate aquæ, cujus beneficio Cassia
 extrahatur, & Cannæ ejus interi-
 riùs laventur, deinde,

℞ Cassiæ cum hac decoctione ex-
 tractæ, & ad consistentiam co-
 ctæ, libram unam.

Sacchari libram unam semis.
 Coquantur ad perfectionem se-
 cundum artem.

ELECTVARIVM AMARVM
MAGISTRALE MAJUS.

℞ Agarici albissimi,
Turpeti electi,
Specier: Hieræ simp: Galen:
Rhabarbari optimi, ana drach-
mam unam.
Aloes electæ, illotæ, drachmas
duas.
Zingiberis,
Cremoris Tartari, ana scrupulos
duos.
Iridis Florentinæ,
Farinæ Semin: Fœniculi dulcis
ana scrupulum.
Syrupi Rosarum solutivi q. f.
Fiat Electuarium amarum.

ELECTVARIVM AMARVM
MINVS.

℞ Epithymi semunciam.
Radic: Angelicæ drachmas tres.
Gentianæ,
Zedoariæ,
Acori, ana drachmas
duas.
Cinnamomi sesquidrachmam.
Caryophyllorum,
Macis,
Nucis moschataæ,
Croci, ana drachmam unam.
Aloes uncias sex.
Cum Syrupo Fumariz,
Scabiosæ,
Saccharo, ana q. f.

Fiat Electuarium molle, s. a.

DIACASSIA CVM
MANNA.

℞ Prunorum Damascenorum un-
cias duas.
Florum Violarum manipul. u-
num semis.
Aquæ fontanæ libram unam
semis.
Bulliant secundum artem ad me-
dietatis consumptionem. In cola-
tura dissolve,
Pulpæ Cassiæ uncias sex.
Sacchari violati,
Syrupi violati, ana uncias qua-
tuor.
Pulpæ Tamarindorum unciam
unam.
Sacchari candi unciam unam
semis.
Mannæ optimæ uncias duas.
Commisceantur, & fiat Electuari-
um secundum artem.

CASSIA EXTRACTA SINE
FOLIIS SENNÆ.

℞ Prunorum numero duodecim.
Florum Violarum manipul. u-
num.
Hordei mundati,
Sem: Anisi,
Carthami,
Polypodii quercini, ana drach-
mas quinque.

Capillorum Veneris.
 Thymi,
 Epithymi ana manipul: semis.
 Passularum mundatarum ab a-
 cinis unciam dimidiam.
 Sem: Fœniculi drachmas duas.
 Portulacæ,
 Malvæ, ana drachmas tres.
 Glycyrrhizæ unciam dimidiam.
 Fiat horum decoctio in suffici-
 enti quantitate aquæ, colentur, &
 in colatura dissolve
 Pulpæ Cassiæ libras duas,
 Tamarindorum vnciam unam.
 Cinnamomi drachmas tres.
 Sacchari optimi libram unam.
 Coquantur ad perfectionem s. a.

CASSIA EXTRACTA CVM
 FOLIIS SENNÆ.

R Electuarii Cassiæ extractæ sine
 foliis Sennæ libras duas.
 Pulveris folior: Sennæ uncias
 duas.
 Misce secundum artem.

DIACARTHAMVM SEV
 DIACNICVM ARNOLDI
 DE VILLA NOVA.

R Specierum Diatragacanthi fri-
 gidi unciam dimidiam.
 Pulpæ Cydoniorum condito-
 rum unciam unam.
 Pulpæ Semin: Carthami unci-
 am dimidiam.
 Zingiberis albi drachmas duas.

Diagrydii per se triti drachmas
 tres.
 Turpeti albi drachmas sex.
 Mannæ granatæ uncias duas.
 Mellis Rosati colati solutivi,
 Sacchari candi, ana unciam u-
 nam.
 Hermodactylorum unciam di-
 midiam.
 Sacchari albissimi uncias decem
 semis.
 Fiat Electuarium liquidum secun-
 dum artem.

DIAPHOENICON,
 MES. juxta FERN.

R Pulpæ Palmularum mundata-
 rum ex hydromelite coctæ &
 cribro cretæ,
 Penidiorum recentium, ana li-
 bram dimidiam.
 Amygdalarum dulcium expur-
 gatarum uncias tres semis.
 Contusis & permistis omnibus
 adde,
 Mellis despumati libras duas.
 Paulum coquantur, ac deinde
 insperge,
 Zingiberis,
 Piperis,
 Macis,
 Cinnamomi,
 Fol: Rutæ siccorum,
 Sem: Fœniculi,
 Dauci, ana drachmas duas.
 Turpeti tenuissimè triti uncias
 quatuor.

Diagrydii unciam unam semis.
Fiat Electuarium s. a.

DIAPRVNVM SIMPLEX,
RECTIVS LENITI-
VUM, NICOL.

℞ Pruna Damascena recentia &
matura numero centum.

Coquantur in s. q. aquæ donec ta-
bescant. Pulpa per cribrum tra-
jiciatur & reservetur. In percola-
to jure incoque clementiùs

Florum Violarum unciam unã,
& in colatura dissolve,
Sacchari libras duas, &

Coque in Syrupum; deinde adde
Pulpæ prædictæ & per se inspissa-
tæ, libram unam.

Medullæ Cassiæ,
Tamarindorum, ana unciam
unam.

Tum permisce pulveres sequentes,
Santali Albi,
Rubri,

Spodii,
Rhabarbari, ana drachmas tres.

Rosarum,
Violarum,

Sem: Portulacæ,
Scariolæ,

Berberis,
Tragacanthæ,

Glycyrrhizæ,
Cinnamomi, ana drachmas

duas.
Semin: quatuor frigidorum ma-

jorum, ana drachmam
unam.

Fiat Electuarium secundum ar-
tem.

DIAPRVNVM SOLVTI-
VUM, NICOLAI.

℞ Diapruni Lenitivi adhuc recen-
tis & calidi libras quatuor.

℞ Scammonii præparati uncias
duas & drachmas quinque.

Misce, fiat Electuarium secundum
artem.

Cum in hoc medicamento Scam-
monii dosis sit aucta secundum
authorem, minori pondere exhi-
beri poterit.

DIACATHOLICON,
NICOLAI.

℞ Pulpæ Cassiæ,
Tamarindorum,

Folior: Sennæ, ana uncias duas.

Polypodii,
Violarum,

Rhabarbari,
Sem: Anisi,

Penidiorum,
Sacchari candi, ana unciam un-

nam.
Glycyrrhizæ rasæ,

Sem: Cucurbitæ,
Citruli,

Cucumeris,
Melonum, ana drachmas duas.

Conterenda conterantur, & sume
Poly-

Polypodii recentis uncias tres.

Sem: Fœniculi drachmas sex.

Fiat decoctio in libris quatuor aquæ pluvialis vel communis ad tertiam partem consumptionem, colentur & colaturæ adde

Sacchari optimi libras duas.

Coquantur iterum cum pulpis Cassiæ & Tamarindorum, & in fine additis reliquis pulverizatis, fiat Electuarium s. a.

DIACROCUMA SIVE
SPECIES ELECTVARIII
DE CROCO. *MES.*

℞ Croci,

Radic: Afari,

Sem: Petroselini,

Dauci,

Anisi,

Apii, ana unciam dimidiã.

Rhabarbari,

Radic: Mei,

Spicæ Indiæ, ana drachmas sex.

Cassîæ lignæ veræ,

Costi,

Myrrhæ,

Schœnanthûs,

Cubebæ,

Radic: Rubiæ,

Succ: Absinthii, &

Agerarati, inspissatorum,

Opobalsami, seu Olei Nucis

Moschatæ, ana drachmas duas.

Cinnamomi,

Calami Aromatici, ana drachmam unam semis.

Scordii,

Ceterach,

Succi Glycyrrhizæ, ana drachmas duas semis.

Tragacanthi drachmam unam.

Fiat Electuariû cum octuplo Sacchari albi in aqua Endiviæ soluti & clarificati s. a.

ELECTVARIVM DE CI-
TRO SOLVTIVVM.

℞ Corticis Citri conditi,

Conservæ florum Violarum,

Buglossi,

Pulveris Diatragacanthi frigidi,

Diagrydii, ana unciam dimidiam.

Turpeti drachmas quinque.

Zingiberis drachmam dimidiam.

Folior: Sennæ drachmas sex.

Sem: Fœniculi dulcis drachmam unam.

Sacchari albissimi in aqua rosarum soluti, & ex arte cocti uncias decem.

Fiat Electuarium solidum secundum artem.

ELECTVARIVM ELE-
SCOPH, *MES.*

℞ Scammonii,

Turpeti optimi, ana drachmas sex.

Caryophyllorum,
 Cinnamomi,
 Zingiberis,
 Myrobalanorum Emblicarum,
 Nucis moschatæ,
 Polypodii, ana drachmas duas
 semis.
 Sacchari uncias sex.
 Mellis despumati uncias de-
 cem.
 Misce, fiat Electuarium secundum
 artem.

CONFECTIO HAMECH,
 FERNELII.

℞ Corticis Myrobalanorum citri-
 narum uncias duas.
 Myrobalan: Chebularum,
 Nigrarum.
 Violarum,
 Colocynthidos.
 Polypodii quercini, ana unciam
 unam semis.
 Absinthii,
 Thymi, ana unciam dimidiam.
 Sem: Anisi,
 Fœniculi,
 Flor: Rosarum rubrarum, ana
 drachmas tres.
 Tusa omnia macerentur per
 diem in feri lactis libris duabus,
 deinde coquantur ad libram unã,
 fricentur manibus, & exprimantur,
 Colatis adde
 Succi Fumariæ,
 Pulpæ Prunorum, &
 Uvarum Passularũ, ana

libram dimidiam.
 Sacchari albi,
 Mellis despumati, ana libram
 unam.
 Coquantur ad mellis crassitiem,
 inspergendo sub finem
 Agarici trochiscati,
 Sennæ, tritorum, ana uncias
 duas.
 Rhabarbari triti unciam unam
 semis.
 Epithymi unciam unam.
 Diagrydii drachmas sex.
 Cinnamomi unciam dimidiam.
 Zingiberis drachmas duas.
 Sem: Fumariæ,
 Anisi,
 Spicæ Nardi, ana drach-
 mam unam.
 Fiat Electuarium s. a.

ELECTVARIVM INDVVM
 MINVS, MES:

℞ Turpeti,
 Sacchari, ana drachmas centum.
 Macis,
 Piperis,
 Zingiberis,
 Caryophyllorum,
 Cinnamomi,
 Cardamomi,
 Nucis moschatæ, ana drach-
 mas septem.
 Scammonii præparati drach-
 mas duodecim.
 Misce cum mellis despumati tri-
 plo, ad reliqua præter Saccharum,
 fiat

fiat Electuarium secundum artem.

ELECTVARIVM LENI-
TIVVM.

℞ Passularum enucleatarum.
Polypodii quercini,
Sennæ orientalis, ana uncias
duas.

Mercurialis manipul. unum se-
mis.

Jujubarum,
Sebesten, ana numero viginti.

Capillorum Veneris,
Violarum,

Hordei mundi, ana manipul.
unum.

Prunorum Damascenorum enu-
cleatorum,

Tamarindorum, ana drach-
mas sex.

Glycyrrhizæ unciam dimidiã.

Coquantur s. a. colentur, in colatu-
ra dissolve

Pulpæ Cassiæ fistularis,

Tamarindorum,

Prunorum recentium,

Sacchari violati, ana uncias sex.

Sacchari optimi libras duas.

Ultimò adde Pulveris Sennæ un-
ciam unam semis, pro qualibet
libra Electuarii,

sicque in formam redigantur s. a.

ELECTVARIVM PASSV-
LATVM.

℞ Polypodii quercini uncias tres.

Foliorum Sennæ,

Radic: Althææ recentium, ana
uncias duas.

Sem: Anisi drachmas duas.

Omnia infundantur in aqua fon-
tana q. s. in vase vitreato, & co-
quantur s. a. deinde fiat expressio,
Colaturæ adde,

Pulpæ Passularum per seraceum
transmissarum libram dimi-
diam.

Sacchari albi,

Mannæ, ana uncias quatuor.

Coquantur rursus ad Cydoniati
crassitudinem, quater in anno re-
novetur.

ELECTVARIVM è SVCCO
ROSARVM, NICOLAI.
MYREPS.

℞ Sacchari,
Succi Rosarum rubrarum, ana
libram unam & uncias qua-
tuor.

Trium Santalorum, ana drach-
mas sex.

Spodii drachmas tres.

Diagrydii drachmas duodecim.

Camphoræ scrupulum unum.

Fiat Electuarium s. a.

Succus cum Saccharo coquatur
ad justam consistentiam, dein
addantur tritæ Species.

ELEC-

ELECTVARIVM REGINÆ
COLONIENS.

℞ Sem: Saxifragiæ,
 Milii Solis,
 Suc: Glycyrrhiæ, ana semun-
 ciam.
 Sem: Carui,
 Anisi,
 Apii,
 Fœniculi,
 Petroselinii Macedonici,
 Genistiæ,
 Dauci,
 Rusci,
 Asparagi,
 Levistici,
 Cymini,
 Juniperi,
 Rutæ,
 Sileris montani,
 Rad: Acori veri,
 Pulegii,
 Pentaphylli,
 Bacc: Lauri, ana drachmas duas.
 Spicæ Indicæ,
 Schœnanthûs,
 Peucedani,
 Valerianæ,
 Carabes,
 Lap: Lyncis, ana sesquidrach-
 mam.
 Galangæ,
 Zingiberis,
 Turpeti, ana drachmas duas.
 Serinæ Alex: unciam unam.
 Sanguinis Hirci præp. semunciã.

Misce: fiat Pulvis, inde Electua-
 rium secundum artem, cum sac-
 chari in vino albo soluti triplo.

HIERA PICRA SIMPLEX,
GALENI.

℞ Cinnamomi,
 Xylobalsami, seu Ligni Aloes,
 Asari,
 Spicæ Nardi,
 Mastiches,
 Croci, ana drachmas sex.
 Aloes (non lotæ) uncias duo-
 decim semis.
 Mellis despumati libras quatuor
 & uncias tres.
 Misce, fiat Electuarium s. a.
 Species etiam per se reservan-
 tur in officinis.

HIERA CVM AGARICO.

℞ Specierum Hieræ simplicis sine
 Aloe,
 Agarici trochiscati, ana unciam
 dimidiam.
 Aloes non lotæ, unciam unam.
 Mellis despumati uncias sex.
 Misce, fiat Electuarium s. a.

HIERA LOGADII,

NICOL: MYREPS:
 ℞ Pulpæ Colocynthidos.
 Polypodii, ana drachmas duas.
 Euphorbii,
 Polii montani,

Sem:

Sem: Thymelææ, ana drachmam
unam semis & grana sex.

Abfinthii,

Myrrhæ, ana drachmam unam
& grana duodecim.

Centaurij minoris,

Agarici,

Gum: Ammoniacy,

Folii seu Macis,

Spicæ Nardi,

Scillæ præparatæ,

Diagrydii, ana drachmā unam.

Aloes,

Comarum Thymi,

Chamædryos,

Cassia lignæ,

Bdellii,

Marrubii, ana scrupulum unum
& grana quatuordecim,

Cinnamomi,

Opopanacis,

Castorei,

Aristolochiæ longæ,

Trium Piperum,

Croci,

Sagapeni,

Petroselini, ana drachmā semis.

Hellebori nigri, &

albi, ana grana sex.

Mellis despumati libram unam
semis.

Misce, fiat Electuarium, s. a.

Species etiam per se reservantur
in officinis.

HIERA PACHII, SEV
DIACOLOCYNTHIDOS,

NICOL: ALEX:

℞ Colocynthidos,

Agarici,

Chamædryos,

Marrubii,

Stœchados, ana drach: decem.

Opopanacis,

Sagapeni,

Sem: Petroselini,

Rad: Aristolochiæ rotundæ,

Piperis albi, ana drachmas quin-
que.

Spicæ Nardi,

Cinnamomi,

Myrrhæ,

Folii,

Croci, ana drachmas quatuor.

Gummi trita mortario, cribrata cæ-
tera, excipiantur mellis despumati
libris tribus, unciis tribus, & drach-
mis quinque, ut

fiat Electuarium s. a.

TRYPHERA MINOR,

FOENON MES:

℞ Myrobal: { Chebularum,
Belliricarum,
Indarum,
Emblicarum,

Nucis moschatæ, ana drach-
mas quinque.

Sem: Nasturtij,

Rad:

Rad: Afari,
 Origani Perfici, seu Cretici Di-
 ctamni,
 Piperis nigri,
 Olibani,
 Ammeos,
 Zingiberis,
 Tamarisci fativæ,
 Nardi Indicæ,
 Schoenanthûs,
 Cyperi rad: ana semunciam.
 Limaturæ Chalybis præp: drach-
 mas viginti.

Myrobalani assentur modicum
 butyro non salito: pulverizata re-
 liqua amygdalino dulci oleo in-
 volvantur: demùm adjicito

Moschi electi drachmam u-
 nam.

Mellis despumati triplex pō-
 dus.

Fiat Electuarium debitâ consisten-
 tiâ, secundùm artem.

TRYPHERA SOLUTIVA,
RENODÆI.

℞ Diagrydii drachmas decem.

Turpeti optimi sesquiunciam.
 Cardamomi minoris,
 Caryophyllorum,
 Cinnamomi,
 Macis, ana drachmas tres.
 Santali citrini,
 Glycyrrhizæ rasæ,
 Sem: Fœniculi dulcis, ana semun-
 ciam.

Acori,
 Schoenanthûs, ana drachmam

Cortic: Citri conditi,
 Rosarum, ana drachmas tres.

Violarum drachmas duas.

Penidiorum uncias quatuor,
 Sacchari tabarzet selibram.

Mellis albissimi in succo Po-
 morum bene despumati li-
 bram unam.

Fiat Electuarium s. a.

PILVLÆ





PILVLÆ.

PILVLÆ ALEPHANGI-
NÆ SIVE AROMATICÆ,
MES: juxta RENOD.

℞ Cinnamomi,
Caryophyllorum,
Cardamomi,
Nucis Moschatæ,
Macis,
Calami Aromatici,
Carpobalsami, aut sem: Ange-
licæ,
Schoenanthûs,
Ligni Aloes,
Santali Citrini,
Rosarum rubrarum,
Absinthii ficci, ana unciam di-
midiam.

Hæc crassiusculè trita, maceren-
tur per horas duodecim in aquæ
libris quatuor: Deinde igne lento
bulliant ad tertiæ partis absumpti-
onem, In colatura nutriatur

Aloes libra una,
Tum absumptâ aqueâ humiditate
super cineres calidos, aut in hypo-
causto, adde

Myrrhæ,

Mastiches, ana unciam dimi-
diam.

Croci drachmas duas.

Syrupi de Absinthio q. s.

Fiat Massa f. a.

ALOE ROSATA,

Hier: Fabr: ab Aquap.

℞ Aloes Succotrinæ lucid: pulve-
riz: uncias quatuor.

Succi Rosarum Damasc: depu-
rati libram unam.

Misce, digere ad Solem vel in Bal-
neo, dum exhalaverit omnis hu-
miditas: id quater repetatur, pari-
bus evaporatione, formâ, dosi. Mas-
sa in pyxidem reposita, in pilulas
fit reducenda.

M

PILVLÆ

PILVLÆ DE ALOE
LOTA, *AVG.*

℞ Aloes lotæ cum succo Rosarum
pallidarum unciam unam.
Agarici Trochiscati drachmas
tres.
Mastiches drachmas duas.
Specierum Diamoschi dulcis
drachmam dimidiam.
Syrupi è rosis pallidis q. f.
fiat Massa f. a.

PILVLÆ ASSAIRETH,
AVICENNÆ.

℞ Specierum Hieræ picræ Galeni
unciam unam.
Aloes vncias duas.
Mastiches,
Myrobalanorum Citrinarum,
ana unciam dimidiam.
Cum Syrupo de Stœchade q. f.
Misce, fiat Massa f. a.

PILVLÆ DE BDELLIO,
MES.

℞ Bdellii drachmas decem.
Myrobalan: { Belliricarum,
Emblicarum,
Nigrarum, ana
drach: quinque.
Scoriæ ferri,
Sem: Porri, ana drachmas tres.
Conchulæ (Veneris) adustæ,
Corallii usti,

Carabes, ana sesquidrachmam.
Margaritarum semunciam.
Infunde Bdellium in succo Porri.
Fiant Pilulæ, f. a. Cum Syrupo è
succo Porri.

PILVLÆ DE EVPATO-
RIO, *MES.*

℞ Myrobalanorum Citrinarum,
Succi Eupatorii, i. Agerati,
Absinthii, ana drachmas
tres.

Rhabarbari drachmas tres se-
mis.
Mastiches drachmam unam.
Crocii, drachmam dimidiam.
Aloes optimæ drachmas quin-
que.
Syrupi è succo Endiviæ q. f.
Fiat Massa f. a.

PILVLÆ DE HIERA CVM
AGARICO EX *AVGVST.*
MES.

℞ Specierum Hieræ Picræ Galeni,
Agarici Trochiscati, ana unci-
am dimidiam.
Aloes optimæ unciam unam.
Mellis rosati q. f.
Fingantur in massam f. a.

PILVLÆ IMPERIALES,
FERNELII.

℞ Aloes optimæ uncias duas.

Rha-

Rhabarbari electi unciam unā
semis.

Agarici trochiscati,

Folior: Sennæ mundatorum, ana
unciam unam.

Cinnamomi drachmas tres.

Zingiberis drachmas duas.

Nucis mofchatae,

Caryophyllorum,

Spicæ Nardi,

Mastiches, ana drachmam unā.

Cum Syrupo Violato subacta co-
gantur in Massam f. a.

PILVLÆ MASTICHINÆ,
FERNELII.

℞ Mastiches uncias duas.

Aloes uncias quatuor.

Agarici trochiscati,

Pulveris Hieræ simplicis, ana
unciam unam semis.

Cum vino Malvatico cogantur in
Massam f. a.

PILVLÆ PESTILENTI-
ALES, RVFFI.

℞ Aloes optimæ uncias duas.

Myrrhæ electæ,

Croci, ana unciam unam.

Excipientur syrupo ex succo Li-
monum. fiat Massa f. a.

PILVLÆ STOMACHICÆ,
MES.

℞ Aloes drachmas sex.

Mastiches,

Rosarum rubrarum, ana drach-
mas duas.

Cum Syrupo Absinthii cogantur
in Massam, f. a.

PILVLÆ DE SVCCINO,
ANDRÆ AVRIFABRI.

℞ Succini albi,

Mastiches, ana drachmas duas.

Aloes drachmas-quinque.

Agarici drach: unam semis.

Aristolochiæ longæ drach: se-
mis.

Syrupi ex Absinthio q. s.

Fiat Massa f. a.

PILVLÆ DE RHABAR-
BARO, MES.

℞ Rhabarbari electi drachmas
tres.

Myrobal: Citrinarum,

Trochisc: Diarhodon, ana drac:
tres semi.

Succi Glycyrrhizæ,

Absinthii,

Mastiches, ana drachmam u-
nam.

Sem: Fœniculi,

Apii, ana semidrachmam.

Spec: Hieræ picræ simpl: Gale-
ni drach: decem.

Excipe succo Fœniculi non depu-
rato, & Melle q. s.

Eiat Massa.

PILVLÆ EX TRIBVS,
FERNELII.

℞ Mastiches uncias duas.
Aloes uncias quatuor.
Agarici trochiscati,
Pulveris Hieræ simplicis, ana
unciam unam semis.
Rhabarbari electi uncias duas.
Cinnamomi unciam dimi-
diam.
Cum syrupo è Chicorio fiat Mas-
sa f. a.

PILVLÆ DE AGA-
RICO, MES.

℞ Agarici drachmas tres.
Radic: Ireos.
Mastiches,
Marrhubii, ana drachmam u-
nam.
Turpeti drachmas quinque.
Specierum Hieræ Picræ Galeni
unciam dimidiam.
Colocynthidos,
Sarcocollæ, ana drachmas duas.
Myrrhæ drachmam unam.
Sapæ q. s.
Fiat Massa f. a.

PILVLÆ AGGREGATIVÆ
SIVE POLYCHRESTÆ,
MES.

℞ Myrobalanorum Citrinarum,
Rhabarbari optimi, ana unciam

dimidiam.

Succ: Eupatorii, i Agerati, &
Absinthii inspissatorum,
ana drachmas duas.

Diagrydii drachmas quinque.

Myrobal: { Chebularum,
Indarum,

Agarici,

Colocynthidos,

Polypodii, ana drachmas duas.

Turpeti optimi,

Aloes, ana drachmas sex.

Mastiches,

Rosarum,

Salis gemmei,

Epithymi,

Anisi,

Zingiberis, ana drachmam unā.

Cum syrupo Rosarum pallidarum
q. s. fiat massa f. a.

PILVLÆ ARABICÆ,
NICOLAI.

℞ Aloes optimæ uncias quatuor.

Radic: Bryoniæ,

Citrinarum,

Chebularum,

Myrobal: { Indarum,

Belliricarum,

Emblicarum,

Mastiches,

Diagrydii,

Asari,

Rosarum, ana unciam unam.

Castorei drachmas tres.

Croci drachmam unam.

Cum syrupo Absinthii, fiat massa
secundum

secundum artem.

PILVLÆ ARTHRITICÆ,

NICOLAÏ.

℞ Hermodactylorum,
Turpeti,
Agarici, ana unciam dimidiam.
Casiæ lignæ,
Spicæ Indicæ,
Caryophyllorum,
Xylobalsami, vel Ligni Aloes,
Carpobalsami, vel Cubebarum,
Macis,
Galangæ,
Zingiberis,
Mastiches,
Asæ foetidæ,
Sem: Anisi,
Fœniculi,
Saxifragiæ,
Asparagi,
Rusci,
Rosarum,
Mili Solis,
Salis gemmei, ana drachmas
duas.

Scammonii unciam unam.

Aloes optimæ ad pondus om-
nium.

Succi ex Iua Arthritica inspissati
cum Sacchari q. s. vel syrupi ex
succo ejusdem q. s. Fiat massa.

PILVLÆ AVREÆ,

NICOLAÏ.

℞ Aloes,

Diagrydii, ana drachmas quin-
que.

Rosarum rubrarum,

Sem: Apii, ana drachmas duas
semis.

Fœniculi,

Anisi, ana drachmam u-
nam semis.

Mastiches,

Croci,

Trochiscorum Alhandal, ana
drachmam unam.

Trita excipiantur Mellis Rosa-
cei colati q. s. Fiat massa secundum
artem.

PILVLÆ COCHIÆ,

RHASIS.

℞ Specierum Hieræ Picræ Galeni
drachmas decem.

Pulpæ Colocynthidos drach-
mas tres, & scrupulum u-
num.

Diagrydii drachmas duas semis.

Turpeti,

Stœchados, ana drachmas quin-
que.

Syrupi de Stœchade q. s. Fiat
massa s. a.

PILVLÆ COCHIÆ

CVM HELLEBORO.

℞ Species Pilularum Cochiarum,
Pul: Cott: Rad: Hellebori nigri
unciã unã.

Cum Syrupo de Stœchade fiat
massa s. a.

PILVLÆ FOETIDÆ
MAJORES, *MES.*

℞ Sagapeni,
Ammoniaci,
Opopanacis,
Bdellii,
Colocynthidos,
Sem: Rutæ agrestis, vel sicca
hortens:
Aloes,
Epithymi, ana drach: quinque.
Turpeti unciam dimidiam.
Scammonii drachmas tres.
Esulæ præparatæ,
Hermodactylorum, ana drach-
mas duas.
Zingiberis drachmam unam se-
mis.
Cinnamomi,
Spicæ Indicæ,
Crocii,
Castorei, ana drachmam unam.
Euphorbii scrupulos duos.
Dilue gummi succo Porri, & finge
Massam cum Syrupo facto è suc-
co Porri & Saccharo s. a.

PILVLÆ DE FVMARIA,
AVICENNÆ.

℞ Myrobal: { Citrinarum,
 { Chebularum,
 { Indarum,
Diagrydii, ana drachmas quin-
que.
Aloes, drachmas septem.

Trita omnia ter imbuantur succo
Fumariæ, terque siccati sinantur,
ac demùm cogantur in massam
cum syrupo de Fumaria s. a.

PILVLÆ DE HERMODAC-
TYLIS MAJORES,
MES.

℞ Sagapeni drachmas sex.
Opopanacis drachmas tres.
Liquentur in succo Brassicæ cale-
facto q. s. & idoneo linteo trans-
mittantur, deinde parum coquan-
tur, Tum
℞ Hermodactylorum,
Aloes,
Myrobalanorum Citrinarum,
Turpeti,
Colocynthidos,
Bdellii mollis, ana drachmas
sex.
Castorei,
Sarcocollæ,
Euphorbii,
Sem: Rutæ sylvestris vel
fativæ,
Apii, ana drachmas tres.
Crocii drachmam unam semis.
Cum syrupo è succo Caulium fa-
cto cum Melle fiat massa s. a.

PILVLÆ INDÆ,
MES. ex HALT.

℞ Myrobalanorum Indarum,
Ellebori nigri,
Polypodii, ana drachmas quin-
que.

Epi.

Epithymi,
 Stoechados, ana drachmas sex.
 Agarici,
 Lapidis Lazuli sæpius loti,
 Troch: Alhandal,
 Salis Indi, ana unciam dimi-
 diam.
 Succi Eupatorii, i. Agerati in-
 spissati,
 Spicæ Indicæ, ana drachmas
 duas.
 Caryophyllorum drachmam u-
 nam.
 Specierum Hieræ picræ simpl.
 Galeni drachmas duodecim.
 Cum Syrupo è Succo Apii fiat
 massa s. a.

PILVLÆ DE LAPIDE
 LAZVLI, MES.

R̄ Lapidis Lazuli sæpiùs loti
 drachmas quinque.
 Epithymi,
 Polypodii,
 Agarici, ana unciam unam.
 Scammonii,
 Hellebori nigri,
 Salis Indi, ana drachmas duas
 semis.
 Caryophyllorum,
 Sem: Anisi, ana unciam dimi-
 diam.
 Hieræ picræ drachmas quinde-
 cim.
 Cum syrupo è succo Cichorii,
 fiat massa s. a.

PILVLÆ LVCIS MAJO-
 RES, MES.

R̄ Rosarum,
 Violarum,
 Absinthii,
 Colocynthidos,
 Turpeti,
 Cubebarum,
 Calami Aromatici,
 Nucis Moschatae,
 Spicæ Indicæ,
 Epithymi,
 Carpobalsami, vel Cardamomi,
 Xylobalsami, vel Ligni Aloes,
 Sem: Seseleos,
 Rutæ,
 Anisi,
 Fœniculi,
 Apii,
 Schoenanthûs,
 Mastiches,
 Radic: Asari,
 Caryophyllorum,
 Cinnamomi,
 Casiæ lignæ,
 Croci,
 Macis, ana drachmas duas.
 Citrinarum,
 Chebularum,
 Myrobal: Indarum,
 Belliricarum,
 Emblicarum,
 Rhabarbari, ana unciam dimi-
 diam.
 Agarici,
 Sennæ, ana drachmas quinque.
 Euphra-

Euphragiæ drachmas sex.

Aloes Succotrinæ ad pondus omnium; confice cum syrupo de succo Fœniculi, s. a.

PILVLÆ MECHOACANÆ,
RENOD. A. I.

℞ Mechoacanæ unciam dimidiã.

Turpeti drachmas tres.

Folior: Thymelææ in aceto maceratorum & siccatorum.

Semin: Ebuli,

Agarici trochiscati, ana drachmas duas.

Radic: Esulæ præparatæ,

Mastiches, ana drachmam unam semis.

Macis,

Cinnamomi,

Salis gemmei, ana scrupulos duos.

Fiat omnium pulvis, & cum Syrupo facto cum saccharo & succo radicum Iridis fiat massa pro Pilulis secundum artem.

PILVLÆ RVDII.

℞ Colocynthidis drachmas sex.

Agarici optimi,

Diagrydii,

Elebori nigri,

Turpeti ana drachmas quatuor.

Aloes succo Citrini, unciam unam.

Specier. Diarhodon,

Abbatis unciam semis.

Contundantur omnia (exceptis speciebus Diarhod. Abbatis) crasso modo, & infundantur ad Solem in aqua vitæ opt. per octo dies, ita ut aqua vitæ supereminet octo digitis: Deinde infundantur quoque species Diarhod. Abbat: in aqua vitæ simili modo per quatuor dies, & facta colatura atque expressione forti, utriusque misceantur illæ colaturæ, & (fere abjecta) ponatur liquor in alembicum vitreum, ut separata (per distillationem) humiditate, remaneat materia densa, uti mel ex quâ Pilulæ.

PILVLÆ SINE OVIBVS
ESSE NOLO,

NICOLAÏ.

℞ Aloes lotæ drachmas quatuordecim.

Myrobal: { Citrinarum,
Chebularum,
Belliricarum,
Emblicarum,
Indarum,

Rhabarbari,

Mastiches,

Absinthii,

Rosarum rubrarum,

Violarum,

Sennæ,

Agarici,

Cassuthæ ana drachmam unã.

Diagrydii drachmas sex semis.

Cum syrupo ex succo Fœniculi facto

cto

cto cum Melle, fiat massa secundum artem.

PILVLÆ EX ESULA,
FERNELII.

℞ Cortic: Radic: Esulæ minoris
maceratæ horis viginti quatuor
in aceto & succo Portulacæ,
drachmas duas.

Grana Ricini expurgata, torrefacta,
numero quadraginta.

Myrobalanorum citrinarum
sesquidrachmam.

Chamædryos,

Chamæpityos,

Spicæ Nardi,

Cinnamomi, ana scrup: duos.

Trita tenuissimè excipiantur unciâ
una Tragacanthæ aquâ Rosarum
solutæ, Addito syr: Rosarum
q. s. ut cogantur in massam s. a.

PILVLÆ EX EUPHORBIO,
MES.

℞ Euphorbii,
Colocynthidos,

Agarici,

Bdellii,

Sagapeni, ana drach: duas.

Aloes drachmas quinque.

Cum Syrupo ex Succo Porri fiat
massa s. a.

PILVLÆ DE OPOPANACE,
MES.

℞ Opopanacis,

Hermodactylorum,

Sagapeni,

Bdellii,

Ammoniaci,

Colocynthidos, ana drachmas
quinque.

Croci,

Castorei,

Myrrhæ,

Zingiberis,

Piperis nigri,

longi,

Cassæ lignæ,

Myrobal: Citrinarum,

Belliricarum,

Emblicarum, ana drac:
unam.

Scammonii drachmas duas.

Turpeti semunciam.

Aloes drachmas duodecim.

Infusis lachrymis in aqua Caulium,
formetur massa s. a. cum Syrupo
ex Succo Caulium.

PILVLÆ TURPETI AV-
REÆ, MES.

℞ Turpeti gummosi drachmas se-
decim.

Aloes sesquiunciam.

Myrobalanorum citrinarum
drachmas decem.

Rosarum rubrarum,

Mastiches, ana drachmas sex.

Croci drachmas tres.

E pulverizatis cum Syrupo Absin-
thii q. s. fiat massa.

PILVLÆ DE CYNOGLOS-
SO, FERNELII.

℞ Myrrhæ drachmas sex.
Thuris masculi drachmas quin-
que.
Opii,
Sem: Hioscyami,
Radic: Cynoglossi aridarum, ana
unciam dimidiam.
Crocī,
Castorei, ana drachmam unam
semis.
Cum Syrupo ex Stœchade fiat
Massa secundùm artem.

LAVDANVM.

℞ Opii Thebaici extracti in spiritu
Vini unciam unam.
Crocī similiter extracti drach-
mam unam semis:
Castorei drachmam unam.
Excipiantur tincturâ semiuncie
specierum Diambre recen-
tium in spiritu Vini factâ.
Addendo (ex gratia) Ambre gri-
seæ & Moschi, ana grana sex.

Olei Nucis Moschatæ guttas
decem.

Tum evaporatione factâ ad balnei
calorem tepidum fiat Massa.

PILVLÆ SCRIBONII.

℞ Sagapeni,
Myrrhæ, ana drachmas duas.
Opii,
Cardamomi,
Castorei ana unciam dimi-
diam.
Piperis albi drachmam dimi-
diam.
Sapæ quantum sufficit.
Fiat Massa secundùm artem.

PILVLÆ è STYRACE

MES.

℞ Styrcis liquidæ,
Thuris,
Myrrhæ,
Succi Glycyrrhizæ,
Opii, ana partes æquales.
Misce, fiat massa pro pilulis cum
sufficienti quantitate Syrupi de
Papavere secundùm artem.

TROCHIS-





TROCHISCI.

TROCHISCI D'Ē ABSINTHIO, *MES.*

℞ Rosarum rubrarum,
Absinthii Pontici,
Anisi, ana drachmas duas,
Rhabarbari,
Succi Eupatorii, i. Agerati,
Asari,
Sem: Apii,
Amygdalarum amararum.
Spicæ Nardi Indicæ,
Mastiches,
Folii, vel Macis, ana drachmam
unam.
Succi Cichorii, q. s. fiant Trochisci
secundum artem.

TROCHISCI ALEXITE- RII, *RENODÆI.*

℞ Radic: Gentianæ,

Tormentillæ,
Ireos Florentinæ,
Zedoariæ, ana drac: duas.

Cinnamomi,
Caryophyllorum,
Macis, ana drachmam dimi-
diam.

Zingiberis drachmam unam.

Radic: Angelicæ drachmas tres.

Sem: Coriandri præparatorum,
Rosarum, ana drachmam unā.

Corticis Citri sicci drachmas
duas.

Fiat omnium Pulvis subtilissimus
& cum Succi Glycyrrhizæ vino
Hippocratico parùm emolliti, &
liquefacti, unciis sex,
fiat pasta mollis, de qua formen-
tur Trochisci, vel potiùs Bacilli ob-
longi, s. a.

TROCHISCI ALIPTÆ MOSCHATÆ, *NIC.*

℞ Labdani puriss: triti uncias tres.
Styracis

Styracis Calamitæ unciam unã
semis.
Benzoini unciam unam.
Ligni Aloes drachmas duas.
Ambræ griseæ drachmam unã.
Camphoræ drachmam dimi-
diam.
Moschi scrupulum dimidium.
Aquæ Rosarum q. s. Misce, fiant
Trochisci, s. a.

TROCHISCI DE ANISO,
MES.

℞ Anisi,
Succi Eupatorii, i. agerati inspif-
fati ana drachmas duas.
Sem: Anethi,
Spicæ Indicæ,
Mastiches,
Folii, vel Macis,
Folior: Absinthii,
Asari,
Apii,
Amygdalarum amararum, ana
drachmam dimidium.
Aloes drachmas duas.
Succi Absinthii q. s. fiant Tro-
chisci, s. a.

TROCHISCI BECHICI AL-
BI, VEL ROTVLÆ
PECTORALES.

℞ Sacchari albissimi libram unam.
Sacchari candi albi,
Penidiorum, ana uncias qua-
tuor.

Glycyrrhizæ drachmas sex.
Radic: Iridis Florentinæ unciam
dimidiam.
Amyli sesquiunciam.
Mucilaginis Tragacanthæ ex
aqua Rosarum factæ, q. s.
Fiant Trochisci, & additis Moschi
granis tribus, & Ambræ griseæ
granis quatuor,
poterunt formari in Rotulas, quas
vulgò vocant Rotulas Pectorales.
Vel si visum fuerit sine Moscho
aut Ambra.

TROCHISCI BECHICI
NIGRI, *RHASIS.*

℞ Succi Glycyrrhizæ,
Sacchari albi, ana drachmas
decem.
Tragacanthi,
Amygdalarum dulc: mundat:
ana drachmas sex.
Mucilaginis Cydoniorum q. s.
Misce: fiant Trochisci, s. a.

TROCHISCI DE BERBE-
RIS, *MES.*

℞ Berberorum Baccarum siccarū.
Succi Glycyrrhizæ,
Spodii,
Sem: Portulacæ, ana drachmas
tres.
Rosarum rubrarum drachmas
sex.
Spicæ Indicæ,
Crocij,

Amyli.

Amyli.

Tragacanthi, ana drachmam unam.

Sem: Citruli drachmas tres semis.

Camphoræ drachmam dimidiam.

Confice cum Manna succo Berberorum diluta, f. a.

TROCHISCI DE CAMPHORA, *MES.*

℞ Rosarum rubrarum drachmas quatuor.

Spodii,
Glycyrrhizæ, ana drachmas duas.

Sem: quatuor frigidorum majorum.

Tragacanthæ,

Croci,

Gummi Arabici,

Spicæ Nardi Indicæ, ana drachmam unam.

Santali Citrini drachmas duas semis.

Ligni Aloes,

Cardamomi majoris,

Amyli,

Camphoræ, an: scrupulos duos.

Sacchari albissimi,

Mannæ, ana drachmas tres.

Mucilaginis Sem: Psyllii cum aqua Rosarum factæ q. s. ad formando Trochiscos.

TROCHISCI DE CAPPARIBVS, *MES.*

℞ Corticum radicum Capparum
Sem: Agni Casti, ana drachmas sex.

Gum: Ammoniacy,

Sem: Nigellæ,

Calaminthæ,

Acori,

Succi Eupatorii, i. Agerati inspissati,

Amygdalarum amararum,

Foliorum Rutæ,

Radic: Aristolochiæ rotundæ.

Sem: Nasturtii, ana drachmas duas.

Scolopendrii, id est, Ceterach:

Cyperii rotundi, ana drachmam unam.

Ammoniaco in aceto accerrimo soluto pulveres cæteri misceantur, & formentur Trochisci f. a.

TROCHISCI CYPHEOS, *DAMOCRATIS.*

℞ Pulpæ uvarum passarum pinguium.

Terebinthinæ coctæ, ana uncias tres.

Myrrhæ,

Schœnanthûs, ana unciam unã semis.

Calami Aromatici, drachmas novem.

Cinnamomi unciã dimidiam.

N

Ungui-

Unguium Bdellii,

Spicæ Indicæ,

Cassia Lignæ,

Cyperii,

Baccarum Juniperi, ana drachmas tres.

Aspalathi, sive Ligni Aloes drachmas duas semis.

Croci, drachmam unam.

Mellis despumati q. s.

Vini optimi modicum.

Bdellium, Vinum & Myrrha mortario immittantur, benè terantur, donec redierint ad crassitudinem liquidi mellis; postea Mel addatur, cum Pulpa Passul: contritum, postremò reliqua omnia lævigata, sicque fiant Trochisci s. a. siccentur in umbra.

TROCHISCI DIARHODON, *MES*:

℞ Folior: Rosarum rubrarū drachmas sex.

Spicæ,

Ligni Aloes, ana drachmas duas.

Glycyrrhizæ drachmas tres.

Spodii drachmam unam.

Croci drachmam dimidiam.

Mastiches drachmas duas.

Cum Vino albo fiant Trochisci secundum artem.

TROCHISCI DE EUPATORIO, *MES*.

℞ Mannæ,

Succi Eupatorii, i. Agerati inspissati, ana unciam unam.

Rosarum rubrarum unciam dimidiam.

Spodii ex Ebore drachmas tres semis.

Spicæ Indicæ drachmas tres.

Rhabarbari,

Asari,

Anisi, ana drachmas duas.

Cum aqua Cuscutæ fiat Trochisci.

Manna autem cum succo est solvenda: deinde pulveres cæteri paulatim succo adjiciantur: in umbra exiccati reponantur.

TROCHISCI DE GALLIA MOSCHATA, *MES*.

℞ Ligni Aloes crudi drachmas quinque.

Ambra griseæ drachmas tres.

Moschi drachmam unam,

Cum Mucilagine Tragacanthæ extracta cum sufficienti quantitate aquæ Rosarum, fiant Trochisci, siccentur in umbra.

TROCHISCI GORDONII.

℞ Semin: 4. $\left. \begin{array}{l} \text{majorū,} \\ \text{minorū,} \end{array} \right\} \text{mundatorum.}$

Sem:

Sem: Papaveris albi,
Malvæ,
Bombacis,
Portulacæ,
Cydoniorum,
Myrtillorum,

Gum: Tragacanthi,
Arabici,

Pinearum mundatarum,
Pistaciæ,
Sacchari candi,
Penidiorum,
Glycyrrhizæ mundatæ,

Hordei mundati,
Mucilaginis Psyllii,
Amygdalarū dulcium, ana un-
ciam unam.

Boli Armeni,
Sanguinis Draconis,
Spodii,
Rosarum,

Myrrhæ, ana uncias duas.

Conficiantur cum Hydromelite.

Fiant Trochisci s. a.

TROCHISCI HEDYCHROI
ANDROMACHI EX
GALENO.

R Mari,
Asari,
Amaraci,
Aspalathi, sive Santali Citrini,
ana drachmas duas.

Scenanthūs,
Calami odorati,
Phu Pontici,
Xylobalsami, aut Ligni aloes,

Opobalsami, aut olei Nucis
Moschatæ per expressionem,
Cinnamomi,
Costi ana drachmas tres.

Myrrhæ,
Folii Malabathri vel Macis,
Nardi Indicæ,

Croci,
Casia lignæ, ana drachmas sex.
Amomi, aut Cardamomi mi-
noris, unciam unam semis.
Mastiches drachmam unam.

Vini Hispanici optimi q. s.

Primùm Crocus pulverisatus in
pila studiosè teratur cum Vino,
deinde Myrrha & Mastiche probè
trita adjiciantur, dein Opobalsa-
mum, postremò reliqua pulveris
formâ inspergantur, simulq; per-
misceantur, vino subinde affuso,
& tenues Pastilli formentur, s. a.
& in umbra siccentur.

TROCHISCI HYSTERICI,
RENODÆI.

R Asæ foetidæ,
Galbani, ana drachmas duas se-
mis.

Myrrhæ drachmas duas.
Castorei drachmam unā semis.

Asari,
Aristolochiæ,
Sabinæ,
Matricariæ,

Nepetæ, ana drachmam unam.
Dictamni drachmam dimidiā.

Cum succo aut decocto Rutæ fi-
ant Trochisci s. a.

TROCHISCI DE LACCA,
MES.

℞ Laccæ mundatæ.

Succorum Glycyrrhizæ,
Eupatorii, (i) Agerati.
Absinthii,
Berberorum,

Rhabarbari,

Aristolochiæ longæ,

Costi,

Asari,

Amygdalarum amararum,

Rubiæ tinctorum,

Anisi,

Apii,

Scoenanthûs, ana drachmam
unam.

Cum decocto Aristolochiæ &
Schoenanthûs, vel succo Eupatorii
aut Absinthii, fiant Trochisci se-
cundùm artem.

TROCHISCI DE TERRA
LEMNIA, *MES.*

sec. FERNEL.

℞ Sanguinis Draconis,
Gummi Arabici affati,
Trochiscorum Ramich,
Rosarum rubrarum,

Sem: Rosarum,

Amyli affati,

Spodii,

Acaciæ,

Hypocistidis,

Lap: Hæmatitæ,

Balaustiorum,

Boli Armeni,

Terræ Lemniæ,

Corallii rubri,

Succini, ana drachmas duas.

Margaritarum,

Tragacanthæ,

Sem: Papaveris nigri, ana drach-
mam unam semis.

Sem: Portulacæ parum tost:

Cornu Cervi usti,

Thuris,

Nucum Cupressi,

Croci, ana drachmas duas.

Cum succo, aut aqua Plantaginis
fiant Trochisci, s. a.

TROCHISCI è MYRRHA,
RHASIS.

℞ Myrrhæ drachmas tres.

Farinæ Lupinorum drachmas
quinque.

Foliorum Rutæ,

Mentastri,

Pulegii,

Sem: Cvmni,

Radic: Rubiæ,

Asæ foetidæ,

Sagapeni,

Opopanacis, ana drachmas
duas.

Dissolvantur gummi in aceto
Scillitico, & cum succo Artemi-
siæ fiant Trochisci.

TRO-

TROCHISCI POLYIDÆ
SPHRAGIS, ANDRO-
MACHI EX
GALENO.

℞ Florum Mali Punici, id est,
Balauftiorum drachmas duo-
decim.

Aluminis Sciffilis drachmas
tres.

Thuris,

Myrrhæ, ana unciam dimidiã.

Chalcanthi drachmas duas.

Fellis Taurini drachmas sex.

Aloes unciam unam.

Vini austeri q. s. fiant Trochisci se-
cundùm artem.

PASTILLI ANDRONIS,
GALENO.

℞ Cytinorum Balauftior: drach:
decem.

Chalcanthi drach: duodecim,

Gallæ omphacitis.

Aristolochiæ,

Thuris, ana unciam,

Aluminis Sciffilis,

Myrrhæ, ana semunciam.

Misy, drachmas duas.

Cum vini austeri heminis duabus
fiant Trochisci, s. a.

TROCHISCI MUSÆ,
GALENO.

℞ Aluminis sciffi,

Aloes,

Chalcanthi,

Myrrhæ, ana drachmas sex.

Crocomagmatis,

Croci, ana drachmas tres.

Cytinorum semunciam.

Vini odorati.

Mellis, ana q. s. ut formentur
Pastilli, s. a.

CROCOMAGMA DAMO-
CRATIS, GALENO.

℞ Croci drachmas centum,

Rosarum rubrarum,

Myrrhæ, ana drachmas quin-
quaginta,

Amyli,

Gummi, ana drachmas triginta.

Vini q. s. fiant Trochisci, s. a.

TROCHISCI DE LIGNO
ALOES, MES.

℞ Xyloaloes,

Rosarum rubr: ana drachmas
duas

Mastiches,

Cinnamomi,

Caryophyllorum,

Nardi Indicæ,

Nucis Moschatae,

Cardamomi majoris,
minoris;

Cubearum,

Galliæ Moschatae,

Pastinacæ,

Cortic: Citri,

N 3

Macis,

Macis, ana ſesquidrachmam.
 Ambra grifeæ,
 Moſchi, ana ſemiſcriptulum,
 Cum Melle Paſſularum fiant Tro-
 chiſci.

TROCHISCI RAMICH,
MES.

℞ Succi Acetoſæ uncias ſedecim.
 Foliorum Roſarum rubrarum
 unciam unam.
 Baccharum Myrti uncias duas.
 ſemel ferveſiant & colentur, adde
 colatis
 Gallarum recentium accuratè
 tritarum uncias tres.
 Coque iterum aliquantiſper, de-
 inde inſpergatur ſequentium ſpe-
 cierum minutiffimus & optimè
 commixtus Pulvis.

℞ Roſarum rubrarum unciam u-
 nam.
 Santali Citrini drachmas de-
 cem.
 Gummi Arabici unciam unam
 ſemis.
 Sumach,
 Spodii, ana unciam unam.
 Granorum Myrti uncias qua-
 tuor.
 Ligni Aloes,
 Caryophyllorum,
 Macis,
 Nucis Moſchatæ, ana unciam
 dimidiam.
 Omphacii ſeu Agreſtæ drach-

mas ſeptem.

Miſce omnia ſimul, & extende
 in ſcutella lapidea, dum exiccen-
 tur, exiccata ruruſus in tenuiffimum
 pulverem terantur, & formentur
 Trochiſci parvi cum Camphoræ
 drachma una, & q. ſ. aquæ Roſa-
 rum, & Trochiſcos hos aromati-
 zant Moſchi grana quindecim.

TROCHISCI DE ROSIS,
MES.

℞ Roſarum rubrarum unciam di-
 midiam.
 Ligni Aloes drachmas duas.
 Maſtiches drachmam unam ſe-
 mis.
 Abſinthii Rom:
 Cinnamomi,
 Nardi Indicæ,
 Caſiæ ligneæ,
 Schœnanthûs, ana drachmam
 unam.
 Vini veteris, & decocti quinque
 radicum aperitivarum ana q. ſ. fiant
 Trochiſci ſ. a.

TROCHISCI DE SCILLA,
GALENI.

Scillam initio Julii collectam
 mediæ magnitudinis, plenam,
 candidam, cortice primo detracto,
 & parte duriore, cui radiculæ ad-
 hærent abjecta, farinâ tritici ſub-
 actâ involves, & eoſque in cliba-
 no coques, donec farina probè ſic-
 cata

cata sit, & ea perforata, stilo ligneo (vel potiùs festucâ) tentabis an Scilla undique tenera sit. Eâ exemptâ, ipsam in mortario diligenter teres, cui admiscebis farinæ Erui albi, vel ejus loco Ciceris rubri tenuissimè cribrati uncias octo ad singulas Scillæ libras, & formabis in Trochiscos ponderis drachmarum duarum (manibus rosaceo inunctis) & siccabis in superiore parte ædium meridiem spectante, in umbra, sæpiùs obvertendo, donec probè siccati sint, deinde repones in vase stanneo puro, vel vitreovitatis plumbeis.

TROCHISCI DE SPODIO,
MES.

℞ Rosarum rubrarum drachmas duodecim.
Spodii drachmas decem.
Sem: Acetosæ drachmas sex.
Portulacæ,
Coriandri in aceto maceratorum & torrefactorum.
Pulpæ Sumach, ana drachmas duas semis.
Amyli tosti,
Balauftiorum,
Berber: ana drachmas duas.
Gummi Arabici assati drachmâ unam semis.
Agrestæ q. s. fiant Trochisci.

TROCHISCI DE SANTA-
LIS MAI. MES.

℞ Santalorum trium ana unciam.
Sem: Cucumeris.
Cucurbitæ,
Citruli,
Portulacæ,
Spodii, ana semunciam.
Rosarum drachmas septem.
Succi Berber: drachmas sex.
Boli Armeni drach: quatuor.
Camphoræ drach: unam.
Cum aqua Portulacæ fiant Trochisci.

TROCHISCI DE VIPERA
ANDROMACHI EX
GALENO.

℞ Carnis Viperinæ detractâ cûte, exemptis interaneis & adipe, abjectis capitibus & caudis, cum Anetho, sale pauco & aquâ coctæ uncias octo.
Panis triticei purissimi, aut potiùs biscocti triti & cribrati uncias duas.
Formentur Trochisci, cum jure in quo decoctæ fuerint carnes Viperinæ, si opus sit liquore, & inungantur Opobalsamo vel Oleo Nucis Moschatæ per expressionē. Siccentur loco umbroso libero, ventoque perflabili per dies quindecim, aut eo ampliùs, sæpe autem sunt convertendi, donec probè

bè exiccati fuerint, deinde in pyxidem vitream, aut figlinam vitream, bene obturatam reponendi. Annum integrum perseverent, quanquam longè meliùs fuerit haud multo postquam ipsos confeceris Theriacam adornare. Qui porro diutiùs conservare velit, subinde eos à pulvisculo abstergat, qui illis obnasci consuevit, qui si diutiùs inhæreat Pastillos perforabit; hoc modo conservari possunt integri ad tertium annum.

TROCHISCI VITICIS
SIVE AGNICASTI,
RENODÆI.

℞ Sem: Viticis, seu Agnicasti,
Lactuæ,
Rosarum,
Balauftiorum, ana drachmam unam.
Scobis Eboris,
Electri, ana drachmam unam semis.
Boli Armeni in Aqua Centinodii loti drachmas duas.
Sem: Plantaginis scrup: quatuor.
Saffras scrupulos duos.
Cum Mucilagine sem: Cydoniorum in Aqua Nenupharis extracta fiant Trochisci s. a.

TROCHISCI ALBI,
RHASIS.

℞ Cerussæ Aqua Rosarum lotæ

drachmas decem.
Sarcocollæ crassioris drachmas tres.
Amyli drachmas duas.
Gum: Arabici,
Tragacanthi, ana drachmam unam.
Caphuræ,
Opii, ana drachmam dimidiã.
Lacte excipiantur singula, & fiant Trochisci s. a.
Parari etiam possunt hi Trochisci sine Opio.

TROCHISCI ALKEKENGII,
MES.

℞ Baccarū Alkekengi drach: tres.
Sem: Melonum,
Cucumeris,
Citruli,
Cucurbitæ, ana drachmas tres semis.
Gum: Arabici,
Tragacanthi,
Thuris masculi,
Sanguinis Draconis,
Pinearum,
Amygdalarum amararum,
Sem: Papaveris albi,
Amyli,
Succi Glycyrrhizæ,
Boli Armeni, ana drachmas sex.
Sem: Apii,
Hyoscyami,
Carabes,
Terræ figillatæ,
Opii, ana drachmas duas.

Cum

Cum succo recentium Baccarum
Halicacabi, aut decocto earundem
fiant Trochisci s. a.

Parantur etiam sine Opio.

TROCHISCI DE CA-
RABE, *MES.*

℞ Carabes drachmas sex.

Cornu Cervi usti,

Gum: Arabici affati,

Corallii rubri usti,

Tragacanthi,

Acaciae,

Hypocistidos,

Balaustiorum,

Mastiches,

Laccæ lotæ,

Sem: Păpaveris nigri affat: ana
drachmas duas.

Thuris,

Croci,

Opii, ana drachmam unam
semis.

Mucilaginis Sem: Psyllii q. s. for-
mentur Trochisci secundum ar-
tem.

TROCHISCI DIACORAL-
LIV. *GALENI.*

℞ Boli orientalis,
Corrallii rubri, ana unciam u-
nam.

Balaustiorum,

Amyli,

Terræ Lemniæ, ana unciam di-
midiam.

Hypocistidos,

Sem: Hyoscyami,

Opii, ana drachmas duas.

Succi Plantaginis quantitatem suf-
ficientem: formentur Trochisci,
secundum artem.

TROCHISCI DIASPER-
MATON, *GALENI.*

℞ Sem: Opii,

Ammeos, ana unciam unā.

Anisi,

Fœniculi, ana unciam di-
midiam.

Opii,

Casiæ Lignæ, ana drachmas
duas.

Cum aqua pluviali fac Pastillos se-
cundum artem.

HÆMOPTOICIPASTILLI,
GALEN.

℞ Amyli,

Balaustiorum,

Terræ Samiæ,

Succi Hypocistidos,

Gummi,

Croci,

Opii, ana drachmas duas.

Excipe succo Plantaginis,
fiant Trochisci s. a.

SIEF DE PLUMBO,
MES.

℞ Plumbi usti & loti,

AERIS

Aeris usti,
 Antimonii,
 Tutiae lotae,
 Gum: Arabici,
 Tragacanthi, ana unciã unam.
 Opii drachmam dimidiam.
 Aquae pluviae quantitatem suffi-
 cientem. Fiant Trochisci.

TROCHISCI DE SVCCINO,
 GALEN.

℞ Iridis Illyricae,
 Ramentorum Succini,
 Mastiches,
 Croci ana drachmas duas.
 Opii drachmas quinque.
 Excipiantur omnia Mucilagine ex
 Sem: Psyllii. Fiant Pastilli.

SIEF DE THVRE,
 RHASIS.

℞ Cadmia,
 Pompholigos,
 Thuris ana drachmas decem.
 Cerussae drachmas quadraginta.
 Gum: Arabici,
 Opii, ana drachmas sex.
 Aquae pluvialis q. s. Fiant Pastilli,
 siccandi & servandi.

AGARICVS TROCHISCA-
 TVS, MES.

℞ Agarici electi uncias quatuor.
 Infusionis Zingiberis in vino
 generoso factae quantitatem suffi-

cientem. Fiant Trochisci.

TROCHISCI DE AGA-
 RICO.

℞ Agarici electi uncias tres.
 Salis gem: drachmas sex.
 Zingiberis, drachmas duas.
 Cum Oxy-melite simplici q. s. Fiant
 Trochisci secundum artem.

TROCHISCI ALHAN-
 DAL, MES.

℞ Pulpa Colocynthidos albae, le-
 vis, a seminibus repurgatae
 uncias decem.
 Forcipibus incide & frica ali-
 quoties cum olei rosati unciã
 unã, & trochiscos finge, cum
 parte,
 Mucilaginis, extractae ex
 Gum: Arabici,
 Tragacanthi,
 Bdellii, ana drachmis sex.
 Macerentur per quadriduum in a-
 qua Rosarum. Siccati in umbra,
 denuò terantur, & cum reliqua
 Mucilagine refingantur secundum
 artem.

TROCHISCI DE RHA-
 BARBARO, MES.

℞ Rhabarbari electi drachmas de-
 cem.
 Succii Eupatorii, i. Agerati con-
 densati.

Amyg-

Amygdalarum amararum, ana
 unciam dimidiam.
 Rosarum drachmas tres.
 Spicæ Indicæ,
 Absinthii,
 Sem: Anisi,
 Apii,
 Rad: Rubiæ tinctorum,
 Asari, ana drachmam unā.
 Cum aqua Cuscutæ vel ejus loco
 succi Eupatorii depurati fiant
 Trochisci secundum artem.

TROCHISCI è VIOLIS
 SOLVTIVI, MES.

℞ Violarum modicè siccatarum
 drachmas sex.
 Turpeti optimi semunciam.
 Succi Glycyrrhizæ,
 Scammonii,
 Mannæ, ana drachmas duas.
 Cum Syrupo violarum formentur
 Trochisci.



OLEA



TROCHISCI & PASTILLAE
SOLUTIVAE

R. Vitium modice locustum
dischinas sex
Turpi opium seminatam
Succi Glycyrrhizae
Scammonii
Manducans drachmas duas
Cum Symplo violarum formetur
Trochisci

Amalgamum amarum, ana
unciam dimidiam
Kobaltum & schweis tra
Spice Indica
Abolhu
Sed: Anis
Apr
Rad: Rubeae tinctorum
Alumina drachmas tres
Cum aqua Chloris vel eius loco
Succ: Euphoris depurata fiat
Trochiscus

OLEA



OLEA
SIMPLICIA
PER
EXPRESSIONEM.

OLEVM AMYGDALARVM
DULCIVM. *MES.*

℞ Amygdalarum dulcium ficcarum, sed non rancidarum confricatarum q. v. terantur optimè, & è prælo exprimatur oleû sine vi caloris.

OLEVM AMYGDALARVM
AMARARVM. *MES.*

Eodem modo fit, ut Amygdalarum dulcium.

OLEVM AVELLANARVM,
MES.

℞ Avellanarum mundatarum quantitatem sufficientem, terantur optimè, & relinquantur per horas quinque vel sex in Balneo tepido, deinde torculari exprimatur oleum.

O

Et

Et eodem modo fiunt,
OLEVM BALANINVM vel **DE BEEN,**
 EX **BALANO MYREPSICA, M. S.**

	Macis.
	Nucis Indicae.
	Nucis Moschatae.
	Nucum Juglandium Caryinon.
	Ceraforum.
	Mali Armenii, Chrysomelinum.
	Mali Persici.
ex Nucleis	Pinearum.
	Prunorum.
	Pistaciarum.
	Strobylorum.
Oleum	Aurantiorum.
	Cannabis.
	Carthami & dicitur Cnicinum.
	Citri.
	Cucumeris.
	Cucurbitae.
	Citruli.
	Ebuli.
	Hyoſcyami.
	Lactucae.
ex Seminibus	Lini.
	Melonum.
	Papaveris.
	Petroſelini.
	Raphani.
	Rapi.
	Ricini, & dicitur Oleum de Cherva,
	Cicinum, Ricininum.
	Sesami, dicitur Sesaminum.
	Sinapi.
	Ex Uvarum acinis.

OLEVM

OLEVM LAVRINVM,
MES.

℞ Baccarum Lauri maturarum & recentiū q. s. contundantur, & cum aquæ quantitate sufficienti coquantur, donec pingue supernataverit, deinde exprimatur torculari, & oleum supernatans aquæ separetur s. a.

OLEVM OLIVARVM
COMMUNE.

Exprimitur ex Olivis maturis.

OLEVM OLIVARVM
OMPHACINVM.

Ex Olivis immaturis fit per expressionem.

OLEVM EX VITELLIS
OVORVM, *MES.*

℞ Vitellorum ovorum ad duritiem in aqua coctorum, & postea in vase vitreato ad lentum ignem probe calefactorum quantum vis. Cavendo ne inter calefaciendum adurantur, è quibus deinde prælo exprimatur oleum.

Observandum, quod si irrorentur aromatico & calido Vino dum calefiunt & subiguntur, commodius elicietur oleum.

OLEA SIMPLICIA PER INFUSIONEM
VEL DECOCTIONEM.OLEVM ROSACEVM
OMPHACINVM.

℞ Olei Omphacini libram unam.
In qua infunde,
Rosarum rubr: immaturarum
contusarum uncias quatuor.
Pone in vase vitreo, vel vitreato,
& diligenter obtura, & expone
Soli per dies septem, & quotidie

agita, ita ut undiquaque incalescat: deinde leviter decoque in duplici vase: postea exprime & illas Rosas abjice, & secundò alias Rosas infunde, & ut prius expone Soli per dies septem, rursus decoque: iteretur infusio Rosarum tertiâ vice, & decoquatur leviter secundum artem, & reponatur oleum & usui servetur.

OLEVM ROSATVM COM-
PLETVM, *MES.*

Fit eodem modo, ex oleo dulci & maturo sæpe loto, & Rosis rubris expansis contusis, & Soli expositis, & leviter decoctis in duplici vase, ita tamen ut tertia infusio fit per quadraginta dies; quibus peractis (si placet) reponatur oleum cum Rosis sine expressione.

Eodem modo fiunt,

Oleum Absinthites, ex comarum Absinthii unciis quatuor & Olei libris tribus; ter repetendo comarum infusionem, & ultimâ infusionem addendo Succum Absinthii uncias quatuor, & coquendo leviter ad Succum consumptionem.

Oleum Anethinum, ex olei completi libra una, florum & frondium Anethi unciis quatuor, cum triplici infusionem.

Oleum de Castoreo, ex Castorei uncia una, olei libra una, Vini q. s. coctis ad Vini consumptionem.

Oleum Chamæmelinum, ex oleo completo & floribus q. s. per 40 dies insolentur.

Eodem modo & oleum è Meliloti Summitatibus.

Oleum Cheirinum, ex floribus Leucosii Lutei i. Keiri, & oleo veteri claro, ut oleum Anethinum.

Oleum Cydoneorum, ex carnis immaturæ cum cortice, & Succum Cydoniorum, ana unciis sex. Olei omphacini libris tribus.

Insolentur in vase vitreo per dies quindecim: tum coque vase duplici per horas quatuor: post fiat permutatio carnis & succi eorum ter: demùm cola, & reconde.

Oleum Enulatum, ex Enulæ radicem contusarum, & Succum ejusdem, & olei Amygdalarum, ana libra dimidia, Vini dulcis unciis tribus, coctis ad Vini consumptionem.

Oleum Euphorbii, ex Euphorbii uncia dimidia, olei Cheirini, Vini odoriferi, ana unciis quinque, coctis in duplici vase ad Vini consumptionem.

Oleum Formicarum *Nic:* ex Formicarum alatarum unc: ij: & olei unc: viij. maceratis, insolatis per dies 40. excolatis, repositis.

OLEVM

OLEVM HYPERICI.

℞ Summitatum Hyperici uncias quatuor: Macerentur in olei Olivarum veteris libra una, & Vini odoriferi unciis sex, per triduum ad Solem vel in Balnei calore, & exprimantur: Eodem modo renovetur infusio summitatum Hyperici secundâ & tertiâ vice: Ultima infusio coquatur ad vini ferè consumptionem, & exprimatur; Expressioni adde Terebinthinæ uncias tres, Croci scrupulum unum. Parum iterum coquatur & reponatur.

Oleum Jasminum.

Ex floribus & oleo veteri claro, ut Rosaceum.

OLEVM IRINVM.

℞ Radicum Iridis Flor: librâ unâ. Florum Liliorum alborum libram dimidiam.

Aquæ cui incoctæ sunt aliæ Iridis Flor: radices q. s.

Olei dulcis libras sex.

In vase duplici coque, radices & flores recentes iterum immitte, prioribus expressis & abjectis, ut in oleo Rosato.

OLEVM LUMBRICORVM.

℞ Lumbricorum terrestrium libram dimidiam.

Probè laventur in vino, deinde adde

Olei Olivarum libras duas.

Vini uncias octo.

Coque in duplici vase ad Vini consumptionem.

Oleum Sampsuchinum vel Majoranæ simplex, Ex herbæ unciis quatuor, infusis in Vini unciis sex, & olei libra una, cum insolatione & duabus aliis infusionibus repetitis, & tandem evaporatione Vini in Balneo.

OLEVM MASTICHINVM

℞ Olei Rosati Omphacini libram unam.

Mastiches uncias tres.

Vini odoriferi uncias quatuor. omnia in vase vitreato imposita, coquantur in duplici vase ad Vini consumptionem.

Oleum Menthæ. Ex herbis & oleo Omphacino, ut Rosaceum.

Oleum Myrtillorum, ex Baccharum Myrtillorum contrafactarū & vino adstringente aspersarum

libra una (ut Myrtinum è foliis)

Olei Omphacini libris tribus.
Macerentur & insolentur per octiduum; dein coquantur & repetatur tertio Baccarum nova infusio, & insolatio, & coctio in vase duplici: tum exprimatur Oleum & reservetur usui.

OLEUM MYRRHÆ.

Aliquot ova recentia coquantur donec induruerint; per mediam longitudinem incidantur, vitelli eximantur, cavitates Myrrhâ tritâ ad medietatem impleantur; & denuò conjungantur albumina, filoque parum confringantur, & craticulæ inter duas paropsides collocandæ superponantur. Tum in cella viniaria, vel alio loco subterraneo & humido ponantur. Sic enim Myrrhæ liquatus humor in paropsidem inferiorem destillabit.

Oleum Narcissinû, Ex floribus & oleo, ut Rosaceum.

Oleum Nardinum simplex, Ex Spicæ Nardi unciis tribus.

Olei dulcis libra una semis.
Vini, & aquæ, ana unciis dua-

bus cum semisse, coctis in duplici vase ad humoris consumptionem.

Oleum Nenupharinum, ex Olei Omphacini libra una.
Florum Nymphææ alb: recent: unciis quatuor, ter repetitis, ut in oleo Rosato.

Oleum Papaveris, ex floribus, capitibus, & foliis Papaveris sativi, & oleo Omphacino, ut Anethinum.

Oleum Rutaceum simplex, ex herbis contusis & oleo maturo, ut Rosatum.

Oleum Sabinæ eodem modo fit ut Rosaceum.

Oleum Sambucinum, ex floribus & oleo, ut Rosatum.

Oleum Scorpionum simplex, ex Scorpionibus numero triginta.

Olei Amygdalarum amararum libris duabus.

Macerentur per dies quadraginta loco calido, in vase vitreo insolentur, colentur, reponantur.

Oleum Sicyonium, ex radicibus Cucumeris agrestis, & succi ejusdem, ana unciis sex.

Olei

Olei Olivarum maturarum libra una, coctis in duplici vase ad succi consumptionem.

Oleum Solani, ex baccarū Solani maturarum unciis quatuor, coctarum in olei libra una.

Oleum de Styrace, ex olei Olivarū libra una.
Styracis unciis tribus.

Vini q. s. coque post sufficientem macerationem ad vini consumptionem.

Oleum Verbenaceum, ex herba & oleo, ut oleum Menthæ.

Oleum Violaceum, ex oleo Olivarum Omphacino, & floribus Violarum, ut Rosatum.

OLEA COMPOSITA.

OLEVM APARICII BENEDICTVM. Hier. Fabr. ab Aq. pentateuch. l. 2. c. 7.

℞ Olei vetustissimi uncias tres.
Terebinthinæ puræ uncias octo.
Tritici puri sesquiunciam.
Flor: Hyperici uncias duas.
Rad: Cardui Benedicti.
Valerianæ, ana unciam.
Thuris pulverizati uncias duas.
Radices & herbæ crasso modo contundantur, in olla ponantur, tantum Vini albi superfundatur, ut Vino mergantur omnia: factâ per biduum infusione, Oleum & Triticum adjiciuntur, & coquantur omnia ad Vini consumptionem. Factâ forti expressione additur Terebinthina & Thus; sinuntur parum bullire iterum; servantur vase vitreo.

OLEVM DE CAPPARIBVS.

℞ Corticum Radicum Capparum unciam unam.
Cortic. Tamarisci,
Folior. Tamarisci,
Sem: Agni Casti,
Cetrach sive Aspleni,
Rad: Cyperi, an: drachmas duas.
Rutæ drachmam unam.
Olei Olivarum maturi libram unam.
Aceti albi fortis,
Vini albi, ana uncias duas.
Trita & macerata aliquandiu, leviter coquantur in duplici vase usque ad consumptionem Vini & Aceti: exprimantur, colentur, reponantur.

OLEVM

OLEVM DE CASTOREO
IACOBI de MANLIIS.

℞ Castorei,
 Styrcis Calamitæ,
 Galbani,
 Euphorbii,
 Casiæ lignæ,
 Croci,
 Opopanacis,
 Carpobalsami, five Cubebarū,
 Spicæ Nardi,
 Costi, ana drachmas duas.
 Cyperi,
 Schœnanthūs,
 Piperis longi,
 nigri,
 Sabinæ,
 Pyrethri, ana drachmas duas
 semis.
 Olei libras tres.

Vini Hispanici libras duas.
 Galbanum, & Opopanax in Vino
 scorsim dissolvantur, deinde reli-
 qua omnia contusa, cum oleo &
 vino coquantur in duplici vase,
 postea colentur, ac dissolutum ex-
 pressumq; Galbanum cum Opo-
 panace, oleo affundantur, & iterum
 coquantur, sæpius miscendo, ut
 Galbanum & Opopanax in vasis
 fundo subsidentia oleo commisce-
 antur. Styrax autem per se dissol-
 vatur in vino. Adde postea Tere-
 binthinæ drachmam unam semis,
 quò melius Styrax oleo commi-
 sceri possit.

OLEVM COSTIVM,
MES.

℞ Costi amari uncias duas.
 Casiæ lignæ unciam unam.
 Summitatum Sampsuchi unci-
 as octo.
 Trita macerentur biduo in Vini
 q. s. deinde cum olei olivarum
 Vino loti libris tribus coquantur
 in duplici vase ad consumptionem
 Vini s. a.

OLEVM CROCINVM,
MES.

℞ Croci unciam unam.
 Myrrhæ puræ unciam dimi-
 diam.
 Cardamomi drachmas novem.
 Calami aromatici unciam unā.
 Infundantur omnia in aceto, (præ-
 ter Cardamomū) diebus quinque,
 sexto projiciatur super ea Carda-
 momum, & stent simul per diem
 unum: mane sequenti adde libram
 unam semis olei, & coquantur
 lento igne ad aceti consumptionē
 secundum artem. Sunt qui po-
 nunt Vinum loco Aceti.

OLEVM DE EUPHORBIO,
COMPOS. NIC:

℞ Staphidis agriæ,
 Struthii, yel Saponariæ, ana un-
 ciam

ciam dimidiam.
 Pyrethri drachmas sex.
 Calaminthes montanæ siccæ
 unciam unam semis.
 Costi drachmas decem.
 Castorei drachmas quinque.
 Trita, triduoque macerata in Vini
 odori libris tribus semis coquantur
 cum olei Leucoii lutei libra una
 semis, ad Vini ferè consumptio-
 nem, tunc insperge
 Euphorbii recentis & albi tenu-
 issimè triti unciam dimidiam,
 & miscendo coque ad perfectio-
 nem.

OLEVM EXCESTRENSE
 vulgò EXCETER dictum.

℞ Folior: Absinthii,
 Centaurii minoris,
 Eupatorii,
 Fœniculi,
 Hyssopi,
 Lauri,
 Majoranæ,
 Melissæ,
 Nepetæ,
 Pulegii,
 Sabinæ,
 Salviæ,
 Thymi,
 Flor: Chamæmeli,
 Genistæ,
 Liliorum alborum,

Sambuci,
 Sem: Cymini,
 Fœnuigræci,
 Radicum Hellebori albi,
 nigri,
 Corticum Fraxini,
 Limonū, ana uncias
 quatuor.
 Foliorum Abrotoni,
 Betonicæ,
 Iuæ arthriticæ, i. Cha-
 mæpityos,
 Lavendulæ, ana unci-
 as sex.
 Rorismarini libram
 unam.

Euphorbii,
 Sinapeos,
 Castorii,
 Pyrethri, ana unciam unam.
 Olei libras sedecim.
 Vini libras tres.

Contusis herbis, floribus & semi-
 nibus, & Euphorbio, & incisis
 radicibus, corticibus & Castorio
 affusis Vino & Oleo, stent per
 duodecim horas ad Balnei calo-
 rem, postea coquantur igne lento
 ad Vini & humoris consumptio-
 nem; Coletur & servetur usui
 Oleum.

OLEVM HYRVNDINVM.

℞ Hirundinum integrarum nu-
 mero sedecim.

Cha-

Chamæmeli,
Rutæ,
Plantaginis majoris,
 minoris,
Folior: Lauri,
 Pulegii,
 Anethi,
 Hyssopi,
 Rorismarini,
 Salviæ,
 Hyperici,
 Balsamitæ, ana manipu-
 lum unum.

Olei communis libras qua-
tuor.

Vini Hispanici libram unam.

Confice s. a. Si vero tantum Bu-
tyri Majalis accipiatur quantum
olei, & prædicta cum eo coquan-
tur, Unguenti & nomen, & con-
sistentiam acquirat.

OLEVM HYPERICI COMP:
feu BALSAMVM MAGI-
STRALE FLORENT:

℞ Vini albi potentis libras tres.

Summit: Hyperici maturarum
 manipulos quatuor.

Tere, Macera in vase vitreo, obtu-
rato ejus orificio per duos dies,
coque in duplici vase, & fortiter
exprime; in Colaturam injice
alios flores, ut dictum est, & tertio
idem facito, dein colato, & ad sin-

gulas colaturæ libras, adde
Olei veteris libras quatuor.

Terebinthinæ uncias sex.

Olei Absinthii uncias tres.

Dictamni,

Gentianæ,

Cardui benedicti,

Tormentillæ,

Carlinæ, vel Cardui Mariæ,

Calami aromatici, ana drach-
mas duas.

Lumbricorum pluries in Vino
lotorum uncias duas.

Terantur crassiusculè terenda, &
insolentur triginta aut quadragin-
ta diebus, & benè obturatum re-
ponas.

OLEVM IRINVM COM-
POSIT: NICOL:
ALEX.

℞ Olei veteris libras quindecim.

Aquæ libras quatuor & dimi-
diam.

Radic: Iridis Flor: libras tres &
 uncias quatuor.

°Flor: Liliorum alborum uncias
 quindecim.

Radic: Cyperi recentium uncias
 sex.

Helenii uncias tres.

Anchusæ uncias duas.

Cinnamomi,

Spicæ Nardi,

Asæ

Asæ odoratæ, seu Benzoini, ana
unciam unam.

Contundantur radices & aliæ spe-
cies, & macerentur in oleo & aqua
diebus quinque ad Solem vel loco
calido, postea in duplici vase co-
quito, donec aqua consumpta fue-
rit, refrigerescere finito, colato, expri-
mito, & reponito.

OLEVM MAJORANÆ SEV
SAMPVCHI COMPOS:
ACTVARI.

℞ Foliorum Sampfuchi manipu-
l. quatuor.

Serpylli manipu. duos.

Fol: Myrti vel Baccarum mani-
pulum unum.

Abrotoni,

Sisymbrii seu Methæ aquaticæ,
ana manipu. dimidium.

Casiæ lignæ veræ uncias duas.

Olei Omphacini libras tres.

Concidantur & contundantur
omnia, ac imponantur in vitrum,
ac Oleum affundatur: tum obstru-
cto vasis orificio, macerentur ad
Solem, vel in æstuario diebus o-
cto. Tandem exprimantur, & o-
leo expresso infundantur recentes
species, quod tertio est repeten-
dum.

OLEVM MANDRAGORÆ,
NICOLAI.

℞ Olei communis libras duas.

Succi Pomorum Mandragoræ,
vel (ejus defectu) foliorum
uncias quatuor.

Succi Hyosciami albi, uncias
duas.

Succi capitum Papaveris nigri,
uncias tres.

Succi Violarum,

Cicutæ, ana unciam unā.

Opii,

Styracis Calamitæ, ana unciam
dimidiam.

Succi cum oleo decem diebus ad
solem macerentur, deinde co-
quantur in duplici vase ad succo-
rum consumptionem; Cola; Opi-
um dissolvatur in succis, & Sty-
rax dissolvatur cum modico Tere-
binthinæ, probè misce f. a.

OLEVM MOSCHELI-
NV M.

℞ Nuces Moschatas numero
duas.

Moschi drachmam unam.

Folii, seu Macis,

Spicæ Nardi,

Costi,

Mastiches, ana drachmas sex.

Styracis Calamitæ,

Casiæ Lignæ,

Myrrhæ

Myrrhæ,
 Croci,
 Cinnamomi,
 Caryophyllorum,
 Carpobalsami, vel Cubebarum,
 Bdellii, ana drachmas duas.
 Olei puri libras tres.
 Vini generosi uncias tres.

Terenda ex arte trita, atque confusè mixta, bulliant ad Vini distillationem. Percolatum oleum usui reservetur.

OLEVM NARDINVM,
 MES.

℞ Spicæ Nardi uncias tres.
 Sampsuchi uncias duas.
 Xyloaloes,
 Enulæ,
 Folii Indi vel Macis,
 Calami aromatici,
 Folior: Lauri,
 Cyperi,
 Schoenanthûs,
 Cardamomi, ana unciam unam semis.

Crassiusculè terantur, deinde in Vini & Aquæ ana unciis quatuordecim, & olei Sefamini, vel olivarum libris quatuor semis macerentur per horas viginti quatuor, deinde coque in vase duplici igne lento horis sex, persèpe movendo.

OLEVM NICODEMI

Fallop. mat: med: in prim:
 Dioscorid. c. 19.

℞ Sem: (seu summit:) Hyperici,
 Terebinthinæ antiq: ana libram unam.

Lithargyri drachmas sex.

Aloes hepaticæ,
 Tutia Alex: ana drach: tres.

Croci unciam unam.

Vini albi optimi libras quatuor.
 Olei antiqui libras duas.

Bulliant omnia simul in duplici vase, donec pars quarta consumatur: demùm sepeliantur in arena diebus Canicularibus per dies decem: postea per pannum candidum cola, separa Vinum ab Oleo, & utrumque separatim serva.

OLEVM NICOTIANÆ.

℞ Succu Peti, seu Nicotianæ,
 Olei communis, ana libram unam.

Macerentur, & coquantur ad succi consumptionem.

OLEVM

OLEVM DE PIPERIBVS,
MES.

℞ Piperis longi,
nigri,
albi, ana drachmas tres.

Myrobal: { Chebularum,
Belliricarum,
Emblicarum,
Indarū, ana drach-
mas quinque.

Radic: Apii,
Fœniculi, ana drachmas
tres semis.

Sagapeni,
Opopanacis,
Ammoniacy,
Hyoscyami albi, ana drachmas
duas semis.

Turpeti drachmas duas.
Zingiberis drachmas tres.
Surculorum Thymi recentium,
Rutæ viridis, ana manipulum
unum.

Macerentur secundum artem in
℞. q. Aquæ vitæ & olei Cheirini
libris duabus, deinde coque ad
consumptionem Aquæ vitæ.

OLEVM POPVLEVM,
NICOL.

℞ Gemmarum Populi recent: li-
bras tres.

Vini libras quatuor.

Olei com: libras septem uncias
duas.

Terantur diu Gemmæ Populi;
diebus septem in Oleo & Vino
macerentur; demum coquantur
vase duplici ad Vini consumptio-
nem: si secundo & tertio, est effi-
caciùs. Tandem exprimatür ole-
um & reponatur.

OLEVM VULPINVM,
MES.

℞ Vulpem (quâ fieri potest) pin-
guem, ætatis mediæ, venatu
defatigatam, recenterque oc-
cisam, mox & exenteratam,
detractâque pelle, necnon os-
sibus diligenter contractis, in
partes plures conscissam. De-
coque in
Vini albi &
Aquæ Fontanæ ana libris sex.
Ad medietatem usque, nec sine di-
ligenti despumatione in cocturæ
principio: tum demum admisce
Olei antiqui dulcissimi libras
quatuor.

Salis communis uncias tres.
Florum Salviæ,
Thymi, ana libram unam.

Procedatq; coctio ad totius aquæ
ferè consumptionem, mox affun-
dantur

P

Aquæ

Aquæ impregnatae,
 (Anethi,
 Thymi, ana manipulo uno ple-
 no incocto,) libræ octo
 Denuò invicem coquantur om-

nia lento igne ad consumptionem
 aquæ: Oleumque ab aquositate
 post colaturam, infundibulo sepa-
 ratum, usui reservetur.



OLEUM VULPINUM
 R. Vulpem (quæ non potest) pla-
 guam, etiam medicam, etiam
 deliquit, etiam medicam, etiam
 cilium, mox de extrahatur,
 detrahitur pelle, necnon ol-
 ibus digerit contempera, De-
 paret dicitur conficiatur. De-
 coducit

Ad medicamentum huiusmodi recte di-
 ligenti deputatione in coctura
 principio: tum deum admisce
 Olei anipini dulcissimi libras
 quatuor
 Sals communitis anissatis
 Floribus Salvia
 Thymi, ana libram unam
 Procedat coctio ad tertiam aquæ
 tertie consumptionem, mox affun-
 datur
 Aquæ

OLEUM POPULI
 R. Gemmatum Populi recent: li-
 bras tres
 Oleum Populi
 Vico
 Oleum Populi
 Vico

OLEUM
 R. Gemmatum Populi recent: li-
 bras tres
 Oleum Populi
 Vico
 Oleum Populi
 Vico

VNG



V N G V E N T A S I M P L I C I O R A .

U N G V E N T V M A L B V M ,
R H A S I S .

℞ Olei Rosacei uncias novem.
Cerussæ bonæ in aqua Rosarū
lotæ uncias tres.
Ceræ albæ uncias duas.
Fiat Unguentum secundum artē.
Adde Camphoræ drachmas du-
as, & erit Camphoratum.

U N G V E N T V M Æ G Y P T I -
A C V M , *M E S .*

℞ Æruginis drachmas quinque.
Mellis drachmas quatuorde-
cim.
Aceti fortis drachmas septem.
Coquantur omnia simul, donec
fiat Unguentum spissum & colo-
re subrubeum.

U N G V E N T V M A N O D Y -
N V M , E X C O R D O .

℞ Olei Liliorum alborum uncias
sex.
Anethini,
Chamæmelini, ana uncias
duas.
Amygdalarum dulcium unciā
unam.
Pinguedinis Anatis,
Gallinæ, ana unci-
as duas.
Ceræ albæ uncias tres.
Misce secundum artem.

U N G V E N T V M S I V E L I N I -
M E N T V M A R C E I . I . I . C . 4 .

℞ Gummi Elemni,
Terebinthinæ Abietinæ, ana
unciam unam semis.

Sevi Vervecini antiqui,
& liquefacti, uncias duas.

Pinguedinis Porcinæ,
antiquæ, & liquefactæ,
unciam unam.

Misce, fiat Unguentum s. a.

UNGUENTVM AVREVM.

MES.

℞ Ceræ Citrinæ libram dimidiam.
Olei libras duas semis.

Terebinthinæ uncias duas.

Resinæ pineæ,
Colophonix, ana unciam unã
semis.

Thuris,
Mastiches ana unciam unam.

Croci drachmam unam.

Confice secundùm artem.

UNGUENTVM BASILICON
MAJUS, *MES.*

℞ Ceræ albæ,
Resinæ Pini,
Sevi Vaccini,
Picis Græcæ,
Terebinthinæ,
Olibani,
Myrrhæ, ana unciam unam.
Olei libram unam, aut quanti-

tatem sufficientem.
Misce, fiat Unguentum.

UNGUENTVM BASILICON
MINVS, SEV TETRA-
PHARMACVM.

MES.

℞ Ceræ flavæ,
Resinæ pinguis,
Picis Græcæ, ana libram dimi-
diam.

Olei libras duas, uncias qua-
tuor.

His duntaxat liquatis & permix-
tis fiat Unguentum justæ consi-
stentiæ.

UNGUENTVM ex BDELLIO.

MES.

℞ Bdellii drachmas sex.
Euphorbii,
Sagapeni, ana drachmas qua-
tuor.

Castorei drachmas tres.

Ceræ drachmas quindecim.

Olei Sambucini, vel Cheirini
drachmas decem.

Bdellium & Sagapenum in aq:
Rutæ agrestis dissolvantur : cætera
cum aq: calida uniantur.

Fiat Unguentum s. a.

VNG-

UNGVENTVM DE CALCE.
FOESII.

℞ Calcis septies saltem ablutæ selli-
bram.

Olei Rosati libram.

Agitentur probè in mortario
plumbeo, adde Cera tres uncias.

UNGVENTVM DIALTHÆÆ
SIMPLEX, NICOLAI.

℞ Radic: Althææ recentium &
contusarum libras duas.

Sem: Lini,

Fœnugræci contusorum,
ana libram unam.

Macerentur in aquæ libris octo.

Deinde leviter coquantur, &
exprimat Mucilago, cujus

℞ Libras duas, & Olei libras qua-
tuor.

Bulliant simul, dum Mucilago sit
absumpta, ac tum adde

Cera libram unam.

Resinæ libram dimidiam.

Terebinthinæ uncias duas.

Percoquantur in Unguenti confi-
sistentiam.

UNGVENTVM DIALTHÆÆ
COMPOSITVM,
NICOLAI.

℞ Radic: Althææ libras duas.

Sem: Lini,

Fœnugræci, ana librâ unam.

Scillæ pulpæ libram dimidiam.

Olei libras quatuor.

Cera libram unam,

Terebinthinæ,

Gum: Hederæ,

Galbani, ana uncias duas.

Colophonix,

Resinæ, ana libram dimidiam.

Radices benè abluantur & te-

rantur; similiter Fœnugre-

cum, Sem: Lini & Scilla, &

cum benè trita fuerint, po-

steà in libris octo aquæ per

tres dies macerentur, quar-

to die super ignem bulliant,

& extrahatur Mucilago,

cujus.

℞ Libras duas: & cum oleo si-

mul bulliant ad succi con-

sumptionem. Postea addan-

tur, Cera, Resina, & Colo-

phonia, quæ cum liquefacta

fuerint, adde Terebinthinam,

postea Galbanum, & Gum:

Hederæ in aceto dissoluta.

Coque parumper, & ab igne re-

moveatur, tamdiù agitando do-

nec infrigescat, & ut benè in-

corporentur omnia.

UNGVENTVM ENV-
LATVM.

℞ Rad: Enulæ, dum emollescant
in aceto coctarum, tri-

P 3

tarum,

tarum, cretarum, libram
unam.

Axungia Porcinæ, vet: salitæ,
libram unam.

Olei communis uncias qua-
tuor.

Ceræ novæ uncias duas.

Salis communis unciam unam.

Hydrargyri salivâ vel suc: limo:
extincti,

Terebinthinae residuo coct: E-
nulæ lotæ, ana uncias duas.

Simul Axungia, Cera, & Oleum
liquefiant. His adde pulpam Enu-
læ, & Salem pulverizatum: tan-
dem Hydrargyrum cum Terebin-
thina, & pauca Axungia in mor-
tario agitatione multâ re-extinctû.
Fiat unguentum s. a.

Parari etiam debet sine Mercurio.

UNGUENTVM DIAPOM-
PHOLYGOS NIHILI,
NICOLAI.

℞ Olei Rosacei uncias sedecim.

Succi Solani uncias sex.

Bulliant ad Succi consumptionem,
adde

Ceræ albæ uncias quinque.

Cerussæ lotæ uncias duas.

Plumbi usti & loti,

Pompholygos præparatæ,

Thuris puri, ana unciam unam.

Redigantur in Unguenti formam
secundum artem.

UNGUENTVM REFRIGE-
RANS, GALENI.

Ceratum etiam dicitur.

℞ Ceræ albæ uncias quatuor.

Olei Rosati Omphacini libram
unam.

Liquentur in duplici vase, & transfusa in vas aliud, sensim affusâ aquâ frigidissimâ, ac subinde mutatâ, diu subigantur donec albescant, postremò lavabis in Aqua Rosarum, & addes

Aceti Rosacei & aq: Rosaceæ
parum.

UNGUENTVM DE MINIO
scu RVBRVM CAMPHO-
RATVM.

℞ Olei Rosacei libram unam se-
mis.

Minii uncias tres,

Lithargyri uncias duas,

Cerussæ sesquiunciam,

Tutiæ drachmas tres,

Camphoræ drachmas duas,

Ceræ in æstate uncias duas,

in Hyeme unciam unam.

Fiat Unguentum in pila plumbea cum pistillo plumbeo; Cerâ prius in oleo liquatâ ad lentum ignem; postea reliquis adjectis tenuissimè tritis.

VNG-

UNGVENTVM NICOTI-
ANÆ seu PETI,
IOVBERTI.

- ℞ Folior: Nicotianæ libras duas.
Axungia Porcinæ recentis di-
ligenter lotæ libram unam.
Herba trita maceretur per noctē
in Vino rubro; manè bulliat
igne lento cum Axungia ad
Vini consumptionem, Cola,
& colaturæ adde
Succi Nicotianæ depurati li-
bram dimidiam.
Resinæ abiegnæ uncias
quatuor.
Coquantur ad succi consumptio-
nem, addendo circa finem,
Radic: Aristolochiæ rotun-
dæ pulverisatæ uncias
duas.
Ceræ novæ q. s. fiat Ung.

NVTRITVM seu CRVDVM,
seu è LITHARGYRO, seu
TRIPHARMACVM,
MES.

- ℞ Lithargyri auri tenuissimè læ-
vigati libram dimidiam.
Olei Rosati libram unam.
Aceti uncias quatuor.
Affande vicissim modò Oleum,
modò Acetum, & agita in morta-
rio tamdiù donec totum liquo-
rem ebiberit Lithargyrus. Fiatque
consistentia Unguenti albid.

UNGVENTVM OPHTHAL-
MICVM, RENODÆI.

- ℞ Boli Armeni in aqua Rosarum
loti unciam unam.
Lapidis Calaminaris in aqua
Euphragiæ abluti,
Tutix præparatæ, ana drachmas
duas.
Margaritarum tenuissimè lævi-
gatarum drachmam dimi-
diam.
Caphuræ scrupulum dimidiū.
Opii grana quinque.
Unguenti Rosacei uncias quin-
que. Et Olei Rosacei q. s.
Fiat Unguentum s. a.

LINIMENTVM GVIL: PLA-
CENTINI SIMPLEX.

- ℞ Cerusæ lotæ uncias octo.
Ceræ albæ uncias septem.
Lythargyri loti,
Succi Solani, ana uncias quin-
que.
Thuris pulverisati drachmas
decem
Olei Rosacei pluries in aqua
simplice loti libras duas.
Misce, fiat Linimentum.

UNGVENTVM è PLVMBO,
FOES.

℞ Plumbi usti cum Sulphure,
Lythargyri, ana uncias duas.
Cerufæ,
Antimonii, ana unciam unam.
Olei Rosati q. s.
Fiat Unguentum.
Elimatam Plumbi scobem in olla
Sulphure exurito.

POMATVM SEVVM CON-
FECTVM. Amat: Lusitan:
fine Speciebus.

℞ Adipis Cervini, vel Hædini ad
renes, libras duas.
Pinguedinis Suillæ recentis li-
bram semis.
Pomorum Camusiorū mund:
incis: numero octo,
Pinguedines membranis purgatas
Vino albo abluito, panno lineo
exprimito; in olla vitreata aquâ
Rosaceâ semiplena infundito,
prunis lenibus admoveto, bacil-
lis agitato, fervere permittito,
aquositas dum ferè consumat-
tur. Residuum in vase fictili
Rosaceâ insperso per rarum lin-
teum percolato. Colatis addito
Olei Amygdalarum dulcium
uncias sex.
Ceræ albæ uncias quatuor.

Ad ignem liquefacta recolato; Ro-
faceâ abluta reservato.

UNGVENTVM POTABILE
EX FOES.

℞ Butyri recentis sine sale libram
unam semis.
Rubiæ tinctorum,
Castorei,
Spermatis Ceti,
Radic: Tormentillæ, ana uncia
dimidiam.
Bulliant simul in Vini odorati q. s.
ad Vini consumptionem, & fiat
Unguentum.

UNGVENTVM AD PRVRI-
TVM SCABIOSORVM,
RENODABI.

℞ Axungiæ Suillæ in succo Scabi-
osæ sæpiùs lotæ libram dimi-
diam.
Radicis Oxylapathi in aceto ad
putrilaginem coctæ, & per
setaceum trajectæ,
Sulphuris in succo Limonum
abluti, ana unciam unâ semis.
Unguenti Populnei in succo E-
nulæ nutriti unciam dimi-
diam.
Omnibus in mortario subactis
fiat Unguentum s. a.

VNG-

UNGVENTVM ROSATVM,
M E S.

℞ Axungia Porcina, membranis
expurgata, libram unam, la-
vetur novies aquâ calidâ, &
deinde toties aquâ frigidâ,
deinde additâ

Rosarum rubrarum recentium
contusarum librâ unâ,
finatur marcescere per dies septem,
deinde coquatur lento igne & co-
letur: rursus cum pari admistione
Rosarum recentium contusarum
totidem dies marcescat: tum co-
quatur & coletur ut antè, tandem
affunde succi rosarum rubrarum
uncias sex.

Coque igne lento ad succi con-
sumptionem: coletur: fiat Unguen-
tum secundùm artem.

UNGVENTVM RVBRVM
DESICCATIVUM.
NICOLAI.

℞ Olei Rosati Omphacini libram
unam semis.

Cerae albæ uncias quinque.
Liquatis insperge, in plumbeo
mortario

Terræ Lemniæ, vel Boli Ar-
meni,
Lapidis Calaminaris, tritorum

exquisite, ana uncias qua-
tuor.

Lithargyri auri,

Cerussæ, ana uncias tres.

Caphuræ drachmam unam.


Fiat Unguentum s. a.

UNGVENTVM TUTIÆ
VULGARE.

℞ Tutia præparata uncias duas.
Lapidis Calaminaris sæpiùs usti,
& in aqua Plantaginis ex-
tincti unciam unam.

Pulverisentur tenuissimè, &
cum Axungia Porcina sæpiùs in
aqua rosacea lotæ libra una semis
Fiat Unguentum.

Paratur etiam cum Unguento ro-
saceo, loco Axungia.



UNGVENTA MAGIS
COMPOSITA.

UNGVENTVM ADSTRIN-
GENS, *FERNELII.*

℞ Olei rosati in aqua aluminosa
sæpiùs loti libram unam se-
mis.

Cerae albæ uncias quatuor.

Gallarum

Gallarum immaturarum,
 Nucum cupressi,
 Baccarum Myrti,
 Balauftiorum,
 Malicorii,
 Corticorum glandium,
 Acaciæ,
 Rhois,

Mastiches, ana unciam unam:
 Omnia exquisitissimè trita mace-
 rentur in succis Mespilorum &
 Sorborum immaturorum per
 dies quatuor, deinde siccentur igne
 non acri, sicque cum oleo &
 cera fiat Unguentum secundum
 artem.

UNGUENTVM AGRIPPÆ,
 NICOLAI.

℞ Radic: Bryoniæ libras duas.
 Radic: Cucumeris Agrestis li-
 bram unam.
 Scillæ laminarum libram dimi-
 diam.
 Radic: Ireos recentis uncias
 tres.
 Radic: Filicis maris.
 Ebuli,
 Tribuli aquatici, vel Ari ana un-
 cias duas.

Tusa omnia recentia macerentur
 diebus sex vel octo in olei albissi-
 mi non rancidi libris quatuor.

Coquantur deinde igne lento,
 donec radices incipiant marcesce-
 re, postea exprimantur, & in ex-

presso oleo, Cera albissimæ uncia
 quindecim liquefiant, & reducan-
 tur in Unguenti consistentiam.

UNGUENTVM DE ALABA-
 STRO. BEN: VICT:
 FAVENT:

℞ Succi Chamæmeli uncias qua-
 tuor.

Succi { Rosarum rubrarum un-
 cias duas.
 Rutæ recentis.
 Betonica, ana unciam
 unam semis.

Succi Radic: Althææ uncias
 duas.

Olei Rosacei Omphacini librâ
 unam semis.

Alabastri puri subtilissimè pul-
 verisati uncias tres.

Infundantur per noctem, deinde
 coquantur ad succorum consump-
 tionem, & cum Cera albæ unciis
 sex fiat Unguentum secundum
 artem.

UNGUENTVM APOSTO-
 LORVM, AVICENNÆ.

℞ Terebinthinæ,
 Resinæ,
 Cera albæ,
 Ammoniæ, ana drachmas
 quatuordecim.

Radic: Aristolochiæ longæ,

Thuris

Thuris masculi,
 Bdellii, ana drachmas sex.
 Myrrhæ,
 Galbani, ana unciam dimidiam.
 Opopanacis,
 Floris æris, ana drachmas duas.
 Lithargyri drachmas novem.
 Olei (si æstas fuerit) libras duas,
 (Sin Hyems) libras tres.
 Aceti q. s. ad Ammoniacum,
 Opopanacem, & Galbanū
 dissolvenda.

Confice secundum artem.

U N G V E N T V M A R E G O N ,
 A D J V T O R I V M .
 N I C O L A I .

℞ Rorismarini,
 Majoranæ,
 Serpyllii,
 Rutæ,
 Radic: Ari,
 Radic: Cucumeris Agrestis, ana
 uncias quatuor semis.
 Fol: Lauri,
 Salviæ,
 Sabinæ,
 Radic: Bryoniæ,
 Pulicariæ, i. Conyzæ majoris
 & minoris, (& in defectu
 minoris accipe duplum ma-
 joris) ana uncias quatuor.
 Laureolæ uncias novem.
 Fol: Cucumeris Asinini,
 Nepetæ, ana libram dimidiam.
 Omnia Mense Maio collecta &

expurgata tundantur recentia, &
 macerentur diebus septem in olei
 optimi libris sex, affusâ aquæ Vitæ
 librâ unâ : deinde coquantur dum
 contabescant, & dum consumpta
 sit aqua. Oleum percoletur, in quo
 liquentur,

Ceræ uncia sedecim.

Adipis Ursini,

Olei Laurini, ana uncia tres.

Olei Moschelini uncia dimi-
 dia.

Petrolei uncia una.

Butyri uncia quatuor.

Coagitatis demum hi pulveres in-
 spergantur,

Mastiches,

Olibani, ana drachmæ septem.

Pyrethri,

Euphorbii,

Zingiberis,

Piperis, ana uncia una.

Omnia in Vnguenti formam redi-
 gantur secundum artem.

U N G V E N T V M È S V C C I S
 A P E R I T I V I S P R I M V M
 F O E S I I .

℞ Succii Apii,
 Endiviæ,
 Menthæ,
 Absinthii,
 Petroselini vulgaris,
 Valerianæ, ana uncias tres.
 Olei Absinthii,
 Menthæ, ana librâ dimidiâ.

Ceræ

Ceræ Citrinæ uncias tres.
 Misce, & ad ignem fiat Unguentū
 Additur quandoq; Pulveris
 Calami Aromatici,
 Spicæ Nardi, ana drachma una.
 Olea Capparum aliquid.

UNGUENTVM APERITI-
 VVM SECVNDVM.

FOESII.

℞ Succi Ebuli uncias octo.
 Apii,
 Petroselini, ana uncias
 quatuor.
 Succi Absinthii,
 Ireos, ana uncias quinque.
 Olei communis libram dimi-
 diam.
 Olei Liliorum alborum uncias
 decem.
 Olei Absinthii,
 Chamæmelini, ana uncias
 sex.
 Pingued: Anatis,
 Gallinæ, ana uncias duas.
 Coquantur omnia simul ad con-
 sumptionem Succorum; postea
 colentur, & cum Ceræ albæ un-
 ciis septem, & pauxillo Aceti pare-
 tur Unguentum s. a.

UNGUENTVM DE ARTA-
 NITA MAJVS, MES.

℞ Succi Artanitæ, id est, Cyclami-

nis, vel ejus defectu decocti
 radicum fortis libras tres.

Succi Cucumeris agrestis;
 Butyri vaccini, ana librā unam.
 Olei Irini libras duas.

Pulpæ Colocynthidos uncias
 quatuor.

Polypodii uncias sex.

Euphorbii unciam dimidiam.

Contundenda terantur, & mace-
 rentur in succis, & oleis per dies
 octo in vase vitreato bene obtura-
 to: postea coquantur in duplici
 vase ad succorum ferè consumpti-
 onem: Cola, colaturæ adde

Ceræ uncias quinque,
 Fellis Taurini drachmas septem
 semis.

Fervefiant simul, donec Cera li-
 quefcat, & adde

Sagapeni drachmas septem se-
 mis.

Myrrhæ drachmas tres.

In aceto dissoluta agitentur simul,
 donec parùm infrigescant, & tunc
 insperge paulatim pulverem sub-
 sequentium medicamentorum si-
 mul mixtorum,

Scammonii,

Aloes,

Colocynthidos,

Mezerai foliorum, vel baccarū;

Turpeti, ana drachmas septem
 semis.

Salis gemmæ drachmas qua-
 tuor semis.

Euphorbii.

Piperis longi,

Zingiberis,

Zingiberis,
 Chamæmeli, ana drachmas tres.
 Misce, fiat Unguentum s. a.

U N G V E N T V M C A T A -
 P S O R A S .

R Cerussæ, in aqua Portulacæ
 priùs lotæ, deinde in aceto,
 radicum Raphani sylvestris
 infusarum succis imprægna-
 to, & ab iisdem expresso:

Lapidis Calaminaris,
 Chalciteos, ana drach-
 mas sex.

Lithargyri plumbi uncias duas.

Plumbi usti,

Sanguinis Hirci ana semunci-
 am.

Argenti vivi sublimati unciam
 unam.

Succor: Semper vivi,

Solatri,

Plantaginis, ana unci-
 as duas.

Axungia Porcinæ à pelliculis
 mundatæ libras tres.

Oleorum Violarum,

Papaveris,

Mandragoræ, ana un-
 ciam unam.

Misceantur, & benè incorporen-
 tur priùs Sublimatum & Axungia,
 deinde addantur Olea cum Succis,
 & postremò pulveres, ut ex omni-
 bus diligenter invicem commistis,
 fiat s. a. Unguentum.

U N G V E N T V M C I T R I N V M
 S E U C I T R I V M .
 N I C O L A I .

R Boracis unciam unam.

Caphuræ drachmam unam.

Corallii albi unciam dimidiam.

Amenti vel Gypsi, vel Aluminis
 plumosi unciam unam.

Umbilici marini, seu belirici,

Tragacanthæ albiss.

Amyli, ana drachmas tres.

Cryfalli,

Entalis,

Dentalis,

Olibani, i. Thuris albiss:

Nitri,

Marmoris albi, ana drachmas
 duas,

Gersæ Serpent: ex radic: Dra-
 cuntii factæ unciam unam.

Cerussæ vulgaris uncias sex.

Adipis Suilli recentis, non saliti,
 mundi, libram unam semis.

Sevi Caprini præpar: unciam
 unam semis,

Adipis Gallinacei uncias duas
 semis.

Redigantur pulverizanda in pul-
 verem subtilissimum s. a. plurima
 verò per se. Conficiatur Unguen-
 tum sic: Adipem Suillum & Galli-
 naceum mundatum, immitte in
 ollam fictilem vitreatam stricti o-
 rificii, quibus imponantur Citria
 mala duo, mediæ magnitudinis;
 unà cum pulpa & succo interi-
 ori frustulatim incisa: coope-

Q

riatur

riatur vas & collocetur in Balneo calido per dies septem, deinde excolentur Citria, liquefactoque Sevo Caprino sensim inspergantur pulveres, Caphura verò & Borax ultimò injicienda erunt, probè agitando donec Unguenti formam acquirat.

UNGVENTVM COMITISSÆ
VARIGNANÆ.

℞ Cortic: medianorum,
Glandium,
Castanearum,
Quercus arboris,
Fabarum,
Baccarum Myrti,
Caudæ Equinæ,
Gallarum,
Acinorum Uvarum,
Sorborum immatur: ficcorum,
Mespilorum immaturorū sicc:
Folior: Pruni sylvestris,
Radic: Bistortæ,
Tormentillæ ana unciam
unam semis.

Terantur crassiusculè & coquantur in Aquæ Plantaginis libris octo, donec pars media consumpta fuerit, colentur deinde

℞ Cerae citrinæ novæ uncias octo semis, dissolve cum Olei Myrtini simplicis libris duabus semis, & lavetur novies cum decoctione prædicta, semper novâ decoctionem affundendo quo-

tiescunque laveris. Postea insperge sequentium, tenuissimū pulverem.

℞ Corticum medianorum,
Glandium,
Castanearum,
Quercus arboris,
Gallarum, ana unciam unam,
Succi Hypocistidos,
Cineris ossium cruris bubuli,
Baccarum Myrti,
Acinorū Uvarum immaturarū.
Sorborum immat: ficcorum,
ana unciam dimidiam.
Trochiscorum de Carabe uncias duas.

Misce & cum prædicta Cera & Oleo Myrtino lotis, addendo Olei Mastichini non loti q. s. fiat Unguentum bonæ consistentiæ s. a.

UNGVENTVM AD HÆMORRHOIDAS. NORIMB.

℞ Amyli albiff:
Cerussæ lotæ,
Lithargyri præparati,
Plumbi usti,
Tragacanthæ, ana drachmam unam & dimidiam.
Opii Thebaici,
Camphoræ, ana scrupulū unū.
Albuminis ovi unius,
Olei Rosacei,
Violacei, ana unciam unam & dimidiam.
Cerae q. s. fiat unguentum.

VNG-

UNGVENTVM HÆMOR-
RHOIDALE SAXONIÆ,

pag. 154.

℞ Mucilag: è semin: Pſyllii,
Cydoniorū,
extractæ aquâ Solani, ana
ſemunciam.

Olei Roſacei completi unciam.
Vitellum unius Ovi.

Agitentur ſimul in mortario plum-
beo, piſtillo plumbeo, addendo
Cera liquata parum.

Miſce, fiat Unguentum ſ. a.

UNGVENTVM LAVRINVM
VULGARE.

℞ Foliorum Lauri libram unam.
Baccarum Lauri libram dimi-
diam.

Foliorum Braſſicæ uncias qua-
tuor.

Olei ex pedibus Bovinis libras
quinque.

Sevi Bovini libras duas.

Contundantur herbae, & baccæ, &
coquantur cum oleo & ſevo ad
humoris conſumptionem, & co-
lentur.

UNGVENTVM MARTIA-
TVM, NICOLAI.

℞ Folior: Lauri,
Roriſmarini, ana uncias
octo.

Ruta uncias ſeptem.

Fol: Tamarifci uncias ſex.

Ebuli,

Esbrii, vel Majoranæ,

Sabinæ,

Balfamitæ, vel Menthæ aqua-
ticæ,

Salviæ,

Ocimi,

Polii montani,

Calaminthæ,

Artemiſiæ,

Enulæ,

Betonicæ,

Branæ Urſinæ,

Spargulæ vel Aparines,

Herbæ venti, i. Anemones ſyl-
veſtris, vel Parietariæ in ejus
defectu.

Pimpinellæ, i. Sanguiforbæ,

Agrimoniæ,

Absinthii,

Herbæ Paralyſeos,

Herbæ ſanctæ Mariæ, i. Coſti
hortenſis,

Cymarum Sambuci,

Cræſſulæ majoris, Sempervivi
minoris,

Sempervivi, i. Sedi majoris,

Millefolii,

Chamædryos,

Centaurii minoris,

Quinquenerviæ, i. Plantaginis
majoris,

Fragariæ,

Tetrahit, vel ejus loco Virgæ
aureæ,

Quinquefolii, ana uncias qua-
tuor ſemis.

Q₂

Radic:

Radic: Althææ,
 Sem: Cymini,
 Myrrhæ, ana uncias tres.
 Fœnugræci unciam unam se-
 mis.
 Sem: Urticæ majoris,
 Violarum,
 Papaveris rubri, i. erratici,
 Mentastri, seu Menthæ agrestis,
 Menthæ sativæ,
 Acetosæ,
 Polytrichi, i. Adianthi albi,
 Carduncelli, i. Cardui benedi-
 cti,
 Matrisylvæ, i. Periclymeni,
 Maturellæ, i. Valerianæ majo-
 ris.
 Herbæ Moschataæ, vel Geranii
 Moschati,
 Alleluiaæ, i. Trifolii acetosi,
 Linguae Cervinæ,
 Crispulæ, i. Buphthalmi,
 Camphorataæ, i. Abrotoni,
 Medullæ Cervinæ,
 Styracis Calamitæ, ana unciam
 dimidiam.
 Butyri drachmas decem.
 Adipis Ursini,
 Gallinacci,
 Mastiches,
 Thuris, ana unciam unam.
 Olei Nardini uncias duas.
 Cerae libras duas.

Herbæ recentes incisæ Vino odo-
 rifero cum Olei libris octo, diebus
 septem infundantur, octavo die
 omnia simul decoquantur ad Vini
 ferè consumptionem. Amotum

ab igne coletur, atque rursus in le-
 betem Oleum injiciatur, cui lento
 igne parum calefacto injice buty-
 rum, Medullam, Adipes, Oleum
 Nardinum, & Ceram; deinde
 Styracem, dissolutam in Vino &
 paulo Terebinthinæ mixtam.
 Mastichen verò, Myrrham, &
 Thus, pulverisata postremò insper-
 ge. Cumque fuerint omnia pro-
 bè mixta, agitatione continuâ in
 vase reconde.

MUNDIFICATIVUM EX

APIO. Guid. tr. 7.

do. i. c. 5.

℞ Succi Apii libram unam.
 Mellis uncias novem.
 Farinæ Tritici uncias tres.
 Coquantur ad ignem usque ad
 spissitudinem.
 Fiat Unguentum s. a.

UNGUENTVM NEAPOLI-
 TANVM, RENODÆI.

℞ Axungiaæ Suillæ succo Salviæ
 lot: libram unam.
 Hydrargyri per laneum trajecti,
 salivâ ritè extincti, uncias
 quatuor.
 Olei Laurini,
 Chamæmelini,
 Lumbricorum, ana uncias
 duas.
 De Spica sesquiunciam.
 Aquæ vitæ unciam unam.
 Cerae flavæ uncias duas.

Terebinthinæ in succo Enulæ
lot: uncias tres.

Pulveris Chamæpityos,
Salviæ, ana drachmas
duas.

Fiat Unguentum, ut artis est.

UNGUENTVM RESINVM.

Eust: Rud: Morb: Gall:
l. 5. c. 1. f.

℞ Resinæ Pini optimæ,
Terebinthinæ,
Ceræ citrinæ lotæ,
Olei puri, ana p. a. Misce.

UNGUENTVM NERVI-
NVM.

℞ Fol: Paralyseos, cum flor:
Salviæ,
Chamæpityos,
Rorismarini,
Lavendulæ,
Lauri, cum baccis,
Chamæmeli,
Rutæ,
Apii,
Meliloti cum flore,
Absinthii, ana manipu-
lum unum.
Menthæ,
Betonicæ,
Pulegii,
Petroselinii,
Centaurii minoris,
Hyperici, ana manipulum
dimidium.

Olei ex pedibus Ovinis, vel Bo-
vinis, libras quinque.

Sevi Ovini, vel Bovini, vel Me-
dullæ ejusdem libras duas.

Olei de Spica unciam dimi-
diam.

Contusis herbis, & coctis cum
oleis, & sevis, fiat Unguentum s. a.

UNGUENTVM PECTO-
RALE. NICOLAI.

℞ Butyri recentis aq: Violarum
loti uncias sex.

Olei Amygdalarum dulcium
uncias quatuor.

Chamæmelini,
Violacei, ana uncias tres.

Adipis Gallinæ,
Anatis, ana uncias tres.

Radic: Ireos drachmas duas.

Croci drachmam dimidiam.

Ceræ albæ uncias tres.

Ceram & Adipes in Oleis liquato,
dein sæpius lavato aquâ Hordei,
vel aq: Hyssopi. His probè lotis
adde Iridem & Crocum in tenuissi-
polverem redacta, fiat Vnguen-
tum s. a.

UNGUENTVM POPVL-
NEVM, NICOLAI.

℞ Oculorum Populi arboris re-
centium libram unam semis.

Q 3 Axungia

Axungia Porcinæ recentis & infusæ libras tres.

Oculi seu Gemmae Populi contundantur & macerentur in Axungia, donec sequentes herbae colligi possunt.

℞ Folior: Papaveris nigri,
Mandragoræ,
Cymarum Rubri tenerrimarū,
Folior: Hyoscyami,
Solani,
Lactucæ,
Vermicularis (i) Sempervivi minoris, (non illecebræ)

Sedi, seu Sempervivi majoris.

Violarum,
Umbilici Veneris,

Bardanæ, ana uncias tres.

Contusa omnia permisceantur Axungia, & oculis Populi: exactis diebus decem, affunde aq: Rosarum libram unam, coquantur igne lento, dum aqua, omnisq; liquor absumat: coletur, exprimatur, & si sit opus recoquatur, dum Unguenti temperaturam acceperit.

UNGUENTVM RESVMPTIVVM, NICOL.

℞ Axungia Porcinæ recentis uncias tres.

Adipis Gallinæ,
Anseris,

Anatis, ana uncias duas.
Oesypi humidæ unciam dimidiam.

Olei Violati,

Chamæmelini,

Anethini, ana uncias duas.

Butyri recentis libram unam.

Ceræ albæ uncias sex.

Mucilaginis Tragacanthi,

Sem: Cydoniorū,

Lini,

Radic: Bismalua,

Gummi Arabici, ana unciam dimidiam.

Mucilagines extrahantur aquâ Rosaceâ, & additis reliquis, fiat Unguentum f. a.

UNGUENTVM SPLENICVM

℞ Olei Capparum unciam unam.

Olei Liliorum,

Chamæmelini,

Butyri recentis,

Succi Bryoniæ,

Cyclaminis, ana semunciam.

Bulliant Olea ad consumptionem Succorum, addendo

Ammoniaci aceto soluti drachmas duas semis.

Pinguedinis Gallinæ,

Medullæ cruris Vituli,

Oesypi, ana semiunciam,

Cortic:

Cortic: rad: Tamarisci,
 Capparum,
 Ceterach,
 Radic: Filicis, ana drachmam
 unam.
 Pulveris sem: Agnicasti,
 Genistæ, ana scrupulum.
 Ceræ, q. s. Fiat in formam Un-
 guenti.

UNGUENTVM ALIVD SPLE-
 NICVM MAGISTRALE.

℞ Corticis radicum Capparum
 drachmas sex.
 Radicum Bryoniæ,
 Iridis Florentinæ,
 Farinæ sem: Fœniculi dulcis,
 Ammoniæ in aceto soluti, ana
 semunciam.
 Comarum Absinthii,
 Florum Camomillæ, ana drach-
 mam unam.
 Ung: ex succis aperitivis Fœsii,
 viz. descriptionis secundæ,
 Ung: ex floribus Aranciorum,
 ana drachmas sex.
 Olei Irini,
 Capparum, ana unciam u-
 nam cum semissi.
 Trituranda triturentur exactè, ut,
 per cribrum transmissa, cæterisque
 in mortario calido s. a. (elaboratâ
 contusione) admixtis, fiat Ung:

*Sunt qui Vnguenta non admittunt,
 Emplastra verò facile ferunt; His igi-*

*tur (pro data occasione) Vnguenti par-
 tem in formam Emplastri redactam ci-
 tissimè coaptare licebit, (quod nec mi-
 nùs intentioni satisfacit) superaddendo
 Ceram, Picem navalem, & Terebin-
 thinæ Cypriæ modicum.*

VALENTIA SCABIOSÆ
 JOANNIS ARDERNII, ex oppido
 (vulgò) Newark, in Comitatu Notting-
 ham: Chyrurgi exercitatissimi: qui flo-
 ruit anno 1370. tempore *Edvardi* ter-
 tii Regis Angliæ, ipsissimis verbis
 ex antiquo manuscripto
 excerpta.

℞ Succum Scabiosæ, in æstate per
 pannum colatum, & cum Ax-
 ungia Porci à pelliculis mun-
 datâ; in mortario benè tunda-
 tur, percutiendo sed non con-
 terendo, & semper paulatim im-
 pone de succo ad axungiam, ut
 benè imbibi possit, & ut axun-
 gia viridis fiat; Quo facto, acci-
 pe illam axungiam, & cum di-
 cto succo, in aliquo vase pona-
 tur, ut axungia succo cooperia-
 tur, & sic stare permittas per
 novem dies: post nonam diem
 iterum accipe prædictam axun-
 giam cum succo, & modo præ-
 dicto contunde, & aquositas
 quæ de eo exhibit tenuis & dif-
 colorata deponatur, & sic per-
 mitte stare per quinque dies;
 post quintum diem, iterùm ac-
 cipe novum succum Scabiosæ,
 &

& iterum (ut prædictum est) cum dictâ axungia contundatur; quo facto, iterum per quindenam in vase aliquo cum succo quiescere permittatur; quo verò tempore transacto, iterum contundatur (ut prædictum est) & ab aquositate purgetur, & in vase mûndo reponatur, & sic stet in pace per aliam quindenam cum appositione novi succi; post quindenam verò, iterum contundatur, & si fuerit satis viridis coloris, post bonam contusionem, in vase terreo vel vitreo usui reservetur.

De quantitate vtriusq; tam axungie quam succi, haud ambigendum: Illius enim pro suo arbitrio quantitatē, Pharmacopæus sibi præparandam suscipiat, quam quidem usui futuram esse conjiciat: Hujus autem succo frequenter repetito, illam imbuat, donec viridi colore saturato axungiam imprægnari conspexerit. Hæc siquidem debet esse regula, pro mensura succi.

Hoc autem monitum esse volumus, quanto viridius, tanto efficacius Unguentum reddi: si ergo primâ vice, vel etiam secundâ, copiosa ipsius Scabiosæ folia, post unam vel alteram diem à collectione s. a. reservata (ut aquositate excrementitiæ aliquid deponant) cum axungia contendantur, nec non aliorum succus prælo fortiter expressus superaffundatur, ut digitos ad minimū duos superemineat, & in vase convenienti

obturato conmixta, Soli exponantur, totidem vel pluribus diebus ab authore constitutis: deinde post fortem expressionem, succo solo fortiter (ut supra) expresso, & ab aquositate modicè separato, virescens axungia repetitis vicibus (haud neglectâ contusione) imbuatur, colorem auctoris ad mentem induci, simulq; vires Unguento majores imprimi, experientiâ edocti attestamus.

TAPSIVALENCIA ejuldem Authoris.

℞ Tapsibarbatî, & cum axungia Porci à pelliculis mundatâ, & minutim incisâ, benè in mortario vel in pelui contendantur invicem, donec axungia benè de succo fuerit imbuta, & postquam feceris, permittatur illa axungia cum succo similiter stare, per novem dies, aut plus, donec axungia viridis appareat; Quo viso, iterum cum succo novo benè contundatur, & quando axungia de succo perfectè imbuta fuerit & colorata, quod superfluum est de succo effundatur, & iterum benè sine aliquo succo contundatur, & in vase terreo reponatur, & usui reservetur. Et nota, quòd ista medicina de mense in mensem debet semel contundi, & in contusione, de Oleo Rosaceo, Violaceo, & Chamæmeli imponere

ponere paulatim, ut Valentia ea competentèr possit imbibere : Et si de bono populeone prædictis addatur, efficacius erit medicinæ juvamentum.

TAPSIMEL ejusdem.

℞ Succum Chelidoniæ, Tapfi barbati ana : Mellis despumati quantum de succis, & invicem bulliant ad consumptionem succi, postea ab igne deponatur, & usui reservetur. Cùm inde contra pruritus uti volueris, accipe de eo quantum volueris, & ei impone, de Pulvere Vitrioli combusti, & Aluminis combusti, Atramenti, i. aramenti. Et si necesse fuerit, iterùm bulliatur donec Unguentum satis tenax fuerit, & inde in Anum ponatur parùm, contra pruritus, & citò cessabit pro certo, & in omni parte corporis, & hoc Unguentum dicitur Tapfimele, à Tapfi barbato & Melle: Istud pro certo est nobile Unguentum.

Hæc ad verbum ex veteri Manuscripto, & stylo suo.

Caveat Pharmacopœus, ne Mel ex coctione contrahat empyreuma.

UNGUENTVM STOMACHICVM, NORIMB.

℞ Olei Absinthini,
Mastichini,
Nardini, ana unciam unã.
Rosarum rubrarum,
Corallii rubri,
Caryophyllorum,
Cinnamomi,
Ligni Aloes,
Mastiches,
Menthæ,
Scheenanthûs, ana drachmam unam.
Ceræ q. s.
fiat Unguentum s. a.

UNGUENTVM AD LUMBRICOS MAJVS.
FOESII.

℞ Olei Rutæ,
Sabinæ,
Menthæ,
Absinthii,
Amygdalarum amararum
ana unciam unam semis.
Succi florum vel foliorum Perficæ.
Absinthii, ana unciam dimidiam,
Pulveris Rutæ,
Menthæ,
Gentianæ,
Centaurii minoris,

Tormentillæ, ana drachmam unam.

Semin: Caulium.

Pulpæ Colocynthidos, ana drachmas duas.

Aloes hepaticæ drachmas tres.

Farinæ Lupinorum unciam dimidiam.

Myrrhæ in aq: Graminis lotæ drachmam unam semis.

Fellis Taurini unciam unam semis.

Cum Succi Limonum q. s. & Cerae uncia una semis, fiat Unguentum secundùm artem.



EMPLA-





EMPLASTRA ET CERATA.

EMPLASTRUM EX AMMONIACO.

℞ Ammoniacci unciam unam.

Ung: Dialthææ, } ana uncia
Emplastri Meliloti, } dimidia.

Furfuris frumenti optimè cri-
brati unciam unam.

Pulveris radic: Bryoniæ, & Ire-
os, ana unciam dimidiam.

Pingued: Anatis,
Anseris,
Gallinæ, ana drach-
mas tres.

Bdellii,
Galbani, ana drachmam unam
semis.

Resinæ Pini,
Ceræ, ana uncias quinque.
Olei Irini,

Terebinthinæ, ana unciam u-
nam semis.

Bulliant pinguedines; & Oleum
cum s. q. Mucilaginis sem: Lini,
& Fœnugræci: & ut ad debitam
Emplastri formam ducantur, ad-
dantur Cera & Terebinthina: mox
Ung: Dialthææ, & Emplastrum de
Meliloto, deinde Gummi in aceto
dissoluta: postremoque Pulveres
atque resina Pini pulverizata sub-
tiliter, omnia miscendo benè, &
fiat Emplastrum s. a.

ALBUM COCTVM, DE CE- RVSSA, VLMENSE.

℞ Cerussæ subtilissimè trita,
Ceræ Citrinæ,
Olei Olivarû ana partes æqua-
les.

Cerussâ

Cerussâ æneum in cacabum immisâ, lentè addatur Oleum, & lento igne bulliant, assiduò & agitentur dum simul desideant: dein indatur Cera minutim concisa successivè, nec ferveat, donec probè liquata: Coquantur demùm omnia s. a. dum nigricent, ad justam consistentiam.

EMPLASTRUM DE BACCIS
LAVRI, *MES.*

℞ Baccarum Lauri uncias duas.
Thuris,
Mastiches,
Myrrhæ, ana unciam unam.
Cyperì,
Costi, ana unciam dimidiam.
Terebinthinæ unciam unam.
Mellis despumati, & leviter tantum calfacti q. s. fiat Emplastrum secundùm artem.

EMPLASTRUM BARBARVM
[MAGNUM, Gal: com:
med: sec. gen. l. 2. f.

℞ Picis siccæ libras octo.
Ceræ Citrinæ libras sex, uncias octo.
Resinæ Pini libras quinque, uncias quatuor.

Bituminis Judaici, vel Mumia, libras quatuor.

Olei sesquilibram,

Æruginis æris,

Lithargyri,

Cerussæ, ana uncias tres.

Thuris selibram.

Aluminis liquidi, vel Rochæ non usti sesquiunciam.

scissilis, vel Rochæ combusti uncias quatuor.

Opopanacis,

Squamæ æris,

Galbani, ana drachmas duodecim.

Aloes,

Opii,

Myrrhæ, ana semunciam.

Succi Mandragoræ, vel cortic: radic: sicc: drachmas sex.

Aceti libras quinque.

Lithargyrus, Cerussa, Oleum coquantur ad mellis spissitudinem: Pix liquefacta, cum Pulvere Bituminis, incorporetur: addantur, & coquantur alia s. a. donec Acetum consumatur, nec manus inquinentur. Fall. vuln. gen. c. 15.

EMPLASTRUM DE BETONICA,
ANDERNACI.

℞ Betonicæ viridis,
Pimpinellæ,

Agrimo-

Agrimonix,
 Salvia,
 Pulegii,
 Millefolii,
 Consolidæ majoris,
 Gallitrici, ana uncias sex.
 Thuris,
 Mastiches, ana drachmas tres.
 Ireos,
 Aristolochiæ rotundæ, ana
 drachmas sex.
 Cerae albæ,
 Terebinthinæ, ana uncias octo.
 Gummi Olei Aethiopicæ. i.
 Gummi Elemi uncias duas.
 Resinæ Pini uncias sex.
 Olei Abietini uncias duas.
 Vini albi libras tres.

Contusæ herbæ decoquantur in
 Vino, deinde colentur, & cola-
 turæ reliqua addantur, & fiat
 Emplastrum s. a.

EMPLASTRUM D. CÆ-
SARIS.

℞ Radic: Bistortæ,
 Nucum Cupressi,
 Rosarum rubrarum,
 Santalorum omnium,
 Menthæ,
 Semin: Coriandri, ana drach-
 mas tres.
 Mastiches unciam dimidiam.
 Hypocistidos,
 Acaciæ,

Sanguinis Draconis,
 Terræ Sigillatæ,
 Boli veri,
 Corallii rubri, ana drachmas
 duas.

Terebinthinæ aquâ Plantaginis
 lotæ uncias quatuor.

Olei rosacei uncias duodecim.

Succor: Sempervivi,
 Plantaginis,
 Telephii, ana unciam
 unam.

Cerae flavæ libram unam semis.
 Hypocistis & Acacia dissolvan-
 tur cum succis, & coquantur len-
 to igne ad consistentiam, deinde
 commisceantur reliqua, & fiat
 Emplastrum s. a.

EMPLASTRUM CATAG-
MATICVM, VIGONIS.

℞ Succ: Radic: Althææ uncias sex.
 Cort: rad: Fraxini, & folior: ejus,
 Rad: Consolidæ majoris:
 & minoris, unâ
 cum foliis, ana
 uncias duas.

Baccarum Myrti unciam unam semis.

Folior: Salicis,
 Summitat: Hyperici, ana mani-
 pul: unum semis.

Contusis contundendis, bulliant
 simul in vini rubri adstringentis,
 & aquæ fabrorum, ana libris dua-

R bus,

bus, ad medietatis consumptionem; colentur, addē,

Olei Myrtini,

Rosacei,

Omphacini, ana libram unam semis.

Sevi Hircini liquefacti uncias octo.

Lithargyri Auri, &

Argenti,

Minii, ana uncias quatuor.

Ceræ flavæ libram unam.

Colophonix libram dimidiam.

Denuò bulliant ad consumptionem decocti, addēdo sub finem,

Myrrhæ,

Thuris,

Mastiches, ana unciam dimidiam.

Terebinthinæ claræ uncias duas.

Boli Armeni,

Terræ Sigillatæ, ana unciam unam.

Baculo optimè agitentur, dum decoquuntur, & fiat Emplastrum secundum artem.

CATAGMATICVM RE-
NODÆI.

℞ Rad: Symphyti minoris,
Althææ,

Visci quèrni, ana uncias duas.

Plantaginis,

Chamæpityos,

Hyperici, ana manip: unum.

Fiat decoctio in æquis partibus Vini nigri, & aquæ fabrorum, ad medias: colaturæ adde

Mucilaginis sem: Cydoniorum in decocto Omazorum extractæ

Olei Mastichini,

Rosacei, ana uncias quatuor.

Ceræ Virginæ libram unam.

Lithargyri auri uncias duas.

Terebinthinæ uncias tres.

Balaustiorum,

Rosarum,

Myrtillorum,

Acaciæ, ana semunciam.

Mumix,

Granorum Androsæmi,

Colophonix,

Mastiches,

Succini, ana drachmas sex.

Picis navalis sesquiunciam.

Boli Armeni,

Farinæ volatilis,

Thuris, ana drachmas duodecim.

Sanguinis Draconis uncias duas.

Ad elixatas in percolato Mucilagine, aquosa humiditas cum exhalaverit, admisceantur Olea, tum Cera, post Lithargyrus. Coctis, unitis, agitatis, ab igne semotis, addatur Terebinthina, deinde pulveres. Sic demum misceantur, agitentur, subigantur omnia, ut in Emplastrum coeant consistentiam legitimum.

EMPLA-

EMPLASTRUM CEPHALICVM.

℞ Resinæ claræ uncias duas.
 Picis nigræ unciam unam.
 Ladani unciam dimidiam.
 Myrrhæ,
 Mastiches, ana drachmam unam semis.
 Gum: Juniperi drachmas duas.
 Terebinthinæ,
 Farinæ Fabarum,
 Orobi, ana unciam dimidiam.
 Nigellæ odoratæ drachmas tres.
 Nucis Moschatæ drachmas duas.
 Stercoris Columbini unciam dimidiam.
 Dissolvatur Myrrha in Vino Malvatico, & cum reliquis in mortario calido admistis fiat Emplastrum s. a.

Si vis fortius, adde pulveris
 Euphorbii,
 Pyrethri,
 Piperis nigri, ana scrupulos duos.

EMPLASTRUM CEROMA,
 seu CERONEVM,
 NICOLAI ALEXANDRINI,
 Cap. 286.

℞ Picis [navalis, i. ex navibus vetustis derasæ, quæ multipli-

cem aquæ marinæ loturam sunt expertæ.]

Ceræ flavæ illotæ ana drachmas septem.
 Sagapeni drachmas sex.
 Ammoniaci,
 Terebinthinæ,
 Colophonix,
 Croci, ana drachmas quatuor.
 Aloes,
 Thuris [masculi]
 Myrrhæ, ana drachmas tres.
 Styracis calamitæ,
 Mastiches,
 Opopanacis,
 Galbani,
 Aluminis,
 Sem: Fœnugræci, ana drachmas duas.
 Confitæ, i. fecis liquidæ Styracis.
 Bdellii, ana drachmam unam.
 Lithargyri semidrachmam.

EMPLASTRUM EX CICVTA CVM AMMONIACO.

℞ Cicutæ manipulos quatuor,
 Ammoniaci semilibram, infunde Aceto acerrimo dies octo, dein bulliant, dum Ammoniacum solvatur: hinc per pannū lineum validè exprimatur, iterumque expressus liquor ebulliat quinquies, & adjectâ Cerâ & oleo amygdalino dulci f. Emplastrum.

R 2 EMPLA-

EMPLASTRUM DE CRUSTA PANIS.

℞ Mastiches,
Menthæ,
Spodii,
Corallii rubri,
Santalorum omniū, ana drachmam unam.
Crustæ Panis tostæ, infusæ in aceto Rosaceo, per mediam horam uncias duas.
Olei Mastichini,
Cydoniorum, ana unciam.
Ceræ uncias duas.
Styracis liquidæ,
Ladani, ana drachmas tres.
Farinæ Hordei q. l.
Misce, fiat Emplastrum secundum artem.

EMPLASTRUM è CYMINO.

℞ Semin: Cymini,
Baccarum Lauri, ana libram unam.
Resinæ Pini libras duas.
Communis libras tres.
Olei Anethini selibram.
Ceræ libram unam.
Misce, fiat Emplastrum.

DIACHYLON SIMPLEX.

M E S.

℞ Mucilaginis Fœnugræci,
Sem: Lini,
Radic: Althææ, ana libram unam.
Olei veteris clari, libras tres.
Lithargyri libram unam semis.
Lithargyrus tenuissimè teratur, & cum Oleo subigatur, postea igne lento coquatur, spatha semper agitando, donec probè permixta sint: ab igne deposita paulatim frigescant: postea mucilagines affundantur, permisceantur & decoquantur ad justam crassitiem secundum artem.

DIACHYLON IREATVM.

Adde Pulveris Ireos unciam unam singulis libris Diachyli simp: & erit Ireatum.

DIACHYLON MAGNVM.

M E S.

℞ Lithargyri auri tenuissimè pulverisati libram unam.
Olei Irini,
Anethini,
Chamæmelini, ana uncias octo.
Mucilaginis Radic: Althææ,
Sem:

Sem: Lini,
 Fœnu-græci,
 Uvarum Passarum,
 Caricarum pinguium,
 Ichthyocollæ,
 Succi Ireos,
 Scillæ,
 Oesypi, vel Olei ex pedibus O-
 villis, ana drachmas duode-
 cim semis.
 Terebinthinæ uncias tres.
 Resinæ Pini,
 Cerae flavæ, ana uncias duas.
 Misce: fiat Emplastrum s. a.

DIACHYLON MAGNUM
 CUM GUMMI EX
 RENODÆO.

℞ Bdellii,
 Sagapeni,
 Ammoniacy, ana unciam u-
 nam.
 Diachyli magni massæ addan-
 tur Vino dissoluta prius, colata, &
 ad mellis crassitiem cocta: & sic
 fit Diachylon cum gummi.

DIACHYLON COMPOSITUM
 SIVE EMPLASTRUM DE
 MUCILAGINIBVS.
 MES.

℞ Mucilaginis Radic: Althææ,
 Sem: Lini,
 Fœnu-græci,

Cortic: mediani Ulmi, ana un-
 cias quatuor semis.
 Olei Chamæmelini,
 Liliorum,
 Anethini, ana unciam u-
 nam semis.
 Ammoniacy,
 Galbani,
 Opopanacy,
 Sagapeni, ana unciam dimi-
 dia n.
 Cerae novæ uncias viginti.
 Terebinthinæ uncias duas.
 Croci drachmas duas.
 Vino solvantur Gummi,
 Fiat Emplastrum s. a.

DIAPALMA SEV DIA-
 CHALCITEOS,
 GALENI.

℞ Axungia Porcinæ insulsæ, vetu-
 stæ, à membranis purgatæ,
 libras duas.
 Olei veteris,
 Argenti spumæ; (i.) Lithargy-
 ri, trita, & cretæ, ana libras
 tres.
 Chalcitidis ustæ, lævigatæ, seu
 Vitrioli albiusti, & pulverisati
 uncias quatuor.
 Conficitur autem in hunc mo-
 dum.

Primùm Lithargyrum tenuissimè
 lævigatum lento igne cum oleo,
 & axungia diutissimè coquunt, ac
 nutriunt semper agitando rudicu-

lâ, seu ramo Palmæ, vel aliûs arboris astringentis, ut Quercus, Buxi, vel Mespili, qui recenter fit incisus, atque ut spatulæ vis medicamentosa meliùs Emplastro communicetur, ejus extremitatem subinde præscindunt, & superficiem abradunt, ad humiditatem usque nativam: mixturæ sic coctione & agitatione increpata, & igni subtractæ Vitriolum album, Chalcitidis veræ penuriâ, pulverisatum injiciunt & subigunt, sicq; massam habent laudabilem pro Emplastro.

EMPLASTRUM DIAPHOENICON CALIDUM,

M E S.

℞ Ceræ uncias duas.

Olei Rosacei,

Nardini, ana uncias quatuor.

Simul liquentur, deinde

℞ Dactylorum siccorum numero quadraginta.

Panis biscocti unciam unam.

Macerentur in Vino odorato per biduum, deinde

℞ Carnis Cydoniorum in Vino rubro coctorum unciam unâ.

Contundatur & permisceatur superioribus; & adde sequentia in mortario benè contusa.

℞ Mastiches,

Thuris,

Absinthii Romani, ana drachmas duas semis.

Ligni Aloes,

Macis,

Myrrhæ,

Aloes lotæ,

Spicæ Nardi,

Acaciæ,

Galliæ Moschatæ,

Trochiscorum Ramich,

Calami Aromatici, ana drachmam unam.

Ladani drachmas duas.

Misce, & fiat Emplastrum s. a.

DIAPHOENICON FRIGIDUM, *M E S.*

℞ Dactylorum maturitati proximorû in Vino austero coctorum uncias quinque.

Panis biscocti unciam unam.

Carnis Cydoniorum in Vino austero coctorum unciam unam semis.

Styracis Calamitæ,

Mastiches,

Ladani,

Acaciæ,

Omphacii, id est, succi Uvarum immaturarum.

Flor: Labruffæ, vel Vitis ferentis uvas acidas vel austeras.

Rosarum rubrarum,

Santali Citrini,

Trochiscorum Ramich,

Myrrhæ,

Myrrhæ,
Ligni Aloes, ana unciam dimi-
diam.

Ceræ uncias quatuor.

Terebinthinæ aquâ Rosaceâ
lotæ unciam unam semis.

Olei Rosacei uncias decem.

Vini austeri q. f.

Fiat Emplastrum f. a.

EMPLASTRUM DIVINUM.

NICOLAI.

℞ Magnetis uncias quatuor.

Ammoniaci uncias tres, &
drachmas tres.

Bdellii uncias duas.

Galbani,

Myrrhæ ana drachmas decem.

Olibani drachmas novem.

Opopanacis,

Mastiches,

Aristolochiæ longæ,

Viridis æris, ana unciam u-
nam.

Lithargyri libram unam semis.

Olei communis libram unam
semis.

Ceræ novæ uncias octo.

Misce f. a. Lithargyrus cum Oleo
diù agitetur, postea coquantur ad
spissitudinem, tum Cera addatur,
eâ liquatâ, ab igne auferantur, &
adjiciantur Gummi in aceto, aut
vino dissoluta, cocta, & colata,
deinde pulvis Myrrhæ, Mastiches,

Thuris, Aristolochiæ, & Magne-
tis, postremò Æruginis, ne diu-
tius cocta Emplastrum faciat ru-
brum, & sic fiat Emplastrum se-
cundùm artem.

EMPLASTRUM DE GUMMI

ELEMI Pet: Apon: Conciliat:

sec: Vig: Antid: c. 16.

℞ Gum: Elemi uncias tres.

Resinæ Pini,

Ceræ puræ.

Ammoniaci, ana uncias duas.

Terebinthinæ tres uncias &
mediam.

Vini Malvatici q. f. ad consumpti-
onem Vini coquantur cætera: tum
Ammoniacum aceto dissolutum
adjiciatur.

EMPLASTRUM GRACIA
DEI, NICOLAI.

℞ Terebinthinæ libram dimidiâ.

Resinæ libram unam,

Ceræ albæ uncias quatuor.

Mastiches unciam unam.

Betonicæ

Verbenæ

Pimpinellæ

} recentium, ana
manipul: unum.

Tusæ herbæ in Vino albo coquan-
tur dum tabescant, liquor expri-
matur, in quo Cera & Resina co-

quantur

quantur ad liquoris consumptionem: ab igne sublatis, Terebinthina permisceatur, & postremo Mastiche in pulverem redacta, & sic fiat Emplastrum, s. a.

EMPLASTRUM GRISEVM
DE LAPIDE CALAMINARI.

℞ Lapidis Calaminaris præparati unciam unam.
Lithargyri uncias duas.
Cerussæ unciam dimidiam.
Tutæ drachmam unam.
Terebinthinae drachmas sex.
Cerae albæ unciam unam semis.
Sevi Cervini uncias duas.
Thuris electi drachmas quinque.
Mastiches drachmas tres.
Myrrhæ drachmas duas.
Camphoræ drachmam unam semis.
Cerae, & Sevi Cervini, ana q. s.
Confice s. a.

EMPLASTRUM AD HER-
NIAM, FERN.

℞ Gallarum,
Nucum Cupressi,
Pfidia, sive Malicorii,
Balauftiorum,

Acaciae,
Sem: Plantaginis,
Pfylii,
Nasturtii,
Cupularum Glandium,
Fabarum torrefactarum,
Aristolochiæ longæ, & rotunda,
Myrtillorum, ana unciam dimidiam.

Hæc omnia pulverisentur, & in aceto Rosato macerentur per dies quatuor, deinde torrefiant & exiccentur, tum

℞ Consolidæ majoris & minoris.
Caudæ equinæ,
Glasti,
Scolopendrii, i. Cetrach,
Radic: Osmundæ regalis,
Filicis, ana unciam unam.

Thuris,
Myrrhæ,
Aloes,
Mastiches,
Mummia, ana uncias duas.
Boli Armeni loti in aceto,
Lapidis Calaminaris præparati,
Lithargyri Auri,
Sanguinis Draconis, ana uncias tres.

Picis Navalis libras duas.
Terebinthinae uncias sex vel q. s.

Uc fiat Emplastrum secundum artem.

EMPLA-

EMPLASTRUM HYSTERI-
CVM, *NICOLAI*, Præp: fec:
RENODÆVM.

℞ Radic: Bistortæ libram unam.
Ligni Aloes,
Santali Citrini,
Nucis Moschatæ,
Berberis acinorum,
Antheræ, ana unciam unam.
Cinnamomi,
Caryophyllorum,
Schœnanthûs,
Flor: Chamæmeli, ana unciam
dimidiam.
Thuris,
Mastiches,
Aliptæ Moschatæ,
Galliæ Moschatæ,
Styracis Calamitæ rubri, ana
drachmam unam.
Moschi optimi drachmam di-
midiam.
Ceræ libram unam semis.
Terebinthinæ libram dimidiã.
Olei Moschelini uncias qua-
tuor.
Ladani libras quatuor.
Picis Navalis libras tres.
Cerâ cum Pice liquatâ, Ladanum
& Terebinthina addantur, dein
Styrax, postremò reliqua trita &
creta, & fingatur Emplastrum se-
cundùm artem.

EMPLASTRUM DE JANVA,
SIVE DE BETONICA,
NICOLAI.

℞ Succi Betonicæ,
Plantaginis,
Apii, ana libram unam.
Ceræ
Picis,
Resinæ,
Terebinthinæ, ana libram di-
midiam.
In succis Cera, & Resina lento ig-
ne coquantur, & continenter mo-
veantur ad succorum consumpti-
onem; postremò Terebinthina &
Pix addantur bene agitando, & sic
fiat Emplastrum s. a.

EMPLASTRUM DE MASTI-
CHE, *RENODÆI.*

℞ Mastiches uncias tres.
Boli Armeni in Vino nigro loti
unciam unam semis.
Rosarum rubrarum drachmas
sex.
Scobis Eboris,
Corallii rubri, ana unciam di-
midiam.
Terebinthinæ uncias duas.
Ceræ flavæ,
Olei Myrtillorum, ana libram
dimidiam.

fiat

fiat Emplastrum s. a. addendo
Colophonix, vel Tacamahacæ,
Ladani, ana uncias duas.

EMPLASTRUM DE MELI-
LOTO, *MES.*

℞ **Florum Meliloti** uncias sex.
Flor: Chamæmeli,
Sem: Fœnugræci,
Baccarum Lauri,
Radic: Althææ,
Majoranæ,
Com: Absinthii, ana drachmas
tres.
Sem: Apii,
Cardamomi,
Ireos,
Cyperii,
Spicæ Nardi,
Casix Lignæ,
Sem: Ammeos, ana drachmam
unam semis.
Ammoniaci drachmas decem.
Styracis calamitæ,
Bdellii, ana drachmas quinque.
Terebinthinæ unciam unam
semis.
Ficum pinguium numero
duodecim.
Sevi Hircini,
Resinæ, ana uncias duas semis.
Ceræ uncias sex.
Olei Sampsuchini,
Nardini, ana q. s.
Tum ℞ **Meliloti novi,** & **Fœnu-**

græci, & **Chamæmeli** ana q. s.
& coquantur in aquæ libris dua-
bus ad medias, deinde in colatur-
ram immixtis tritrandis subti-
lissimè pulverizatis cum radici-
bus & ficibus coctis & cribratis,
rursum coquantur optimè sem-
per movendò, ne comburantur,
& additis Oleis, **Terebinthinâ,**
Cerâ, **Sevo,** & **Resinâ** simul li-
quatis, gummiisque in aceto dis-
solutis, fiat Emplastrum secun-
dùm artem.

EMPLASTRUM DE MINIO
COMPOSITUM,
VIGONIS.

℞ **Olei Rosacei odorati** libram u-
nam semis.
Olei Myrtini,
Unguenti Populei, ana uncias
quatuor.
Pinguëdinis Gallinæ uncias
duas.
Sevi Castrati, i. **Verecis.**
Vaccini, ana libram dimi-
diam.
Axungix Porcinæ uncias sep-
tem.
Lithargyri Auri,
Argenti, ana uncias
tres semis.
Cerussæ uncias quatuor.
Minii uncias tres.
Terebinthinæ uncias decem.
Ceræ q. s.

fiat

fiat Emplastrum f. a. tendens ad nigredinem.

ALIUD DE MINIO SIMPLICIUS, LONDINENSIVM.

℞ Minii uncias novem.

Olei Rosarum rubrarum librā unam semis.

Aceti vini albi uncias sex.

Coquantur in perfectam Emplastri consistentiam.

Paratur etiam sine aceto in hunc modum.

℞ Minii libram unam.

Olei Rosacei libram unam semis.

Ceræ libram dimidiam.

fiat Emplastrum f. a.

EMPLASTRUM ISIS EPIGONI Gal: comp. med: gen: l. 5.

℞ Ceræ luteæ drachmas centum.

Terebinthinæ drachmas duas.

Squamæ Æris rubei,

Æruginis rasæ,

Aristolochiæ rotundæ,

Thuris,

Salis Ammoniaci,

Guttæ Ammoniacæ,

Æris usti, ana drachmas octo.

Aluminis combusti drachmas sex.

Aloes,

Myrrhæ,

Galbani, ana sesquiunciam.

Olei antiqui libram unam.

Aceti acris q. s.

Metallicis Aceto sub Sole dissolutis, mox affunduntur liquabilia, deinde pulveres; demum ex omnibus fiunt magdaleones.

EMPLASTRUM DE MASTICHE, NIC. AL.

℞ Mastiches,

Picis navalis,

Sagapeni,

Ceræ, ana drachmas sex.

Ammoniaci,

Terebinthinæ,

Colophonix,

Croci,

Aloes,

Thuris,

Myrrhæ, ana drachmas tres.

Opopanacis,

Galbani,

Styracis calamitæ,

Aluminis (Rondeletius substituit, & nos ex eo) Bituminis,

Fœnugræci, ana drachmas duas

Comphittæ, i. facis Styracis liquidæ,

Bdellii,

Bdellii,

Lithargyri, ana semidrachmam.
Lithargyrus in pulverem redactus cum sufficienti aqua decoquatur, deinde Pix, quâ liquefactâ, adde Ceram, Ammoniacum, postea Sagarenum; Opopanax, Galbanum infundantur & liquentur, & percolata injiciantur: mox Styracem, Comphittâ, Terebinthinam spatulâ misce, postremò Colophonix, Mastiches, Thuris, Bdellii, Aluminis, Myrrhæ, Fœnugræci pulveres paulatim insperge: coquatur: coctum in aqua fundatur, & forma magdaleones.

EMPLASTRUM
ΜΗΤΡΟΠΡΟΠΤΩΤΙΚΟΝ.

℞ Mastiches unciam unam cum semisse,
Galbani purioris in vino rubro dissoluti, & à fæcibus post colaturam expurgati, drachmas sex.
Terebinthinæ Cypriæ drachmas duas.
Nucum Cupressi,
Gallarum, ana sesquidrachmam.
Olei Nucis Moschatae per expressionem, drachmâ unam.
Picis ex navibus vetustis dera-
sæ drach: duas cum semisse.
Moschi grana duo cum semisse.
Contundantur leviter Mastiche,
Pix, Galbanum, & Terebinthina,

cum calido pistillo in mortario calido, sub finem admiscendo Nucis Moschatae Oleum. Tum demum per vices adjiciantur pulveres, nec non Moschus super marmore cum modico Olei Mastichini dissolutus, & post exactam mistionem fiat Emplastrum.

EMPLASTRUM NIGRUM,
ΑΥΓΥΣΤΑΝ:
STICHELASTER.

℞ Colophonix,
Resinæ,
Picis navalis,
Ceræ albæ,
Vitrioli Romani,
Cerussæ,
Olibani,
Myrrhæ, ana uncias octo,
Olei Rosacei uncias septem.
Ol: Juniperi ex granis uncias tres.
Ol: Ovorum uncias duas.
Ol: De Spica unciam unam.
Vitrioli albi,
Corallii rubri,
Mumixæ, ana uncias duas.
Terræ Sigillatæ,
Mastiches,
Sang: Draconis, ana unciam unam.
Adipis Ardeæ unciam unam.
Thymalli uncias tres.
Lap: Magnetis præpar: uncias duas.
Lumbricorum præparatorum,
Cam-

Camphoræ, ana unciam unam.
Fiat Emplastrum s. a.

EMPLASTRUM NERVIVM,
KIGONIS.

℞ Olei Chamæmelini,
Rosacei, ana uncias duas.
Olei Mastichini,
Terebinthini,
Lini, ana unciam unam se-
mis.

Terebinthinæ coctæ uncias
quatuor.

Sevi castrati Vituli,
Hircini, ana uncias duas se-
mis.

Herbarū Rorismarini,
Betonicæ,
Caudæ Equinæ,
Centaurii minoris, ana
manipul: unum.

Vermium terrestrium lotorum
& purgatorum in vino unci-
as tres.

Hyperici fol: & sem: ejus ana
manipul: unum.

Mastiches pulverifatæ,
Gummi Elemi, ana drachmas
decem.

Radicū Rubiæ tinctorū drach-
mas decem.

Picis navalis,
Resinæ, ana unciam unam se-
mis.

Lithargyri Auri,

Argenti, ana uncias
duas semis.

Minii uncias duas.

Galbani,

Sagapeni,

Ammoniacy, ana drachmas tres.

Coquantur Herbæ, Radices, &
Vermes, in Vini libra una semis ad
medietatis consumptionem, dein-
de exprimantur, & expressum bul-
liat iterum cum Oleis, Sevis, Li-
thargyro, & Minio ad Vini con-
sumptionē: deinde adde Gummi
in Vino odorifero dissoluta: po-
stremò Terebinthinam, Resinam,
Picem, & Mastichem in pulverem
redacta, & fiat Emplastrum secun-
dum artem.

EMPLASTRUM OXYCRO-
CEVM, NICOLAII.

℞ Croci,
Picis Navalis,
Colophonix,
Ceræ, ana uncias quatuor.
Terebinthinæ,
Galbani,
Ammoniacy,
Myrrhæ,
Olibani,
Mastiches, ana unciam unam
drachmas tres.

Modus conficiendi hic fit: Cera,
Colophonia, & Terebinthina si-
mul liquentur,

auferendo ab
S igne:

igne: mox Picem purā adde, dum adhuc fervet; tum Galbanū, Ammoniacum, Thus, & Myrrham dissoluta in Aceto, injice: postea Mastichem in pulverem redactam & Crocum pulverisatum in aceto probè humectatum: & sic fiat Emplastrum s. a.

VIGONIS OXYCROCEVM

(in quo nil Croci) præstantius

NOR: AFG.

R. Ol: Myrtini,

Rosacci,

Omphacini, ana sesquilibrā.

Succi Rad: Althææ, libras duas.

Rad: & fol: Fraxini,

Consolidæ minoris,

Fol: Myrti, ana manipulum.

Omnia prius aliquantulum confusa bulliant in Vino nigro, q. s. ad consumptionem medietatis, cum

Myrrhæ,

Thuris, ana semunciā.

Colentur inde fortiter: addantur colaturæ

Sevi Hircini selibra,

Terebinthinæ uncia duæ.

Mastiches uncia.

Iterum cum prædictis Oleis bulliant, ad consumptionem decoctionis. Colentur postmodum addendo

Lithargyri Auri,

Argenti, ana uncias

tres.

Boli Armeni,

Terræ Sigillatæ, ana uncias duas.

Minii drachmas decem.

Coquantur igne lento, & cum Cera nova sufficiente, semper agitando, fiat Emplastrum.

EMPLASTRVM DE RANIS,

VIGONIS.

R. Olei Chamæmelini,

Anethini,

Spicæ,

Liliorum, ana uncias duas.

Olei de Croco unciam unam,

vide pag. 132. col. 2.

Axungia Porcinæ libram unā.

Pinguedinis Vituli libram dimidiam.

Euphorbii drachmas quinque.

Thuris drachmas decem.

Olei Laurini unciam unam semis.

Adipis Viperæ, vel (ejus defectu)

Colubri, uncias duas semis.

Ranarum viventium numero sex.

Lumbricorum in vino lotorū uncias tres semis.

Succi Radic: Ebuli,

Enulæ, ana uncias duas.

Schoenanthūs,

Stoechados,

Artemisæ, ana manipul. unum.

Vini odoriferi libras duas.

Lithargyri Auri libram unam.

Terebinthinæ claræ uncias duas.

Ceræ

Ceræ flavæ q. s.

Styracis liquidæ unciam unam
semis.

Argenti vivi salivâ hominis je-
juni, vel succo Limonum ex-
tincti, uncias quatuor.

Modus conficiendi hic fit.

Coquantur simul Ranzæ, Lum-
brici, & herbæ cum succis, & oleis
Chamæmeli, Anethi, Liliorû, Ax-
ungia, pinguedine, & librâ unâ se-
mis vini odorati; Colaturæ adde
Lithargyrû, Ceræ uncias quatuor,
& residuû Vini (i) libram dimidiâ.
Coquantur simul ad consumptio-
nem totius Vini, & dum digitis
non adhæreat, tum adde Oleum de
Croco, Laurinû, de Spica, & Adi-
pem: postea pulveré Thuris & Eu-
phorbii, postremò Argentû vivum
probè commixtum cum Styrace
liquidâ, & Terebinthina, simul
omnia cum spatula agitando ut
simul incorporentur. Cavendum
tamen ne imponatur Argentum
vivum, cum nimis fervet Massa, ne
evolet.

EMPLASTRUM SANCTVM
ANDR: à CRUCE.

℞ Resinæ Pini rec: claræ odor: un-
cias duodecim.

Olei Laurini puri;

Terebinthinæ optimæ, ana un-
cias duas.

Gum: Elemi transparentis, gra-
vis, uncias quatuor.

Resina & Gummi in caciola ænea,
super ignem clarum debilem, assi-
duò rudiculâ arundineâ, vel spatu-
lâ æneâ coagitentur, donec lique-
scant. Inde addantur Laurinum
& Terebinthina, iterum parum
bulliant, movendo itidem. Cum
incrassatum, per stamineam, aut ta-
misium percoletur: quod extilla-
verit, in vase vitreato terreo operto
asservetur.

SPARADRAPVM seu TELA
GALTERI ex RENOD.

℞ Olei Rosacei libram dimidiam.
Sevi Arietini uncias quatuor.

Ceræ uncias decem.

Lithargyri,

Resinæ Pini,

Thuris,

Mastiches, ana uncias duas.

Boli Armeni,

Farinæ volatilis, ana unciam
unam.

Coquantur simul Oleum, Sevum,
& Lithargyrus, donec Lithargy-
rus sit incorporatus; deinde ex arte
fiat Emplastrum, in quod adhuc
liquatum & calidum, tela parùm
attrita immergatur.

EMPLASTRVM

ΣΤΕΦΑΝΙΑΙΟΝ.

℞ Ladani semunciam.

Styracis calamitæ gummosæ &
colatæ,

Sandaracæ Arabum, i. gummi
Juniperi, ana drachmas duas.

Succini,
Terebinthinæ Cypriæ, ana
drachmam unam.

Coralliorum rub:
Mastiches, ana semidrachmam.

Florum Salviæ,

Rosarum rubrarum,

Iridis Florentinæ, ana scrupulū.

Resinæ, ex aqua Rosacea lotæ
semunciam.

Resina, Ladanum, & Mastiche,
cum Styrace, Sandaracâ & Tere-
binthina, in mortario calido levi-
tèr contundantur, eò usque s. a.
cum pistillo calido (Vini rub: gut-
tas aliquot aspergendo) donec in-
vicem coivisse videantur: Tum
demùm Pulveres per vices immit-
tantur, ità ut diligenti agitatione
continuò factâ, ex omnibus exactè
commixtis fiat Emplastrum.

EMPLASTRUM SINE PARI

ANONYMI ex manuscripto
excerptum.

℞ Thuris Libani,

Bdellii,

Styracis gummosæ, ana drach-
mas tres.

Ammoniacci,

Galbani, ana drachmam unam
cum semisse.

℞ Picis navalis drachmas sex.

Medullæ Cervinæ,

Adipis Gallinæ,

Anseris, ana drachmas
duas.

Sulphuris vivi ex lacte loti,

Pulveris Hermodactylorū, ana
sesquidrachmam.

Dissolvantur Gummi in Vino al-
bo tenui (non autem in aceto,
quod nervosis & membranosis
partibus est inimicum) & cum
Olei Rosati completi partibus du-
abus, Olei Ovorum parte una, &
Olei Terebinthinæ modico fiat
s. a. Emplastrum.

STICTICVM PARACELSI

℞ Olei Olivarum uncias sex.

Ceræ unciam unam semis.

Lithargyri triti uncias quatuor
semis.

Ammoniacci,

Bdellii, ana unciam dimidiam.

Galbani,

Opopanacis,

Olei Laurini,

Lap: Calaminaris,

Aristolochiæ utriusque.

Myrrhæ,

Thuris, ana drachmas duas.

Resinæ abietis, vel Terebinthi-
næ puræ unciam unam.

Oleum, Cera, & Lithargyrus si-
mul coquantur, dum digitis non
adhæreant; deinde massa ab igne
remota paulùm frigescente sinatur,
addendo gummi dissoluta in ace-
to Vini albi, quod recoquendo e-
vaporet;

vaporet; & coletur strenuè, postremò pulveres & Terebinthinâ & Oleum Laurinum adjice, & fiat Emplastrum s. a.

EMPLASTRUM STOMACHICVM, *MES.*

℞ Ligni Aloes,
Absinthii,
Gummi Arabici,
Mastiches,
Cyperi,
Costi,
Zingiberis, ana unciam dimidiam,
Calami Aromatici,
Olibani,
Aloes, ana drachmas tres.
Caryophyllorum,
Macis,
Cinnamomi,
Spicæ Nardi,
Nucis Moschatæ,
Galliæ Moschatæ,
Schoenanthûs, ana drachmam unam semis.

Excipe Mivâ Cydoniorum, & fiat Emplastrum, usus tempore extendatur super pannum, & suffumigetur ligno Aloes, & superponatur stomacho.

EMPLASTRUM STOMACHICVM MAGISTRALE.

℞ Menthæ,
Absinthii,
Stœchados,
Fol: Lauri, ana drachmam unam.
Majoranæ,
Rosarum rubrarum,
Santali Citrini, ana drachmas duas.
Calami Aromatici,
Ligni Aloes,
Florum Lavendulæ,
Nucis Moschatæ,
Cubebæ,
Galangæ,
Piperis longi,
Macis, ana drachmam unam.
Mastiches, drachmas tres.
Caryophyllorum drachmas duas semis.
Olei Menthæ unciam unam semis.
Olei Nardini unciam unam.
Olei Spicæ drachmam unam.
Resinæ,
Ceræ, ana uncias quatuor.
Ladani uncias tres.
Styracis liquidæ unciam semis.
Fiat Emplastrum.

DE

DE CERATIS.

CERATVM AMMO-
NIACVM.

℞ Ammoniacy dissoluti in aceto
unciam unam.

Ung: Dialthææ,
Empl: de Meliloto, ana semun-
ciam.

Furfuris Frumenti optimi cri-
brati unciam.

Pulv: radic: Bryoniæ sicc:
Ireos sicc: ana sem-
unciam.

Pingued: Anatis,
Anseris,
Gallinæ, ana drach-
mas tres.

Olei Irini sesquiunciam.

Bulliant leviter in mucilagibus

Sem: Lini,
Fœnugræci, ana q. ℥

Adde Ceræ uncias quatuor.

Fiat Ceratum ℥. a.

CERATVM DE GAL-
BANO.

℞ Galbani præparati unciam unã
semis.

Asæ foetidæ unciam dimidiam.

Sem: Dauci scrupulum unum.

Myrrhæ rubeæ drachmas duas.

Bdellii drachmam unam.

Matricariæ,

Artemisiæ, ana drachmam di-
midiam.

Gummi dissolvantur in aceto, &
fiat Ceratum ℥. a. addita Ceræ q. ℥.

CERATVM OESYPATVM,
GALENI.

℞ Oesypti uncias decem.

Olei Chamæmelini,

Irini, ana libram dimidiã.

Ceræ flavæ libras duas.

Resinæ libram unam.

Mastiches,

Terebinthinæ, ana unciam u-
nam.

Spicæ Nardi drachmas duas se-
mis.

Croci drachmam unam semis.

Ammoniacy unciam unam.

Styracis Calamitæ unciam di-
midiam.

Fiat Ceratum ℥. a.

CERATVM SANTALINVM
MES.

℞ Rosarum drachmas duodecim.

Santali rubri drachmas decem.

Santali

Santali albi,
citri, ana drachmas
sex.

Boli Armeni drachmas septem.
Spodii ex Ebore drachmas qua-
tuor.

Camphoræ drachmas duas.

Ceræ albæ lotæ drachmas tri-
ginta.

Olei Rosacei uncias sex.

Fiat Ceratum s.a.

CERATVM STOMACHI-
CVM, GALENI.

℞ Rosarum rubrarum,
Mastiches, ana drachmas vi-
ginti.

Fol: Absinthii sicc: drachmas
quindecim.

Spicæ Nardi drachmas decem.

Ceræ mundæ uncias quatuor.

Aquæ Rosacæ q. s.

Olei Rosati libram unā semis.

& sic Unguenti instar liquefcit &

fluit ad extrema, tum adde

Olei Rosati uncias octo.

Ceræ uncias quatuordecim.

Pulveres ut supra (præter Masti-
chem quæ liquatur Oleo
Rosato.)

EMPLASTRVM à NOSTRA-
TIBVS
FLOS UNGVENTORVM
DICTVM.

℞ Resinæ,

Resinæ Pini,

Ceræ,

Sevi ovini, ana libram dimidiā.

Olibani uncias quatuor.

Terebinthinæ uncias duas se-
mis.

Myrrhæ,

Mastiches, ana unciam unam.

Caphuræ drachmas duas.

Vini albi libram dimidiam.

Coque simul in formam Cerati

OLEA



OLEA CHYMICA.

OLEA EX HERBIS.

OLEVM ABSINTHII.

℞ Absinthii ficci libram unam.

Aquæ fontanæ libras viginti.

Macerentur per horas viginti quatuor, & fiat destillatio per Alembicum magnum cum suo Refrigeratorio. Oleum cum aqua extrahes, quod separabis per infundibulum. Aqua, quæ exstillârit, ab Oleo separata seruetur ad novam destillationem.

Eodem modo parantur,

Olea Ex floribus Chamæmeli,
Chelidonii,
Hyssopi,
Lavendulæ.
Majoranæ,
Menthæ,

Nasturtii,
Origani,
Pulegii,
Rosarum,
Rorismarini,
Rutæ,
Sabinæ,
Salviæ,
Saturiæ,
Thymi,
Verbasci,

Et ex omnibus aliis floribus, & herbis calidis.

OLEA EX SEMINIBVS.

OLEVM SEM: ANETHI.

℞ Semin: Anethi contusorum libras duas.

Aquæ

Aquæ fontanæ libras sedecim.
Macerentur per viginti quatuor
horas, deinde distillentur per A-
lembicum magnum cum suo re-
frigeratorio, extrahes Oleum, &
aquam, quod separabis per infun-
dibulum.

Eodem modo paratur,

Oleum ex Semi- nibus.	}	Anisi,
		Carui,
		Cymini,
		Dauci,
		Fœniculi,
		Frumenti,
		Petroselini,
		Rutæ,
		Saxifragiæ, &c.

OLEA EX BACCIS.

OLEVM EX BACCIS.

JVNIPERI.

R. Baccarum Juniperi recentium
libras quinquaginta.
Contunde & pone in vase ligneo
cum aquæ libris viginti quatuor.
Addendo fermenti acrioris libram
unam: stent in Cellario, benè
clauso vase, per tres menses: dein-
de distillentur per Alembicum
cum convenienti quantitate aquæ,
post separationem Olei, reserva a-
quam ad aliam distillationem.

Eodem modo fit,

Oleum ex Baccis { Hederæ,
Lauri.

OLEA EX AROMATIBVS.

OLEVM CINNAMOMI.

R. Cinnamomi contusi libras
quinque.

Aquæ fontanæ libras quinquaginta.

Macerentur per horas viginti qua-
tuor, & distillentur per Alembicū
magnum cum refrigeratorio.

Eodem modo paratur,

Oleum	}	Caryophyllorum,
		Macis,
		Nucis Moschatæ,
		Piperis.

OLEA EX CORTICIBVS.

Olea ex Corticibus ficcis,

Aurantiorum,

Citri,

Limonum.

Parantur eodem modo, quo Olea
ex Herbis.

EX

EX LIGNIS.

OLEVM EX GVAIACO.

Oleum ex ligno Guaiaco fit per retortam in reverberatorio clauso: separetur tenuior & suavior pars à foetidiorè, crassiorè; & retificetur cum Sale, vel Tartaro calcinato, vel Colcothare, vel arena. Eodem modo fit Oleum è Buxo, Quercu, & aliis lignis solidioribus.

EX LIGNO SASSAFRAS.

Oleum Sassafras fit sicut Oleum Cinnamomi: Et sic fit

Oleum ex Ligno Rhodio,
Juniperi,
Rorismarini,
Hederæ.

OLEA EX FVSILIBVS.

OLEVM CERÆ.

℞ Ceræ flavæ libram unam.
Liqua, & adde pulveris Tegularum libras tres.
Misce, & pone in retortam, & extrahe Oleum igne convenienti, retificetur per retortam sine tegulis, additâ aquâ: Conveniens ignis est, qui primò extruitur supra retortâ,

usque dum exibilare desierit, dein infra retortam. Et hoc modo parantur,

Olea ex Pinguedinibus.

OLEA EX GVMMIS ET RESINIS.

OLEVM MYRRHÆ.

℞ Myrrhæ contusæ libras sex.
Aquæ fontanæ libras triginta.
Salis nigri libras sex.
Misceantur, & distillentur per Alembicum.

OLEVM TEREBINTHINÆ.

℞ Terebinthinæ Venetæ libras viginti octo.
Aquæ communis libras nonaginta sex.

Imponantur in vas cupreum amplum cum suo cooperculo, & refrigeratorio: sic exstilletur Oleum tenue, & album, & in fundo restabit Colophonia, si ignis augeatur. Oleum istud album, instar aquæ, commodè extrahetur sine empyreumate in B. M. in vase vitreo; si vero flavum & rubrum velis, opus est validiori igne, ut cinerum aut arenæ sine aqua in vase vitreo.

OLE

OLEVM BALSAMI

Pet: Apon: Conzil:

℞ Myrrha,
 Aloes,
 Spicæ Nardi,
 Sanguinis Draconis,
 Thuris,
 Mumia,
 Opopanacis,
 Carpobalsami, vel Cubebarum,
 Bdellii,
 Ammoniæ,
 Sarcocollæ,
 Croci,
 Mastiches,
 Gummi Arabici,
 Syracis liquidæ, ana drachmas
 duas.

Ladani,

Castorei, ana drachmas duas
semis.

Moschi semidrachmam.

Terebinthinæ ad pondus om-
nium.Terenda terantur, misceantur om-
nia, & distillentur in Alembico
secundùm artem.OLEVM LATERICIVM,
PHILOSOPHORVM

quod dicitur,

DIVINVM, SANCTVM,
MAGISTERII, MES.℞ Latres è terra rubente antiqua-
tos, in frusta comminutos ad

pomi magnitudinem; quæ fru-
stula in prunis ignita tota ex-
candescant; exempta extin-
guantur Oleo Rorismarini, vel
claro veteri, dum se impleve-
rint: exempta iterum terantur
tenuissimè. Pulvis in vitream
injiatur Retortam seu Cucur-
bitam, fornaci ritè adaptatam,
luto conclusam chymico, per
sublimationem distillandus.
Oleum eliciatur prunis, excipi-
atur phialâ subjectis: & quo
antiquius, eo valentius observa-
tum recondatur.

Oleum Ligustrinum, Cyprinum,
seu de Alcanna, Mesuræ, Ex flo-
rum Ligustri unciis quatuor,
Olei veteris unciis decem.

Oleum Liliorum alborum, Ex flo-
ribus, & oleo veteri claro, ut
Rosaceum, sed abjiciantur un-
gues croci.

Et simplex è flor: Liliorum Con-
vallium ad simile.

OLEVM THURIS.

℞ Thuris q. s. pone in retortam:
extrahe Oleum igne conveni-
enti: post rectificetur per se, vel
addito sale, vel arenâ.

Eodem

Eodem modo fiunt,

Ammoniacy,
Benioini,
Carannæ,
Gagatis,
Olea { Mastiches,
Opopanacis,
Sagapeni,
Styracis liquidæ,
Tacamahaccæ, &c.

OLEA EX MINERALIBVS,
ET LAPIDOSIS.

OLEVM ANTIMONII.

℞ Antimonii crudi, Mercurii sublimati, ana libram unam.

Fiat Pulvis indendus retortæ vitreæ, cujus collum sit latum, detur ignis per gradus in reverberatorio clauso. Stillabit in vas recipiens pinguedo, cujus pars collo retortæ adhærens supposito levi igne liquetur. Ista pinguedo in Alembico parvo rectificetur, vel in retortula, & servetur hoc coagulum; quod si liquidum velis, phiala aperta relinquatur in cella, abibit in aquam sive Oleum diligenter asservandum vase probè obturato.

OLEVM ARSENICI.

CrySTALLINUM ARSENICUM (priùs sublimatum cum solo Colcothare) commisce cum æquali pondere Salis Tartari, & Salis Petræ: & inter urceolos duos (quorum superior sit perforatus) calcinentur, usq; dum nullus fumus ascenderit. Materiam sic calcinatam in aqua calida solves, ut inde Salem extrahere possis; pulverem, qui subsiderit, imbibe liquore Tartari, & exicca ad ignem; idque ter facias. Rursum materiam in calida dissolve, ut Salem eximas; & remanebit pulvis candidissimus, & fixus; qui in loco humido solvetur in Oleum pingue butyri instar.

OLEVM SALIS.

℞ Salis nigri Gallici (calore Solis, non vi ignis, facti) quantum vis.

Exiccetur supra ignem, cui adde

Terræ lutæ calcinatæ tantundem.

Contundantur simul in Mortario, priusquam penitus refrixerint, deinde impleatur retorta cum collo longiori, benè lutata, & ponatur in fornace anemia, cum recipiente capaci benè lutato cum argilla temperata: ignem auge per gradus,

gradus, & intra duodecim vel quatuordecim horas habebis Oleum in recipiente: ubi fornax refrixerit, & fumi probè sedati fuerint, effunde oleum; & seruetur in vase optimè clauso, ne aeris vim sentiat: Et rectificetur à phlegmate.

Melius parabitur Oleum Salis, si Sal fusus dissolvatur in aqua pluvia, atque ex his paretur muria, quæ supernatans ovum sustineat, deinde Laterum candentium frustula in ista muria extinguantur, donec falsus liquor planè absorbeat, terantur lateres crassiusculè; indatur pulvis retortæ luto exactissimè obductæ tenaci, & detur ignis apertus ad summum gradum usque & rectificetur à phlegmate.

OLEVM SVCCINI.

℞ Succini flavi uncias duodecim,
Fiat pulvis cui in phiala ampla vel retorta affunde tantundem acetii vini albi acerrimi, digerantur in fimo per octiduum, mox addito arenæ siccissimæ vel silicum fluviatilium in pulverem tritorum duplo, per retortam fiat distillatio in arena subdito igne per gradus.

Oleum rectificetur ex arena, vel Sale, vel Tartaro calcinato semel, & tandem cum aqua pluvia.

OLEVM SVLPHVVIS.

℞ Campanam vitream sexdecim ad minus librarum capacem (quò enim largior, eò melior) ponatur supra metretam terream, cum tribus vel quatuor sustentaculis, quibus campana commodè aptari poterit; deinde impositâ Sulphuris quantitate sufficienti in ollam terream sic munitam, ut possit ignis vim sustinere, uratur Sulphur sub campana, superinjiciendo novum Sulphur, ubi prius consumptum fuerit; fiat autem hæc operatio in cælo & loco obscuro, cum nec venti vigent, nec Sol splendet.

Major habetur Olei quantitas, si vas Sulphur continens fornaculæ imponatur subdito igne, ita ut Sulphur perpetuò sit in fusione. Quidam rigillis Sulphur continentibus, ad fundum usque indunt ellychnia Sulphure fuso imbuta, quibus accensis flamma non extinguitur.

Paretur autem loco subterraneo, ut in cella, udo & pluvio cælo.

Antequam Sulphur accensum campanæ supponatur, suffumigetur campana fumo Salviæ.

OLEVM TARTARI.

℞ Tartari q. v. imponatur in retortam amplam, eâ proportione

ut tertia pars vasis impleatur : distilletur in arena igne forti, post (separato prius Oleo ab Aqua sive spiritu Tartari) cum multa aqua rectificetur, cujus foetor aliquatenus corrigetur, si in vase aperto sub dio diu relinquatur, praesertim ad Solem: Quoniam tamen Salis dissoluti liquor vulgo prostat, pro Oleo Tartari ita paretur.

LIQVOR TARTARI,

vulgò OLEVM TARTARI dictum.

℞ Tartari vini albi q. s. imple pro modo vas terreum non vitratum, in fornace anemica calcinetur per horas duodecim, ubi refrigerit, ponatur in Manicam Hippocratis, quæ suspendatur in cella humidiori ut dissolvatur, supposito recipiente convenienti. Residuum quod manicæ post solutionem adhæserit, dissolvatur in aqua communi, deinde filtretur, posteaque evaporetur, quoad incipiat assimilari Alumini.

OLEVM VITRIOLI.

℞ Vitrioli Ungatici, vel etiam Anglici optimi q. v. liquetur in cacabo, mox dividatur in crassiora frustra, quæ imposita prunis urantur ad flavum usque colorem ad

rubedinem aliquantulum accedentem. Fiat Pulvis irrorandus optimo spiritu vini, ponatur in retortas Wallemburgicas, vel similes fictiles ignis patientes, & detur ignis per gradus ad summum usque, per triduum, donec recipientia, quæ antea tumultuantibus fumis obscurabantur, clara evadant. Liqueor stillatitius rectificetur; & separentur ab invicem, Vini spiritus, Vitrioli spiritus acidulus, & validissimum ac valdè ponderosum Oleum.

AQVA MELLIS.

℞ Mellis purissimi libras quatuor.
Arenæ siccissimæ libras duas.

Ponantur in cucurbitam tam capacem, ut materia quintam saltem vasis partem occupet, atque in Balneo phlegma in cineribus paulò intensiore gradu ignis aqua acida flava proliciatur.

AQVA FORTIS.

℞ Vitrioli exsiccati libras duas: Salis petrae repurgati libram unam: tere simul & retortæ optimo Luto Loricatæ impone & colloca in fornacem reverberii, appositoque recipiente amplo destilla per gradus, spatio viginti horarum: aquam exemptam clarifica cum drachm. i. argenti s. artem.

PRAEPA-

PRAEPARATIONES CHYMICÆ MAGIS VSVALES.

CHALYBS PRÆPARATVS PER INSOLATIONEM.

℞ Chalybem per Magnetem a for-
dibus repurgatum: humecte-
tur toties aceto vini albi acer-
rimo, & siccat ad Solem, do-
nec possit in porphyrite teri in
pulverem impalpabilem, affu-
sâ paucâ aquâ Cinnamomi.
Sufficiet autem duodecies irro-
rare, & siccare, mox in mor-
tario ferreo terere, tandem lævi-
gare, & seruetur ad usum.

CHALYBS PRÆPARATVS PER USTIONEM.

℞ Chalybem (ut supra) mundatū:
extinguatur candens duodecies
in aceto albo acerrimo, & to-
ties in vino Canarino aut Mal-
vatico generosissimo, siccat, &
(ut supra) tritus in porphyrite
cum aqua Cinnamomi lævige-
tur, & seruetur ad usum.

CREMOR SIVE SAL TARTARI.

℞ Tartari vini albi, aut Rhenani

quantum volueris, teratur sub-
tilissimè, & transmittatur per
setaceum, pulvis abluatur ter
quaterve aqua frigida ad elu-
endas sordes, deinde bulliat in
aqua fontis clara, in ampla pa-
tina, vel olla fictili vitriata, len-
to saltem fremitu; spuma prima
tollatur. Crustæ autem sepe-
natantes, quæ successivè con-
crescēt in aquæ superficie, post-
quam totam superficiem occu-
paverint, colligantur cochle-
ari ligneo perforato, & exten-
dantur in charta bibula, Ablu-
antur denuò aquâ frigidâ, sic-
centur optimè, & in porphyrite
lævigenter in Alkool. Seruetur
Pulvis in ampulla vitrea; &
nullum attingat metallum.

CROCVS MARTIS.

℞ Laminas ferri vel Chalybis
quæ candentes aut scintillantes
condantur Magdaleone, vel
frusto magno Sulphuris, sub-
jectâ pelui aquæ plenâ, fluet
instar ceræ ferrum, quod à sul-
phure separatum teratur in

mortario ferreo in pulverem subtilissimum. Extendatur pulvis in quadratis conchis fictilibus, quæ transversum digitum altitudine non superent: Pone ad flammâ reverberii, quæ valido flamine materiam lambat per tres vel quatuor dies; commodissimè id fiet in fornace vitrariorum; Materia instar spongiæ elevabitur rubicundissima, cujus superficies instrumento ferreo lato colligatur, reliquum (ut supra) ignis flammâ urgeatur, donec totum ferrum sit conversum in pollinem tenuissimum, instar farinæ volatilis. Poterit etiam parari ex limatura ferri in igne reverberii sine Sulphure.

CROCUS METAL-

LORVM.

℞ Antimonii per longas venas scintillantis, Salis petraë purissimi, ana partes æquales, reducantur in pulverem seorsim, mox commisceantur; Ponantur in mortarium æneum ferreamve, mox injectâ prunâ materia, incendatur, quæ cum fragore & strepitu exuretur; superponatur (relieto tamen trium digitorum intervallo) tegula, aut patella ferrea, donec stridor cessaverit: Materia Metallica instar vitri fusi fuscè ru-

bens separetur à crusta albicante, & servetur ad usum: deinde dulcoretur aquâ simplici destillatâ ter affusâ.

FLORES SVLPVVRIS.

℞ Sulphuris flavi, quod, si manibus contrectetur stringendo, auribus admotum crepitat, quantum volueris: teratur cum p. æ. Colcotharis Vitrioli, ex Olei destillatione residui: ponantur in bocciam oblongam, seu vesicam fictilem, superposito capitulo vitreo satis amplo, atque in arena dato igne per gradus, pellantur flores in Alembicum, pede leporino deturbandi.

Subtiliores evadent, si denuò cum eadem Colcotharis novi quantitate sublimentur.

LAPIS INFERNALIS, SEPTICVS.

℞ Lixivium, è quo Sapo niger coquitur: id sartagine exceptum, in lapidem urito. Caveas tamen, ne omnis liquor absumat & arescat. Cum refrixerit, in formâ tesserarû scinditur, & vitro rectè obturato servatur.

Aliter,

℞ Vitrioli ad rubedinem calcinati uncias duas.

Salis

Salis Ammoniaci unciam unā.
Tartari ad albedinem calcinati,
Calcis vivæ, ana uncias tres.

Tritis affundatur Lixivium Ficul-
neum, vel Tithymallinum, vel
Saponis, sæpiusque transcole-
tur, donec materia tota ferè dis-
solvatur. Colatura coquatur
in vase æneo ad liquoris con-
sumptionem: quod relinqui-
tur servatur in vitro ad usum.

LAPIS PRVNELLÆ, seu
NITRVM SVLPHVRE
PVRGATIVM.

℞ Salis petræ purissimi, & in sturias
CrySTALLINAS coagulati libram
unā. Ponatur in crucibulum,
undique admotis & suppositis
prunis, non accendetur, sed
fuet instar metalli: huic fuso,
per frustula (instar minorum a-
vellanarum) injiciantur uncia
duæ flor: Sulphuris: quod post-
quam consumptum fuerit, ni-
trum instar aquæ fluidum ef-
fundatur in pelvim æneam, &
postquam concreverit, servetur
in vase vitreo probè clauso, ne
subeat aer, cujus appulsu dissol-
vitur.

MAGISTERIVM PER LA-
RVM ET CORALLIO-
RVM, IN QVO ETIAM
SALES EORVM
CONTINENTVR.

℞ Perlarum, vel Coralliorū, quan-
tum volueris, terantur, & lævi-
gentur in pulverem subtilissi-
mum; Pulveri affundatur ea
quantitas spiritus aceti radicati,
quæ supernatet tribus digitis
vel quatuor, fiat digestio in
cineribus, donec fiat dissolutio,
Cessante ebullitione decantetur
liquor à corpore, & novus af-
fundatur ad omnimodam usq;
dissolutionem. Liquor trajici-
atur per chartam emporeticam,
huic colato affundatur paula-
tim Oleum Tartari, ex sale per
deliquium paratum. Præcipi-
tabitur pulvis albus, per incli-
nationem à dissolvente sepa-
randus, & ad dulcedinem, seu
insipiditatem aquâ pluviâ, tan-
dem aquis cardiacis abluendus.
Acetum radicum fit, si aceti
spiritus ex sale marino decrepitate
elevetur in arena.

MERCVRIVS DVLCIS
SVBLIMATIVS.

℞ Sublimati, præparati cum Sale
& Vitriolo, uncias duas, Mer-
curii crudi, purificati cum Sale
& Aceto & triti in marmore,
sesquiunciam. Teratur subli-

matum in pulverem tenuissimum, quem crudo post exactè admiscebis, eodem in marmore: His ità mixtis, pulverem impone phialæ pedalis longitudinis. Locetur phiala (gossypio obturata) ad ejus mediætem in arena, tum primùm adde ignem lentum; dein paulatim prunis accensis, per gradus ignis augeatur, per sex horas. Quod sublimatum ascenderit in regionem mediam, id colligatur: quod in supremam, venenatæ admodùm est qualitatis, ulceribus solummodò externis aptum: quod residet in ima vasis parte, nulli est usui. In medio quod sublimatum si dulce sine acrimoniâ, res rectè habet; sin minùs, secundò opus iteretur; Mercurius (ut antea) iterum sublimetur, ut vivum crudum ascendentem separet, & sic deinceps. Nam quò sæpiùs reiteratur opus, eò perfectius evadit medicamentum.

MERCURIUS DVLICIS
PRÆCIPITATVS.

℞ Mercurii crudi ex Sale marino per retortam pulsi, vel ex Cinnabari vulgari revivificati, partem unam, Aquæ fortis (ex partibus duabus Vitrioli calcinati, & parte una Salis Petræ deficcati paratæ partes duas:) fiat

dissolutio in phiala super cineribus tepidulis: Paretur muriæ ex aqua pluvia & salis marini tanta quantitate, quantam ipsa aqua poterit dissolvere, filtretur, vel per chartam emporeticam agatur: In hanc muriam, quæ ovum immissum sustineat, effundatur Mercurii solutio: Illicò præcipitabitur pulvis albus, ad insipiditatem abluendus aquâ pluviâ tepidulâ, deinde etiam aquis cardiacis, & recondendus post exiccationem vase vitreo.

MERCURIUS VITÆ.

℞ Oleum Antimonii ex ejus & Mercurii sublimati æquis partibus destillatum in pinguedinem ad aerem in aperto vase, dissolubilem. Projiciatur in aquâ purissimâ, quæ illicò lactea evadet, atque præcipitabitur pulvis niveus multiplici ablutione aquæ pluvie tepentis dulcorandus, & servandus ad usum.

SACCHARVM SATVRNI.

℞ Minii quantum volueris, cui in phiala affunde tantum aceti distillati (spiritus videlicet ab omni phlegmate separati) quantum satis, ut supernatet quatuor digitis: fiat digestio in B. vel fimo per horas viginti quatuor

quatuor : separa acetum dulce, novumque affunde toties, donec nulla dulcedo amplius extrahatur. Liquores omnes mixtos in vase fictili lapideo non poroso, quod ignem ferre valeat: impone igni lento, & fiat exhalatio donec in superficie concresecat pellicula. Vas relinquatur in cella, & quæ congelabuntur Crystalli à residuo liquore separentur. Liquor iterum exhalet ad pelliculam, & fiat ut supra, donec nullæ amplius Crystalli concresecant. Tandem fiat dissolutio in aqua pluvia distillata, filtratio & coagulatio Sacchari Crystallini dulcissimi.

SAL VITRIOLI *Carneus.*

℞ Vitrioli Ungarici, vel Anglici quantum volueris: ponatur in Crucibulum amplum circumposito igne, donec fiat pulvis violaceus, sive obscure purpureus. Calx ista Vitrioli per partes projiciatur in phialam amplam vitream, in qua sit aqua communis destillata, continuo agitando baculo, donec aqua, quæ primò valde incalescit, denuò refrigescat. Si

nantur omnia per horas viginti quatuor; filtretur liquor per chartam griseam bibulam: tandem in scutella vitrea fiat exhalatio ad siccitatem, & servetur Sal rosei seu carnei coloris.

SAL VITRIOLI

Albus.

Item Vitriolum album dissolvatur in aqua distillata, dissolutio agatur per filtrum chartaceum, & vel crySTALLIZETUR ut Plumbi Saccharum, vel per omnimodam exhalationem reducatur in Salem album, seu Vitriolum depuratum.

TVRBITH MINERALE.

℞ Mercurii crudi purissimi, Olei Vitrioli ab omni phlegmate separati, ana partes æquales: ponantur in phialam, quæ imponatur primò cineribus calidis; deinde pedetentim ipsis prunis, dato igne per gradus, donec totum Vitrioli Oleum abierit in auras, restante in fundo vasis massâ albâ, quæ separata à portiuncula Mercurii crudi, projiciatur in aquam distillatâ, vel pluviam. Illicò flavescit, abluatur sæpiùs aquâ tepidâ ad dulcedinem, mox etiam aquis cardiacis, & siccetur.

VIT-

VITRVM ANTIMONII.

- ℞ Antimonii splendoris & scintillantantis quantum volueris: tritum subtilissimè conjiciatur in vas fictile amplum, & succensis carbonibus urgeatur sub dio continuo agitando rudiculâ ferreâ, donec in glebas concrescat: tunc iterum teratur in pulverem, fiatque ut supra donec concrescat iterum, & tandem iteretur labor, donec splendor omnis evanuerit, vapor nullus elevetur, & Stibium sit instar cineris albicantis: nulumque edat fumum, pulvis in laminam candentem projectus.
- ℞ Hujus calcis libram semissem, Boracis, seu Chryfocollæ factitiæ semunciam: vel accipe Calcis Antimonii uncias tres, Salis gemmæ semidrachmam. Ponantur in fictile vas fusoriû aurifabrorum, crucibulum dictum, quod regulâ tectum igni validissimo exponatur, donec materia fluat instar aquæ: projiciatur in pelvim tonsoris, & vitrum hyacinthinum refervetur.

TARTARVM VITRIOLATVM.

- ℞ Liquoris Tartari (ut priùs) præparati uncias quatuor. Olei Vitrioli optimè rectificati uncias duas; illudque guttatim supra Tartari liquorem in vitro capaci instilla: sic fiet coagulum albissimum; humiditas supernatans evocetur lento calore ad ficcitatem Salis: & fervetur ad usum.

NEPENTHES OPIATVM.

- ℞ Tincturæ Opii cum aceto distillato primò, deinde cum spiritu vini paratæ. Extracti Croci per Vini spiritum, ana unciam unam.
- Salis Perlarum & Coralliorum, ana unciam dimidiam.
- Tincturæ Specierum Diambre drachmas septem.
- Ambre griseæ drachmam unâ.
- Misce, Coagula ad form. pilul. lento balnei calore.

EXTRAC-



EXTRACTORVM CONFICIENDORVM RATIO.

Quoniam multi Extractorum laudes mirificè prædicant, licèt illa effectui, uti continua exploratum habemus experientia, minimè respondeant, ne aliorum votis penitus deesse videamur, hîc generalem ipsorum conficiendorum modum & rationem subjungere potiùs, quàm futilem & inutilem hinc inde delumptam Receptorum farraginem congerere, & rudioribus vana ostentatione imponere, visum est.

℞ Massæ cujusvis pilularum, sive specierum, pulverumve quorumlibet, quantum vis : infundantur ista, sive istorum quodlibet, in aquæ stillatiæ intentioni Medici præscribentis accommodatæ, quantitate sufficienti : stent in calore balnei biduò, aut si duriora fuerint triduò, donec omnis materiæ in-

fusæ tinctura extrahatur : quòd si experiri placuerit, sitne tota educta, primus liquor per manicam Hippocratis transeat, aut chartam emporeticam; affundatur reliquis liquor novus, rursus dirigendo ut priùs, quo tincto, procedendum est ut antea. Liquores sic collecti, modò tincti, in balneo M. positi
lento

lento calore evocentur; materia in fundo ad mellis consistentiam redacta, reservetur ad usum: ut diuturniore tempore maneat humecta, Salis proprii aut alterius idonei momentum adjicere convenit: videlicet cuilibet unciae extracti scrupulos duos vel drachmam dimidiam Salis.

Aquis stillatitiis addi solet, Olei Vitrioli, aut Sulphuris, liquorisve cujusvis acidi ut Olei Salis, ea quantitas, quæ gustui non

futura est ingrata, ut altiùs & expeditiùs in partes rerum solidarum durarumque intimas penetret, & effraenem medicamenti purgantis vim operationemque retundat: his intentionibus Vini spiritus abundè satisfacit, sed ejus tum potissimum usus est, cum medicamentorum cordialium humidum radicale & primigenium desideramus, vel medicamenta purgantia fortiora, vel opiata, præparare volumus.

SALIUM



SALIVM EX OMNI GENERE VEGETABILI- VM CONFICIENDORVM

MODVS,

QUI ex plantis elicitur, sal duplex est: unus volatilis, qui ignis violentia facillimè discutitur & evanescit, (quem & essentialem vocant) alius fixus, qui ignis intentiorem gradum sustinet, & in cineribus relinquitur.

MODUS CONFICIENDI SALIS VOLATILIS SIVE ESSENTIALIS.

Sal volatilis sic paratur,

& Plantæ alicujus convenientis, recentis, & succulentæ amplam satis quantitatem; contunde in mortario ligneo vel lapideo, & affusâ aquâ pluviali depuratâ vel fontanâ clarâ, multâ, coquatur ad medietatis consum-

ptionem. Decoctum exprime fortiter, & cola. Colaturam iterum coque usque ad spissitudinem mellis liquidi. Quod reliquum est decocti, ponatur in vase vitreo vel fictili vitreato in locum frigidum per octiduum saltem, & sal crystallinus concreset, in modum salis gemmæ. Effuso decocto colligitur, & propriâ aquâ abluitur, & siccat. Hoc modo conficitur

citur Sal ex Absinthio, Carduo benedicto, Artemisiâ, & ex aliis etiam herbis amarulentis facilimè; ex dulcoribus autem non item, vel cum summâ difficultate.

**MODVS CONFICIENDI
SALIS FIXI SIVE
ELEMENTALIS.**

Salis hujus præparandi ratio his quatuor constat,

Calcinatione,

Solutione,

Filtratione,

Coagulatione,

Ut ritè igitur conficiatur, primò omnium cineres albi calcinatione procurandi sunt; ubi tamen cautio sit, ne nimiâ combustione vel in vitrum abeant, vel avolet subtilior pars salis, quòd sæpè accidit in calcinatione Cochleariæ, & aliarum etiam ejusdem naturæ plantarum. Deinde ex cineribus (affusâ aquâ clarâ, purâ, ebulliente,

donec omnis fassedo extracta fuerit) lixivium fiat. Lixivium filtra, & in vase fictili ad carbones lento igne coque ut aqua exhalet, & sal relinquatur, cui depuratio ulterior necessaria est: solvatur igitur denudò, filtretur & demùm coaguletur: repetitâ enim, & crebrâ filtratione, ac solutione sal omnem impuritatem deponit, ac planè albus ac mundus evadit; & hic modus generalis est. Sic enim parantur sales ex herbis, fruticibus, & arborum cujuscunque generis particulis in cineres albos redactis, quod verum etiam est de partibus animalium calcinatis, & aliquibus etiam lapidibus: sed hæc obiter. Inter sales fixos excellunt, Sal Absinthii, Thymi, Rosmarini, Centaurii minoris, Artemisiæ, Cardui benedicti, Imperatoriæ, Petroselini, Ononidis, Fraxini, Ebuli, Guaiaci, Buxi, Chamæmeli, Hyperici, Cichorii, Chelidonis, Cochleariæ, Betonicæ, Eupatorii, Melissæ, Cetrach, &c.

MEDICA



MEDICAMENTORVM
QVORVNDAM PRÆPARATIO-
NES PHARMACOPOEIS APPRIME
NECESSARIÆ.

ÆRIS USTIO. *AVG.*

ÆRis bractææ in fictile im-
mittantur, interposito in-
ter singulas lamellas Salis
communis, aut Sulphuris pul-
vere, atque sic stratum super
stratum paretur, quod igne u-
ratur ad sufficientiam; cinis re-
lictus aquâ calidâ sæpiùs affusâ
dulcoretur, qui rubecans evadit
à Sale vel nitro, Niger si per Sul-
phur præparetur.

ALOEN ABLVENDI
MODUS.

Rc. **A**Loes subtiliter tritæ q. v.
imponatur in ollam vitre-
atam cum aquæ bullientis
quantitate sufficienti, ut duo-

bus aut tribus digitis superna-
tet aqua, spatulâ agitando, ut
partes Aloes puriores aquæ
commisceantur, quâ effusâ alia
aqua superinjiciatur calida, &
similiter agitetur & effunda-
tur, ut sordes partesque impu-
riores segregari possint, purissi-
mæ autem aquæ simul colle-
ctæ, evaporatione humiditatis
redigantur in Massam usui as-
servandam.

ANTISPODII PRÆ-
PARATIO.

Rc. **E**Boris electi, secti in frusta
haud parua q.v. comburan-
tur in olla vel patina aperta in
fornace figulina, donec penitus
albescant; quæ postea, sub-
tilissimè trita laventur aquâ
V Rosacê,

Rosaceâ, (sint libræ duæ ad lib. i. eboris) & denuò siccata abluantur eadem quantitate rosaceâ, & tertio, cum Camphoræ drach: quatuor, in libra rosaceâ dissolutis; tum lævigata in marmore formentur in Trochiscos usui asservandos.

Simili modo ex cornu Cervi fieri potest.

B O L I A R M E N I P R Æ P A R A T I O.

Hujus præparatio à multis Aquâ Rosaceâ perficitur, ab aliis verò Aceto, à nonnullis cum Vino, Bolum autem lævigatum solvunt toties; dum sordes & arenulæ auferantur, dein siccatus in aere vel Sole, tectus reponitur.

B R Y O N I Æ F O E C V L A.

℞ **R**adicum Bryoniæ q. v. cullatello abradantur, & succus prælo forti exprimatur, qui in vasculis sine motu detentus post paucas horas, fœces albiſſimas instar Amyli deponet, aquâ turbidâ supernatante, quâ per inclinationem separatâ, fœces desiccantur in vitreatis vasculis.

B U T Y R V M M A I A L E.

℞ **B**utyrum recens sine sale sub mensis Maii medio vel circa finem collectum, imponatur in vas terreum vitreatum latum, & in Sole collocetur, ut undique liquetur: quod optimè liquatum, dum Sol est ferventissimus, transcoletur per pannum lineum spissum, & non exprimatur; quod denuò Soli expositum; & tandem album factum rursus coletur, & reseruetur per totum annum.

C A L C I S V I V Æ A B L V T I O.

TRita Calx in catino copiosâ aquâ dulci miscetur, potissimū tempore Canicularium, & multum agitur, cumque in fundo resederit, mutatur aqua, ac commiscetur denuò, atque id repetitur septies vel octies, singulis vicibus per filtrum colando: tandem Rosacea affunditur, & Calx siccata asservatur.

C A N C R O R V M F L U V I A T I L I V M U S T I O.

Cancri fluviatiles vivi assentur in ænea patella ad ignem temperatum

peratum (haud vehementem) positâ, donec in tenuissimum pulverem redigi queant: dein pulverisentur, & pulvis recondat in pyxide munda; & fervetur in loco sicco, & hic pulvis durat per annum.

LIMATURÆ CHALYBIS
PRÆPARATIO VULGARIS.

℞ **L**imaturæ Chalybis q. v. ab omni immunditie per magnetē depuratæ, deinde lavetur aquâ dulci, & protinùs exiccetur, deinde irroretur aceto vini fortissimo, sæpiùs undiquaque in vertendo, exponatur, & exiccetur in umbra, bis terve inspergendo novum acetum, sicque stet per dies triginta, postea teratur in pulverem tenuissimum, & fervetur usui.

In Chalybe qui præparatur ad ignem cum Sulphure, observandum est, ut nisi sapor Vitriolatus remaneat in Chalybe post ustionem, vim aperiendi amiserit, & sit inutilis.

CORALLIORVM ET LAPIDVM
PRETIOSORVM
PRÆPARATIO.

Corallia & Lapidès pretiosi, eodem modo præparentur, quo Margaritæ, folio sequente.

CORIANDRORVM
PRÆPARATIO.

Coriandrorum semina acri Aceto horis viginti quatuor macerentur, deinde siccata recondantur. Eodem modo præparentur semina Cymini.

ELATERII PRÆPARATIO.

℞ **C**ucumerum agrestium jam penè maturorum q. v. scindantur supino cultro, & succus levissimè primoribus digitis exprimatur, & trajiciatur per setaceum tenuissimum, deinde resideat dum crassiorem deposuerit partem, tunc tenuior supernatans effundatur per inclinationem in aliud vas terreum mundum vitreatum: & linteo coopertū Soli exponatur dum exaruerit, & fervetur ad usum.

RADIC: ESULÆ PRÆPARATIO.

Cortices Esulæ benè mundatos infunde per triduum in Aceto vini acerrimo, deinde exiccantur, & servantur usui.

Eodem modo præparantur

Folia Laureolæ,

Mezeri.

Fructus Thymelææ, i. gra-
ni Gnidii.

EUPHORBII PRÆPA-
RATIO.

Euphorbium subtilissimè pul-
verisatum in lapide, cum s. q.
Olei Amygdalarum dulcium,
instar Collyrii fricatur, & atte-
ritur; Massa postmodum po-
mo Cydonio excavato, vel Ci-
trio inditur, pastâque panis
obvolvitur, & sic in clibano
coquitur. Euphorbium sic præ-
paratum vase vitreo benè obtu-
rato reconditur.

GERSE SEV CERVSSE
SERPENTARIÆ FACI-
ENDÆ MODVS.

Radicum Ari primo Vere,
antequam in folia abeunt,
collectarum quantum vis: ab-
luantur & mudentur ab exte-
riore cortice, deinde in morta-
rio lapideo contundantur, &
succus prælo extrahatur, qui
lintheo tectus Sole exiccetur, po-
steâque aquâ Rosaceâ lavetur,
rursusq; siccetur, & reponatur.

HELLEBORI NIGRI
PRÆPARATIO.

Radices Hellebori nigri, prout
apud nos habentur, demptâ
lignæ medullâ, triduo mace-
rentur in succo Cydoniorum,
moderato calore, postea benè
exiccata reponantur.

SANGVINIS HIRCINI
PRÆPARATIO.

Hircum mediocris ætatis do-
mi alicò per mensem, illi ex-
hibendo Pimpinellam, Apium,
Petroselinum, Malvam, Levi-
sticum, & similia; deinde san-
guinem eius, qui ex arteriis a-
pertis fluxerit excipito, & con-
crescere finito, aqueum icho-
rem effunde, grumos verò san-
guinis in furno exicca. Ma-
ctandus autem est Hircus sub
finem ætatis, circa dies Cani-
culares.

HIRVNDINVM
VSTIO. AVG.

PVlli Hirundinum ita iugulen-
tur, ut sanguis super alas de-
fluat: hi modico trito Sale as-
pergantur, ac in novo fictili vi-
trato probè obturato urantur,
cinis

cinis reservetur ad usum.

Eodem modo comburuntur
Erinacei, Bufones, Ranæ, sed
sine Sale.

LACCÆ PRÆPARATIO.

R **L**accæ immundæ (alioquin
frustraneū esset opus, quod
sincerum est lavare) parūm
fractæ, non in pulverem reda-
ctæ, quantum vis, decoquatur
in Aqua, cui Aristolochia &
Schœnanthos, ana p. æ. inco-
cta; donec purior pars super-
natet, sordisque in fundo sub-
federint; purior illa pars aufe-
ratur, & in Sole tectæ, vel vapo-
rario exiccetur, & sic reservetur
ad usum.

LAPIDIS LAZULI PRÆ- PARATIO.

Lapis Lazuli minutissimè con-
fractus aquæ injiciatur, sæpiùs
agitando, deinde ubi subse-
derit, aqua effundatur; idque
toties repetatur, donec aqua
pura maneat. Illud vero obser-
vandum, quòd hæc præparatio
ad pilulas satis sit commoda;
sin verò ad Confectionem Al-
kermes adhibeatur, ustione
præparari debet.

LUMBRICORVM PRÆ- PARATIO.

Lumbrici fissi & mundati. q. v.
Vino toties laventur, donec
omnem impuritatem deposue-
rint; deinde siccentur, & repo-
nantur.

MARGARITARVM PRÆ- PARATIO VUL- GARIS.

Margaritæ in mortario ex
chalybe, vel ex ferro fuso,
comminuantur, & in pollinem
tenuissimum redigantur, tantil-
lo interim aquæ Rosacæ affuso,
ne partes subtiliores avolent, &
ita securiùs conservantur, ne
earum virtus exhalatione absu-
matur.

MILLEPEDVM PRÆ- PARATIO.

R **M**illepedum q. v. abluito
diligenter Vino albo ge-
neroso, mox in ollam conjicito
novam vitreatam, ac postea in
furno exiccetur, ut possint in
pulverem redigi.

OESIPVM FACIENDI
MODUS.

Lanæ succidæ, hoc est, nondum purgatæ, quæ ex collo, coxis, & alis ovium defatigarum fuerit detonsa, affundatur aqua fervens pluries, & lavetur diligenter quousque omnem pinguedinem in aquam deposuerit. Postea expressa lana seponatur, & aqua illa pinguis & fordida ex vasculo in aliud ditissimè ex alto fundatur, & refundatur, donec spumosa fiat, ac tum spuma sinatur subsidere, & colligatur aquæ innatans pinguedo, iterumque aqua ut prius refundatur, donec spumet, ac innatans pinguedo auferatur, quod tam diu fiat, donec non amplius appareat spuma, & nulla super aquam concreascet pinguedo. Tum collectam pinguedinem cum spuma in aquâ purâ manu subigendo lava, sordesque immixtas, sæpius immutando aquam, aufer, donec aqua pura effluat, & pinguedo linguæ admota non mordeat, deinde reponatur in fictili denso, & mundo, in loco frigido.

PLUMBVM ELOTVM

DIOSCORID. l. 5. c. 95.

Aqua in plumbeum mortariū injecta, pistillo plumbeo laboriosè agitur, dum nigrescat, & limi modo crassescat lutulenta. Linteolo dein coletur, aquâ superaffusâ, ut quicquid dissolutum incernatur. Id repete, dum sit satis. Lotum ubi subsederit, effusâ priore aquâ, & affusâ novâ lavetur ut Cadmeia, nigrities dum extet nulla. Demùm in pastillos efformatum reponatur. Modos ex illo alios non addimus, quòd isto hodiè utantur alii, (Norimbergenses.)

PLUMBVM VSTVM,

DIOSCOR. l. 5. c. 96.

Tenuissimas in Plumbi laminas, recente stratas fictili, Sulphur inspergito; & laminis adjectis aliis, sed interjecto novo Sulphure, & rursus aliis, donec vas impleatur, ignem succendito. Flagrante Plumbo, rude ferreâ versato, prorsus in cinerem dum redigatur, & Plumbi ustum nihil adhæserit. Occlusis demùm naribus eximito, ne Sulphuris aut Plumbi halitus sit noxius. Hinc ut Cerussam elue. Ibidem, & aliter, præscribit

bit idem; sed hic, qui urunt hâc ætate.

PLUMBI CRVDI PVL-
VIS. FERN. meth. 6.c.16.f.

Plumbum in tenuissimas duca-
tur laminas: hæ concidantur
minutissimè, acerrimo aceto
immergantur per triduum, ace-
to indies mutato, macerentur:
exemptæ, & citrà ustionem ig-
ne siccata, terantur in mortario
laboriosè: in pulverem sic te-
nuissimum lævissimumque re-
digantur; pulvis usui reservetur.

PULMONUM VULPIS
PRÆPARATIO.

Pulmones Vulpis recentes, ex-
emptâ priùs asperâ arteriâ, Vi-
no albo cui Hyssopus & Scabi-
osa priùs incoctæ, diligenter la-
va, deinde in furno temperatè
calido sicca, ità tamen ut non
comburantur, postea reponan-
tur involuti Absinthio, Marru-
bio, vel Hyssopo siccis.

SIMPLEX PRÆPARATIO
SCAMMONII.

R Cammonii, electi, lactescen-
tis, in pulverem redacti li-
bram unam.

Succi Cydoniorum uncias
octo.

Commisceantur, & post ma-
cerationem viginti quatuor
horarum, lento calore humi-
ditas evaporetur, residuum fer-
vetur ad usum. 2^a.

Vel Pulvis Scammonii im-
poni solet in Cydonia excava-
ta, quæ postea pastâ circum-
linuntur, & in furno, vel sub
cineribus assantur s. a. & postea
eximatur Scammonium, & ser-
vetur ad usum.

SCAMMONII 3^a.

R Cammonii pulverizati un-
cias quatuor.

Imponantur in phialam vi-
tream, addendo Succi Cydoni-
orū depurati tantum, ut super-
natet tribus digitis vel quatuor.
Stet in Balneo calido, donec la-
ctescat: separetur liquor per in-
clinationem, & repetatur suc-
cus alius toties donec amplius
non lactescit. Sinatur hic liquor
residere, & reponatur residentia
in fictile vitreatum, & stet in
Sole vel stupa.

SCILLE PRÆPARATIO
AD TROCHISCOS, non
multum absimile pag. 121.col.2.

R Scillam magnam recentem
Sabjectis ejus exterioribus ari-
dis,

dis tunicis, involve pastæ panis & affato eam in furno cum panibus, donec panes percocti fuerint. Hinc è furno exime Scillam, & sigillatim omnes tunicas detrahe, & funiculo trajectas (ut se invicem tunicæ non contingant) in calido loco exiccato, servatoque; abjiciatur verò medium Scillæ cor, unde germen enasci solet. Illud etiam observandum est, Scillam non esse incidendam ferreo cultro, sed ligneo, osseo, aut eburneo; nam contrahit à ferro venenosam quandam rubiginem. Ad Acetum & Vinum rectius præparetur, laminas separando, & exiccando in umbra.

TEREBINTHINÆ COQUENDÆ MODUS.

℞ Terebinthinæ Venetæ librā unam: cui affundatur a-

quæ fatis magna quantitas, (scilicet libræ viginti quatuor,) in qua tam diù coquatur, donec odorem amittat; inspissetur, indurescat, & Resinæ modo friabilis fiat, vitri modo diffiliat, & albida inter coquendum agitando evadat.

TUTIÆ PRÆPARATIO.

Tutia Arabum, seu Græcorū Cadmia ter saltem in crucibulo candefacta, aquâ Rosarum toties extincta, demùm lævigata, linteo mundo inclusa, in vase aquâ limpidâ pleno, huc illuc ducatur & agitetur, ut ejus tenuior & utilior pars in aquâ effluat; impurior & crassior in linteo remaneat: residere permittatur, & aqua effundatur, atque aliâ denuò affusâ, idem opus repetatur, donec in inteo nihil utile remaneat, &c.



INDEX

INDEX COMPOSITORVM.

A.		B.	
A caciæ Substitut.	47	Balsamum Magistrale Florent.	134
Acetum Anthosatum.	16	Benedicta Laxativa.	87
Acetum Calendulatum.	16	Boli Armeni Preparatio.	198
Acetum Caryophyllatum Tunice.	16	Bryonia Fæcula.	198
Acetum Distillatum.	16	Butyrum Maiale.	198
Acetum Rosaceum <i>Mes.</i>	16	C.	
Acetum Salviatum.	16	Calcis vivæ ablutio.	198
Acetum Sambucinum <i>Mes.</i>	16	Cancrorum fluviatilium Vstio.	198
Acetum Scilliticum <i>Mes.</i>	16	Caryocostinum. <i>Bayr. è Gal.</i>	87
Acetum Theriacale <i>Norimb.</i>	17	Cassia extracta pro Clysteribus <i>Aug.</i>	87
Acetum Theriacale.	17	Cassia extracta cum foliis Sennæ.	89
Æris Vstio.	197	Cassia extracta sine foliis Sennæ.	88
Agaricus Trochiscatus.	118	Caules Conditæ.	51
Aloe Rosata.	197	Ceratum Ammoniacum.	178
Aloen abluendi modus.	197	Ceratum de Galbano.	178
Antidotum Hæmagogon <i>Rom.</i>	77	Ceratum Oesipatum. <i>Gal.</i>	178
Antidotus Analeptica <i>Fern.</i>	72	Ceratum Santalinum.	178
Antidotus magna Matthioli.	80	Ceratum Stomachicum.	179
Antimoni Vitrum.	192	Chalybis limaturæ preparatio.	199
Antispodii Præparatio.	197	Chalybs præparatus per Insolationem.	187
Aquæ Simplices.	1,2,3	Chalybs præparatus per Vstionem.	187
Aqua Absinthii Composita.	4	Conditæ.	51
Aqua Aluminis Magistralis <i>Fal.</i>	14	Confectio Alkermes.	72
Aqua Angelicæ magis composita.	4	Confectio Hamech <i>Mes.</i>	92
Aqua Antepileptica Langii.	9	Confectio Humain. <i>Mes.</i>	76
Aqua Bezoartica brevis Langii.	5	Confectio de Hyacintho.	76
Aqua Bezoartica Matthioli.	5	Confectio Liberans.	66
Aqua Caponis.	6	Confectio de Thure.	55
Aqua Cynamomi.	6	Conservæ Florum.	53
Aqua Cynamomi Clareta.	6	Conservæ & Sacchara.	53
Aqua Cinnamomi Matthioli.	6	Coralliorum Præparatio.	199
Aqua Cœlestis Matthioli.	7	Coriandrorum Præparatio.	199
Aqua Composita.	13	Cornu Cervini Vstio.	199
Aqua Cordialis.	8	Cortices conditi.	51
Aqua Cordialis Frigida Saxonie.	8	Cremor sive Sal Tartari.	187
Aqua Fortis.	186	Crocomagma <i>Damocratis.</i>	112
Aqua Hysterica cum Extracto.	9	Crocus Martis.	187
Aqua Imperialis.	9	Crocus Metallorum.	188
Aqua Mariæ.	10	Cymini Præparatio.	199
Aqua Melissæ magis composita.	10	D.	
Aqua Mellis.	186	Decoctum Carminativum.	18
Aqua Mirabilis.	10	Decoctum Commune pro Clystere.	18
Aqua Protheriacalis.	12	Decoctum Commune pro medicina.	18
Aqua Roris Solis vulgo Rosa Solis.	11	Decoctum Epithymi <i>Mes.</i>	19
Aqua Doctoris <i>Stephani.</i>	11	Decoctum Florum & Fructuum.	19
Aqua Theriacalis Lugdunensis.	12	Decoctum Pectorale.	19
Aqua Theriacalis Stillatitia.	12	Decoctum Sennæ <i>Gereonis.</i>	20
Aqua Vitæ.	13	Diacalamintes compos. <i>Fern.</i>	58
Aqua Usquebach.	14	Diacalamintes simplex <i>Gal.</i>	58
Aromaticum Caryophyllatum.	56	Diacapparis <i>Gilberis.</i>	74
Aromaticum Rosatum.	56	Diacarthamum seu Dianicum <i>Arnoldi.</i>	89
Athanasia Michridatis è <i>Galeno.</i>	73	Diacaryon seu Dianucum <i>Galeni.</i>	42
		Diacassia	

INDEX.

Diacassia cum Manna.	88	Elect. Elefscoph, <i>Mes.</i>	91
Diacatholicon, <i>Nicolai.</i>	90	Elect. Indum minus.	92
Diachylon Compositum.	165	Elect. Lenitivum.	93
Diachylon Ireatum.	164	Elect. de Ovo <i>Maxim.</i>	84
Diachylon Magnum, <i>Mes.</i>	164	Elect. Passulatum.	93
Diachylon Magnum cum Gummi.	165	Elect. Pectorale.	79
Diachylon simplex, <i>Mes.</i>	164	Elect. Reginae <i>Colon.</i>	94
Diacinnamomu.	74	Elect. Resumptivum.	72
Diacodium <i>Galen.</i>	42	Elect. è succo Rosarum.	93
Diacodium Solidum sive Tabulatum.	54	Emplastum Album coctum de Cerussa.	159
Diacodium.	28	Emplast. ex Ammoniaco.	159
Diacorallion usuale <i>Colon:</i>	74	Emplast. de Baccis Lauri.	160
Diacorum <i>Mes.</i>	74	Emplast. Barbarum magnum.	160
Diacrocuma sive Species Elect. de Croco.	91	Emplast. de Betonica.	160
Diacydonium <i>Galen.</i> cum speciebus.	75	Emplast. Cephalicum.	163
Diacydonium <i>Londinense</i> Compos.	75	Emplast. <i>Cesaris.</i>	161
Diacydonium Simplex.	75	Emplast. Ceroma seu Ceroneum.	163
Diacyminum <i>Nicholai.</i>	59	Emplast. Catagmaticum, <i>Vigonis.</i>	161
Diagalanga <i>Mes.</i>	59	Emplast. Catagmaticum, <i>Renod.</i>	162
Diaireos Salomonis <i>Nic.</i>	77	Emplast. ex Cicuta cum Ammoniaco.	163
Diaireos Simplex, <i>Nic.</i>	61	Emplast. de Crusta Panis.	164
Dialacca <i>Mes.</i>	61	Emplast. è Cymino.	164
Diamargari òn calidum, <i>Avicen.</i>	61	Emplast. Divinum, <i>Nicol.</i>	167
Diamargari òn frigidum, <i>Nicol.</i>	62	Emplast. Flos Unguentorum.	173
Diambra <i>Mes.</i>	62	Emplast. Gratia Dei.	167
Diamoron <i>Nicolai.</i>	42	Emplast. Griseu de Lapide Calaminari.	168
Diamoschu amarum, <i>Mes.</i>	63	Emplast. de Gummi Elemi.	167
Diamoschu dulce <i>Mes.</i>	63	Emplast. ad Herniam, <i>Fernel.</i>	168
Dianifum, <i>Mes.</i>	59	Emplast. Hystericum.	169
Dianthon <i>Nicolai.</i>	63	Emplast. de Ianua:	169
Diapalma seu Diachalciteos.	165	Emplast. Isis Epigoni.	171
Diapenidion <i>Nicol.</i>	64	Emplast. de Mastiche, <i>Nic: Alex.</i>	171
Diaphœnicon calidum <i>Mes.</i>	166	Emplast. de Mastiche, <i>Renod.</i>	169
Diaphœnicon frigidum <i>Mes.</i>	166	Emplast. <i>Mulesægimianov.</i>	172
Diphœnicon, <i>Mes.</i> iuxta <i>Fern.</i>	89	Emplast. de Meliloto.	170
Diaprunum Simplex, <i>Nicol.</i>	90	Emplast. de Minio compos.	170
Diaprunum Solutivum.	90	Emplast. de Minio simp. <i>Lond.</i>	171
Diarhodon <i>Abbatis.</i>	64	Emplast. Neruinum, <i>Vigonis.</i>	173
Diasatyriion <i>Nicholai.</i>	78	Emplast. Nigrum, <i>Aug. Stichpflaster.</i>	172
Diasatyriion magis gratum.	78	Emplast. Oxycroceum, <i>Vig.</i>	174
Diascordium, <i>Fracastorii.</i>	82	Emplast. Oxycroceum, <i>Nic.</i>	173
Diatragacanthum Frigidum, <i>Nic.</i>	65	Emplast. de Ranis, <i>Vigonis.</i>	174
Diatrion Pipereon <i>Galen.</i>	65	Emplast. Sanctum <i>Andr. à Cruce.</i>	175
Diatrion Santalon, <i>Nicolai.</i>	65	Emplast. sine Pari <i>Anonymi.</i>	176
Diaturbith cum Rhabarbaro.	71	Emplast. <i>Στεφανίου.</i>	175
Diaturbith majus sine Rhabarbaro.	70	Emplast. Stomachicum.	177
Diospoliticum.	64	Emplast. Stomachicum <i>Magist.</i>	177
E.		Esulæ Radicis Præparatio.	199
Eboris Vitis in Antipodium.	197	Euphorbii Præparatio.	200
Eclegma Scilliticum <i>Mes.</i>	50	Extracta conficiendi ratio.	193
Elaterii Præparatio.	199	Extractum Antepilepticum.	9
Electuarium amarum magistrale.	88	Extractum Hystericum.	9
Elect. amarum minus.	88	Extractum Theriacale.	13
Elect. de Baccis Lauri.	73	F	
Elect. de Citro Solutivum.	91	Ferri Scoria Electuarium.	75
Elect. Diaspermaton.	79	Flores conditi.	51

INDEX.

Florum conservę.	53	Mercurius Dulcis.	185
Flōres Sulphuris.	184	Mercurius Dulcis secundus.	186
Flos Unguentorum.	175	Mercurius Vitę.	186
Fractus conditi.	51	Miclera, Nic.	79
G.		Millepedum præparatio.	197
Gallia Moschata, <i>Mes.</i>	111	Mithridatium, <i>Damoerati.</i>	82
Gerizę Serpentarię conficiendę modus.	196	Miva Cydoniorum, <i>Mes.</i>	47
H.		N.	
Hæmoptoici Pastilli.	117	Nepenthes Opiatum.	188
Hedychroon, <i>Androm.</i>	111	Nutritum seu crudum.	139
Hellebori nigri Præparatio.	196	O.	
Hiera cum Agarico.	98	Oesypum faciendi modus.	198
Hiera Logadii.	94	Oleum Absinthii Chym.	176
Hiera Pachii, <i>Nicol. Alex.</i>	95	Oleum Absinthites.	124
Hiera Picra simplex.	94	Oleum Amygdalarum amararum.	121
Hircini Sanguinis Præparatio.	196	Oleum Amygdalarum dulcium.	121
Hirundinum Ustio.	196	Oleum Anethinum.	124
Hystericum Emplastrum.	165	Oleum Sem: Anethi Chym.	176
I.		Oleum Antimonii.	180
Jalapium Alexandrinum.	25	Oleum Aparicii Benedictum.	127
Julepum Rosatum.	25	Olea ex Aromatibus.	177
Julepum Violatum, <i>Mes.</i>	25	Oleum Arsenici.	180
L.		Oleum Avellanarum,	121
Laccę præparatio.	197	Oleum Balsami.	179
Lac. Virgineum.	20	Oleum ex Baccis Juniperi.	177
Lapidis Lazuli præparatio.	197	Oleum de Capparibus.	127
Lapis Infernalis Septicus.	184	Oleum de Castoreo.	124
Lapis Prunellę.	185	Oleum de Castoreo Jac: de Manliis.	128
Laudanum.	106	Oleum Cerę Chymicum.	78
Lactificans <i>Galeno</i> adscriptus.	66	Oleum Chamæmelinum.	124
Linimentum <i>Arcei.</i>	135	Oleum Cheirinum.	124
Linimentum simplex <i>Placent.</i>	139	Oleum Cinnamomi Chym.	177
Lithontribon <i>Nis.</i>	67	Olea ex Corticibus.	177
Liquor Tartari.	182	Oleum Costinum, <i>Mes.</i>	128
Lohoch è Caulibus.	48	Oleum Crocinum, <i>Mes.</i>	128
Lohoch de Papavare, <i>Mes.</i>	48	Oleum Cydoniorum.	124
Lohoch è Passulis, <i>Aug.</i>	48	Oleum Enulatum.	24
Lohoch è pinio, <i>Mes.</i>	49	Oleum Euphorbii.	124
Lohoch è Pulmone Vulpis.	49	Oleum de Euphorbio compos.	128
Lohoch Sanum & expertum.	49	Oleum <i>Excestrense</i> , vulgo <i>Excester.</i>	129
Lumbricorum præparatio.	197	Oleum Fornicarum, <i>Nic.</i>	124
M.		Oleum ex Guaiaco Chym.	178
Magisterium perlarum & Coralliorum & in-		Oleum Hirundinum.	129
de Sales.	185	Oleum Hyperici.	125
Manus Christi ad Lumbricos.	54	Oleum Hyperici compos.	130
Manus Christi simplex & perlata.	54	Oleum Jasminum.	125
Margaritarum præparatio.	197	Oleum Irinum.	135
Mel Anacardinum <i>Azaravii.</i>	45	Oleum Irinum compos.	130
Mel Antholatum, <i>Mes.</i>	42	Oleum Latericium Philosoph.	179
Mel Emblicarum, <i>Aug.</i>	45	Oleum Laurinum, <i>Mes.</i>	123
Mel è Mercuriali.	42	Oleum ex Lignis.	178
Mel Passularum, <i>Nic.</i>	42	Oleum Chymic. ex ligno Sassafras.	178
Mel Rosarum, <i>Nicolai.</i>	43	Oleum Ligustrinum.	179
Mel Rosarum commune.	43	Oleum Liliorum alborum.	179
Mel Rosarum solutivum.	43	Oleum Lumbricorum.	125
Mel Violarum.	43	Oleum majoranę compos.	131
		Oleum	

INDEX.

Oleum Mandragoræ, <i>Nicolai</i>	131	Pilulæ de Aloe Lota.	98
Oleum Mastichinum.	125	Pilulæ Arabicæ, <i>Nic.</i>	100
Oleum Menthæ.	125	Pilulæ Arthriticæ.	101
Oleum Moschelinum.	131	Pilulæ Assajereth, <i>Avicennæ.</i>	98
Oleum Myrrhæ Chym.	178	Pilulæ Aureæ.	101
Oleum Myrrhæ.	126	Pilulæ de Bdellio, <i>Mes.</i>	98
Oleum Myrtillorum.	125	Pilulæ Cochiaz, <i>Rhazis.</i>	101
Oleum Narcissinum.	126	Pilulæ Cochiaz cum Helleb.	101
Oleum Nardinum, <i>Mes.</i>	132	Pilulæ de Cynoglossio.	106
Oleum Sardinum Simplex.	126	Pilulæ ex Esula.	105
Oleum Nenupharinum.	126	Pilulæ ex Eupatorio, <i>Mes.</i>	98
Oleum Nicodemi, <i>Fallop.</i>	132	Pilulæ ex Euphorbio, <i>Mes.</i>	105
Oleum Nicotianæ.	132	Pilulæ Fœtidæ majores.	102
Oleum ex Nucleis.	122	Pilulæ de Fumaria, <i>Avicen.</i>	102
Oleum Olivarum commune.	123	Pilulæ de Hermodactylis maj.	102
Oleum Olivarum Omphacinum.	123	Pilulæ de Hiera cum Agarico.	98
Oleum Papaveris.	126	Pilulæ Imperiales, <i>Fernel.</i>	98
Oleum de Piperibus, <i>Mes.</i>	133	Pilulæ Indæ, <i>Mes. ex Haly.</i>	102
Oleum Populneum, <i>Nic.</i>	133	Pilulæ de Lapide Lazuli.	103
Oleum Rosatum Completum.	124	Pilulæ Lucis Majores, <i>Mes.</i>	103
Oleum Rosaceum Omphacinum.	123	Pilulæ Mastichinæ, <i>Fernel.</i>	99
Oleum Rutaceum Simplex.	126	Pilulæ Mechoacanæ, <i>Renod.</i>	104
Oleum Sabinæ.	126	Pilulæ de Opopanace, <i>Mes.</i>	105
Oleum Salis.	180	Pilulæ Pestilenciales, <i>Ruffi.</i>	99
Oleum Sambucinum.	125	Pilulæ de Rhabbaro.	99
Oleum Scorpionum simplex.	126	Pilulæ Radis.	104
Oleum ex Seminibus.	122	Pilulæ Scribonii.	106
Oleum Sicyonium.	126	Pilulæ sine quibus esse nolo.	104
Oleum Solani.	127	Pilulæ Stomachicæ, <i>Mes.</i>	99
Oleum de Styrace.	127	Pilulæ è Styrace, <i>Mes.</i>	106
Oleum Succini.	181	Pilulæ de Succino.	99
Oleum Sulphuris.	181	Pilulæ ex Tribus, <i>Fern.</i>	100
Oleum Tartari.	181	Pilulæ Turpeti Aureæ.	105
Oleum Terebinthinæ.	178	Pleres Archonticon.	68
Oleum Tharis.	179	Plumbi crudi pulvis, <i>Fern.</i>	199
Oleum Verbenaceum.	127	Plumbum Elotum.	198
Oleum Violaceum.	127	Plumbum Ustum.	198
Oleum ex vitellis Ovorum.	123	Pomatium seu Sevum Confectum.	140
Oleum Vitrioli,	182	Posca.	44
Oleum Vulpinum, <i>Mes.</i>	133	Potio Vulneraria.	21
Oxycroceum <i>Vigoniæ.</i>	170	Pulmonum Vulpis Præparatio.	199
Oxymel compos. <i>Mes.</i>	43	Palpæ Condite.	52
Oxymel Elleboratum, <i>Gesn.</i>	44	Pulvis Cardiacus, <i>Fern.</i>	57
Oxymel Julianizans.	44	Pulvis Cardiacus major, <i>Fernel.</i>	57
Oxymel Scilliticum, <i>Damocratis.</i>	45	Pulvis ad contusos ex casu.	57
Oxymel Scilliticum simplex.	45	Pulvis <i>Haly.</i>	65
Oxymel Simplex, <i>Mes.</i>	43	Pulvis ad Hemorrhagiam.	69
Oxyfaccharum Simplex, <i>Nic.</i>	25	Pulvis ad Lumbricos.	71
		Pulvis <i>Palmaris.</i>	68
Pastilli Andronis, <i>Galen.</i>	113	Pulvis præservat: à Peste, <i>Montag.</i>	69
Penidia.	54	Pulvis <i>Saxonicus.</i>	68
Philonium Persicum, <i>Mes.</i>	83	Pulvis ad Scabiem.	70
Philonium Romanum, <i>Nicol.</i>	84	Pulvis <i>Radulphi Holland.</i>	70
Pilulæ de Agarico.	100	Pulvis Sanctus.	70
Pilulæ Aggregativæ sive Polyphrestæ.	100	Pulvis Senne.	70
Pilulæ Alephanginæ.	97		

INDEX.

R.	
Radices Conditæ.	52
Requies, <i>Nicolai</i> .	85
Rob five Sapa simpliciter.	46
Rob de Berberis.	46
Rob de Cornis.	46
Rob de Cydoniorum.	46
Rob Prunorum acidorum.	46
Rob de Ribes.	47
Rosata novella.	69
Rotulæ Pectorales.	108
S.	
Saccharum Rosatum.	55
Saccharum Saturni.	186
Salium conficiendorum modus.	191
Sal Coralliorum.	185
Sal Fixus five Elementalîs.	192
Sal Perlarum.	185
Sal Vitrioli.	187
Sal Volatilis five Essentialis.	191
Sanguinis Hirci præparatio.	196
Sapæ.	46
Scammonii Præparatio.	199
Scillæ præp. ad Trochiscos.	199
Semina Conditæ.	54
Sief de Plumbo, <i>Mes.</i>	117
Sief de Thare, <i>Rhafs.</i>	118
Sparadrapum, seu Tela <i>Galteri</i> .	171
Species cordiales temperatæ.	58
Spec: Elect: de Gemmis calidi.	60
Spec: Elect: de Gemmis frigidi.	60
Spiritus Castorei.	13
Sticticum <i>Paracelsi</i> .	172
Succus Prunellorum.	47
Succus Glycyrrhizæ.	47
Syrupus de Absinthio, <i>Mes.</i>	30
Syrup. Acetosus compositus.	32
Syrup. Acetosus simplex, <i>Mes.</i>	32
Syrup. Acetosus simplex, <i>Londin.</i>	32
Syrup. Acetositatis Citri.	33
Syrup. de Althæa, <i>Fernel.</i>	30
Syrup. de Artemisia, <i>Mat: de Grad:</i>	31
Syrup. <i>Augustanus</i> , vel de Rhabbarbo <i>Augustanorum</i> .	32
Syrup. de Betonica compositus.	23
Syrup. de Betonica simplex.	23
Syrup. Bizantinus compositus.	24
Syrup. Bizantinus simplex.	24
Syrup. Capillorum Veneris, <i>Mes.</i>	25
Syrup. Cardiacus, vel Julepi.	41
Syrup. de Cinnorio cum Rhabbarbo.	32
Syrup. de Cinnamomo.	26
Syrup. è Coralliis compositus.	26
Syrup. è Coralliis simplex.	26
Syrup. de Corticibus Citri, <i>Mes.</i>	27
Syrup. Cydoniorum.	24
Syrup. Diaferens <i>Andernaei</i> .	33
Syrup. de Epithymo, <i>Mes.</i>	34
Syrup. de Eupatorio, <i>Mes.</i>	34
Syrup. ex Floribus Perficorum.	29
Syrup. Florum Nymphææ compositus.	27
Syrup. Florum Nymphææ simplex.	27
Syrup. de Fumaria compositus, <i>Fern.</i>	24
Syrup. è Glycyrrhiza.	35
Syrup. de Hyssopo, <i>Mes.</i>	35
Syrup. Infusionis flor: Caryophyllorum.	27
Syrup. ex Iva Arthritica.	36
Syrup. Jujubinus, <i>Mes.</i>	35
Syrup. Magistralis ad Melancholiam.	36
Syrup. de Meconio, <i>Mes.</i>	29
Syrup. Melissophylli.	37
Syrup. de Mentha, major.	37
Syrup. Myrtinus, <i>Nicolai</i> .	38
Syrup. è Papavere.	28
Syrup. de Papavere compositus.	28
Syrup. de papavere Erratico.	28
Syrup. de pomis, <i>Fern.</i>	38
Syrup. de pomis <i>Regis Saporis</i> .	38
Syrup. de portulaca, <i>Mes.</i>	25
Syrup. de prasio, <i>Fernel.</i>	30
Syrup. de Quinque Radicibus.	40
Syrup. Raphani <i>Fern.</i>	39
Syrup. Rosaceus solutivus, <i>Mes.</i>	29
Syrup. Rosaceus solutivus cum Agarico.	29
Syrup. Rosac. solut. Helleboratus.	29
Syrup. Rosac. solut. sine Helleboro.	32
Syrup. de Rosis ficcis, <i>Mes.</i>	29
Syrup. Scabiosæ compos. Magistralis.	40
Syrup. de Scolopendrio, <i>Fern.</i>	40
Syrup. de Stæchade, <i>Mes.</i>	41
Syrup. de Symphyto.	31
Syrup. de Tussilagine compositus.	25
Syrup. Violarum.	30
Syrup. è Succo Violarum.	30
T.	
Tapfemel.	153
Tapfivalentia <i>Iob: Ardern.</i>	152
Tartarum Vitriolatum.	188
Terebinthinæ coquendæ modus.	200
Theriaca <i>Andromachi</i> .	85
Theriaca Diatesaron.	80
Theriaca <i>Londinensis</i> .	87
Trochisci de Absinthio, <i>Mes.</i>	107
Trochisci de Agarico.	118
Trochisci albi, <i>Rhafs.</i>	116
Trochisci Alexiterii, <i>Renod.</i>	107
Trochisci Alhandal, <i>Mes.</i>	118
Trochisci Aliptæ Moschatæ.	107
Trochisci Alkekengi.	116
Trochisci de Aniso, <i>Mes.</i>	108
Trochisci Bechici albi, vel Rotulæ pectorales.	108

INDEX.

Trochisci Bechici nigri, <i>Rhafs.</i>	108	Vng. Anodynum ex <i>Cordo.</i>	135
Trochisci de Berberis, <i>Mef.</i>	108	Vng. Apostolorum.	142
Trochisci de Camphora, <i>Mef.</i>	109	Vng. è succis Aperitivis primum <i>Fæssi.</i>	143
Trochisci de Capparibus, <i>Mef.</i>	109	secundum <i>Fæssi.</i>	144
Trochisci de Carabe, <i>Mef.</i>	117	Vng. Aregon <i>Nicolai.</i>	143
Trochisci Cypheos, <i>Damocratis.</i>	109	Vng. de Artanita majus.	144
Trochisci Diacorall.	117	Vng. Aureum, <i>Mef.</i>	136
Trochisci Diarhodon, <i>Mef.</i>	110	Vng. Basilicon majus.	136
Trochisci Diaspermaton.	117	Vng. Basilicon minus.	136
Trochisci de Eupatorio, <i>Mef.</i>	110	Vng. ex Bdellio, <i>Mef.</i>	136
Trochisci de Gallia Moschata.	110	Vng. de Calce, <i>Fæssi.</i>	137
Trochisci <i>Gordonii.</i>	110	Vng. Catapforas.	145
Trochisci Hedychroi: <i>Androm.</i>	111	Vng. Citrinum seu Citrium.	145
Trochisci Hysterici, <i>Renod.</i>	111	Vng. Comitissæ, <i>Varign.</i>	146
Trochisci de Lacca, <i>Mef.</i>	112	Vng. Dialthææ compos.	137
Trochisci de Ligno Aloes, <i>Mef.</i>	113	Vng. Dialthææ simplex.	137
Trochisci Muse, <i>Galen.</i>	113	Vng. Diapompholygos Nihili.	138
Trochisci è Myrrha, <i>Rhafs.</i>	112	Vng. Enularum.	137
Trochisci Polyidæ Sphragis.	113	Vng. ad Hæmorrhoidis, <i>Nor.</i>	146
Trochisci Ramich, <i>Mef.</i>	114	Vng. Hæmorrhoidale, <i>Saxon.</i>	147
Trochisci de Rhabarbaro, <i>Mef.</i>	118	Vng. Laurinum vulgare.	147
Trochisci de Rosis, <i>Mef.</i>	114	Vng. ad Lumbricos.	153
Trochisci de Santalis majores.	115	Vng. Martiatum.	147
Trochisci de Scilla, <i>Galen.</i>	114	Vng. de Minio.	138
Trochisci de Spodio, <i>Mef.</i>	115	Vng. Mundificativum ex Apio.	148
Trochisci è Succino.	118	Vng. Neapolitanum.	148
Trochisci de Terra Lemnia.	112	Vng. Nervinum,	149
Trochisci è Violis solutis.	119	Vng. Nicotianæ.	139
Trochisci de Vipera.	115	Vng. Ophthalmicum, <i>Renod.</i>	139
Trochisci Viticis sive Agni Casti.	116	Vng. Pectorale, <i>Nicolai.</i>	149
Tryphera minor, <i>Mef.</i>	55	Vng. è Plumbo.	140
Tryphera Solutiva, <i>Renod.</i>	16	Vng. Populneum, <i>Nicolai.</i>	140
Turbith minerale.	191	Vng. Potabile ex <i>Fæf.</i>	140
Tuticæ Præparatio.	200	Vng. Refrigerans, <i>Gal.</i>	138
V		Vng. Resinum.	149
Valentia Scabiosa <i>Iob: Ardern.</i>	151	Vng. Resumptivum.	150
Vinum Absinthites.	15	Vng. Rosatum, <i>Mef.</i>	141
Vinum Anthosatum.	15	Vng. Rubrum Deficcat.	141
Vinum Scilliticum.	15	Vng. ad prurimum Scabiosorum.	140
Vnguentum Adstringens.	141	Vng. Splenicum.	150
Vng. Ægyptiacum, <i>Mef.</i>	135	Vng. Splenicum Magistrale.	151
Vng. Agrippæ, <i>Nicolai.</i>	142	Vng. Stomachicum, <i>Norimb.</i>	153
Vng. de Alabastro.	142	Vng. Tuticæ vulgare.	141
Vng. Album. <i>Rhafs.</i>	135		

The Printer to the Reader.

R Eader, may it please thee to take notice that this being the fifth Edition of this Worke, and is now freed frõ all errors (formerly committed either by the Transcriber or Printer) by the great labor, pains, care and industry of that Honourable Society (the Authors of this Worke) and by them (intending onely the publike good) diligently and truly corrected and amended, as also newly amplified, and enlarged and adorned with such additions as unto them seemed most needfull.

No faults have escaped this Impression (except literall) and so not worthy of an Errata Errors are more ancient then Printing, and therefore I expect them to passe the Reader without wonder, as they shall do me without apologic. Thus much I thought needfull to advertise thee of, and to acquaint thee with the best and last Edition, printed the 18. of March. 1638. Thy friend I. M.

FINIS.

