

An English catalogue of drugs, with their properties, doses ... and retail price ... to which is added, a description of the different medicine and chemical test chests ... / By Reece, Burgess & Co.

Contributors

Reece, Richard, 1775-1831.
Reece, Burgess & Co.

Publication/Creation

London : Chemical & Medical Hall, 1811.

Persistent URL

<https://wellcomecollection.org/works/xu7k622w>

License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.

**wellcome
collection**

Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

75562/P

[LPI]

AN
ENGLISH CATALOGUE

OF


DRUGS,

WITH

THEIR PROPERTIES, DOSES TO CHILDREN AND ADULTS,
THE PROPER VEHICLE FOR THEIR EXHIBITION,


AND

RETAIL PRICE ANNEXED TO EACH ARTICLE:



TO WHICH IS ADDED,

A DESCRIPTION OF THE DIFFERENT
MEDICINE AND CHEMICAL TEST CHESTS,
&c. &c.




THIRD EDITION, CORRECTED AND ENLARGED.



By REECE, BURGESS, & Co.

OF THE
CHEMICAL AND MEDICAL HALL, 20, BEDFORD-STREET,
COVENT-GARDEN.



LONDON:

SOLD AT THE CHEMICAL AND MEDICAL HALL, 20, BEDFORD-STREET,
COVENT-GARDEN, AND ALL BOOKSELLERS IN THE UNITED KINGDOM.

1811.

ENGLISH CATALOGUE

DRUGS

389[47?]



Pope, Miller, & Co.
Old Boswell Court, Strand, London.

ADDRESS.

IN a profession so destitute of science as that of medicine, it is to be expected that jealousy and illiberality will prevail among its members. Hence it is common for those medical men of contracted minds to speak in terms of contempt of works on domestic medicine. To every individual health is the most valuable of sublunary possessions; it is therefore fit that all should be instructed in the methods of preserving or restoring it. Of those who condemn domestic medicine and decry all attempts to inform the mass of mankind on the nature and treatment of diseases, the public has a right to enquire to what degree of perfection they have brought the healing art, and why the practice of medicine should be confined to a privileged order? That there is such a deplorable deficiency of science in medicine, that there does not exist a fundamental principle on which Physicians have a general agreement, no medical man can deny. Even in diseases of common occurrence it is extraordinary to find two medical men accord in their opinions of the causes, the nature, or the mode of treatment of the malady. How com-

mon is it for Physicians in the same disease to recommend plans of treatment diametrically opposite to each other! Some recommending in acute fevers and inflammations medicines, termed antiphlogistic, and others, simulants. If such diversity of opinions exists among medical men, surely it ill becomes them to oppose domestic medicine. Some degree of disease has pervaded all communities, and it is therefore natural for all to wish to be acquainted with the best established means of restoring health, and of alleviating the sufferings of sickness. No medical man of a liberal, or benevolent mind would condemn a work that is calculated to diffuse such important instructions among his fellow creatures, especially as it performs no small service to professional men of skill and judgment; for it is the total ignorance of the people that makes the practice irksome to men of scientific attainments; it is this which screens pretenders and impostors, and puts them on a level with men of real merit. This is in fact the principal reason that invites such members to decry all attempts to inform the public on the nature and cure of diseases. The pretender shrinks from the scrutinizing eye of intelligence; he knows that the man of sense and knowledge will distinguish those who merit his confidence: he will cheerfully resign himself to the guidance of honest and judicious practitioners, and calmly submit to the misfortunes which form a part of his condition in this transitory existence. The Physicians who have obtained their degrees at Oxford and Cambridge, style themselves *regular Physicians*, although these universities, it is well known, are no longer proper schools of medicine: the rudiments even not being taught there. They become entitled to a doctor's degree, in con-

sequence of having kept a certain number of terms, although no part of their time was devoted to the study of medicine. Such men, with a knowledge of technical terms, set up as Physicians, and under the assumed style of *regular* Physicians, would have it to be understood that all others are impostors. No man should be allowed to practise as a Physician who is not acquainted with Surgery, anatomy, chymistry, and the materia medica. He should be able to concentrate the rays of each upon the great question of practice, to decide with sober judgment the doubtful points that so frequently occur in the practice of medicine. A knowledge of Surgery is essentially necessary to enable him to judge of the state of the constitution, from local diseases, and to cure local derangements by internal remedies. Morbid actions are to be accounted for upon chemical principles, and are to be counteracted and cured by chemical agents; how then is it possible that a practitioner can be a good Physician who is ignorant both of Surgery and Chemistry? and yet not one in a hundred of our modern Physicians is acquainted with these departments. Of late years domestic medicine has been so much cultivated in this country as to form more or less with every person an object of particular attention. The consequence of which is, that the best informed apply in all cases of indisposition to Surgeons, so that the practice of physic is nearly in their hands, and if it were entirely so, we should hear less of internal organic diseases, which, by the patient trusting to simple directions of men unacquainted with the nature of diseased structure, are allowed to arrive to an incurable stage before the aid of a Surgeon is resorted to. The immortal Hippocrates, and Galen, were equally eminent as

Surgeons and Physicians ; and Boerhaave was also an excellent Chemist. The success of a Physician of the present day is calculated by the number of his fees : so occupied is his mind in the means of accumulating wealth, that it is a melancholy fact that a Physician who has been in an extensive practice for fifty years, has not been able to leave one useful practical remark behind him. He only bestow spains to enrich himself. To generalize facts, and to reduce them to scientific principles, are totally foreign from his pursuits. For the sake of notoriety he will broach the most absurd doctrines ; and when he publishes a work, his object is an advertisement, to bring his name before the public eye.—Of such Physicians Mr. JOHN BELL, an eminent Surgeon, in Edinburgh, gives the following very just description :—“ A trading Physician (says he) would be ruined by thinking ! the hours fly, and he is in haste to prescribe ;—one would think, as the chariot drives furiously along, that he was chasing death before him out of every avenue.—He is simply overtaking time, coursing through practice.—

“ All rush rapacious, friends o'er trodden friends,
O'er just, o'er sacred, all forbidden grounds,
To snatch the *Golden* showers.”

Sickness and angnish is his harvest ; he rejoices to hear that they have fallen on any of his friends ; he looks black and disconsolate when all men are at their ease. The fantastic valetudinarian is his particular prey. He listens to his frivolous tale of symptoms with inflexible gravity ; he pretends to be most wise when he is most ignorant ; no matter whether he understands any thing of the disease ; there is one thing in which his visit must

inevitable terminate—a prescription, which is a gentle hint for a fee! This is the being whose occupation is insured by politic connections, and whose trade is visits: the vacant hurry of whose mind is discharged in common place questions and trivial directions, and who is reminded that he must think, or seem to think, only by recollecting that he must prescribe!”

In the year 1805 the author published the Medical Guide, for the use of clergy and heads of families, which has gone through seven heavy editions. It has been translated into different languages on the Continent, and reprinted in America. In the same year he established a Chemical and Medical Hall, (20, Bedford-street, Covent Garden) for the purpose of supplying the public with genuine drugs, and the most choice chemical preparations, which he has the satisfaction to say, is patronized by the most distinguished members of the medical profession, and scientific characters in the United Kingdom. As no article is allowed to be sold there, or employed in the composition of medicine before it is examined by the author, he can undertake to assure the public that the most implicit confidence may be placed in every drug and chemical preparation that is procured from it, and he therefore begs they will observe, that it is an invariable rule to affix the names of REECE, BURGESS, and Co. to every article sold there, without which it is not to be depended upon as coming from the Chemical and Medical Hall. The concern is superintended by the partners, and no assistant engaged that is not thoroughly acquainted with the materia medica and chemistry, and particularly with the new and old names of the different pharmacopœias.

For the information of those who may be desirous of being further acquainted with the science and trade of medicine, and the impositions practised by regular and irregular quacks, he has subjoined at the end of this work a list of medical works, which he can, with confidence, recommend to their notice.

RICHARD REECE.

Bedford-street, Covent Garden,

March 6, 1811.

CATALOGUE OF DRUGS,

WITH THEIR

PROPERTIES, DOSES, RETAIL PRICES, &c.

The doses specified in the following list are such as are usually administered. They should therefore be increased or diminished, according to the strength of the patient, and the age, by the following Rule:

Two thirds of the dose, from the age of 14 to 16. One half from 7 to 10. One third, from 4 to 6. One fourth, to one of 3 years. One eighth, to one of a year.

It is customary to repeat the dose of an aperient medicine about every three hours till it operates, or to have recourse to a lavement, which in cases of obstinate costiveness is often preferable.

| MEDICINES. | DOSES. | | Proper Vehicle, &c. |
|-------------------------------------|-------------------|---------------------------------|----------------------------------|
| | Adults. | Children, from 2 to 4 years. | |
| Æther | 30 dps. to 1dm. | 8 to 10 drops | cold water |
| Æthiop's Mineral | 15 to 30 grains | 5 to 10 grains | honey, twice a day |
| Almonds, Emulsion of | a wine-glassful | 1 to 2 ta. spfs. | every 2 or 3 hours |
| ——— Oil of | 1 to 3 drams | 30 dps. to 1dm. | honey, ditto |
| Aloes, Socotrine | 10 to 20 grains | 3 to 6 grains | in pills |
| ——— Tincture of | 3 to 6 drams | 1 to 2 drams | water |
| Alum Powder | 3 to 10 grains | | ditto, 3 times a day |
| Amber, Rectified Oil of | 8 to 10 drops | 1 to 3 drops | honey, twice a day |
| Ammoniac Gum | 10 to 15 grains | | in pills, ditto |
| Ammoniac Gum, Milk of | 3 table-sp. fuls | a dessert sp. ful | 2 or 3 times a day |
| Antimonial Powder | from 3 to 5 grs. | 1 to 3 grains | honey |
| — wine (as an emetic) | 2 to 4 drams | 1 to 3 drams | water |
| — wine (as an alterative) | 12 to 20 drops | 4 to 8 drops | barl. wat. twice a day |
| Aromatic confection | 15 to 30 grains | 4 to 8 grains | cinnam. wat. 2 or 3 do |
| ——— species | 5 to 10 grains | 2 to 3 grains | water, ditto |
| Asafœtida emulsion | 4 to 8 drams | 2 tea-spoonfuls | every 3 or 4 hours |
| ——— tincture of | 30 to 60 drops | 8 to 12 drops | water, ditto |
| ——— volat. spirit of | 20 to 40 drops | 4 to 8 drops | water, ditto |
| ——— pill | 10 to 15 grains | | in pills, twice a day |
| Balsam of copaiva | 20 to 40 drops | 6 to 8 drops | in honey, ditto |
| ——— of Peru | 5 to 10 drops | | ditto, ditto |
| ——— traumatic | 20 to 40 drops | | ditto, or sugar ditto |
| ——— tolu, tincture of | 30 to 60 drops | | ditto, or water ditto |
| Bark Peruvian, powder | 20 to 60 grains | 10 to 15 grains | mint wat. 4 or 6 times |
| ——— decoction of | 3 to 4ta. sp. fs. | 1 to 2 ta. spfs. | 3 or 4 times a day |
| ——— essential salt of | 5 to 10 grains | 2 to 3 grains | Port wine, ditto |
| ——— tincture of | 2 to 4 drams | 40 to 60 drops | water, ditto |
| ——— ditto, Huxham's | 2 to 4 drams | 40 to 60 drops | ditto, ditto |
| ——— ditto, volatile | 1 to 2 drams | 10 to 20 drops | ditto, ditto |
| Basilic powder | 20 to 25 grains | 6 to 8 grains | honey, twice a week |
| Calomel | 1 to 2 grains | half to 1 grain | in a pill, twice a day |

| Effects, &c. | Diseases;—proper for | RETAIL PRICES. | | | | | |
|--------------------------|---------------------------------|----------------|-----------|-----------|-----------------------|-----------|-----------|
| | | Per Ounce, | | | Per Pound Or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| - antispasmodic . . . | asthma, cramp, and flatulence | 0 | 1 | 8 | 0 | 16 | 0 |
| - alterative - - - | scald-head, cutane. foulness | 0 | 0 | 5 | 0 | 5 | 6 |
| - demulcent - - - | strangury, cough | 0 | 0 | 0 | 0 | 1 | 6 |
| - ditto - - - | ditto ditto | 0 | 0 | 4 | 0 | 4 | 6 |
| - purgative - - - | obstinate costiveness | 0 | 0 | 8 | 0 | 10 | 0 |
| - ditto and vermifuge | ditto and worms | 0 | 0 | 6 | 0 | 7 | 0 |
| - astringent - - - | flooding | 0 | 0 | 1 | 0 | 0 | 6 |
| - antispasmodic - - - | hysteric fits, whooping cough | 0 | 0 | 6 | 0 | 6 | 6 |
| - expectorant - - - | chronic cough, asthma, &c. | 0 | 0 | 9 | 0 | 10 | 6 |
| - ditto - - - | ditto | 0 | 0 | 0 | 0 | 2 | 0 |
| - sudorific - - - | inflamm. fever, pleurisy, &c. | 0 | 1 | 6 | 1 | 1 | 0 |
| - emetic - - - | | 0 | 0 | 6 | 0 | 6 | 0 |
| - sudorific - - - | St. Anth. fire, cutan. foulness | 0 | 0 | 6 | 0 | 6 | 6 |
| - astringent and cordial | purging, cramp in the stom. | 0 | 2 | 6 | 1 | 16 | 0 |
| - stomachic - - - | indigestion, flatulence | 0 | 1 | 6 | 0 | 18 | 0 |
| - antispasmodic - - - | hyster. asthma, hoop. cough | 0 | 0 | 0 | 0 | 2 | 0 |
| - ditto - - - | ditto, ditto, ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| - ditto - - - | ditto, and fainting | 0 | 0 | 6 | 0 | 6 | 6 |
| - ditto - - - | ditto, ditto | 0 | 2 | 6 | 1 | 8 | 0 |
| - diuretic and balsamic | whites, gleans, gravel | 0 | 0 | 6 | 0 | 6 | 6 |
| - stimulant - - - | flatulence, asthma, gleans | 0 | 2 | 0 | 1 | 4 | 0 |
| - ditto - - - | ditto | 0 | 0 | 6 | 0 | 6 | 6 |
| - ditto and pectoral - | ditto and chronic cough | 0 | 0 | 6 | 0 | 6 | 6 |
| - tonic - - - | ague, indigestion, weakness | 0 | 1 | 0 | 0 | 16 | 0 |
| - ditto - - - | relaxation and weakness | 0 | 0 | 0 | 0 | 2 | 0 |
| - ditto - - - | ditto, ditto | 0 | 12 | 0 | 8 | 8 | 0 |
| - ditto - - - | ditto, ditto | 0 | 0 | 6 | 0 | 7 | 0 |
| - ditto - - - | ditto, ditto | 0 | 0 | 7½ | 0 | 8 | 0 |
| - ditto - - - | indigestion, heartburn | 0 | 0 | 6 | 0 | 7 | 6 |
| - vermifuge & cathartic | worms, costiveness, dropsy | 0 | 3 | 6 | 2 | 10 | 0 |
| - alterative - - - | vene. disease, foul ulcers, &c. | 0 | 1 | 0 | 0 | 12 | 0 |

| MEDICINES. | DOSES. | | Proper Vehicle, &c. |
|----------------------------|------------------|--------------------------------|---------------------------|
| | Adults. | Children from 2 to 4 years. | |
| Camphire | 2 to 4 grains | 1 to 2 grains | in a pill, twice a day |
| — Julep of | 2 to 4 ta.sp.fs. | 3 to 4 drams | three times a day - - |
| Canella alba, powder of | 4 to 8 grains | | mint water, ditto - - |
| — tincture of | 2 to 3 drams | | water ditto - - - |
| Cardamoms, tincture of | 2 to 3 drams | . : | ditto, ditto - - |
| — comp. ditto | 2 to 4 drams | | camomile ditto tea - - |
| Castor, Russian, powd. of | 5 to 10 grains | 3 to 5 grains | camphorated julep do. - |
| — tincture of | 1 to 2 drams | 15 to 30 drops | ditto ditto do. - |
| Castor oil | 4 to 8 drams | 3 to 4 drams | mint water - - - |
| — cold expressed | 4 to 10 drams | 3 to 5 drams | ditto - - - - |
| Cascarilla powder | 10 to 20 grains | 3 to 6 drams | ditto 3 times a day . . |
| — tincture of | 1 to 3 drams | 20 to 30 drops | water, ditto - - |
| — volatile ditto | 40 to 60 drops | | ditto ditto - - |
| Catechu, tincture of . . . | 1 to 2 tea.spf. | 10 to 20 drops | mint water, ditto - - |
| Chalk, prepared | 10 to 15 grains | 4 to 6 grains | ditto, 4 times a day - - |
| Camomile flowers, pow- | | | [times a day - - |
| der of | 10 to 20 grains | 6 to 10 grains | mint water, 2 or 3 - - |
| — tincture of, and | | | |
| ginger | 10 to 40 drops | | water, 3 or 4 ti. a day - |
| Cinnamon powder | 5 to 10 grains | 2 to 4 grains | ditto, 3 times a day - - |
| — essence of | 3 to 10 drops | 1 drop . . | water |
| — tincture of | 3 to 4 drams | 20 to 30 drops | ditto |
| Columbo powder | 10 to 20 grains | 3 to 5 grains | mint water, 3 ti. a day - |
| — tincture of | 1 to 3 drams | 10 to 20 drops | ditto ditto - - - |
| Crab's Claws, prepared . . | 15 to 20 grains | 5 to 10 grains | do. every 3 or 4 hours - |
| Cretaceous powder, with | | | |
| opium | 10 to 20 grains | 5 to 8 grains | ditto, ditto - - |
| Contrayerva powder . . . | 20 to 40 grains | 6 to 10 grains | water, ditto - - |
| — compound | 30 to 40 grains | 8 to 12 grains | mint water, ditto - - |
| Cream of tartar | 1 to 4 drams | 20 to 30 grains | honey, every morning - |
| Colocynth pill compound | 10 to 20 grains | 4 to 8 grains | occasionally - - - |

| Effects, &c. | Diseases ;---proper for | RETAIL PRICES. | | | | | |
|---------------------------|-----------------------------------|----------------|-----------|-----------|------------------------|-----------|-----------|
| | | Per Ounce | | | Per Pound, or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| - antispasmodic . . . | hooping cough, convuls. fits | 0 | 0 | 10 | 0 | 10 | 0 |
| - ditto and febrifuge | nervous fever, ditto, ditto | 0 | 0 | 0 | 0 | 2 | 0 |
| - stomachic . . . | indigestion, flatulence | 0 | 0 | 6 | 0 | 6 | 0 |
| - ditto . . . | ditto, ditto | 0 | 0 | 6 | 0 | 6 | 6 |
| - stimulant . . . | ditto, ditto, and cramp | 0 | 0 | 6 | 0 | 7 | 6 |
| - stomachic . . . | ditto, ditto | 0 | 0 | 5 | 0 | 6 | 6 |
| - antispasmodic . . . | convuls. fits, nerv. irritability | uncertain | | | uncertain | | |
| - ditto . . . | ditto, ditto | 0 | 1 | 0 | 0 | 15 | 0 |
| - purgative . . . | colic, costiveness | 0 | 0 | 6 | 0 | 6 | 0 |
| - ditto . . . | ditto, ditto | 0 | 0 | 9 | 0 | 10 | 6 |
| - stomachic . . . | indigestion, weakness | 0 | 0 | 6 | 0 | 6 | 0 |
| - ditto . . . | ditto, ditto | 0 | 0 | 6 | 0 | 6 | 6 |
| - ditto . . . | gout, flatulence, heartburn | 0 | 0 | 8 | 0 | 9 | 0 |
| - astringent . . . | chronic looseness, flooding | 0 | 0 | 6 | 0 | 7 | 0 |
| - ditto . . . | looseness, acidity | 0 | 0 | 2 | 0 | 2 | 0 |
| - stomachic & vermifuge | indigestion, worms, &c. | 0 | 0 | 6 | 0 | 6 | 6 |
| - stomachic . . . | gout, cramp in the stomach | 0 | 1 | 0 | 0 | 12 | 0 |
| - ditto . . . | indigestion, flatulence, &c. | 0 | 1 | 0 | 0 | 12 | 0 |
| - stimulant . . . | flatulency, colicky pains | 0 | 8 | 0 | 4 | 10 | 0 |
| - astringent . . . | looseness | 0 | 0 | 6 | 0 | 6 | 6 |
| - stomachic . . . | indigestion, chronic looseness | 0 | 0 | 6 | 0 | 6 | 0 |
| - ditto . . . | ditto ditto | 0 | 0 | 6 | 0 | 6 | 6 |
| - astringent . . . | purging, dysentery, acidity | 0 | 0 | 6 | 0 | 6 | 0 |
| - ditto . . . | obstinate purg. and dysentery | 0 | 1 | 0 | 0 | 12 | 0 |
| - sudorific . . . | recent colds | 0 | 0 | 6 | 0 | 7 | 0 |
| - ditto and astringent | purging of children | 0 | 0 | 6 | 0 | 6 | 6 |
| - aperient and alterative | inflam. erupt. of the skin, &c. | 0 | 0 | 1½ | 0 | 2 | 6 |
| - active purgative | costiveness | 0 | 2 | 0 | | | |

| MEDICINES. | DOSES. | | Proper Vehicle, &c. |
|---------------------------------|------------------|---------------------------------|-------------------------------------|
| | Adults. | Children, from 2 to 4 years. | |
| Colocynth extract . . . | 10 to 15 grains | 4 to 6 grains | occasionally . . . |
| — powder . . . | 10 to 15 grains | . . . | ditto |
| Dover's powder . . . | 10 to 20 grains | 3 to 6 grains | in water . . . |
| Elixir of vitriol . . . | 10 to 12 drops | 5 to 6 drops | ditto twice a day . . . |
| Electuary, Lenitive . . . | 2 to 3 drams | half to 1 dram | occasionally . . . |
| Epsom salt . . . | 4 to 8 drams | 2 to 3 drams | mint water, . . . |
| Foxglove powder . . . | half to 3 grains | . . . | ditto (4 times a da . . . |
| — tincture of . . . | 10 to 40 drops | . . . | decoction of liverwo. three c . . . |
| Gentian, tincture of . . . | 1 to 2 drams | 12 to 30 drops | water, ditto . . . |
| — extract of . . . | 5 to 10 grains | . . . | in a pill, twice a day . . . |
| Ginger powder . . . | 20 to 60 grains | . . . | water, ditto . . . |
| — lozenges of . . . | 3 or 4 . . . | . . . | twice a day . . . |
| — tincture of . . . | 1 to 2 drams | . . . | water, ditto . . . |
| Guaiac gum . . . | 5 to 15 grains | . . . | in pill. ditto . . . |
| — volatile tincture . . . | 1 to 3 drams | . . . | water 2 or 3 times a day . . . |
| Hartshorn, spirit of . . . | 20 to 40 drops | 5 to 8 drops | ditto ditto . . . |
| — burnt prepar. . . | 20 to 40 grains | 6 to 10 grains | mint water, ditto . . . |
| Hoffman's anodyne liquor . . . | 30 to 40 drops | 6 to 10 drops | water, ditto . . . |
| Hemlock, powdered . . . | 2 to 3 grains | 1 to 2 grains | mint water, ditto . . . |
| — extract of . . . | 2 to 3 grains | 1 to 2 grains | ditto, or pill, ditto . . . |
| Hiera piera . . . | 15 to 20 grains | 4 to 8 grains | mint water . . . |
| — tincture of . . . | 2 to 4 drams | 30 to 40 drops | water . . . |
| Jalap powder . . . | 20 to 30 grains | 5 to 10 grains | mint water . . . |
| — tincture of . . . | 2 to 4 drams | . . . | ditto . . . |
| Ipecacuan powder . . . | 20 to 30 grains | 5 to 10 grains | water . . . |
| — wine . . . | 4 to 8 drams | 2 to 3 drams | ditto . . . |
| Iron—see Steel . . . | | | |
| Kino gum, tincture of . . . | 2 to 3 drams | 15 to 20 drops | mint water 3 or 4 ti. a da . . . |
| Lavender, comp. spirit of . . . | 30 to 80 drops | 10 to 20 drops | water . . . |
| Logwood, decoction of . . . | a wine-glassful | 1 to 2 tab.spful | three or four ti. a day (a da . . . |
| — extract of . . . | 10 to 20 grains | 3 to 4 grains | in cinnamon water three t . . . |

| Effects, &c. | Diseases;—proper for | RETAIL PRICES. | | | | | |
|-------------------------|---------------------------------|----------------|-----------|-----------|---------------------|-----------|-----------|
| | | Per Ounce. | | | Per Pound, or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| active purgative | obstinate ditto or colic | 0 | 2 | 0 | | | |
| ditto | ditto | 0 | 0 | 6 | 0 | 6 | 6 |
| sudorific and anodyne | rheumatism, recent colds, &c. | 0 | 2 | 0 | | | |
| stomachic | indigestion, flatulence, vomit. | 0 | 0 | 6 | 0 | 7 | 0 |
| gentle aperient | costiveness | 0 | 0 | 3 | 0 | 3 | 6 |
| ditto [emetic | ditto | 0 | 0 | 1½ | 0 | 1 | 4 |
| violent purgative and | dropsy | 0 | 0 | 6 | 0 | 7 | 0 |
| sedative | consumption of the lungs | 0 | 0 | 4 | 0 | 5 | 6 |
| stomachic | indigestion, flatulence, &c. | 0 | 0 | 4 | 0 | 4 | 6 |
| ditto | ditto, ditto | 0 | 1 | 0 | 0 | 12 | 0 |
| stimulant | gout, indigestion, flatulence | 0 | 0 | 4¼ | 0 | 5 | 6 |
| ditto | flatulency | 0 | 0 | 6 | 0 | 7 | 6 |
| ditto | ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| ditto and sudorific | chronic rheumatism, gout | 0 | 0 | 8 | 0 | 8 | 0 |
| ditto ditto | ditto ditto | 0 | 0 | 8 | 0 | 8 | 6 |
| stimulant | hysterics, convul. heartburn | 0 | 0 | 4 | 0 | 5 | 0 |
| astrigent | purging, acidity, heartburn | 0 | 0 | 2 | 0 | 2 | 0 |
| antispasmodic | nerv. fever, asthma, hysterics | 0 | 1 | 0 | 0 | 15 | 0 |
| sedative | hooping cough, cancer | 0 | 1 | 0 | 0 | 12 | 0 |
| ditto | ditto ditto | 0 | 1 | 0 | 0 | 12 | 0 |
| purgative & stomachic | costiveness, flatulency | 0 | 0 | 8 | 0 | 10 | 0 |
| ditto, ditto & vermifu. | ditto ditto, and worms | 0 | 0 | 5 | 0 | 6 | 0 |
| active purgative | costiveness | 0 | 0 | 6 | 0 | 7 | 6 |
| ditto | ditto | 0 | 0 | 8 | 0 | 9 | 0 |
| emetic | | 0 | 2 | 0 | 1 | 5 | 0 |
| ditto | | 0 | 0 | 6 | 0 | 7 | 0 |
| astrigent | looseness | 0 | 0 | 6 | 0 | 7 | 6 |
| cordial | fainting, or lowness of spirits | 0 | 0 | 6 | 0 | 7 | 6 |
| astrigent | looseness, dysentery | 0 | 0 | 0 | 0 | 2 | 0 |
| ditto | ditto | 0 | 1 | 0 | 0 | 12 | 0 |

| MEDICINE. | DOSES. | | Property Vehicle, &c. |
|----------------------------|---------------------|--------------------------------|----------------------------|
| | Adults. | Children, from 2 to 4 years | |
| Madder power | 30 to 60 grains | | mint wa. 2 or 3 times . . |
| — extract of | 10 to 20 grains | 4 to 10 grains | ditto, ditto |
| Magnesia | 20 to 40 grains | 5 to 10 grains | mint water |
| — calcined | ditto | ditto | ditto |
| Manna | 3 to 6 drams | 1 to 2 drams | ditto, or tea |
| Mercurial pill | 6 to 12 grains | 2 to 4 grains | in pills twice a day . . |
| Mercury, calcined . . | 1 to 2 grains | quarter grain | in a pill ditto |
| — with chalk | 5 to 10 grains | 3 to 4 grains | honey, ditto |
| Mistletoe powder . . . | 20 to 60 grains | 8 to 12 grains | mint water, 3 ti. a day . |
| Mithridate | 15 to 20 grains | 5 to 10 grains | ditto, ditto |
| Musk | 5 to 40 grains | 2 to 5 grains | ditto, ditto |
| Muriatic acid | 10 to 30 drops | 6 to 10 drops | water, twice a day . . . |
| Myrrh power | 5 to 10 grains | 2 to 4 grains | mint water, ditto |
| — tincture of | 1 to 2 drams | 10 to 15 drops | water, 2 or 3 ti. a day . |
| — emulsion | 2 to 3 ta. sp. fuls | 2 to 3 drams | 2 or 3 times a day . . . |
| Natron prepared | 5 to 10 grains | 2 to 3 grains | mint water, 2 or 3 ti. . . |
| — super carbonated . . | 5 to 10 grains | 2 to 4 grains | water ditto |
| Nitre power | 5 to 20 grains | 2 to 4 grains | barley water, ditto . . . |
| — sweet spirit of | 20 to 60 drops | 8 to 10 drops | ditto, ditto |
| Nitric acid | 12 to 30 drops | 4 to 6 drops | water |
| Nutmegs, spirit of | 4 to 6 drams | 1 to 2 drams | ditto |
| Opiate confection | 10 to 20 grains | 3 to 6 grains | bolus |
| Opium purified | 1 to 2 grains | $\frac{1}{4}$ grain | pill |
| — tincture of | 10 to 30 drops | 3 to 5 drops | mint water |
| Oyster shells, prepared . | 10 to 20 grains | 5 to 8 grains | ditto, 4 times a day . . . |
| Paregoric elixir | 3 to 4 drams | 15 to 20 drops | barley water ditto |
| Peppermint, essence of . | 3 to 6 drops | 1 to 2 drops | water |
| Poppies, white, extract of | 5 to 10 grains | 1 to 3 grains | in a pill |
| — syrup of | 1 to 4 drams | tea-spoonful | water [a day |
| Quassia, tincture of . . . | 30 to 60 drops | 10 to 12 drops | ginger tea, 2 or 3 times . |
| Rhatania powder | 10 to 40 grains | 5 to 8 grains | mint wa. every 2 hours . . |

| Effects, &c. | Diseases ;—proper for | RETAIL PRICES. | | | | | |
|------------------------------|-----------------------------------|----------------|-----------|-----------|------------------------|-----------|-----------|
| | | Per Ounce. | | | Per Pound, or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| deobstruent . . . | chlorosis or green sickness | 0 | 0 | 4 | 0 | 4 | 6 |
| ditto, and tonic . . . | ditto and scrophula | 0 | 2 | 0 | 1 | 5 | 0 |
| absorbent . . . | heartburn and acidity | 0 | 0 | 6 | 0 | 7 | 0 |
| ditto . . . | ditto, ditto | 0 | 1 | 0 | 0 | 14 | 0 |
| gentle aperient . . . | costiveness | 0 | 0 | 6 | 0 | 7 | 0 |
| alterative . . . | venereal disease | 0 | 4 | 0 | | | |
| ditto . . . | ditto | 0 | 10 | 0 | | | |
| ditto . . . | scald head, cuta. foulness, &c. | 0 | 0 | 6 | 0 | 6 | 6 |
| tonic . . . | epileptic fits | 0 | 0 | 6 | 0 | 6 | 0 |
| astrigent . . . | purging, dysentery | 0 | 0 | 4 | 0 | 5 | 0 |
| antispasmodic . . . | convulsions, locked jaw, &c. | 2 | 2 | 0 | | | |
| alterative . . . | scrophula, cutaneous eruptions | 0 | 0 | 4 | 0 | 3 | 0 |
| strengthening . . . | green sickness, weakness | 0 | 1 | 0 | | | |
| ditto . . . | ditto, ditto | 0 | 0 | 6 | 0 | 7 | 0 |
| ditto, and expectoran . . . | ditto, ditto, and chronic coughs | 0 | 0 | 0 | 0 | 2 | 0 |
| alterative . . . | scrophula, heartburn, cancer | 0 | 0 | 4 | 0 | 3 | 0 |
| ditto . . . | ditto, ditto, and vomiting | 0 | 0 | 10 | 0 | 10 | 0 |
| diuretic and febrifuge . . . | strangury, heat of urine, fever | 0 | 0 | 2 | | | |
| ditto, ditto . . . | ditto, ditto, ditto | 0 | 0 | 6 | 0 | 7 | 0 |
| tonic . . . | diabetes, scrophula | 0 | 0 | 6 | 0 | 6 | 0 |
| carminative . . . | flatulency, cramp in the stomach | 0 | 0 | 0 | 0 | 6 | 0 |
| ditto and opiate . . . | purging, gripes, &c. | 0 | 1 | 0 | 0 | 10 | 0 |
| anodyne . . . | restlessness, acute pains, asthm. | 0 | 3 | 0 | | | |
| ditto . . . | ditto, ditto, ditto. | 0 | 0 | 9 | 0 | 10 | 6 |
| absorbent & astrigent . . . | looseness, acid. in stom. &c. | 0 | 0 | 4 | 0 | 4 | 6 |
| anodyne . . . | cough, asth. pain in the bowels | 0 | 0 | 6 | 0 | 6 | 6 |
| carminative . . . | colicky pains, flatulency, &c. | 0 | 2 | 6 | 1 | 10 | 0 |
| anodyne . . . | spasms, acute pain, cough | 0 | 1 | 6 | 1 | 1 | 0 |
| ditto . . . | ditto, ditto, ditto | 0 | 0 | 4 | 0 | 4 | 6 |
| stomachic . . . | indigestion, flatulency | 0 | 0 | 6 | 0 | 6 | 0 |
| tonic . . . | ague, diabetes | 0 | 0 | 6 | 0 | 6 | 6 |

| MEDICINES. | DOSES. | | Proper Vehicle, &c. |
|-------------------------------|-----------------|---------------------------------|---------------------------------|
| | Adults. | Children, from 2 to 4 years. | |
| Rhatania tincture of . . . | 2 to 4 drams | 30 to 40 drops | mint wa. 3 times a day . . . |
| —— comp. ditto . . . | ditto | ditto . . . | ditto . . . |
| —— aromatic ditto . . . | ditto | ditto . . . | ditto . . . |
| Rhubarb powder . . . | 20 to 30 grains | 5 to 8 grains | in mint water . . . |
| —— tincture of . . . | 4 to 6 drams | 1 to 2 drams | ditto . . . |
| —— bitter ditto . . . | 2 to 3 drams | 3 to 4 drops | wat. one or twi. a day . . . |
| —— lozenges with ginger . . . | 2 or 3 | 1 . . . | twice a day . . . |
| Rochelle salt . . . | 6 to 12 drops | 2 to 4 drams | mint water . . . |
| Roses, infusion of . . . | 1 to 2 ounces | 3 to 4 drams | 2 or 3 times a day . . . |
| —— conserve of . . . | 1 to 2 drams | 1 dram . . . | ditto . . . |
| Saffron, tincture of . . . | 1 to 2 drams | 30 to 40 drops | water . . . |
| —— syrup of . . . | 2 to 3 drams | a tea spoonful | ditto . . . |
| Salt, Glauber's . . . | 6 to 12 drams | 3 to 4 drams | mint water . . . |
| —— Epsom . . . | 6 to 8 drams | 2 to 4 drams | ditto . . . |
| —— Cheltenham . . . | 6 to 12 drams | 2 to 4 drams | ditto . . . |
| —— Polychrest . . . | 1 to 3 drams | 30 to 40 grains | ditto . . . |
| —— tasteless . . . | 6 to 12 drams | 2 to 3 drams | in gruel or broth . . . |
| —— of Tartar . . . | 5 to 8 grains | 1 to 4 grains | mint water . . . |
| —— of Wormwood . . . | ditto | ditto . . . | ditto . . . |
| Sarsaparilla powder . . . | 20 to 60 grains | 5 to 10 grains | ditto, 2 or 3 times a day . . . |
| —— comp. decoc. . . | 3 to 4 ounces | 1 to 2 ounces | 3 or 4 times a day . . . |
| Scammony powder . . . | 10 to 20 grains | 4 to 5 grains | mint water . . . |
| —— comp. ditto . . . | 15 to 30 grains | 5 to 6 grains | ditto . . . |
| —— comp. with calomel . . . | 15 to 25 grains | 5 to 6 grains | honey . . . |
| Senna, infusion of . . . | 2 to 3 ounces | 3 to 4 drams | occasionally . . . |
| —— tincture of . . . | 6 to 12 drams | 2 to 3 drams | water . . . |
| Soluble Tartar . . . | 1 to 2 drams | 1 to 2 drams | mint water . . . |
| Spermaceti powder . . . | 2 to 6 drams | 20 to 30 grains | honey 3 or 4 times a day . . . |
| Spirit, Mindererus's . . . | 30 to 40 drops | 1 to 2 drams | mint water, ditto . . . |
| —— of vitriol, sweet . . . | 20 to 40 drops | 6 to 12 drops | ditto ditto . . . |
| —— nitre . . . | 15 to 30 drops | 6 to 12 drops | barley water . . . |

| Effects, &c. | Diseases ;—proper for | RETAIL PRICES. | | | | | |
|------------------------------|---------------------------------|----------------|-----------|-----------|------------------------|-----------|-----------|
| | | Per Ounce. | | | Per Pound, or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| . . . stomachic . . . | indige. relaxation, whites. &c. | 0 | 0 | 6 | 0 | 7 | 6 |
| . . . ditto, and cordial | ditto, ditto, ditto | 0 | 0 | 8 | 0 | 9 | 0 |
| . . . ditto, ditto | ditto, ditto, ditto | 0 | 0 | 7 | 0 | 8 | 0 |
| . . . aperient . . . | costiveness | 0 | 2 | 6 | 1 | 12 | 0 |
| . . . ditto and carminative | ditto, cholic, &c. | 0 | 0 | 6 | 0 | 7 | 0 |
| . . . aperient & stomachic | indigestion, flatulence, &c. | 0 | 0 | 6 | 0 | 7 | 0 |
| . . . stomachic . . . | ditto, ditto | 0 | 0 | 9 | 0 | 10 | 0 |
| . . . aperient . . . | costiveness | 0 | 0 | 4 | 0 | 4 | 0 |
| . . . stomachic and astrin. | indigestion, flooding, &c. | 0 | 0 | 2 | 0 | 2 | 0 |
| . . . ditto, and pectoral | cough | 0 | 0 | 3 | 0 | 3 | 0 |
| . . . cordial . . . | lowness of spirits | 0 | 0 | 0 | 0 | 14 | 0 |
| . . . ditto . . . | ditto | 0 | 0 | 4 | 0 | 5 | 0 |
| . . . purgative . . . | costiveness, &c. | 0 | 0 | 1½ | 0 | 1 | 2 |
| . . . ditto . . . | ditto | 0 | 0 | 1½ | 0 | 1 | 4 |
| . . . ditto . . . | ditto | 0 | 1 | 0 | 0 | 12 | 0 |
| . . . cooling aperient | feverish heats | 0 | 0 | 4 | 0 | 4 | 6 |
| . . . gentle aperient . . . | costiveness, &c. | 0 | 0 | 6 | 0 | 6 | 0 |
| . . . alkaline . . . | heartburn, rickets | 0 | 0 | 4 | 0 | 3 | 0 |
| . . . ditto . . . | ditto, ditto | 0 | 0 | 4 | 0 | 3 | 0 |
| . . . alterative . . . | scrophula, &c. | 0 | 1 | 0 | 0 | 12 | 0 |
| . . . ditto . . . | ditto | | | | 0 | 2 | 0 |
| . . . strong purgative | obstinate costiveness | 0 | 4 | 6 | | | |
| . . . ditto . . . | ditto | 0 | 3 | 0 | | | |
| . . . ditto, and vermifuge | ditto, worms and dropsy | 0 | 3 | 6 | | | |
| . . . purgative . . . | costiveness and worms | | | | 0 | 2 | 0 |
| . . . ditto . . . | ditto, and colic | 0 | 0 | 4 | 0 | 5 | 0 |
| . . . ditto . . . | ditto, and piles | 0 | 0 | 4 | 0 | 5 | 0 |
| . . . demulcent . . . | recent cough | 0 | 0 | 4 | 0 | 4 | 0 |
| . . . sudorific and cooling | ditto, inflam. fever, pleurisy | 0 | 0 | 3 | 0 | 3 | 6 |
| . . . antispasm. & carmina. | nervous debility, flatule. &c. | 0 | 0 | 6 | 0 | 7 | 0 |
| . . . diuretic and febrifuge | strangury, gravel, fevers | 0 | 0 | 6 | 0 | 7 | 0 |

| MEDICINES. | DOSES. | | Proper Vehicle, &c. |
|-----------------------------|-----------------|--------------------------------------|-----------------------------|
| | Adults. | Children from 2 to 4 years. | |
| Spirit, sal ammoniac . . . | 15 to 30 drops | 6 to 10 drops | water |
| —, sal volatile . . . | 20 to 40 drams | ditto | ditto |
| —, sal vol. fœtid. . . | 2 to 4 drams | ditto | ditto |
| Syrup of white Poppies . . | ditto | 1 to 2 drams | 2 or 3 times a day . . |
| — Buckthorn . . . | ditto | 1 to 2 drams | mint water - - - |
| — Ginger . . . | 2 to 3 drams | 1 dram | water - - - - |
| Sponge, burnt . . . | 20 to 30 grains | 10 to 15 grains | honey, twice a day - - |
| — lozenges of . . . | 1 to 3 | 1 to 2 | twice a day - - - |
| Squills, powder . . . | 1 to 2 grains | $\frac{1}{2}$ to 1 grain | in a pill, twice a day . |
| — oxymel . . . | 2 to 4 drams | 1 dram - | mint water, ditto - |
| — tincture . . . | 15 to 30 drops | 6 to 10 drops | ditto, ditto - - |
| — lozenges of . . . | 3 to 6 | 1 to 2 | twice a day - - - |
| Steel, muriated tinct. of . | 10 to 30 drops | 3 to 6 drops | water, twice a day - - |
| — wine of . . . | 3 to 6 drams | 1 to 2 drams | ditto ditto - - - |
| — salt of . . . | 1 to 3 grains | $\frac{1}{2}$ to 1 grain | pill, ditto - - - |
| — powder of . . . | 10 to 40 grains | 2 to 4 grains | honey, ditto - - - |
| — red sulphate of . . . | 3 to 12 drops | 1 to 2 drops | water - - - - |
| Sulphur, flowers of . . . | 1 to 4 drams | 20 to 30 grains | honey, once a day - - |
| — milk of . . . | ditto | ditto | ditto, ditto - - |
| Tartar emetic . . . | 1 to 2 grains | $\frac{1}{4}$ to $\frac{1}{2}$ grain | water - - - - |
| Tin powder . . . | 20 to 40 grains | 10 to 15 grains | honey every morning . |
| Tincture of aloes . . . | 3 to 6 drams | 1 to 2 drams | water - - - - |
| — asafœtida . . . | 30 to 60 drops | 1 to 2 drops | ditto, twice a day - - |
| — benzoin . . . | 15 to 30 drops | 6 to 8 drops | honey - - - - |
| — cantharides . . . | 10 to 30 drops | 6 to 8 drops | barley water, twice a day - |
| — cardamoms . . . | 2 to 4 drams | $\frac{1}{2}$ to 1 dram | camomile tea - - - |
| — compound ditto . . . | ditto | ditto | ditto - - - - |
| — cascarilla . . . | 1 to 3 drams | 10 to 15 drops | water - - - - |
| — catechu . . . | 1 to 2 drams | 15 to 20 drops | mint water, 3 ti. a day - |
| — Columbo . . . | 1 to 2 drams | 10 to 20 drops | ditto ditto - - |
| — Peruvian bark . . . | 2 to 4 drams | 30 to 40 drops | ditto ditto - - |

| Effects, &c. | Diseases ;—proper for | RETAIL PRICES. | | | | | |
|---------------------------|----------------------------------|----------------|-----------|-----------|------------------------|-----------|-----------|
| | | Per Ounce, | | | Per Pound, Or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| . stimulant . | hysteric and fainting fits | 0 | 0 | 4 | 0 | 4 | 6 |
| . ditto . . | ditto, ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| . ditto . . | ditto, ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| . anodyne . . | coughs, restless. irritat. fever | 0 | 0 | 4 | 0 | 5 | 0 |
| . strong cathartic | costiveness | 0 | 0 | 3 | 0 | 2 | 0 |
| . carminative . | flatul. cramp in the stomach | 0 | 0 | 3 | 0 | 3 | 0 |
| . alterative . . | serophula | 0 | 2 | 6 | 1 | 18 | 0 |
| . ditto . . . | wen | 0 | 1 | 0 | 0 | 12 | 6 |
| . expectorant & diuretic | dropsy, asthm. chronic cough | 0 | 1 | 0 | 0 | 12 | 6 |
| . ditto ditto . | dropsy, chronic cough, asth. | 0 | 0 | 4 | 0 | 4 | 0 |
| . ditto ditto . | ditto, ditto, ditto | 0 | 0 | 6 | 0 | 6 | 0 |
| . ditto ditto . | ditto, ditto, ditto | 0 | 0 | 6 | 0 | 7 | 0 |
| . tonic | indigest. rickets, worms, &c | 0 | 0 | 8 | 0 | 9 | 0 |
| . ditto | ditto, ditto, ditto | 0 | 0 | 4 | 0 | 5 | 0 |
| . ditto | ditto, ditto, ditto | 0 | 1 | 0 | | | |
| . ditto | ditto, ditto, ditto | 0 | 0 | 4 | 0 | 3 | 6 |
| . ditto | ditto, ditto, ditto | 0 | 1 | 0 | 0 | 12 | 0 |
| . alterative and aperient | cuta. foulness, piles, worms | 0 | 0 | 1 | 0 | 1 | 0 |
| . ditto | ditto, ditto, ditto | 0 | 0 | 4 | 0 | 4 | 6 |
| . emetic | | 0 | 1 | 0 | | | |
| . vermifuge . . | worms | 0 | 0 | 6 | 0 | 6 | 6 |
| . purgative . . | costiveness, worms | 0 | 0 | 6 | 0 | 7 | 0 |
| . antispasmodic . | hysterics, ast. hooping cough | 0 | 0 | 6 | 0 | 7 | 6 |
| . stimulant . . | flatulence, asthma | 0 | 0 | 6 | 0 | 7 | 6 |
| . diuretic . . . | hooping cough | 0 | 0 | 6 | 0 | 7 | 0 |
| . stomachic . . | indigestion, flatulence | 0 | 0 | 6 | 0 | 7 | 6 |
| . ditto | ditto, ditto | 0 | 0 | 6 | 0 | 7 | 6 |
| . ditto | ditto, ditto, gout | 0 | 0 | 6 | 0 | 6 | 6 |
| . astringent & stomachic | purgings, relaxations | 0 | 0 | 6 | 0 | 6 | 6 |
| . stomachic . . | indigestion, weakness, &c. | 0 | 0 | 6 | 0 | 6 | 0 |
| . ditto | ditto, ditto | 0 | 0 | 6 | 0 | 7 | 6 |

| MEDICINES. | DOSES. | | Proper Vehicle, &c. |
|---------------------------|-----------------|---------------------------------|--------------------------|
| | Adults. | Children, from 2 to 4 years. | |
| Tincture, Huxham's do. | 2 to 4 drams | 30 to 40 drops | mint wat. 3 times a day |
| —— volatile do. | 1 to 2 drams | 10 to 20 drops | water, ditto |
| —— iron muriated | 10 to 30 drops | 3 to 6 drops | ditto ditto |
| —— gentian . | 2 to 3 drams | 12 to 30 drops | ditto ditto |
| —— guaiacum . | 30 to 60 drops | 5 to 6 drops | honey, twice a day |
| —— ditto volatile | 1 to 3 drams | . . . | water, ditto |
| —— Jalap . | 2 to 4 drams | 1 dram | mint water |
| —— lavend. comp. | 30 to 80 drops | 15 to 20 drops | water . . . |
| —— myrrh . | 1 to 2 drams | 10 to 15 drops | ditto, twice a day . |
| —— Opium . | 10 to 30 drops | 3 to 5 drops | mint water, . . . |
| —— acetic | 20 to 40 drops | 6 to 8 drops | ditto . . . |
| —— Rhatania root | 2 to 4 drams | 30 to 40 drops | ditto, three times a day |
| —— ditto, comp. . | ditto | ditto | ditto ditto |
| Tobacco, extract of . | 2 to 4 grains | $\frac{1}{2}$ to 1 grain | pill, twice a day . |
| Turpentine, Venice . | 10 to 15 grains | . . . | honey, ditto . . . |
| ——, spirit . | 15 to 20 drops | . . . | ditto, ditto . . . |
| —— Chio, . | 10 to 15 drops | . . . | ditto, ditto . . . |
| Valerian powder . | 20 to 30 grains | 6 to 8 grains | mint water twice a day |
| Valerian, tincture of . | 1 to 3 drams | 10 to 40 drops | water thrice a day . |
| —— volatile ditto | 40 to 80 drops | 10 to 15 drops | ditto ditto |
| Vitriol, acid elixir of . | 8 to 15 drops | 5 to 7 drops | camo. tea twice a day . |
| Vitriolic acid, diluted . | 12 to 20 drops | 7 to 10 drops | ditto |
| Wormwood, conserve of | 1 to 2 drams | $\frac{1}{2}$ to 1 dram | twice a day . . . |
| —— salt of . | 5 to 8 grains | 1 to 4 grains | mint water twice a day |
| Wine, antimonial . | 2 to 4 drams | 1 to 2 drams | water . . . |
| —— of Ipecacuan . | 4 to 8 drams | 2 to 3 drams | ditto . . . |
| —— Rhubarb . | 6 to 12 drams | 2 to 3 drams | mint water . . . |
| —— Steel . . . | 3 to 6 drams | 1 to 2 drams | ditto twice a day . |

| Effects, &c. | Diseases;—proper for | RETAIL PRICES. | | | | | |
|----------------------------|---------------------------------|----------------|-----------|-----------|------------------------|-----------|-----------|
| | | Per Ounce | | | Per Pound, or Pint. | | |
| | | <i>l.</i> | <i>s.</i> | <i>d.</i> | <i>l.</i> | <i>s.</i> | <i>d.</i> |
| . stomachic, and cordial | indigestion, weakness, &c. | 0 | 0 | 7½ | 0 | 8 | 6 |
| . ditto, ditto | ditto ditto | 0 | 0 | 6 | 1 | 7 | 6 |
| . tonic . . . | ditto, rickets, worms | 0 | 0 | 8 | 0 | 9 | 0 |
| . stomachic . . . | indigestion, flatulence | 0 | 0 | 4 | 0 | 4 | 6 |
| . stimulant . . . | ditto, gleet, whites, &c. | 0 | 0 | 8 | 0 | 9 | 0 |
| . stimulant & sudorific | ditto, rheumatism, &c. | 0 | 0 | 6 | 0 | 7 | 6 |
| . brisk purgative | obstinate costiveness | 0 | 0 | 8 | 0 | 9 | 0 |
| . cordial . . . | lowness of spirits, fainting | 0 | 0 | 6 | 0 | 7 | 6 |
| . strengthening . . . | green sickness, debility, &c. | 0 | 0 | 6 | 0 | 7 | 0 |
| . anodyne . . . | spasms, acute pains, &c. | 0 | 0 | 8 | 0 | 9 | 0 |
| . ditto . . . | ditto, coughs, athmas, &c. | 0 | 3 | 0 | 2 | 2 | 0 |
| . stomachic . . . | indigestion, relaxation, &c. | 0 | 0 | 6 | 0 | 7 | 0 |
| . ditto, and cordial . . . | ditto, ditto | 0 | 0 | 8 | 0 | 9 | 0 |
| . anodyne . . . | hooping cough | 0 | 3 | 0 | | | |
| . diuretic, &c. . . | gleet, flour albus, gravel | 0 | 0 | 4 | 0 | 4 | 6 |
| . ditto . . . | ditto, gravel, rheumatism | 0 | 0 | 2 | 0 | 1 | 6 |
| . ditto . . . | ditto ditto | 0 | 1 | 0 | | | |
| . anti-nervous . . . | nervous head ach, &c. | 0 | 0 | 4 | 0 | 4 | 0 |
| . ditto . . . | ditto | 0 | 0 | 6 | 0 | 6 | 6 |
| . ditto . . . | lowness of spirits, &c. | 0 | 0 | 6 | 0 | 7 | 0 |
| . stomachic . . . | indiges. flatulence, relaxation | 0 | 0 | 6 | 0 | 6 | 6 |
| . ditto . . . | ditto, ditto, ditto | 0 | 0 | 3 | 0 | 3 | 6 |
| . ditto, and vermifuge | indigestion, worms, &c | 0 | 0 | 4 | 0 | 4 | 6 |
| . alkaliae . . . | heartburn, rickets | 0 | 0 | 4 | 0 | 3 | 6 |
| . emetic . . . | | 0 | 0 | 4 | 0 | 4 | 6 |
| . ditto . . . | | 0 | 0 | 6 | 0 | 7 | 0 |
| . aperient . . . | costiveness, indigestion | 0 | 0 | 6 | 0 | 7 | 6 |
| . tonic . . . | debility, green sickn. whites | 0 | 0 | 4 | 0 | 5 | 0 |

| | s. | d. | | s. | d. |
|---------------------------------------|----|----|---|----|----|
| Plaster of Ammonia and Quicksilver | | | Essential oil of cloves per oz. | 5 | 6 |
| per oz. | 0 | 8 | chamomile | 5 | 0 |
| blistering | 1 | 0 | pennyroyal | 4 | 0 |
| cephalic | 0 | 6 | juniper | 1 | 0 |
| diachylon | 0 | 3 | lavender, Eng. | 5 | 0 |
| with gum | 0 | 4 | rosemary | 1 | 0 |
| for corns | 1 | 0 | rue | 4 | 0 |
| defensiv. | 0 | 3 | rhodium | 28 | 0 |
| cummin | 0 | 3 | mint | 5 | 0 |
| laudanum | 1 | 0 | Oil of almonds | 0 | 4 |
| sticking | 0 | 3 | mace | 5 | 0 |
| strengthening | 0 | 3 | palm | 0 | 2 |
| Ointment, antipsoce | 0 | 4 | roses | 0 | 3 |
| yellow basilicon | 0 | 3 | elder | 0 | 3 |
| mercurial, strong | 0 | 6 | savin | 3 | 0 |
| weak | 0 | 3 | sassafras | 2 | 6 |
| Spanish flies | 0 | 8 | Areca charcoal, 3s. 6d. per box, bottles | | |
| spermaceti | 0 | 4 | 7s. to 20s. | | |
| sulphur | 0 | 3 | Prepared charcoal, 2s. 6d. to 8s. 6d. per | | |
| saturn | 0 | 4 | bottle | | |
| simple | 0 | 3 | Prepared Jamaica ginger, 2s. 6d. 5s. 6d. | | |
| Essential oil of peppermint | 7 | 0 | and 12s. per bottle | | |
| spearmint | 5 | 0 | Red præcipitate per oz. | 1 | 0 |
| dill seed | 2 | 6 | White ditto | 1 | 4 |
| caraway seed | 2 | 0 | Lunar caustic | 7 | 0 |