

Directions given by Anthony Daffy, for taking his safe, innocent, and successful cordial drink, called, Elixir salutis / [Anthony Daffy].

Contributors

Daffy, Anthony.

Publication/Creation

[London] : [publisher not identified], [1719?]

Persistent URL

<https://wellcomecollection.org/works/b3yp6ffv>

License and attribution

Conditions of use: it is possible this item is protected by copyright and/or related rights. You are free to use this item in any way that is permitted by the copyright and related rights legislation that applies to your use. For other uses you need to obtain permission from the rights-holder(s).



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

D I R E C T I O N S

Given by

Anthony Daffy,

For taking his Safe, Innocent, and Successful

C O R D I A L D R I N K,

C A L L E D,

E L I X I R S A L U T I S,

Proper to the Cure of each Distemper (in the Printed Sheet of its Virtues mentioned) and suited unto the Patients several Ages, Sexes, and Constitutions.

The First General Observation.

F O R such Persons as are oppress'd with *Chronical Distempers*, whether the *Gout, Stone, Collick, Ptisick, Dropsie, &c.* and have (divers Years) been tortured and bowed down under the Burthen of them: I say, for Distempers habitual to, and radicated in the Body; it cannot rationally be expected that this (or any Means under Heaven) may on a sudden effect their Cure, any more, than that a small Shower of Rain (after a long season of Summers Drought) shall presently revive the parched and dying Flowers



Flowers and Herbs of the Field, and restore them to their lively verdure and greenness: To persons therefore infected with these Chronical Distempers, and disposed to use the means of this my Drink, I give this advice, that they take the same according to the ensuing particular Directions, and patiently wait upon the Almighty Physician of the Soul and Body for his Blessing, and I doubt not, but they (as well as others have) will find very much relief, at least the ease of their pains, if not the perfect cure of their disease, which some Aged persons have happily experienced. Moreover, let not the Patients (having taken this Drink) impatiently expect its operation of working with them, on a sudden; for experience hath found that on some Bodies it is 6 hours, some 8, and on some 12 hours before it works: And in most Distempers, its operation is so gentle and moderate, that Patients may (with safety) follow their business and occasions, either at home or abroad.

The second general Observation.

LET the Patient (afflicted with any of the Distempers, in the Book of my *Cordial* Virtues mentioned) have a due regard to the state and condition of his or her Body: If the Body be *Costive*, (as most generally persons, under such distempers are) the first dose (if the Age, and strength of nature will permit) to be three Spoonfuls at the Patients going to Bed, and the like Dose at the up rising in the morning: But in case the Body be *Laxative*, then let the first dose over night be one spoonful, and another at the up rising in the Morning, and so let the dose be encreased by one spoonful each time, if the Patients strength may admit, till it comes to 3 spoonfuls, which (without good advice) none is to exceed. In taking the same, let the Patient use as much exercise and stirring, as strength of Body may admit. Here likewise observe, the Patient ought to avoid melancholy, and keep a good diet; and it is convenient to take a mess of Broth, or something warm, an hour after the morning dose, which is found more proper than *Pocket Ale*,

The



The third general Observation.

THIS Drink hath been many Years, experienced of so innocent and sure operation, that it may be safely taken at any season of the year, for neither heat, nor cold can obstruct its influential operation on the Body. Moreover, this Drink will retain its Virtue, though kept two years together (as divers persons have found) but I suppose it may be kept much longer. Another Virtue and innate Propriety of this Drink (distinguishing it from all other Physick whatsoever) is, that at the Patients leaving off the same, the Patients Body remains not Costive, but in a very good healthful temper and lightsome condition,

The GOV T.

LET the Patient (having competent strength of Nature) take three spoonfuls of this *Elixir* in the Morning fasting, and the like Dose last at Night; the which course let it be followed so long as the Patients strength of Body will bear it, and especially if the pains be found to move from one joynt to another: I advise the Patient to be active, and use as much stirring exercise, as conveniently may be. Here note, that after four Doses, or twelve spoonfuls taking, the Patient may, (if the same be found to work five or six times a day) intermit a day, and then return to the Drink; taking then two spoonfuls in the Morning, one spoonful an hour before dinner, and two spoonfuls last at Night; but let not the patient, finding not his expectation answered on a sudden, lay aside the further use of this Choice Remedy; for although some have been Cured of this torturing malady, in taking out of one half pint Bottle of this Drink, yet some require a Pint, and others more, according as the Disease hath more or less seated and rivetted it self in the Body.

The Stone or Gravel in the Kidneys.

IF the Patients pains lye most, either in the Reins or the Flank, it is an Indication, whereby he or she may conclude, the Malady is the *Stone or Gravel* in the Kidneys; then the Patients age and strength of Nature admitting, let him, or her, take the full
dose,

Dose, or three spoonfuls last at Night, and first in the Morning, and presently after it use as much stirring exercise as may be ; and altho' Riding may at that time be burthensome, yet it would prove very profitable and advantageous ; for by using extraordinary exercises and agitations of the Body, divers have been the sooner discharged of this torturing distemper, as hath been experienced by Mr. *Crawley*, (in the printed Sheet of those Drinks Virtues mentioned) who by taking but three spoonfuls of this Drink, and riding ten miles upon it, voided three Stones, each as big as a Horse bean, (as he himself testifieth.)

STONE in the Bladder.

LET the Patient afflicted with the *Stone* in the Bladder, consider the Bigness of it, and take the full Dose of 3 spoonfuls last at Night, and the like first in the morning, continuing the same for three days ; then intermit two Days, and return to it, then taking only two spoonfuls last at Night, and the like Dose first in the morning, which course let the Patient observe, and by the Lord's Blessing, the Stone will be found to waste gradually, and in conclusion, to come away ; but patience is to be exercised, for altho' *Thomas Hinde* voided away the Stone in nine spoonfuls, or three Doses taking, yet that great Stone voided by the said Mr. *Crawley*, was nigh twelve months in wasting, before it could come away, and was then rendered so soft, that it crumbled away between the fingers.

Exulcerations of the Kidneys.

FOR the Exulceration of the Kidneys, rendering the Patients Urine like Blood: Let the Patient keep to the direction of the second general Observation, and so first open and cleanse the Body for two days ; and then for two days, night and morning, take one spoonful or two, (according to the measure of strength) and then intermit two days, and after, take one spoonful at night, and one in the morning, and one an hour after dinner: This method in taking the same, hath, by the Lord's Blessing, been found eminently successful in the healing and cleansing any Exulceration of the Reins or Bladder.

Collick and Gripping in the GUTS.

LET the Patient at any time of Pain, take 3 spoonfuls, which may ease or mitigate the Pain; and if he or she be not discharged of the Pains, let him, or her, take 3 spoonfuls more, five Hours after; but if the Patient be a colive, or corpulent Body; let such a one take a Dose of 4 spoonfuls in the Pain Fit, and (if the Pain continue) 4 spoonfuls more six Hours after; for this Distemper is usually sadly violent, and must be followed close; and his means (thus taken) fails not, by the Blessing of Almighty God, to become Master of this sad Malady. Afterwards (for cleansing the Body of the Dregs of it) let the Patient lessen the Dose, according to Directions of the general Observation.

P H T H I S I C K.

LET the Patient weigh and consider the 3 general observations, and (according to Direction thereof) open and cleanse the Body, for four Days; and after that, take only half a spoonful, when the Cough is perceived coming upon him or her, and one Spoonful an Hour before Dinner; and this Course (followed) will by Degrees gain Power over, and waste the Distemper; yea, and strengthen Nature against it; and this Course may be taken even in Winter, when the Distemper is predominant and strongest upon the Patient; by which means, he or she will (by the Lord's Blessing) find the breath free, and the Cough exceedingly abated, if not taking away: But as to youthful Persons, that are not far gone in this sad Malady, a Pint of this Drink in the Spring, and as much in the Fall (taken as before directed) will (by God's Blessing,) not fail of their perfect Cure. And unto aged People, afflicted with this Distemper, it doth so far aid Nature, and strengthen them, as in the following Winter to render their Lives pleasant to them; provided always, that the Patient be moderate in drinking, have a care to prevent taking cold, and keep a good Diet.

D R O P S I E.

IF it be predominant upon the Patient (known by the bigness of the Belly, swelling of the Limbs and Face) let the Patient take 4 Spoonfuls first in the morning, and the like Dose last at Night, for 4 Days together, then intermit 2 Days, and afterwards keep to 3 Spoonfuls at Night, and the like Dose in the morning.

Scurvey.

S C U R V E Y.

THE *Scurvey*, (known by knots in the flesh, and blue spots in the skin) let the Patients keep to the directions in the three general observations, having due regard to the strength of their bodies, and take the drink two days, intermitting two days, for the space of a month, and then take only one spoonful in the morning, and another an hour before dinner.

S U R F E I T S.

LET the Patient take the ordinary Dose of three spoonfuls at night, and three in the morning, for six times without intermission; and doubt not, but (by the Lords blessing) the same will be found successful to his or her Relief and Cure, though the height of the distemper had brought the Patient very low, and nigh the gates of Death: And I would advise others, and particularly such as are apt to drink much Wine (bad and sophisticated Wines being very frequent and fatal in this City and elsewhere) that they do upon the least illness and indisposition of Body, apply themselves unto this choice Remedy, either the same night, or the next morning, or both; for this Drink is experienced a choice Antidote for preventing of *Surfeits* insensibly stealing upon men, and expelling out of the Body that malignant matter, which is the occasion and rise thereof.

P E S T I L E N C E.

LET the Patient, when first smitten with this Visitation, or with illness accompanied with any symptom of the Distemper (regard being had to the direction of the three general Observations) take three spoonfuls, or less, of this Drink (according to the Patients strength or weakness of Body) and so proceed as occasion shall require; and question not, but (through mercy) the same will be found an effectual means, as well for overcoming the Distemper, as for strengthening Nature, and restoring Health (unless the Patients Visitation be the messenger of Death) as hath been happily experienced, and will be attested by divers persons in my own and other Families, which staid in the City in the time of the last great Visitation, and were Visited, and yet through God's goodness do still remain in the Land of the Living.

Fits of the Mother, and Vapours from the Spleen.

LET the Patient (having regard to the direction of the general Observations) begin with one, or with two Spoonfuls of this Drink, and so continue or raise the Dose, according to what the Patients strength may admit, remembering that the greatest Dose prescribed is not to exceed three Spoonfuls, and let the proper Dose be taken at any time whatsoever, when the Fit is found to be coming upon him or her.

WHen Women, either by reason of taking Cold, or any other accident, find an Obstruction of their Flowers though it be in Child-bed, give them three spoonfuls of this drink at any time, (either at night or day) and through God's Blessing they will find all in good order again; of which excellent virtue, in this drink, divers Women, and my own Wife (when in Child-bed) have found comfortable experience, and will attest to others.

GREEN-SICKNESS.

LET the Patient duly observe the direction of three general Observations, using as much stirring Exercise, as strength will permit; and in four days time, she will, by the Blessing of God, find her Distemper diminish, and in taking of an half pint Bottle, the Cheeks and Lips will return to their former Rose-colour.

CHILDRENS Distempers.

FOR CHILDRENS DISTEMPERS, whether the Worms, Rickets, the Stone, Convulsions, Gripes, Kings Evil, Joynt-Evil, or any other Distemper proceeding from Wind or Crudities; gendred by means of undigested matter, (the effect of their cold and weak Stomachs) which is the grand and original cause of these their distempers: The way of administering this drink must be on this manner; to a Babe of a month old, give (in time of its affliction) half a Child's Spoonful thereof, mixed with double the quantity of small Ale, not exceeding this Dose, nor oftner than once in Twelve Hours time; to a Babe of half a year old, let the Dose be half a middling spoonful of the drink, with double the quantity of small Ale. To one of a year old, one spoonful, with the like quantity of small Ale. To a Child of four years, one spoonful of the Drink alone. To one of seven years old, two spoonfuls, and to one of 12 years old, two spoonfuls and an half; in any of these

these Distempers, not exceeding one Dose in twelve hours, except only in the Gripes, and then, one Dose every five hours; where observe, that in most of these Distempers, it hath pleased God so to bless this means, that two Doses have been found successful to Babes and Childrens Cure: Here note, that the Strength of the Child, and of its distemper, will be a more sure Guide for appointing a proper dose, than the Child's Age.

The Stone in Babes and Children.

AND if the Distemper be the Stone; observe the same direction, in administering this Drink to Babes and Children, of all Ages, as is above prescribed for those under other Distempers; except only, that distemper of the Gripes; and this Drink gradually waists the Stone, and turn Stones to Gravel bringing them away as soft as Meal, and brings away Worms, as Skins; it also brings away a slimy Substance, some black, some green (the cause of these distempers) which manifold experience hath fully confirmed.

Convulsion Fits.

MOREOVER it hath also been experienced, that unto a Child of seven Years old (afflicted with the Gripes or Convulsion Fits in extremity) there hath been found necessary the same dose, as for a Man, being three spoonfuls, and five Hours after, the like dose.

Consumptions, bad Digestions.

LET Consumptive Persons, of either Sex take one spoonful of this drink an hour before dinner, and another such dose, an hour after dinner; for many weak Consumptive Persons have (thro' the Lord's Blessing) experienced the same very successful in strengthening weak Nature, converting their food into good nourishment, and instrumental in restoring their Strength.

Agues.

LET the Patient (an hour before the expected time of the Fit) take three spoonfuls, being at what time soever; and two spoonfuls six hours after: (which done) let the Patient observe the Directions of the second general Observation.

Piles.

LET the person afflicted, diligently follow the Direction in the second general Observation, it having been lately found to be successful.

F I N I S.