An essay on the nature and cure of scrophulous disorders, vulgarly called the King's evil / [John Morley].

Contributors

Morley, John, -1776.

Publication/Creation

London : J. Buckland, 1773.

Persistent URL

https://wellcomecollection.org/works/crjtrk8r


License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org





E A S S Y. On the NATURE and CURE O F SCROPHULOUS DISORDERS, Commonly called the KING'S EVIL; DEDUCED FROM **OBSERVATION** and **PRACTICE**. THE TENTH EDITION With ADDITIONS. AS ALSO, A VARJETY OF CASES; THE REMEDIES IN THEM USED; AND OCCASIONAL REMARKS. To which is prefixed A COLOURED PLATE of the HERB VERVAIN, and its ROOT. Published for the Good of Mankind; particularly the Common People. By JOHN MORLEY, Efq; Of Halftead in Effex. Facts are Aubborn Things. LONDON: Printed for JAMES BUCKLAND, at the Buck in Paternofter-Row. 1773. [PRICE ONE SHILLING.]

AN



[iii]

PREFACE. ons pollible,

mables, cuied ;

A Method of treating scrophulous Dif-orders, or the King's Evil, having been found by me greatly successful, I resolve to continue to publish this new Edition of many Cafes I have had under my Care.

I do it to the End that Sufferers, fo long as God may grant me Life and Health, may know to whom to apply for Relief gratis; or from the Cafes I publish, gather how to cure themfelves and Families; efpecially the Poor: Thereby fteering clear of the many neverfailing Medicines, fo pompoully fet forth in Advertisements.

Those Practitioners in Medicine and Surgery, who have candour enough to own their Skill has been often baffled in scrophulous Cafes, may attend to the Success my Methods have been bleffed with : Thofe, who are fo very learned and felf fufficient as to think they know every thing, may, if they please laugh at me.

What I offer to the Public is the Refult, not only of much Reading, but what is more effential, of many Years Practice on feveral thousand Subjects. Some quite cured ; many greatly relieved ; Limbs condemned

A 2

demned to Amputation preferved; many turned out of Hospitals, as Incurables, cured; as well as others given over by very eminent Physicians and Surgeons.

I shall use the plainest Expressions possible, and point out the most simple and cheapest Remedies poor Persons may procure. I neither mind, or shall attend to, Criticisms. I shall be contented, if by my Description of the King's Evil or scrophulous Cases, where there is no Complication of other Diforders, any one may know them. I have found many very much dislike being told their Case was the King's Evil or scrophulous. Indeed they often are humoured by many of the Medical Faculty in this Disposition, calling it only Scorbutic. This I never do; but tenderly give my Sentiments without Referve; and always conceal names, if required.

All I have related is ftrict Truth : Nor can it be fuppofed, as I take no Money for my Advice, that I wifh to impofe on any One. Moreover, for a Confirmation of what I affert, I have mentioned most of the Persons Names, who may be applied to.

To conclude; I would advise every One not to be disheartened at the Simplicity of the Process, or the Slowness of the Cure; or mix any other Medicines or Prescriptions with mine: For they may defeat the Methods I have laid down, and which have had the Success I shall circumstantially relate,

A

ESSAY

5

AN

On the NATURE and CURE

OF

SCROPHULOUS DISORDERS,

ORTHE

KING'S EVIL:

THE King's Evil is a Name given to a very grievous and obstinate Disease, ever fince Edward the Confessor's Time; because faid to be cured by him and other fucceeding Kings, both of England and France. Above ninety-two thousand Persons are recorded to have been touched for it by King Charles the Second only: With what Success is variously related, disputed, and believed. Those who have time, may read Mr. John Brown, Surgeon to King Charles the Second, his Account of the King's Evil, and other Writers who treat of that Subject. This Difease is either hereditary or accidental. I have found, on a close Examination of Perfons applying to me, not one in twenty without fome Family Taint of it. The loweft Degree A 3 epolaricosti

Degree of this Diforder feems to be the Swelling of the upper Lip, without any apparent Caufe; which I look upon as an infallible Sign of the Evil in the Habit of Body, though no other Appearances. Sometimes both Lips, the Nofe, and Cheeks inflame and fwell; the lower Jaw-bones are often troubled with Swellings on, and about them, and cause bad and rotten Teeth. Frequent Ulcers on the Gums; and many Swellings under the Ears, Jaws, and Chin, and many Parts of the Neck and shoulders; sometimes fmooth, moveable, and not discoloured, or painful; at other Times come to Sores, break, and run much for a length of Time, are healed with great Difficulty, and often break out again, if the Habit of Body be not altered. The Eyes are very frequently fcrophulous, looking inflamed, and of a dead, reddifh, or leaden Colour: and fometimes white Specks on or near the Pupil, or Sight, which generally discharge great Quantities of clear, faltish Water, of so corrosive a Nature, that it takes the Skin off the Cheeks. Often fmall running Ulcers at the inner Corners of the Eye, which discharge a whitish thick Matter, which glues up the Eye-lids in a Morning, fo that they are opened with Difficulty. When these Complaints withstand the usual Methods of Bleeding, Bliftering behind the Ears, Cupping, Setons, and almost numberless Etceteras for Months together, we may venture to pronounce them fcrophulous

fcrophulous. What fome People fancy to be the St. Anthony's Fire, is often a Species of this Diforder. Swelling on the Knees and Elbows, without Redness or Inflammation, vulgarly called White Swellings, fo that the Bones themfelves feem enlarged near the Joints, are to be accounted fcrophulous. When Sores or Ulcers have been long near the Joints or Bones, and will not heal with common Applications, it is a shrewd Sign the Bones are foul or carious: In that Cafe Pieces of Bone, sharp, ragged, and seemingly Worm-eaten, and little Pieces like coarfe Sand are feen on the Plaisters among the Pus: or Matter when taken off. When the Griftles or Cartilages on the Head of the Bones are confumed, then follows a stiff Joint, by the Bones growing together. The Muscles under the Hams, and the Infide of the Elbows, I have often found to have been divided by the Knife, by unskilful Hands, so that the Joint has been rendered useles. I have met with Swellings within the Throat, the Tonfils greatly tumefied and inflamed, threatening a Suffocation, nothing appeared outwardly. This Distemper may shew itself like a Leprofy, with a very thick white fcurf on the Head and elsewhere. When the Diforder falls on the Lungs, beware of a galloping Confumption, as it is frequently called, and is too often fatal to young People, by not attending scrupuously to this Diforder. After the Meafles and Small-pox, weak Eyes and

and running Sores are not unufual, which People feldom think proceed from the Evil; though it is too often the Cafe. A very dry thick crufty Scab near the Elbows, and Toints, is fometimes feen ; which, when removed is foon fucceeded by others of the fame Nature, which are difficult to cure, except the Constitution be mended. The Glands under Womens Armpits frequently fwell or tumefy; and their Breafts troubled with hard, unequal, painful Tumours or Swellings, which have been too often taken for Cancers, and the Knife ignorantly used, to the irreparable Damage of the poor Sufferer. Such Breasts neglected, or wrongly treated, often degenerate into real Cancers, when every one knows the Cafe is deplorable. Should the Bones be foul the Cafe is bad, though not always to be defpaired of : Sometimes the Marrow of the Bone is touched, or the Difease begins in the Bone itself; which may be observed when the Bones themselves seem fwelled about the Heads, and afterwards Sores break out and discharge a thin oily Matter, then is it truly a deplorable Cafe. How often is the Difease conveyed to tender Infants, by scrophulated Nurses, who, till their hidden infirmities are discovered, shall look like the Picture of Health? When Perfons in good Health, free from excess of Humours, and who on looking back find their Parents have been found, flach the Miealles and Emall-pox, weak Eves bas

8)

shall nevertheless find Indications of the Evil in their Children, let them not be aftonished : for it is too common. If, upon a curious Enquiry amongst the Relations of a Family, any of the aforefaid Symptoms have been remembered, though a Generation or two distant, the Complaint may be suspected to be the Evil. It will lie dormant many Years; appearing and disappearing in some Families for many Generations, and shew itself in various Forms, in all Ages, Sexes, and Conditions, from the Birth to the Age of 85, as I have experienced. It shall happen that one amongst numerous Relations, or many Children of the fame Parents, shall only fhew it in one Instance, and all the rest. be free and clear. In short, this Difease appears in fo many Forms, that it would be almost endless to attempt an entire Description. I think what has been faid fufficient to inform Mankind what in ordinary Cafes is the fimple King's Evil not complicated. All these, and such like Complaints, are removed by much Time, Patience, and a steady Adherance to my Directions; even for Years in some Subjects. One constant Method I use to every Patient, without Diftinction, let their Complaints be what they will. If, upon examination, I have Reason to suspect them to be scrophulous, is to give them a Piece of fresh common Purple Vervain Root, about three or four Inches long, and about the Size of the Patient's little Finger, 36

Finger, if Men or Women, to young Children and Infants as large as their Thumb, and fo in Proportion, but not lefs; because it thrinks much, and contains but little Virtue. Many Patients have been grofly imposed on, by the Venders of these Roots, who quote my Name to deceive the ignorant Buyer, and I must repeat it, that if a Vervain Root is not that Bigness I recomend, People are greatly deceived, and have little or no Benefit at all from it. Let the Buyer take Heed. All the Fibres are to be cut off fmooth, and as little of the Rind as poffible, to be worn always at the Pit of the Stomach, tied with a Yard of white Sattin Ribband, half an inch wide, round the Neck of Men and Women of an ordinary Stature : If taller an Ell will be wanting; and Children in Proportion. To the better Sort of Females, I propose the Ribband to be fastened through an Eyelet-hole or Loop in the Bofom of the Shift, and fo worn, which will be no Eye-fore. A Quarter of a Yard of Ribband will be enough; but no other coloured Ribband is proper : becaufe the Dye in fome colours may be prejudicial. The Root must never be wetted, not when fresh gathered, but wiped clean with a dry Cloth. It must not be fown up, or covered with any thing, but always worn naked at the Pit of the Stomach. If after wearing, the Ends of the Fibres flick out and hurts or pricks the Stomach, they must be be

10)

(II) harp Knife, as a

cut off with a sharp Knife, as at first. I always cut a little Notch round the upper End of the Root, and tie the Ribband with a double fast Knot, lest it flip out and be lost. When it has been worn a few Days, it will shrink, by the Heat of the Stomach; then the Ribband must be tied faster. A Buckle or Button on the Bofom of a Man's Shirt, will be convenient, to keep the Root next the Skin, as well in Bed as up. Obferve the Root be not decayed or rotten, but fresh and green when applied; and it is neceffary to have a fresh one every Spring and Fall. When I put this Root about the Patient's Neck, I am not ashamed to fay, " Pray God give his "Bleffing to these my Endeavours, *" or fome fuch short Ejaculation; not by Way of Charm, or fuch like Nonfenfe, but to remind the Patient of our Dependance on the Divine Help, co-operating with the natural Means he has provided for our Comfort and Relief : and furely there is as good Reafon to beg his Bleffing on this, as on our daily Food. Here in fome of my former Editions I was at fome Pains in noticing how this Ceremony, if fo it might be called, had and might caufe Laughter. I will now only fay that the joyful Testimony of the Cured through my Means, is a much greater Heartfelt Satisfaction to me than the Derifion of all others will ever give me Uneafinefs. The experience I have had of the good Effects

* See Ecclef. Chap, xxxviii, Verfe 14. 1

Effects of the Vervain-Root is enough for me; neverthelefs, I will just mention that the great *Boyle* in his Effays has treated of the strange Subtilty of Effluvia; how specific Medicines are reconcileable to the Corpuscular Philosophy, and how advantageous simple Medicines are.

This Root being of fuch general Use in all Stages of the Evil, it will be proper to give a plain Description of the Herb Vervain, the Place and Manner of its Growth, that it may be easier found and known by the common People. The common Vervain grows with a fibrous or stringy Root, of a light brown Colour, very hard, of a bitterish Taste; sends up Stalks, many half a yard high, fquarifh, folid, fomewhat rough, of a purplish Green, and branched : the Leaves fland upon the Stalks in Couples over-against each other, hairy on both Sides, wrinkled, and jagged with deep Cuts, and wide towards the Stalk End, fomething like Oak Leaves when half grown, of a deeper green above than beneath. The Flowers are ranged in long Spikes, of a very pale Purple, divided into five Parts at the Top, fucceeded by four fmall longifh Seeds joined together. The Flower is very fmall, the two uppermost Segments appearing like a Creft, and turned upwards. It grows very often in Highways, Court-yards, chalky, gravelly, and ftony uncultivated Places, and blows in July, August, September, and October. Some call it the Holy Herb; in Latin lof. Chap, alliville Velle 14.

Latin Verbena; in Welsh, Cas gangythrel. All the Herb is very bitter and aftringent. It is much celebrated, for almost numberlefs Virtues, by ancient Authors. By the Moderns hardly noticed; not being fashionable in the prefent Practice. This Plant, by a Chymical Analyfis, yields feveral acid Liquors; Abundance of Oil; pretty much volatile concrete Salt and Earth : It is therefore probable, that it contains fome Sal-Ammoniac, united with a good deal of Sulphur. It is vulnerary, cleanfing, and opening. The other Medicines and Applications, with their Preparations, fuch as common People may manage, will be found in the following Cafes.

CASE I.

PHILIP WINTERFLOOD, late of Halfted, in Effex, a Journeyman Barber, aged 35, formerly living at the Sign of the Peruke, opposite the White-Horfe, at Mile-End, near London, who was a fat Man, was for eight Years miferably afflicted with feveral strumous Ulcers under both Breasts: some were above an Inch deep, discharged much foul corrupted Matter, had done so for Years, could get no Help, and had the Evil hereditary in his Family many Years. This poor Man was in Halfted Workhouse, where his Diet, and Attendance were not of the best. The first Thing

Thing I did was to give him the Vervain Root to wear about his Neck, and ordered him fome gentle Phyfic once a Week. To wit, Syrup of Rofes one Ounce, Manna one Ounce, diffolved in a Pint of skimmed Milk, for one Dofe : Sometimes he got it, fometimes he did not. I gave him a Phial of Liquor to wash his Sores Night and Morning, of Vinegar one third, Red Port Wine one third, and Vervain Water distilled one third; fome Ointment to fpread on a Rag, and lay on the Sores after washing them. The Ointment was made with green Vervain Leaves with about a fourth Part of House-leek Leaves both bruifed, and boiled in Pork Lard, till it was of a good Confistence, and all the Watry Part wasted, then strained and kept for Ufe. It may be made ftronger by boiling the fame Quantity of Herbs in the fame Liquor as before, Note; instead of distilled Vervain Water, which poor People cannot fo eafily procure, the Infusion of the Vervain Leaves may be used; that is, hot boiling Water poured upon the Herb, like Tea, and covered; when cold may be used. in its Stead. This Method cured this Man in fix Months, nothing elfe was used, and he continues well for aught I know to this Day.

VASCII VII

of the bell. The man

CASE

(14)

CASE II.

ton blues on an

(15)

Robert Heatherly, Son of the Reverend Mr. Heatherly, late Minister of Clavering in Eslex, formerly Master of the School in Christ-Hospital, London, aged Twenty-three, was an Out-Patient of St. Bartholomew's Hofpital for the King's-Evil, had the fecond Joint of his Thumb fo affected, that the Bone came out, and many other Sores healed. up and feemed cured : Not long after, the Diforder fell into both his Eyes, with fome fmall unbroken Tumors in the Neck and under both Ears, and had been blind fome Months. He came to me with his Eyes covered; has been well fome Years, and is now in the Excife. I gave this man a Root; ordered him a gentle Purge of half Manna and Half Syrup of Rofes, in thin Milk, once a Week, for three Months; to leave off all Covering to his Eyes, and wash them often with cold Spring-Water, dropping fome into the Eyes; this reftored him perfectly to his Sight.

CASE III.

Ann Nunn, Daughter of John Nunn, Farmer, near Laindon-hills, in Essex, aged Twenty-one, had a large scrophulous Tumor opened on the right under Jaw-Bone by Mr. Earl, of Hornden; it discharged mostly

2

a thin watery Matter; but as he could not heal the Wound, fhe came to me. I gave her a Root, and ordered fome gentle Purges, but no Salts, for I always find them bad in fcrophulous Cafes, and gave her fome Vervain Ointment for the Wound, which foon healed it up.

CASE IV.

Elizabeth Reynolds, Wife of Joseph Reynolds, of Halfted, Farmer, aged Twentyfive, came to me with her Lips much fwelled; it had been coming three Years; the infide of the Nofe and upper Lip broke out and very fcabby, and a large uneven fcrophulous Tumor had been encreasing three Quarters of a Year, under the right Ear, and feveral fmall Swellings on the Left Side of the Neck. I dispersed all the Swellings, and cured her other Complaints in fix Months; fince which the had no Returns. First I gave her a Root, and purged her with gentle Physic. I also gave her fome Vervain Ointment for the Lip and Nofe, and ordered her to take fome green Hemlock Leaves, bruife and apply them warm once a Day to the large Tumor : In fix Weeks the Tumor was greatly diminished; but as the Hemlock worn constantly fomewhat affected the Head and Eyes, I ordered it to be applied only at Night and to lay on till the Morning, which in two or three Months reduced the Swelling entirely 53

tirely, all the fmall Tumors vanished, and were quite cured. *Note*, if the Hemlock affect the Head, as it fometimes will do, if applied near the Head and Neck ; fome gentle Phyfic must be often used, or the Quantity of Hemlock leffened. If neither will do, leave it quite off.

CASE V.

William Ardley, Weaver, of Coggeshall, in Effex, aged Forty, had been much troubled with the Tooth and Ear-ach; afterwards a Sore broke within-fide the left Cheek and discharged near a Pint of stinking Matter, at feveral Times, then a large Tumor arole on the left Jaw-bone and broke into three Ulcers outwardly, and discharged much Matter. The Sore within the cheek healed up, when it was with difficulty he could open his Mouth. I gave him a Root, and ordered him once a Week a Purge of Jalap, five or fix Grains, more or lefs, as it operated; two Motions a Day fufficient: Applied to the Sores without Side the Cheek a Poul tice of white Bread, Milk, white Lill Roots, and Grounfel, all mashed togethery and laid on warm Morning and Night ;, this fufficiently digested the Sore, then I healed it up with the following black Plaifter. Take white Lead finely powdered two Ounces, Olive Oil, four Ounces, mix these in a large earthen Pipkin; boil ov

a flow Fire, ftir all the while with a Piece of Lead till it grows of a deep brown or blackifh Colour. This will take an Hour or more. Let the Pipkin be about a Quarter full; left it boil over, which it is very apt to do. Let it cool in a Gally-pot, and keep it for Ufe. When you want it, warm the Point of a Knife, and fpread it pretty thick on black Silk or Linen Rag, apply it warm, and it will flick, if not too much boiled. Do not pull off the Plaifters left you hurt the Sore; when it falls off itfelf, apply a frefh one as long as wanted.

CASE VI.

Deborah Alkon, Wife of Thomas Alkon, of Heney, in Esfex, aged Twenty-four, came to me with a running Ulcer about the middle of the outfide of her left Thigh, which had been healing and running for ten Years ; a fmall Ulcer near the left Breaft, and fmall Kernels, fometimes about the Neck and Throat, which shewed the complaint to be fcrophulous: fhe had been twice falivated, and much done to little purpose. I gave her a Root, ordered Rofe Leaves boiled in Whey for a gentle Purge once a Week, to wash the Ulcers twice a Day with a ftrong Infusionof Hemlock Leaves, and to apply a Rag fpread with Elder Ointment over them. About two Months after, file felt a piece of Bone very loofe: I ordered her then to. apply

apply much Lint, wetted with the Infusion Morning and Night, and the Elder Ointment as before. Three Weeks after, the Point of a Bone flicking out, the herfelf, with the Point of a Penknife, enlarged the Wound, took out a Piece of Bone, and examining the Wound with her Finger, took out two more Pieces, followed by much Blood : A Week after, she brought the three Pieces to me; the Wound looked clean, healed up in a Month's Time; the has no Lamenefs, walks well, enjoys good Herlth, and feels no more Prickings or Signs of any more Pieces of Bone. Two of the Exfoliations are each two Inches and an Half long, and one Inch broad, the other two Inches long and three Quarters of an Inch broad ; weighing altogether a Quarter of an Ounce. Some Parts looked black and some white, and as if Worm-eaten. The whole when laid together measured seven Inches. Note, Elder Ointment is made in the Spring, by boiling the young Leaves in Mutton Suet till the Moifture is wasted, or in Pork Lard. To make it frong, add the fame Quantity of Leaves as before, after straining the first Leaves from the Liquor, and repeat this three Times. In Winter, when no leaves, take the tender Bark of the last Snmmer's Shoots, fcrape and boil them as above, and keep for Ufe.

(19)

CASE

B2

CASE VII.

site shire buttone toil doug

Robert Russ, aged Twenty-three, Son of Mr. James Russ, Quarter-Master of Sir Robert Rich's Dragoons, was quartered at Chelmsford, in Effex: He was bit by a Monkey on the left Side of his Neck : it was fore; he had many scrophulous Swellings appeared under his Chin and round about his Neck, hard, and oftentimes very painful, and many fmall Puftules breaking out like a falt Humour in many Parts. I gave him the Vervain Root to wear about his Neck, and ordered him a gentle Purge of Jalap, in thin Milk, once a Week; the other fix Days to take a Dram of Antimony finely powdered, or levigated, mixt with the fame Quantity of Loaf Sugar beat fine, to wash it down with a Quarter of a Pint of Ground-ivy Tea, to continue this Course fix Months, and to use Vervain Ointment to the Sores. An Acquaintance of his, whom he recommended to my Care, affures me he told him he had the Happinels of being perfectly cured, with God's Affistance, and declares, no other Remedies he had ever used, had any Effect, but mine .- This was feveral Years after the Cure.

CASE

CASE VIII.

21)

John Butcher, of Bocking in Effex, Bay-Weaver, aged Thirty. He first felt a dash-ing Pain strike suddenly into the lower Joint of the Fore-finger of his right Hand; and in about a Month, all the other Fingers and Thumb were affected in the fame Manner; and so contracted, that he could not stir them even with the other Hand, without great Pain. No Discolouration, or any perceivable Tumour, Swelling, or preternatural heat, to the Touch of himfelf or others. This Man I reftored to the full Use of his. Hand, Fingers, and Thumb, by the following Method : I gave him a Root; ordered a Purge of Rofe Leaves, boiled in Whey, once a Week; directed him to boil Cabbage Leaves bruised in Water; bathe his Hand in the warm Liquor, Morning and Night, for half an Hour at a Time, and to rub all the Joints, after bathing, with the Vervain Ointment. This Man had feveral Relations troubled with the Evil; I therefore treated him as a fcrophulated Patient, and cured him in two Months. He was discharged from the Essex Militia, as unfit; but after Cure admitted again.

was quite well. This by many, is called

B3 CASE

CASE IX.

22

Robert London, Son of Robert London, of Bradfield Combust, in Suffolk, aged Thirtytwo, had a Fever which held about a Week. Three Months after, thirteen Tumors role about the Legs, Thighs, and Buttocks, had been all opened by a Surgeon, and discharged so violently, that he was reduced to a meer Skeleton. He was brought to me in a Cart, with a Bed in it, being unable to move Hand or Foot, or to be moved without great Trouble. I went to the Cart; he looked like a dead Corple; his Stomach was gone, and his Vifage very ghaftly, This Man's Sores were all tented, which I ordered to be pulled out; all the Dreffings to be laid afide; all the Sores to be gently fyringed twice a Day with a ftrong Decoction of Hemlock, Milk-warm, dry Lint to be applied, and left it should stick, Elder Ointment spread on a Rag over all. I moreover ordered him daily half a Dram of Antimony, finely powdered, with an equal Quantity of Loat Sugar, and to wash it down with Ground-ivy Tea. I also put a Root about his Neck. In three Weeks Time his Stomach returned; his Sores began to heal; and in two Months the Surgeon wrote he was quite well. This, by many, is called the Running Evil.

CASE

CASE X.

and the Diff. and forme-

(23)

Susun Ottley, of Bocking in Estex, fingle Women, aged twenty-fix, came to me with almost numberless Ulcers and fungous scabby Excrecences from the Top of the right Shoulder down below the Nipple of the right Breaft, all hollow likean Honey Comb. She had a deep Ulcer on the infide of the Arm, near the right Arm-pit, one near her Shoulder, one within-fide the Arm about three Inches above the Elbow, and one almost under the right Buttock, bad Stomach, bad Health and Complexion, had this Difeafe hereditary; had one Sister died of it; another had it in her Eyes, of which I cured her. This Perfon came and lived near me, fo that I faw her once in eight or ten days, and I effected the Cure in the following Manner : I first gave her a Root, and applied a Plaister of Sperma Ceti and Sallad Oil, to the Scabs on the Shoulder Neck, and Breaft, which made them fall off; afterwards I applied the Black Plaister, as in Cafe V. which being changed and renewed, as occasion required, at length healed up all the Sores. All the Time of her Cure I gave her daily a Dram of Antimony, finely powdered mixed with half a Dram of Loaf Sugar, and to drink a Cup full of Ground-ivy Tea after it. If it gave more than two Stools in twenty-

B4

four

four Hours I leffened the Dofe, and fometimes increased it as I found her body in order. I continued this Course many Months; all her Sores are now well, she has a good Stomach, a healthy florid Countenance, and stomach, a healthy florid Countenance, and fo likely to continue. I advised her to purge gently every Spring and Fall with Jalap three or four Times.

(24)

CASE XI.

right Breath, all hollow like an I tough the

Mary Bingham, Wife of Adam Bingham, Husbandman, of Creffing, lately living at Patifwick in Effex, aged Twenty-eight, was led to me having been totally blind for twelve Months. Both eyes looked as almost covered over with Cobwebs of a dead leaden Colour, run much fealding Water, mixed with a white thick Matter from the Corners of her Eyes, and almost continually dashing Pains about her Forchead, with many scrophulous Breakings out, about the Corners of her Mouth, and feveral other Places. I gave her a Root of Vervain to wear about her Neck, ordered her to purge once a Week, with dried Damafk Rofe Leaves, boiled in Whey; gave her a phial of diffilled Vervain Water, to drop five or fix drops cold into each Eye; four or five Times a Day, and to Wash them every Morning with the coldeft Spring Wawerden and the start of the start over atter,

f. C.

31.02

ter. This Method, in a few Months, reftored her Sight, fo that fhe can now fee to fpin, and do any common Work. Three Years after fhe fhewed me her right Breaft very hard and full of Pain; this I judged to proceed from the old Complaint, for Want of proper Care. I ordered her to poultice it with Half white Nettle Leaves, and Half Elder Leaves, warm, Morning and Night, which reftored the Breaft to be as well as the other. This Cafe fhews this Diforder is fubject to Return, without due Care and Caution.

CASE XII.

Eleanor Bullmer, kept the Golden Lyon in Newmarket, Suffolk, aged 55, had a violent Rash game out all over her, then fell into the left Leg, and produced a very large foul, deep, stinking Ulcer, almost all round the Small of her Leg, five or fix Inches long; the Muscles that ferves to bend the great Toe and Foot upwards, bare and dry as a Horn, an Inch or more in Length, and grown about with much proud Flefh. This Woman had not been able to ftir off her Couch, for a Year and an Half without great Difficulty, and two flilts under her arms. A great Phyfician told her, if the went to an Hospital, the Ulcer might be healed in two Months, but in all probability it would kill her. Living at Newmarket, feveral Phyfiin twoity-four Floins are fulfil cians

cians faw her after I took her in Hand. The Mufcle of the Leg is rotted out, fo that the cannot bend her Foot upwards, and must always go limping. She goes about her Houfe without Crutches, but now and then uses an under-hand Staff, especially up Steps. The Ulcer is now very clean, and not above the Bigness of Half a Crown; the Woman is in good Health and Spirits, and able to manage her Houfe herfelf, having, fince I first faw her, lost her Husband. I gave her a Root, judging the Cafe fcrophulous, and ordered the Ulcer to be cleanfed twice a day from its Filth, with a Decoction of Hemlock, and then to apply the Herb bruifed with Pork-Lard and fine Oatmeal, warm, as a Poultice, fresh twice a Day as long as wanted, and at the fame Time to use the following Diet-drink, to wit, Take Senna four Ounces; of tharp-pointed Dock-Root, Half a Pound; great Water Dock Root, Half a Pound; Polypody-Roots Half a Pound; all fliced very thin; Crude Antimony grofy powdered, one Pound, and tied up in a Rag : Boil all in three Gallons of Sweet-wort, till one Gallon is wasted; strain it when cool enough; work it with a Spoonful of Yeaft; add white Nettles, green Broom, and Groundivy, of each bruifed a Handful; let all work together: when done, ftrain and bottle up close for Use. Of this Liquor she drank a Coffee-Cupful Morning and Night, and was to increase or leffen the Dose as it operated; two Motions in twenty-four Hours are fufficient. fhe found great Benefit by it. She was alfo to anoint her Leg round the Ulcer with Elder Ointment. As the Ulcer is now brought to good Condition and fmall Compafs, I think it much better for her Health, at her Time of Life, that it continue open, rather than heal it quite up. Note, It is beft in Summer Time to make but Half the Quantity of Diet-drink at once, left it turn four and vomitive; it must then be thrown away and fresh made. I cured her Son of the Evil in his Eyes at the fame Time; and in the Manner as related in Cafe II.

CASE XIII.

prisco v. o vigot .v

John Nicolls, Son of Zachariah Nicolls, Miller, of Little Ashen, near Dunmow, in Effex, aged Seven, had a fcrophulous Swelling on the great Toe of the left Foot; feveral fmall running Ulcers on the fame, which discharged a thin, corrosive, watery Humour, for Half a Year, and the Evil a little in the left Eye. I gave this Child a fmall Root; ordered Syrup of Rofes and Manna, equal Parts, in thin Milk once a Week, for a gentle Purge ; to wash his Eyes with the coldeft Spring Water every Day, and a Cataplasm of a Garden Snail out of a shell, beat to a Mash, with the same Quantity . of Garden Parfley, applied to the Toe, fresh twice in twenty-four Hours; this perfectly cured the Diforder in three Months.

CASE

CASE XIV.

cient. Ine found groot Benefit by it.

(28)

- Matthew Byford, Son of Abel Byford, of Little Stamford, in Effex, aged Eighteen, had a large Tumor arole on the upper Part of his left Thigh, which had became an Ulcer, and run much thick Matter. An Inch above the Ulcer was a very red inflammatory Swelling, which feemed to communicate with the Ulcer. I gave him a Root, and ordered to purge once a Week, with equal Parts of Manna and Syrup of Rofes, diffolved in Cheefe Whey, for two Months, and to inject a Decoction of Hemlock into the running Ulcer; then to apply a Poultice of Half white Nettle Leaves, by fome called Archangels, and Half Elder Leaves, beat into a Mash, with a little Pork Lard and fine Oatmeal, fresh and warm, twice a Day, over both Ulcer and Tumor. In three Months a perfect Cure was made.

CASE XV.

Elizabeth Golden, Wife of John Golden, of Water Beauchamp, in Elfex, Hufbandman, had a most violent hot falt Humour in her left Leg, which broke almostinto numberless Water Bladders; itched much, was greatly inflamed; and the Flesh hardened the Insi de of he Thigh on the fame fide began to be affected in the like Manner. I advised her to drink Halt Half a Pint of Tea, made with the common red Dock Roots fliced thin, Morning and Night, or boiled in Cheefe Whey; then to wafh her Leg and Thigh all over with an Infufion of Green Hemlock Leaves, and to anoint the fame with Elder Ointment; in three Months fhe came to me almost well; but complained of a Coldness at her Stomach, for which I ordered a gentle purge of Jalap, with a little grated Ginger once a Week. About two Months after fhe came to thank me, being quite free of her Complaints. Nate, No Root prefcribed, as I thought it more fcorbutic than fcrophulous.

CASE XVI.

mo x

Edward Howlet, of Burnham, in Estex, Husbandman, aged 30, had a Tumour that appeared and disappeared at Times near the right Jugular, for a Year; afterwards it fwelled as large as a Halfpenny Loaf, then was poulticed by a Surgeon's Direction, but it did neither supurate or disperse, but was opened : some Part cut away, and discharged a little thick bloody Matter. It had been cut eleven Times, as fast as the Fungous kept growing, and discharged much of the same Sort of Matter. When he came to me the Fungous was large and flat, with thick Edges like a Cake laid on the Part; the Edges were ulcerated, it was three Inches in Diameter, and one Inch thick, the Man well in every other

other Respect: As I apprehended this to be a scrophulous Case, I gave him a Root to wear at his Stomach, ordered to purge gently twice a Week with Damask Rose Leaves, boiled in Cheese Whey, to apply Slips of black Plaister, as in Case V. to the Ulcers round the Edge of the Fungous, and over all, the Hemlock Leaves bruised and very hot, twice a Day. He was in a Month much mended; in three Months the Fungous almost wasted; and fome Months atter he came to shew me, he was quite well, not the least Remains of the Fungous or any Ulcer, but the Neck smooth and even, and no Complaint whatever.

CASE XVII.

Elizabeth Hart, Daughter of Thomas Hart, of Earls Colne, Effex, Husbandman, aged Twenty, had a Swelling on the Windpipe, which comprest it so much as to cause a great Difficulty in fwallowing, her Throat very fore within-fide; had been increafing two Years, her Lips often cracked and bled. I gave her a Root, directed to purge gently often, with Syrup of Rofes and Manna in Cheefe Whey or thin Milk, and to apply a Poultice of a Garden Snail and Parfley bruifed, fresh Morning and Evening; this produced many small Pimples, which difcharged some little watery Matter, then difappeared, and others in a Day or two in like

like Manner fucceeded, until all the Humour was difcharged, and the Swelling quite gone. I moreover ordered her to bruife eight or ten Millepedes or Sow Bugs, make them into a Pill with fresh Butter, and going to Reft to let it lay at the Root of her Tongue, so as to melt gradually, till the Soreness within-fide the Throat was no more; these Methods in three Months removed all her Complaints.

CASE XVIII.

fwelled, and all the lower Parts of her

Joseph Traylin, of Toppesfield, in Effex, Cooper, aged Forty, had feveral Tumourst and Ulcers on the Back of his Right Hand, which rendered it useless, and some small Swellings about his Groin and Arm-pits; has the Evil ftrong in the Family; found not Help from the Surgeon, fo came to me; L gave him a Root, and ordered to purge weekly for fix Weeks, with Damask Rose Leaves boiled in Whey, fweetened with Manna, and to apply a Poultice of White Nettle Leaves beat to a Mash, with a little Pork Lard, and fine Oat-meal, fresh and warm twice a Day, to the Back of the Hand; in a Week he found great Benefit, and in a Fortnight more, the Swellings on the Hand were all down and well; he came about two Months after, his Hand quite firm and well, and all his other Complaints gone.

CASE

teron

CASE XIX. moncover ordered hor to build

2008

The Manner Incoreded, until all the IIa-

(32)

Mary Tyler, Wife of William Tyler, of Halftead, Husbandman, aged Thirty-fix, had the Evil breaking out all over her at Times, for many Years. When the came to me had both Lips monftroufly fwelled, and her Mouth fo very fore, that it was painful for her to get her Victuals into it, her Nofe fwelled, and all the lower Parts of her Face and Chin almost one intire Scab, with many scrophulous Breakings-out on the upper Part of her Face; all her Neighbours told her she ought, for Shame, to cover her Face when the went into the Street; the had many other Breakings-out of the fame Kind on both Legs and Arms, which were all very much inflamed. I gave her a Root, and ordered gentle Jalap Purges twice a Week; and for constant Drink, a Handful of Ground Ivy Leaves, and about an Ounce of common Red Dock Roots fliced thin, and boiled in two Quarts of Water, covered, till a Pint is boiled away, ftrained and kept for Drink the next Day, and fo constantly, except she purged; the Mouth to be washed twice a Day with an Infusion of green Hemlock Leaves, and all Scabs on the Face, Legs, and Arms, or other Places likewife; but to be careful she swallowed none, or touched her Eyes; then to anoint with the Elder Ointment. As she lived by me, I faw her frequently frequently, and fometimes found it proper to add Half Hemlock Ointment to the other, that is made by boiling the green Leaves of Hemlock, bruifed in Hog's Lard, and ftrained: If it wants to be ftronger, boil the fame Quantity of the Hemlock Leaves in the fame Liquor two or three Times. She is now well, and her Face clean and fmooth, and no fcrophulous Symptoms. *Note*. All Ointments fhould be boiled in earthen Pots; for Metal is corrofive.

CASE XX.

The next Cafe I shall give as drawn up by the Patient himself.

I John Hickman, Gardener to the Right Honourable Lady Bateman, at Yeldham, in Effex, aged 50 Years; fix Months fince, having a violent rheumatick Pain Aruck into my Right Arm and Hand, with great Weaknefs, my Hand grew very thick, and my Fingers flood out fliff and immoveable, and quite useles, that I could not lift my Hand to my Head, nor take up an Ounce Weight off the Table with it; the Flesh pitted much, without Heat or Discolouration. I had a fmall Ulcer on the Wrift near my Hand. I was advised, and had a Letter of Recommendation to the most eminent Surgeons in London, to whom I applied without any Success. After I came Home, I

I was advifed to apply to Mr. Morley, and three Weeks after I had been with him, I could ftir my Fingers, and in ten Weeks Time the Swelling of my Hand was wholly gone, the Ulcer is entirely healed, and now by the Bleffing of God I can use my Hand and do my Work as usual, and never was in a better State of Health in my Life : as witnefs my Hand.

February, 1766.

JOHN HICKMAN.

This Perfon was cured by the following Method. I gave him a large Vervain Root to wear at his Stomach, and directed him to purge once a Week with ten Grains of Jalap, and as much Cream of Tartar, and leffen the Quantity if more than three or four Motions. I directed him to boil Half a Pound of Salt-petre in a Quart of Spring Water to a Pint, and to apply Cloths three or four Times double, wetted in the Liquor pretty warm, three Times in twenty-four Hours, a Quarter of an Hour at a Time. To wrap up the Hand in warm Flannel, and alfo to have a Flannel Sleeve tight on the Arm: gave him fome Vervain Ointment to the Ulcer, and afterwards a Piece of Black Plaister, which made it found and well.

C A S E XXI

A young Gentleman in London, aged 26, falling down on both Knees caufed a white lymphatic

lymphatic Swelling on his right Knee, notwithstanding the following Means had been used, as he himself told me, without Effect. First the Knee was treated as a common Bruife, and rubbed with Oils; afterwards poulticed with white Bread and Milk, Lees of Beer, near a Month; then fomented with an Infusion of Camomile: next a Blister, which run but little; then Leeches applied twice, fix at a Time; was at Bath, afterwards at Southampton, went through the ufual Methods at both Places; after all nothing touched the Swelling. He had alfo a fmall fcrophulous Tumor, red and enflamed, on the Point of the Breaft Bone. I gave this Gentleman a Vervain Root, ordered fome gentle Phyfic once a Week, and to foment the Knee with a Decoction of green Hemlock Leaves, Morning and Night, for Half an Hour at a Time, warm and afterwards to apply the Herb bruifed, all over the Knee, and to lace it on with a Knee Pieces Some Months after, he wrote to me as follows : ' I am fure all the Pleafure I enjoy, " is totally to be attributed to your Kindnefs, · for had I not been fo happy as to have been " under your Direction, most likely I should · not have gained the Use of my Limbs fo ' foon.' In another Letter he fays, ' I am · furfprifingly recovered in Regard to my Knee.'

(35)

CASE

CASE XXII.

(36)

A little Girl in London, four Years old, had a fcrophulous Ulcer on each Arm : both had been dried up, by the Use of the Bark, by Order of one of the principal Phyficians in London. Soon after broke out a deep Ulcer on the Calf of each Leg: these were cured by fome gentle Phyfic and a Vervain Root at her Stomach. Some Time after, neglecting to wear the Root as directed, the Humour fell into both her Eyes, which was foon removed by a fresh Vervain Root. I have had very frequent Inftances of People leaving off, or loofing their Roots, thinking them very infignificant, the Difease has returned; but by Application of fresh Roots, their Complaints have again disappeared: In some People this has been the Cafe three or four Times. These are certainly convincing Proofs of the great Efficacy of the Vervain Root, in scrophulous Complaints.

CASE XXIIL

A Lady in Norfolk, about twenty-five, had a large fcrophulous Tumor near the Left Ancle, and pricking dashing Pains in her Joints. When I first faw her, she bathed daily in the Salt Water; which had fo swelled and inflamed her Leg, she could hardly stand. I beg'd her to leave off bathing, which she did; in forty-eight Hours states the found Eafe; and fome Months after, I had a Letter from her, that her Complaints were by my Directions entirely removed. I cured this Lady by anointing the Tumour with the following Ointment. Pomatum one Ounce, Flower of Brimftone one Dram, Salt Prunella Half an Ounce; this foon cooled the Inflamation. I gave her a Root, and ordered gentle Physic. This Cafe thews the bad Effects of Salt Water Bathing, in fcrophulous Diforders.

C A S E XXIV.

A young Lady in Norfolk, aged Twelve, had a fmooth flattifh Tumour about the bignefs of Half a Crown, gathering above the Nipple of the Left Breaft: fhe had been under the Care of a judicious Phyfician, without any apparent Advantage. I gave her a Vervain Root, and ordered a Pint of Milk to be boiled and fweetened, with a Table Spoonful of clarified Honey, and taken in four Draughts; in the Morning fafting, at Eleven, at Four, and one at Bed Time; taking thirty or forty Millepedes with the firft and laft Draughts. This diffolved the Tumour, without any Return.

Names in this, and the three preceding Cafes, as defired, are omitted.

This Effay, by its Bulk, would become too coftly for common People, fhould I have leave to give an Account of all those whose C 3 Cures Cures teftify the Success of my Method. However, as what will cure the Poor, whose Welfare I have much at Heart, will also the Rich, the Cases I give of the Poor, may briefly serve for the Rich. Unhappy I am when applied to in the last Stage of the Evil and scrophulous Diforders, after repeated unfuccessful Trials by others: yet even then have I faved both Life and Limbs. I shall mention two Cases more, to shew the good Effects of Hemlock in scrophulous Cases.

CASE XXV.

Peter Raven, of Earls Coln, Effex, Labourer, aged Forty, was in the Workhouse when he applied to me, and gave me the following Account : ' Eight Years fince fe-· veral dashing Pains struck into his right Breaft, which in an Hour's Time fwelled s as big as his Fift, without any Strain or ' Hurt that he remembers ; it was poulticed ' for nine Weeks without any Effect, the Sinews of the right Arm contracted, the Swelling on his Breaft kept increasing for feven Years, and was bigger than his Head; at length broke of itfelf, and difs charged a Quart or two of white thick Matter; and Numbers of other Ulcers apgeared all over the Breaft, which kept running t hear a Year.' When he came to me, he was feemingly in a deep Confumption, with a very bad Cough, emaciated to a great Dez gree;

gree; to all Appearance in a dying Way, and smelt most filthily: I think never was a more deplorable Object. I ordered him to take a Dram of green Hemlock Leaves fresh every Day, bruise and boil in a Pint and Half of Cheefe Whey, ftrain, take one Half fasting, the other at Night going to Reft, washing all the Sores first with a strong Infusion of Hemlock, and then to apply Elder Ointment on a Cloth all over his Breast; he came in a Fortnight's Time, his Cough gone, his Stomach good, Colour returning, and flept well; a Month after, I added Half Hemlock Ointment to the Elder Ointment, and in fome Months compleated the Cure. He is now out of the Workhoufe, and maintains himfelf by his Labour; is married, and has a Child fince his Cure ; no other Method was used. Note, He had no Vervain Root. This Cure must be attributed to the Hemlock only.

CASE XXVI.

John Newton, of Halftead, Effex, Weaver aged Thirty-eight, a Year before he came to me, had a Humour broke out on the lower Part of the Shin of his left Leg, with many fmall Pimples, with white Heads, afterwards ran clear Water, and broke into a large deep Ulcer, fo that the Bone was vifible, with much fungous Flesh at the Bottom, the Leg and Foot fwelled, pitted much, fo C 4 very very lame he could not come to my Houfe, a Mile only, except on Horfeback. I ordered him gentle Jalap Purgatives, thrice a Week at first, then twice, then once as he mended; and directed him to take a large Handful of green Hemlock Leaves bruifed, put into an empty Firkin, and pour a Gallon or two of Water from a Smith's Forge, scalding hot on them; then to put his Foot and Leg into it, as deep as the Veffel would admit, not when fcalding; and to keep it in the Liquor Morning and Night a Quarter of an Hour at a Time. Then to take a fresh gathered Carrot, wash and rasp it; squeeze the Juice out with the Fingers, warm the Rafpings, and fill the Ulcer with it, quite down to the Bottom, and a little above the Surface of the Ulcer and Leg, with a dry Cloth over it, bind all on with a Rowler; and repeat this Dreffing and no other after foaking. This perfectly cured his Leg in ten Weeks, and filled the Ulcer with found and good Flesh, and quite smooth. Note, No Ver-Root was used here.

CASE XXVII.

Aaron Wiskey, of Polsted, Suffolk, Shoemaker, aged Thirty-four, applied to me in June, 1769. After a Fever, a Sore gathered near the Point of his Back Bone. By poulticing, it broke, and discharged, for a confiderable Time, a thin gleety Matter, from a very small Orifice,

Orifice. A large Swelling came on the left Thigh, was very hard and gave great Pain. As it was thought he had been troubled with the St. Anthony's Fire, it was conjectured it had fettled there. He was greatly emaciated. I recommended a Vervain Root; and to purge gently with Tincture of Jalap made in Geneva, as in Page 58, once a Week, and to drink of the following Decoction the other Days. Of red sharp pointed Dock-Root, fliced thin, one Ounce; Sorrel-Leaves bruifed thirty or forty: Pour on this a Pint of Cheefe Whey boiling hot ; cover close : When cool, ftrain it, and drink it Milk-warm, at three different Times; one Third fafting, another about eleven o'Clock, and the Remainder about five in the Afternoon. I ordered a large Handful of green Hemlock-Leaves bruifed, to be applied to the Thigh; and the Wound on the Back to have the Hemlock Infusion injected. Afterwards, equal Parts of Hemlock and Elder Ointment, made with Goofe Fat, spread on Lint, to be laid over the Wound, and dreft Morning and Night. The 10th of October following he came again to me; his Thigh was greatly fwelled, and there feemed to be a Head as if tending to break. I advised applying a Plaister of Shoe-maker's Wax to it. On the eighth of the next Month, the Sore on the Thigh broke, and discharged, at one Time, five Quarts of thin Watery Matter like Whey, and the Thigh subsided to its former Size.

41)

It

It continued discharging by little and little for a confiderable Time, but less and less daily. The 3d of July, 1770, he came to my House, and told me many small Pieces of Bone came from the Sore on the Back-Bone; but that it was then sound and well, and his Thigh in a fine Way of Recovery, The 6th of August, 1771, he again came to thank me; and clapping his Hand on his Thigh, in great Spirits, cry'd out, " as sound " as a Roach!" The 1st of September,

1772, a Neighbour of his coming to me, informed me this Man then continued hearty, found, and well,

C A S E XXVIII.

A worthy Lady fent me the Cafe of a poor Woman, which I shall give nearly in her own Words. ' The poor Creature is ' now about Fifty. Eight Years ago she · lay in; at the End of the Month was · feized with a violent Pain in her right Leg, ' just below the Calf. A small Pimple rose, · which increased till it came to a real Sore. · Many things were tried to no Purpose for · feveral Years. She was eight Months in an · Hospital, and discharged as incurable. She · now has two large Holes; about half an · Inch deep; the Bottom looks whitish, with black Spots, and full of fmall Holes; the Sides are of a very dark Red, or rather ! blackish. At Times they are extremely · painful

painful, and bleed frequently. The upper
Part of her leg is very black indeed, and
extremely fwelled. She has for fome
Time paft applied nothing but a greafy Rag
to her Wounds. She is miferably poor indeed; having nothing for a Livelihood but
what fhe can get by picking up decay'd
Wood, blown down on *Enfield Chace*. If
fhe can be helped, it would be a great
Bleffing.'—So far the Lady's Letter.

I referred her to follow what is laid down in John Newton's Cafe, No. XXVI. in my Effay; only adding, that the poor Creature fhould fteep her Leg in a warm Infufion of Hemlock for Half an Hour, and to keep it warm after fteeping, leaft fhe fhould take Cold: The more Reft fhe could take, the better. In lefs than four Months the Lady called on me, and informed me, this poor Woman was quite recovered, and in a good State of Health.

CASE XXIX.

Michael Nalk, a Shepherd, living with Mr. Guilford, at Halton, near Wendover, Bucks, aged Twenty-five, being recommended to me by the Honourable Lady Rachael Austen, of North Audley Street, London, the 10th of January, 1771, came to my House for Advice. He had nine or ten Sores in his Legs and Thighs, and many scabby Eruptions on his Face and Neck. These began about

about fix Years before, and were by Degrees come to what they were. He had an Ifue in his left Leg, which was greatly inflamed : His Appetite was tolerably good. To this pcor Man I gave a Vervain Root to wear on his Stomach, and ordered him Tincture of Jalap in Geneva one Table Spoonful once a Week, in Cheefe Whey or fmall Ale; to wash his Wounds with the Infusion of Hemlock warm Morning and Night, and then to apply the black Plaister, as in Case V. Page 15, to his Sores. Lady Austen, in a Letter to her Friend, dated the 23d of August, 1771, wrote, that the above-mentioned poor man, whom the had recommended to me, was perfectly recovered; and adds, ' I think it a Miracle; for he was almost eat up (if one may fo fay) with the Evil.' This poor Shepherd tent me a Letter in the next Month, September, testifying his Gratitude and Thanks; and, according to his own Words, ' that he was right well.'

I must here mention, that I have received Thanks from many for Cures that have been effected without my Advice in Perfon; only by the Perufal of my Effay and a steady regular Observation of the Rules as related in the preceeding Cases. Amongst many other Letters, I shall, as a Proof, add Copies of what was wrote to me by a Person whom I never saw, giving it in his own Words. I will number it,

CASE XXX,

ni ; bala bad bal inc

(45)

SIR,

I HAVE taken this Opportunity of writeing to you in Behalf of your Medicines for the Evil. Whereas I, John Buck, late of Hingham, in Norfolk, aged Thirty Years, now living at Wymondbam, in the fame County, was for twelve Years past violently afflicted with the King's Evil in my right Knee, and fo bad that I could not ftir without the Help of Crutches, and having been with the most eminent Surgeons in the County of Norfolk, but all to little Purpole, for they always counted it a white Swelling, and was clearly for taking off the Limb; for they told me that there was no Help for me. But Thanks be to God !- for with his Bleffing, and with the Use of your Medicines, I am now right well, and can walk well and can follow my Bufinef sand do my Work without any Pain or Sorrow, and am in as good State of Health as ever I was in my Life. Sir, if it be agreeable to you, I should like that it might be added into the Book, as it was accounted. as furprifing a Cure as ever was performed, I only go a little limping, but 'tis as little as poffible; as witness my Hand,

> JOHN BUCK, Worsted Weaver. December 24, 1769.

Some Time after receiving this Letter, 1 wrote to John Buck to know which of the Medicines he had ufed; in what Manner, and in what Time the Cure was effected; the Surgeons who had feen the Complaint, faid it was incurable; and were for taking off the Limb? As I had never feen or heard of John Buck before the Receipt of his Letter, I defired a Gentleman near Wymondham, to enquire of the Truth of the Facts. He faw the Man, who gave him full Satisfaction as to his Cafe and Cure, agreeing with the following Letter from Buck, in Anfwer to my Enquiries.

Sir, my Duty to you. I John Buck, Worsted Weaver, of Wymondham, in Norfolk, aged 30 Years, was for 12 Years afflicted with the Evil in my right Knee, which for the first four Years would swell to a large Substance, and disperse again of its own felf; then having a violent Fever of nine Weeks, which fo contracted the Joint and wafted my Leg and Thigh, that I was unable to walk without great Pain. I was advised to apply to Surgeon Swift of Norwich, and accordingly did, who told me it was a White Swelling, and it was incurable, and that the lefs I did to it the better. About one Year after I was advised to go to Dr. Heald, of Norwich, who told me the fame as Dr. Two Years after comes a travel-Swift. ling Doctor to Norwich, who went by the Name

Name of Dr. Vernice. He having fuch Praise, I was recommended to him. He told me it was a White Swelling, and in two Months he could make a perfect Cure of me. I put myfelf under his Directions, but all to little Purpofe. About a Year after I was feized with such a violent pain on the Infide of my Knee, that it caufed my Leg, Thigh, and Foot to fwell in fuch a Manner, that I was unable to move, or be moved, without great Pain, and with the Help of Crutches, and could take no Reft Night or Day, which reduced me to a mere Skeleton. It continued this Course for a Year and a Half; then it broke into a running Ulcer on the Infide of my Knee. Then I applied to Dr. Casleton, of Hingham, whose Care I was under three Weeks. Then he declared he could do no more for me, for the Bones were entirely decayed, and my Limb must be taken off; or it would coft me my Life. But, by the Bleffing of God, I was in a fhort Time reftored again to my former Strength, by the Help of Mr. Morley's Book, to whom I return my hearty Thanks for the fame. I walk well, and never was in a better State of Health in my Life. Given from under my own Hand this 3d Day of June, 1770. JOHN BUCK.

The Cure was effected in the following Manner :-First, I put the Vervain Root about my Neck. For a gentle Purge, I took ten ten Grains of Jalap, and ten Grains of Cream of Tartar, once a Week; and the other fix Days, a Dram of Antimony, finely powdered, mixed with the fame Quantity of Loaf Sugar, and wafhed it down with a Cup of Ground-Ivy Tea. For the Sore, I made a ftrong Infusion of green Hemlock to wafh it with twice a Day; then bathed my Knee all over with Vervain Ointment; then I applied dry Lint, and left it fhould flick, a Plaister of Elder-Ointment over it. In two Months I found great Benefit; and in Eight Months the Sore was healed. I have had no Return, now three Years ago.

I should be forry the Testimony of the Gentleman who enquired at Wymondham, added to the Man's own Letters, were not fufficient to authenticate the Cafe, and the Method of Cure. Be that as it may, I must here remark, that hafty Amputations are too often practifed, to the irreparable Lofs of the Patient, his Family, and the Community; especially if a poor Person. The Rich have the Means to advise with those who professedly undertake to cure their Diforders, I do not with to take from any Man his Emoluments; but I repeat, that I am particularly anxious for the Poor. Should the Knife, or the constant Use of Caustics, make Cripples, I pretend not to fet them to rights.

1.3

CASE XXXI.

49

The Right Honourable the Countefs of Marchmont, out of her great Regard for the Welfare of the Poor, has been pleafed to inform me of a very great Cure done in Scotland, from the Receipts only in my Effay on Scrophulous Diforders. A middle aged Man, by Name James Smart, had in August laft a Sore on his Cheek, which run greatly; and his Face was dreadfully fwelled, the Sore was quite through his Cheek, had been long ill of that Complaint. He had a Vervain Root to wear at his Stomach, was ordered to take the Diet Drink prefcribed in Mrs. Bulmer's Cafe, Page 25, and the gentle Phyfic of Syrup of Rofes and Manna, in Page 14, and to drefs the Sore with Vervain Ointment, as in Winterflood's Cafe. In about a Month, he was much better, feveral Bones came out, and the Swelling was much fallen, he continued these Methods till March following, then the Sore was quite healed, and himself in perfect Health. This Cure was done only by the perufal of my Effay, as in John Buck's Cafe.

I have had Cafes and Recommendations from almost an hundred Physicians, Surgeons and Apothecaries; fome for their own Children, when their own Endeavours have proved abortive; fome, to get rid of the Importunities of poor Patients, who could pay nothing; fome, to fee my Methods; and fome they fend to me to fecure their own

Credit

Credit, left they should miscarry under their Hands.

CASE XXXII.

Miss Frances Kingdon, Daughter of Mr. Edward Kingdon, Stay-maker, in Dukes Court, Covent-Garden, London, was recommended to me by Lady Gray, of Charles Street, Grosvenor Square; had, about nine Years before the came to me, a Tumor broke by a Poultice on the Left Knee, and kept discharging three Years before it healed. Then a Tumor on the Right Elbow broke and discharged some small Pieces of Bones, from thence the Humour was translated to the Left Shin Bone, went on Crutches, then to St. Bartholomew's Hospital, where a large Piece of the main Bone was digefted out, but could not be healed up. Then, by a Pinch on the Left Elbow it was greatly enlarged and opened, but could make nothing of it, fo fhe left the Hofpital, with an Addition of a small Tumor under the Left Ear, the Shin Bone of the Left Leg enlarging, and a univerfal Scrophulous Conftitution. They faid the Leg must be taken off, for it could not be cured; she was Thirteen Years of Age, was near me with her Mother two Months, then went Home with full Directions to continue my Methods, which she did feveral Years with great Perfeverance, had many more Sores broke, and foul Bones es foliated, and has at length received a perfect Cure

Cure, and has been well fome Years. As I. have her Confent to publish this Cure, I would recommend any Person doubtful of it to herfelf, and Father and Mother, for full Satisfaction from themselves .--- I gave Miss a large Vervain Root to wear as directed in my Effay on the Evil, and advifed Mrs. Bulmer's Diet Drink as therein, to wash the Sores clean with an Infusion of Green Hemlock Leaves, then to apply a Cataplaim of White Nettles mashed with Pork Lard, fresh and warm twice a Day, to the Elbow and to the healing Sores, dry Lint, and Vervain Ointment on Cloth over all, and to apply Tincture of Myrrh on a Spunge, where any Suspicion of. foul Bones, and the Black Plaifter afterwards. occafionally. Thus fhe was cured.

In the Preface I have hinted, that I never mentioned Names, if fo defired ; and I must here add on this Head, I am so scrupuloufly delicate not even to afk after a Person of their Neighbour, lest it might raise a Suspicion of my having been confulted : fo that the Knowledge of the Success of my Methods must be much lessened. I will not call it a Difadvantage; becaufe it would feem as if I fought after great Fame; but this I will fay, that my feeing Patients hardly more than once or twice, because of their Distance from me, makes me not on a Level with the medical and furgical Gentlemen, who frequently see their Patients, so as to alter any Method of Cure if neceffary, which I cannot do for the above Reason.

 D_2

I

I do not pretend to cure every One who may apply to me; but this I am bold to affert, that I have been fo fortunate to cure fome fcrophulated Breafts deemed to be cancerous, and on the Point of being cut off. Likewife fome Perfons given over by regular Practitioners, of which take the following.

CASE XXXIII.

Mrs. Brown, Wife of Mr. Brown, at the Cock, in Clare, Suffolk, brought me the following Letter.

SIR,

MRS. BROWN, the Bearer hereof, hath for fome Months laboured under a Difeafe in her Breaft, which the Surgeons term a Schirrhus. Various Applications have been tried, and many Medicines taken, which have only ferved to alleviate her Complaints, without laying a Foundation for healing. This Difeafe has fo near an Affinity with the Evil, that I do not think but it may be really called fuch. I wifh you may be fo fortunate as to direct fomewhat that may be ferviceable; and am, Sir,

Your humble Servant, August 23, 1761. RICHARD HAWES. Surgeon, in Cavendish, Suffolk.

Mrs. Brown was a fat lufty Woman, aged Twenty leven. About a Year before the above Date, a large Tumour role in her right Breaft, and gathered in nine leveral Places,

Places, opened, dreffed, and tented by the Surgeon, and discharged much ; but that being thought infufficient to leffen the Breaft, two Setons were made quite through the Breast, which was very large, close to the Ribs, in the Form of a Crofs, and as the Silk rotted away, through the Virulence of the Matter, in eight or ten Days, more Silk was put in. Four Surgeons met to take off the Breast; and told her, if it was not taken off, the could not live to Michaelmas following; as her Breaft would rot off in a Week or two, if not cut off. This was the State of the Breaft when I undertook it. The 30th of November following, 1 faw Mrs. Brown; all the Ulcers were healed, and the Breaft firm, and herfelf in good Health and Spirits, without any Complaint whatever. February 27, 1762, she was with me again, and shewed me her right Breast, found and firm, but told me, that about three Weeks before, on taking cold, she felt a dashing Pain in her left Breast, which she shewed me; there was a smooth foft Tumour rifing on the upper Part, above the Nipple, which had increased fast. I ordered her proper Remedies for this new Complaint. April the 4th, her Husband came to tell me the Tumour was broke and discharged in feveral Places round the Nipple. I ordered what was proper, and September the 6th following, her Husband came again; told me her Breast had been quite well for two Months; was in good Health and Spirits;

no

no Complaint at all; and that the Day before he came, the was delivered of a fine Girl, both very well. I faw her fome Days after, examined her right Breaft which had loft the Nipple, all continued firm and well; and also her left Breast; but she had no Milk in it, and no Complaint whatever. Mrs. Brown had Twins in a Year after, and has had feveral other Children : both Breafts continue well and firm, and the laft lying-in fhe had Milk came into her left Breaft, which is very extraordinary. It is eafy to obferve from this Cafe, that taking off Mrs. Brown's right Breaft would have availed nothing ; inafmuch as the left Breast became difordered in the fame Manner : fo that Amputations are of little Service, except the Constitution be amended; then there is feldom Occafion for the Knife. I do not mention the Methods I used in Mrs. Brown's Cafe, because they are beyond common Management. I infert the two following Cafes to fhew that no Age is exempt from this dreadful Diforder.

(54)

CASE XXXIV.

indar "flage on the upper Part, shove the

Samuel Pain, Son of Samuel Pain, Weaver, in Clare, aforefaid, was brought to me in the Month; he was born with a large Ulcer on the Back of his left Hand, and judged to be the King's Evil by Mr. Young, a Surgeon of that Place, who recommended him to my Care. This Infant was cured with a Root; forme fome Vervain Water to cleanfe the Sore, and Vervain Ointment 'on a Rag to the Part. The Father fent me a Letter of Thanks for making, as he expresses it, a fafe Cure of his Child's Hand. It is evident from this Cafe, that very fimple gentle Methods are often very efficacious, in the Infancy of this Difeafe.

CASE XXXV.

The next Cafe is of George Hoggerall, aged Eighty-eight. He was formerly an Under Gardener to Esquire Honywood, in E/fex. He was a remarkable fresh-coloured healthy-looking Man: and fo healthful all his Life, as never to take one Dofe of Phyfic. In the 86th Year of his Age, the Sight of both Eyes left him at once; fince which, he had feveral fmall fcrophulous Tumours broke on each fide his Neck, discharged much, and feemed to be well digested. His wife came with him : they had been married fifty Years, and confirmed the Account of his Health. I gave him my Affiftance, and ordered him to call on me when he could. Who could ever have thought that the King's Evil should lie fo long dormant in the Conftitution of fo healthy a Person, without the least Symptoms, until the Age of Eighty-feven Years, and then appear in its genuine Form? From these two Instances it is very apparent, that no Age is exempt from its Inveteracy.

This

This will more fully appear by the following Account of two thousand scrophulous Patients, who have applied to me; classed according to their respective Ages and Sexes.

	Males.	[Females.	In all
Under 5 Years old	77	89	166
From 5 Years to 10 Years -		117	225
From 10 Years to 20 Years -	212	309	521
From 20 Years to 30 Years -	166	285	451
From 30 Years to 40 Years -	96	200	296
From 40 Years to 50 Years -	60	143	203
From 50 Years to 60 Years	37	63	100
From 60 Years to 70 Years -	17	13	30
From 70 Years to 80 Years -	2	5	7
From 80 Years and upwards -	I	0	1
mail and a start and when we			
	776	1224	2000
The leveligend of brass	City City	776	
Support Star Star Star			your of
		2000	1.

From this Account, the Females exceeded the Males more than three to two. Hence it may be concluded, those Persons are greatly mistaken, who in their Writings have advanced, that Persons above forty Years old are rarely, if ever, affected with the Scrophula; as also the too common Opinion of Children outgrowing the Disorder. Both these Notions tend to make People neglect proper Care until the Disease has taken too tast a Hold to be overcome.

I have had Application by Letter from many Perfons, defiring me to fend my Medicines and Directions, and my Charges for them, for which I fhould be punctually paid. But But all this is needlefs, as I make up no Medicines, nor will my almost worn out Eyes fuffice to give any Directions in Writing. Neither can any Letter, I think, thoroughly convey a clear Description of the almost numberless Symptoms and Affections of the Scrophula.

I have had many who have been falivated, and taken mercurial Preparations to very little Purpose; on the contrary hurtful. I have found falt Water taken in wardly tohave had bad Effects, as already hinted. Outwardly it often dries up the Sores for a Time, which generally break out again near the fame Places, and will continue to do fo, unleis the Habit of Body is altered. I very rarely order Bleeding, and never direct Vomits, which I think of no Ufe. Iffues or Setons I do not approve, and generally dry them up, as they are apt to draw the Humours into them, inflame and are troublefome without any Affistance towards the Cure, as I could ever observe. I repeat that I do not order Salts of any Kind for Purgation; but always the most mild and gentle Things for that End. Hemlock I have used outwardly numberless Times, with great Success. I administer little inwardly: If any Tumors, &c., are near the Head, it must then be used with Caution, as in Cafe IV. I never use Knife or Cauftic to open an Abscess, sometimes the Point of a Lancet, and that but feldom : For I find proper Poultices much more eligible on many Accounts. I advise those who

E

are

are coffive under this Diforder, which is a very frequent Complaint, to keep the Body always open with very mild and gentle Purgatives; a little at a Time and often, is more beneficial than ftrong Purges. Jalap I have found, by long Experience, prepared as follows, to be the best family Purge for scrophulous Diforders. Take one Ounce of Jalap in fine Powder, steep it in Half a Pint of Geneva, in a Pint Bottle, close stopped, shake it well two or three Times a Day for a Week gently pour off the clear, or filter it through whitish grey Paper; fling away the Dregs, and keep it close stopped for Use. A Man may take a Table Spoonful of this Tincture in a Quarter of a Pintof warm small Ale, Cheefe-whey, or a Difh of Tea with Sugar : A Woman, one, two, or Three Tea Spoonfuls: A young Child, a few Drops, in its Victuals; always proportioning the Dofe to the Age, Sex, and Strength of the Patient. Two Motions, or three at most, in twenty-four Hours are proper. It may be taken once or twice a Week at Difcretion, as long as wanted. A Month in the Spring or Fall, will be very falutary, for all People subject to this Disorder; though no Complaints, only as a Preventative. When I order Antimony to be taken inwardly, I always direct it to be finely levigated, or powdered in an Iron Mortar, as fine as possible, and then fifted through fine Lawn or Muslin, so that few or no shining Particles appear; then it is a fine and fafe Medicine. Never

Never to wear any Covering over the Eyes, but to wash them often with cold Spring Water, which will strengthen them and repel the Humour, which the Purgatives will carry off. It is gentle easy Methods, not rough Prescriptions and painful Applications, that are most efficacious in this obstinate Diforder. Persons, though ever so poor and distressed, are welcome to confult me for Advice, in Person, if they find, or even suspect themselves to be tainted with this Diforder, on any Morning, from Ten to Twelve, and in the Afternoon from Three to Five of the Clock (Sundays excepted) if I am well.

Many many Guineas have been offered me; but I never take any Money. Sometimes indeed genteel People have fent me fmall Acknowledgments of Tea, Wine, Venifon, &c. Generous ones, fmall Pieces of Plate or other little Prefents. Even neighbouring Farmers a Goofe, or Turkey, &c. by Way of Thanks.

This I am obliged to fay, as Perfons withing to confult me may be afraid, leaft, as I am not regularly feed, I should come with the After-Clap of a long Bill.

It cannot be expected, that I, who receive no Fee, should be at any Expence : therefore Letters to me must be free of Postage, or they must be returned.

The Pleasure I take in relieving the Afflicted, affords me the highest Content and Satisfaction. I will hope no One bears me any Evil Evil; if there fhould be fuch, I always have in Mind St. Paul's Precept, Not to be overcome of Evil, but to overcome Evil with Good.

May all my Patients who receive any Benefit from my Eflay, or my Directions in Perfon, fay with the Royal Pfalmift-Ble/s the Lord, O my Soul, and forget not all his Benefits : Who forgiveth all thine Iniquities : Who healeth all thy DISEASES!

It poffibly may be of Use to fome to turn to feveral of my Prefcriptions without great Trouble. I therefore here fet down where many are, at one View, to be found.

Antimony Page 20, 22, 23, 48, 58
Black Plaifter 17
Bathes 21, 40, 43
Cataplafm 27, 30, 40
Diet Drink 26, 32, 37
Decoctions and Infusions -14, 22, 26, 34, 35, 41
Diet Drink Scorbutick 29
Elder Ointment — 19
Hemlock Ointment
Hemlock Infusion 18,29, 32
Millepedes Pills 31, 37
Poultices 16, 17, 25, 26, 28, 31, 40
Purges - 14, 17, 18, 24, 29, 34, 38, 58
Sall Prunella Ointment - 37
Vervain Herb described-12, 13
Vervain Roots prepared 9, 10, 11
Vervain Ointment — 14
Vervain Infusion 14

FINIS.