

Pharmacopœia of the Victoria Hospital for Children (with which is incorporated the St Gabriel's Hospital for Infants), Queen's Road, Chelsea, S.W.

Contributors

Victoria Hospital for Children (London, England)

Publication/Creation

[London] : [The Hospital], [1892] [(South Kensington) : [Hutchings & Crowsley.]])

Persistent URL

<https://wellcomecollection.org/works/ns6htm9p>

License and attribution


This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcomecollection.org
<https://wellcomecollection.org>

PHARMACOPŒIA
OF THE
VICTORIA HOSPITAL FOR
CHILDREN



22500289185



BURROUGHS, WELLCOME & CO.

LIBRARY

No. 1238. d. 2.

37. 13. 7320

PHARMACOPŒIA
OF THE
VICTORIA HOSPITAL FOR
CHILDREN

*(With which is Incorporated the St. Gabriel's
Hospital for Infants),*

QUEEN'S ROAD, CHELSEA, S.W.,

CONVALESCENT BRANCHES —

(BROADSTAIRS AND MARGATE).

1892.

Price One Shilling.

24946878

BURROUGHS, WELLCOME & CO.

LIBRARY

No.

12869

PRINTED BY HUTCHINGS AND CROWSLEY, LIMITED,

123, FULHAM ROAD, SOUTH KENSINGTON.

WELLCOME INSTITUTE LIBRARY	
Coll.	Wellcome
Coll.	gen. coll.
No.	WIS
	P 760

PHARMACOPŒIA.

*The Doses of Remedies used Internally are
calculated for Children One Year old.*

EMULSIO.

EMULSIO IODOFORMI.

Iodoform	10 parts
Glycerine	70 parts
Water	10 parts

GLYCERINA.

GLYCERINUM BELLADONNÆ.

Extract of Belladonna	...			} Equal parts
Glycerine	
Water	

GLYCERINUM FERRI PERCHLORIDI.

Solution of Perchloride of				} Equal parts
Iron	
Glycerine	

GUTTÆ.

GUTTÆ ATROPINÆ SULPHATIS.

Sulphate of Atropine	...	2 grains
Distilled Water	1 ounce

GUTTÆ ATROPINÆ SULPHATIS
FORTIORES.

Sulphate of Atropine...	4 grains
Distilled Water	1 ounce

GUTTÆ ATROPINÆ ET COCAINÆ.

Sulphate of Atropine...	2 grains
Hydrochlorate of Cocaine	10 grains
Distilled Water	1 ounce

GUTTÆ COCAINÆ HYDRO-
CHLORATIS.

Hydrochlorate of Cocaine	10 grains
Distilled Water	1 ounce

INJECTIO.

INJECTIO MORPHINÆ HYPO-
DERMICA DILUTA.

Hypodermic Injection of Mor-

phine	1 part
Distilled Water	2 parts

LINCTUS.

LINCTUS ACIDUS.

Diluted Sulphuric Acid	1 minim
Spirit of Chloroform...	1 minim
Oxymel	10 minims
Treacleto 1 drachm

LINCTUS SCILLÆ.

Oxymel of Squill	5 minims
Ipecacuanha Wine	1 minim
Compound Tincture of Camphor	2 minims		
Treacle...to 1 drachm

LIQUOR.

LIQUOR HYPOPHOSPHITUM
COMPOSITUS.

Freshly Precipitated Carbonate of Iron	200 grains
Solution of Carbonate of Magnesium	12 ounces
Hypophosphorous Acid	...			4 ounces
Hypophosphite of Calcium	...			$\frac{1}{2}$ ounce
Hypophosphite of Sodium	...			$\frac{1}{2}$ ounce

Saturate the Solution of Carbonate of Magnesium with a sufficiency of Hypophosphorous Acid ; dissolve the Freshly Precipitated Carbonate of Iron in the remainder of the Acid. Mix the solutions, and add the Hypophosphites of Calcium and Sodium.

Dose—10 to 20 minims.

LOTIONES.**LOTIO ACIDI BORICI.**

Boric Acid	16 grains
Water	1 ounce

LOTIO ALUMINIS.

Alum	3 grains
Water	1 ounce

LOTIO ALUMINIS FORTIOR.

Alum	6 grains
Water	1 ounce

LOTIO CALAMINÆ.

Prepared Calamine	30 grains
Oxide of Zinc	15 grains
Glycerine	20 minims
Lime Water	$\frac{1}{2}$ ounce
Waterto 1 ounce

LOTIO IODI ET GLYCERINI.

Tincture of Iodine	1 drachm
Glycerine	1 drachm
Waterto 1 ounce

LOTIO SODII BIBORATIS.

Borax	20 grains
Glycerine	2 drachms
Water	to 1 ounce

LOTIO SODII BICARBONATIS.

Bicarbonate of Sodium	10 grains
Water	to 1 ounce

LOTIO ZINCI SULPHATIS.

Sulphate of Zinc	2 grains
Water	1 ounce

MISTURÆ.

MISTURA ACIDI NITRO-HYDRO- CHLORICI.

Diluted Nitro - Hydrochloric

Acid	2 minims
Glycerine	5 minims
Water	to 1 drachm

MISTURA ACIDI SULPHURICI ET
OPII.

Diluted Sulphuric Acid	...	2 minims
Tincture of Opium	$\frac{1}{2}$ minim
Glycerine	5 minims
Dill Water to 1 drachm

MISTURA ÆTHERIS ET AMMONII.

Spirit of Ether	$2\frac{1}{2}$ minims
Aromatic Spirit of Ammonia		$2\frac{1}{2}$ minims
Syrup	15 minims
Pimento Water to 1 drachm

MISTURA AMMONII CITRATIS.

Carbonate of Ammonium	...	$1\frac{1}{2}$ grain
Citric Acid	$1\frac{1}{2}$ grain
Syrup of Tolu...	3 minims
Water to 1 drachm

MISTURA AMMONII CITRATIS EFFERVESCENS.

Carbonate of Ammonium	1½ grain
Citric Acid	1½ grain
Waterto 1 drachm

To make an effervescing mixture, the acid, dissolved in half the water, must be added at the time of administration.

MISTURA ANTIMONIALIS.

Antimonial Wine	2 minims
Nitrate of Potassium	1 grain
Spirit of Nitrous Ether	5 minims
Dill Waterto 1 drachm

MISTURA BISMUTHI ET SODII.

Carbonate of Bismuth	2½ grains
Bicarbonate of Sodium	2 grains
Spirit of Chloroform	2 minims
Compound Powder of Tragacanth...	1 grain
Dill Waterto 1 drachm

MISTURA CATECHU ET CRETÆ

Tincture of Catechu	5 minims
Aromatic Spirit of Ammonia			3 minims
Spirit of Chloroform	2 minims
Chalk Mixture...to	1 drachm

MISTURA CHLORI.

Chlorate of Potassium	12 grains
Hydrochloric Acid	12 minims
Syrup	1 ounce
Water	8 ounces

Put the Chlorate of Potassium and Acid into a bottle and lightly cork; gradually add the water, shaking the bottle as the water is added; then add the syrup.

Dose—1 drachm.

MISTURA FERRI APERIENS.

Sulphate of Iron	$\frac{1}{3}$ grain
Sulphate of Magnesium	3 grains
Diluted Sulphuric Acid	1 minim
Syrup of Ginger	5 minim
Dill Waterto	1 drachm

MISTURA FERRI PERCHLORIDI.

Solution of Perchloride of Iron				1½ minim
Spirit of Chloroform...	2 minims
Glycerine	5 minims
Water	to 1 drachm

MISTURA FERRI ET QUASSIÆ.

Solution of Perchloride of Iron				1 minim
Spirit of Chloroform	2 minims
Infusion of Quassia	to 1 drachm

MISTURA FERRI ET QUININÆ.

Citrate of Iron and Quinine...				1 grain
Spirit of Chloroform	1½ minim
Syrup of Lemons	10 minims
Water	to 1 drachm

MISTURA GENTIANÆ ALKALINA

Bicarbonate of Sodium	2 grains
Spirit of Chloroform...	2 minims
Compound Infusion of Gen- tian	to 1 drachm

MISTURA IPECACUANHÆ.

Ipecacuanha Wine	2 minims
Glycerine	5 minims
Spirit of Chloroform	2 minims
Water	to 1 drachm

MISTURA IPECACUANHÆ ET
AMMONII.

Carbonate of Ammonium	...	$\frac{1}{2}$ grain
Ipecacuanha Mixture	...	to 1 drachm

MISTURA IPECACUANHÆ
AMMONIATÆ ET BELLADONNÆ

Tincture of Belladonna	...	$2\frac{1}{2}$ minims
Tincture of Squill	...	$2\frac{1}{2}$ minims
Ammoniated Ipecacuanha Mixture	...	to 1 drachm

MISTURA MAGNESII SULPHATIS.

Sulphate of Magnesium	...	6 grains
Carbonate of Magnesium	...	3 grains
Spirit of Chloroform...	...	2 minims
Dill Water	$\frac{1}{2}$ drachm
Waterto 1 drachm

MISTURA OLEI MORRHUÆ.

Cod Liver Oil	} Of each equal parts
Glycerine	
Solution of Lime	

MISTURA OLEI MORRHUÆ ET
ACIDI CARBOLICI.

Liquefied Carbolic Acid	...	$\frac{1}{2}$ minim
Cod Liver Oilto 1 drachm

MISTURA OLEI RICINI.

Castor Oil	5 minims
Mucilage of Gum Acacia	...	15 minims
Syrup	15 minims
Cinnamon Waterto 1 drachm

MISTURA POTASSII CITRATIS.

Bicarbonate of Potassium	2½ grains
Citric Acid	1½ grain
Water	to 1 drachm

To make an effervescing mixture, the acid, dissolved in half the water, must be added at the time of administration.

MISTURA POTASSII IODIDI.

Iodide of Potassium	1 grain
Bicarbonate of Potassium	1 grain
Pimento Water	½ drachm
Water	to 1 drachm

MISTURA QUININÆ.

Sulphate of Quinine	½ grain
Diluted Sulphuric Acid	½ minim
Syrup of Orange Peel	15 minims
Water	to 1 drachm

MISTURA RHEI ET CRETÆ.

Tincture of Rhubarb...	...	5 minims
Aromatic Powder of Chalk . .		5 grains
Carbonate of Magnesium	...	2 grains
Aromatic Spirit of Ammonia		2 minims
Peppermint Water	$\frac{1}{2}$ drachm
Waterto	1 drachm

MISTURA RHEI ET GENTIANÆ.

Tincture of Rhubarb	...	10 minims
Compound Tincture of Gen- tian	10 minims
Bicarbonate of Sodium	...	2 grains
Chloroform Water	$\frac{1}{2}$ drachm
Water to	1 drachm

MISTURA RHEI ET MAGNESII
SULPHATIS.

Tincture of Rhubarb	...	10 minims
Sulphate of Magnesium	...	4 grains
Syrup of Ginger	5 minims
Peppermint Water	$\frac{1}{2}$ drachm
Water to	1 drachm

MISTURA SENEGÆ COMPOSITA.

Chloride of Ammonium	...	$\frac{1}{2}$ grain
Carbonate of Ammonium	...	$\frac{1}{2}$ grain
Ipecacuanha Wine	1 minim
Syrup of Tolu...	15 minims
Infusion of Senega	to 1 drachm

MISTURA SODII ET ÆTHERIS.

Bicarbonate of Sodium	...	2 grains
Spirit of Ether	$2\frac{1}{2}$ minims
Dill Water	to 1 drachm

MISTURA SODII ET CALCIS.

Bicarbonate of Sodium	...	5 grains
Saccharated Solution of Lime	...	15 minims
Dill Water	to 1 drachm

PULVERES.

PULVIS BISMUTHI COMPOSITUS.

Carbonate of Bismuth	...	$1\frac{1}{2}$ grain
Carbonate of Magnesium	...	$1\frac{1}{2}$ grain
Aromatic Powder of Chalk...	...	$1\frac{1}{2}$ grain

PULVIS HYDRARGYRI ET
DOVERI.

Mercury with Chalk	..	$\frac{1}{2}$ grain
Compound Powder of Ipecac-		
uanha	$\frac{1}{2}$ grain

PULVIS HYDRARGYRI ET
JALAPÆ.

Mercury with Chalk...	...	$1\frac{1}{2}$ grain
Compound Powder of Jalap		$3\frac{1}{2}$ grains

PULVIS HYDRARGYRI ET RHEI

Mercury with Chalk...	...	1 grain
Rhubarb Root in powder	...	2 grains
Ginger in powder	$\frac{1}{2}$ grain

PULVIS HYDRARGYRI
SUBCHLORIDI ET SCAMMONII.

Subchloride of Mercury	...	$\frac{1}{2}$ grain
Compound Powder of Scammony		2 grains

PULVIS HYDRARGYRI ET SODII

Mercury with Chalk...	...	$\frac{1}{2}$ grain
Bicarbonate of Sodium	...	1 grain
Aromatic Powder of Chalk	...	2 grains

PULVIS RHEI ET SODII.

Rhubarb Root in powder	...	2 grains
Bicarbonate of Sodium	...	2 grains
Compound Powder of Cinnamon		1 grain

PULVIS SANTONINI ET
SCAMMONII.

Santonine	1 grain
Compound Powder of Scammony				2 grains

PULVIS ACIDI BORICI ET
AMYLI.

Boric Acid in fine powder	...	1 part
Starch in Powder	...	2 parts

PULVIS AMMONII CHLORIDI
ET SACCHARI.

Chloride of Ammonium in powder	1 part
Refined Sugar in powder	...	4 parts

PULVIS ZINCI ET AMYLI.

Oxide of Zinc...	1 part
Starch in Powder	3 parts

PULVIS IODOFORMI
COMPOSITUS.

Iodoform in fine powder	1 part
Boric Acid in fine powder	1 part
Starch in Powder	2 parts

PULVIS STRAMONII
COMPOSITUS.

Stramonium Leaves in powder	...	4 parts
Anise Fruit in powder	2 parts
Nitrate of Potassium in powder	2 parts

UNGUENTA.

UNGUENTUM ACIDI CARBOLICI ET SULPHURIS.

Liquefied Carbolic Acid	...	2	drachms
Ointment of Nitrate of Mercury	2		drachms
Ointment of Sulphur	$\frac{1}{2}$ ounce

UNGUENTUM ATROPINÆ.

Atropine	...	2	grains
Soft Paraffin	1 ounce

UNGUENTUM HYDRARGYRI AMMONIATI DILUTUM.

Ointment of Ammoniated			
Mercury	1 part
Soft Paraffin	4 parts

UNGUENTUM HYDRARGYRI CAMPHORATI.

Ointment of Mercury	...	1	ounce
Camphor	20 grains

UNGUENTUM HYDRARGYRI
OXIDI FLAVI.

Yellow Oxide of Mercury in
very fine powder 8 grains
Soft Paraffin 1 ounce

UNGUENTUM HYDRARGYRI
OXIDI FLAVI ET ATROPINÆ.

Yellow Oxide of Mercury in
very fine powder 4 grains
Sulphate of Atropine 2 grains
Soft Paraffin 1 ounce

UNGUENTUM HYDRARGYRI
OXIDI FLAVI DILUTUM.

Yellow Oxide of Mercury in
very fine powder 4 grains
Soft Paraffin 1 ounce

UNGUENTUM HYDRARGYRI
OXIDI RUBRI DILUTUM.

Red Oxide of Mercury in very
fine powder 30 grains
Soft Paraffin 1 ounce

UNGUENTUM HYDRARGYRI ET
PLUMBI.

Ointment of Ammoniated Mercury	...	} Of each equal parts
Ointment of Acetate of Lead	
Ointment of Oleate of Zinc	
Hydrous Wool Fat	...	

UNGUENTUM HYDRARGYRI ET
ZINCI OLEATIS.

Ointment of Ammoniated Mercury 1 drachm
Ointment of Oleate of Zinc ...to 1 ounce

UNGUENTUM PLUMBI OLEATIS.

Oleate of Lead	1 ounce
Soft Paraffin	1 ounce

VINA.

VINUM FERRI CITRATIS.

Citrate of Iron and Ammonium	1 grain
Rectified Spirit of Wine	... 4 minims
Water	... to 1 drachm

VINUM FERRI HYPOPHOSPHITIS COMPOSITUM.

Solution of the Hypophos- phites 10 minims
Syrup 10 minims
Rectified Spirit of Wine	... 4 minims
Caramel $\frac{1}{2}$ minim
Water to 1 drachm

BURROUGHS, WELLCOME & CO.

LIBRARY

No.



