

**The whole works of that excellent practical physician Dr. Thomas Sydenham wherein not only the history and cures of acute diseases are treated of, after a new and accurate method : but also the shortest and safest way of curing most chronical diseases / [Thomas Sydenham].**

### **Contributors**

Sydenham, Thomas, 1624-1689  
Pechey, John, 1655-1716

### **Publication/Creation**

London : Printed for J. Darby for M. Poulson, 1722.

### **Persistent URL**

<https://wellcomecollection.org/works/es69axxj>

### **License and attribution**

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.



Wellcome Collection  
183 Euston Road  
London NW1 2BE UK  
T +44 (0)20 7611 8722  
E [library@wellcomecollection.org](mailto:library@wellcomecollection.org)  
<https://wellcomecollection.org>








Lord W. Kerr, G.C.B.



*Library, Brocket Hall.*









50470/B

A. xxx Syd









THE  
WHOLE WORKS

Of that Excellent  
PRACTICAL PHYSICIAN,  
*Dr. Thomas Sydenham :*

WHEREIN

Not only the HISTORY and CURES  
of acute Diseases are treated of, after a  
new and accurate Method ; but also the  
shortest and safest way of curing most  
Chronical Diseases.

---

The EIGHTH EDITION :  
Corrected from the Original *Latin*,  
By JOHN PECHEY M. D.  
Of the College of Physicians in *London*.

---

L O N D O N :

Printed by J. DARBY for M. POULSON, and  
sold by A. BETTESWORTH in *Pater-noster-*  
*Row*, and F. CLAY without *Temple-Bar*.  
M. DCC. XXII.



THE  
WHOLE WORKS

Of the Excellent  
PRACTICAL PHYSICIAN,  
Dr. Thomas Sydenham.

WHERIN

Not only the History and Cures  
of acute Diseases are treated of, after a  
new and accurate Method; but also the  
shortest and safest way of curing most  
Chronic Diseases.

The Eighth Edition:  
Corrected from the Original Latin.  
By JOHN PACHEY M.D.  
Of the College of Physicians in London.



Printed by J. DART, in Pall-mall, and  
sold by A. BATESMAN in Pall-mall.  
Rox. and P. CLAY without Temple-bar.  
M.DCCXXII.





## *The Translator's Preface.*



HE that designs to attain to the right understanding of any Art or Profession, usually chuses some eminent Man of the Art to be his Guide and Pattern, by whose Directions and Example, joined with a tolerable Capacity, and sufficient Diligence, he is, and is deem'd, at a stated Period, legally qualify'd for the Exercise of the Art he professes. And this I take to be the best and readiest way of attaining to the Knowledge of any Art.

But seeing by the Custom of our Country, Physicians are educated another way ; and chiefly improve themselves by Study and Books, it behoves them to make choice of such Authors as have been much conversant in Practice, and are generally accounted candid and sincere. In the first Rank of these I place this Author, who was peculiarly disposed for Practice ; and a Vein of Sincerity runs thro



his whole Works : a Thing very rare in Physical Authors, especially in the Modern ; and for this reason it was, he was so much calumniated by ill Men.

This worthy Man was always busy'd in improving the Practice of Physick, even when he was stepping on the Threshold of the other World ; and, like the great *Archimedes*, would not suffer himself to be interrupted by any thing but resistless Fate.

He died in the sixty eighth Year of his Age : A great Age it was for one that had been closely besieged near half the time, with the *Opprobrium Medicorum*, the Gout ; which finding its frequent Efforts repelled by his great Skill, called in its Auxiliary, the Stone ; and together, with much ado, they stormed the tottering Tenement of Clay, when by reason of Age it was scarce tenable any longer.


He was born in *Dorsetshire*. His Father was a Gentleman of good Reputation, and a plentiful Estate. He was educated in *All-Souls-College* in *Oxford*, and was Fellow of the same, and afterwards a Member and Ornament of the *College of Physicians* in *London*.

He was religious, loyal, learned, and of a solid Judgment and sterling Honesty. But I shall say no more of him ; his Book will be the best and most lasting Monument of his Fame.

*From my House in Bow-Lane,*

June 23. 1711.





## The Author's Preface.



*S* the Human Body is so framed by Nature, that by reason of a continual Flux of Particles, and the Force of external things, it cannot always continue the same; upon which account there have been great numbers of Diseases in all Ages: so without doubt the Necessity of finding out the Art of Healing has exercis'd the Wits of Men for many Ages, not only before the Grecian Æsculapius, but the Ægyptian too, who was a thousand Years his Senior. And indeed, as there is no man can tell who first contriv'd the Use of Houses and Clothes to defend us from the Injuries of the Weather, so the beginning of the Art of Physick can be no more discover'd, than the Fountain of the River Nile: for this, as well as other Arts, has been always in use, tho' it has been more or less cultivated, according to the various Dispositions of Times and Countries. How much the Antients, and amongst the chief, Hippocrates, have perform'd, is well known; from whom, and whose Writings, we have receiv'd the best part of the Therapeuticks. And in the succeeding Ages the Industry of some has appear'd, who have enlarg'd the Province of Physick, by applying themselves either to Anatomy, Pharmacy, or the Art of Healing; to say nothing of Britain, and of this Age, wherein there have not been wanting some who have labour'd in every kind of Science, whereby they might increase the Medical Art: but I am unable to speak their Praise. But how great soever others Endeavours have been, I always thought I liv'd in vain, unless I, being of the same Employment, contributed something, how small soever, to the Treasury of Physick. Wherefore, after long Meditation,



and a diligent and faithful Observation of many Years, at length I resolved to propose my Opinion, by what means the Art of Healing may be further promoted, and then to publish a Specimen of my Endeavours in this business.

I think our Art may be best improv'd, first by a History or Description of Diseases, as graphically and naturally as possibly may be; and, secondly, by a perfect and stable Practice or Method respecting them. It is indeed very easy to describe Diseases grossly; but so to write the History of them, that the Censure of my Lord Bacon may be avoided, whereby he chastises some such Proposers, is more difficult. We know, says the Noble Author, we may have a Natural History large of Bulk, and pleasant for Variety, and neatly contriv'd: But if any one should weed out the Fables, Quotations, needless Controversies and Flourishes, which are more proper for Table-Talk, and Stories in a Chimney-corner, than for an Institution in Philosophy, the Matter would fall to nothing. This is far from the History we propose. In like manner the History of Diseases, according to custom, is easily proposed. But to do this so, as that Words may pass into Actions, and that the Event may be agreeable to the Promises, they will judge is a Task more difficult, who see there are many Diseases in practical Writers, which neither they nor any body else are able to cure.

But as to the History of Diseases, if any one weighs the matter carefully, he will soon perceive, that the Writer ought to apply his Mind to many more things than is commonly thought. It will be sufficient to touch upon a few of them at present.

First, It is necessary that all Diseases should be reduced to certain and definite Species, with the same diligence we see it is done by Botanick Writers in their Herbals. For there are found Diseases that are reduc'd under the same Genus and Name, and as to some Symptoms are like one another; yet they are different in their Natures, and require a different way of Cure. Every one knows that the word Carduus is extended to a great many Species of Herbs; but he would be thought a very ignorant Herbalist, that should content himself to propose only the general Description of the Plant, whereby it differs from the rest, and in the mean while should neglect the proper and peculiar Signs of every Species, whereby they are distinguish'd one from another; so it is not sufficient for a Writer to mark only the common Appearances of any Disease: For tho the same Variety does not happen to all Diseases,



yet very many that are treated of by Authors under the same Title without any distinction of Species, are very unlike, as I hope to make appear plainly in the following Pages. And when they are distributed into Species, is is most commonly done to serve an Hypothesis built upon the true Phænomena; and so such a Discrimination is not so much accomodated to the Nature of the Disease, as to the Humour of the Author, and his Theory of Philosophizing. How much Physick has been obstructed for want of such Exactness in this matter, many Diseases shew; the Cures whereof had not been now to seek, if Writers, in communicating their Experiments and Observations, had not took one Disease for another: And this, I suppose, is the reason why the Materia Medica is so wonderfully increas'd, and to so little purpose.

Secondly, In writing a History of Diseases, every Philosophical Hypothesis that has inveigled the Writer's Mind, ought to be set aside; and then the clear and natural Phænomena of Diseases, how small soever they are, should be exactly mark'd, as Painters express the smallest Spots or Moles in the Face: For it can scarce be imagin'd how many Errors have been occasion'd by an Hypothesis, when Writers, deceiv'd by false Colours, have assign'd such Phænomena for Diseases as are nowhere to be found but in their own Brains; but they ought to appear, if the Truth of the Hypothesis, which they count certain, were manifest. Moreover, if any Symptom, which exactly suits with the said Hypothesis, really belongs to the Disease they are about to delineate, they magnify that above measure, as if that were all; but if it do not well agree with their Hypothesis, they either pass it by in silence, or touch it by the by, unless they can, by some Philosophical Subtlety, make it serve a turn.

But, Thirdly, It is necessary, in describing any Disease, to mention the peculiar and perpetual Phænomena apart from those which are accidental and adventitious; such are those which come from the Temper and Age of the Patient, and from the different Methods of Cure: for it often happens, that the Face of the Disease varies according to the various Processes of Healing, and some Symptoms rather proceed from the Physician than from the Disease; and those that labour of the same Disease, and are treated with different Methods, have various Symptoms: therefore unless Caution be used, the Judgment about the Symptoms of Diseases will be very uncertain; to say nothing of rare Cases, which do no more pro-



perly belong to the *History of Diseases*, than in the *Description of Sage*, the biting of the *Palmer* is to be accounted among the discriminating Signs of that Plant.

Lastly, The Seasons of the Year, which chiefly favour any kind of Diseases, are carefully to be observed. I confess some come at any time; yet others, and not a few, by a certain occult Instinct of Nature, follow the Seasons of the Year, as certainly as some Birds and Plants do. I have often indeed wonder'd, that this Disposition of some Diseases, which is so obvious, has been yet observed but by a few; whereas many have curiously observ'd under what Planet Plants spring, and Beasts generate. But whatever is the Cause of this Neglect, I do affirm, That the Knowledge of Seasons wherein Diseases are wont to come, are very advantageous for the Physician, both as to the Knowledge of the Species of the Disease, and to the Manner of extirpating it: and when this Observation is neglected, the Event of either of these is not good.

These things, tho they are not all, yet they are the most considerable; which ought to be observ'd in writing the *History of Diseases*. The Utility of which History, with respect to Practice, exceeds all Estimation; in comparison wherewith the nice Discourses, which nauseously stuff the Books of modern Authors, are of no value: for by what more compendious, or other way, can the curative Indications, or the morbid Causes which we are to oppose, be searched for, than by a certain and distinct Perception of peculiar Symptoms? Nor is there any Circumstance so small or contemptible, as not to serve for both Uses: For tho we must grant, that there is some variety upon the account of the Temperament of Individuals, and the Management of the Cure, yet notwithstanding the Order of Nature is so equal in producing Diseases, that the same Symptoms of the same Diseases are most commonly found in divers Bodies: and those which were observ'd in Socrates in his Sickness, are generally the same in any other Men afflicted with the same Disease; as the universal Characters of Plants are the same in all the Individuals of every kind. He, for instance, that has accurately described a Violet, as to its Colour, Taste, Smell, Figure, and the like, will perceive that that Description agrees almost in every thing with all the Violets in the whole World.

And indeed I think the chief Reason why we still want an exact History of Diseases, is, because most suppose, that they are only the confused and disorder'd Effects of Nature in defending



defending her self; and that he labours to no purpose, who endeavours a just Narration of them.

But to return to the Business: A Physician may as certainly take the curative Indications from the smallest Circumstances of the Disease, as he does the Diagnostick from them: And therefore I have often thought, if we had an exact History of every Disease, we should never want a Remedy suitable to it, the various Phænomena of it plainly shewing the way we ought to proceed in; which Phænomena, if they were carefully compar'd one with another, would lead us to those obvious Indications, which are taken truly from Nature, and not from the Errors of Fancy.

And by these Means and Helps, the excellent Hippocrates arriv'd at the top of Physick, who laid the solid Foundation for building the Art of Physick upon, viz. Nature cures Diseases. And he deliver'd plainly the Phænomena of every Disease, without pressing any Hypothesis for his Service, as may be seen in his Books of Diseases, Affections, and the like. He also deliver'd some Rules gather'd from the Observation of that Method that Nature uses in promoting and removing Diseases; such are his Prænotiones, his Aphorisms, and the like: And of these things consisted the Theory of the divine old Man, which was not drawn from a vain and lascivious Fancy, like the Dreams of sick Men, but it exhibited a legitimate History of those Operations of Nature, which she produces in the Diseases of Men. And now seeing his Theory was nothing else but an exquisite Description of Nature, it was very reasonable that in Practice his only Aim should be to relieve her when she was oppressed, by the best means he could; and therefore he allow'd no other Province for Art, than the succouring of Nature when she was weak, the restraining her when she was outrageous, and the reducing her to order; and to do all this in that way and manner whereby Nature endeavours to expel Diseases: for the sagacious Man perceived that Nature judges Diseases, and does all, being help'd by a few simple Forms of Remedies, and sometimes without any.

The other Method whereby in my opinion, the Art of Healing may be further promoted, consists of a fix'd and perfect Method of Healing; such a one I mean, which has been sufficiently strengthen'd by a great number of Experiments, and has been found able to cure this or that Disease: for I do not think that it is enough to publish particular Successes either of a Method or Remedy, if neither one nor the other has been  
found



found to attain universally the End in all, at least the Circumstances being so and so. For I declare, that we ought as certainly to know that this or that Disease may be cured, if we answer this or that Intention; as we certainly know that this or that Remedy will answer this or that Intention, which tho not always, yet most commonly answers our Desires: so we purge with Senna, and cause Sleep with Poppies. But I do not deny that the Physician ought to mind carefully the particular Events both of Method and Remedy which he uses in the Cure of Diseases, and to lay them up for Use, both to ease his Memory, and to render him more skilful; so that at length he may establish a Method, from which he need not recede a whit in the Cure of this or that Disease. But the publishing of particular Observations is not, in my opinion, so beneficial; for if the Observer designs only to acquaint us, that this Disease was once, or oftner cured by this Remedy, what advantage, I pray, will it be, that one unknown Medicine is added to the almost infinite heap of celebrated Medicines? But if I, laying aside all other Forms of Medicines, wholly addict my self to this, ought not the Virtue of it to be approv'd by a great many Experiments? And are not a great many Circumstances to be weigh'd respecting the Sick and the Method, before we can gain any Fruit by a solitary Observation? If the Medicine always succeed with the Observer, why does he take up with Particulars, unless he distrusts himself, or thinks he may easier impose upon the World by piece-meal? But how easy it is to write large Volumes of this kind, every one that is but little conversant in Practice knows; and on the contrary, how difficult it is to establish a perfect Method of Healing in any Disease. If but only one in an Age had treated but of one Disease in this manner, the Art of Healing, which is the Physician's Province, had come to as great perfection many years ago, as our mortal Condition would have allow'd. But, which is our great misery, we long ago forsook our antient and skilful Guide, Hippocrates, and the antient Method of Healing, founded upon the Knowledge of conjunct Causes, which may be certainly known: so that the Art which is now exercised, contriv'd by Men given to quaint Words, is rather the Art of Talking, than of Healing. But that it may not be thought that I speak this rashly, I beg leave to make a little Digression, that I may prove, that the remote Causes which take up the vain Speculations of curious Men, and wherein they triumph, are wholly inscrutable, and that only conjunct Causes can be known by us, and  
that



that the curative Indications are to be taken only from these.

We must therefore observe, That if the Humours are retain'd longer in the Body than they ought, either because Nature cannot concoct them, and afterwards expel them, or because they have contracted a morbidick Disposition, by this or that Constitution of the Air; or lastly, because they are infected with some Venom: By these, I say, and the like ways, the said Humours are exalted into a substantial Form or Species, which discovers it self by this or that Disorder, that is agreeable with its own Essence: and these Symptoms, tho to the less wary they may seem to arise from the Nature of the Part which the Humour possesses, or from the Nature of the Humour before it has put on this Species; yet they are really Disorders proceeding from the Essence of the said Species, newly raised to this degree: so that every specifick Disease is a Disorder arising from this or that specifick Exaltation, or Specification of some Juice in the Body. Under this kind may be comprehended the greatest part of Diseases that have a certain Type or Form; and Nature is as methodical in producing and ripening these, as of Plants and Animals: For as proper and peculiar Affections belong to every Plant and Animal, so it is in every Exaltation of any Juice, when it has broke out into a Species. We have a clear Instance of this in those Species of Excrescences which Trees and Shrubs emit, either upon the account of the Perversion and Depravation of the nutritious Juice, or by other Causes, in the form of Moss or Mistleto, Mushrooms, and the like; all which are Essences or Species plainly different from the Tree or Shrub they grow on. And indeed he that shall exactly consider those Phænomena that accompany a Quartan Ague, viz. That it most commonly comes about Autumn, that it keeps a certain Order, repeating its periodical Revolutions, as certainly as a Clock strikes, unless the Order of it be disturbed by some extrinsick thing; that it begins with Shivering, and a notable Sense of Cold, which is succeeded by a sensible Heat, which at length ends in large Sweats; and lastly, That this Disease, whomsoever it invades, is seldom cured before the Vernal Equinox: He, I say, that shall exactly weigh all these things, may as reasonably believe, that this Disease is a Species, as a Plant is so, which in like manner springs out of the ground, flowers, and dies, and in other things is affected according to its Essence. For it cannot be easily imagin'd why this Disease should arise from a Combination of Principles, or evident Qualities; whereas



whereas a Plant is reckon'd by all a Substance and distinct Species in Nature : tho we do not deny, that whereas every Species of Plants or Animals, excepting a very few, subsist of themselves, the Species of Diseases depend on those Humours from whence they were generated.

But tho it appears from what has been said, that the Causes of most Diseases are wholly inscrutable, yet the Question how they may be cured, may notwithstanding be resolv'd ; for we discourse here only of the remote Causes : and any one may see, that the curious Speculators of remote Causes lose their labour, whilst they endeavour to understand them, tho Nature oppose ; and yet they condemn the mediate and conjunct Causes that are near at hand, which it is necessary to know, and may be so without such Trifles : for they offer themselves plainly to the Understanding, or may be discover'd by the Testimony of the Senses, or by Anatomical Observations made long ago. And as it is plainly impossible that a Physician should understand those Causes of Diseases, which have no manner of Commerce with the Senses, so neither is it necessary ; for it is sufficient if we know the immediate Rise of the Disease, and such Effects and Symptoms of it, as may enable us to distinguish exactly betwixt this and another Disease not unlike it. In a Pleurisy, for instance, he will weary himself in vain, and will not be able to understand the ill Disposition and the incoherent Texture of the Blood, which is the first Origin of it : But he that rightly knows the Cause whereby it is immediately produced, and can distinguish it from all other Diseases, will as certainly cure it, tho he neglect the trifling and unprofitable Search after remote Causes. But this by the by.

But now if any one should ask whether to the two aforesaid things that are wanting in Physick, namely, a true and genuine History of Diseases, and a certain and confirm'd Method of Cure, a third ought not to be added, viz. the Invention of Specifick Remedies ; I agree with him : tho Method seems to me most commodious for curing acute Diseases ; in doing which, when Nature has appointed some certain way of Evacuation, whatever Method assists her in promoting the said Evacuation, necessarily conduces to the healing of it. But it were indeed to be wish'd, that the Sick might arrive to Health by a nearer way, by the help of Specificks, if any such can be found ; and which is of greater moment, may be placed out of the dangers which follow those Errors, whereinto Nature often and unwillingly falls, in expelling the  
Cause



*Cause of the Disease, how powerfully and learnedly soever she may be succour'd by the Physician's Assistance.*

But as to the Cure of Chronical Diseases, tho I do not at all doubt, that a greater Progress may be hoped for from a Method alone, than can be presently imagin'd, yet it is very manifest, that that is wanting in the Cure of Chronical Diseases, chiefly for this reason, viz. because Nature has not an effectual Method in these Diseases, to eject the morbidick Matter as in acute; whereby, we assisting and aiming at the right Mark, the Disease may be cured. In conquering therefore a Chronick Disease, he may deservedly be called a Physician, that has such a Medicine as is able to destroy the Species of the Disease; not he who only introduces from the first or second Quality some new one in the room of the former, which may indeed be done, and the Species not extinguish'd. For instance, He that is afflicted with the Gout, may be heated or cooled, and yet the Gout may be as violent as ever; for Specifick Diseases are not more immediately cured by that Method, wherewith only different Qualities are introduced, than a Fire is extinguished by a Sword: For what, I pray, can Heat, Cold, Moisture, Siccity, or any other of the second Qualities that depend on these, signify as to the Cure of a Disease, whose Essence consists of none of these? If any one should object here, that we had long ago a sufficient number of Specifick Remedies, this very Man, if he will make diligent search, would be soon of another mind: for the Peruvian Bark is all the Specificks we have. For there is a vast difference betwixt those things, which answer specifically to this or that curative Indication, which if we attend well to, the Disease may be cured, and such things as cure this or that Disease specifically and immediately; no respect being had to this or that Intention, or curative Indication. For instance, Mercury, and the Roots of Sarsa are commonly accounted Specificks in the French Pox; and yet they ought not to be counted proper and immediate Specificks, unless it can be proved by sufficient Arguments, that Mercury without Salivation, and Sarsa without Sweat, have perform'd the Business: for in the same manner other Diseases are cured with other Evacuations, and yet the Remedies that are used do no more immediately conduce to the Cure of those Diseases which are cured by those Evacuations, for the procuring which, such Remedies are very properly design'd, than a Lancet for a Pleurisy; which I suppose, no one will call a Specifick in this Disease.



Therefore *Specifick Medicines*, if they are restrain'd to this our Sense of them, do not fall to every Man's share; and yet I do not at all doubt, but out of that abundant Plenitude, with which Nature over-flows, by the appointment of the excellent Maker of all things, Care is taken for the Preservation of all, by the Cure of those great Diseases which afflict Men, and that near at hand in every Country. And indeed it is to be lamented, that the Nature of Plants is no better known to us, which seem to me the chiefest of the *Materia Medica*, and to be the likeliest to afford such Remedies as we have now discoursed of: For parts of Animals may seem to agree too much with the Human Body, and Minerals differ too much; upon which account, I confess, the Minerals answer Indications more powerfully than either things taken from Plants or Animals, but not specifically in the sense and manner we have mention'd. I have spent much time in the search after these things, but have not succeeded so well, as that I may prudently publish the Result.

But tho Plants please me best, yet I would by no means condemn those excellent Medicines taken from another Tribe, which have been found by the Industry and Labour of Men, of this or any other Age, to answer Intentions well. Amongst these, Dr. Goddard's Drops claim the first place. They are prepared by the learned and diligent Searcher after Methods and Remedies, Dr. Goodal: The Efficacy and Virtue whereof, for attaining the end to which they are commoly directed, I prefer before all other volatile Spirits whatever.

To conclude: having in this Introduction promised to give a Specimen of those things, which I contriv'd for the Encrease of this Art, I will now endeavour to fulfil my Promise in delivering the History of acute Diseases; in doing which, I am very sensible that I shall expose to the Lazy and Ignorant, all the Fruit of those things which I have labour'd for in Body and Mind, thro the better Part of my Life. But I sufficiently understand this ill-natur'd Age, and I expect therefore to receive nothing but Reproaches, and that I should have much more advanc'd my Fame, if I had contriv'd some vain and fruitless Speculation: but be it so, I expect my Reward elsewhere. If any one should here object, That others that are as much conversant in Practice as I, are not of my mind; it does not concern me to enquire what others think, but to propose faithfully my own Observations, in doing which, I beg the Reader's Patience, not his Favour: for the thing it self  

†

will



will shortly show, whether I have acted sincerely, or whether I have been a Man-slayer : only I beg pardon for that I have not so accurately described the History and Cure of Diseases as I propos'd ; for I do not pretend to have compleated the Work, but to have encouraged those of better Parts to undertake hereafter what I have now imperfectly handled.

One thing yet remains, whereof the Reader is to be admonish'd, viz. That I do not intend to enlarge the following Treatise with a great number of particular Observations, whereby I may give a Reputation to the Method there deliver'd : For it would be to no purpose, and nauseous to repeat those things singly, which have been treated of together. I count it sufficient at the end of every general Observation, at least as it respects the late Years, to add here and there a particular Observation, wherein the Substance of the preceding Method is contain'd : And I declare, That no general Method has been published by me, which has not been establish'd by repeated Experience.

He will be disappointed that expects a great number of Remedies and Forms here ; the Physician must use those according to his Judgment, as the Occasion requires : it is sufficient for me to mention by what Indications he must work, and in what Order and Time. For the Practice of Physick chiefly consists in this, viz. in being able to find the genuine Indications, and not Remedies to answer them : and they that have not observed this, have instructed Empiricks to imitate Physicians.

But if any one objects, That in some things I have not only renounced the Poms of Medicines, but have propos'd such Remedies as are scarce reducible to the *Materia Medica*, so simple and inartificial are they : But in this, I suppose, I shall only displease unthinking People ; for the Wise know that all things are good that are useful, and that Hippocrates, when he propos'd the use of Bellows in the Iliack Passion, and nothing for a Cancer, and the like, (which may be seen almost in every Page of his Writings) deserv'd as well for his Medical Art, as if he had fill'd all with pompous Forms of Remedies.

I design'd also to have treated of Chronical Diseases, at least of those that I had been more conversant with ; but it being a great Task, I will omit it for the present, and am willing to see first how these things will be receiv'd.



BOOKS Printed for A. BETTESWORTH and  
F. CLAY.

**M**RS. *Bekn's* Novels in 2 Volumes, adorn'd with Cuts.  
*Cocker's* Decimal Arithmetick.

*Brown's* Roman History, for the use of Schools.

Select Novels in 2 Volumes, adorn'd with Cuts.

*Fontanelle's* Plurality of Worlds, translated by Mr. *Glanville*.

*Incognita* : or, Love and Duty reconcil'd. A Novel written by Mr. *Congreve*. Price 1 s. 6. Printed to bind with his Plays.

*The Lovers Secretary* : or, The Adventures of *Lindamira*, a Lady of Quality. Written to her Friend in the Country; discovering all her Intrigues from fifteen Years to fifty. In 24 Letters. Price 2 s.

*The Art of pleasing in Conversation*; written by Cardinal *Richelieu*, French and English, for the Curious in either Language. Price 2 s. 6 d.

Of the Power and Influence of the Sun and Moon on human Bodies; and of the Diseases that rise from thence. By *Richard Mead* Doctor of Physick.

Familiar Letters written by *John* late Earl of *Rocheſter*, to the Honourable *Henry Savile* Esq; and other Persons of Honour and Quality. With Love-Letters by the ingenious Mr. *Thomas Otway*, to that excellent Actreſs Mrs. *Barry*. With others by Captain *Vanbrugh*, Mrs. *Phillips*, and Mr. *Tho. Brown*. To which is added a Poem call'd, *The Description of a Maidenhead*; written by the ſaid Earl, and never before printed. Price 5 s.

*The comical History of Francion*; ſatirically expoſing Folly and Vice, in Variety of Humours and Adventures, and adapted to the Humours of the preſent Age. Faithfully translated by Captain *Ayloffe*. Price 6 s.

*Puffendorff's* compleat History of *Sweden*, from its Origin to this time: Comprehending the Lives of their ſeveral Kings and Governors, &c. Price 6 s.

*Riverius Reformatus*, or *Riverius's* Practice of Phyſick; translated into English, and abridg'd.

*Etmullerus's* Practice of Phyſick abridg'd.

*Blount's* Law-Dictionary.

*Boyer's* French Dictionary.

*Mauger's* French Grammar.

*Royal* French Grammar.

PLAYS in 12° on an Elzevir Letter.

*Vanbrugh's* Plays, 2 Vol.

*Wycherley's* Plays, 2 Vol.

*Lee's* Plays, 3 Vol.

*Otway's* Plays, 2 Vol.

*Southern's* Plays, 2 Vol.

*Hamlet*, by *Shakeſpear*.

*Buckingham's* Rehearsal, and Chances.

*Rowe's* Ambitious Step-mother.

*Vanbrugh's* *Æſop*.

Rule a Wife, and have a Wife.

Earl of *Effex*.

Orphan, by *Otway*.

*Oroonoko*, by *Southern*.

*Theodoſius*, by *Lee*.

Anatomist, or Sham-Doctor; by


*Ravenſcroft*.





# Dr. SYDENHAM's

## PRACTICE of PHYSICK.



### SECT. I. CHAP. I.

#### *Of Acute Diseases in general.*

**R**EASON dictates, if I judg right, that a Disease is nothing else but Nature's Endeavour to thrust forth with all her might the morbidick Matter for the Health of the Patient, tho the Cause of it be contrary to Nature: For seeing it has pleased GOD, the Governour of all Things, that Human Nature should be fitted to receive the various Impressions that come from abroad, it could not be, but it must be subject also to many Diseases; which partly proceed from Particles of Air, ill agreeing with the Body, which when they have insinuated themselves into it, and are mixed with the Blood, affect the whole with a morbidick Contagion; partly from the various Ferments or Putrefaction of Humours, which are detained in the Body beyond their due time, because it was not able to digest



gest or evacuate them, either upon the account of their Bulk, being too great, or the Incongruity of their Quality. These Circumstances being so nearly joined to the Human Essence, that no Man can clearly free himself from them, Nature provided for her self such a Method and Concatenation of Symptoms, as that she might exclude the peccant Matter thereby, which would otherwise ruin the whole Fabrick; and she would much oftner than she does, attain Health by these harsh means, if she were not forced out of her Course by the Ignorant. But tho she be left to her self, she destroys the Man, either by doing too much or too little for her self; and so obeys resistless Fate, to which we are all indebted, according to the saying of *Boetius*:

*A Law eternal does decree,  
That all things born should mortal be.*

But to confirm what I have said by an Instance or two; What, I pray you, is the Plague, but a Complication of Symptoms, by which Nature uses to cast out the malignant Particles, by Imposthumes in the Emunctories, or other Eruptions that were drawn in by the Air? What is the Gout, but Nature's Contrivance to purify the Blood of old Men, and to purge the deep Parts of the Body, to use *Hippocrates's* Phrase? And the like may be said of many other Diseases, that are perfectly formed. But Nature performs this Office sometimes quicker, and sometimes slower, according to the different Methods she uses to exclude the morbid Cause; for when she requires the help of a Fever, whereby she may be able to separate the vitiated Particles from the Blood, and afterwards expel them, either by Sweat, a Looseness, or some Eruptions, or the like Evacuations, the whole Business is done in the Mass of Blood, which is a thin and fluid Body, and that by violent Motions of the Parts: therefore it is absolutely necessary that it should not only be determined suddenly, either for the Health or Death of the Patient, *viz.* as Nature can either critically dissolve the morbid Matter, or is oppressed or vanquished thereby; but also that it should be accompany'd with worse and more vehement Symptoms: And of this sort are those Diseases, which are called Acute, which move to their State quickly, and with Danger.




Danger. And tho it be not so proper, yet it is as true, to say, that those Diseases are to be accounted Acute, which tho with respect to the Paroxysms taken together, move slow; yet with respect to one particular Fit, quickly attain their End. Of this sort are all intermitting Fevers: but when the containing Matter of the Disease is of that Nature, that it cannot have the assistance of a Fever, for the universal Separation of it; or when this kind of Matter is fixed to any part which is unable to exclude it, either upon the account of its Confirmation, as it is in the morbidick Matter of a Palsy, that the Nerves are stuffed with, and in the suppurated Matter in the Cavity of the Breast of those that have an *Empyema*; or by the Defect of the natural Heat and Spirits, as when Phlegm falls upon the Lungs of those that are weakened by Age or a long Cough; or lastly, upon the account of a continual Flux of new Matter, wherewith the vitiated Blood, which is only disposed to carry it off, does oppress and overwhelm the Part: I say, in these Cases the Matter is very slowly, or not at all, concocted; and so Diseases that proceed from such unconcocted Matter are, and are called Chronical. Therefore from these two Principles, that are contrary, one to the other, concerning which we have now treated, some Acute and some Chronical Diseases arise.

As to Acute Diseases which I intend to treat of now, some proceed from a secret and inexplicable Alteration of the Air, infecting Mens Bodies; nor do they at all depend on a peculiar Crasis of the Blood and Humours, any other-wise than the occult Influence of the Air has imprinted the same upon them. They continue as long as this secret Constitution of the Air, and no longer; neither do they come at any other time: These are called Epidemics.

Other Acute Diseases arise from this or that particular Irregularity of particular Bodies, which because they are not produced by a general Cause, do not therefore invade many at once: Besides, this sort comes every Year, and at any time of the Year, excepting those we shall mention, when we come to speak particularly of this kind.

These I call Intercurrent or Sporadick, because they happen at any time, when Epidemics rage. I begin with Epidemics, and first of all propose a general History of them.





## C H A P. II.

*Of Epidemick Diseases.*

**I** Think nothing will cause such Admiration in him that diligently views the Province of Physick, as the great Variety of Epidemick Diseases; not so much for that they resemble the various Seasons of the same Year, as that they are like the divers Constitutions of Years, that vary one from the other, and depend on them. And this manifest Difference of these Diseases will plainly appear by their proper and peculiar Symptoms, and the different Method which each requires. Tho these Diseases may seem alike to the Unwary, because in some sort they do agree to outward Appearance, yet if you seriously consider, they are very different; and it is hard to say whether a diligent Search, for which this short Life of Man is not sufficient, would teach us, that Epidemical Diseases circle about in one continual Series, or whether they come disorderly, according to the occult Diathesis of the Air, or the inexplicable Course of Times. But this I am sure of by many Observations, that the above-mentioned Species of Diseases, especially continual Fevers, do very much differ; for that Method which is successful one Year, may perhaps be destructive another. And when I had once happily met with a Method of Cure, which this or that kind of Fever did particularly require, I scarce ever fail'd of Success, respect being had to the Temperament, and Age, and the like, till this Species was extinct: but when a new one did arise, I was in doubt which way I should steer, so as to be serviceable to my Patient; and unless I took great Care, and used my utmost Endeavours, I could scarce help, but that one or two of those I had first in hand would be in great danger, till I had found out the Genius of the Disease, and then I could again proceed readily to the curing of it.

And tho I have observed, with as much Diligence as possibly I could, the various Disposition of divers Years, as to the manifest Qualities of the Air, that from thence I might



might learn the Causes of this great Variety of Epidemical Diseases, yet I have received no Benefit thereby; for I perceive that Years which agree as to the manifest Temper of the Air, are infested with various Diseases: and so on the contrary. And thus it happens, there are many Constitutions of Years that arise neither from Heat nor Cold, nor Moisture, nor Drought, but proceed from a secret and inexplicable Alteration in the Bowels of the Earth; whereby the Air is contaminated with such *Effluvia*, as dispose Bodies to this or that Disease, as long as the same Constitution prevails, which at length in a certain Space of time withdraws, and gives way to another. Every one of these general Constitutions is accompany'd with a Fever proper and peculiar to it self, which never appears at any other time; therefore I call these Fevers Stationary.

Moreover, there are particular Temperaments of the same Year, as I may say; wherein, tho according to the manifest Qualities of the Air, those Fevers that follow the general Constitution of the Year are more or less Epidemical, or come sooner or later, yet chiefly these Fevers that come every Year, (which therefore we called Inter-currents) owe their Rise to this or that manifest Temper of the Air, *viz.* a Pleurisy, Quinsy, and the rest of this sort, which most commonly proceed from sudden Heat, following presently a long and severe cold Season. Therefore 'tis probable, the sensible Qualities of the Air may be instrumental in producing the Fevers which exert themselves in every Constitution, but not as to those that are peculiar to any one Constitution: But we must confess, that the abovementioned Qualities of the Air do more or less dispose our Bodies to generate this or that Epidemick Disease, which is likewise to be said of any Error in the six Non-naturals.

But we must take notice, that some Epidemical Diseases in this or that Year are regular, and have the like *Phænomena* and Symptoms in almost all that are infected with them, and go off in the same way and manner; therefore a true and certain History of Epidemical Diseases, is to be learnt from these, as being most perfect of the kind.

There be other Diseases of other Years, which tho they be Epidemical, yet are they so irregular, that they cannot be comprehended under any Form, and are in-



deed ill-condition'd upon the account of the uncertain variety of Symptoms, and their certain Changeableness, and as to the Method whereby they are cured. This great Disparity arises from hence, *viz.* because every Constitution produces Diseases, that are very much unlike those of the same kind under another Constitution; which not only happens in Fevers, but in many other epidemick Diseases.

And this is not all, for there is a variety of wanton Nature, that is of a more nice Speculation, *viz.* that the same Diseases should vary often under one and the same Constitution, as to its Beginning, State and Declination; which is of so great Consequence, that the Curative Indications are to be omitted or us'd, according as the Disease is dispos'd.

Moreover, we must take notice, that epidemick Diseases must be divided into two Ranks, *viz.* Vernal and Autumnal; and tho they may happen at any other time of the Year, yet if they do, they belong to that Rank they are nearest: for so it falls out sometimes, that the Temper of the Air does so much agree with some one epidemick Disease, that by the help of it, it comes before its Time: And on the contrary, 'tis defer'd when there is no suitableness; so that it does not invade the Body predispos'd till some time after. Therefore when I mention the Spring or Autumn, I do not exactly mean the Equinox, whether Vernal or Autumnal.

Some epidemick Diseases begin early in the Spring, *viz.* in *January*; and encreasing by degrees, come to their height about the Vernal Equinox; then decrease and vanish about the Summer Solstice, saving that a very few afterwards may now and then happen. Of this sort are the Measles and Spring Tertians, which, tho they appear somewhat later, *viz.* in *February*, yet they also withdraw at the approach of the Summer Solstice: But others that begin in the Spring encrease daily, and do not come to their State till the Autumnal Equinox, which being past, they begin to retreat, and at length are extinguish'd by the Cold of Winter. Of this kind are the Plague and Small-Pox, in those Years they are Epidemical. The *Cholera Morbus* belongs to the Family of Autumnal Epidemics; it begins in *August*, and finishes its Course in the space of a Month. There are other Diseases that begin at the same time, but  
continue



continue till Winter; for instance, the Bloody-Flux and Autumnal Fevers, both Tertian and Quartan: all these lose the Name and Nature of Epidemics in the space of two Months most commonly, but some are afflicted with them sometimes longer, sometimes not so long.

But in particular, as to Fevers, we must take notice, that the greatest part which are continual have yet no Name allotted them, as they proceed from the Influence of a general Constitution; but they borrow those Appellations they are known by, from some remarkable Alterations imprinted upon the Blood, or from some evident Symptom: and upon this account they are call'd Putrid, Malignant, Spotted, and the like. But forasmuch as every Constitution is prone to propagate some other Diseases of Note, at the same time more Epidemical, besides the Fevers it produces, of which sort are the Plague, Bloody-Flux, Small-Pox, and the like; I cannot see why such Fevers should not rather take their Name from the Constitution, as it favours the Production of either of these Diseases at the time when they appear, than from any Alteration of the Blood, or any particular Symptom, which may as well agree with Fevers of another kind. Intermittents take their Names from the Intervals between the Fits; and this is sufficient to distinguish them, if the Seasons of the Year wherein they happen, *viz.* Spring or Fall, be consider'd: but some of these have no very visible Character, whereby they may be distinguish'd, tho they really participate of the Nature of Intermittents; as when Autumnal Intermittent Fevers come early, *viz.* in July, and are common, they do not presently put on their own Shapes, (which is customary in Spring Intermittent Fevers) for they imitate continual Fevers so well, that 'tis hard to distinguish them. But the Violence of the Constitution being a little quell'd about the end of Autumn, they put off their Disguise, and then openly appear to be Intermittents, either Tertians or Quartans, as indeed they were really at first. And if this be not carefully observed, we shall be deceived in our Prescriptions, much to the prejudice of our Patients, while we mistake Fevers of this kind, which are to be accounted Intermittents, for real Continual Fevers.

Moreover, we must diligently observe, that when many of these Diseases infest the same Year, one is more predominant, and all the rest are as it were under it, and



don't rage so much at that time; so that as this increases they decrease, and when this decreases they increase; and so by turns they vex poor Mortals, as the Genius of the Year, and the sensible Temper of the Air favour most this or that Disease: but that Disease which rages most, and is most deadly about the Autumnal Equinox, names the Constitution of the whole Year. For it plainly appears, that whatsoever Disease prevails over the rest at that season, will have the dominion over the rest for the whole Year; to whose Genius all the Epidemics that are Contemporaries with it, accommodate themselves, as far as it consists with their Nature: For instance, when the Small-Pox did rage, at the same time the Fevers that did wander here and there, did plainly partake of that Inflammation which produced the Small-Pox; for both Diseases began after the same manner, and there was great likeness betwixt the proper Symptoms of each, excepting the Eruption of the Small-Pox, and the rest that depended on it, as manifestly appear'd by that great Inclination to spontaneous Sweats and Spitting, which were proper to both. In like manner when the Bloody-Flux chiefly prevail'd, the Fever that raged that Year was not a little like it, (only the Bloody-Flux did put off the morbid Cause by Stool, and some other Symptoms arose from thence) which did manifestly appear, for that the beginning of both were alike, and those that had either Disease were inclined to *Aphthæ*, and did mutually partake of the same Symptoms. And truly the Bloody-Flux we now speak of, was that very Fever introverted, which did exonerate it self into the Intestines, and was put off that way. It is to be noted, that the chief Epidemick that rages about the Autumnal Equinox, recedes at the approach of Winter; and the Epidemics of a lower Rank exert themselves, until the chief Epidemick of the Year returns and suppresses them.

Lastly, we must observe, That when any Constitution produces various Species of Epidemics, each Species differs in Kind from those that have the same Name, but are under another Constitution. But how many soever peculiar Species there be that invade under one and the same Constitution, they all agree in the common and general Cause that produces them, *viz.* in this or that peculiar Diathesis of the Air; and by consequence, how much soever they differ one from the other, as to their Type and  
specifick



specifick Form, yet the Constitution that is common to all, reduces the Subject-matter of Particulars to the like Condition and State; so that the chief Symptoms which do not belong to the particular manner of Evacuation, are alike in all: and in this they all agree, *viz.* they equally increase and decrease at the same time. Moreover, we must observe, that in those Years wherein various Species of these break forth, they all make an Assault at the same time, and after the same manner, and have the same Symptoms at their first Invasion.

Hence we may learn the various and accurate Method Nature useth in generating Diseases, which I believe no Man has hitherto sufficiently observed. And from hence it appears (seeing the specifical Differences of popular Diseases, *viz.* Fevers, arise from the secret Constitution of Years) that those labour in vain, who deduce the Reasons of divers Fevers from a morbifick Cause reserv'd in the Body: For it is evident, that if any Person who is very well, travels to some Parts of this Kingdom, he will be seiz'd with the Fever that rages there in a few Days; and yet it is scarce credible that any manifest Change should be imprinted by the Air upon the Humours of this Man in so short a time. Nor is it less difficult to accommodate general Rules, and to fix some certain Bounds, which we may not pass in the Cure of these Fevers. Therefore in so great Uncertainty, I think it best to pause a while, when any new Fever arises; especially, to proceed gently, and with deliberation, to great Remedies, and in the mean while to observe diligently the Genius of it, and likewise those things that do either good or harm, that we may avoid the one and chuse the other.

In a word, as it is very hard to reduce all the Species of Epidemicks into Classes, according to the variety of their *Phænomena*, and to decipher the Idiopathick Characters of each, and to accommodate a Method of Healing particular to every one; so also, because they do not invade in any certain Series of Years (at least not yet known) perhaps the Age of one Physician will not be sufficient to collect an exact *Apparatus* of Observations of them. But tho' this Labour be so tedious, we must perform it before we can justly boast of any thing we have done, fit to be remembered in explicating the various Series of these Diseases.

But how may we give an account of the distinct Species of Epidemicks, that do not only (at least as it appears to us)




us) invade by chance, but also for one Year, or one certain Series of Years, are of the same Genus; in another Year, are distinguish'd *in specie* one from another? Why, in this case no Method ever seem'd more fit to me, than that which describ'd them in the Order they succeeded one another for a sufficient number of Years; which that I may do according to my own Model, I will faithfully deliver to the learned World the History and Cures of those Epidemics (as well as I could possibly collect them from the most accurate Observations) that did rage from the Year 1661, to the Year 1676. *viz.* for the space of fifteen Years: For it seems to me plainly impossible to perform this Work by assigning the Causes of the Rise of them to the manifest Qualities of the Air, much less to some particular Dyscrasy in the Blood and Humours, unless as it rises from a secret Influence of the Air.

It is also impossible to give an account of the Species of various Epidemics, which arise from specifick Alterations of the Air, tho it may seem very easy to those who are wont to give Names to Fevers, according to their Notions ill-grounded upon the Speculations of those Alterations which may arise in Human Blood and its Humours: for when we do not follow Nature, the best Guide, but allow our selves to guess, there will be so many Species of Diseases as we can repeat; and in the mean while we take that Licence, which no Man will grant to a Botanist, from whom we require the Testimony of the Senses for his Relation of Plants, not a speculative Discourse, tho he may be excellent in this Particular, and exceed others.

I do not assume so much to my self, as that I would be thought to have accomplish'd what I now treat of; perhaps I have not so much as repeated all the Families of Epidemics: Nor can I say that these Diseases, which in the Years past, whereof I now treat, did mutually succeed one another in that order we shall mention hereafter, will likewise continue to do so for Years to come. All that I pretend to, is, to declare how this thing has been of late, and to confirm by the Observations of some few Years what relates to these Regions, and this City wherein we live; that I may offer my Mite for the beginning a Work, which, if I am not mistaken, will be very much to the Advantage of Mankind, when it is perfected by Posterity, who may traverse the whole Series of Epidemics in Years to come.





## C H A P. III.

*The Epidemick Constitution of the Years*  
1661, 62, 63, 64.

**I**N the Year 61, the Autumnal Intermitting Fevers, which for some Years past prevail'd, did again break forth afresh (especially obstinate Tertians) about the beginning of *July*, and daily increasing, fiercely raged in *August*; and in many places, whole Families being seiz'd, they were very mortal, and then decreasing by degrees, they were extinguish'd by the Cold Winter coming upon them, so that there were very few in *October*. The Symptoms which accompanied this Tertian chiefly, differ'd from the Symptoms of other Tertians in other Years, in these things, *viz.* the Fit was fiercer, and the Tongue was blacker and drier; and when the Fit was past, the Fever did not clearly go off; the Appetite and Strength were more dejected, and the Fits more inclined to double: in short, all the Accidents were worse, and the whole Disease fiercer than was usual in Intermitting Fevers. When this Disease seiz'd People that were in Years, or those that were of an ill Habit of Body, or others that were weaken'd by Bleeding, or any other Evacuation, it continued for two or three Months. Some few Quartans accompany'd the Fevers now describ'd, but both being unable to bear the approach of Winter, (for then they invaded none that were not infected before) withdrew, and were succeeded by a continual Fever differing from the intermitting Autumnals only in this: Those did come at certain times, and this was continual; for they invaded the People almost alike, and those that violently labour'd of either, vomited; their external Parts were dry, and their Tongues black, and they were thirsty, and the morbidick Matter of both was readily exterminated at their Declinations by Sweats. It was manifest, this Fever belong'd to the Family of Autumnal Intermitments, because it rarely appear'd in the Spring;



Spring; and it was a sort of Compendium of the Intermittents, and on the contrary every one of their Fits seem'd to be a Compendium of this Fever. So that the difference chiefly consists in this, *viz.* That the continual Fever perfected its Effervescence, once begun with the same degree of Heat; but the Intermittents perform their Business by Parts, and at several Times. I cannot say how long this Fever hath prevail'd, for hitherto I have had enough to do to attend upon the general Symptoms of Fevers; for as yet I have not been able to distinguish them according to the various Crasis of Years, or according to the various Seasons of the same Year. This I certainly know, That there was but one Species of a Continual Fever till the Year 1665; and the Autumnal Intermittents, which were frequent till this Year, afterwards became more rare.


But to return to the Business: That Tertian Fever which in the said Year so much prevail'd, contracted it self into a less Compass when the Year was over; and in the following Autumns, the Quartans exceeded all other Epidemics, as long as the Constitution of the Air remain'd: but after Autumn, the Quartans always decreasing, the continual Fever (which thro all this time appear'd a little) now violently raged till Spring, at which time the Vernal Intermitting Fevers succeeded; which going off likewise about *May*, the Small-Pox here and there appear'd and disappear'd again at the approach of the Autumnal Epidemics, I mean the continual Fever, and the Quartans. And in this order the Epidemick Diseases follow'd one another, and pass'd thro this whole Constitution of the Air. I shall particularly treat of these, *viz.* the Fever, and the Vernal and Autumnal Intermittents, which chiefly infested this Constitution.

I will begin with this Fever, which seems to me the chiefest of all, because Nature acted in it more regularly than in any other, both in bringing the febrile Matter to a due Concoction, and by casting it forth at a certain appointed time. Moreover, forasmuch as those Constitutions of Years that produce Autumnal Intermittents, much oftner return *communibus Annis*, than those that cause other Epidemics, it necessarily follows, that the Continual Fevers that accompany them should often happen.

Besides the Symptoms that belong to other Fevers, this was also accompany'd with these following. The Sick most



commonly was violently ill, he vomited, his Tongue was dry and black, there was a great and sudden Dejection of the Strength, the External Parts were dry, the Urine always thick or thin, both were equally a sign of Crudities: In the Declination of the Disease there was a Looseness, (unless the Physician chanced to prevent it at the beginning, which prolong'd the Disease) but according to its own Nature and Genius, it went off about the 14th or 21st Day, at which Time it was expell'd by Sweat, or rather gentle Breathing; and the Signs of Concoction appear'd most commonly in the Urine about this time, and not before. Other Symptoms superven'd when the Disease was unskillfully handled: but these and the whole Genius of it will more clearly appear from the peculiar Method that heretofore I accommodated to this Fever; which therefore I will transfer hither, (at least as much as concerns the Business) as I publish'd it long ago, at which time I did not know there was any other kind of Fever to be found any where.



#### C H A P. IV.

*Of the Continual FEVER of the Years*  
1661, 62, 63, 64.

FIRST, I observe, That in the inordinate Commotion of the Blood, the Cause, or Companion of this Fever, is started up by Nature, either that some Heterogeneous Matter contained in it, and offensive to it, should be cast out, or that the Blood should be some way alter'd.

And in this Business the word *Commotion* pleases me best, because it is more large and general than either *Fermentation* or *Ebullition*; for it prevents the occasion of a vain dispute about Terms, that perhaps Words of that kind may seem to countenance: tho they may admit of an Explication that is not incommodious, yet are they thought something improper by some; for tho the Commotion of the Blood may be something like the Fermentation, some-



sometimes like the Ebullition of Vegetable Liquors, yet there are some that think it very much differs from both, and they produce one or two Examples of Fermentation. First, tho Liquids fermenting are wont to obtain a vinous Nature, so that a hot Spirit may be drawn from them by Distillation, and easily turns to Vinegar, which is notably sharp, and yields by Distillation an acid Spirit; yet they say, that neither of these Dispositions has hitherto been found in the Blood.

And they observe, That in vinous Liquors the Fermentation and Depuration are finish'd at the same time, and as it were keep pace together; but, the Depuration of the Blood in Fevers, does not accompany, but follows its Estuation, which they think is manifest even to sight, in a feverish Fit carried off by Sweat.

But as to Ebullition, the Analogy seems more difficult to them, and which Experience contradicts in many Cases, where the Fury of the Blood is not so violent as that it may deserve the Name of *Ebullition*; but be it as it will, (for I will by no means engage in these Disputes) seeing the Terms of Ebullition and Fermentation have been very much used among modern Physicians, I will not refuse to use them too, now and then: Whilst it is manifest from what has been said, that these Words serve only in this Treatise for a clearer Explication of what is to be discoursed of.

Undoubtedly, all sorts of Fevers that are accompanied with Eruptions, make it appear, that this feverish Commotion of the Blood is raised for the Secretion of some Heterogeneous Matter, that is contrary to Nature; for that in these, by the help of Ebullition, an Excrement of an ill Quality is cast upon the Skin, that lay hid before in the Blood.

And I think it is no less probable, that the febrile Commotion of the Blood should often (not to say oftner) aim at no more than to be changed into some new State and Disposition; and that a Man, whose Blood is pure and untainted, may be seiz'd with a Fever, as we commonly find it happens to healthy People, in whom we find there is no morbidick Furniture, either as to a *Plethora*, or ill Habit, no unhealthy Indisposition of the Air, which may occasion a Fever; and yet notwithstanding, by reason of some notable alteration of the Air preceding, or change of Diet, or of the rest of the Non-naturals, as they are called, such  
Men



Men are likewise seiz'd with a Fever; and the Reason is, because the Blood endeavours to gain a new State or Condition, such as the Air, and manner of Diet requires: not that the Irritation of vitious Particles lodg'd in the Blood causes the Fever, tho I do not at all doubt, but that the Matter that is commonly excreted in the despumation of the Blood after the Febrile Commotion, is vitious, tho the Blood before was well dispos'd; which is no more to be wonder'd at, than that some Part of what we eat should be corrupted and stink, after it has been considerably alter'd in the Body, and separated from the rest.

Secondly, I reckon, that the true and natural Indications that arise in this Disease, shew, that the Commotion of Blood must be kept in that degree which is suitable to Nature's Purpose; that it do not rise too high on the one hand, from whence great Symptoms flow, nor be depress'd too low on the other hand, whereby the Protrusion of the morbifick Matter may be hindered, or the Endeavours of the Blood affecting a new State frustrated: so that whether the Fever arise from some heterogeneous Matter irritating it, or from the Blood affecting a new Condition in both Cases, the Indications are the same. These Things being premised, I order the Method of Cure in the following manner.

When I am called to Patients, whose Blood of it self is weak, as it is most commonly in Children, or when it wants Spirits, as in old Age, and in young Men weaken'd by long Sickness, I forbear Bleeding; for if I should bleed such, their Blood being already too weak, it would become unfit to perform the Business of Depuration, and consequently the whole Mass would be perverted, and the Life of the Patient hazarded, (as when the Fermentation of Beer, or any new Liquor, is unseasonably stop'd, it is most commonly spoil'd :) for Nature can no more associate with the Particles which it has once begun to eject; which tho they were pure when they were equally mixed with the Blood, are now corrupt, and apt to infect the other Humours. Truly, I know very well, that those that are injur'd by Bleeding, are sometimes restor'd by proper Cordials, the Blood being enabled by them to purify it self: But Prevention is better than a Cure.

When I am called to those whose Blood is of a contrary Nature, such as is wont to be in young Men of a strong  
Con-



Constitution, and sanguine Temper, I order Bleeding in the first place, which cannot here be omitted without danger, (except in some Cases to be mentioned hereafter) for otherwise not only Pleurifies, Phrensies, and such Inflammations may be feared, by reason of the too great Ebullition of the Blood, but also on the account of the Superfluity and Stagnation of the whole Mass.

As to the Quantity, I only take away so much Blood as I suppose will free the Sick from those Dangers whereunto, as we said, he is obnoxious by the violent Commotion of it. Moreover, I regulate the Estuation by repeating Bleeding or omitting it, by using or forbidding the use of hot Cordials; and lastly, by keeping the Body loose, or stopping it, as I find that Motion high or low.

After Bleeding, if it be necessary, according to the above-mention'd Case, I carefully enquire whether the Sick was inclin'd to Nauseousness or Vomiting at the beginning of the Fever; and if so, I presently order a Vomit, unless some great Weakness of the Patient, or the tender Age forbid it. Indeed a Vomit is so necessary, when an Inclination to Vomiting went before, that unless that Humour be evacuated, it will occasion many difficult Symptoms, that will obstruct the Physician in performing the Cure, and very much endanger the Sick. A Looseness is the chief and most frequent, which most commonly follows in the declination of the Fever, when Vomits were omitted, altho indicated; for in the Progress of the Disease, when Nature has somewhat quell'd the malignant Humour in the Stomach, and thrust it down to the Guts, they are so corroded by a continual Flux of a sharp Humour from this Fountain in the Stomach, that a Looseness must necessarily follow. But I have taken notice, That in Inflammatory Fevers, which are commonly call'd Malignant, a Looseness did not constantly follow the Omission of a Vomit, as it did in this Fever, tho such an inclination to Vomiting went before: But of this Matter more hereafter. This sort of Looseness is more dangerous, because the Sick being much weakened before, is more enervated thereby; besides, which is worst, it happens at the declination of the Fever, when the Blood should contract it self, and use its utmost Endeavours for finishing Despumation, but is hinder'd by this Evacuation.



But that you may not doubt that this Humour, lodg'd in the Stomach, unless it be expell'd by a Vomit, will in a short time cause a Looseness, upon enquiry we almost always find, that when a Looseness accompanies this Fever, the Sick was inclin'd to vomit at the beginning of the Disease, but a Vomit was not given. Furthermore, you may take notice, that tho the Inclination to Vomiting went off long before, yet the Looseness will cease for the most part upon taking a Vomit, if the Sick be able to bear it: But I have frequently observed, that when the Looseness is come, astringent Remedies do little or nothing, either taken inwardly, or outwardly apply'd, to stop it.

I commonly use the following Vomit:

*Take of Vinum Benedictum six Drams; of Oxymel of Squills, and compound Syrup of Scabious, each half an Ounce: mingle them, make a Vomit.*

I order it should be taken two Hours after a small Dinner, and that it may work the better, six or eight Pints of Posset-drink may be provided: For these Medicines are dangerous, if they are not well wash'd off; and therefore as often as the Patient vomits, or goes to stool, he must take presently a Draught of it, whereby the Gripes will be prevented, and he will vomit easily.

After a nice View of the Matter cast up by Vomits, which was neither much, nor ill, I often wonder'd how it comes to pass, that the Sick should be so much reliev'd by it; for as soon as the Vomit hath done working, the violent Symptoms, *viz.* the Nauseousness, Anxiety, Restlessness, Sighing, and Blackness of the Tongue, were commonly mitigated, which before afflicted the Sick, and frighten'd the By-standers; so that the rest of the Disease was very tolerable.

It is to be observ'd, that if the Case requires Bleeding and Vomiting, it is safest to bleed first; for otherwise the Vessels being stretch'd with Blood, there is great danger, lest, by violent straining to vomit, the Vessels of the Lungs should be broken, and the Brain hurt, the Blood being violently poured in and out, and so the Patient may die of an *Apoplexy*; whereof I could mention some Instances, if it were proper: it is sufficient, that I warn you to use great Caution in this Case.



## 18 *Continual Fever in the Year 1661, &c.*

If any one should ask, at what time of the *Fever* I would give a Vomit, I say at the very beginning, if I had my Choice; for by this means the Sick may be preserved from those dreadful Symptoms that rise from the Filth of such Humours as lurk in the Stomach and neighbouring Parts; and perhaps you may stop the Disease at the beginning, which otherwise would increase to the hazard of the Patient, and become tedious, being nourish'd by the fore-mention'd Humours, which either by reason of their Substance pass into the innermost Parts of the Body, and are mingled with the Blood, or because they are kept too long in the Body, wax worse, and put on a venomous Quality, which they continually impart to the Blood as it passes by their Nest. And of this, not to go far, the Disease called *Cholera Morbus* is a clear Instance; for sometimes when the Vomiting is unseasonably stop'd in that Disease, whether it be by an Opiate, or astringent Medicines, a worse Train of Symptoms follow: for the sharp and corrupted Humours being upon this account repelled, whose exclusion ought to have been permitted awhile, till they were sufficiently evacuated, exert their Fury and Force upon the Blood, and kindle a *Fever*, which is wont to be irregular, and accompany'd with ill Symptoms, and can scarce be cured without a Vomit, tho the Patient do not then vomit.

But if we are called in late, as we are often, so that we cannot assist the Patient at the beginning of the *Fever* by ordering a Vomit, yet I have thought it proper to give one at any time of the Disease, if the Patient has strength to bear the working of it. Indeed I have given a Vomit with good Success on the twelfth Day of the *Fever*, tho the Sick had left off Vomiting before; and so I have stopped the Looseness, which obstructed the Blood in performing its despumation; and I should not doubt to do it later, unless the Patient, by reason of Weakness, cannot bear it.

After Vomiting, I always endeavour to quiet the Tumult raised in the Humours by the Vomit, and therefore I order an *Anodyne* to be taken at Bed-time after the Vomit.

*Tak of red Poppy-water two Ounces; of Aqua Mirabilis two Drams; of Syrup of white and red Poppies, each half an Ounce: mingle them, make a Draught.*

†

But



But if there be no fear of raising the Ebullition for the future, either by reason of a great loss of Blood, which was taken away in order to the Cure, or by frequent Vomiting, and Stools occasioned by the Vomit, or by a present Apurexy or Weakness of the *Fever*, or its declining State; then I boldly order a large Dose of *Diascordium*, either by it self, or mixed with some cordial Water, instead of the *Anodyne* above described; and it is really an excellent Medicine, if it be given in a due Quantity.

And now, before I leave off discoursing of Vomits, I must acquaint you, that it is by no means safe, at least in this *Fever*, to give Vomits of *Vinum Benedictum* to Children, or any under Fourteen, no not in the least Quantity. It were to be wish'd, that in the room of this we had some safer Medicine that was as powerful, which might root out the Humour that always almost threatens a Looseness at the declination of the *Fever*; at least, that we had such a one as would so alter the sharp Matter, that it could not occasion a Looseness.

I have indeed been frequently at a stand, when I have visited Infants and Children in a *Fever*, and have seen an Indication, which persuaded the Use of a Remedy that would have cured them, and yet I did not dare to order it, for fear of the ill Consequences; but in grown People I have hitherto observed no hurt proceeding from a Vomit, if it were given with the Cautions above-mention'd.

Vomiting being over, I consider whether, notwithstanding the foregoing Evacuations, the Blood rages so much, that it is still necessary to lessen its Effervescence, or whether it be so very low, that it wants to be heightned; or lastly, whether the Fermentation, being reduced to a due degree, may be left to it self without danger to the Sick. Of each of these I shall say something.

First therefore, if the Blood ferments so violently that we may reasonably fear the Sick is in danger of a *Phrensy*, or some other ill Symptom, proceeding from too great an Ebullition of Blood, the day after taking the Vomit, I order the following Glister.

*Take of the common Decoction for a Glister one Pint; of Syrup of Violets and brown Sugar, each two Ounces: mingle them, make a Glister. And I order it should be repeated upon occasion.*



By which, most commonly, the Blood being somewhat cooled, its Effervescence is sufficiently restrained: but sometimes it is necessary to repeat Bleeding once again, *viz.* in those of a very sanguine Constitution, and in the Flower of their Age, or in others who have inflam'd their Blood by drinking Wine frequently; but most commonly there is no need of so great a Remedy as is repeated Bleeding: and excepting the Cases above-mentioned, the Effervescence may be sufficiently restrain'd by the use of Glisters: wherefore if the Blood boil too much, I order a Glisten every day, or every other day, as the Case requires, to the tenth day of the Disease; but if much Blood has been taken away, or the Sick is old, I order no Glisters at that time, tho the Blood be very hot: for in these Cases, as there is no fear that by the omission of Glisters the Ebullition begun should proceed so far, as that there should be great danger from some violent Symptom; so it is most certain, that by the use of them, the Strength, and, as I may say, tho less properly, the Tone of the Blood is so much relaxed, especially in old People, (for Glisters are not used so successfully in old People as in young) that Nature is obstructed in her Business. But if not much Blood has been taken away, then, as I said, I order'd Glisters to the tenth Day, more or less, and sometimes to the twelfth Day, especially for those I did not care to bleed; for some fall into a continual Fever after Autumnal Agues, (whether they are *Tertian* or *Quartan*) because they were not purged after the Agues left them; and if such should be blooded, there will be danger, lest that Sediment, which the preceding Fermentation put off, should be again sucked into the Mass of Blood, and so should cause new Tumults: therefore in this Case, instead of Bleeding I use Glysters till the twelfth Day, if the Patient be young, and the Fermentation too high.

But whether Bleeding be used or not, if the Effervescence be too low, and wants to be stirr'd up, in this Case we must wholly abstain from the use of Glisters, even before the tenth Day, and much rather if it be past: For to what purpose should we endeavour any more to restrain the Fermentation, which is already too languid? But if after that time, *viz.* in the declension of the Disease, we should use Glisters, it would be as ridiculous as if any one  
should



should give too large a vent to Beer when it is dying; for, by reason of this Evacuation, Nature is obstructed, so that she cannot attend the separation of the morbidick Matter with all her strength: therefore, when by proper Evacuations the Sick is out of danger from those Symptoms which are occasioned by too great Ebullition; or when the Disease is in its declination, the more the Body is bound, the less danger there is, *viz.* the febrile Matter moving gently to its own Concoction. Wherefore if the preceding Evacuations have induc'd as it were a Laxity of the Mass of Blood, or threaten the same; or if the *Fever* goes off before its due time, or is come to its full Period; I do not only leave off the use of Glisters, but think that Cordials are to be given, and presently endeavour to stop the Belly.

As to Cordials, I have found by Experience, that the too early use of them has been very prejudicial, *viz.* Bleeding having not been first used; for there is danger, lest the crude Matter should fall upon the Membranes of the Brain, or the like, or in the *Pleura*: and therefore I always take care that Cordials be not given when no Blood, or but very little has been taken away, and there has been no other considerable Evacuation, or when the Sick has not passed the Vigour of his Age: for I cannot see to what purpose the Blood, that is rich enough of it self, should be heightned to the Patient's Ruin; but rich enough it is, nor wants its Restoratives, as long as considerable Evacuations have not weaken'd its innate Heat; such Patients are well enough furnish'd with Cordials within themselves: and as to those which come from abroad, they are either unnecessary, or else injurious, and therefore I would either reject all, or at least admit only of the smallest. But if the Person be weaken'd by large Evacuations, or be aged, I use to give Cordials even at the beginning of the *Fever*; but on the twelfth Day of the Disease, Things then tending to Secretion, I think we ought freely to use hotter Medicines, and indeed a little sooner, if there be no danger of driving the febrile Matter upon the principal Parts; for at this time the more I heat, so much the more I hasten Concoction. Nor really can I understand what Physicians would be at, who so often inculcate their Precepts concerning the giving of Remedies to promote the Concoction of the febrile Matter, which they



## 22 *Continual Fever in the Year 1661, &c.*

often do, being call'd in at the beginning of the Disease ; and yet notwithstanding, at the same time, order such Medicines as qualify the *Fever*, which is Nature's Instrument, whereby she separates the pure from the impure. By this means, wholly imperceptible, she proceeds from the beginning to the height of the Disease, but performs the Business more manifestly at its Declination, which may be discerned by the Urine. The Concoction of the febrile Matter denotes no more than the Separation of the peccant Matter from the good. Now in the hastening of it, you must not busy your self with I know not what Attenuaters ; but the Effervescence of the *Fever* is to be let alone, so long as the Safety of the Patient will permit : but when it tends to the Declination, Secretion being manifest, then we ought to follow it with hotter Medicines, to perform the Business sooner and safer. And this is indeed to promote the Concoction, whereas Evacuations and Coolers cause Delays, and obstruct the Cure, and drive away approaching Health, as I have frequently observ'd.

If the Fermentation go on well, the Despumation will be perform'd about the fourteenth Day ; but if you use any Coolers too late, and thereby lessen the Effervescence, it is no wonder if the *Fever* continues to the one and twentieth day, and in weak Bodies ill treated much longer.

Moreover, which is worth taking notice of, it sometimes happens, that the Patient, by the use of Glisters, and other Purges, unseasonably order'd about the Declination of the Disease, seems a little to be reliev'd, and sometimes is wholly freed from his *Fever* ; but after a day or two you will perceive not so much the old *Fever* has recover'd Strength, as that a new one has broke out, viz. Shaking and Shivering presently seizes him, and Heat and a *Fever* soon follow, about to run the same Course above describ'd, unless it happen to turn to an *Ague*. In this case the Patient must be manag'd as if he had no *Fever* before, and the same Method is to be repeated : for Despumation, which must follow Ebullition now begun, will not be finish'd in less time than before mentioned, viz. fourteen Days, how tedious soever it may seem to the Patient, much weaken'd by the former Disease, to wait so long for Health.

The Cordials I order, are such as I will mention by and by ; those that are moderate, I use at the beginning  
of



of the Disease, when the Heat is extreme, proceeding always by degrees to the use of hotter, according to the Progress of the Disease, and the Degrees of Ebullition; always remembring that it is lawful, if much Blood has been taken away, or if the Patient be old, to give stronger Cordials than when Bleeding has not preceded, or when the Patient was in the Flower of his Age. Those Cordials I call moderate, are made of distill'd Water, viz. of *Borage*, *Citron*, *Strawberries*, *Treacle*, compound *Scordium-water*, mingled with the Syrups of *Balm of Fernelius*, of *Gilliflowers*, of the Juice of *Citron*, and the like; but the stronger, of *Gascoign's Powder*, *Bezoar*, Confection of *Hyacinth*, *Venice Treacle*, and the like. The following are commonly used.

*Take of the Waters of Borage, Citron, compound Scordium, black Cherries, each two Ounces; of Cinnamon-water with Barley, one Ounce; of Pearls prepar'd two Drams; of chrystalline Sugar a sufficient quantity: mingle them, take four Spoonfuls often in a day, especially in the Fits.*

*Take of the Waters of the whole Citron, and of Strawberries, each three Ounces; of the Cordial-water of Saxony, one Ounce; of Treacle-water, of the Syrup of Balm of Fernelius, of Gilliflowers, and of the Juice of Citron, each half an Ounce: mingle them, make a Julep, of which take often.*

*Take of Gascoign's Powder, of the Oriental and Occidental Bezoar stone, and of Contrayerva, each one Scruple; one Leaf of Gold: mingle them, and make a very fine Pouder. Take twelve Grains as oft as there is occasion, in the Syrup of the Juice of Citron and Gilliflowers, each two Drams, drinking upon it a few Spoonfuls of the Julep prescrib'd.*

*Take of Treacle-water four Ounces; of the Seeds of Citron two Drams: beat them together, and make an Emulsion: add to the distained Liquor a sufficient quantity of pearled Sugar, to make it taste pleasantly: take two Spoonfuls three times a day.*



## 24 *Continual Fever in the Year 1661, &c.*

It is unnecessary to mention more Forms, for they are innumerable, and may be so; and they are to be varied in the Course of the Disease, according to the various Seasons and Symptoms.

If the Fermentation be neither too high nor too low, I leave it in that state, and use no Remedies, unless I am obliged to do something by the Importunity of the Sick, or his Friends about him, that may please them without hindering my Design.

And now I must acquaint you, That when I was call'd to a poor Body, who was not able to be at the Charge of going through a long Course of Physick, I did nothing after Bleeding and Purging was over, if they were indicated, but order them to keep their Beds all the time of their Sickness, and to drink Oatmeal and Barly Broths, and the like; and that they should drink moderately small Beer warm'd, to quench their Thirst. I also order'd, that they should have a Glister of Milk and Sugar every Day, or every other Day, till the tenth or eleventh Day, and towards the end of the *Fever*. Separation being now begun, if it were slow, I allowed them now and then stronger Drink to help instead of a Cordial; and so without more ado, except that I used to give a gentle Purge at the end of the Disease, I cured them.

But to return to the Business: If the Method before-mention'd be well observ'd, I usually perceive about the fifteenth Day, both from the signs of a laudable Separation in the Urine, and also from a plain Remission of all the Symptoms, that it is fit to give a Purging Potion, to evacuate the Sediment, put off here and there by the foregoing Fermentation; and unless it be done timely, there is danger lest it should return into the Mass of Blood, and so cause a Relapse, or may, by its abode in the natural Parts upon which it is thrown, cause hereafter a dreadful *Minera* of lasting Ills in the Body, *viz.* Separation being now finished, the gross and impure Humours sent from the Arteries to the Blood, passing back into the Veins, easily hinder its return; whereby various sorts of Obstructions, and at length various Fermentations arise.

But it is to be noted, That Purging is not altogether so necessary after *Spring-Fevers*, as after *Fevers* in the *Fall*, because the Sediment put off by *Autumnals* is more, and of a more earthy and malignant Quality; and which is also  
to



to be observed in the *Small-Pox*, and in many other Diseases raging in the *Spring*, wherein it is not so dangerous as in the Cases before-mentioned.

And, indeed, he will not be mistaken much who should affirm, That more Diseases arise hence, *viz.* from the Omission of purging after Autumnal Diseases, than from any other Cause whatever.

If the Patient be weak, or if there be not a perfect Despumation, so that we cannot safely give a Purge on the Fifteenth Day, I defer it to the Seventeenth; and then I give the following, or the like, according to the Strength of the Patient.

*Take of Tamarinds half an Ounce, of Sena two Drams, of Rhubarb one Dram and a half, boil them in a sufficient Quantity of Fountain Water; to three Ounces of the strained Liquor, add of Manna and Syrup of Roses solutive, each one Ounce; mingle them and make a Potion to be taken in the Morning.*

After Purging, I order the Patient to rise, who has been kept in a Bed hitherto by my order, and to return by degrees to his usual Diet: for that which I prescribed to this time, was in a manner the same with that which I have mentioned before, as Oatmeal and Barley Broth, and Panado made of Bread and the Yolk of an Egg in Water with Sugar, thin Chicken Broth, Small Beer, and sometimes, when the *Fever* is high, the Juice of Orange newly pressed, and a little boiled to correct the Crudity mixed with it, and the like; tho Oatmeal-broth is as good as any: but to deny small Beer to be taken now and then moderately, is a needless Severity, and very often hurtful.

It frequently happens, especially in old Men, That the Sick, tho the *Fever* be cured, and the Body well purged, is notwithstanding very weak, and sometimes expectorates by Cough, and sometimes hawks up a great Quantity of clammy Phlegm, which does not only terrify the Patient, but also imposes upon the Physician, if he be not wary, and makes him believe that this will cause a *Consumption*; tho I have observed, that the thing is not very dangerous. I order the Sick in this case to drink old *Malaga* or *Muskadine* with a Toast, which (strengthening the Crasis of the Blood, much weaken'd by the preceding  
*Fever,*



*Fever*, and consequently unable to assimilate the Juices of the Meat lately eaten) removes that Symptom in the space of a few Days, as I have often found.

By this Method which I have propos'd, the Sick will be secured from many ill Symptoms, which are usually attributed to Malignity: for nothing is more frequent with un-experienc'd Physicians, than to blame Malignity, when by cooling Medicines, and the unseasonable Use of Glisters, they have so loosen'd the Crasis of the Blood, and so weakned Nature in performing the Despumation of it, that Faintings and other Symptoms (which are really the natural Effects of such Hindrances, occasioned by Art) happen. But if the Disease, by continuing long, escape this Aspersion, then whatever afterwards obstructs the Cure, is laid upon the *Scurvy*; tho really neither the Symptoms which happened whilst the Disease was at its height, were the Effects of Malignity, nor those which come at its Declination by the *Scurvy*; but both are occasioned by ill Treatment, as I have frequently observ'd. Not that I, or any one else, who has been any whit acquainted with the History of Diseases, can be ignorant that there are *Fevers* which do not only consist of an *Intemperies* or putrid Heat, but also of a malignant Quality, the plain Symptoms whereof cannot but appear in the Sick; or that I deny that sometimes the *Scurvy*, and many other Diseases, may be complicated with a *Fever*: only I say, that these Diseases are often undeservedly censured.

If the Fermentation go on well, there will be a perfect Despumation of the morbidick Matter within the time before-mention'd: but if Glisters or cooling Remedies have been used too late, the *Fever* will continue much longer, especially in very old Men, ill treated by the Physician. I have been sometimes called to such after they have had a *Fever* forty Days, or more, and have try'd all things to promote the Despumation of the Blood; but it was so much weakned, partly by old Age, and partly by Glisters and cooling Medicines, that I could not obtain my End, either by Cordials, or any other strengthening Medicines; but either the *Fever* continued, or if it seem'd to cease, the Patient's Strength was very low, or in a manner gone.

But other Remedies being used without Success, I have been often forced to take this Course, and really with good Success, *viz.* I have apply'd the vigorous Heat of young People



People to the Patient; nor is there any reason why any one should much admire that the Sick is so much strengthened and feeble Nature reliev'd thereby, (tho it be unusual) as that it can free it self from the Relicts of the Matter to be ejected, seeing it is easy to conceive a transfusion of great Quantities of vigorous *Effluvia* from the sound and strong Body, to the weak one of the Sick. Nor have I ever perceiv'd that the repeated Applications of hot Cloths could do what this has done; for the Heat apply'd is more agreeable to the human Body, gentle, moist, equal, and lasting: and tho this way of transmitting *Balsamick Spirits* into the Body of the Patient might seem ridiculous at the time when I order'd it, yet it hath since been used by others with good Success. Nor, indeed, am I ashamed to mention this Remedy, tho perhaps some impertinent Men, superciliously condemning all Things vulgar, may ridicule me for it; for I reckon the Health and Good of my Neighbour is much to be preferr'd before their vain Opinions.

He that with due Consideration has follow'd the Method deliver'd, will secure his Patient, if not from all, yet at least from most of those Symptoms, which are either wont to accompany the *Fever*, or to follow it, and which make the Physician doubtful, and at a loss in the Course of the Cure, and often kill the Patient, tho the nature of the Disease does not seem deadly. But because such Accidents frequently happen, either by reason the Sick neglected to call the Physician in time, or upon account of the negligence and unskilfulness of the Physician, I judg it proper to treat briefly of their peculiar Cure, yet will only confine my self to those Symptoms which require a different Cure proper to themselves, when they happen, tho they might often have been prevented, if the Sick had follow'd the foresaid Method.

If the Sick, either upon the account of taking hot Medicines unseasonably, or by being naturally of too hot a Constitution, fall into a *Phrensy*, or which is next to it, if he cannot sleep, often calls out, or uses incoherent Words, if he looks and talks fierce, if he takes Medicines and common Drink greedily, and as it were snatches it; and lastly, has a suppression of Urine: In this case, I say, I bleed more freely than before, and use Glisters and cooling Medicines oftner, especially in the Spring. And tho



## 28 *Continual Fever in the Year 1661, &c.*

tho this Symptom does not appear in young People, and in those whose Blood is vigorous, they admit of these Remedies without much danger; and by the use of such Remedies I endeavour to keep up the Patient till the Disease has lasted a while, and then it is not hard to remove the Symptom and the Disease too. And this may be done by ordering some Narcotick Medicine in a large Dose: for tho when the Fever is at the height, those Things that are of a Narcotick Quality do no good, nor answer the Physician's Intention, yet being given seasonably at the declination of the Disease, they are very useful; but they can do no good before, partly because they cannot stop the course of Fermentation, tho they are taken in the largest Dose; and partly, which is most considerable, because the peccant Matter at that time equally mixed with the Blood, and not yet tending to Separation, is restrain'd by such a Medicine, and so the Despumation so much to be desir'd is obstructed: But whether this be the reason of the *Phaenomenon*, or some other more abstruse, let those judg who desire and have leisure to think on such things. But I affirm, That it is most certain, from a faithful and due Collection of many Observations, that *Laudanum*, or any other Narcotick, in the Beginning, Increase, or State of this Fever, does no good for vanquishing this Symptom, but is often injurious; but in the declination of the Disease it is used successfully in a moderate Dose. I once order'd a Narcotick on the twelfth Day of the Disease to good purpose, but I never knew it used sooner with any Success; but if it be defer'd to the fourteenth Day, it will succeed better, Separation then being more perfect. Nor, indeed, does this dreadful Symptom, tho it often much terrify the By-standers, presently kill; for I have frequently taken notice, that it could, and was wont to bear a Truce till it was fit to give Narcoticks, if care was taken that the *Intemperies* begun was not heighten'd too much by Cordials and hot Medicines; for if so, the Patient dies suddenly. The Narcoticks, which I frequently give, are either *London Laudanum*, from one Grain to one Grain and a half; or the following.

*Take of Cowslip-flowers one handful, boil them in a sufficient quantity of Blackberry-water, dissolve half an Ounce of Diacodium, and half a Spoonful of the Juice*  
of



*Continual Fever in the Year 1661, &c.* 29  
of Lemons, in three Ounces of the strained Liquor;  
mingle them. Or,

*Take of Blackberry-water one Ounce and a half, Epide-  
mick-water two Drams, Liquid Laudanum sixteen  
Drops, Syrup of Gilliflowers one Dram; mingle them.*

I will only add this one Thing, which I think fit to be noted; That if this Symptom will grant a Truce so long, it is best to purge the Patient before the taking of the Anodyne, for then it will prove more effectual; wherefore I frequently give two Scruples of the *Pil. Coch. maj.* dissolved in *Betony-water* ten or twelve Hours before the taking of the Narcotick. Nor is there any danger from the Tumult which that hot Pill should otherwise cause; for the Virtue of the following Narcotick will quell those Comotions, and establish most gentle and sweet Peace.

But if the Watching remain after the Fever, and other Symptoms are gone off, I have observ'd, That a Rag dip'd in Rose-water, and apply'd cold to the Forehead and Temples, does more good than any Narcotick whatever.

It frequently happens, that the Sick is vex'd with a Cough thro the whole course of the Disease, the Mass of Blood being in a Commotion, and raging violently: all Things now tending to Sedition, it comes to pass, that the Humours let loose, and flowing from the Mass of Blood by the Vessels of the Lungs, are also by an Apertion of them cast upon the inner Membrane of the Wind-pipe; to wit, the thinner being of exquisite Sense: and hence the Cough arises, which is first dry, because the Matter being yet thin, frustrates the expulsive Faculty, presently it grows thick, and is difficultly expectorated, because by degrees it is bak'd by the Fever; so that the Patient is discourag'd by the fear of choking, because he wants Strength to cough up the clammy Matter. In this case, I seldom use any thing but Oil of Sweet Almonds fresh drawn, unless the Sick has wholly an aversion to Oil; and sometimes it is so, and then we must use the common Pectorals: but I reckon Oil of Almonds, if the Patient can take it, is to be prefer'd before other Pectorals, for this reason chiefly, for that it is necessary they be given in a larger quantity, if we do any thing to the purpose; and by this means we overcharge the Stomach, which was too weak before, and disposed



disposed to be nauseous; and sometimes also we are hinder'd upon the same account, so that we cannot attend on those things which are to be dispatched at the same time. Neither can I understand, nor learn by Experience, why we should abstain from the use of this Oil (which we have now mention'd) in *Fevers*, to wit, because it's inflammable, and therefore to be feared lest it should increase the *Fever*: for suppose it is naturally hot, yet certainly its heat is not so great, but that the Advantage of it upon another account may compensate for it; for it is plainly more pectoral than other things, and opens and smooths the Passages, and helps Expectoration, whereby, especially if it happen to be large, the Blood is freed from a troublesome Humour, and also somewhat cooled. And therefore I am not much concern'd when at any time I perceive this Symptom intervenes, for by it the Patient is much reliev'd; only it is to be noted, That it is not good to give it at first by whole Spoonfuls, lest it make the Stomach nauseous, and occasion a Looseness; therefore it must be given sparingly, and frequently Night and Day, whereby Expectoration being made, the Cough is not only lessen'd, but also, which is of some moment, the Patient's Strength worn out, is somewhat renew'd with a gentle Nourishment.

Sometimes it happens, that Bleeding at the Nose supervenes, either because too hot Medicines were used at the beginning of the Disease, or that the Ebullition was not sufficiently restrained when the Patient was in the Flower of his Age, or the Season of the Year further'd it. If it so happens, these things will do little good to stop it, *viz.* Bleeding, Ligatures, astringent and agglutinative Medicines, or those things that qualify the Acrimony of the Blood, or the like; for tho these things and the like may be used according to the Discretion of the Physician, yet the main Business is to bridle the Ebullition of the Blood, with some fit Medicines that may stop the Force of it rushing upon every Precipice. Indeed, if the Symptom be consider'd apart, these things we have mention'd before, especially Bleeding, are proper enough, neither would I doubt to use them; but truly they do not sufficiently answer the cause of this Symptom, at least if you except Bleeding. And really it is as rational to endeavour with a Sword to put out the Fire, as to take off the Symptom.



tom by the things above-mention'd. Therefore having try'd in vain other things in this Case, I used to prescribe some such thing as follows:

*Take of Purslain and Erratick Poppy-water, each one Ounce and a half; of Diacodium six Drams; of Syrup of Cowslips half an Ounce: mingle them for a Draught.*

I would not be so understood, as if I would presently stop every Hemorrhage; for the Patient may be much reliev'd thereby, partly by suppressing too great an Ebullition, and sometimes by carrying off the Disease critically. And truly it is to little purpose to use the aforesaid Remedy for this Symptom, before it has continu'd some time, or before a Vein has been open'd in the Arm. But it is to be noted, That this and all other immoderate Hemorrhages have this peculiar to them, that as soon as they are stop'd, by what means soever it be, the Patient is in danger of a Relapse, if some gentle Purge be not given; and therefore we must purge, tho with respect to the *Fever* it is wont and ought to be put off for a longer time, unless this Symptom happens.

The Hickups most commonly happen to old Men after large Evacuations by Looseness, but especially by Vomiting; they are very often the fore-runners of Death. I confess I cannot satisfy my self as to the Cause of the Hickups; yet I have taken notice, that they rise from a disturbance of the Stomach, and the neighbouring Parts, raised by rough Medicines, in the quelling and reducing whereof to its former Peace when the Strength of Nature is not sufficient, there is great danger: and therefore I thought it necessary to provide for it, that what Nature could not do her self, she should do by the assistance of Art; and two Drams of Diacodium have done the Business, when I could do no good with the Seeds of *Dill*, and other things that are counted Specificks.

If a Looseness happens in the Course of this Disease, which, as we have said, used to come when a Vomit was indicated at the beginning of this Disease, and yet was not given; in this Case, I say, a Vomit may be used at any time of the Disease, if the Patient be not too weak, tho the inclination to Vomiting be long since past: but because I suppose I have spoken enough of this before, I will only mention



## 32 *Continual Fever in the Year 1661, &c.*

mention what is to be done if a Looseness come, tho a Vomit has been given, which truly is very rare, unless in an *Inflammatory Fever*, where a Vomit occasions it, which must be observ'd; therefore in this Case the following Glister is more beneficial than any other Astringent whatever.

*Take of the Bark of Pomegranats half an Ounce, of Red Roses two Pugils, boil them in a sufficient Quantity of Cows Milk, dissolve half an Ounce of Diascordium in half a Pint of the strained Liquor; mingle them, and make a Glister.*

It is not convenient that the quantity of the Glister should be greater; for tho it may be naturally astringent, yet there is danger, lest it should weary the Guts by its Bulk, and so provoke the Flux, which we endeavour to stop.

But here some may object, that it seems more proper, especially at the declination of the *Disease*, that the Looseness, if it happens, should rather be let alone than stop'd, because it is sometimes critical, and carries off the *Disease*. I answer, that sometimes indeed the *Fever* is carried off this way; but this so seldom happens, that we may not depend upon it: And that Account (wherein having spoken generally of the Cure of all *Fevers*, we endeavour'd to prove the necessity of stopping this Flux) is also here much to the purpose; and now this is to be added, and I think it worth noting, *viz.* that for a genuine depuration of the Blood, it is not only necessary that there be a secretion of some Parts by the *Faces*, but it is requisite also, that others like Flowers be separated, which is daily seen in other rich and heterogeneous Liquors; wherefore if we too much indulge the Looseness, the depuration so much desired would be only imperfect, and perchance that which should be cast out last, would be secreted first. Indeed I confess, that separation by Flowers being made, (which by the by is performed gradually and insensibly, and more frequently by large Perspiration than by manifest Sweat) the Looseness, if it should chance to happen, would not be very dangerous; but it is to be noted, that then it only happens, because Purging to carry off the

*Faces*



*Fæces* was not seasonably order'd, which by their continuance, growing malignant, provoke the Intestines to Excretion; to say nothing of the liquid Consistence of the Excrements (for so they are most commonly) which sufficiently indicates, that it is not to be counted a critical Solution of the Disease.

I suppose the Iliack Passion may be reckon'd among the Symptoms of Fevers, because violent Vomitings, which are wont to appear at the beginning of Fevers, sometimes occasion it.

This dreadful Disease, which has been hitherto accounted mortal by almost all, arises from the inverted and preposterous Motion of the Guts: the Fibres of them, which ought to be contracted from the superior towards the inferior, are drawn to the superior; so that whatever is contained in the Guts, is vomited up, and Glisters, how sharp soever, become Vomitive; Purges also by the Mouth are cast up by Vomit: and I suppose the exquisite and intolerable Pain coming upon this Disease, is only occasion'd by the aforesaid preposterous Motion of the Guts: for whereas those Folds which the many Circumvolutions of the Guts make, are so formed by Nature, that they should most fitly conduce to the carrying down of the *Fæces*; when they, I say, are forced to give way to a motion contrary to their Fibres, the aforesaid Pain is occasion'd from thence, which is fixed to the Part; and this is like the boring of an Auger, when either the Valve, which is placed at the beginning of the Colon, hinders the going back of the Excrements to the *Ilium*; or any other Membrane belonging to the *Sinus*, sustains alone the force of this preposterous Impulse.

We may assign a twofold Cause of this Inversion, from whence the Pain arises, *viz.* Obstruction, and Irritation.

First, therefore, whatever violently obstructs the Intestines, so that nothing can pass downwards, necessarily occasions this contrary Motion in them; among these, Authors are wont to reckon the Excrements hardened, gross Wind collected in a great quantity, and tying as it were upon the Guts, the constriction of them in a Rupture; and lastly an Inflammation, and other great Tumours, which stop up the internal Cavity of the Guts. In the mean time we must not deny, that this contrary Motion arising from those Causes, is rather to be accounted the Motion of the Things



things taken in, than of the Intestines: Nor is this an Inversion of the whole Duct of the Intestines, but only of those which are situated above the Seat of that Obstruction; wherefore I call an Iliack Passion proceeding from hence, *Spurious*.

Secondly, I suppose, that in the Iliack Passion the cause of the Inversion of the peristaltick Motion of the Intestines, is most commonly after this manner, *viz.* sharp and malignant Humours are cast upon the Stomach and Guts that are next to it, by the Blood raging by reason of the Fever begun of late, whereby the motion of the Stomach is first inverted, and forced violently to cast up what is contained in it; at length the small Guts that are join'd to the Stomach being weaken'd, yield to the violent Motion of it, and with them at last the greater follow by consent, the Stomach vomiting, leading as it were the Dance. This I call the true Iliack Passion, and which is treated of now: the Method of curing it has been hitherto in a manner unknown, whatever some boast of the use of Quicksilver and Bullets, which are very often injurious, and seldom do much good. I have used successfully the following Method.


When it appears by Glisters vomited up, and other Signs, that it is a true Iliack Passion, I endeavour three Things: First, That the contrary Motion of the Stomach, which occasions the same Motion of the Guts, may be hindered: Secondly, That the Intestines, being weaken'd by the sharp Humour, may be strengthen'd: Thirdly, That the Stomach and Guts be free from those Humours. And that I may answer these Indications, I order the Cure after the following manner: First, I prescribe one Scruple of Salt of Wormwood in a Spoonful of Juice of Lemons, to be taken Morning and Evening; but at other times of the Day I order some Spoonfuls of Mint-water, without Sugar, or any thing else, to be taken twice in an Hour, by the repeated Use whereof alone the Vomiting and the Pain proceeding thence will soon vanish. At the same time I order a live Kitling to lie always upon the naked Belly; but after the Pain and Vomiting has wholly ceased for the Space of two or three Days, I give one Dram of the *Pil. Coch. maj.* dissolv'd in Mint-water, which I also order to be used very often all the time of the working of the Pills, that I may the more certainly hinder the return of the Vomiting: Nor is the Kitling to be removed before the Patient has taken the Pills. I



I have taken notice, that it is to no purpose to give these Pills, or any other Purge, how strong soever, until the Stomach is corroborated and reduced to its natural Motion, and the Guts to theirs; for otherwise all Purges taken inwardly will prove a Vomit, and so do more hurt than good: and therefore I do not use purging Medicines, until for some time I have used those Medicines which respect the Stomach.

I prescribe a very thin Diet, for I allow only some Spoonfuls of Chicken-broth to be taken twice or thrice a Day: in the mean while I order the Patient to keep his Bed all the time of the Sickness, till the signs of perfect Health appear; and when he is well, I appoint him to persist in the use of the aforesaid Water for a long time, and to keep his Belly warm with Flannel doubled, that there may not be a Relapse, to which this Disease is more obnoxious than any other.

My whole Method of curing this Disease consists of these few Things, which I trust will not be despised by any judicious Person, by reason of its Simplicity, and want of Rhetorick and Pomp of Medicines. And these are the Symptoms that are wont to happen in this Fever: There are some others which I will not now mention, partly, because they are of less moment; and partly, because they do not require a peculiar way of Cure: for the Fever being well treated, they go off of themselves. And so much for the Continual Fever of this Constitution, and of its Symptoms.



## CHAP. V.

*Of the AGUES of the Years 1661, 62,  
63, 64.*

**F**ORASMUCH as we said before, the Constitution of all the forementioned Years did so much favour the producing Agues, I will here impart those Observations that I then carefully collected: I will add moreover those Things which I observed of some few Intermittents,



mittents, which from that Time happen'd sporadically; that I may not interrupt the History of the following Years.

And First, That we may at least make some Conjecture about the Nature and Genus of Agues, it is to be observ'd, that these three Seasons are to be consider'd in the Fits: First, The Time of shaking: Secondly, Of Ebullition: Thirdly, Of Despumatation. To speak briefly of these things, I suppose it proceeds hence, *viz.* because the febrile Matter, not as yet turgent, was in some sort assimilated by the Mass of Blood; and being at length not only useless, but become an Enemy to Nature, does in a manner exagitate and provoke it: whence it comes to pass, that being stirred up by a certain natural Sense, and as it were endeavouring to escape, it causes a Shivering and Shaking in the Body, a true Witness of its Aversion; just as purging Potions taken by squeamish Persons, or Poisons casually taken, use presently to cause a Shivering, and other Symptoms of that kind. Nature therefore being irritated in this manner, (that I may now come to the time of Ebullition, that she may the more easily keep this Enemy from her Throat) falls upon Fermentation, the usual Engine which it is accustomed to make use of in Fevers, and some other acute Diseases, when it endeavours to free the Blood from intestine Enemies: for the disjoined Parts of the peccant Matter, which were equally mixed with the Blood, do, by the help of this Effervescence, begin in some sort to be gathered together, and so may the more easily be wrought upon, so as to be made fit for Despumatation. And it seems very probable that it may be so, for they who die of Agues, if they die in the Fit, go off at first with a Shaking; or if they reach the hot Fit, they escape, at least for that time, and the Patient is worst at the time of Shaking; which being past, Despumatation follows, and then all the Symptoms abate, and at length quite cease. By the word Despumatation, I mean nothing else than the expulsion or separation of the febrile Matter, now brought under, and, as it were, conquer'd, and what is separated is of the Nature of Yeast and Lees; as we may observe in other Liquors.

These Things being premised, let us consider how it happens that the Fit returns, seeing the Patient at present seems to be well. Indeed the febrile Matter is not yet  
 † wholly



wholly gone; but as young Bees grow up leisurely at set Times, so this latent Matter, according to the Nature of the Fits, appears again, and causes new Trouble, running the same Course as before. But if any one should ask the reason why the hidden *Fomes*, being not thorowly subdued by the preceding Effervescence, and therefore not expell'd with the rest of the peccant Matter, and so about to cause new Troubles, should not proceed alike in all Agues, (for sometimes it requires one Day, sometimes three, before it comes to maturity and makes a new Fit) I say, if any one should enquire about this Matter, I would plainly confess, I knew not, nor has any other that I know sufficiently explicated this hidden Work of Nature. I do not covet the Name of a Philosopher; and I admonish those that reckon they have merited that Title, and perhaps blame me, because I have not endeavour'd to dive into these Secrets of Nature, to try their Faculties in other Works of Nature, which are every where to be seen, before they censure others: for I would fain know why a Horse comes to his growth in seven Years, and a Man at Twenty One; why some Plants flower in *May*, and some in *June*, to say nothing of other Things. And if the most learned Men are not ashamed to confess openly their Ignorance of these Things, I cannot see why I should be blamed, if I forbear reasoning about a thing as difficult to the full, and perhaps wholly inexplicable; and yet I am persuaded, that the progress of Nature is as certain and regular in this Case as in any other, and that the Matter of a Quartan and Tertian Ague is subject to Nature's Laws, and govern'd by them, as well as any other Bodies whatever.

All Agues begin with Shivering and Shaking, and are presently succeeded by Heat, and then Sweat; the Sick most commonly vomits both in the cold and hot Fit, is very sick, dry and thirsty, and his Tongue is very dry, and the like: all which Symptoms retreat by degrees, as the Sweat comes on; and when it is very plentiful, the Fit seems to be at an end, and he that was just now sick, seems to be very well, till the Fit returns at its wonted Time, *viz.* a Quotidian once every natural Day, a Tertian every other Day, a Quartan every third Day, reckoning from the beginning of one Fit to the beginning of the next, tho often the two last are doubled: so that a Ter-



tian invades daily, the Quartan two whole Days, the third being free from a Fit; and sometimes also it comes for three Days together, when it is a triple Quartan, the Ague taking its Name from the Shape it first assumed: which doubling of the Fits sometimes proceeds from the excess and too great activity of the febrile Matter, in which case the adventitious Fit comes before the first; sometimes also from the loss of Strength, the Patient being much weaken'd, and the vigour of the Fit broken, either by cooling too much, or by evacuation above measure. In this Case the adventitious Fit follows the first, and does not last so long. In the former instance the Turgescency or Fury of the Matter does not wait for the return of the Period due to it, and performs its Despumation somewhat sooner: In the latter the Blood being not vigorous enough to put off the febrile Matter at once, presently substitutes another afresh, whereby it may expel the Relicks of it. And perhaps from these two opposite Causes depend as well the anticipation of the Fits, as the slow access of them in an ordinary and regular Ague; both whereof frequently happen in these Fevers, which, as has been said, continue a Night and a Day, either coming before the usual Time of the Fit, or after it.

#### *Of A G U E S.*

Some belong to the Spring, and some to the Fall; for tho some come betwixt those two Seasons, yet because they are not so frequent, they may be reduced to either of the two former, *viz.* to that which is nearest: therefore I shall comprehend them under these two Kinds. The Seasons whereunto they are for the most part to be referred particularly, are the Months of *January* and *August*, tho sometimes they come sooner, according to the greater or lesser Disposition of the Air to produce them, and consequently they are more or less Epidemical; of which we have a clear Instance in the Agues of the Year 1661, at which time I remember a Woman, my Neighbour, had the first Fit of a Quartan on *St. John's Day*, and many others were seized very early with Agues about that time, which were afterwards very Epidemical: and this shews, that there was then a great Disposition of the Air to those Diseases; and moreover, as the Year increased they grew more numerous, And



And this distinction of *Agues* is so necessary, that unless we observe it well, we can neither make our *Prognostick* aright, how long they will last, nor keep our Patient's Body to a due Regimen, with respect to the different Nature both of *Seasons* and *Agues*. I confess, the *Agues* of each *Season* are naturally not altogether unlike, whether you consider the manner of their coming, which first begins with Shivering, then Heat follows, and at length Sweat; or the difference of their Types, in respect whereof some are *Tertians* both *Spring* and *Fall*: yet I do not question but they are very different in their Nature or Essence. And to speak first of *Vernal Agues*: They are almost all either *Quotidians* or *Tertians*, and they come either sooner or later, according to the various Disposition of the Season; for in the Winter-time the Spirits are concentrated, and in their Recess gather Strength, which being now brisk, the Heat of the approaching *Sun* draws out, and being mix'd with the viscid Humours, (yet they are not so viscid as those in the *Fall*, the Heat foregoing has torrifed) which Nature during Winter had heaped up in the Mass of Blood, while they endeavour to fly away, are as it were entangled, and so cause the *Vernal Ebullition*; as Vessels full of Beer kept long in a cold Cellar, if they are set near the Fire, presently begin to work, and the Liquor is apt to fly. The Blood being in this manner affected, endeavours the purging it self, and by the help of Volatile Spirits, does the Business soon enough, unless it chance to be too full of viscid Juices, which obstruct the Fermentation begun: and tho this happens, yet the Vernal Effervescence is seldom continual and constant, but is usually divided into several Fits; for the Blood being now turgid with rich Spirits, Nature falls to her work in haste, and makes Secretion of some Parts by particular Fits, in the manner of perfect Solution, before she performs universal Separation. And this is probably the Reason why in Spring-time (especially that part of it which is nearest *Summer*) we meet with few *Continual Fevers*, unless the Constitution chance to be Epidemick; for the Fermentations that then rise, are either quickly laid, or hasten to an Intermision; or lastly, part of the Humours being more inclin'd to separation, are hastily, and with some violence, translated to another Place, whereby *Quinsies*, *Peripneumonies*, *Pleurisies*,



*rises*, and the like, presently arise, shewing their Heads, especially at the latter end of the *Spring*.

I have observ'd that *Spring Agues* are seldom lasting, and always beneficial, so that the oldest Man, or any weak Person, can scarce be destroy'd even by the over-officiousness and destructive Nicety of the most ignorant; yet I have seen *Spring Tertians* protracted to the Time wherein *Autumnal Agues* used to come, by Bleeding and Purging unseasonably, together with a Regimen disagreeable to the Disease: but that Season being very contrary to the Nature of it, presently extinguish'd it, tho the Patient is the mean while almost ruin'd by the frequent doubling of the Fits, and the long continuance of them; so that he seems to be much in danger, yet so far as I have observ'd he has always recover'd. Nor could I perceive those ill Symptoms in such as recover of this Disease, that follow long *Autumnal Agues*, as shall be said by and by; I mean a deadly Inflammation of the Almonds of the Ears, an *hard Belly*, a *Dropsy*, and the like. But I have more than once observed, that when the Sick has been extremely weaken'd by the length of the Disease, and doubling of the Fits, together with mischievous Evacuations repeated, he has been seiz'd with a *Mania* when he first began to recover, but it went off by degrees as Strength return'd.

But *Autumnal Agues* are much different: For, First, a *Tertian*, tho sometimes it goes off soon, and is not accompanied with more Symptoms than *Vernal Tertians* are wont to be, when it is not Epidemical, and seizes sound People; yet when it is Epidemical, and falls on those that are in Years, and of an ill habit of Body, it is dangerous, and lasts two or three Months, and sometimes till the beginning of next *Spring*. But *Quartans* are more dangerous and obstinate than those we treated of last; for when they seize old People, they sometimes kill them, after they have had a few Fits; and when it was so, they die most commonly in the cold Fit, as was said before: but if the Patient be not very old, there is not such danger of his being dispatch'd at first, yet he will scarce recover till the next Year, and that Time approaches wherein he was first seiz'd; and sometimes also they leave behind them something that kills the Patient. A *Quartan* sometimes varies the Type, and also occasions many Symptoms;  
for



for example, the *Scurvy*, a *hard Belly*, a *Dropfy*, and the like : But young People are able to bear this *Disease* ; yet most commonly it continues till *March*, and sometimes till the next *Fall*, when they have been blooded and purged. I have seen Infants hold out to admiration for six Months, and they have also recover'd.

It is here to be observed, that of what Age and Temperament soever he be that is seized with a *Quartan*, it will not last long upon him, if ever he had it before, tho it were long ago, but after a few Fits will go off it self. And this is worth taking notice of.

As to the Cure of *Spring-Agues*, I ever thought they were to be left to themselves, without doing any thing, because I never knew any one destroy'd by them ; and on the contrary, that those that endeavour'd to cure them, made them only more obstinate and lasting. But if the Sick earnestly desire a *Physician's* Help, they may be successfully treated by various Methods, as I have frequently observed.

A Vomit given so as that it might have done working before the Fit, has succeeded well, especially if a moderate Dose of *Diacodium*, or any other Anodyne, has been given after it has done working, just before the Fit comes.

Sometimes *Diaphoreticks* perform the Cure by promoting the Sweat coming at the end of the Fit, the Patient being well cover'd with Clothes, which must be continu'd as long as he can bear it : and this does the business often in *Spring-Agues*, especially in *Quotidians* ; for the Humour being not very thick at this time, the Disease is carried quite off, which otherwise would return again : but this never happens in *Autumn*. I have sometimes cur'd *Tertian Agues* by Glisters given three or four of the well Days.

But if by Bleeding, (to which the Season of the Year soon inclines the Unwary) or by reason of the foregoing Weakness of the Patient, the Spirits that should presently endeavour Despumation are so much weaken'd, that they cannot well perform it ; it may happen that these *Spring-Agues* may continue as long as *Autumnals*, notwithstanding all that can be done, tho they are not wont to last so long ; for either they go off of their own accord, or are soon cured by gentle Remedies. But *Agues* in the *Fall* are  
not



not so soon remov'd ; and therefore I shall say something of these. If the Autumnal Constitution be Epidemick, they are wont to come about *June* ; if not, they do not invade till *August* or the beginning of *September* : but they seldom happen in the Months next following.

You may observe, that a great many of them come together ; they come most commonly in the same Day, and at the same Hour of the Day, the Fits coming sometimes sooner, sometimes later, in the same Way and Manner, unless it happen that the Order be perverted or changed by Remedies that have a Faculty of hastening or retarding them in some Bodies.

It is to be observ'd, that it is a hard matter at the beginning of *Agues*, (especially of those that are Epidemical in the *Autumn*) to distinguish them at the first Invasion, for they are at first accompanied with a *Continual Fever* : Nor is it easy for some time afterwards, unless you take great notice, to perceive any thing more than a Remission, but by degrees they perfectly intermit, and exactly agree with the Season of the Year.

They are either *Tertians* or *Quartans*, and it may be well said of *Quartans*, that they are the genuine Product of the *Fall*. These *Agues* are so ally'd to one another, that they frequently change from one to the other. But *Spring Tertians* never assume the Shape of *Quartans*, for they differ as much as can be possibly imagin'd. Moreover, I never observ'd a *Quotidian* in this Season, unless any one will have a double *Tertian*, or a triple *Quartan*, so called.

These *Agues*, I suppose, arise most commonly in the manner we shall now briefly mention : According to the Progress of the Year, the Blood is proportionably exalted (as Vegetables by their Growth and Decay shew the Course of the Year) till it comes to its height, and then again keeping pace with the declining Season of the Year, it declines also ; and more especially when push'd down by some accidental Cause, as by immoderate Loss of Blood, by taking Cold, by crude and excrementitious Meats, by the unseasonable Use of Baths, and the like. And when the Blood is in this ebbing State, it soon receives every morbid Impression that any Constitution of the Air will make upon it, which is Epidemical at this time for *Agues* ; and the Ebullition presently begun tends hither, which seiz-  
ing



ing the Blood sometimes very degenerate, the Fever arising from thence, is wont to be untoward, and full of malignant and dreadful Symptoms. But, however it happens, the Blood having lost a great part of its Spirits, and being much torrifed by the foregoing *Summer*, performs the Ebullition slowly, and requires a very long Period for its Despumatation.

Now, that it may plainly appear how difficult it is to cure these *Agues*, I mean *Autummal*, we must consider, that the difference betwixt them and the *Continual Fever* in this Season, consists especially in this, *viz.* *Continual Fevers* constantly carry on the Effervescence in one and the same Order, when it is once begun, and *Agues* perform the same at several times; but Fermentation is finish'd in both by Nature's guidance, in 336 Hours, or thereabouts: for the Mass of Blood in a human Body is not commonly purged sooner or later than so, if the Business be left to Nature; as *Sider*, *Wine* and *Beer*, have each of them their peculiar Period, wherein they are depurated. And tho in *Agues* the Blood sometimes, as it happens in a *Quartan*, endeavours its Despumatation in the space of six months, and at length finishes it; yet if you calculate right, there is not more time spent in performing it, than what naturally is wont to be spent in *Continual Fevers*: for fourteen times twenty four Hours, or fourteen natural Days, make 336 Hours; and allowing five Hours and a half for every Fit of a *Quartan*, you will have in a *Quartan* the value of fourteen Days, that is, 336 Hours. Now if any one should say, that a *Quartan*, for instance, (and the like is to be understood of other *Agues*) sometimes runs beyond the space of six months, before it finishes its Period; I answer, That the same is frequently seen in *Continual Fevers* of this Constitution, which are many times protracted beyond fourteen Days. But in either Case, if you have a care that the Effervescence (especially towards the end of *Fevers*) proceed well, and in good order, and be kept up brisk, Despumatation will be finish'd within the space of the time aforesaid; that is, in 14 Days, or 336 Hours: but if at that time, that is, towards the Declination of the *Fever*, you unseasonably obstruct the Effervescence, either by Medicines that cool the Fermentation, or by Glisters that give a check to it, no wonder if they last long, because the Order of Nature is



is disturb'd. For by this means the Tone of the Blood is in a manner loosen'd, so that it cannot betake itself effectually to perform Despumation; yea, sometimes in weak Bodies the same happens of its own accord, unless you assist weak Nature by the help of Cordials, that it may be enabled to perform Despumation.

But here it must be observ'd, that those things which we have mention'd above concerning the Space and Duration of the Fermentation, are only to be understood of those Fevers that have arriv'd to a settled State or Habit; for there are some Fevers, both continual and intermittent, which are of a transient and uncertain nature, and do not reach the destin'd Periods in their Effervescencies. Of this kind are those that sometimes take their Rise from some small Error in the six Non-naturals, as they are call'd; as from a Disorder in Eating and Drinking, or of the Air, and the like. They who are seiz'd with these Diseases, often recover soon; and the same happens in young Men, whose Blood is pure, and stock'd with many Spirits; for their Fevers depending upon a spirituous and thin Matter, that easily flies away, soon perform their Fermentation, and having swiftly run their Race, disappear: for this is principally necessary to Fermentation, viz. that the Matter to be fermented, whether Blood, Wine, or any other kind of Liquor, should be so clammy and tenacious, as to retain the entangled Spirits in such a manner, as that they may be stirred and moved in the Liquor; as Birds caught in Birdlime, and Flies in Honey, may struggle and buzz, but cannot fly away. But by the by, the foremention'd Liquors ought not to be so clammy, as to overwhelm and quite oppress the Spirits, so that they cannot move at all.

These things being laid down (which in my opinion are reasonable enough, however they may seem to others) it will not be strange, if I propose no other Method of Cure than what seems useful to perfect the Despumation in *Continual Fevers*, for that they do no way differ from them, if you consider the Method whereby Nature is wont to expel the Matter of them, viz. by Effervescence contain'd in a certain Period; tho I must own they differ from *Continual Fevers*, and very much among themselves with respect to the kind of them, and propriety of their Nature. We must therefore take an Indication, either by  
ob-



observing carefully the Method that Nature uses to free her self from this Disease, and so quicken Fermentation when begun, and by that means cure our Patient ; or by enquiring into the specifick Cause, we must endeavour to conquer the Disease by effectual and specifick Remedies. Indications must be taken from one of these two : I have gone both ways to work, with great Care and Intention of Mind, but have not been able to remove *Agues* in the *Fall*, before they had finish'd their stated Fermentations we have mention'd before, how troublesom soever this may seem to those that have *Agues*, who are so long and unwillingly compell'd to wait for Health. But if there be any Man who knows how to stop the Career of these *Agues*, either by a Method or a Specifick, he is certainly oblig'd to discover a thing so beneficial to Mankind ; but if he refuse to do it, he is neither a good Citizen, nor a prudent Man : for it does not become a good Citizen to reserve that for himself, which may be advantageous to Mankind ; neither is it the part of a prudent Man to deprive himself of that Blessing he may reasonably expect from Heaven, if he makes it his business to promote the Good of the Publick : and truly, Vertue and Wisdom are more valu'd by good Men, than either Riches or Honour.

But tho it is hard to cure *Agues* in the *Fall*, yet I will mention what I have found most successful in the Management of them.

I have found by frequent Experience, that it is very dangerous to attempt the Cure of *Agues* in the *Fall* by Purging, unless we proceed in the way to be mention'd by and by, but especially by Bleeding : for in *Tertians* (especially if the Constitution be very Epidemick) if Bleeding does not presently remove the Disease, it is prolong'd thereby, even in young People, and in such as are of a strong Constitution ; but in old People, after they have been a long while afflicted with the *Ague*, Death follows, and the deadly Inflammation of the Almonds is commonly the Forerunner of it. Moreover, Bleeding hastens those other *Symptoms*, which we said accompany'd *Autumnal Agues* at their latter end, or follow'd presently after them ; but Bleeding is so very prejudicial in *Quartans*, that by reason of it they continue a whole Year upon young People, whereas otherwise they would go off in half the time. And whereas antient People may be freed from them  
within



within a Year, if they do not bleed, there is danger if they do of their Continuance beyond their appointed Time, and of their dying of them. What has been said of Bleeding may easily suit with Purging; only it is not so very prejudicial, unless it be often repeated.

I begin with *Tertian Agues* in the *Fall*, in the following manner: The Patient being put to bed and well cover'd, I sweat him with *Sage Posset-drink*, about four Hours before the Fit comes; and as soon as he begins to sweat, I give him two Scruples of *Pill. Coch. maj.* dissolv'd in an Ounce of the following Mixture:

*Take Aqua-Vitæ one Pint, of Venice-Treacle three Ounces, of English Saffron one Dram; mingle them, keep them for use.*

When he has taken these things, let the Sweat be continu'd for some Hours after the Time wherein the Fit should come, taking great care of those Interruptions of Sweating, which perhaps Stools may occasion, by reason of the Purge. I had better Success by the use of this Medicine in the Cure of *Tertians*, than by the common Decoction of the Roots of *Gentian*, and the Tops of *Centaury* with a little *Sena* and *Agarick*, which aims at the same things; for seeing it provokes at the same time those contrary Motions of Sweating and going to Stool, it has the same effect as the other, by confounding and interrupting the ordinary Course of the Fit, and indeed is more effectual, and full as safe. I have cured a great many *Tertian Agues* in the *Fall* by this Method; neither could I in these Years find a better.

In a double *Tertian*, which has vary'd its Type, by reason the Sick was weaken'd by Evacuations, or any other way, the Sweat must be rais'd as before, and at the same distance of Time from the next Fit, either by the Medicine beforemention'd (but the *Pill. Coch.* must be omitted, for it is neither safe, nor to any purpose, to weaken the Sick more by Purging, when he hath been weaken'd by it already, and so by it to further the doublings of the Fits) or by some other strong Sweat, which may be also repeated in the genuine Fit next following. When the Patient is extremely weaken'd by the doubling of the Fits, I order the following Electuary:

*Take*



Take of the Conserve of Flowers of Borrage and Bugloss one Ounce; of Conserve of Rosemary-flowers one Ounce; of candied Citron-peel, of Nutmegs candied, and of Venice-Treacle, each three Drams; of Confection of Alkermes, two Drams: mingle them, and make an Electuary, whereof let him take the quantity of a small Nut Morning and Evening, drinking upon it six Spoonfuls of the following Julep.

Take of the Waters Meadow-sweet and Treacle, each three Ounces; of Syrup of Gilliflowers, one Ounce: mingle them.

Or instead of this I give some simple Epidemick Waters sweeten'd with Sugar; I forbid the use of Glisters, and order the Sick to eat Oatmeal and Chicken-Broth, and the like.

As to the Cure of *Quartans*, I suppose every one who is but little conversant in this Art, knows how unsuccessful all the Methods have hitherto been, which are design'd for the Cure of them, except the *Peruvian Bark*, which indeed oftner stops it than conquers it: for after it has ceased a Fortnight or three Weeks, to the great advantage of the Patient, who having been severely handled by it, has a little breathing-time, it begins again afresh, tormenting him as bad as ever; and for the most part, how often soever the Medicine be repeated, it requires a long time before it can be vanquish'd: yet I will mention what I have observ'd concerning the Method of giving it.

But you must take care not to give the *Jesuits Pouder* too soon, before the Disease has a little wasted it self, unless the Weakness of the Patient requires it should be given sooner: for the giving of it too soon may render it ineffectual, and endanger the Patient's Life, if a sudden stop be put to the Fermentation of the Blood, whilst it is endeavouring earnestly Despumation. In the next place, no part of the febrile Matter must be evacuated by Purging, much less by Bleeding; for by either of them the Oeconomy of the Blood is weaken'd, and so the Fits may more readily and certainly return as soon as the Virtue of the Pouder is gone. I think it is better to tincture the Blood leisurely with the foresaid Medicine, and a good while be-



fore the Fit, than to endeavour at once to hinder the Fit just approaching; for by this means the Remedy has more time to perform its business thorowly, and then the Patient is freed from the danger that might happen by a sudden unseasonable stop, whereby we endeavour to suppress the Fit that is now about to exert it self with all its might. Lastly, the Pouder must be repeated at such short distances of Time, that the Virtue of the former Dose be not quite spent before the other be given; for by the frequent Repetition a good Habit of Body will be recover'd, and the Disease wholly vanquish'd. And for these Reasons I like this Method better than any other :

*Take of the Jesuits Pouder one Ounce, of the Conserve of red Roses two Ounces; mingle them.*

Let the Patient take the quantity of a large Nutmeg Morning and Evening daily, on those Days the genuine Fit does not come, till he has taken all the Confection; and let it be repeated once a Fortnight for thrice.

And perhaps the Bark may be used with as good Success in Spring and Autumnal *Tertians*: but to speak the truth, and not to boast absurdly of Art, if the Patient seiz'd with any of these *Agues* be either an Infant, or young, it's best (as far as I yet understand) to use no Medicine at all, nor to change the Air or Diet; for I never found hitherto any ill from thence, if the Business be wholly left to Nature, which I often observ'd with admiration, especially in Infants: for the Blood having perform'd its Depuration, these *Agues* go off of themselves. But on the contrary, if a strict Course of Diet be order'd, or purging Medicines given (for they use to be prescrib'd forsooth to open Obstructions, and to carry off the Humours lodg'd in the first Passages, or if especially Bleeding be us'd in an Epidemical Constitution) it comes to pass that the Disease is much prolong'd, and the Patient expos'd to a thousand dangerous Symptoms. But if the Patient be old, there is great danger in both Diseases (I mean *Autumnal Tertians* and *Quartans*) not only of their long Continuance, but also of Death it self; therefore in this case the Physician ought to act so, as that if he cannot take off the Disease, neither by the Bark nor any other Method, he should at least assist Nature, so that she  
may



may be able to perform her own Work; for certainly in weak Bodies, unless the Fermentation be kept up by the help of Cordials and a strengthening Diet, as with Worm-wood-Wine, and the like, the Patient will be weakened, and troubled with uncertain and fruitless Fits, and the Disease will continue long: so that Nature being very languid, and seized with a grievous Fit, cannot reach the time of Ebullition, and he dies in the cold Fit. And this frequently happens to old Men, that have been weakned by a long Course of Catharticks, and sometimes they die in the shaking of the first Fits; whereas they might have been kept up, for some time at least, by some strong Cordial.

When the Blood has passed the time that is requisite for perfecting its Despumation, antient Patients must at that time remove to another Air very different, or which is better, into some warmer Country; or at least should leave the Place where they were first seized with this Disease. It is indeed strange how much the Change of Air prevails for the total Extirpation of this Disease: but the Change of Air before this time is not proper; for tho any one should remove into a hot and southerly Country, yet it is necessary that the Blood settled in this sickly Disposition should finish its Depuration: And it will be in vain to expect any Benefit from an unusual and new Air, till the Motion of the Blood, proceeding and growing perfect, is capable of recovering Health. A considerable Alteration of the Air is therefore then to be appointed, when the Sick is freed from the Fit: For instance, in a Quartan, which first began in Autumn, the Air must not be chang'd till the beginning of *February*; but if the Patient will not or cannot conveniently remove, he ought at this time to use some strong Medicine, so powerful, as may be able at once to promote the languid Depuration, and if possible to perfect it.

*Take of the Electuary of the Egg, or of Venice-Treacle, one Dram and half; dissolve it in two Ounces of Aqua-Cœlestis, or of common Aqua-Vitæ; give it two Hours before the Fit.*

I have used this with good Success at the Declination of such Diseases; but hot things given sooner have either  
E doubled



doubled the Fits, or changed them into a continual Fever; as was long ago observed by *Galen*. The same may be given with caution to young People in this Disease: but I have long ago found them prejudicial to Children.

But before I leave this Argument, I must acquaint you, that those things which have been spoken of the Duration of Autumnal Agues, and of the time requir'd for the Depuration of the Blood, are so to be understood, *viz.* that we respect now only that which Nature is wont to perform by the assistance only of common Medicines: for we have not designedly discoursed of these things, to discourage learned and diligent Physicians from searching for better Methods of Cure, and more effectual Remedies, whereby they may hasten the Cure of such Diseases. Indeed I am so far from thinking so, that I do not despair of finding out one day such a Method or Remedy.

The Disease being removed, care must be taken that the Patient be purged: for it can scarce be imagined how many Diseases are occasion'd by the Omission of Purging after Autumnal Agues; and I wonder this is taken so little notice of, and no more provided for by Physicians: For whenever I have seen these Diseases happen to People somewhat in Years, and Purging was neglected, I could certainly foretel that some dangerous Disease would befall them, tho they had not the least thought of it, being as it were perfectly recovered.

But the Patient must not be purged before the Disease is quite vanquish'd: for tho the natural Parts may seem by this means to be freed from the Filth which the Ague had cast upon them, yet fresh Matter will suddenly spring up, being supply'd by the Fever returning again by reason of the Force of the Cathartick, and the Agitation of the Humours: And so all we gain by Purging, is the rendring the Disease more stubborn. And we find this daily by Examples of those who (yielding to that Theory, which places all the hope of Cure in opening Obstructions, and in evacuating the melancholy Humour, which is vulgarly reckon'd the Cause of this Disease) are miserably punish'd by Catharticks, repeated at the Declination of the Disease: and indeed, whatever that Humour be which is evacuated with them, it is apparent that the Fever is more rooted thereby, and obstinately maintains its Ground, by being provoked. Wherefore I by no means give a Purge before  
£
that



that time wherein the perceptible Fits are quite gone, and also that Alteration, how little soever it be, that is felt on those days whereon the Fit uses to come; and moreover, till a Month be past: after which I prescribe some lenitive Potion, and I order it should be repeated once a Week for two or three Months following, and after every Purge an Anodyne at Bed-time, the Medicine having done working, to prevent the coming of the Fit afresh, which perhaps might be otherwise occasion'd by the Tumult the gentlest Purges raise.

Therefore I purge at such a distance of time as may free the Patient from the fear of a Relapse, which truly may be easily occasioned by the Agitation of the Humours, and too frequent Bleeding. But when this Danger is over, the following Apozem may be used often.

*Take of Monks Rhubarb two Ounces; of the Roots of Asparagus, Butcher's-broom, Parsley, and Polypod of the Oak, each one Ounce; of the middle Rind of an Ash, and of Tamarisk, each half an Ounce; of the Leaves of Agrimony, Ceterach, and Maidenhair, each one handful; of Sena cleansed, one Ounce and half, sprinkled with three Ounces of White-wine; of Dodder of Thyme, half an Ounce; of Agarick torchiscated, two Drams; of Fennel-seeds, four Scruples: let them be boiled in a Pint and half of Fountain-water; towards the end add three Ounces of the juice of Oranges: mix with the strain'd Liquor of the Syrup of Succory with Rhubarb, and of the Magisterial Syrup for Melancholy, each one Ounce and half; make an Apozem, whereof let him take half a Pint every Morning for three Days, and let them be repeated as often as there is occasion.*

And now at length, that we may treat of those Symptoms which accompany Agues at their Declination, we must take notice, that very few, compared with the Autumnal, belong to Agues in the Spring, because they are not so lasting, nor consist of such earthly and malignant Humours.

A Dropsy now and then concurring, is the chiefest, wherein the Legs swell first, and then the Belly also; it is occasion'd by the Blood wasting a great many Spirits, by reason of frequent Fermentations, which the Diuturnity



of the Disease is the cause of, especially in old People; so that being extremely weakned, it cannot any more assimilate the Juices taken in with the Nourishment, whereof a crude and indigested Heap is at length put off upon the Legs; and when they are distended so that they can receive no more, upon the Belly also, and so it becomes a true Dropsy. But this Disease seldom happens to young Men, unless it has been foolishly brought upon them by Purges repeated frequently in the course of the Ague.

But a Dropsy, coming from the Cause above-mention'd, is easily cur'd at first by Catharticks, and opening Medicines. Nor am I concerned at the Event, when I hear of this Disease proceeding hence, for then I reckon all will go well. I have cured them with the Apozem above-mention'd, without the mixture of any thing more appropriated to the Dropsy. But I have observ'd it is in vain to endeavour the Cure of such a Dropsy by purging Medicines, while the Ague continues; for by this means the Ague is more firmly rooted, and besides, the Dropsy will not be taken off. We must therefore wait till the Ague is cur'd, and then we may successfully undertake the Business.

But if this Symptom be so very violent, that the Cure of it cannot be defer'd till the recess of the Ague permits the use of Catharticks, it must wholly be manag'd with the Infusion of Horseradish-roots, the Tops of Wormwood, and of the lesser Centaury, of Juniper-berries, Broom-asbes, and the like, made in Wine; which not only resist the Symptom by restoring the weak Blood, but also help Nature just about to triumph over the Disease.

Infants are sometimes hectick after Autumnal Fevers, both continual and intermitting; their Bellies are puffed up, swell'd and hard, and they have often a Cough and other Symptoms that consumptive People are troubled with, and which plainly resemble the Rickets: these must be treated in the following manner. Let the purging Potion be prepar'd, which I have order'd to be taken at the end of continual Fevers; whereof let the Child take one or two Spoonfuls, more or less, according to its Age, in the Morning for nine days, omitting a day or two if there be occasion; the Purge being so moderated, either by encreasing or decreasing the Dose, that it do not exceed five or six Stools a Day. After Purging, let the Belly be anointed with some opening Liniment for some days.



*Take Oil of Lillies and Tamarisk, each two Ounces; of the Juice of Briony-roots and Smallage, each one Ounce; let them boil to the Consumption of the Juices: add of the Ointment of Marshmallows, and of fresh Butter, each one Ounce; of Gum Ammoniacum dissolved in Vinegar half an Ounce; of yellow Wax a sufficient Quantity: make a Liniment.*

I have cured a great many Children of the true Rickets by this Method.

But, as I said before, great care must be taken that we do not begin to purge till the Ague is quite gone; for tho by this means some Part of the Humour cast upon the natural Parts, may probably seem to be evacuated, yet sometimes a fresh Quantity of ill Matter is supply'd by the Fever, which does not only make purging ineffectual, but the Disease more lasting, for the Reasons above-mention'd.

It is worth noting, That when these Autumnal Agues have a long time molested Children, there is no hope of recovery till the Region of the Belly, especially about the Spleen, begins to be harden'd and to swell, for the Ague goes gradually off as this Symptom comes on; nor perhaps can you any other way better prognosticate the going off of the Disease in a short time, than by observing this Symptom, and the swelling of the Legs, which are sometimes seen in grown People.

The swelling of the Belly, which comes upon Children after these Agues, in those Years the Constitution of the Air is epidemically determin'd to propagate Autumnal Agues, feels to the Finger touching it, as if the Bowels contain'd some Matter harden'd to a *Schirrus*; whereas that which comes in other Years, in like appearance affects the Touch so, as if there were only a Tensity of the *Hypochonders* by Wind under them; which is worth noting: the true Rickets do not often happen, unless in those Years, wherein Autumnal Agues prevail.

The Pain and Inflammation of the Almonds, after either continual or intermitting Fevers, first with the Difficulty of swallowing, and afterwards also with Hoarseness and hollow Eyes, and a *Facies hippocratica*, certainly betoken, that Death is at hand, all hope of Recovery being past; and I have observ'd, That too large Evacuations in Patients al-



most worn out, and also the long Continuance of it, have mutually contributed to the Production of this fatal Symptom.

There are many other Accidents which are wont to follow these Diseases, by reason of Purging not used at all, or not rightly used; which at present we will say nothing of, seeing the way of Cure in all is almost the same, *viz.* the purging off of the Sediment deposited by the preceding Effervescence, because it has occasion'd these Ills by its continuance. But it may be proper to discourse here of a Symptom no way contemptible, which will yield neither to Purging, nor to any other Evacuation, especially to Bleeding, but is heighten'd thereby; it is a certain peculiar Madness which follows long Agues, especially Quartans. The common Methods of Cure are no way beneficial in this Case, for by strong Evacuations the Patient becomes a Changeling, and continues so as long as he lives. I have often wonder'd that Authors have not mention'd this, seeing I have taken notice of it several times. And whereas other sorts of Madness are most commonly cured by large Evacuations, by Bleeding and Purging, this can bear neither: for when the Patient is in a manner recover'd, if a Glister only of Milk and Sugar be but once injected, it will presently begin again afresh: and if we proceed with Purging repeated, and Bleeding, such Evacuations may indeed quell the Fury of the Disease, but they will certainly make the Patient a Fool, and render him incurable. And it is not strange, if we consider that other sorts of Madness proceed from the two vivid and exalted Crasis of the Blood; but that this is occasion'd by the Weakness of the same, becoming vapid by too long a Fermentation carry'd on by the Fever, so that the Spirits are wholly incapable to perform the Animal Function.

I used to manage this Disease in the following manner; I prescribe a large Dose of some generous Cordial, to be taken thrice a day; for instance, *Venice-Treacle*, the *Electuary of the Egg*, the *Countess's Pouder*, *Sir Walter Raleigh's Pouder*, or the like, in *Epidemick*, or *Treacle-water*; or some other Cordial Medicines may be also given in some other Form. The Patient is likewise to be comforted with strengthning Diet, and generous Liquors; he must keep within, and lie much a-bed; the Belly will by this means be bound, so that a Fever may be fear'd  
by



by some, especially by reason of hot Medicines taken; but there is really no danger of it, for the Spirits, worn out by the foregoing Disease, are not able to kindle a new *Fever*. After some Weeks, he will grow better by little and little, and then Cordials may be omitted for some days, but the strengthening Diet must be constantly used; and the use of Cordials must be again repeated after a short Intermission, and continued till he is quite well.

The foremention'd Method has sometimes cured Madness, that has not come upon these Agues in those of a cold and infirm Constitution. Last Year I was call'd to *Salisbury*, to consult with the learned and sagacious Physician, Dr. *Thomas*, my very good Friend, about a Gentlewoman who was distemper'd in Mind; and she was perfectly cured by the Remedies above-mention'd, tho she was then with child.

But the common Madness which is wont to befall brisk People, without any *Fever* going before, is of another kind, and therefore to be treated with a quite contrary Method as to Evacuations; tho in this sort also those things that strengthen the Brain and the Animal Spirits, are not to be omitted: I will add the Cure of this by the by to the foremention'd kind, tho it does not properly belong to this place, lest any should be deceiv'd by the Likeness of the Diseases.

In young People of a sanguine Constitution, let eight or nine Ounces of Blood be taken from the Arm twice or thrice, at three Days distance; afterwards bleed once in the Neck; Bleeding oftner, rather makes the Patient a Changeling than cures him: then give half a Dram or two Scruples of the *Pil. ex duobus*, according as it works, on a set Day; for instance, if the Patient takes the Pills first on a *Monday*, let them be repeated exactly on the same Day, and not oftner in the following Weeks, for a long time, till he is perfectly recover'd. By this Method the Humours which use to seize the Head, fall gradually on the lower Parts, their Course being turn'd.

When the Patient does not purge, let him take the following Electuary, or the like, thro the whole Course:


Take of the Conserve of Roman Wormwood, of Rosemary-flowers, and of Venice-Treacle, each one Ounce; of the Conserve of yellow Peel of Oranges, of candied Angelica,  
E 4 and



and of Nutmegs candied, each half an Ounce; make an Electuary, with a sufficient quantity of Syrup of Gilliflowers: Let them take the quantity of a Nutmeg twice a Day, and drink a small Draught of Canary after it, wherein Cowslip-flowers have been infused cold.

The *Continual Fever* and *Agues* which we have describ'd above, were almost the only Epidemick Diseases that reign'd during the Constitution of the Years 61, 62, 63, 64; but how many Years they reign'd before, I cannot say: this I certainly know, that from the Year 64, to the Year 67, they very rarely appear'd at all in *London*.

I should speak something also of the *Small-Pox*, namely, what those were which then happen'd, respect being had to that Constitution; for, as I have said, they vary very much, according to the various Constitutions they come in. But having not sufficiently observ'd them at that time, I now pass them by: I will only say, that this was peculiar to them, that in those Years they raged much about the beginning of *May*, but the Autumnal Epidemics supervening, they retir'd. Upon the top of the Pustules there were small Pits most commonly, about the bigness of the head of a small Needle, and in the distinct kind; the Sick was in most danger on the eighth Day, at which time the Sweat or Moisture which flow'd hitherto broke off of a sudden, and the external Parts were dry: Nor could Sweat be recall'd by any Cordials, the Sick was seiz'd with a *Phrensy*, and great Anxiety, with great Pain and Sickness; he made water often, but little at a time; and within a few Hours, contrary to Expectation, died.



## S E C T. II. C H A P. I.

*Of the Epidemical Constitution of the Years 1665, and 1666, at London.*


THE foregoing Winter being extremely cold, and the Frost continuing without any intermission till Spring, it thaw'd suddenly at the end of *March*, in the Year 1665; and



and *Inflammations of the Lungs, Pleurifies, Quinsies*, and such like inflammatory Diseases, made great slaughter on a sudden, and at the same time a continual Epidemick *Fever* appear'd. It was very different from the nature of the *Continual Fevers* that reign'd in the foregoing Constitution, whereof scarce any were wont to invade at that time of the Year. The Pain of the Head was more violent, and the Vomiting more severe than in the former; and the *Looseness*, which is most commonly prevented in the other *Fever* by taking a *Vomit*, was now heighten'd by the same, and yet the Vomiting did not cease: The outward Parts were dry, as in the *Fevers* of the preceding Constitution; but after Bleeding the Patient could sweat, and the Symptoms were presently abated thereby. And this might be done at any time of the Diseases, whereas in the former *Fever* you could not attempt it safely, nor indeed could easily obtain your Desire before the thirteenth or fourteenth Day. The Blood was often like the Blood of those that have a *Pleurisy*, or a *Rheumatism*, only it had not so white a Jelly upon it. These were at first the Diagnostick *Phænomena* of this Disease, but in the Progress of the Year the *Plague* broke out, accompany'd with a great number of Pathognomonick Symptoms, as *Carbuncles, Buboes*, and the like. It increased daily more and more, and came to its height about the tenth of September, at which time about eight thousand died of it in the space of a Week, tho two thirds at least of the Citizens went into the Country for fear of Infection. Afterwards it began to decrease, and by reason of the Cold of Winter, almost ceased; only here and there one had it all the Winter, and towards the following Spring, at the approach whereof it quite vanish'd: yet a *Fever* remain'd, tho not so Epidemick, the whole following Year, and even till the beginning of the Spring 1667. Of these I will now treat.







## C H A P. II.

*Of the Pestilential Fever and Plague of  
the Years 1665, and 66.*

**I** Have heretofore hinted by the by, that some Fevers are commonly reckoned malignant, whereas the extreme Violence of the Symptoms, which seems to countenance this Opinion, proceeds not from any venomous Disposition of the Disease, but from the ill Management of the Cure; for when we do not duly attend to the Solution of the Disease, appointed by Nature, but rashly begin some other Method, we very much disturb the Oeconomy of the whole Body, and turn all things topsy-turvy: And for this reason the Disease, contrary to its own Nature, has a woful Aspect, is different from it self, and accompany'd with irregular Symptoms, so that indeed it seems of another kind. But a Fever truly malignant does not happen every day, and wholly differs from other kinds, that are so call'd, by reason of the Irregularities of the Symptoms; and is truly of the same Species with the Plague, only it is a Degree below it: wherefore I will treat of the Rise and Cure of both in the same Chapter.

That such a Disposition or Texture happens to the Mass of the Air, as occasions various Diseases at different times, is manifest to every one that but considers that one and the same Disease kills an infinite number of Men at some certain seasons, and at another time seizes only here and there a Man, and goes no further: And this is very apparent in the Small-Pox; especially in the Plague, the Argument of this Chapter.

But what that Disposition of Air is, from whence this morbidick Furniture proceeds, we know not, nor many other things, which the doting and arrogant Crew of Philosophers trifle about: whatever it be, upon this account at least, the Clemency and Goodness of Almighty God is to be reverenc'd; because pestilential Constitutions of the Air producing the *Plague* (the greatest of all Miseries, and most



most destructive to Mankind) seldomer happen than those that cause less deadly Diseases: so that the *Plague* rarely rages violently in *England* oftner than once in the space of thirty or forty Years. Some, here and there, die of the *Plague* for some Years after a notable *Pestilence*; and it is wont to go off gradually, by reason the pestilential Constitution of the Air continues still in part, and is not yet wholly changed to another more wholesom; and therefore it ought to be counted only as the Gleanings of the last Harvest. And also the *Fevers*, that reign a Year or two after a deadly *Plague*, are wont to be pestilential for the same reason. And tho some have not the Tokens of the *Plague*, yet are the *Fevers* much of the same nature, and require the like Method of Cure, as we shall make appear hereafter.

But besides the Constitution of the Air, as a more common Cause, there ought also to be another Procatartick, viz. the Reception of the Infection, either immediately by accompanying some infected Person, or mediately transmitted by *Fomes* from some other Place; or else if it should happen while there is such a Disposition of the Air, as we have mention'd, a dreadful Fire will presently be kindled by a small Spark, and the whole Air through that Tract of Earth would suddenly be infected with the *Plague*, by reason of the Breath of the Sick, and Carcases of the Dead: so that there will be no more need of a *Fomes*, or personal Intercourse, to propagate this dreadful Disease, but the very Air passing in with the Breath, will be able to destroy a Man of it self, tho he were carefully removed from the Infected, if he has a Body furnish'd with Humours disposed to receive the Infection.

This Disease, when it is only Sporadical, afflicts some few promiscuously at any time, the Infection being, as it were, handed from one to another: But when there is also an Epidemick Constitution of the Air, it begins betwixt Spring and Summer, that being a Season most fit to produce a Disease, whose Essence chiefly consists of an Inflammation, as we shall shew hereafter. Moreover it has its time of Increase and Declination, like other kinds of natural things. It begins at the time we said, as the Year increases it spreads, and as that declines it decreases, till at length the Winter has changed the Air into a Disposition contrary to this Disease.



For if the Changes of the Seasons of the Year have no power over this Disease, but the pestilential Seeds being untameable by any Alteration of the Air, are transmitted from one to another in a continual Series; it could not be, but that when it has once enter'd into any great City, it should still increase the Funerals more and more, till by a continued Destruction, none will at last remain, to whom it might impart its Venom. But that the contrary often happens, is plain from the number of the Dead, which increased to some thousands in one Week in *August*, but much decreased, and almost quite stopt at the latter end of *November*. But tho I do not deny that it may be, and which also some Authors have affirmed, that the *Plague* has broke out at other Seasons of the Year; yet is it rare, nor is such a *Plague* very raging: besides, I very much suspect that the Disposition of the Air, tho it be pestilential, is not sufficient of it self to cause the *Plague*, but that always being in some place or other, it is convey'd by a *Fomes*, or by the coming of some Person who has the *Plague* from one infected Place to another, and is not Epidemick there, unless also the Disposition of the Air incline to it: otherwise I cannot understand how it comes to pass, that in the same Tract of Heaven, when some one Town is grievously afflicted with the *Plague*, another not far distant, by warily prohibiting any Commerce with the infected Place, should keep clear of it; as not long ago, when the *Plague* raged violently almost over all *Italy*, it was kept out of the Confines of *Tuscany*, by the Care and Prudence of the Great Duke.

Its first Approach is almost always accompany'd with Shaking and Shivering, like the Fits of an Ague; presently violent Vomitings, a Pain about the Region of the Heart, as if it were oppress'd, a burning Fever, with the usual Concourse of Symptoms, perpetually afflict the Sick, till either Death it self, or a happy Eruption of a *Bubo* or *Parotis* discharges the morbidick Matter, and so frees them from that deplorable Condition. It does now and then happen, tho seldom, that it comes without any sense of a Fever before, and suddenly kills Men; the *Purple Spots*, which are the Fore-runners of Death, breaking out as they are about their business. But this sudden Death, which is to be noted, scarce ever happens, but at the beginning of a dreadful *Plague*; and is never, when it remits and is weaken'd,



weaken'd, or in Years wherein it is not Epidemical. It sometimes also happens that Swellings appear, when neither a *Fever*, nor any other violent Symptom went before. But I suppose that some little Skaking or Shivering, tho less perceptible, always precedes. They that are after this manner, may safely walk about the Streets at pleasure, and do their Business, as if they were well, not minding any Regimen.

As to the Essence of this Disease, I do not pretend to define it exquisitely; and perhaps he would seem as impertinent to wise Men, who should ask me what constitutes this or that kind of Sickness, as I should, if I should ask him the same Question concerning an Horse, for instance, among Animals, or Betony among Plants. For Parent *Nature* accomplishes the Generation of all things, which any time she brings to light from the bosom of Causes, by most certain Rules only known to her self; and hides their Essence, Quiddities, and constitutive Differences in the greatest obscurity. Hence every Species of Diseases, no less than of Animals or Vegetables, is always allotted Affections peculiar to it self, and univocal, flowing from its Essence: and yet notwithstanding that Question will not be very considerable, *viz.* How we should cure Diseases, when we know not their Causes? because the Cure of most Diseases is perform'd, not by the Knowledge of the Causes, but by a proper Method approved by Experience. But to return to the Business; because we are wont to deduce the Rise of all similar Diseases from a Fault of the first or second Qualities (which we can only do by reason of our great Ignorance of things) it is probable, that the *Plague* is a peculiar *Fever* of its own kind, proceeding from an Inflammation of the most spirituous Particles of the Blood: forasmuch as they seem most adequate to its subtle Nature, and if it exert the greatest Subtlety wherewith it is endued, it suddenly dissipates the native Heat, and so kills the Sick, as is seen at the beginning, and state of an Epidemick Constitution; the Corps of those who are so suddenly destroy'd by the Violence of this Disease, are all over disfigured with the purple Spots, the Fibres of the Blood being broken in pieces by reason of the Violence of the inward Conflict, and the Frame of it quite dissolv'd. And this Tragedy may be acted by reason of the great Subtlety of its Flame, even without any febrile Ebullition of the Blood,



Blood, or Sense before of any other Sickness, otherwise than that it most commonly happens, when the morbidick Cause is not so subtile, and the Weapon more obtuse wherewith it assaults Life. The manner of the Difference may be thus represented: For instance, if a Needle, or any other like thing be put under a Pillow, and forcibly press'd, it does not lift it up, as some things of a duller Point would do, but perforates it. But this kind of sudden Death seldom happens, and only, as we said before, at the beginning or increase of the *Plague*: For most commonly, as in other *Fevers*, Shaking and Shivering first invade, and Heat presently succeeds; which continues till the inflamed Particles of the Blood are banish'd to the *Emunctories*, by the provident Conduct of Nature, and they are turned to Matter after the manner of common *Phlegmons*: But if the Inflammation be less, it is wont to produce those *Fevers*, which are commonly call'd *Pestilential*, and that often happen at the end of a *Pestilential Constitution*, and perhaps a Year or two after, till that Species of *Fevers* quite disappears.

I suppose that Inflammation which is call'd an *Erysipelas*, is much like the *Plague*; for it is reckon'd by the best Physicians a continual *Fever*, proceeding from the thinner part of the Blood; from which, that Nature may free her self, she expels it to some outward Part, whereon a Tumour, or rather red broad Spots dispersed (for a very visible Tumour does not often appear) arise; which they call an *Erysipelas*. But the *Fever* goes off critically by this Swelling, after it has afflicted the Sick a day or two: And moreover, there is sometimes a pain in the Glandules of the Arm-pit, or Groin, as in the *Plague*; and it begins also almost like it with a Shaking and Shivering, and a febrile Heat following; so that they who have not had this Disease before, think they are seiz'd with the *Plague*, till at length it shews it self in the Leg, or some other Parts. And truly some Authors have suppos'd, that there was somewhat of Malignity in this Disease; and therefore have proceeded in the Cure of it with Sweats and Alexipharmicks. This Flame soon goes out of it self, and does no further Mischief, when by means of the Ebullition the torrid Particles of the Blood are cast out.

But the *Plague* far exceeds an *Erysipelas*; for, by reason of the great Tenuity of its Substance, it is fitted to pass thro



thro the innermost Recesses of the Body like Lightning, and suddenly destroys the Spirits of the Blood, and dissolves its Frame, before oppressed Nature can raise a febrile Ebullition, the usual Means whereby she endeavours to remove whatever is offensive to the Blood.

If any one be dissatisfy'd with my Opinion, *viz.* That this Disease is occasion'd by an Inflammation, let him consider, that not only the presence of a Fever, but also many other things favour this Opinion: for instance, the Colour of the Blood taken away, which is like that of those who have a *Pleurisy* or *Rheumatism*; the adust Appearance of a *Carbuncle*, not unlike the Impression of an *actual Caustery*; the *Buboes*, which are as much inclin'd to an Inflammation as other Swellings of any other sort, and they end in *Abscesses*, as most Inflammations are wont to do: and also the Season of the Year wherein an *Epidemick Plague* breaks out, most commonly seems to confirm the same; for at the same time, *viz.* betwixt Spring and Summer, *Pleurisies*, *Quinsies*, and other Diseases that proceed from an Inflammation of the Blood, are wont to be Epidemical; and I never knew them more common than they were some Weeks before the beginning of the *London Plague*: but it is of no Importance, that that very Year, so dreadful by reason of the Destruction of many Thousands, was otherwise very mild and healthful, and that all that escap'd the Plague were better in Health; and also, that those who recover'd it were afterwards freed from ill Habits, and other ill Dispositions frequently occasioned by the Relicts of former Diseases; and moreover, that the *Imposthumated Carbuncles*, after the inflamed Particles were carried off by the Matter, were easily cured by ordinary chirurgical Means.

But perhaps some one may ask, how it comes to pass, that hot Medicines, such are almost all Alexipharmicks, should be used with good Success, both for the Cure of the *Plague*, and for Preservation from it, if it consists of an Inflammation? To this I answer, These things do good only by Accident, *viz.* by the Benefit of Sweat they produce, whereby the inflam'd Particles of the Blood are ejected: but if they do not cause Sweat when they are taken, as it very often happens, the Flame of the Blood encreas'd by their adventitious Heat, soon proclaims openly the mischief of them. In short, as to Preservation, I know, that the use of hot Antidotes is also every where commended, but  
with



with what Success, is not yet proved. Indeed it is rather probable that Wine drunk too freely, and other strong Preservatives taken daily at set Hours, have cast many into this Disease, who otherwise might not have had it.

As to the Cure of these *Fevers*, some perhaps may count me rash and arrogant, for pretending to write of this Disease, being several Miles distant from the City the greatest part of the time the *Plague* reign'd, and so not sufficiently furnished with Observations: but seeing more skilful Physicians, who bravely ventur'd to continue during so very dangerous a time, have not yet publish'd those things they frequently observ'd concerning the Nature of this Disease, I hope all good Men will pardon me for publishing my Opinion concerning this dreadful Disease, rais'd from my own Observations.

As to the Cure of these *Fevers*, the curative Indications are first to be minded, which in general are so to be directed, that either exactly following the Guidance of Nature, we assist her in expelling the Disease; or not trusting to the Method she is wont to use in vanquishing this intestine Enemy, we substitute by Art in the room of it a contrary and more safe one. But here perhaps some will say, the Cure of the *Plague* may be perform'd well enough by *Alexipharmicks*, great numbers whereof may be found in the Practical Authors. But indeed it is very disputable, whether the Help these Medicines yield, does not rather proceed from the manifest Qualities, whereby procuring Sweat plentifully, they procure a way at the same time for the Exclusion of the morbidick Matter, than from any certain occult Virtue allotted them by Nature to expel the Venom of the Pestilential Malignity: Nor may we only doubt of these, but also of the *Alexipharmicks* of other Diseases, viz. whether they do not relieve the Sick rather by promoting some Evacuation, than by a Specifick Virtue. For instance, in the *French-Pox*; he that says, that *Mercury* and *Sarsaparilla* are *Alexipharmicks* for the Venom in that Disease, must produce some Examples of Cures, wherein that did sometimes restore Health without Salivation or Stools, and this without Sweat: which I believe will be very difficult for him to do. But to me it seems probable, that the peculiar Remedy, and proper *Alexipharmicks* of the *Plague*, yet lie hid in Nature's Bosom; nor can it be taken thence, but only by a Mechanick Reason.

But



But that we may a little more fully consider the former Intention, which requires that we should assist Nature after her own way and manner, in expelling the morbidick Matter, it is to be noted, That in a true *Plague*, Nature performs her Business by some Abscess, breaking out in the Emunctories; and so the Matter is cast out, when she herself does not err, nor is violently forced out of the way. But in the *Fever* we call *Pestilential*, the same is perform'd by means of Sweat, thro the whole Superficies of the Body: from whence we may learn, that according to the various Ways and Order which Nature discovers in both Diseases, a different Method of Cure ought to be instituted: for if in a true *Plague* any one endeavours to expel the Matter by Sweat, he proceeds in a Method opposite to Nature, because she attempts to do it by Imposthumes; and on the contrary, he that endeavours to expel the Matter of a *Pestilential Fever* any other way than by Sweat, takes a Course no way agreeable to her Conduct and Inclination. But in the true *Plague* it is not yet known by what fit and certain kind of Remedies the Ejection of the morbidick Matter, that is, the Eruption of the Imposthumes, may be promoted: perhaps some may suppose that a corroborating Diet and Cordials may conduce to it; but indeed I should very much doubt, lest the Heat of the Patient should thereby be increas'd, that is too much already. And as to Sweats, I am well satisfy'd, by Experience, that they signify nothing in this Case; tho I do not deny, that after great Sweats, continu'd for the space of 3 or 4 Hours, and then suddenly stop'd, the Swelling shews it self; but I do not think it is at all occasion'd by the Sweat, because when it is at the height, there appears no sign of Eruption: when it is over indeed, it may follow, as it were, by accident; to wit, when the Sweat has remov'd part of that Burden, by which Nature was too much oppress'd, and the Body violently heated by Cordials taken to raise it. But how fallacious and uncertain this Ejection of the peccant Matter is by Imposthumes occasioned by Sweat, the lamentable End of those testifies, who have been treated after this manner; of which scarce one in three (to speak within Bounds) escapes the danger of the Disease and Cure: but on the contrary, many on whom the Swellings broke out in the right manner, even when they were intent upon their Business, and without



any sensible Hurt of any natural, vital, or animal Faculty, recovered in a short time, except those who unfortunately falling into the hands of an ignorant Physician, and composing themselves to Sweat by his advice, tho they were very well in Body and Mind, began from that time to grow worse; and their Sickness encreasing, they sufficiently demonstrated the Injury of this unlucky Counsel by their own Death. But the uncertain Judgment of this Disease by Swellings, is manifest; for that sometimes a Bubo, which comes out at first well, and with an Abatement of the Symptoms, afterwards disappears of a sudden, and instead of it Purple Spots, certain Tokens of Death, succeed. The Cause of the going in of the Tumour, seems of right to be attributed to those Sweats, which were design'd to further its Eruption, because they dissipated other ways, thro the Habit of the Body, the chief part of the Matter, which should have served to have kept up the Swelling. However it be, this at least plainly appears, that by the Benignity of Almighty God, certain ways of ejecting the morbidick Matter are appointed in other Diseases; but for this Scourge of heinous Iniquity, only a very uncertain one. And perchance the Cause and Original of this great Destruction may be as properly deduc'd from hence, as from Malignity; for in the Gout and other Diseases that are not thought to be malignant, the striking in of the morbidick Matter is full as destructive. From all which it plainly follows, that the Physician who is oblig'd to follow exactly the Guidance and Inclination of Nature in curing other Diseases, must here renounce her Conduct; the Truth whereof, because few have hitherto sufficiently understood, therefore the Number of those whom the Plague destroy'd, was not a little encreas'd.

Wherefore it being not at all safe to follow the Footsteps of Nature in ejecting this Disease, we must consider in the next place by what means we may satisfy that Intention, which we call the second, *viz.* by instituting a Solution of this Disease, contrary to that of Nature; and this, I think, can only be done by these two ways, either by Bleeding or Sweat. As to the first, I know very well that Bleeding is much dislik'd by most in this Disease; but being little concern'd at the Prejudice of the Vulgar, I will fairly discourse the Validity of the Reasons in this Question. And first I appeal to those Physicians who

con-



continued in Town when the late Plague raged, whether they ever observ'd, that large Bleeding, and often repeated, before any Tumour appear'd, was the cause of any one's Death that had the Plague. But 'tis no strange thing, that Bleeding sparingly, or after the Swelling is come out, should be always hurtful; or when only a moderate quantity of Blood is taken away, the Administration of Affairs is forced out of Nature's Hand, who endeavour'd all she could to cause a Swelling; and yet in the mean while another Method is not substituted that is strong enough to evacuate the morbidick Matter; and Bleeding, used after the Tumour appears, because it draws from the Circumference to the Center, induces a Motion quite contrary to that of Nature, which is from the Center to the Circumference: and yet nothing is more commonly urged, as a great Argument, by those of the contrary Opinion against Bleeding in general in this Disease, than the Injuries of Bleeding used after this perverse manner; as may be seen in *Diemerbroek*, and other Writers of Observations. As for my self, I cannot agree with their Arguments, till I understand what they answer to the Questions above propos'd: for many Authors, and those of the best Reputation too, have thought Bleeding proper in the Plague, the chief of whom are, *Ludovicus Mercatus*, *Joannes Costens*, *Nicholaus Massa*, *Ludovicus Septalius*, *Trincavellius Forestus*, *Mercurialis*, *Altomarus*, *Paschalius*, *Andernachus*, *Pereda*, *Zacutus Lusitanus*, *Fonseca*, and others. But there is but one that I know of, who places the whole Business of the Cure in as large Bleeding as we require, viz. *Leonardus Botallus*, one of the most famous Physicians in the former Age, whom I will quote, lest I should be thought singular in this Practice: 'In a word, says he, I think there is no Plague in which this may not be better than all other Remedies, so it be used opportunely, and in a convenient quantity; for I suppose it is found unprofitable sometimes: for that either it is used too late, or less is taken away than ought to be, or an Error is committed in the using of it both ways.' And a little while afterwards he adds, 'But in so great Timidity, and sparing Phlebotomy, how can it be that any should judge exactly how much Good or Harm it may do in the Plague? For if a Disease (for the cure of which the taking away of four Pounds of Blood was requir'd, and but one Pound was taken away) kill a Man, it does not



' therefore destroy him, because he was blooded, but be-  
 ' cause it was not done in a due manner, nor perchance  
 ' seasonably : But slothful wicked Villains always endea-  
 ' vour to put the Fault on that, not for that it did hurt,  
 ' but because they basely desire to have it dislik'd by all :  
 ' Or if they do not do it wickedly, they do it ignorant-  
 ' ly by a perverse Custom ; both certainly are pernicious,  
 ' but that most of all.' All which being about to confirm  
 by Experience, a little after he thus proceeds : ' These  
 ' things being observ'd, no reasonable Man can well dis-  
 ' praise Bleeding in these Diseases, but rather wonderfully  
 ' commend, and confidently use it ; which indeed I have  
 ' done for these several Years, and in Pestilential Diseases  
 ' at the Siege of *Rochel*, and four Years ago at the Moun-  
 ' tains of *Hainault*, and for these two Years at *Paris*, and  
 ' the last Year at *Cambray*. I found no Remedy speedier  
 ' and safer in all my Patients, which were innumerable,  
 ' than large and seasonable Bleeding.'

And afterwards he delivers some Observations, which  
 for Brevity sake I here omit, but will relate a very rare  
 Case, and suitable to our purpose, of a Business perform'd  
 in *England* many Years ago : When among the other Ca-  
 lamities of the Civil War, that miserably afflicted this  
 our Country, the Plague also raged in many Places ; it  
 chanc'd to be brought from another Place to the Castle of  
*Dunster* in *Somersetshire* ; and some of the Soldiers dying  
 suddenly with an Eruption of Spots, it seiz'd many others.  
 At which time a Surgeon, that had been a great Traveller,  
 was a common Soldier there, who humbly entreated the  
 Governour of the Castle to permit him to do all he could  
 for the Relief of his Fellow-Soldiers that were afflicted  
 with this dreadful Disease ; and having obtained leave, he  
 took away a vast quantity of Blood from every sick Per-  
 son at first coming of the Disease, before there was any  
 Sign of a Swelling ; he bled them till they were like to  
 drop down, for he bled them all standing, and in the  
 open Air ; nor had he any Porrenger to measure the Blood :  
 afterwards he order'd them to lie in their Tents ; and  
 tho he gave no Medicine at all after Bleeding, yet, which  
 is very strange, of those very many whom he treated af-  
 ter this manner, not one died. Mr. *Francis Windham* gave  
 me this account, who was then Governour of the Castle,  
 and is indeed a Gentleman, and remarkably honest,  
 and



and is now living, so that any one may be satisfied that doubts the Truth of it.

I will mention what I have observ'd worth Note, concerning this Thing, when I come to treat of those few Remarks I have made by my own Experience, while the late *London Plague* raged.

But tho in my Judgment I approve of this Practice, and have experimentally found the Usefulness of it long ago, yet the dissipation of the Pestilential Ferment by Sweat pleases me better, upon many accounts, than the Evacuation of it by Bleeding, because it does not weaken the Patient so much, nor hazard the Physician's Reputation. But this has also its Inconveniencies; for first many, especially young Men of a hot Constitution, sweat difficultly; and in such, the more you endeavour to force Sweat by strong Diaphoreticks, and by heaping on a great many Clothes, so much the more are they in danger of falling into a Phrensy; or which is yet worse, after having been entertain'd awhile with vain Hopes, the Tokens are drawn out instead of it: for the chief Venom residing in the most spirituous part of the Blood (the motion of the grosser Particles being on this account somewhat more weak than is usual in other Inflammations) that tender Portion becomes very furious by the accession of this new Heat, and at length breaks in pieces all the Fibres of the Blood distended beyond the Bounds of their Texture; which dissolution of the sanguineous Fibres, I suppose, is the cause of the *Pestilential* Tokens, for they are first intensely red, and soon after livid or black, like Stripes inflicted by a violent Blow on some fleshy part of the Body.

And then in those Bodies which are easy to sweat, if it be stop'd too soon, viz. before the morbidick Matter is wholly dispers'd, the condition of the *Buboes* is afterwards worse, which began to come out well at the latter end of the Sweat: for that part of the Matter being substracted which should serve to elevate them, they either soon strike in, or at least never come to true Abscesses (as is wont to happen in the *Small-Pox*, when the Sick has sweat violently at the beginning of the Disease) but the dreadful Enemy being again taken in, a Commotion is stirred up in the Blood, whereby the purple Spots, the Tokens of a sudden Death, are often driven out in the manner we have mention'd above.



But that it may more clearly appear by what means we may obviate these and the like Difficulties, I will faithfully set down what has been done and observ'd by me, so far as I was able in this Disease, beginning from the rise of the late *Plague*.

At the beginning of *May* 1665, I visited a noble Lady about 21 Years of Age, of a sanguine Complexion ; besides the *burning Fever*, which began a little before, frequent Vomitings, and other febrile Symptoms troubled her. I began the Cure with Bleeding, and the next Day, to prevent a *Looseness*, (which, as I mention'd in the beginning of this Treatise, was wont to come at the latter end of the *Fever*, when a Vomit was omitted, which the inclination to Vomiting at the beginning of the Disease required) I order'd a Vomit that cleansed her Stomach very well: the Day after visiting her again, I found she had a *Looseness*, which being very unusual for some Years, did not a little perplex me ; but thereby I perceived this was no common *Fever*, as the Event shew'd, and therefore requir'd another method of Cure, different from that I deliver'd in another place, which I had hitherto used with continu'd Success ; wherefore, another elder Physician being call'd in to assist me, Bleeding was repeated by our joint Consent, which the Age and Constitution of the Sick, and the violent Ebullition of the Blood seem'd to require ; and also moderate cooling Cordials were order'd, and Glisters injected every other Day. At the latter end of the Disease we prescrib'd some stronger Alexipharmicks, because very unusual and irregular Symptoms invaded, commonly accounted the Signs of a great Malignity. But all doing no good, she died about the fourteenth Day. I had many Thoughts for some Days after about the odd Disposition of this *Fever* ; and at length remembering the violent Heat which continu'd, even after repeating Bleeding, that there was a redness in the Cheeks, and some Drops of Blood flow'd from the Nostrils a little before her Death, and that also the Blood when it was cold in the Porringers, was like that which is taken from those that have a *Plcurisy* ; moreover, that she had a Cough, and obscure Pains in the vital Parts ; besides, that Season of the Year approached which contains the end of the Spring and beginning of Summer, and which is less disposed for the production of continual *Fevers*, (for these, of their own accord,



cord, at this time, either turn to *Agues*, or suddenly change to *Pleurisies*, or other Inflammations of the like kind) and lastly, that *Pleurisies* at that time were Epidemical: All these things, I say, being duly weigh'd, I was of the Opinion, that this *Fever*, tho it wanted the Pathognomonick Signs of a *Pleurisy*, had the importance of a Symptom, on the account of a certain Inflammation lurking about the vital Parts, tho there was no Pain of the Side, and no considerable difficulty of breathing. In a word, I was at length persuaded, that I ought wholly to have proceeded in the aforesaid Case with the same Method I had often used with good Success in a *Pleurisy*. And truly afterwards it succeeded as well as could be wish'd; for, being call'd a little while afterwards to a Man that was ill exactly after the same manner, I began and finish'd the Cure by repeated Bleeding, as is commended in a *Pleurisy*. About the latter end of *May*, and the beginning of *June*, very many desiring my Assistance, were recover'd from this *Fever* (which was then very Epidemical) by the foresaid Method. From this time that dreadful *Plague* began to rage cruelly, which at length was so very mortal, that in the space of seven Days it destroy'd many Thousands in this one City.

But whether the *Fever*, of which we have now discoursed, deserve the Name of the *Plague*, I dare not confidently affirm; but this I know experimentally, that all that were seiz'd with the true *Plague* at that time, and sometime after in my Neighbourhood, with all the Symptoms peculiar to it, had the same concurrence of Symptoms, both at the first coming of the Disease, and in the whole course of it: but when I was endanger'd by the near Approach of the *Plague* to my own House, at length, by persuasion of Friends, I accompany'd the vast Numbers of those that left the City, and remov'd my Family some Miles from thence; yet I return'd so very soon, and when the *Plague* continu'd so very violent, that it could not be, but, by reason of scarcity of better Physicians, I should be call'd in to the Assistance of those that had the *Plague*. And not long after I visited many that had *Fevers*, which I perceiv'd, not without great Admiration, were the same that I manag'd so successfully before my Departure; and therefore confiding in my own Experience, as a Guide to be prefer'd before all idle Precepts, I did not doubt to order



Bleeding again. I continued this course of Bleeding plentifully, together with the use of a *Ptisan*, and such-like cooling Diet, in many Patients, with very great Success; till at length I miscarried in the Management of some, by reason of the forwardness of the By-standers, who being possess'd with vain Prejudices, would not suffer me to take away a due quantity of Blood, (to the great damage of the Sick, from whom a sufficient quantity, or none at all, should have been taken away, seeing the stress of the Cure depended on it) and perceiving a great Obstruction to my Designs, I therefore thought the finding out of some other Method in curing this Disease, besides that of Bleeding, would be of great use. I will instance an Injury I once did, but without Guilt; not because I let Blood, but because I was not suffer'd to take away so much as was necessary. Being sent for to a young Man of a sanguine Complexion and strong Constitution, who was seiz'd with a violent *Fever* two days before, with giddy Pains of the Head, violent Vomitings, and such like Symptoms; and finding upon enquiry that he had no sign of a Swelling, I presently order'd that a large quantity of Blood should be taken away, the Superficies whereof, when it was cold, represented the corrupted Blood of *Pleuriticks*; and I prescribed also a *Ptisan*, with cooling Juleps and Broths. In the Afternoon he bled the same quantity, and so the next Morning, and towards the Evening of this Day I visited him, and found him much better; yet notwithstanding, I perceiv'd his Friends violently opposed the taking away any more Blood: but I earnestly contended that it should be repeated again, saying, he need be blooded but this time only, and then he would be out of danger; but that if they should continue obstinate, it had been better that no Blood had been taken away, and that the Cure had been carried on by Sweat; and, in short, that the Patient would most certainly die. The Event confirmed the Prognostication; for while we were disputing about the thing, we lost the Opportunity of doing it, for the next Day the purple Spots broke out, *viz.* the Relicks of the peccant Matter, which ought to have been wholly evacuated (because Bleeding so often repeated had taken away all hopes of an Abscess) by delay perverted the whole Mass of Blood, and broke the Texture of it by its great Subtlety, and the Patient died in a few Hours. There



Therefore when I had often met with such Obstacles, I earnestly endeavour'd to find out, if possible, some Method of Cure that might be as effectual, and not so displeasing; and having much and long consider'd of these things, at length I fell upon this Method, which I found afterwards to be perfect in all respects, and always beneficial.

*First*, If the Swelling has not yet appear'd, I bleed moderately, with respect to the Strength and Constitution of the Sick, and afterwards the Sweat is easily and soon rais'd, (whereas otherwise it is not only difficultly procur'd in some Bodies, but there is also danger lest the Inflammation should be heighten'd thereby, and so the Tokens forc'd out) and the Benefit of the Sweat immediately following, abundantly compensates the Loss of Blood; which, how little soever it be, would otherwise be very injurious. After Bleeding (which must be perform'd in Bed, when all things are in a readiness to promote Sweat) without any manner of delay, I order'd the Patient to be cover'd quite over with Clothes, and that a piece of Flannel be bound to the fore-part of his Head: and indeed this covering of the Head conduces more to the procuring Sweat, than any one would easily imagine. Afterwards, if the Patient does not vomit, I give these and the like Sudorificks.

*Take of Venice-Treacle half a Dram; of the Electuary of the Eggs one Scruple; of compound Pouder of Crabs-eyes twelve Grains; of Cochineal eight Grains; of Saffron four Grains, with a sufficient quantity of the Juice of Kermes: make a Bolus, which let him take every sixth Hour, drinking after it six Spoonfuls of the following Julep.*

*Take of Carduus-water, and compound Scordium-water, each three Ounces; of Treacle-water two Ounces; of Syrup of Gilliflowers one Ounce: mingle them, and make a Julep.*

But if the Patient be troubled with Vomiting, as he is very often in the *Plague*, and other *Pestilential Fevers*, I defer the giving Sudorificks till he begins to sweat by means of the Covering only, excepting that sometimes I put part of the Sheet over the Face; for, which is well worth observation, when the Rays of the morbidick Matter extend themselves to the Circumference of the Body, the Loose-



ness and Vomiting, which were occasion'd by their being inwardly reflected, and cast upon the Stomach and Bowels, cease presently of their own accord : so that how great soever the preceding Subversion of the Stomach is, the Medicines that are taken afterwards are easily retain'd, and procure a Sweat as well as can be wish'd.

I remember, that being once call'd by an Apothecary to visit his Brother who was very ill of a *Pestilential Fever*, and speaking of giving him a Sudorifick, he told me, That he had taken various and strong Medicines to procure Sweat, but all in vain, for that he had vomited them all up. I answer'd, That he should prepare the most loathsome and ungrateful of all that before he had given, and that I would take care that he should not vomit it up any more. The Event confirm'd what I promised ; for when the Patient had sweat a little, only by the weight of the Clothes, he retain'd a large Bolus of *Venice-Treacle*, whereby sweating plentifully, he recover'd. But to return to the Business : I order, that the Sweat should be continu'd for the space of a natural Day, by Sage Posset-drink, or Mace Ale, now and then taken ; and I strictly forbid that the Patient should be any way cleansed, neither indeed do I permit that the Shirt, how moist or foul soever it be, should be changed within twenty four hours from the end of the Sweat ; which I would have observ'd with the greatest Caution : for if the Sweat does not continue so long, the Violence of the Symptoms soon returns, and the Health of the Patient is left very uncertain, which a longer continuance of the Sweat would have put out of danger. And indeed I much wonder at *Diemerbroek*, and others, when I consider upon how slight a pretence they are induced to break off the Sweat, *viz.* That they may preserve the Strength of the Sick : for, first, every one that is but very little acquainted with the Cure of this Disease, knows that the Patient, while he sweats, is stronger than before. What Use and Experience hath taught in this Case, I will not fear to defend and declare openly. Many that have been sweated by my Advice, for the space of 24 hours, have been so far from complaining of their being weaken'd thereby, that they have professed, that as much as the useless Humour was carry'd off, so much new Strength they receiv'd : And towards the latter end, I have often observ'd with admiration a Sweat break out  
more



more natural, genuine, and copious than the former, which was forc'd out by the Medicine, and gave more relief, as if it were truly critical, and did eradicate the whole Disease. Moreover, I cannot see what Inconvenience there would be in refreshing the Patient with comfortable Soop and Broth, when the Sweat is at height : and then that Objection concerning want of Strength to bear long Sweats would signify nothing. If therefore any Defection be perceiv'd towards the latter end, I permit him to take a little Chicken-Broth, the Yolk of an Egg, or the like ; which, with Cordials and Draughts, commonly used to keep up the Sweat, abundantly repair the Strength. But there is no need of many Arguments of a thing so obvious : for it is manifest, that as long as the Patient sweats, he thinks himself in a good Condition, and the By-standers also suppose that the worst is over ; which openly proclaims the Utility of this Practice ; but as soon as the Sweat is stopt, and the Body begins to dry, he falls ill again, and there is, as it were, a Relapse.

I order that cold Beer be carefully avoided, that the Clothes dry of themselves on the Body, and that all Drinks are somewhat hot, and that the use of Sage Posset-drink be continued twenty four Hours after the Sweat. The next Morning I gave a Purge of the Infusion of Tamarinds, of the Leaves of Sena, of Rhubarb, Manna, and the Syrup of Roses solutive : and by this Method I cur'd many of *Pestilential Fevers* the next Year after the *Plague*, so that not one died of this Disease that was under my Care, after I began the use of the same.

But when there has been a Swelling, I have not yet dared to bleed, tho in a Body unapt to sweat, lest the sudden Death of the Patient should prevent the Sweat designed, the morbidick Matter flowing back to the empty Veins. Yet perhaps Bleeding may be very safely used, if without any manner of delay Sweat be procured presently after it ; which being continued to the space above-mention'd, may be able to disperse and consume by degrees the whole Bulk of the Humour, and with much less danger than when a legitimate Maturation of the Imposthume, which is very uncertain in so very acute a Disease, is long waited for.


To conclude : If the Reader shall find that I have any where erred about the Theory, I beg his pardon ; but as to Practice, I declare I have faithfully deliver'd all things,  
and



and that I never propos'd any thing before I had thoroughly try'd it. Indeed when I come to die, I trust I shall have a chearful Witness in my Breast, that I have not only with the greatest Diligence and Honesty endeavour'd the Recovery of the Health of all that have committed themselves to my Care, of what Condition soever they have been, of whom none was otherwise treated by me, than I desire to be if I should happen to have the same Diseases; but that also I have labour'd to the utmost of my power (if by any means it might be) that the Cure of Diseases may be managed after I am dead with greater certainty, esteeming any Progress in this kind of Knowledge, how small soever it be, tho it teach no more than the Cure of the Tooth-ach, or of Corns, to be more valued than the vain Pomp of nice Speculations, which are no more useful to a Physician in the Cure of Diseases, than Skill in Musick to a Carpenter in Building.

In the last place, I will add only this short Note, lest perchance any one should wrest my Opinion by a sinister Interpretation, or at least not thorowly understand it, *viz.* That in the preceding Discourse I often use the word Nature, and attribute various Effects to her, as if I would represent under this Title some one thing subsisting of it self, and spread every where through the whole Machine of the World, which being endued with Reason, governs all Bodies, such a thing as some of the Philosophers seem'd to think was the Soul of the World. But as I do not affect Novelty of Things, so neither of Words; and therefore I use in these Pages the antient Word indeed, but in a sense, unless I am deceiv'd, both sober, and not only understood, but also used by the best Men: for as often as I mention Nature, I mean a certain Complex of natural Causes, which are govern'd by the best Counsel in performing their Operations, and accomplishing their Effects, tho they are without Reason, and destitute of all Skill, *viz.* the Supreme Deity, by whose Power all things are produced, hath so disposed all things by his infinite Wisdom, that they betake themselves to their appointed Functions, doing nothing that is vain, but that which is best and fittest for the whole Fabrick of things, and their own private Nature; and so are moved like Engines, not by their own Skill, but by that of the Artificer.





S E C T. III. C H A P. I.

*Of the Epidemick Constitution of the Years 1667,  
68, and a part of the Year 69, at London.*

**I**N the Year 1667, about the *Vernal Equinox*, the *Small-Pox*, which during the foregoing Pestilential Constitution were quite extinguish'd, or rarely appear'd, began to break out and increase daily, and about Autumn became Epidemical: from which time, the Winter coming on, they decreased; but the next Spring they return'd, and continu'd till they were restrain'd, as before, by the following Winter: afterwards they did again the third time increase with the Spring. But they were not so universal as in the two foregoing Years; and in *August* 1669, they quite vanish'd, and were succeeded by an *Epidemical Dysentery*. The first two Years wherein this Constitution reign'd, the *Small-Pox* were more universal than ever I knew them before or since; and yet being gentle at that time, and of a good sort, they kill'd few, with respect to the great number of those that had them.

At the time wherein the *Small-Pox* first broke out, a new *Fever* arose, not much unlike the *Small-Pox*, if you except the Eruption of the Pustles, and the Symptoms which depended on them, whereof we will speak particularly hereafter. This *Fever*, tho it did not seize near so many as the *Small-Pox*, yet it continued as long. But in the Winter, when they decreas'd, this prevail'd; and when they return'd in the Spring, this receded, leaving in this manner the Dominion of Epidemics of this Constitution to them: yet it did never quite cease at these times, till at length in *August* 1669, the *Small-Pox* and this *Fever* went off together.

A third Disease accompany'd these two Epidemics, especially the last Summer, which the said Constitution occasion'd, *viz.* a Looseness, the Constitution of the Air inclining to the following *Bloody-Flux*. But however  
these



these things were, it was manifest, that this Disease was nothing else but the *Fever* turn'd inward upon the Bowels.

I will treat particularly of these three Diseases, which were the only Epidemics of this Constitution. I begin with the *Small-Pox*, and will treat largely of them, because those of these Years seem more regular than others, the *Phænomena* being the same, and accompanied with the same Symptoms in all that were seiz'd: so that they being most perfect in their kind, a true History of the Disease, and the Method of Cure, may be best taken from them. But it is to be noted, that not only a proper and peculiar *Fever* belongs to every peculiar Constitution, but also a peculiar sort of *Small-Pox*, which resembles this Species during this Series of Years, and another in the following Years, tho they may seem to agree among themselves as to certain *Phænomena* common to them all; so much does Nature vary in the Generation of Epidemic Diseases. But to return to the business, I will first set down the History of the *Small-Pox* of this kind, which I call regular, to distinguish them from those that were irregular in the following Years: I will also add the Method of Cure, which succeeded as well as I could wish.



## C H A P. II.

### *Of the Regular Small-Pox in the Years 1667, 68, and part of 69.*

IN those Years the *Small-Pox* are Epidemical, when they are also regular and gentle; they begin about *March*, as these did whereof we now treat. But when they do not only spread epidemically, but are also irregular, and of a more dangerous sort, they break out sometimes earlier, viz. in *January*, infecting whole Families, and sparing none of what Age soever they be, if they have not had this Disease already; nor are they excepted that have a *Bastard Small-Pox* before. There are two sorts of them, as of the *Small-Pox* that invade in all Years; for either they are distinct or confluent: which, tho they differ not  
 † essen-



essentially, as they say, yet by some remarkable Symptoms which attend the one, and not the other, it is no hard matter to distinguish them.

The Distinct begin with Shivering and Coldness, which is presently followed by excessive Heat, and a violent Pain in the Head and Back, Vomiting, a great Propensity to Sweat (I mean in grown Persons, for I never yet observ'd any such Disposition in Children, either before or after they came out) a Pain at the Cavity of the Breast beneath the Region of the Heart, if it be press'd with the Hand; Dulness and Sleepiness, and sometimes Convulsive Fits: and if these happen to those that have all their Teeth, I reckon the Small-Pox are at hand, which most commonly coming out a few hours after, sufficiently answer the Prognostication. For instance, if the Child has a Convulsive Fit in the Evening, as it usually happens, the Small-Pox appear next Morning. And moreover I have often observ'd, that when they come out immediately after those Fits, they arise in large Pustles, and are mild and favourable, and seldom flux: and these for the most part were the Symptoms which accompany'd this Disease at its beginning, and preceded the Eruption of the Pustles. But here it is proper to acquaint you, that sometimes it happens so, that in a looser Texture of the Blood, which is easily changed, the Course of Separation may be passed over gradually, without any violent Sickness, before the Expulsion of the Matter discover it self by the Eruption of the Pustles.

The distinct Small-Pox usually come out on the fourth Day inclusively, and sometimes a little later, but very rarely before; at which time, for the most part, the Symptoms are very much abated, or quite vanish, and the Patient thinks himself very well: only grown People are so disposed to Sweat, that they can scarce be kept from it, tho they have little or no Clothes on them; which Disposition does not leave them, till the Pustles begin to ripen, and then it vanishes of its own accord. The Eruption is after this manner: first, Pimples as big as small Pins-heads here and there shew themselves, and first of all in the Face, or Neck and Breast, and afterwards in the whole Body. At this time the Jaws are affected with a Pain that increases as the Pustles rise, which growing daily bigger and higher, inflame the neighbouring Skin and Flesh.

For



For about the eighth Day from the first approach of the Sickness (which I always diligently observe in this Disease) the Spaces between, that before were somewhat white, now begin to be red, and swell'd more or less, according to the number of the Pustles, with a tense and launcing Pain of those Parts; which increasing hourly, occasions the Inflammation and Swelling above-mention'd: so that in the Progress of the Distemper, the Eye-lids are so fill'd up and extended, that the Patient is sometimes depriv'd of Sight, and when they are thus tumified, they shine, and are like a Bladder blown up. And if a greater number of the Pustles besiege the Eyes at the first Eruption, they sooner retire to their dark Mansions. Next after the Face, the Hands and Fingers swell more or less, according to the number of the Pustles: the Pustles that are smooth and red till this Day, are now grown rough and somewhat white, which is indeed their first sign of coming to maturity. Moreover, they cast out by degrees a certain yellowish Matter, in colour like a Honey-comb; and the Inflammation of the Hands and Face, when it is at height, causes a very florid Colour in the Spaces between the *Small-Pox*, not unlike a Damask-Rose: and truly the milder and more genuine the *Small-Pox* are, so much the more do the Pustles, and the Skin between, represent to the Life the Colour before describ'd; and as the Pustles in the Face grow rougher and yellower as they ripen, so on the contrary those on the Hands and other Parts of the Body, daily appear smother.

On the eleventh Day, the Tumour and Inflammation of the Face manifestly diminish, and the Pustles of the Face and Body having arriv'd at their Maturity and just Magnitude, (which in these Years equall'd a large Pea) dry away and fall off; and in this sort of *Small-Pox*, most commonly vanish on the fourteenth or fifteenth Day: but the Pustles of the Hands are many times more obstinate, for being fresh and white, they stay a Day or two behind the other; and whereas those of the Face and Body scale off, these break and run away. Scurfy Scales succeed the Pustles of the Face, and sometimes Pockholes follow them: for when the Pustles fall off, there is no inequality to be perceiv'd in the Skin; but after the Scales the Pits appear, and are to be seen a long time after the Patient's well. Yet the distinct *Small-Pox* seldom leave any Marks behind



behind, and they were almost all that pitted, which invaded the last six Months of the Year; for those that preceded them made no Impression on the Skin, unless they fluxed, as shall be said hereafter. Thro the whole course of this Disease the Patient was either bound altogether, or went to stool very seldom. And so much for the distinct Small-Pox.

That sort of Small-Pox which we call the Flux, has the same Symptoms with the distinct, only they are more violent; the Sickness, Vomiting, Fever, and the Restlessness, rage more cruelly, by which they are known to a skilful Physician before they come out: only the Sick is not so apt to sweat in this sort as in the other above-described; and where there is a great Inclination to it, it most commonly signifies that the Small-Pox which are coming out will not flux. Moreover a Looseness sometimes precedes the Eruption, and continues a Day or two after it, which I never observ'd in the distinct Small-Pox.

This sort comes out generally on the third Day, sometimes before, scarce ever after it; whereas the distinct shew themselves the very fourth Day inclusively from the first being taken, or after, very seldom before; and by how much sooner they come out before the fourth Day, so much more will they flux. And tho, to speak in general, the Flux-Pox scarce ever tarries till the fourth Day, yet it may so happen, tho very rarely, that the Eruption may be defer'd to the fourth or fifth, by reason of some grievous Symptom which afflicts the Patient before the Eruption, as a most violent Pain, sometimes in the Region of the Loins, like a Fit of the Stone; sometimes in the Side, like a Pleurisy; sometimes in the Limbs, like a Rheumatism; lastly, in the Stomach, with violent Sickness and Vomiting: In these Cases I have observ'd the Small-Pox to come out later than ordinary, because they were restrained and hinder'd by the extreme Violence of the said Symptoms; which Symptoms being more violent than usually they are wont to be, when they lead the Van, plainly indicate to me, that the following Small-Pox will be of the confluent kind, and not without danger.

But in the next place I must acquaint you, that tho in the distinct Small-Pox, the Symptoms that accompany the beginning of this Disease, cease, as I said before, immediately after the Eruption; it is quite different in the



Flux: for the Fever and other Symptoms molest the Sick many Days after the coming out of the Pustles. This sort comes forth sometimes like an *Erysipelas*, sometimes like the Measles; and as to the outward appearance, they cannot be distinguish'd by any but those that are very conversant in this Disease, at least as to the external Appearance: yet he that shall diligently consider the great difference, as to the time of Eruption in these Diseases, and other Circumstances, which he may gather from the History of each of them, will easily be able to distinguish them. As the Disease encreases, these do not rise so high as the distinct, especially those in the Face; but being entangled one with another, first they represent a red Bladder that covers the whole Face, which they sooner tumify than the distinct are wont to do; and afterwards they are like a white Skin glu'd as it were to the Face, which does not rise much higher than the common Superficies of the Skin. After the eighth Day, the white Skin by degrees grows daily rougher, as appears by touching, and begins to be changed into a dusky Colour, not a yellow; as in the other sort, the roughness and colour of the Skin encreases daily, till at length it falls off in large Scales. But if the Disease has been very severe, it does not scale in some Places of the Face till after the twentieth Day; and the severer the Small-Pox are, so much the more do the Pustles, as they ripen, incline to a dusky Colour; and they are the longer going away, if they are left to their own Genius: on the contrary, the less they flux, so much the more they wax yellow, and the sooner they go off. When first the scabby Skin that covers the whole Face, scales away, it leaves no ruggedness behind; but presently scurfy Scales succeed it, that are indeed very corrosive; for they do not only pit, as the distinct Small-Pox used to do, but imprint also filthy Scars on the Face: and if the Flux-Pox have been very violent, the Skin of the Shoulders and Back is also sometimes marked, as would appear, if they were naked and exposed to Sight.

You must take notice, that this Disease is not to be esteemed dangerous because the Body is full of the Small-Pox, but by reason of the number of them in the Face; for if that be very full, tho there be few, and those very distinct too, in the rest of the Body, yet the Sick is in as much danger as if every Member were clouded with them;



them; and on the contrary, tho the Trunk and Members are very full, if there be but few in the Face, there is less danger. And what has been said of their Number, may be likewise affirm'd of the Kind of them; for the Face plainly indicates whether they are mild or otherwise.

I have always observ'd, that in the Flux the Pustles of the Hands and Feet were larger than those of the Body, and that they were less and less the nearer they approach'd to the Trunk. And so much for the Pustles.

There are two other Symptoms that attend the Flux-Pox, which are as considerable as the Pustles or Swelling, or any other of the forementioned, to wit, Salivation in grown People, and a Looseness in Children: The first of these is so perpetual a Concomitant, that I never knew but one that had the confluent kind, and was free from it; but the latter, to wit, the Looseness, does not so certainly vex Children that have this sort. But whether provident Nature has therefore substituted these Evacuations, because in this low and small sort the morbidick Matter cannot be so fully discharged, as by the larger and higher Pustles of the distinct, I do not determine; for I only write a History, and do not pretend to solve Problems. This I certainly know, that they did not only most commonly accompany the confluent Small-Pox, but Evacuation by them is as necessary as either the Pustles or Swelling of the Face and Hands. Sometimes Salivation discovers it self at their first coming out, sometimes not till a Day or two after. First the Matter is thin, and easily spit up, so that the Sick foul a great many Clothes in a Night's time; and truly it is not much unlike a Mercurial Salivation, only it does not stink so much: but most commonly about the eleventh Day it is more clammy, so that it is difficultly hawked up; the Sick is thirsty, and now and then coughs as he drinks, and the Liquor flies out at his Nostrils; and after this Day Salivation most commonly ceases, tho sometimes (but rarely) after it has ceased a Day or two, it returns again: as the Tumour of the Face, together with the Salivation, begins to decline on the eleventh Day, so at the same time, instead of it, the Hands are wont to swell, or ought to do so.

A Looseness does not invade Children so soon as Spitting does grown People; but at what time soever it comes, if it be not stop'd by Art, it continues thro the whole Course of the Disease.



In both kinds of the Small-Pox, the Fever is highest from the beginning to the Eruption, after which it is more moderate, till the Pustles begin to ripen, and afterwards it totally vanishes.

I have always observ'd, That when the Disease was violent, the Sick had as it were a Fit in the Evening, and then the Symptoms raged more cruelly.

And now I have given you an exact Account of this sort of Small-Pox, as it is of its own Nature, and of the true and natural *Phænomena* of it. In the next place I will treat of the irregular Symptoms that happen in this Disease when it is unskilfully handled.

It is to be noted therefore, that the irregular Symptoms that occur on the eighth Day in the distinct Small-Pox, and those that happen on the eleventh in the Flux, always reckoning from the first approach of the Disease, are of great moment, with respect to the Life or Death of the Patient, and therefore they ought to be exactly weighed; for it is manifest, that the greatest part of those that die of either sort, die on the Days above-mentined: for he that hath the distinct Small-Pox hopes all is well, if he sweats freely at first (which, as we said before, is common in grown People) for he believes that by this means the Venom of the Disease will be expell'd thro the Pores of the Skin, and therefore thinks it highly reasonable to promote the Sweat as much as possible he can, by Cordials, and a hot Regimen, and he is encouraged to proceed in this Method, because at first he fancies some Relief thereby: and besides it is agreeable to the erroneous Opinion of the By-standers. But at length those Particles being eliminated by Sweat, which should have served to elevate the Pustles, and to swell the Face; on the eighth Day the Face, which ought to have been swell'd, and inflam'd between the Pustles, on the contrary appears flaccid and white, yet the Pustles continue red and elevated, even when the Patient is dead, and the Sweat, which follow'd freely to this Day, now ceases of a sudden of its own accord; nor can it be rais'd again by the hottest Cordials. The Patient is taken light-headed of a sudden, with Anxiety, violent Sickness and Restlessness; he makes water often, but a little at a time; and in the space of a few Hours takes leave of his Friends, and repairs to his long Home. But here we must take notice, that if the Small-Pox are few,

†

if



if it be Winter, or if the Patient be aged, or if Bleeding has been used, then this hot Method, whereof we have now discoursed, does not so certainly hinder the Swelling of the Face; nor is it so destructive as when the Small-Pox are thick, or when it is Spring or Summer, or the Patient is in the Flower of his Age, and has not been blooded.

But in the Flux the Sick is in greater danger, and most commonly dies on the eleventh Day; for the Salivation, which hitherto preserv'd the Patient, is wont to cease of its own accord at this Time: therefore unless the Swelling of the Face persists a little longer, and that of the Hands, now manifestly beginning, supplies its Place, the Sick must necessarily die. For it is to be consider'd, that in this sort the Pustles being so very small, not only Salivation, but the swelling of the Hands and Face is likewise absolutely requisite for the discharge of the morbidick Matter; and if either of them be absent, or recede before their due Time, the Patient is presently dying. But it happens too often in this hot Disease, that the Crasis of the Blood is so weaken'd and broke by an over-hot Regimen, and so highly inflam'd, that it is no longer able to eject leisurely the inflammatory Particles, (to say nothing at present of those Mischiefs that are occasion'd by Sweats unseasonably forc'd) so that either the Face or the Hands do not swell at all, or the Tumour vanishes with the Salivation: for tho the Swelling of the Face ought to abate a little on this Day, yet it should not totally disappear till a Day or two after, the Tumour of the Hands in the mean while increasing; than which as there is no surer sign of Recovery, so the contrary certainly indicates imminent Danger. But however it be, the Matter of the Salivation, which was crude and thin, and easily hawked up till this Day, is now viscid and tough, so that the Sick is in danger of being choak'd, and his Drink is like to strangle him, so that it is forced back thro his Nostrils with a violent Cough; he is hoarse, and seized with a great Dulness, being wholly oppressed by the violence of the Disease, and most commonly dies in such an Agony on the Day I said before.

There are yet other Symptoms that happen at any time of the Disease, and belong as well to distinct Small-Pox as the Flux.



For instance ; A *Phrensy* sometimes seizes the Sick, by reason of too great an Ebullition of the Blood, and he is so unable to bear the Heat, that he endeavours with all his might to free himself from those that confine him to his Bed ; and sometimes the same Cause produces a different, or rather contrary Effect, a *Coma*, so that the Patient scarce ever wakes, unless he be continually stir'd up.

And sometimes also in this Disease, in like manner as in the *Plague*, the Texture of the Blood being loosened by the violence of the Inflammation, purple Spots appear among the Pustles, and are most commonly the fore-runners of Death. This is most frequent when the Constitution of the Air favours most this Epidemical Disease. Sometimes black small Spots, scarce so big as Pins Heads, flat in the middle, shew themselves at the top of the Pustles in divers places : and as they take their Rise from too great Heat, so at length, by the help of a temperate Regimen, they are quite brown, and afterwards by little and little of a yellowish Colour, which properly belongs to the genuine and regular *Small-Pox*. And this is very manifest to those that are conversant in this Disease, wherein all the Symptoms are so much the more gentle, by how much the more the Pustles, when they are ripe, represent the foresaid Colour ; and so on the contrary.

Moreover, the Blood of young People, and of those that are in the Flower of their Age, rages sometimes so violently, and is so mightily inflamed (especially if they have debauch'd themselves with Wine or other spirituous Liquors) that it breaks out of the Arteries into the Bladder, and so is evacuated by the urinary Passages : and indeed there is scarce a worse Symptom than a bloody Urine in the whole Tragedy of this Disease ; and sometimes from the same Cause, tho' seldomer, Blood is cast up from the Lungs. But these *Hæmorrhages* happen most commonly at the beginning of the Disease, before the Pustles come out ; or if they do appear in some Places, yet in most other parts they lie hid thick under the Skin, and are that kind that would flux most ; unless the Symptom kill the Patient, and so put an end to the Disease.

Sometimes also there is a total Suppression of Urine, especially in young Men, at the state or declination of the distinct sort. There are also other Symptoms, that sometimes arise from a Cause contrary to those above-mention'd,



to wit, when the Patient has been injur'd by violent Cold, or excessive Bleeding without Reason, or by being over-purged, the Pustles sometimes flat on a sudden, and a Looseness supervenes, so that the Patient, if he be adult, as we have hinted before, is in great danger; for the variolous Matter being struck in, Nature is altogether unable to eject them as she ought by the Pores of the Skin. Moreover, the Tumour of the Face and Hands is repell'd upon this account, which is as much for the safety of the Patient as the very Eruption of the Pustles, unless they are very few: but the Symptoms that proceed from taking cold very rarely occur; for this Disease being deservedly reckon'd among the hottest, an Error on this hand is much less than on the other.

I ingenuously acknowledge, that by reason of a defect in the Understanding, which is common to me and the rest of Mankind, I know not the Essence of this Disease; but the above-mention'd Symptoms being seriously consider'd, seem to indicate, that it is an Inflammation distinct in species from other Inflammations of the Blood, and other Humours; in removing whereof, it is Nature's Business, for two or three of the first Days, to digest and concoct the inflamed Particles, which afterwards being discharged upon the habit of the Body, she still ripens, and at length expels out of her Territories in the form of little Abscesses. Wherefore, that the method of Cure may be built upon some Foundation, we must take notice of two different Seasons in this Disease, the one of Separation, the other of Expulsion. The first, for the most part, is pass'd thro with a febrile Ebullition, and is wont to be finish'd in the first three or four Days; in which time Nature is busied in gathering together the inflamed Particles which molest the Blood, and in thrusting them out to the fleshy Parts.

The Blood by this means is now quieted, and Separation being thus finish'd by the help of the Ebullition of the Blood, Expulsion takes place, which is perform'd all the rest of the time of the Disease, by means of those little Abscesses in the Flesh; for as they do not differ from the nature of Abscesses, so they run thro the same state of Crudity and Maturation, and dry up as others do: all which, if they perform right, things go well, for the chiefest part of the Cure depends on these. And truly



this last Business requires so much more time than the former of Separation, because that was transacted in a thin and fluid Body, and, as I may say, in Nature's Bosom; whereas the latter is perform'd in a dense and thick Substance, and more remote from the Fountain of Life.

These things being premised, these Indications arise: First, That such an Equality be kept in the Ebullition of the Blood, that it may not, by excessive Violence, perform Separation too hastily, nor yet by too torpid a Motion retard the same, or not perform it sufficiently: Secondly, That the Abscesses or Pustles may be kept up with the greatest Care; that as they run over their due times, they may at length wholly carry off the Matter contain'd in them, and they themselves may also fade away.

And to speak a few things of the first: We must be solicitously careful, especially at this time, that the Ebullition rise not too high, either by heaping too many Clothes on, or from the Air of the Place where the Patient lies, being over-heated by the Fire, or by the use of hot Medicines or Cordials. And we must especially beware of these things, if the Patient be in the Flower of his Age, or has his Blood too much exalted by generous Liquors, or if it be the Spring-time, or but the beginning of Summer; for hence it would so fall out, that Separation, which ought to be perform'd leisurely, so as it may more opportunely perform an universal Despumation, would be precipitated; and so either not a sufficient number of Particles would be gathered, or, as it may chance to happen, some Particles may be condemn'd to Secretion, which Nature otherwise would not have them undergo, but that being forced beyond her Bounds, she creates this Mischief to her self; for when they are separated which are not fit for separation, the motion of others that have an inclination to it is hinder'd by their mixing together, and so they are render'd less fit for Expulsion. To me indeed it seems agreeable to Reason, that the longer Nature is in working and perfecting Separation, so the Ebullition be not quite torpid, so much more certainly and universally the Separation is perform'd; and upon its being so finish'd, it is necessary that the Success of the following Cure must especially depend, as from the contrary Method the Event of the Business must be quite contrary; for from that hot Regimen no good comes, as  
from



from over-hasty Fruit no Advantage, seeing it frequently happens that the Patient falls either downright into a *Phrensy*, or which is worse, great Sweats arise; whereby Particles not fit for Separation, not altering the nature of *Pus* (which very *Pus* notwithstanding is the genuine Product of this Separation) are ejected, or the *Small-Pox* being too much forced out, by giving Cordials, and by a hot Regimen, run all into one; a foul Spectacle, and one that threatens a sad Event. And these and the like Symptoms are usually occasion'd by these Errors; whereas I never observ'd any Mischief from the other Method: for Nature left to her self, does her Work in her own time, and separates, and then expels the Matter in the right way and manner; so that in the younger sort, especially in those of a brisk temper, she needs not our help, being furnish'd with Strength sufficient of her own: for neither have I seen or heard of any that miscarry'd, because the *Small-Pox* came not out at first; but too many have perished in whom the *Small-Pox* appear'd well, but afterwards upon striking in of the Pustles, have fallen before they were ripe.

And as it is unadvis'd and hazardous to advance too high the Ebullition once begun, either by means of a hot Regimen, or by Cordials; so on the contrary, there is no less danger in diminishing the same by Vomits, Purges, Glsters, or the like, seeing, by this means, the proper Secretion of the separable Particles is much hinder'd, tho' that vulgar Argument which Men use against Bleeding, and other Evacuations, *viz.* that we must not move the Humours from the circumference to the Centre, since Nature seems to affect the contrary in this Disease, be of no force of all; because upon using these means, a quite contrary Effect has often been observ'd to follow, to wit, a sudden Eruption of the *Small-Pox*. Yet there are other Reasons in readiness, which strongly persuade, that if by any means it may be avoided, we meddle not with this Practice: for (briefly to touch on the chief of them) by these Evacuations, not only the Ebullition is too much less'n'd; by means whereof, the Particles to be despumated, ought accurately to be separated; but that also is subtracted, which should continually, as it were, afford Fuel to the Secretion begun: whence it often happens, that the *Small-Pox* coming out at first with a laudable Progress, and perhaps



perhaps so much the better, because the said Evacuation preceded, do a little after strike in and flatten of a sudden; and for this reason chiefly, because there wants Matter to follow that which went before, and to bring up the Rear. Notwithstanding what has been said, if there be the least Suspicion that the *Small-Pox*, which are coming out, will flux, it will be very advantageous, not only presently to bleed, but also to give a Vomit, for Reasons to be mention'd at large in another place.

As to the second Indication, which concerns the time of Expulsion, at which time the separated Matter is expell'd by the help of the Pustles, we must take care that they be duly kept up, so that they may orderly attain their appointed Period.

And as we have sufficiently demonstrated how very dangerous it is for the Patient to be kept over-hot in the time of the Secretion, when there is a *Fever*, and the Pustles scarce yet appear; so also is there no less danger, if the same be done at any time of the Disease, and especially at that time which is towards the beginning of Expulsion, while the Pustles are yet crude: for tho' the Blood be in a great measure free from the intestine Tumult, by reason the Separation is finish'd, and the Matter discharg'd to the fleshy Parts, yet it being at present tender and young, and having got scarce Induction into a new State and Texture, it is apt to suffer, and to be easily affected with immoderate Heat coming from all Parts; and so being irritated, it takes fire upon the least occasion, and is inclinable to a new Ebullition, which does not, as the former, endeavour to promote Separation (for we suppose that already finished) but instead thereof, it not only heightens the above-mention'd Symptoms, but disturbs Expulsion begun by the Pustles, and does harm by exagitating the contain'd Matter. Either therefore the Particles now separated and deposited in the habit of the Body, being hurried away by the violent and rapid Course of the boiling Blood, are drawn again into its Mass; or the fleshy Parts being heated beyond the degree due to Separation, do not so well perform it; or, lastly, perhaps upon the coming of this new Sicknesh, the Oeconomy of the Blood and Tone of the Flesh is perverted, so that it cannot overcome the Matter expell'd, and concoct it after the usual manner of Abscesses.



But we must not be so intent upon preventing too great an Ebullition in the Blood, as to hinder the Eruption of the Pustles, by exposing the Patient to the Injuries of the Cold. The degree of Heat, most proper to promote their Expulsion, must be natural, and such as is agreeable to the Temper of the carnous Parts; and whatsoever exceeds or comes short of this, is dangerous on either hand.

Now it manifestly appears from what has been said, that this Disease, and also the Method of Cure accommodated to it, stands on very slippery ground; and I dare boldly affirm, that his Reputation will be often question'd, who frequently applies himself to the Cure of it: for not only the Vulgar are ready to say, they are physick'd to death, but Physicians themselves basely take occasion from hence to calumniate, and easily wheedle the Ignorant into an ill Opinion, that by this means they may gain the more Esteem, and raise themselves by ruining others; which is very much below a Man of Learning, and indeed an honest Mechanick abhors such Practices. Moreover, hence we may observe, which is less strange, that over-officious Nurses are most commonly very unsuccessful in this Disease; for it is difficult, and above the Reach of ordinary Women, to find out the degree of Heat requisite in this Case; especially when the Season of the Year, the Age of the Patient, his manner of living, and the like, are to be weigh'd at once, which truly require a skilful Physician.

If the Pustles chance to strike in, or the Swelling of the Face and Hands fall, upon bleeding unseasonably, or catching of cold, we must use Cordials; but we must have a care of being too lavish in giving them: for tho you have taken away Blood, yet it may so fall out, that while you are afraid of loss of Strength thereby, and use Cordials, either strong ones, or often repeated, you cause a new Ebullition on a sudden; for the Blood is yet tender, and easily sensible of the Strength of a hot Provocative: whence it comes to pass, that often-repeated Ebullitions arise in the same, to which the Patient's Death may rather be attributed, than to the foregoing Blood-letting. And so much may suffice to be spoken in general of those things, which may satisfy the first Intentions.

Now to come nearer Practice: As soon as the Signs of this Disease shew themselves, I keep the Sick from the open  
Air,



Air, and forbid them the use of Wine and Flesh, and allow them Small-Beer gently warm'd with a Toast, for their ordinary Drink ; and now and then I permit them to drink as much of it as they will. I order them for their Viſtuals Oatmeal and Barley-Broth, and roasted Apples, and other things which are neither too hot nor too cold, nor of too hard a Digestion ; neither do I much dislike the rustick Diet, to wit, that they are fed with Milk and roasted Apples squeez'd into it, provided they use it moderately, and but now and then, and when it is warm'd. I forthwith prohibit a hotter Regimen, and the use of all manner of Cordial Medicines, whereby some rashly endeavour to force out the *Small-Pox* before the fourth Day, which is the natural and proper time for their Eruption : for I certainly know, that the slower they come out, the more universal will be the Separation of the pocky Matter, and the better will the *Pox* ripen, and the less danger will there be of their striking in ; whereas if they are driven out before their due time, the Matter being as yet crude and indigested, is precipitated, and deceives our Hopes, like over-hasty Fruit : And besides there is great danger, by reason of this Over-diligence, especially in florid and hot Constitutions, whose active Principles do more than enough supply the room of Cordials, lest Nature being too much incited and forc'd, should over-run the whole Body with the *Small-Pox*, and that by this Over-haste they should flux, which otherwise would have been a moderate distinct *Pox*. Moreover, the *Small-Pox* must not therefore be immediately forc'd out as soon as any suspicion of the Disease arises, because, forsooth, the Patient is usually very sick and restless before their coming out ; for there cannot so much as one Instance be shewn, that ever any one died, how grievous sick soever he was, because the *Small-Pox* came not presently out ; or that Nature was wanting in forcing them out sooner or later, unless at any time she was hinder'd by too hot a Regimen, and Cordials unseasonably prescrib'd : for I have more than once observ'd in young People of a sanguine Complexion, that a hot Regimen and Cordials given on purpose to force out the *Small-Pox* before their due time, have so little promoted their coming out, that, on the contrary, they have given a check to it ; for the Blood being heated by these means, and put into a more violent

Motion



Motion than is fit to perform aright the Separation of the pocky Matter, only some certain Tokens of the Disease shew themselves, while the Pustles lie within the Skin, and do not raise themselves further by what Cordials soever they are solicited to it; till at length the Blood being reduc'd to its moderate and due Temper, that is, by allowing Small-Beer, and taking off part of the Load of Clothes wherewith he was roasted, I have made a convenient way for the Pustles to go out; and so I have put the Patient out of danger, by God's Assistance.

Nor have they any more Reason on their side, if I am able to judge, who so obstinately confine the Patient to his Bed before the fourth Day, provided he keeps his Chamber, than they who over-early and unseasonably pour down Cordials: for bloody Urine, purple Spots, and other mortal Symptoms, as abovesaid, come upon People in the Flower of their Age, merely because they are too soon confined to their Beds. But on the fourth Day I commit the Sick to his Bed, and then if they come not out well, some gentle Cordials may be properly prescrib'd, at least for once, to drive out the Pustles. Among Medicines for this purpose, those they call *Paregoricks*, such as *Liquid Laudanum*, *Diascordium*, and the like, if they be mixed in a small quantity with some proper Cordial-water, excel the rest; for when these give a check to the boiling Blood, Nature more seasonably and freely casts out the morbid Matter. But I would not advise that a Cordial should be used before this Day, tho there be a Looseness; and that, as it seems, indicates the same: For tho, as we mention'd before, a Looseness does sometimes precede the Eruption of the *Flux-Pox*, which is occasion'd by inflammatory Vapours, or Humours empty'd into the Intestines from the Mass of Blood, enraged and violently hurried the first Days; yet Nature will be no more wanting in expelling the Vapours of the pocky Matter, which being done, the Looseness stops of its own accord, than she is wont to be in ejecting and casting forth of these Vapours; which, when they are inverted to the Stomach at the beginning of the Disease, provoke Vomiting.

But 'tis to be noted, that if I am call'd to a strong young Man, who has besides given occasion to the Disease by excessive drinking of Wine, or any spirituous Liquor whatever; I reckon it not sufficient for the restraining the



the Ebullition of the Blood, that he abstain from his Bed and Cordials, unless moreover he be let blood in the Arm. But if this cannot be granted by reason of the prevailing Prejudice of the Vulgar, yet I think I ought at least to urge Bleeding: for when that Inflammation which the Heat of the spirituous Liquors impresses on the Blood, is added to the intense Heat that naturally attends this Disease, the Blood so rages, that sometimes, by the Duct of the Vessels, it breaks into the Bladder, or causes purple Spots, and other such Symptoms, as through the whole Course of the Disease stand in the Physician's way, and carry the Patient off. And so much for those things which are to be perform'd before the Eruption of the Pustles.

When the Pustles first come out, I then diligently consider whether they be of the distinct or confluent kind, because they differ extremely the one from the other, tho they agree as to some Symptoms. If therefore from the Bigness and Paucity of the Pustles, and the Slowness of their coming out, and from the vanishing of the Sickness, and other Symptoms, which tire the Patient after the Eruption of the *Flux-Pox*, it appears they are the distinct sort; I take care that the Sick be refresh'd with Small Beer, Oatmeal and Barly-gruel, and the like, as above-describ'd: and if the *Small-Pox* be but few, and in Summer-time, and that very hot, I see no reason why the Patient should be kept stified up in Bed, and why he may not rather rise a few hours every day, provided the Inconveniencies of too much Cold or Heat may be prevented, by the Place and Clothing: for when the Patient keeps up sometimes from his Bed, the Disease runs its course with less trouble, and in a shorter time, than if he had been continually fasten'd to it; which not only makes the Sickness more tedious, but increases the febrile Heat, and when the Blisters rise, causes a painful Inflammation. But if either the cold Season of the Year, or a large Eruption of the Pustles, put the Patient under a necessity of keeping his Bed continually, I take care that he lie not hotter, nor with more Clothes on him, than when he was in health, and that he have a Fire kindled only Morning and Evening, unless it be Winter. Nor do I require that he should be always fixed to one place, lest he sweat; which I do confidently affirm, as well for Reasons above-mention'd, as from



from Experience it self, cannot be promoted without great danger.

When the Disease is going off, it is proper to give three or four Spoonfuls of Canary Wine hot, or some other temperate Cordial Medicine, because the Eruption of the Vapours that proceed from the Matter now turn'd to Pus, is hinder'd by the Pustles, which are at length grown crusty and hard; and there is danger, lest the putrid Exhalations return again into the Mass of Blood. And truly now, and not sooner, is the time for Cordials: at the same time also a little hotter and more cordial Diet may be allow'd; for instance, Sugar-Sops, and Oatmeal-Caudle, and the like: nor is there need of any other thing at all, that is, in the distinct and gentle sort, if the Patient will but suffer himself to be treated moderately in this Method and Diet, unless by chance, Restlessness or Watchings, or other Symptoms threatening a Phrensy, should now and then persuade the use of a Paregorick. And this is indeed the true Method in curing this sort of *Small-Pox*, and which will prevail when I am dead, notwithstanding the great prejudices Men have taken against it, by reason of an erroneous Opinion. Tho I do not deny but they that have been treated with a quite contrary Regimen have recover'd, yet it must be acknowledg'd (and 'tis truly to be lamented, if we consider, that this distinct kind is no way dangerous in its own Nature) nevertheless many die, and many more also would yield to Fate, but that they are saved by the cold Season wherein the Disease happens, or by Blood-letting (otherwise unnecessary and useless) lately celebrated: upon which account, if either the Obstinacy of Friends, or the Diffidence of the Patient hinder the foresaid Regimen, I reckon it safest to let blood; which indeed tho of it self it does hurt, because it disturbs and confounds Separation, and moreover subtracts the Sustainance design'd to keep up the Pustles and Swelling, yet it makes compensation for the hot Regimen which will follow within a while, and therefore renders this Method, which we should not use but against our will, not so dangerous and doubtful.

By the way, it appears from what has been said, why so few of the common People die of this Disease, compar'd with the Rich that are kill'd by it; which indeed can hardly be ascrib'd to any other Cause, than that by reason  
of



of their Poverty and Country-way of living, they have not power to hurt themselves by a more accurate and delicate Regimen. But this Disease has destroy'd more of the common People since they knew the use of *Mithridate*, *Diascordium*, the *Decoction of Hartshorn*, and the like, than in Ages more unlearned, but far wiser; for now there is scarce a House wherein there is not a pragmatical Woman, who practises that Art to Man's Destruction, which she never learnt. And so much for the Cure of the distinct *Small-Pox*.

But if the *Small-Pox* flux, the Case is very hazardous; for I reckon this sort is no less different from the other than the *Plague* is from this; tho among the Vulgar, who take Names and Words for Things, the Cure of both is said to be the same. In this sort of Disease, since it is the Product of a greater Inflammation of the Blood, more care must be taken that the Patient be not heated, as we said in the Cure of the former. But tho this kind in its own nature requires greater cooling than the other, yet, to promote the Swelling of the Hands and Face, (without which the Patient is lost) and the Rising and Increase of Pustles, and because the Patient, by reason of the painful Exulceration, cannot keep from his Bed; it is expedient that he keep both himself and Hands in it, so he have not too many Clothes on, and have the liberty of turning his Body to any part of the Bed, as he please, as we mention'd in the distinct kind: especially towards the latter end of the Disease, when the *Fever* of Maturation is at hand, the Patient may not only be depriv'd of this Liberty, but he must be admonish'd to use it; and he must be turn'd night and day frequently, that the great Heat may be qualify'd, and Sweats may be avoided, by which the gentle Humour is carry'd off, wherewith the *Small-Pox* should be diluted, that they may grow mild.

Seeing therefore, as we said, Salivation constantly accompanies this sort; and whereas 'tis one of Nature's principal Evacuations, and serves instead of that which ought to have been made by Pustles, (for the Evacuation by Pustles in this low and depressed sort, proceeds not so well as in the other) we must earnestly endeavour to continue it, and to keep it up in its Vigour, that it be not stopt before its time, either by the use of hot Medicines, or by forbidding the Patient to drink freely of  
Small-



Small-Beer, or some such Liquor. Now, since Salivation, according to Nature, is to begin with the first Eruption of them, and to abate on the eleventh Day, but not to give over altogether as yet for a Day or two; if it wholly cease before that Day, the Patient's Case is dangerous: for seeing the Swelling of the Face (whereby a little of the moribifick Matter is evacuated) ever disappears on that Day, if Salivation also withdraws it self at the same time, the Patient is poison'd by the pocky Matter, now growing putrid or venomous; and whereas now there is no way left by which it may be evacuated, he is at Death's door, unless perhaps, as sometimes it falls out, the swelling of the Hands (which as it shews it self later than that of the Face, so it goes away more slowly) be of that moment as to snatch him from the Jaws of Death. Salivation, which is here so valuable, and so necessary, is very much promoted, if the Patient drinks good store of Small-Beer, or some such Liquor, as may neither heat him nor provoke him to sweat.

Besides, that this violent Ebullition of the Blood may be quieted, wherein this sort of *Small-Pox* far exceeds the other, and that Salivation may be kept up, (the necessary Evacuation of this Disease) *Narcoticks* are more proper than any other things whatever; which, tho upon the account of their incrassating Virtue, they may seem to hinder the bringing up of the Phlegm, yet I have long since quitted my self of that Prejudice, and have made use of them in this Disease with excellent Success, when the Patient was beyond Pubescency. For whereas the Blood of Infants and Children (who for the most part sleep well enough thro the whole Course of this Disease) ferments more gently, it less wants such a *Remora*: And moreover, the Looseness which Nature has appointed to be an Evacuation for Children in this sort of Disease, is by the use of them stop'd, to the Patient's damage. But *Paregoricks*, if they be frequently administer'd to grown People, bring these Advantages with them: First, by procuring Sleep moderately, they restrain and prevent the violent Ebullition of the Blood, and consequently hinder a *Phrensy*: Secondly, by the use of them the Swelling of the Hands and Face, which is very requisite, proceeds the better: Thirdly, the Swelling, by means of *Narcoticks*, is kept up and protracted to Nature's due Term, which conduces much to the Patient's Safety, seeing oftentimes the Swelling of the



Face falls sooner, to the endangering of the Patient ; for when the Heat of the Blood is qualified, the inflam'd Particles are opportunely carried to the Hands, and all the Superficies of the Body, according to the Nature of the Disease ; and then Salivation is promoted by them, which, tho it may be stop'd in some for a few Hours, by virtue of so strong an incraffating Medicine, yet Strength being presently encreased by this new Aid, Nature rouses her self, and finishes the Work begun with good Success. Nay, I have observ'd, that Salivation, which usually abates about the eleventh Day, and sometimes sooner, to the Patient's great hazard, has, upon giving *Paregoricks*, more than once been renew'd afresh, and has not ceased before the fourteenth Day, and sometimes after it. I usually give either about fourteen Drops of *Liquid Laudanum*, or one Ounce of *Diacodium* in Cowslip-water, or some other such distill'd Water ; which, if they be given to grown Persons after the *Small-Pox* are all come out, every night, till the end of the Disease, I have found by Experience, that not only no Inconvenience, but great Benefit will accrue to them from thence : But 'tis expedient, as I think, to give *Paregoricks* a little sooner than otherwise is usual ; for you may easily observe, that in the worst *Small-Pox* the Fit of Heat, as I may call it, usually torments the Patient in the Evening with Restlessness and other Symptoms, which, if the *Paregoricks* be taken about six or seven a Clock at Night, may be in some measure prevented.

In the next place, whereas in the *Confluent Small-Pox* a Looseness as certainly follows Children as Salivation does the Adult, Nature always appointing one or the other of these Evacuations to carry off the morbidick Matter ; so on the one hand I never check Salivation, nor on the other stop the Looseness, since both are equally absurd. And 'tis to be noted, that the ill-bestow'd Pains of several impudent Gossips have murder'd many thousands of Infants, while they falsely reckon with themselves, that a Looseness is as dangerous in this sort of *Small-Pox* as in the other that is distinct ; not knowing that in the distinct a Looseness does hurt, where Evacuation is made by the Pustles, but that here it is Nature's Work, seeking a pass for the Disease : and therefore meddling not with the Looseness, but co-operating with Nature, according to the Precept of the divine Old Man, I proceed as I begin, and advise them to lay



lay the Children sometimes in the Cradle, sometimes to take them up; and if they be wean'd, I order them the same Diet as I did grown Persons before. At the end of the Disease, when the Face grows stiff by reason of the crusty Pustles that are hard and dry, I anoint it very often with the Oil of Sweet Almonds, which mitigates the Pain arising from the stiffness, and makes the hot Effluvia exhale the easier.

I do nothing to the Face to keep it from pitting, because Oils, Liniments, and the like, only make the white Scurf longer a coming off, which falls off, and comes again after the Patient is up and pretty well, and the foul Scurf succeeds it by degrees; but the Patient needs not much fear, when by reason of a moderate Regimen, the Pustles not having been much exasperated, have contracted no caustick Quality.

Now, tho this Method (if cautiously and prudently accommodated to particular Circumstances) will prevent the aforesaid dangerous Symptoms that are disagreeable to Nature, and will render the Disease very benign and safe; yet I am forced to proceed in another manner with some of those Symptoms I am about to mention (from what Cause soever they arise, before I am call'd in) that I may be the better able to remove them.

First therefore in the distinct kind, by reason of an over-hot Regimen and continual Sweats, the Face does not swell on the eighth Day, but is flaccid; and tho the Pustles appear thick, yet the Spaces betwixt them are pale: In this Case, because I would do my utmost for a more temperate Regimen, and to check the Fury of the Blood, I immediately order some *Paregorick* to be given, which, indeed, (unless the Brain be heated) by gently causing Sleep, and thereby checking the violent Rage of the Blood, seasonably determines it, together with the Heat, to the Face, as the nature of the Disease requires. But if the Mischief coming from this Cause proceed so far, as that Sweat, which flow'd hitherto plentifully, ceases of it self; if the Patient falls into a *Phrensy*, complains of violent Sicknes, and makes little Water, and often, Death is at hand; I think he can be reliev'd by no other means than by giving Narcoticks freely, or by taking away a great quantity of Blood from his Arm, and exposing his Body to the open Air. And indeed, what I have now pro-



pos'd, seems not to be rash and unreasonable, if we consider how some have been deliver'd from Death by bleeding plentifully at the Nose: This, moreover, is to be consider'd, that in this extreme Agony, they are not in danger of Death because the Pustles go in (for they are out, and very red when the Patient is at his last gasp) but because the Face does not swell. Now whatever conduces to temper the Blood, (and I suppose none will deny that Bleeding and moderate Refrigeration has this Virtue) must of necessity do good in promoting the Swelling of the Face, as well as the use of Paregoricks, and for the same Reason.

I would not have this understood, as if in every *Phrensy* coming upon the *Small-Pox* (seeing no Symptom is more frequent than this) I would advise Bleeding immediately, but in that only which therefore happens because the Face does not swell, that is, in the distinct kind, and where Pustles appear plentiful enough; or when by reason of a very hot Regimen and use of Cordials, the Blood is so fierce, and above measure exalted, that it will not give time till it may be reduc'd to a due Temper by Paregorick Medicines, and other Medicines conducing to the same. When the Case stands thus, the Physician governing himself rather by Conscience than uncertain Fame, ought either to take away Blood, as is said before, or order his Patient to be refresh'd with the open Air; to effect which, it seems to me sufficient, that the Patient rise a little while from Bed, when he is light-headed, by which means I have saved several from Death. Besides those things I have seen my self, there are innumerable Instances of Men, who by these means have been deliver'd from the Jaws of Death: For some Franticks, having escap'd their Nurses guard, (and Men so afflicted use wonderful shifts) have got out of their Bed, and been expos'd to the cold Air in the Night; others by stealth, or snatching, or by entreaty, have got cold Water of their Nurses and drank it, and so by a happy mistake have obtain'd their Health when despaired of.

I will add only one Observation, which was told me by the Party concern'd, which is this; That when he was a young Man, and in the flower of his Age, he travell'd to *Bristol*, and was seiz'd with the *Small-Pox* there, about the middle of Summer, and a little after with a *Phrensy*: and his Nurse having occasion at that time to go into the City, left



left him in charge with some others, intending to return presently; but while she tarried some time he died, as the By-standers thought: and considering both the time of the Year, and the Habit of his Body, which was gross and corpulent, that the Body might not stink, they lifted it out of the Bed, and laid it naked on the Table, throwing only a Sheet over it. The Nurse at length coming back, and hearing the sad News, enters the Room, to behold the sad Spectacle; she presently threw off the Sheet, and looked on his Face, and thinking she discover'd some obscure Signs of Life, presently laid him in Bed again, and he recover'd in few Days.

But to return to the Business: In the next place, if in the confluent *Small-Pox* the Spittle be so baked and tough by the preceding Heat, that the Patient is almost strangled (which is not unusual, as we said, on the eleventh Day) a Gargarism must necessarily be used, and order must be given to syringe the Throat with it often, Night and Day; let it be made either of Small-Beer, or Barley-water, with Honey of Roses; or the following may be used.

*Take of the Bark of Elm, six Drams; of the Roots of Liquorice, half an Ounce; of Raisins stoned, number twenty; of Red Roses, two Pugils: boil them in a sufficient quantity of Water to one Pint and a half, strain it, and dissolve in it of Honey of Roses and simple Oxymel, each two Ounces; mingle them, and make a Gargarism.*

But if the Patient has been treated as he ought, Salivation, even when it begins to abate, will do its Office so well, that there will be no need of this Remedy: And truly when it comes to this, that the Patient is in danger of being choaked every moment, quite dull'd, and his Breath almost gone, we cannot safely trust to this Remedy. When therefore the Patient is thus at his last gasp, I have sometimes very seasonably and successfully given a Vomit of the Infusion of *Crocus Metallorum*, but in a large Dose, viz. one Ounce and a half, because of the extraordinary stupidity which the Patient labours under; a less Dose will not work at all, and in the mean time by disturbing the Humours which it cannot carry off, will put the Patient in great danger of his Life: Nor can we well depend on this Remedy; and indeed, (which is much to be lamented) some other surer Medicine is wanting, that may vanquish



this cruel Symptom, which alone destroys almost all that die on the eleventh Day of this sort of *Pox*.

And as those Symptoms which happen in this Disease, are prevented by the help of a temperate Regimen ; so are also most of them cured by the same. For instance, as the fore-mentioned *Phrensy* arises from too great a Heat of the Brain, so 'tis cured by cooling the Blood any way ; and by the same means, a *Coma* is easily remedy'd, which seems to be a Symptom quite contrary to the other. It takes its Rise from an Obstruction of the *Cortex* of the Brain, while hot Steams, occasion'd by the Blood being attenuated, by reason of a hot Regimen, and hot Medicines, are forc'd hither in great quantities. By this tempering of the Blood I have seen purple Spots remov'd ; but neither by this, or any other Method, could I ever see either pissing of Blood, or a violent Eruption of it from the Lungs, stopt as yet : but both these *Hæmorrhages*, as far as I have hitherto observ'd, undoubtedly presage Death.

In a Suppression of Urine, which sometimes afflicts the younger and brisker sort (occasion'd by the great Confusion and Disorder of the Spirits which serve for the voiding of it, by reason the Blood and Humours are disturb'd with too great Heat) I have taken all the Tribes of Diureticks to my assistance ; but nothing succeeded so well with me, as to take the Patient out of his Bed, who being supported by some that were by, when he had walked twice or thrice cross the Room, presently made store of Urine, to his great relief. I could here produce some Physicians of my Acquaintance for Witnesses, who, by my Advice, have order'd the same thing in this Case, and it succeeded well.

But the Symptoms which proceed from the Repercussion of the pocky Matter by extreme Cold, or Evacuation unduly made, must be remov'd by the use of Cordials, and a suitable Regimen ; which yet must not be continu'd beyond the time that the Symptoms continue. The chief of them are a depression or falling of the Pustles, and a Looseness in the distinct *Small-Pox* : for in the *Flux*, neither depression of the Pustles forebodes any ill, because 'tis the nature of the Disease ; nor a Looseness in Children that are sick of them, because 'tis in order to Health. In both these Cases, a cordial Potion of some proper distill'd Waters,




ters, with *Diafcoridium*, liquid *Laudanum*, and the like, may very well be given; and that not only to remove the foresaid Symptoms, but at any time of the Disease, if the Patient complain of a pain at his Heart, and of Sickness. But to speak the truth, the Symptoms of this kind are very rare, if they are compar'd with those that owe their Original to the other Extreme, which is more fatal, tho less blamed: and indeed I think that the Rumour which has so much prevail'd concerning the frequent striking in of the Pustles, chiefly proceeds from a Mistake of those that have observ'd their Depression in the confluent kind; which they took to be a striking in of the variolous Matter by reason of taking cold, whereas 'tis nothing else but the nature of the Disease: and they suspect the same in the distinct kind, because they expect the Eruption and Increase of the Pustles before their due time; having not sufficiently taken notice of the time when Nature uses to bring this Fruit to maturity.

When the Patient is upon Recovery, and the Pustles are falling off, and he has eaten Flesh a few days, *viz.* about the one and twentieth Day, I reckon he may be bled in the Arm, if the Disease has been violent; for the Inflammation which the *Small-Pox* has impressed upon the Blood, whether the Patient be old or young, no less indicates Blood-letting, than the Filth that has been gather'd together, does Purging; which is evident enough, both from the colour of the Blood that is taken away after the *Small-Pox* have been severe, which is like that of *Pleuriticks*, and also from those great Inflammations that fall on the Eyes after this Disease, as also from other ill Effects of the Blood overheated, and deprav'd by this Disease; which is the reason that they who were very healthy all their Lives before, do all their Life-time after conflict with sharp hot Humours falling on the Lungs, or some other part: but if the Pustles have been but few, there will be no need of Bleeding; after Bleeding I give three or four Purges. Moreover, when the Patient has been freed a while from the *Flux-Pox*, and rises daily, it sometimes so happens, that he is cruelly troubled with a Swelling of his Legs, which either goes off of its own accord after Bleeding and Purging, or is easily assuaged by the use of discussing and emollient Herbs boil'd in Milk; such as are Mallows, the Leaves of Mullein, Elder, Laurel, with the Flowers of



Camomile and Melilote. And so much for the History and Cure of the *Small-Pox*, which prevail'd for these two Years; and that I may distinguish them from the other Kinds which follow, I term them legitimate.



### CHAP. III.

*Of the Continual Fever in the Years 1667, 68, and part of 69.*

NOW, that I may speak of the *Fever* that reign'd during this pocky Constitution, and that begun and ended with the *Small-Pox*; it afflicted the Sick in the following manner: He had a pain in the Region, which is under the *Scrobiculus Cordis*, and could not bear the touching of it, which I do not remember I observ'd in any other Disease besides this *Fever*, and this kind of *Small-Pox*: the pain of the Head, and the heat of the whole Body, and also the Spots were very manifest, but the Sick was not thirsty, the Tongue was often like the Tongue of a well Person, only it was sometimes whitish, seldom dry, but never black. The Sick was much disposed to large spontaneous Sweats, from the very beginning of the Disease, but was not reliev'd thereby; yea, when they were provok'd by hot Medicines, and a hot Regimen, there was danger of a *Phrensy*: moreover, the number of the Spots were encreas'd, and all other Symptoms were render'd more violent: the separation of the Urine, which seem'd very laudable even from the beginning, promis'd well, and yet the Patient was not more reliev'd thereby, than by the Sweat which we mention'd before. If this Disease was ill manag'd, it continu'd most commonly a long while, and did not go off critically, or of its own accord, like other *Fevers*, but afflicted the Sick with violent Symptoms six or eight Weeks, unless Death had dispatched the Business sooner. At the latter end the Sick spit much, if no considerable Evacuation went before; and if the Sick took cooling Juleps, the Disease went off thereby beyond expectation, if it were not stopt by Evacuations, or hot Medicines. And as the *Fever* depended on that Epidemick

Con.



Constitution of Air, which at the same time produc'd the *Small-Pox*; so indeed if it was not plainly the same, it was almost exactly of the same Nature and Genius, excepting only those Symptoms which were the necessary Consequences of the Eruption: for both Diseases began in the same manner; there was the same Pain in those Parts which are under the *Scrobiculus Cordis*, if the Hand touch'd them; the colour of the Tongue, the consistence of the Urine, and the like, were the same in both: so were the great spontaneous Sweats that arise at the beginning; and the Disposition of this Disease to Salivation when the Heat was violent, was the very same as in these *Small-Pox* when they flux'd. Moreover, seeing this *Fever* raged chiefly at that time, when the *Small-Pox* were more Epidemick than I ever knew them at any other time, none can doubt but that they were both of the same Family. This I certainly know, all the practical *Phænomena*, which respect the Cure, were plainly the same in both Diseases, excepting those things which the Eruption of the *Small-Pox*, and the Effects of them indicated; which, because there was none in this *Fever*, they could not therefore be indicated: which was indeed very clear to me from the Observation I made in those that had both Diseases. Wherefore I must be allow'd to call this a variolous *Fever*, upon the account of the likeness it has to this kind of *Small-Pox*; tho I as little affect to give things new names as any one, only I do it to distinguish this *Fever* from the rest.

But how much soever the said *Fever* resembles the *Small-Pox*, no sober Man will easily be persuaded, that it ought to be cured by the same Method, because in these the inflamed Particles, by the help of the Pustles, are cast upon the habit of the Body; but in this *Fever* they are ejected by Spittle: for the Sweats that flow'd at the beginning of the Disease were symptomatical, not critical; Nature seeming to have design'd no other Evacuation in this Disease than Salivation, tho she her self most commonly perverts it, either by a Looseness, which very frequently arises from inflammatory Rays, convey'd thro the mesenterick Arteries to the Intestines, and solliciting them to Excretion (which is usual in *Pleurisies* and other inflammatory *Fevers*, by reason of the fury of the Blood, and hot Particles that endeavour to be cooled) or by violent Sweats, which always accompany'd this Disease, as well



as the *Small-Pox*, by Nature's Appointment; which being Symptomatical, the Salivation was turn'd another way, that otherwise would have been Critical: so that unless Art suggested another Evacuation, the Disease continu'd for some Weeks, and would not come to Concoction like other *Fevers*.

But to proceed a little farther, that we may the better understand the nature of the *Fever*, and make a good Foundation for the curative Indication, we must take notice, that in the *Fever* which reign'd in the Epidemick Constitution for *Agues*, the Matter which was to be separated from the Blood was so thick, that it could not be separated without previous Digestion, so as to be dispos'd for a due Evacuation at an appointed time, either by a large Transpiration, or by a critical Evacuation by Stool: so that the whole Business of the Physician was to accommodate himself to the Genius of the Disease, that it might not rise too high on the one hand, and cause dangerous Symptoms, nor on the other hand sink so low, as not to be able to eject the offensive Matter; a *Fever* being Nature's Instrument to perform this Secretion. And also in the *Plague* there is some Matter that must be separated from the Blood; but it consisting of very fine Parts that are very inflammable (such as sometimes when they are exasperated pass through the Blood like Lightning, and do not cause an Ebullition in it) passes through in the twinkling of an Eye, and stops only in some Glandule, or some external Part; where being entangled, it first inflames the Part, and afterwards causes an Imposthume: and an Imposthume is Nature's Machine, whereby she frees the Flesh from such things as are offensive to it; as a *Fever* is her Instrument, whereby she removes that which disorders the Blood: in which case 'tis the Physician's duty to govern the Evacuation of the pestilent Matter, which Nature attempts by these Abscesses; unless any one should think it more advisable to substitute some other Evacuation, which is more in his power, and which he can govern better than that of Nature. In the same manner Nature proceeds in expelling the Matter of the *Small-Pox*, which is a grosser sort of Inflammation, that is cast out by Pustles, dispers'd every where instead of Carbuncles and Buboës, and the like. And in this case also the curative Indications are to be so directed, that the natural Evacuation by the Pustles may



go on well. But in this kind of inflammatory *Fever*, of which we now treat, such a gross Matter is not to be found, that requires previous Digestion before it be ejected, as in the *Fever* above describ'd; and therefore we endeavour in vain to obtain such a Digestion, by leaving the business to Ebullition. And moreover, on the contrary, there is danger in proceeding this way of heightning the Disease, its Essence consisting of a violent Inflammation; as also because Nature has appointed no Evacuation for this *Fever* by Eruptions, which we see in *Pestilential Fevers* and the *Small-Pox*, tho as to other things it agrees with the latter Disease. The Sum of all is the quieting the Inflammation by Evacuation and attemperating Medicines: and therefore I proceed accordingly to the Cure of it in the following manner.

Being call'd to a Patient, I order'd him presently to be let blood in the Arm, if great Weakness, or especially old Age, did not forbid; and that it should be repeated every other Day for twice, unless the signs of Recovery should appear. On the Day between, a Glister of Milk and Sugar, or the like, was ejected; and the following Julep, or the like, was used thro the whole course of the Disease.

*Take of the Waters of Purslain, Lettice, and of Cowslip-flowers, each four Ounces; of Syrup of Lemons one Ounce and a half; of Syrup of Violets one Ounce: let him take three Ounces four or five times in a day, as often as he will.*

And I allow'd him Whey, Barley-water, and the like, for his ordinary Drink; and for his Diet, Broths of Barley, Oat-meal, Panada, roasted Apples, and the like: but I forbid Chicken-broth, and any other kind of Broth of Flesh. Above all, I order'd he should not lie continually in bed, but should keep up good part of the Day, and that daily: for I observe in this *Fever*, (as in a *Pleurisy*, *Rheumatism*, and other inflammatory Diseases, in the Cure whereof Bleeding and Cooling are the chief Remedies) that the most cooling Medicines, and Bleeding often repeated, do no good, when the Patient keeps his bed continually, and is inflam'd by its Heat, especially in the Summer: wherefore the Sweat which now and then flow'd, did not fright me from this cooling Method and Medicines, and from forbidding the



the continual keeping in Bed; for tho one might reasonably think, that great benefit may be receiv'd from an Indication taken from those things which generally do good, yet I have found by Experience, that the Patient is not only not reliev'd, but is more heated thereby: so that often a Phrensy and Spots, and other ill Symptoms presently follow those Sweats, which do not seem to proceed so much from Malignity of the Disease, as from ill Management.

If any one should object, that the Method propos'd for curing Fevers is quite contrary to the Theory of Authors, who all with one consent declare, That a Fever is best and most naturally cured by Sweats; I have this to say for myself (besides the certain and constant Testimony of Experience, which always sides with me in the Cure of this particular Fever) I suppose that learned Men, who insist so earnestly for the provocation of Sweat in the Cure of a Fever, mean those Sweats which are evacuated after the previous Digestion of some Humour lodg'd in the Blood; in preparing of which humour, Nature has been a certain time busy'd, that it might be ejected by Sweat. But the Case is quite different here; for the Sick sweats plentifully, presently at the very beginning, and Sweats are a great part of the Disease: and if we may judg by all the *Phænomena*, this Disease proceeds rather from mere Heat of the Blood, than from any Humour lurking within, and is to be expell'd from the Blood after due Concoction by Sweat. But if we should suppose such an Humour, as is ripen'd by Digestion, to be found in this Fever, as in many other, to what purpose is it to assist Nature (whereas 'tis our business to reduce to order her irregular Attempts) who is over-officious already, by forcing Sweat with Cordials and a hot Regimen; seeing the well-known Axiom, viz. *Things concocted, not crude, are to be medicated*, respects Sweating as well as Purging?

During this Constitution, I was call'd to Dr. *Morrice*, who at that time practis'd in *London*, and now at *Petworth* in *Suffex*: he had this Fever with violent Sweats, and many Spots; and by the consent of other Physicians, that were his and my Acquaintance, he was blooded, and rose, having first rubbed off the Sweat; he used a cooling Diet and Medicines, and was presently reliev'd, the violent Symptoms soon going off: and persisting in this Method, he recover'd in a few days.

But



But to return to the business: Nor did the Looseness which often accompany'd this Fever, hinder me from proceeding in the Method above-mention'd; yea, I have found (forasmuch as it was occasion'd by inflammatory Vapours passing from the Blood thro the Mesenterick Arteries into the Intestines, and vellicating them) that nothing was so effectual for stopping this Flux, as Bleeding, and cooling the Blood with Barley-water, Whey, and the like.

This Method succeed'd excellently well in the Cure of this Disease, and seem'd better than any other; tho I know many recover'd that were treated a quite contrary way, *viz.* by Cordials and a hot Regimen: But I always thought they ran great hazards unnecessarily; for the Spots, which otherwise were very few, became by this means very numerous; the Thirst, which most commonly was little, was by this way of proceeding mightily increased; and the Tongue, which otherwise was moist, and not much unlike the Tongue of a healthy Person, only, as we said, was a little white, was dry under this Regimen, and often black; lastly, those very Sweats, which by the use of Cordials they so much labour'd to force out, at length were stopt by the use of them: For too great a quantity of *Serum* being evacuated thro the Habit of the Body, the Blood was unable to supply any more of it; and the Moisture being quite wasted, wherewith it ought to have been diluted, the Sick grew forthwith dry, and the outward Parts were bound up, quite contrary to the Course which Nature used to observe in this Fever; till at length the Blood being again replenish'd from the Moisture receiv'd from what is taken in, expels this *Serum* lately brought in together with the Fever, partly by the help of Medicines, and partly by the force of the Fever. But this Crisis was too much forc'd, and too dangerous; and, which is yet worse, seldom happen'd.


But now, as I mention'd above, the Solution of this Fever, as also the Small-Pox which is near a-kin to it, was often made by Salivation, and was always beneficial; and when it flow'd plentifully, it took off the purple Spots and the Fever too. Therefore when the Spitting arises, no Evacuation must be used, neither by Bleeding nor by Glisters; for by the use of either there is danger, lest the Humour should be diverted: but Whey and other cooling things will further the Salivation; whereas on the contrary,



trary, Cordials, and all things heating, thicken the Matter, and so stop Spitting.

In the Year 1668, before this Fever was quite extinct, the Looseness became Epidemical, without any manifest sign of a Fever; for now the Constitution inclined to that Dysentery, which prevail'd in the following Year, of which we shall treat in the next Section: Yet notwithstanding I thought this Looseness was the same with the variolous Fever now reigning, only differing in Form, and appearing in another Symptom; and perceiving that Shaking and Shivering was wont to precede this Looseness, and moreover that it was occasion'd most commonly by the same Cause the Fever was that raged then; it seem'd probable to me, that this Fever took its Rise from inflammatory Rays, inverted upon the Bowels, and provoking them to Expulsion: whereas in the mean while the Mass of Blood, by reason of this Diversion, was freed from Disorders, which otherwise those Rays would have occasion'd, and no visible Sign of a Fever shew'd it self outwardly. Moreover, the Sick could not suffer a hand to press the Parts under the *Scrobiculus Cordis*; which Symptom, as we mention'd before, happen'd in the Small-Pox, and in the Fever of this Constitution. The same Pain also and tenderness of the Flesh, often stretch'd it self outwardly to the *Epigastrium*, and sometimes also an Inflammation, which ended in an Imposthume, and kill'd the Patient: All which clearly shew'd, that this Looseness was wholly of the same Nature and Essence with that Fever which then reign'd. This my Opinion was confirm'd by the happy Event which Bleeding and the use of Medicines, Diets and a Regimen, that were cooling (which we have often said were used in the Cure of the variolous Fever) always had in stopping the Looseness, for it yielded readily to this Method; whereas, when it was treated in a contrary manner, either by Rhubarb, or other gentle Catharticks (*viz.* to carry off the sharp Humours which were suppos'd to irritate the Guts for such an Excretion) or by Astringents, tho naturally gentle, it became after a deadly Disease, as the Bills of Mortality at that time sufficiently testified. And so much for the Epidemical Diseases that depended on this Constitution.





S E C T IV. C H A P. I.

*Of the Epidemick Constitution of part of the Year 1669, and of the Years 1670, 1671, 1672, at London.*

**A**T the beginning of *August* 1662, the *Cholera Morbus*, the Gripes without Stools, and the Bloody-Flux, were very frequent; whereas for ten Years before they seldom happen'd. But tho the *Cholera Morbus* was more Epidemical in that Year than I ever knew it before, yet it did not last much longer than the Month of *August*, or a Fortnight in *September*; but the Gripes without Stools continued to the end of Autumn, and accompany'd the Bloody-Flux, and were more universal than that. But upon coming of Winter, the Gripes without Stools vanish'd: nor did they appear again in the following Years, wherein this Constitution flourish'd; but yet the Flux was more universal, whereof I think this was the Cause, *viz.* The Constitution was not yet so perfectly disposed to produce the Bloody-Flux, that it could in every one cause all the Symptoms which afflict those that have the Bloody-Flux: For in the following Autumn, when the Gripes return'd, the Disease was accompany'd with every Pathognomonick Symptom. Betwixt the Dry-Gripes and the Bloody-Flux now mention'd, which was every way very raging, a new Fever did arise that accompany'd both Diseases, which did not only seize those that were afflicted with one of the former, but also those that were yet free from both; only sometimes (but that seldom happen'd) there were some small Gripes, sometimes with, sometimes without Stools; which because in some sort it resembled that Fever that frequently accompany'd the foremention'd Diseases, it is to be distinguish'd from others by the Name of the Dysenterick Fever: especially seeing, as we shall shew by and by, it only differs from the Genius of the Bloody-Flux, in that it was not accompany'd with those Stools which were continually troublesome in the



the Bloody-Flux, nor with those Effects which necessarily follow this Evacuation. At the approach of Winter the Bloody-Flux withdrew for a while, but the Dysenterick Fever raged more : also the Small-Pox broke out in some places, but they were gentle.

But about the beginning of the following Year, *viz.* in *January*, the Measles succeeded ; which daily increasing till the Vernal Equinox, visited almost every Family, especially Children. But from that time they decreased by degrees, and vanish'd in *July*, and were no more seen in any of these Years of this Constitution, saving that the next Year, at the time they broke out the Year before, they here and there appear'd a little.

These Measles made way for a sort of Small-Pox that were hitherto unknown to me ; and that I may distinguish them from the rest, I call them the Irregular Small-Pox of the Dysenterick Constitution, by reason of their irregular and unusual Symptoms, that were very different from the Small-Pox of the preceding Constitution ; as I shall shew hereafter, when I come to treat of them. These Small-Pox, tho they were not near so frequent as the Measles, seized many, till at the beginning of *July* the Dysenterick Fevers prevail'd, and were Epidemick : but Autumn approaching, namely in *August*, the Bloody-Flux return'd, and raged more than in the foregoing Year ; but it was quell'd by the Cold of Winter, as before, and afterwards the Dysenterick Fever and the Small-Pox raged all the Winter.

About the beginning of *February* of the following Year certain Agues arising, both Diseases seldomer appear'd ; and tho they were not very Epidemical, yet were they more frequent than I had observ'd them at any time since that Constitution went off, which, as I noted before, was so inclined to them ; and these, according to the Custom of Vernal Agues, went away soon after the Summer Solstice. At the beginning of *July* the Dysenterick Fevers return'd again to the Station they were in in former Years ; but the Autumn being near over, the Dysentery return'd again a third time, but it continu'd a less while than in the foregoing Year, wherein it seem'd to come to its height ; but when Winter came, it went off as before, and the Dysenterick Fever and Small-Pox raged all that Season.

But, as we have mention'd above, at the beginning of both the preceding Years, some very Epidemical Disease  
 3d1  
 ε  
 prevail'd,



prevail'd, viz. the *Measles* at the beginning of the Year 1670, and *Tertian Agues* at the beginning of 1671; so that the *Small-Pox* were over-power'd at the beginning of these Years, and could not spread much: but when they reign'd alone at the beginning of 1672, they were very epidemical till *July*, at which time the *Dysenterick Fever* invaded again, but it soon gave place to the *Bloody-Flux*, which return'd now in *August* a fourth time; but it was not so frequent as in the former Years, nor were the Symptoms so violent. Moreover, the *Small-Pox* was here and there; so that it was not easy to know which Disease prevail'd. I indeed suppose, that the Constitution of the Air being not so inclinable to produce the *Bloody-Flux*, gave occasion to the *Small-Pox*; whereby they were able to keep pace with the Flux, which they could not do in those Years wherein the *Bloody-Flux* raged in *August* more violently. The Winter, as it is wont, stopt the Flux, but the *Fever* and the *Small-Pox* continu'd: and now the *Small-Pox*, according to their custom, were chief, and raged all the Winter, and also the following Spring; and at the beginning of Summer they here and there appear'd, but they were much gentler than this kind used to be.


But when I affirm, that one Epidemick Disease expel'd another, I do not mean that the Disease which is expell'd, does quite vanish, but that it does seldom appear; for during this Constitution, either Disease was found at that Season which was disagreeable to it: for instance, the *Bloody-Flux*, tho it properly belongs to the Autumn, did perchance seize one here and there in the Spring, tho it was very rare.

We have therefore plainly prov'd, that through this whole Constitution, at the beginning of *July*, (which Month is the certain Epoch of *Autumnal Fevers*, as *January* is of those in the Spring) *Dysenterick Fevers* raged; and that at the approach of Autumn the *Bloody-Flux* succeeded them, which, to speak accurately, is truly autumnal; which being stopt by the Winter, the *Dysenterick Fever* and the *Small-Pox* prevail'd: but the *Small-Pox* continu'd all the Winter, the Spring and Summer, till in *July* they were vanquish'd by the *Dysenterick Fever* that raged Epidemically. And this was the course of Things whilst this Constitution flourish'd.

'Tis moreover to be observ'd, that as every Epidemick has its Periods in particular Subjects, viz. of Increase, State, and Declination; so every general Constitution that favours



vours the epidemick Production of this or that Disease, has its Periods according to the time it reigns: for it rages more and more epidemically till it comes to its height, and then it gradually decreases, till at length it quite ceases, and gives place to another Constitution. For, as to the violence of the Symptoms, they are most violent when they first appear, and they grow gentle by degrees; and in the Catastrophe of the Constitution they are as gentle as the nature of the Disease will permit; which is manifest in the *Bloody-Flux* and *Small-Pox* of this Constitution, as I shall presently shew. I begin to treat particularly of the Diseases of this Constitution, according to the Order they kept.



## C H A P. II.

### *Of the Cholera Morbus of the Year 1669.*

**T**HIS Disease, as we said before, was more epidemical in the Year 1669, than I ever knew it in any other Year: it comes as certainly at the latter end of Summer, and at the approach of Autumn, as Swallows at the beginning of Spring, and as Cuckows at the heat of the following Season. That Disease, which is occasion'd by a Surfeit, comes at any time; the Symptoms are indeed alike, and the Cure the same, yet 'tis of another kind. The Disease is easily known, for there are violent Vomitings, and an Evacuation of ill Humours with great difficulty and trouble by Stool: there is a violent Pain and Inflammation of the Belly and Guts, a Heart-burning, Thirst, a quick Pulse, with Heat and Anxiety, and often a small and unequal Pulse, with great Nauseousness, and sometimes a colliquative Sweat, contractions of the Arms and Legs, Fainting, a coldness of the extreme Parts, and such like Symptoms, which frighten the By-standers, and kill the Patient in twenty four hours. There is also a dry *Cholera*, from a windy Spirit breaking out from above and below, without Vomiting or Looseness, which I never saw but once, and that was at the beginning of this Autumn, at which time the former kind was very common.

I have found by much Consideration, and by manifold Experience, that if on the one hand I should endeavour



to expel those sharp Humours, that are the Fuel of the Disease, by *Catharticks*, I should do just as he that endeavours to quench Fire with Oil; seeing the Operation of the most gentle Purge would but cause farther Disturbance, and raise new Tumults: and on the other hand, should I restrain the first Efforts with narcotick Medicines, and other Astringents, whilst I hinder'd natural Evacuation, and detain'd the Humour against Nature, the Sick would undoubtedly be destroy'd by an intestine War, his Enemy being kept in his Bowels. For these Reasons therefore, I thought I must go in the middle way, that I might partly evacuate and partly dilute the Humour. I found out this Method several Years ago, and have long experienced it, and have by it many times reduc'd this Disease to good Order.

Boil a Chicken in about three Gallons of Spring-water, so that the Liquor has scarce any relish of the Chick; order the Sick to drink several large Draughts of this a little warm, or for want of it Posset-drink: at the same time a good quantity will serve for several Glisters, to be given successively, until all the Broth is consumed and evacuated upwards and downwards. An Ounce of the Syrups of *Lettice*, *Violets*, *Purslain*, or *Water-Lilly*, may be mix'd now and then with the Draughts or Glysters, tho the Broth will do very well without such addition. So the Stomach being often loaded with a considerable quantity of the Liquor, and, as I may say, turn'd; and the Injection of Glisters being repeated, the sharp Humours are either cast out, or their Acrimony being taken off, they are reduc'd to a due temper; the Filth being ejected by these means, which require three or four Hours. Some Anodyne Medicine perfects the Cure; I use the following often:

*Take of Coustip-water one Ounce; of Aqua Mirabilis two Drams; of liquid Laudanum 16 Drops: mix them.*


Any one Narcotick of the Shops may be used instead of it: and this way of diluting the Humours is much safer and quicker, than that which is commonly taken to stop this dangerous Disease, *viz.* either by things that evacuate or bind, because the Tumult is made worse by Purges, and all things are put in a hurly-burly thereby; and the other, on the contrary, keeps the Enemy in the Bowels, and of a Stranger makes him an Inhabitant: to say nothing of the tedious Trouble created to the Sick when the



Disease is protracted, besides the Danger, whereby at length the ill Humours creep into the Mass of Blood, and soon kindle a malignant *Fever*.

But it must be carefully noted, that if the Physician is not call'd till the Vomiting and Looseness have continued many hours, suppose ten or twelve, and the Sick is worn out, so that the extreme Parts wax cold; I say, in this case, all other Remedies being omitted, he must immediately fly to *Laudanum*, the sacred Anchor in this Disease; which must not only be given when the Symptoms are urgent, but also after the Vomiting and Looseness go off, and must be repeated Morning and Evening daily, till the Sick has recover'd his Strength and Health.

Tho this Disease is epidemical, as was said before, yet it very seldom lasts longer than *August*, wherein it first began: upon which account I have been induced to consider the excellent Contrivance of Nature, for the production of Epidemick Diseases; for tho the same Causes wholly remain, so that many should be seiz'd with this Disease, as well in *September* as *August*, by reason of eating too much Fruit, yet we see the same Effect does not follow: And he that shall carefully observe the *Phænomena* of a legitimate *Cholera*, whereof we only treat at present, will confess that that Disease which invades at any other time of the Year, tho coming upon the same occasion, and accompany'd with some of the same Symptoms, is altogether different from this now spoken of, as if there were some secret and peculiar thing in the Air of this peculiar Month that impresses on the Blood, or on the ferment of the Stomach, some such specifick Alteration as is only for this Disease.



### C H A P. III.

*Of the Bloody-Flux of part of the Year  
1669, and of the Years 70, 71, 72.*

THE *Dry Gripes*, as we said before, began to invade at the beginning of *August* 1669; and in process of that Autumn equall'd the *Bloody-Flux* that began with them, or rather



rather exceeded it: sometimes a *Fever* accompany'd them, and sometimes not. The aforesaid *Gripes* were altogether like the *Gripes* of the *Bloody-Flux*, which was as frequent at that time: they were very violent, and afflicted the Sick by intervals, but no excrementitious or mucous Stools follow'd: they accompany'd the *Bloody-Flux* through all this Autumn, but did not invade any more epidemically with it in the following Years of this Constitution. But seeing these *Dry Gripes* do not much differ either in their Nature, or Method whereby they were easily appeased, from the *Bloody-Flux*, I shall treat only of it.

I have taken notice, that as this Disease invades now at the beginning of Autumn, so it uses most commonly to do, and that 'tis wont to cease a while at the approach of Winter: but when a Series of Years too much favour an Epidemick Production of it, it may seize at any other time here and there one; yea, at the beginning of Spring, and perhaps earlier (if hot Weather follows presently after a hard Frost suddenly thaw'd) it may afflict a pretty many. But tho very few may be seiz'd with this Disease, yet seeing it comes at an unusual time, I am very well satisfy'd, that that Constitution does not a little favour this Disease; and so it was in those Years wherein the *Bloody-Flux* was so epidemical; for sometimes about Winter, or at the beginning of Spring, as was said, this Disease did seize here and there one.

Sometimes it begins with Shaking and Shivering, and a Heat of the whole Body follows, as is usual in *Fevers*, and soon after the *Gripes* and Stools; but oftentimes there is no appearance of a *Fever* going before, for the *Gripes* begin, and Stools soon follow: but there are always great Tortures, and a depression of the Bowels, and Pain when the Sick goes to stool: the Stools are likewise frequent, with a very troublesome descent, as it were, of the Guts; and they are all mucous, not excrementitious, excepting that sometimes an excrementitious Stool comes between, and that is without any great pain. These mucous Stools are streaked with Blood, but sometimes there is no Blood at all mixed with them through the whole course of the Disease; yet notwithstanding, if the Stools are frequent with *Gripes*, and a mucous Filth, the Disease may as properly be call'd a *Dysentery*, as if Blood flow'd out with them.



Moreover, the Sick, if he is in the Flower of his Age, or has been heated by Cordials, has a *Fever*, and his Tongue is cover'd thick with a kind of whitish Mucilage; and if he has been much heated, it is black and dry, the Strength is much dejected, the Spirits are dissipated, and all the signs of an ill-favour'd *Fever* at present. And this Disease does not only cause violent Pains and Sickness, but unless it is skilfully treated, it endangers the Patient's Life before the Periods of acute Diseases; for when a great many of the Spirits, and a great deal of the vital Heat have been exhausted by these frequent Stools, before the peccant Matter can be cast out of the Blood, his Hands and Feet growing cold, he will be in danger of dying; and if he should escape Death at this time, yet many Symptoms of a different kind attend the poor Man: For instance, sometimes in the Progress of the Disease, instead of those sanguineous Filaments, which at the beginning were wont to be mix'd with the Stools, pure Blood, unmix'd with Slime, is evacuated in a larger quantity at every time; which is a sign that some of the greater Vessels of the Intestines are corroded, and so the Patient is in danger of Death; and sometimes also by reason of the great Burning, which is caused by a large Flux of hot and sharp Humours to the Parts affected, the Intestines are gangrened. Moreover, a *Thrush* at the end of this Disease does very often affect the Mouth and Jaws, especially when the Body has been a long time heated; and when the Evacuation of the peccant Matter has been hinder'd by astringent Medicines, the *Fomes* of the Disease having not been first purged off: and this generally is the Fore-runner of imminent Death. But if the Patient get over the foresaid Symptoms, and the Disease continues long, at length the Guts seem to be affected successively downwards, till all the Disease is thrust down to the right Gut, and ends in a *Tenesmus*; and then, quite otherwise than in the *Bloody-Flux*, the excrementitious Stools cause great pain in the Bowels, the Excrements as they pass through scraping the small Guts, whereas the mucous Stools at the same time molest the right Gut, wherein alone the Matter is made, and from whence 'tis ejected. But tho' this Disease is very often deadly in the Adult, and especially to old People, yet 'tis very gentle in Children, who sometimes have it some months without any Injury, if it be left to Nature.

What



What likeness there is betwixt the Flux now describ'd, and the Natural Bloody-Flux in *Ireland*, I know not, for as yet I have had no account of it; and I cannot tell how like this Dysentery is to others that come in other Years in *England*, for perhaps there are various Species of Dysenteries, as there are of Small-Pox, and other Epidemicks, proper to divers Constitutions, and which may in some things require a different Method of Cure. Nor is there any reason why we should wonder much at this *Lusus Naturæ* in this Case; for all confess, that the nearer we pry into any of the Works of Nature, the more manifestly appears the wonderful Variety, and almost divine Artifice of its Works, which is far surpassing our Understanding: So that whoever he be that has taken upon him to search into these things, and to hunt after the various Operations of Nature, he will be partly deceiv'd in his great Undertaking, and will not be able to accomplish his Design; and besides, he must expect to be reproach'd for his best Inventions, and only because he was the first Inventer.

Moreover, 'tis to be observ'd, That all Epidemick Diseases, at first, seem by their *Phænomena* to be more spirituous and subtile than when they grow older, and that the more they decline, they become daily more gross and humoural; for whatever those Particles are, which being thorowly mixed with the Air, we suppose, occasion Epidemical Constitutions, 'tis very reasonable to think they should act more powerfully at their first breaking out than afterwards, when their Force is weakned. So in the first Month the Plague raged, almost every day, they that were seized with it died suddenly, as they were walking the Streets, without any manner of Sicknes before; whereas when it had continu'd a while, no one died of it before he had a Fever, and other Symptoms: From whence it plainly appears, that this Disease was most violent and acute at the beginning, tho then it kill'd fewest, for afterwards it became more universal. And also in the Dysentery, whereof we now treat, all the Symptoms were at first most violent; tho, if you reckon the Number of the Sick, the Disease daily increas'd, till at length it came to its height, and consequently more died than at the beginning; yet the Symptoms were more violent at the beginning than at the declination; and, all things consider'd, more for the number of the Sick died. Moreover, the longer the Disease



continu'd, the more humoral it seem'd to be: For instance, the first Autumn it invaded, very many had no Stools at all; but as to the Violence of the Gripes, the Height of the Fever, the sudden Prostration of Strength, and other Symptoms, it far surpass'd the Bloody-Flux of the following Years: yea, the Bloody-Flux with Stools, which first invaded, seem'd to be more spirituous and subtile than those that follow'd; for in the first Dysenteries the Provocation and Straining was greater and more frequent, but the Stools, especially the excrementitious, were less, and not so frequent: yet generally as the Disease proceeded, so the Gripes were lessen'd, and the Stools were more excrementitious; and at length the Epidemick Constitution fading, the Gripes were scarce perceptible, and the excrementitious Stools were more than the slimy.

Now, at length, to come to the curative Indications; when I had well weigh'd the various Symptoms that come in this Disease, I found it was a Fever of its own kind cast inwardly upon the Guts, whereby the hot and sharp Humours contain'd in the Mass of Blood, and exagitating it, are put off by the meseraick Arteries upon the said Parts, from whence the Blood flows out by Stools; the Orifices of the Vessels being opened by the Blood and Humours flowing impetuously thither, and by reason of the continual Endeavours of the Intestines to expel the sharp Humours which continually molest them, that Slime which naturally covers them is cast out by every Stool, sometimes in a greater, sometimes in a lesser quantity; and so the Indications offer themselves plainly. Neither have I thought there is any thing else for me to do, than that I should first immediately cause a Revulsion of those sharp Humours by bleeding, and afterwards attemperate the other Mass, and also evacuate the said Humours by Purges. I used this method when I was first call'd; I bled in the Arm, and at Night I gave an Anodyne, and the next Morning this lenitive purging Potion, which I frequently use.

*Take of Tamarinds, half an Ounce; of the Leaves of Sena, two Drams; of Rhubarb, one Dram and a half; infuse them in a sufficient quantity of Water: to three Ounces of the strained Liquor add of Manna and Syrup of Roses Solutive, each one Ounce; and make a Potion, to be taken early in the Morning.*



I prefer this Potion before any Electuary made of Rhubarb in a small Quantity; for tho the Rhubarb is proper to evacuate Choler, and any sharp Humour, yet unless such a Quantity of Manna, or of Syrup of Roses, or the like, be mixed with it, as may cause it to work well, it does not much conduce to the Cure of the Bloody-Flux. And because 'tis very obvious that purging Medicines, tho they be ever so gentle, do heighten the Gripes, and cause a general Disorder and Depression of the Spirits by the adventitious Tumult they raise in the Blood and Humours; therefore I commonly give an Anodyne somewhat earlier than is customary after Purging, viz. at any time of the Afternoon, if the Purge seem to have done working, whereby I may be able to appease the Tumult I have rais'd. I repeat the said Purge to be taken twice every other day, and give an Anodyne after every Purge at that time above-mention'd; and I order this to be used Morning and Evening, when the Patient does not purge, that I may suppress the Violence of the Symptoms, and gain a Truce while I am evacuating the peccant Tumour. The Anodyne I us'd was chiefly *Liquid Laudanum*, viz. sixteen or eighteen Drops in any Cordial-Water, for one Dose. After Bleeding and Purging once used, I allow thro the whole course of the Disease any temperate Cordial to be taken now and then, as Epidemick Water, and compound Scordium Water, and the like. For instance,

*Take of the Waters of Black Cherries, and Strawberries, each three Ounces; of Epidemick-water, of compound Scordium-water, and of Cinamon-water hordeated, each one Ounce; of prepared Pearl one Dram and a half; of ChrySTALLINE Sugar a sufficient Quantity; and half a Dram of Damask-Rose-Water to make it pleasant to the Taste: mix them and make a Julep, whereof let him take four or five Spoonfuls when he is faint, and at pleasure.*

I chiefly used these things in old and flegmatick People, that I might somewhat refresh and comfort their Spirits, commonly dejected in this case. Their Drink was Milk mix'd with three times as much Water, or the white Decoction, as they call it, of calcined Harts-horn, and of Crumbs of White-bread, each two Ounces, boil'd in three Pints of Fountain-water to two, and afterwards sweeten'd



sweeten'd with a sufficient Quantity of white Sugar, and sometimes Posset-drink; and when they were very weak, they took for their ordinary Drink cold a Quart of Fountain-water boil'd with half a Pint of Sack; they were dieted sometimes with Panado, and sometimes with Broths made of lean Mutton. I kept old People much in Bed, and permitted them to use more freely any Cordial Water they had been accusom'd to, than was fit for Infants and young People. This Method was the best I have hitherto met with for the cure of this Disease, which rarely lasted after the third Purge.

But if the Disease was obstinate, and did not yield to these things, I prescrib'd the fore-mention'd Paregorick every day in the Morning and at Bed-time, till the Sick was quite well; and that it might be the more certainly quell'd, I gave the aforesaid *Laudanum* every eighth Hour, that is thrice in the space of a natural Day, and a larger Dose than I have mention'd above, *viz.* twenty five Drops if the former Dose could not restrain the Flux. Moreover, I order'd a Glister made of half a Pint of Cows-Milk, and of an Ounce and half of *Venice-Treacle*, to be injected every day, which is truly very beneficial in all manner of Fluxes of the Belly; and indeed I never perceiv'd the least Injury from so frequent a Repetition of the Narcotick Medicine, tho unexperienc'd People may say what they please of the Mischiefs that are to follow; for I have known many that have daily used it when the Disease has been obstinate for some Weeks together. But it is here to be noted, that when there is only a Looseness, 'twill be sufficient that (Bleeding and Purging being omitted) Rhubarb is given alone every Morning, *viz.* half a Dram of the Powder of it, more or less, according to the Strength of the Sick, made into a Bolus, with a sufficient Quantity of *Diascordium*; add to it two Drops of Chymical Oil of Cinnamon: the Night following give an Anodyne, with an Ounce of Cinnamon-Water hordeated, and fourteen Drops of *Liquid Laudanum*; and observe such a Diet as we have describ'd above in the Cure of the Bloody-Flux; and every Day, if there is occasion, give the Glister commended there. But this by the by.

Now, to confirm the Usefulness of the Method I have propos'd by one Example, for I will not unnecessarily trouble the Reader with many. The Learned and Pious  
Mr.



Mr. *Thomas Belke*, Chaplain to the Earl of *St. Albans*, labouring with a very acute Dysentery, sent for me, and was cured with this Method.

Infants afflicted with this Disease are to be treated after the same manner; but the quantity of Blood to be taken away, and the Doses of the Purge, and Anodyne Medicines are to be lessen'd, with respect to their Age. For instance, two Drops of the Narcotick may be sufficient for a Child of a Year old.

The liquid *Laudanum*, which, as I said, I used daily, was prepar'd according to the following plain manner.

*Take of Spanish Wine, one Pint; of Opium, two Ounces; of Saffron one Ounce; of the Pouder of Cinnamon and Cloves, each one Dram: let them be infus'd together in a Bath two or three Days, till the Liquor comes to a due consistence; strain it, and keep it for use.*

I do not think this Preparation has more Virtue than the solid *Laudanum* of the Shops; but I prefer it before that for its more commodious Form, and by reason of the greater Certainty of the Dose, for it may be drop'd into Wine, or into any distill'd Water, or into any other Liquor. And truly I cannot here forbear mentioning, with Gratitude, that Omnipotent G O D, the Giver of all good things, has not provided any other Remedy for the Relief of wretched Man, which is so able either to quell more Diseases, or more effectually to extirpate them, than opiate Medicines taken from some Species of Poppies. And tho there are some that would fain persuade credulous People, that almost all the Virtues of opiate Medicines, especially of Opium, principally depend on their artificial Preparation of it; yet he that shall make Experience the Judg, and shall as often try the simple Juice, as it comes by Nature, as the Preparations of it, if he be careful in his Observation, will scarce find any difference; he will certainly know, that those admirable Effects which it produces, proceed from the native Goodness and Excellency of the Plant, and not from the Skill of the Artificer. And so necessary is this Instrument in the hand of a skilful Man, that without it Physick would be very lame and imperfect; and he that rightly understands it, will do greater things than can well be hop'd for from one

Medicine:



Medicine: For surely he is very unskilful, and little understands the Virtue of this Medicine, who only knows how to use it to promote Sleep, to ease Pain, and to stop a Looseness; whereas it may be accommodated, like the *Delphick* Sword, to many other uses: and it is really a most excellent Cordial Remedy, I had almost said the only one, which has been hitherto found amongst the things of Nature.

The *Bloody-Flux* was to be treated in general after this manner. But it must be noted, that in the first Year it began, it was, as we said, of a more subtile and spirituous Nature than that which raged in the following Years; and therefore it did not so readily yield to purging Medicines, as to those which did as well dilute and attemperate the Blood, as the sharp Humours which were put off on the Bowels: therefore in the first Autumn, when the *dry Gripes* and *Bloody-Flux* invaded, I always used the following Method for the Cure of both with very good Success, till the Weather grew cold, and then I found 'twas not so effectual tho in the same Year; and it was wholly useless in the following Years, when the Disease was more humoral.

I proceeded in the following manner: If the Sick, being in the flower of his Age, had a *Fever*, I order'd him to be bled in the Arm, and after an Hour or two, that he should take great quantities of Liquor, as I was wont to do in the *Cholera Morbus*; but not Chicken-Broth or Posset-drink, as in that case, but Whey, which I order'd to be drank cold in the same quantity as in the *Cholera*: but the Glisters were to be injected warm, without Sugar or any other thing. I found the *Gripes* and the *bloody Stools* went off with the fourth Glisten. This Business being done, and all the Whey ejected, (which might be done in the space of two or three hours, if the Sick minded his business) I presently order'd him to go to bed, where he soon sweat of his own accord, (by reason of the Whey mix'd with the Blood) and I order'd it should be continu'd twenty four Hours, but not at all provok'd, allowing him nothing all the while but raw Milk a little warm'd; which he only used three or four days after he left his Bed. If either by rising too soon, or by leaving off the use of Milk too soon, the Patient relapses, the same Method must be repeated; and if this Method is certain and quick, it ought not to be despised by a wise Man, tho'tis not accompanied with a pompous Apparatus of Remedies.

That



That a *Fever* accompanied with such Symptoms, as we have describ'd above, is found in those Places and Times wherein the *Bloody-Flux* reigns epidemically, and that the Method which we have propos'd is very proper, is fully confirm'd by the Testimony of Dr. *Butler*, who accompany'd the Honourable Mr. *Howard*, Embassador from the King of *Great Britain* to *Africa*; in which Country, as he told me, he observ'd at that time a *Bloody-Flux* rag'd Epidemically, as it did always, and that the *Fever*, which accompany'd it, was like that which we have describ'd; which he treated always with Success with the foresaid Method, whether the Sick were *Blackmoors* or our own Countrymen: And indeed neither of us borrow'd this Method of the other, but both of us being at so great a distance fell accidentally upon the same; and moreover he declar'd, that the Method of diluting in the *Bloody-Flux* succeeded excellently there: and I think it is very reasonable that this Method should be much more successful in that hot Climate than in *England*.

In the first Autumn this Constitution flourish'd, Dr. *Daniel Cox* being afflicted with a very acute *Dysentery*, advis'd with me, and was cured quickly, safely, and easily, by the Method above-mention'd, viz. after the third or fourth Glisten, the *Gripes* and *Bloody Stools* vanish'd; neither was any thing else, besides keeping his Bed for the time above-mention'd, and the Milk-diet, requisite for the Recovery of his Health: and he cured many others afflicted with this Disease by the same Method, at the latter end of the Autumn, but it did not answer his Expectation the Year following.


I said before, that oftentimes this Disease, if it continue long, affects all the Intestines gradually downward, till at length it quite falls to the right Gut, with a continual Inclination of going to stool, whereby nothing is evacuated but somewhat slimy and bloodish. If this happen, it will be in vain, in my opinion, to endeavour to remedy it, either by any Method mention'd before, or by cleansing, astringent, and glutinating Glisters, which are wont to be inject'd according to the various Seasons of this suppos'd Ulcer; or by Baths, Fomentations, Fumigations, and Suppositories respecting the same: for it is manifest, that this does not proceed from an Ulcer of the right Gut, but rather because as the Guts gather strength gradually,




so they put off the Relicks of the morbidick Matter upon it; which being continually provoked, press out that slimy Matter, whereby the Guts are naturally cover'd: therefore the Part affected is to be strengthen'd, that it may be able, as the other Guts have done, to eject the small Relicks of the Disease; but those things alone will do this, which are proper to strengthen the Body in general: for a topick Medicine, whatever it be, apply'd to the Part affected, being troublesome, will rather weaken than strengthen it; therefore the Patient must bear it till his Strength is recover'd by some restorative Diet, and some Cordial Liquor, that best pleases him, drank as often as he will: and then this Symptom of a *Tenesmus* will go off gradually of its own accord, as the Strength returns.

It happens also sometimes, tho very rarely, that the *Bloody-Flux*, not rightly cured at the beginning, afflicts a particular Person for some Years, the whole Mass of Blood being of a Dysenterick Disposition, so that sharp and hot Humours continually flow to the Bowels; yet in the mean while the Sick can perform his Business tolerably well. I met with a Specimen of this not long ago in a Woman, my Neighbour, who was always afflicted with this Disease the last three Years of this Constitution: She having used very many Medicines before she came to me, I order'd Bleeding, and I was encourag'd to repeat it often, tho at a good distance, by the Colour of the Blood, which was like that of *Pleuriticks*; and by the great Relief she receiv'd every time she bled, at length she recover'd.

Before I conclude, 'tis to be noted, that tho in these Years wherein Dysenteries have been so Epidemical, the foresaid Evacuations were wholly necessary before we used *Laudanum*; yet in any Constitution not favouring so much this Disease, they may safely be omitted, and the Cure may be performed more compendiously by *Laudanum* alone, according to the manner we have describ'd. And so much for the *Bloody-Flux*.







## C H A P. IV.

Of the Continual Fever of part of the Years  
1669, 70, 71, 72.

**A**T the same time when the *Bloody-Flux* raged, a *Fever*, like that which was often wont to accompany the *Bloody-Flux*, arose; which did not only seize those that had the *Bloody-Flux*, but also those that were wholly free from it: only sometimes, tho seldom, the Sick was griped, but not violently; sometimes with Stools, sometimes without: it also had always the same manifest and apparent Causes as the *Bloody-Flux* had. The Symptoms were also the same with those that accompany'd the *Fever* of such as had the *Bloody-Flux*; so that if you except the Evacuations by Stool, and the Symptoms that necessarily depended on them, the said *Fever* seemed to be of the same nature with the *Bloody-Flux*: and moreover, thro the whole Course of this Constitution, it had the same Alteration of Symptoms in the Increase, State, and Declination, as generally the *Bloody-Flux* had; and therefore I call'd this a Dysenterick Fever.

This *Fever* sometimes, as was said, began with Gripes, but they were gentle, (especially in the first Years it invaded) or they came afterwards, but most commonly there were none. The Sweats which, as we noted formerly, were very large in the *Fever* of the foregoing Constitution, were rare and small in this, but the Pain of the Head was more violent in this than in that *Fever*; the Tongue of the Sick, tho it was moist and white, as in the other *Fever*, yet it was cover'd with a thick Skin. This seldom went off by spitting, as the other commonly did; but it was more disposed to cause a *Thrush* when it was going off, than either the former or any other kind of *Fever* I hitherto knew: for it was very common for this (as also for that *Fever* that came upon the *Bloody-Flux*) when it was going away, to put off filthy and acrid Matter upon the Mouth and Throat, by which means the said Symptom was occasion'd, especially in those that had been much wasted in this Disease,  
when



when it was obstinate, and when too hot a Regimen had weaken'd them more. And upon the same account the *Thrush* was occasion'd, which happen'd every day in long *Dysenteries*, accompany'd with a *Fever*; especially if, besides a hot Regimen, the Evacuation by Stool was stop'd by astringent Medicines, before the *Fomes* of the Disease was carried off by Bleeding and Purging.

These were the certain Signs of judging of this *Fever*; the other Symptoms varied yearly, and according to the manifest Qualities of the Air at some certain times, and generally according to the Progress of the Bloody-Flux, and the various Seasons of it. But that these things may appear more clear, because by this Artifice especially Nature triumphs in the Production of Epidemics, I will treat more particularly of this matter. 'Tis therefore to be noted, that tho the manifest Qualities of the Air cannot force any Constitution, so as to be the productive Causes of Epidemical Diseases, that properly belong to it, (for they flow from a hidden and inexplicable Disposition of it) yet for a time they have power over them, and so Epidemics are admitted or excluded, as the manifest Qualities favour or oppose them. But the universal Constitution remains the same, whether they promote, or in some sort retard it. Upon which account it is, that when several Epidemics happen in one Constitution, this or that particular Disease appears chiefly in that season, to which the sensible Qualities of the Air have assign'd it, and at length gives place to another Epidemic, which the different Qualities of the subsequent Season calls in; by which means it comes to pass, that the Stationary Fever, whatever it be, that belongs to the Epidemic of that Year, chiefly rages in *July*, at the beginning whereof it seizes a great many People together; but at the approach of Autumn it gives way to the great Epidemic then prevailing, which denominates the Year, and is less troublesome, as every Year plainly shews. For Mens Bodies being heated by the foregoing Summer, the Fevers which are proper to the general Constitution easily invade at that time; but at the coming of Autumn, the prevailing Epidemic resumes the Government, and they quite recede.

But as the foresaid Fevers take their rise in this Month from the sensible Qualities of the Air, so also the various Symptoms that are quite contrary to their own Nature, as



they depend on such a general Constitution, are borrow'd from the manifest Qualities which happen in this Month. And upon this account it is, that in those Years wherein the said *Fevers* seize a great many, they are accompany'd with various new Symptoms (besides those which are proper to them, as they proceed from such a general Constitution) which continue the same; tho the Vulgar, by reason of the diversity of the *Phænomena*, reckon there is a new *Fever* every Year. But these peculiar Symptoms continue only a few Weeks, and the rest of the Year only the proper Symptoms are seen, which happen to them as they are stationary *Fevers* of such a Constitution.

This was manifest in other *Fevers*, but especially in the Dysenterick *Fever* of July 71, and 72: in the former whereof, violent Sickness, green Cholera, with a great Inclination to a Looseness, were continually observ'd at the end of the Disease; in the latter, Pains in the muscular Parts of the Body, especially in the Limbs, like a *Rheumatism*: moreover, an Inflammation of the Jaws, but gentler than in a *Quinsy*. Yet both these met in the same Specifick *Fever*, and both requir'd the same method of Cure; they differ'd only with respect to the sensible Qualities that were at those times they happen'd in. But the Eruption of these *Fevers* was unforeseen, about the beginning of these Months; and there was a new Face of peculiar Symptoms for some time (tho they did not differ in Species, nor in the method of Cure which they requir'd, from that *Fever* that run thro the whole Year) these things, I say, sufficiently testify how difficult it is to distinguish at all times the certain Species of a *Fever* from the *Phænomena*: but he may well enough know it, that shall carefully mind other Diseases that come in the same Year, and also the proper Symptoms of the *Fever*, which respect this or that manner of Evacuation; and the Consideration of the Method or Medicine, whereby it may be easily cured, conduces much to the Knowledge of the Species of the *Fever*.

As to the other Differences of the Symptoms that accompany stationary *Fevers*, they only respect the various Seasons of the Constitution; and so they are either intense or remiss, as the Symptoms of other Epidemics to which they belong are heighten'd or depress'd. But to return to the Business: This *Fever*, which, as we said, began with the *Bloody-Flux*, kept pace with it, only it with-



drew a little, whilst other Epidemics of these Years prevail'd; yet it continu'd, and seized sometimes more, sometimes fewer, during this Constitution.

As to the cure of this *Fever*, when I had observ'd, as was said before, that the *Phænomena* of the *Fever* of very many of those that had the *Bloody-Flux*, were plainly the same with those which accompany'd the *solitary Fevers* of this Year; I thought it reasonable to attempt the Cure, by imitating in some sort that Evacuation, whereby Nature was wont to expel that sharp and corrosive Matter, which was the containing Cause of the *Bloody-Flux*, and of the *Fever* that came on it: and therefore I proceeded in this *Fever* with the same Method, both as to Bleeding and Purging repeated, and Cordials, as I have mention'd above more at large; only I found that Paregoricks used betwixt the Purge, did not only not do good, but were injurious, otherwise than in the *Flux*: for by these the Matter was detain'd, which ought to have been expell'd by Purging. On the first days the Sick fed on Barley and Oatmeal-broths, Panado, and the like; his Drink was Small-beer a little warm'd: but after purging once or twice, there was no necessity of keeping the Sick from eating Chickens, and other Meats of easy Digestion; for this way of Cure by Purging made room for those things which could not be allow'd, if we proceeded in another way. The third Purge most commonly, a Day being betwixt each, cured the Disease, but not always, for sometime more were to be used. If, after the *Fever*, the Sick was weak and recover'd slowly (which was very common in hysteric Women) I endeavour'd to restore and recall the deserting Spirits to their Stations they had forsook, by giving *Laudanum* in a small Dose: but I seldom repeated this Remedy, and never prescribed it till two or three days were pass'd after the last Purge. But nothing did so much conduce towards the refreshing the Spirits, and recovering the Strength, as the free use of the Air, presently after the *Fever* went off.


I had an opportunity of instituting this Practice almost at the beginning of this Constitution; for being then very thoughtful about the nature of this *Fever*, I was call'd to a young Woman, my Neighbour, that had the *Fever*, and a violent Pain in the fore-part of her Head, and other Symptoms, which, as we said, accompany'd the *Dysenterick*



*rick Fever*. When I enquir'd of her in what manner the *Fever* invaded, and how long she had it, she told me, that a Fortnight before she had the *Bloody-Flux*, which was then very frequent; and that as soon as that went off, either of its own accord, or by the use of Medicines, this *Fever* succeeded with the pain in the Head: and I guessed it would be proper for both, to substitute another Evacuation like it, instead of the *Flux*, which being stopt, the *Fever* arose; and therefore I order'd the same by the Method above-mention'd, and the *Fevers* of this Constitution yielded readily to it: for I always thought it was not sufficient in acute Diseases to prove the way of Cure to be true, because it succeeded well (for some are cured by the Rashness of the most unskilful Women) but that it was necessary that the Disease should be easily conquer'd, and go off, as it were, according to its own Genius, as much as the nature of it will allow. But this by the by.

At the beginning of *June* 1672, the noble and prudent Earl of *Salisbury* having this *Fever*, with *Gripes*, yet his Belly was bound, sent for me, and was cured by the Method proposed: nor had I occasion for any other, as long as this *Fever* continued.

In young People, and sometimes in others that were a little older, this *Fever* sometimes seiz'd the Head, so that the Sick was delirious, but not raving, as in other *Fevers*, but was stupid. This happen'd chiefly to those, who at the beginning of the Disease unluckily endeavour'd with all their might to force Sweat: I was not so happy at that time as to be able to relieve such, tho I moved every Stone, and used all the noted Medicines for this purpose. And so much for the *Fever* of this Constitution.



## CHAP. V.

### *Of the Measles in the Year 1670.*

THESE *Measles* began very early, as they were wont to do, viz. at the beginning of *January* 1670, and increasing daily, came to their height in *March*: afterwards they



they gradually decreased, and were quite extinguish'd in the following *July*. I will give an account of this sort, because I reckon them the most perfect of their kind that I hitherto observ'd.

This Disease began and ended at the times above-mention'd; it chiefly invades Infants, and all those that were together in the same House. It began with Shaking and Shivering, and with an Inequality of Heat and Cold, which mutually expell'd one another the first Day: the second Day it ended in a perfect *Fever*, with violent Sickness, Thirst, and want of Appetite; the Tongue was white, but not dry; there was a small Cough, with a heaviness of the Head and Eyes, accompany'd with a continual Drowsiness, and for the most part a Humour distill'd from the Eyes and Nose: and this Effusion of Tears is a certain sign of the approaching *Measles*; whereunto this is to be added, no less certain, *viz.* That tho this Disease shews it self most commonly in the Face, after the manner of little Swellings in the Skin, yet in the Breasts rather red broad Spots than Swellings are perceiv'd, rising no higher than the Superficies of the Skin; the Patient sneezes, as if he had taken cold; and the Eye-lids swell a little before they come out; he vomits, but is oftner troubled with a Looseness, and the Stools are greenish: but this happens chiefly to Children that are breeding their Teeth, and they are more froward in this Disease than they are wont to be. The Symptoms increase for the most part till the fourth Day, and then generally (tho sometimes they are defer'd to the fifth Day) little red Spots, like Flea-bites, begin to come out about the Forehead and other parts of the Face, and being increased in Number and Bigness, branch into one another, and so paint the Face with large red Spots of various Figures, which are occasion'd by little red Wheals not far distant one from another, that are elevated a little above the Skin; and their Protuberances may be perceiv'd by a gentle Touch, tho they can scarce be seen: these Spots spread themselves by degrees from the Face, which first they only possessed, to the Breast, Belly, Thighs and Legs; but they affect the Trunk and Members with Redness only, without any sensible Inequality of the Skin. The Symptoms of the *Measles* do not abate by the Eruption, as in the *Small-Pox*; yet I never observ'd the Vomiting  
† after:



afterwards: but the *Cough* and *Fever* increase, with the difficulty of Breathing, weakness of the Eyes, and the Defluxion on them, with continual Drowsiness, and want of Appetite, as before. On the sixth Day, or thereabouts, the Skin breaking, and the Pustles drying off, the Forehead and Face grow rough, and at the same time the Spots in the other Parts of the Body are very large, and very red. About the eighth Day the Spots in the Face vanish, and are scarce perceiv'd in the rest of the Body: but on the ninth Day they quite disappear. The Face and Members, and sometimes the whole Body seem as it were to be sprinkled all over with Bran, viz. Particles of broken Skin being raised up, and scarce sticking together, are torn in pieces now the Disease is going off, and afterwards fall from the Body like Scales; and, as we have said, the *Measles* most commonly disappear on the eighth Day, at which time the common People (being deceiv'd by reckoning upon the time the *Small-Pox* are wont to continue) affirm they are struck in, tho really they have finish'd their Course; and they think the Symptoms which come on their going off, are occasion'd by their being struck in so soon: for 'tis to be noted, that the *Fever* and difficulty of Breathing are increased at that time, and the *Cough* is more troublesome, so that the Sick can neither sleep night nor day. Children are chiefly subject to this ill Symptom, which appears now at the going off of the *Measles*, by reason of too hot a Regimen, or hot Medicines, that were used to force them out; and so they are cast into a *Peripneumonia*, which destroys more than the *Small-Pox*, or any Symptom thereunto belonging: and yet the *Measles* are not at all dangerous, if they are skilfully treated. And among the rest of the ill Symptoms, a Looseness often happens, which either presently succeeds the Disease, or else continues many Weeks, after it and all its Symptoms are gone off, not without great danger to the Patient, by reason of a continual loss of Spirits. And sometimes after a very hot Regimen, the *Measles* are first livid, afterwards black: but this only happens to grown People, and they are utterly lost when the Blackness first appears, unless they are presently relieved by Bleeding, and a more temperate Regimen.

As the *Measles* are much of the same nature with the *Small-Pox*, so is the method of Cure much the same; but



hot Medicines and a hot Regimen are very dangerous, how frequent soever they be used by ignorant Nurses to drive the Disease from the Heart. This Method, above others, has been most successful in my Practice, *viz.* that the Sick be kept in his Bed only two or three Days after they come out, that the Blood may gently breathe out, according to its own Genius, thro the Pores of the Skin, the inflamed Particles that are easily separable, which offend him; and that he have no more Clothes nor Fire, than he is wont to have when he is well. I forbid all Flesh, and allow'd him Oatmeal and Barley-broth, and the like, and sometimes a roasted Apple: his Drink was either Small-beer or Milk boiled with thrice the quantity of Water. I often mitigated the *Cough*, which almost continually accompanies this Disease, with a draught of some pectoral Decoction, or with a proper *Linctus* taken now and then; but above all the rest, I took care to give *Diacodium* every Night thro the whole course of the Disease. For Instance;

*Take of pectoral Decoction one Pint and a half; of Syrup of Violets and Maidenhair, each one Ounce and a half; mingle them, and make an Apozem: take three or four Ounces three or four times a day.*

*Take of the Oil of sweet Almonds two Ounces; of Syrup of Violets and Maidenhair, each one Ounce; of white Sugar-candy a sufficient quantity: mingle them, and make a Linctus, whereof let him lick often, especially when his Cough troubles him.*

*Take of Black-cherry-water three Ounces; of Diacodium one Ounce: mingle them for a Draught to be taken every Night.*

But if the Patient is an Infant, the Dose of the Pectoral and of the Anodyne must be less'n'd with respect to the Age.

He that uses this Regimen seldom does amiss, nor is he molested with any other Symptoms than what are necessary and inevitable in this Disease: the *Cough* is most troublesome, but is not dangerous, if it does not continue after the Disease is gone off; and if it does remain a Week or Fortnight, it is easily cured by Pectorals and the open Air: nay, it decreases of its own accord, and at length ceases.

But



But if by reason of too hot Cordials, and too hot a Regimen, the Sick is in danger of his Life after the Measles go off, (which is very common) by the violent Fever and Difficulty of Breathing, and other Accidents that are wont to afflict those that have a *Peripneumonia*; I have order'd the smallest Infants to be bled in the Arm, and have taken away that quantity of Blood which their Age and Strength indicated, with very great success: and sometimes when the Disease has been obstinate, I have not fear'd to repeat Bleeding. And, indeed, many Children that have been at the point of Death, by reason of this Symptom, have been (with God's Blessing) cured by Bleeding: nor have I found as yet any other certain way to vanquish it. This happens to them after the Measles go off, and is so very fatal, that it may be well reckon'd the chief Minister of Death, destroying even more than the Small-Pox; nor have I yet found any other certain way of taking off this Symptom. And the Looseness, which, as we said, follows the Measles, is also cured by Bleeding; for whereas it arises from Vapours of inflamed Blood rushing upon the Guts, (which is also common in a Pleurisy, *Peripneumonia*, and other Diseases that are occasion'd by an Inflammation) whereby they are stimulated to Excretion, 'tis Bleeding alone that gives Relief, by making Revulsion of those sharp Humours, and by reducing the Blood to a due Temper.


Nor is there any reason why one should wonder that I bleed young Children, since for what I have hitherto observ'd, it may be as safely perform'd in Children as in grown Persons. And indeed it is so necessary, that we can neither cure the Symptom above-mention'd, nor some other that happen to Children, without it: for by what means can we relieve those that are breeding Teeth from Convulsions, which seize them in the ninth and tenth Month with a Swelling and Pain of the Gums, whereby the Nerves are oppress'd and enraged, and from whence also the Fits come, but by Bleeding, which alone is much to be prefer'd in this Case, before the most celebrated Specificks whatever that are yet known; whereof some do hurt by their adventitious Heat, and whilst they are thought to cure the Disease by an occult Faculty, they increas'e it by their manifest Heat, and kill the Sick? I pass by at present that wonderful Relief which Bleeding gives in the



Hooping Cough, wherein it far surpasses all pectoral Medicines whatever.

What we have said now of the Cure of those Symptoms that come upon the going off of the Measles, may be sometimes also of use when they are at the height, if they are occasion'd by an artificial Heat, if I may say so. In the Year 1670, I was call'd to visit a Maid-Servant of the Lady *Ann Barrington's*, that had this Disease, together with a Fever, difficulty of Breathing, and purple Spots all over her Body, with very many other dangerous Symptoms; all which I attributed to the hot Regimen and Medicines which were too much used. I order'd her to be bled in the Arm, and I prescrib'd a cooling pectoral Ptisan to be taken often; by the help whereof, and a temperate Regimen, the purple Spots and all the other Symptoms, went off by degrees.

This Disease, as I said before, began in *January*, and increased daily till *March*, and afterwards decreased gradually, and ended the following *July*; only it appear'd in some few places the next Spring, but rarely; neither return'd they again thro all the Years wherein this Constitution reign'd. And so much for the Measles.



## C H A P. VI.

### *Of the Irregular Small-Pox in the Years*

*1670, 71, 72.*

THE aforesaid Measles, as we said before, introduc'd another sort of Small-Pox, different from those we treated of before: they broke out much about the same time with them, *viz.* at the beginning of *January* 1669. But tho they were not so epidemical as the Measles, yet they accompany'd them all the time they reign'd; and after they ceased, the Small-Pox continu'd the rest of the time of this Constitution: yet notwithstanding it gave place to the Bloody-Flux, which reign'd by the assistance of Autumn favouring it. But in the Winter it return'd again,



again, the Flux being suppressed by the Cold, that was disagreeable to it : And they kept this Order thro all the Years of this Constitution ; only the last Autumn it reigned, namely in the Year 1672, that Constitution then fading ; and slowly promoting the Flux, that was then growing old, the Small-Pox, contrary to Custom, raged at this time also, and so equally reign'd with the Flux, that it was not easy to say which seiz'd more People, tho I guess the Flux was yet more prevalent.

The Small-Pox, as other Epidemicks, were very severe at their first approach, and increas'd daily till they came to their height ; which when they had pass'd, they decreased gradually, both as to the Violence of the Symptoms, and Number of the Sick.

But now to come to their particular *Phænomena* : I was not a little astonish'd when this sort of Small-Pox first appear'd ; for I found they differ'd in many notable Symptoms from that kind which the preceding Constitution produc'd, in the observing whereof I had heretofore been very diligent : at present I will only treat of the Symptoms that differ from those of the other kinds, omitting those that were also common to that sort, which I have describ'd at large above.

The distinct kind was distinguish'd from the common distinct sort of the other Constitution, as follows : First, whereas those did not come out before the fourth Day, these came out most commonly on the third, which indeed was usual in the Flux. Secondly, the Pustles were not so big as in the former, but more angry ; and about the end of the Disease, when they came to maturity, they were often black. Moreover (but rarely) the Sick was troubled with Salivation, as in the Flux-Pox, tho the Pustles were but few. From whence it appears, that this kind was much of the Nature of the Flux, and did partake of a more intense Inflammation than was wont to be in the distinct sort.

But the Flux differ'd from others of the same sort, that I have observ'd in other Years, in many things, which I will now reckon up. They appear'd on the second or third Day in the shape of a reddish uniform Swelling, covering the whole Face, and thicker than an *Erysipelas*, and scarce any visible distance between the Pustles, with a heap of almost infinite red angry Pimples running into one, and disguising the whole Body ; where between the  
Pustles,



Pustles, especially in the Thighs, appear'd some little Bladders very conspicuous like a Burn, and distended with clear Water, which flow'd out plentifully when the Skin was broken, the Flesh underneath being black like a Mortification. But this dreadful Symptom was rare, and happen'd only in the first Month that this Kind reign'd; at which time, among others that were so grievously tormented, I was sent for at the beginning of *January* 1669, by Mr. *Col-lins* a Brewer, whose Son being an Infant, had Bladders on his Thighs as big as a Walnut, full of clear Water; which being broken, the Flesh underneath appear'd as it were mortified, and soon after he died: which was the lot of all I ever saw that had this dreadful Symptom. On the eleventh Day, or thereabouts, a white shining Skin cover'd the reddish Swelling in many parts of the Face, and by degrees spread over the whole Countenance: a little while after this white Skin cast forth a crusty shining Matter, the Colour of it was neither yellow nor brown, (both which were to be seen in the other kind of Pox) but a deep red, like clotted Blood; which, as the Pustles ripen'd, wax'd black, till the whole Face was as black as Soot: and whereas in the other kind of Flux the Sick was in the greatest danger on the eleventh Day, and that was the last to most that died; in this sort the Patient lived most commonly till the fourteenth Day, and sometimes to the fifteenth (unless a violent hot Regimen destroy'd him sooner) which at length being passed, the Danger was over. But this is to be noted, that they who had those deadly Bladders and Mortification, we told you happen'd to some in the first Month that this Kind broke out in, died within few days after the Eruption.

The Fever, and all other Symptoms which preceded or accompanied this kind of Pox, were more violent than in the former, and had manifest Tokens of a greater Inflammation; the Sick were more prone to the Salivation, the Pustles angrier and much smaller, so that 'twas not easy at first when they appear'd to distinguish them from an *Erysipelas*, or the Measles, if these were not known by the Day of their Eruption, and other Signs above-mention'd in the History of the Measles. After the Pustles fell off, a Scurf stuck on a long time, which imprinted filthy Scars on the Skin. 'Tis fit to be noted, that when these Small-Pox were enraged by a hot Regimen, it some-  
† times



times occasion'd a *Bloody-Flux*, which I have observ'd more than once.

But I must acquaint you, that these *Small-Pox* were not accompany'd with such dreadful Symptoms all the while they reign'd; for after they had pass'd two Years, they began to grow mild in the third Year, *viz.* in 1672. and having put off the black Colour, they grew by degrees yellow, like a Honey-comb, which was natural to the regular *Small-Pox*, when they came to maturity: so that in the last Years of this Constitution, they were very benign and favourable, considering the kind; yet notwithstanding it was very manifest that they were of a quite different sort by the Smallness of the Pustles, and Disposition of spitting, and other things.

Tho by reason of the Ignorance of the Causes of every specifick Difference, 'tis impossible for us to comprehend the formal Reason of these *Small-Pox*, as they are distinguish'd from those which the other Constitution produc'd; yet it plainly appears to me from all the *Phænomena*, that the Inflammation in these was much greater than in the other, and that therefore the chief care should be to stop the violent Ebullition of the Blood; and this is to be done (Hypnoticks being first used as above-mention'd) by a temperate Regimen, *viz.* by allowing the Patient the free use of some Liquor which will not heat him, but rather presently mitigate that violent Heat, whereby this Disease wearies and scorches the poor Patient more than any other whatever, especially when the Pustles begin to ripen: the white Decoction of Bread, and a small quantity of calcined Harts-horn in a large quantity of Water, sweeten'd with Sugar, is very good; but Milk-Water, made with three parts of Water, and one of Milk boil'd together, is better, for 'tis more palatable and more cooling: nor is a large quantity of Liquor only proper to extinguish the violent Heat that chiefly rages with the Fever of Maturation, but it also promotes Salivation, and protracts it longer than it could be, if the Patient were scorched up. Moreover, I have often observ'd, that great quantities of Liquors drank, have succeeded so well, that by their use the *Small-Pox*, which when they came out had the worst signs of the Flux, afterwards were distinct; and the Pustles, which otherwise as they ripen'd would have cast forth first a red, and then presently a black Matter,



ter, were very yellow, and instead of being very small and angry, they were benign and favourable. Nor does the Flux of the Courses, which is very frequent to Women that have this Disease, any whit prohibit, but rather encourage the free use of these Liquors, *viz.* if they flow at an unusual time: for Women are in danger upon no other account, but because the Blood being too much thinned by the immoderate Heat, should break out at the natural Passages; especially when rash Nurses add Oil to the Flame, by using a hot Regimen, and the Decoction of Harts-horn and Marigold-Flowers, and the like: for whatever powerfully dilutes and temperates the Blood, necessarily conduces, tho not immediately, to the preserving the Pustles, and the swelling of the Face and Hands in their State, inasmuch as it stops the foresaid Flux; whereas on the contrary, hot Medicines, tho they seem more proper in this Case, yet while they promote this continual Flux of Blood, they are much besides the business. Neither do I question but many Women have perish'd by this Error, *viz.* while the By-standers fearing lest the Pustles should flatten by reason of this Flux of Blood, have endeavour'd to keep them up by Cordial Medicines, and a hot Regimen, whereby they have certainly cast away the poor Woman; tho by mingling various Astringents with these Cordials, they labour'd to stop the Hæmorrhage, and to keep the Pustles and Swelling up to their due height.


Not long ago a very Virtuous and Noble Lady was committed to my Care, who had the dangerous black Small-Pox; and tho at the beginning I forbid all those things that might exagitate the Blood, yet she being of a very sanguine Complexion, and brisk and young, the Season of the Year being very hot, she was seiz'd of a sudden, on the third Day after the Eruption, with so large a Flux of the Courses at an unusual time, that the Women that were by thought she miscarried. But tho this Symptom continued violent for many days, yet I did not think that I ought therefore to intermit the use of the Milk-water: indeed I thought it more necessary now, and allowed her to drink of it freely thro the whole Course of the Disease, especially when the Fever of Maturation appear'd: at which time the learned and candid Physician Dr. *Millington*, heretofore my Fellow-Collegiate, and now my very good Friend, was join'd with me; who perceiving that all things  
suc-



succeeded well according to the Genius of the Disease, readily consented that our Patient should persist in drinking freely of the foresaid Liquor, which she often declar'd both cool'd and refresh'd her, and promoted her spitting. But when the Face began to be crufted over, we were afraid that our Patient would be injur'd by putrid Vapours, arising from the purulent Matter introverted, which smelt ill in this worst sort of *Small-Pox*; and therefore we order'd a few Spoonfuls of mull'd Sack to be taken once a day, or as often as she found her self ill in her Stomach: and with these few things, together with a Paregorick Draught which was taken every Night, she recover'd; nor was she delirious, nor had any other Symptom, besides the foresaid Hæmorrhage, which threatned any great Danger: the Face and Hands swell'd sufficiently, the Pustles were as big as this sort would permit, and the Salivation was large and easy to the end; and lastly, tho the Pustles in the Face seem'd blackish when they ripen'd, yet in most parts they were yellow.

But by how many degrees soever of Heat and Inflammation this sort of *Pox*, peculiar to this Constitution, exceeded others of other Constitutions, yet if the Pustles were distinct or but few, Experience taught that there was not such need to drink so great a quantity of the foresaid Liquors. But it was sufficient if the Patient drank Small-Beer, when he was thirsty, and eat Water-gruel, and sometimes a roasted Apple; and if he were past fourteen, he took *Diacodium* when he was sick, or began to be delirious for want of Sleep; nor did I do any thing else (only keep the Patient a-bed) when the Pustles were few. And by this Method alone my Son *William Sydenham* was recover'd by God's Assistance from this distinct sort, in *December 1670*. I will say no more of the *Small-Pox* of this Constitution, seeing I have discoursed largely of the other kind, from which these only differ'd in this, *viz.* that they were of a hotter and more inflammatory Nature, so that greater Care was requir'd to extinguish the intense Heat, which was so natural to them, and so certainly threatned to fire the Patient.





## C H A P. VII.

Of the Bilious Cholick of the Years 1670,  
71, 72.

**T**HROUGH all the Years of this Constitution, the Blood was much dispos'd to fling off on the Bowels hot and cholerick Humours ; for which Reason this Cholick was more frequent than is usual : which Disease, tho it ought to be reckon'd among the Chronical, and therefore besides my Purpose, yet seeing it depended on the same Indisposition of the Blood at this time, from whence most other Epidemicks, which then reigned, took their rise, it ought here also to be treated of ; but especially because the very same feverish Symptoms went before this Disease, as were wont to precede the *Bloody-Flux*, which reign'd in those times. And sometimes this Disease, which is noted above, follow'd the Dysentery when it had a long while afflicted the Sick, and was just about to leave him ; but when it did not follow a long Dysentery, it generally took its rise from a Fever, which, after some Hours, was wont to end in this Disease. It chiefly seiz'd young People of a hot and cholerick Constitution, especially in the Summer : the Pain of the Bowels was very violent, and more intolerable than any that afflicts poor Mortals ; it sometimes binds, as it were in the Guts, and sometimes being contracted to a Point, it bores like an Auger ; the Pain now and then abates, and presently the Fit approaches again, which as soon as the Sick perceives, he looks sadly and bemoans himself, as if it were actually on him. At the beginning of this Disease the Pain is not so certainly determin'd to one Point, as in the progress of it ; nor is the Vomiting so frequent, nor does the Belly so obstinately resist Purges : but the more the Pain is increas'd, the more pertinaciously is it fix'd in a Point ; the Vomitings are more frequent, and the Belly more bound, till at length by the dreadful Force of these Symptoms a total Inversion of the Peristaltick Motion of the Guts (if the Sick is not sooner reliev'd) and consequently an Iliack  
Passion



Passion is occasion'd, in which Disease all Purging Medicines are presently vomited up with the Excrements; the Matter that is cast up in this manner, if it be without Mixture, is sometimes green, sometimes yellow, and sometimes of an unusual Colour.

Now every *Phenomenon* of this Disease shewing plainly that it was occasion'd by some acrid Humour, or Vapour put off from the Blood on the Guts; this, in my opinion, is the chief curative Indication, *viz.* that the said Humours should be evacuated, as well that which is antecedently in the Veins, as that which is contain'd in the Intestines: and the next to this is, that the Force of the Humours tending thither should be restrain'd by Anodynes, and that the violent Pain should be mitigated by them.

Therefore I order that the Blood should be freely taken from the Arm, if no Blood has been taken away before; and after three or four Hours, I give an Anodyne. The next day I order some gentle Purge, and that it should be repeated the next day save one, and sometimes thrice, according as the Relicks of the Humour are more or less.

But we must take notice, that if this Disease is occasion'd by eating too much Fruit, or from any Meat of hard Digestion, upon which account ill and corrupted Juices are first transmitted to the Blood, and afterwards to the Guts; I say, in this case the Stomach must be wash'd with Posset-drink, drunk plentifully, which must be vomited up again; which being done, an Anodyne must be given, and the next day a Vein must be open'd; and as to other things, you must proceed according to the Directions above-mention'd. But when the Violence of the Pain, and the Vomiting (by reason whereof the Guts are as it were inverted) resist the Operation of the Purges, they must be made stronger; for 'tis to no purpose to give a gentle Purge, unless the Sick is easily purg'd, which must be carefully enquir'd into: for such a Medicine being not strong enough to make its way through the Guts, the Patient is more injur'd thereby, for by its ineffectual Agitation the Vomiting and Pain are encreas'd. A lenitive purging Potion of the Infusion of *Tamarinds*, of the Leaves of *Sena* and *Rhubarb*, wherein may be dissolv'd *Manna* and Syrup of *Roses Solutive*, is to be preferr'd before the other Purges, for it stirs the Humours least. But if the Patient cannot retain a liquid Medicine, by reason of an Aversion,  
or



or because of the Vomiting, you must necessarily use Pills; the *Pil. Cochia* pleases me best, for they pass best thro the Body in this and most other Cases; but when the Weakness of the Stomach, or the Vomiting is so great, that the Pills cannot be retain'd, then I first order an Anodyne, and a few hours after a Purge: but there must be so much Space betwixt them, that the Purge be not quell'd by the Anodyne, and made ineffectual; but that it may continue so long in the Stomach as is necessary for its imparting its purgative Quality to it, that it may operate when the Virtue of the Narcotick is spent; tho the Purge, if it could be conveniently done, is best given a long while after the Anodyne, for twelve hours after taking it the Sick is difficultly purged.

But because in this, as in most other Diseases wherein Anodynes are indicated, a Purge always encreases the Pain (at least when it has done working, for while it's in Operation the Patient is not so ill) therefore I commonly give an Anodyne, as soon as the Purge has done working, which I order to be taken Morning and Evening daily, viz. in the middle space betwixt the Purges, that I may the more certainly appease the Pain till the Patient has been sufficiently purged.

The purging of the Humours being over, I endeavour to bridle the Fury of the Disease (which now only remains to be done) by giving an Anodyne constantly Morning and Evening, which must be sometimes repeated oftner; nor could I ever take off violent Pains without a larger Dose than is usual, and that repeated too: for that which is sufficient to conquer another Disease, will be wholly insufficient in this Case, the Violence of the Disease subduing the Force of the Medicine; and it's indeed safe to repeat Anodynes while such a Pain as this continues violent, but not when 'tis gone off: wherefore I repeat the Narcotick according to the degree of the Pain till it ceases, or till it is very much lessen'd; yet there must be such a space of time betwixt them, that I may find what may be hoped for from the former Dose, before I give another. But for the most part, unless the Pain is very violent, a Purgorick given Morning and Evening may be sufficient. I chiefly use liquid *Laudanum*, whereof I give sixteen Drops in some Cordial Water, or the Dose may be increas'd according to the Violence of the Pain.



This plain Method, whereby first the peccant Matter is evacuated by Bleeding and Purging, and then Ease procured by the use of Anodynes, succeeded better in my Practice than any other I ever knew; whereas Carminative Glisters injected in order to expel the acrid Humours, do only stir the Coals, and make the Disease the more lasting by the Tumult they raise in the Humours. But here you must take notice, that tho I have said Bleeding and Purging must necessarily go before this quieting Method, yet sometimes upon occasion, both being omitted, you must begin with Anodynes: For instance, when by reason of some preceding Sickness large Evacuations have been used, not long before the coming of the *Cholick*, (for many times they who have recovered of another Disease, have suddenly fallen into this, by reason of a Weakness of the Bowels, especially if there is a great degree of Heat occasioned by drinking Wine, or some other spirituous Liquor immoderately:) I say, in this case 'tis not only unnecessary, but I think injurious, to give Purges again, for new Tumults will be raised by them. Moreover, the Guts are most commonly sufficiently cleansed with Glisters used often before the Physician is call'd; so that partly for this cause, and partly by reason of the long Continuance of the Disease, Narcoticks in a manner seem to be only useful.

In *August* 1671, the Noble Baron *Annesly* being seized with the *Bilious Cholick* with intolerable Pain, and frequent Vomiting for some days, sent for me to the Castle of *Belvoir*: he had tried all sorts of Glisters and other Remedies, by the order of learned and experienced Physicians living thereabouts. I advised without any more ado the repeated use of Anodynes, according to the Method before delivered; whereby he recovered in a few days, and came to Town well with me.

But because this Pain is wont of its own nature to return more than any other, all Occasions of its Relapse must be prevented, by giving an Anodyne twice a day for some days: but if as often as the use of the Anodyne is omitted, the Pain now and then returns, as it sometimes happens, I do not know any thing that will so certainly perfect the Cure as the riding on horseback, or in a Coach a long Journey; but an Anodyne must be given constantly Morning and Evening: For by this kind of



Exercise the Matter causing the Disease is removed to the Habit of the Body, and the Blood being broke into small parts by continual Motion, is as it were depurated again, and at length the Guts are much strengthen'd and refresh'd by this way of stirring up the natural Heat: nor am I ashamed to confess, that by this Exercise I have more than once perfectly cured this Disease, when I could not cure it any other way. But this must not be used before the Sick has been well purged, and then he must continue the use of it many days.

One of my poor Neighbours, who is now living, was in these Years troubled with a most violent *Bilious Cholick*; who a long time endeavour'd, but in vain, to vanquish this Disease by Purges, Glisters, and the swallowing of leaden Bullets: I order'd him to use Narcoticks frequently, which he did successfully; for as often as he used them, he found himself very easy. But seeing the Disease was only palliated, and not cured, (for it returned as soon as the Virtue of the Anodyne was spent) I took pity on him, and lent him one of my Horses, that he might go a Journey, as above directed; and having travell'd a few days, his Bowels grew so strong, as to be able to shake off the Relicks of the Disease: and so he was perfectly recovered without the help of Anodynes.

And truly I have known this kind of Exercise has been always used with admirable success in most other Chronical Diseases, if the Sick continued it resolutely: For if we consider with our selves, that the lower Belly, wherein are placed the Organs of Secretion, is much shaken by this Exercise, perhaps some thousands of times in a day, we shall easily believe, that they are able, by the help of the foresaid Exercise, to shake off any excrementitious Juice that is impacted there, and (which is of greater moment yet) that they are so strengthen'd by the powerful Excitation of the native Heat, that they may duly perform the Office of purifying the Blood, which Nature has appointed them.

If the Patient is young and of a hot Constitution, I prescribe a cooling and thickning Diet, as Pulp of Barley, Panado, and the like; and every third Day, if the Stomach is craving, a Chick or a Whiting boil'd. I allow no other Drink than Small-beer or Milk-water: and this is all I order; unless Riding, necessary to recover the  
 † Health,



Health, requires more generous Liquors, and more nourishing Food, whereby the Spirits, weaken'd by Exercise, may be repaired.

Moreover, 'tis plain from Observation, that when the Disease, by reason of ill Management, has a long while afflicted the Sick, so that the Bowels became weak and infirm, and he is in a manner quite wasted; I say, in this Case we find by Experience, that the free use of Epidemick Water, or of *Aqua Mirabilis*, or of any other the Sick likes best, relieves him at this time beyond expectation: for by this means the small Relicks of the native Heat and the Spirits will be stirred up, and the preternatural Ferment sticking to the Bowels, and now and then causing new Fits, will be extinguish'd by spirituous Liquors.

Moreover, as in the Cure of the Disease, so when 'tis over, the thin Diet we have mention'd must be observed for some time; for this being more apt to return than any other, and seating it self on the principal Parts of Concoction, (I mean the Bowels, already weaken'd by it) the least Error of this kind will presently cause much pain: therefore in this, and all other Diseases of the Bowels, Meats of hard digestion must be carefully avoided, and things of easy digestion must be used only in such a quantity, as will be sufficient to sustain Life.

A kind of Hysterick Disease afflicts some Women, very like the *Bilious Cholick*, both as to the Violence and Situation of the Pain, and also by reason of the Humours vomited up of a yellow and green colour. I will treat of it by the by, lest any one should take it for the *Bilious Cholick* mention'd just now.

Such Women as are of a crude and lax Habit of Body are chiefly afflicted with this Disease, as also those that have labour'd under some other Hysterick Indisposition, or (which is very often) those that have scarce evaded a difficult and hard Labour in bringing forth a large Child, whereby the Mother's Nature and Strength have been almost spent: a Pain almost as violent as that of the *Cholick* or *Illiac Passion* seizes the Region of the Stomach, and sometimes it comes a little lower, and then violent Vomitings follow, and the Matter which is cast up is sometimes yellow, and sometimes green. And moreover (which I have often observ'd) there is a greater Dejection of Spirit and Desperation, than in any other Disease



whatever. After a day or two the Pain goes off, and returns again a few Weeks after as violently as ever. Sometimes it is accompany'd with the *Jaundice*, which is very visible, and which goes off of its own accord in a few days. When all the Symptoms are gone off, and when the Patient seems very well, the smallest Disorder of Mind, whether it is occasion'd by Anger or Sorrow (to both which in this case Women are very prone) almost recalls the Pain. The same may be said of Walking, or any other Exercise used too soon; for by these means Vapours are raised in a weak and lax Habit of Body: when according to the vulgar Opinion, I say, Vapours are raised, whether they be so or no, or whether they are Convulsions of particular Parts, the *Phænomena* may be solved either way. These Vapours, or Convulsions, when they have invaded this or that Region of the Body, produce Symptoms agreeable to the Parts they invade; and tho they are one and the same Disease every where, yet they cunningly resemble most of the Diseases Mankind are exposed to: which is manifest from this Symptom, which when it seizes on the Parts near the *Colon*, imitates exactly the *Bilious Cholick*; which is also apparent in many other Diseases of the Body afflicted with this Disease. For instance, sometimes it seizes one of the Kidneys with a violent Pain, from whence arises violent Vomiting; and being oftentimes convey'd by the Passage of the Ureters, it resembles the *Stone*, and being exasperated by Glisters, and other Lithontriptick Medicines used to force away the *Stone*, it afflicts the Sick in the same manner a long while, and sometimes (contrary to its Nature, for left to it self it is no way dangerous) kills the Patient. Moreover, I have seen Symptoms occasion'd by it resembling exactly the *Stone* in the Bladder. I was called up not long ago in the Night to visit a Countess my Neighbour, suddenly seized with a violent Pain in the Region of the Bladder, and with a Suppression of Urine; and having understood that she was subject to many Hysterick Indispositions, I thought the Disease was not what they imagin'd it to be: and therefore I would not permit her Maid to inject a Glisten she had prepared, lest thereby the Disease should be increased; and instead of this and Emollients, *viz.* Syrup of Marsh-mallows, and the like, which the Apothecary had brought, I ordered an Anodyne, which soon removed



removed the Symptom. And indeed there is not one part of the Body quite secured from the Assaults of this Disease, whether they are inward or outward, as the Jaws, Hips, and Legs; in all which it excites violent Pain, and when it goes off leaves a Tenderness behind, which will not bear touching, just as if the Flesh was bruised with violent Strokes.

But now seeing I have said something by the by, appertaining to the History of the *Hysterick Cholick*, lest it should be mistaken for the *Bilious Cholick*, I will transiently touch on some things relating to the Cure of the Symptom of Pain which accompanies it; for the perfect Cure which takes off the Disease by removing the Cause, comes under another Speculation, and belongs to another place.

Bleeding and Purging repeated, which are plainly indicated at the beginning of a *Bilious Cholick*, are not to be used here, unless in the Case to be mention'd by and by: for Experience teaches, that the Pain is exasperated, and that all the Symptoms increase by reason of the Tumult which those things occasion. And I have more than once observed, that the Repetition of the gentlest Glysters has brought on a long Series of Symptoms; and Reason as well as Experience dictates, that this Disease is rather produced by an inordinate Motion of the Spirits, than by vicious Humours, if we consider what things most commonly occasion it: and they are such as these; large and unnecessary Profusions of Blood, violent Motions of the Body and Mind, and the like; all which forbid those Medicines that may occasion a greater Disturbance of the Spirits, and instead of them Anodynes are to be used, tho the green and ill Colour of the Matter vomited up seems to indicate the contrary; for the Speculation of Colours is too nice to authorize those Evacuations, which we find *ipso facto* injurious: and I do not at all doubt that this Disease (which tho it occasions violent Pain, is no way mortal) has proved deadly by reason of the Errors committed on the belief of such Speculations; and besides, if any one should give the strongest Vomit to day, to eject that which he supposes to be the Occasion of the Disease, yet the next day the Sick would vomit up full as green, or of some other ill colour, as was the former.



But it is to be noted, that there is sometimes so great a quantity of Blood and Humours, which so oppose the Operation of the Anodyne, that tho it is often repeated, it cannot stop the Tumult till the Patient is blooded and purged; which I have observed in Women of a very sanguine Constitution, and in Viragoes. If the Case is so, Bleeding or Purging, or perhaps both, must make way for the Narcotick; for either of these being used, a moderate Dose of the Narcotick will perform the business, which otherwise would signify nothing, tho the largest Dose was given. But this seldom happens, and then these Remedies must not be repeated; which being premised, when there is need of them, you must proceed in giving Anodynes in that Method which I have proposed in the *Bilious Cholick*, and they must be repeated according to the degrees of Pain; which Method indeed respects only the Symptom of violent Pain; for I do not now undertake to treat of that Method which takes off the Cause. But because this Disease in hypocondriacal, as well as hyfterick People (for the Reason is the same in both, as shall be said in another place) often ends in the *Jaundice*; and as this comes on, that goes off: we must take notice, that in curing this kind of *Jaundice*, all Purges are either wholly to be omitted, or if they are given, you must use only Rhubarb, or some other gentle Purge; for there is danger, lest by purging, new Tumults should arise, and so all the Symptoms return: and therefore in this case nothing must be done presently, seeing the *Jaundice* taking its rise on this account, commonly lessens of its own accord, and quite vanishes in a little time. But if it continues a long while, and seems to go off difficultly, Remedies must be taken for it. I use the following:

Take of the Roots of Madder and of Turmerick, each one Ounce; of the greater Celandine, and of the Tops of the lesser Centaury, each one handful: boil them in equal parts of Rhenish Wine and Fountain Water to a Quart. In the strained Liquor dissolve two Ounces of the Syrup of the five opening Roots; mingle them, make an Apozem: let the Sick take half a Pint Morning and Evening till he is well.




## *Of the Epidemick Constitution of 1673, &c. 151*

But if the *Faundice* comes of it self, the *Cholick* not going before, it is necessary, besides the Alteratives just mention'd, to give *Cholagogues*, that is, such things as purge *Choler* by Stool, viz. once or twice before the Patient enters on the Apozem prescribed, and afterwards once a Week as long as he takes it.

*Take of the Electuary of the Juice of Roses two Drams ; of Rhubarb finely powder'd half a Dram ; of Cream of Tartar one Scruple : make a Bolus, with a sufficient quantity of Syrup of Rhubarb, with Succory : give it early in the Morning, and let the Sick drink on it a small Draught of Rhenish Wine.*

But if, notwithstanding the constant use of these things a long time, the Disease continues obstinate, the Patient must drink *Tunbridge-Waters*, or the like, from the Fountain every Morning till he recovers. And so much for the Diseases of this Constitution.



## S E C T. V. C H A P. I.

### *Of the Epidemick Constitution of part of the Year 1673, and of the Years 1674, 75.*

**A**BOUT the beginning of July 1673, another sort of *Fever* began, but was not very epidemical, the Constitution being not as yet wholly disposed to it ; for the Diseases of the foregoing Constitution were not quite excluded: for that sort of *Small-Pox* was not gone off, which began to invade the Year 1670, but they did not happen so often, and their Symptoms were milder : so that both these Diseases kept pace in a manner with one another, but neither of them were very raging; the former Constitution being not so perfectly extinguished as yet, that no Diseases belonging to it should appear, (for a few *Dysenteries* remained) nor was the new one so confirmed, as to produce such as were able to expel all the rest.



And all this Autumn and Winter the *Small-Pox* kept pace with this *Fever*, but neither Disease was very raging; and in the mean while the *Bloody-Flux* was in a manner extinguished: but in *November* following, after a hard Frost that continu'd some days, the Weather, contrary to expectation, was hotter than ever I knew it at that time of the Year; and a little before, and about *Christmas*, the *Bloody-Flux* was here and there a little, but it seemed to be expiring, and soon after it went quite off, at least this sort of it.

Very early the following Year, viz, in *January*, the *Measles* invaded, and were as epidemical as those were which began almost at the same time of the Year 1670. for they visited almost every Family, especially all the Children, but they were not so regular as those which reign'd in the aforesaid Year: but I shall say more of the difference betwixt them, when I come to treat more particularly of these; they increased more and more daily till the *Vernal Equinox*, and then they decreased gradually, and vanished a little after *Midsummer*.

And as the *Epidemick Measles*, which invaded at the beginning of the Year 1670, introduced the *Black Small-Pox*; these, in like manner, being as epidemical as they, came at the beginning of this Year, and were also accompany'd with a sort of *Small-Pox* that were like them: for whereas (which was noted before) the *Small-Pox* of the preceding Constitution, after the first two Years, sent forth Pustles that were less and less black, and that moreover by degrees grew bigger and bigger, till about the end of 1673 they were gentle and benign as to their kind; now they returned, being accompanied with the worst Symptoms, and their wonted Fierceness. This sort of *Small-Pox* prevailed the next Autumn, and longer than ordinary in the Winter, for the unusual Warmth of it favoured this Disease; but when the Season grew colder, they abated, and gave way to the *Fever* that now prevailed.

This *Fever*, that had continued all the Year, was very epidemick at the beginning of *July* 1675. but towards Autumn it began to turn in on the Bowels, sometimes appearing with the Symptoms of the *Bloody-Flux*, and sometimes with those of a Looseness; tho sometimes it was accompanied with neither, but seizing the Head, it render'd the Sick stupid. The *Small-Pox* in mean while, which  
seizes



seizes here and there a few, quite vanished about the *Autumnal Equinox*; for now the *Fever* prevailing over the other Epidemicks, possess'd the Government. Yet it is to be observed, that this *Fever* being prone to put off the morbidick Matter upon the Bowels, which sometimes occasioned the *Bloody-Flux*, but oftner a Looseness; 'twas vulgarly suppos'd, that the *Gripes* were the destructive Disease, whereas they were really to be imputed to the *Fever*: for every one knew that had the Care of the Sick, how prevailing the *Fever* was, and that the *Bloody-Flux* and *Looseness* were rather Symptoms than essential Diseases.


This *Fever* held this course all the Autumn, sometimes seizing the Head, sometimes the Bowels, raging every where under the disguise of Symptoms happening to those Parts, till the end of *October*: at which time the Season, which till then was warm, and like Summer, presently changed to cold and moist; on which account *Catarrhs* and *Coughs* were more frequent than I ever knew them at any other time. But that which was of greatest moment, the stationary *Fever* of this Constitution was wont to come upon these *Coughs*, and took occasion from hence to rage more and more, and so vary some of its Symptoms: for whereas a little before it fell, as was said, most commonly on the foresaid Parts, now it seiz'd chiefly the Lungs and Pleura; upon which account *Pleuritick* and *Peripneumonick Fevers* were occasioned; and yet it was the very same *Fever* that began in *July* 1671, and continued without any alteration of its Symptoms till the *Catarrhs* broke out.

These *Catarrhs* and *Coughs* continued to the end of *November*, but afterwards they lessen'd of a sudden; but the *Fever* continued the same as it was before the *Catarrhs* shew'd themselves, tho it were not quite so epidemical, nor accompanied with the same Symptoms; for both of these depended accidentally on the *Catarrhs*: but when the *Catarrhs* went off, the *Small-Pox* began to break out here and there, exactly of the same kind with those of the preceding Year. But now, when they had passed the second Year, the Symptoms were not so violent as when they first invaded. How long this Constitution would continue, I cannot say; but this I certainly know,



know, *viz.* That hitherto it has been irregular, and that all the Diseases of it were so also.

I will now treat of the Epidemics of this Constitution in the same order they follow'd one another.



## CHAP. II.

### *Of the Continual Fever of the Years 1673, 74, 75.*

**T**HIS, as other Epidemics, was accompanied with Symptoms at the beginning, which shew'd plainly, that the Inflammation was then greater, and more spirituous than when the Disease had continued longer: for the first Year it invaded, as also in the following Spring, pleuritick Symptoms came upon the *Fever*, and the Blood taken away (especially the first or second time) was like the Blood of *Pleuriticks*; but in time the Signs of intense Inflammation ceased.

Besides the Symptoms common to all *Fevers*, these follow'd this *Fever* most commonly; the Sick was seized with a violent Pain of his Head and Back, also with a Numbness and tense Pain of the Joints and Limbs, and whole Body, but it was gentler than in a *Rheumatism*. On the first days, Heat and Cold succeeded one another, and sometimes at the beginning the Sick was prone to small Sweats.

The Tongue, when the *Fever* was left to it self, was neither dry, nor much different from the natural Colour, only it was whiter, and the Sick was not very thirsty; but if he was heated beyond the ordinary Condition of the *Fever*, the Tongue was very dry, and of a deep yellow Colour, the Thirst was increased, and the Urine, which otherwise was almost of the natural Colour, was very red.

The *Fever*, accompany'd only with these Symptoms, if it was well managed, left the Sick on the fourteenth day; but when it was very obstinate, it continued to the one and twentieth day.

Among



Among the Symptoms of this *Fever* there was one like a *Coma*, wherein the Sick became stupid and delirious, and sometimes he slept for some Weeks, and could be roused only by a great noise; whereby being difficultly waked, he would at length open his Eyes, and having taken either a Medicine or Drink, he fell asleep again, which was sometimes so profound, that it ended in loss of Speech.

He that was so affected when he came to himself, began to recover on the twenty eighth or thirtieth day; the first sign whereof, was the desiring some unusual or absurd kind of Meat or Drink: the Head of the Person that was recovering was weak for some days, and would nod sometimes this way, sometimes that. There were also other signs that shew'd the Head had been much disorder'd; but as the Strength returned, this Symptom went off.

Sometimes the Sick did not sleep, so much as rave silently; but he would sometimes speak incongruously, as if he were angry, but the Fury was not so much as is usual when People are light-headed in the *Small-Pox*, and other *Fevers*; and it was different also on this account, because he slept abruptly betwixt whiles, and snorted much. Moreover, tho' this Symptom was not so acute as the other, yet was it more lasting, and it happened most commonly to Children, or to those that were not full grown; whereas that befel grown People chiefly: but in both, if hot Medicines were taken, and Sweats forced, the Disease was soon translated to the Head, and the said Symptoms were occasioned.

But when the Symptom neither came of it self, nor was forced by Medicines, the Disease went off most commonly within fourteen days, and sometimes in three or four days, as I have seen sometimes.

In Autumn 75, as we said before, the *Fever* endeavour'd to go off by a *Dysentery*, and sometimes by a Looseness; the latter of these especially did often come, the *Stupor* yet remaining: but both of them, according to the best Observation I could make, were nothing but Symptoms of the *Fever*.

As to the Cure of this *Fever*, when it first began in July 1673, I presently found, by the various *Phænomena* they were very different from those which accompany'd the preceding *Fever*, and also because it did not yield to purging, whereby I successfully cured all the



Fevers of the foregoing Constitution, that it was plainly of another kind ; and I was longer in finding out the Species of it, than I used to be : and therefore I was very thoughtful to know which way I should proceed with it ; for when this Fever first broke out, it had no Contemporary Epidemick, by whose Genius I might find out the Nature of this. For the Small-Pox, as I said, which accompany'd it, were the Relicks of that black fort which invaded in the Year 1670, and were now very gentle, and going off in a manner ; therefore I had no other way, than to enquire carefully of the Disease, as it stood alone by it self, and observe what did good or harm. The violent Pain of the Head, and the Propensity of this Disease to cause Pains in the Sides ; also the Blood, which was like that of *Pleuriticks*, shew'd plainly, that there was a great Inflammation in this Disease, and yet it would not bear that large Evacuation which was requisite in a Pleurisy : for the Blood, after the first or second Bleeding, was not of the colour of Glue, and the Sick was relieved by Bleeding repeated, unless perchance the Disease turn'd to a Pleurisy ; and so it did sometimes after too hot a Regimen, especially the first Spring it invaded, viz. in the Year 1664. at which time being further'd by the Heat of the Sun, (for as yet it was young and more spirituous than afterwards) it seem'd to incline to a *Peripneumonia* : but when by repeated Experience and Examples I was deter'd from Bleeding, tho it was very plain that this Fever, especially at its first coming, was very inflammatory ; nothing now remained whereby its Heat might be extinguished, besides Glisters often repeated, and cooling Medicines. But besides the Symptoms plainly shewing an Inflammation, the *Phænomenon* of Unsensibleness, which was more common in this Fever than in any other, wholly indicated, that Glisters were to be repeated often, whereby the febrile Matter which was so apt to seize the Head was diverted from it : moreover, they were substituted in the room of Bleeding repeated, which did not well agree with the Nature of this Disease ; and they did supply the defect of it by gently attemperating the Heat of the Blood, and by expelling the morbid Cause. Moreover, I judg'd that large Blisters applied to the Neck would be of greater use in this Fever than in others, wherein the febrile Matter did not so much seize the Head :



Head: For by the violent Heat and Pain which the said Blisters are wont to occasion in the part they are applied to, the Matter, which would otherwise seize the Head, fell upon the pained part; by these and a cooling Regimen, at length the Disease went off as it were naturally, and of its own accord, how much soever it raged when it was treated by a different Method, as was manifest to me by too many Experiments.

I proceeded therefore in the following manner: I took special care to bleed in the Arm, and I took away such a quantity of Blood, as was agreeable to the Strength, Age, and other Circumstances of the Patient, and almost at the same time I applied a larger Blister to the Neck. The next day I injected a lenitive Glisten so early, that the Tumult occasioned by it might be quieted before Night, *viz.* I order'd it should be injected at two or three a Clock: I repeated this Glisten every day till the Disease abated; at which time, I suppose, it was to be omitted, and before, if the Fever continued longer than fourteen days, and grew old. In which case, tho it was not abated by the preceding Glistens, yet I thought it was to no purpose to continue them longer; for the Force of the Disease being blunted by the foregoing Ebullition, and the Sick out of danger, the violent Symptoms being abated, the Disease was to be left to its own Genius, to go off leisurely of it self; which always succeeded better with me, than the endeavouring any violent Evacuation. At this time I only forbid the Sick eating of Flesh, but I let him drink as much Small-beer as he would.

Another thing remains, which because I have found by much Experience that it has been very beneficial to the Sick, I must not pass it by, whilst I am describing the Regimen of this Disease, *viz.* That the Sick must keep up a-days, at the least for some hours: but if the great Weakness of the Sick forbids it, he must at least put on his Clothes, and lie on the Bed with his Head raised high. For when I had consider'd with what violent Force the Fever was carry'd to the Head, and also the inflammatory Disposition of the Blood, I thought the Sick might receive some benefit by the Position of his Body, *viz.* if it were such, as that the Heat might not at all be increased by things that cover'd him (which could not be avoided if he were kept continually in Bed) nor the Force of the  
Blood



Blood tending to the Head promoted; for thereby the Heat of the Brain would be increased, and consequently the animal Spirits heated and exagitated, whereby the beating of the Heart would be more violent, and the Fever increased.

But how beneficial soever it is in all Fevers that partake of a great Inflammation, to keep the Patient from Bed for some time, yet it must be noted, that if they are kept up too long at once, especially at the Declination of the Disease, they are apt to have wandring Pains, which may end in a Rheumatism; and sometimes the Superficies of the Body is seiz'd with the Jaundice. If these things happen, the Sick must be put to bed, that the Pores being opened, such Particles may be carry'd off, as occasion either of these Diseases: but the Sick must be kept in bed only a day or two, and Sweat must not be provoked. But these Accidents are very rare, and never come but at the Declination of the Fever; at which time the Disease being abated, it is much safer to permit the Sick to lie continually in bed, than either at the Beginning or State: for at this time it does more good in digesting the febrile Matter, which if the Sick be confined to his Bed too soon, will be more enraged and fired.

If any one should here object, that this Method, tho it be proper enough to refresh the Sick, and to hinder the Fever's seizing the Head, yet it is not convenient, because it stops the Evacuation by Sweat, whereby the febrile Matter now concocted should be ejected: I answer, That the Opponent says nothing to the purpose, unless he can produce Arguments to prove, that such an Evacuation is necessary in Fevers, which is not easy for him to do; for Experience teaches, not Reason, what kind of Fever is to be cured by Sweats, and which by Purging, and the like: yea, we may suppose, that there are some sorts of Fevers, which Nature cures by a peculiar Method of her own, without any visible Evacuation, *viz.* by reducing and assimilating the morbidick Matter to the Mass of Blood, wherewith it did not so well agree: for which reason I have often, as well in this kind of Fevers as in others, if they were not intermittent, reduced them to order presently at their beginning, before the whole Blood was infected, by ordering only Small-beer to be  
drank



drank at leisure, and by forbidding the use of Broths of any kind, permitting in the mean while accustom'd Exercise, and the free Air, without so much as once using any Evacuation. Truly I have cured my Children and Friends only by fasting two or three days: but this Remedy must be used only in young People, and such as are of a sanguine Temperament.

But if we should grant, that Nature could not overcome that Disease by any other Method than by Sweats, it must be understood such Sweats that come at the latter end of the Disease, and after previous Digestion, but not those that are forc'd out on the first days of the Disease, which proceed from the interrupted Oeconomy of raging Nature: I suppose such Sweats are not to be promoted, but the Tumult from whence they arise is to be quell'd. But such kind of Sweats are wont to accompany many Fevers, tho not all; yet I know very well, that some sorts of Fevers naturally require this kind of critical Sweat at their declination: such are particular Fits of Agues, the greatest and most frequent Fever of Nature proceeding from that Constitution which wholly favours the Epidemick Production of Agues; for if any Method be insisted on, which does not tend first to the Digestion of the morbidick Matter, and afterwards to the ejecting of it by Sweat, the Disease will be encreas'd: wherefore no Evacuation ought to have place here, only as they suppress the Violence of the Disease at first, lest the Sick die of the Physick. Moreover, the cause of a Pestilential Fever, which is very thin and subtile, may be carry'd off by Sweat on the first days of the Disease, as Experience every where testifies.

But in these Fevers, if they are permitted to follow the ordinary Course of Symptoms, and their own Genius, we never see that Nature is wont to evacuate the morbidick Matter, now prepar'd, at an appointed time. I think he is therefore very rash that goes about to force the Disease by provoking Sweat, and to cure the Patient by that Method alone; whereas the divine old Man says, *That 'tis in vain to do any thing contrary to Nature's Inclination.* I think this ought to be taken notice of in this particular Fever, of which we now treat, which by frequent Experience I know may be cured without Sweat; and that the Patient, when we endeavour unseasonably to force it, is  
often



often brought into great danger, without any necessity; from the morbidick Matter translated to the Head. But neither in this Fever nor in any other, even in those which are not wont to go off by critical Sweats; if perchance a Sweat of this kind comes of its own accord, when the Disease is abating, which we suppose, by the Remission of all the Symptoms, proceeding from a due Concoction, no prudent Physician will condemn it; but when it does not come of it self, how can we certainly tell that we may not kill the Man, whilst we endeavour to dispose the Humours to Sweat by a hot Regimen, and hot Cordials? If any one by chance stumbles upon a Treasure, he would be a Fool if he should not stoop down to take it up; but he must be accounted a Fool, who having once lit on such a good Fortune should spend all his time, and hazard his Life in seeking for such another Booty. But howsoever it be, it is clear to me, that the Fever alone has Heat enough of it self; nor needs it any greater Heat from abroad, by any hot Regimen, to prepare the febrile Matter for Concoction.

I have found that the foresaid Method, by Bleeding and Glisters, has been excellently successful in the Cure of this Fever; but that when it was provok'd by Diaphoreticks, it had not only irregular Symptoms, but the end was always doubtful. Among the Symptoms, was that tacit *Delirium*, which did not shew it self so much by talking wildly, as by a *Stupor* like a *Coma*; which, as we said, frequently happen'd in this Fever. This Symptom (tho sometimes I have seen it come of its own accord) is most commonly occasion'd by the Over-officiousness of Nurses provoking Sweat: for by this means the morbidick Matter, which refuses to yield in this kind of Fever to Sweats, is violently exagitated, and at length flies up to the Head, to the great hazard of the Sick.

I heretofore mention'd in the Cure of a Fever of another Constitution, that in the last Years of it such a kind of *Stupor* now and then invaded Children especially, and Striplings; but it was not so much, nor altogether so Epidemick, as was that which accompany'd this Fever: and I could neither tame this nor that, tho I did all I could by Bleeding repeated, not only in the Arms, but also in the Neck and Feet, by Blistering Plasters, Cupping-Glasses, Glisters, Diaphoreticks of all kinds, and the  
like.



like. At length I resolve, after Bleeding in the Arm, and the applying of a Blister in the Neck, and the injecting of two or three Glisters of Milk and Sugar on the first days of the Disease, to do nothing else; only I forbid Flesh, and all spirituous Liquors. In the mean while I attended on Nature's Method; and following her Footsteps, at length I learned how to conquer this Symptom, for the Disease went off safely, tho slowly: therefore I thought I must persist in this Method in all the Fevers, which afterwards I had to do with; which indeed seems to me of great moment, if we respect the Greatness of the Symptom, and the Event which is always good: and truly I sometimes thought that we could scarce proceed too slowly in driving away Diseases; and that we should proceed slowly, more being very often to be left to Nature than is now generally to be imagin'd: For he is much in the wrong, who thinks that Nature always wants the help of Art; for if so, she would take less care of Mankind than the Preservation of the Species requires. For there is no manner of Proportion betwixt the Multitude of Diseases, and the Ways of Cure, which have been used even in those Ages wherein the Medicinal Art has been most cultivated. What may be done in other Diseases I know not, but I am sure that in this Fever, whereof we now treat, the said Symptom, notwithstanding general Evacuations, I mean Bleeding and Glisters, was conquer'd successfully by Time alone.

We said before, that the Signs of Recovery were most commonly defer'd to the thirteenth day, *viz.* when the *Stupor* was much, and when the Sick was sometimes speechless; afterwards he earnestly desir'd some odd or absur'd sort of Meat or Drink, the Ferment of the Stomach being much vitiated by the Continuance of the Disease. In this case, tho the Weakness of the Patient requir'd such things as would strengthen him, yet I willingly allow'd those things that were not so proper for him, if they pleas'd the Palate.

In September 1674, I visited the Son of Mr. Nott, a Bookseller, being about nine years of Age; he had this Fever, and the Symptom now mention'd: having blooded him in the Arm, and injected Glisters for the first days of the Disease, I would not comply with the Importunity of the Mother, who earnestly urg'd, that I would hasten



the Business, which I thought I could not do with Safety: Therefore having gain'd a truce, I order'd nothing but a common Julep to please the Mother; and when on the thirtieth day he began to recover, he earnestly desir'd several odd things, and for that reason they were permitted, tho otherwise they ought not to have been allow'd: and so at length he recover'd.

But tho this *Stupor*, of the nature of a *Coma*, was more frequent in this Fever than other Symptoms; yet sometimes, tho rarely, a Phrensy without *Stupor* invaded some, and the Sick lay awake Night and Day, and could be govern'd by no means; and there were other Symptoms like those which molested such as are frantick in other Fevers, and in the Small-Pox. This Symptom would not bear a truce, as the Comatose Symptom now mention'd was wont to do, till Digestion was made; but kill'd the Patient in a few days, unless the Inflammation was restrain'd; and in this case Spirit of Vitriol did better than other things, which after Bleeding, and the Injection of a Glister or two, I order'd to be dropt into Small-beer for the ordinary Drink, and in few days it dispos'd the Sick to rest, having conquer'd the Symptoms, and cur'd the Patient, which indeed I was not able to do by any other Method: and this was manifest to me by repeated Experience.

In Autumn 1675. Dysenterick Stools, and sometimes a Looseness came upon this Fever: I presently found that these were Symptoms of the Fever, and not original Diseases, as in the preceding Constitution; and yet notwithstanding, seeing the cause of the Disease was contain'd in the Mass of Blood, Bleeding was indicated, which indeed, a Narcotick being given twice after it, was able to quell this Symptom.

In September 75. Mrs. Conysby, dwelling near the *Meuse*, sent for me: She was seiz'd with this Fever, and suddenly with Gripes, and afterwards with bloody and slimy Stools. Tho she was much weakned by the Continuance of the Disease, especially by frequent Stools, wherewith she was tired the foregoing Night; yet I order'd her to be blooded in the Arm, and a little while after I gave her a Narcotick: afterwards, that very night, the Stools became thick; and the next Morning and Evening I repeated the said Narcotick, having also order'd a moderate  
Cordial



Cordial to refresh her Spirits; and by this means she presently recover'd.

As to the Looseness which happen'd often to this Fever about this time of the Year, it did not cause much trouble: and because it did neither good nor harm, so far as I could perceive, whether there was a *Stupor*, or whether there was none, I could not take any curative Indication from it, if it did not exceed the Bounds, so as the Patient's Life was not endanger'd thereby; if it did, an Anodyne was certainly indicated; and for this reason only the use of Anodynes was to be approv'd thro the whole Course of this Disease: For the great Propension in this Fever to a *Stupor* was encreas'd thereby; and therefore unless there was absolute Necessity, they were never to be used.

It is to be noted, that often in this Fever, and in others, those that recover'd, especially such as had been much wasted by them, and requir'd long and great Evacuations for their Cure (especially if they were of a weak Constitution) as they lay in their Beds a-nights, first grew hot, and afterwards sweat much, and so were much weaken'd; and for this reason recover'd difficultly, and some fell into a Consumption. I perceiv'd this Symptom proceeded only from the Blood impoverish'd and weakened by the continuance of the Disease, so that it could not assimilate the Juices newly taken in, but endeavour'd to eject them by Sweat; wherefore I order'd that they should take three or four Spoonfuls of old *Malaga* Wine, Morning and Evening, by the use whereof they recover'd Strength, and Sweats went off. And so much for the continual Fever of this Constitution, which by reason of the great *Stupor* which most commonly accompany'd it, I call *Comatose*.





## C H A P. III.

*Of the Measles of the Year 1674.*

**A**T the beginning of the Year, in *January* 1674, a sort of Measles broke out, which were different from those that invaded in the same Month in the Year 1670. and were as Epidemical as they, but not so irregular, nor did they so constantly keep their Types; for they came out sometimes sooner, sometimes later: whereas the Eruption of the other sort was always on the fourth day, reckoning from the first Invasion. Moreover they first possess'd themselves of the Shoulders and other parts of the Trunk, whereas the other first began in the Face, and crept by degrees over the rest of the Body: Nor could I observe but very rarely those Scales of Skin, like Bran sprinkled, when the Measles went off, which was as certainly seen in the other sort as after a Scarlet-Fever; and besides they were more mortal than the former, when they were unskillfully manag'd: for the Fever and difficulty of Breathing that used to follow the Measles were more violent, and more like a *Peripneumonia*, than in the other kind. Tho these Measles were irregular as to the Symptoms now mention'd, yet in the general, the Description that we made of those in the Year 1670. well enough agreed with these; and therefore it is needless to repeat the same here. These, as the former, increas'd till the Vernal Equinox, and then decreasing, vanish'd at the approach of the Summer Solstice, or soon after.

Seeing the Method of Cure was scarce any whit different from that which I have handled already in the History of the Measles, to which I refer you; I will mention only one Observation (according to my Custom) of the Method I use in this sort of Measles.

The most virtuous Countess of *Salisbury* sent for me in *Feb. 74*, to one of her Children, which was then sick, and presently the rest, (they were five or six.) I used the




*Of the Measles in the Year 1674.* 165

the same Method to them all : I order'd them to keep their beds two or three days before the Eruption, that the Blood, according to its own Genius, might cast out thro the Pores the Particles that were easily separated, which occasion'd the Disease ; but I did not permit that they should have any more Clothes on, or Fire, than they used to have when they were well. I forbid the eating of Flesh, and allow'd them Oatmeal and Barley-broths, and now and then a roasted Apple, and for their Drink Small-beer, and Milk boiled with three parts of Water ; and when the Cough was troublesom, as was usual, I prescribed a Pectoral Pilsan to be taken often. They recover'd with this Method in the short time this Disease is wont to finish its Course ; nor were they troubled thro the whole course of this Disease, nor when it went off, with any other Symptom than what is frequent in this Disease.

In the first two Months that this sort of Measles appear'd, a Measly Fever here and there interven'd, in which some Pimples broke out in the Trunk of the Body, especially in the Neck and Shoulders, like the Measles, but they were distinguished from them, because they did not seize the whole, being confined to those Parts we now mentioned.

But the Fever, tho it was plainly of the same kind, was more violent, and continued fourteen Days, and sometimes longer ; it neither bore Glisters nor Bleeding, being enraged by both : but the Method for the Measles agreed with it. And so much for the Measles.



C H A P. IV.

*Of the Irregular Small-Pox in the Years  
1674, 75.*

AS the Epidemical Measles breaking out in the beginning of the Year 70, introduced the black Small-Pox, which we described then ; so these, which were no less Epidemical in the Year 74, usher'd in this sort of Pox,



so like the other, that they seemed to be the same revived, not a new sort: For whereas, as was said, in the former sort of the *Small-Pox*, after the first two Years, the Pustles were daily less black, and they grew bigger by degrees, till the end of the Year 73, and then the Disease, that was gentle and favourable for such a sort of *Pox*, returned again with its former Violence, accompanied with an unlucky Train of ill Symptoms; for the Pustles were as black as Soot when they fluxed. The Patient did not die till they came to maturity, for before they were ripe they were only of a brown colour, and if they were numerous, they were very small; for when they were very few, they were no less than in other sorts of *Pox*, and seldom black. In a word, they were very like those we described in the Year 70, yet they differed from them in some few things, which truly discovered a greater Putrefaction in these than in the other, and that they were of a more gross nature, and harder to be concocted; for when they were ripe they stunk worse, so that I could scarce come near those that had them much, by reason of the Stink, and they were slower in finishing their Course than any sort that I have yet seen.

It's worth while to note, that the milder the sort is, the sooner the Pustles come to maturity, and the sooner the Disease goes off; so in the regular sort of Flux-Pox, which began in the Year 67, the eleventh Day was most dangerous, which being once past, the Patient was most commonly free from danger. In the next sort of Flux-Pox, which were irregular, and began in the Year 70, the Patient was in greatest danger on the 14th Day, or at farthest on the 17th, and if he survived these he was safe; for I never knew any one die of this Disease after that day. But in this sort of Flux, the Patient died after the twentieth Day; and sometimes if he recover'd, which very few did, his Legs did not only swell, which is common in all sorts of Flux-Pox, but also the Arms, Shoulders, Thighs, and other parts; which Tumours began their Tragedy with intolerable Pain, like a Rheumatism, and afterwards commonly suppurated, and ended in cavernous Ulcers, and Imposthumes of the Muscular Parts, so that the Patient was in danger of his Life many days after the *Small-Pox* was off, whereby I clearly perceived  
by



by what degrees this Epidemick Disease advanced thro these three Constitutions, whereof the latter was always worse than the former, as to the greater Putrefaction, and by reason the Matter was harder to be concocted.

But the *Small-Pox* whereof we now treat, seem to be a new Species springing from the former waxing old: for tho according to the Disposition of the Air, producing this Epidemick, the black *Small-Pox*, which first broke out in the Year 70, came to their Declination, yet like the Relapse of a Disease occasion'd by the old Matter fermenting afresh, the Air being again disposed for the Production of the *Small-Pox*, fetch'd them from the old Store; which Disease being renew'd, and having got strength again, plainly revived, and as it were grew young. And these were so much the more irregular, and had so much the more intense Putrefaction, by how much the Matter from whence they were generated was grosser and more feculent, than that from which the former took their rise. Now that this may be more apparent, we must by no means think that it is necessary to suppose such a kind of Disposition in the Air, which should produce such an Epidemick in this place, and another very different in another not far distant: for if it should be so, and so it is sometimes, every Motion of the Wind would be able to scatter a Constitution. But it seems more probable to me, that this or that particular Tract of Air is filled with *Effluvia* proceeding from some mineral Fermentation, which contaminating the Air, they pass thro with Particles destructive sometimes to one sort of Animals, sometimes to another; and they so long propagate Diseases appropriated to the various Affections of the Earth, till that subterraneous *Minera* of Vapours is expired, which may likewise ferment afresh from the Reliques of the old Matter, as in the Case now mention'd: but it is all one to me, who do not pretend to any thing more than what is clear from the thing it self, whether this or any other Hypothesis best solves the *Phænomena*. This at least I know, that the *Small-Pox*, which I now treat of, were very like those of the preceding Constitution, only they seem'd to be of a more gross Nature, and of a much more intense Putrefaction: for which two Reasons, when they fluxed very much, they destroyed more than any other sort I ever knew, and in



my opinion they were as mortal as the Plague it self, for the number of the Sick; tho when they were distinct, they were not more dangerous than any other sort whatever, and they discovered themselves to be favourable by the Largeness of their Pustles, their Colour, and other good Circumstances.

As to the Cure, I have long wondred at those quite contrary Indications, which this Disease seem'd to hint: for it was very manifest, that the Symptoms which proceed from too great an Inflammation were immediately occasion'd by a hot Regimen, as a Fever, Phrensy, Purple Spots, and the like, to which this Disease is inclined above all others; and on the contrary, too cold a Regimen hinders the swelling of the Face and Hands, which was very necessary, and render'd the Pustles more flaccid. After I had a long time carefully thought on these things, at last I found I could prevent both these Inconveniences at one and the same time; for by allowing a free Use of the Milk-water, Small-beer, and such Liquors, it was in my power to bridle the Rage of the Blood; and on the contrary, I could promote the Elevation of the Pustles, and the Swelling of the Hands and Face, by keeping the Patient continually in bed, and by the gentle Heat thereof, not suffering him to put out his Arms. Nor does this Method contradict it self; for it is to be supposed, that after this Eruption is finished, the Blood has cast out the inflamed Particles to the Habit of the Body, and that it wants no Provocative to a farther Secretion of the Matter: so that now, whereas the chief Business is perform'd in the Habit of the Body, and in ripening the Pustles, this is only to be minded, to wit, that it be sufficiently defended from those hot Vapours that may chance to be struck in, by reason the Skin is crusted with the Pustles; but as to the Pustles, they are to be brought to maturity by the gentle Heat of the external Parts. Now tho this Method succeeded well in the other Flux-Pox, as I said before, yet it failed me in these of this Constitution; so that most of those died that were very full, whether they used my Method, or a hot Regimen and Cordials: and therefore I was very sensible that there was yet something wanting besides those things that bridled the Ebullition of the Blood, or promoted the Elevation of the Pustles, and the Swelling of the Face and Hands; to wit,



wit, something that might be able to conquer the Putrefaction, which is more intense in this sort, than in any other I have observed. At length I thought of Spirit of Vitriol, which I supposed would resist the Putrefaction, and tame the Rage of the Blood; wherefore leaving the Patient to himself, till the Pain and Vomiting which preceded the Eruption were over, and till all the *Small-Pox* were fully come out; at length on the fifth or sixth day, I prescribed the foresaid Spirit to be dropt into Small-beer, which being made a little acid with it, was to be drank as often as he list, for his ordinary Drink, but more freely when the *Fever* of Maturation approached. I ordered this Drink to be used daily till the Patient was perfectly well.

This Spirit, as if it had been truly Specifick in this Disease, wonderfully assuaged all the Symptoms; the Face swelled sooner, and much higher, the Spaces between the Pustles came nearer a red Colour, and were like a Damask Rose, the very little Pustles grew as large as this sort would permit; and whereas they used to be black, now they cast forth a yellow Matter, in colour like a Honey-comb; and the Face, instead of being black, was of a deep yellow colour: they ripen'd sooner, and finish'd their whole Course a day or two sooner than they used to do. All things were exactly so, if they drank freely of this Liquor; therefore as soon as I perceived the Patient did not drink enough to quell the Symptoms, I mixed the Spirits with a Spoonful of Syrup, or with some distill'd Waters and Syrup, and gave it him now and then, that by this means I might compensate his too sparing use of the Liquor.

I have now reckon'd up the many Virtues of this Medicine, and truly I never found the least Inconvenience in the use of it. Altho it most commonly stopt the Salivation the tenth or eleventh day, yet at the same time some Stools were wont to supply its place, and there was less danger from these than from that. And whereas I have often mentioned, that they which have the *Flux-Pox* are therefore chiefly in danger, because the Spittle being more viscid in those days, is like to choke the Patient; the Looseness prevents this Symptom, and either goes off of it self, or is easily cured by the Milk-water and a Narcotick, when there is no more danger from the *Small-Pox*.



Tho I ordered the Patient to lie a-bed, and to keep his Arms in, yet I would by no means permit that he should have more Clothes on him than he used to have; and I allow'd him the liberty of moving from one part of the Bed to the other as oft as he would, to prevent Sweating, to which he was very prone, notwithstanding this Remedy. He eat Oat-meal and Barly-broth, and sometimes a roasted Apple; and at the latter end of the Disease, if he were weak or sick in his Stomach, he drank three or four Spoonfuls of Canary-wine, and took a Paregorick Draught every Evening, after the fifth or sixth day, to be taken in the Evening earlier than is usual if he were full grown, (for Children had no occasion of it) to wit, I prescribed fourteen Drops of *Liquid Laudanum* in Cowslip-water. I permitted the Patient to rise on the fourteenth day, and on the one and twentieth day I let him blood in the Arm, and purged him twice or thrice; after which he had a better Colour, and look'd brisker than those are wont to do that this Disease has so severely handled. Besides, this Method most commonly prevented those Scars that use to disfigure the Face, which are occasion'd by raging hot Humours that corrode the Skin.

On the 26th of July 1675, the worthy Mr. Elliot, one of the Grooms of the King's Bedchamber, committed to my Care one of his Domesticks, who had this cruel sort of black *Flux-Pox* coming out; he was about eighteen Years old, of a very sanguine Complexion, and was seiz'd of this Disease presently after hard drinking: the Pustles fluxed more than ever I knew any, so that there was scarce any space between them; and I, confiding in the Strength of this excellent Medicine, did not let him blood, tho I was call'd in early enough to have done it; and indeed I ought to have bled him, because this Disease was occasion'd by excessive drinking of Wine. After the Eruption was finish'd, on the fifth or sixth day, I order'd Spirit of Vitriol to be dropt into some stone Bottles full of Small-beer; and this he was to use as often as he would for his ordinary Drink. On the eighth day he bled so much at the Nose, that the Nurse being terrify'd by this Symptom, sent hastily for me. As soon as I came, I perceived this was occasion'd by the immoderate Heat and unusual Force of the Blood; therefore I order'd him to drink a greater quantity of Small-beer impregnated



nated with the foresaid Spirit; whereby the Hæmorrhage was immediately stopt, he spit very plentifully, and the Swelling of his Face and Hands, and the Pustles, proceeded very well. The Disease dispatched its business well enough; only at last some slimy and bloody Stools were somewhat troublesom, which perhaps had not happen'd if I had let him blood when I was first call'd, for the Reason above-mention'd; yet I us'd no other Medicine for the Cure of the *Bloody-Flux*, but the Narcotick, which otherwise I should have ordered every night, if the Symptom had not happen'd whereby its Force being abated till the Pustles went off, afterwards he soon recovered by the taking away a large quantity of Blood from his Arm, and by drinking freely Milk and Water.

About the same time my Neighbour, Mr. *Clinch*, sent for me to two of his Children; one was four Years of Age, and the other suck'd, and was not then half a year old: in both the Pustles were very small, and flux'd mightily. They appear'd first like an *Erysipelas*, and were of the black sort. I ordered Spirit of Vitriol to be dropt into all their Drink, which, notwithstanding their tender Age, they drank without any aversion; and having no worse Symptom, they presently recovered. My very good Friend, Dr. *Mapletoft*, went with me to visit them: he found the eldest upon Recovery, and the younger was then sick of them in the Cradle.


It is to be noted, That as the *Small-Pox* of this Constitution, which did not flux, were very favourable, so had they no need of the Remedy now prescrib'd; but it was sufficient that they were treated according to the Method of the distinct *Small-Pox* above-mention'd.

And now, Reader, I have given you a particular Account of the *Small-Pox*, which tho perhaps every one will contemn, according to the Humour of the Age, yet it has not cost me a little Care and Pains for these many Years together to collect these Observations; and I had not publish'd them now, if Charity towards my Neighbour, and a Design of doing good to others, had not weigh'd more with me than the Esteem of my own Reputation, which I verily believe will be prejudiced on the account of the Novelty of the Subject. And yet I cannot see why any Man should dislike a new Method of curing a Disease not to be found in the Writings of *Hippocrates*




*hipocrates* or *Galen*, unless perchance some place be puzzled by a more difficult Construction: whereas the Cures adapted by the modern Physicians, being not instituted by those two great Luminaries of Physick, are commonly neglected by some, and esteemed by others. And for the same reason it ought not to seem strange, if I have alter'd something in that Method, whereby those Fevers are to be cured, which depend on such Constitutions as are Epidemical with the Small-Pox: For if in the first Ages of the World the Small-Pox never appear'd any where, it follows also, that such Fevers were never any where.

But it is most probable there was no Small-Pox at that time; for if this Disease had been as frequent in old times as it is now, I believe it would scarce have been unknown to the most skilful *Hippocrates*, who better understood, and more accurately described the History of Diseases, than any one that came after him; and he would also, according to his custom, have left us an exact and natural Description of this Disease. Wherefore I conjecture, that Diseases have certain Periods according to the occult and unaccountable Alterations which happen in the Bowels of the Earth, to wit, according to the various Age and Duration of the same. And as there have been other Diseases heretofore, which are either now utterly extinct, or at least being almost wasted by Age fade away, and very rarely appear, (of which sort is a Leprosy, and perhaps some other) so the Diseases which now reign will vanish in time, and give place to other kinds, whereof indeed we are not able so much as to guess. This may be so, whatever we, who are so short-liv'd, think of it; who are born as it were one day, and die another: Nor are the most antient Authors, that have written Observations of Diseases, of much longer Age, if they are compared with the Beginning of the World.







## C H A P. V.

*Of the Epidemick Coughs, with a Pleurisy  
and Peripneumonia coming upon them, of  
the Year 1675.*

W H E N a pleasant and warm Season, like Summer, held to the end of *October*, contrary to Custom, in the Year 1675. a cold and moist Season came presently after, and there were more Coughs than ever I knew at any other time, sparing scarce any body of whatever Age or Temperament, and seizing whole Families together: nor were they remarkable only for their Number, for every Winter there are many, but also upon the account of the Danger which they cast those into accidentally that had them. For the Constitution being now, and all the foregoing Autumn, very inclinable to produce the Epidemick Fever above describ'd; and whereas there was no other Epidemick Disease to oppose and obstruct the Force of it, these Coughs made way for the Fever, and easily turn'd to it. In the mean while, as the Coughs assisted the Constitution in producing the Fever, so the Fever upon this account fell upon the *Pleura* and Lungs, as the Week before the coming of the Coughs, it fell upon the Head: which sudden Change of the Symptoms gave occasion to some that were less thinking, to suppose this was an essential Pleurisy, or an essential *Peripneumonia*, tho it was the very same that had been all this Constitution; for now, as always before, it began with a Pain in the Head, the Back, and Limbs; which Symptoms agreed with every Fever of this Constitution, only the febrile Matter being poured plentifully, by reason of the Cough, upon the *Pleura* and Lungs, occasion'd Symptoms agreeable to the said Parts: but the Fever, as far as I could observe, was the same that raged to the very day the Coughs first broke out. Moreover, the Remedies whereby it was easily cured, plainly shew'd the same. And tho the pricking



pricking Pain in the Side, the difficulty of Breathing, the Colour of the Blood taken away, and other Signs common in a Pleurisy, seem'd to shew it was an essential Pleurisy, yet it did not require any other Method than what agreed with the Fever of this Constitution, but was very different from that which was proper for a true Pleurisy, as will plainly appear from what shall be said hereafter. Moreover, when a Pleurisy is an essential Disease, it is wont to come most commonly betwixt Spring and Summer: but this Disease came at a quite different time, and is only to be accounted a Symptom proper to the Fever of this Year, and the Offspring of this accidental Cough.

But now that I may proceed rightly to that Method, which Experience shews is necessary for the Coughs of this Year, and also for those which happen in other Years; if they proceed from the same Causes, we must take notice, that the Effluvia that are wont to be expell'd from the Mass of Blood by insensible Transpiration, are cast upon the Lungs, the Pores being suddenly stopt by Cold, and they presently occasion a Cough; and the hot and excrementitious Exhalations of the Blood being by this means detain'd, a Fever is so kindled in the Blood, to wit, when there is either so great quantity of Vapours, that the Lungs cannot expel them, or when by reason of adventitious Heat, occasion'd either by too hot Medicines, or too hot a Regimen, Oil is, as it were, added to the Flame, and he that was before too prone to a Fever, is now precipitated into it. And whatever the Stationary Fever is that reigns that Year, or at that time, this new Fever presently turns to, and is of the same Genius; tho as yet it retains some Symptoms that proceed from the Cough, the Original of it: and therefore it is plain, that we must apply our selves in every Cough proceeding from this Occasion, not only to it, but also the Fever, which so readily comes upon it.

Having laid this Foundation, I endeavoured to relieve those that were my Patients in the following manner.

If the Cough had not yet occasion'd a Fever, and other Symptoms, which, as we said, most commonly accompany'd it; I thought it sufficient to forbid the use of Flesh and all spirituous Liquors: I also order'd, that he should use moderate Exercise, and go into a free Air, and that now and then he should drink a cooling Pectoral Ptisane.



These few things were sufficient to tame the Cough, and to prevent the Fever and other Symptoms which usually accompany'd it: For as the Blood is so qualify'd by Abstinence from Flesh and spirituous Liquors, and with the use of cooling things, that it is not apt to receive febrile Impressions; so by the use of Exercise, the hot Effluvia of the Blood, which when the Pores of the Body are stoppt with sudden Cold, turn in, and cause a Cough, are conveniently exhaled in a way natural and agreeable to them, and so the Patient is relieved.

As to quieting the Cough, it is not safe to use Narcotick and Anodyne Medicines; nor is there less danger in endeavouring to remove it by spirituous Liquors and hot Medicines: for both ways the Matter of the Cough being intangled and harden'd, those Vapours which should pass gently and easily, by Coughing, from the Blood, now being stoppt, are retain'd in the Mass of Blood, and cause a Fever there. And this often happens very ill to the inconsiderate common People, who while they endeavour to stop the Cough by burnt Brandy and other Liquors, they occasion a Pleurisy or *Peripneumonia*; and by this mad Contrivance they make this Disease dangerous, and often deadly, which of its own nature is small and easily curable. Nor are they less deceived, tho they seem to proceed with more Reason, who endeavour to expel the Cause of the Disease by provoking Sweat: For tho we do not deny, that Sweat coming of its own accord expels the Cause of the Disease better than any thing else, yet it is manifest, that when we endeavour to force it, we fire the Blood, and kill the Patient whom we endeavour to cure.

But sometimes, not only when the Disease is ill managed in the manner describ'd above, but also sometimes of its own accord at the beginning, or a day or two after, especially in delicate and tender People, Heat and Cold come upon the Cough by turns: They had a Pain of the Head, Back, and Limbs, and they were inclined to Sweat, especially at Night; all which Symptoms also most commonly follow'd the Fever of this Constitution, whereunto was often join'd a Pain in the side, and sometimes as it were a Constriction and Narrowness of the Lungs, and they breathed difficultly, the Cough was stoppt, and a violent Fever raged.



So far as I could perceive, the Fever and worst Symptoms of it were best cured by bleeding in the Arm, a Blister in the Neck, and by a Glister daily injected. In the mean while I admonish'd the Patient to keep from bed some hours every day, and that he should abstain from Flesh, and drink Small-beer and Milk-water, and sometimes a cooling and lenient Ptisan: If after two or three days the Pain of the Side was not lessen'd, but continued violent, I blooded him again the second time, and advised him to persist in the use of the Glisters. But as to Glisters it is to be noted as well in this as in other Fevers, they are not to be continually and long used, when the Disease abates, especially in Hysterick Women and Hypochondriack Men; for the Blood and Humours of such are easily changed, and soon exagitated and heated, and so the Oeconomy of the Body is disturb'd, and the febrile Symptoms vex the Sick longer than is usual.

But to return to the Business: While by this means time was allow'd the Disease, whereby the Blood might leisurely shake off those hot Particles which fell upon the Lungs and *Pleura*, all the Symptoms were wont to go off easily; whereas when the Disease was storm'd in a warlike manner by a great Force of Remedies, the Sick was either kill'd, or his Life was at least redeemed by Bleeding oftner repeated than either the Genius of the Disease required, or indeed would bear. For whereas in a true Pleurisy, Bleeding repeated did the business, and was alone sufficient for the Cure, if hot Medicines and a hot Regimen did not hinder; on the contrary, in this Symptom it was sufficient to bleed once, or at most twice, if the Sick rise, and use cooling Liquors: for there was no necessity, as far as I could observe, to bleed oftner, unless the said Symptom was much heightned by Heat coming from abroad; nor in this case only without danger.

Upon this occasion I would speak a few things of this, *viz.* That it is commonly said, that a Pleurisy is sometimes malignant, and that then it will not bear Bleeding, at least not so often as this Disease commonly requires. I think indeed, that a true and essential Pleurisy, which, as will be said hereafter, comes indifferently in all Constitutions of all Years, does always indicate repeated Bleeding; yet at some times it happens that a Fever properly Epidemick, by reason of a sudden Alteration of the manifest Qualities



Qualities of the Air, freely puts off the morbidick Matter upon the *Pleura* or Lungs, and yet the Fever remains wholly the same. In this case, altho Bleeding may be allow'd, that the Symptom, if it rage much, may be abated; yet, generally speaking, more Blood ought not to be drawn upon the account of the Symptom, than the Fever requires on which the Symptom depends. For if the Fever be of that nature, that it does not abhor repeated Bleeding, it may be repeated in a Pleurisy, which is the Symptom of it: But if the Fever will not bear repeated Bleeding, it will do no good; yea, it will do hurt in the Pleurisy, which stands and falls with the Fever. In this manner, in my opinion, was the symptomatical Pleurisy, which accompany'd the Fever that raged in this place at the time the Coughs began, *viz.* in Winter in the Year 1675. and therefore I must acquaint you, that I think he moves very uncertainly, that has not in the Cure of Fevers always before his Eyes the Constitution of the Year, as it favours the producing epidemically this or that Disease, and all the other Diseases that concur, and are form'd into the likeness and similitude of it.

In *November*, in the foresaid year, Mr. *Thomas Windham*, the eldest Son of Sir *Francis Windham*, was my Patient; in this Fever, he complain'd of a Pain in the Side, and other Symptoms wherewith others were afflicted that had this Disease: I bled him once, and apply'd a Blister to his Neck; Glisters were daily injected, and he drank cooling Ptisans and Emulsions, and sometimes Milk water or Small-beer, and I advis'd that he should keep from bed for some hours: and by this Method he recovered within a few days, and Purging being used, he was quite well.

But it is to be noted, that tho the Symptoms which were wont to come upon the Cough, were most commonly these this Winter, yet the Cough invading alone without them, reign'd chiefly at that Season. The Cure of it did not require either Bleeding or Glisters, if a Fever was not rais'd by a hot Regimen and hot Medicines; for the forbidding of Flesh and Wine, and such spirituous Liquors which are apt to occasion a Fever, and ordering the Sick to go abroad in the open Air, was sufficient to quiet it. Moreover, I order'd the following Lozenges



to be taken often, which indeed are the best I ever knew to stop Coughs which are occasion'd by taking cold.

*Take of Sugar-candy two Pounds and a half, boil it in a sufficient quantity of common Water till it sticks to the Fingers; and then add of the Pouder of Liquorice, Elecampane, the Seeds of Anise and Angelica, of each half an Ounce; of the Pouders of Orris, and of Flowers of Sulphur, each two Drams; of the Chymical Oil of the Seeds of Anise two Scruples: Make Tablets according to Art, which let him always carry in his Pocket, and take one of them often.*

But before I make an end of this Discourse concerning Epidemick Diseases, I must answer one Objection, which I foresee will be urged against some of it, *viz.* That it does not sufficiently provide against that Malignity, which is in most of those Diseases. I neither can, nor will endeavour to vilify the received Opinion of Learned Men of all Ages concerning Malignity; for it manifestly appears in most Epidemick Diseases: I only desire to propose what I think concerning the Nature of it, that my Practice may not seem disagreeable to Reason; for I, according to the Learned *Scaliger*, will be governed by Reason:

*Non mihi sed rationi, aut quæ ratio esse videtur,  
Milito; securus quid mordicus hic tenet, aut hic.*

Therefore I think that all that Malignity which is in Epidemics (whatever the specifick Nature of it be) consists and ends in very hot and spirituous Particles, which are more or less contrary to the Nature of the Humours contain'd in the human Bodies; because only such Particles can so soon alter the Humours, as we see they are in malignant Diseases. I think also, that these hot and spirituous Particles endeavour chiefly to assimilate; because according to the Law of Nature, every active Principle is busied in creating its like, and in turning and accommodating whatever is contrary to its own Genius: so Fire generates Fire, and one infected with a malignant Disease infects another by an Emission of Spirits, which presently assimilate the Humours to be infected



fect to themselves, and pervert them to their own Nature.

These things being premised, it follows, that nothing is better than to eject the Particles by Sweat; for by this means the Disease may seem to be presently rooted out: but this Experience contradicts, and teaches that it cannot be done in every sort of Malignity. For tho in the Plague, the pestilential Particles, both because they are subtle, and also because they reside chiefly in the spirituous part of the Blood, may be dissipated and ejected by an uninterrupted Sweat; yet in other Fevers, where the assimilating Particles are not so subtle, and are incorporated with grosser Humours, the malignant *Minera* cannot only not be carry'd off by Sweat, but is very often increased by those sudorifick Medicines whereby it is sollicitated: for the more these hot and spirituous Particles are moved by the use of hot things, the more the assimilating Faculty which they have is increased; and the more those Humours are heated whereon they act, the more freely are they assimilated, and yield to the Impressions of them: whereas, on the contrary, Reason seems to dictate, that those Medicines which are of a contrary nature do not only suppress the Violence of the hot and acrid Particles, but also condense and strengthen the Humours, so as that they may sustain the Force of the morbidick Spirits, or conquer them. And Experience, my Mistress, vouches that the Purple Spots of Fevers, and the black Pustles of the Small-Pox, more readily increase when the Patient is heated; and that they, according to the degree of the moderate Regimen, which is very agreeable to them, are wont to decrease and be lessen'd.

Now if any one should ask me how it comes to pass, that seeing Malignity consists of hot and spirituous Particles, there should be very often such small Signs of a Fever, even in Diseases that are highly malignant; I answer, first, it plainly appears in the chief and most notable Instance of Malignity, the Plague, that the morbidick Particles are so very subtle and fine, especially when it begins, that, like the Air, it passes the Blood, and kills the Spirits before it can raise an Ebullition; and so the Sick dies without a Fever.


But in that lesser degree of Malignity, which is found in other Epidemicks, the febrile Symptoms are so small



sometimes, by reason of a Confusion raised in the Blood and Humours by the inimical Particles contain'd in their Bosom, whereby Nature, being as it were oppress'd, is not able to produce those regular Symptoms which are suitable to the Disease; but almost all the *Phænomena* are irregular, by reason the Oeconomy is quite subverted: in which case the Fever is often depressed, which, if it could proceed according to its own Genius, should be very high. And sometimes also fewer signs of the Fever shew themselves than the Genius of the Disease requires, by reason of the Translation of the malignant *Minera* upon the *Genus Nervosum*, or upon other Parts of the Body, or upon the Humours, without the Territories of the Blood, whilst the Matter occasioning the Disease should be yet turgent.

But however it be, I cannot so much as guess what other Method of Cure is to be appointed for any Malignity, besides that which is proper to the Epidemick to which it belongs. So that whether the Epidemick be of the number of those that require first Concoction of the febrile Matter, and presently after the Ejection of it rightly disposed by Sweat, or of those that endeavour to go off by some Eruption, or also of those that require the help of Art to make a way for them; I say, in all these kinds the Malignity, the Companion of the Disease, will stand and fall with it, keeping pace with it, and going off when it goes; and consequently whatsoever Evacuation agrees with the Fever, the same agrees with the Malignity, tho the Evacuations are contrary to one another: therefore Sweat, which follows Concoction as its Effect, will cure that Malignity which accompanies Autumnal Agues, and also the continual Fever, which is of the same nature; also the seasonable ripening of the small Abscesses carries off the Malignity in the Small-Pox, and so of the rest: in all which the peculiar sort of Malignity is best conquer'd by these ways and means, whereby those peculiar Diseases to which it belongs are easiest cured, whether by this Method or any other. This Reason dictates, and is every where confirm'd by Experience.





## C H A P. VI.

*The Recapitulation.*

AND so at length we have shown, that the Space of Years wherein the foregoing Observations were collected, produced five sorts of Constitutions, viz. five peculiar Dispositions of the Air, producing so many several Species of Epidemics, namely Fevers. But the first of these, which reign'd in those Years wherein Autumnal Agues were most frequent, seem'd the only one, according to my Observation, wherein Nature seem'd to moderate all the Symptoms, so as to dispose the febrile Matter prepared by due Concoction to go off at a certain time, either by a sufficient Sweat, or by large Transpiration; and therefore I call it the Depuratory Fever: and truly I am apt to believe, that this was the chief and primary Fever of Nature, both as to the regular Method she used in promoting the morbidick Matter, and in digesting it at an appointed time; and also because this more frequently occurred than other Fevers. For it is probable, that intermitting Fevers rage oftner epidemically than any other Diseases, if we believe those that have wrote so many and such large Treatises in former Ages, of the Frequency of them, whatever the reason should be, why they have appear'd so seldom since the last Plague in *London*: for the Pestilential Fever was the Forerunner of all those inflammatory Fevers, which invaded afterwards; and unless I am deceiv'd, all those excellent and necessary Axioms which *Hippocrates* and other antient Physicians deliver'd, were adapted to the primary Fever we have spoken of above, whereby it is so to be govern'd, that the febrile Matter may be prepared to make a true Crisis by Sweat: but I don't understand how those Aphorisms can be accommodated to those subsequent sorts, that have a different Nature, and are seldom wont to be cured by any such Method. But however this thing be, it is worth notice, that whereas this Fever, which depended on that



Constitution wherein Intermittents prevail'd over the rest (if it continu'd long, or if the Sick was exhausted by too great Evacuations) sometimes turn'd to an Ague. Those Fevers which raged the following Years, tho they continu'd very long, very rarely intermitted, which was a plain Sign, that that continual Fever, and those Agues did in some sort agree in their Nature, or were not very much different from one another.

Now if any one should ask me how the Species of a continual Fever may be gather'd from the Signs deliver'd by me in the Description of Fevers, when for the most part every one of them are intangled with those Symptoms that belong in general to all Fevers, as Heat, Thirst, Restlessness, and the like; I answer it is difficult, but not plainly impossible, if any one seriously weighs all the Circumstances which I have set down in the foregoing History, especially if he search in some great Town or some other populous Place; suppose, for instance, a Physician is call'd to one that has a continual Fever, he has first this help to inform his Judgment aright, *viz.* he may either from his own Observation, or by others, easily know what other Diseases, besides this Fever, rage Epidemically in those places, and of what kinds they are; which being known, he need not doubt any more of what kind that Fever is which attends this other raging Epidemick: for tho it may be so, that the Fever only shews it self by those Symptoms which are common to all Fevers, especially if it be confus'd and disorder'd by a Method which is quite contrary to the Cure of it; yet other Epidemics will plainly shew the Characters that are proper and peculiar to its Nature and Genius: for instance, he that should look upon the Small-Pox, will easily conjecture (if he rightly understand the History of the Disease) the first day the Pustles appear by their Bigness and Colour, and the like, to what kind of Small Pox this particular Species is to be referr'd; and when he has once known the sort of Small-Pox which is most in that Year, and in those places, he will plainly understand the Species of any Fever raging at that time, and in those places. And truly, if I had exactly learn'd the History of Diseases, (which I do not pretend to) having seen any Epidemick, I should not doubt to declare the kind of Fever then reigning, tho I never see it; so having seen any Fever,



ver, I should easily know what Epidemick Disease accompany'd it; the Small-Pox, for instance, the Measles, the Bloody-Flux and the like: for some peculiar kind of these, as well as a peculiar Fever, constantly accompanies every particular Constitution. But secondly, besides those Signs which the Consideration of Epidemics invading together suggests, also the Symptom of every Fever gives some light for the knowing the Species of it; altho, as we mention'd above, Fevers in general have some Symptoms that are common to all, yet there are some certain Notes of Distinction, which Nature has peculiarly impress'd upon each Species: But because they are somewhat obscure, they are perceiv'd only by those that warily and exactly search every thing. Among those distinguishing Signs, I have always thought, that Sweat, or Dryness in this or that time of the Disease, shew'd chiefly the Species, if it were not forced from its natural State by an improper Method, and this appear'd plainly to me in all those Epidemick Fevers, those Observations contain: For instance, in those Fevers which raged, while autumnal Intermit-tents were decaying, the external Parts of the Sick were dry, nor was there the least sign of Sweat, before the Concoction of the febrile Matter, which was most commonly perfected on the fourteenth day; nor could Sweat be provok'd without great danger to the Sick, who was presently precipitated into a Phrensy, and other dangerous Symptoms, by forcing Sweat. In the Pestilential Fever which follow'd this (which led the Dance of those Inflammatories that invaded from that time) no Sweat broke out of its own accord, but it might be rais'd by Sudorifics, even the first days of the Disease, and when it was once rais'd, the Sick was freed of all the Symptoms. In the Fever next succeeding, which accompany'd the Small-Pox, in those Years wherein they were regular, the Sick was of his own accord subject to violent Sweats at the very beginning of the Disease; but if the Sick indulg'd them, all the Symptoms were presently increased. In those two Fevers which accompany'd the two irregular kinds of Small-Pox, and the Bloody-Flux, the Sweat was also irregular; but it most commonly began at the first Day, tho the Sweat which accompany'd the Fever was somewhat larger than that which accompany'd the latter, but neither relieved the Sick: for it did not proceed from




previous Concoction, but from a confused Motion of ill Particles.

It seems very difficult to me to discover the Species of a new Fever the first Year of a Constitution, when none have seen any Specimen of it, nor can imagine what Epidemics are to come, which the Fever most commonly fore-runs. It would be troublesome to mention all those things which occurred in those Years of which we have treated, whereby it might appear that some not very obscure signs were suggested by Nature, whereby being help'd, we were able to do this; and furthermore, this Knowledge will necessarily depend on a diligent and accurate Observation of all the Circumstances. But tho it should be difficult, yea, if we should suppose it plainly impossible to distinguish the Species of a new Fever, when it first begins, yet as to the Cure, the Indication from such things as do good or harm is at least left to us; whereby we may by little and little find a way to secure the Patient, if we do not make too much haste, than which I think there is nothing more injurious, and that such as have had Fevers have been destroy'd by it more than any other thing: nor am I ashamed to confess, that more than once I have advis'd well for my self and Patient in doing nothing, when it was not plain to me what ought to be done; for whilst I waited for an opportunity, the Fever either went off gradually of it self, or was reduced to such a Type as I knew how to cure. But it is a sad thing, that most of the Sick do not understand, that it is as much the part of a skilful Physician sometimes to do nothing, as at other times to give the most effectual Remedies; and so they will not receive the benefit of a just and fair Proceeding, but count them either the Effects of Negligence or Ignorance: whereas the most ignorant Quack knows how to add Medicine to Medicine, as well as the most prudent Physician.

And these are in a manner the things which I have hitherto observed, which could not be reduced to any Rule concerning the Species of Epidemick Diseases, in that order wherein they invaded from the Year 61, to the end of the Year 75; at which time the Small-Pox, and the continual Fevers, their Companions, which reign'd about two Years, now growing mild, seem'd to be going off: what Diseases will follow, he only knows that knows  
things.





## S E C T VI. C H A P. I.

*Of the Intercurrent Fever.*

THE Observations of Years, which I have now described, sufficiently argue, that some Fevers are deservedly call'd Stationary; I mean such as proceed from some particular, and yet not well known, Constitution of this or another Year. Every one in his order prevails, and rages very much, and is as it were superior to all the rest, thro all that continued Series of Years. Whether other Species besides those that have been now mentioned; and also whether in an exact Course of Years one follow'd the other in a constant order; or whether it be otherwise, I cannot yet tell. But there are also other continual Fevers, which tho they rage sometimes more, sometimes less, yet because they were mixed with all sorts of stationary Fevers, and themselves in the same Year indifferently; I therefore think they ought to be call'd Intercurrents: and what I have learned hitherto by Observation of their Nature, and of the Method of Cure belonging to them, I will set down in the following Chapters; they are, the *Scarlet Fever*, *Pleurisy*, *Bastard Peripneumonia*, *Rheumatism*, *Erysipelatose Fever*, *Quinsy*, and perhaps some other.

And now, seeing a Fever either as yet accompanies all these Diseases, or at least has accompany'd them till it went off by exonerating the febrile Matter according to the Nature of the Disease, upon this or that part; I do not at all doubt, but that the Fever is to be accounted the primary Disease, and the other Disorders, from whence the other Diseases most commonly take their Name, are Symptoms which chiefly respect the manner of the Crisis, or the Part into which the Force of the Disease rushes. But if the thing be agreed upon, I will not contend about Names, tho I may give a Disease this or that Name, as I please,



It is to be noted, that as the stationary Fevers whereof we have treated above, were more or less Epidemical, as we said, according as the constitution of Years, founded upon a secret and inexplicable Disposition of the Air, favour'd them; so these Intercurrents sometimes, tho not so frequently as the other, rag'd Epidemically. For tho most commonly they proceeded from this or that particular Disorder of particular Bodies whereby the Blood and Humours were some way vitiated, yet sometimes they took their rise immediately from some general Cause in the Air, disposing Mens Bodies so by the manifest Qualities, that such and such Disorders of the Blood and Humours should be generated, as were the immediate Causes of such Epidemick Intercurrents; as when a violent Frost continuing long, and a good while in the Spring, is suddenly succeeded by a hotter Season, Pleurifies, Quinsies, and such like Diseases are wont to invade, whatever is the general Constitution of Years. And because these rage sometimes as much Epidemically as others; therefore to distinguish these from such Fevers, which are determin'd to a certain Series of Years, we call those that are indifferently common to all Years, Intercurrents.

But how great soever the Difference is betwixt these two sorts of Fevers, as to the Causes proceeding from the Air, yet with respect to other external and procatactick Causes they often agree. To pass by now the Contagion, that sometimes occasions stationary Fevers, and Surfeiting, which occasions both sorts; the evident external Cause of most Fevers is to be sought for hence, *viz.* because the Sick either left off Clothes too soon, or after being hot with Exercise, expos'd himself unwarily to the Cold; upon which account the Pores being suddenly stop'd, and those Vapours retain'd, which would otherwise have pass'd thro them, this or that sort of Fever is kindled in the Blood, as either the general Constitution, which at that time reigns, or the particular Disorder of the Humours is more inclined to this or that sort of Fever: and I verily believe more have died on this account, than by the Plague, Sword or Famine all together. For if any Physician shall enquire strictly of the Sick, concerning the first occasion of their Disease; if it be of the number of those acute Diseases we have treated of above, he will almost always find, that either the Sick rashly



rashly left off some Clothes that he was accustom'd to, or that he expos'd himself suddenly to the Cold, when his Body was heated with motion, and that upon one of these accounts he was seiz'd with the Disease. Wherefore I always advise my Friends that they should never leave off any Clothes, unless it be a Month before Midsummer, or a Month after: I likewise carefully advise them to avoid Cold after being heated with Exercise.


But here it must be noted, That tho these Diseases, which I am to treat of under the Title of Intercurrents, are most of them, if not all, essential Diseases; yet often some Disorders resembling these as to their *Phænomena*, and also call'd by the same Names, come upon those Fevers which I term stationary, and are plainly Symptoms of them: in which case that Method which ought to be used when they are essential Diseases, is not proper, but rather that which the Fever requires, the Symptoms whereof they now are, and for the Cure of them, the Method which is peculiar for them must be only lightly touch'd upon; but in general, we must carefully mind the Fever of the Year, and by what way that is easiest cured, whether by Bleeding, Sweating, or any other Method; for if this be neglected we shall often err, to the great hazard of the Patient. If any one should object, that these very Disorders, which I call essential Diseases, and of which I now treat, are really only Symptoms; to this I answer, That perhaps they may be Symptoms, with respect to the Fevers to which they belong; yet at least they are Symptoms of Fevers which always necessarily produce them. For instance, in an essential Pleurisy, the Fever is of that nature, as it always puts off the morbidick Matter upon the *Pleura*: In an essential *Angina*, it is so dispos'd as to put off the same upon the Jaws, and so of the rest. When either of the aforesaid Diseases comes upon a Fever, which belongs to this or that Constitution of Years, and depends on it only accidentally, and is not necessarily produced, upon this account they are very different one from another. But now, that essential Diseases, as I call them, may be rightly distinguish'd from those which are only symptomatical, it is very necessary for us to consider, that what Symptoms accompany at the Invasion of this or that stationary Fever, such always come at the beginning of a Pleurisy or Quinsy, when they  
are



are only the Accidents of such a Fever, which was perceiv'd in the foresaid Symptomack Pleurisy, which came upon the Fever that raged in the Winter of the Year 1675. For as many as were afflicted with this Pleurisy, had Pains, when they were seized, in their Heads, Backs, and Limbs, which were the most certain and most common Symptoms of all those Fevers which invaded before the Pleurisies began, and continu'd after they went off: whereas when either of these Intercurrents were essential Diseases, they proceeded in the same manner in all Years, having nothing common with the stationary Fever, that reigned at that time. Moreover, all the Symptoms which rise afterwards are more conspicuous, when they are not obscur'd and confounded by the Mixture of other *Phænomena*, which are of a different nature, and belong to another Fever. Besides, the time of the Year wherein most essential Intercurrents, tho not all, come, shews often to what kind such a Disease is to be refer'd. But lastly, he is fitted to find out the Diagnostick of these Diseases, and all others, who by daily and diligent Observation, has search'd thorowly the *Phænomena* of them; so that upon first sight he knows presently how to distinguish the kind, tho perhaps the characteristick Differences of some of them are so subtle and delicate, that they cannot be express'd in words to another.

But forasmuch as these various kinds of Fevers, as far as we can understand, by weighing the *Phænomena* that belong to the Diseases, and to the Method of Cure, owe their Original to some peculiar Inflammation of the Blood that is proper to every Disease; I count the chief Business of Cure consists in cooling and qualifying it: and I wholly endeavour to eject the morbidick Matter by such a Method as is agreeable to the Genius of the Disease, and prov'd by Experience to cure the Disease readily. And truly in curing of all Fevers, he hits the Mark who certainly knows, by what way the febrile Matter is to be excluded, *viz.* by Bleeding, Sweating, Purging, or any other more proper way.





## C H A P. II.

*Of the Scarlet Fever.*


THE Scarlet Fever, tho it may happen at any time, yet it most commonly comes at the latter end of Summer; at which time it seizes whole Families, but especially Children. At the beginning they shake and shiver as in other Fevers, but they are not very sick; afterwards the Skin is spotted with small red Spots; they are more frequent, and much larger and redder, but not so uniform as those of the Measles: they continue two or three days, and then vanish. After them some Scales like Bran are sprinkled over the Body, and these Scales come and go successively twice or thrice.

I reckon this Disease is nothing else but a moderate effervescence of the Blood, occasion'd by the Heat of the foregoing Summer, or some other way; and therefore I do nothing to hinder the Despumation of the Blood, and the ejecting of the peccant Matter thro the Pores of the Skin, which is easily done by the Blood it self: wherefore I forbear Bleeding and the use of Glisters, by which Forms of Remedies, Revulsion being made, I think the offensive Particles are more mixed with the Blood, and the Motion that is more agreeable to Nature is obstructed. And I also on the other hand forbear giving Cordials, by the Heat whereof the Blood is more impetuously agitated than is agreeable to that gentle and quiet Separation, whereby the whole Business is done: moreover, a violent Fever may be occasion'd by this means. I think it is sufficient, that the Sick abstain wholly from Flesh and from all spirituous Liquors whatever, and that he keep always within, but not always a-bed. But when the Scales are quite gone off, and the Symptoms ceased, I think it proper to purge the Sick with some gentle Medicine that is agreeable to his Age and Strength; and by this simple, and plain natural Method, this Name of a Disease, for it is scarce any thing more, may be easily  
and



and safely remov'd: Whereas on the contrary, if we disturb Nature more, either by keeping the Sick continually in bed, or by Cordials, and other needless Remedies too learnedly, and as it commonly appears thrust in above measure, *secundem artem*, the Disease is presently heightned, and the Sick dies by the Over-officiousness of his Physician.

But you must take notice, if Epileptick Convulsions, or a *Coma* come upon this Disease at the beginning of the Eruption which sometimes happen to Children and young People that have this Disease, a large and strong Blister must be apply'd to the Neck, and a Paregorick of *Diacodium* must be presently given, and must be repeated every night till the Patient recovers; and he must be order'd to use for his ordinary Drink, Milk boil'd with thrice the quantity of Water, and must forbear Flesh.



## C H A P. III.

### Of a Pleurisy.

**T**HIS Disease, that is as frequent as any other, comes at any time, but especially betwixt Spring and Summer, for at that time the Blood, heated by the Nearness of the Sun, runs violently into Effervescences and inordinate Motions; it chiefly falls upon those that are of a sanguine Constitution, and frequently Country People, and those accustomed to hard Labour. It ordinarily begins with a Shaking and Shivering, and then Heat, Thirst, Restlessness, and other Symptoms of a Fever follow, sufficiently known. After a few Hours (tho sometimes it is much longer before this Symptom comes) the Patient is taken with a violent pricking Pain in one of his Sides about the Ribs, which sometimes creeps towards the Shoulder-blades, sometimes towards the Backbone, and sometimes towards the Breast; he coughs frequently, which occasions great Pain by reason of the Disturbance of the inflamed Parts, so that sometimes he holds his Breath to prevent Coughing. The Matter which is spit



spit up at the beginning of the Disease is little and thin, and often mixed with Particles of Blood; but in the Process of the Disease it is more concocted, and also mixed with Blood: the Fever in the mean time keeps the same pace, and is help'd on by those Symptoms that proceed from it; and the said Fever with all its Concomitants (namely, the Cough, the spitting of Blood, the Pain, and the like) is lessen'd by degrees, according to the degree of free Expectoration of the morbidick Matter. But the Matter occasioning this Disease, does not always in the process of it, attain the Concoction that is due to Expectoration; for it frequently happens that the Matter which is spit up is yet little and thin, as at the beginning of the Disease, and consequently the Fever and other Symptoms do not at all remit till they have killed the Patient; and in the mean while he is sometimes bound in his Body, and sometimes too loose, the Stools being frequent, and very liquid. It sometimes happens, when the Disease is very violent, and Bleeding has been omitted, the Patient is not able to cough, but labouring under a great Difficulty of Breathing, is in a manner suffocated by the Violence of the Inflammation; which is sometimes so very great, that he cannot expand his Breast large enough for Respiration without great Pain; and sometimes when the Inflammation is violent, and when Bleeding has not been used, which ought to have been done at the beginning of the Disease, an Imposthume is presently occasion'd, and the Cavity of the Breast is fill'd with Matter. In which case, tho the original Fever either wholly ceases, or is at least lessen'd, yet the Patient is still in danger; for an Empyema, or an Hectick Fever following, the poor Wretch dies Consumptive.

But now, tho a Pleurisy commonly takes its rise from the proper and specifick Inflammation of the Blood, which is wont to produce it when it is an original Disease, yet it comes sometimes accidentally on other Fevers, of what kind soever they be, from a Precipitation of the febrile Matter upon the *Pleura*, or intercostal Muscles: and it happens most commonly at the beginning of the Fever, the febrile Matter being as yet crude, and not subdu'd by a sufficient Ebullition, and so not prepar'd for a due Separation by a more convenient way. But it is  
† most



most commonly occasion'd by an unseasonable and preposterous Use of hot Medicines, such as are often given by Gentlewomen; but their Charity would be better bestow'd in feeding the Poor, than physicking them: and they do so forsooth, with design (if they have any at all) to force Sweat at the beginning of the Fever, little thinking of the ill Consequence of it: for Nature being disturb'd by this means, is forc'd to expel the crude Humour any way; and so sometimes the force of the febrile Matter falls upon the *Meninges* of the Brain, and causes a Phrensy; and sometimes upon the Membrane covering the Ribs, and then a Pleurisy is occasion'd, especially when the Age and Constitution of the Sick, and the Season of the Year, betwixt Spring and Summer, contributes to it; for at that time Fevers are inclin'd to turn to Pleurisies.

The Colour of the Blood taken away by Bleeding, seems to shew, that a Pleurisy takes its rise from such a Precipitation as we have mention'd; for the Blood, at least that which is taken away at the second time, is like melted Suet, and the Superficies like true *Pus*; and yet in this it is different from it, for it is closely knit with the Fibres, like the other Blood, nor will it run like *Pus*: For that part of another colour, when it is torn from the rest, is like a tough Skin, and perhaps nothing else than the sanguineous Fibres, which having put off their red and natural Tegument by Precipitation, grow into this whitish Membrane by reason of the cold of the ambient Air. But it is to be noted by the by, that if the Blood does not flow horizontally with a right Stream from the opened Vein, but runs down upon the Skin perpendicularly; it is often of another colour, how quick soever it runs: but I confess I do not know the reason of it, nor is the Sick so much eased by this kind of Bleeding as by the other just now mention'd. Yea, when the Blood is taken away after this manner, if the Orifice be too small, or if any thing else obstructs the free Passage, so that it cannot come out with a full Stream, it is not like the Blood of Pleuriticks, nor is the Patient so much eased. I have likewise observed, that if the Blood fresh drawn, in what manner soever it flow, be stirred, the Superficies will be of as red and florid a colour as in any other Disease. But howsoever the Blood be, this Disease,

tho



tho it has an ill name, and is more dangerous of it self than any other, yet if it be well managed it is easily cured, and indeed as certainly as any other Disease.

Having well consider'd all the various *Phænomena* of this Disease, I think it nothing else than a Fever occasion'd by a proper and peculiar Inflammation of the Blood, whereby Nature puts off the peccant Matter upon the *Pleura*, and sometimes on the Lungs, and so it causes a *Peripneumonia*; which I think differs only from a Pleurisy in degree, and according to the greater height and longer extent of the same Cause.

Therefore I propose this Method for the cure of it, namely, That the Inflammation of the Blood be suppress'd, and that the inflam'd Particles of it, which have violently rushed upon the *Pleura*, and inflamed it, be duly evacuated: wherefore depending most upon Bleeding, I order as soon as I am called, that ten Ounces of Blood, or thereabout be taken away from the Arm on the affected Side; and afterwards I prescribe the following Potion to be taken presently after Bleeding.

*Take of the Water of red Poppies four Ounces; of Sal Prunella one Dram; of Syrup of Violets one Ounce: mingle them and make a Draught.*

At the same time I order the following Emulsion:

*Take of Sweet Almonds number six; of the Seed of Melons and Pompions, each half an Ounce; of the Seeds of White Poppies two Drams: beat them together in a Marble-Mortar, pouring gently upon them one Pint and a half of Barley-water; of Rose-water two Drams; of Sugar-candy half an Ounce; mingle them and make an Emulsion: give four Ounces every fourth Hour.*

I also order Pectorals to be taken inwardly. For instance,

*Take of the Pectoral Decoction a Quart; of the Syrups of Violets and Maiden-hair, each an Ounce and an half; mingle them, and make an Apozem: let him take half a Pint thrice a day.*



*Take of Oil of Sweet-Almonds two Ounces; of Syrup of Violets and Maiden hair, each one Ounce; of Sugar-candy half a Dram: mingle them, make a Linctus according to Art, whereof let the Sick lick often in a day.*

Oil of Almonds by it self, or Oil of Flax-Seeds fresh drawn, is often used with good Success.

As to the Diet, I forbid all Flesh, and the Broth of it, tho it be ever so thin; and I order the Patient to eat of Oaten, and Barley-Broths, and Panado, and to drink a Ptisan made of Barley-water, with Sorrel-roots and Liquorice, and the like, and sometimes Small-beer. Moreover I prescribe the following Ointment:

*Take of the Oil of Sweet-Almonds two Ounces; of the Ointments of Marsh-mallows and Pomatum, each one Ounce: mingle them, make a Liniment, wherewith anoint the Side affected, Morning and Evening, apply upon it a Cabbage-Leaf.*

I also order he should persist in the Use of the said Remedies thro the whole course of the Disease. On the day I am first call'd, if the Pain is very violent, I take away the same quantity of Blood, or else the day following, and so the third day: and after this manner I repeat Bleeding four times, one day after another, (unless the Patient is well before) when the Pain and other Symptoms rage violently. But if the Disease, being more moderate and less dangerous, permit me to proceed more gently, or if the Patient being weak, cannot well bear Bleeding repeated in such short Distances, I do not repeat it again after it has been twice used, till a day or two be passed between such Bleeding; in which case I always consider the things that contra-indicate, viz. on one hand the Violence of the Disease, on the other the Weakness of the Sick: and tho in curing of Diseases, I would always proceed as I thought convenient, so as to order the taking away more or less Blood, according to the occasion, yet I have seldom observ'd, that a confirmed Pleurisy has been cured in grown People, with less than the loss of forty Ounces of Blood, or thereabout, tho in Children once or twice Bleeding is most commonly sufficient; nor does



the Looseness, which sometimes comes upon this Disease; hinder the foresaid repeated Bleeding: For indeed, it may be soon stop'd by this very Method without any astringent Medicines.

I either quite omit Glisters, or take care that they be injected at as great a distance as may be betwixt the Bleedings; and they should be made of Milk and Sugar.

During the whole course of the Disease, I take care that the Sick be not over-heated, and therefore I order that he keep from Bed, some hours every day, according to his Strength; which is of so great moment in this Disease, that if the Patient be kept in Bed continually, neither the large Evacuation of Blood, nor other Remedies, how cooling soever, will sometimes do any good for taking off the said Symptoms.

Presently after the last Bleeding, unless perchance it happens before that all the Symptoms abate, and that the Patient (who has been kept hitherto, for some days, from all spirituous Liquors, and strong Nourishment) soon recovers his Strength, it would be convenient to give a gentle Purge.

But now if any one should say, that proceeding in this way we scarce touch upon Expectoration, so far are we from discoursing largely of the way whereby it is promoted thro the several Seasons of this Disease, that he is to know these things were not unwarily pass'd over, but after good consideration designedly omitted: for I always thought that they were in very great danger, who committed the Cure of this Disease to Expectoration. For, to say nothing of the Tedioufness of this Method, whereby Nature is busy'd in casting forth the morbidick Matter, it is besides very hazardous; for it often happens, that part of the morbidick Matter being concocted, and perhaps spit up, the rest remains crude, and so successively, the best ripening and expectorating Medicines having been used to no purpose: For sometimes the Expectoration goes on very well, and sometimes it is wholly suppress'd, the Patient in the mean while being in danger on every hand, and for any Power I have over Expectoration (which is indeed none at all) may be adjudg'd for Life or Death; whereas on the contrary by bleeding, the morbidick Matter is in my Power, and the Orifice of the Vein may supply the Use of the Wind pipe. For I confidently



affirm, That this Disease, which if it be treated by the Method we have spoken against, is deservedly reckon'd amongst the most dangerous, may be as certainly and as safely cured by the Method I have now prescrib'd, as any other Disease whatever, to say nothing of the short time wherein it is cured; nor could I ever find the least Injury befall any one, by so large an Evacuation of Blood, tho' unskilful People think otherwise.

I have, indeed, often endeavour'd to find out some other Method that might be able to do the business without so great a loss of Blood, *viz.* either by resolving the Humour, or by ejecting it by Expectoration. But I never could find any equal to the Practice above-mention'd, by the help whereof, notwithstanding the dreadful Prognostication of *Hippocrates* concerning a dry Pleurisy, I free the Patient from the Violence of the Disease by Bleeding, and so cure him, not waiting for Expectoration.


But because the Cure of this Disease almost wholly consists in Bleeding repeated, which being perform'd in places far distant from populous Towns, by unskilful Surgeons and Farriers, poor People are often in danger of losing their Arms, and their Lives are often hazarded by the pricking of Tendons; I thought it proper here to add the Cure of such Punctures when they chance to happen.

They whose Tendons are prick'd, do not presently feel any Pain; but twelve hours after they complain of it, not so much in the Orifice lately made, as in the parts tending to the Arm-pits, where at length the Pain fixes, and is chiefly perceiv'd when the Arm is extended. But there is no great Swelling upon the Place where the Orifice was made, that scarce exceeding the Bigness of an Hazle-Nut; an Ichor continually flows from the Orifice, which indeed is reckoned the chief sign of a pricked Tendon. I have known it cured after this manner.

*Take of the Roots of white Lillies, four Ounces; boil them till they are soft in a Quart of Cows-Milk; then take of Oatmeal, and the Meal of Flax-Seeds, each three Ounces; boil the Meal to the consistence of a Pultice, in a sufficient Quantity of the Milk strain'd from the fore-said Roots; and mingle the Roots washed: make a Cataplasm,*



*plasm; apply it hot Morning and Evening to the Part affected.*



## CHAP. IV.

### Of a Bastard Peripneumonia.

**A** Fever, accompany'd with many *Peripneumonick* Symptoms, invades yearly about the beginning of Winter, but oftner at the end of it: It chiefly seizes those that are of a gross Habit of Body, and middle aged, or, which oftner happens, those that are older, and too much addicted to spirituous Liquors, especially to Brandy; for when the Blood in such Men hath been burden'd with flegmatick Humours heap'd up in the Winter, and put in motion by the approaching Spring, a Cough is presently occasion'd by this means, whereby the said flegmatick Humours rush upon the Lungs: at which time, if the Patient chance to live irregularly, and continues to drink freely such spirituous Liquors, the Matter grows almost thick, which occasions the Cough, and stops the Passage of his Lungs, and the Fever consumes the Mass of Blood. At the beginning of the Fever, the Sick is sometimes hot and sometimes cold, is giddy, and complains of lancing Pains of his Head, when he coughs, and sometimes when he does not; the Urine is thick and very red; the Blood taken away, is like that which is drawn in a Pleurisy; he is often short-breath'd, if he be order'd to provoke his Cough; his Head akes just as if it were cleft in pieces, for so the Patient terms it; there is a pain of the whole Breast, at least a Pressure of the Lungs, which is perceiv'd by the By-standers. When the Patient coughs, the Lungs not sufficiently dilating themselves, the vital Passages are as it seems shut by the Swelling; and the Circulation on that account is so intercepted, and the Blood so stopp'd that there are no Signs of a Fever, especially in People that are of a gross Habit of Body: tho this may also happen



by reason of the abundance of the flegmatick Matter; whereby their Blood is so burden'd that it cannot rise to a perfect Ebullition.

In curing this Fever I am obliged to take away that Blood which occasions the Suffocation and Inflammation of the Lungs, and to ventilate and open the Lungs with pectoral Remedies, and to mitigate the Heat of the whole Body with a cooling Diet: But whereas on the one hand, the heap of flegmatick Matter contain'd in the Veins daily supplying Matter for the Inflammation of the Lungs, may seem to indicate Bleeding often repeated; yet on the other hand I found, by the best Observation I could make, that Bleeding often repeated, has succeeded very ill in feverish People of a gross habit of Body, especially if they had past the flower of their Age: and therefore I forbore the Repetition of it, and instead of it used frequent Purging, which is well enough substituted for those that abhor large and repeated Bleeding.

Therefore I proceed in the following manner: I order that the Patient should be blooded in the Arm when he was in bed, and that he should not rise till two or three hours after; for Bleeding somewhat weakning and disordering the whole Body, may by this means be the easier borne; for the Patient lying in bed can better bear the taking away of ten Ounces, than of six or seven when he is up. The next day I give the following Potion in the morning:

*Take of the Extract of Cassia one Ounce; of Liquorice two Drams: of fat Figs number four; of Senna two Drams and an half; Agarick torchiscated one Dram: boil them in a sufficient Quantity of Water. In four Ounces of the strained Liquor dissolve one Ounce of Manna, and half an Ounce of Syrup of Roses solutive; mingle them, make a Potion.*

The next day I used to bleed a second time, and the next day save one, I order'd the purging Potion above to be repeated, and to be taken every other Day till the Patient is quite well. When the Patient does not purge, I order him to use a pectoral Decoction, and Oil of Sweet-Almonds, and the like.



I forbid Flesh and the Broth of it, but especially spirituous Liquors ; instead of which I allow him for his ordinary Drink a Ptisan of Barley and Liquorice, and Small-beer, if he desire it.


And by this Method indeed the Bastard *Peripneumonia* is to be cured, occasion'd by a great deal of flegmatick Filth heap'd up in the Blood, and, by reason of the Analogy of the Winter, cast upon the Lungs ; wherein not only repeated Bleeding, but also Purging is indicated, otherwise than in a true *Peripneumonia*, which I suppose is purely of the same kind with a Pleurisy, and that it only differs from it in this, *viz.* that a *Peripneumonia* does more universally affect the Lungs. And both Diseases are cured by the same Method, *viz.* by Bleeding chiefly, and by cooling Medicines.

Tho this Bastard *Peripneumonia* is somewhat like a dry Asthma, both as to the difficulty of breathing and some other Symptoms, yet it is sufficiently distinguish'd from it ; for in it there are manifest Signs of a Fever and Inflammation, which never appear in this : tho in this kind they are much less and obscurer than those which accompany a true *Peripneumonia*.

But it is to be carefully noted, that it is by no means safe to forbid the drinking of Wine, and such Liquors, all of a sudden, when the Sick has used them a-while, but they must be left off gradually ; for there is danger of a Dropsy from a sudden Change, which ought to be observed in all Diseases that come on this occasion. And seeing there has been mention made of Spirits of Wine, I will say by the by, it were to be wish'd that they were either wholly forbidden, or at least us'd only for refreshing the Spirits, and not for extinguishing them ; or that the internal Use of them was wholly prohibited, and that they should be only us'd by Surgeons in Fermentations, to digest Ulcers, or to cure Burns : in which last case they are better than any other Medicine yet found out ; for they preserve the under Skin from Putrefaction, and so perform the Cure (not waiting for Digestion, which requires a considerable time) a Rag being dipt in Spirit of Wine, and presently apply'd to the Part hurt by scalding Water, Gunpowder, or the like, and moistned with the foresaid Spirit now and then, till the



Pain from the Fire be quite gone, and afterwards only twice a day.



## C H A P. V.

### *Of a Rheumatism.*

**T**HIS Disease comes at any time, but especially in Autumn, and chiefly seizes those that are in the flower of their Age: It most commonly comes by taking of cold, after the Sick has been heated by violent Exercise, or any other way. It begins with shivering and shaking, and presently Heat, Restlessness, and Thirst; and other Symptoms follow, which accompany a Fever. After a day or two, and sometimes sooner, the Patient is troubled with a violent Pain, sometimes in this, sometimes in that Joint, in the Wrists and Shoulders, but most commonly in the Knees: it now and then changes place, and seizes elsewhere, leaving some Redness and Swelling in the Part it last possess'd. At first for some days, the Fever, and the Symptoms above-mention'd, happen sometimes together; but the Fever goes off by degrees, the Pains remaining, and sometimes rage violently, the Matter of the Fever being put off to the Joints: which is manifest, for that the Fever frequently returns when the morbidick Matter is repell'd by the unseasonable Use of external Medicines. When this Disease is not accompany'd with a Fever, it is often taken for the Gout, tho it differs essentially from that, as plainly appears to any one that well considers both Diseases: so that it may be ask'd, why physick Authors have not touch'd upon it, unless it be suppos'd this is a new Disease. However it be, it is frequent enough now; and tho it seldom kills any one when the Fever is off, yet upon the account of the Violence of the Pain, and the Continuance of it, it is not contemptible: for if it be ill managed, it many times lasts all the life long, tho in this case not always so violent. But it comes now and then periodically: and it may so happen, that the foresaid Pains may



go off of themselves, when they have a long while much tormented the Sick; he being for ever deprived of Motion of the Members, the Joints of the Fingers being as it were inverted with knotted Protuberances, as in the Gout, coming forth more in the internal parts of the Fingers than the external: the Stomach may be very good, and he may be as to other things very well.

There is another kind of this Disease, tho it is commonly thought to be another thing; it is properly call'd the Rheumatical Ach of the Loins, a violent Pain being fix'd there, and stretching sometimes to the *Os Sacrum*; which seems to be a nephritick Pain, only the Sick does not vomit. For beside the intolerable Pain about the Reins, sometimes also the Ureters all along to the Bladder are afflicted with the same, tho not so violently. Upon which account I have been heretofore mistaken, thinking it was produced from Gravel sticking in those Parts; whereas in truth it owed its rise to the peccant and inflamed Matter of the Rheumatism, which afflicts indeed only those Parts, the rest of the Body being untouch'd. This violent Pain continues as the other Species if it be not cured after the same manner, grievously afflicting the poor Patient, so that he cannot lie in his Bed, but is forced to leave it, or to sit upright, rocking himself continually.

Now seeing both these Species of this Disease seem to proceed from an Inflammation, which may be suppos'd by reason of the foresaid *Phænomena*; and especially because the Blood taken away is of the same colour with that of Pleuriticks, and no Man ever doubted that those labour of an Inflammation: these things being so, I think the Cure ought to be managed by Bleeding; the Blood in the mean while being attemperated, and its excessive Heat allay'd by cooling and thickning Medicines, and also by a convenient Diet.

And therefore as soon as I am call'd, I order ten Ounces of Blood to be taken from the Arm on the Side affected, and I order a cooling and thickning Julep, after this manner:

Take of the Waters of Purslain and Water-Lillies, and of Lettice, each four Ounces; of Syrup of Lemons one Ounce and half; of Syrup of Violets one Ounce; mingle them, make a Julep, of which let him drink as he pleases;



*pleases; or of the Emulsion described in the Cure of a Pleurisy.*

To mitigate the Pain, a Pultice of White-bread and Milk, tinctured with Saffron, or a Cabbage-Leaf may be apply'd to the part affected, and frequently renew'd. As to Diet, I forbid all Flesh, and the Broths of it how weak soever it be: instead whereof, I order Barley and Oatmeal Broths, Panado, and the like; and for his ordinary Drink I allow Small-beer, or what is better, a Ptisan of Barley, Liquorice, Sorrel, and the like, boiled in Fountain-water: and I advise the Patient to keep some hours from Bed every day; for keeping bed continually, promotes and augments the Disease.

The next day I order the same quantity of Blood to be taken away, and a day or two after, according to the Strength of the Patient, I bleed again; and then after three or four days I bleed the fourth time, which is commonly the last, respect being had to the Strength, Age, and Constitution of the Patient, and the other Circumstances. I rarely bleed after the fourth time, unless too hot a Regimen went before, or hot Medicines were used without occasion: and truly the Use of anodyne Medicines requires larger Bleeding. Wherefore, how violent soever the Pain be thro the whole Course of the Disease, I by no means use these if I design to cure the Patient by bleeding alone; for by them the Disease is fix'd, so that it does not so easily yield to Bleeding, which by reason of these two officiously used, must be repeated oftner than otherwise was needful; neither do they give that Ease which the Titles promise at the State of the Disease. While the Remedies above-mention'd and Diet are carefully used, I now and then inject a Glister made of Milk and Sugar, on the day the Patient is not let blood: And I admonish that all these things be diligently observed for eight days at least after the last bleeding: Afterwards I order a gentle purging Potion to be taken in the Morning, and the following Evening a large Dose of *Diacodium* in Couflip-water, to restrain the Fury of the Blood, for otherwise a Relapse may happen: which being done, I advise the Patient to return gradually to his wonted way of living, with respect to Diet, Exercise, and Air; yet with this Caution, that he should not at all



all taste Wine, or any spirituous Liquor, nor salted or spiced Meats, nor any thing of hard Digestion, till a long time after.

After Bleeding repeated as often as I have mention'd, the Pains will be much lessen'd, yet they will not altogether go off; but when the Strength is recovered, which was cast down by Bleeding, especially the next Season of the Year approaching, which conduces more to the Recovery of Strength than that in which the Patient was first seized, all the Symptoms will go off, and the Patient will recover perfectly.

But now, tho by the above-mentioned Method or the like, used seasonably at the beginning of the Disease, the end is most commonly as we have said; yet it frequently happens, that when the Sick hath been erroneously treated after a quite contrary Method, he is miserably afflicted all his life long with wandring Pains, sometimes sharp, sometimes more moderate: by which the Unwary are easily deceiv'd, and they are commonly accounted scorbutical Symptoms. And here by the by I speak freely, that tho I do not doubt but that the Scurvy is really to be found in these Northern Countries, yet I am persuaded it is not so frequent as it is commonly imagined; for many of those Distempers of the Body (not to say most) which we call Scorbutical, are the Effects of approaching Ills, not yet form'd into Diseases, nor having yet taken a certain Type; or the unhappy Relicks of some Disease not yet conquer'd, by which the Blood and other Humours are vitiated. For instance: Various Symptoms appear in those Bodies, in which some Matter is newly generated, fit to produce the Gout, but not yet cast upon the Joints, which seems to be Scorbutical, till the Gout is form'd and actually exerts it self, and then it plainly appears what the Disease is. Neither are we ignorant that as many Symptoms resembling the Scurvy afflict gouty People, after the Fit is over; namely, when Evacuation untimely used, or the declining Age, or any other Cause has obstructed Nature, so that she cannot well put off the gouty Matter on the Joints: which being retained, and yet of no use, infects the Mass of Blood, and afflicts the Man on all hands with a great Croud of ill Symptoms. And this may be said not only of the Gout, but also of an incipient Dropsy; tho it is commonly said, where a  
Scurvy



Scurvy ends, there a Dropſy begins, yet moſt commonly this Rule is to be underſtood no otherwiſe than that when a Dropſy is apparent, the pre-conceived Opinion of the Scurvy vaniſhes. And the ſame may be affirm'd of very many other chronical Diſeaſes, as yet growing in the Body, and having not yet aſſum'd any Type, or of thoſe which are partly ſubdu'd, yet not totally vanquiſh'd and expell'd: and indeed unleſs we allow this the Name of the Scurvy, it will hugely increaſe, as it is at this day, and will in a manner comprize all ſorts of Diſeaſes. Whereas if we ſo diligently penetrated into the ſecret Reſeſſes of every Diſeaſe, as to be able to diſcover it lying hid under irregular Symptoms, it will preſently appear of what Species it is, and be eaſily referred to the ſort to which it belongs. Moreover, the Method whereby ſuch Diſeaſes are to be cured, muſt be accommodated not to counterfeit Symptoms, but to the Diſeaſe it ſelf, whatever it is, as if it were perfectly form'd, and actually exiſting.

But here it is to be noted, that it is not ſo proper to bleed often, when the Diſeaſe has taken deep root by ſome Years continuance, as at the beginning; but it is better that ſome Weeks ſhould paſs betwixt each Bleeding, which will at length either quite carry off the morbiſick Matter, or at leaſt ſo far conduce to it, that the Relicks of it may be extirpated by an Iſſue made in one of the Legs, and by any other volatile Spirit taken Morning and Evening in Canary.

But now, how great ſoever the difference is, as is mention'd above, betwixt the true Rheumatism and the Scurvy, yet it muſt be confeſſed, there is another Species of a Rheumatism near a-kin to the Scurvy; for it reſembles the chiefſt Symptoms of this Diſeaſe, and is cured in a manner the ſame way, and therefore I ſhall call it a Scorbutical Rheumatism. The Pain ſeizes ſometimes this part, ſometimes that, but ſeldomer occasions Swelling than the other kind; neither is it accompany'd with a Fever, nor is it fix'd ſo long, but is of a more wandring nature, and has irregular and diſorderly Symptoms: now it afflicts this or that Member, by and by it only ſeizes the inward Parts, and occasions Sickneſs; which goes off again when the Pain returns to the outward Parts, and ſo afflicts the Patient by turns, and continues a long while, like thoſe  
Diſeaſes



Diseases that are reckon'd most chronical. It chiefly seizes Women, and Men of a weakly Nature; so that I should imagine it ought to be reckon'd among Hyfterick Diseases, had not I often found it would not yield at all to Hyfterick Remedies.

They who have used the *Peruvian* Bark for a long time are subject to this Disease, which by the by is the only Inconvenience I ever knew follow upon the use of this Remedy. But however it be, whether the Disease take its rise on this occasion, or from any other cause, it is very easily cured by the following Remedies, which should have been concealed if I had greater regard to my private Advantage than the publick Good: for by these alone I have cured many afflicted after the manner I have described, to whom Bleeding, tho repeated, Purges, a Milk-Diet and testaceous Pouders, and the like, have done no good; and they are these:


*Take of the fresh Conserve of Garden Scurvy-Grass two Ounces; of Wood-sorrel one Ounce; of the compound Pouder of Wake-robin six Drams; make an Electuary with a sufficient quantity of Syrup of Oranges: the Dose is two Drams to be taken thrice a day for a Month, drinking upon it three Ounces of the following Water.*

*Take of Garden Scurvy-Grass eight Handfuls; of Water-cresses and brooklime, of Sage and Mint, each four Handfuls; the Peels of six Oranges; of Nutmegs half an Ounce: infuse them in six Quarts of Brunswick-Mum, and distil them in a common Still, and draw off but three Quarts for use.*

The exact Dose of compound Pouder of Wake-robin must be exactly observ'd, at least it must not be lessen'd.







## C H A P. VI.

## Of an Eryfipelatofe Fever.

THIS Disease feizes every part of the Body, and at any time, but especially the Face, and chiefly at the latter end of Summer; at which time the Sick is often feized when he is abroad, his Face is suddenly swell'd with great Pain and Redness, and full of small Pimples; and when the Inflammation is more increased, Bladders sometimes arise afterwards over the Forehead and Head, and the Sick is blind with it: the Country People call this a Blight, nor is it much different, only there are Pustles like those that accompany the stinging of Bees. The most noted and common Species of an *Eryfipelas* was in this manner.

But whatever part it seizes, and at whatever time of the Year, Shaking and Shivering, unless they did precede, (which sometimes happen'd a day or two before) most commonly accompany'd this Inflammation; also Thirst, Restlessness, and other Signs of a Fever. The Disease proceeding, as the Fever first occasion'd the Pain, Swelling, and other Symptoms, (which increasing daily, sometimes end in a Gangrene) so these in like manner do not a little increase the Fever, till both are removed by proper Remedies.

There is another sort of this Disease, tho it seldomer happens; this invades at any time of the Year, and most commonly it is occasion'd by the too free use of subtle and attenuating Wines, or such like spirituous Liquors. A small Fever begins, and is presently follow'd by an Eruption of Pustles, almost over the whole Body, which are like the stinging of Nettles, and sometimes turn to Bladders; they soon strike in, and hide themselves under the Skin, and itch intolerably; but after a little scratching they appear again. As to the Cure, I suppose the peccant Matter mix'd with the Blood, must be evacuated,  
and



and the Ebullition of the Blood should be stopped by Remedies that qualify it; and lastly, that the Matter thrust out upon the Parts should be discussed.

That these things may be done, as soon as I am call'd, I order a large quantity of Blood to be taken from the Arm, which almost always is like that of Pleuriticks; the next day I give my common Cathartick Potion, and at Bed-time, if it has work'd too much, some Paregorick Draught; *Diacodium* in Couflip-flower-water, or the like. Purging being over, I order the part affected to be fomented with the following Decoction:

*Take of the Roots of Marshmallows and Lillies, each two Ounces; of the Leaves of Mallows, Elder, and Mullein, each two Handfuls; of Melilot, St. John's-Wort, and of the lesser Centaury, each one Handful; of the Seeds of Flax and Fenugreek, each half an Ounce; boil them in a sufficient quantity of Water to three Pints: Strain the Liquor, and when you use it, add to each Pint two Ounces of Spirit of Wine; bathe the Parts affected twice a day with this Decoction hot, with soft Flannels dipt in it; and after the Fomentation anoint the part daily with the following Mixture.*

*Take of Spirit of Wine half a Pint; of Venice-Treacle two Ounces; of Cloves and long Pepper powder'd, each two Drams; mingle them, cover the Part affected with brown Paper dipt in this Mixture.*

Moreover, I order the Patient to be dieted with Oatmeal and Barley-broths, and roasted Apples, and that he should drink Small-beer, and that he should keep from bed some hours every day. By this Method the Fever, and other Symptoms most commonly soon go off; if not, I bleed again, and sometimes a third time, a day being betwixt each bleeding; namely, if the Blood be ill disposed, and the Fever high. Of the days I do not bleed, I order a Glister of Milk and Syrup of Violets, and cooling Julep made of the Water of Water-Lillies, and the like, described in the Cure of a Rheumatism, to be taken every hour; but most commonly once bleeding, and the following



following Purge, if they are used in time, do the business.

That sort which resembles the stinging of Nettles with itching, is to be cured the same way, only the outward Medicines are not so necessary.

I will say here by the by, that tho not only this Disease of which we now speak, but most others which seize the Skin, and are accompany'd with some Eruption, if they are chronical, easily yield to this Method, and soon go off by Bleeding and Purging repeated; yet some of them are to be treated in a quite different manner. For the Evacuations now spoken of, tho repeated, and testaceous Pouders design'd for sweetning the Blood, do no good when some Recrements that are ill disposed lie deep in the Skin, and cannot be removed by any thing but Remedies that strengthen the Blood, and are fit to open Obstructions of the Pores. I have used the following Method with good Success in the violent Itch, and in inveterate Eruptions of the Skin of that kind.

*Take of Venice-Treacle half a Scruple; of the Electuary of the Egg one Scruple; of the Roots of Virginian Snakeweed finely powder'd fifteen Grains; of Oriental Bezoar-stone five Grains, with a sufficient quantity of the Syrup of candied Citron: make a Bolus to be taken in the Morning and at Bed-time, for one and twenty days, drinking upon it six Spoonfuls of the following Julep.*

*Take of the Waters of Carduus Benedictus six Ounces; of Epidemick and Treacle-Water each two Ounces; of Syrup of Gillyflowers one Ounce: mingle them, make a Julep.*

Every Morning, after taking the Medicine, let him sweat an hour or two; or rather, being covered with more Clothes than he used to have on, let him indulge the breathing Sweat in Bed for the time aforesaid. These things being done, if the Pustles do not yet vanish, anoint the Parts affected with the following Liniment:


*Take of the Ointment of sharp-pointed Dock two Ounces; of Pomatum one Ounce; of Flowers of Sulphur three Drams;*



*Drams ; of Oil of Rhodium half a Scruple : make a Liniment.*

But the Medicines before prescribed must not be used before Bleeding and Purging duly premised : which tho given alone, they do not perform the Cure, yet they secure the Patient against a Fever, which might otherwise happen by reason of the use of hot Medicines.

There is another sort of Eruption, tho less frequent ; for the Cure whereof no Evacuations are directly proper. This, tho it appears in other parts of the Body, yet it most commonly appears in the Breast, and fixes it self in some determinate place ; it scarce rises higher than the Skin, and shews it self like a broad Spot, only it seems somewhat of a yellowish Colour, by reason of Scales that are so tinctur'd. This Spot, when it is out, keeps the Man well ; but when it vanishes, he has often a light Sickness, and his Urine is render'd thick and red, but inclining somewhat to a yellow. In this Disease also you must proceed the same way, and, after universal Evacuations, with the same Remedies as in the violent Itch, above-mention'd. And moreover, which must not be forgot, the Use of Wine and Flesh of easy Digestion, must by all means be allow'd ; for all cooling things do more hurt than good : And so this last Species of Eruptions is cured ; but sometimes it will not go off without drinking of Steel-waters for a long while.



## C H A P. VII.

### *Of the Quinsy.*

**I**T comes at any time of the Year, especially between Spring and Summer ; it chiefly seizes young Men, and such as are of a sanguine Constitution, and red-hair'd People (which I have often observ'd) more than any others. They shiver and shake presently at the beginning of the Disease, a Fever follows, and a little after a Pain and Inflammation of the Jaws ; and if the Patient be not

P

sea-



seasonably relieved presently, he can neither swallow nor draw his Breath thro his Nostrils, so that he is under the apprehension of strangling, by reason the Jaws are stop't by the Inflammation and Tumours of the Uvula, Almonds, and Larynx, and is indeed in a manner suffocated. There is great danger in this Disease, for it sometimes destroys a Man in a few Hours; namely, when a great deal of the febrile Matter is cast upon the foresaid Parts, and when the Violence of the Disease is not timely prevented by the use of proper Remedies.

In order to the Cure, I presently take away Blood plentifully from the Arm, and presently after from the Veins under the Tongue; and then I order that the inflamed Parts should be touch'd with Honey of Roses, made very sharp with Spirit of Sulphur, and that the following Gargarism should be used, not after the common way, but that it should be kept in the Mouth without any Agitation until it wax hot, and then that it should be spit out, and that it should be repeated now and then.

*Take of Plantain-water, and red Rose-water, and of the Water of Frogs-spawn, each four Ounces; the Whites of three Eggs turned into Water by beating; of white Sugar-candy three Drams: make a Gargarism.*

I likewise order the Patient to take daily of the Emulsion prescribed in the Cure of a Pleurisy, or the like.

The next Morning I bleed again, unless the Fever and difficulty of breathing abate, and defer Purging till the next Day; but if both these are lessen'd, I presently give a lenitive Purge; which I have found very necessary by manifold Experience, above all other things, after bleeding. If the Fever and other Symptoms are like to be troublesome after Purging, which is very rare, they are to be quell'd by Bleeding repeated as before, and by applying a large and strong Blister to the Neck: a cooling and emollient Glisten is to be injected every Morning, except when the Patient purges. Through the whole Course of this Disease, I forbid the use of all sorts of Flesh, and their Broths; and the Patient ought only to eat Oatmeal and Barley-Broths, roasted Apples, and the like: Let him drink a Ptisan, or Small-beer; let him keep up some Hours every Day, for the Warmth of the Bed



Bed augments the Fever, and other Symptoms, which I endeavour to cure by this Method. But it is to be observed, that such a Quinsy, which is only the Symptom of a Fever I call stationary, is to be cured by that Method which is requisite for the Fever; and so is either to be removed by Sweat and Transpiration, or by any other Method of Cure, which is necessary for the primary Fever on which it depends; which is worthy to be noted.

There are other Fevers which are to be reckon'd with Intercurrents, which because they immediately go another way, and end in this or that Symptom, are not commonly accounted Fevers, tho they were originally such: and the Disorder from whence the Disease takes its Name is only the Symptom of the Fever, which ends in it. I will at present speak only of bleeding at the Nose, and of spitting of Blood.

Bleeding at the Nose comes at any time of the Year, and afflicts those chiefly that are weakly and of a very hot Constitution, and more frequently when they are old than when they are young. At first there are some signs of a Fever, which goes off suddenly, making way for it self thro the Nostrils; there remains nevertheless a Pain and Heat in the fore-part of the Head; the Blood flows some Hours, then stops a-while, and soon breaks out again, and so by turns, till at length it wholly ceases, being restrain'd either by the use of Medicines, or stopping of it self, by reason a great quantity of it has been lost; yet the Patient is in danger of a Relapse every Year, if the Blood happens to be much heated by spirituous Liquors, or any other occasion.

In this case I do all I can to restrain the violent Heat and Ebullition of the Blood, from whence arises the said unusual Extravasation, and to turn the Force of it another way; to which end I bleed often in the Arm, and take away Blood freely, which is always of the same colour with that which is drawn in a Pleurisy. I order a cooling and thickning Diet; as three parts of Fountain-water and one of Milk boiled together, and drank cold, roasted Apples, Barley-broths, and such things as are made without Flesh, also cooling and thickning Juleps and Emulsions: and I order the Sick to keep from Bed daily for some time, and that a gentle cooling Glister



be injected every Day, and not once omitted. I also order'd a Paregorick Draught of *Diacodium* at Bed-time, to quell the Fury of the Blood. But because a sharp Humour often accompanies such Hemorrhages, which being mingled with the Blood, furthers its Motion, and opens the Orifice of the Veins; besides Revulsion and Cooling, I usually give a gentle Purge, when the Disease is even at its height; and after it has done working, an Anodyne in a larger Dose than ordinary: and when the Symptom is quite gone off, I give another Purge. As to the external Applications, a Linen Bolster dipp'd in cold Water, wherein *Sal Prunel.* has been dissolv'd, and gently press'd out, may be apply'd to the Nape of the Neck, and to both sides of it often in a Day; and after general Evacuations, the following Liquor may be apply'd:

*Take of Hungarian Vitriol and Allum, each one Ounce; Flegm of Vitriol half a Pint; boil them till all is dissolved: filter the Liquor when it is cold, and separate it from the Chrystals, that sometimes rise; to the remaining Liquor add a twelfth part of Oil of Vitriol, and put a Tent dipt in this Liquor into the Nostril from whence the Blood flows, and keep it two Days.*

Rags moisten'd with this Liquor and apply'd, stop Blood from what part soever it flows.

Spitting of Blood, which betwixt Spring and Summer befalls weakly People of a hot Constitution, whose Lungs are infirm, and rather young People than old, is almost of the same nature with the bleeding at the Nose I have just now treated of; for this is also a Fever that puts off its Name and Essence by the Crisis it is discharged, with this only difference, in a manner, that in the former Disease the Blood being too much agitated, rushes violently into the Veins of the Nostrils, but in this upon the Lungs: And as in that, during the Flux, there is continually a Pain and Heat in the fore-part of the Head, so in this the Breast is afflicted with both, together with some Weakness; and this Disease requires almost the same Method of Cure, only it will not bear Purging; by which, especially if repeated, the Sick is apt



apt to fall into a Consumption. But Bleeding used often, a Glister injected every day, *Diacodium* taken at Bed-time, moreover, Medicines and Diet thickning and cooling, will do the business effectually.

And these are the things which I have hitherto observed concerning the numerous Tribes of Diseases divided into various kinds, which are reckon'd under the Name of Fevers, and of those Symptoms which depend on them ; in which I have acted so carefully, that I have not imposed upon the World my own Fancies and Imaginations, but have deliver'd faithfully the History of them and their *Phænomena*, without respecting any Hypothesis. I have also treated of their Cures with the like Sincerity and Care : And if an earnest Desire of finding out and establishing a more certain Method of Cure has forced me to go into untrodden Paths, I hope none of the Learned will charge me with either despising their Judgment, or trusting too much to my own, or that I affect Novelty ; for the good Success that I have had in discovering these things has hitherto much encouraged me, and the Experiment of those that come after will undoubtedly clear my Reputation. And truly this destructive Troop of Diseases is not to be opposed lazily, which wages desperate War with Mankind every Day, and which destroys two thirds of Men at least, if you except those that die of a violent Death. The continual Force of these Diseases, and the daily Destruction of the strongest and youngest Men especially, (notwithstanding those Helps, which hitherto those specious Methods, which are confidently described in the Books of speculative Writers, have hitherto afforded us) much disturbed my Mind, while I was considering these things : for really I found, that those vain Speculations did so little conduce to the Recovery of Health, that they who fled to them as an Asylum, whatever these dogmatical Boasters promised, were no more secure than those, who neglecting all Art, left the business to Nature. If I have done any thing whereby the Dangers which often occur in curing Diseases, may be any way lessen'd (which at least, I hope, I may modestly promise my self) I have in some sort my Ends, and the pleasing Reward of my great Labour rightly bestow'd



on seeking the Good of my Neighbour. These are the chief things which I have hitherto found, or which I could reduce to a Method about the Fevers, and Symptoms which depend on them, to the 30th of December 1675.



Dr.





*Dr. Sydenham's Two Epistles :*

The First, of Epidemical Diseases from  
the Year 1675, to the Year 1680.

*To the learned and worthy Dr. Brady, Master  
of Caius-College, and the King's Professor of  
Physick in Cambridge.*

The Second, of the History and Cure  
of the French Pox.

*To the accomplished and worthy Dr. Henry Pa-  
man, Fellow of St. John's-College in Cam-  
bridge, the University-Orator, and Professor of  
Physick in Gresham-College, London.*

*To the famous Physician Dr. Thomas Sydenham.*

*Worthy Sir,*

**N**O Physician as yet, Learned Sir, besides your  
self, has duly considered the Force of the  
Air, and the Influence of it upon Human Bo-  
dies ; nor has any one well consider'd, how  
it acts for preserving of our Lives ; nor has  
any one observed how much it conduces towards the Fer-  
mentation, Alteration, and Circulation of the Blood,



and to all Animal Motion ; nor have any Writers of Natural or Medicinal History touch'd lightly, so far have they been from searching thorowly into its natural Temper, various Alterations, and Changes, which Constitutions you have well discover'd : for truly it cannot be, but that when the Air insinuates it self into all, and the remotest parts of the Body, it shou'd imprint and communicate the Alterations and Changes it undergoes by the things wherewith it is impregnated, to the Juices and Blood. Upon which account most commonly, from this or that ill Constitution of the Air, arises this or that ill Disposition of the Blood : therefore you have excellently well instituted your medicinal Observations, of the History and Cure of acute Diseases, according to the various Constitutions of Years, and the parts of them. For by them the Actions of the Air upon the Blood, Juices, and especially upon the Spirits, (which perhaps they are the matter of) are perceiv'd ; and I do not at all doubt but that the Genius of Fevers observed from the Temper of the Years wherein they raged, is the best, if not the only Method to establish Practice. Go on therefore, and if any Observations yet remain of the Fevers of the Years last past, be pleased to publish them, and in so doing you will very much further the Health of Mankind.

In the fifth Chapter of the first Section of your Book, you said somewhat of the use of the Jesuits Pouder ; indeed I know some Physicians of good Note give it in a large quantity, and repeat it often, and others that make Extracts and Infusions of it, and of the Infusions Juleps and Emulsions, whereby they affirm they can certainly cure Agues, and also some continual Fevers : without doubt it is an excellent Remedy to cure Agues. I indeed have used it about twenty Years in various Forms, and prepared it several ways with very good success : if you know any thing peculiar about the use of it, I desire you would publish it.

In the Cure of a Rheumatism you have proposed frequent and large Bleeding as necessary ; I desire to know, whether it may not be as certainly cured some other way, as by that cruel and severe way of Bleeding. But, worthy Sir, in doing these things you must expect to be calumniated and reproached by ill Men ; but such Treatment and such Men are very displeasing to the Ingenious :  
for




for if they would search out a History of Fevers approved by long Use, and the Essences, Causes, and Differences of them, and the true Method of Cure, they must take you for their Guide; for the Nature of them, and their Method of Cure, can be found no other way. Be therefore courageous, and despise these insignificant Slanderers, and go on to promote the Ingenuity of honest Men: you have shewn the way, and if what you have done does not please, let those that cavil shew a righter and better way. Farewel, worthy Sir; in performing these things you have obliged the whole Province of Physick, and among the rest,

*From Cambridge,*  
Dec. 30. 1679.

*Your obliged Friend,*

R. Brady.



*To the learned and accomplish'd Dr. Brady.*

*Worthy Sir,*

**I**T is certainly very reasonable, that I, if I have any whit advanced the Cure of Diseases, should impart freer than other Men to any one that ask me about it: for if I know only those things which other People know, (which I am well satisfy'd of) it is no injury to me to divulge such Trifles and common things; but if I have obtain'd any thing that is beneficial in Physick, and that renders the Cure of Diseases more certain, so much Praise is not due to me for publishing it, as would be to any other: for having been afflicted with the Gout for about thirty Years, and a long while severely handled by the Stone, I can easily imagine how heartily I should rejoice, if any one would shew me how I might be freed from my Misery; but there are very few to whom God Almighty has granted this great Privilege of being beneficial to the Publick in this Case, and it is only to be done successfully by those that are made of better Clay than I am: for indeed I have not power enough to do it, but have always thought, and not without reason, that there is more Happiness in discovering a certain Method



thod of curing, tho but of the least Disease, than heaping up the Treasures of *Tantalus* or of *Cræsus*. More Happiness, I say, and more Wisdom too; for what better Specimen can any one shew of his Wisdom and Goodness, than to do continually all he can rather for the publick Good, it being part of the common Nature of Mankind, than for himself, he being so small and so contemptible a Part of the Whole? For to speak according to *M. Cicero* the great Master of speaking and thinking, the Genius of his Age, not to say of the Nature of Men in general; *The Laws postpone the Good of particular Persons to the Good of all*: so a good and wise Man, and one that is obedient to the Laws and knows his Duty, endeavours the Good of all Men more than of any one, or of himself. And indeed every one knows it is the part of a wicked Man to destroy Men, but the Duty of a good Man to preserve them, and to instruct others, so that as they may be able to free them from Death, after he is dead: and this is a very wicked and abominable Saying, *viz. Come what will when I am in my Grave.*

But these things being past over for the present, I must confess, that I ought to discover plainly to you those things that I have thought of the Disease you enquire about, how small soever they be; to you, worthy Sir, that deserve the Office that you have: and I render, with the University wherein you flourish, the Encomiums of Learning, Honesty, and Candor of Mind, and must mention with Thanks the Sense you have of the Affronts that are offer'd me by some, of whom I must say thus much, That if the harmless Life of a Man, that has injured none in Word or Deed, could have secured me, they never would have rav'd against me; but seeing it happens so, when I am not to blame, nor I hope ever shall be, I am resolv'd not to be troubled for their Faults, supposing that all that I have to do is to perform the Duty of an honest Man, and of a good Physician, as far as I am able.

Therefore I will set down the Observations I have made concerning the Diseases you enquire about; and first I will treat of the Agues, that are now Epidemical with us, and in doing which I think it will not be amiss to run thro those Years orderly, tho briefly, which follow'd that, wherein I finish'd my History of  
acute



acute Diseases (such as it was) which raged for fifteen Years last past, and to mention briefly by the by, something that I have mention'd before, of the cure of them; which being done, we may better understand at what time, and in what manner the Constitution that now prevails stole upon us.

The Year 1676 produced the same Diseases that were generated by the Constitution last treated of, in the said Observations, *viz.* of the Years 1673, (in the *Autumn* whereof it first began) 1674, and 1675; but this Constitution decaying, the Diseases that broke out were gentler than they were wont to be, and were not so epidemical, notwithstanding the peculiar disposition of the Year, as to the manifest qualities of the Air, whereby it was much different from the preceding Years; for the heat of the Summer, and the cold of the Winter were much greater than had been known in the memory of Man: and seeing so great a difference in Seasons produced the same Diseases, it is manifest from hence that the occult temper of the Air causes Diseases more, than the manifest qualities of it. But it must be confess'd that the same Diseases, as to some Symptoms, depend sometimes on the manifest disposition of the Air, which appears plain from the Measles and the *Cholera Morbus*, which invaded in this Year, whereof I will speak briefly.

For the Measles that broke out at the beginning of the Year, tho they were not very epidemical, yet this was remarkable in them, *viz.* they continued longer; for whereas, according to their custom, they began in *January*, and increas'd till the vernal Equinox, and then decreasing by degrees, they vanish'd in a moment about Midsummer; this Year they lasted almost to the Autumnal Equinox, being strengthen'd, as I conceive, by the heat of Summer, so as to last longer; and yet they did not require a new method of Cure. At the end of Summer the *Cholera Morbus* raged epidemically, and being heighten'd by the unusual heat of the Season, the Symptom of Convulsions that accompany'd it were more violent, and continued longer than ever I observ'd before; for they did not only seize the Belly, as they were wont, but now all the Muscles of the Body, and the Arms and Legs, were especially seiz'd with dreadful Convulsions, so that the Sick would sometimes leap out of the Bed, endeavouring by stretching



stretching his Body every way to suppress the violence of them. But tho this Disease did not require any new Method of Cure, yet stronger Anodynes, and oftner repeated than were usual, were plainly indicated : For instance, Being call'd to a certain Patient, that was almost destroy'd with this dreadful Symptom (Dr. Goodall accompany'd me, whose Candour, unspotted Probity, his great Kindness to me, and his indefatigable Endeavours to find out and cure Diseases, always come into my mind, when I mention his Name) and with violent Vomiting, was just dying by reason of the violence of the Convulsions; he was in a cold Sweat, and his Pulse could scarce be felt : I gave him twenty five Drops of my liquid *Laudanum* in one Spoonful of strong Cinnamon-water ; for I did not dare to give a larger Vehicle, lest it should occasion Vomiting (as it often happens when there is a great inclination to Vomiting) and sitting by the Bed about half an Hour, and perceiving the strength of the Medicine was not sufficient to stop the Vomiting, nor the Convulsions, I was forced to repeat it, and to increase the Dose so (but there was such a space as that I might know what was to be hoped for, from what was already taken, before I gave any more) as that the violence of Symptoms was at length quell'd ; but yet they were apt upon the least Motion to rebel, and therefore I strictly order'd that the Body should be kept very quiet for a few days, and that he should take now and then the aforesaid Medicine in a smaller Dose, when he was well, to confirm the business ; and this succeeded according to my desire.

Nor is there any reason why any one should count me too bold, because I venture to give so great a quantity of liquid *Laudanum* ; for it is plain by Experience, that for those Diseases Preparations of Opium are indicated (and they are three, violent Pain, Vomiting, or a great Looseness, and great Disorders of the Spirits) in these both the Dose of the Remedy, and the repetition of it, must be according to the greatness of the Symptom : for that Dose which will be sufficient to quell a small Symptom, will be overcome by a stronger ; and that which would otherwise indanger the Life of the Patient, will in such a case save his Life.



And these are the Diseases which raged this Year, *viz.* the same with those of the three foregoing Years; but what those were that raged the following Year, *viz.* 1677. I can't say: for at the beginning of the Year I was much troubled with a bloody Urine upon the least Motion, and not long after with the Gout, which was not so much in my Limbs as in my Bowels, where I was grievously tortur'd: I was also weak and without Appetite, and my Legs swell'd: I had also other Symptoms that were no less dangerous, so that I could willingly have dy'd then. Upon this account I kept at home three Months, and afterwards was forc'd to go into the Country for the recovery of my Health, and to continue there almost as long: but returning in the Autumn, my Friends told me that there were a few Agues here and there, but chiefly in the Country; but being by reason of Sickneſs unable to visit Patients, I cannot write any thing of this Year.

The next Year 1678. the Constitution of the Air being wholly chang'd, so favoured Agues, that they became again Epidemical: whereas they had in a manner wholly left the City for the space of thirteen Years, from the Year 1664. only here and there they seized some, or perhaps were brought with them out of the Country, and they will not continue as they are, but will increase till the disposition of the Air comes to its height, on which they depend: for tho there were few of them in the Spring, yet they did so rage above all other Diseases at the latter end of Summer, and in Autumn, that they alone were Epidemical; but in the Winter they gave way to the Small-Pox, and to other Epidemical Diseases, till a fit Season for Agues return'd.

But now that I may deliver what I have carefully observ'd, concerning the Nature and Causes of these Agues, it must be first noted, tho Quartan Agues were heretofore most common, now they were either Tertians or Quotidians (unless the last be called double Tertians) and likewise, that tho these Tertians and Quotidians did sometimes invade with shaking and shivering, sometimes with Heat, and soon after Sweat, in a perfect Apyrexia, and return again afresh, after a stated Period; yet they did not keep this Order above three or four Fits, especially if the Patient was kept a-bed, and  
† took



took hot Cordials, which add Oil to the Fire, as they say ; for then the Disease was so heighten'd, even contrary to its Nature, that instead of an Intermision, there was only a Remission ; and coming daily nearer to the Species of continual Fevers, seizing the Head, destroy'd many.

As to the Cure, it has now been well known to me for many Years how dangerous a thing it is in Tertian and Quotidian (which when they are new, and have put on no Type, are still next door to continual Fevers) to attempt the removal of them by Sudorificks : for tho it is very well known, that as soon as the Sweat breaks out, Restlessness and other Symptoms vanish immediately, and an Apyrexia succeeds, and therefore of consequence it must be indulged a little, at least not hinder'd, when the Fit is going off ; yet it is very evident, that if Sweat be forced more than it should, the Fever which intermitted will prove continual, and the Life of the Sick is in a hazardous condition ; and one is saved and the other dies : the reason is this, unless my Conjecture fails me, *viz.* that this profuse Sweat, when it exceeds the degree of the febrile Matter, exalted so far by the heat of the Fit, as that part of it answering to one Paroxysm may be ejected, it wastes the rest of it in inflaming the Blood. Therefore whilst I consider'd how ineffectual this Method was, and also other Evacuations, that is, Bleeding and Purging, both whereof by relaxing the Tone of the Blood, protract the Disease, the *Peruvian* Bark gave me the most certain hope ; concerning which I can safely say, notwithstanding the Prejudice of the common People, and of some of the Learned, I never saw, nor could reasonably so much as suspect any mischief would happen to the Sick from the use of it : only they who have used it a long while, as I have shew'd in the Chapter of a Rheumatism, are sometimes subject to a Rheumatick Scurvy ; but this very rarely happens on this Account, and when it does, it is easily cured by the Remedies there prescribed. And truly, if I were as well assur'd of the duration of its Effects, as I am of its Innocence, I should not doubt to give it the first place, among all Medicines that are yet known : for it is not only found to be of excellent Virtue in this Disease, but also in the Diseases of the Womb and Stomach ;



mach; so little reason has any one to complain of the Un-wholesomness of it.

But the said Bark has got an ill Name, I suppose for these Reasons chiefly: First, because all the dreadful Symptoms that attend an Ague, when it has tormented a Man a long time, are imputed to the Bark, when he has scarce used it once. Secondly, because many suppose, seeing it drives away the Disease by an occult Virtue, and not by sensible Evacuation, that the Matter causing the Disease, which should have been cast out, is shut up by the astringent Virtue of the Bark, like an Enemy within the Walls ready to give new Disturbance, and that the Patient is not quite free, for he drags his Chain after him still. But these Men do not consider, that the Sweats, which come at the end of the Fit, have cast off all that, that was gather'd on the well Days, there remaining only the Seeds of the Disease to be ripened in time, and that the Bark pursuing the flying Fit (when all the Provision or Sustenance of the Disease, which should have been sent in, is intercepted) cannot be said to retain that in the Blood, which cannot be found there, unless in *Embryo*, and therefore must not be thought guilty either of those Fits, or Obstructions which are commonly objected.

But by what means do we find that the Bark drives away Agues, by its astringent Faculty? He that would prove this, must necessarily first produce other Astringents indu'd with the like Virtue. Indeed I have try'd the strongest of them, but could never yet obtain my end; yea it cures some, who after the taking it, go as often to stool, as if they had taken a strong Purge. But when all is said, it is the truest Wisdom for ever one to keep within his due Bound: but if any one will deceive himself, and think he is indu'd with other Faculties, than what are subservient, either to natural Religion, that is, that due Veneration be given to God, the Maker and Governor of all things, with the profoundest Prostration of Mind, which he of right deserves; or to moral Philosophy, that he may exercise Virtue, and become serviceable to human Society; or lastly to the Medical, Mathematical, or some other Mechanical Trade, which are beneficial to Mankind; let this Man first draw an Hypothesis from the natural School-Philosophy, whereby  
he



he can explain but only one specifick difference of things in Nature ; for instance, Let him give a Reason why all Grasse is every where found to be green, and never otherwise, and the like. If he can do this, I will readily subscribe to his Judgment ; but if not, I will not fear to say, that all a Physician's Care and Industry should be bestowed in searching out the History of Diseases, and in using those Remedies, which, Experience being his Guide, are able to cure them, ever observing that Method which right Reason, founded not on speculative Imagination, but the right and natural way of thinking, shall dictate. I will therefore briefly set down what I have learned by Practice concerning the Method of giving the Bark.

The *Peruvian* Bark, which is commonly called the Jesuits Pouder, about 25 Years ago, if I remember well, first became famous at *London* for curing Agues, and especially Quartans ; and indeed for very good reason, seeing these Diseases were rarely cured before by any other Method or Medicine : wherefore they were call'd *Opprobria Medicorum*, and were truly a Reproach to Physicians. But not very long after it was damn'd for two Reasons, and those no small ones, and so was wholly disus'd. First, because it being given a few Hours before the Fit, according to the receiv'd custom of that time, it sometimes kill'd the Patient ; and so I remember it happen'd to a Citizen of *London*, one Alderman *Underwood*, and to Captain *Potter*, an Apothecary in *Black-Friars* : this Tragical Effect of the Pouder, tho very rare, did yet deservedly withdraw the best Physicians from the use of it. Secondly, because tho the Patient was rid of his Fit by it, which would otherwise have come, and it seldom fail'd, yet within fourteen Days he relapsed ; that is, when the Disease was new, and had not spent it self by length of time. Most Men being sway'd by these Reasons, quite cast off the hope they had formerly conceiv'd of this Pouder, neither did they so value the keeping off of a Fit for a few Days as to endanger their Lives by taking the Pouder. But having for several Years since seriously consider'd with my self that the Virtue of this Bark was not common, I was confident Agues could better be cured by no other Medicine than this Herculean one, if it were used with  
care :



care: therefore I consider'd a long time how I might prevent the danger impending from the Pouder, and the Relapse, which follow'd in a few days, which were the two Inconveniences to be avoided, and by the help of it to promote the Patient to a degree of perfect Health.

First of all, I suppose, the Danger that was threaten'd did not so much proceed from the Bark, as from the unreasonable Use of it: for when great store of febrile Matter is gather'd in the Body on the Days of Intermission, the aforesaid Pouder, if it be taken immediately before the Fit, hinders the morbidick Matter from being ejected according to Nature's Method, that is, by the Force of the Fit; and being, contrary to all Reason, shut up, usually endangers the Patient's Life. Now I reckon'd, I could prevent this Mischief, and also put a stop to the breeding of febrile Matter a-new, if after one Fit is off, I presently gave the Pouder, that the following might be stopt; and if on the Days of Intermission at set times, I repeated now and then the same till a new Fit were coming, I might gradually, and therefore safely, thorowly tinge the Mass of Blood with the salutiferous Virtue of the Bark.

Secondly, since the Relapse, which usually happens within fourteen Days, seem'd to be occasion'd because the Blood was not sufficiently saturated with the Virtue of the Febrifuge, and for that reason was not efficacious enough; therefore I thought nothing would be so good for preventing a Relapse; as the Repetition of the Pouder at due distances, before the Virtue of the preceding Dose was quite spent, tho the Disease at present was quell'd.

My Mind therefore, sway'd with the weight of these Reasons, dictated to me the Method I now use: Being call'd to one ill of a Quartan Ague, suppose on a Monday, if the Fit is to come the same Day, I meddle not, but only put him in hopes that he shall be freed from the next; and therefore the two well Days, that is, Tuesday, and Wednesday, I gave the Bark in the following manner:

*Take of the Peruvian Bark finely powder'd one Ounce;  
make an Electuary with a sufficient quantity of Syrup  
of*



226      *Of the Epidemick Diseases from*

*of Gilliflowers, or of dry'd Roses; divide it into twelve parts, whereof let him take one every fourth Hour, beginning immediately after the Fit; and let him drink a Glass of Wine immediately after it. Or if the Sick like Pills better,*

*Take one Ounce of the Peruvian Bark finely powder'd, make midling Pills with a sufficient quantity of Syrup of Gilliflowers, whereof let him take six every fourth Hour.*

But one Ounce of the Pouder may be mingled with a Quart of Claret with the same success, and less trouble, and eight or nine Spoonfuls may be given at the same distance of time we mention'd before. On Thursday, at which time the Fit is fear'd, I order nothing, because usually none comes; the Relicks of the febrile Matter being despumated, and ejected out of the Blood by the usual Sweats which compleated the preceding Fit; and the gathering of a new *Minera*, or *Fomes*, being prevented by the repeated use of the Pouder of the Days between the Fits.

But however, lest the Disease should return, which was one of the foresaid Inconveniencies, on the eighth Day precisely after the Patient had taken his last Dose, I certainly gave him the same quantity of the said Pouder, that is, one Ounce divided into twelve parts, in the same Method I gave the former: but tho the Bark once repeated in this manner often cures the Disease, yet the Patient is not wholly out of danger, unless he follows his Physician's Directions, when he prescribes him the same Method at the same distances, a third or fourth time; especially when the Blood has been weaken'd with some preceding Evacuation, or the Patient has unadvisedly exposed himself to the cold Air.

But tho this Medicine has no purgative Virtue in it, yet by reason of the peculiar Temper and *Idiosyncrasy* of some Bodies, it often happens that the Patient is violently purged, as if he had taken a strong Cathartick. In this case, it is altogether necessary to give *Laudanum* with it, that it may not purge, which is plainly contrary both to its own Nature and to the Disease, but that it may be retain'd until it has done its business: therefore in this case I order ten Drops of *Laudanum* to be dropt  
into



into Wine, and to be taken after every other Dose of the Powder, if the Looseness continues.

I proceed in the same Method with other Agues, whether Tertian or Quotidian: for upon the ending of the Fit, I immediately fall upon both, and I follow and press them as much as their Nature will bear, by the Repetition of the Medicine in the spaces betwixt the Fits; yet with this difference, that whereas a Quartan can be very rarely taken off with less than an Ounce divided into Doses, the other may be so subdu'd with six Drams, that they will grant a Truce at least.

But tho Tertians and Quotidians, after a Fit or two, may seem to intermit, yet oftentimes they afterwards turn into a kind of continual Fever, as I have noted before, and come only to a Remission, even on those Days they promised an Intermission; especially when the Patient has been kept too hot in bed, or has been punish'd with Medicines to carry off the Ague by Sweat: in this case, taking an opportunity from the Remission, be it ever so small, for that is all is left me, I gave the Powder just after the Fit, as near as I can guess, *viz.* every fourth Hour, as I said; making no matter of the Fit, because otherwise in so short an Interval the Alexiterial Virtue of the Bark cannot be communicated to the Blood.

And tho the Agues which are now frequent amongst us, after one or two Fits, incline to continual Fevers, yet since they must be referred to Intermittents, I make no scruple to give the Bark, even in those that are most continual of this kind; which being repeated in the manner aforesaid, will undoubtedly bring the Patient to an Apyrexia, if the constant Heat of the Bed, and the unseasonable Use of Cordials have not made it a continual Fever; in which case I have more than once observed that the Bark will do no good. I never found that Wine, wherein the Bark is given (which one might well suspect) did any harm to one in an Ague; but on the contrary, Heat, Thirst, and other Symptoms of the Ague, did presently vanish after taking a sufficient quantity of this Remedy, notwithstanding the Wine. But here it is to be noted, that the nearer the Ague comes to a continual Fever, either of it self, or by reason of too hot a *Regimen*, so much the more need is



there of a greater quantity of the Bark ; so that sometimes I have found it necessary to give an Ounce and a half, and sometimes two Ounces, before the Disease would go off.

And whereas there are some that cannot bear this Bark in form neither of a Powder, nor of an Electuary, nor yet of Pills, I give it them in an Infusion ; that is, I infuse for some time two Ounces of the Bark grossly powder'd in a Quart of Rhenish Wine. This Liquor being several times pass'd through *Hippocrates's* Sleeve, is of a clear Colour, and not so offensive, but that it may be taken by the most delicate Palate : four Ounces of the said Infusion having stood several Days, seem to contain the Virtue of one Dram of the Bark given in Powder ; which, because it is neither ill-tasted nor burdensome to the Stomach, may be taken twice as often as any other Form of this Medicine, *viz.* till the Fits are gone.

And sometimes it happens, that when this Disease has not come to a regular Type, the Patient, by reason of Vomiting almost continually, cannot retain the Bark in his Stomach, in whatsoever Form it is given ; and in this case the Vomiting must first be stopt, before the Bark can be used : to which end I order, that he take a Scruple of Salt of Wormwood in a Spoonful of the fresh Juice of Lemons, six or eight times in the space of two Hours, and afterwards sixteen Drops of liquid *Laudanum* in one Spoonful of strong Cinnamon-water ; and soon after, if the Vomiting cease, let him begin the Use of the *Jesuits* Powder.

For Children, whose tender Age can scarce bear that this Remedy be taken in any other form, at least in such a quantity as may be sufficient to cure the Disease, I used to prescribe the following Julep :

*Take of Black-Cherry-water and Rhenish Wine, each two Ounces ; of the Peruvian Bark finely powder'd, three Drams ; of Syrup of Gilliflowers one Ounce ; mingle them, and make a Julep : let him take a Spoonful or two every fourth Hour according to his Age, till the Fits go off ; drop into every other Dose, if there be a Looseness, one or two Drops of liquid Laudanum.*



It is to be noted moreover, that the short Distances betwixt the Fits in Tertians and Quotidians, do not allow time sufficient to tinge the Blood thorowly with the febrifuge Virtue of the Bark. Therefore it cannot be supposed, that the Sick should so certainly miss the next Fit after his taking it, as it usually happens in a Quartan; for in these the Medicine often will not perform the promised Cure under two Days time.

And you must observe, that if the Patient, notwithstanding the Caution above deliver'd, does nevertheless relapse, which seldomer happens in a Quartan than in Tertians and Quotidians; yet it will be the part of a prudent Physician, not to insist too pertinaciously upon the Method of giving the Bark at the said distances, but to attempt according to his Judgment the Cure by some other means; to which, above the rest, the bitter Decoction is generally held to conduce much.

As to Diet and other *Regimen*, the Sick must be neither kept from Meat nor Drink, of what kind soever it be, that gratifies his Stomach; Summer-Fruits and cold Liquors only excepted, for they weaken the Mass of Blood, and are apt to occasion the Return of the Ague. Let him therefore eat Flesh of easy Concoction, and of good Juice, and let him use a little Wine for his ordinary Drink, whereby alone I have sometimes restored sick Persons, even those whose Bodies being weakned with the frequent Return of the Ague, have eluded the Virtue of the Bark.

Nor ought the Patient unadvisedly to commit himself to the cold Air, till the Blood has obtain'd its pristine Vigour again.

But it is to be noted here, that when heretofore treating of Agues we admonish'd that the Patient was to be well purged after the Disease went off; this is to be understood only of those Agues that either went off of their own accord, or were cured by some other Method, and not by the Jesuits Pouder: for when the Cure was perform'd by this Remedy, of which we now speak, there was no need of Purging, nor truly would it bear it, so powerfully does the Bark resist the Fits, and that ill Disposition which they bring upon the Body; therefore all sorts of Evacuations are by all means to be avoided: for the gentlest Purge, yea, a Glister of Milk and Sugar,



will certainly put the Patient in danger of the Return of the Disease, and perchance of Death it self.

And here is to be remembred, that a certain great Symptom sometimes came upon these Agues the first Years of this Constitution; namely, their Fits did not come with shaking and shivering, and afterwards the Fever following; but the Sick had plainly the Symptoms of an Apoplexy, tho indeed it were nothing else, how like soever to this Disease, than the Fever falling on the Head, as was sufficiently evident by other signs, as well as by the Colour of the Urine, which in Agues is commonly of a deep red, as is the Urine of People affected with Jaundice, tho not quite so red, and likewise puts off a Sediment like Brick-dust. In this case, tho all Evacu-ations of every kind seem to be indicated for the Revul-sion of the Humours from the Brain, as is wont to be done in a true Apoplexy, yet they are wholly to be omitted, because they are very injurious in the Ague, the original Cause of this Symptom, and moreover hasten Death, as I have known: but on the contrary, we must wait till the Fit goes off of its own accord, at which time the Bark is presently to be given, if it could not be taken before, and must be carefully repeated in the spaces that are free from the Fits of this kind, till the Patient is quite well.

Sometimes it happens, tho very rarely, that old Men, who have had a long time this Disease, and have been unskilfully punish'd with Bleeding and Purging, fall into a *Diabetes*, when the Fever is perfectly cured: for their Blood weaken'd on this account, being quite disabled, cannot assimilate the Juices brought to it; and they are put off crude and unconcocted by the urinary Passages, and by reason of a prodigious quantity of Urine voided as often as they make it, the Strength is by degrees im-paired, and the Substance of the Body as it were washed away. In this case, as well as in every *Diabetes*, by which means soever occasion'd, the curative Indications are wholly to be directed to the invigorating and strength-ning the Blood, and likewise to stop the preternatural Flux of the Urine.

Take of Venice-Treacle one Ounce and a half; of the  
Conserve of the yellow Peel of Oranges one Ounce; of  
Diascor-



*Diafcardium* half an Ounce ; of *Ginger* and *Nutmeg* candied, each three Drams ; of *Gascoins Powder* one Dram and a half ; of the outward Bark of *Pomegranates*, of the Roots of *Spanish Angelica*, of red *Coral* prepared, and of the Troches of *Lemnian Earth*, each one Dram ; of *Bole-Armenick* two Scruples ; of *Gum Arabick* half a Dram ; with a sufficient quantity of Syrup of dry'd *Roses*, make an *Electuary* : let him take the quantity of a large *Nutmeg* in the Morning, and at five in the Evening, and at Bed-time, for the space of a Month, drinking upon it six Spoonfuls of the following Infusion.

Take of the Roots of *Elecampane*, *Masterwort*, *Angelica*, and *Gentian*, each half an Ounce ; of the Leaves of *Roman Wormwood*, white *Horehound*, of the lesser *Centaury* and of *Calamint*, each one Handful ; of *Juniper-berries* one Ounce : let them be cut small, and infused in five Pints of *Canary* ; let them stand together in a cold Infusion, and strain it as you use it.

Let him be fed with Meats of easy Digestion, as with *Veal*, *Mutton*, and the like ; let him forbear eating of Herbs, and all Fruit whatever, and let him drink *Spanish Wine* at every Meal.

That lasting and obstinate Disease, the Whites in Women, is cured almost the same way, and by the same Remedies as is the *Diabetes* just now mention'd ; for the curative Indications are in both the same, how different soever these Diseases may seem to be : but in the Cure of the Whites, Bleeding must be used once, and Purging thrice, with two Scruples of *Pil. Coch. Major*, before corroborating Medicines are prescribed ; but in the whole process afterwards they must be no more used, for all sorts of Evacuations render the Virtue of corroborating Medicines ineffectual. But this by the by.

I thought it necessary to say thus much briefly concerning the use of the *Peruvian Bark*, for I did not intend to indulge the Poms of Remedies ; and indeed they that add any thing to the Bark besides a Vehicle necessary to carry it to the Stomach, either do it ignorantly or deceitfully, in my opinion, which any good Man should



abhor, and should be drawn to such a Fraud by no private Advantage, he being part of the common Nature. As to what remains, if Men had pleased to turn to what I had written four Years ago in the History of acute Diseases (which I also knew before that time) *viz.* in what manner the Bark was to be given in the spaces betwixt the Fits, and how it was afterwards to be repeated, when the Sick recovered; perhaps not a few of those had been living which are now dead, how much soever Men contemn'd my Endeavours for the publick Good, and despised the Admonition there delivered in the following words, wherein are briefly contain'd those things, which have been treated here largely: *viz.*

But great care must be taken, that the Bark is not given too soon, namely, before the Disease has somewhat wasted it self, (unless the Weakness of the Patient requires that it should be given sooner) for it is not only to be fear'd, that it should be render'd ineffectual by the too early use of it, but also lest it should endanger the Patient's Life, if a stop should be suddenly put to the Blood, whilst it is endeavouring its Despumation with all its might. In the next place, no part of the febrile Matter is to be drawn away by Purging much less by Bleeding, that the Bark may perform its business the better; for by either of them the Oeconomy of the Body is weakened, and so the Fits may more readily and certainly return. When the Virtue of the Pouder is gone, it seems to me more beneficial to tincture the Blood leisurely with the aforesaid Medicine, and a good while before the Fit, than to endeavour at once to hinder the Fit just approaching: for by this means the Remedy has more time to perform its business thorowly, and then the Patient is freed from the danger that might happen by a sudden and unseasonable stop, by which we endeavour to oppress the Fit, that now is about to exert it self with all its might. Lastly, the Pouder is to be repeated in such short Intervals of Time, that the Virtue of the former Dose be not wholly spent before the other is given; for by the frequent Repetition a good Habit of Body will be recovered, and the Disease wholly vanquish'd, and for these Reasons I like this Method more than any other.



*Take of Jesuits Powder one Ounce ; of the Syrup of red Roses two Ounces ; mingle them : let the Sick take the quantity of a large Nutmeg Morning and Evening daily of those Days the genuine Fit does not come, till he has taken all the Confection, and let it be repeated once in a Fortnight for thrice.*

But tho the Bark above-mention'd excels all other Medicines which have been hitherto found out, yet in Vernal Tertians, if the Patient be of a sanguine Constitution, and in the Flower of his Age, I have observed the Cure has been performed by the following Remedies : for instance, Let the Patient be blooded in the Arm on his well Day, and some Hours after in the same Day give a Vomit of the Infusion of *Crocus Metallorum* ; and so order the time, that the Vomit may have done working before the Invasion of the following Fit : and presently after it is off, let him enter upon the use of the following.

*Take of the Extract of Gentian, Wormwood, and the lesser Centaury, each two Drams ; mingle them, and divide them into nine Doses, whereof let him take one every fourth Hour, drinking upon it of the bitter Decoction without Purgers and of White-wine, each three Ounces.*

There is another Method of curing these Tertians in poor People, who are not able to bear the Charge of a long Process.

*Take of Virginian Snake-weed finely powder'd one Scruple ; of White-wine three Ounces ; mingle them, let the Sick take it two Hours before the Fit, and being well covered with Clothes, let him sweat three or four Hours, and let it be repeated twice when the Fit approaches.*

The following Year, namely 1679, at the beginning of July, the same Fevers return'd again afresh, and increasing daily, raged very violently in August, and were very destructive ; but having now treated largely of these



these, I will add no more, only that they gave way to a new Epidemick depending on the manifest Disposition of the Air in *November*: for at the beginning of *November* Coughs entred, that were more Epidemical than others I observed in other Years, for they seized almost all in every Family. Some of these did not much require Physick, but others did so violently shake the Lungs, that the Sick did sometimes vomit up what was in his Stomach, and was giddy by reason of the Violence of the Cough. On the first Days most commonly the Cough was dry, and brought up nothing; but when it continu'd awhile, a little Matter was expectorated. In a word, upon the account of the little Matter that was expectorated, and the Violence of the Cough, and the Duration of the Fits, it seemed like the convulsive Cough of Children, only it did not rage so violently: but in this it exceeded the convulsive Cough, *viz.* it invaded the Sick with a Fever, accompany'd with the usual Symptoms of it, which I never yet observed in Childrens Coughs.

Tho Coughs usually are troublesome at the beginning of Winter, yet all wonder'd that they were so very frequent this Year: And I suppose it chiefly happen'd for this reason; *October* being more rainy than usual (for indeed it was almost continually raining) and Mens Blood agreeing with the Season, sucking in plentifully crude and watry Particles, and Transpiration thro the Pores being hinder'd by the first coming of the Cold, Nature endeavour'd to cast them out, by the help of a Cough, thro the Branches of the Arterious Vein, or, as some will have it, thro the Glands of the *Aspera Arteria*. I was well satisfy'd, that the Cure must be perform'd, when there was occasion of a Physician, both by Evacuation, by Bleeding and Purging; nor can the superfluous Particles of the *Serum* be so commodiously effected by any other Method, as by Bleeding and Purging, which do mightily empty the Veins. As to pectoral Remedies, besides that they please the Patient, I do not see what good they do in removing the Cause of the Cough; for their main business is either to thicken the Matter, when being too thin it cannot be spit up, or to make it thin, when by reason of its Clamminess it is difficultly cough'd up: This I am sure of, much time is



wasted to no purpose about these things, and that sometimes the Mass of Blood is so much weaken'd by the retention of the Particles of *Serum*, that they are offensive to Nature; and that moreover the Lungs provok'd by the Cough, are so shaken by the violent and almost continual Motion, that a Consumption is often occasion'd, from whence the Sick ought to be freed by hastening the Cure. Nor are *Sudorificks* much safer used, by the use whereof the Sick sometimes falls into a Fever, and sometimes also the Particles of the Blood, that are easily inflamed, are thrust upon the *Pleura*, and so a Pleurisy is occasion'd; which thro the course of this Epidemick Cough happen'd to a great many Men, and was very dangerous. Wherefore I took a moderate quantity of Blood from the Arm, and apply'd a large and strong Blister to the Neck, that some part of the peccant Matter might be carry'd another way: Afterwards I gave daily a gentle Purge, *viz.* Sena, Rhubarb, Manna, and Syrup of Roses solutive, till the Patient was quite well, or till the Symptoms were very much lessen'd; or if Pills pleased the Sick better, I order'd him to take two Scruples of the *Pil. Coch. Maj.* every Day, at five in the Morning, and to sleep after them.

And with this Method, *viz.* by Bleeding and Purging, and by this alone, the Childrens Hooping-Cough is cur'd, which is otherwise very lasting, and almost incurable. What others are able to do in this case I know not, I am sure I have spent much time to no purpose, in trying various and almost all kinds of Medicines; but only gentle Purges must be used, and they must be taken by Spoonfuls according to the Age: which gentle Evacuation cures this Cough, as I suppose, because tho not much serous Humour is found in the Lungs, yet hot and spirituous Vapours being transmitted from the Mass of Blood to the Lungs at set times, occasion these violent fits of Coughing in Children; and the violent force of these upon the Lungs can scarce be so well stop'd or prevented by any other Method as by this, whereby a Motion contrary to the former, to wit, by the Bowels, turns the cause of the Disease.

But in Epidemick Diseases, of what kind soever they are, if they have newly seiz'd the Sick, great care must be taken that he be not purg'd before Bleeding; for the  
Diseases



Diseases that depend on an Epidemick Constitution of the Air, are either Fevers, or upon the least occasion turn to them : for the Fever is easily kindled by the Tumult raised in the Blood and Humours, by the gentlest Purge, and by the Heat that follows it, which otherwise Nature had carry'd off by the accustom'd Evacuations of the morbid Matter ; as in a Cold, or in the Epidemick Cough, of which we now treat, or in a Looseness, when a Fever raging Epidemically is dispos'd to it. The same may be said of any other Constitution of the Air, wherein the Body is determin'd to some certain kind of Fever, which does not always actually invade, but by the Guidance of kind Nature, the *Fomes* of the Disease is cast out of the Blood, by the help of some Evacuation, that is agreeable to its Genius. This I constantly affirm, tho it be the custom to give Purges before Bleeding, or which is worse, that being wholly omitted. Altho it may be objected, that the Feculencies lodg'd in the first Passages, are carry'd to the empty Veins as often as Blood is drawn before Purging ; yet it is most certain that the Evacuation which goes before Bleeding, can no way compensate the Injury, brought upon the Blood by the Tumult raised by the Purge : and it cannot be deny'd, that a Purge taken presently after Bleeding, works much as it used to do, when it has been used before Bleeding ; and I suppose not a few, especially Children, have perish'd, by reason this was either unknown, or neglected. And this is very manifest to me by much Experience ; Experience, I say, the best Guide, by whose Laws and Rules, unless Physick be exercis'd, it were better there was no such thing : for the Life of Man is too much trifled with, when on this hand Empiricks, that are ignorant of the History of Diseases, and the Method of Cure, set up only with Receipts ; and on the other hand, vain Triflers, that place all their hope in Speculations : and so both destroy more than the Diseases would, if they were left to themselves. But that is Practice, and that alone will help the Sick, which draws its curative Indication from the very *Phænomenon* of the Diseases, and confirms them by Experience ; by which means the great *Hippocrates* obtain'd his height : and if by this Method the Medical Art had been deliver'd by any one, tho the Cure of one



one or two Diseases might have been known by any of the common People ; yet the whole Art would then have requir'd more skilful Men than it now does, nor would it have been any whit degraded thereby : for there is much more Subtlety in the Operations of Nature, on the Observation wherein true Practice is founded, than is found in any Art that is supported by the best Hypothesis ; and the medical Art, which Nature teaches, would much more surpass an ordinary Capacity, than that which is taught by Philosophy. Fevers will confirm what I say, which take up two parts in three of the Physical Practice. And I appeal to any one, that is but moderately thinking, whether I speak true or no : for which of the most ignorant Quacks will confess himself unfit to cure this Disease, if, according to the common Opinion, these two Indications are only to be minded, *viz.* that the Matter occasioning the Disease be injected by the help of *Sudorificks*, and that care be taken to remove those Symptoms which come upon such Evacuations ? For he is very sure that *Venice Treacle*, Compound-Powder of Crabs-Eyes, and the like, taken inwardly, together with a hot *Regimen*, will force Sweats ; which is all he proposes to himself in the cure of this Disease, especially if he has been acquainted with the Word Malignity : and as to mitigating the Symptoms, he has *Diacodium* in readiness to cause Sleep, when the Sick cannot rest ; and a Glister when the Body is bound, and so of the rest : but he is not able to understand of himself, nor by his File of Bills, what sort of Fever that is, which he endeavours to cure, if we believe (future Ages perhaps will believe it) that there are various sorts of Fevers, where each requires a method of Cure different from others, and moreover, that one and the same Fever, whatsoever it is, requires one way when it first breaks out, and another a little contrary thro all its degrees, as long as it lasts. And by what means shall he that is ignorant of the natural History of the Disease, collect the curative Indications of this or that *Phenomenon*, that is not very remarkable ? (for the History of the Disease can only shew the true method of Cure) for he cannot judge whether this or that *Phenomenon* proceeds from the Disease, or from his method of Cure. A Day would scarce suffice to reckon up the various Subtleties which are to be observed in the

curing



curing of this and other Diseases ; and there being so many things, and of so great moment, required to free Men from Death, there will be always room for Posterity to add something to those Observations, wherein is deliver'd almost the infinite variety of Operations of Nature in the production of Diseases, and the curative Indications are enumerated which are drawn from the same Fountain. The Art would not therefore become contemptible if things of this nature were publish'd, but be rather more illustrious ; and being render'd more difficult, none would be accounted legitimate Physicians, but such as were wise and of a sound Judgment. But this by the by.

The Coughs aforesaid, if they were ill manag'd, occasion'd a Fever like that which raged so epidemically in the Winter in the Year 1675, an account whereof I gave in the fifth Section, Chap. 5. of my Book of acute Diseases : but this Fever only proceeding from, and being an effect of the Epidemick Cough, I cured it by the same method which was used for the Cough above-described ; namely, by Bleeding, by applying a Blister to the Neck, and by Purging thrice. For tho in a Cough without a Fever no time was set how long the Sick should be purged ; for as I noted above, it is to be continued till the Sick was either quite well, or till the Symptoms were much lessen'd : yet in the Fever, which proceeded from the Cough, Purging order'd for three Days was sufficient to quell it, which I have often observ'd in the Constitution we now treat of.

But here it is to be noted, that tho this Fever when it first began, was accompany'd with troublesom Defluxions on the Lungs ; yet after a Month or two, when the heap of the *Serum* was leisurely ejected from the Blood, the Fever was plainly of the same nature, tho it was not accompany'd with any Cough, (the Impression of an ill Disposition remaining yet in the Blood) and therefore it did not require a Cure different from that which the Cough accompany'd.

But this Fever continued in the same manner we have said till the beginning of the Year 1680, wherein I wrote these things ; at which time also, as the Year proceeded, Agues began to appear, and from that time till the beginning of the Year 85, in which I publish'd this Edition, they



they continued the same : for now, tho they are not so epidemical in this City, as they were the first four Years, and are also milder ; yet in other places here and there, they rage as much, and are as violent as before. And the general Constitution does so much favour Agues to this very Day, that I can affirm, that for this time I have not observed one continual Fever, unless by ill Management it was made so ; nor was there one of these I call Inter-currents, tho they most commonly come every Year : so mightily inclined was this Constitution to produce Agues ; and the force of it undoubtedly must be abated, before that which I call the depuratory Fever can rage epidemically. For in the Species of Agues Nature seems to make too much haste, and to run thro, by reason of the quickness of its Motion, the Seasons of preparing the morbidick Matter, and of its Depuration too soon ; which is otherwise in the depuratory Fever, wherein the signs of the Concoction of the febrile Matter to be ejected, sometimes by Sweat, or rather by plentiful Transpiration, do not appear before the thirteenth or fourteenth Day. These things being well consider'd, without doubt those depuratory Fevers which reign'd in the Years 61, 62, 63, 64, were, as it were, the *Faces* of some Agues, which raged before that time for a certain Series of Years, (but how long they prevail'd I do not know) for when the Constitution which favour'd Agues began to grow mild and old, the Fevers it afterwards produced were more humoral and earthy ; and for that reason they were slower in putrefying the Blood : whereas those in the first Years of the Constitution were founded upon more subtile Principles, and being Intermittents, were wont to run their Course quickly. Now if things are so, it seems probable to me that this Fever, I mean depuratory, will return as soon as this present Constitution a little abates, and that it will continue for a certain Series of Years before the Plague breaks out. But thro all these Years, how many soever they shall be wherein this Fever shall rage, Agues may now and then exert themselves ; and perhaps sometimes for a short while become epidemical, namely, when some manifest quality of the Air shall favour them. I cannot say whether the *Peruvian* Bark will as certainly cure this Fever, as it does the Agues that are now ; but in curing the  
Plague,



Plague, and continual Epidemics which will orderly follow this, no other Effects are to be expected from it than those we now find in a *Pleurisy*, *Peripneumonia*, *Angina*, and such like inflammatory Fevers, wherein it does not only do no good, but it is plainly injurious. But however it be, one Epidemick will succeed another for the future, in the way we have said, if Nature keep the same order she has observ'd for these twenty four Years last past.

And this is in a manner all, worthy Sir, which I have observed concerning the Epidemick Diseases of the Years last past. As to the cure of a Rheumatism, for that you inquired also, I have often been troubled, as well as you, that it could not be perform'd without the loss of a great deal of Blood; upon which account the Sick is not only much weaken'd for a time, but if he be of a weakly Constitution, he is most commonly render'd more obnoxious to other Diseases for some Years, when afterwards the Matter that causes the Rheumatism falls upon the Lungs; the latent Indisposition in the Blood being put into motion by taking cold, or upon some slight occasion. For these Reasons I endeavour to try for some other Method different from Bleeding, so often repeated, to cure this Disease: therefore well considering that this Disease proceeded from an Inflammation, which is manifest from other *Phænomena*, but especially from the colour of the Blood, which was exactly like that of Pleuriticks, I thought it was probable that this Disease might be as well cured by ordering a simple, cooling, and moderately nourishing Diet, as by Bleeding repeated; and those Inconveniencies might be avoided, which accompany'd the other Method; and I found that a Whey-diet used instead of Bleeding, did the business.

After the last Summer, my Neighbour *Malthus* the Apothecary, an honest and ingenious Man, sent for me: He was miserably afflicted with a Rheumatism, accompany'd with these Symptoms; he was first lame in the Hip for two Days, afterwards he had a dull pain upon his Lungs, and a difficulty of breathing, which also went off in two Days time: afterwards his Head began to pain him violently, and presently the Hip of the right Side, which was first seized; and afterwards, according to the course of the Disease, almost all the Joints, both of the



Arms and Legs were afflicted by turns. He being of a weak and dry Habit of Body, I was afraid, that by taking away much Blood, his Strength, before but infirm, would be wholly vanquish'd; especially the Summer being so far spent, it was to be fear'd Winter would come before he could recover his Strength wasted by frequent bleeding: and therefore I order'd, that he should feed on nothing but Whey for four Days. Afterwards I allow'd him, besides the Whey, White-bread instead of a Dinner, namely, once a Day till he was quite well. He being contented with this thin Diet, continu'd the use of it eighteen Days, only at last I indulg'd him Bread at Supper too: he daily drank eight Pints of Whey made at home, wherewith he was sufficiently nourish'd. After these Days, when the Symptoms did no more vex him, and when he walk'd abroad, I permitted him to eat Flesh, namely, of boil'd Chickens, and other things of easy Digestion; but every fourth Day he was dieted with Whey alone, till at length he was quite well, the Inconveniences which I mention'd above being remedy'd by this Method, with which he was grievously afflicted ten Years before, Bleeding being then used by my order for his Cure, and often repeated.

If any one shall contemn this Method, because it is plain and inartificial, I would have such a one know, that only weak People despise things for their being simple and plain, and that I am ready to serve the Publick, tho I lose my Reputation by it: and I will say, that I do not at all question, were it not for common Prejudice, that the said Method might be accommodated to other Diseases, the Names whereof I conceal at present, and that it would be more beneficial to the Sick than the common Pomp of Remedies, that are used for the People when they are just dying, as if they were to be sacrificed like Beasts.

And that those things, which are counted vile and of no worth, may serve to free Men from Death, when they are managed by a skilful Physician, I will shew by one Observation; which, tho it have no relation to the Disease we are now treating of, is not wholly different from the Scope I propose. Two Months ago, one in my Neighbourhood desired me to visit his Servant, who had taken a great quantity of Mercury sublimite, that was melan-



choly upon the account of Love : I came about an Hour after the Poison was taken, and the Mouth and Lips were very much swell'd, and he was violently sick with a burning Pain in the Stomach, and was almost kill'd with Heat. I order'd that he should drink three Gallons of warm Water as soon as possibly he could, and that as often as he vomited he should fill his Stomach again with it : I also order'd that his Bowels should be wash'd with warm Water without any thing else, being plentifully injected. When he first perceiv'd by Gripes, that the Poison went downward, the Wretch obeyed, being now very desirous to live, and drank more Water than I order'd. His Friends that were by, learn'd of him, that the Water which he first vomited was very acrid, by reason of the poisonous Salt ; but that which was from time to time vomited up was less acrid, till at length it became insipid, and the Gripes were taken off by the Water-Glisters : and without any more ado, by the Blessing of God he recover'd in a few Hours, only his Lips did not presently assuage, and his Mouth was yet ulcerated by the Particles of the Poison which were brought up with the Water by vomiting ; but these Symptoms went off in four Daystime by a Milk-Diet only. I prefer'd the Water before Oil, (which ignorant People are wont to throw away with their Pains) and other Liquor, because it being very thin, it seem'd to me fitter to absorb the saline Particles of this Poison, than any other Liquor that was thicker, or impregnated before with Particles of some other Body.

But to return to the Rheumatism : How convenient soever a Milk-Diet may be for young Men, and for those that have lived temperately and by measure, yet it is not safe to treat People in Years with this Method, or such as have been for a long while too much addicted to Wine, and other spirituous Liquors ; for it injures such Mens Stomachs, and by reason of the great Chillness it brings upon the Blood, it makes way for a Dropsy. Therefore in this case it is best to cure the Patient almost in the same manner I have set down in Chap. 5. of the sixth Section of my Book of acute Diseases : tho since I wrote that, I have found by experience, that it is better after the second, or at most after the third Bleeding, to give Catharticks often, and to repeat them till all the

Symp.



Symptoms go off, than to do all by Bleeding. For Purging assisting Bleeding in the Cure of the Disease, the business may be carry'd on without a great loss of Blood; and besides, by this means there will be room for *Paregoricks*, from which otherwise we must abstain, how great soever the Pain should be; for by them the Disease is fix'd, nor does it so easily yield to Bleeding. But those Purgatives are to consist only of Lenitives; as of *Tamarinds*, *Sena*, *Rhubarb*, *Manna*, and *Syrup of Roses solutive*: whereas others made of *Scammony*, *Jalap*, and the like, cause a Tumult, and heighten the Pain. At Bed-time every Night after the Purge has done working, you must give an Ounce of *Diacodium*, somewhat earlier than is usual.

But here it is to be noted, that I have observed a certain Symptom, sometimes like a Nephritick Pain, as to the intolerable Pain of the Loins, which being wont to follow Agues, arises from a Translation of the febrile Matter upon the Muscular Parts of the Body; but this Symptom requires no other Method of Cure, than the Ague whereon it depends, for it is heightned by frequent Bleeding, and any other Evacuation, and the Patient's Life is endanger'd thereby. I thought good to mention thus much of this Symptom, that it might not impose on any one.


And these things, worthy Sir, are what I have observ'd of the Diseases you inquir'd about; and if they shall please you and profit others, I have my Desire: however I have done what I could to perform my Duty.

S I R,

*Your devoted Servant,*

Tho. Sydenham.





To my very good Friend, the Learned  
Dr. Sydenham.

Worthy Sir,

THE Art of Physick has been much improv'd by your excellent History of acute Diseases, establish'd by diligent Observation, and faithful Experience, not written to gain Money or Fame, but with great Integrity and Honesty; for you only endeavour to perform your Duty, and to be every way beneficial to the present Age. I have hitherto conceal'd what I was much desirous to do; but perhaps others at a greater distance have done it before me: he that praises what you do, urges that you should do something, for which you may be further praised. It is the greatest Difficulty to treat of acute Diseases, for they pass so swiftly, that unless they are stop't opportunely, the Life is in extreme danger, and it cannot be reliev'd after by any help; you have observ'd all the Moments of them, and what is necessary to be done in every Juncture. Indeed your Works are so perfect, that nothing could be added to them, if you had not promis'd more, *viz.* of Chronical Diseases: these will bear a truce, and allow time to be examined and judg'd of.

We have often heard of that abominable Disease the *French Pox*, the ignominious Original whereof the *European* Nations carefully endeavour to cast from themselves; and that the Foot-steps of it may be more obscur'd, they banish it to the most distant *Indies*. It is a very fit Punishment for Whores, for their exorbitant and untameable Lust: and it is perhaps the harder to be removed, that the Repentance for it may be the more severe; and he seem'd to be touch'd with a Sense of Humanity, and of Sin together, who openly wish'd, that this filthy Disease should be but once cured. But seeing now the Cure of it is chiefly managed by Mountebanks and Empiricks, and the like; they either by Fraud, or Unskilfulness, so long defer and protract the Cure, to  
the




the great charge, and greater trouble of the Sick, that he is very weary of his Life by reason of the Severities, and the Tediouſness of the Cure; and may count it better to be sick, than to be cured. Therefore I friendly claim your promise, and intreat you, that if you have any thing to say of this matter, you would publish it first as an Earnest of the rest; and that you would kindly and candidly shew, by what Method and by what Means, he that is seized with this Disease may be soonest cured. It is enough for the Sick to be punish'd by God; it would be hard if he should be punish'd more by the Physician. This would be well receiv'd by many; and I shall receive some part of the Thanks, because such a Treatise so much desir'd was publish'd at my request.

S I R,

Your humble Servant,

H. Paman.



To the Learned Dr. Henry Paman, Fellow of St. John's-College in Cambridge, University-Orator, and Professor of Physick in Gresham-College, London.

Altho, worthy Sir, you are pleased in Civility and Kindness to me, to term my Book of acute Diseases perfectly accomplished; yet I am so sensible of my own Weakness, and of the Imperfection of that Treatise, that I count I have only chalk'd the way, whereby others of better parts may find the Knowledge, and Cure of the said Diseases:

—————*Fungor vice cotis acutum  
Reddere quæ ferrum valet; exors ipse secandi.*

And truly so various, uncertain, and delicate, as I may say, is Nature, and so does she vary in producing Diseases,



eases, that it is not in the power of one Man, how long liv'd soever he is, to describe particularly the various *Phænomena* of them, and their proper Cures. One Man, did I say? Ten Men may certainly be well employ'd, succeeding one another for so many Ages, and also of excellent Parts, and unweary'd Industry, and very conversant in Practice; so far am I from thinking that I have obtain'd the Art of Physick, or ever shall.

*Mecum habito, & novi quam sit mihi curta supellex.*

As to these Chronick Diseases, which I promis'd to write of, I am so very earnest to do it, that if I know my own Mind, I do not so much desire to live upon any other account as upon that, that I may be serviceable in some sort in this respect to Mankind. But I every day see how difficult and hazardous a Task it is, (especially for me, who have not Abilities enough for such an Undertaking :) for among Physical Writers, if you except *Hippocrates*, and some very few others, scarce any Footsteps can be found whereby I might trace through these impassible Ways, obstructed with so many Difficulties. For the Light and Helps, which Authors promise, are rather *Ignes fatui*, than true Lights; which rather misguide to Rocks and Precipices, than direct for the finding the genuine Method of Nature: for most of their Writings are built upon Hypotheses proceeding from their own Fancies; and the very *Phænomena* of Diseases, of which the History of them consists, as they are describ'd by these, are modell'd in the same Shop of Suppositions: and the very Practice, wherewith they undertake Diseases (which is the certain Plague and Destruction of Mankind) is suited to this kind of *Postulata*, and not according to the Truth of the thing; so reigning are these Mens Whimsies, almost in every Page. And in the mean while the Directions of Nature are slighted. And yet notwithstanding, if God shall grant Life and Leisure, I will try what I can do: For the present, that you may see how ready I am to serve you, I offer this short Treatise of the *French Pox*, which only I have as yet fitted for the Press, as a Specimen of the whole.

But first I must acquaint you, that I have met with several, that have affirm'd (either upon a good design,  
that



that they might affright incontinent Persons from Sin, by the Fear of the following Punishment, or because they would be thought very chaste) that the Cure of the *French Pox* ought not to be taught. But I do not agree with them, because there would be scarce any room left for Charity, or for doing good Turns, if those Mischiefs, which unthinking People do bring upon themselves by their own Fault, were not to be kindly remedy'd: it belongs to God Almighty to punish the Guilt, but it is our Duty to help the Miserable, as much as we can, and to cure the Sick, and not to search too nicely into the Cause, or to vex them with our Censures. I will therefore deliver what I have observ'd, and what I have try'd in this Disease; not that I design to make Men worse, but to cure their Bodies, which is my Business.

The *French Pox* came first from the *West-Indies* into *Europe*, in the Year 1493; for before that time, the Name of it was not so much as known amongst us: upon which account the Disease is commonly thought to be Epidemical in those parts of *America*, where we first planted our Colonies. But it seems rather to me to have taken its rise from some Region of the Blacks near *Guinea*; for I have learn'd from many of our People of good Credit, who live in the *Caribbee-Islands*, that the Slaves brought from *Guinea*, even before they land, and also those that live there, have this Disease without impure Copulation; so that often a whole Family, Man, Wife, and Children, have it: nor does this Disease, which often afflicts these miserable People, any whit differ from the *French Pox*, as far as I can understand, as to the Pains, Ulcers, and the like, respect being had to the Diversity of Climates, tho the Name is quite different; for they call it the *Yaws*: nor does the Method of Cure which they use differ from ours, for Salivation does the Business every where; notwithstanding what we say of the great Virtue of *Guaiacum* and *Sarsaparilla* in the Places where they grow, which are thought in a manner to lose their Virtues in the long Passage to us. It seems therefore probable to me, that the *Spaniards*, that first brought the Disease into *Europe*, were infected with it by the Contagion of the Blacks bought in *Africa*, to some Nation whereof it may be Endemial; for there are many People that border upon *Guinea*, among whom



that barbarous Custom of changing Men for Ware prevails. But however it be, this contagious Disease creeping on by degrees, so infected these parts of the World, that if it had gone on with the same Celerity it began, it would have destroy'd Mankind within few Ages, or confin'd them to an Hospital, and made them wholly unfit for those Offices, whereby Human Society is preserved; only like Vegetables, being as it were transplanted from its own Country into another, it does not so much flourish in *Europe*, but languishes daily, and the *Phænomena* grow milder. For when it first came over, when any one was seized with it, it presently contaminated his whole Mass of Blood, with dreadful Pains of his Head and Limbs, and shew'd it self in Ulcers in various parts. But it is a hundred Years ago since it shew'd it self first in the Species of a virulent *Gonorrhœa*, and does so still, endeavouring to go off that way, and it has no other manifest Symptom, only in a very few a small Ulcer in the Privities, commonly call'd a Shanker, is the first Sign of the Disease; the Venom whereof, because it cannot be carry'd off by a *Gonorrhœa*, invades and infects the Blood presently.

This Disease is propagated either by Generation, and so the tender Infant is infected by one of the Parents; or by the touching of some soft part, whereby the Virulency and Inflammation insinuate themselves into the Body, upon occasions to be mention'd in this place. First, in sucking: for instance, either an Infant may infect the Nurse through the Pores of the Teats, or the Nurse the Infant by its tender Mouth. And Secondly, Children by lying in bed naked with those that are infected: for tho' those that are full grown, whose Flesh becomes firm by Age, can scarce be infected if they lie together, without impure Coition, yet the tender Flesh of Children easily receives the Infection; which I have observ'd more than once in Children lying in bed with infected Parents. But Thirdly, the touching of a soft part, especially in impure Coition, and by this way especially the Pox is convey'd; for the Yard being turgid with Spirits appointed for Generation, soon sucks in the Infection from a venereal Ulcer, or Pustle, in the Sheath of the Womb. Either of which lying hid within, the Woman notwithstanding may seem well; namely, the



the Venom being so detain'd by the Moisture of those parts, that it slowly invades the Blood; or is oftner diluted, or in some sort ejected by the monthly Purgation. This Contagion in my opinion first seizes the fleshy Substance of the *Glans*, and corrupting it, first occasions an Inflammation; and then an ulcerous Disposition being induc'd by degrees, it causes the *Sanies*, which we see in a *Gonorrhea* to drop gently into the *Urethra*: and I am induc'd to believe it is so, because I have seen this kind of virulent Matter sweat out of the porous Substance of the *Glans*, and not cast out of the *Urethra*, and there has been no Ulcer either in the *Glans* or *Præpuce*; but at length penetrating deeper, it causes an untoward Ulcer in the *Prostrata*, which is often seen in the Bodies of such as die of this Disease.

This Disease proceeds according to the degrees to be mention'd by and by: The Sick (sooner or later, according as the Woman with whom he had Conversation has been more or less infected, and according to the Constitution which is more or less disposed to receive the Infection) is first seized with an unusual Pain in the Genitals, with a certain Rotation of the Testicles afterwards, if he be not circumcis'd: a Spot first like the Measles coming out, as to the Colour and Bigness, seizes some part of the *Glans*, and presently after the rise of this Spot, a Liquor distils gently like Seed, which daily receding both from the Colour and Consistence of Seed, grows at length yellow, but not so deep-colour'd as the Yolk of an Egg; and in a more virulent and intent Pox, it is not only green, but mix'd with a watry Humour much tinctur'd with Blood. The said Pustle turns at length to an Ulcer, which is at first like the *Apthæ* in Childrens Mouths, which eats daily deeper and wider, and the Lips become callous and hard: but it is to be noted, that the Pustle now mention'd is seldom accompany'd with a *Gonorrhea*, in those who have either before had a *Gonorrhea*, or are circumcis'd; for their *Glans* being harden'd by being often expos'd to the Air, and by being frequently rubb'd with Rags, does not so easily receive the Infection: and therefore those that are so circumcis'd are scarce ever troubled with this Ulcer of the *Glans*. A *Gonorrhea* is occasion'd only in this manner: Other Symptoms presently follow this; as first a great Sense of Pain



Pain in the Yard as often as it is erected, and it seems as if it were prest with a strong Hand ; this chiefly happens in the Night, when the Sick begins to be hot in his Bed : and this painful Constriction of the Yard in this State of the Disease, I count the *Pathognomonick* Sign. The Yard is also bowed by a Contraction of the Bridle, which being according to its Nature stretch'd in the Erection, occasions a violent Pain : There is moreover a Heat of Urine, which most commonly is scarce perceiv'd in making water, but presently after the Patient is violently pained, thro the whole Duct of the *Urethra*, especially at the *Glans* ; and sometimes also the *Urethra* being excoriated by the continual Flux of sharp Matter, and Nature being over-officious in breeding new Flesh, substitutes a certain loose and spongy Flesh, which growing daily bigger and harder, makes Caruncles, which so stuff the Urinary Passages, that at length the Urine cannot pass ; and these Caruncles also emit a certain Ichor from little Ulcers growing upon them, and much obstruct the Physician in the Cure, and miserably afflict the Sick. Moreover it happens often, that the *Sanies*, which ought to be carried off by the *Gonorrhea*, being cast upon the *Scrotum*, either by reason of violent Motion, or by the Use of Astringents, occasions violent Pain, or an Inflammation of the *Scrotum*, sometimes one, sometimes both Sides being much swell'd ; the *Gonorrhea* in the meanwhile proceeds but slowly, but the Heat of Urine is as bad as ever : and these are the common Symptoms of this Disease during this State of it.

But when by reason of the continuance of the Disease in the said parts, the Contagion is carry'd up, and by degrees infects the Blood ; or when the Humours putrefy, because the virulent Matter is retain'd in the Body by the undue Use of Astringents ; the true Pox is occasion'd, wherein Tumours or Buboes often appear in the Groin, and constitute the first degree of it : grievous Pains torment the Head, and the Limbs betwixt the Joints, the Shoulders, Arms and Legs ; they come in no order and by Intervals, tho most commonly they come as soon as the Sick is warm in his Bed, and continue till towards Morning : there are also Scabs and Scurf in various parts of the Body, and these are most commonly as yellow as a Hony-comb, and by this Sign they may be



be known from all others ; and sometimes they possess various Spaces of the Body, with their large Superficies, like a Leprosy describ'd in Physical Books ; and the more this Itch is diffus'd, the less it troubles the Sick. All the Symptoms increase by degrees, especially the Pain ; and it is sometimes so very sharp, that the Sick cannot keep his Bed, but is forced in a restless manner to walk about his Chamber till Morning. Moreover, by reason of the violence of the Pain, the Skull, and the Bones of the Legs and Arms grow up in hard Nodes, call'd *Exostoses*, like the Spavin in Horses Feet ; which Bones, that have Nodes on them, by reason of a continual Pain and Inflammation, become at length carious and putrefy. *Phagedenick* Ulcers also seize various parts of the Body, and most commonly begin in the Throat, and are propagated by degrees to the *Cartilage* of the Nose, thro the Palate, and soon consume it ; so that wanting its Supporter, it falls. The Ulcers and Pain increasing daily, the Sick is devour'd by the Ulcers and Putrefaction, so that he lives a grievous Life by reason of the Pain, Stink, and Scandal, which is much worse than any Death ; but at length one Member rotting after another, the torn Carcass is hid under ground, being very odious before to all above.

As to the intrinsic Nature and Essence of this Disease, as they say, I count I am to seek for it no farther than as it appears by the Symptoms we have described, no more than I am oblig'd to search into the Essence of any Plant or Animal : but whatever it be, I am sure that the Humour occasioning it partakes of no small Inflammation, from whence proceeds all the Ill ; and it is also manifest that the said Humour ought to be evacuated by such Means as by Experience, the Guide of Physicians, has been found effectual ; there being yet no immediate Specifick found out whereby, without any foregoing Evacuation, the Pox may be cured : for neither Mercury, nor the drying Woods, can be counted Specificks, unless it can be prov'd that Mercury without Salivation, or a Decoction of the Woods without Sweating, have sometimes cured the Pox. And as I have found by Experience, common Sweats do as much good in this Disease, as a Decoction of the Woods ; so I do not at all doubt, if any thing could be found out, either among



Vegetables or Animals, that could raise Salivation as well as Mercury, it would cure the Disease as well. But forasmuch as this Disease being yet only a *Gonorrhea*, is much different from that which has contaminated the whole Mass of Blood, and deserves, strictly speaking, the Name of the *French Pox*; so also the Evacuation, whereby the Matter of a *Gonorrhea* is ejected, is quite different from that whereby a confirmed Pox is cured.

Therefore as to the *Gonorrhea*, whereof we first treat, the whole business of the Cure, so far as I have hitherto found, is perform'd by purging Medicines; by the help whereof the peccant Matter is either evacuated, or a diversion of the natural Juices of the Body is procured, which would otherwise feed the Disease. But tho Reason and Experience dictate, that this Disease may be cured by any sort of Purge given often and a long while; yet they seem most powerful which purge strongly from the Blood Choler, but especially the serous Ichor: and therefore I have sometimes cured poor People, where respect was to be had to their Poverty, only with the Jalap Root. And because this Disease is plainly accompany'd with an Inflammation, and the purging Medicines where-with it is cured are also hot, a cooling Diet must be order'd thro the whole Course. I therefore use to prescribe in the following manner:

*Take of the Mass of the Pills of Coch. Maj. three Drams; of Extract of Radium, one Dram; of Resin of Jalap, and Diagrydium, each half a Dram; with a sufficient quantity of Opobalsam: make six Pills of every Dram. Let him take four of these every Morning at four or five a clock, and sleep after them, for twelve or fourteen Days, or more; namely, till the heat of the Urine, and the yellow Colour of the Matter that is like Seed, are much lessen'd. And afterwards I count it sufficient to purge the Patient every other Day for a Fortnight, and then the Pills may be used only twice a Week, till the Matter that is wont to drop from the Urethra quite stops, which most commonly does not happen till after a long while. For tho it be commonly affirmed, that the Ichor, after the heat of Urine and the yellow Colour of the Matter disappear, which is*  
seen,



seen, especially in the Morning, at the top of the Yard, a Drop or two being press'd out with the Finger, proceeds only from Weakness, and a Laxity of the Parts arising from the long continuance of the Venom on them: yet the poor Patient finds to his great damage, that it is the Relicks of the Disease not quite destroy'd; for tho it be in some sort quell'd, yet upon any slight occasion, namely by drinking too much, or by any violent Exercise, or the like, it begins afresh, and the Gonorrhea returns, if the Sick has left purging, before the Disease was quite eradicated.

If after such purging the Gonorrhea does not cease, it will be convenient, instead of the Pills, especially for those that are difficultly purged, now and then to give some stronger Purge, as is the following Potion; which taken only once, has sometimes done more to stop a Gonorrhea, than gentle Purges given often.

Take of Tamarinds, half an Ounce; of the Leaves of Sena, two Drams; of Rhubarb, one Dram and a half: boil them in a sufficient quantity of Fountain-water: to three Ounces of the strain'd Liquor add of Manna and Syrup of Roses solutive, each one Ounce; of Syrup of Buck-thorn, and Electuary of the Juice of Roses, each two Drams: mingle them, make a Potion. Or if the Cure does not go on well, give eight Grains of Turbith Mineral only twice or thrice; (but there must be a due distance between each time, lest a Flux should rise: ) and this Remedy is indeed the chief for eradicating an obstinate Gonorrhea. Or twice in a Week the following Pills may be given:

Take of Pill ex duobus, half a Dram; of Mercurius dulcis, one Scruple; with a sufficient quantity of Opopalsam: make four Pills to be taken early in the Morning.

But sometimes the Sick does so nauseate repeated Purging, that he cannot so much as bear the sight or smell of Remedies, and sometimes by a certain Idiosyncrasy the Body does so obstinately resist Purging, that a due quantity of the Matter cannot be evacuated; and whilst this



is earnestly endeavour'd without any advantage, the Po<sup>x</sup> creeps on, and very often comes upon those whose Bodies strongly resist Purging. When the Case is so, we must proceed with Glisters; by injecting which, we may answer both Indications, *viz.* of purging off the Humour, and of making derivation from the Part affected. And moreover, this Method is quicker than the other above-mention'd, but not safe, in my opinion; for tho the former required longer time, yet there is less danger that any part of the contagious Matter should stick to the Bowels, and so cause new Troubles. But this Inconvenience may easily be avoided, if Purges, taken every day Glisters are not used, assist them.

Therefore I proceed in this way: I take care that the Pills above-mention'd, or the like, be given for three Mornings successively; and afterwards I order the following Glist<sup>r</sup> to be injected daily at five in the Afternoon, till the Symptoms quite cease; only once or twice a Week I order a Purge, and for that Day omit the Glist<sup>r</sup>.

*Take of the Electuary of the Juice of Roses, six Drams; of Venice Turpentine dissolved in the Yolk of an Egg, half an Ounce; mix them with a Pint of Barley-water: to the strain'd Lign<sup>r</sup> add two Ounces of the Electuary call'd Diacatholicon: mingle them, make a Glist<sup>r</sup>; and every Night, at Bed-time, I allow him to take twenty five Drops of Opobalsam, or of the Balsam of Mecha in a Lump of Sugar.*

And this Medicine indeed being a liquid and pure sort of Turpentine, and of the same Virtue, is very proper for the ulcerous Disposition of the Genitals; and therefore for want of it, the quantity of a Hazle-Nut of *Cyprian* Turpentine may be substituted to be taken at the same times.

In the process of the Cure, whatever Method is used, the Sick must abstain from all salted and spiced Meats, and others of hard Digestion, as Beef, Pork, Fish, Cheese, Roots, Herbs, and Summer-Fruits; and instead of them, he must eat Mutton, Veal, Rabbits, Chickens, and other things of easy Digestion: and I would have him eat sparingly of these, and only so much as will suffice to keep  
up



up his Strength, I forbid the drinking of Wine in general, and all spirituous sharp Liquors: and I would have him drink Milk-water, made of three parts of boil'd Water, and one of Milk; only at Dinner and Supper he may drink a little Small beer. And moreover, to attenuate the Inflammation, and to mitigate the heat of Urine, I order some cooling Emulsion made after the following manner, to be drank frequently betwixt the Purges.

*Take of the Seeds of Melons and Pompions, each half an Ounce; of the Seeds of white Poppies, two Drams; of sweet Almonds blanch'd, number eight: beat them together in a marble Mortar, pour upon them gently a Pint and half of Barley-water; to the strain'd Liquor add a sufficient quantity of ChrySTALLINE Sugar, make an Emulsion.*

In a very sanguine Constitution, and when the Disease is obstinate, after having purged a Month or thereabouts, I order that eight or nine Ounces of Blood be taken away from the right Arm; but I would not have Bleeding used before, lest the Contagion should be more rooted thereby. I do not much stand upon Injections into the *Urethra*, because most commonly they do more hurt than good, by reason of their acrimonious Biting, or stick Qualities; but towards the end a little Rose-water may be injected. This Method always succeeded well in curing a *Gonorrhea*, and I have not hitherto found a better, especially in those that are easily purged; for in such as are difficultly purged, the Cure, tho it never fails, yet it requires a long time before it can be perfected. In these therefore Bleeding must be repeated, and the Purges quickned, and also oftner repeated, and the use of them must be longer continued, or Glisters must be used in the manner above-mention'd, for purging does all in this Case: And it is truly affirmed in this Case, if in any other, that he who cleanses well, cures well, if he forbear Mineral Waters; which I am very well satisfied retain the Relicks of the Disease, which should be ejected out of the Body, and by reason of their astringent and over-sanative Virtue keep it in, and root it more. Upon which account I have often observed

Swellings



Swellings in the *Scrotum*, when they have been drunk in the Beginning or State ; and worse Symptoms, when they have been used towards the End : and this I confidently affirm, notwithstanding they are usually and frequently prescribed in this Case.

I am not ignorant how much some Practitioners boast of curing this Symptom in a shorter time, by Remedies that perform it, which have a great Name ; yet I have certainly found by too frequent Observation, that the stopping up of the Matter by Astringents, which ought to be ejected, has been very prejudicial to the Sick, and thereby it returns very often to the Mass of Blood, and occasions the Pox at length. Nor is there more success, tho less Danger, by the use of Decoctions of the drying Woods ; for under the pretence of Specificks, the whole Body, but especially the Parts affected, which were too hot before, are more inflamed ; and sometimes, as I have observed, the *Gonorrhea*, which a little before disappear'd, return'd again.

But it is to be noted, that if the *Glans* be covered all over with the *Prepuce*, and the Lips of it are so hard, swell'd, and callous, that by reason of the Inflammation, it can by no means be drawn back ; he strives in vain to cure the *Gonorrhea* by purging Remedies, how strong soever they be, and tho he repeats them daily until they become nauseous, unless at the same time he endeavour that the Part affected be reduced to its natural State. The Hardness and Swelling being removed, whereby the *Gonorrhea* was continually furthered, I endeavour the Cure with the following Fomentation.

*Take of the Roots of Marshmallows and of Lillies, each one Ounce and a half ; of the Leaves of Mallows, Mullein, Elder, and Henbane, of the Flowers of Camomile and Melilot, each one Handful ; of the Seeds of Flax and Fenugreek, each half an Ounce : boil them in a sufficient quantity of Fountain-water, and make a Fomentation to be apply'd to the Part affected for the space of half an hour twice or thrice a day.*

After the use of the Fomentation, anoint the Part affected with Linseed-Oil fresh drawn, and then apply  
the



the Plaster of Mucilages spread upon Leather, upon the swell'd Lips of the *Præpuce*. But if the Ulcer either of the Lips of the *Præpuce*, or in the *Glands* under it, occasions the sticking by its Callosity, so that the *Præpuce* is difficultly drawn back; besides the Fomentation above-mention'd, I order the following Liniment :

*Take of Basilicon six Drams ; of Ointment of Tobacco two Drams ; of red Precipitate washed in Rose-water, and finely powder'd, half a Dram ; mingle them, make a Liniment, spread it upon Lint, and apply it always to the Ulcers after the use of the Fomentation above-prescribed.*

But when either by reason the *Gonorrhœa* was stopt too soon, or by violent Exercise, or from any other Cause, the *Scrotum*, now the Seat of the Disease, is much swell'd ; I order the aforesaid Fomentation to be apply'd twice a day to the part affected : and if the Pain and Swelling do not lessen, I order the Pultice commonly known, made of Oxycrat and Bean-flower. While these things are done without, I also endeavour to cure the Disease by Purges and cooling Remedies, and with the Diet above-mention'd ; nor do I make any scruple to bleed at any time of the Disease, and to take away nine or ten Ounces from the Arm of the Side that answers to the swell'd Testicle, if the Greatness of the Swelling and the Violence of the Pain require it : and so much for the *Gonorrhœa*.

But when the Disease has so far prevail'd, that it comes to a confirm'd Pox, we must proceed quite another way ; and in a such a difficult case we must use Remedies suitable to it : and truly I think no Instance can be produced, where this Disease was eradicated any other way than by Salivation with Mercury, whatever some learned and unlearned Men say of the Cure of it by other means. Seeing therefore Salivation does all, all that I have to do is to set down what Reason, and Observation approving Reason, dictates concerning the raising and governing it.

But first, I cannot imagine to what purpose we are so frequently admonish'd to take a special care to prepare the Body well with purging and digesting Remedies ;



dies; Bathing, for instance and the like, to say nothing of Bleeding, which some count the chiefeſt thing: whereas if we were to diſpute for the Truth of the matter, this muſt be the queſtion, *viz.* That if Salivation is to be procured by Poiſon (for we do not as yet know any wholeſom Medicine, whereby it may be raiſed, nor can the Sick be cured without it) whether it is better to uſe it when the Body is ſtrong and brisk, and ſo abler to reſiſt the Enemy, or when it has been weakned by Bleeding and a low Diet: without doubt any judicious Perſon will think it is better to do nothing than to do hurt, by being ſo unſeaſonably buſied; and moreover Experience teſtifies, that thoſe bear Salivation better, who have not been weakned by Evacuations, or any other way, than thoſe who have been weakned before the Conflict.

Therefore all this inſignificant Flourish being laid aſide, as ſoon as I am call'd I preſcribe an Ointment made of two Ounces of Lard, and one Ounce of Quickſilver; nor do I mingle any of the hot Oils or any thing elſe: for the Ointment is made worſe, if that which is added hinders its Operation; and it is made no whit more effectual, if it does nothing at all: and perhaps thoſe things which are added under the Name of Correctives, do the ſame (if they do any thing at all) as things added to Purges have been found to do; namely, they cauſe Gripes, and render the Operation more difficult, by reaſon of the ſtrife which is betwixt the Antidote and the Cathartick, the whole Virtue whereof is inimical to Nature. But I order that the Sick anoint with his own Hand his Arms, Thighs, and Legs, three Nights following; but he muſt neither touch his Groins nor his Armpits, and his Belly muſt be carefully defended from the Ointment by a Flannel wrapt about it, and ſew'd behind. After the third Uction, his Gums moſt commonly ſwell, and the Salivation riſes; but if within three Days after the laſt Uction it does not riſe, then eight Grains of Turbith Mineral may be given in Conſerve of red Roſes, and after every Stool or Vomit let him take a Draught of hot Poſſet-drink. When he begins to ſpit, all the Phyſician has to do is to obſerve carefully the degree of Salivation, leſt by uſing too many things the Salivation ſhould be raiſed ſo high, that the Life of the Sick will be endanger'd. When the Salivation is come  
to



to a due height, that is most commonly, when two Quarts is spit in the space of a Night and a Day; or if the Symptoms vanish, tho he spit less, which most commonly happens four Days after the Salivation comes to its height: his Shirt and Sheets must be changed, and those must be used, that have been worn awhile after they were last wash'd; for the other being daubed with the Ointment, will heighten the Salivation, and make it continue longer than is necessary. But if the Salivation abate before the Symptoms disappear, it must be heightened by giving now and then a Scruple of *Mercurius Dulcis* for a Dose.

Sometimes it happens, especially in Bodies that are easily moved, that after the first or second Unction, viz. as soon as the Blood begins to be affected with the Quicksilver, Nature presently endeavours to expel the Enemy through the Bowels; and not only slimy Stools and Gripes happen, as in those that have the Bloody-Flux, but the cure of the Disease is also hinder'd, which is wont to yield only to Salivation. In this case, we must presently abstain from the use of Mercury, either outwardly or inwardly, till these Symptoms quite go off: and moreover the Looseness, which most commonly happens before the Salivation rises well, must be stopt by liquid *Laudanum*; and you must so increase the Dose, and repeat it, as the Symptoms urge; or you may give a Dram and a half of *Diascordium* sometimes upon occasion. The Looseness being at length stopt, the Salivation, which before scarce appear'd, usually proceeds well.

The Sick beginning to grow well, only that his Mouth is yet ulcerated, (which is the genuine Fruit of Salivation) the Salivation, which is now daily lessen'd, must be neither stopt by Purging or any other way. For it may happen, that after the Pain is ceased, and the Ulcers dry'd, somewhat of the Disease may lie hid in the Body, and may occasion new Troubles, unless that moderate Spitting be permitted, which will go off when the Man, after he is well, has a-while expos'd himself to the free Air. I suppose therefore it is dangerous to divert what yet remains of the Salivation, that is about to go off of it self, either by purging, or by drying it up by a Decoction of the Woods; by which Practice, which is



commonly used to drive the Mercury out of the Body, or to correct its Malignity, frequent Relapses are undoubtedly occasion'd in these miserable People, who earnestly expect at length Health, after all their Charge and Pains; and they had certainly obtain'd it, if the Salivation had been let alone to end of it self. It is therefore much more advisable to promote the Salivation by giving *Mercurius Dulcis* once a Week, after they are quite well, and go abroad (which I have sometimes done for some Months) than to stop it too soon.

But tho I dislike Purging at the Declination of the Salivation, for the reason above-mention'd, yet it may happen that it must and ought to be used at the State of it; namely, when by ill Management it has been so much heightned, that the Patient's Life is endanger'd: in which case it is not only safe, but necessary to depress it by a Purge, to that degree the Sick can bear, and then it must be left to it self. If any one should ask, whether we ought to be contented with Salivation alone, neither using Purging, nor any other customary Remedies, after it is gone off: I answer, that besides those things now spoken of, which Reason and Experience confirm, I would fain know for what reason it is more necessary to purge after Salivation, than to flux after Purging; seeing purging Medicines (especially Medicines of *Scammony*, and such acrid things) leave something of Malignity in the Body, which we leave to Nature notwithstanding, and by it at length is subdued whatever remains of the Poison, he that was purged returning to his accustom'd Course, Exercise, and the Use of the free Air. And moreover, I would willingly know how it comes to pass, that we endeavour to carry off the Reliques of Mercury by purging, when by it we do not only neglect, but also hinder Salivation; which is the genuine, and almost the only Method, whereby Nature is wont and ought to affect it? But such Mistakes are to be imputed to those small Sparks of Reason, wherewith we poor Mortals are only endow'd; and not penetrating to the Truth, which lies deep, we embrace every Shadow, and instead of *Juno* embrace a Cloud, as they say: and then by discoursing with one another we so root ill-founded Prejudices in our selves, that at length we would have our Dreams and mad Fancies pass for Demonstrations;



a Specimen whereof, unless I am deceived, is now before us.

But tho the Cure may be perform'd in the way above-mention'd in most, *viz.* by Uñction used three Nights following, and by giving Turbith Mineral, if the Flux does not proceed well, and also *Mercurius Dulcis* sometimes, if it abate too soon; yet it must be carefully noted, that in some there is a certain peculiar *Idiosyncrasy* or Temperament, both in respect of Salivation as well as Purgings, (and most commonly those that are difficultly purged are also difficultly fluxed) so that in some the Method above-mention'd will scarce make the Gums sore, much less procure that Salivation, which is sufficient to eradicate the Disease. In such Patients, the Physician must take great care that he do not too obstinately and unseasonably urge Salivation, Nature resisting and abhorring such a kind of Evacuation, which being not well understood by some, they have kill'd many: for in Bodies so dispos'd, as often as Medicines, whether external or internal, have been obstinately repeated, instead of a perfect Salivation, nothing but Gripes and Dysenterick Stools can be obtain'd; Nature endeavouring to carry off the Poison of the Quicksilver this way: or else Pains in the Stomach, Sicknes, cold Sweats, and other dreadful Symptoms are occasion'd, so that the Sick is just dying, or does die. Tho it may be lawful for the Physician to repeat the Uñction, and the Turbith Mineral again, after he has expected Salivation in vain four or five Days from the last Uñction, (some Days passing betwixt each Uñction) yet he ought to take a special care, that he do not solicit in vain a Salivation, with so much eagerness, that he persist to force it against Nature's Inclination: and therefore in my opinion the Physician is to observe this Method, *viz.* as soon as ever he perceives the Sicknes of the Stomach, or the Gripes, he must presently forbear the giving Medicines, till those Symptoms are quite gone off; for by many and strong Remedies, heap'd upon one another to force Salivation against Nature's Inclination, a Dysentery will certainly follow the Gripes, and Death the Sicknes of the Stomach: whereas on the contrary, if you go on gently, and take time, and give a Scruple of *Mercurius Dulcis* once or twice a Week, either by it self, or with a Dram



of *Diascordium*, if the Sick is inclined to a Looseness, you will at length do your business, and cure the Patient. For tho the Salivation never rises to the height, yet the Sick will spit more than he uses to do, and the Stink, the Companion of a right Salivation, will also accompany this small Spitting; so that it appears, that the Blood and Humours have attain'd that Putrefaction or Alteration, whatever it be, which either occasions the Salivation, or is produced with it: And by this Method, you may cure all the Symptoms of this Disease, if you allow a due time.

But it is to be noted, that tho Salivation is much better for the curing of a confirm'd Pox than any other Medicine whatever, yet it cannot cure a *Gonorrhea*, when it accompanies the Pox, nor will that stop when this is quite cured: from whence we may well gather, that there is no specifick Virtue in Mercury, whereby it immediately cures the Pox; tho perhaps it may be counted a Specifick mediately, inasmuch as it cures the Disease by raising Salivation: but it is almost as improper, as I have mention'd elsewhere, as to call a Lancet a Specifick for a Pleurisy. But to return to the business; when the Pox and a *Gonorrhea* are lodg'd together, the Cure of the *Gonorrhea* is to be attempted before the Salivation, or when it is over; but in my opinion it is safer and better done after the Salivation is over: for being accompany'd with the Pox, it is more difficultly cured; but after Salivation, being somewhat tamed, it is usually cured with less trouble, but you must be sure to avoid Purging, as long as any thing of the Salivation remains: wherefore the business will be better done, by giving a Dose of Turbith Mineral once or twice a Week, than by any other Purges; for by it the Spitting will be somewhat promoted, and in the mean while the Matter occasioning the *Gonorrhea* will be evacuated by degrees.

Moreover it is to be observ'd, that if there be a Tumour upon any Bone, commonly call'd an *Exostosis*, which has continued so long that the Bone is become carious; it is altogether in vain to attempt the Cure, either by Salivation, or by any other Method, unless care be taken of this Swelling: wherefore the Bone must be laid bare by a Caustick, and the Exfoliation of it,



it, as they call it, must be endeavour'd by proper Remedies.

As to the Ulcers of the Mouth, which are very common in such as are fluxed, if the Pain is so violent that the Sick cannot bear it, or if the Mouth be so excoriated, that the Blood flows night and day, the Mouth must be often wash'd with Damask Rose-water, or with Milk-water, or with a Decoction of Barley, of the Roots of Marshmallows, and the Seeds of Quinces: and this is the only Symptom worth notice that happens in Salivation, if it be well managed. And indeed if the Pain and Ulceration of the Mouth could be any way prevented, the Cure of this Disease would be no more troublesome than of others, which are not near so much taken notice of.

As to the Diet and other *Regimen*, they should be altogether the same in Salivation, at least till it come near the end, as is order'd in Purging: for seeing he that has taken a Purge, is only required to keep himself warm in his Chamber, and to eat moderately Meats of easy digestion, I do not know any reason, why he that is in a Flux should be kept constantly a-bed, or forbid to eat moderately, which may strengthen Nature in conflicting with the Poison; for many have been miserably destroy'd, Nature sinking under the Burden, and their Spirits and Strength being at length quite exhausted, by Sweating, Purging, and unnecessary Fasting, besides the Injury occasion'd by the Quicksilver; and also often when the Disease is vanquish'd, the Sick wanting Spirits enough to recover Strength, dies of Weakness; or if he chance to escape, he is accompany'd with so many Torments, that he had better die, as a late Poet elegantly describes such:

*Graviora morbis patimur Remedia,  
Nec vita tanti est, vivere ut possis mori.*

And here we may readily answer that Objection, how it comes to pass, that some being severely handled, to wit, in the State we now speak of, are forced to travel into *France* to recover their Strength. I think this is the reason of it: In such sick People, the Oeconomy of their Bodies being subverted, and their Strength gone, our thick and moist Air is unfit to recover them; whereas



that of *France* being more healthy and clearer, is proper to recover their Spirits and Strength : and not because the Physicians there, how learned soever they be, have a better Method of Cure for this Disease than we in *England*. But to return to the Diet.

I suppose therefore, (and Experience confirms the same) that Water-gruel, Panado, Poffet-drink, Small-beer warm'd, Veal and Chicken-broth, and the like, may and ought to be allow'd in a moderate quantity ; and that as soon as the Swelling of the Gums is so much fallen, that he can bring his Teeth together, Rabbits, Pullets, Lamb, and such tender Food, may be allow'd sparingly, and he may keep in Bed or sit by the Fire, as he pleases : for this Disease being to be cured by Salivation, and not by Sweating, I cannot imagine to what purpose he or she should be punish'd with a great deal of Heat, when there is necessity for it.

This Method, as it is quicker, so it does not require so many Days to be wasted unprofitably, in preparing the Body before Salivation, nor those frequent Purgings, nor those usual Decoctions after Salivation ; and I am certain it is much easier, less dangerous, and less subject to a Relapse : which any one may find, who having been accustomed to the other Practice, betakes himself to this. I am sure it has succeeded well with me in very many Patients, some whereof have passed Salivation more than once to no purpose, having always relapsed again, upon the Occasions and Reasons above-mention'd.

But I need not, candid Sir, anxiously solicit your good Opinion, who long ago thought me honest, and further'd my Reputation. I shall add no more of this Disease, for I never did nor ever shall delight in making things so difficult by many Words, that the Fountain of the River *Nile* may be more difficultly found, as they say. But how little soever, or of how little value soever this Treatise is, I intreat you would receive it kindly ; for I wrote it chiefly for the publick Good, and to testify my Respect to you. And indeed I do not flatter you, when I confess, that I always valued your Friendship as a most precious thing : for among other things that I have observed in the little while I have lived, this is an excellent thing (which I would also




recommend to my Son) viz. that the Acquaintance with Men, that were remarkable for Honesty and other Virtues, has always turned to my profit and advantage; and on the contrary, Friendship with ill Men, (unless it ought rather to be call'd a Combination, or Conspiracy, when it is not founded in Virtue) tho they never yet injur'd me, either by their Words or Countenance, yet I know not how it came to pass, sometimes at length brought some damage to me or my Affairs. Farewel, kind Sir, and continue to be my Friend.

*Your devoted Servant,*

Tho. Sydenham.







*An Epistolatory Discourse to the Learned  
Doctor William Cole, concerning some  
Observations of the Confluent Small-Pox,  
and of Hysterick Diseases. By Thomas  
Sydenham.*

---

*To the worthy Dr. Thomas Sydenham.*

**P**ERHAPS you will wonder, candid Sir, what impertinent Disturber hinders you in your serious Affairs; but I hope you will pardon me when you understand, that I do this chiefly to express my Thanks: for I acknowledg I have receiv'd so much advantage by your elaborate Discourse about acute Diseases, that I hold my self oblig'd to render Thanks. You have so accurately observ'd all the Constitutions of Years, and of the Air, which you have undertaken to treat of in a manner altogether new, and have propos'd such genuine and obvious Indications for the curing every Disease happening in them, and have adorn'd the whole Work with so much Ingenuity; that we may reasonably suppose so much Sagacity, join'd with indefatigable Labour, will for ever oblige the Sick and Physicians too.

But tho you have perform'd all things so exactly, that I can scarce forbear to praise you singly for every Particular; yet especially, I heartily thank you for your Method of Cure in the Small-Pox, whereby that dreadful Disease (unless some Malignity, or some unusual thing happen) may be easily cured, if Nurses, a sort of People very injurious to the Health of Man, did not obstruct;



struct; who by their hot *Regimen* and Medicines confound all things, and kill so many before their time. You, learned Sir, the Protector of Mankind, ought to be esteem'd; who are a Guide to the Sick in the greatest danger of Life, that they may return to the way of Health, if they would follow your Direction. As to myself, tho for some time I was afraid to trust my own Reason, yet I have of a long while thought, that the Eruption of the Small-Pox, as it was not the very Disease, but the *Crisis* of the Fever, so like other *Crises* it requir'd a *Regimen*; wherein, according to the opinion of all Physicians, the whole Business is to be left to Nature, if all things proceed well, as most commonly they do in this Disease, unless the Blood at first be too much exagitated. But after I had read your excellent Book, I perceiv'd, that those Fears, which possess'd me and others so long, were panick; and I ventur'd according to your Precepts, (tho sometimes not only the Vulgar, but Physicians oppos'd) to govern my Patients, and I found great Advantage by them when I had to do with those that would submit; and whatsoever others think, I found my self happy by having got so great a Treasury in my Hands: and moreover, when I was call'd to those that had the confluent Small Pox, which was not very often, I did not doubt, tho they seem'd to be just a dying, to fly by your Advice to *Paregoricks*, and I had wonderful Success. And indeed you seem'd to have done so much in this case, that I was apt to believe that nothing remain'd for you or any other to do, till I lately understood by that learned Man, my very good Friend, Mr. *Kendrick*, (who much praises your Civility) that you had new Observations upon the same Subject; which I cannot but think must needs be very advantageous in Practice, because you made them; and unless you impart them to the Publick, you will be very injurious to Mankind, and to your own Fame: And therefore, if the Desires of those that are unknown to you may prevail any thing, be pleas'd, worthy Sir, to publish them.

Nor must I stay here, for I have heard from the same Person, that you have some choice Observations about *Hysterick Diseases*; which truly, as they have exercis'd and weary'd the Wits of the learned Physicians of all  
Ages,




Ages, so alas ! they have too often eluded the Methods of Cure deliver'd by them, and shew how unsafe it is to trust to Philosophy ; unless in those things, the Certainty whereof may be sought for by the Testimony of the Senses. You will, worthy Sir, deserve much from the present and future Ages, if you please to publish what you think of these things. I desire, at least, that you would take in good part what I, tho unknown to you, have not blush'd to ask for my own and the publick Good ; and that you would reckon me amongst the number of those that are your humble Servants.

*Worcester, Nov.  
the 17th, 1681.*

*Your devoted Servant,*

William Cole.



*To the Learned Dr. William Cole.*

*Worthy Sir,*

**I**F I should so far indulge Self-love, that I should take to my self those Praises that no whit belong to me, it would be very difficult for me not to be proud, being prais'd so much by so famous a Man, who is known to the learned World by his excellent Works, but the Face of him not so much as known to me. But that you have been pleas'd to honour me so far, tho I am unworthy, I count it your Civility ; for Nature has so dispos'd the best and worthiest Men, that they are not only gentle to those that are in small Errors, but that also they are ready upon all occasions to praise those that do indifferently well ; whereof I gratefully acknowledge you have shew'd a clear Specimen towards me, and my small Endeavours, which were design'd for the publick Good.

Be pleas'd to receive those things you ask for, which are to be added to the Observations before publish'd of the Small-Pox, and my new Treatise of the *Hysterick* Passion. The first of these I therefore enter upon, that what was wanting in it before, might be supply'd out of those things which longer Experience hath suggested : But I have undertaken the other, because *Hysterick* Diseases



eases of all others occur most frequently, except Fevers, and also because I think some Advantage may be gain'd by these my small Observations; tho I must confess that there is another Cause besides the hopes of doing good to the Publick, viz. that I might employ my spare time well, and pass away honestly the tedious long Winter Evenings; for by reason of my old Age I cannot any longer seek Companions abroad. But whatever it was that first provok'd me, I do not find my self so fit for the Undertaking, as I hoped I should be; for that continual Series of Thoughts which my Mind was always bent on, has for many Years been very injurious to my gouty Body, especially now old Age approaches. But because I have receiv'd your kind opportune Letter; I briefly, by way of Answer, wrote those things in short, which before I design'd to treat more largely of.

I think I must mention first, that that Species of Agues which first began, as we said in another place, in the Year 1677, reign still; namely, in the Year 1681, wherein I writ this. These Agues, I say, according to the custom of all Epidemicks, raged chiefly in those Seasons which are most agreeable to their Nature, thro all those Years wherein they flourish'd. But another Season approaching, they gave way presently to other Epidemicks, whereunto that was most favourable: For instance, At the coming of Winter, they always gave place to the Cough, and the *Peripneumonick* Fevers proceeding from it, and also to the Small-Pox; but in the Spring they return'd again. So in the Year 1680, after the Ague had raged all the Autumn, the Small-Pox succeeded in the Winter-time, and raged every where; but in 1681 the said Agues began again, but they were not altogether so Epidemical as before, upon which account the Small-Pox broke out here and there with them: But when Summer began, the Small-Pox increas'd daily, and at length were Epidemical, and were very destructive.

That which Reason dictated heretofore, was clearly manifested to me in the Year 1681, to wit, that the Patient was not to be confin'd to his Bed, Night and Day, before all the Pustles appear'd: for the Spring time and Summer continuing longer dry than was ever known  
in



in the memory of any that was then living, (so that for the most part the Herbs were every where burnt up) and almost all that Humidity was wanting which the Air used to communicate to the Blood : upon which account the Small-Pox, then raging, were accompany'd with a greater Inflammation than they were wont to be, and the other Symptoms arising from thence were more violent. And it was for this reason also, if I am able to judge, that the Purple Spots many times came before the full Eruption of the Pustles, and that the violent Inflammation that forced them out, destroying the Crisis of the Blood, occasion'd the sudden Death of the Patient, before there was a due Expulsion of the morbid Matter ; and they were the more fatal, because the Pustles did so easily flux, for the reason above-mention'd : for now the Intemperance of the Air, of its own accord, did that mischief which ignorant Quacks use unluckily to do at the beginning of the Disease, by a hot *Regimen* and Cordials ; for (which is diligently to be noted) after the most exquisite Observation, the chief of all is, that in the Small-Pox the greatest Safety proceeds from the Paucity of Pustles, and the most Danger from the fulness of them ; and as they are few or numerous, so the Patient lives or dies. Yet we must confess, that a Bloody Urine and Purple Spots, which are the most certain Fore-runners of Death, sometimes happen when there is scarce any sign appearing of the Small-Pox, or but very few Pustles coming out : And as these generally accompany'd the Pox that flux'd most, so now and then they invaded so very early, that they kill'd the Patient before the full Eruption, as we remark'd before.

I think it is very easy to give an account why the Patient is more or less endanger'd, according to the greater or lesser number of Pustles ; for every Pustle is a *Phlegmon*, tho very small, and presently imposthumates : and therefore it cannot be imagin'd but that the secondary Fever, that depends on the Matter which is now a making, is more or less exasperated at the state of the Disease, according to the quantity of the Matter to be concocted, which is usually perform'd in the gentlest Flux-Pox on the eleventh Day, reckoning from the first approach of the Disease ; in the middle sort on the fourteenth Day, but in the severest kind on the seventeenth Day.



Day. For whereas (which is to be noted) the Flux-Pox is as much more dangerous than the Distinct, as the Plague than the Flux; so also the above-mention'd three kinds are more dangerous one than the other, which also respects the Age as well as the Sex: for every one knows, that a young Man in the flower of his Age, is much more in danger than a Woman or Boy. But this by the by.

Neither truly will he wonder why so great danger should proceed from a great number of Pustles, who considers with himself, that if any one has a Boil on the Arm, or any other part, he will be feverish when it comes to Matter; for the Blood being intruded by the purulent Particles suck'd into its Mass by the Veins of Circulation, occasions the Fever. How much more reason then has a Physician to prognosticate the death of a Patient on one of these Days above-mention'd, when at the beginning of the Disease he sees his Face all cover'd over with small Pustles, like the dust of the filings of Needles; and that by reason of the extreme violence of the Fever that follows, which necessarily rages according to the quantity of Matter cast out of those innumerable Imposthumes into the Blood? Which plainly discovers the destruction of the Patient some days before it falls upon him, tho for the present he thinks himself pretty well, and seems so to be to those who stand by, who do not understand this Disease.

Wherefore, if the Patient be not otherwise in danger (to omit for the present the Bloody Urine and Purple Spots) than by the great number of Pustles, I diligently consider upon what account they came out so full, and I endeavour all I can safely to restrain them: which indeed is the main business, and the best means to help the Patient; for it is very hazardous to do any thing in this sort, when the Disease is establish'd. And if the Patient should chance to survive, it's not so much from my Care, as either from a notable *Hæmorrhage* of the Nose, or some other fortuitous Change which happen'd to the Disease. But the most profuse Eruption of the Pustles, as I conjecture, arises from the too hasty Assimilation of the variolous Matter; which seems chiefly to happen, either because the nature of the Patient is too hot and spirituous like a Cordial, or because the Sick has heighten'd the Fer-



Fermentation, either by confining himself to his Bed too soon, or by taking hot Cordials, or any other spirituous Liquor, by all which means the Blood is dispos'd to receive the Impressions of the Disease ; and Nature being so highly enraged by reason of the exuberant Plenitude of the variolous Matter, endeavours to change the whole Substance of the Body into Pustles.

But the immoderate Assimilation of the variolous Matter, is no way more readily promoted than by confining the Patient unseasonably to his Bed, to wit, before the sixth Day, or the fourth inclusively from the Eruption ; at which time all the Pustles appear, neither are there more to be expected.

And tho the moderate Heat of the Bed, even after those Days are past, does a little occasion the Phrensy, Watchings, and other Symptoms ; yet these are such as may be subdued by Medicines judiciously prescribed : whereas the great danger of Life, which comes on the eleventh Day, occasion'd by the innumerable Pusles, exceeds the help of Physick.

Therefore here I seriously admonish, that the Patient by no means confine himself to his Bed in the day-time, if he would avoid the great Conflux of Pustles, till towards the Evening of the sixth Day, by which he will find himself very much refresh'd. Afterwards he will be scarce able to rise at all, if the Concourse of Pox be considerable, by reason of the sharp Pains of the Pustles, and because he is more inclined to fainting at sitting up ; which when I had often observ'd, it came into my mind, that Nature, according to the Custom of the Disease, did first point out the time when the Patient was continually to be kept in Bed.

But that I may not only confirm the Truth of the foregoing Problem, which is of so great moment in lessening the impending Danger from the Small-Pox, but also that in handling them I take along with me our account from the beginning to the end ; I think it will be proper to draw as it were a Scheme of the whole Disease, and diligently to consider what is its Nature, and what the Method : so that at length we may be able to discern the thing clearly, according to the Judgment of Men, that use the most faithful Observations, not by Opinion built on the uncertain Foundation of Fancy.



First therefore, its Essence, as much as we can learn the Essences of Things, seems to be comprehended in a certain Inflammation of the Blood; in which Nature is busy'd for some Days, at first in preparing and subduing the inflamed Particles, so that they may be the easier thrust forth to the outward parts of the Body: at which time the State of the Blood being disturb'd, it is necessary there should be a Fever; for the incensed and raging Particles roving tumultuously thro the whole Province of the circulating Blood, necessarily occasion Sickness of the Stomach, lancing Pains of the Head, and all other Symptoms that precede Expulsion, as in their Motion they are driven on this or that part. But when triumphing Nature has driven out the rebellious Particles to the Habit of the Body, the rest of the Tragedy is acted in the fleshy Parts, as before it was in the Blood; and as Nature knows no other Method than a Fever to cast out the peccant Matter from the Blood, so also does she free the carnous parts from any extraneous thing, by no other way than that of an Imposthume. For instance, if perchance a Thorn, or some such thing, stick in the Flesh, the circumjacent Parts are presently imposthumated, unless that which is offensive be presently drawn forth. Therefore when these Particles have lodg'd themselves in the Flesh, they cause *Phlegmons* not very visible, in which they abscond, which increasing hourly, and growing more inflamed and angry, at length they come to Matter; at which time it cannot be but some of the Matter will be suck'd into the Mass of Blood, as it returns in its circular Motion by the Veins: and if a great quantity of it be pour'd on the Blood, it does not only produce a Fever, which the Patient's Strength is not able to bear, but it also poisons the Mass of Blood. And yet this is not the worst, for by the intense Heat of the Fever, stirred up in these last Days by the too great force of the Matter, the Salivation, which ought to be an inseparable Companion of the Flux-Pox, is too suddenly stopt, and so the Patient dies immediately. But if the purulent Matter be sparingly received into the Blood, the Strength of Nature easily depresses the Violence of the secondary Fever; and the Pustles dying off daily more and more, the Patient soon recovers.



If this be the true and exact History of this Disease, he deserves to be blind, who will not see how that the whole Event of it, as to either part, depends on the Foundation of the Cure well or ill laid at first; for if these hot and spirituous Particles are provoked by the use of hot things, and especially by keeping the Bed continually, it is necessary that the assimilating Faculty (to which before they were too much inclined) should be heightened and increased. Moreover, the Blood and other Humours being heated by these means, they easier yield to the violent Impression of the Particles, so that more Pustles break out than are requisite, and the Patient is put in danger of his Life, when there is no necessity for it; whereas the opposite and moderate cooling *Regimen*, and the free use of the Air, not only quenches the burning Particles, but also condenses and strengthens the Humours, so that they are more able to resist the morbidick Spirits, and to bear their Violence: and so there is no greater quantity of variolous Matter, than what was agreeable to the Nature of the Disease.

Neither does he suffer this Inconvenience only, that is confined to his Bed too soon, *viz.* That too great a quantity of the morbidick Matter is assimilated, and that the Ferment of the Disease is overmuch heightened; but most commonly bloody Urine and purple Spots, especially in Summer, and in those that are yet in the Flower of their Age, are occasion'd also by the same. If I be not mistaken, both these Symptoms arise from the Heat and Fury into which the Blood is put by the hot and spirituous Particles, by which being exagitated, and greatly attenuated, it breaks out of the Vessels: when it rushes in upon the Kidneys, it causes bloody Urine; when it is percolated thro the Extremities of the Arteries, terminated in the Muscles and Skin, it occasions purple Spots, which are like so many Mortifications in those places in which the extravasated Blood is coagulated. And tho these two Symptoms might have been easily prevented at the beginning of the Disease (at which time they chiefly shew themselves) by a cooling *Regimen* and Diet; yet when they actually appear, he will be as much mistaken, who endeavours to cure them by keeping the Patient in bed, and by giving Cordials, as an old Woman would be, that



that should strive to hinder the boiling of her Pot by putting more Fire under it.

But to speak the truth, let the Dogmatical and those that are ignorant of this matter, and therefore incompetent Judges, say what they will, it is not only dangerous to keep the Patient in bed continually, but truly sometimes it is necessary to allow him the open Air, *viz.* if it be Summer, and he has not pass'd the Flower of his Age, or has accusom'd himself to spirituous Liquors, and especially if the Disease was occasion'd by excessive Drinking. Indeed I think in these Cases too hasty an Eruption of Pustles can scarce be restrain'd enough by keeping from Bed, and abstaining from Cordials: for the Blood, without the help of these, is so over-stored with hot Spirits of the same nature with the Disease, that the violent Explosion of it is unavoidable; and besides, so great a quantity of Humours will turn to Pustles, that the Patient being as it were over-whelm'd by the abundance of Matter flowing back upon the Blood, must necessarily perish at the latter end of the Disease.

But most commonly the Ferment immoderately exalted, adds so great violence to the variolous Matter, that the Patient dies at the beginning of the Disease, *viz.* when the Matter that produces it, cannot extricate it self and come out, by reason of the inordinate and confused Motion stirred up in the Blood; instead of which, bloody Urine and purple Spots put an end to the Tragedy: which also often happens in the Measles and Scarlet Fever, when they are unseasonably forced out.

Neither does Bleeding, as I can find, tho it be used early, so effectually restrain the Assimilation of the variolous Matter, as the temperating of the Blood by the Air suck'd in, especially if the Patient be put to bed presently after Bleeding, and be injured by hot Cordials; for by these means the Blood is more inclined to receive the Impressions of the adventitious Heat, than it was before Bleeding: and I solemnly declare, that almost the worst Disease of the Flux-kind I ever saw, and which kill'd the Patient on the eleventh Day, happen'd to a young Maid, after she had recover'd of a Rheumatism by the usual Method, *viz.* by a large and repeated Bleeding; and from hence I learned, that Blood-letting did not so much conduce to the restraining the Small-Pox in their



due bounds as heretofore I imagined, tho I have very often observed, that Purging repeated before the Blood is infected, often renders the Small-Pox more distinct, and favourable.

I am very sensible, that many things may be objected against this Opinion, of keeping the Patient up a-days; and those of no small moment amongst the ordinary sort of People, and others that are little acquainted with this Disease, to whom vulgar Physicians are wont to appeal as fit Judges, that they may underprop their ill-built Theorems by their Authority: and indeed such better suit with their Capacities, than those that are maturely contriv'd by more searching Men. Hence it follows, that the far greater part of Mankind being fitted to take up things only upon trust, but very few able to fathom the Depth of them, the Unlearned prevail over the more understanding sort of Men; who are commonly calumniated, yet they endure it patiently, having Truth and the best, tho fewest of Men, on their side. First it is objected, that keeping from the Bed at the beginning of the Disease, hinders the Eruption of the Pustles, and by consequence the Sickness and other Symptoms arising from thence, are protracted; and this I do not at all deny, and Experience daily testifies the same: But it ought to be considered, whether it be more dangerous somewhat to suppress the variolous Matter, and upon that account to protract the Sickness a little, which is occasion'd by its not coming out; or on the other hand, by too much provoking the Ferment of the Disease, to assimilate so great a quantity of the variolous Matter, that the Patient be brought to the Jaws of Death by the secondary Fever on the eleventh Day. I believe it will appear, if the thing be rightly weigh'd, that very few have therefore died, because the Pustles did not come out sooner or later, unless perchance in some of those, whose Blood being enraged by too great Heat and inordinate Motion, had not leisure to cast out gently the morbidick Matter; which makes for me. For we need not fear, tho we do nothing, the variolous Matter, how much soever it flies about at the beginning of the Disease, and wearies all the Parts it falls upon; from whence proceed these Symptoms, violent Vomiting, and Pains in various parts, &c. yet at length they will be tamed



tamed by Nature, and extruded to the Habit of the Body; especially the Patient's Body being bound hitherto for the most part, gives good assurance that the Eruption of the Pustles will be certain, tho late: But on the contrary, in what great hazard is the Patient, when the Pustles are unseasonably thrust out? It would be too tedious to mention them all, I will only handle the chief now, and they are these: First, the number of the Pustles being too much increased, the Fever coming towards the latter end of the Disease, is more or less dangerous, according to their number. Secondly, the bloody Urine and the purple Spots, both which arise from the extravasated Blood, which being too much thinned, and raging, by reason of great Heat, breaks out thro the Vessels. Thirdly, as we said before, a total Suppression of the due Eruption is sometimes occasioned by being over-officious in hastening it; by which the Design of the Physician is as much frustrated, as he would be, that should endeavour to call out a great number of Men, contain'd in a large House, orderly one after another, by flinging a Squib amongst them; which on the contrary would so disturb them, that all endeavouring to come out at once, the Passage would be so wedg'd up, that they would all be shut in.

If any one should ask me, why a due Separation of the variolous Matter cannot as well be perform'd at the beginning of the Disease, by cherishing the Patient with the moderate Heat of the Bed, as by taking him out of it; on the contrary I demand, whether Experience does not testify, that any one a-bed in Winter-time, moderately cover'd with Clothes, without Fire, is not hotter than if he were taken out of his Bed, and well clothed in the same Chamber: but if the difference be very manifest, then I would inquire in the next place, which of these Methods is likeliest to suppress the immoderate Motion of the various Ferment; at which, if I am able to judge, the Physician should chiefly aim at the beginning of the Disease, and the more or less he wanders from the same, it will be well or ill with the Patient.

But this chiefly has imposed upon the Unwary in this Case, to wit, that they have observed that the Patient of his own accord is inclined to sweat; which continually flowing as long as he keeps his Bed, the feverish Heats



are very much abated, otherwise than in those that did not sweat. Therefore let us consider, why we do so much endeavour to restrain the Fever, whereas that is Nature's usual Instrument, which she chiefly uses in preparing and casting out all offensive Matter that lies hid in the Blood. Why who does not perceive, that while we diligently provoke Sweat to lessen the Fever, at the same time we force out a crude and indigested Humour, like over-early Fruit? And by these very Sweats, we afterwards occasion a violent Fever; for by this means the *Serum* of the Blood (with which the Blood it self, and those hot new-bred Particles are diluted) is driven out: and in the mean while these Particles wax violent, because they are now freed from the *Serum*, which was exhausted by Sweat. In a word, the lessening of the Fever and other Symptoms by Sweat, and the Pustles for this reason being too hastily thrust out, happen ill to very many, who die upon this account on the eleventh Day.

But it is to be noted, that I keep the Patient from his Bed at the beginning of this Disease, only upon supposition that the Small-Pox coming out are of the Flux-kind; for as to the distinct sort, if it can be certainly known, as there is no necessity to keep the Patient continually in Bed, so neither to force him from it, for the fewness of the Pustles secures him either way.

But I do not flatter my self so much, as to think that these things which I have here treated of, should be believed upon the Authority of my Judgment, which I know is very small: and truly I have accounted always the Opinions of almost all sorts of Men to be so uncertain, and of so little weight, that I may always very well suspect my own, when it is contrary to the Sentiments of others; which I also should do here, if practical *Phænomena* did not, as it were with one consent, confirm the Dictates of Reason: for without practical Observation, that which seems reasonable to me, or any other Person, perchance will be nothing else but the Shadow of Reason, or a Phantasm, that is mere Opinion. And the oftner I converse with Men, I am the more confirmed how dangerous it is, even for those that are the most acute, to rack their Brains, and as it were inflame them, in the Search of any Art or Science, unless they constitute



stitute Matter of Fact, as Judge and Umpire of Truth and Falshood: And such great Opiniators, as *Cicero* says, infinitely wander from Truth, in Controversies purely speculative; whereas he that applies his Mind only to those things, which may certainly be determined by Practice, if he should chance to have a false Opinion, would be soon set right, by proving the Ideas of things, which he has conceived in his Mind by this Touchstone. For in this our business, may not I observe what *Regimen* chiefly produces a favourable or cruel sort of Pox, and so frame an Opinion in my Mind suitable to what appears? And if others would practise the same, I should be satisfy'd: but it is extremely unjust to defame me as an Impostor, when they never try'd so much as once in their whole Lives, whether the Method so often repeated above, of keeping the Patient up a days, does either good or hurt. If this cavilling Humour had heretofore prevail'd over those that found out Truths, tho contrary to common Opinion, no Man would have endeavour'd for any thing, which being found, would have been useful to Mankind: and truly why should I thus trouble my self, if frequent Repetition, and almost daily Experience, did not proclaim that this Method was much more safe than the vulgar one? I am not so very mad and foolish, to seek for Fame by exploding the Opinions of those, who, if I courted Applause, were to be flatter'd: neither can it be thought I am so desperately malicious, as to conspire the Ruin of those that are to be born many Ages after I am dead, by the Reputation of this my Method, if it has any, that so I might destroy when I am dead, as well as when I am living, at which I tremble in the very mentioning. However it is, I have used this Method for my own Children, my dearest and nearest Relations, and all others that have committed themselves to my Care: And if I am to be blamed for any thing, it is because I have sometimes yielded to those of a contrary Opinion, lest I should be counted morose; and for the Confirmation of this, I appeal to my intimate Acquaintance. And this is another Unhappiness, that sometimes also, when the Standers-by have contemned all I have proposed thro the whole Course of the Disease, yet they have charged me with the Death of the Patient, tho he was destroyed by that



Heat, which the Friends and Nurses promoted, and which I so much inveigh'd against: upon which account, by reason of the insuperable Prejudice of most People, I have thought it would be well for me, if I were never call'd again to any that have the Small-Pox.

Truly, I do not deny but that the Small-Pox will flux sometimes very much, after what manner soever they are handled; and therefore they are never free from danger, tho the best Help be procured: but this I affirm, (which is enough for my Purpose) That it is apparent by daily and often repeated Experience, that he is in much less danger, who totally abstains from Flesh, and keeps himself from Bed in the day-time, at the first approach of this Disease, and allows himself only Small-drink, than he that presently confines himself to his Bed, and takes hot Cordials. For this Method, as we mention'd before, most commonly hinders the Flux of the Pustles, and by consequence also the immoderate Effervescence of the secondary Fever, which does not destroy only of it self, but also by thickning the Spittle too hastily, (of which we have treated largely in the History of this Disease) it threatens Death to the Patient at the latter end of this Disease. And also by this Method a bloody Urine and purple Spots may be prevented, both which Symptoms invade at the beginning of the Disease, and often before there is any Sign of the Eruption; which is also usual in the Measles and Scarlet Fever, and other acute Diseases, that proceed from a great Inflammation: to say nothing now of that pleasant Refreshment, which the Patient perceives himself encompassed with, from the free Approach of the Air, as often as he is taken out of the hot Bed; which every one of those that I was permitted to treat after this manner openly declared, being extremely thankful, as if they had been recovered from Death, having as it were receiv'd Life and Spirit from the Air.

From whence I have been induc'd to consider, how much oftner we are misguided by that which we supposed to be Reason, than by Sense, which is most certainly known to us; and that in the Cure of Diseases, we should have a greater regard to the earnest Desires of the Sick, (if they are not very irregular, and such as would presently extinguish Life) than to the more doubtful



ful and fallacious Rules of the medical Art. For instance, he that has a burning Fever earnestly desires the free use of Small-beer: now the Theorems of Art that are built upon a certain Hypothesis that proposes to it self some other end, with which the Indulgence of a cooling Liquor does not agree, crosses the Appetite, and orders a Cordial instead of it, The same Patient being kept from Small-beer, loaths all sorts of Nourishment: but Art, especially that which Nurses and the Friends that stand by profess, earnestly requires that he must feed. Another upon the same account, after long Weakness, humbly petitions for some absurd thing, and which perhaps may seem hurtful: and here again impertinent Art opposes, and pronounces Death if he will not be observant, unless perchance the Artist has well digested this wholesome Aphorism of the wise *Hippocrates*; *Meat and Drink, tho somewhat worse, if pleasing, is to be prefer'd before better that is displeasing.* In all these Wandrings of Nature, as it seems, any one that is but indifferently accustomed to the Practice of Physick, if he seriously consider, will readily grant, that many Patients have been better after they have forsook the Precepts of their Physician, and have follow'd their own Inclinations: neither will he wonder at this, who considers that the most wise Creator of all things has accomplish'd the whole with such great Exactness, that even as all the Miseries of Nature excellently conspire to compleat the Harmony of the whole Work, so each Particular is endow'd with a certain divine Artifice, interwoven as it were to its proper Essence, by which the Subject removes those Ills from it self: which plainly appears at the natural Period of most acute Diseases, (which generally have God for their Author, as *Chronicalous*) as also in those Propensions which accompany such Diseases, and prepare a way to free the Sick from that danger, which Art performs, when it is concern'd with Fools. And upon this account truly, it was very well for those, whose whole Race had been otherwise in a very sad Condition, at the time when the whole Art of Physick was inclosed within the narrow Bounds of *Greece*; which is no more proportionable to the other Parts of the World, than a small Village to our *Britain*. And now also what would become of the Inhabitants of so many and so great Regions?



Regions? For all *Asia*, *Africa*, and *America*, (except some late Colonies that are not very populous) and moreover a great part of *Europe*, are altogether destitute of the medical Art. But as the Comedian elegantly distinguishing those that were famous for Reason and Virtue from the Herd of others, that scandalize their human Shape with a brutish Life, says, They are Men, if they act like Men: So the medical Art, if it be truly an Art, and not only a Name, is the greatest Benefit that belongs to this Life; and is by so much greater than all others, by how much Life is more excellent than those things we enjoy by it.

But to return to the business: How profitable soever it be for the most part, that the Patient be kept from Bed at the beginning of the Disease; yet sometimes (which is to be noted) he must be altogether confined to it before the Eruption: For instance, A Child that is past the Symptoms which accompany the breeding of Teeth, is of a sudden taken with a Convulsion; in this case we must consider, that perhaps it proceeds from Nature endeavouring to thrust out to the habit of the Body the Small-Pox, Measles, or Scarlet Fever, tho yet they are hid in the Skin. That therefore we may sufficiently provide against so dangerous a Symptom, we must presently apply a Blister to the Neck, and put the Child to Bed, and give a Cordial, with a small quantity of some Opiate, by which the Cause of the Disease may be the more powerfully cast out, and also the Tumults which occasion the Paroxysm may be quieted: *e. g.* I prescribe five Drops of liquid *Laudanum* in one Spoonful of Epidemick Water, or the like, for a Child of three Years old. And truly I very much suspect, not to say I am certain, that some thousands of Children, and some older, have therefore perish'd, because Physicians have not sufficiently consider'd that such Convulsions are nothing else but the Fore-runners of the aforesaid Diseases; for unwary Physicians taking these Fits, which are really symptomatical, for essential Diseases, and endeavouring to cure them by Glisters often repeated, and other Evacuations, hinder the Eruption of the Pustles, and render the Fits more lasting, which they so much study to vanquish, and which would otherwise certainly vanish of their own accord, as soon as the Pustles come out. And the



Small-Pox (as we have mention'd in another place) that seize young Children with a Convulsion, are favourable, and seldom flux much, so that the Patient may be put in bed much safer at the beginning of the Disease. But I have often observed, that the Small-Pox flux very much when they immediately follow comatose Diseases: In which case I rather order a Blister, and such an Opiate as I describ'd, than to let the Patient keep his Bed continually before the Eruption. I have also taken notice, that such Convulsions do sometimes (tho very rarely) precede the Fits of intermitting Fevers; but comatose Diseases often begin and end with these Paroxysms, as well in Children as grown People; of both which there is no notice to be taken with respect to the Cure, but the Fever is only to be opposed, that being the chief and essential Disease. For if I should principally regard these comatose Symptoms that accompany the Fever, and therefore should strive to conquer this Drowsiness by Bleeding, Purgings, and repeated Glisters; I should by this means heighten the Fever, and by consequence so increase the *Coma* (which I endeavour'd to cure) that the Patient at length would be lull'd asleep for ever: Whereas if I use my utmost Endeavour to cure the Fever, all the Symptoms that proceed from thence will be easily vanquished, which I desire may be seriously minded; for upon this account frequent and very fatal Errors are wont to happen. But I spoke largely of this in another place.

In the next place also I must acquaint you, tho it be advantageous for the Patient to be kept up a-days; yet this Comfort cannot be allow'd sometimes, if vehement Sickness, a high Fever, violent Vomiting, Giddiness, and Pains of the Limbs like a Rheumatism, &c. do indicate the contrary: All which Symptoms, if violent, especially in those that are sanguine, and in the flower of their Age, betoken that there is a great quantity of variolous Matter within, and that there will be no small danger from the Pustles striving to come out tumultuously, and about to flux extremely. Seeing therefore it is absolutely necessary to restrain the Exorbitance of the Ferment, and yet on the one hand it rages more violently by being promoted by the continual heat of the Bed; and

on



on the other hand the Patient cannot keep up, because he is so very sick, unless we give him ease: for these Reasons it is altogether necessary to bleed him in the Arm, and to give him a strong Vomit some hours after of the Infusion of *Crocus Metallorum*, which does not only expel the Matter that causes the unusual Sicknes, but so refreshes the Patient, that being as it were well, he can keep from Bed: Neither are we to endeavour by this Method only to suppress the Force of the Ferment, but that the Patient may be the more secure, it is very fit, that besides the Evacuations above-mention'd, a good Dose of Spirit of *Vitriol* be dropt into the Small-beer, as often as he drinks, till there be a full Eruption of the Pustles. Yet notwithstanding these Evacuations, and the use of the cooling Drink, the Patient must not be permitted to keep his Bed a-days, if it may be; for these Universals much less restrain the Assimilation of the variolous Matter, than once cooling the Blood by the fresh Air passing in and out by the Lungs, which alone forthwith lessens the above-mention'd Symptomatick Sicknes, as I have found by experience more than once. But this somewhat unusual Method, is not necessarily requir'd, unless in those that are in the Flower of their Age, whose Blood has been over-heated by Venerie or Wine; and in others (always excepting young Children) that, together with the Small-Pox, conflict with those violent Symptoms above-mentioned, where the Blood is not so much inflamed, nor the Symptoms so violent; as there is much less danger of over-hastily assimilating the variolous Matter, so by consequence the foremention'd Evacuations, and the Spirit of *Vitriol* may be omitted.

I have taken the more time in treating of these things, because I am very well satisfy'd, that a happy or lamentable end of the Disease, chiefly, if not wholly, depends on the Management of the Patient at the beginning: but now all the Pustles being come out (which, as we have said before, was on the sixth Day, reckoning from the first Invasion, but on the fourth inclusively from the first Eruption) the Patient is no more to be kept from his Bed the Remainder of the Disease; which indeed as it ought not to be allow'd before this Day, so the Condition of the Patient will scarce bear, that it be de-



deferred any longer, if he has the Flux-Pox. And this is the sort (which I desire may be taken notice of) that we have hitherto treated of; for if the Pustles are few, it is no great matter which Method is used, if the Physician be but indifferently well skill'd: for tho this Kind of its own nature be free from danger, yet not a few (which is much to be lamented) have dy'd, when they have unfortunately made use of those, who placing all their hope in promoting the Heat, have ignorantly conspired with the Disease to destroy the Patient.

From this time the Pustles begin to increase, and to inflame the Superficies of the Body all over, especially the Head; so that the Patient, unless he be a Child, is restless and can hardly sleep, which I think in the next place is to be seriously consider'd in this Disease: for the more sedate the Blood is, the better do the Pustles increase and attain their due Magnitude; and on the contrary, according to the degree of the violent Motion, by which the Blood is disturb'd, the Pustles fade, their farther Progress being intercepted, so that the Eruption of the peccant Matter is not only obstructed, but moreover the Oeconomy and natural Crasis of every particular *Phlegmon* is disturb'd: and therefore, either they do not at all attain Separation at their due time, or instead of *Pus*, at length an *Ichor* is produced; and for the yellow Liquor, resembling the colour of an Honey-comb, some black Humour, or some other non-natural Juice is cast out, contrary to the genuine Pustles of the Small-Pox. Wherefore I think *Opiates* are as much indicated in the Small-Pox, as any other Remedy is in any other Disease; for in this case they are as it were Specificks, as the Jesuits Pouder in Intermitting Fevers: Tho I know very well, that *Paregoricks* do not operate by any precise Specifick Virtue, but only by answering that Indication, by which we endeavour to quiet the Blood and Spirits, and to reduce them to Order: and truly this inordinate Motion of the Blood and Spirits (being an inseparable Companion of the Flux-Pox in grown People) chiefly requires the use of *Paregoricks*. Neither does he as yet rightly understand the Genius of this Disease, who thinks those things are only occasioned for want of Sleep; for as it may happen sometimes, he that does not sleep may also have his Spi-  
rit



rit compos'd and quiet, (which often happens upon taking of *Laudanum*) so sometimes it comes to pass, that the Spirits being in violent Motion, hinder the laudable Eruption of the Pustles, even when the Patient sleeps much, which is worth Observation.

Now to speak of the sorts of *Anodynes*, tho I have used liquid *Laudanum* for many years with good Success, when this Indication was to be answer'd, yet I think *Diacodium* is to be preferred before it: tho both may be used for the same purpose, yet I suppose the *Laudanum* heats a little more than the Syrup. As to the Dose, that is not only to be suited to the Age of the Patient, but to the Degree of the Symptoms; and that which perchance would be too much for a Person whose Spirits are well compos'd, would not be sufficient for another, who has his Spirits enrag'd: for instance, we suppose in general that six Drams are sufficient for most; but for those that have the Small-Pox, when this kind of Remedy is indicated, we must scarce give less than an Ounce, if we will do any thing to the purpose; which quantity indeed must be prescribed for one Dose through the whole course of this Disease. I speak now of grown People; for if it be given to Children, the Dose must be lessen'd according to their Age. And truly *Anodynes* are not so much indicated in Children that have the Small-Pox, as in grown People, for they are more prone to sleep the whole time of the Disease; yet if they are in much danger, I should be afraid to abstain from *Opiates*. But as I was about to say, it is very hard to determine the Dose of the *Anodyne* in all the Cases in which they are indicated; for whether it be in any inordinate Motion of the Spirits, or in violent Vomiting, or Fluxes of the Belly, or great Pains: in which three Diseases *Anodynes* are chiefly indicated (as we said in another Place) they are to be given in such a manner, that if the first Dose does not do the Business, another, and also another, is to be given at due times, till at length the Medicines answer the Intention of the Physician; not so much regarding the Quantity taken, as the Effect it should produce in the Patient: and when this is done, and not before, we must desist from so frequent and great use of the *Anodyne*; but such a space must be interpos'd between the Doses, that we may  
be



be able to know whether the last perform'd the Business designed, before another be prescribed. But when we have once obtain'd our end, the Dose of the *Anodyne* is to be lessen'd in the progress of the Disease, as things appear.

I have many Observations in readiness, that may confirm what I have hitherto deliver'd ; but for the present I will mention but one. The 13th of *April* 1681. one of my Neighbourhood, by Name *Cross*, came weeping to me, and earnestly desired that I would visit her Son, who was ten years old ; who being ill for four days, had, as she fear'd, the Small-Pox : But I being laid up with the Gout, which at that time afflicted me, desired my Apothecary to visit him, and to acquaint me how he was. When he return'd he told me, that the Boy's Mother had given him the Countess's Pouder, and other hot Medicines, by the Advice of a Petticoat Doctor ; and that by her over-care she had, as it were, bury'd him in Clothes, that by their weight she might provoke Sweat, (which Women fly to in this Disease as the sacred Anchor of their Hope :) Moreover, she drench'd him with a great quantity of Posset-drink, with Marygold Flowers and Harts-horn boil'd in it ; by which the Fever being increas'd, it occasioned so great a Confusion of the Spirits, that the Child was extraordinary light-headed ; so that he could hardly be kept in Bed by all the force of the By-standers, and he mutter'd some odd Words, like those that are mad : Neither did the Pustles yet appear, or very obscurely ; but they lay very full in the Skin, the Eruption being plainly hinder'd by this violent Method, which was design'd to promote it. I order'd that he should be presently taken out of the Bed, and should not return to it again, but only a-nights, till the sixth Day was past, and then that he should presently take half an Ounce of *Diacodium* ; which doing no good, I order'd the same Dose to be repeated an hour after, but without any Success ; for the Blood raged so furiously, that it could not be quell'd before he had taken two Ounces and a half : But there was so much space betwixt the taking of each half Ounce, that I might be certain what was the Effect of the last Dose. Afterwards I prescrib'd half an Ounce to be taken only every Night at bed-time, to the end of the Dis-



Disease, which was sufficient to preserve the Quiet of the Spirits, that a more frequent use had already obtain'd; and by this means the Patient recover'd.

And here I must inform you, that how great soever the Dose of the *Anodyne* be, which is prescribed at the beginning of the Disease; and tho it be repeated, yet it can scarce obtain its end unless the Patient rise, if the heat of the Blood and the violent motion of the Spirits rage mightily: for the heat of the Bed increases the heat of the Disease; and therefore it will be necessary to give so great a quantity of the *Anodyne*, that perhaps Nature will not be able to bear it: which likewise happens, tho not with the same danger, when the *Peruvian Bark* is taken in an Intermitting Fever whilst the Patient keeps his Bed. And this I suppose is the reason why the cure of the Fever is sometimes prolonged, which otherwise might be perform'd sooner; and sometimes also if the Fever only remit, it will be so heighten'd, that the Patient will scarce escape Death.

But to omit extraordinary Cases, in which this Remedy may be indicated at any time of the Disease, I would have it first prescribed the Night in which the Patient is altogether confin'd to his Bed; to wit, the sixth from the first Invasion, from which time it is to be given every Evening to the seventeenth Day, or at least till the Patient is out of danger: For on the sixth Day, the Flesh being seiz'd as it were with an Inflammation, the Head begins to be disturbed by the Humours that are also inflamed upon this account.

But we must take great care that the *Anodyne* be used earlier in this Disease than in others, because as it were a Paroxysm of Heat and Restlessness always afflicts those that have the Small-Pox about Evening; and sometimes it happens, that unless it be given early at the latter end of the Disease, the Patient on a sudden being somewhat dull, presently grows hot, and afterwards complains of Sicknes, which soon ends in Death, his Friends being wonderfully astonish'd, who a little before entertain'd great hopes of his Recovery; and perhaps his Death might have been prevented by giving an *Anodyne* immediately: therefore upon these Days, especially on the eleventh, I order the *Anodyne* to be taken sooner,

*viz.*



*viz.* about five or six in the Evening, that it may be ready to quell the Sickness, if it should chance to happen of a sudden: And truly I am very confident, that some of my Acquaintance have therefore perish'd, because they were destitute of this Medicine, when their Case requir'd it, who otherwise might now have been in the Land of the Living; and if opportunity be sudden in any other case, it is much more in this: Wherefore seeing so great danger is like to happen, either if an *Anodyne* be not taken soon enough, or on the contrary so over-early, that its *Anodyne* Virtue which quiets the Spirits, fades before it is repeated; therefore seeing things are so uncertain, it is safest to prescribe a *Paregorick* to be taken Morning and Evening at appointed hours, to wit, on the last and most dangerous days of the Disease: neither at this time will an Ounce of the foresaid Syrup be always sufficient, for this quantity will signify no more in an intense Inflammation of the Blood, and in a great Exorbitancy of the Animal Spirits, than half an Ounce in a milder Disease. For I have found by repeated Experience, that an Ounce and a half was but sufficient for one Dose, in young Men of a sanguine Complexion, to suppress the Violence of the Symptoms which invade them, and which we are most concern'd to prevent; and this very Dose, in such Persons, and at such times, may not only be safely repeated, but also with great advantage, Morning and Evening, till the Patient recovers.

Neither am I afraid to confess, that sometimes at the last days of the *Small-Pox*, when they flux very much, I have been forced to give an *Anodyne* three times in the space of a natural Day, *i. e.* once every eighth hour; namely, when longer Intervals from the Use of it could not be allow'd, by reason of the violent Rage and Confusion of the Spirits, which occasion Sickness. But this is to be noted, that if this so frequent use of *Diacodium* is nauseous to the Patient (which often happens on the foresaid days) then *Liquid Laudanum* must be prescrib'd, of which sixteen Drops are equivalent to one Ounce of *Diacodium*; namely, if it be prepar'd after the same manner as I have described in the Treatise of acute Diseases, in the Chapter of a Dysentery.



I know very well, that they who are displeased at these things, will object, that the peccant Matter will be fix'd, and the Spittle lessen'd by the *Anodyne*, so often repeated in so large a Dose. To whom I answer, that indeed the Salivation will be a little lessen'd, yet never so thoroughly cease, as not somewhat to revive again, at the longest Intervals from taking the *Anodyne*, when its Virtue is decaying. Moreover it will be supply'd with two Advantages: First, for that the Patient being recruited by the *Narcotick*, will better expectorate the Phlegm, and then tho the Spittle which is hauked be less, yet it's better concocted, than if there were no *Anodyne* prescribed. In the next place, the Defect of Salivation is sufficiently supply'd by the Swelling of the Face and Hands, which by the repeated use of the *Anodyne* is greater, and more certain in those days, in which these Parts use to swell; to wit, the Face from the eighth day to the eleventh (at which time it begins most commonly to sink) but the Hands from the eleventh till the Pustles which are upon them ripen: And I boldly affirm, which no one who is well skill'd in this Disease can deny, that the Absence of either of these Swellings, at the time when they should appear, is a worse sign than the Stoppage of the Salivation. Truly, I think it is much safer to venture the Danger of restraining the Flux, than to leave off the use of the *Anodyne*, which is so extremely requisite in this Disease, that he ought to be accounted very unskilful and careless, who will defraud his Patient of so great a Help.

But those things I have hitherto discoursed of are not to be understood, as if I would advise the daily use of *Diacodium*, tho but in a convenient quantity, in young Children that have the Flux-Pox, unless the Disease threatens some great Mischief; and that for two Reasons: First, because Children are not so hot as those whose Lamp of Life is fuller of Light, and burns clearer. Secondly, because their soft and infirm Age cannot so well bear the Force of *Anodynes* continually taken. Besides, Children sleeping almost perpetually of their own accord, easier pass over the Weariness of the Disease; yet notwithstanding when they are seized with a Phrensy, or when the Pustles are not of an ill sort, *Anodynes* are always



ways indicated : for the disturb'd Motion of the Blood and animal Spirits fully confirms the same.

These two things which we have so fully treated of, to wit, the Method by which the over-hasty Assimilation of the variolous Matter is hindred at the beginning of the Disease, and the other that prevents the inordinate Motion of the Spirits, which is occasion'd by the Inflammation of the external Parts ; are as it were the two Hinges, on which the whole Cure of the Disease is mov'd, forasmuch as the Mischiefs that arise, because these two dangers are not sufficiently prevented, call in those dreadful Symptoms, that end the Tragedy of the Small-Pox. Wherefore these are the chief curative Indications, which when I shall have sufficiently answered, after the manner now mention'd, there is nothing more for me to do as I am a Physician, not a Prescriber of a Medical *Formula* ; which two Arts, or Gifts, or if you please to call them Provinces, I think mightily differ one from the other.

To mention one thing more, if there be need of a Blister, it must be very large and strong, and apply'd to the Patient's Neck ; which ought to be perform'd so opportunely, that neither being put on too early, it leaves off running before the eleventh Day, which is the most dangerous, nor yet be put off to that very day, so that coming too late, it might do injury at that juncture of time, by the Heat and Rage it imprints on the Blood, which then is scarce able to combat with the Secondary Fever. Therefore the Blister will be more seasonably apply'd the Night which precedes the great *Crisis* of the Disease, presently after the *Anodyne*, which is to be taken then ; the Blister being apply'd at that time, the Pain will wholly cease that is occasion'd by it, before that day in which the Patient is to fight the great Battle, and there will be a discharge of the peccant Matter at that time, of which there is need to conquer those great Symptoms that attend upon that Day : for it is at this time first (which I have handled largely in the History of this Disease) that the Face which hitherto swelled, now begins to assuage, and the Salivation which hitherto flow'd plentifully, decreases ; the Humour being thickned and hardly hauked up, which occasion'd it ; not to omit that



the Blister somewhat supply'd the sinking of the Swelling of the Face, and the Spitting that was lessen'd: moreover it in some measure conduc'd to the suppressing of the Secondary Fevers, which at this time prevail, the Blood being as it were overwhelm'd and quite poison'd by the Abundance of Pus sucked in from so many little Ulcers: so that in almost all I have been concerned with that have been afflicted with the *Small-Pox*, I have observed that the Pulse in the Hand-wrist could hardly be observed, tho they were easily felt the day before, and the day following this day.

Among those things which draw from the Head, either by Derivation or Revulsion, nothing in my opinion is so effectual as Garlick apply'd to the Soles of the Feet. That it really draws, is manifest by the Bladders it raises, and the intolerable Pain it sometimes occasions, tho rarely when it has raised no Blisters; to wit, by attracting the Humour to those parts whence so violent Pain is now and then stirred up, that I have been forced to order a Pultice of White-Bread and Milk: therefore in grown People that have the confluent *Small-Pox*, I use to apply Garlick sliced, and wrapt in a Cloth, to the Soles of the Feet, from the eighth Day, at which time the Face begins first to assuage, till all the Danger of the Disease be pass'd, and to repeat it every day. Neither must I omit to acquaint you, that the Patient must wholly forbear Flesh, and that he must only use the smallest Beer for his Drink. In the mean while it is fittest for him to live poorly upon Oatmeal-Broth, roasted Apples, and Small Beer: but at the time of Maturation, when the purulent Particles flowing back upon the Mass of Blood, polute the same with the Filth, it will be proper to give the Patient a few Spoonfuls of Wine night and morning. As to the Coverings of his Bed, there must be no more nor fewer than he used to have when he was well; and he must be permitted to move from one part of the Bed to the other, as often as he will, that the Symptomatical Sweats may be hindred, which as I suppose have been sufficiently prov'd to be injurious to the Patient: and by the same Means the violent Inflammation of the Pustles will be prevented which proceeds from too great Heat that the Flesh contracts, when he lies always in one place,

as



as if he were staked to it. But of this we have discours'd largely in another place.

I will add a very late Case, as a Specimen of this whole Practice: This Winter the Noble Lady *Dacres* sent for me to her Nephew, Mr. *Thomas Chute*; he was of a very sanguine Complexion, and in the Flower of his Age. The Day before he began to be in a violent Fever, he cast up a great quantity of Choler by Vomit, and he had a violent Pain in his Back; and hoping to ease himself, he went to bed, and by heaping on Clothes, and taking hot Liquors, he endeavour'd with all his might to force Sweat for a whole day, but all in vain; for the great Inclination to vomit, and the Looseness, tho moderate, frustrated the Force of the Sudorificks, and in the mean while encreased the Fever: I suspected the Small-Pox would soon come out, and that they would flux extremely by reason of the Vigour of his Age, and also because his Blood was much inflamed, by the fruitless Attempt to force Sweat (upon which account, if it had been Summer, a bloody Urine and purple Spots had certainly been occasion'd) but chiefly because I have always observ'd, that in young Men seized with a violent Vomiting and Sicknes, and Pain more than usual, the following Small-Pox fluxed beyond measure; therefore I thought it was my Duty to endeavour all I could to hinder the over-hasty Assimilation of the variolous Matter: I kept him up till the time he used to go to bed. The day following (which was the third) the Small-Pox not appearing, I order'd eight Ounces of Blood to be taken from his Right Arm; it was very good and florid, for as yet it had only received the spirituous Venom, not that Putrefaction which is occasion'd by a longer Continuance of the Disease, and is most commonly seen in the Blood of those that are newly recovered of this Disease. At five in the Afternoon the same day, I gave him an Ounce of the Infusion of *Crocus Metallorum*; he vomited very well, and being freed of his Sicknes, seemed much better, and willingly kept from bed, from whence before he would scarce yield to be taken, being grievously afflicted with Sicknes and Giddiness. On the fourth day I visited him in the Morning, and found the Pustles coming out so full (which I had so much endeavour'd to



prevent) that it was to be feared they would endanger his Life, by reason of the great Flux they threatned; therefore I took great care, that he was not put to bed in the day-time, and I advised he should drink Small-beer sharpned with Spirit of Vitriol dropt into it. He continued this Method till the sixth day, on which day tho he was not sick, but much refresh'd by the free use of the Air, yet his Body was now and then something loose: towards Evening he was no longer able to keep from bed, which is common in this case; therefore he continued in it to the end of the Disease by my consent: for all the Pustles were now come out, which notwithstanding all my Care fluxed much; and tho they were fewer than those which I have observed in some that died of this Disease, yet were they more than they used to be in most of those that recovered. This was the first night, when I order'd an Ounce of *Diacodium* in Cowslip-water to be repeated every night after, and I advised that he should have no more Clothes on than he used when he was well, and that he should be dieted with Oatmeal and Barley-broth, and sometimes with a roasted Apple, and that he should drink Small-beer. On the eighth day I order'd sliced Garlick to be wrapt in a linen Cloth, and apply'd to the Soles of his Feet, and to be renew'd daily till he was past danger. Afterwards all things succeeded according to the Genius of the encreasing Pustles, till the tenth day; at which time visiting him in the Morning, tho I found him pretty well, yet I perceived as it were some Fore-runners of the Secondary Fever, with some kind of Restlessness; therefore presently fearing the approaching Storm, I gave him the *Anodyne* above-mentioned, by which all things were quieted, and at night I prescribed an Ounce and a half of *Diacodium*. On the following Morning, to wit, on the eleventh day, when the Virtue of the Paregorick was faded, which he took the night before, he began to be restless again afresh; therefore I presently order'd him again an Ounce and a half of *Diacodium*, and so much in the Evening, and that he should take the same Dose Morning and Evening till he was quite well. The Patient was very orderly, neither were we affrighted with any other Symptom afterwards, excepting only that he



had a Suppression of Urine (a Symptom very frequent to young People in this Disease) but he made water kneeling in his Bed. As to the Salivation, tho the quantity of the Spittle was somewhat interrupted by the frequent Repetition of *Anodynes* in so large a Dose ; yet in the longer Intervals from the use of them, he hauked up concocted Phlegm, and his Face and Hands swell'd in due time, as well as could be wish'd. On the eighteenth day he rose, and I first allow'd him Chicken-broth, and so by degrees he return'd to his accustom'd Diet. On the twenty first he was let blood in the right Arm, and eight Ounces was taken away, which was like the Blood of those that have a Pleurisy, and not much unlike *Pus*. Lastly, he took four Purges at a convenient distance from one another.

It is to be noted, that when in this Treatise the day from the first Invasion is mentioned, to wit, the sixth, the eleventh, and the like ; I would not have it be so understood, as if the confluent Small-Pox came out always on the third day : whereas I know very well, that it sometimes happens, even in those that flux most, that the Pustles do not appear till some time after the third day ; but the Erruption is most commonly on the third day, and for the most part, those for instance who are seized with the Flux-Pox on Monday, shall perceive the Pustles coming out the Wednesday following ; and the second Thursday from the Monday, will be the eleventh day, that is so very dangerous, unless the Physician interpose.

And here I must again remind you, that all these Theorems belong only to the confluent Small-Pox, and are of no use in the distinct sort ; neither indeed do they need them : and they impose upon themselves as well as others, who value themselves upon curing those who have but few Pustles, and those distinct also. If they desire to try their Skill, let it be in the Flux-Pox, especially when this Disease invades those that are in the Flower of their Age, or others that have been inflamed by the immoderate drinking of Wine ; lest being exercised only in slight matters, they should be so much mistaken as to think they have sav'd those the By-standers did not kill.



But before I finish this Discourse, I will relate what my good Friend Dr. *Charles Goodall*, Fellow, and at present Cenfor, of the College of Physicians, told me when I was writing these things; and I do it to confirm what I have said here and elsewhere of purple Spots, and of bloody Urine: for these Symptoms, when they come upon accute Diseases, proceed wholly from a violent Inflammation of the Blood, and therefore indicate cooling Remedies. The Case is as follows: A young Man of about twenty seven Years of Age, of a thin and hot Constitution, was seiz'd with a violent and continual Fever in June 1681. his Tongue was dry and foul, he was very thirsty, his Pulse was quick, there was a Pain near the Region of the *Scrobiculum Cordis*, but especially in the Back, wherein it raged continually; he made a bloody Urine now and then, and Spots of a brownish Colour were thick in the Neck, Breast, and Wrists. The Physician was call'd on the sixth Day, and finding the Sick in great danger, by reason of the great Excretion of bloody Urine, he thought the curative Indications were to be directed for the cooling and thickning of the Blood, and also for stopping the Mouths of the Vessels, which were relax'd and open'd in the Veins.

Bleeding therefore, and a lenitive *Bolus*, being premised, he order'd the Patient to keep from bed as much as he could, for he did not question, but that the voiding of Blood by Urine was promoted by the continual Heat of the Bed: He also advised, that he should sleep rather upon a leather Couch, and that he should very rarely lie upon his Back; that he should drink Milk-water, and be dieted with Panado, Rice-milk, roasted Apples, either alone, or squeezed into Fountain-water, and sweeten'd with Sugar: and he order'd the following Medicines.

Take of Red Roses six Drams; of the inner Bark of the Oak half an Ounce; of the Seeds of Plantain a little bruised three Drams; of Fountain-water a Quart; of Spirit of Vitriol a sufficient quantity to make it pleasantly acid; infuse them in a close Vessel on a gentle Fire for four or five hours: to the strained Liquor add, of Cinnamon-water boyled three Ounces; of  
white



white Sugar a sufficient quantity to make the Tincture pleasant to the Taste, whereof let him drink often day and night.

A Glister of Milk and Syrup of Violets was injected at two in the Afternoon, and at Bed-time the following Draught was given.

*Take of the Waters of Cowslip-flowers, Plantain, and Cinnamon hordeated, each half an Ounce; of distilled Vinegar two Drams; of Diacodium six Drams; mingle them.*

On the seventh Day the Symptoms scarce remitting, the Glister before described was order'd to be injected daily, and an Emulsion and Draught was prescribed in the following manner.

*Take of the Seeds of Succory, Endive, Lettice, Purslain, each two Drams; of the Seeds of Quinces and white Poppies, each one Dram and a half; of sweet Almonds blanched Number four; beat them all together in a Marble Mortar, pouring upon them gently a Pint and a half of Barley-water: to the strained Liquor add a sufficient quantity of Chrystalline-Sugar; make an Emulsion, whereof let him take twelve Spoonfuls every fourth Hour.*

*Take of the Waters of Cowslip-flowers, Water-Lillies, Oak-buds and Plantain, each half an Ounce; of distilled Vinegar, and Cinnamon-water hordeated, each three Drams; of the Confection of Hyacinth half a Dram; of Diacodium one Ounce: mingle them, make a Draught to be taken a-bed.*

On the eighth Day, the Fever still remaining, and Blood mingled with the Urine flowing plentifully, and the Spots being many in the Parts above-mention'd; supposing that all these Symptoms proceeded from the Heat, Thinness, and Acrimony of the Blood, he bled a second time, was allow'd Small-beer more freely, made pleasantly acid with Spirit of Vitriol: but because the Sick



Sick nauseated in it, he allow'd him Posset-drink made of Juice of Lemons and Milk, and also the Pulp of Lemons cut into slices, and wrapt round with Sugar; he also added the following.

Take of the Conserves of Wood-Sorrel and Hips, each half an Ounce; of the Confection of Hyacinth three Drams; of Diacodium one Dram and a half; of Red Coral prepared, Dragons-Blood and Bole-Armenick, each one Scruple; of Syrup of Comfrey, and Mouse-ear, each a sufficient quantity: make an Opiate, whereof let him take the quantity of a Hazle-nut every sixth Hour, drinking upon it a small draught of Posset-drink made with Milk and the Juice of Lemons, and sweeten'd with Sugar, or of the vulnerary Decoction made a little acid with Spirit of Vitriol.

Let the Draught prescribed the Night before be repeated with ten Drams of *Diacodium*.

On the ninth day the Spots vanish'd by degrees, and the Urine was not so bloody, and the Blood that was in it was more easily separated, and subsided sooner to the bottom of the Chamber-pot; therefore he advised the Patient to persevere in the use of these things, and a few days after he added the following things to the same purpose.

Take of the Conserve of Red Roses pulped and vitriolated four Ounces; of Lucatellus's Balsam two Ounces; of Bole-Armenick, Dragon's Blood, and the Species of the Electuary of Coral, each one Dram, with a sufficient quantity of Syrup of Coral: make an Electuary; let him take the quantity of a Nutmeg twice a day, drinking upon it a draught of the following Emulsion.

Take of the Seeds of Lettice and Purslain, each three Drams; of Quinces one Dram and a half; of white Poppies half an Ounce; of sweet Almonds blanched number five: beat them in a Marble Mortar, and pour upon them gently a Quart of Plantain-water, and two Ounces of Cinnamon-water boyled; to the strained Liquor add a sufficient quantity of Sugar.

With



With these Remedies, by the Blessing of God, the Sick was freed within three Weeks from the Fever; and those dreadful Symptoms we have mention'd, and the Spots going off, and the Urine coming to its natural Colour and Consistence, he recover'd by degrees his Health and Strength.

But tho the foresaid Symptoms accompany'd the continual Fever, yet not the Disease we have treated of above. But as often as they accompany either Disease, they always arise from a violent Inflammation, and the too great Thinness of the Blood; upon which account the Blood is as it were forced violently through the Mouths of the Vessels. And without doubt the same Method is to be used, when there is so great a Parity in the Causes, as much as the Nature of the Disease will allow of: wherefore I intreated the worthy Man, that he would give me leave to add this Cure here; and if my greatest Enemy (but judging other Mens Dispositions with my own, I could hope I have no Enemy) had performed the same, I must, being overcome by Truth, confess it had been the greatest Cure I ever knew; for I long ago found how fatal it was for those that have a Fever to emit Blood with their Urine. But when it is my good Friend, how earnestly ought I to contend for Truth, and the Reputation of the beloved Man? for this is he, who when very few dared to assert that I had done any good either in discovering or cultivating the least thing in Physick, sustain'd the Torrent of my Calumniators, and was as earnest to defend me, as a Son would be to defend his Father. But tho I am obliged by so great Kindness, yet I would never have publish'd these Praises, unless he had deserv'd them; for it is alike faulty to praise or dispraise contrary to Desert, for on either side we forsake Truth: therefore no Man ought to blame me, if I affirm he is second to none for Honesty whom I have hitherto known. For in those many Years I have been familiarly acquainted with him, he never allow'd himself to speak, much less to do any thing to the injury of another; and how excellent he is in the Art he professes, will shortly appear, if God grants him Life: for being very learned, he has search'd into the antient and modern Treatises of Physick, and has  
been



been wisely industrious in discovering the minute Subtleties of Practice, without which no Man can practise Physick laudably; and therefore the Sick will count him as good and successful as the best.

Now to conclude: These are my Sentiments of this Disease, which a rash Fancy did not suggest, but practical *Phænomena*; nor can I tell how it should come to pass that he should be deceived, who bounds and determines all his Thoughts to the mere naked Practice of the Art, or Faculty, which he designs to understand fully, and to practise with Reputation. Or, on the contrary, how is it possible that he should do any thing, but trifle away his whole Life in deceiving himself as well as others, who is vainly employ'd in contriving those things, that do not at all belong to Practice? And as he would be no very honest nor successful Pilot, that should not bend his Mind so much to know and avoid the Shallows and Rocks, as to contemplate the cause of the ebbing and flowing of a Sea, which truly becomes a Philosopher, but is not his business, who is only to secure the Ship: so neither will the Physician, who has no other Province than that of curing Diseases, be a true Proficient in the Art of Physick, though he has good natural Parts, who does not take so much pains in searching out that hidden and crooked Method, whereby Nature produces and nourishes Diseases, (on which also their History depends) and in procuring agreeable Remedies for them; as in nice Speculations, which do not at all conduce to the rescuing of Men from the jaws of Death, which Physick promises. And this trifling Humour does not only deprive Mankind of those great Advantages which would accrue to it by the Ingenuity of very many; but it makes also that which is call'd the Art of Physick rather a babbling Faculty. At length it comes to this, that the Patient must live or die, as the Philosopher guesses right or wrong: and this must needs be very uncertain; for the first Contrivers of Speculations had as great Contentions about their brain-sick Fictions, as their Slaves and Tools, and yet none of them perhaps in the right. For tho' upon serious Consideration we may be able to find what Nature does *de facto*, and what Organs she uses in her Operations, yet the manner how she does



does it will be always hid from Mortals, or I am deceiv'd. Nor is this strange; for it is much more, yea infinitely more probable, that we poor Manakins, banish'd from the illustrious Region of Light and Life, can by no means comprehend the Method, which the most wise Artificer used in making the Machine, than that an ignorant and bungling Smith should not understand how a Clock is put together, the Structure and Motion whereof shew the exquisite Neatness of the Art: And as it plainly appears, that the Brain is the Fountain of Sense and Motion, and the Shop of Memory and Thought; yet it is not possible that the Mind should be so enlighten'd by the most careful Inspection and Contemplation of it, as to know how it comes to pass, that so thick a Substance, and as it were a Pulp, and as it seems of no great Contrivance, should suffice for so great an Use, and such excellent Faculties; nor is any one able to demonstrate, for what reason, according to its Nature and Structure of Parts, it necessarily exerts this or that Faculty.

And so much for the confluent Small-Pox, to which if those things are added which I have deliver'd of this Disease, in the History of acute Diseases, you have the Sum of all I hitherto know, and all those things which I have search'd and weigh'd as carefully as I could.

I begin now, because you require it, worthy Sir, to deliver those things which I have hitherto found by Observation concerning Hysterick Diseases; the Diagnostick whereof I readily confess is very obscure, and more difficult than other Diseases that afflict Mankind, and they are more difficultly cured: but I will endeavour to do as well as I can, and as briefly as is necessary for a Letter; which indeed my Sickness requires, especially at this Season of the Year, wherein there is danger of occasioning presently a Fit of the Gout, if I should study too hard: Therefore I will deliver in a few words what I have to say, and will proceed in the Method I am wont to use, *viz.* I will set down a short History of the Disease, according to the true *Phænomena* of Nature; I will also add the Method of Cure, which I have found most successful, which was suggested to me heretofore, rather by my own Experience, than is no ill Guide, than by the reading of Books.

This



This Disease, if I calculate right, most frequently occurs of all Chronical Diseases; and as Fevers with those that appertain to them make two Thirds, if they are compared with Chronical Diseases taken all together, so Hyfterick Diseases, at least those that go under that name, are half the remaining Third; that is, they are half the Chronical Diseases: for very few Women, which Sex is the half of grown People, are quite free from every Assault of this Disease, excepting those who being accustomed to labour, live hardly; yea, many Men that live sedentary Live, and are want to study hard, are afflicted with the same Disease. And tho Hyfterick Symptoms were always heretofore supposed to come from a vicious Womb, yet if we compare Hypochondriack Symptoms, which were thought to proceed from Obstructions of the Spleen, or Bowels, or from some other I know not what Obstruction, an Egg is scarce more like an Egg than these Symptoms are one another in all respects. But it must be confess'd, that Women are much more inclined to this Disease than Men, not because the Womb is more faulty than any other Region of the Body, but for Reasons to be shewn hereafter.

Nor is this Disease only frequent, but so strangely various, that it resembles almost all the Diseases poor Mortals are inclinable to: for in whatever part it seats it self, it presently produces such Symptoms as belong to it; and unless the Physician is very skilful, he will be mistaken, and think those Symptoms come from some essential Distemper of this or that part, and not from any Hyfterick Disease.

For instance, sometimes it possesses the Head, and causes an Apoplexy, which also ends in an *Hemiplegy*, and is exactly like the Apoplexy, whereby corpulent and old People are destroy'd; and which happens because the animal Spirits are stopt, the *Cortex* of the Brain being stuffed by a great deal of Phlegm: from which cause the Apoplexy of Hyfterick Women does no way seem to arise; for it seizes such very often presently after Delivery, a great quantity of Blood being at the same time evacuated; or it proceeds from hard Labour, or some violent Commotion of the Mind.

Some



Sometimes it occasions violent Convulsions, much like the Falling-Sickness; the Belly and Bowels swelling towards the Throat, the Sick struggling so violently, that tho at other times her Strength is but ordinary, she can now scarce be held by all the strength of those that are about her, and she mutters some odd and inarticulate Sounds, and strikes her Breast. Women that are wont to have this Disease, commonly call'd Mother-Fits, are generally very sanguine, and have a Habit of Body almost like that of a *Virago*.

Sometimes it seizes the outward part of the Head between the Pericranium and Skull, causing violent pain continually fix'd in one part, which may be cover'd with the top of your Thumb; and violent Vomiting accompanies this Pain. I call this kind *Clavus Hystericus*, chiefly afflicting those that have a *Chlorosis*.

Sometimes falling on the vital Parts, it causes so great a beating of the Heart, that the Women who are troubled with it verily believe, that those that are near may hear thumping on the Ribs. This kind chiefly seizes those that are of a thin Habit of Body, and of a weak Constitution, and who look consumptive, and also young Virgins that have the Green-sickness.

Sometimes it seizes the Lungs, and the Patient coughs almost without intermission, but expectorates nothing; and tho this sort of Cough does not shake the Breast so violently as that which is convulsive, yet the Explosions are much more frequent. But this kind of Hysterick Cough is very rare, and chiefly invades Women that abound with Phlegm.

Sometimes rushing violently on the Region under the *Scrobiculum Cordis*, it produces violent Pain, very like the *Iliack* Passion; and the Woman vomits greatly, ejecting a certain green Matter, somewhat like that they call *Porraceous Bile*, and sometimes of a colour unusual. And frequently after the Sick has almost been destroy'd by the foresaid Pain (which would weary a Stoical Apathy) and Reachings to vomit for many days, at length the Fit is carry'd off by a violent Jaundice, which tinctures the Superficies of the Body like Saffron. Moreover, the Sick is oppress'd by a dreadful Anguish of Mind, and wholly despairs of Recovery; which Dejection of Soul,  
and



and as it were a certain Desperation, as certainly accompanies (as I have noted) this kind of Hysterick Diseases, as the Pain and Vomiting above-mentioned. This kind chiefly invades those that are of a crude and lax Habit of Body, and those that have suffer'd much by bringing forth great Children. When this Disease seizes one of the Kidneys, it plainly represents, by the Pain it causes there, a Fit of the Stone; and not only by that sort of Pain, and by the place it rages in, but also by violent Vomitings which accompany it, and also for that the Pain sometimes extends it self through the Passage of the *Ureter*: so that it is very hard to know, whether these Symptoms proceed from the Stone, or from some Hysterick Diseases, unless perchance some unlucky Accident disturbing the Woman's Mind a little before she was taken ill, or the vomiting up of green Matter, shews that the Symptoms rather proceed from an Hysterick Disease than from the Stone. Neither is the Bladder free from this false Symptom; for it not only produces Pain there, but it also stops the Urine just as if there were a Stone, whereas there is none. But this last kind seizing the Bladder, happens very seldom; but that which resembles the Stone in the Kidneys, is not so rare: both are accustom'd to invade those Women who are much weakned by Hysterick Fits coming frequently, and whose Health of Body is much impaired.

Sometimes falling upon the Stomach, it occasions continual Vomiting; and sometimes a *Diarrhea*, when it is fix'd upon the Guts: but no Pain accompanies either of these Symptoms, tho frequently in both the green Humour appears. Both these kinds are familiar with those that are much weakned by the frequent coming of Hysterick Fits.

And as this Disease afflicts all the inward Parts almost, so sometimes the outward Parts are also seized by it, and the musculous Flesh; occasioning Pain, and sometimes a Tumour in the Jaws, Shoulders, Hands, Thighs, Legs; in which kind the Tumour which swells the Legs is more conspicuous than the rest: but whereas in hydropical Tumours those two things may be always observ'd, namely, that the Swelling is most in the Evening, and being press'd by the Finger, a Pit remains: in this Tumour the Swelling is most in the Morning, neither does it yield to  
the



the Finger, or leave any Mark behind it; and for the most part, it only swells one of the Legs. As to other things, if you observe the Largeness of it, or its Superficies, it is so very like Hydropical Swellings, that the Patient can scarce be persuaded to believe, that it is any other Disease. Neither are the Teeth, which you will scarce believe, free from the assault of this Disease, tho they are not hollow; and tho there is no apparent Defluxion that may occasion the Pain, yet it is no whit gentler nor shorter, nor easier to be cur'd. But those Pains and Tumours that afflict the outward Parts chiefly fall upon those Women that are in a manner quite destroy'd by a long Series of Hyfterick Fits, and by the Force of them.

But among all the Torments of this Disease, there is none so common as a Pain in the Back, which most certainly all feel, how little soever they are afflicted with this Disease. Moreover, this is common to the above-mention'd Pains, that the Place on which they were, cannot bear touching after they are gone, but is tender, and akes, just as if it were beaten soundly; but this Tenderness goes off by degrees.

And this is worthy of Observation, That often a notable Cold of the external Parts, makes way for these Symptoms, which, for the most part, goes not off till the Fit ends; which Cold, I have observ'd, is almost like that by which a Carcase grows stiff, yet the Pulse is good.

And, moreover, almost all Hyfterick Women, whom I have taken care of hitherto, complain of a Dejection and Sinking of the Spirits; and when they would shew the Place where this Contraction or Sinking of the Spirits is, they point to the Region of the Lungs.

*Lastly*, It is known to every one, that Hyfterick Women sometimes laugh excessively, and sometimes cry as much, without any real Cause for either.

But among all the Symptoms that accompany this Disease, this is the most proper, and almost inseparable, *viz.* An Urine as clear as Rock-water; and this Hyfterick Women evacuate plentifully, which I find, by diligent Enquiry, is in almost all, the *Pathognomonick* Sign of this Disease, which we call Hyfterick in Women, and Hypochondriack in Men: and I have sometimes observ'd, in Men, that presently after making Water of a Citron Colour, (yea, almost the next Moment) being suddenly seiz'd with some violent Perturbation of the Mind, they presently void Water as clear as Crystal, and in great Quantity, with a continued violent Stream,



and continue ill till the Urine comes to its wonted Colour, and then the Fit goes off.

And it happens to all Hyfterical and Hypochondriacal People, when the Disease has been long upon them, that sometimes they belch up ill Fumes as often as they eat, altho they eat with Moderation, and according as they have an Appetite; and sometimes the Wind that comes from the Stomach is sour, just like Vinegar, when it comes into the Mouth, the Concoction being much decay'd, and the Juices quite chang'd from their natural State.

Nor are they unhappy on this account only, *viz.* That their Bodies are so disorder'd, and, as it were, tottering like ruin'd Houses; for their Minds are worse affected than their Bodies, for an incurable Desperation is mix'd with the very Nature of the Disease: they are very angry when any one speaks ever so little of the Hopes he has of their Recovery, easily believing, that they undergo all the Miseries that can befall a Man, fore-boding the most dreadful Things to themselves, entertaining in their restless and anxious Breasts, upon small Occasions, and perchance for none at all, Fear, Anger, Jealousies, Suspensions, and worse Passions of the Mind, if any can be worse; abhorring all Joy, Hope, and Mirth: and if any of these chance to happen, 'tis very rare, and soon flies away, and yet does not less disturb the Mind, than the sorrowful Passions; and they never keep a Mean, constant only to Inconstancy. Sometimes they love above measure, and presently hate the same, without any Reason: sometimes they intend to do this or that, then presently alter their Intentions, and begin the quite contrary, and yet they do not do that neither; so wavering are they, that their Minds cannot be at all at rest: and what the *Roman* Orator said of the Superstitious, agrees exactly with these melancholy People; *Sleep* (says he) *seems to be a Refuge for the Laborious and Careful.* But from thence Cares and Fears arise, whilst only Funerals and Apparitions of their Friends deceas'd are represented in Dreams; and they are so afflicted in Body and Mind, that one would imagine that their Lives were a Purgatory, wherein they were to purify themselves, and to expiate Crimes committed in some other State: nor is it only so with mad People, but also with those, who, if you except these Impetuosities of Mind, are very prudent and judicious; and who much excel, for deep Thought and wisdom of Speech, others, whose Minds never were excited by these Provocations



tions to Thinking; so that *Aristotle* was in the right, when he said, That melancholy People are most ingenious.

But this dreadful Condition of Mind, which I have mention'd above, seizes those only that have much, and a long while been afflicted with this Disease, and have been at length quite conquer'd by it; especially if Adversity, Care, or Trouble of Mind, or hard Study, or the like, join'd with an ill Habit of the Body, have added Oil to the Flame.

A Day would scarce suffice to reckon up all the Symptoms belonging to Hysterick Diseases; so various are they, and so contrary to one another, that *Proteus* had no more Shapes, nor the *Cameleon* so great Variety of Colours: And I think *Democritus* was pretty right, (tho he mistook the Cause of the Disease) when he wrote in an Epistle to *Hippocrates*, That the Womb was the Cause of Six Hundred Miseries, and of innumerable Calamities. Nor are they only very various, but also so irregular, that they cannot be contain'd under any uniform Type, which is usual in other Diseases; for they are, as it were, a disorderly Heap of *Phænomena*; so that it's very hard to write the History of this Disease.

The Procatartick, or external Causes of this Disease, are violent Motions of the Body, or which is much oftner, violent Perturbations of the Mind from some sudden Assault, either of Anger or Grief, or such like Passions. Therefore, as often as Women advise with me about this or that Disorder of the Body, the Reasons whereof cannot be deduc'd from the common Axioms for finding out Diseases; I always diligently enquire of them, Whether they are not chiefly afflicted with that Indisposition which they complain of, when they have been disturb'd in their Minds, and afflicted with Grief? which, if they confess, I am abundantly satisfy'd, that the Disease must come under this Tribe we now discourse of, especially if Urine, clear as Chrystal, evacuated copiously at some certain times, makes the Diagnosticsk more manifest. But to these Disorders of the Mind, which are usually the Cause of this Disease, Emptiness of the Stomach, by reason of long Fasting, is to be added; and immoderate Bleeding, a Vomit, or Purge, that hath wrought too much. Now having drawn the Picture of this Disease according to its vulgar *Phænomena*, in the next place, the internal efficient Causes of it are to be consider'd, as well as we can gather them from all the Circumstances join'd together, which we have describ'd. And, in my



Opinion, those Diseases which we call Hyfterical in Women, and Hypochondriacal in Men, proceed from a Confusion of the Spirits; upon which account, too many of them in a Croud, contrary to Proportion, are hurry'd violently upon this or that Part, causing Convulsions and Pain, when they rush upon Parts endu'd with exquisite Sense; perverting the Functions of the Organs, both of that they thrust themselves into, and also of that from whence they departed; both being much injur'd by this unequal Distribution, which is altogether contrary to the Oeconomy of Nature.

The Origin and antecedent Cause of this Ataxy, is a weak Constitution of the said Spirits, whether it be natural or adventitious; for which reason, they are easily dissipated upon any Occasion, and their System soon broke. For, as the outward Man is fram'd with Parts obvious to Sense, so, without doubt, the inward Man consists of a due Series, and, as it were, a Fabrick of the Spirits, to be view'd only by the Eye of Reason: and as this is nearly join'd, and, as it were, united with the Constitution of the Body, so much the more easily or more difficultly the Frame of it is disorder'd, by how much the constitutive Principles that are allotted us by Nature, are more or less firm. Wherefore this Disease seizes many more Women than Men, because kind Nature has bestow'd on them a more delicate and fine Habit of Body, having design'd them only for an easy Life, and to perform the tender Offices of Love: but she gave to Men robust Bodies, that they might be able to delve and manure the Earth, to kill wild Beasts for Food, and the like.

But that the said Confusion of Spirits is the cause of this Disease, the *Phænomena* now describ'd will abundantly prove; I will only mention the chief of them, and begin with Mother-fits. Here the Spirits are crouded in the lower Belly, and violently rushing together towards the Jaws, produce Convulsions in every Region thro which they pass, blowing up the Belly like a great Ball, which yet is nothing but the rolling together, or Conglobation of the Parts affected with the Convulsion, which cannot be suppress'd without great Violence: The external Parts in the mean while, and the Flesh, being in a manner destitute of Spirits, because they are carry'd another way, are often so very cold, not in this kind only, but in all other kinds of Hyfterick Diseases, (as it was noted above) that dead Bodies are not colder; but the Pulse is as  
good



good as that of People in Health, nor is the Woman's Life in danger by this Cold, unless it is occasion'd by some great Evacuation going before.

The same may be said of that Hyſterick Diſeaſe, which, to outward Appearance, is like the Bilious Cholick, or the Iliack Paſſion, in which the Woman is ſeiz'd with a violent Pain about the *Scrobiculus Cordis*, and alſo violent Vomiting, by which a Matter is caſt up, like Herbs in Colour; which Symptom, I ſuppoſe, proceeds only from a violent Impulſe of the Spirits crouded together in the ſaid Parts, which cauſes the Convulſion and Pain, and the total Subverſion of all the Faculties: nor is it to be concluded preſently, that this Diſeaſe reſides in the Humours, becauſe thoſe Things that are evacuated upwards and downwards, are of a green colour ſometimes; or, that the violent Pain is produc'd by the Acrimony of ſome Humour tearing the Part it adheres to, which, for that Cauſe, we account the occaſion of the Diſeaſe, and therefore ſuppoſe it ought to be rooted out by Vomits and Purges: for it is manifeſt, that the Sickneſs which ſeizes People that go to Sea, (ariſing from the Agitation of the animal Spirits in the boiſtrous Sea) occasions the vomiting up of Matter as green as an Herb, from the Stomachs of thoſe in perfect Health, when they go firſt to Sea, and are a good way from Land, in whom there was none before of that Colour, which they call porraceous. And do not Infants in convulſive Fits, in which the animal Spirits are chiefly concern'd, evacuate upward or downward Matter of the ſame Colour? To which muſt be added, that which almoſt daily Experience teaches; to wit, That tho ſuch Women and Children ſhould be quite exhausted by repeated Purges, yet the ſaid Colour would ſtill appear in that which they evacuate by Vomit or Stool; yea, the green Matter increaſes by the frequent uſing of Catharticks and Emeticks, becauſe by both, the Confuſion of the Spirits is augmented; which I know not how either deſtroys, or perverts the Ferment of thoſe Parts, or throws into the Stomach or Guts by the Force of the Convulſions, ſome Juice of a ſtrange nature, which is diſpoſ'd to give the Humours ſuch a Tincture. And tho Chymiſts are not ſo happy as to prepare better Medicines in their fruitful Glaſſes than are made in a Mortar, or a Pipkin; yet know they how to pleaſe the vain Humour of the Curious, by ſhewing two Liquors equally limpid and clear, which



being mix'd together, presently change into some deep Colour, as if there were Conjuring in the Case: And indeed the Speculation of Colours is so uncertain and vain, that we can learn nothing of Certainty from them concerning the Nature of the Bodies they appear in; nor does it more necessarily follow, that those things which are of a green Colour should be acrid, than that all acrid things should be green. These things therefore being thoroughly consider'd, it will appear plainly, that the violent Pain which almost destroys those that are afflicted with the Hysterick Cholick, and the evacuation of the green Matter, are wholly occasion'd by the Spirits rushing in violently upon the Parts above the *Scrobiculus Cordis*, and contracting the same by Convulsions.

That Symptom which I termed above *Clavus Hystericus*, is to be attributed to this Enormity of the Spirits, in which the Spirits in all the Compass of the Body are, as it were, contracted in a certain Point of the *Pericranium*, occasioning a Pain, boring as it were through, just as if a Nail were driven into the Head, together with violent vomiting and casting up of green Matter: which Contraction is indeed somewhat like that Collection of the Rays of the Sun, which is made by a Burning-Glass; and as the Force of these united burns, so they, by the same Reason, produce Pain, by tearing the Membranes with their Forces united.

And then from that inordinate Agitation of the Spirits disturbing the Blood, arises that Symptom which we have mention'd above, and is often in Hysterical and Hypochondriacal People, clear, limped, and copious Urine: for when the Oeconomy of the Blood is disturb'd, the Sick cannot long enough contain the *Serum* that is imported, but lets it go before it is impregnated with saline Particles, by which the Citron Colour is to be communicated to it; whereof we have a daily Experiment in those that drink much, especially of thin and attenuating Liquors, for then their Liquor is very clear; in which Case, the Blood being over-power'd by that Quantity of *Serum*, and being wholly unable to retain it, puts it off quite clear, not as yet colour'd by the Juices of the Body, by reason of its too short Stay.

Three Years ago a Nobleman sent for me; he seem'd to labour under an Hypochondriack Cholick, that was almost come to an Iliack Passion, with Pain and violent Vomiting,  
with



with which he was greatly, and a long time afflicted, and almost worn out. I observ'd thro the whole Course of the Disease, that when he was worst, his Urine was almost clear; but when he was a little better, it was somewhat of a Citron Colour. Visiting him one day, I look'd upon his Urine, made at three times, kept a-part in three Chamber-pots of a Citron Colour; he was then merry and chearful, thinking to eat some Meat of easy Digestion, and said, he had a craving Appetite: but one coming in at that very Moment, vex'd him so much, that suddenly being taken ill, he call'd for a Chamber-pot, which he almost filled with Urine as clear as Chrystal.

And perhaps that Spitting, so common to Hysterical Women, proceeds from the Spirits disturbing the Blood: they spit thin for many Weeks, just as if they were salivated by Unction; for during this disturb'd Motion of the Blood, in which it is not able to perform Evacuation according to Nature's Method, the *Serum* by chance taking this contrary Course, is not evacuated by the Reins according to Nature's Rules, but is put off by the Extremities of the Arteries upon the Glands, and so comes forth by the salivary Passages in the form of Spittle. The same may be had of those violent nocturnal Sweats, which afflict Hysterical Women, which proceed from no other Cause than the ill Disposition of the *Serum* of the Blood, by which it is inclin'd to be put off upon the Habit of the Body, by reason of the Confusion of the Blood, just now mention'd.

As to the Cold by which the external Parts are so often chill'd in Hysterical Diseases, it is very apparent, that that happens, because the Spirits forsaking their Stations, too officiously intrude themselves into this or that part: Nor is it to be doubted, that weeping and laughing Fits, which often seize Hysterical Women without any occasion, are caused by the animal Spirits forcing themselves violently upon the Organs that perform these animal Functions.

And by the bye, Men are also (tho rarely) subject to Fits of Weeping. I was sent for some time ago to an ingenious Gentleman, who but a few Days before had recover'd of a Fever; he made use of another Phylician, who blooded and purged him three times, and forbid him the use of Flesh. When I came and saw him with his Clothes on, and heard him discourse judiciously, I ask'd to what purpose I was sent for: one of his Friends answer'd,



If I would have a little Patience I should see ; fitting down therefore, and discoursing with him, I presently took notice that his lower Lip was thrust out, and moved frequently, (as froward Children us'd to do to prepare for crying) and then he wept so violently, that I scarce ever saw the like, with such deep Sighs, as were almost convulsive ; which sudden Torrent in a little time assuaged. I suppos'd, that this Disorder proceeded from a confusion of the Spirits, which was partly so occasion'd by the length of the Disease, and partly by Evacuations, which the Method of Cure necessarily requir'd ; and partly also from Emptiness, and Abstinence from Flesh, which the Physician order'd for some Days after he was well, to secure him from a Relapse. But I affirm'd, he was clear from all danger of a Fever, and that the above-mention'd Symptom was wholly produc'd by Emptiness ; and therefore I order'd, that a roasted Chick should be provided for his Dinner, and that he should drink Wine moderately : which being done, and he returning again to the eating of Flesh moderately, was never afterwards troubled with this convulsive Weeping.

And now at length to come to a Conclusion, (for I omit other *Phænomena* which belong to this Disease) that Disturbance, and varying *Intemperies* both of Body and Mind, which prevails over Hysterical and Hypochondriacal People, is produc'd by the Inordinacy of the Spirits ; for in both, that Firmness of the Spirits being wanting, which is always to be found in the robust, and in those who are continually strengthened by the assistance of vigorous Spirits, they cannot bear the Impressions of cross Accidents, but are soon moved by Anger or Pain, and are as apt to be angry, as those to whom either Nature has given a soft and weak Government of Mind, or it has been render'd so by a long Series or Continuance of Diseases. For the Strength and Constancy of Mind, as long as it is confin'd in the Body, much depends on the Firmness of the Spirits that are subservient to it ; which indeed are made of the finest Matter, and are plac'd in the Confines of immaterial Beings : And as the Frame of the Mind, if it be lawful to call it so, is much more curious and delicate than the Structure of the Body, for it consists in the Harmony of the most excellent, and almost divine Faculties ; so if the Constitution is any way vitiated, by so much the greater is the Ruin, by how much it was more excellent and more exquisitely compos'd,  
when



when it was whole. And this, truly, is the Condition of these miserable and dejected People we have describ'd; for which Disease, some obstinate Decree of the most insolent Stoick would give no greater Ease than he that would prevent the Tooth-ach, by firmly resolving, that he would not by any means permit his Teeth to ake.

And now I suppose it is manifest, that this whole Disease is occasion'd by the animal Spirits being not rightly dispos'd, and not by Seed and menstruous Blood corrupted, (as some Authors affirm) and sending up malignant Vapours to the Parts affected; nor from I know not what Depravation of the Juices, or Congestion of acrid Humours, as others think, but from those Causes we have assign'd: For that the *Fomes* of the Disease does not lurk in Matter, will evidently appear by this one Instance, *viz.* A Woman that used to enjoy perfect Health, being delicate, and of a thin Habit of Body, if she chance to be weakned and exhausted by some Error, or by a strong Vomit or Purge, will certainly be afflicted with some one of those Symptoms that accompany this Disease, which would rather be remov'd than occasion'd by such Vomiting or Purging, if the *Fomes* of the Disease was contain'd in an Humour. The same may be said of a great Loss of Blood, whether it be taken away by opening a Vein, or flows immoderately in Labour, or of Emptiness, or too long Abstinence from Flesh; all which would rather prevent Hysterick Diseases, than produce them, if the *Fomes* of them was contain'd in some Matter: whereas, on the contrary, nothing does so constantly occasion this Disease as these Evacuations.

But tho it is evident enough, that the original *Fomes* of the Disease is not lodg'd in the Humours, yet it must be confess'd, that the Confusion of the Spirits, the Cause of this Disease, occasions putrid Humours in the Body, by reason the Function, as well of those Parts which are distress'd by the violent Impulse of the Spirits, as of those which are depriv'd of them, is wholly perverted. And most of these being, as it were, separatory Organs, design'd for the Reception of the Impurities of the Blood, if their Functions are any way hurt, it cannot be but a great many Feculencies will be heap'd up, which had been eliminated, and so the Mass of Blood purify'd, if the Organs had perform'd their Duties; which they had certainly done, if a due Oeconomy of the Spirits had invigorated them all. To this Cause,



Cause, I attribute great Cachexies, loss of Appetite, a *Chlorosis*, or the White Fever in young Women, (which, I doubt not, is a Species of Hysterick Diseases) and the Spring of all the Miseries that afflict poor Women that have languish'd a long time under this Disease; all which are produc'd by putrefying Juices heap'd up in the Blood, and flowing from thence upon the various Organs: of this kind is a Dropsy of the Womb in Women who have been long afflicted with this Disease, produc'd by deprav'd Juices cast from the Blood upon the Organs, by which their Faculties being perverted, they become first barren, the Oeconomy of the Parts being wholly destroy'd; and then *Sanies* and *Serum* are generated, which do not only stuff the Eggs of the Testes; but also insinuating themselves into the *Interstices* of the Coats, cause them to grow very big, which is perceiv'd by the Dissection of those that die of this Disease: and the Hysterical Disposition is the prime Cause of these and other Humours, tho they are not of the same kind with it. As in a Quartan-Agüe, with which any one in perfect Health may be seiz'd, if he stays two or three Days in fenny or moorish Places: First, some spirituous Venom of the Disease is imprinted upon the Blood, which continuing a long while, and at length the Oeconomy of Nature being hurt, it infects all the Juices of the Body, and quite alters their Dispositions; so that the Sick (especially if he begins to be antient) is render'd obnoxious to Cachexies, and other Distempers, which come upon long Agües: yet these Agües are not to be cur'd by those Remedies that are fit to purge off such Humours, but by such things as cure Agües by a specifick Quality.

From all that has been treated of, it is very evident to me, that that is the chief Indication in this Disease, which directs the strengthening of the Blood, that is, the Fountain and Origin of the Spirits; which being done, the invigorated Spirits can preserve that Order which is agreeable to the Oeconomy of the whole Body, and the particular Parts. And therefore, when the Ataxy of the Spirits (which we have allow'd above may be) has vitiated the Humours, by long Continuance, it will be fit first to lessen these Humours so corrupted by Bleeding and Purging, if the Patient has sufficient Strength, before we endeavour to invigorate the Blood; and which indeed we can scarce do, whilst a feculent Heap of Humour lies in the way. But, for as much as

Pains,



Pains, Vomiting, and Looseness, are sometimes so very severe, that they will not bear a Truce so long, until we have satisfy'd the first Intention of fortifying the Blood; therefore we must begin the Cure sometimes by quieting the Symptoms, (the Cause being let alone a little while) with some *Anodyne* Medicine, and then we must endeavour to rectify the Spirits, the infirm Constitution whereof is the Cause of this Disease, and so to cure such kind of Symptoms: And because we find by Experience that there are many stinking things that will quell the Inordination of the Spirits, and retain them in their Places, (and are therefore call'd *Hystericks*) we must use them when we would answer such Intentions.

According to what has been said, I order'd the Sick to be blooded in the Arm, and that after she be purg'd three or four Mornings following; but the Woman thinks her self worse after those Days she is blooded and purged in: for these Evacuations promote the Disorder, which I take care to forewarn her of, that she may not despair, the Disease of it self being apt to incline her to do so; yet notwithstanding, those vicious Humours which, we suppose, are heap'd up by the long Continuance of the Disease, are, in some sort, to be evacuated, before we can conveniently answer the chief Intention.

After these Evacuations, I order some *Chalybeate* Remedy to be taken thirty Days to strengthen the Blood, and so by consequence the Spirits that proceed from it; and nothing will more certainly answer your Intention in this case, for it raises a volatile Ferment in the vapid and languid Blood, whereby the weak Spirits are rous'd, which before were press'd down by their own Weight: and this is very manifest; for as often as Steel is given in the Green-sickness, the Pulses are manifestly greater and quicker, the outward Parts grow warm, and the pale and dead Countenance is chang'd, and becomes fresh and lively. But here it is to be noted, that Bleeding and Purgings must not be always used before Steel Medicines; for when the Sick is weak, and almost worn out by the long Continuance of the Disease, they may and ought to be omitted; and you must begin with Steel, and this must be well minded.

But, in my Opinion, it is most conveniently given in Substance; and as I have never seen nor heard, that so taken, it ever hurt any body, so I have been fully satisfy'd, by frequent



quent Experience, that the bare Substance performs the Cure sooner and more effectually, than any of the common Preparations of it; for busy Chymists make this, as well as other excellent Medicines, worse, rather than better, by their perverse and over-officious Diligence. I have also heard, (and, if it be true, it much fortifies our Assertion) that the crude Mine, as it is digged out of the Earth, is more effectual in curing Diseases, than Iron that has passed the Fire, and been purify'd by melting; so the Author asserts: but I have not as yet try'd, whether it be so or not. This I am certain of, that no excellent and effectual Remedy has been any where made, which has not receiv'd its chiefest Virtues from Nature: upon this account, grateful Antiquity call'd excellent Medicines, God's Workmanship, not Man's. And that some excellent Thing does produce wonderful Effects by its native Goodness and Efficacy, in what Form soever it be taken, may be prov'd by *Opium*, or the Jesuits Bark: nor is a Physician's Skill so much perceiv'd by preparing Medicines, as by chusing such as are fit, which Nature has prepar'd with her own Fire, and freely bestow'd on us; so that all we have to do, is to reduce Medicines to such a Form, as that either their Substance, or their Virtue and Efficacy, may be better imparted to our Bodies, for the performance whereof we are sufficiently instructed. Next to the Substance of the Steel, I chuse the Syrup of it, prepar'd with the Filings of Steel or Iron, infus'd in cold *Rhenish* Whine, till the Wine is sufficiently impregnated, and afterwards strain'd, and boil'd to the Consistence of a Syrup, with a sufficient Quantity of Sugar.

Nor do I use any purging Medicine at set Times, during the whole *Chalybeate* Course; for I think the Virtue of the Steel is destroy'd by a Purge, both in Hyfterick and Hypochondriack Diseases: and when my chief Design is to reduce the Spirits to order, and to renew and confirm their System, if I should use the gentlest Purge but once, I should undo all that I had done in a Week before; and so by pulling down what I had built, and by building what I had pull'd down, I should trifle with my self and Patient too. And I believe Mineral Waters, which participate of an Iron Mine, are render'd less effectual by this Means, tho I know that some have been cur'd when Purges have not been given only now and then, but daily, with the Steel; which does not so much prove to me the Discretion of the  
Phyfi.



Physician, as the extraordinary Virtue of the Steel; for if they had been omitted, the Cure would have been perform'd in a less time.

Nor truly do I see what advantage Purges often repeated may produce in many other Diseases, besides that just mention'd: for tho it cannot be deny'd that they clear the Intestines of Impurities, and likewise that they somewhat discharge ill Humours that are lodg'd in the Mass of Blood; yet, on the contrary, it is no less certain, that when they are frequently repeated in weak Bodies, especially in the tender Age, they may do much hurt, because thereby a great many Humours are drawn to the Intestines, and being put off upon these Parts, occasion preternatural Ferments, whereby Tumours arise in the Belly, increasing daily so much the more, by how much the oftner the Sick is purg'd; and at length it happens that those Parts, by reason of Weakness, (being, as it were, over-whelm'd with a Burden of Humours) and by a Defect of natural Heat, soon become tabid and putrify'd; and sometimes also, the Oeconomy of the Bowels being quite subverted, by reason of the Causes mention'd, preternatural Kernels, like the King's-Evil, and the like, grow upon the *Mesentery*, and make way for Death. For these Reasons, I judge it is safest in Children, after general Evacuations, and those but very few, to direct the curative Indication, so as to comfort the Blood and Bowels; which may be done with *Spanish Wine* alone, or with corroborating Herbs in it, if Morning and Evening some Spoonfuls of it, according to the Age of the Sick, are given long enough: and because Things outwardly apply'd can easily penetrate the tender Bodies of Infants, and so thoroughly affect the Blood with their Virtue, whatever it is; it will be proper in Swellings of their Bellies, whether caus'd by the King's-Evil, or the true Rickets, to use Liniments that are proper to corroborate the Blood and Bowels, and likewise to cure any morbid Indisposition of them.

*Take of the Leaves of common Wormwood, of the Lesser Centaury, of white Horehound, Germander, Groundpine, Scordium, common Calaminth, Feverfew, Meadow Saxifrage, St. John's Wort, Golden-rod, wild Thyme, Mint, Sage, Rue, Carduus Benedictus, Penny-Royal, Southern-wood, Camomile, Tansie, Lilly of the Valleys, all*  
† *fresh*



*fresh gather'd and cut, each one handful; of Lard four Pounds; of Sheeps-suet and Claret-wine, each a Quart: Let them be infus'd in an Earthen pot upon hot Ashes for twelve Hours, and then let them boil till all the watry part is consum'd; afterwards strain them, and make an Ointment, wherewith let the Belly and Hypochonders be anointed morning and evening for thirty or forty Days following, and also both the Arm-pits.*

But as to the Rickets, this must be noted, that in those Tumours that seiz'd the Bellies of Infants heretofore, after long Agues, not much unlike the true Rickets, Purges repeated seem to be indicated: for before the Use of the Jesuits-Pouder, Agues continued a long while, and put off a Sediment, which was the Cause of Tumours of this kind, which could only be carried off by Purges repeated. But Catharticks are not to be us'd in the Rickets above once, or twice at the most, before the Sick enters upon the use of Alteratives; and let him take inwardly of the Wine above-mention'd, all the time the Parts are anointed, or let him use, if it may be for his ordinary drink, Beer, with the fore-mention'd Herbs; or, at least, several of them put up with it in the Vessel. Lastly, what I have now hinted, ought to be carefully minded; for I am well satisfy'd, that many Infants and Children have been ruin'd by Purges repeated often, which, perhaps, were given to assuage the Belly: But this by the bye.

If any one object, that the Filings of Steel may injure those that take them, by sticking in their Guts, unless they are purg'd now and then: I answer first, that I never found any such thing in any one; and besides, it is much more probable, that being involved with the Slime, and with the excrementitious Humours of the Parts, they should at length all pass away with them, than when they are agitated by purging Medicines, which cause unusual Compressions, Twisting, and Contraction of the Bowels, whereby the Filings of the Steel thrust upon the Coats of the Guts, may penetrate deeper into them.

When the Sick is in a Steel-course, Remedies commonly call'd Anti-Hystericks, are to be us'd, as it were, by the bye, (to comfort the Blood and animal Spirits) in that Manner and Form which is most agreeable to the Patient; but if she can take them in a solid Form, they will more powerfully



fully retain the Spirits in their Office and Place than things that are liquid, that is, either Decoctions or Infusions; for the Substance it self affects the Stomach longer with its Savour, and works more forcibly upon the Body.

Upon the whole, being about to answer all the Indications which I have mention'd above, I use to order these few and common Things; which, tho they are not at all pompous, yet they most commonly do what I design. Let eight Ounces of Blood be taken from the Right Arm.

*Take of Galbanum, dissolv'd in Tincture of Castor, and strain'd, three Drams, Takamahacca two Drams; make a Plaster to be apply'd to the Navel: the next Morning let her enter upon the use of the following Pills.*

*Take of Pil. Coch. major. two Scruples; of Castor powder'd two Grains; of the Balsam of Peru four Drops: make four Pills, let her take them at five in the Morning, and sleep after them; repeat them twice or thrice every Morning, or every other Morning, according to their Operation, and the Strength of the Patient.*

*Take of the Waters of black-Cherries and of Rue, and of compound Briony-water, each three Ounces; of Castor ty'd up in a Rag, and hung in the Glass, half a Dram; of fine Sugar a sufficient Quantity: make a Julep, whereof let her take four or five Spoonfuls, when she is faint, dropping into the first Dose, if the Fit be violent, twenty Drops of the Spirit of Harts-horn.*

After the Purging-Pills above describ'd are taken, let her use the following.

*Take of the Filings of Steel, Grains eight, with a sufficient Quantity of Extract of Wormwood, make two Pills; let her take them early in the Morning, and at five in the Afternoon, for thirty Days, drinking upon them a Draught of Wormwood-wine. Or, for daily use,*

*Take of the Filings of Steel, and of Extract of Wormwood, each four Ounces; mingle them, and keep them for use; let her take at the same time fifteen Grains, or a Scruple, made in three Pills. Or if she likes a Bolus better,*

*Take*



Take of Conserve of Roman Wormwood, and of the Conserve of the yellow Rind of Oranges, each one Ounce; of candied Angelica, Nutmegs candied, and of Venice Treacle, each half an Ounce; of candied Ginger two Drams; make an Electuary with a sufficient Quantity of Syrup of Oranges: Take of this Electuary one Dram and an half; of Filings of Steel, well rubb'd, eight Grains; make a Bolus, with a sufficient Quantity of Syrup of Oranges, to be taken in the Morning, and at five in the Evening, drinking upon it a Draught of Wormwood-wine.

Take of choice Myrrh and Galbanum each one Dram and an half, of Castor fifteen Grains, with a sufficient Quantity of Balsam of Peru; make twelve Pills of every Dram: let her take three every Night, and drink upon them three or four Spoonfuls of compound Briony-water thro the whole Course of this Process.

But if these Pills move the Belly, which sometimes happens in Bodies that are very easily purg'd, by reason of the Gum that is in them, the following are to be substituted.

Take of Castor one Dram, of Volatile Salt of Amber half a Dram, with a sufficient Quantity of Extract of Rue; make twenty four small Pills: let her take three every Night.

But here we must take notice, that Steel Medicines, in whatsoever Form or Dose they are taken, cause sometimes in Women great Disorders both of Body and Mind; and that not only on the first Days, which is usual almost in every body, but also all the time they are taken. In this Case, the use of Chalybeats must not presently be interrupted, but Laudanum must be given every Night for some Time, in some Hysterick Water, that they may bear it the better.

But when the Symptoms are gentle, and it seems that the Business may be done without taking Steel, viz. when the Disease is small, I think it sufficient to bleed, and to purge three or four times, and then to give the altering Hysterick Pills above-mentioned Morning and Evening for ten Days; which Method seldom fails, when the Disease is not violent: yea,



yea, the Pills alone, Bleeding and Purging being omitted, oftentimes do a great deal of good.

Yet it must carefully be noted, that some Women, by a certain *Idiosyncrasy*, do so abhor Hysterick Medicines, (which give ease in most of the Symptoms of this Disease) that they do not only not receive Benefit, but are thereby much injur'd; therefore they must not be prescrib'd for such: For *Hippocrates* says, it is to no purpose to do any thing contrary to Nature's Inclination; which *Idiosyncrasy* is indeed so great and so common, that if we have not regard to it, the Lives of the Sick may be endanger'd, and not only by Hysterick Medicines, but by many others, whereof I will at present mention but one, *viz.* That some Women that have the Small-Pox cannot bear the use of *Diacodium*; for Giddiness, Vomiting, and such Symptoms, belonging to Hysterick Diseases, are occasion'd thereby; and yet liquid *Laudanum* agrees very well with them, which I observ'd whilst I was writing this, in a young Woman, a Person of Quality, to whom I had given the said Syrup on the sixth and seventh Night: the Symptoms above-mentioned invaded both Nights; nor did the Inflammation of the Pustles duly proceed; but after she had used *Laudanum*, she was quite freed from the said Symptoms, the Swelling of the Face and Pustles daily encreasing, the Anxiety and Restlessness of the Body and Mind (which us'd to be, as it were, a Fit of the Small-Pox) was wholly remov'd, as often as this *Anodyne* was given, the Patient being strengthned and reviv'd by it. But this by the bye.

And so Hysterick Diseases are most commonly cur'd, and most Obstructions of Women, but especially a *Chlorosis*, or Virgin's pale Colour; and also all Suppressions of the Courses. But if the Blood is so very weak, and the Confusion of the Spirits so great, that Steel, order'd to be us'd according to the Method prescrib'd, is not sufficient to cure the Disease, the Sick must drink some Mineral Waters, impregnated with the Iron Mine; such are *Tunbridge* Waters, and some others lately found out: for the *Chalybeate* Virtue of these is better mingled with the Blood, by reason of the great Quantity that is taken in, and also because they are most agreeable to Nature;



and they cure Diseases more effectually than Iron, how much soever exalted by Art, as boasting Chymists talk.

But this is more especially to be taken notice of in drinking of them, *viz.* If any Sickness happens that is to be referred to Hyſterick Symptoms, in this case the Patient muſt forbear drinking them a Day or two, till that Symptom that hinder'd their Paſſage is taken off: for thoſe theſe Waters are leſs apt to ſtir the Humours, and ſo to cauſe a Confuſion of the Spirits, than the gentleſt Purges of the Shops; yet they do ſomewhat ſtir them, as they force Urine, and alſo often purge by Stool too. But if the Waters themſelves hinder their own Paſſage, by diſturbſing the Humours and Spirits, let thoſe conſider how incongruouſly they act, who order purging Medicines to be given one or twice a Week, whiſt the Sick is drinking theſe Waters; or, which is ſtill more impertinent, to be mix'd with the Waters, whereby theſe and other Mineral Waters paſs more difficultly.

And here I muſt inform you, that tho ſome think Iron is in theſe Waters *in principiis ſolutis*, (which is plainly the ſame as if we ſhould ſuppoſe liquid Iron) yet I do not at all doubt, but that they are ſimple Waters, impregnated with the Mine thro which they paſs; which will appear to any one, if he pour ſome Gallons of Water on a ſufficient Quantity of ruſty Nails; for then he will perceive, that this Water, when the Powder of Gauls, or the Leaves of Tea, or the like, are put into it, will plainly appear of the ſame Colour with the Waters of a mineral Fountain, when ſuch Things are caſt into them: nor indeed have theſe artificial, or inartificial Waters, (which you pleaſe to call them) when they are taken, different Effects, if they are uſ'd in the Summer-time, and in a good Air.

But, however it be, if the Diſeaſe, becauſe of its Obſtinacy, does not yield to chalybeate Waters, the Sick muſt uſe ſome hot ſulphurous Waters, ſuch as our *Bath*; and when he has uſ'd them inwardly three Mornings following, the next day let him go into the *Bath*, and the day following let him drink them again, and ſo let him do by turns for two whole Months: for in theſe, and in others of what kind ſoever they are, this muſt be carefully obſerved, that the Sick muſt perſiſt in the Uſe of them, not  
only



only till he receives some benefit, but till he is quite well, that the Symptoms may not soon return.

*Venice Treacle* alone, if it be us'd often, and a long while, is a great Remedy in this Disease; and not only in this, but in very many other Diseases, that proceed from want of Heat and Concoction, or Digestion; 'tis perhaps the most effectual that has been hitherto known, how contemptible soever it may seem to most People, because 'tis common, and has been a long time known.

*Spanish Wine* medicated with *Gentian*, *Angelica*, *Worm-wood*, *Centaury*, the yellow Rind of *Oranges*, and other Corroboratives infus'd in it, does much good, some Spoonfuls of it being taken thrice a Day, if the Woman be not of a thin and cholerick Habit of Body: and indeed a large Draught of *Spanish Wine* by it self, taken at Bed-time for some Nights, by my Advice, has done much good to some Hyfterick Women: for by it, the Habit of the whole Body was render'd stronger; and they who before were Cachectick, became fresh-colour'd and brisk.

Moreover, we find sometimes, that the *Jesuits-Pouder* wonderfully comforts and invigorates the Blood and Spirits; a Scruple whereof taken Morning and Evening for some Weeks, has, as I have observ'd, restor'd (both to Hypochondriack Men, and Hyfterick Women, that have been very sick a long while, and when the Oeconomy of their Bodies has been much weakned) a firm and healthy Constitution; but it succeeds best in that kind of Hyfterick Diseases, wherein Women are afflicted with Convulsions, so that they struggle violently, and beyond the Strength of Women, and at the same time beat their Breasts; yet it must be confess'd, that this Medicine does not so certainly, and so often cure the Disease, as *Agues*. But tho to mention this by the bye, the *Jesuits-Pouder* does Wonders in curing *Agues*, and tho we use it freely our-selves, and give it to our Wives and Children, as often as there is occasion; yet there are some at this present as much displeas'd with it, because it cures so certainly and suddenly, as they were heretofore, because it was lately known amongst us. To which Fate, the best Men, and most excellent Remedies, have been almost always expos'd; but by this we try, as by a Touch-stone, our Dispositions, and from thence judge, whether we are good or ill Men, viz.



according to the degree of our Joy or Grief, as oft as the Welfare of Mankind is promoted by some common Benefit or Blessing of God.

But if any of the Remedies above-mentioned do not well agree, which often happens in cholerick and thin Constitutions, then a Milk-diet may be us'd. For some Women (which should seem strange at first) that have been troubled a long while with Hysterick Diseases, and even such as have frustrated all the Endeavours of Physicians; yet have recover'd, by dieting themselves for some time only with Milk, and especially those that labour under that Disease I call an Hysterick Cholick, which cannot be quieted by any thing but Narcoticks; to which, repeated by Intervals, the Women are much accusom'd; the Pain returning as soon as the Virtue of the *Anodyne* fades. But this is chiefly to be wonder'd at in this Method of Cure, *viz.* That Milk, which yields only a cold and crude Nourishment, should, notwithstanding, by use, strengthen and invigorate the Spirits; and yet this will not seem disagreeable to Reason, if you consider, that Milk yielding only a simple Nourishment, does not busy Nature much in concocting it, as Meats and Liquors more compounded do, and that an equal Temper of the Blood and Spirits necessarily follows that perfect Concoction. For this must be also consider'd, that a bare Weakness of the Spirits, consider'd by it self, is not the Cause of those Confusions they are under; but the Weakness of them, compar'd with the State of the Blood: for it may be, an Infant has Spirits strong and firm enough, with respect to its Blood, but yet not proportionable to the Blood of a grown Person. Now, when by the continual use of a Milk-diet, (tho it is crude and weak) the Blood is render'd more soft and tender, if the Spirits that are made by it are only equal to it, all is well. Yet all are not able to undergo those Inconveniencies which most commonly accompany it the first Days; namely, because it curdles in the Stomach, and is not sufficient to maintain the ordinary Strength of the Body; but if they could, they might receive benefit by it.

But nothing of all I have hitherto known, does so much comfort and strengthen the Blood and Spirits, as riding much on Horse-back every Day for a long while; for, since by this kind of Exercise, the lower Belly is most strongly mov'd, in which the Vessels for Excretion (as many as  
are



are appointed by Nature to drain the Impurities of the Blood) are situated, What Disorder of the Functions, or other natural Impotence of the Organs, can be imagin'd so great, as not to be help'd by the frequent jolting of the Horse, and then too in the open Air; whose innate Heat is so extinguish'd, that it cannot be stirr'd up by this Motion and Ferment afresh? Or what preternatural Substance, or deprav'd Juices, can there be in any Creek of these Parts, which cannot by this Exercise of the Body, be either reduc'd to such a Constitution as is agreeable to Nature, or scatter'd every way, and ejected? Moreover, the Blood being perpetually exagitated by this Motion, and thoroughly mix'd, is as it were, renew'd, and grows vigorous again. And indeed this Method, tho it is inconvenient for Women that are accusom'd to a slothful and delicate way of living, (for they may be injur'd by Motion, especially in the beginning) yet it is very proper for Men, and soonest restores their Health. One of our Reverend Bishops, famous for Prudence and Learning, having study'd too hard a long while, fell at length into an Hypochondriacal Disease; which afflicting him a long time, vitiated all the Ferments of the Body, and wholly subverted the Concoctions: he had pass'd thro long Steel Courses more than once, and had try'd almost all sorts of Mineral Waters, with often repeated Purges, and Antiscorbuticks of all kinds, and a great many testaceous Pouders, which are reckon'd proper to sweeten the Blood; and so being in a manner worn out, partly by the Disease, and partly by Physick, us'd continually for so many Years, he was at length seiz'd with a colliquative Looseness, which is wont to be the Fore-runner of Death in Consumptions, and other Chronical Diseases, when the Digestions are wholly destroy'd. At length he consulted me: I presently consider'd, that there was no more room for Medicine, he having taken so many already without any benefit; for which Reason, I advis'd him to ride a Horse-back; and that first he should take such a small Journey as was agreeable to his weak Condition: had he not been a judicious Man, and one that consider'd things well, he would not have been persuaded so much as to try such a kind of Exercise. I entreated him to persist in it daily, till, in his own Opinion, he was well; going daily further and further, till at length he went so many Miles, as prudent and mode-



rate Travellers, that go a long Journey upon Business, use to do, without any regard to Meat or Drink, or the Weather; but that he should take every thing as it happens, like a Traveller. To be short, he continu'd this Method, encreasing his Journey by degrees, till at length he rode twenty or thirty Miles daily; and when he found he was much better in a few Days, being encourag'd by such a wonderful Success, he follow'd this Course for a pretty many Months, in which, as he told me, he rode many thousand Miles; so that at length he not only recover'd, but also gain'd a strong and brisk Habit of Body.

Nor is this kind of Exercise more beneficial to Hypochondriacal People, than to those that are in a Consumption, whereof some of my Relations have been cur'd by riding long Journeys by my Advice; for I knew I could not cure them better by Medicines, of what Value soever, or by any other Method.

Nor is this Remedy proper only in small Indispositions, accompany'd with a frequent Cough and Leanness, but also in Consumptions that are almost deplorable: when the Looseness above-mentioned accompanies the Night-Sweats, which are wont to be the fore-runners of Death in those that die of a Consumption. To be short, how deadly soever a Consumption is, and is said to be, two Thirds dying of it who are spoil'd by Chronical Diseases; yet I sincerely assert, That Mercury in the *French Pox*, and the *Jesuits-Bark* in Agues, are not more effectual than the Exercise above-mentioned in curing a Consumption, if the Sick be careful, and the Sheets be well air'd, and that his Journeys are long enough. But this must be noted, That those who are past the Flower of their Age, must use this Exercise much longer than those that have not yet arriv'd to it; and this I have learn'd by long Experience, which scarce ever fail'd me: And tho riding on Horseback is chiefly beneficial to People that have a Consumption, yet riding Journeys in a Coach is sometimes very beneficial.

But to return to the Business in hand, this is the general way of Cure in this Disease, which is apply'd to the original Cause, *viz.* the weak Constitution of the Blood, and is to be us'd only when the Fit is off: therefore, as often as the Fit invades, join'd with any one of the above-mentioned Symptoms, if the Disease be such, or so great



great an one, that it will not bear a Truce, till it may be cur'd by Medicines that strengthen the Blood and Spirits, we must presently use Hysterick Medicines; which by their strong and noisome Smell, recal the exorbitant and deserting Spirits to their proper Stations; whether they are taken inwardly, or smelt to, or apply'd outwardly: Such are *Assa Fetida*, *Galbanum*, *Castor*, Spirit of *Sal Armoniack*; and, lastly, whatever has a very offensive and ungrateful Smell.

And indeed, whatever stinks is proper for this Intention, whether it is naturally ill-scented, or made so by Art; and unless I am deceiv'd, Spirits of Harts-horn, of human Blood, of Urine, and of Bones, and the like, take their chief Virtues from the force of the Fire, in their Preparation contracting an ill-scented *Empyreuma*, which is intimately join'd with their Essence; which is also perceiv'd in Fumes arising from Feathers, and such kind of Parts of Animals, when they are burnt: for this is common to the Substance of all Animals, *viz.* to emit a stinking Fume while they are burning; and if it is forc'd by Fire, and receiv'd in Glasses, when it is condens'd, it turns to those Liquors, call'd Volatile Spirits, which assume Faculties that were not in the beginning in their Subjects; and are indeed only Creatures of Fire, and their Virtues are truly all the same, from whatever Substance (so it be Animal) they are extracted.

In the next place it is to be observ'd, That if some intolerable Pain accompanies the Paroxysm, in what part soever it is, or violent Vomiting, or a Looseness; then besides the Hystericks above-mentioned, *Laudanum* must be us'd, which only is able to quell these Symptoms.

But in quieting these Pains, which are caus'd by Vomiting, we must take great Care, that they are not restrain'd, either by *Laudanum*, or any other *Anodyne*, before due Evacuations have been made, unless they almost exceed all human Patience: First, because sometimes there is so great Quantity of Blood and Humours heap'd up, (especially in sanguine Women and Men of a proper Habit) that it is able to resist the Operation of the most effectual *Anodyne*, tho it be often repeated; and therefore in such, Blood must be necessarily drawn from the Veins of the Arm, and a Purge must be given before the use of *Laudanum*: for when these Things are orderly



perform'd, that which before would do no good given in a large Dose, will now do the business in a moderate Dose. And then, because I have found by long Experience, that when the Sick has been us'd by little and little to *Laudanum*, and has not been duly evacuated before, she was forc'd, by reason of the Return of the Pain, presently after the Virtue of the Medicine vanish'd, to take an *Anodyne* again, and so daily for some Years; the Dose being sometimes by degrees increas'd: so that at last they can by no means be without *Laudanum*, tho thereby all the Digestions are spoil'd, and the natural Functions weakned: tho I do not think that the use of *Laudanum* does immediately hurt the Brain or Nerves, or the animal Faculties. Therefore, I judge, and speak what I have found, that Evacuations ought to precede Purgatives, viz. in Viragoes, and in Women that abound with Blood, a Vein must be open'd, and the Body purged; especially if they have been lately seiz'd with the Fit. But if the weak Women, and those of a quite contrary Constitution, labour with such a Fit and Pain, and have been not long ago afflicted with it, it will be sufficient to cleanse their Stomachs with a Gallon of Posset-drink, more or less, drunk and vomited up again; and then to give a large Dose of *Venice Treacle*, or of *Orvietan*, and a few Spoonfuls of some spirituous Liquor, that is pleasant to the Taste, with a few Drops of liquid *Laudanum*, to be taken immediately after.

But if the Sick has vomited a great while before the Physician was call'd, and there is Danger, lest by a further Provocation by Emeticks the Spirits should be inrag'd, and the Sick too much weakned; in this Case, you must give *Laudanum* without delay, and such a Dose as is not only equal to the Violence and Duration of the Symptom, but such an one as is able to conquer it.

But here two Things are to be chiefly observ'd: First, That when you have once begun to use *Laudanum*, after due and necessary Evacuations, it must be taken in that Dose, and often repeated, till the Symptom is quite vanquish'd; only such a Space must be betwixt each Dose, that we may know what the former has done, before we give another. But I have spoken largely of this in another place. And then when we treat the Disease with *Laudanum*, we must do nothing else, and nothing must be evacuated;  
for



for the mildest Glister of Milk and Sugar is sufficient to ruin whatever has been repair'd by the *Anodyne*, and to occasion the return of the Vomiting and Pain.

But tho the foresaid Pains, as has been said, are apt to vanquish the Force of the *Anodyne*, yet violent Vomiting indicates the largest Dose of it, and that it should be frequently repeated: for by the inverted peristaltick Motion of the Stomach, (by which, that which is contain'd in it ought to be carry'd downwards) the *Anodyne* is ejected by the *Oesophagus*, before it can produce any effect, unless after every time the Sick vomits, the *Anodyne* be given afresh, and especially in a solid Form; or if it be given in a Liquor, the Vehicle must be so small, as that it may but just wet the Stomach, so that by reason of the small Quantity of the Matter it cannot be cast up; for instance, some Drops in a Spoonful of strong Cinnamon-water, or the like. And the Sick must be told to keep her self quiet presently after the taking the *Laudanum*; and that she keep her Head as much as is possible immoveable; for the smallest Motion of the Head stirs up Vomiting more than any thing else; and then the Medicine that was just taken, is vomited up. Moreover, when the Vomiting ceases, and is, as it were, overcome, it is expedient to give a *Paregorick* Morning and Evening for a few Days, to prevent a Relapse; which also ought to be observ'd after a *Diarrhæa*, or an *Hysterick* Pain, taken off by an *Anodyne*. And so at length, by this Method, we may readily cure the *Symptomack* Pain and Vomiting; whereby, because they are very often like other Diseases, Physicians are easier impos'd upon, than by any other Symptoms whatever that require their Help; concerning which, I will add a few things: For instance, in that kind of *Hysterick* Disease now mention'd, which resembles a *Nephritick* Pain; Is not the great Parity and Similitude of both Diseases evident to any one? both because the Pain in each is in the same part, and also for that the Woman vomits in both Diseases; and yet they are produc'd from Causes differing from one another, and the Method for the Cure of them is so unlike, that that which helps in the one, does hurt in the other; and so on the contrary. For, whether a Stone or Gravel, fretting upon the Substance of the Reins, produces Pain; and by consent of Parts Vomiting,



ing, nothing is so effectual, as very large and frequent Revulsion of the antecedent Cause, by Blood-letting, and Dilatation and Laxation of the Passages, by which the Stone is to be excluded by emollient Glysters, often repeated, and inward Medicines of the same kind; to which are to be added, *Lithonriptick* and *Diuretick* Medicines. Now if these said Symptoms do no way arise from the Stone, but from the Animal Spirits rushing impetuously in a great Quantity upon the Kidneys, (in which Case, *Anodynes* are only indicated; nor are the gentlest Glysters injected, after the first Evacuations, without Danger) what great Hazard the unhappy Woman is put into, whose Life is trifled with, I need not say. The same may be affirm'd of that Hysterick Disease, which resembles the *Bilious* Cholick, or the *Iliack* Passion; when it is taken for granted, that the Disease (tho of a quite different, yea, contrary Nature) is the *Bilious* Cholick, and proceeds from a sharp Humour cast upon the Bowels, by the Mouths of the *Mesenterick* Arteries; into which Error, the vehement Pain, and the green Colour of the Matter expell'd by Vomit and Stool, easily seduces the unwary and unthinking Physician. What Method is so proper as that whereby we endeavour to attemperate the Sharpness of the Humours, by the help of cooling and in-craffating Medicines? And what is fitter than *Catharticks*, frequently given, besides Glysters daily injected, to exterminate the Humours from the Guts; especially *Mercurius Dulcis*, mix'd with *Diagrydiate* Medicines, to eradicate perfectly the *Morbifick* Matter? But it is plain to every one, how ill the Patient would be treated, and in what Hazard he would be, whilst we insist upon this Method, if the Disease, which is suppos'd to be a *Bilious* Cholick, should really prove an Hysterick or Hypochondriack Symptom; when Experience openly proclaims, that after the first general Evacuations, (which are appointed to remove the Rubbish of the putrefying Humours which the Ataxy has occasion'd, whereby the Virtue of the *Anodyne* may be obstructed) nothing remains to be done, besides the mitigating the tumultuous Spirits till the Symptoms go off; and afterwards it will be proper to give Steel Medicines, or any other Remedy, if there be any, that by kindling and invigorating the Blood, may root out the Disease. It is not  
my



my Business to reckon those great Miseries which I have known befall Women, when this Hysterick Cholick has been suppos'd to proceed from Choler; nevertheless, I affirm, that Evacuations often repeated, which are indeed indicated in the *Bilious* Cholick, have been so far from lessening the Pain and Vomiting, that they have stirr'd them up more, by promoting the Disturbance of the Spirits, which is the true Cause of these Symptoms: and at length, the Disease being prolong'd for some Months, ends in Convulsions, there being a sudden Translation to the Brain, whereby the Sick is soon destroy'd; and especially, when after other Evacuations, repeated a long time, by reason of the green Colour of those Things which are vomited up, a Vomit is given. To be short, If I have learnt any thing by Observation, I judge, we must chiefly take care, that those Symptoms, familiar to Hysterick Women, be not suppos'd, by a Mistake in the *Diagnosticks*, to proceed from other Diseases, which they often resemble.

And here I must acquaint you, that besides the Errors above-mentioned, whereby Women subject to Hysterick Diseases are put in danger of their Lives; very many, moreover, suffer by these Diseases, by an Error no less fatal, at a time wherein, tho this Disease is not of its own Nature deadly, yet, by reason of the Disasters that come upon it, and follow it, it is fatal to many: for instance, a Woman of a tender and weak Habit of Body brings forth a Child, and all succeeds well, and according to Nature; the Midwife, whether rude and unskilful, or vain-glorious, to shew how well she has perform'd her Business, advises, that her Woman should rise a few Days after she has been deliver'd, and that she should keep up a while; the Woman does so, and is presently seiz'd, upon the first Motion of her Body, with an Hysterick Indisposition; and according as the Disease increases, the *Lochia* are first lessen'd, then quite stopp'd, whose untimely Suppression, a long Train of Symptoms follow; which soon destroys the Sick, unless great Diligence and Skilfulness intercede: and sometimes they are seiz'd with a Phrensie on this account; which growing daily worse and worse, causes Convulsions first, and then Death: but if they escape, they are maddish, and sometimes continue so their whole Life-time. Sometimes, after the Suppression of the *Lochia*, they fall into a Fever, which  
either



either turns to that which is then Epidemical, or depends only on that beginning. Moreover, the same Hyſterick Symptoms, which were firſt occaſion'd by the Suppreſſion of the *Lochia*, rage more now, as if afterwards they proceeded from it. I was of opinion long ago, that of thoſe Women that die in Child-bed, ſcarce one in ten, to ſpeak within bounds, dies, becauſe ſhe has not Strength neceſſary for Delivery, or from the Pains that accompany difficult Labour, but chiefly, by reaſon they riſe too ſoon; Hyſterick Fits being produc'd by that Motion, whereby, when the *Lochia* are ſtopt, a numerous Series of dreadful Symptoms follow. Wherefore, they that follow my Advice, keep in bed at leaſt till the tenth Day, if they are of a weakly Conſtitution, eſpecially if they have been long ſince troubled with Vapours; for, beſides that the Reſt they have in bed frees them from thoſe Dangers we have ſo often made mention of, the warmth of the Bed not interrupted, likewise reſreſhes the Spirits, weakned and exhausted by the Pains in Labour, and by the Evacuations uſual in this Caſe; and recruits Nature, and digeſts and removes all thoſe Cru- dities which are heap'd up during the time of Child-bearing.

But if, by reaſon of this Error committed, any one of the ſaid Symptoms ſupervenes, the curative Indications are to be directed ſo, that the Spirits diſquieted by this Motion ſhould be appeas'd, and that the *Lochia* ſhould flow again; forasmuch as the Stoppage of them is the next and immediate Cauſe of theſe Symptoms. But we muſt not obſtinately inſiſt upon this Method; but having given a while thoſe Remedies that are wont to be us'd ſucceſſfully in this Caſe, if they do not answer according to our Deſires, we muſt leave them off: for as ſtrong things muſt not be us'd, ſo neither ought we to perſevere in the uſe of gentler, by reaſon Women in Child-bed, ſo affected, are much weakned, and their Strength almoſt worn out. For inſtance, when it firſt appears that the *Lochia* are ſtopt, it is proper to put the Woman preſently to bed, and then to apply an Hyſterick Plaifter to the Navel, and to order this following Electuary to be taken forthwith.

Take



Take of the Conserve of Roman Wormwood, and of Rue, each an Ounce ; of the Troches of Myrrh two Drams, of Castor, English Saffron, of Volatile Salt of Sal Armoniack, and of Asa Fœtida, each half a Dram : make an Electuary, with a sufficient Quantity of the Syrup of the five opening Roots. Let her take the Quantity of a large Nutmeg every third Hour, drinking upon it four or five Spoonfuls of the following Julep.

Take Rue-water, compound Briony-water, each three Ounces ; of Sugar-candy a sufficient Quantity : mingle them, make a Julep.

And if these Remedies are given as soon as the Suppression begins, the Disease is most commonly conquer'd : but if having continu'd the use of the said Medicines, till the whole Quantity is taken, the *Lochia* are still stop't ; in this Case, we must try *Laudanum*, at least for once, tho' of its own nature it is astringent ; yet, by quieting the Disturbance of the Spirits, whereby the usual Evacuation of the *Lochia* is interrupted, it does sometimes much good ; and when *Emmenagogues* do no good, it may bring back the Flux of the *Lochia* : but *Anodynes* are most conveniently given with *Hystericks* and *Emmenagogues*. For instance, fourteen Drops of liquid *Laudanum* in compound *Briony-water*, or one Grain and a half of solid *Laudanum*, made into two Pills, with half a Scruple of *Asa Fœtida*. But we must be sure to take notice, that if we do not hit the Mark at once, if the *Lochia* do not follow, we must by no means repeat the *Opium*, as is usual in other Cases, and ought to be : for if here the *Narcotick* is repeated, it will so powerfully stop the *Lochia*, that afterwards they can by no means be provok'd ; for indeed if this do not succeed, (some time being pass'd, that we may know the Effects of it) we must return to the use of *Emmenagogues*, mix'd with *Hystericks*, and then inject a Glister of Milk and Sugar. And what has been said before of *Opium*, holds good here likewise of Clysters ; for unless the first injected bring down the *Lochia*, nothing is to be expected from more, one being sufficient, by turning the Humour gently, to cause the *Lochia* to flow ; but more may divert them another way. These things being done, (which  
ar



are to be touch'd on lightly) it is most safe, and the Duty of a prudent Physician, to wait and see what time will do; for every day the Business of the Cure is more remov'd from Danger, and if the Patient live beyond the twentieth Day, she is in a manner beyond Danger: for when the Woman has been recruited a little, and gain'd some Strength in a long Disease, whatsoever it is, she will be able to bear that Remedy, which is most proper for the Cure of that Disease, which was caus'd by a Suppression of the *Lochia*; whereas Medicines cramm'd in obstinately, the first doing no good, may augment the Disease, and also the Disturbance of the Spirits, from whence the Disease proceeds, which must be carefully observ'd.

Lately, a virtuous Matron, of good Quality, sent for me; she upon the above-mentioned Occasion, presently after she was brought to Bed, was seiz'd with Hysterick Fits, and the *Lochia* suppress'd. I endeavour'd, by the Medicines above-mention'd, to provoke them, but to no purpose; the Violence of the Hysterick Diseases being too strong for the Medicines: and at length, when I perceiv'd she would recover, if I did nothing, I committed all to Time, by much the best and most successful Physician; and according to my Opinion, Things went well with her to the fourteenth Day: visiting her every Day, I found she was no day worse than she was the day before. After this, the Woman that waited on her, whom I had kept hitherto from doing Mischief by her over-officiousness, persuaded the Husband to have a Vein open'd instantly in his Wife's Foot; which being perform'd, the Hysterick Fits so far prevail'd, that within a few Hours she was seiz'd with Convulsions, and soon after with Death, that ends all our Miseries.

And if it be lawful to speak what I think, I have been a long time of the Opinion, that I have well perform'd the Duty of an honest Man, and a good Physician, (not only in Diseases of Women in Childbed, but also in all other acute Diseases, when I cannot certainly promise that a Cure will follow this or that Method I use) as often as I do nothing, when visiting the Patient, I find him no worse this Day than the Day before, and when I guess he will be no worse to-morrow than he is to-day; whereas if I proceed in curing the Patient after a Method, whereof I do not yet know the Efficacy, he will be in hazard,



zard, both upon the account of the Experiment I am about to make upon him, and also by the Disease. Nor will he so easily get out of two Dangers as one: for tho at present there is no evident Sign of his beginning to be well; yet it is very certain, that according to the Nature of acute Diseases, no one can always labour with them. And besides, every day will more and more secure the Sick, or afford an Occasion to the Physician, whereby he may more opportunely and certainly conquer the Disease than he could before; which, as it may be truly asserted of most Diseases, so especially of the Diseases of Women in Child-bed, wherein the least Error may prove fatal, and in which we are so little able to govern that natural Evacuation, the stopping whereof causes the Disease we have been treating of.

But forasmuch as Hysterical Diseases do not always owe their Original to the prime Cause, namely, the native Weakness of the Spirits, but sometimes to an adventitious Debility; therefore I intend, before I make an end, to discourse of this sort of Cause, which most commonly is the Cause of Vapours, as they are call'd; and it is an immoderate Flux of the Courses, either in Child-bed, or at other Times. As to the first Kind that comes, and is troublesom the first Days after hard Labour, accompany'd with a numerous Train of Hysterical Symptoms; and as it only comes, and is troublesome the first Days, so it soon goes away; for a Diet that is somewhat thickening, easily drives it away, for which also the following Drink may be us'd.

*Take of Plantain-water, and Red Wine, each one Pint, boil them together, till a third Part is consum'd; then sweeten it with a sufficient Quantity of White Sugar: give half a Pint of it twice or thrice a Day.*

In the mean while, some very gentle Hysterick Julep may be taken now and then; and the following *Nodulus* may be held to the Nose.

*Take of Galbanum, and Assa Fœtida, each two Drams, of Castor one Dram and an half, of Volatile Salt of Amber half a Dram; mingle them and make a Nodulus. Or,*



*Take two Drams of Spirit of Sal Armoniack, to which let her smell often.*

But as to the Flux, when Women are not in Child-bed, tho that is wont to happen at any time; yet it comes most commonly a little before the time the Courses are about to leave them, *viz.* about the Age of forty-five, if they flow early; but about fifty, if they come somewhat later: from these, as is said, a little before they quite go away, (like a Candle burnt to the Socket, which gives the greatest Light just as it is about to go out) they flow impetuously, and subject the poor Women almost continually to Hysterick Fits, by reason of the great Quantity of Blood, which is continually evacuated. Now, tho in this Case, Hystericks, both inward and outward, must be us'd, but forbearing those that are strong, lest they should promote the Flux; yet the main Intention must be to stop the Courses, which may soon be done in the following manner.

Let eight Ounces of Blood be taken from the Arm; the next Morning give the common purging Potion, which must be repeated every third Day for twice, and every Night at Bed-time, thro the whole Course: let her take an *Anodyne*, made with an Ounce of *Diacodium*.

*Take of Conserve of dry'd Roses two Ounces; of Troches of Lemnian Earth one Dram and an half; of Pomegranate-peel, and red Coral prepar'd, each two Scruples; of Blood-stone, Dragons-blood, and Bole-Armenick, each one Scruple: make an Electuary, with a sufficient Quantity of simple Syrup of Coral. Let her take the Quantity of a large Nutmeg in the Morning, and at five in the Afternoon, drinking upon it six Spoonfuls of the following Julep.*

*Take of the Waters of Oak-buds and Plantain, each three Ounces; of Cinnamon-water hordeated, and of Syrup of dry'd Roses, each one Ounce; of Spirit of Vitriol a sufficient Quantity to make it pleasantly acid.*

*Take of the Leaves of Plantain and Nettles, each a sufficient Quantity; beat them together in a marble Mortar, and press out the Juice, then clarify it: let her take*



*six Spoonfuls cold three or four times a Day, after the first Purge, apply the following Plaster to the Region of the Loins.*

*Take of Diapalma, and of the Plaster ad Herniam, each equal Parts; mingle them, and spread them on Leather.*

A cooling and thickening Diet must be order'd, only it will be convenient to allow the Sick a small Draught of Claret-wine, once or twice a Day; which, tho'tis somewhat improper, by reason 'tis apt to raise the Ebullition, yet it may be allow'd to repair the Strength: and as, indeed, this is very beneficial to Women thus affected, so it is also as useful for those that be in danger of miscarrying, only the Purges and Juices must be omitted.

There is another Cause, tho it is not so frequent, of Hysterical Diseases, viz. a falling of the Womb, by reason of hard Labour; it is accompany'd with a large Train of this kind of Disease, yet is it soon and easily remov'd this way.

*Take of Oak-bark two Ounces, boil it in four Pints of Fountain-water to two, add at the latter end, one Ounce of Pomegranate-peel bruis'd, Red-roses, Granate-flowers, each two handfals; and then add half a Pint of Red Wine, strain it. Bathe the Parts affected with Flannel Cloths dipt in it, in the Morning, two Hours before the Woman rises, and at Night when she is in Bed; continue the use of it till the Symptom is quite gone. But enough of this.*

And now, worthy Sir, I have mention'd the chief of what has been hitherto observ'd in the History and Cure of this Disease; and have nothing else to do, but to beg Pardon, if I have err'd in describing these Things not so exactly as I ought to have done; and also to desire you to accept favourably of this small Treatise, which was designedly written to return you Thanks for your Approbation of my other Works: And, indeed, I have so seldom receiv'd any Thing of this nature, that either I have merited no such Thing; or else these candid and ingenuous Men (whom Nature hath fram'd with such Excellency of Mind, as to know how to be grateful) are



very few, scarce so many as the Gates of *Thebes*, or the Entries of wealthy *Nile*. Yet notwithstanding, I endeavour all I can, and will do so, to learn and promote the Method of curing Diseases, and to instruct those that are less conversant in Practice than my self, if any such there are, let other People think of me what they please: for having nicely weigh'd, whether it is better to be beneficial to Men, or to be prais'd by them, I find the first preponderates, and much conduces to the Tranquillity of the Mind; but as for Fame and popular Applause, they are lighter than a Feather or a Bubble, and more vain than the Shadow of a Dream. But if any one thinks, that Riches got by such a Reputation have something more of Solidity in them, let them enjoy what they have scrap'd together with all my heart: but let them remember, that some Mechanicks, of the most fordid Trades, get and leave more to their Children. Yet they do not exceed the Beasts in this, who take as much care as they can of themselves and theirs: and if we accept things honest, proceeding from the Judgment of the Mind and Virtue, (whereof the nature of Beasts is not capable) the Beasts are plainly as good as these, and all others who do not endeavour to do all the good they can in their Generation. Pray give my Respects to the learned Mr. *Kinderick*, your and my good Friend, for he acquainted me of your Kindness to me; and I shall endeavour, as much as I can, to make the best Returns of good Offices; for I am,

*Worthy Sir,*

Lond. Jan. 20.

*Your obliged Servant,*

1680.

**THO. SYDENHAM.**



A  
T R E A T I S E  
O F T H E  
Gout *and* Dropsy.

*To the Learned Dr. Thomas Short, Fellow of the  
College of Physicians in London.*

I Dedicate to you, worthy Sir, this small Treatise of the *Gout* and *Dropsy*, instead of a larger Volume I design'd; I mean, the History of Chronical Diseases, especially of those my Practice was most conversant in. But by being too intent on these things, I occasion'd the worst Fit of the Gout I ever had; and therefore I was admonish'd thereby to lay aside these Thoughts, tho unwillingly, and to consult my own Health, and to be contented that I had, in some sort, finish'd these two Diseases; for as often as I fell to study, so often the *Gout* return'd: therefore I desire you would accept of this Work as it is, which I dedicate to you for two Reasons chiefly; First, because you have not doubted to declare to me, and before others that have condemn'd them, the Usefulness of the Observations I publish'd heretofore; and also, because in Consultation with you, I have found your Genius dispos'd for the Practice of Physick. For tho you are well skill'd in all sorts of Learning, yet Nature has




rather determin'd you to those Subtleties, which arise from Practice, than to vain Speculations, which differ as much from one another, as things of the greatest Moment and Children's Rattles do; and unless my Observation fails me, one Man seldom minds both. Your Sagacity, accompany'd with great Practice, hath given you an Opportunity of making Experiments, whereby you are become the chief Physician; and your extraordinary Civility will preserve the Esteem you have gain'd. If these things I discourse of now, are not displeasing to you to whom they are dedicated, and to a few more honest Men that are my Friends, I shall not much care what others say, who are offended with me upon no other account, than because I have other Opinions of Diseases and their Cures than they have: and this is not in my Power to help; for I am so made and dispos'd by Nature, that what time others spend in reading Books, I spend in Meditation; and I do not so much enquire, whether others are of my Opinion, as whether what I deliver be agreeable to Truth: for I do not much esteem publick Applause; and truly, what matter is it, if performing carefully the Duty of a good Citizen, and serving the Publick to my own Prejudice, I have no Thanks for my Labour? For if the thing be rightly weigh'd, the providing for Esteem, I being now an old Man, will be in a short time the same, as to provide for that which is not: for what Advantage will it be to me, after I am dead, that eight Alphabetical Elements, reduc'd into that Order that will compose my Name, shall be pronounc'd by those, who can no more frame an Idea of me in their Minds, than I can now conceive what those are to be, who will not know such as were dead in the foregoing Age; and perhaps will have another Language, and other Manners, according to the Inconstancy and Vicissitude of all human Affairs? But to what purpose should I be solicitous about the Opinion of others? For if my Endeavours have any way promoted the Knowledge of Diseases, or their Cure, and so I have deserv'd something of Praise on that account, I cannot long enjoy it. And on the contrary, if my Writings displease any one, I think I shall scarce write any more; for by reason of Sicknes, I am not able to trouble the World with any more physical Treatises; and truly, I could not hold a  
Pen



Pen to write this small Treatise I now publish, but was assisted, I must thankfully acknowledge, by Mr. *John Drake*, Batchelor of Physick in *Christ's College* in *Cambridge*, who, by reason of his good Nature and Integrity, is an excellent Friend; and his natural and acquir'd Endowments, will render him very serviceable to the Publick, when he pleases to practise that Art he so well understands. To conclude, worthy Sir, I must beg your Pardon, if in performing my Duty, I have been any way troublesome to you; for I only design'd to testify my Respects.

*Your humble Servant,*

THO. SYDENHAM.



## *Of the GOUT.*

Without doubt, Men will suppose, that either the Nature of the Disease I now treat of, is, in a manner, incomprehensible, or that I, who have been troubled with it thirty four Years, am a very dull Fellow, seeing my Observations about it, and the Cure of it, little answer their Expectations: but however it is, I will faithfully set down those things I have hitherto found, the Difficulties and the Intricacy, either respecting the History of the Disease, or the Method of Cure, leaving them to be made clear and plain by Time, the Guide of Truth.

The Gout most commonly seizes such old Men as have liv'd the best part of their Lives tenderly and delicately, allowing themselves freely Banquets, Wine, and other spirituous Liquors; and at length, by reason of the Sloth that always attends old Age, have quite omitted such Exercises as young Men are wont to use. Moreover, they who are subject to this Disease, have large Skulls, and most commonly are of a gross Habit of Body, moist and lax, and of a strong and lusty Constitution, the best and richest Foundation for Life.



But the Gout does not only seize those that are corpulent; for sometimes also, tho seldomer, it seizes thin Folks, nor does it stay always till they are old: for sometimes it invades those that are in the Flower of their Age, when they have received the ill Seeds of this Disease from their Parents by Inheritance; or if this be not the reason, they have too soon used Venery, or have wholly left off Exercise, that they used formerly violently: moreover, they have great Appetites, and have immoderately drunk spirituous Liquors, and afterwards of a sudden fell to thin and cooling Liquors.

When it first seizes any one, if he be very old, it never afterwards has such exact Periods, nor is so violent, as when it invades a younger Man, because he dies most commonly before the Disease, attended with its proper Symptoms, comes to its height; and also, because the natural Heat and Vigour of the Body being abated, it cannot be so constantly and violently thrust off on the Joints: but if it seizes any one sooner, tho it does not yet fix on one part, nor treat him so severely, but comes with uncertain Periods, occasionally paining a little, for a few Days coming and going without any Method; yet it formally besieges the Man by degrees, and proceeds regularly, both as to the time of its coming, and as to the duration of the Fit, and afflicts him more violently than at first.

I will treat of this Disease, first as it proceeds regularly, and afterwards of its irregular and uncertain *Phenomena*, when being forced out of its Course, either by a preposterous use of Medicines that were improper, or by the weakness of the Subject, it cannot attain to its proper and genuine Symptoms: therefore when the Gout is regular, it seizes the Sick most commonly in the following manner. About the end of *January*, or the beginning of *February*, it comes suddenly, and most commonly without giving any notice, only the Patient has been troubled with Indigestion and Crudities of the Stomach some Weeks before: moreover, the Body has been oppressed and puffed up with Wind, which daily encreases, till the Fit thunders upon him; but a few Days before it comes, the Thighs are as it were benumbed, and there is as it were a descent of Wind thro the Flesh of them, with convulsive Motions; and the Day before the  
Fit,



Fit, the Appetite is sharp, but not natural. He goes to bed, and sleeps well; but about two a-clock in the Morning is awaked by the Pain, seizing either his great Toe, the Heel, the Calf of the Leg, or the Ankle: this Pain is like that of dislocated Bones, with the Sense as it were of Water almost cold, poured upon the Membranes of the Parts affected; presently shivering and shaking follow, with a feverish Disposition. The Pain is first gentle, but encreases by degrees, (and in like manner the shivering and shaking go off) and that hourly, till towards night it comes to its height, accommodating it self neatly, according to the Variety of the Bones of the *Tarsus* and *Metatarsus*, whose Ligaments it seizes, sometimes resembling a violent stretching or tearing those Ligaments, sometimes the gnawing of a Dog, and sometimes a weight: moreover, the Part affected has such a quick and exquisite Pain, that it is not able to bear the weight of the Clothes upon it, nor hard walking in the Chamber. And the night is not passed over in Pain upon this account only, but also by reason of the restless turning of the part hither and thither, and the continual change of its Place. Nor is the tossing of the whole Body, which always accompanies the Fit, but especially at its coming, less than the continual Agitation and Pain of the tormented Member: there are a thousand fruitless Endeavours used to ease the Pain, by changing the place continually, whereon the Body and the affected Members lie; yet there is no Ease to be had, till two or three a-clock in the Morning, (a Night and a Day being spent from the first approach of the Fit) at which time the Sick has sudden ease, by reason there is a little digestion of the peccant Matter, and some discussion of it, tho he undeservedly attributes it to that Position of the affected Part he used last: and now being in a breathing Sweat, he falls asleep. When he wakes, he finds the Pain much abated, and the Part affected swell'd afresh, for before there was only (which is usual in the Fits of those that have the Gout) visible a swelling of the Veins intermixed with the affected Members. The next day, and perhaps two or three after, if the Matter apt to generate the Gout is copious, the part affected will be in pain, which will be violent too towards Evening, but it will be eased about the time of the Cock's



crowing; within a few Days the other Foot will be in pain, as the former was; and if the former has left off aking, the Weakness which rendered it infirm, will presently vanish, Strength and perfect Health being so presently restored, as if it never had been out of order, if the Pain is violent in the Foot lately seized. And yet it acts the same Tragedy in the other Foot as it did in the former, both as to the greatness of the Pain, and the duration of it; and sometimes on the first Days of the Disease, when the peccant Matter is so exuberant, that one Foot is not able to contain it, it afflicts both together with the like violence: but most commonly it seizes by turns one after another, as we said. After it has vexed the Feet, the Fits that follow are irregular, both as to the time of their coming on, and duration; yet the Pain always returns in the Evening, and is not so great in the Morning: and of a Series of these small Fits, consists that which we call a Fit of the Gout, longer or shorter, according to the Age of the Patient; for it is not to be supposed, when any one is afflicted with this Disease two or three Months, that it is one Fit, but rather a Series or Chain of small Fits, whereof the latter is more gentle, and of shorter duration than the former, till at length the peccant Matter being wholly consumed, the Patient recovers his former Health, which in those that are vigorous, and in others whom the Gout has rarely visited, comes to pass often in fourteen Days, and in those that have been often afflicted by it in two Months; but in those who are more weakened, either by the long Continuance of the Disease, or by Age, it does not go off till Summer coming pretty well on drives it away. The first fourteen Days the Urine is of a high Colour, which after Separation puts off a red Sediment, and as it were full of small Sand; nor does the Sick render by Urine more than a Third Part of what he drinks, and the Belly is most commonly bound the said first Days; want of Appetite, shaking of the whole Body towards Evening, Heaviness, and a troublesome Uneasiness of the Parts that are not affected, accompanies the whole Fit; a violent itching of the Foot affected, follows the Fit that is going off, chiefly betwixt the Toes; and the Feet scale, as if the Sick had taken Poison. The Disease being discussed, a good Habit of Body and Appetite return, according

ing



ing to the Degree of Pain, with which the Fit last past raged; and so proportionably, the following will be hastened or retarded; for if the last Fit was very severe, the following will not come till the same time of the Year return again.

And in this manner, the regular Gout shews itself with its genuine and proper *Phænomena*: but when it is disturbed by unfit Methods of Cure, or by the obstinate Countenance of the Disease; the very Substance of the Body being as it were perverted to the Nourishment of the Disease, and Nature not being able to thrust out the same by her wonted Method, then the *Phænomena* differ much from those described. For whereas the Pain was hitherto only troublesome to the Feet (which are the genuine Seat of the peccant Matter; if it possesses any other Part, it is without doubt, that either the Method of the Disease has been altered, or the Vigour of the Body is by little and little diminished) now it possesses the Hands, Wrists, the Arms, the Knees, and other Regions, tormenting these, as much as it used to do the Feet: For sometimes distorting one or more of the Fingers, it makes them like a bunch of Parsnips, taking away the Motion by little and little; and at length it produces stony Concretions about the Ligaments of the Joints, which destroying the Cuticle, and the very Skin of the Joints being rendred visible, naked Stones, like unto Chalk or Crabs-Eyes, appear, which may be picked out by a Needle. Sometimes the Matter causing the Disease thrust upon the Arm, causeth a whitish Swelling, almost as big as an Egg, which is by degrees inflamed with redness: sometimes falling upon the Thigh, it feels as if there were a great Weight hanging upon it; yet without any considerable Pain, but passing to the Knee, it handles that more severely, so obstructing all Motions, that it is as it were nailed to the Bed, so that it cannot be moved a Hair's-breadth from the Place where it is. And because of the Restlessness of the Body, or to ease Nature, the Patient must be moved by the help of others, there is great Care required, lest by chance, the least contrariety of Motion should occasion Pain, which for this reason only is tolerable, *viz.* because it presently goes off: And truly, this carrying of the Body, that must be perform'd so tenderly and carefully, is not a small part



part of the Troubles wherewith the Gout is burdened; for the Pain is not violent thro all the Fit, if the Part affected be kept quiet.

Whereas the Gout before did not use to invade before the latter end of Winter, and was wont to go off after two or three Months, now it remains upon the Sick a whole Year, excepting only two or three hot Months of Summer. And what is moreover to be observed, as the great and general Fit is longer than heretofore it was, so those particular Fits, whereof the general is composed, rage longer; for whereas before those particular Fits did not torment the Patient above a day or two, now wherever it fixes, especially if it possesses the Feet and Knees, it does not go off till the tenth or fourteenth day: moreover, the first or second day after its coming, the Patient feels some Sickness besides the Pain, together with a total Prostration of the Appetite.

Lastly, Before the Disease was grown to such a height, the Patient did not only enjoy larger Intervals of the Fits, but also during that Intermission he was well in his Limbs, and in other Parts of his Body, all the natural Faculties performing their Offices duly; but now his Limbs are contracted and cumbred: so that tho he can stand, and perhaps go a little, yet he creeps along so very lamely and troublesomely, that when he walks he seems to stand still; and if he endeavour to walk beyond his Strength, that he may the better recover his Feet, the more he confirms them by walking, and renders them less apt to receive the Pain, so much the more the *Fomes* of the Disease, not perfectly dissipated by all this Interval, hovers more dangerously about the Bowels, when it cannot be so freely discharged upon the Feet, which at this time of the Disease are scarce ever free from Pain, but are always uneasy more or less.

The Sick is also afflicted with many other Symptoms, as with a pain of the Hemorrhoidal Veins, with unfavoury Belchings, resembling the taste of the Meat last eat putrefying in the Stomach, as when something of hard Digestion is eaten, or only so much as is fit for People in Health; the Appetite languishes, as likewise does the whole Body, by reason of a scarcity of Spirits. Lastly, he lives only to be wretched and miserable, and not at all to taste  
of



of the happiness of Life. The Urine that was before high coloured, especially in the Fits, and rendred in a small quantity, now is like that, both as to colour and quantity, which is voided in a *Diabetes*: the Back and other Parts itch troublesomely about Bed-time.

And this Inconvenience also happens in this Disease, when it is confirmed, *viz.* That upon yawning, especially in the Morning, the Ligaments of the Bones of the *Metatarsus* are violently pull'd, and seem to be strongly pressed with a strong Hand; and sometimes when yawning does not go before, the Patient just dropping asleep, suddenly feels a blow as it were of a Club breaking in pieces the *Metatarsus*, so that he wakes crying out. The Tendons of the Muscles that sustain the Legs, are sometimes taken with such a sharp and vehement Convulsion, that the Pain which it occasions, if it should last but a little while, would overcome all human Patience. After many and dreadful Torments, and long Execution, the following Fits, as to Pain, are gentler, as a Pledge of the Discharge which approaching Death is about to give: (Nature being partly oppressed by the burden of the peccant Matter, and partly by old Age, is no more able to expel it constantly and forcibly to the Extremities of the Body) but instead of the accustomed Pain, a certain Sickness, with a pain in the Belly, spontaneous Weariness, and sometimes a propension to a Looseness supervene. These Symptoms ease the pain of the Limbs when they are violent, and likewise vanish when the Pains in the Joints return; and sometimes the Pain, and sometimes the Sickness, afflicting alternately, prolong the Fits much. For it is to be observed, that when any one has had the Gout many Years, the Pain is by degrees lessened every Fit, and at length he dies more of the Sickness than the Pain; for the Pain which is in these Fits, tho it is longer, yet it is not the tenth part of that which he used to suffer when his Strength was more entire. But this severity of the Disease is compensated most commonly by the longer space betwixt the Fits, and by the good Health he in the mean time enjoys. For in this Disease, Pain is Nature's most bitter Medicine; and the more violent it is, the sooner will the Fit pass over, and the intermission will be longer and more perfect, and so on the contrary.

Not



Nor does the Pain, the Lameness, and the obstructed Motion of the affected Parts, the Sickness, and other Symptoms described, compleat the Tragedy of this Disease; for it breeds the Stone in the Kidneys in very many, either because the Sick lies a long while upon his Back, or because the Organs of Secretion have left off to perform their due Functions, or because the Stone is made of a part of the same kind of Matter; but which is the Cause, I shall not determine. Whatever is the Origin of this Disease, the Patient has sometimes many sad Contemplations, to know, whether the Stone or the Gout is most severe; and sometimes the Stone hindring the passage of the Water into the Bladder, thro the urinary Passages, kills him, not waiting longer upon the slow gouty Execution. Nor is it enough, that the Sick is tormented in such a miserable manner, as that he cannot help himself, but wants the help of others. But this is also added to the heap of his Sorrows, *viz.* That during the Fit, his Mind is as it were affected with the Contagion, and so far suffers with the Body, that it is hard to say, which of them is most afflicted; for every Fit may be as properly call'd a Fit of Anger, as of the Gout: for the Mind and Reason are so extremely enervated by the infirm Body, that they are disordered by the least Motion of the Affections, so that he is as troublesome to others as to himself: moreover, he is as obnoxious to the rest of the Passions, *viz.* to Fear, Care, and other of the same kind, by which he is also vexed, till the Disease going off, the Mind also has recovered its former Tranquillity.

At length (that I may dispatch the Catastrophe of this dreadful Disease) the Bowels being so hurt by hatching and embracing the peccant Matter, that the Organs of Secretion can no longer perform their Duty, the Blood stufed with Drugs stagnates, and the peccant Matter is not as heretofore cast upon the extreme Parts of the Body: at length, I say, the most miserable Wretch is so happy as to die. But (which may be a Comfort to me and others that are afflicted with this Disease, tho we are but moderately furnished with Money, and the Graces of the Mind) so lived, and so died, great Kings and Potentates, Generals of Armies, and Admirals of Fleets, Philosophers, and many other such as these. To be short,  
this



this Disease of the Joints (which can scarce be said of any other) kills more Rich than Poor, more Wise than Fools: Nature demonstrating as it were with the Finger, how just the Creator and Disposer of all Things is, and how little he sides with Parties; for those that want something, are wont to be abundantly replenished with another kind of Good; and he allays profuse Munificence, by mixing an equal share of Miseries with it: so that it is every where inviolably decreed, that no Man shall be perfectly happy, or altogether miserable, but that all shall partake of both Lots: which mixture of Good and Ill, so convenient to our Frailty and Mortality, is perhaps very proper for us.

Women are very seldom afflicted with the Gout, and if they are, not until they are old, or of a masculine Habit of Body. Thin Women, who in their Youth or middle Age are troubled with Symptoms like the Gout, receive them from Hysterick Diseases, or a Rheumatism which they were troubled with heretofore, the *Fomes* whereof was not well carried off at the beginning.

Nor have I hitherto observed, that Boys or Youths are vexed with the true and genuine Gout; yet some that I have known, have perceived some small touches of it before they have arrived to that Age, *viz.* when their Fathers had this Disease when they begat them. And here ends the History of this Disease.

Having very much considered the various *Phænomena* of this Disease, I suppose it is produced by the Concoction weakened, both in the Parts, and in all the Juices of the Body; for in those who are obnoxious to this Disease, they being either worn out by Age, or having by Intemperance hastened old Age, the animal Spirits are decayed throughout the whole Body, being consumed by the immoderate use of the vigorous Functions in the heat of Youth. For instance, by too early, or too much use of Venery, by mad and extravagant Exercises, whereby they unweariedly serve their Pleasures; to which is to be added a sudden Intermission, or Cessation from the Exercises of the Body, to which they have been accustomed heretofore, either by reason of Years, or Laziness, (by the use whereof, the Blood was wont to be rendered more vigorous, and the Tone of the Parts more firm)

†

upon



upon which account the Body becomes now withered, and the Concoctions are no more rightly performed; but on the contrary, the Dregs of the Juices of the Body are henceforth laid up in the Vessels, as a Stock for the Disease, which were discharged before by the help of such Exercises; and sometimes hard Study, or Meditation concerning some serious matter, had encreased the Disease; the fine and volatile Spirits being thereby diverted from their Business of Concoction, which they ought to perform. Moreover, they that are subject to this Disease, are not only most commonly greedy of Meats in general, but chiefly of those that are hardest to digest, of which when they eat as much as they were wont to do when they exercised themselves, they are unable to digest them; nor does the said Voracity, or full Feeding, so frequently (tho it does often) occasion the Gout, as the immoderate and mad drinking of Wine, whereby the Ferments appointed for various Concoctions are wholly destroyed, and the Concoctions themselves, and the natural Spirits are vanquished, and dispersed by the great quantity of adventitious Vapours: but when at one and the same time the vigour of the Spirits, that are the Instruments of Concoction, are lessened, and also a great heap of Humours oppresses the Blood, it is impossible that all the Concoctions should be duly performed, when all the *Viscera* are so overwhelmed; upon which account the Spirits long ago weakened, are now suffocated. For if this were occasioned only by a weakness of the Spirits, Women and Children, and those whom long Sickness has wasted, should likewise be seized by it; whereas, for the most part, it invades the strongest, and those that have the most robust Principles of Nature: yet it does not seize them till Humours are heapt up, by reason of the defect and declination of the natural Spirits, by which, joined together, the vitiated Concoctions are perverted.

Moreover, as every one of the Causes we have mentioned promote Indigestion, so most of them occasion a looseness of the Habit and Muscles of the Body, by which means a passage is opened for the receiving crude and indigested Humours, as often as they are protruded to the outward Parts; and when lying long in the Blood, they increase in Bulk, and contract an ill Disposition, and



at length require a putrefying heat, and can no longer be governed by Nature, they break out into a Species, and fall upon the Joints, and by heat and sharpness produce most exquisite Pains in the Ligaments and Membranes covering the Bones; which being either weakened and loosened by Age, or by Luxury and Intemperance, make room for them when they make an attempt. But this falling of the Humours that generate the Gout, and which constitutes the Fit, happens sooner or later, as occasion is offered for putting these Humours into motion.

As to the Cure, (I will first mention those things that are to be omitted) tho if we respect the Humours, and the Indigestion whereby they are occasioned, it may seem at first, that the curative Indications are chiefly to be directed for the evacuation of the Humours already made, and for strengthening the Concoctions; so that the heaping up of other Humours may be prevented, forasmuch as these are the more general Indications, whereby we should do the business in most other humoral Diseases: but in the Gout there is a sort of Prerogative in Nature, for exterminating the peccant Matter after its own way, by putting it off upon the Joints, and by dissolving it by insensible Transpiration.

There are about three Ways proposed, whereby we may eject the containing Cause of the Gout, *viz.* Bleeding, Purging, and Sweating: and none of these Methods will ever perform the Business.

First, tho Bleeding may seem both to evacuate those Humours that are just ready for a Descent, and also those that have already besieged the Joints, yet it plainly opposes that Indication, which the antecedent Cause, that is Indigestion, arising from a Depravation and Defect of the Spirits (which Bleeding lessens and oppresses more) requires, and therefore is not to be used; either to prevent the Fit which is feared, or to mitigate that which is now present: Namely, in those that are old; for tho that Blood which is drawn out, is most commonly like that of *Pleuriticks*, and of those that have a Rheumatism, yet Bleeding does as much hurt to those afflicted with this Disease, as it does good in the two just mentioned. For if Blood is extracted in the Intermission, tho a good while after the Fit, there is danger, lest by the  
Agitation



Agitation of the Blood and Humours, a new Fit should be caused more lasting than the former, and attended with more violent Symptoms, the strength and vigour of the Blood being blunted thereby, by the help of which the Nourishment of the Disease should have been diligently and constantly expelled.

And this Inconvenience happens as often as Bleeding is us'd at the beginning of the Fit; and if it be used presently after the Fit, there is a great danger lest Nature, the Blood having not yet recover'd its former Strength, weakened by the Disease, should be so much dejected by this unseasonably used, that a Dropsy should be caused thereby. But if the Patient is yet young and has been over-heated by hard drinking, Blood may be drawn at the beginning of the Fit; but if in the following Fits it is continually used, the Gout is soon confirmed even in Youth, and will more propagate its Tyranny in a few Years, than otherwise in a great many.

And then as to Purging, whether upward or downward, this must be noted, that whereas by the inviolable Law of Nature annexed to the very Essence of this Disease, the *Fomes* of it ought always to be expelled to the Joints; *Emetick* or *Cathartick* Medicines will do nothing else but recal into the Blood the peccant Matter, which was put off by Nature upon the Extremities of the Body: upon which account, that which ought to be cast upon the Joints, rushes perhaps upon some of the *Viscera*, and so the Life of the Patient is in hazard, when before it was in no danger at all. Which is often observed, to be fatal to those who have been accustomed to purging Medicines, that they might prevent the Gout, or (which is worse) to lessen the Fit: For when Nature is put by her usual Method, whereby as being best and more secure, she drives the *morbifick* Matter upon the Joints, and the Humours are turned inward upon the Intestines, instead of Pain in the Joints, where there is none at all, or certainly but very little, the poor Wretches are almost destroyed by Stomach-Sickness, Gripes and Fainting, and with a great Troop of irregular Symptoms.

Therefore I am fully persuaded, having learnt by continual and repeated Experience, that all Purging, whether by gentle or strong Medicines, such as are usually designed



designed for purging the Joints, do much hurt, whether it is used in the Fit, to lessen the peccant Matter, or at the end, to dissipate the Relicks of the Disease, or in a perfect Intermission, or good Health, to hinder the approaching Fit. For I have found at my own Peril, as well as of others, that purging Medicines used at any of these times, have been so far from doing Good, that they have hastened the Mischief they should have prevented. First, therefore Purging when the Fit rages, disturbing Nature when she is busied in separating the morbidick Matter, and in putting it off upon the Joints, sometimes causes a great Confusion of the Spirits, so that the Fit is not only increased thereby, but the Patient's Life is also not a little endanger'd; and then *Catharticks* used at the end of the Fit, instead of removing the Relicks of the Disease, bring on another Fit afresh, as bad as the former: and thus the Sick being vainly deceived, contrive Misery for themselves; which they had not felt, if the Humours had not been enraged again. Which Inconvenience I have often found, having preposterously craved for medical help, to expel as I thought the Relicks of the Disease. *Lastly*, as to Purging to be repeated at certain Intervals, and in perfect Health to prevent the Fit; tho, which must be confess'd, there is not so much danger of a new Fit, as in the Case just mentioned, when the Patient was not wholly freed, yet at this time it occasions a Fit, for the Reason above-mentioned; and if by chance the Sick is not presently seized, yet it does not at all free him from the Disease, tho he takes this or that Purge constantly at due distances: For I have known some subject to this Disease, who have not purged only at Spring and Autumn, but also monthly and weekly, that they might recover their Health, and yet none of these have escaped the Gout; for most commonly it handled them more cruelly afterwards, and with worse Symptoms, than if they had not taken Physick at all. For tho the said Purging might take away some part of the containing Cause, yet no way conducing to the strengthening of Concoction (so far from it, that it weakens the same, and wounds Nature afresh) it opposes only one Cause, and so is totally unable to cure the Disease.

But this must be noted, moreover, that from the same defect of Spirits, whereby the Concoctions are vitiated,



in those who are accustomed to have the Gout, the frame of the same animal Spirits is render'd less firm and vigorous, so that it is presently disturbed by any Cause, whereby the Mind or Body is violently moved; and so very fleeting and shatter'd is it, as it happens to those that are subject to Hysterical and Hypochondriacal Diseases. From which Inclination of the Spirits to be disturbed, it happens that the Gout most commonly follows the least Evacuation. The Tone of the Body being dissolv'd, which the firmness of the Spirits, whilst they continue brisk, keeps compact and vigorous, the peccant Matter moves without Resistance; and by this injury to the Body, a Fit is presently produced.

But how pernicious soever this Method is, yet some Quacks are esteemed for it, by cunningly concealing the purging Medicine they use: for it must be noted, that during the purging, the Patient has little or no Pain at all; and if Purging cou'd be continued many Days, and no new Fit supervene, the Sick would presently recover of that he has now upon him. But truly he will be dreadfully punished afterwards, by the Confusion into which the said Agitation of the Humours has precipitated Nature.

*Lastly*, The Evacuation of the peccant Matter by Sweat, tho it does less hurt than the above-mentioned Evacuation, yet it evidently appears to be injurious: for tho it do not draw back the *Fomes* of the Disease into the Bowels, but on the contrary, drives it into the habit of the Body; yet for these Reasons it does hurt. *First*, indeed, because when the Fit is off, it forces the Humours, yet crude and not prepared for Separation, upon the Limbs, by which means it brings the Fit before its time, and contrary to Nature's Consent; and then, because the forcing of Sweat in the Fit, does cast the peccant Matter too violently upon the affected Member, it produces at the same time an intolerable Pain; and if the quantity of the morbidick Matter is greater than can be contained in the affected Part, it forces it presently upon other Members, and for this reason there is a great Ebullition of the Blood and other Humours; and if the Body abounds very much with serous Matter, fit to produce the Gout, there is danger lest an Apoplexy should be occasion'd. Wherefore in this, as well as in all others, where-  
in



in Sweat is provoked by Art, to cast forth the morbidick Matter, and does not come naturally; it is very dangerous to force it out too violently, and beyond that degree of Concoction, whereunto the Humours to be evacuated have come of their own accord. And that excellent Aphorism of *Hippocrates*, That things concocted, not crude, are to be medicated, is of as great use in provoking Sweat, as in purging the Belly; which is very evident in that Sweat, that uses to come at the latter end of Agues, which, if it is moderate and agreeable to the concocted quantity of febrile Matter of the preceding Fit, much relieves the Sick; but if it is forced beyond Nature's Bounds, by keeping the Sick continually in bed, a continual Fever is caused; and instead of extinguishing the former Fire, a new one is kindled. In like manner in the Gout, the gentle breathing Sweat, which most commonly comes in the Morning of its own accord, after each of the small Fits, whereof, as I have said, the great Fit consists, mitigates both the Pain and Restlessness, wherewith the Sick has wrestled all the Night. But on the contrary, when at any time, this gentle breathing Sweat, that naturally soon goes off, is provoked longer and more violently than the Proportion of the peccant Matter requires, which was concocted by the last Fit, the Disease is increased thereby. Therefore in this Disease, and in all others I ever saw, except the Plague only, it is not so much the Physician's as Nature's business to force Sweat, because we cannot know by any means, what part of Matter is already prepared for such a Separation, and by consequence what Measures we are to take for provoking it.

Now seeing it evidently appears from what has been said, that it is not only in vain to endeavour the Cure of the Gout by evacuating Remedies, but that they are also hurtful to gouty People; it remains, that we enquire to what other End the curative Indications are to be directed.

Indeed, I have exactly weighed, and carefully examined the foresaid *Phænomena*, and gather from thence, that we must have respect to two Causes chiefly in the Cure of this Disease: the First is, the antecedent Cause, or the Indigestion of the Humours arising from the defect of Heat, and the natural Spirits. The other is, the containing Cause, or the heat and boiling of these Hu-



mours, when they are corrupted and grown sharp by continuing too long in the Body; which delay is occasion'd by the Indigestion above-mentioned: these Causes are so absolutely contrary to one another, that those Remedies that do good for this, are injurious for the other; for which reason this Disease is so very difficultly cured. For while we endeavour to remove Indigestion by hot Medicines, there is danger left on the other hand, we encrease the heat of the Humours; and when on the contrary we wou'd mitigate the hot and acrid Humours, either by cooling Remedies or Diet, we occasion Indigestion, the natural Heat being weakened. But here by the containing Cause, I do not only mean that which, actually besieging the Joints, forms the Fit; but that moreover, which lurking in the Blood, is yet unfit for Separation: for all the morbidick Matter is very seldom so clearly cast out, how long and severe soever the Fit has been, as that there are no Relicts of it in the Body after the Fit is gone off; and therefore regard must be had to this Cause, as well when the Fit is off, as when it rages. But forasmuch as the ejection of the containing Matter is wholly Nature's business, it must be done by her Method alone: for nothing can be in the meantime attempted to assuage the hot and acrid Humours without injury to the Digestions, only the Sick must forbear hot Medicines and Diet, whereby the Humours are inflamed. So that undoubtedly the greatest and chiefeft intention of curing consists in helping Concoction, by removing Indigestions, whereof I will now treat; yet so as that in the Series of my Discourse I may touch on those Remedies occasionally, which conduce to the assuaging of the heat and sharpness of the Humours.

Therefore, whatever assists Nature in duly performing her Offices, either by strengthening the Stomach, that it may concoct the Nourishment well, or the Blood, that it may assimilate the Chyle brought into it, or by strengthening the solid Parts, that they may the better convert the Juices design'd for their Nourishment and Increase into their proper Substance: Lastly, Whatever preserves the Organs of Excretion, and the Emunctories of the Body in such a State, as that the Feculencies of each part may in due time and order be carried off: These, and all things of this kind, that further the fulfilling  
this



this Intention, are properly called Digestives, whether they are Medicines, or rule of Diet, or Exercise, or any other of those things which are called the Six Non-naturals.

These kind of Medicines in general, are those which moderately heat, and are bitter, or gently bite the Tongue; for they are very agreeable to the Stomach, they purify the Blood, and comfort the other Parts. For instance, they are such as these; Roots of *Angelica*, *Elicampane*, the Leaves of *Wormwood*, the lesser *Centaury*, *Germander*, *Ground-pine*, and the like. Also those that are vulgarly called *Anti-Scorbuticks* may be added; as the Roots of *Horse-Radish*, the Leaves of *Garden Scurvy-Grass*, *Water-Cresses*, and the like. But yet these acrid and pungent Herbs, how pleasing soever they be to the Stomach, and how much soever they help Concoction, are to be used more sparingly than others that corroborate the Stomach by their gentle Heat and Bitterness, and render the Mass of Blood more brisk and lively; for they stir up the *Fomes* of the Disease that has been long formed, and increase the heat.

Some Species of them neatly mixed, are better in my Opinion to concoct the Humours, than any one Simple of their Tribe. For tho when we have need of the specifick Virtue of any Medicine, that Rule holds good, The simpler it is, the better it is; yet when we design to cure the Sick, by satisfying this or that Indication, every Ingredient contributes somewhat for the cure of the Disease; and in this Case, the greater the number of Simples is, the more powerfully does the Remedy work: therefore various Forms of Medicines tending to this end, may be neatly framed of the foresaid, and of the rest of the *Materia Medica* of this sort. I prefer an Electuary before the rest made like *Venice-Treacle*, as the most excellent; for that a mutual Fermentation of the Simples augments the Virtue of them all, as if it produced some third thing, which in the things joined, has greater Virtue than any one of them in the same quantity. But I willingly leave the choice of such Ingredients, and the Forms wherein they are to be given, to the discreet Physicians: for I never thought it my business to write Receipts, as they call them, but rather to note the Indications, according to which the Methods of Cure are to be



directed; and this, in not being well-minded, is the Cause why *Empiricks* boast, that they are the chief of the medical Art.

But for the advantage of Beginners, I well set down the Remedy I am wont to use, which is compounded after this manner.

Take of the Roots of *Angelica*, of the sweet smelling Flag, of *Master-wort*, *Elicampne*, of the Leaves of common *Wormwood*, of the lesser *Centaury*, of white *Hore-hound*, of *Germander*, of *Ground-pine*, of *Scordium*, of common *Calaminth*, of *Feverfew*, of *Field-Saxifrage*, *St. John's Wort*, *Golden-rod*, *Thyme*, *Mint*, *Sage*, *Rue*, *Carduus Benedictus*, *Penny-royal*, *Southern-wood*, of the Flowers of *Camomile*, *Tansy*, *Lilley of the Vallies*, *English Saffron*, of the Seeds of *Treacle-Mustard*, *Garden Scurvy-grass*, *Carraways*, *Juniper-Berries*, each a sufficient Quantity: let the Herbs and Flowers, and Roots, be gathered when they have most Virtue in them; let them be dried and kept in paper Bags till they may be finely powdered; to six Ounces of each well mixed, add a sufficient quantity of purify'd Honey, and Canary Wine, to make an Electuary: take two Drams Morning and Evening. Or for want of this, use the following.

Take of the Conserve of *Garden Scurvy-grass* one Ounce and a half; of *Roman Wormwood*, and of the yellow Rind of *Oranges*, each one Ounce; of candied *Angelica*, of *Nutmegs* candied, each half an Ounce; of *Venice Treacle* three Drams; of compound Powder of *Wake-Robin* two Drams: make an Electuary, with a sufficient quantity of Syrup of *Oranges*. Let him take two Drams twice a day, drinking upon it five or six Spoonfuls of the following Water.

Take of the Roots of *Horse-Radish* sliced three Ounces; of *Garden Scurvy grass* twelve Handfuls; of *Water-Cresses*, and *Brook-lime*, of *Sage* and *Mint*, each four Handfuls; the Peels of six *Oranges*, two *Nutmegs* bruised, of *Brunswick Mum* twelve Pints: distil them in a common Still, and draw only six Pints of Water for use.

Among



Among the Medicines commonly known, *Venice Treacle* is the best to corroborate the Concoction; but because it contains a great many Species, that heat too much, and besides a great quantity of *Opium*, the Electuary above-mentioned may be more commodiously prepared of the chief heating and strengthening Vegetables: But we must take care to choose such Simples as are pleasant to the Taste; for the Sick must take it along while, *viz.* almost as long as he lives, and therefore it is very requisite that they should be palatable. Among the Simples, the *Peruvian* Bark is the best, for it strengthens the Blood, and renders it vigorous, if some Grains of it are taken Morning and Evening.

And truly as in this Disease we now treat of, so in most other Chronical Diseases, these and such like Remedies, that strengthen the Blood, and render it brisk (if their Heat do not consist of vinous Spirits, for Reasons to be shewn hereafter) do most Good; forasmuch as every Disease of this kind, if I conjecture right, ought to be referred to one and the same Cause, to wit, the Indigestion of the Humours.

But it can no way be made more evident, and better proved, than by setting in view the Difference that is betwixt Chronical and Acute Diseases, whereof I hope the Reader will not take it amiss, if I digress a little from the Business in hand. As therefore those for the most part are accounted Acute Diseases, which either soon kill, or are brought to Concoction; so those are Chronical Diseases, which either are not concocted at all, or require a long Time for their Concoction. And indeed the very nature of the Thing, as well as the Words by which it is expressed, plainly signifies as much: But the Cause of Difference, which is perceived betwixt these two kinds of Diseases, is more obscure, and not easily to be cleared.

I suppose it will be worth our Labour, to spend a little Time in the search after it; for the clear and distinct knowledge of these things contributes much towards the finding out true and agreeable Indications for the Cure of these Diseases.

Whether the innermost Bowels of the Earth, if it is proper to say so, undergo various Changes, upon which account the Air is infected by Vapours exhaling from



thence, which seems very probable to me; or whether the whole Atmosphere is infected by an alteration occasioned by a certain Conjunction of heavenly Bodies: It is most certain, that for a space of Time, the Air is stuffed with Particles, which are hurtful to the Oeconomy of the humane Bodies; and that at another time it is impregnated with such Particles, as are Enemies to the Bodies of some Species of Beasts. When at these times we breathe into the naked Blood, the noxious Venom, that is an Enemy to Nature, and fall into such Epidemick Diseases, which that is apt to produce; Nature procures a Fever, its usual Engine to free the Blood from any disagreeable Matter that lodges within: and such Diseases are commonly accounted Epidemick, and therefore acute and short, because they have so quick and violent a Motion. But besides, these Diseases occasion'd by an external Cause, theres are others as acute proceeding from this or that peculiar Inflammation of the Blood, which do not depend on any general Cause, from the Air, but on a particular Irregularity, or Intemperies of particular Bodies: which sort of Fevers I call Intercurrent, and *Sporadick*, which happen almost in all Years.

But chronical Diseases have quite another Genius; for tho an unhealthy Air of this or that kind may conduce much to the generating these Diseases, yet they do not so much immediately take their rise from the Air, but most commonly from the Indigestion of the Humours, the common Parent of them all: for when any one has the Principles of his Nature weakened, and worn out either by old Age, or by great and continual Errors in the six Non-naturals, especially in Meat and Drink; or if the Organs of Secrecion have been so weakened, that they are wholly unable to purify the Blood, and to carry off its Superfluities; in these Cases a greater stock of Humours being heapt up, than a Man's Strength is able to digest, the said Humours by continuance undergo various Fermentations and Putrefactions, and at length break out in Specie, and occasion various Kinds of Diseases, according to the variety of Depravation: and as these depraved Juices have various Dispositions, so they variously fall on this or that Part, which is fittest to receive them: and at length by degrees they shew their long train of Symptoms, which are wont to arise partly from the Nature



ture of such Juices, and partly from the Confusion brought on those Parts; which two joyn'd together, constitute the irregularity of Nature, which is mark'd with the Name of some Disease.

Now it will plainly appear, that such an Impotency of Nature for the concocting of Humours, is the principal Cause of chronical Diseases, if we consider, that old Men, whose Concoctions are weakned, and the Spirits, the Instruments of them, wasted by the repeated Functions of a long Life, are more inclin'd to these Diseases, than younger People; whose flame of Life being more kindled, scatters those Feculencies heapt up, and whose Organs of Secretion are constantly assisted by the natural Heat, that they may not be deficient in purifying the Mass of Blood, unless they are oppress'd, and, as it were, suffocated by too great a quantity of Humours. Moreover, that such an Indigestion of Humours is the Cause of most Chronick Diseases, is manifest from hence, *viz.* because Winter is more apt to breed such Diseases than Summer; tho some of them do not actually come out till the latter end of Winter, yet the Stock of Humours on which they depend, increasing all the Winter, is enlarged by that cold and raw Season, debilitating Nature, so that she is not so able to preserve the Oeconomy of the Body. Upon which account it happens, that they who are very well in Summer, seldom escape those Diseases in Winter, whereunto they are most inclin'd; for instance, the Gout, or *Asthma*, and a Cough, and the like. And from hence we may learn the Reason, why travelling into more southerly Regions does so effectually conquer those Diseases; the Cure whereof is attempted in vain in colder Climates. The Truth of what I have said already concerning the general Cause of Chronical Diseases, will moreover manifest it self by the great and incredible Relief which those that are afflicted with most Chronical Diseases, especially with a Consumption, receive, by riding on Horseback; which kind of Exercise invigorates and strengthens all the Digestions, the natural Heat being reviv'd, by the continual shaking of the Body; and the Organs, destin'd for Secretion, assisted in duly performing their Office of purifying the Blood: so that a Renovation of the spoil'd Digestions must necessarily



rily follow, and by consequence the best Constitution of the Body.

Wherefore, it is manifest enough, by the Reasons already alledg'd, that not only in the Gout, but also in other Chronical Diseases, where no manifest Symptom contra-indicates, such kind of hot Herbs are very beneficial: for they procure the Heat of Summer in the midst of Winter; tho if we accustom our selves to the use of them in Summer-time, they will the better prevent those Diseases, which the contrary Season is wont to produce. And, truly if they are deferr'd till Winter approaches, at which time a great deal of Matter is heap'd up, it is to be fear'd, we fly too late to this Refuge. But tho (as I have discours'd largely before) the Gout, by a peculiar Disposition, is made worse by *Catharticks*; yet, in most other Chronical Diseases, Bleeding, repeated as often as there is occasion, and Purging, is to be order'd, before these digesting and corroborating Medicines are to be us'd; but when the Patient has once enter'd upon the use of these, he must go on, without Purging betwixt whiles: for this must be constantly maintain'd, that as often as the Cure of any Disease is essay'd by corroborating Medicines, all Evacuations are wholly injurious.

Lastly, I do not affirm, that these digestive Remedies, now mention'd, are better than all others; but this I say, that he that can find out the best Remedy to answer this Intention, will do much more in curing Chronical Diseases, than he would think he was able to do.

But this must be first taken notice of, and chiefly observ'd above all things, I am about to mention concerning the Cure of the Gout; namely, That all digestive Remedies whatsoever, whether Courses of Physick, or Diet, or Exercise, are not to be taken up by the bye; but must be us'd constantly, and daily, with the greatest Diligence: For, whereas in this Disease, as almost in all other Chronical Diseases, the Cause of it hath pass'd into an Habit, and is become, as it were, a new Nature; no Man, in his right Senses, can think, that some small and short Alteration, super-induc'd upon the Blood and Humours by any sort of Remedy or Diet, can perfect the Cure; for the whole Habit of the Body must be chang'd, and the whole Man must be, as it were, new fram'd: for it is not  
so



so here, as in some acute Diseases, where he that even now was strong and in perfect Health, is suddenly seiz'd with a Fever, and precipitated from the best State of Health, into the most dangerous Disease. No, the Case of the Gout is quite different, where he, that for many Years together, by indulging himself in Surfeiting and Drunkenness, and neglecting his wonted Exercises, is worn out by Sloth and Negligence, or by hard Study, or continual or intense Thinking, or by some other Errors of Life, as if he had delignedly perverted the various Ferments of the Body, and oppress'd the animal Spirits, (which are the chief Instruments of Digestion) by which means, the preternatural Humours that are heap'd up, break out at length, when they are arriv'd to the highest Degree, and confound all, the Flesh being softned, and the Joints weakned; so that they readily receive the Humours falling upon them; and so at length, another Nature is, as it were, super-induc'd by degrees, the pristine and natural Oeconomy of the Body being wholly subverted and destroy'd: and those Fits, about which unwary and unthinking Men are so busied, are indeed nothing else but the Series and Order of Symptoms depending on that Method, which Nature is wont to use in driving out the Matter that causes the Disease: wherefore, I say, he labours in vain, that endeavours to drive away this Disease by this or that Remedy, or *Regimen* now and then us'd. For this Habit being chiefly founded, and consisting both in the Weakness of all the Digestions, and in the want of the natural Strength of the particular Parts, we must provide against both these Ills; and the Strength of the Concoction, as well as the Soundness of the Parts, must be reduc'd, and restor'd gradually to the former State and Oeconomy of the Body. Tho to perform this fully and perfectly may not seem possible, not only because any Habit is difficultly chang'd into the quite contrary, but also because old Age, which most commonly attends this Disease, violently opposes; yet the Cure is to be endeavour'd, as much as the Strength and Age will permit: and the nearer or further from this Mark the Patient is, he will, more or less, avoid the Terranny of the Gout.

And it is moreover to be observ'd, that digestive Remedies, either Medical or *Dietetick*, are chiefly to be us'd



us'd in the Intervals of the Fits, and as long as may be before the next Fit: for, by reason of old Age, much time is requir'd, and a constant use of Medicines, before the Corroboration of all the Concoctions, and the Restauration of the enfeebled Ferments of the Body, and such a Soundness as is requisite for the Blood and *Viscera*, can be obtain'd.

But tho these Remedies, and other things of the like nature, may do good; yet this Intention of corroborating, cannot be answer'd by these things alone, but respect must be also had to those things, which do not properly belong to Physick. And he will be most certainly deceiv'd, that thinks he can perform the Cure of this or some other chronical Disease by Medicines alone. First therefore, a Mediocrity is to be observ'd in Meat and Drink, so that neither more Nourishment be taken in than the Stomach can decoct, lest the Disease should be heighten'd by it; nor, on the other hand, must the Parts, by too much Abstinence, be defrauded of that Proportion whereby the Strength and Vigour ought to be sustain'd, for by doing so, they will be more weakened; for either is alike hurtful, as I have frequently found in my self and others. Moreover, as to the quality of the Meat, the things of easy Digestion considered by themselves, are to be preferred before things of hard Digestion; yet regard must be had to the Patient's Palate: for we must take notice, that that which is earnestly crav'd for by the Stomach, tho of difficult Digestion, is sooner conquer'd by Nature, than that which is accounted to be of easier Digestion, if it be offensive to the Stomach. But those things that are reckon'd of hard Digestion, are therefore to be eaten more sparingly; and I suppose the Patient ought to feed upon one sort of Meat at a Meal; for various kinds of Flesh eaten at once, disturb the Stomach more than one sort eaten in the same quantity. As as to other things, besides Flesh, let him eat at pleasure, if they are not sharp nor salted, nor spic'd; which, tho they do not injure Concoction, yet they are hurtful, for that they exagitate the *Fomes* of the Disease.

As to the times of eating, a Dinner is only necessary; for the Bed being most convenient to digest the Humours, that Time ought not to be wasted about concocting the Meat:



Meat; therefore, they that are subject to the Gout should not eat Suppers, yet they may allow themselves a large Draught of Small-beer, for such are also most commonly inclinable to breed the Stone in the Kidneys; the Concretion whereof is much hinder'd by such a kind of Liquor drank at this time, the Reins being cleansed and cooled thereby.

The drinking of Milk, or a Milk-Diet, either crude or boil'd, without any thing else, except perhaps a piece of Bread with it once a day, has been much us'd these twenty Years; and it has done more good to many, than any other kind of Remedy for this Disease, as long as they kept exactly to it: but so soon as they return'd to common Diet, tho' of easy Digestion, the Gout return'd more violently than before, and kept them longer. For the Principles of Nature being weakned by this Method, the Sick was render'd less capable to repel the Disease; for which Cause it was more dangerous, and lasted longer: therefore, he that designs to betake himself to this Method, ought first to consider seriously, whether he can continue in the use of it all his Life long; which, perhaps, was not in his Power, how resolute soever he may be. For I knew a Nobleman, who, after he had been dieted with Milk only a whole Year with pleasure, (all which time he went to Stool daily once, or oftner) was forc'd to leave off, because he was suddenly bound in Body, and the Temper of his Body alter'd; and because at length his Stomach nauseated Milk, tho' the Inclination of his Mind still continu'd. But some hypochondriacal People, of a gross Habit of Body, or who have accustom'd themselves much, and a long while, to spirituous Liquors, can by no means bear a Milk-Diet. Moreover, that very short and fading Benefit that they receive by this Diet, to whom Milk is agreeable, proceeds hence, *viz.* not only for that this Diet is most simple, (for I do not doubt but that Barley-broth may do as well, if the Stomach will bear it) but also because it renders the Blood more sweet and mild, by quelling the acrid Particles in it; and moreover, which I suppose is most considerable, Milk being a sort of Food very unfit for grown People, suppresses that Turgescency of the Humours which occasions the Gout; and for that Reason, those few with whom a Milk-Diet agrees, are so long free from the Gout as they feed upon it, and no longer;



longer; for by being wholly unsuitable to the original Cause of the Gout, *viz.* the weakness of the Ferments and Concoctions, it is much more injurious than beneficial: and because this has not been sufficiently regarded, some unwary People have fell into great and fatal Errors. For, by endeavouring to oppose the containing Cause, *viz.* the Heat and Sharpness of the Humours, they have destroy'd the Concoctions, and all the natural Functions.

As to Liquors, those in my Opinion are best, that are neither as strong as Wine, nor as weak as Water; of which sort is our *London* Small-beer, with, or without Hops; for Extrems on either hand are hurtful. First, as to the Wine, tho the Proverb says, drink Wine and have the Gout, and drink no Wine and have the Gout; yet it is, without Controversy, and confirm'd by various Experiments of gouty People, that Wine *de facto* is injurious: for tho it may be suppos'd to do good, by helping the Concoctions, the Disorders whereof I have long accounted the antecedent Cause of the Gout; yet, with respect to the containing Cause, it must be reckon'd wholly injurious, for that it fires and exagitates the Humours, the *Fomes* of the Disease, already prepar'd to give battle. Yet, I do not grant, that Wine, us'd for ordinary drink, does promote Concoction, but rather spoils it, unless in those that have been accusom'd to Wine for a long time; for tho as it passes by it imparts some Heat, yet it certainly injures the Ferments of the Body, and destroys the natural Spirits: and for this reason, I suppose, great Drinkers die of the Gout, Dropsy, Palsy, and other cold Diseases. Moreover, a continual swilling of Wine, renders the Body soft, like the Bodies of Women, whereas temperate Liquors strengthen and confirm the Tone of all the Parts; for which Reason, they that have always us'd small Liquors, seldom know what the Gout means. It is moreover to be noted, that those Men are most inclinable to this Disease, who, tho their natural Concoction is lessen'd, are nourish'd more than enough, by reason of a certain Luxury of the Blood; and they grow bulky, by reason of some indigested Matter, instead of good Substance, and well compacted: and drinking of Wine does more increase this Luxury of the Blood; and moreover heaps up a new Stock of Matter, and actually occasions the

†

Disease,



Disease, by firing, as it were, the *Fomes* of it, which has been laid up a long while. And besides, the Blood of gouty People being very like that which is taken from those that are *Pleuriticks*, or seiz'd with some other inflammatory Disease; it would be a mad thing, to inrage it more with spirituous Liquors. Nor, on the contrary, are too cooling Liquors to be us'd; for these, by quite spoiling the Concoctions, and extinguishing the natural Heat, produce the greater Mischief; not Pain, as Wine doth, but Death it self: As Experience teaches in those, who freely indulging themselves in drinking Wine till they are old, and betaking themselves suddenly to drink small Liquors, have soon destroy'd themselves.

Therefore those that are subject to the Gout, must take care that they use those Liquors, that can neither cause Drunkenness, when they are taken in a large Quantity, nor injure the Stomach, by chilling it: of this kind, as I said, is our Small-beer; and a proper Liquor may be made in other Countries, by mixing a little Wine with a great deal of Water. I count Water, by it self, crude and injurious; and I have found it so to my hurt: But Water may be safely drunk by young People, wherewith, at this day, the greatest Part of Mankind quenches Thirst, being more happy with their Poverty, than we with Plenty and Luxury. To confirm which, I produce that great Train of Diseases, whereby our Bodies, on this account, are tormented, *viz.* the Gout, Stone, Apoplexy, Palsy, and the like; and that Violence upon the Mind, whereby it's driven contrary to its native Rectitude, while the adventitious Spirits of such Liquors, complicated with the animal Spirits, which serve for the forming of Thoughts, disturb the Mind, by volatilizing it too much, suggesting vain and frivolous Fancies, instead of Things that are solid, and of some moment; and so makes us Jesters, and merry Fellows, instead of Wise Men; between which the Difference is almost the same, as betwixt a Substance and a Shadow: But enough of this.

But now, tho it may be sufficient for him that has the Gout but a little, and at some times only, to use Small-beer, and diluted Wine, the degree of this Disease not requiring a more severe Usage; yet when the whole Substance of the Body is, as it were, degenerated into  
the



the Gout, he will be unable to conquer the Disease, who does not wholly abstain from any sort of fermented Liquors, tho small and mild: for all these contain a pungent Spirit, and some degree of Sharpness; and what is worse, as they have a Ferment in them, (even as Yeast, put into Liquors, imparts a fermentative Virtue to the whole Mass) so they incline the Humours to a perpetual Fermentation.

Therefore, a *Dietetick* Drink must be prescrib'd, of the Ingredients commonly known, and appointed for this Use, for ordinary Drink, if it be not too strong; for if so, the Humours will be almost as much enraged, as by Wine: And, on the contrary, it must not be so small, as to hurt the natural Functions, by over-cooling them. This sort of Drink, if it be made of such Ingredients as are least displeasing to the Patient, tho the constant taking of them may cause some loathing for a Week or too, will afterwards be as pleasing, and as acceptable, as any other Liquors, to which he has been most accusom'd. And by this kind of Liquor, the Appetite will be increas'd, and become more natural than it us'd to be with fermented Liquors. And moreover, there will be this Advantage, that he that uses this *Dietetick* Liquor for his ordinary Drink, may the freer indulge himself in other Diet, than when he drunk Beer or Wine; for the Errors in Diet (all which it is almost impossible for a Man to avoid) will, by this means, be somewhat corrected and amended: But which is the chiefest of all, the Patient may prevent the Stone by this means, which is commonly the constant Companion of the Gout; for all sharp and attenuating Liquors occasion a Fit of the Stone, as well as generate it. The following Liquor, being of a pleasant Taste and Colour, pleases me best.

*Take of Sarsaparilla six Ounces; of Sassafras, China, and shavings of Harts-horn, each two Ounces; of Liquorice one Ounce: boil them in two Gallons of Fountain-water for half an Hour, afterwards let them stand cover'd upon hot Ashes twelve Hours, afterwards boil it to the Consumption of a third Part; as soon as it is taken from the Fire, infuse half an Ounce of Aniseeds; after two Hours strain it, and let it stand till it's clear,*



*clear; keep the clear Infusion in Glass Bottles, well stopp'd, for use.*

This Liquor is most conveniently us'd at first, when the Patient recovers of the Fit; and he must persevere in the use of it all the rest of his Life, as well when he has the Fits, as at other Times: For it is not enough to study new Things, when the Disease is raging; for in such a Confusion, and disorderly Motion, Nature can scarce bear the change of fermented Liquors, which are brisk and spirituous, for such as are small, and without Spirits. At the same time, the above-mention'd Electuary must be us'd daily, as well in the Fits, as when they are off; the Heat of this will somewhat allay the Waterishness of the *Dietetick* Drink, affording a due degree of Heat to the Blood and Bowels, without that Agitation which us'd to be occasion'd by the Heat of fermented Liquors.

If any one should object, that that Life is scarce vital; wherein a total Abstinence from Wine, and other fermented Liquors is observ'd: I answer, it must be consider'd, whether it be not much more miserable, and less tolerable, to be rack'd and dreadfully tortur'd with the Gout, grown strong by Continuance, (for when the Disease is gentle, this is not requisite) than to be confin'd to this Liquor; the use of which being continu'd, he may indulge himself in almost all sorts of Food; not to repeat now, that this Drink (as well as all other Things) grows pleasant by Custom. Certainly he that has felt this Disease, if he be a Man, will not long dispute which is best.

Yet notwithstanding, if the Patient, by reason of a long, and too great use of intoxicating Liquors; or by reason of old Age, or Weakness, cannot concoct his Meat, without Wine, or some other fermented Liquor, he cannot leave it off suddenly, without great Danger, the doing whereof has been fatal to many. Therefore, in my Opinion, he should not use the *Dietetick* Apozem above-describ'd; but if he be resolv'd to use it, let him be accusom'd to it leisurely, (drinking a Draught of Wine at Meals for some Time) more like a Remedy than a Diet, till the Decoction becomes more familiar: But *Spanish* Wine is to be preferr'd, in this Case, before *French* or *Rhenish* Wine; the two last being apt to inrage the Humours, and to increase the *Fomes* of the Disease, tho they are very grateful to the

B b

Stomach.



Stomach. Moreover, they are almost as crude, and scarce more concocted than our Cyder; and besides, they are not so cordial and hot as the Case requires. And so much may suffice for the Meat and Drink of Gouty People.

There is another thing, tho it may seem small, yet is of great Moment, as well for digesting the *Fomes* of the Disease, when the Fit is violent, as for hindring the Generation of the Matter, when the Fit is off; to wit, that the Patient, especially in Winter, go to Bed early: for besides Bleeding and Purging, nothing destroys the strength of Nature more than watching a Nights, which every sickly Person can affirm by Experience, if he considers how much brisker, and more chearfully he rises when he goes to Bed early, and how languid and faint he is when he sat up late. And tho it may seem as well, if he lies a Bed so many Hours, whether he goes to Bed sooner or later; for Instance, whether he goes to Bed at Nine, and rises at Five; or goes to Bed at Eleven, and rises at Seven; yet it is not so, and I suppose chiefly for this Reason, *viz.* in the Day-time, the Spirits are dissipated, either by the exercise of the Body or Mind; which in People that are sickly, are so infirm and weak, that they have need of Rest earlier in the Evening; for the approach of Night causing, as it were, a Relaxation of the Oeconomy of the Body, which was kept up in the Day-time, by the influence of the Sun, it is necessary, that the heat of the Bed should supply the want of the Sun, especially in Winter. But in the Morning, the Spirits being refresh'd and invigorated by the rest of the foregoing Night, and the warmth of the Bed besides, for that the ensuing Day adds firmness and strength to the Tone of the Body; rising early at this time, tho an hour or two is taken from the Morning-Sleep, Nature is not so much injur'd, as by Evening-Watchings, protracted an hour or two. Wherefore, I would persuade those that are subject to the Gout, to go to Bed early, especially in Winter; and to rise early, tho Sleep, somewhat shorter, may intice them to lie longer: for sleeping in the Morning prevents so much sleep the next Night; and so at length, a force being brought upon Nature, and its wise Instructions despis'd, Night is turn'd into Day, and Day into Night.

Moreover, the Tranquillity of Mind must be, by all means, obtain'd; for all Perturbations, when they break the Bounds, mightily dissolve the Frame of the Spirits  
that



that are the Instruments of Digestion; and so by consequence much promote the Gout: therefore the Sick should prudently consider his own mortal Condition, and not foolishly imagine that he is freed from those Troubles that necessarily follow it: for whether he suffers this Affliction of Mind, either by his own faults, or the fault of others, he can never prescribe Laws to the World, which has not been always hitherto obedient to any one, how potent and wise soever he has been; nor does ever all things fall out so exactly according to any one's Mind, as he fondly imagines; but suddenly, as he is busied in Mind about the ordering of Things, he becomes the Specimen of human Frailty, having unreasonably depriv'd himself of the Enjoyment of the fading Fruits of Life. The same Inconvenience follows too great an Application of the Mind to Study, and serious Things; for Melancholy always attending this Disease more than any other, those that are subject to it, are wont to tire and overwhelm the animal Spirits by thinking much and long, without the artificial help of Books; and they do so mightily overthink, that the Oeconomy of the Body cannot longer preserve it self whole. For which Reason, in my Opinion, this Disease seizes (except my self, if you please) very few Fools.

But the exercise of the Body is more advantageous than all other things that are used, to hinder the Indigestion of the Humours, (which I reckon the chief Cause of the Gout) and to corroborate the Blood, and to restore Strength to the Parts. But it must be observ'd, which I have mention'd above, that as in this Disease, more than in any other chronical Disease, the Habit of the whole Body ought to be chang'd; the Exercise of the Body, unless it is daily, will do no good: for this kind of Exercise intermitted by turns, as it does scarce conduce any thing to the Change of the Habit of the Body, grown languid and effeminate by Sloth and Indulgence; so perhaps it may prove injurious, by occasioning the Fit, when the Patient has disus'd it a long while. But this Exercise ought not to be violent, but such as is agreeable to old Men, who are most usually the Subjects of the Gout: for too violent a Motion of the Body does too much dissipate the Spirits, and by consequence hurts the Concoctions; whereas constant and moderate Exercise strengthens them. Tho this may seem hard to a Man, who, besides old Age



and Sloth, and the unfitness of the Body for Motion, which is, as it were, natural in this Disease, is moreover punish'd with Pain; and yet if this be omitted, nothing which has already been found out will do any good: and as the Intervals of the Fits, without constant Exercise of the Body, will not be long, so such an one will be more prone to breed the Stone, which is more dangerous and more tormenting than the Gout.

Moreover, (which is of great moment) the stony Matter is much increas'd by long Rest in the Joints of the Body, especially of the Fingers; so that at length they are wholly depriv'd of all Motion. For how confidently soever some People affirm, that the Matter of these Stones is nothing else but the *Tartar* of the Blood put off upon the Joints, yet it will easily appear to any one that does a little weigh the thing more seriously, that when a great quantity of unconcocted Matter, causing the Gout, flows upon some of the Joints, and renders the neighbouring Parts tumid a long while; at last it happens, that partly by reason the assimilative Virtue of these is choak'd, and partly by reason of a suffocating Obstruction which this dull Humour breeds in them, the said Matter is generated, which is turn'd into this kind of Substance by the Heat and Pains of the Joints, and is daily increas'd, changing the Flesh and Skin into its own Nature, which now lies naked, and may be pick'd out with a Needle, and is like Chalk, or Crabs-eyes, or some such thing. But now this Ill may be prevented by daily Exercise, by which the Humours causing the Gout, which are apt to seize on one part, are duly scatter'd thro the whole Body; so that it comes to pass, as I have observ'd my self, that long and daily Exercise does not only hinder the Generation of this very Matter, but also dissolves the Stones when they are hard and old, if they have not prevail'd so far, as to change the outward Skin into their own Substance.

As to the kind of Exercise, riding on Horse-back, when old Age or the Stone does not hinder, is much to be preferr'd before the rest: and truly, I have many times thought with my self, that if any one knew a Medicine, which he could also conceal, as effectual in this, and most Chronical Diseases, as constant and daily riding on Horse-back, he might easily get a vast Estate. If this cannot be us'd, riding in a Coach does almost as well; and on this

account,



account, at least, it is well with gouty People: for their Riches, which intic'd them to Luxury, whereby the Disease was bred, can provide them a Coach; which kind of Exercise they may use when they cannot the other.

But it is to be observ'd, that it is best to use Exercise in a good Air, *viz.* in the Country, and not in a City, where the Air is filled with Vapours, exhaling from the Shops of various Artificers, and thickned by the closeness of the Buildings, as it is here in *London*, which is generally thought to be the most spacious City in the whole World. But how great the Difference is betwixt the Exercises in the Country, and Exercises in Town, any one that has the Gout will soon find.

As to Venery, he that is old and gouty, (being now destitute of a Stock of Spirits, whereby the Concoctions ought to be promoted; and by consequence, his Joints and the neighbouring Parts to them, too much weakned and loosened, without this adventitious Destruction) is equally as improvident in my Opinion, if he indulge himself in these Allurements, as he, that having undertaken a Journey, should consume all his Provisions before he sets out: for, besides the Mischief he brings on himself, by not restraining the impotent Desires of feeble Age, he deprives himself of the great Privilege of enjoying that Jubilee, which is reserv'd as the great and special Favour of Nature for old Men only; whereby, in the last Scene of their Lives, they are at length emancipated from the Impetuosities of Lust; which, like a ravenous Beast, worried them all the time of their Youth, night and day: for the full Satisfaction of these Appetites can no way compensate for that long Train of Miseries that either accompany or follow it. And so much for the *Regimen*.

But tho Rules of this kind, respecting Diet, and the other *Regimen*, if they are carefully observ'd by those that are subject to the Gout, may preserve them from violent Fits of it, and may restore that Strength to the Blood and solid Parts, whereby they may be freed from the many Miseries, on which account this Disease exceeds human Patience, and at length becomes mortal; yet, after some Intervals, especially at the latter end of Winter, they will be sometimes seiz'd with the Gout. For tho in Summer-time, when the Tone and Vigour of the Blood is excited, and preserv'd in its State by the heat of the Sun, and there



is likewise a due Elimination of the Humours thro the Pores, it is reasonable to suppose, that the Concoctions should proceed much better than in Winter; yet, when Winter approaches, the Strength of the Blood being less'd, and the perspiration thro the Pores hinder'd, there must needs be a great Heap of indigested Matter, which, by its long Continuance, will form a Species, accompany'd with proper Symptoms, and produce a Fit as soon as occasion is offer'd; either by the Humours, put into Motion by the nearer approach of the Sun, or by drinking Wine, or by violent Exercise, or by any other evident Cause.

It is manifest from what has been said, That he that endeavours to cure this Disease, ought to make it his business to change the Habit of his whole Body, and to restore its old Constitution, as much as Age and other Circumstances will permit, which must be endeavour'd in the Spaces betwixt the Fits, not when the Fits are on: for when the *Fomes* is not only generated, but now is cast upon the Joints, it is too late to strive to change it, or to cast it out any other way; for it is to be ejected by no other Method than Nature shews, wherein alone we must acquiesce, which is observ'd in the Fits of Agues, and for which Reason we do nothing till the Heat is over: nor is he more absurd, that is anxiously busied about taking off the Heat, Thirst, and Restlessness, and other Symptoms of these Fevers, than he that thinks he has cur'd the Gout, when he has only labour'd to restrain the Symptoms: for by this means he has only rendred the Cure of it more difficult; for the more he eases the Pain, the more he obstructs the Concoction of the Humours; and the more he takes off the Lameness, the more he hinders the Expulsion of the morbidick Matter. Moreover, the more the Fury and the Sharpness of the Fit is suppress'd, it will not only last longer, but the Space betwixt the Fits will also be shorter, and less free from every degree of the Symptoms which accompany this Disease; which no one will deny that has well consider'd what I have treated of above, concerning the History of this Disease.

But now, tho no greater matter must be attempted during the Fit, only the removing those Symptoms which a false Method of Cure sometimes occasions; yet seeing all allow, that this Disease proceeds from an Abundance and an Exuberancy of Humours, it may perhaps be convenient



venient for the Patient to abstain from Flesh for some Days, when he is first seiz'd; and in the place of it, to use simple Barley-broth, or some such kind of Food; which sort of thin Diet conduces much towards the lessening the morbi-fick Matter, and will give Nature an opportunity to digest it sooner. But forasmuch as there is a vast difference betwixt the Body of one Person and another, some not bearing Abstinence from Flesh; but, by reason of it, are seiz'd with a Confusion of the Animal Spirits, with fainting, and other Symptoms, which use to befall Women that are subject to Hysterical Fits, these People are injur'd, if they forbear Flesh any longer than their Stomachs loath it, which seldom lasts beyond the first or second Day of the particular Fits; all which join'd together, as I mention'd before, make a whole Fit. But whether any one eat Flesh sooner or later, great Care must be taken, that they eat no more during the Fit, than is necessary to sustain Nature: Nor is less Care to be taken about the quality of the Diet; for as in the Intervals of the Fits, so more especially when the Fit is present, the Sick ought to take the greatest Care, that he does not at all err in the quantity or quality of his Meat or Drink. And, moreover, more than ordinary Care must be taken in observing any other *Regimen*, as well as this in the Intervals; and tho the Pain, as well as the unfitness for Motion, may seem to contra-indicate Exercise, which I have commended above all other things, yet this Labour must be undertaken: For tho at the beginning of the Fit, it may seem impossible that the Sick should bear to be carried into a Coach; and, to be sure, he is much less able to bear the Motion of it; yet if he try it, he will soon perceive, that he is less pained by such a Motion, than when he keeps at home in his Chair. And, moreover, he has this Advantage; if he ride some Hours in his Coach in the Morning, and after Dinner, that whereas when he sat at home all Day, he lay awake the greatest part of the Night, now he can sleep away the Pain a great part of the Night; for very moderate Exercise does so weary a gouty Man, that he falls asleep. And besides, the same Exercise does somewhat prevent the Stone, which an easy Life most commonly causes: But what is most considerable, the total Impotence of the Limbs for Motion, is help'd by constant Exercise; which happens to many af-



ter the first or second long Fit, the Tendons of the Hams and Heels being contracted; for when, by reason of the tormenting Pain, they have allow'd themselves to lie still a long time, (being unwilling to extend their Legs, when the Pain has seiz'd their Knees) at length they are depriv'd of the Motion of their Legs and Feet, all the rest of their Lives, as well when the Fits are off, as when they are on. Furthermore, in old Men, whose Concoctions are much vitiated, and who, by reason the Disease has afflicted them many Years, have as it were the very Substance of their Bodies turn'd to the Gout, it is not to be hop'd that the Disease, without Exercise, can ever be brought to Digestion: for when the Disease is too strong for Nature, they often die by Fainting and Sickness, which the abundance of the Furniture for the Disease, that cannot be concocted, produces; and they are destroy'd by this Matter that cannot be concocted, as by Poison.

But, notwithstanding what has been said of the usefulness of Exercise in the Fits of the Gout; yet if the Sick, by reason of the Violence of the Fit, is, as it were, overwhelm'd presently, by the first Assault of it, (which happens to those for the most part, in whom the Gout has now come to its height, nor is yet grown gentle by a Course of many Years) in this Case, if the Sick is confin'd to his Chamber, it will also be convenient, that he keep his Bed for some of the first Days, until the Violence of the Pain is abated: for the Bed does somewhat supply the want of Exercise; the continual use of it more powerfully digesting the morbidick Matter in a few Days, than keeping up in many, especially at the beginning of the Disease, if the Sick can abstain from Flesh without fainting, or other ill Symptoms; and be contented only with Barley-broth, Small-beer, and the like. But we must take notice, That if the Gout is inveterate, and inclines the Sick to Fainting, Gripes, a Looseness, and such kind of Symptoms, he will scarce avoid being destroy'd by one of the Fits, if he do not use Exercise in a free and open Air: For a great many gouty People have perished by these Symptoms, to which they have been obnoxious, by being confin'd to their Chambers, and especially to their Beds; whereas, had they bore the Fatigue of riding in a Coach the greatest part of the Day, they had not died so soon. For tho' he that is troubled with Pain only in one of his Limbs, may



may confine himself to his Chamber; yet if another, that instead of violent Pain is afflicted with Sickneſs, and the other aforeſaid Symptoms, ſhould do the ſame, he would endanger his Life: and indeed it is well for the Sick, when the Pain is ſo violent, that he cannot bear Motion; for then there is no great need of it, the very Pain, which is the bittereſt Remedy in Nature, ſecuring his Life.

But as to the Symptoms of the Gout, we muſt apply ourſelves to thoſe whereby the Life of the Patient is endangered; the weakneſs and faintneſs of the Stomach, with Gripes of the Belly, as from wind, is the moſt frequent of theſe which befalls thoſe, who either have been ſubject to the Gout many Years, or thoſe, who tho they have not long been afflicted with it, have notwithstanding invited this miſchief too early, by ſuddenly changing ſpirituſous Liquors for thoſe that are thin, and much cooling; or by applying repelling Plaſters, and other cooling Medicines to the Parts affected, to alluage the Pain; upon which account the material Cauſe of the Diſeaſe, which ought to have been put off upon the Joints, is caſt upon the Bowels. I have tried many things for the Fits of the laſt Years to leſſen this Symptom; but nothing did ſo much good as a ſmall draught of Canary Wine, taken now and then, when the Sickneſs and Faintneſs afflict the Sick: Nor is Red *French* Wine, or *Venice* Treacle, or any other Cordial thing which I have yet known, ſo effectual. But we muſt imagine, that neither this Wine, or any other Cordial, if Exercise be not uſed, can wholly preſerve the Patient.

But if any one Symptom ſcarce bearing a Truce, comes ſuddenly by reaſon of the ſtriking in of the gouty Matter, and threatens Death, we muſt not truſt to the Wine, nor to the Exercise above-commended; but in this Caſe, if it does not fall upon the Head, but upon the natural or vital Parts, we muſt immediately fly to *Laudanum*, namely, give twenty Drops of *Liquid Laudanum*, mixed with a ſmall draught of Epidemick-Water, and let the Patient compoſe himſelf to reſt in his Bed. But if the Matter occaſioning the Gout produces a Loofeneſs, becauſe it is not yet caſt upon the Limbs, if it be not the *Criſis* of a particular Fit, and if notwithstanding *Laudanum* above-commended, and Exercise of all Sorts, (for this muſt be firſt uſed for the Cure of the Loofeneſs) the *Diarrhæa* continues,



tinues, accompanied with Sickness and Gripes, there is only one Remedy that I know, *viz.* to provoke Sweat, by a Method and Medicines designed for this use; which if it be performed for two or three Days, Morning and Evening, for two or three Hours at a time, it most commonly stops the *Diarrhea*, and forces the *Fomes* of the Disease upon the Limbs. I cured myself by this Method, some Years ago, after I had imprudently cast myself into this Disease, by drinking cold Water for my ordinary Drink, when I had used cordial and astringent Medicines of various sorts in vain.

There is another Symptom not so frequent, tho I have seen it divers times, *viz.* a Translation of the peccant Matter upon the Lobes of the Lungs, when a Winter-Cough, by reason of Cold taken in time of the Fit, has by degrees drawn the Matter upon the Lungs, the Limbs in the mean time being wholly, or almost freed from the Pain and Swelling, by reason of the translation of the peccant Matter upon another Region. In this one Case the curative Indication is not to be directed to the Gout, but this Symptom is to be treated like a true *Peripneumonia*, *viz.* by Bleeding repeated, and cooling and thickening Medicines, and Diet; for the Blood drawn in this Symptom especially, is like the Blood of *Pleuriticks* exactly. Moreover, the Sick must be purged betwixt the Bleedings, whereby the filth that is fallen upon the Lungs may be carried off. But Sweating, how powerful soever it is in forcing the *Fomes* of the Disease upon the Limbs, does hurt in this Case, by hardening the Matter that is thrust upon the Lungs; upon which account small Abscesses are generated, and at length the Sick certainly dies.

Moreover it is to be noted, that almost all gouty People, when they have conflicted a long time with this Disease, are subject to the Stone in the Kidneys; and that they are wont to be troubled with *Nephritick* Pains, either in the State, but most commonly at the declination of a general Fit, which does not only torture him much, but also weakens him much; whereas he was but too much weakened, and worn out before. In this Case, setting aside all other Remedies, let him presently take a Gallon of **Poffet-drink**, wherein two Ounces of the Roots of Marshmallows have been boiled; and let the following Clyster be injected.

Take



Take of the Roots of Marsh-mallows and Lillies, each an Ounce; of the Leaves of Mallows, Pellitory of the Wall, Bears-breech, and of the Flowers of Camomile, each one Handful; of Flax and Fenugreek-seeds, each half an Ounce: boil them in a sufficient quantity of Water to a Pint and a half; dissolve in the strained Liquor, of brown Sugar, and Syrup of Marsh-mallows, each two Ounces; mingle them, make a Clyster. As soon as he has render'd all the Posset-drink by Vomiting, and has ejected the Clyster, let him take a large Dose of liquid Laudanum, viz. twenty-five Drops, or fifteen Grains of Mathew's Pills.

If any one enquires for external Remedies to ease the Pain of the Gout, I hitherto know none, tho I have try'd many in my self and others, excepting things cooling and repelling, the use whereof, I have shewed above, is dangerous: and I confidently affirm, that the greatest part of those who have perished in the Gout, have not been so properly kill'd by the Disease, as by an improper use of Medicines. But if any one will try the Virtue of external Medicines, which are certainly accounted *Anodynes*, do not let him impose upon himself, by applying them at the declination of a particular Fit, at which time the Pain is about to cease of it self; but rather let him use them at the beginning of the Fit, and then he will soon perceive how fruitless they are, and how vain his Hopes: for indeed these Epithems may do hurt sometimes, but they can never do any good; for which reason I have used no external Remedies many Years. The Pultis, made with white Bread and Saffron boiled in Milk, a small quantity of Oil of Roses being added, did, heretofore, do me more good than other things, and yet this signify'd nothing at the beginning of the Fit: therefore, if the Pain be very violent, it will be better for the Sick to keep himself a-bed, till the Pain is abated, than to use external *Anodynes*. But it will not be amiss to take a little *Laudanum* in the Evening, if the Pain is intolerable, otherwise it will be better to omit it.

But now seeing I am speaking of external Remedies, I must say something of the *Indian Moss*, called *Moxa*, much esteemed of late for the Cure of the Gout, if it be



be burnt a little upon the part affected. Tho this kind of Remedy is said to be received from the *Oriental Indians*, being before wholly unknown to the *Europeans*; yet it will appear to be known amongst us many Ages, to him that shall consult the Writings of *Hippocrates*, publish'd above two thousand Years ago. He says, in his excellent Treatise of Diseases, that if the Pain continues obstinate in any one part, and cannot be expelled by Medicine, in whatever part it is, you must burn it with crude Flax; and afterwards, speaking of the Gout, he says, the same things are good, which are proper in the Diseases of the Joints; and indeed this Disease is long and grievous, but not deadly: but if the Pain remains in the Fingers, burn the Veins in the Fingers above the Joints with crude Flax. Now, I suppose, none will think that there is any specifick difference betwixt the Flame of Flax and of this *Indian Moss*, no more than he can suppose, that a Fire kindled with Pieces of Oak can do any thing more than a Fire made of the Wood of the Ash-tree. This burning of the part affected may be useful for mitigating the Pain; the most spirituous part of the morbidick Matter cast off upon the Joints being drawn out by it. But the Benefit obtained by this Means, because it does not any way cure Indigestion, the antecedent Cause of the Gout must needs be very short and fading, and to be used only when the Gout is beginning: for when the Gout, as it sometimes happens, is turned inward, either by its long Continuance, or by an unreasonable and undue use of Medicines, and so afflicts the Patient rather with Sicknes, Gripes, and a great many other Symptoms of this kind than with Pain, I suppose no sober Man will think that Fire is to be used.

What I have said, is all I know of the Cure of this Disease. If any one objects, that there are many specifick Remedies for the Gout, I freely confess I know none; and I fear those that promise so much, are as ignorant as I am: and truly it is to be lamented, that the noble Art of Physick should be so crouded with these Trifles which are imposed upon the credulous, either by the Ignorance or Falseness of Writers; for in almost every kind of Diseases such kind of things are cried up, as if they were Divine, by such as make a Trade of these Trifles: or which is more to be wondred at, this mad Humour does not only prevail in Diseases that are indued with a Type, but in such  
also



also as are not at all formed, and proceed from some hurt of the Organs, or from an external Occasion, and imposes upon Men, as to other things very prudent. And this appears from such things as are commonly accounted Specificks for Contusions; such as *Sperma Ceti*, *Irish Slate*, and the like; all which do only divert the Method whereby this Malady ought to be treated, as will be manifest to him who shall try, how much safer and sooner it may be cured by Bleeding and Purging, used alternately, till the Sick is well. Those Trifles being wholly neglected, which are customarily given after once Bleeding, and by that Sollicitation of Sweat, which is wont to proceed from the Use of them, heating the Parts before inclined to an Inflammation, the Life of the Sick is indangered without any reason.

But if what I have proposed signify nothing, and I seem not sagacious, and too sparing of Medicines, I will propose all that *Lucian* has proposed fully in his Tragedy of the Gout, from whence one may chuse Externals and Internals; and perhaps he will find them as effectual, as many of those things that are cried up by some. *Lucian* brings in the gouty Person, speaking thus to those that boast, that they have some secret Remedies to cure this Disease.

*QUI S invictam me Dominam dolorum  
Ignorat podagram in terra mortalium?  
Quam neque thuris vapor placat,  
Neque effusus sanguis aras ad incensas?  
Non templum divitiarum undique suspensis ornatum donariis:  
Quam neque Apollo medicamentis expugnare valet,  
Omnium medicus in cælo Deorum;  
Non filius Apollinis doctissimus Æsculapius.  
Post quam enim enatum est primum hominum genus,  
Conantur omnes meam elidere potentiam,  
Miscentes semper medicamentorum artificia.  
Alius aliam in me experitur artem.  
Terunt plantagines, & apia mihi,  
Et folia lactucarum, & sylvestrem portulacam;  
Alii marrubium; alii potamogetonem;  
Alii urticas terunt; alii Symphytum;  
Alii lentes afferunt ex palustribus lectas;  
Alii pastinacam coctam; alii folia persicorum,*



*Hyoscyamum, papaver, capas agrestes, mali punici cortices,*  
*Psyllium, thus, radicem Ellebori, nitrum,*  
*Fœnum Græcum cum vino, Gyrinem, Collamphacum,*  
*Cyperissinam Gallam, pollinem hordeaceum,*  
*Brassicæ decoctæ folia, gypsum ex Garo,*  
*Stercora montanæ capræ, humanum oletum,*  
*Farinas fabarum, florum Asii lapidis ;*  
*Coquunt Rubetas, mures areneos, lacertas, feles,*  
*Ranas, Hyenas, Tragelaphos, Vulpeculas.*  
*Quale metallum non exploratum est mortalibus ?*  
*Quis non succus ? Qualis non arborum lachryma ?*  
*Animalium quorumvis ossa, nervi, pelles,*  
*Adeps, sanguis, medulla, stercus, lac.*  
*Bibunt alii numero quaterno pharmacum :*  
*Alii octono : sed septeno plures.*  
*Alius vero bibens hieram purgatur :*  
*Alius incantamentis impostorum deluditur :*  
*Judeus alium stultum excantat nactus :*  
*Alius vero remedium petit ab hirundinis nido.*  
*Ego autem his omnibus plorare impero,*  
*Et facientibus hac atque irritantibus me*  
*Soleo occurrere multo iracundior.*  
*Iis vero qui cogitant nihil adversum mihi,*  
*Benignam adhibeo mentem, facilisque fio.*

I do not at all doubt, but the most prudent of those, who having a long while conflicted with this Disease, and wholly despairing of a Cure, will approve of the Chorus, that makes the Catastrophe of this Tragedy.

**L** E N E M, O ubique gentium celebrata afferas (nobis)  
 dolorem, ô podagra,  
 Levem, facilem, non acutum, brevem, haud savientem,  
 Tolerabilem, facile desinentem, parum validum, ambulationes  
 non impedientem.  
 Multi sunt modi miserorum :  
 Sed exercitia dolorum, & consuetudo  
 Podagricos soletur.  
 Idioque æquo animo, ô complices, obliviscimini  
 Dolorum. Si ea quæ placent non fiunt,  
 Tamen etiam præter spem accidentibus viam invenire  
 Solet Deus.  
 Quivis sustineat podagra laborantium  
 Deludi & derideri :  
 Talis enim hujus morbi natura est.




To conclude, The Method which I here deliver, is built upon a strict Examination of the foresaid *Phænomena*; and by following it, I have eased the Disease in my self and others: yet a perfect Cure, whereby a Man may be freed from a disposition to this Disease, yet lies hid, and I know not when, or by whom it will be brought to light. Yet, notwithstanding, I hope that I have been some way beneficial to Mankind by this Treatise, by faithfully discovering those Rocks whereon I and many others have been wrecked, and moreover the best Method I have yet known; and I promise no more: tho by my long Course of thinking, I am induced to believe that such a Remedy will be some time found out; and if ever it happen to be, it will expose the Ignorance of the Dogmatical; and then it will appear, how much they are deceived in the Knowledge of the Essences of Diseases, and in the Medicines they use for them; a plain Instance whereof we have in the Discovery of the Peruvian Bark, the best Specifick for Agues. For how many Ages were the Wits of the most diligent Men exercised in finding out the cause of Agues, whereby every one adapted a Practice best agreeing to the Theory he had framed? But how those ways of Cure were able to defend the Theorems, is manifest from those Things, whereof we have yet a fresh remembrance, in which placing the various Species of Intermittents in the various Humours abounding in the Body, they were wont to direct the Method of Cure to the alteration and evacuation of these Humours. But how unsuccessfully they managed it, the ill Success of their Endeavours, but especially the happier use of the Bark, makes manifest; by the help whereof now, not regarding these Humours, nor Diet or *Regimen*, by only observing a due Method of giving the Bark, we do the Business effectually, and scarce ever fail, unless the Sick be unnecessarily kept in Bed whilst it is used. Yet so great is the Virtue of this Remedy, that notwithstanding this Inconvenience, *viz.* because the Fever is heightened by the heat of the Bed, the Sick is most commonly cured by it. In the mean while, till the perfect Cure of the Gout be found out, which all Physicians ought to desire, especially I, let this Treatise be kindly received as it is: But if it be otherwise, I so well understand the Humours of Men, that I shall not be much deceived; and I so well understand

†

stand



stand my Duty, that I shall not be discouraged; and if the tormenting Pains, the unfitness for Motion, and the rest of the Diseases of the Body, wherewith I have been afflicted for the greatest part of my Life, together with the Loss I have sustained in my Business, by Sicknes, can acquire ease for others, I shall receive, now I am passing into another World, some Fruit of the Miseries of this kind I have felt in this Life.



## Of a DROPSY.

EVERY Age of Man, and both Sexes, are sometimes afflicted with a Dropsy; but Women are more inclined to this Disease than Men: But it seizes these especially when they are in Years, and Women when they have done breeding. But it sometimes seizes barren Women, when they are young; the Pits, by the impression of the Fingers, in the Small of the Leg, that are especially conspicuous at Night, and that vanish in the Morning, are the first Signs of this Disease: But not so certain a Sign of an approaching Dropsy in Women, as in Men; for Women with Child, and such as have a stoppage of the Courses upon any Account, are often so affected. Nor does such a Tumour in Men, certainly indicate a Dropsy; for when an old Man, of a gross Habit of Body, has for several Years been troubled with an *Asthma*, and has been suddenly freed from it in the Winter, a great Swelling presently seizes the Legs, that resembles an Hydropick Swelling, which is more in Winter than in Summer; in a rainy Season, than in clear Weather; and yet he is accompanied with it as long as he lives, without any great Inconvenience. And yet, notwithstanding, generally speaking, a Swelling of the Legs is to be accounted a Sign of the supervening Dropsy in Men also, especially if those so affected are short-breath'd; which Tumour increases daily in Bulk and Quantity, till the Legs containing no more Water, the Thighs are swelled, and afterwards the Belly, which being filled with *Serum*, continually put off by the Blood, distends it by degrees to its utmost Capacity;



city; so that often it contains many Gallons of Water, which rushing upon the Navel, sometimes causes a Rupture there.

Three Symptoms accompany this Disease, Difficulty of Breathing, little Urine, and great Thirst. The Difficulty of Breathing rises from the Water oppressing the *Diaphragm*; upon which account, the natural Motion of it is obstructed, the Urine is rendred sparingly; because the *Serum* of the Blood, which ought naturally to be voided by the urinary Passages, is now put off upon the Cavity of the Belly, and upon other Parts fit to receive it. The Thirst is occasion'd by the putrefaction of the serous Humour, which, by long continuance in the Body, becomes acrid and hot: upon which account the Sick is always feverish and thirsty.

Proportionable to the Bulk of the Sick increased in the Parts, wherein the Disease is seated, he wastes daily more and more in other Parts: at length, when the quantity of the Water is so great, that it can no longer be contained within the Belly, it breaks out upon the vital and noble Parts, and he is as it were drowned in a deluge.

The cause of this Disease is weakness of the Blood, by reason whereof, being now unable to turn the Aliment into its Substance, it necessarily casts it off upon the Extremities, and depending Parts of the Body, and presently into the Belly also, wherein, as long as it is in a small quantity, Nature frames some small Vesicles to contain it: but at length increasng above measure, it is included only by the *Peritoneum*.

The Blood is weakned most commonly by too great an evacuation, either by Venesection, or by any other way, or by some long Disease, or by the destructive Custom of drinking spirituous Liquors immoderately; by which means the natural Ferments are destroy'd, and the Spirits dissipated: and hence it is, that excessive Drinkers are ofteneft afflicted with this Disease, tho it be a cold one; and also on the contrary, the drinking of Water in those who accustomed themselves to generous Liquors, injures the Blood as much.

But in Women, which is to be noted, another Cause of a Dropsy, very different from these, is to be found, *viz.* a heap of Matter or Obstruction of one of the Testicles, which by degrees confounds the *Crafsis* of it; upon which



account, the Tunick of it is wonderfully stretched by the *Fomes* of the Disease, first repositied in the said Testicle, which being about to crack, Nature makes some Vesicles to receive the Humours. But at length, one or more of them being broken, and exonerating themselves into the Cavity of the Belly, the same Symptoms occur which we have describ'd above in a Dropsy: but of this Kind I have treated heretofore.

There are also two other Species of Swellings of the Belly that resemble a Dropsy, both frequent in Women: the first is a preternatural Excrescence of Flesh in the Parts within the Belly, which makes it as bulky as when Water is included in it; the other Species arises from Wind, which occasions not only a Tumor, but other Signs of Breeding. This Widows are chiefly subject to, or Women that were not married till they were in Years; and these, in their own Judgment, and in the Opinion of their Midwives, whom they consult as their Oracles in these Matters, think they feel the Child move at the accustom'd time, and so to the usual time of the Birth; and moreover, they are sometimes sick, as breeding Women use to be; moreover their Breasts swell, and have Milk in them, so that they often provide Child-bed Linen: but at length their Bellies assuage by degrees, as they increas'd, and their Hopes fail them. But neither of these is to be referr'd to the Disease we are now speaking of.

The true and genuine curative Indications, as they naturally arise from the aforesaid *Phænomena*, are wholly to be directed, either to the Evacuation of the Waters contain'd in the Belly, and other Parts, or to strengthen the Blood, to cut off the Spring of them.

As to the Evacuation of the Water: It is of great Moment to observe diligently, that in Hydropical Persons, those Purges that work slowly, or not sufficiently, do more hurt than good. For all purging Medicines being inimicous to Nature, upon which account they purge, somewhat weaken and hurt the Blood; wherefore, unless they pass quickly, and are presently expell'd, by moving the Matter which they cannot carry off with themselves, and by exagitating the Blood tumultuously, they encrease the Tumor more, as appears plainly in their Legs, who are so gently purg'd; wherefore, that Purging may be us'd for the advantage of the Patient, you must know, whether



ther he be easily or hardly purg'd; for on this depends all the business of the Cure, and accordingly it will be easy, or very difficult.

Wherefore, when you are to use *Hydragogues*, you must carefully respect the easiness or difficulty of the Patient's Purging, which can certainly be known no other way, than by enquiring diligently how other purging Remedies, us'd at another time, operated: for in Bodies there is a certain *Idiosyncrasy*, as to Purging easily or difficultly; and therefore he will endanger very often the Patient's Life, who makes the sensible Temperament of the Body his Rule in this case: for it many times happens, that they that are of a strong Constitution are easily purg'd, whereas they that are of a quite contrary Constitution, are not easily purg'd with the strongest *Catharticks*. And indeed this Caution concerning the unaptness of the Patient's Body to bear Purging, is not only to be minded in *Hydragogues*, but in all other sorts of Purges: for I have often observ'd an *Hypercatharsis* occasion'd by lenitive Potions, when the Physician has not enquir'd as he ought, whether the Patient was easily or difficultly purg'd. But because a Dropsy, as I said before, above all other Diseases, requires the strongest and quickest Purges, and because in this Disease gentle Purging, that may do good in some other Disease, ought by no means to be admitted here; (for Purges of this kind do not only diminish the Swelling, but increase it) for this Reason I say, strong and large Purging is to be preferr'd before such as is weak, especially seeing we have *Laudanum* to stop it, if it should work too much.

Moreover, in all Purges us'd for the Cure of a Dropsy, this must carefully be noted, *viz.* that the Waters be evacuated as fast as the Strength of the Fit will permit: for the Patient ought to be purg'd every day, unless by reason of the weakness of the Body, or the too violent Operation of the preceding Purge, it ought to be omitted for a day or two: for if Purging be repeated only at great Distances, tho it purge much, we shall give occasion to the Waters to gather again; and by means of the Truce, being ignorant of the Victory gain'd almost, instead of being Conquerors, we shall be shamefully routed, and leave the Business undone. Moreover, there is danger, lest the Water, by its long continuance among the Bowels, should putrefy them. And besides, which is of no small Moment,



the Waters put into a motion by the foregoing *Catharticks*, are more inclin'd to injure the Body than when they are quiet; wherefore, for this Reason, as well as others before-mentioned, we must answer this Intention, which respects the Waters contain'd within, as soon as may be; nor must we desist from it, or cease Purging, unless Necessity urge, till all the Water is evacuated.

This is moreover to be observ'd, which is plain from Practice, that almost all *Hydragogues*, by a peculiar Genius of their own, if they are given by themselves to those that are difficultly purg'd, do not succeed well, and a large Dose of them rather promotes a Tumult in the Blood than Purges do; so that the Tumour, which ought to be lessen'd, is increas'd thereby: and therefore, in such Bodies, they are usually mix'd with things that purge gently to quicken them; yet, notwithstanding in those that are easily purg'd, *Hydragogues* work quickly, and with great Success.

Wherefore, for those that are easily purg'd, Syrup of *Buckthorn* alone purges Water plentifully; which Remedy indeed purges, in a manner, only Water, and evacuates a great Quantity of it, and does not disturb the Blood, nor render the Urine high-colour'd, as other Purges usually do: and this Syrup has but one ill Property, *viz.* That whilst it is working, it makes the Sick very thirsty. But if you give the greatest Dose of it to those that are difficultly purg'd, it will not give many Stools, nor bring away so much Water from them as it ought.

I remember very well, (for this was my first hydropick Patient) twenty seven Years ago, or thereabout, I was call'd to *Westminster*, to one Mrs. *Saltmarsh*, an honest and pious Gentlewoman, her Belly was incredibly big: I gave her an Ounce of the foresaid Syrup before dinner, as the Custom was then; it can scarce be imagin'd, how much Water she evacuated by Stool, and that without any Tumult or Faintness: which so encourag'd me, that I gave it daily; only when at any time she was weak, I omitted it for a day or two; and so the Waters being gradually drain'd, the Belly daily assuag'd, and she perfectly recover'd: and I, with the juvenile Confidence of an unexperienc'd Man, verily believ'd, that I had got a Medicine that would cure any manner of Dropsy; but I found my Mistake within a few Weeks: for soon after I was called to another Woman that had the same Disease, that came  
upon



upon a long Quartan Ague. I gave the same Syrup, and follow'd the Disease by the frequent Repetition of it, and by increasing gradually the Dose; but having endeavour'd in vain to evacuate the Waters, the Purge not working, the Tumour of the Belly encreas'd, and the Sick dismiss'd me, and, as I remember, recover'd by the assistance of another Physician, who prescrib'd more effectual Remedies.

Wherefore, when it was manifest that the Sick is of such a Constitution, that gentle Purges will not do the business quickly and easily, stronger must be us'd. In which Case, as I hinted just now, it is to be noted, that tho few *Hydragogues*, given by themselves, succeed; yet being mix'd with *Lenitives* to quicken them, they are effectual enough in such kind of Bodies. For instance, I have frequently prescrib'd the following Potion with success.

*Take of Tamarinds half an Ounce; of the Leaves of Senna two Drams; of Rhubarb one Dram and half: boil them in a sufficient quantity of Water to three Ounces. In the strain'd Liquor dissolve of Manna, and Syrup of Roses Solutive, each one Ounce; of Syrup of Buckthorn half an Ounce; of the Electuary of the Juice of Roses two Drams: mingle them, and make a Potion.*

But it must be given only to strong People: it purges when nothing else will, as I have found by much Experience. Or,

*Take of white Wine four Ounces; of Jalap, finely powder'd, one Dram; of Ginger, powder'd, half a Scruple; of Syrup of Buckthorn one Ounce: mingle them, make a Potion to be taken early in the Morning, every day, or every other day, according to his Strength.*

Another form of Medicine that I frequently use, is as follows; which they may conveniently use, who nauseate the Repetition of other Purges, which heat the Patient in Purging, and strengthen him. For instance,

*Take of the Roots of Jalap beaten, and Hermodactyls, each half an Ounce; of crude Scammony three Drams; of the Leaves of Senna two Ounces; of Liquorice rasp'd, of the Seeds of Anise and Carraways, each half an Ounce;*



Ounce; of the Tops of Wormwood, and the Leaves of Sage, each one handful: infuse them cold in three Pints of common Aquæ Vitæ; strain it as you use it: let a Spoonful be taken at Bed-time, and two the next Morning, increasing or decreasing the Dose, according to his Operation.

But two Medicines remain, which I count the best for those that are difficultly purged, and stronger than any I have mention'd above; I mean *Elaterium*, and the Infusion of *Crocus Metallorum*. *Elaterium*, or the *Facula* of the wild Cucumber, works powerfully in a small quantity, and evacuates plentifully the *Feces* and watry Humours. Two Grains of it, generally speaking, is a sufficient Dose for most Bodies. I use to mix them with one Scruple of the Pill *Ex duobus*, and so make three Pills to be taken in the Morning.

As to the Infusion of *Crocus Metallorum*, one Ounce and an half of it, or for such as are purged difficultly two Ounces, given in the Morning, and repeated daily, according to the strength of the Sick; tho at first it may seem only to evacuate the Water lodged in the Stomach, yet at length it will free the Belly from Water: for besides that it usually works downwards when the Vomiting ceases, it necessarily also, by the great Agitation and Concussion of the Stomach and Bowels encompassed round with Water, evacuates it, by Passages which are not very open. But if the foresaid Vomit does not sufficiently purge the lower Belly, I use to add sometimes, tho rarely, after the third or fourth Dose of the Infusion of *Crocus Metallorum* by it self, the Electuary of Roses, or the Syrup of Buckthorn. For instance;

Take of the Water of Carduus Benedictus three Ounces; of the Infusion of *Crocus Metallorum* one Ounce and a half; of the Syrup of Buckthorn half an Ounce; of the Electuary of the Juice of Roses two Drams: mingle them, make a Potion;

It is plain, that there are secret Passages, thro which the Waters are carried from the Cavity of the Belly to the Intestines; for we daily observe, that *Hydragogues* evacuate such a great quantity of Water from the Belly by Stool, as if it were contained in the very Intestines. But because we cannot well solve how it should be, I cannot  
but



but mention that famous Saying of the wisest and best Physician, according to the Opinion of all Ages, *viz. Hippocrates*, in his Book *De Prisca Medicina*: Some Physicians and Sophisters, says he, assert, That it is impossible to know the Art of Physick, unless you know what Man is, and how he was first made and compacted; but I, says he, think, that those things that are said and written by some Sophisters and Physicians of Nature, more properly belong to the Art of Painting than to Physick.

But (lest this divine Author should be accounted erroneous, or *Empiricks* should seek a Cloak for their own Ignorance from this place) I declare, That I, according to my best Thoughts about Practice, (which ought to be the Touch-stone of the Professors of Physick) suppose, that it is absolutely necessary, that a Physician should well understand the Structure of the human Body, that he may be the better able to conceive and form true Ideas of the Nature and Causes of some Diseases: for he that is ignorant of the Fabrick of the Reins, and of the Passages tending to the Bladder, cannot guess whence those Symptoms arise that proceed from the Stone in the *Pelvis*, or from being thrust deep into the *Ureters*. Chirurgeons also ought to understand the Structure of the human Body, that in their Operations they may be the better able to abstain from those Vessels and Parts, which if they should be violated, would destroy the Patient. Nor can they well reduce dislocated Bones to their natural Places, unless they curiously inspect, and well understand, the Frame of the Bones, called a *Skeleton*.

Therefore, such a Knowledge of the human Body is absolutely necessary; that he that has it not, will, as they say, fence winking with some Diseases, or go to Sea without his Compass. Moreover, this Knowledge is easily and soon acquir'd; for it may be shortned more than other things that are more difficult; for it may be learned by Sight in human Bodies, or in some Animals, and that very easily by such as are not sharp-witted. But in acute Diseases, which kind contains more than two thirds of Diseases; and moreover in most Chronical Diseases, it must be confessed there is some Specifick Property, which no Contemplation, reduced from the Speculation of the human Body, can ever discover: wherefore, that Men should not so place the main of the



business upon the dissection of Carcases, as if thereby the medical Art might be rather promoted, than by the diligent Observation of the natural *Phænomena*, and of such things as do good and hurt, is, I suppose, what the divine old Man would have chiefly avoided in the foresaid place, and that he does not banter and condemn the general Knowledge of the Fabrick of the human Body.

And truly, so great and wise a Man must needs know, that all the Discoveries that can be made, cannot exceed such a general Knowledge. For tho by a diligent search in dissecting Bodies, the greater Organs, which Nature uses in performing her Business, appear, and also some Vessels, through which the Juices are transmitted from these to other Parts; yet what is the original and primary Cause of this Motion the Eyes cannot see, nor can the best Microscope discover those small Passages thro which the Chyle, for example, is strained thro the Intestines into the chyliferous Vessels, or by what Passages the Blood passes thro the Arteries into the mouths of the Veins. Moreover, there are most innumerable and fine Pores and Passages in the wonderful Frame of Man, which none can so much as dream of, so rude and unlearned (pardon the Expression) is our Knowledge, which in a manner is only conversant about the outside of things, and only rises to the *τὸ ὄν*, and only understands things are so; but can by no means reach the Causes of things. However it be, we may without much difficulty understand as much as is sufficient, according as the nature of the thing will allow, to direct us in the Cure of those Diseases, which require, as we have said, such a Knowledge, so much especially as may force us to worship the divine Artificer with the greatest humility of Mind, while we contemplate his wonderful Workmanship in those things which our Reason can discover to us, and that which is much more excellent in other things, which we can no way search into.

And as *Hippocrates* blames those who waste more time in studying Curiosities in Anatomy, than in practical Observations, and by consequence, of Nature it self; in like manner, any prudent Man in this Age may blame those that think the Art of Physick can be no ways so well improv'd, as by new chymical Inventions. For tho we should be very ungrateful, if we should not freely acknowledge



## Of a Dropsy.

ledge that Help which we have receiv'd from Chymistry, it having supply'd us with some good Medicines, and such as are very fit to answer Indications: among which, this very *Emetick*, of which we now treat, is not the least; wherefore the Art is very laudable, if it be restrain'd to the Bounds of Pharmacy: yet they are to be blam'd who so heat and distract their Brains, that at length they think the Art of Physick is chiefly deficient for want of great and effectual Remedies that can only be prepar'd by the Chymists; whereas he that weighs the thing well, will find, that the chief defect of the Practice of Physick does not proceed from the want of Means to answer this or that Intention, but because we do not know what the Intention is that is to be satisfy'd; whereas every Apothecary's Boy, in a quarter of an Hour's time, can tell me with what Medicine I shall vomit, purge, or sweat, or how I shall cool one that is hot: but he ought to be well skill'd in the Practice of Physick, that can teach me as certainly when this or that kind of Remedy is to be us'd thro the whole Course of Diseases and Cures.

And truly I am very certain, that nothing can so much conduce to form the Judgment right in this matter, as an exact Observation of the natural *Phænomena* of Diseases, and likewise of those things which are observ'd in Practice, from what does good or hurt, whether they are the Remedies us'd, or the Method wherewith we endeavour to cure the Disease. If these things are diligently compar'd one with another, they will shew the nature of the Disease, and moreover from whence the curative Indications are to be taken, much better and more certainly than if I should direct my Course to the Speculation of the nature of this or that Principle of the concreted Body, as by the Stars: for the most exquisite Dissertations of this kind are nothing else but Metaphors, neatly deduc'd and adorn'd; and which, like all other things that are founded upon Imagination, not upon Nature it self, will vanish, and be worn out by Time; whereas the Judgment of Nature, built upon the verity of things, will continue as long as Nature does.

But tho Hypotheses, built upon Philosophical Speculations, are altogether vain, because no Man is indued with intuitive Knowledge, whereby he can lay down Principles, on which he may presently build; yet if Hypotheses flow  
from



from things done, and from those Observations only, which practical and natural *Phænomena* suggest, they will remain firm and unshaken: so that tho the Practice of Physick, if you respect the Order of Writing, may seem to rise from *Hypotheses*; yet if they are solid and genuine, they, in some sort, owe their Original to Practice. For instance, in Hysterick Diseases, I do not therefore use *Chalybeats*, and other things that invigorate the Blood, and forbear things that evacuate, (unless upon some Circumstances, I use rather *Paregorick* Remedies) because I first took it for granted, that this Disease proceeded from the animal Spirits being weakned and broken. But when the constant Observation of practical *Phænomena* had taught me, that the giving of purging Medicines always increas'd the Symptoms; and that things contrary were wont to quiet the said Symptoms, I took my *Hypotheses* from this, and other Observations of the natural *Phænomena*; so that the Philosopher should here serve the *Empirick*. But if I had began with an *Hypothesis*, I should have been as mad, as he that should go about to tile a House before he has laid the Foundation; which is only proper for those to do that build Castles in the Air, as they say; and they have a Privilege to begin at which End they please.

But to return to the Business, whatever these Passages are, thro which the Water passes from the Cavity of the Belly into the Intestines, I am certain, that Vomiting, provok'd by the said *Emetick*, does powerfully evacuate the same, and not only downward by Stool, but also upward, thro the Stomach and Mouth in the Act of Vomiting: for after Vomiting twice or thrice, the Waters do not seem so much to be drawn by the secretory Force of the Medicine, as to run with a full Stream, the Stoppages being broken and open'd; which appears plain enough, by the frequent impetuous Irruption of them betwixt the Spaces or Intervals of Vomiting.

Last *August*, a certain poor Woman, of fifty five Years of Age, or thereabouts, implor'd my Help; she had an Ague a long while, and afterwards was Prisoner three Years. She had suffer'd much by Cold, and her Belly was bigger than ever I saw any before. I gave her an Ounce and an half of the Infusion of *Crocus Metallorum* three days following; afterwards every other day, according to her Strength, till she had taken six Doses. Her Urine was



was quite stopt, after she had vomited sometimes at first ; but she render'd it again sometime by Intervals, tho very rarely : the oftner the Vomit was repeated, the greater quantity of Water was wont to be ejected ; and towards the end, by the Mouth, as well as by Stool. But after the third Dose, the Tumor began to subside, and to be lessen'd ; and after fourteen Days, by the Thread where-with I order'd her Body to be measur'd when it was swell'd, she appear'd to be a Yard less in compass, and by Computation, she evacuated some Gallons of Water upward and downward ; so that whereas before she was forc'd to sleep in her Bed upright, fearing, if she should lie down, she should be suffocated by the weight of the Waters, now she could securely lay her Head upon the Pillow, and turn from side to side as she pleas'd. But because the said Vomits, by reason of the violence of their Operation, did raise the Vapours, as they call them, to that degree, that it was not safe any longer to use them ; and yet notwithstanding, it was very manifest, by the remaining swelling of the Belly, and the motion of the Water, which she perceiv'd as often as she turn'd her self from side to side ; also by the Pits remaining in the Leg, after being press'd by any thing, that there was yet much Water in the Body, wherefore I was forc'd to finish the Cure with purging Things, properly so call'd : therefore, afterwards I prescrib'd either the purging Potion above-mention'd, or some other *Hydragogue*, seldomer or oftner, according as her Strength and the Vapours would permit ; for Purging downward does, in some sort, also occasion Hysterick Disorders, tho not so great and violent as *Emeticks* are wont to do. I continu'd this Method, till she seem'd quite well, and while she was under Cure, these things, worth Observation, occur'd : First, on those Days she did not purge, she voided a great quantity of Water by Stool ; and towards the latter end, by the urinary Passages a Gallon, tho I did not allow her to drink above a Pint and an half, or a Quart for each Day ; so that all the Passages seem'd to be every where open. Secondly, it is worth notice, that when the Cure was almost perfected, the Vapours were rais'd by the Purges ; and the Belly, swell'd very much upwards, as it were, fill'd again with Water, which yet I knew could not be, because she drank so sparingly ; and therefore, that the Tumour arose only from Wind, which



which proceeded from the Confusion occasion'd by the Purges, and the Event confirm'd my Opinion of it: for tho she evacuated a Gallon of Water in a day when she was purg'd, yet notwithstanding she began to swell presently; nor did the Tumour abate, but rise up to the Throat, and caus'd a difficulty of breathing, till the Body, freed from the disturbance of the Purge, had obtain'd its natural State and Quiet: after which, the Swelling, and other Symptoms, vanish'd of a sudden, till they were irritated again by the succeeding Purge. Lastly, it is to be noted, that the said Woman being about fifty five Years of Age, and not having had her Courses for many Years, yet they broke out again violently; which Flux of weakned Blood being added to the foregoing Evacuations, wonderfully increas'd the Train of Hysterick Disorders, namely, a violent pain in the Back, and about the Region of the Spleen, the Head-ach, and a great Catarrh. Moreover, tho after so great a quantity of Water evacuated by Vomit, Stool and Urine, it was very probable that much could not remain in the Body; yet the Belly swell'd as much as it us'd to do when no Evacuation was us'd: wherefore, to quiet these Motions, which caus'd a disturbance for a Week after the last Purge, I was forc'd to give an Ounce and a half of *Diacodium* for four Nights following; which Dose was also to be repeated within three Hours, if she did not fall asleep, whereby at length all things were quieted, and the Tumour disappear'd.

But it is to be noted, that if the Belly be but a little swell'd, the Waters are not so easily evacuated by the Infusion of *Crocus Metallorum*, as in a great Dropsy, where there is a very great quantity of Water: for the Bulk of the Water, when it is agitated and shook by the Operation of the Vomit, wonderfully conduces to the Evacuation of it: wherefore, unless the Belly be very much swell'd, it is best to do all by things that purge downwards.

There is another Medicine that is very common and simple, that cures a Dropsy in the same manner that does we now mention, namely, three handfuls of the inner Bark of Elder, rasp'd from the Wood into two Quarts of Water and Milk mix'd together, and boil'd to a Pint; half a Pint of this Decoction is to be taken in the Morning, and the other half in the Evening, daily, till the Patient is well. This Remedy vomits and purges in like manner as *Crocus Metallo-*



*Metallorum* does, and so cures the Disease the same way, and not by any specifick Quality: for when it performs neither of these Operations, or if moderately or sparingly, it does no good at all; but when it does effectually work either way, but especially both ways, it cures this Disease in a wonderful manner.

But truly it should be carefully minded, which often happens, that Water is put off upon the Legs and Thighs, and also into the Belly; and yet it must be by no means evacuated upwards or downwards. For instance, when such a Tumour follows a long Consumption, or when it is occasion'd by the Putrefaction, or fault of the Bowels, or by the Tone of the Blood, if it be lawful to say so, not only relax'd, but spoil'd, the Spirits being quite exhausted; or by reason of the long continuance of a *Fistula* in the fleshy Parts, which has heap'd up a great quantity of *Sanies*; or by too great a Weakness and Evacuation of the Humours and Spirits, by Salivation, Sweating, or too much Purging; or by a thin Diet in the cure of the *French Pox*, which has been stricter than was necessary: In these, and other Diseases occasion'd in this manner, the Sick is not only not reliev'd by Purging, but the Tone of the Blood being more weakned thereby, the Disease is increas'd; wherefore, in these Cases, the whole of the Business is to be perform'd by such things as strengthen and confirm the Blood and Bowels. Among other things of this kind, besides Remedies that comfort, which are to be mention'd below, I have certainly found the Change of the Air, and Exercise in a free Air, such as the Sick can bear, has answer'd this Indication excellently well; the Spirits being by this means reviv'd, and the Organs of Secrecion fitted to perform their Office again.

It also happens, that when there is none of the Cases mention'd above, we must not always answer the Intention which respects the Evacuation of the Water, either by Purging or by Vomiting: for when the Patient is of a weak Constitution, or a Woman that is very subject to the Vapours and Disorders of the animal Spirits, we cannot perform the Business with *Catharticks*, much less by Vomits. Here, therefore, the Evacuation of the Water must be manag'd by *Diureticks*; among which, tho many are much cry'd up in the Writings of Physicians, yet I think the most effectual, not to say the only, are made of lixivial Salts.



It matters not of what kind of Vegetable the Ashes are made; but because scarce any other Vegetable can be easier got than Broom, and because it is well approv'd of in this Disease, for the most part, I order a pound of the Ashes of it to be infus'd cold in two Quarts of *Rhenish* Wine; adding to it one or two Pugils of common *Wormwood*. The Sick must take four Ounces of the Liquor filtrated in the Morning, at five in the Afternoon, and in the Evening daily, till the Tumour vanishes: with which Remedy alone, I have known some Dropsies, that were counted deplorable, cur'd in those, whose weak Constitutions could not bear Purging.

The Waters, to hasten to the second Intention, which are the next Cause of the Disease, being quite evacuated, but half the Cure is perform'd most commonly, unless the weakness of the Blood, which is the Origin of the Disease, be remov'd by a long and daily use of heating and strengthening Medicines, to prevent a fresh Stock of Waters. For tho it often happens in young People, that when the Waters are well purg'd off, they recover without any more ado, their natural Heat being freed from the burden of the Waters, supplying the room of Remedies; yet in antient People, and in others who are of an infirm Constitution, it is absolutely necessary, presently after the Waters are quite evacuated, to use those Simples which heat and invigorate the Blood, among which those things which I have commended above for the Cure of the Gout, whether they are Remedies or the fix Non-naturals, may be us'd, besides those which shall be mention'd by-and-by, (only Wine, from which we ought wholly to abstain in the Gout, is not only not hurtful in a Dropsy, but very beneficial, if it be us'd for the ordinary Drink) for these two Diseases agree in this, *viz.* The same strengthening Remedies resist the original Cause in both. But it must be confess'd, that we being taught in both by the manifest *Phænomena*, and by those things that do good or hurt, that these, and most other Chronical Diseases, take their Rise from weakness of the Blood and Indigestion; and being able to know no more, we have, as yet, but a superficial Knowledge of Diseases, being not able to penetrate into the essential Differences of them, and the specifick Depravations of the Humours, proceeding from such Indigestions, which Indigestion is the common Cause of all; nor can we any way understand those various  
Specifica-



Specifications, which, in acute Diseases, flow from one and the same Cause, *viz.* the Inflammation of the Blood; wherefore, as well in these as in Chronical Diseases, *Specificks* being wanted, we are forc'd to direct the Cure, not to the essential Nature of the Disease, but to the more general Cause of them, varying now and then the method of Cure, either according to the spontaneous Indication of Nature, which she uses in eliminating Diseases, or following the guidance of Experience, shewing by what kind of method of Cure every Disease yields easiest.

Moreover, in order to the fulfilling this Intention of which we now treat, *viz.* That the Blood be corroborated, whether the Evacuation of the Water be affected by this Diuretick, or by Purging or Vomiting, as above, it is absolutely necessary, that the Sick, if his Condition will allow of it, be order'd to drink Wine all the while he is in Cure; (but he must not begin drinking of Wine before the Passages are somewhat open, and a way made for the Water) or, at least, instead of Wine, the best Strong-beer; because all sorts of small and cooling Liquors, how agreeable soever they may be to the Palate of the Sick, who is almost always thirsty in this Disease, render him more phlegmatick, and further the increase of the Water: therefore, they are rarely or never to be allow'd; but on the contrary, generous Liquors, if they are not distill'd Spirits, do so promote Health, that sometimes they cure alone at the beginning of the Disease, when there is not much Water in the Belly, especially when they are impregnated with heating and strengthening Herbs. In poor People, for instance, the narrowness of whose Fortune could not allow of better Remedies, I use to order for their ordinary Drink, Strong-beer, wherein a sufficient quantity of the Roots of *Horse-radish*, of the Leaves of common *Wormwood*, garden *Scurvy grass*, *Sage*, the lesser *Centaury*, and the Tops of *Broom*, have been put. For such as are rich, *Canary Wine* may be impregnated in the like manner with the same bitter Herbs, a Draught whereof may be taken twice or thrice a day, with the Medicines above-mention'd; but *Wormwood Wine* may be us'd instead of it, if it be more pleasing to the Palate, whereof the Sick may take nine Spoonfuls, after two Drams of the digestive Electuary, describ'd in the Treatise of the Gout, at the medicinal Hours; that is, in the Morning, at four in the

†



Afternoon, and at Night. This Electuary answers this Intention excellently well, and very much excels all other corroborating Medicines whatsoever. But here great Care must be taken, that the Sick drink very sparingly small Liquors, because all, whatever they be, somewhat increase the Waters; for a total Abstinence from Drink has cur'd some: wherefore, if these Liquors are sometimes to be indulg'd, the Sick must drink very sparingly of them. But because this Disease is wont to be accompany'd with great Thirst, which is moreover increas'd by abstaining from small Liquors, it may be convenient for the Sick to wash his Mouth often with cold Water, sharpened with Spirit of Vitriol; or he may hold now and then Tamarinds in his Mouth, or chew a Lemon; but he must swallow neither, by reason of the Coldness of them, which increases the Disease.

But amongst Corroboratives, Steel is the chief at the beginning of the Disease, for it heats and invigorates the Blood; for which reason also Garlick is good, and I have known a Dropsy cur'd by it alone, without any Evacuations, by the Prescription of others, not my own.

But it is to be observ'd, that that Dropsy which swells only the Legs or the Belly but moderately, does not presently require to be cur'd by Vomit and Purges; for it often yields to the foresaid heating and strengthening Liquors. But above all, you must take great notice, when the Cure of this Disease is manag'd only with strengthening and lixivial Medicines, the Sick must by no means be purg'd with any gentle or strong Medicine, whilst we endeavour to strengthen the Blood; for the Cathartick destroys what has been done by the corroborative Medicines, as any one must needs acknowledge, who has observ'd the Swelling to begin to assuage by use of Corroboratives, and to be presently increas'd by Purging: for tho when we endeavour to answer the Intention of evacuating the Waters, it may not be improper to give now and then Corroboratives; yet when all the Business depends on strengthening the Blood, we must wholly abstain from *Catharticks*.

But it is to be noted, that the Sick is not always cur'd when we answer both these Intentions, *viz.* when the Water contain'd in the Belly is wholly evacuated, and also when heating and strengthening Medicines have been us'd, to prevent a new Stock of Water: for it often happens, that a Dropsy continuing for many Years, the Waters lying



a long while upon the Bowels, pervert their Substance, and half boils them, as it were; and quite corrupts the Bowels, and the neighbouring Parts; generating preternatural Glands, and small Bladders full of *Sanies*, and turning all things contain'd in the Cavity of the Belly into a sort of Corruption, as Dissection discovers in the Carcasses of those who die of an inveterate Dropsy; and when the Disease is at this height, it contemns, as far as I see, the help of Art; yet it is the Duty of a Physician, seeing he cannot certainly know how much the Bowels are hurt, to endeavour the Cure all he can, by things that evacuate and strengthen; and not to despond, or cause the Patient to do so. And for this reason, he must use his utmost Endeavours in this Case; because in very many Diseases, when the *Fomes* of the Disease is quite carry'd off, Nature, that assists us Night and Day, wonderfully contrives, of her own accord, to free the Sick from the pernicious Relicks of the Disease: wherefore every Dropsy, how inveterate soever it be, altho it has mightily injur'd the Bowels, may be treated in the same manner, as if it were just begun.

Topicks, or external Remedies, so far as I can observe, perform no great matter in this Disease; those are least hurtful, which are apply'd to the Belly, to discuss the Swelling, in the Form of a Cataplasm or Liniment. But I do not see by what means they can discuss the Water; but there are other things prescrib'd by some, instead of Remedies, that, instead of doing good, do much hurt; of this sort are Ointment made of the strongest Catharticks, and apply'd to the Belly; Blisters also apply'd to the Thighs and Legs, to evacuate the Water when the Parts are much swell'd. But both these are dangerous; for by the first, the cathartick force of the Simples is sometimes so thrust into the Muscles and Membranes, that an *Hypercatharsis* is occasion'd, that can never be stopp'd by any Remedies. But Blisters, that are wont to be apply'd to the aforesaid Parts by Empiricks, quite extinguish the natural Heat, which was almost over-whelm'd before by the Waters, the Animal Spirits being also deficient, and so they often occasion a Gangrene, which is too frequent in this Case. The slightest Wound is very difficultly heal'd in the Flesh of Hydropical Persons, especially in a depending Part; because the very Substance of the Flesh in these Parts so much abounds



with Water, that the Humour, having got any Passage, perpetually flows, and thereby hinders the healing of the Wound: nor, in my Opinion, can a *Paracentesis*, or the Puncture by a Needle, that is commended by some, be us'd with less Hazard, and greater Success than Blisters.

But to conclude: tho this Disease, when it is come to a true Dropsy of the Belly, is always counted deplorable; yet it will appear, if it be treated as above, that it may be as certainly cur'd, if the Bowels are not corrupted, as many others which are not reckon'd so deadly.

But, perhaps, some one will blame these Remedies, for being simple, and plainly inartificial; I should rather blame his Wickedness, for disliking that others should be cur'd with such simple Medicines, when he would be glad, that himself, his Wife, or Children, if they are at any time sick, might recover their Health by the most contemptible means. Moreover, the Coxcomb exposes himself; for the Pomp and Dignity of the medical Art is not so much discover'd by neat Forms of Remedies, as by curing Diseases.

This is all I have to say of these two Diseases, and I think I shall scarce treat of any other; but as to those I have already publish'd, if any one should vouchsafe to read them but once, I am very sorry that I should occasion his loss of time: but if he will read them often, and ponder them well, I do not at all question but he will receive such advantage by them, as will, in some sort, answer the Desires and great Labour which I have bestow'd on the making and composing these Observations; for a Man can only know with what Sincerity they have been deliver'd, by being conversant in the Practice of them, and by being as diligent and curious a Searcher for Observations as I was before him. And if in those few things I have written, I have wholly follow'd Nature, not pinning my Faith upon the Opinion of any Man, how great soever he is, I am sure all wise Men will pardon me, who cannot be ignorant that there are two sorts of Men, who equally obstruct the Improvement of the Art of Physick: the first are those, who adding nothing for the increase of the Art which they profess, despise others who ever so little improve it; these hide their Defect and Sloth, under the pretext of Reverence to Antiquity, from whence they say they must not recede a Nail's breadth. But why should we confess, that all other Arts, which are not of so great Importance to  
Men,



Men, should be so much improv'd, without any prejudice to the Antients; and Physick alone should be reckon'd altogether perfect? Could not the Inventors of the more certain Art of Sailing, which now prevails, try the use of the Compass, which succeeds so well; but they must, forsooth, condemn the first, that were so unskilful, that they could not direct their Course any other way, than by the View of the Stars, and the Windings of the Shore? Or must the more accurate and perfect Art of making and governing Ships in fight, whereby now-a-days the Western Inhabitants of *Europe* excel all others, defame those Shipwrights, who made the Navies that fought heretofore at *Actium*; or *Augustus*, or *Mark Anthony*, who were such great Generals and Admirals? Besides, there are most innumerable Examples of things found out, which far excel the Inventions of the Antients, the Contrivers whereof are no more to be suppos'd injurious to the Memory of the Antients, than that Son is to his Father's Fame, who increases the Estate left him by his Care and Industry. There is also another sort of Men, who, out of levity of Mind, affecting the Title of Wits, troublesomely intrude Speculations, that no way advance the Cure of Diseases; not so properly shewing the way to Physicians, as making them stray from it by their *Ignis Fatuus*. Nature has bestow'd so much Wit on these People, as enables them to trifle learnedly with it: But she has fail'd them in the prudential Part, whereby they should know, that they can understand nothing no other way than by Experience, which unveils Nature; for the abject Condition of the human Nature, being unable to rise to an intuitive Science, is restrain'd to the narrow Bounds of Knowledge, which it receives from the five Senses; yet notwithstanding, a Man may become as prudent, as the humane Lot will allow. But a Philosopher, according to the august Majesty of the Name, no mortal Man can ever be; but all the Philosophy of a Physician consists wholly in searching the History of Diseases, and for Remedies, which are found by Experience to be able to cure them; observing, as I said in another place, the Method of Cure, which right Reason (founded upon the common and natural way of thinking, and not the Commentaries of Speculations) dictates to him.



## P O S T S C R I P T.

BY the Reader's leave, I will add one thing of no small Moment, in finding out and curing Fevers ; which, if I had not forgot, should have been mention'd in a more proper Place. I have observed, that every Year from the beginning of Winter to the height of Spring, a certain Fever invades ; which, both as to the Symptoms and Cure, plainly differs from the *Stationary*, or *Epidemick* Fever of the general Constitution, which then prevails, and therefore to be reckon'd amongst those Fevers, which I call Inter-currents. It seems to rise from the Frigidity of the Air, and the thickness and moisture of it ; for by this means, the Pores of the Skin are shut, and the Blood, by reason of Transpiration hinder'd, is burden'd with a Heap of serous Matter ; which at length becoming offensive, and putrefying by its long continuance, easily kindles a Fever upon taking Cold, or upon some slight Occasion ; and if the Matter causing the Disease be very much, that Fever arises, which I describ'd under the Title of a Bastard *Peripneumonia*, Chap. 4th, Sect. 6th, of my Book of acute Diseases : But if the Humour does not so much abound, it only produces those Symptoms, which I am now about to describe. The Sick for a Day or two, after the beginning of the Fever, is sometimes hot, sometimes cold ; he complains of a Pain in his Head and Limbs, and of Restlessness over his whole Body ; his Tongue is white, and his Pulse not much unlike the Pulse of a well Person ; his Urine is thick, and very red, his Blood is like that of *Pleuriticks* ; there is most commonly a Cough, but the difficulty of Breathing, straitness of the Breast, and Pain of the Head in Coughing, as if it were cleft, does not accompany this Cough, as they are wont in a Bastard *Peripneumonia*. And, moreover, this Fever is not accompanied with the more remarkable Signs of a *Peripneumonia*, tho it differ from it only in degree ; I call this the *Winter-Fever*.

This Disease, tho at its first coming it has only the Symptoms that arise from taking Cold, yet if it be ill managed, it draws after it a long Chain of great Ills, which at length kill ; for when the Sick is confin'd to his Bed, and has been punish'd with I know not what cordial things to provoke Sweat, and carry off the Fever, (but it's seldom done) a *Delirium*, *Lethargy*, a languid and inordi-



inordinate Pulse, dry Tongue, red Spots, and sometimes looking almost livid, too often accompany this Fever. This and such-like Symptoms, altho some impute them to Malignity, as they love to term it, yet they are really to be ascribed to ill Management ; for this Fever of its own Nature having too much of an Inflammation, the Blood is yet more fired by Cordials, and keeping continually a Bed, so that the Spirits are driven into Confusion, and inordinate Motions, and the morbifick Matter being cast upon the Brain, all things go to wreck,

In curing this Fever, I propose this Method, *viz.* to cause a Revulsion of the stock of Flegm abounding, that was heapt up by the Analogy of Winter, by Bleeding, and to carry it off by repeated Purges ; and in order to this, as soon as I am called, I order nine or ten Ounces of Blood to be drawn from the Arm, and the next Day I give my common purging Potion, *viz.*

*Take of Tamarinds half an Ounce, of Senna two Drams, of Rhubarb one Dram and an half ; boil them in a sufficient quantity of Water ; to three Ounces of the strained Liquor add of Manna, and Syrup of Roses solutive, each one Ounce : mingle them, and make a Potion to be taken early in the Morning.*

I repeat this Potion twice, a Day being betwixt each Purge ; if all the Symptoms do not go off before, of the Days he does not purge ; if he has a Cough, I order him to take the pectoral Decoction, and a *Linctus* made of Oil of sweet Almonds, and of the Syrups of Maidenhair and Violets, now and then. And to suppress the too great heat of the Blood, if the Fever be very raging, I prescribe an Emulsion of the cold Seeds ; however the following Julep.

*Take of the Waters of Water-Lillies, Purslain, and Lettice, each four Ounces, of Syrup of Lemons one Ounce and a half, of Syrup of Violets one Ounce ; mingle them, make a Julep, whereof let him drink as oft as he will.*

In the mean while, I order the Sick to keep from Bed a-days, and from eating Flesh ; but after the first or second Purge, I allow that now and then he should drink a Draught of thin Chicken-broth. But it is to be noted,



that if any violent Symptom, as difficulty of Breathing, or a lanching Pain of the Head in Coughing, shew that this Disease is near a Bastard *Peripneumonia*; in this Case both Bleeding and Purging are so often to be repeated at due Intervals, till all the Symptoms quite vanish, and the Sick is to be treated carefully in the manner we have described in the said Chapter. But it is very rare that this Fever, whereof we now speak, is so violent, that after once Bleeding and thrice Purging, it should want more Evacuation: But enough of this, tho I thought it necessary to mention it, that this Winter-Fever might not be counted Stationary, or a general *Epidemick* Fever of any Constitution; for I certainly know, that many Men have died, either because this was neglected, or not known.

*To the Worthy and Learned Dr. Charles Goodall,  
Fellow of the College of Physicians.*

WHEN I resolved to publish what I lately observed concerning the Fever of this present Constitution, I thought I ought to dedicate it to you, worthy Sir, above all others; and I count I ought to do it chiefly for Two Reasons: First, because you are my faithful Friend, and constant Companion, and have always stood by me, and defended me against all that have any way opposed me; which you did not do so much for my sake, as on the account of a generous Principle, and a great and honest Mind, whereby you were induced to side with Truth, when almost every Physician inveigh'd against me. And yet there is no reason I should be angry with them, nor indeed am I angry with them; for so many Quacks that boast of their Fancies and Fictions, have so often imposed on the World, in order to increase their Fame, that it was the Duty of wise and ingenious Men, not to admit presently without Examination such things as I proposed, that were contrary to the received Method of Practice. Yet notwithstanding I am as much obliged to you, and therefore I thought it my Duty to testify publickly my Respects to you; for scarce any Virtue more becomes humane Nature,



ture, when it is arrived at the very height : for as Kings endeavour to render their Favourites illustrious, and to distinguish them from others, by Titles of Honour, and Coats of Arms ; so when Nature would separate this or that Man from the Croud and Herd of Men, she is wont to make him grateful, that being as it were the Mark and Character of a noble Spirit. This is the other Reason why I dedicate especially this Treatise to you, *viz.* because we being familiar and conversant together daily, in a manner, for many Years, you know best what Pains I have taken, in collecting Observations for the History and Cure of those Diseases I have published : And tho I have not printed them altogether, and at once, but at some Years distance, according as I came to understand them ; yet notwithstanding, I think them so lame and imperfect, that I ought rather to be ashamed, than to expect Praise from them. But however it be, this at least may be said in my Excuse, *viz.* that tho the space of thirty Years, wherein I have been very diligent in the Observation of Diseases, may seem sufficient to make a greater Progress in the Knowledge of them than I have made ; yet I boldly affirm, that tho so much time is more than needs to confound the Brain with Theorems and fictitious Comments, collected from Books (all which no more conduce to the Cure of Diseases, than the Art of Painting to the Art of Navigation) yet four times the number of Years would not be sufficient, even for a Man that is constantly employ'd in the Practice of Physick, to perfect the same in every Part of the Physical Art. I have endeavour'd all I could to collect the most accurate Observations, and I have published them forthwith ; that if there was any thing that was good in them, the Publick might presently receive it : and therefore having done my Duty, my Mind is quiet, and I am not at all solicitous how others will esteem my Writings. I will only add this, that as he that does not value them will do me no hurt, so he that only reads them but once, will not be much benefited thereby. But to pass by these things, I beseech you, candid Sir, to accept kindly of this Treatise, whereby I publicly own how much I respect you, which also all others do that know less of your Virtue than I do ; nor can any one imagine, that I who no way depend on you, flatter you, when I publicly profess, that as you are Se-



cond to none in the Art you exercise (to speak modestly) so you excel all others I ever knew for Integrity, and Honesty. May you live long after I am dead, and be the chief Physician, not so much for scraping Money together for the benefit of your Posterity, (which compared with what follows, is in a manner agreeable to the Nature of a Beast) as by shewing the World, by what means the Difficulties in curing Diseases, that have hitherto perplex'd and overcome the Medical Art, may be removed; in doing which, you, if you please, may build on the Foundation I have laid; only I would have you kindly and publicly correct the Mistakes I have perhaps made, in my Observations either in the History or Cure of this, or that Disease, when you shall be better informed by long and repeated Experience, and in so doing you will not injure the Memory of the Dead, who, when he was living, desired above all things the furtherance of the Medical Art, by whomsoever it was done; yet not so much by learned Comments on the Nature of Diseases, (wherewith we have been already a long while nauseated) as by a certain and faithful Method of curing them. Farewel, worthy Sir, and continue your Kindness to me,

*Your obliged Servant,*

THO. SYDENHAM.

*The Monitory Schedule, concerning the coming of the New Fever.*

**T**H O my old Age, worn out almost by long Sickness, may well require on that account a Writ of Ease, and a Cessation from deep Thought, the labour of the Brain; yet I could not forbear, but I must be busied in the procuring the Health of others, tho even by the loss of my own; when my Acquaintance informed me of the entrance of a new Constitution, from whence proceeded a new sort of Fever, much unlike those that lately reigned.

We



We must remember that in *Autumn* 1677, intermittent Fevers first increased and advanced daily, and were *Epidemical* till they came to their State; afterwards they decreased by degrees, and so rarely appeared the last Years of this Constitution, that they could not be counted *Epidemical*: and on this Account we must likewise take notice, that the two last Years of the Constitution now going off, had two very severe Winters, especially the last save one, viz. the Year 1683; in which the Season was so vehemently cold, that no Man living ever saw the like as to the intense degree of the Cold, and the long Time it held; for the noble River of *Thames* was so froze, that it easily sustained, like a solid Pavement, Coaches running about upon it, and Shops well furnished in a manner of Streets, and great Crouds of People. Tho the following Year 84, did not equal the preceding, either as to the Extremity of Cold, or obstinate Duration of it, yet it did not come much behind it as to either; but as soon as it thawed in *February* in the Year 85, this Fever began that I now treat of, which I take to be a new sort of Fever, and wholly different from that which has prevailed for these eight Years last past.

I cannot certainly say, Whether the change of this Constitution is to be attributed to the Alteration of the manifest Qualities of the Air, which succeeded for these two Winters: for I have observed, that Alterations as to the sensible Qualities of Years, how different soever, have not produced Species of *Epidemick* Diseases; and that a certain Series of Years (tho one Year has differ'd from another, as to outward Appearance and Temperament) have notwithstanding, all agreed in producing of the same Species of *Stationary* Fevers; which when I had considered seriously, I was of the Opinion, as I have mentioned in another Place, that the Change of a Constitution chiefly depends on some secret and hidden Alteration in the Bowels of the Earth, passing through the whole *Atmosphere*, or from some Influence of the Celestial Bodies. Tho it is to be observed here, that when the Depuratory Fever heretofore went off, a very dry and violent Frost from the beginning of Winter 64, froze up all Things, nor did it abate at all till the beginning of *March*, at which time, as soon as the Frost went off, a Pestilential Fever, and soon after the Plague began to rage. But however this may be, the  
Fever



Fever which we now treat of, began at the time aforesaid, viz. in February 84, and was more spread thro all the Parts of *England*, and more Epidemical in other Places, than here in *London*, the Year before and this Year.

When I was first called to this Fever, I firmly believed, it was not of that kind of Fever which I call *Stationary*, but rather of the Family of Inter-currents, which come promiscuously almost in all Years; to wit, that it was nothing else than that Bastard *Peripneumonia*, which I have heretofore described in my Book of acute Diseases; only with this difference, that in this Fever the Symptoms did not appear now and then, which were more *Pathognomonick* in the *Peripneumonia*; such are a violent Cough, a violent Headach in Coughing, cleaving as it were the Head, a Giddiness upon any Motion, and a great Difficulty of breathing, all which did most commonly accompany the Bastard *Peripneumonia*. When, therefore, the Book-feller desired a new Edition of my Works at that time, I published my Conjecture in the Postscript, in which I perceive myself mistaken; and truly, I was led into this Error, by the great and manifest Agreement which was between this Fever and the foresaid *Peripneumonia*, which comes now and then every Winter: but the Summer coming on, which was wont to vanish these *Peripneumonick* Fevers, and this notwithstanding continuing, I was soon convinced of my Error, being wholly persuaded, that it was to be reduced to a new Constitution.

After as diligent a Search as I cou'd make, the Symptoms I observed are, and were for the most part these: The Sick is cold and hot by Turns, and often complains of a Pain in his Head and Limbs; the Pulse is like the Pulse of those that are well; Blood taken away is most commonly like the Blood of *Pleuriticks*; the Patient for the most part is troubled with a Cough, which together with other Symptoms, accompanying a gentle *Peripneumonia*, goes off so much the sooner, by how much longer the Disease invades from the Winter. A Pain seizes the Neck and Jaws, sometimes at the beginning of the Disease, but it is less than in a *Quinsy*; tho the Fever be continual, yet it has violent Exacerbations often towards Night, as if it were a double *Tertian* or *Quotidian*. The Sick is much indangered by keeping his Bed constantly, tho he has but very little Clothes on; for by that means the Fever being  
turned



turned upon the Brain, he soon falls into a Coma or Phrensy; and to speak the Truth, the Inclination of this Disease to a Phrensy is so great, that it often creeps on of a sudden of its own accord, without any such occasion. But the Phrensy does not rise with so great fury in this Fever, as in that with which those that have the Small-pox, and other Fevers, are seized; for the Sick rather doats, muttering now and then some odd Words. *Petechie* very often break out by reason of the unseasonable Use of Cordials, and too hot a *Regimen*; and in young People of a hot Constitution, Purple-spots, the certain signs of a high Inflammation, as well in this as in any other kind of acute Diseases; and sometimes Eruptions, which they call *Miliares*, sprinkle themselves over the Surface of the Body, and are not very unlike the Measles, only they are redder; and when they go off, they do not leave behind those branny Scales which are seen in the Measles: tho they come sometimes of their own accord, yet most commonly they are forced out by the Heat of the Bed and Cordials. The Patient's Tongue is either moist or dry, according to the Method which has been used; when it is dry, it is of a dusky Colour in the middle, which is hemm'd round with a whitish Fringe: But when it is moist, it is all white, covered also with a white and filthy Skin: For if the Sick be too much heated by the Method used, the Tongue is most commonly dusky and dry; but if not, it is moist and white. This is also to be affirmed of Sweat, which flows according to the different Method aforesaid: for if the Sick be treated with too much heat, it is in a manner viscous, especially about the Head; and tho it flow freely, and from all Parts, yet the Sick has little ease by it: So that it is evident that such Sweats are only Symptomatical, not Critical. Sweat forced by Art at the beginning of the Disease, used to put off the morbidick Matter, if not on the Head, at least upon the Limbs. But when the Fever has possessed the Head, and the Phrensy has once prevailed, then no signs of the Fever remain, only the Pulse is sometimes quicker, sometimes slower. But at length, when by ill Management the Spirits are driven into a Confusion, the Pulse is inordinate, with a *Subsultus* of the Members, and Death soon follows.

As to the Cure: These Signs of the *Peripneumonia*, which accompanied this Fever last Year in *February*, in which it first



first began, made me believe, presently after Winter, as I said before, that it ought to be reckon'd with the Family of *Peripneumonicks*; and therefore I presently betook myself to that Method, which I have heretofore commended in the Cure of a Bastard *Peripneumonia*; which truly was very successful to me, in those few I was scarce able to take care of, because of my Sickness, and to others who were pleased to try it upon my Commendation. Whatever it was that persuaded me to use this Method, I am now fully satisfied, having considered the *Phænomena* of the Disease, and the Temperateness of the last Year, which followed the two cold Winters (especially of the Winter, if it could be called so, for it brought with it no considerable Cold) I say, it is evident to me, that this Fever is nothing else than a simple Inflammation of the Blood, and therefore the curative Indications are wholly to be directed to the suppressing of the said Inflammation, by proper Remedies and Methods.

Therefore I proceed after this manner: first I order ten Ounces of Blood to be taken from the Arm; and indeed this Fever (how like soever the Blood be most commonly to that of *Pleuriticks*) does not easily bear repeated bleeding; but if a difficulty of breathing, a lancing Pain of the Head in coughing and the like, signify that this Disease tends to a Bastard *Peripneumonia*, then Bleeding and Purging are to be repeated, until all the Symptoms totally vanish, as I have said in the Chapter of a *Peripneumonia*: and I desire this may be seriously minded.

In the Evening I apply a Blister to the Poll, and next Morning give this lenitive Potion.

*Take of Tamarinds half an Ounce, Leaves of Senna two Drams, Rhubarb one Dram and an half; boil them in a sufficient quantity of Water to three Ounces; in the strained Liquor dissolve of Manna, and Syrup of Roses solutive, each one Ounce: mingle them, and make a Potion to be taken early in the Morning.*

Which I order to be repeated every other Day for thrice; and this or the like *Paregorick* to be taken at Bed-time after every Purge.

Take



*Take of Cowslip-water two Ounces, of Diacodium one Ounce, of Juice of Lemons fresh drawn two Spoonfuls: mingle them, and make a Draught.*

*Viz.* To prevent the Sick's being Comatose, by reason of the Confusion of the Animal Spirits, which Purging often occasions, by the Tumult it raises in the Blood and Humours of those that have Fevers; which Symptom is cured by Hypnotick Medicines, tho they seem to promote it: For which reason, not daring to give a Purge in the comatose Fever of the Year 73, I persisted in the Use of Glisters; for I knew that purging Medicines used at that time, presently caused a Coma, which perhaps would have happen'd otherwise, if I had thought of giving a Paregorick after such a Purge. But when the Sick does not purge, we must not give a Paregorick at Bed-time, lest it hinder the Operation of the Cathartick, which is to be taken the next Day, (which is usual tho it be taken late) but if it do not wholly stop it, it will render it less effectual. It is a Rule with me in this and other Epidemick Fevers, not to purge either in the Beginning or State of the Disease, unless Bleeding hath been first used: Which indeed by being either neglected or violated, has occasioned the Death of many, especially of Children, as I have in another place admonished by way of Caution.

But we must take notice, that tho for the most part the above-mentioned Evacuations ought to be used in the Cure of this Fever; yet often the Patient, if he be a young Man or Infant, presently recovers after Bleeding, and being once purged: And there is no occasion for more, the Fever being conquered by the first; but on the contrary it is sometimes necessary that Purges should be used oftner than we said before. For it sometimes happens, tho rarely, that the Sick being freed by this Method, relapses in a few Days after, by reason of the Febrile Matter growing crude again; but it is presently carried off by the Purge repeated the fourth time; tho this new Fever seldom happens under this Method, unless it be occasion'd by the *Aphthæ* coming at the latter end of the preceding Fever, and now being at their height, recal it; which Fever is indeed only Symptomatical. And the  
Hickups



Hickups returning by Intervals often follow it, which also remain for some Days after the Fever, is gone off; but at length vanish of their own accord, as the Patient gets Strength, which is diligently to be observed; forasmuch as there is no danger from the Hickups, coming at the latter end of this Fever, unless many Medicines are over officiously and unprofitably crammed in, and then Death is instead of the Physician: but both the *Aphthæ* and Hickups, or either of them, if they do not go off of their own accord, but continue a long while, may be easily cured by the *Peruvian Bark*, viz. one Ounce with a sufficient Quantity of the Syrup of Erratick Poppies, either in the form of an Electuary, or Pills taken after the manner I set down heretofore in my Epistle to Dr. Brady, and drinking upon it a Draught of Posset-drink. Which Remedy I have found by Experience more certain in this Case, than any other whatever, if its Virtue be not spoiled (as commonly it is) by the Patient keeping his Bed continually.

I sometimes prescribe the following, or the like, on the Days the Purges are not taken;

*Take of Conserve of Wood-sorrel, and Hips, each one Ounce; Conserve of Barberries, half an Ounce; Cream of Tartar, one Dram: with a sufficient quantity of Syrup of Lemons make an Electuary; of which take the quantity of a Nutmeg thrice a day, drinking upon it six Spoonfuls of the following Julep.*

*Take of the Waters of Purslain, Lettice, and Cowslips, each three Ounces; of Syrup of Lemons, an Ounce and an half; of Syrup of Violets one Ounce: mingle them, make a Julep. Or,*

*Take of Fountain-water, one Pint; of Rose-water, of the Juice of Lemons, of white Sugar, each four Ounces: boil them over a gentle Fire till all the Scum be risen: Take three Ounces at pleasure.*

But in all these things I forbear the using of Spirit of Vitriol, tho it be very cooling; because it is not proper in any Diseases that are cured by Purging, by reason it is so very Stiptick, not to mention now the Mineral-nature of this Spirit.



It often happens, especially towards the end of this Fever, that the Sick when he is treated after this manner, sweats now and then of his own accord in the Night, by which all the Symptoms of the Disease are very much mitigated: But notwithstanding, seeing we cannot trust to such Sweats, we must by no means intermit the aforesaid Method; because if the Sick should indulge those Sweats for a longer time, the Fever, which the preceding Purges had in some sort overcome, would again revive; for if the Sweat be protracted beyond that time, in which the Febrile Particles prepared by due Concoction are wholly carried off, the Sweats that follow do nothing else but kindle the Flame afresh; wherefore tho' those Sweats which flowed spontaneously were perchance critical, with respect to the casting out of the Febrile Matter which is fit for Expulsion, yet the others that follow may be only Symptomatical, and so do more hurt than good. To be short, the gentle heat of the Bed at Nights, opportunely favours such Sweats, as of their own accord come in the Night; wherefore the Sick should have no more nor thicker Clothes on, than he used to have when he was well, nor should any hot Remedies be given. Only let him keep his Bed a little longer than he was wont in the Morning following, and afterwards let him go on in the Method of Cure above prescribed.

His Diet is to be Oat-meal and Barley-broths, and now and then a roasted Apple, and after the second Purge Chicken-broth. I order Small-beer cold for his ordinary Drink, and the white Decoction made of one Ounce of Harts-horn calcined, and boiled in three Pints of common Water, and afterwards sweetened with white Sugar.

It is not necessary, as I have said in another Place, after the taking of two Purges, to forbid the eating of Chickens, and the like, of easy Concoction; for this way of Cure by purging indulges the same, which could not be allowed, if he went on another way: moreover, after the last Purge, if the Fever has a little spent it self, and is not yet turning to an Ague, three or four Spoonfuls of Canary-wine may be taken Night and Morning, and after Dinner, for some Days, by which the Strength may be sooner recovered, and the Febrile Fits averted.



But forasmuch as this kind of Fever is more prone than any other I ever yet saw, to assault the Head, neither can it be removed from thence without great difficulty; I seriously advise my Patients, that they lie a-bed naked only a-nights; but if they are so very weak that they cannot sit upright, I permit that they should lie upon their Bed and Couch with their Clothes on, with their Heads a little elevated; neither do I allow them any more Fire in their Chambers, than when they are well.

And as this *Regimen* is to be observed from the beginning, in all that are seized with this Fever, (excepting Women taken on the first Days of Child-bed) so it is necessarily enjoined, when the Physician is called to a Patient, who, because of too hot a *Regimen*, has been seized with a Phrensy, *Petechiae* or Purple-spots, or any other Signs of a violent Inflammation; for in this Case, tho Blood be taken away, tho the Body be lightly covered, and whatever cooling Liquors are drunk, yet the Fever will not cease till the Sick keep from Bed a-days; forasmuch as the heat of the ambient Air, kept in by the Coverings, too much exagitates the Blood, and the lying Posture of the Body forces the same with violence on the Head; but when the Phrensy has once prevailed by reason of an ill Method, it cannot presently be tamed, neither is it safe to endeavour the Cure by repeated Bleeding and Purging beyond the Bounds prescribed; but at length it will go off at its own time, and of its own accord, by the help of the Method above-mentioned. But nothing conduces more to the removal of it than shaving the Head; and therefore I always order it without applying a Plaster, only a Cap so thick as may compensate the loss of the Hair, or at least defend the Head from external Cold; by this means the Head is extremely cooled and refreshed, so that by degrees it may be able to vanquish the hot Impressions that cause the Phrensy.

And what has been said of a Phrensy, may likewise be affirmed of a *Coma*, that comes upon this Fever, in which, as in the said Phrensy, the Febrile Matter is carried up to the Head; and so, if you except the Whiteness of the Tongue, there are no Signs of a Fever; for the Patient seems to be altogether freed from it. In this

Symptom,



Symptom, as in the other, Catharticks, Sudorificks, Blisters, and the like, are not only used without Success, but do a great deal of hurt; for such Evacuations procure Death sooner than the Cure of this Symptom: Wherefore after general Evacuations by Bleeding and Purging, the Business is to be committed to Nature and Time, tho this Symptom terrify the By-standers; for tho the Patient be stupid for a long time, yet he will recover his Health after many Days, if he be not continually kept a-bed, but is taken out of it a-days, and laid upon a Couch, or on the Bed with his Clothes on; in the mean while his Head may be shaved, and at the latter end of this Symptom, three or four Spoonfuls of Canary-Wine may be given twice a-day. But I have treated largely of this in the fifth Section, and second Chapter of my Book of acute Diseases, where I discoursed of a notable Coma that accompanied that Constitution.

But as to the Fever, the Physician is not to be deterred from making the aforesaid Evacuations, if upon feeling the Pulse, he should perceive a twitching of the Members, or a convulsive Motion of the Body; forasmuch as in some kind of Diseases of the Nerves, both Bleeding and Purging do not only not do hurt, but are necessarily prescribed; of which I will produce an Experiment I made in a certain kind of Convulsion, which is vulgarly called *Chorea Sancti Viti*, of which Disease I cured no less than five, by Bleeding and Purging by Intervals; of which sort of Disease I will speak somewhat, seeing it occurs opportunely, and evidently confirms the Truth of what I have now asserted. *Chorea Sancti Viti*, is a sort of Convulsion, which chiefly invades Boys and Girls, from ten Years of Age to Puberty: First, it shews it self by a certain Lameness, or rather Instability of one of the Legs, which the Patient drags after him like a Fool; afterwards it appears in the Hand of the same side; which he that is affected with this Disease, can by no means keep in the same Posture for one Moment, if it be brought to the Breast, or any other Part, but it will be distorted to another Position or Place by a certain Convulsion, let the Patient do what he can. If a Cup of Drink be put into his Hand, he represents a thousand Gestures, like Juglers, before he brings it to his

E e

Mouth;



Mouth; for whereas he cannot carry it to his Mouth in a right Line, his Hand being drawn hither and thither by the Convulsion, he turns it often about for some time, till at length happily reaching his Lips, he flings it suddenly into his Mouth, and drinks it greedily, as if the poor Wretch designed only to make sport. Forasmuch as this Disease seems to me to proceed from some Humour rushing in upon the Nerves, which provoke such preternatural Motions, I think the curative Indications are first to be directed to the lessening of those Humours by bleeding and purging, and then to the strengthening the *Genus Nervosum*, in order to which I use this Method; I take seven Ounces of Blood from the Arm, more or less, according to the Age of the Patient; the next Day, I prescribe half, or somewhat more (according to the Age, or the more or less Disposition of the Body to bear purging) of the common purging Potion above-described, of Tamarinds, Sena, &c. In the Evening I give the following Draught.

*Take of Black-cherry-water one Ounce, of Langius's Epileptick-water three Drams, of old Venice Treacle one Scruple, of liquid Laudanum eight Drops: make a Draught.*

I order the Purging Potion to be repeated thrice, once every other Day, and an *Anodyne* Draught the same Nights; afterwards I prescribe Bleeding and Purging as before, and so alternately I bleed and purge, till the Sick has bled three or four times, and after every Bleeding, purge so often as his Strength will bear; only it must diligently be noted, that there must be so much space between the Evacuation, that the Sick receives no Damage from thence. In those Days Purging is not used, I prescribe as follows.

*Take of the Conserve of common Wormwood, of the yellow Rind of Oranges, each one Ounce; Conserve of Rosemary-flowers half an Ounce, of old Venice Treacle and Nutmegs candied, each three Drams; of Ginger candied one Dram, Syrup of the Juice of Citrons a sufficient quantity: Make an Electuary, of which take the quantity of a Nutmeg in the Morning, and at five a Clock in the*  
the



*the Evening: Drink upon it five Spoonfuls of the following Wine.*

*Take of the Roots of Piony, Elecampane, Master-wort, Angelica, each one Ounce; of the Leaves of Rue, Sage, Betony, Germander, white Hore-bound, and the Tops of the lesser Centaury, each one handful; of Juniper-berries six Drams, the Rinds of two Oranges; let them be cut and infused cold in six Pints of Canary-wine: Strain it as you use it.*

*Take of Rue-water four Ounces; of Langius's Epileptick-water, and compound Briony-water, each one Ounce; Syrup of Piony six Drams; mingle them and make a Julep: Take four Spoonfuls every Night at Bed-time, with eight Drops of Spirit of Harts-horn. Let a Plaster of Gum-Caranna be applied to the Soles of the Feet.*

The more the Sick recovers, the less he drags his Foot, and the Hand is steddier, so that he can bring the Cup more directly to his Mouth; which are certain Signs how much better he is: but tho to perfect the Cure I do not advise that he should be bled more than three or four times, yet purging and altering Medicines are to be used till he is quite well. And because he that has once this Disease, may easily relapse; I think it expedient that he be blooded and purged for some Days the next Year, about the same time, or a little before the Disease first invaded. And truly, I suppose that the Epilepsy of the adult may go nigh to be cured by this Method, if the Remedies prescribed were well proportioned to their Age; tho by reason I have seldom met with this Disease, I have not yet try'd it. But this by the bye.

It sometimes happens in Women subject to Hysterick Fits, that when the Cure has been managed by the fore-said Evacuations, the Fever continues after bleeding and purging, tho repeated. In this Case the Fever that now prevails, is plainly continued by the Commotion of the Spirits caused by the Evacuations; and therefore all other things being omitted, the curative Indications are only to be directed to the quieting of the Fury of the Spirits, if there be no Signs of a *Peripneumonia*, or Inflammation about the Vital Parts; in order to which an *Anodyne*,



dyne, that is sufficient to cause Sleep, ought to be prescribed every Night, and also Hyfterick Remedies properly so called, twice or thrice a Day: such are Pills made of *Galbanum*, *Assa-foetida*, *Castor*, and the like; and Juleps of the same nature, described in my Treatise of Hyfterick Fits. Moreover, that Meat and Drink which is most agreeable to the Appetite of the Patient, ought to be allowed to recover the Strength, and to suppress the Vapours, as they call them.

We have said already, that this Fever had both the last Year, and especially this, a certain Exacerbation daily about Night, not much unlike the Fit of an intermittent Fever. Wherefore those Physicians, that had found by Experience, that all those Fevers, which did any whit intermit, (and oft those that did not intermit at all) thro that Series of Years, from seventy-seven to the beginning of eighty-five, were certainly cured by the *Peruvian* Bark, treated this Fever with the same Remedy: But tho it was reasonable, yet most commonly it did not succeed so well as in former Years. For upon a diligent Search I found that tho a great quantity of the Bark was given, yet it rarely cured the Sick, and so very rarely, that I rather impute the Recovery of the Patient to some lucky Event of the Disease, than to the Virtue of the Bark, so that it wholly lost that curing Virtue and Certainty it had in the aforesaid Years: I mean the Fever we treat of now, which is something like a Quotidian; but when there is a Type of genuine Tertian, or of one invading every other Day, the Bark is as effectual at this time as ever: so that it is very evident, that this Fever was quite different from that of the former Constitution; forasmuch as the use of the Bark does now no good, and this is heightened by Wine, Cordials, and other hot Things; all which well enough agreed with the use of the Bark, and also with that Fever.

Moreover, we must observe, that this Fever raging all the Summer, especially that of this Year, the Disease did often shew it self, not so much by the *Pathognomonick* Signs of a Fever, viz. by Heat and Inquietude; as by Gripes sometimes dry, and sometimes loose: yet notwithstanding the Fever of this Season lurked under this Disguise, in which the inflammatory Exhalations of the Blood were not, as is usual, protruded to the Habit of the Body,



Body, but put off inwardly by the *Mesenterick* Arteries, upon the *Viscera* of the lower Belly, and sometimes upon the Stomach, by the Branches of the *Cœliack* Atteries: which Exhalations are wont to provoke Vomiting, especially presently after taking Drink, or any more solid Nourishment. Yet tho this Fever lurked under the form of the aforesaid Symptoms, it was to be cured by the genuine Method we delivered above, in the same manner as if it had appeared in its own Colours, viz. by Bleeding and repeated Purges; only it is to be observed, that when the Fever does so much molest the Stomach, that it cannot retain a Potion, then the Pill of *Coch. Major* (of which two Scruples prescribed do always pass thro the Body) may be substituted in the room of a gentle purging Potion; but the Pills must be taken at four in the Morning, that the Patient may sleep after them, and then an *Anodyne* in a large Dose is to be allowed, viz. a Grain and a half of solid *London Laudanum*, with the like quantity of Mastick made into two Pills, to be taken the same Night; or eighteen or twenty Drops of liquid *Laudanum*, in an Ounce of Cinnamon-water hordeated, or any other generous Vehicle, by which means the Stomach being both strengthened, and not irritated by the small quantity, may not cast up the Remedy: But if the purging Potion, and *Diacodium* can possibly be retained in the Stomach, they are wholly to be preferred before the above-mention'd Pills, and *Laudanum*; for they perform their Business, without heating the Body so much as the Pills.

But seeing I have mentioned the Gripes, I will admonish my Acquaintance, with how much danger, as I have frequently observed, Mineral Waters are wont to be prescribed in any Gripes whatever, or Looseness, or Vomiting, or any other Disease whatever that takes its rise from a Fever; forasmuch as so subtil and spirituous a kind of Disease, as 'tis evident a Fever is, Mineral Remedies do so confound all things, that instead of the Symptoms which were wont to accompany a Fever, they introduce Accidents altogether irregular; yet in the mean time do not at all assist towards eradicating of the Fever, which I have long and often observed.

But this must be carefully minded; forasmuch as it may serve to deliver many from the Jaws of Death, viz.



that notwithstanding what we have said before, when the above-mentioned Gripes rise to a confirmed *Dysentery*, in which, besides the Gripes, some mucous Matter together with Blood is voided by Stool; it is manifestly very dangerous to treat the Disease with that tedious Method, which orders Evacuations first, and afterwards those things that attemperate the sharp Humours (to say nothing of astringent Medicines of various kinds and forms taken inwardly, and Glisters sometimes astringent, sometimes consolidating, now and then injected) for I have found by Experience, that a *Dysentery* is most certainly and most speedily cured, if without any more ado, the Flux be presently stopt by *Laudanum*; for this Disease is so very violent and fierce, that if you go on in purging, when the *Dysentery* is confirmed, there is great danger, lest it being heightened by this means, should by reason of its incredible Ferment, torment the Patient longer, do afterwards what you can, or perhaps kill him. Therefore being called, I presently give him about twenty two Drops of liquid *Laudanum*, in Epidemick Water, or in *Aqua Mirabilis*, or the like, to be repeated twice in the space of twenty four Hours, or oftner at set times, if the Dose prescribed to be used only Morning and Evening, be not sufficient to quell the Gripes and the Bloody Stools. The Excrement being a little thickened, or of a better Consistence (which is the first sign of Recovery) and the Symptoms being vanquished, I suppose it is safest for the Patient to continue for some time in the use of the aforesaid Medicine, Morning and Evening, taking some Drops daily, till there be no further occasion. But it is to be observed, that I order the Sick to keep his Bed longer after the use of the *Anodyne*; for any erect Posture soon disturbs the Head, unless the Patient sleep long enough after it. As to Diet, if the Sick has been accustomed before to Wine, I allow him Canary, but well diluted with Water, in which a Crust of Bread has been boiled, which I order to be kept cold for this use in a Stone Bottle, that it may be in readiness when the Wine is to be attemperated. Also the white Decoction of burnt Harts-horn in Fountain-water, drank freely, is profitable; Barley or Chicken-broth, or a poached Egg, or any thing else of easy Digestion, may suffice for Food on the first Days; But afterwards



we must rise by degrees to more generous Liquors, and to a more plentiful and solid Nourishment, lest too great a Vacuity should produce again the same Disease the Patient recovered of, or some other Symptoms that are produced by Empiness. But we must observe this, that tho *Laudanum* alone did subjugate *Dysenteries* of this Constitution; yet in those Years in which they are Epidemick, and exceed other Diseases, it will not be improper to use those Evacuations first, which were heretofore described in the Chapter of a *Dysentery*.

And as in that confirmed *Dysentery* now spoke of, so in this Case that follows, it cannot be that the Cure should be presently expedited by that Method, which is proper for the Fever, from whence it first took its rise: For Instance, sometimes it is so, that the Sick being seized with Horror and Rigor, (Heat and Cold succeeding one another by turns, which are the certain Signs of an imminent Fever) is of a sudden miserably afflicted with the Gripes, by reason the Febrile Matter rushes in upon the Guts: And whereas he ought to be purged and blooded, as is above-mentioned, presently he betakes himself to hot Medicines taken inwardly, and outwardly applied, to the intent he may expel the Wind, which he supposes to be the Cause of his Misery; till at length the Pain increasing, and being as it were impacted into his Bowels by long Continuance, the *Peristaltick* Motion (by which, according to the Law of Nature, all Things should be conveyed downwards) begins to be inverted, and all Things tend upwards, and the Patient is grievously tormented and provoked to vomit, the Disease now ending in an *Iliack Passion*. In this Case the Physician can proceed no further in the Method of Cure, which the Fever, the antecedent Cause of this Symptom, required, than to order Bleeding in the Arm for once: For how many, and whatsoever Catharticks you prescribe, will presently become Emetick, and so the more promote the inverted Motion of the Bowels; forasmuch as the strongest purging Medicines, or indeed the least part of them, can scarce pass the Guts, and cause a Stool. In this Case I think it is most adviseable, first to bleed in the Arm, and an Hour or two after, to inject a strong Glister. I reckon the Smoke of Tobacco, strongly blown up thro a large Bladder into the Intestines by a Pipe inverted,



to be the best and most effectual Glister I know, which may be repeated a little while after, unless the former by giving a Stool, open the Passage downwards. But this Symptom being not totally conquered by this Remedy, it is necessary that a Cathartick somewhat stronger be used, how difficult soever it be to make way.

*Take of the Pill ex duobus thirty five Grains, Mercurius dulcis one Scruple; make four Pills with a sufficient quantity of the Balsam of Peru: Take them in a Spoonful of Syrup of Violets.*

Drink no Liquor upon them, lest they should not be retained; but if the Sick should vomit this Remedy, we must proceed in this manner: Let him take presently twenty five Drops of liquid *Laudanum* in half an Ounce of strong Cinnamon-water, and after a few Hours let it be repeated: but when the Vomiting and Pain of the Belly are abated by the use of these, then the foresaid Purge may be repeated again; for at this time it will be retained under the Protection of the *Laudanum*, and will at length perform its Business; but if the Vomiting and Pain should return again, by reason the Virtue of the *Anodyne* is wholly decay'd, and the Purge should stop in the Body, in this Case, all Hopes from Stools being at present laid aside, we must return to the use of the *Anodyne* before described, which must be repeated every fourth or sixth Hour, till the Guts be wholly quiet, and the natural Motion downwards be restored; at which time the Purge, which has been hitherto stopt in the Body, by reason of the contrary Motion of the Guts, will now operate by Stool: tho' because of the *Narcotick* so often repeated, a quite contrary Effect may seem to follow, which I have just now experienced in a Gentleman tormented with a very severe *Iliack Passion*, who had afterwards the *Aphthæ*, by reason of too long retention of the Humours that occasioned the Disease, and of sharp Purges; but they were easily cured by the use of the *Peruvian Bark* above-described, and by washing the Mouth often with the following *Gargarism*.

Take



*Take of Verjuice half a Pint, of Syrup of Rasberries one Ounce ; make a Gargarism.*

But when these Passages are open again as much as they should be, the Patient may forbear purging for some Days, till the Tumult rais'd of late in the Bowels be wholly ceased, which space of time may conveniently enough be allow'd for diluting, and attemperating the Heat and Acrimony of the Humours ; which being performed, he must purge every other Day, as before, if the least Footsteps of the Fever remain. But of this enough.

If a Child has this Fever, two Leeches must be apply'd behind each Ear, and a Blister to the Neck ; and it must be purg'd with Beer, wherein Rhubarb has been infused : if after Purging, the Fever seems to remit, then the Julep must be given of the Jesuits-Bark, set down for Infants in the Chapter of an intermitting Fever.

Moreover, it is to be observ'd, that tho Children are equally subject to this sort of Fever with the adult, and that therefore they are to be cur'd by the same Method ; yet the Quantity of Blood taken away, ought to be lessen'd with respect to their Age, and Purging ought to be accommodated to it, tho perhaps not so often to be used ; for the Diseases of Infants and young People will be often tam'd by the first or second Purge : But we must seriously consider, whether the Fever, treated after this manner, certainly belongs to this Constitution, or to another kind, which ought seriously to be minded in those Fevers that seize Infants in all Constitutions of Years ; for it is commonly known, that Children are frequently seized with Fevers, arising from their breeding Teeth, which are not easily distinguish'd from Fevers of another kind. I have been in great doubt a long while about the Cure of these ; neither could I be certainly persuaded but of late, that any committed to my Care were recover'd so much by Art, as by Chance ; till at length, being often admonish'd of the happy Success of a Remedy, that is not very famous, yea indeed very contemptible, upon the account of the common use of it, I also prescrib'd it, which answered my Desire better than any I know ; it is three or four Drops of Spirit of Harts-horn, according to the Age, given in a Spoonful or two of Black-cherry Water, or of any other



other proper Julep, four or six times, once every fourth Hour.

There is another Symptom that very much troubles Infants, which is very different from the Fevers of various Constitutions of the Years, and from that last mention'd : It is a sort of *Hectick* that afflicts a long time, and those that are troubled with it, languish without any considerable Heat, with a loss of Appetite, and a Wasting every where, both of the Members and Trunk of the Body. I use this simple Method following :

*Take of choice Rhubarb shred two Drams, let it be put into a Glass Bottle, containing a Quart of Small Beer, well stop'd, or any other Liquor the Child usually drinks of : Which medicated Beer I order to be taken both in the Day and Night, and at Meals : Which being drank up, I order a Quart more to be put upon the same Rhubarb ; which also being drank off, a Quart more is to be put upon it, as before : After which the Rhubarb commonly loses its Virtue, and the Child recovers. But lest the Beer first put on, should be too much impregnated with the purging Quality of the Rhubarb, and so purge too much, it will be better to add another Pint presently after the first is drunk up ; but afterwards fresh Beer is not to be added till the whole Bottle be drunk.*

But to return to the Fever we now treat of, *viz.* of the present Constitution, we must diligently observe, that in this kind of Fever, (as in a Rheumatism, and many other Diseases, whose Cure is perform'd only by Evacuations) if we obstinately insist on the above-nam'd Evacuations, till the Symptoms wholly cease, the Sick will often be destroy'd ; for it is not very unusual that some slight Symptoms, as it were, the Relicks of the feeble Fever, remain awhile after the Disease is gone off : yet a Relapse is not to be fear'd from thence, they retiring gradually, as Health returns ; for these Symptoms are commonly nothing else but the true Progeny of these Evacuations, by which the Physician endeavour'd to cure the Disease ; if this at least be added as partly the Cause, *viz.* the Emptiness that the Abstinence of the Patient from his wonted Meals and Drink has occasion'd : All which, when they fall upon Bodies weakened, and almost worn out by the Disease, raise Vapours, as  
† they



they say, as in Women; and for the same reason, on the account of the weakned, dejected, and broken System of the Animal Spirits. Wherefore having made those Evacu-ations that are sufficient for taking off the Disease, it is the Duty of a prudent Physician to forbear the unseasonable Administration of them, and to wait awhile on Time, often the best and most successful Physician, for the taking off those light Symptoms; which, truly, as I have often observ'd, go off at the latter end of such a Disease without any more ado, by an *Anodyne* taken at Bed-time for two or three Nights.

The Method now delivered, much exceeds all I have tryed in the Cure of this Fever; and if at any time it does not take it off, yet it forces it to intermit, and then it is always cur'd by the Jesuits-bark. But whereas Purging, order'd for the Cure of this Fever, may, perchance, seem hurtful to some: I assert, that upon Tryal, nothing so certainly, and so powerfully cools the Patient, as Purging, prescrib'd after Bleeding; which must be always used. First, for tho a Purge does for the present raise a greater Tumult in the Blood, and other Humours, on the Day it is taken, and in the Operation, than was before; yet that Injury will be sufficiently made up, by the Advantage that presently follows: for it is found by Experience, that Purging after Bleeding quells a Fever sooner and better than any other Remedy whatever, both as it expels that filthy Humour from the Body, by which, as the antecedent Cause, the Fever was occasion'd; and if they were not peccant before, yet at length being heated, concocted, and thickned by the Fever, do much to render it more lasting: And also, as it makes way for a *Paregorick*, which performs its business safer and much sooner, than if the peccant Humours, which might otherwise hinder the force of the *Anodyne*, were not eliminated by Purging.

But on the contrary, as that Method which is busied in eliminating the Febrile Matter thro the Pores of the Skin, is less certain, so it is more troublesome and tedious; for by it the Disease is very often protracted many Weeks, and the Sick is brought by this means to the Brink of the Grave; and if he chance at length to escape Death, he is plagu'd with a Croud of Remedies all the long course of the Disease, to take off these Symptoms, which the ill Management of the Disease brought on, when the Cure of it is  
eudea-



endeavour'd by the hottest Method and Remedies, which, according to its own Genius, wholly requires the coolest of both; and so while Brain-sick Men inflave themselves to Rules of Art, falsely so called, and despise the Judgment of their very Senses informing them better, they learnedly convert a Disease, of its own nature short and easy, into a lasting and difficult one, confounding all things thro Tumult and Fear, and raising, as they say, Waves in a Cup; upon which account, there is no more need of them, than for a Pilate, who, when he may sail in the open Sea, steers the Ship among Rocks and Shelves; from whence, tho he may gain an Opportunity of acquiring Fame, by his great Skill in preserving the Ship in so great Danger, yet certainly he will be reckon'd an imprudent Man.

And for these Reasons I can, I trust, assert, upon good Grounds, that the above-mention'd Method of Cure by Bleeding and Purging, is more powerful than any other, for the subduing Fevers of most kinds: for tho Sweating, to speak properly, is Nature's own Method, by which she casts out the Febrile Matter, and is more genuine and commodious than the rest, when Nature is left to it self, it first digests the aforesaid Matter, and then when it is well concocted, gently expels it thro the habit of the Body; which happy Event of Nature, in curing Fevers by Sweating, when practical Physicians had often observ'd, the dogmatical took occasion from thence of making this Rule, That all Fevers may, and ought to be cur'd by this Method alone, and no other. But if we should grant this, yet Art, how much soever it may seem to imitate Nature, cannot arrogate to it self this Privilege, that it is able to cure Fevers certainly by Sweating. For, first, Art knows not by what means the peccant Matter should be fitly prepar'd to undergo Expulsion; and if it should know this, yet it has no certain Signs by which it may be admonish'd of the due Preparation of it: So that also it is unavoidably ignorant of the fit time of provoking Sweat. And I suppose no one, if he be not very obstinate, will deny, that it is very dangerous to provoke Sweat rashly before a due Concoction; for by forcing the crude Matter upon the Brain, it adds Oil to the Flame, and, as I have hinted in another place, the wholesom Advice of *Hippocrates* (*viz.* that Things concocted, not crude, are to be medicated) does not seem to respect so much Purging, as Sweat forced  
by



by Art : For no one, that is but indifferently acquainted with the Practice of Physick, can be ignorant how many are dangerously hurt by old Women and Quacks, by this preposterous use of *Sudorificks* : for it's customary with these, if any one complains of a shivering, and a pain of the Head and Bones, which are most commonly the Fore-runners of a Fever, presently to put them to Bed, and to do all they can to force them to sweat. By which unseasonable Endeavours, they are so far from preventing the Fever, which, perchance, would go off of its own accord, or by letting some Blood ; that on the contrary it is the more heighten'd, and becomes a confirm'd and radicated Disease. This is, moreover, to be observ'd, to say no more of old Women, that as those Sweats that come at the beginning of the Fever, are altogether symptomatical, not critical ; so those that are forced at the beginning of the Fever by *Diaphoreticks*, most commonly conduce no more to the cure of it, than the other symptomatical Sweats, that flow so early of their own accord, are wont to do ; that is, most commonly, not at all. And then, as Art is ignorant of the due Time for promoting Sweat, so likewise it knows not how long it should persevere in forcing them : For if Sweats are continued beyond the due time, by which the Matter occasioning the Disease is wholly expell'd, a Consumption of these humid Particles, with which the Blood should be diluted and attemperated, will make the Fever continue longer, and heighten it. It is evident, therefore, how uncertain this Method is ; whereas on the contrary, it is in the Physician's power to moderate the other as he pleases, in which the febrile Matter is eliminated by bleeding and purging. Moreover, this is to be preferr'd before the other on this account, *viz.* that if the Physician should miss his Aim in curing the Patient, yet he will not hurt him ; which is otherwise in the use of *Diaphoreticks*, unless he recover : for the Heat of one that is kept continually in Bed, to which he has addicted himself for some time, contrary to his custom (to say nothing of Cordials, which are always used in this way of Cure) confounds the Oeconomy of Nature, and causes Convulsions of the Members, and other irregular Symptoms ; which cannot therefore be described, because they do not belong to the History of this Disease (which is common in many Symptoms respecting all Diseases) but take their  
rise



rise from the Confusion and Tumult that are necessarily occasioned; by which Nature is often oppressed when we carry on the Cure of this Disease by this Method: all which are wont to be imputed commonly to I know not what Malignity.

The Invention of which Opinion concerning Malignity, either as to the Name, or Notion of it, has been much more destructive to Mankind, than even that of Gun-powder; forasmuch as those Fevers are chiefly said to be Malignant, in which the Inflammation is higher than in others; and for that reason Physicians have betook themselves to Cordials, and *Alexipharmicks*, to the end they may expel thro the Pores of the Skin, the Poison they dream of (for so it must be called, unless they had rather trifle about Words, than propose seriously that which may be understood) upon which account they have prescribed the hottest Remedies, and Method for those Diseases, which required above others the coldest Remedies and *Regimen*: which indeed is evident enough both in the Small-Pox (which is one of the hottest Diseases in Nature) and in the Cure of other Fevers. Into which Error perchance they were led, by seeing the *Petechie*, and Purple Spots, and other *Phænomena* of the same kind, all which owe their rise in most Subjects to an Inflammation super-induced upon the Blood of the Sick, too much fired by the Fever already: Forasmuch as they rarely happen, except at the beginning of the Plague, any of those Flux Small-Pox that participate of the highest Inflammation: For in this kind of Disease, the livid Spots appear in various Parts of the Body, together with the Pustles, when they first come out, and the Sick will be troubled with an Excretion of Blood, either by the Urinary Passages, or by the Lungs with a Cough, when the Blood rages with such a violent Motion and Fury, caused by the Inflammation, that having broke thro all, it rushes into the Cavities of the Body. And tho the Purple Spots in this Fever do not take their rise from such an intense heat of the Blood, as that which causes such *Hæmorrhages*; yet notwithstanding they are produced by the same Inflammation, tho in a less degree; and when there is not that Excretion of Blood, they are easily taken off by a cooling *Regimen*. But if they conjecture there is a Malignity in the Case, not only from the Purple Spots, but also because they have observed, that the

Symp-



Symptoms of the Fever have been sometimes milder than may seem to agree with the Nature of it, and yet that the Patient was more weakned than could be expected in the time he has been ill: I answer, that all these things proceed only from hence, *viz.* For that Nature being as it were oppressed, and vanquished by the first Assault of the Disease, is not able to raise regular Symptoms, and such as are agreeable to the greatness of the Disease, but all the *Phænomena* are wholly irregular; for the Animal Oeconomy being disturbed, and as it were dejected, the Fever on that account is depressed, which according to the genuine course of Nature used to be high. Of which, I remember, I saw a notable Experiment many Years ago, in a young Man, to whom I was called; for tho he seemed almost dying, yet the heat in the external Parts of the Body, felt so temperate upon touching, that the Standers-by would not believe me, when I affirmed he had a Fever, which by reason of the Oppression of the Blood (by whose bulk it was kept in, and as it were choaked) could not extricate and shew it self openly; but that if they let him Blood, they should presently perceive the Fever high enough. A Vein being opened, and a pretty deal of Blood taken away, the Fever broke out, which was as violent as any I ever saw, and did not go off till Bleeding had been used three or four times.

But if the Arguments I have produced are not so considerable, as to prove the thing certainly to be as I say; yet if I find by Experience, that this Fever does not go off easily by Evacuation made by Sweats, I have what I seek for; for no Man can tell by Arguing, but by Experience, what kind of Fever can and ought to be cured by Sweats, and what by other Evacuations. And truly no wise Man, who has sufficiently considered the Nature of Men and Things, can implicitly believe the Opinion of any Man, how great soever he be, concerning those things that are mere Speculations, and cannot be determined by any certain Experiment; for he ought to consider, that the Moments of Reason are so very various and subtle, that when any one has proposed a Speculation, so established by firm Reasons, that he forces the Assent of all that are near him, presently another succeeds him, endowed perchance with better Parts, who considers that Opinion which was so fairly settled, and clearly proves by a stronger force of Argument,



gument, that that was nothing but a Fiction of the Brain ; forasmuch as not the least Footsteps of it are to be found in Nature ; and in the room of it substitutes a certain new Hypothesis more probable than the former, and more neatly contrived ; yet this latter Fiction undergoes the same Fate with the former when some third Person opposes, who as much exceeds the second in Ingenuity as he did the first ; and so there will be no end, till at length we come to him who is arrived at the top of human Ingenuity : And how hard it is to find this Man, and to know him from others, any one will presently perceive, who is not so very mad as to arrogate this Praise to himself. For as we may conjecture that there are almost infinite Natures in the illustrious Orbs, here and there scattered thro the Firmament of the Universe, endowed with far more excellent Understandings than weak Men ; so we do not certainly know whether Mankind's Brain, the Shop of the Thoughts, be not so formed by Nature, that they cannot find so well what is absolutely true, as what is most convenient and suitable to their Natures. And so much may be sufficient to be spoken to those who in Physick trust more to vain Speculations than to Experience, built upon the Testimony of the Senses.

But if any one should here object and say, Do not we see *de facto* that this Fever is very often cured by a Method quite contrary to this you deliver ? I answer, That the cure of the Disease, which only the recovery of a Patient now and then witnesses for, wholly differs from the cure of the same, by that Method of Practice which is confirmed by more Recoveries of the Sick, and all other practical *Phænomena* that happen in the cure of it. For instance, In the Small-Pox many who have been tormented with the cruel use of a hot *Regimen* and Remedies, have yet recovered ; and on the contrary, they have done very well whose Cure has been performed by a Method quite contrary. Now how shall we end this Strife, which Method is to be preferred ? Why truly, by this means we shall certainly judge, namely : If I have found in the former Method, that the more I have heated the Sick, the more I have raised and promoted the Fever, Restlessness, the *Delirium*, and other Symptoms : And on the contrary, if it appears that when he has been moderately cooled, his Temperament is so much the more sedate, and he is less vexed with the Fever and other Symptoms : Moreover,



over, that by keeping the due Temper of the Muscular Parts, which best suits with the increase, and Maturation of the Pustles, they are bigger and more filled, than if the Patient were suffocated with too great a heat. The Case being thus stated, I suppose it is evident enough, which Method of Practice we ought rather to follow. In like manner, if I find in the Fever I now treat of, that the more the Sick is heated, the more he is inclined, not only to a Phrensy, Purple Spots, *Petechie*, and the like; but that it is moreover on that account encompassed with irregular and enormous Symptoms of all sorts; and on the other hand, if I observe another Patient treated by the Method we now propose, wholly freed from these Symptoms, Reason dictates, that the latter Method of Practice is much to be preferred before the other, tho both Patients recover by such different means: But if more escape Death by this way than the other, the Intricacy of the Controversy is so much the easier found out: But I must not judge of this, lest I should favour my own Opinion too much.

And so much for this kind of Fever; how long it will continue I know not: I am apt to believe, that it is some spirituous and subtle beginning of that Depuratory Fever, which is now antiquated, and which the dreadful Plague followed. There are indeed some *Phænomena*, which somewhat induce me to believe this; for not only intermitting Fevers, properly so called, especially Quartans, still remain here and there, but also some of these continual Fevers turned to Agues sometimes, especially this Autumn, to say nothing of the Exacerbations in this Fever mentioned above, that resemble in some manner the Fits of Agues. Moreover, for that those that have this Disease, are very inclinable to Vomiting; yet I do not pretend to any certainty in this Matter, because I do not know after what manner the Depuratory Fever began, as I said in my Book of acute Diseases, *Chap. III. Sect. 1.* in these Words. But how long the aforesaid continual Fever has prevailed, I cannot tell; for it has been enough for me hitherto, to attend on the general Symptoms of Fevers; because I do not as yet understand how to distinguish them, according to the various dispositions of Years, or the various Seasons of the same Year.



*Of the Putrid Fever coming upon the Flux-Pox.*

SEEING my old and declining Age, and the Diseases with which I have so long conflicted, may not perchance afford hereafter an Opportunity to publish some late Observations, that I have made (tho too late in my Life) concerning the Secondary Fever that comes upon the Flux-Pox, I suppose it will not be amiss to add them here, tho they no whit relate to the Disease I have now been treating of.

I have long ago shewn in another place, how great the difference is between the distinct and confluent Small-Pox; to wit, in this, that he that has the distinct kind, scarce wants the help of Physick, and grows well of his own accord, by the Assistance of Nature, unless he chance to indulge Sweat continually in Bed from the beginning: For as I have noted elsewhere heretofore, he that has the distinct Small-pox promises much to himself when he sweats freely; for he hopes that by this means the Venom of the Disease will be expelled thro the Pores of the Skin, and therefore thinks it highly reasonable to promote the Sweat, as much as possibly he can, by Cordials, and a hot *Regimen*: And he is the more encouraged to proceed in this Method, because at first he fancies some relief by it, and besides it is agreeable to the erroneous Opinion of the Standers-by; but at length those Particles being eliminated by Sweat, which should have served to elevate the Pustles, and to swell the Face, on the eighth Day, the Face which ought to have been swelled, and inflamed between the Pustles, on the contrary appears flaccid, and white; yet the Pustles continue red and elevated, even when the Patient is dead, and the Sweat which flowed freely to this Day, now ceases on a sudden of its own accord, neither can it be raised again by the hottest Cordials. The Sick is taken light-headed of a sudden, with Anxiety, violent Sickness, and Restlessness; he makes Water often, but little at a time, and in the space of a very few Hours frustrates the Expectation of his Friends, and repairs to his long home. Whereas this very Person had recovered without any danger of Life, if he had only committed the Matter to Nature, without putting himself under any other *Regimen*.



But in the Flux-pox, the Case is very different: For tho these (unless Eruption of Blood, thro the Lungs, or Urinary Passages, happen at the beginning) neither terrify the By-standers, nor bring the Sick into any danger of Life, for the first Days of the Disease; yet afterwards in those Days towards the end of the Disease, in which I have heretofore warned you that the Patient was in the greatest danger, he is suddenly reduced to such Streights, that it is equally uncertain whether he will live or die.

In the number of these I reckon the eleventh (if you compute from the first approach of the Disease) to wit, in the least crude, but most common sort of Flux-pox; the fourteenth in the cruder; but the seventeenth in the crudest sort, which are every where obvious, tho sometimes, but rarely, the Patient does not die before the twenty first Day; the Pustles being so dry and crusted to that time, and as it were so impacted into the Flesh, especially in the Face, that they by no means can be brought to separation. But on the eleventh Day, the Patient most commonly seems first to be endangered; a violent Fever, Restlessness, and other Symptoms invading together, which betoken that Death is near at hand, by which the Patient is most commonly conquered, if he be not succoured by Art: But if he be not vanquished by the Disease on this Day, the two latter which we have mentioned, are yet to be feared: For all the time between the eleventh Day and the seventeenth, he is daily vexed with a tiresome Fit of Restlessness towards Evening; and Death is egged on *Vi & Armis*. Moreover, I have shewn that this is the cause of the greater or lesser impending Danger, in these kind of Small-pox; to wit, for that in the distinct sort, the *Phlegmons* or Tumours, with Inflammation (of which sort are Pustles, when they are first elevated) are fewer, and by consequence but a small quantity of *Pus* is conveyed into the Blood in its circular Motion, when they begin to ripen; and so there is no fear upon this account, that the Fever should rise too high; for Nature is easily able to restrain the Impressions made upon the Blood by so small a quantity of Matter: But when in the Flux sort, the whole Body is covered with *Phlegmons*, which afterwards turn into so many Abscesses, so great a quantity of Matter, in the Days before-mentioned (in which the Pustles by the guidance of Nature, for the most part, obtain their height,



or just maturity) is brought by the Veins into the Blood; and also so great a quantity of putrid Vapours creeps into it, from the whole Superficies of the Body, now as it were, suppurated every where; so that the Fever occasioned by this means, wholly oppresses the strength of Nature, and so at length the Patient is destroyed, partly by the Fever, and partly by the Venom which infects the mass of Blood. Wherefore, seeing the safety of the Patient depends so much on the paucity of the Small-Pox; and danger on the contrary, from the fulness of them, Reason dictates, and also Sense, which is common to all, that therefore it is the Duty of a skilful Physician, not violently to drive out the variolous Matter, at the beginning of the Disease, by hot Cordials, and a hot *Regimen*, by which means there would be too great an Assimilation of the morbidick Matter contained in the Blood, and the whole Substance of the Body would be turned, as it were, to a *Fomes* of the Disease; but he should rather use his utmost Endeavours in suppressing so enormous and subtle an Inflammation; to wit, above all by taking Blood from the Arm, if there be the least Suspicion (either because the Patient is in the flower of his Age, or because the Blood has been inflamed by strong Liquors, or upon account of violent Pains of some part of the Body; or lastly, from vehement Vomiting) that the Small-Pox just a coming out, will flux; and afterwards a Vomit is proper for the same. And seeing nothing heats the Patient so much, and for that cause so much promotes the too copious an Assimilation of the variolous Matter, as the Patient's lying continually in Bed, I always keep him from it a-days, till the sixth Day from the first Invasion, or the fourth from the Eruption of the Pustles; at which time the whole Troop of them are come out. Afterwards I commit him to Bed, till the end of the Disease; but I do not allow he should have more or thicker Clothes on, or Fire in his Chamber, than he used to have when he was well: In the mean while I permit him the free use of Small-beer, and other cooling Liquors, which are most grateful to the Patient. But, forasmuch as notwithstanding, even in the most temperate *Regimen*, the Patient will frequently fall into Heats, *Deliriums*, and Restlessness, I prescribe an *Anodyne* every Night, but a little earlier than is usual; because in this Disease there is, as it were, a certain Paroxysm, or Exacerbation of Heat  
and



and Restlessness, almost daily about Evening. This Method now delivered, is most commodious, both to prevent a great number of Small-Pox, (from whence the Patient is in greatest Danger, as I have mentioned above) and also to further their Increase, now they are all come out, and afterwards their due Maturation.

But (which is truly to be lamented, forasmuch as they who are in the flower of their Age, chiefly die of this Disease) the Patient is very often seized with a violent Fever, together with Suffocation and great Restlessness, on the eleventh Day, as is usual, or some other of those Days, which I have reckon'd most fatal in various kinds of Flux-Poxes (tho till then he may be in no great Danger) and contrary to Expectation, dies suddenly; both these Aids which we have mentioned before, and all others, which the medical Art has hitherto found out, signifying nothing, his Friends being wonderfully astonished, who just before had great hopes of his Recovery. The Physician will labour earnestly to vanquish this sudden *Impetus* of the Disease, when before he had done all he could to prevent it; in order to which, it must seriously be considered, that the adventitious Fever, which on the eleventh Day seizes those that have the Flux-Pox, is a Disease quite different from the Small-Pox, and that Fever which either preceded the Eruption of them, or is sometimes occasioned by the Inflammation of the *Phlegmons* on the first Days: For it is no other than a putrid Fever properly so called, taking its rise from putrefying Particles, and poisonous Pustles, now come to Maturity, and, as I said, sucked again into the Blood; by whose noxious and inimical quality to Nature, the Patient is at the same time poisoned, and molested with the worst of Fevers. Wherefore every prudent Man will suppose, that only those things are proper Remedies in this Case, which are most powerful in subduing this secondary Fever, which I call putrid; but nothing does this business more effectually than large Bleeding, by which means the vitious Particles, that are the *Fomes* of the Disease, are banished from the Blood. Neither does the Small-Pox, if I am able to judge, considering the State they are now in, any whit oppose this Practice; for the Pustles cannot be struck in by any means: For if the Patient should die at this time of the Disease, and the Body laid in the cold Earth, yet the Pustles being



crusted so hard, could neither retreat within the Skin, nor be lessened in bulk; and truly we have not now to do with the Small-pox, but wholly with another Disease, viz. a putrid Fever. And for these Reasons I have used successfully the following Method, which I have found since I published my last Observations of the Small-pox; and truly, except this, I know no other, neither can I imagine by what means the Patient can be so certainly relieved: Therefore when he is reduced to such Streights, that by reason of the unusual violence of the Symptoms he seems just about to expire, unless he be presently relieved; in this Case, I say, whether it be the eleventh Day, or some other after it, ten or twelve Ounces of Blood are presently to be taken away from that Arm, in which the Pustles being fewest, the Vein is most commodiously opened: For tho *Paregoricks*, and keeping from Bed a-days, may suffice without letting Blood at the beginning of the Disease, to quell the Fury and Paroxysm, which most commonly invades in the Evening; yet in these Days of the secondary Fever, we cannot safely trust in any thing else but large Bleeding, by which alone the Fury at this time raging, may be safely quieted; at Evening an *Anodyne* is to be taken, as before, in a large Dose (to which we now fly as to a Sanctuary) and so afterwards Morning and Evening, and sometimes oftner: For we must diligently observe, that in some the Fury is so heightened above measure, that even a very large Dose of the *Anodyne* cannot tame, nor indeed stop its Violence, before the space of twelve Hours; in which Case it is absolutely necessary, that the said Dose be repeated every eighth or sixth Hour.

And, whereas it often happens at the latter end of the Disease, partly from the Nature of it, and partly from the great force of the *Anodyne*, whose help the Method of Cure plainly required, that the Patient's Body is so bound, that then he is almost suffocated, and the Fever so heightened, that he is in a desperate Condition; in this difficulty we must use a suitable Remedy: And the Case standing thus, there is much less Danger to the Patient in taking a lenitive Purge, than from the Fever, much heightened by the retention of the Excrements. I have prescribed very successfully one Ounce and an half of *Lenitive Electuary*, dissolved in four Ounces of some small distilled Water; for instance, of *Cichory*, or *Aqua Lactis Alexit*, which Draught,



tho it may not operate so soon as it is wont, by reason the Belly is usually bound in this Disease, as also upon the account of the long use of *Hypnoticks*; yet if it be given in the Morning, it most commonly works before Night; but if it does not, yet the *Paregorick* is to be given in the Evening, and indeed sooner, notwithstanding the Purge, if great Inquietude, or some considerable Sickness threatens danger, lest the Patient, being destitute of this help, die while we wait for the working of the Medicine. Neither will the Patient receive any damage from so gentle a Purge, if it do not work at all. If therefore it do not answer your Desires the first Day, let it be repeated the Day following; which assisting the former Dose, seldom fails the Physicians. But if he suppose, that it has purged away so much Filth on the first Day as is sufficient for the present, and the Patient begins to be better afterwards, the other Dose may be deferred to another Time. And after this manner, both Bleeding and Purging may be repeated by Intervals, as the Condition of the Fever, and the Restlessness of the Patient seem to require them, till at length he is out of danger: But as to Purging, I desire it may be seriously minded (lest the mentioning of it should do much more hurt than good) that the Patient is not to be purged till the latter end of the Disease, *viz.* till the thirteenth Day, or after; nor then, unless the Blood were diminished, at the time when the secondary Fever invaded.

But that I may use my utmost endeavour to finish Practice in this Disease; I will propose some few Things concerning spitting of Blood, and of bloody Urine coming upon the Small-pox. Both these *Hæmorrhages*, as I have noted heretofore, come at the beginning of the Disease, before the Pustles break out; or if they shew themselves in some Places, yet in most other Places they lie thick under the Skin, and are of that kind which would flux most, unless the said Symptom put an end to the Disease by the Death of the Patient: the Purple-Spots in the mean while besiege the Superficies of the Body, and threaten a dreadful Event. But tho these Spots may be taken away, by attemperating duly the Blood; yet both the bloody Urine, and the violent Eruption of Blood from the Lungs, were certainly wont to fore-run Death. But this dreadful difficulty may be also overcome, and



the Sick may be put out of danger. For this Symptom arising from a violent Inflammation of the Blood, and the Tenuity of it, those Remedies which attemperate the Blood, and also render it less fluent by their astringent and thickening Virtue, stop these *Hæmorrhages* excellently well; wherefore after Bleeding freely once, let a *Paregorick* be given: As,

*Take Erratick Poppy-water two Ounces, of liquid Laudanum sixteen Drops, of distill'd Vinegar three Drams, of Diacodium half an Ounce: Mingle them, and make a Draught.*

Afterwards the following, or the like, must be prescribed.

*Take of the Troches of Lemnian Earth, and of Bole-armenick, each one Dram; of sealed Earth, Blood-stone, Dragons-blood, and Red Coral prepared, each half a Dram; of Mastick and Gum-Arabick, each one Scruple; mingle them, and make a fine Powder. Let him take half a Dram every third Hour, in one Spoonful of Syrup of Comfrey, drinking upon it four or five Spoonfuls of the following Julep.*

*Take of the Waters of Plantain, and Oak-buds, each three Ounces; of Cinnamon-water hordeated, two Ounces; of Syrup of dry'd Roses, one Ounce; of Spirit of Vitriol, a sufficient quantity to make it a little acid.*

In the mean time, give the *Paregorick* above described every Night.

Emulsions also of the four greater cold Seeds, with Seeds of white Poppies, do a great deal of good.


But when the *Hæmorrhages* cease, all the rest must be managed thro the Course of this Disease, as is proposed in the Chapter of the Small-Pox.

Before I conclude, I will add this, *viz.* as often as I prescribe some Drops of liquid *Laudanum*, I mean that *Laudanum* of my own Description, the Preparation of which is to be had in my Book of acute Diseases, in the Chapter of a *Dysentery*; and I would have that *Diacodium*, which is made of fourteen Ounces of the Heads of white Poppies



Poppies well dried, and (after Maceration for twenty four Hours, in eight Pints of Fountain-water) sufficiently boiled, then very strongly expressed, and to the strained Liquor are added twenty four Ounces of Sugar, and afterwards 'tis boil'd to a Syrup. For I judge these two Preparations to be the best of their kind, especially the *Diacodium*, whereof one Ounce is more efficacious than two of the other, in which the Poppy-Heads are used green. The Liquor is not so strongly pressed out, and the black Heads of *Erratick* Poppies, which have little Virtue in them, make up so great a part.

Therefore, when I am not satisfied concerning the strength of either of these *Paregoricks*, instead of them I am wont to prescribe a Grain and an half, or two Grains of solid *London Laudanum*, dissolved in some proper Water; by which means I secure my self from any Mistake, and provide for the welfare of the Patient.



### Of a Bloody Urine from a Stone in the Kidneys.

**T**HOUGH it may seem rash and imprudent to publish an Observation, whereof I have had only Experience in my self; yet I suppose no just Person will be angry with me (who have been so much and so long troubled with a Bloody Urine, occasioned by the Stone in the Kidneys) for commiserating those that are afflicted with the same Disease, and for discovering those Medicines that have eased me, tho they are vulgar and of little Esteem.

In the Year 1660 the Gout seized me more violently, and continued longer, than ever before: And when upon this account I lay continually for two Months in the Summer-time, either in or upon a soft Bed; towards the latter end of the Fit I began to feel a dull and heavy Pain, especially in my left Kidney, and sometimes, tho rarely, in my right; and when I recovered from the Gout, the pain in the Kidneys remain'd, which made me fear the Stone, tho the Pain was not at all acute, but tolerable enough; for I had not yet had a *Nephritick* Fit, which is accompanied with violent Pain, stretching it self thro



the Passage of the *Ureters* towards the Bladder, and with violent Vomiting. But tho these Signs of the Stone in the Kidneys did not appear, yet I had good reason to believe that I had a large Stone in the Kidneys, which did occasion the aforesaid Symptoms, because it was too large to pass into the Passage of the *Ureters*: and many Years after I found I was not mistaken; for when in the Winter 1676, presently after the breaking of a violent Frost, I had walked much and a long time, I immediately made Water mixed with Blood, and so I did as often as I walked much, or rode in a Coach in paved Streets, tho the Horses went gently: but this did not befall me, how far soever I travelled in great Roads that are not paved; the Urine that I voided then, tho it looked terrible, as I render'd it, almost like pure Blood, yet soon after it was limpid, and like it self at the top, the Blood clodding by it self at the bottom. For the Cure of this Disease, I bled largely at the Arm, and after general Purges, I used cooling and inraffating Medicines of various kinds, and a Diet agreeable to the things; and carefully avoided acid, acrid, and attenuating Liquors. But these and many other things, which it would be tedious to mention, doing no good, and fearing to provoke the Stone forward, which I suspected was too big to be expelled by Steel-waters; at length I left off all hopes of doing any good by them, and especially because I had found that some old Men of my Acquaintance had hastened their End by attempting in vain to cure this Disease by such Remedies; wherefore I resolved to try no further, only to prevent this Disease, by avoiding as much as I could the Motion of the Body. But considering at length how wonderfully some praise the *Lithontriptick* Virtue of the Seed of the Ash-tree, I imagined that if the Seed of it had so much Virtue, it was very probable that the *Manna* of the Ash should have much more; that, as the excellent Botanist, Mr. Ray, and many other Writers say, not being airy Honey, or heavenly Dew, but rather a Liquor sweating out of the Leaves, the Trunk and the Branches of the Ash-trees in *Calabria*, the truth whereof was confirmed to Mr. Ray, when he travelled in *Italy*, by a learned Physician, who often gathered *Manna* from the Branches and Leaves, when they were exactly covered with Linen Clothes. See Mr. Ray's Catalogue of *English* Plants.



Therefore, being about to make the Experiment, I drank two Ounces and an half of Manna, dissolved in a Quart of Whey, swallowing now and then a little of the Juice of Lemons while I was purging, to quicken it, which usually works slowly, and to make it more pleasant to the Stomach. It can scarce be imagined how much Ease I received about the Region of the Reins, by the use of this Remedy; for tho before they did not always ache, yet they were affected with a heavy and troublesome Pain: And because the Success was so good, I took the same Purge on a set Day once a Week, for some Months; and after every Purge I plainly found my self better, and could bear the shaking of a Coach when it went fast; and was indeed quite freed from this Symptom till the last Spring; at the approach whereof, having been miserably afflicted with the Gout all the foregoing Winter, and having lived without Exercise more than I used to do, by reason of my unfitness for Motion, the Bloody Urine returned again. And now I doubted whether I should betake my self again to Purging, because of late Years the whole Substance of my Body being turned as it were into the *Fomes* of the Gout, the gentlest Purge did most certainly occasion a Fit of the Gout. At length I considered, that if I gave an *Anodyne* every Night after Purging, to quell the Tumult the Purge had raised, I might safely resume my old Method of taking *Manna* once a Week; therefore in the Morning I took two Ounces and an half of *Manna* in a Quart of Whey, and in the Evening sixteen Drops of liquid *Laudanum* in Small-beer, repeating the *Manna* and *Laudanum* in the same manner twice a Week for three Weeks. Afterwards I used the *Manna* only once a Week, the filth of the Humours being so plentifully discharged by the Purge, that the Gout was not much to be feared: And my Reason telling me, that if the *Manna* was indued with any Faculty that is dissolving, or any other way *Lithontriptick*, to be sure the Virtue and Efficacy of the Remedy I trusted in, wou'd be somewhat lessened by such an astringent Medicine as *Laudanum* is; and therefore I thought it best to omit the *Anodyne*, seeing I purged only once a Week. I continued this Method for some Months, always purging on the same Day of the Week: Nor would I break this Custom upon any account whatever, tho the Pain of the Back abated after  
the



the first Dose of this Remedy, as formerly ; yet soon after repeated Purges made the Gout appear, threatening War sometimes in the Limbs, and sometimes in the Bowels : But *Laudanum* strongly repressed these Motions of the Disease ; and this Method succeeding very well hitherto, I thought I ought to continue it, both to prevent the return of the bloody Urine, and to lessen somewhat of the Matter that occasions the Stone, which answered according to my desire. This Bleeding vanished from the time I first published this Treatise, and therefore I quite left off the *Manna* : Therefore as to Purging, if there is a bloody Urine, and if *Manna* be only used according to the Method above-delivered, I must retract my Opinion which I published concerning the Gout, *viz.* that it is no way fit that People subject to the Gout should be purged, either at the Beginning, Declination, or the Intervals of the Fits.

——— *Nec si miserum fortuna Sinonem  
Finxit, vanum etiam mendacemque improba finget.*

For then it did not come into my Mind, that the Fit occasioned by the Purge could be restrained by giving an *Anodyne* at night ; yet with respect only to the Gout, all Evacuations do much hurt, and therefore are not to be admitted, unless the aforesaid Symptom requires the use of them.

I will add these things concerning the *Regimen*, and manner of Diet, which seem proper for those that are troubled with either of these Diseases ; for I would by no means pass by any thing that may be of use to such as are afflicted with the same Disease as I am. In the Morning when I rise, I drink a Dish or two of Tea, and then ride in my Coach till Noon : When I return home, I moderately refresh my self with any sort of Meat of easy Digestion that I like ; (for Moderation is necessary above all things.) I drink somewhat more than a quarter of a Pint of Canary-wine presently after Dinner every Day, to promote the Concoction of the Meat in my Stomach, and to drive the Gout from my Bowels. When I have dined, I betake my self to my Coach again ; and when Business will permit, I ride into the Country two or three Miles for good Air. A draught of small Beer is to me instead of a Supper, and I take another draught when I  
am



am in Bed, and about to compose my self to Sleep, that by this Julep I may cool and dilute the hot and acrid Juices lodged in the Kidneys, whereby the Stone is occasioned. And I prefer at this time, and at Dinner-time, Small-beer that has Hops in it, before that which has none; for tho that which is not hopp'd is smoother and softer, and so fitter to carry off the Stone from the Kidneys; yet that which is hopp'd, upon the account of the styptick quality which the Hops impart to it, is not so apt to occasion sandy and stony Matter as that which is not hopp'd, the Substance whereof is more viscous and slimy. I take care to go to Bed early, especially in the Winter, than which nothing is better to perfect Concoction, and to preserve the Form and Order which duly belongs to Nature; whereas on the contrary, Night-works lessen all the Concoction of old Men that are afflicted with any chronical Disease, and dangerously wound their vital Principle. And to prevent a bloody Urine, by reason of the Stone, I take great care, that as often as I am to ride a long way upon the Stones, (for if I travel ever so far in a Coach in the common Roads, I receive no danger) to drink a large draught of Small-beer before I go into the Coach, and also before my Return, if I have been abroad a pretty while; whereby I secure my self very well from the bloody Urine. But as to the Gout, I will add this one thing: Of late Years, by reason of some Errors about the five Non-naturals, the Gouty Matter sometimes strikes in, the Signs whereof are violent Sicknes with Vomiting, and some pain of the Belly; but the Limbs are suddenly freed from Pain, and more fit for Motion than is usual. In this case I drink a Gallon of Posset-drink, and as soon as it is all cast up I drink a small draught of Canary-wine, with eighteen Drops of liquid *Laudanum* in it, to compose me to Rest; and by this means I have several times rescued my self from imminent Danger.

Tho perchance it may seem ridiculous (especially for one whose being well or dead is scarce worth minding) to make such frequent mention of himself; yet these things are said to the intent others may be benefited thereby, whose Lives or Health are of greater moment or value.

*Lastly*, It is to be noted, into what great danger some that are afflicted with the Gout and Stone cast themselves, by taking unadvisedly *Manna* dissolved in Purging Mineral Water; for tho, when it is taken this way, it works quicker



quicker, and is not so nauseous; yet the small Conveniences cannot equal an Injury occasioned by the Waters on another account: for if the Stone in the Kidneys is so large, that it cannot pass thro the Passage of the *Ureters* into the Bladder, these Waters most commonly occasion a Fit, which to the great hazard of the Patient's Life continues till the Stone returns into the *Pelvis*. Nor can the Sick safely venture upon Steel-waters, unless he can certainly know that the Stone is not so large, but that it may either find or make a way thro the *Ureters*, which so far as I understand, can be known only certainly this way, *viz.* If before he having been seized with a *Nephritick* Fit (with violent Pain in either of the Reins, stretching it self thro the Passages of the *Ureters*, with violent vomiting) he has found that there is not so properly a large Stone in the *Pelvis* as a heap of small Stones, whereof one will now and then fall into the *Ureters*, and so cause a Fit, which generally does not go off till the Stone is thrust down into the Bladder. When the Case is so, no Remedy is more effectual, either to prevent the increase of small Stones, or to drive them from the Reins, than drinking freely of Steel-waters a long while every Summer.

But because it frequently happens that one is seized with a *Nephritick* Fit, where these mineral Waters are not to be procured, or when the Season of the Year is not favourable for drinking of them; in this case you must proceed in this short Method, without any greater *Apparatus* of Medicines. If the Sick is of a sanguine Constitution, and not antient, ten Ounces of Blood must be first taken from the Arm of the same Side with the affected Kidney: Afterwards a Gallon of Posset-drink must be presently taken, wherein two Ounces of the Roots of Marsh-mallows have been boiled; and the following Glister must be injected.

*Take of the Roots of Marshmallows and Lillies, each one Ounce; of the Leaves of Mallows, Pellitory of the Wall and Bears-breech, and of the Flowers of Camomile, each one handful; of the Seeds of Flax and Fenugreek, each half an Ounce: Boil them in a sufficient quantity of Water, to a Pint and an half. In the strain'd Liquor dissolve of brown Sugar and Syrup of Marsh-mallows, each two Ounces; mingle them, make a Glister.*



When the Patient has rendred all by Vomit, and when the Glister has done working, a large Dose of liquid *Laudanum* must be given, *viz.* twenty-five Drops, or fifteen or sixteen Grains of *Mathew's Pill*.

But old Men worn out by some Chronical Disease, and old Women inclined to Vapours, (especially if at the beginning they void a black and sandy Urine) must not bleed: But as to other things, they must proceed wholly according to the Method now delivered.

But to return to the Stone when it is large, the business in hand; if the Nephritick Person was never seized with a Fit of the Stone, that being too large to fall out of the *Pelvis*, *Chalybeat* Waters cannot be used, for the Reasons above, without present Danger; nor is the use of mineral Waters better in gouty People, if they are old, as they are most commonly, and of a weak and phlegmatick habit of Body: for in these the Strength of Nature is so much lessened, that it is much to be fear'd, that such a quantity of Water may quite overwhelm it. But whether this is the Cause of the Injury, that falls upon Men of such a habit of Body or Constitution, or not, I am sure many, whose Bodies have been much broken by this Disease, have been killed by these Waters.

And this is in a manner the Sum of all which I have hitherto known concerning the Cure of Diseases, *viz.* to the 29th of September, 1686.

F I N I S.





# I N D E X.

| A                            |                   | H                               |                    |
|------------------------------|-------------------|---------------------------------|--------------------|
| <i>Agues,</i>                | Page 35, 233      | <i>Hypercatarsis,</i>           | 387                |
| <i>Appetite depraved,</i>    | 280, 281          | <i>Hypocondriacal Diseases,</i> | 302                |
|                              |                   | <i>Hysterick Diseases,</i>      | 266                |
| B                            |                   | I                               |                    |
| <i>Bleeding at the Nose,</i> | 212               | <i>Faundies,</i>                | 150                |
| <i>Bloody Flux,</i>          | 116, 422          | <i>Iliack Passion,</i>          | 33, 423            |
| <i>Blood-spitting,</i>       | 212               | <i>Itch,</i>                    | 208                |
| <i>Burns,</i>                | 199               |                                 |                    |
| C                            |                   | M                               |                    |
| <i>Child-bed Purgations,</i> | 331               | <i>Madness,</i>                 | 55                 |
| <i>Cholera Morbus,</i>       | 114, 219          | <i>Measles,</i>                 | 131, 164           |
| <i>Cholick Bilious,</i>      | 142               | <i>Miscarriage,</i>             | 337                |
| <i>Cholick Hysterick,</i>    | 147, 330          |                                 |                    |
| <i>Chorea Sancti Viti,</i>   | 417               | P                               |                    |
| <i>Coma,</i>                 | 160, 416          | <i>Peripneumony Bastard,</i>    | 197                |
| <i>Consumption,</i>          | 326               | <i>Phrensy,</i>                 | 27                 |
| <i>Contusions,</i>           | 381               | <i>Plague,</i>                  | 58                 |
| <i>Cough,</i>                | 173, 29           | <i>Pleurisy,</i>                | 190                |
| <i>Cough convulsive,</i>     | 135               | <i>Pleurisy malignant,</i>      | 173                |
| <i>Courses immoderate,</i>   | 335               | <i>Poison,</i>                  | 242                |
| <i>Courses obstructed,</i>   | 321               |                                 |                    |
| D                            |                   | Q                               |                    |
| <i>Diabetes,</i>             | 230               | <i>Quinsy,</i>                  | 209                |
| <i>Dropfy,</i>               | 384               |                                 |                    |
| E                            |                   | R                               |                    |
| <i>Erysipelas,</i>           | 260               | <i>Rheumatism,</i>              | 200, 240           |
|                              |                   | <i>Rickets,</i>                 | 52, 317            |
| F                            |                   | <i>Running of the Reins,</i>    | 251                |
| <i>Fever continual,</i>      | 13, 104, 127, 154 |                                 |                    |
| <i>Fever new,</i>            | 408               | S                               |                    |
| <i>Fever Winter,</i>         | 404               | <i>Scurvy</i>                   | 204                |
| <i>Fever Pestilential,</i>   | 58                | <i>Skin Diseases,</i>           | 208                |
| <i>Fever Scarlet,</i>        | 189               | <i>Small-Pox regular,</i>       | 78                 |
| <i>Fevers Intercurrent,</i>  | 185               | <i>Small-Pox irregular,</i>     | 136, 165, 268, 434 |
| <i>Fever of Children,</i>    | 425               | <i>Stone in the Kidneys,</i>    | 365, 378           |
| <i>French Pox,</i>           | 257               |                                 |                    |
| G                            |                   | T                               |                    |
| <i>Green-sickness,</i>       | 321               | <i>Tendons prick'd,</i>         | 196                |
| <i>Gout,</i>                 | 341               | <i>Tenesmus,</i>                | 126                |
| <i>Gripes,</i>               | 420, 421          |                                 |                    |
|                              |                   | V                               |                    |
|                              |                   | <i>Vapours</i>                  | 335                |
|                              |                   | <i>Urine Bloody,</i>            | 441                |
|                              |                   | W                               |                    |
|                              |                   | <i>Watchings,</i>               | 27                 |
|                              |                   | <i>Whites,</i>                  | 131                |
|                              |                   | <i>Womb-falling,</i>            | 337                |



