A treatise on the scurvy. Containing an inquiry into the nature, causes, and cure, of that disease. Together with a critical and chronological view of what has been published on the subject ... / [James Lind].

#### **Contributors**

Lind, James, 1716-1794.

#### **Publication/Creation**

London: S. Crowder [etc.], 1772.

#### **Persistent URL**

https://wellcomecollection.org/works/r7fpbavt


#### License and attribution

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.

You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.





Wellcome Collection 183 Euston Road London NW1 2BE UK T +44 (0)20 7611 8722 E library@wellcomecollection.org https://wellcomecollection.org



33637/B

Digitized by the Internet Archive in 2019 with funding from Wellcome Library







### TREATISE

ONTHE

### SCURVY.

### IN THREE PARTS.

CONTAINING

An Inquiry into the Nature, Causes, and Cure, of that Disease.

Together with

A Critical and Chronological View of what has been published on the Subject.

#### By JAMES LIND, M. D.

Physician to his Majesty's Royal Hospital at Haslar near Portsmouth, and Fellow of the Royal College of Physicians in Edinburgh.

The THIRD EDITION, enlarged and improved.

#### LONDON:

Printed for S. CROWDER, D. WILSON and G. NICHOLLS, T. CADELL, T. BECKET and Co. G. PEARCH, and W. WOODFALL.

MDCCLXXII.

HISTORICAL MEDICAL

BRARM

3001 338

A Chilest and Chronological View of what

Physician to his Majelly's Royal Haffard at Falla.

Physician to his Majelly's Royal Haffard at Falla.

Online Posymond, and Fallack of the Royal

College of Physician in Fallace

The Willed Edition, colored and inquire

ECKDON:

O Ken various II . S. 10 a D. F. SENDRESAN

HALL MAD DO NO.

### ADVERTISEMENT.

THIS Treatife now makes its appearance in a third edition, improved by the knowledge and experience acquired from an almost constant attendance, for thirteen years past, on patients afflicted with the scurvy.

Though the disease has of late raged with great mortality in different parts of the world, as will appear from the Supplement, yet perhaps, no spot whatever has exhibited more numerous or more distressing cases of it than Haslar hospital: I here frequently visited, during five years of the late war with France\*, three or four hundred scorbutic patients in a day; every morning furnished me with original pictures of the disease, in all its various forms and stages, in patients brought from all quarters of the globe: on comparing these with the accounts of authors, I found the

<sup>\*</sup> From the year 1758 to 1763.

#### iv ADVERTISEMENT.

disease to be precisely the same in every age, and in every country.

But the outward face of the disease did not alone engage my attention; the dead were carefully inspected; and every medicine, or method of cure, that could be suggested, was tried for the relief of the distressed. The result of these inquiries is now made public: in the Postscript, and a few other parts of this work, I have inserted the substance of four volumes of observations, daily and carefully made in the chambers of the sick.

I have, in some measure, altered my former sentiments, with regard to the great putrefaction of the body, which was supposed to attend this disease; my reasons will appear in the Postscript: but some doubtful theoretical doctrines remain unaltered, as resting on the faith and dissections of other authors, and as being agreeable to the present theories of physic; this may have occasioned several seeming contradictions, which could not easily be avoided; but the theory of this, as well as of many other diseases, is in general merely conjectural,

From the year ap (8 to, 175). ...

a

jectural, and is always the most exceptionable part of a medical performance.

The mischief done by an attachment to delusive theories and false hypotheses, is an affecting truth, as will appear from the perusal of the following sheets. It is indeed not probable, that a remedy for the scurvy will ever be discovered, from a præconceived hypothesis; or by speculative men in the closet, who never saw the disease, or who have seen, at most, only a few cases of it.

What I have been more anxious about, than any theory, is to transmit to posterity a faithful register of all books and observations which have been published on this disease; together with the most effectual means hitherto discovered to check its progress, lessen its violence, and prevent its devastation.

I have, in the Postscript, put my last hand to a work, which in all probability I shall not further enlarge; being perswaded I can carry my researches no further, without launching into a field of conjecture and uncertainty. A work, indeed, more perfect, and remedies more absolutely certain,

A 3

might

VI

might perhaps have been expected from an inspection of several thousand scorbutic patients, from a perufal of every book published on the subject, and from an extensive correspondence with most parts of the world, whereby a knowledge must have been obtained of every remarkable occurrence in this disease; but, though a few partial facts and observations may, for a little, flatter with hopes of greater success, yet more enlarged experience must ever evince the fallacy of all positive affertions in the healing art.

> Est modus in rebus, Sunt certi denique fines.

Haflar Hospital, August 30, 1771.

### PREFACE

To the FIRST EDITION,

Published in the Year 1753.

THE subject of the following sheets is of great importance to this nation; the most powerful in her fleets, and the most flourishing in her commerce, of any in the world. Armies have been supposed to lose more of their men by sickness, than by the sword. But this observation has been much more verified in our fleets and Squadrons; where the Scurvy alone, during the last war \*, proved a more destructive enemy, and cut off more valuable lives, than the united efforts of the French and Spanish arms. It has not only occasionally committed surprizing ravages in ships, and proved the total destruction of the most powerful fleets (of which that of Admiral Hofier's, when at the Bastimentos, is a memorable and dreadful instance) but almost always affects the constitution of sailors when long at sea; and where it does not rife to so visible a calamity, yet it may often make a powerful A 4

\* Ended ann. 1748.

powerful addition to the violence of other diseases. It is now above 150 years since that great sea-officer, Sir Richard Hawkins, in his observations made in a voyage to the South sea, remarked it to be the pestilence of that element. He was able, in the course of twenty years, in which he had been employed at sea, to give an account of 10,000 mariners destroyed by it. But I slatter myself, that it will appear from the following treatise, that the calamity may be prevented, and the danger of this destructive evil obviated: nor is there any question, but every attempt to put a stop to so consuming a plague, will meet with a savourable reception from the public.

It is a subject in which all practitioners of physic are highly interested. For it will be found, that the mischief is not confined to the sea, but is extended particularly to armies at land; and is a common evil in many parts of the world. This disease, for above a century, has been the supposed scourge of Europe. But how much even the learned world stands in need of farther light in so dark a region of physic, may appear from the late mournful slory of the German troops in Hungary, the disaster in Thorn, and from many other relations in this treatise.

What

What gave occasion to my attempting this work, is briefly as follows.

After the publication of the Right Honourable Lord Anfon's voyage, by the Reverend Mr. Walter, the lively and elegant picture there exhibited of the distress occasioned by this difease, in the squadron under that noble and brave Commander, in his passage round the world, excited the curiofity of many to inquire into the nature of a malady accompanied with such extraordinary appearances. It was acknowledged, that the best descriptions of it are met with in the accounts of voyages: but it was regretted, that those were the productions only of Seamen; and that no physician conversant with this disease at sea, had undertaken to throw light upon the subject, and clear it from the obscurity under which it had lain in the works of physicians who practised only at land. Some time afterwards, the society of surgeons of the Royal navy published their plan for improving medical knowledge, by the labours of its several members; who have opportunities of inspecting Nature, and examining diseases, under the varied influence of different climates, seasons, and soils. I then wrote a paper on the scurvy, with a design

of baving it published by them. It appeared to me a subject worthy of the strictest inquiry: and I was led upon this occasion to confult feveral authors who had treated of the difeafe; where I perceived mistakes which have been attended, in practice, with dangerous and fatal consequences. There appeared to me an evident necessity of rectifying those errors, on account of the pernicious effects they have already visibly produced. But as it is no easy matter to root out old prejudices, or to overturn opinions established by time, custom, and great authorities; it became therefore requifite for this purpose, to exhibit a full and impartial view of what had bitherto been published on the seurvy; and that in a chronological order, by which the fources of those mistakes might be detected. Indeed, before this subject could be set in a clear and proper light, it was necessary to remove a great deal of rubbish. Thus, what was first intended as a short paper to be published in the memoirs of our medical naval-society, has now swelled to a volume, not altogether suitable to their intended plan.

I cannot, however, upon this occasion, omit acknowledging with gratitude the many excellent practical observations I have been favoured

bers; especially by the ingenious Edward Ives, Esq; of Titchfield; and Dr. John Murray, an eminent physician at Norwich. There are two things that may appear exceptionable in this publication, which I ought here particularly to mention.

The first is the plan of the work.

I am forry to find myself under a necessity of offering what some of my readers may think very indifferent entertainment, and that at their setting out, in the critical chapters of the first part. But it was not easy to fall upon a method equally adapted to all readers: nor indeed is the arrangement of the several chapters a matter of any great importance. The order here followed, is that in which it ought to be perused by physicians and men of learning, who have made this difease their study, and are previously acquainted with former writings upon it. It was necessary, in order to prevail with some of these gentlemen to perufe the second part with less prejudice against me, to endeavour first to remove fuch objections as might arise from doctrines imbibed in younger years, in schools and univerfities. Others, who are not so well acquainted

puainted with the subject, I would advise to begin with the second part; which will enable them to form a better judgment of the sirst. The Bibliotheca scorbutica, or the collection of authors on the scurvy, is placed at the latter end of the book, as proper to be consulted as a dictionary. And it is to be remarked, that when, to avoid repetitions in the first and second parts, an author's name is barely mentioned, recourse must be had to the Alphabetical Index; which points out the page where the title of the book referred to, or its abridgment in part 3. is to be found.

In the order of the chapters, the prevention of the disease precedes its cure: and the first being the most material, I have thrown great part of the latter into it; this method of treating the scurvy suiting it better perhaps than any other. It will appear, that in the plan I have pursued, I had in view an author whose book has met with a general good reception, Austruc de morbis venereis; and were other diseases treated in like manner, it would greatly abridge the enormous, and still increasing number of books in our science.

What may be deemed by critics equally exceptionable with the order of the chapters, are some some few repetitions. But in certain cases they were necessary, in order to obviate prejudices at the time they might naturally arise, and to enforce the argument.

As to the contents of the book in general:

In the first part, I have endeavoured, by a connected course of reasoning in the several chapters, to establish what is there advanced, upon the clearest evidence, confirmed by some of the best authorities; and have laid aside all fystems and theories of this disease which were found to be disavorved by nature and facts. Where I have been necessarily led, in this disagreeable part of the work, to criticife the sentiments of eminent and learned authors, I have not done it with a malignant view of depreciating their labours, or their names; but from a regard to truth, and to the good of mankind. I hope fuch motives will, to the candid, and judicious, be a fufficient apology for the liberties I have assumed.

#### Dies diem docet.

The principal chapters of the second part, containing a description of this disease, its causes, the means of preventing and curing it, are also founded upon attested facts and observations, without suffering the illusions of theory

to influence and pervert the judgment. For, that things certain may precede what is uncertain, the theory, and the inferences from it, are placed at the latter end.

In the third part, where I have given an abridgment of what has been written upon the subject by the most celebrated medical authors, and others, I have always endeavoured to express their sentiments with as much clearness and conciseness as I could. I have indeed through the whole aimed at perspicuity rather than elegance of diction, as most proper in a book of science. To know a disease, and to cure it, being the two things most essential to be learned; I have therefore transcribed the symptoms and cure of the scurvy from those authors, where they do not entirely copy from each other.

# CONTENTS.

### PART I.

## Preliminary Discourses.

### CHAP. I.

F	age
A Critical history of the different accounts of this disease	N. A.
of this disease	I
CHAP. II.	
Of the several divisions of this disease, viz. into	1
scurvies cold and bot, acid and alcaline, &c.	17
CHAP. III.	reina
Of the distinction commonly made into a land	
and sea scurvy	29
and sea scurvy CHAP. IV.	to .
Of the scurvy being connate, hereditary, and	dr
infectious	40
D A D C II	
PART II.	
CHAP. I.	in !
THE true causes of the disease, from obser-	The same
THE true causes of the disease, from observations made upon it, both at sea and land	44
CHAP. II.	PETER
The diagnostics, or symptoms	98
CHAP. III.	2
The prognostics	120
CHAP. IV.	129
The prophylaxis, or means of preventing this	estino.
disease, especially at sea	138
CHAP. V.	-30
The cure of the disease, and its symptoms	TOA
	194
The theory	226
The Thorna	990

CONTENTS.	
CHAP. VII.	0
Dissettions Page	239
CHAP. VIII.	
The nature of the symptoms, deduced and explained from the foregoing theory and	
dissections.	245
CHAP. IX.	
The Supplement	256
Critical Selvey of the different secrement	N
PART III.	-
CHAP. I.	061
PAssages in ancient authors, supposed to refer	
to the scurvy; together with the first ac-	283
CHAP. II.	13
Bibliotheca scorbutica: or, A chronological	1137
view of what has hitherto been published on	202
view of what has hitherto been published on the scurvy	302
the scurvy	302
POSTSCRIPT.	302
POSTSCRIPT. SECT. I.	302
POSTSCRIPT.	
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.	302
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases	
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.	495
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.  State of the blood and secretions in the scurvy	495
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.  State of the blood and secretions in the scurvy  SECT. IV.	495
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.  State of the blood and secretions in the scurvy  SECT. IV.  Observations on the causes productive of the scurvy	495 504 511
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.  State of the blood and secretions in the scurvy  SECT. IV.  Observations on the causes productive of the scurvy  SECT. V.	495 504 511
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.  State of the blood and secretions in the scurvy  SECT. IV.  Observations on the causes productive of the scurvy  SECT. V.  The cure	495 504 511
POSTSCRIPT.  SECT. I.  APpearances on dissection of scorbutic bodies  SECT. II.  Effects of the scurvy on other diseases  SECT. III.  State of the blood and secretions in the scurvy  SECT. IV.  Observations on the causes productive of the scurvy  SECT. V.	495 504 511

#### TREATISE

ON THE

### SCURVY.

### PART I. Preliminary Discourses.

#### CHAP. I.

A critical history of the different accounts of this disease.

In the first accounts given us of this disease, by Ronsseus, Echthius, and Wierus (a), it is surprising to find, not only an accurate description of it, but an enumeration of almost all the truly antiscorbutic medicines that are known to the world even at this day.

Ronsseus, who believed it to be the same disease that is described by Pliny (b), and is said to have afflicted the Roman army under the command of Casar Germanicus, observed, that in his time it was to be met with only in Holland, Friesland, and Denmark; though he had heard of its B

(b) Vid. part 3, chap. 1.

<sup>(</sup>a) The first writers on the scurvy. Ronseus and Echthius, though contemporary, wrote separately, without having the benefit of seeing each others works.

appearing in Flanders, Brabant, and some parts of Germany. From seeing some of those countries entirely free from this distemper, he was induced to ascribe its frequency in other places to their soil, climate, and diet. In order to prove

which, he wrote his first epistle (c).

Echthius seems to be the first who gave rise to the opinion of its being a contagious or infectious disease. He was led into that mistake, by observing whole monasteries who lived on the same diet, and in the same air, at once afflicted with it, especially after severs; which no doubt might become infectious in close and confined apartments. He imagined, therefore, that a scurvy might in a manner be the criss of a fever,

and as fuch deemed it contagious.

But although Wierus very minutely transcribes the fymptoms from this last author, upon this occasion he very justly differs from him. observes, that the scurvy is not properly the crisis of a fever; but, like many other diseases, may be occasioned after it by a vitiated state of blood, &c. He imagines people were induced to believe it a contagious malady, by frequently feeing whole families feized with it in the fame manner; but this he ascribed to the samenes of their diet. He was however deceived (probably by the authority of Echthius) in thinking, that where the gums were putrid, the difease might be infectious: and accordingly makes it a doubt, whether in some parts of the Lower Germany, where it had lately appeared, it was owing to their diet, or to infection. But it shall be

<sup>(</sup>c) Intitled, Quare apud Amsterodamum, Alecmariam, atque alia vicina losa, frequentissime infestet scorbutus?

be fully proved hereafter, that the scurvy is not

contagious or infectious (d).

It may be proper to observe further, that Wierus had described the various and extraordinary fymptoms of this malady, in fo accurate a manner, that the fucceeding authors for a long time did nothing more than copy him. It was a confiderable time after, when Solomon Albertus wrote a large treatife on this subject, wherein he affumes great merit to himself in discovering a fymptom not taken notice of by any author, and which he had once or twice observed in this disease, viz. a rigor or stiffness of the lower jaw. However, Wierus still continued in the greatest esteem and reputation; and his book was deemed the standard on this subject, even till the time of Eugalenus, who gives it that just character, and refers to it almost entirely for the cure. Wierus then must be allowed to have been a good judge of this diftemper: and as he was a person of eminent learning, as well as probity (which his writings on this and many other fubjects fufficiently shew) his word may be relied upon, when he tells us, that in his time this difease was peculiar to the inhabitants of the countries upon the north feas: he had never met with it in Spain, France, or Italy; nor was it to be feen in the large tract of Upper Germany: and as to Asia and Africa, if ever it appeared there, it would no doubt be in fuch places as lay adjacent to the fea; where the fituation, gross diet, and bad water, might give rife to it, in the fame manner as they do in the countries where it prevailed. These were not conjectures in our B 2 author;

author; for he was a great traveller, and had vifited all the places he talks of (e). A book written in those times by him, De prastigiis demonum, adds much to his reputation; as it shews he was neither fo weak, nor credulous, as fome later writers on the fcurvy.

Brunnerus, who may be deemed the next judicious author after him on this subject, observed, that in his time, when the use of wine was become more common, the fcurvy was not fo frequent as formerly, even in those countries where

it prevailed much.

Notwithstanding which, in a very short time after, we are surprised with accounts of this supposed contagion having spread far and wide. In less than thirty years after Wierus, Solomon Albertus, in his dedication to the Duke of Brunfwick, after fome very pathetic declamations on the vices of the times, observes, that he had met with the fcurvy every where; and that it prevailed in Misnia, Lusatia, on the borders of Bobemia and Silefia, &c.

However, the disease as yet still retained the fame face; its fymptoms and appearances being the fame. For though this author (who practifed in a place where Wierus fays the fcurvy was uncommon) had discovered one extraordinary fymptom, before mentioned, fometimes accompanying it; and which certainly was but very rarely to be feen, as it escaped the observation of every one but himself: yet in other respects, he, as well as his contemporary writers, gives us the fame account of it as Wierus had done; and particularly, that the putrid gums and fwelled legs legs were the most certain and only characteristic

figns of it (f).

But eleven years after him, we are likewise acquainted by Eugalenus, with the surprizing rapidity with which this contagious distemper had made its progress over almost the whole world. And what is still more remarkable, the face of the disease was in a few years so much changed, that the putrid gums and swelled legs were no longer characteristic signs of it, as it often killed the patient before these symptoms appeared (g). And it is highly probable from the histories of above 200 cases of patients given in his book, wherein mention is made of the gums being affected in one person only, that such symptoms did now but rarely, if at all, occur.

This disease had also become more violent and malignant, as he gives us to understand in different parts of his performance: all which he would persuade us to have proceeded from a very

fingular cause (b).

But besides the physical reason which he assigns, he is likewise pleased to introduce some moral

(f) Signa mali hujus characteristica non alia sunt, præter duo illa (quorum suprà meminimus) gemina, symptomata pathognomica appellata, indubia morbi indicia, viz. stomacace et sceletyrhe. Cætera symptomata ancipitia sunt et vaga. Alberti historia scorbuti, p. 546.

(g) P. 10. and 211. The Amsterdam edition of Eugalenus,

published in the year 1720, is here quoted.

(h) P. 250. where talking of the pox and scurvy as both modern diseases, Utrique etiam peculiare hoc nostro seculo suit, ut quam longissime latissimeque sua pomæria dilatent et dissundant, atque procul à generationis suæ locis et terminis, ad incognita et remota loca excurrant evagenturque, atque sub diametrali linea, quâ sibi invicem, sub polorum oppositione, opposita sunt, se mutud quasi complectantur, et inter se virus ac venenum suum communicent. Ita sit ut hodie etiam Germani e, Angliæ, Galliæ, bic morbus innotescat; apud quos antea ne quidem auditum ejus nomen suit.

considerations to account for the greater frequency and malignity of this distemper, and the extraordinary symptoms which he ascribes to it. In one place (i) he attributes its irregular appearances to the operation of the devil. But in another, he thinks this new and surprizing calamity sent, by divine permission, as a chastisement for the sins of the world. And as he really thought himself (as appears through the whole treatise) the most sagacious detector of this *Proteus* like mischief, lurking under various and surprising appearances, he very religiously thanks Heaven

for the important discovery (k).

As Eugalenus's book has been often reprinted in different parts of Europe, has been recommended by the greatest authorities, Boerhaave, Hossiman and others, and is looked upon at this day as the standard author on our subject, in the first edition of this treatise I employed several pages (which I since have judged unnecessary to reprint) in a critical inquiry into the propriety of its contents and the merit of its author. I observed at great length wherein he differs in his account of this disease from all preceding authors; for as to those who succeeded him, they did little more for some time than copy him. But for this I must here refer to the abridgment of his work in part 3.

The

(i) P. 81.

<sup>(</sup>k) Quod ideò permittere Deus videtur, ut hoc modo iram suam adversus peccata ostendat, dum novis et inusitatis morbis et ægritudinibus, nunquam prius cognitis ac visis, mortale genus in ira sua visitat et castigat; ut etiam vulgus nostras, morborum novitate admonitum, intelligat disserentes hujus temporis sebres ac morbos esse ab iis qui ante aliquot annos homines assixerunt. Agamus igitur Deo gratias, quòd pro sua insinita misericordia ac clementia tam benignè eos nobis revelare dignatus sit, p. 222.

The different accounts and descriptions of the same disease by Eugalenus and the preceding authors, as they will there appear, can be accounted

for but in two ways.

This distemper must, in a very short time after the first accounts of it were published, have made an incredible progress, become an universal calamity, and assumed quite a new appearance and different symptoms. This was the opinion of Eugalenus; who, although he has given such a new and different relation of it, yet tells us expressly it was the stomacacia of Pliny, the disease described by all other authors under the name of scurvy; with whom he agrees in assigning the same causes and cure. For which last, in particular, he refers us to these authors.

Or we may suppose, that this author might be mistaken, in thinking the disease he has described, to be precisely the same with that which was formerly known by that appellation: yet perhaps there may be found some analogy or resemblance betwixt what he deemed such, and the former accounts we had of the scurvy; so that they may be said to border on each other. Or at least he has given this denomination to a complication of various symptoms sirst described by himself; and thus has characterised under the name of scurvy, a particular disease, or class of diseases; in which he has been followed by succeeding authors.

Upon the first supposition, before we can give entire credit to him, and believe so great an alteration to have happened in this distemper, it is necessary we should know what grounds he had for his opinion, and what reasons induced him to believe, that so many diseases, various and opposite in their appearances, were nothing more than

than the fcurvy lurking under different forms. It is at least required, that there should have been in the effects or appearances of the difeases, some distant analogy or resemblance left; otherwise there will be a strong presumption that here he

might be mistaken.

But instead of pointing out to us any such fimilarity or refemblance betwixt the difeases he has described, and the real scurvy as described by all others before him; he has fallen upon a most extraordinary method of proving their identity, by affuming for pathognomonic or demon-Strative scorbutic signs, such symptoms as had never been observed in the disease before, viz. fuch a state of urine and pulse as is entirely different from the description given of them by the most accurate writers (1).

Now, upon a supposition that the pulse and urine, like the rest of the symptoms, had also varied in this diftemper from their former appearances, it was then incumbent upon him to

(1) Vid. part 3. chap. 2. Forrestus tells us, that in this malady the state of the urine deferves no regard; and wrote three books to prove it fallacious. Although Rensnerus does not in this agree with Forrestus; yet he, as well as Wierus, differs widely from Eugalenus in the description of the urines in this disease. As to the state of pulse described by Eugalenus, which he afferts to be the most constant concomitant of this distemper, p. 30. it is remarkable, he is the first author who mentions such a condition of pulse to have ever been observed in the scurvy.

Notwithstanding all which, the pulse and urine, or either of them, convince Eugalenus of the existence of the scurvy, though in other respects the symptoms should differ from it as much as the plague does from a dropfy. Sufficient ad denotandam mali causam quæ ab urina et pulsu indicia sumuntur, p. 120. De his omnibus, certum à pulsu & urina, vel ab horum alterutro, indicium est, minimèque fallax, p. 89. Citra alia indicia, non semel ad morbi cognitionem nos sola urina deduxit p. 23.

prove the identity of these diseases by other marks, and not by those symptoms wherein the disease differed from itself.

In a former edition of this treatife I enumerated the feveral other figns he gives of fcorbutic difeases, which were properly reduced into two classes, viz.

onditions of pulse and urine, which never were remarked in the scurvy by any but himself; and seem indeed more peculiar to other distempers:

2dby, Such as are common to this disease with many others. But these he seems to rely upon no further, than to corroborate the proofs he had

from the pulse and urine.

As these are the principal marks and diagnoftics of the diseases described by Eugalenus; among which there are not to be found any of those fymptoms which the authors preceding him thought absolutely necessary to demonstrate the existence of the disease which they had described under the name of scurvy; and as Eugalenus affumed for demonstrative and constant signs of this disease, such as were never before observed in the true fcurvy, nor are ever feen to occur in it at this day, (as afterwards will be more fully proved:) we must necessarily conclude, that he has described a different disease; which appears from his whole treatife. We need but mention the comparison once more in this respect with the authors who preceded him. Reusnerus wrote but four years before him; and has collected into a volume of confiderable bulk, almost all that had been written upon the fcurvy. After describing the putrid gums and spots, he expresses himself thus. "These are the demonstrative signs of the scurvy, " with" without whose appearance the disease cannot

" fubfift (m)."

It may be faid, that though the diseases were not precifely the same, yet Eugalenus under the fame name has characterised a certain disease, or species of diseases, in which he has been followed by all other authors. This leads me to the most distinguishing characteristic of all the diseases defcribed in his book, and which is to be met with almost in every page, (n) viz. its being a disease not properly described by the ancients: to which he often adds, its not submitting to the cure prefcribed for it by those old authors.

He recommends the perufal of his book to fuch only as are conversant in the writings of the ancient Greek and Roman physicians (o); otherwife he observes they will never be able to distinguish old diseases from the new: all which, or what he imagined to be fuch, he has promiscuoufly classed, without any other distinction, under

the general name of scurvy.

The true idea this author entertained of the fcurvy, by which the reader may be enabled

to

(m) Et hæ signa sunt scorbuti pathognomica, quæ sine rei in qua sita sunt interitu abesse nequeunt. Reusneri exercitat. de

scorbuto, p. 328.

<sup>(</sup>n) Viz. Nam si quis nobis in his regionibus morbis occurrat rarus, vel etiam aliquis veteribus cognitus, sub aliis, et diversis, atque plurimum ab eorum descriptione discedentibus fignis, statim mendacem ejus speciem suspectam babere oportet, et buc atque ad bunc morbum cogitationes dirigere, diligenterque cum morbi mores, et causas ejus antecedentes, tum pulsum et urinam explorare, taliane fint quæ buic morbo conveniant, eumque quadam sua. proprietate exprimant et demonstrent. Soon after adding, Non video quis præterea dubitationi locus esse possit, nisi perpetuo cogitationibus nostris oberrare et incertum vegari velimus, p. 179. (0) P. 227.

to judge what particular disease, or species of

diseases, he characterised, is precisely this.

He feems to have been of opinion, with an eminent physician of that age, who takes occasion from Solomon's saying, there was nothing new under the fun, to affert, that all diftempers were the same formerly as at present. To this our author, however, makes two exceptions, in the pox and fcurvy, (p. 250); where he imagines that the one travels from the north, the other from the fouth; and that, upon their meeting, they communicate and intermingle their poison with each other. But he was entirely unacquainted with bysteric and bypochondriac complaints, and a train of others now going under the name of nervous disorders. He knew very little of the rheumatism, rickets, and many others; which, if at all, are very imperfectly described by the ancients. Hence, whenever fuch cases occurred, with this peculiarity, of not being described in ancient authors, he directly pronounced them fcorbutić.

Thus, he imagined, that the scurvy might assume the form of almost all diseases incident to the human body: or, in other words, that the numerous and various distempers described in his book, from the plague to a simple intermitting sever, might be produced by this one scorbutic cause; and that each of these manifold diseases might subsist singly and separately, without the appearance of any symptom formerly observed in the scurvy described by others; or even any one symptom common to those described by himself, except the appearances in the urine and state of the pulse.

But a difference of climates must needs have a great influence, even on the same diseases; thus we find the crises and appearances of fevers and other distempers, to vary in these cold climates, from the description given of them in more southern countries, where the ancients practised. These and other incidental circumstances, necessarily induce a variation in the indications of regimen and cure. This our author makes no allowance for: but when the most common and usual malady deviated in the least from the account given of it by those accurate authors, especially when it did not yield to the method of cure directed by them; all such irregular and untoward symptoms he likewise referred to the scorbutic taint.

Now, whether the disease was altogether and purely scorbutic, or the scurvy was joined or complicated with another malady, no cure could possibly be made in either case, without the common and specific antiscorbutic herbs; which, upon the last supposition, were to be compounded with other medicines proper for these diseases, and which, according to his own account, proved always successful (p).

The vanity and prefumption of this author are indeed intolerable, when he affures us, that he would cure beginning confumptions in fourteen days (q); palfies in five days (r), often in four, but in fourteen at most (s); violent tooth-achs in a few hours (t); fevere quartan agues in ten days, otherwise not curable in a year (u). In short,

(q) P. 192. (r) Obf. 16, et 23. (s) P. 63. (t) P. 52. (u) P. 40.

<sup>(</sup>p) In bis omnibus, cum, propter multiplicem symptomatum varietatem raritatemque, causam subesse raram, et veteribus incognitam, considerarem; post varias habitas mecum deliberationes, et diligentem pulsuum urinarumque examinationem, tandem scorbuto adscribendam inveni, conjecturam meam ac σοχασμόν de his, comprobante selici curationis eventu, p. 30.

short, according to him, no disease is any longer incurable; and by his means the art of physic

is restored to credit and reputation (w).

His extreme ignorance in physic, appears, among many other instances, from his taking a proneness to faint in child-bed women for a demonstrative sign of the scurvy (x). In a man of seventy years, he judged a mortification of the foot to be scorbutic, by the black and purple spots which appeared upon the mortified part; and the small, weak, and unequal pulse, naturally to be expected in such a situation (y).

He feems to have known no other diffinction betwixt the venereal difease and scurvy, but the

pulse (z), and sometimes the urine (a).

All the fucceeding authors, for a confiderable time after Eugalenus, follow him most religiously and minutely in their description of this disease. So great a compliment is paid him by Martinus Horstius, and Sennertus, that they copy out of him with a scrupulous exactness, not only the many symptoms he describes peculiar to the malady (and especially his great dependence on the pulse

(w) Futurum enim est, ut in morbi notitiam deductus, paucis diebus gravissimas quasque sebres sit curaturus, quibus nulla prius veterum profuit curatio. Soon after adding, Quæ, quia à nemine hactenus satis animadversa funt, quod sciam, hinc factum esse arbitror, quòd tantopere vilescere apud nos et in his regionibus medicina cæperit, utpote quæ nullius sebris curationem certo promitteret, p. 36.

And repeating the same remark in another place, Hoc sine arrogantia dicere possum, me certam harum febrium curationem promittere omnibus audere, qui nostris præceptis ac monitis obtemperare, et in assumendis hisce medicamentis consilium nostrum sequi non detrectant: siquidem (absit arrogantia dicto) non minus certo harum sebrium curatio mihi nota est, atque digi-

torum numerus. Obs. 56.

(x) P. 194, 197. Item, Obf. 11. (y) P. 108. (x) P. 51. (a) P. 263. Vid. p. 60, 126, 137.

pulse and urine, for ascertaining its existence); but where he or his editors, in their extraordinary relations of scorbutic cases, mention some very uncommon and singular appearances, these are likewise added by them to the proofs of the scurvy. Such extraordinary cases were attributed to this evil, as perhaps are not to be paralleled in the records, I may say the legends, of physic.

But what additional observations they themfelves made, may be seen in the proper place (b). Their merit seems chiefly to have consisted in furnishing us with cures, or at least with many medicines for the different diseases described by Eugalenus. However, as an apology for Sennertus, he informs us, that he transcribed chiefly from this last author, because the scurvy was not a disease so frequent or common in his own

country (c).

Eugalenus

(b) Part 3. (c) Tractatus de scorbuto, p. 140. To give the reader fome idea of the confequence of fuch writings, and the high efteem these authors gained by their works; we find Moellenbroek, who pretended likewise to write upon this difease, or at least a species of it, setting out in his introduction thus. Immo nullus fere jam morbus eft, cui Je non adjungat scorbutus; unde nisi antiscorbutica interdum reliquis admisceat medicamenta, vix eos curabit medicus. Quodin praxi mea expertus sum non raro. Et novi aliquos, qui scorbutum ejusque antidota negligentes, in morborum curatione, suum non potuerunt obtinere scopum: ac propterea meo exemplo edocti, maximo cum ægrorum suorum emolumento, eadem postea exhibuere. Quamvis autem valde frequens sit scorbutus, symptomatibus tamen variis oculatissimos sæpe medicos illudit et decipit; immo ex mille medicis (ut scribit Frentag. cent. 1. observ. 99.) ne ternos quidem invenias scorbuti sat gnaros, ut ut se fingant Æsculapios. Hic tantæ ægrotorum strages, tanta mortalitas, tanta archiatrorum, necdum gregariorum errata; ut statuas mereantur Fracostoriana splendidiores, ære perenniores, viri clarissimi Sennertus et Martinus, (adderem ego Gregorium Horstium) qui, penicillo plus quam Apelleo, medicorum opprobrium nobis depinxerunt. Meruisset pyramidem Eugalenus, ni curationem subticuisset.

Eugalenus had not talents sufficient to form any sort of theory for illustrating the nature of the many diseases referred by him to the scorbutic taint. The principles he assumes upon particular occasions of obstructions in the liver and spleen, overslowing of the black bile, and corruption of the humours, are all borrowed from other authors, lamely explained by him, and often contradicted in his book. Sennertus's hypothesis confutes itself. So it was left to Dr. Willis, with the assistance of Dr. Lower, to clear up a subject that lay under very great obscurity, by reducing the whole into an ingenious system, which continues established and adopted even at this day.

It may be worth while to take notice, that until Eugalenus's time, as before mentioned, putrid gums and fwelled legs were the characteristic figns of the scurvy. This last author made them to be a small, quick, and unequal pulse, together with a peculiar state of urine (d.) But such a condition of pulse is not mentioned by Willis to have been observed in any of the cases he gives to illustrate his account of this disease; nor is it so much as mentioned in his book, except under the title of the irregular pulse (e), which is said to occur only in the most inveterate scurvy (f). And although he lays great stress on the appearances in the urine (g); yet here he in some respects likewise differs from Eugalenus (b).

There is another very material difference in their accounts of this disease. Eugalenus found it in his time very easy to remove (i). Accordingly, his book abounds with some very speedy and miraculous cures. Whereas now the scurvy is

<sup>(</sup>d) Vid. part 3. (e) P. 228, Amsterdam edition. (f) P. 254. (g) P. 256. (h) Page 229. (i) Cognito morbo, facile curatur. Eugalen. p. 140.

become much more obstinate, proceeds from various and opposite causes, requiring very different methods of cure; the simple antiscorbutic herbs being by no means fufficient to remove it.

Willis having given a very different account of this difease from all others; as will appear by comparing the fymptoms described by each in the third part of this treatife; in my first edition I examined what fingular and diftinguishing marks and characteristics he gave of such a variety of diftempers, in order to their being with any manner of propriety classed under one denomination, and referred to the difease we are now treating of. I there proved, that the figns given by him of the fcurvy (k), are at best but doubtful and equivocal, if not mostly false and contradictory to former accounts; and observed, that in his manner of giving a detail of almost all diftempers incident to the human body, in a progression from the head to the foot, without any distinguishing marks to know when they proceeded from the fcurvy, and when from other causes, he has acted much more irrationally than Eugalenus; who, although he ascribes as many difeases to the scorbutic taint, yet gives the peculiar characteristics of pulse and urine proper almost to each; by which they may be known to proceed from that, and no other cause, which Willis no where does.

He indeed opens a little the mystery of his book towards the conclusion of it, in the relation of the case of a nobleman, which seems to have been as different from the fcurvy as from the pox. " As this case, says he, cannot properly be re-" ferred to any other difease, it may justly be

" deemed scorbutic (1)."

Dr.

Dr. Willis is copied by most of the succeeding authors, especially by Charleton; by Hossman, in the distribution of the symptons; and by Beerbaave, in the grand distinction into a hot and cold scurvy, in the process of cure, as also in the medicines prescribed for it. But those already mentioned, having been deemed the standard and original writers on this subject, I shall not trouble the reader with any farther animadversions upon them or their followers. I am persuaded, that many other observations will naturally occur to those who peruse Part III. of this treatise with attention.

What were the fentiments of a most judicious physician, may be seen by looking into Sydenham; what were the dreadful consequences of such writings, will appear by looking into Kramer: but how many unhappy patients must have suffered in this disease before the slaughter of thousands at a time (m) began to open the eyes of mankind, is too melancholy a subject to dwell upon!

We are now arrived to a period of time, when many distinctions and divisions were introduced and made in the scurvy. An inquiry into the propriety of these, we shall make the subject of

the following chapter.

#### CHAP. II.

Of the several divisions of this disease, viz. into scurvies cold and bot, acid and alcaline, &c.

A Uthors had now gone on for near seventy years (a), by collecting from each other and adding something themselves to make up a very

(m) Vid. Kramer. (a) From an. 1604, when Eugalenus wrote.

very extraordinary number of fcorbutic fymptoms. They had ascribed to this modern calamity, almost every distemper or frailty (b) incident to the human body; fo that no room was here left for farther invention.

The daily experience of practitioners, and their observations in physic, must soon have convinced them of the inefficacy of one uniform method of cure. The fimple antifcorbutic remedies, how much foever extolled by Eugalenus, failed to remove the many, various, and complicated diforders that were claffed under the name of scurvy. Thus they found themselves under a confequent necessity of having recourse to different distinctions at first, divisions and subdivifions afterwards, of the malady. And as the shops abounded with antifcorbutic medicines of different and opposite virtues, taken from all parts of the animal, mineral, and vegetable kingdoms, it was proper to diftinguish for what particular fymptoms, diseases, or stages of the difease, each was peculiarly adapted.

But it may be asked, In what disease did such distinctions become so necessary? And it evidently appears, in that alone which was first defcribed by Eugalenus, and from bim transcribed by Horstius and Sennertus; and bas been described by Willis, and his copier Charleton. But if the critical remarks that have been made upon these original authors are admitted, the distinctions made here are founded in abfurdity; and the former chapter is a sufficient confutation of them. These indeed, when first introduced by Willis, were not universally received. Chameau,

with

<sup>(</sup>b) Omnes qui ex senio moriuntur, moriuntur etiam ex Scorbuto. Dolaus.

with great strength of reason, confutes Willis's

hypothesis; as many others have done.

But of multiplying divisions and classes of the feurvy there became no end. In which Gideon Harvey, physician to king Charles II. seems to

have exceeded all others (c).

This writer and Charleton are the only authors who deliver the fymptoms peculiar to the different kinds of scurvies, by which they may be known and distinguished from each other (if we except a very modern writer, viz. Dr. Nitzsch (d), who has thought proper to introduce many groundless divisions and subdivisions first made by himself in this disease). Whereas others found this task too difficult for them; and that it was much easier to give a long detail of symptoms and diseases; leaving it to the sagacity of their readers to apply sewer, more, or all of them, to the different species of scurvies constituted by them. For this purpose, it was alone sufficient that their theories were rightly understood; as when

(c) He makes above twenty different species, such as a flatulent, a cutaneous, an ulcerous, a painful sourcy, &c. a mild or malignant sourcy, an English or Dutch sourcy, a sea or land sourcy, &c. &c. New Discovery of the Sourcy,

cap. xv.

(d) Vid. part 3, chap. 2. The observations in his book are sufficient of themselves to consute the division of this discase into a hot and cold scurvy. The truth of the matter is this, when the doctor was sent to Wiburg, anno 1732, he seems to have been strongly prepossessed with an opinion of this distinction; and in his paper very unjustly blames the surgeons in the place for not having attended to this scholastic division of scurvies. But when by farther experience in a very great number of patients he had acquired a more perfect knowledge of the disease, one cannot help remarking what pains he takes still to support this fanciful distinction, in order to justify the aspersions thrown upon the surgeons in Wiburg.

when the sulpburs abounded in the blood, and when they were depressed; when this vital fluid was too hot or cold, or inclined to an acid, alcaline, and briny acrimony, or an oily rancidity.

The first and best authors (e), whose method of cure was fimple, uniform, and for the most part fuccessful, having consequently no occasion for fuch various distinctions, universally ascribed the malady to a fault in the spleen. They mistook this disease for a very different one described by Hippocrates (f). But it being supposed, that the scurvy since their days, had by contagion (g) diffused itself over the whole world, infected the child unborn (b), and that few escaped this modern calamity (i), as a pimple appearing on the Ikin was thought to indicate this mischief lurking in the blood; to support these ill-grounded conceits, theories were invented, galenical, chymical, and mechanical, according to the whim of each author, and the philosophy then in fashion.

First, The galenical qualities of heat and cold. which Willis describes a sulphureo-saline, and a salino sulphureous state of bumours; and which the more modern writers have diftinguished by the appellation of alcaline and acid scurvies, were introduced; and the distinction continues to this By which they mean, that the fcurvy occurs in different constitutions and habits of body,

or

(e) Ronffeus, Wierus, Echthius, Albertus, Brucæus, Brunnerus, &c. (f) Vid. part 3. chap. 1.

cyclopædia. See chap. 1. p. 30.

<sup>(</sup>g) Tacite serpit insidiosum virus ab hospite in hospitem, spiritus, lecti, mensæ, poculorum communione. Charleton, p. 17. Contagium celere. Boerhaave.

<sup>(</sup>b) Fuere qui liberis suis scorbutum legarent jure possidendum, bereditario. Charleton, p. 17. Vid. Willis, p. 242. (i) Nemo fere bodie ab eo plane immunis existit. Dolai En-

or at different times; proceeding from as oppofite causes as can well be imagined; as from heat and cold, or the opposite qualities of an acid and alcali: and accordingly the different kinds of it require the most different methods of cure; what proves salutary in one species, being experienced hurtful, nay, poisonous in another. This was the consequence of Eugalenus's book,

and other like writings.

It must be owned, the general name of a disease does not always lead us to the true nature of it. The habit of the body, and many other circumstances, are carefully to be examined; as also, the different degrees and stages of it, together with whatever other peculiar symptoms may occur, in order to furnish just prognostics, proper indications, and a rational method of cure. But the divisions and distinctions that have been made here, are not only altogether unnecessary and perplexing, but have a pernicious tendency to confound it with other diseases, between which there is not the least analogy to be found.

The term cold or acid scurvy, is often met with in conversation, and frequently in the writings of very great physicians. Now I take it for granted, that they who use this term, do it in the same sense as the most eminent writers on the scurvy who first introduced it, and have explained its meaning. It will therefore be sufficient for my purpose, to shew in what sense it was understood by them, and indeed by all who

have attempted to explain it.

Soon after Eugalenus's book was published, it was found he had described in it many symptoms of the bypochondriac disease. Accordingly, Sennertus, in the preface to his so much esteemed

treatife, tells us, as an apology for having transcribed from this author, that if we live in a country where the fcurvy is not very common, we should at least learn from his book many symptoms of the hypochondriac disease. Yet what is furprifing, this author, as well as all other fyftematic writers, has described the latter, in other parts of his works, as altogether different from

the fcurvy.

These authors, by confounding the two difeases, occasioned the utmost perplexity to succeeding writers on the subject. Willis, and all the followers of Eugalenus, maintain that the fcurvy was nearly allied to the hypochondriac disease. But to set limits to both, and determine wherein they differed, puzzled authors not a little. Some thought they were fo closely connected as not to be described separately (k). The excellent Riverius, who knew little of this diftemper but from books, conjectured it to be the hypochondriac difeafe, complicated with a certain malignity. Some were of opinion it was this last when beginning. But the more general notion of these mistaken authors (1) was that the melancholic malady often terminated in the scurvy, as being the last and most exalted degree of it. The most judicious, such as Drs Pitcairn and Cockburn (the last of whom especially had great opportunities of being acquainted with the scurvy) tell us plainly, that if any thing is meant by the term of a cold fcurvy, it is nothing else but the bypochondriac disease. And any person will be convinced, that this is truly the case, by looking into Charleton; who must mean

<sup>(</sup>k) Ettmullerus, Dolæus, &c. (1) Moellenbroek, Barbette, Deckers, &c.

mean that, if he means any thing; and is the only writer of character who has diffinguished the acid scurvy by its symptoms and cure (m).

But it is certainly paying too great a compliment to Eugalenus, to extend this denomination to the hypochondriac disease, or any species of it; to pestilential fevers, cancers, buboes, &c. as he has done. Nor is it sufficient to alledge, that time and custom have given a fanction to such terms; as this is complimenting ignorance and custom, in a manner no way consistent with the improvement of arts and sciences.

The hypochondriac distemper, according to Sydenham (n), is the same in men, that hysteric disorders are in women. In this, with some little variation, most physicians agree with him. But such diseases have no manner of connection with the scurvy: their seat and cause in the human body, and especially their symptoms, are widely different; so that there is hardly to be

found one symptom in either, which is common

to both.

It is indeed furprifing, that some very eminent authors should have endeavoured to persuade us, that from such opposite causes, as heat and cold, or alcaline and acid salts abounding in the body, not only the same series of symptoms should arise (for if they do not, they should certainly have noted which were peculiar to each) but that then likewise the same state of the blood should also exist. Thus, the learned Boerbaave and Hoffman, after giving a very regular detail C 4

<sup>(</sup>m) P. 40. He fays, it is so nearly allied to the melancholia hypochondriaca, as to differ from it only in certain degrees.

(n) Vid. Disser. epistol. ad Gul. Cole.

of symptoms, wherein they widely differ from each other, both agree in affigning one only immediate cause of all scurvies; which they suppose to be an extraordinary separation of the serous or watery part of the blood from the thicker part or crassamentum; the former being dissolved, thin, and acrid; whilft the latter, on the grumous part, is too thick and vifcid. From the predominancy of different acrimonious falts (n), or oils (0) in the too thin ferous humours, the fcurvy was to be denominated, according to Boerbaave, either muriatic, acido-austere, fatidalcaline, rancid-oily, &c. (p)

But

(n) See the flate of the blood in the scurvy, in a post-

script now added to this third edition.

The ferum is fo far from being acrimonious, in this difease, that it is rather more insipid than the serum of healthy blood.

(o) Vix equidem plura sulphurum saliumque genera in bermeticorum ergasteriis, quam in sanguine scorbuticorum est

reperire. Charleton, p. 58.

(p) Boerhaave having described the symptoms peculiar to the beginning, progress, and end of the malady, it may be asked, To which of the different scurvies are the symptoms (Aph. 1151.) and their so regular progression to be applied? It would appear, to all of them, not only by his description in this manner, but by the prescriptions in his Materia medica; where for example, putrid gums, the pathognomic fign of the malady, as will afterwards be shewn, are supposed to occur both in the hot and cold feuryy, which are the most opposite species of the disease. Vid. Aph. 1163.

The whole indeed confifts of scraps taken from different authors. He has picked the fymptoms out of one book, Sennertus's collection, as he acquainted the pupils in his lectures; the cure out of another, viz. Willis. But it will appear to any person who peruses the authors from whom he has borrowed the description of the symptoms, viz. Echthius, Wierus, &c. that they described a very different disease from what Willis did. Dr. Willis's method of cure may perhaps be rationally applied to the difeases he described;

but

But the affuming of fuch chymical principles as the foundation of a method of cure, from a prefumption of the predominancy of fuch falts and oils, or of an acid or alcaline tendency in the blood in this difease, is exceptionable on many accounts.

We may allow the predominancy of fuch falts, or the existence of such an humour in the stomach and intestines, as may be supposed to have the physical marks and properties of what is faid to be acid or alcaline. But as the blood of no living animal was ever found to be either acid or

alcaline,

but is by no means adapted to the malady characterised by

the first writers on the scurvy.

I have been told, that Boerhaave has described a cacochymia under the appellation of scurvy. But if any thing else is meant befides a scorbutic cacochymia, which must be the fame thing as the difease called scarvy, why misapply and confound terms? This must occasion a confusion of the things themselves; and hath produced very dreadful confequences, of which I will give but one instance. Mercury may be reputed a poison in the fcurvy; Kramer gives an account of 400 men destroyed by it (See Dr. Grainger's letter, part 2. chap. 2.): yet Boerhaave recommends it; and in such a state of the malady (Aph. 1151. n. 4.) where it must certainly become a very deadly one. This fatal mistake has been copied from him, and even inforced by his authority. See Heucher.

It is true, he fays, what is proper for one fcurvy is a poifon in another. But this is not eafily reconciled with the causes he affigns of the disease; all which (except the cort. Peruv. which is a good antifcorbutic) would feem, either feparately or jointly, to produce fimilar effects. Let us fuppofe, for a moment, they produced very different effects; what criterion have we to diftinguish, by his aphorisms on this difeate, a poisonous from a falutary medicine? As I have before observed, he delivers the most regular uniformity of appearances; and the pathognomic figns feem to be the fame in every species of scurvy.

To fo great an authority, which, as far as is confiftent with truth and the good of mankind, I shall always respect, alcaline (2), it is hard to grant the existence of fuch qualities, latent there, when they do not manifest themselves by any signs in the body, from which we can be affured of their existence. These, according to all the authors of such theories, ought principally to be in the alimentary canal. But, in the highest degree of the hot, putrid, and what is called the alcalescent scurvy, there is generally neither loss of appetite, putrid belchings, nor any other marks, delivered by those authors, as proofs of an alcalescent tendency in the stomach and intestines: nor is there commonly any præternatural thirst, or heat of the body, supposed always to accompany an alcalescent

may be opposed a much greater, viz. the experience of a physician who had the greatest opportunity perhaps any one ever had, of being conversant with scorbutic patients; woful experience gained by being witness to the death of many thousands, when Boerhaave's Aphorisms on this subject were of no use to him: Non nisi unica species veri scorbuti datur, eaque fætida, putrida, &c. Gravissimus est error, quamlibet. cacochymiam, imo etiam cachexiam, &c. scorbutum putare, quam verus scorbutus species cacochymiæ singularis sit. Kramer epistol. p. 27, 28. Such indefinite terms are indeed but a fubterfuge for ignorance, and have been long a reproach to the art of medicine. Antiquorum cocochymia, et modernorum scorbutus, aqualia habent fata; nam nomen suum in omnibus illis affectibus dare debent, ubi causa morborum et symptomatumnullo alio vocabulo exprimi possunt. Et sic tanquam asylum ignorantiæ hæc nomina consideranda veniunt. Junckeri conspectus medicinæ, tab. 69.

Stephens's medicine was found to effervesce with acids, yet this experiment by no means authorises us to conclude that the blood of such people was alcaline, for very obvious reasons. It however furnishes one of the strongest arguments against the opinion of putrid scurvies being of an alcalescent nature; as pills made of soap, garlic, and squills, was the common medicine given by our most experienced navy-surgeons, and used at several hospitals, particularly at Gibraltar, for recovery of many thousand seamen half-rotten in

this difease.

calescent state of the blood. On the contrary, such people have for most part a good appetite, without any heat or drought, even till their death.

One would naturally have expected here, especially in the muriatic or brine scurvy, as it is denominated (which in another place shall be proved altogether a chimerical distinction), a violent thirst, a vehement desire of watery and diluting liquors. These also would feem the most rational and effectual remedies, in fuch a faline state of blood, at least upon chymical principles. Accordingly, a great chymist, Hoffman (a), though he admits different falts in the blood as the cause of scurvies, observes, that nothing can be fo ridiculous as the laboured and anxious pains taken to correct these by opposite falts. "For (fays he) I will prove it to a demonstra-"tion, there is but one way, and it is the fafest " and most effectual, to correct morbid salts of " any kind; that is, by diluting them fufficiently "with water." His reasoning is at least plausible, it being certain water is the proper menstruum and solvent of all salts.

But to bring this matter to a conclusion: Such theories are entirely overthrown, upon having recourse to experience, the only test by which they must stand or fall. We find in practice, that in sea-scurvies which were deemed hot, putrid, and have been referred to the alcaline class, the hot alcalescent plants, viz. cresses, onions, mustard, and radishes, prove serviceable. These, from such theories, have been condemned by authors, as noxious and pernicious in the highest degree.

But

<sup>(</sup>a) Medicin. ration. fystem. tom. 4. part. 5. cap. 1.

But the contrary is demonstratively evinced, by the deplorable case of the sailor left behind at Greenland, related by Bachstrom and others, who was cured by fcurvy-grass alone (d); and by the experience of all our naval hospitals, where fuch scurvies are daily removed by fresh slesh broths; wherein are put great quantities of celery, cabbage, colewort, leeks, onions, and other alcalescent plants. There occurs such patients every fpring in Greenwich hospital, who are cured by the juice of English scurvy-grass, without the addition of any one ingredient to abate its pungency and acrimony (e): but in fuch cases all acid fruit and herbs are likewise experienced to be of great benefit. In a course of experiments on the effects of different medicines in the scurvy, I have given at Haslar hofpital to one man, who has been extremely ill of it, the volatile falt of bartshorn, to the quantity of two scruples every day for a fortnight, and to another in an equally bad condition, fixty drops of the weak spirit of vitriol daily for the same length of time, yet have not been able to perceive any remarkable difference in their effects on the disease. So that the uncertainty of such theories plainly appears. Upon the faith of which, many improper chymical preparations, and especially opposite salts highly extolled in fuch cases, have been recommended and adminiftered

<sup>(</sup>d) Though it is not so acrid as our scurvy-grass, yet it has a tendency that way. See a letter concerning the Greenland scurvy-grass, part 2. chap. 5. which is a sufficient confutation of the vulgar error, that acids alone are proper in fuch fcurvies.

<sup>(</sup>e) Communicated by Dr. David Cockburn, physician to that hospital.

nistered in the scurvy, to the manifest detriment of the patient. Be it remembered, Chymia egregia ancilla medicinæ, non alia pejor domina.

### CHAP. III.

Of the distinction commonly made into a land and sea scurvy.

mon at fea. It is well known there in the present age, by reason of the frequent voyages to the most distant parts of the world. But as many were supposed to die at land of the scurvy, though none of the most equivocal and uncertain, much less the usual symptoms of the marine disease, appeared; it became necessary, in order to save the credit of the physician, and to justify his opinion of the disease, to pronounce it the land-scurvy, or a species of scurvy different from that at sea.

This is a distinction often made in conversation, and sometimes in books. But in order to judge of its justness and propriety, it may be necessary to premise, that such appearances or symptoms, as are peculiar to the nature of a malady, and are more constantly experienced to accompany it, are called its pathognomic or demonstrative signs; and these constitute the greatest medical evidence which can be obtained of the identity of diseases. Besides which, it is a corroborating proof of their sameness, if they proceed from similar causes: And, lastly, if they are removed by the like medicines or method of cure.

ist, As to the pathognomic signs of this disease: If we compare its symptoms as described

the time of Eugalenus (g), with the accounts given of them in books of voyages, particularly the extraordinary narrative of what happened in Lord Anson's voyage round the world (b), we shall perceive an entire agreement in the essential figns of the distenser, and appearances so singu-

lar as are not to be met with in any other.

Now this evil the medical writers have defcribed as peculiar to certain countries. tell us of its prevailing one year over all Brabant (i); fome years in Holland (k). Forrestus, though he had frequent opportunities of feeing it in failors, yet in all his histories gives us but one case of a mariner. His most faithful accounts of this malady, are illustrated by patients who had always lived at land; fome of whom must have been afflicted in a very high degree, as they dropped down dead fuddenly, to the furprise of their relations; of which he gives an instance, Dodonæus (1), a very accurate writer on the scurvy, relates no cases of it in failors, but in people on shore, particularly in a person who contracted it in prison (m).

It is indeed remarkable, that the first just defcription published of this disorder in Europe, was in an account of its raging in besieged towns,

by

(g) Vid. Part 3.

(k) Ronsseus.

(1) Praxis medic. et observationes.

<sup>(</sup>h) Ibid. (i) Dodonæus, Forrestus.

<sup>(</sup>m) Yet elsewhere, Angli maritimis commerciis dediti, et nautæ potissimum, stomacace affliguntur. Sive id sit cerevissæ potu ex palustribus aquis coctæ, sive ex aëris putredine, cælique nebulis aut vaporibus, bujus nostri instituti explicare non est. Historia stirpium.

by the historian Olaus Magnus (n), where it was attended with such symptoms as occur always at sea. We have likewise about the same time a very elegant picture of it drawn by Adrian Junius,

a physician and historian in Holland (o).

Moreover, the fea-scurvy is called by several authors the Dutch distemper; especially by the celebrated Francis Gemelli Careri, who has wrote the best voyages in the Italian language. The French formerly gave it the name of the land evil (p). And indeed the symptoms of the malady are at this day uniform and the same, both at sea and land; in Holland (q), Greenland (r), Hungary (s), Cronstadt (t), Wiburgh (u), Scotland (w), &c. which sufficiently evinces the absurdity of the affertion advanced by several authors, that since the first accounts of it were published, the sace and appearances of the calarmity have been greatly changed.

are the same on both elements: for it will be

fully

(n) Vid. Part 3. chap. 1.

(o) Hollandiæ itaque peculiari dono Natura dedit proventum lætum Britannicæ herbæ (which he afterwards calls cochlearia) quam præsentanei remedii vim præbere in prosliganda sceletyrbe et stomacace experiuntur, cum incolis, exteri quoque: quibus malis dentes labuntur, genuum compages solvitur, artus invalidi siunt, gingivæ putrescunt, color genuinus, et vividus in facie disperit, livescunt crura, ac in tumorem laxum abeunt. Histor. Bataviæ, cap. 15.

(p) Vid. Dellon's voyage aux Indes orientales.

(q) Vid. Dr. Pringle's observations on the diseases of the army, p. 10.

(r) Act. Haffnien. vol. 3. obf. 75. (s) Kramer.

(t) Sinopæus. (u) Nitzsch.

(w) Vid. Dr. Grainger's ingenious account of the scurve at Fort-William, part 2. chap. 2.

fully proved (x), that there is not to be found any one cause productive of it at sea, which is not also to be met with at land; though such causes, by subsisting longer and in a higher degree, usually give rise to its greater violence in that element.

It is indeed a fufficient and just confutation of many writers on the fcurvy, that they pretend to describe a malady to which seamen are peculiarly fubject, and which they fay proceeds from the diet used at sea, bad water, and sea-air. their affertion, That the disease described by them (viz. Eugalenus (y), Willis, and their followers)

(x) Part 2. chap. 1.

(y) Eugalenus practifed at Embden, and other places of East-Friesland; where the cold, thick, and moist air, the raw unwholesome waters used by the inhabitants along that tract of the fea-coast, and the crassus et nauticus victus (as he terms it) occasioned the scurvy to be an universal disease. But it must be granted, that the fcurvy never was fo epidemic or fatal there as in ships and fleets. All the causes he affigns as productive of it, do subfift at times in a much higher degree at fea than at land. I have had 80 patients out of the number of 350 men afflicted with it; and have feen a thousand fcorbutic persons together in an hospital, but never observed one of them to have the diseases described by Eugalenus. Nor did I ever hear of a practitioner at fea, where it would have been most allowable, who assumed his principles; and supposed, that almost all diseases there must be complicated with the scorbutic virus; that the most extraordinary and uncommon which occurred at fea (as was supposed at Embden and Hamburgh) were, this mischief lurking under deceitful appearances; and that fuch difeases could not be cured without a mixture of antifcorbutics, which feldom failed to remove This last, furely, could never have escaped the observation of our many ingenious navy-surgeons, and of our phyficians and furgeons to naval hospitals; some of whom had feldom less than a thousand patients from the sea. Mr. Ive's ingenious journal (placed at the end of chap. 1. part 2.) is a proof of the variety of difeases which occur there,

is properly a marine difease, is resuted by the observation of all practitioners at sea. And the same may be said of the different species of scurvies alledged by *Boerbaave* to proceed from the causes above-mentioned.

But a heavier charge lies against them. When the true fcurvy does really occur, their writings, so far from being useful, are rather hurtful to practitioners; which I think needs no farther proof, than Kramer's letter to the college of phyficians at Vienna. Their doctrines have perverted the judgment of even some of the best writers. I shall instance only Sinopæus. That author has taken his description of the disease from nature and observation; but unluckily, his medicines from those authors; otherwise I am morally certain, the calamity would not have arisen to the height it did at Cronstadt, and usually does every fpring; where it feems to be abated annually more by change of weather, than the skill of physicians.

adly, The cure of scorbutic diseases contracted either at land or sea, is entirely the same. This will appear to any person who peruses Backstrom's and Kramer's observations, and several other histories related in this treatise. And every practitioner who has treated such cases, must be fur-

D ther

without the least connection with the scurvy. If it often killed the patient (as it would seem always to have done in Friesland) before the gums and legs were affected, or the spots appeared; this likewise must have escaped our observation. But though Eugalenus may be justly condemned as the parent of these absurdities, greater mischief, however, has been done by succeeding authors, from their digesting them into a system. Such remedies and cures have been directed, as are not only altogether unserviceable, but for the most part highly pernicious.

ther convinced of it; as the first remedies which were casually found out by the vulgar, and are recommended by the first and purer writers on the subject, have preserved their reputation and

esteemed virtues even to this day.

Lastly, If to such convincing proofs it may be necessary to add authority, I shall beg leave to quote a very great one. The learned Dr. Mead (2) informs us, that incited by the extraordinary events published in Lord Anson's voyage, to make a full enquiry into this whole affair, he had not only the honour of discoursing with his Lordship upon it, but had also been favoured with the original observations of his ingenious and skilful surgeons; and, upon the whole, he found, that this disease at sea was the same with the scurvy at land; the difference being only in the

degree of malignity.

If objectors should reply, That tho' the seafcurvy often occurs at land, and, as has been demonstratively proved, is the only disease that was described by the first writers on the subject, as a malady peculiar to the marshy and cold countries which they inhabited; yet that they, nevertheless, understand by what may be termed, in contradiffinction to the other, a land-scurvy, a disease, or class of diseases, different from the appearance of the marsh or marine scurvy: then it is incumbent upon them, and would be much for the benefit of mankind, to define, describe, and characterife this fingular species, and distinguish it from the appearances of the said disease, either at land or sea. This they must know has not been attempted by any author in physic. The greatest modern writers, viz. Boerbaave, Hoffman,

Hoffman, and Pitcairn, have made no fuch diftinction, either in the causes or signs of the disease, nor indeed in any part of their description of it. And I mention these last, as having had a very extensive practice, besides the advantage of perusing all books written before them on the

fubject.

It may be faid, That there are certain diforders, as different eruptions on the skin, ulcers, a species of tooth-ach, &c. which, for a considerable time, have passed under the character and denomination of scorbutic; a term introduced by our predecessors in the science, and which most practitioners have agreed to make use of at this day, and which there may perhaps be a necessity of retaining, as it is not easy to assign a proper appellation to every disease, or case of a patient.

This reason is commonly urged. In answer to which I shall, first, inquire, how or when this term came first to be so generally applied, or whence fuch ulcers, the itch, &c. were denominated scorbutic? I think it will admit of no doubt, that it was first applied to such ulcers and eruptions on the skin as did not readily yield to the skill of the practitioner (a). Dr. Musgrave (b) informs us, that all Europe was so much alarmed with the apprehensions of this evil in the last century, as appears from the prescriptions of physicians in those times, that the whole art of physic feems to have been employed in grappling with this universal calamity, which was supposed to mingle its malignity with all other difeases whatever. Thus the term was originally im-

D 2

posed

<sup>(</sup>a) Vid. Sydenham.

<sup>(</sup>b) De arthritide symptomatica, p. 98.

posed through ignorance, and a mistaken opinion of the prevalence of the scurvy. There would indeed be fome difficulty in conceiving how men of fuch wild fancies, as were they who have been deemed the principal authors on the fcurvy, and to whom we are indebted for this general name, could ever get into possession of that degree of fame which they have acquired, did we not experience how much the world is disposed to admire whatever surprises; as if we were endued with faculties to fee through ordinary follies, while great abfurdities strike with an aftonishment which overcomes the powers of reason, and makes improbability even an additional motive to belief. There are few now who fet so small a value upon their time, as to read these authors; and by that means their merit is little examined into, and is admitted upon the credit of others.

of such diseases ought still to be retained, as being now generally adopted; I answer, That, upon the same principles, the most ridiculous terms in any art may be vindicated. Lord Verulam, and the first reformers of learning in Europe, met with this very objection. The learned ignorance of that age lay concealed under a veil of unmeaning, unintelligible jargon. But, in order to make way for the restoration of solid learning, it was found necessary to expunge all such terms as were contrived to give an air of wisdom to the impersections of knowledge.

It may be believed, that there are few people who have had opportunities of reading more upon this subject than I have done; and that there are few books or observations published

upon the disease, that have not fallen under my inspection. If I could, with any manner of propriety, have characterised any other species of fcurvy than that which is the subject of this treatife, I should have consulted the security of my character more, than in advancing an uncommon doctrine, as all novelties are exposed to opposition. But, in attempting a thing of that fort, I did not find two authors agree who founded their doctrine upon facts and observations. I observed, that ten different practitioners pronounced ten cases to be scorbutic, which, upon examination, did not bear the least resemblance or analogy to each other. Upon this occasion, I might have followed the example of fome writers (a); and difliking the former diffinctions made, might have introduced others, accommodated either to the opinion of the country, and thus, by adopting vulgar errors, have endeavoured to establish and confirm them; or to fome new principles; and fo might have multiplied abfurdities, in like manner as any private practitioner does, who thinks he has a right to term what he pleases a scurvy; though the propriety of the appellation cannot be justified from the acceptation of it, by the most authentic authors of facts and observations, nor has any foundation in the genuine principles of physic.

It may be faid, That the world would reap great advantage by having a compleat treatise of the causes, cure, &c. of the many diseases which commonly go under the denomination of the scurvy. But this is not an easy task: and it might as well be expected, that an author, who lived in a country, or at a time, when the most obstinate

3

and

and uncommon appearances were ascribed to witchcraft, and had taken pains to banish such ignorant conceits, should be able to account for the various distempers and phenomena ascribed to that imaginary evil. It has been usual for ignorant and indolent practitioners, to refer such cases as they did not understand, or could not explain, to one or other of these causes; according to the observation of a very learned and late practitioner (d).

With regard to the necessity of retaining the name, as if an unmeaning term was as requisite in physic, as pious frauds in certain religions: Si vulgus vult decipi, decipiatur. If the good of mankind will have no effect upon these gentlemen, I am afraid no other argument will. We shall however lay before them a view of the fatal effects produced by the use of such vague and

indefinite terms.

ift, Young practitioners in physic being provided with such a general name as that of the scurvy, comprehending almost all diseases, think themselves at once acquainted with the whole art of medicine; as they may be furnished with numerous cures for it from many Pharmacopaias or books of prescriptions with which the present age abounds. Hence a variety of cases are every day vulgarly deemed and erroneously treated as scorbutic.

2dly,

(d) Mos adeò invaluit, ut hodie medici imperitiores, si quando ex certis signis neque morbum nec causam ejus ritè possunt cognoscere, statim scorbutum prætendant, et pro causa scorbuticam acrimoniam accusent. Deinceps non rarò accidit, ut adsectus quidam sæpe plunè singularis, cui portentosa spastico-convulsiva junguntur symptomaia, in artis exercitio occurrat; et tum usu receptum est, ut illam vel ad sascinum vel ad malum scorbuticum rejiciant. Fred. Hossman. med. systemat. tom. 4. p. 369.

2dly, Older practitioners, by referring many various and uncommon difeases to such imaginary causes (e), deprive the world of the true improvement of their art: which can only be expected from accurate histories of different cases, faithfully and honeftly stated; and distinguished from each other, with the fame accuracy that botanical writers have observed in describing different plants. The ancients have been at great pains to distinguish the diseases of the skin, which at this day make up a very numerous and confiderable class, and have indeed treated that subject with prolixity. But the moderns have classed almost all of them under that one very improper denomination of the scurvy (f), even from the highest degree of the leprous evil, to the itch and common tetters; and with these have confounded the pimpled face, scall head, most eruptions on the skin usual in the spring, the erysipelas, or St. Anthony's fire, &c. nay most. obstinate ulcers, especially on the legs, and va-

(e) Notandum est, quod quando multa symptomata numerantur, tunc esse cogitandum de nomine congeriem morborum indicante, ut scorbutus. Waldschmid praxis medicinæ rationalis.

In his Appendix he observes, that the muriatic and putrid scurvy are properly the same thing, and that the supposed species of acid scurvy is at least very improperly deno-

minated,

<sup>(</sup>f) The learned Dr. Pringle very justly observes the impropriety of the appellation of scurvy generally given to the itch, various kinds of impetigo, &c. and remarks, that in the marshy parts of the Low Countries, where the true scurvy is most frequent, and of the worst kind, the itch is a distemper unknown. A real scurvy, says he, imports a slow, but general resolution or putrefaction of the whole frame; whereas the scabies, impetigo, or leprosy, will be found to affect those of a very different constitution. The true scorbutic spots are of a livid colour, not commonly scursy, or raised above the skin, &c. Vid. chapter on the itch, in Observations on the diseases of the army.

rious other diforders of the most opposite genius to the true fcurvy, have been supposed to proceed from it. The different causes of which various diffempers cannot be with propriety reduced under any division of the scurvy as yet made, nor from thence the peculiar and distinct genius of each known and afcertained; which, however, is absolutely necessary towards under-

taking their cure.

3dly, and lastly, It has a most fatal influence on the practice. Thus the original and real difease has been lost and confounded amidst such indefinite distinctions and divisions of it, that it is fometimes not known by the best practitioners, when it really occurs. To this was owing the loss of so many thousand Germans in Hungary (g), not many years ago; where the physicians to that army, together with the whole learned college of physicians at Vienna, assisted by all the books extant on the subject, were at a loss bow to remedy this dreadful calamity. And for this reason many unhappy people are daily injudiciously treated at land, as must have been observed by every one acquainted with the diftemper. Thence likewife pernicious methods have been recommended at fea, and too often put in practice.

## CHAP. IV.

Of the scurvy being connate, bereditary, and infectious.

Arious have been the opinions concerning the causes and propagation of this evil. Some believed it to be connate, and the dreadful

<sup>(</sup>g) Vid. Krameri epistolam de scorbuto.

feeds of it transmitted from scorbutic parents, and that sometimes it was derived from a scorbutic nurse.

Horstius (a) had so very accurate a discernment, as to find, that the grandfather might infeet the grandchild, though his own fon escaped the infection. He ascribes the spreading of the contagion in Holland, to the custom of falutation by kiffing; and pities the poor infants, whom every person must salute, to avoid giving offence to the family. He is not at all furprifed, that the calamity was fo frequent in the Hanse Towns, and in the Lower Saxony, as they used but one cup at table; where there was feldom wanting fome fcorbutic perfon with putrid gums, who with his fpittle might infect the whole company. Sennertus afferts it to be infectious from venereal embraces, and mentions an instance of its being communicated even from a dead body. Boerbaave, Hoffman, and almost all authors, make it a very infectious poison; and Charleton was of opinion, that more got it in this way than in any other.

Several of these chimerical opinions deserve no serious consutation. It is indeed far from being probable, that this is what may properly be called an hereditary or connate disease; as we seldom in practice see it rise to a great height, without the influence of some obvious external causes; and experience shews, that when the taint is but slight and beginning, it may for the most part be quickly and easily subdued.

It is a matter of more consequence, to be rightly informed whether it is really contagious,

as hath been confidently afferted by most authors.

The effect of contagious poisons can only be known à posteriori, and by no reasoning deduced à priori. So that these authors should have given us attested histories of persons infected in this manner, where the other causes that always produce the disease had no influence. But no such histories are to be found. On the contrary, where-ever the calamity has been general, it was known to proceed from ftrong and univerfal causes; and, in the times of its most destructive ravage, persons properly guarded against the influence of these causes, were not seized with it. Thus, when it lately raged with fuch a remarkable devastation among the Germans in Hungary, the physician to that army (b) was surprised to find that not one officer, even the most subaltern, received the infection.

At fea likewise, where the frequency of the distemper gives the greatest opportunities of determining this point, it never has been deemed infectious. If it had been fo, it could not there have escaped observation. Taught by fatal experience, the fpeedy progrefs and great havock that all contagious diffempers, viz. fevers, fluxes, &c. make among a number of men fo closely confined, it is common to use many precautions to prevent their spreading. They separate the diseased from the rest of the crew, destroy the bedding and cloaths of those who die, fend immediately on shore patients afflicted with such difeases upon coming into port, and afterwards fmoak and clean the ship. But long and constant experience having fufficiently convinced them, that the fcurvy is not infectious, no fuch precautions are ever taken. In flight cases, and

(a) Tradicine de feredates

even where the gums are very putrid, the men are often kept on board, and cured; there being no instance of such persons ever infecting the rest of the crew, or of those who are sent on shore carrying the infection into the hospitals; though, upon many other occasions, the patients of these hospitals suffer extremely by contagious diseases introduced amongst them.

In a prevailing scurvy at sea, the indisposition attacks, in a regular order, such people as are predisposed to it by manifest causes. It is for a long time confined at first to the common seamen: and though the officers servants are at such times often afflicted with it, while using the same cups and dishes with their masters; yet it is but rare to see this disease in even a petty officer.

I could produce many instances, and well attested facts, which prove beyond all doubt, that drinking out of the same cup, lying in the same bed, and the closest contact, does not communicate this distemper. But to multiply proofs of a thing so universally known, is needless.

Nor is this disease communicated by infection from those that die: for the dissections made at Paris (c), of the most putrid scorbutic bodies, do not appear to have produced any such effect.

From whence we may judge how much authors have been miftaken, when they imagined this dreadful calamity to have diffused itself by contagion over the whole world, after it had quitted its native seat in the cold northern climates,

<sup>(</sup>c) Vid. Memoires de l'academie des sciences 1699. p. 237.

## TREATISE

ON THE

# SCURVY.

## PART II.

### CHAP. I.

The true causes of the disease, from observations made upon it, both at sea and land.

THE scurvy seems to be induced most frequently by the agency of certain external causes; which according as their existence is permanent or casual, according to the degree of violence with which they act, and according to their different combinations, give rise to a discase more or less epidemical, and of various degrees of malignity.

Thus, where the causes productive of it are general, and violent in a high degree, it becomes an *epidemic* or universal calamity, and rages with great and diffusive virulence: as happens often to seamen in long voyages;

fome-

fometimes to armies (a), very lately to the German foldiers in Hungary (b); frequently to troops when closely besieged, as to the Saxon garrison in Thorn (c), the besieged in Breda (d), in Rochelle, as also Stetin (e): and at other times to whole countries; as in Brabant, in the year 1556 (f); and in

Holland, ann. 1562 (g).

manent, or almost always subsisting, it may be there said to be an endemic or constant disease; as in Iceland, Groenland (b), Cron-stadt (i), the northern parts of Russia (k), and in most northern countries as yet discovered in Europe, from the latitude of 60 to the north pole. It was also formerly in a peculiar manner endemic in several parts of the Low Countries, in Holland and Friesland; in Brabant, Pomerania, and the Lower Saxony (l); and in some places of Denmark (m), Sweden, and Norway (n), especially upon the sea-coasts.

Lastly, Where the causes are less general and confined to a few, it may be there said to be sporadic, or a disease only here and there to be met with; as in Great Britain

and

<sup>(</sup>a) Vid. Nitzsch. (b) Vid. Kramer. (c) Bachstrom. (d) Vander Mye.

<sup>(</sup>e) Krameri epistol. p. 23. (f) Dodonæus, & Forrestus. (g) Ronsseus. (h) Herman. Nicolai. Vid. act. Hassn.

<sup>(</sup>i) Sinopæus.

<sup>(</sup>k) Vid. Commerc. literar. Norimb. an. 1734, p. 162.

<sup>(1)</sup> Wierus, Ronsfeus, &c.

<sup>(</sup>m) Vid. Concilium facultatis medicæ Haffn. de scorbuto.
(n) Brucæus.

Now, by confidering the peculiar circumstances, situation, and way of life of these people; and by attentively observing, what at any time gives rise to this disease, what is seen to remove it, and what to increase or mitigate its malignity, we shall be able to form a judgment, not only of the principal causes productive of it, but likewise of the subordinate, or those that in a less degree may contribute their influence. We shall begin with considering the situation of those at sea, among whom it is so often an epidemic calamity.

In the proof of the identity of this disease on both elements (p), I observed that the causes productive of it at sea, were to be found also at land, in a less degree: but before determining what are the true causes of its being so often epidemic at sea, it may not be amiss to consider those causes to which it has been commonly but falsely ascribed.

Many (q) have ascribed this disease to the great quantity of sea-salt, necessarily made use of by seamen in their diet; and it has been therefore denominated a muriatic scurvy.

Whether this falt, instead of producing the scurvy, may not, on the contrary, from a power

<sup>(</sup>o) Vid. Dr. Grainger's account of the scurvy at Fort-William.

<sup>(</sup>p) Part 1. chap. 3.
(q) Lister. exercitatio de scorbuto. Vanswieten Comment.
in Aph. Boerh. 1153, &c.

a power of refisting putrefaction become the means of preventing it for some time, I shall not take upon me to determine, as my experiments do not authorife this conclusion; though they plainly prove, that it neither causes the distemper, nor adds to its malignity. For in the cruises after mentioned, where the fcurvy raged with great violence, it was then a fashionable custom to drink the falt-water, by way of gentle physic. I have been told, that Admiral Martin, and feveral officers in his fleet, continued the use of it during a whole cruife. I had at that time feveral patients under a purging course of this water, for the itch, and obstinate ulcers on their legs; and have experienced very good effects from it, especially in the last case: yet none of those people, after continuing this course for a month, had the least symptom of the scurvy.

But to prove beyond all doubt, that seafalt is not the occasion of the scurvy, I took two patients with very putrid gums, swelled legs and contracted knees, to whom I gave half a pint of salt-water, and sometimes more, every day for a fortnight: at the expiration of which time, I was not sensible of their being in the least worse; but sound them in the same condition as those who had taken no medicine whatever (r). From which

<sup>(</sup>r) This experiment, of giving scorbutic persons saltwater, has been often tried; and some have thought they received benefit from it. See chap. 4.

which I am convinced, that fea-falt, at least the drinking of falt-water, by no means disposes the constitution to this disease.

I do not here mean, nor does it follow from what has been faid, that although feawater has no bad influence upon the fcurvy, a diet of falt flesh and fish is equally innocent. The contrary of which will appear in the sequel. The brine of meats, in particular, is of a different quality from either purified fea-falt or falt-water; for we find that this falt may be so intangled by the animal oils, especially in falt pork, that it is with great difficulty difengaged from them after many washings, and the most plentiful dilution. So that as this faline quality is inextricable from fuch food, it is rendered improper in many cases to afford that foft, mild nourishment, which is required to repair the waste of the body. It is remarkable, that the powers of the human machine can animalife other falts; that is, convert them into the ammoniacal fort, or that of its own nature: while the fea-falt feems to elude the force of our folids and fluids; and retaining its own unchangeable nature in the body, is to be recovered unaltered from the urine of those who have taken it. Thus, fea-falt has no effect in producing this difease; whatever meats hardened and preferved by it may have, by being rendered of hard and difficult digeftion, and

and improper for nourishment. And this is farther confirmed by the daily experience of feamen; who upon the first scorbutical complaint are generally debarred the use of every thing that is the least falted: notwithstanding which the difease increases with great violence: while at other times, it breaks out when there is plenty of fresh meat on board; as was the case in Lord Anson's ships, on their leaving the coast of Mexico (s). Nor have the faline effluvia from that element an effect to produce this disease; as there are few workmen in any business so healthy as those who make sea-salt from the sea-water, and are continually exposed to the warm vapour in drying and purifying that falt. It has also been observed, that those who work night and day in the falt-pits in Poland, and who even live in them, are not in the least fubject to the fcurvy; on the contrary, they are remarkable for the health and vigour of their constitutions (t).

E Others,

(s) Vid. Part 3. chap. 2. Dr. Mead, who was thoroughly acquainted with their fituation, observes, that, upon that occasion, fresh meat, and plenty of wholesome rain-water, did not at all avail them. Discourse on the scurvy, p. 100.

That falt meats have fometimes no share in occasioning this disease, is demonstrable from the many Germans in Hungary destroyed by it, who eat neither salt beef nor pork; on the contrary, they had fresh beef at a very low price. Vid. Krameri epist. p. 33.

The foldiers in the Russian armies also had no falt provi-

fions. Vid. Nitzsch.

(t) Vid. Hoffman, tom. 3, cap. 9, p. 57. De efficacia ac utilitate salis communis, &c.

Others, again, have supposed such to be the constitution of the human body, that health and life cannot be preserved long, without the use of green herbage, vegetables and fruits; and that a long abstinence from these, is alone the cause of the

disease (u).

But if this were truly the case, we must have had the fcurvy very accurately described by the antients; whose chief study seems to have been the art of war; and whose manner of befieging towns was generally by blockade, till they had forced a furrender by famine. Now, as they held out many months, fometimes years, without a fupply of vegetables: we should, no doubt, have heard of many dying of the fcurvy, long before the magazines of dry provisions were exhausted. The continuance of those sieges far exceeded most of our modern ones; even the five months blockade of Thorn, upon which Bachstrom has founded this supposition. It would likewise be a much more frequent disease inevery country, than it really is: for there are persons every where, who, from choice, eat few or no green vegetables; and some countries are deprived of the use of them for five or fix months of the year; as is the case of many parts in the highlands of Scotland, Newfoundland, &c. where, however, . the feurvy is unufual.

It would be tedious to give many instances, they being well known, of ships crews continuing feveral months at fea, upon their ordinary diet, without any approach of the fcurvy. I have been three months on a cruife, during which time none of the feamen tafted vegetables or greens of any fort; and although for a great part of that time, from want of fresh water, their beef and pork were boiled in the fea-water, yet we returned into port without one scorbutic complaint. I have known messes, as they are called, of feamen, who have lived, during a whole voyage of three years, on the ship's provisions, for want of money to purchase better fare, especially greens; and who were so regardless of health, as to expend what little money they could procure, in brandy and spirits: so that a few onions, or the like, was their whole fea-store; and a meal of vegetables was feldom eaten by them, above twice or thrice in a month, during the whole voyage: notwithstanding which, they have kept free from the fcurvy.

But it was remarkable, in the two cruifes afterwards to be mentioned, in his Majesty's ship the Salisbury, where I had an opportunity of making observations on this disease, that it began to rage on board that ship, and indeed all the Channel squadron, upon being less than six weeks at sea; and after having lest Plymouth, where plenty of all sorts of

greens were to be had; by which, as one would have thought, the failors had fufficiently prepared their bodies against the attack of this malady. Yet here, in fo shorta time as two months, out of 4000 men in that fleet, 400 at least became more violently afflicted with the scurvy (w), than could reasonably have been expected, had they all been debarred the use of vegetables for fix months on shore, like the highlanders, and many others. And what puts it beyond all doubt, that the difease was not occasioned folely by the want of vegetables for fo short a time, is, that the same ship's company of the Salisbury, in much longer cruises, kept quite free from the distemper, where their circumstances as to want of fresh vegetables were fimilar. It was observable, that in the Iongest cruise she made, there was but one fcorbutic patient on board, who was attacked with

<sup>(</sup>w) Upon the return of the fleet to Plymouth, Dr. Huxham makes the following remark in the month of July, 1746. Terribilis jam fævit scorbutus inter nautas, præcipue quos secum reduxit Martin, classis occidentalis præfectus. Excruciantur perplurimi ulceribus fædis, lividis, sordidis, ac valde fungosis: mirum est profecto et insolitum, quam brevi tempore spongiosa caro, fungi ad instar, his ulceribus succrescit, ets paulo ante scalpello derasa, eaque interdum ad magnitudinem enormem. Non folum miseris his, at verè utilibus hominibus, per se infensa est maxime scorbutica lues, sed et illos etiam omni penè morbo, qui ab humorum corruptione pendet, obnoxios admodum reddit; febribus nempe putridis, malignis, petechialibus, pessimo variolarum generi, dysenteriæ cruentæ, bæmorrhagiis, &c. Multo magis aded bonis bis fuit exitio quam bellieum fulmen! Observationes de aëre et morbis epidemicis.

with the disease after having had an intermitting fever. We were out at that time from the 10th of August to the 28th of October; which was a continuance of twelve weeks at sea, and consequently as long an

abstinence from vegetables.

So that although it is a certain and experienced truth, that the use of greens and vegetables is effectual in preventing the disease, and extremely beneficial in the cure; and thus we shall fay, that abstinence from them, in certain circumstances, proves the occasional cause of the evil: yet there are unquestionably to be found at fea, other strong fources of it; which with respect to the former (or want of vegetables) we shall hereafter distinguish by the name of the predisposing causes to it. The influences of which latter, at times, must be extremely great, as in the case of Lord Anson's squadron in passing round Cape Horn (x), to produce so universal a calamity; from which hardly any one feems to have been exempted, attended with the mortality of above one half of them, when they had been but little more than three months at fea: while whole countries are observed to live on the same, nay even a less wholesome diet; and many people for years abstain from vegetables, without almost any inconvenience.

Some have alledged this to proceed from fomething noxious in the confined and pol-

luted air of a ship; and the stagnation of the bilge-water in the hold has been accused as a main cause of the distress. But had this last the effects presumed, they would be most fenfibly felt by those who are most exposed to it, viz. the carpenters; who at sea are often obliged to measure, every four hours, the quantity of bilge-water; and do then and at other times in mending the pumps, fuffer very great inconveniences, being almost fuffocated by it: nay instances are not wanting where they have been killed at once with this noxious vapour, to which they lie the nearest when in bed. Yet it does not appear from my own experience, nor from the accounts which I have been able to collect, that they are more liable to the fcurvy than others on board.

As to any other inconveniencies from filth, or want of cleanliness, in a close place, and where the perspiration of a multitude of people is pent up and confined; they are not peculiar to ships, but common to all crouded jails, hospitals, &c. and whatever . bad effect fuch a vitiated air may have on this disease, yet it is certain the scurvy is not the usual and natural consequence of it. This is the more particularly to be noted in order to determine the genuine effects of this peculiar evil disposition of air; which are a malignant contagious fever, fometimes known by the name of the jail-distemper. This is almost

almost the only disease observed in the transport-ships which daily carry over numbers of people to Virginia, few or none of whom become scorbutic; as likewise in ships that have been crouded with soldiers. And when many persons are long confined together in a ship under close-shut hatches, they may at length be seized with this sever without any approach of the scurvy amongst them; unless, as may sometimes be the case, the body, weakened and exhausted by the preceding sickness, is afterwards rendered more susceptible of the scorbutic taint, where other causes productive of the scurvy prevail.

In the latter end of the year 1750, the government contracted with a Dutch master of a vessel to carry over 200 Palatines to our colony in Nova Scotia. The cruel Dutchman, contrary to express orders, confined these poor people below, and would not permit them to come so often upon deck as was requisite for their health; by which means they contracted this malignant sever, which killed one half of them. And here it was remarkable, there was not one of these people who, after recovering at sea, or upon land, was afflicted with the scurvy, nor had they any such distemper in the ship (y).

E 4 The

<sup>(</sup>y) Communicated by Mr. Ives. This contagious petechial fever was as a plague to the ship Dragen, of 60 guns, and 400 men, for the space of six months. During which time

The scurvy by itself is often experienced to make great ravage where the air has been properly renewed and ventilated, and the whole ship kept clean and sweet. I have been told, that the Namur's crew, in their expedition to the East-Indies, though very healthy at the Cape of Good Hope, were attacked with the fcurvy at the time they arrived at Fort St. David's, notwithstanding the use of Sutton's machine (z): though Lord Anson's ship was kept uncommonly clean and sweet after they left the coast of Mexico; yet the progress of their misery was not at all retarded by it. And, what is further pretty remarkable, we know, that the fcurvy

time I feldom or never had in my list less than fixty or feventy patients. Many of them relapfed a third and fourth time. It was a dreadful, painful scene! Not a fifth part of our people escaped. My first mate, Mr. Blincow, foon died of it. Another gentleman, whom our necessities obliged the Commodore to warrant as mate from another ship, died also. My other mate, Mr. Thomas Peck, (present furgeon to the fick and wounded at Deal) narrowly escaped with life. To these losses I must add my own dear brother, feveral other gentlemen of the quarter-deck, and fixty of our stoutest and best failors. Yet, amidst all this danger, through the providence of God, I escaped untouched, to the furprise of all who knew our circumstances, and the fatique I underwent, when for most part destitute of all asfistance. But I have not seen one instance of this illness having been complicated with the fcurvy, or of the fcurvy feizing a man recovered from that fever for at least fix months afterwards; which was indeed one of the longest intervals we ever enjoyed freedom from it.

(2) When accounts were received from Admiral Bofcarven, of the good state of health his squadron enjoyed at the Cape, it was ascribed to the benefit derived from these useful pipes; though their preservation from the scurvy

57

may be perfectly cured in the impure air of a ship; of which the following is a memorable instance.

His Majesty's ship the Guernsey brought into Lisbon, after a cruise off Cadiz, 70 of her crew afflicted with this difease. Many of them were far advanced, even in the last stages of it. The plague at this time raging at Messina, it was with great difficulty our ships could obtain pratique in any port: fo that it was found impracticable to land them. There was another very difagreeable circumstance. For, in order to conceal so great a number of fick from the vifit of the officers of health, they were under a necessity of shutting them up for some time together in a close place. For this purpose they were with great difficulty removed into the Captain's store-room; where there is generally worse air than in any other part of the ship. This was performed with imminent danger to many of their lives. Several of them, though moved with extreme

in particular feems to have been owing chiefly to their having had a good passage, and touching at different places, where proper refreshments were procured them by their brave commander. Upon their arrival at Fort St. David's, the men of war were as much afflicted with the scurvy, as any of the other ships, who were not provided with the machine.

The case of our annual Greenland ships, who are so well sitted, large, and convenient, and carry no more men than are just sufficient to navigate them, puts it beyond all doubt, that confined putrid air, bad provisions and water, have often no share in producing this disease. For confirmation of which, see an account of them, part 2. chap. 5.

caution, were feized with dangerous fits of fainting; whose preservation was owing to the judgment of their ingenious furgeon, andto the liberality of the Captain, who, upon this occasion, ordered them to be plentifully supplied with rich cordial wines. But every one of these men recovered on board by proper treatment before they left the place, without being landed. The ship lay strict quarentine a fortnight. After which they were obliged to be extremely circumfpect in allowing even those who were pretty well recovered, to go on shore; as their unhealthy countenances might have betrayed their fituation to the Portuguese. This ship had no ventilators: and it is natural to suppose there might be some remissness in the article of cleanliness where there was fuch a number of fick, who, notwithstanding, all recovered.

The learned writer (a) of Lord Anson's voyage, after clearly evincing the falfity of many speculations concerning this disease, and justly exploding some opinions which ufually passcurrent about its nature and cause, is pleased modestly to offer a very plausible and ingenious conjecture, well deferving confideration. " Perhaps a distinct and ade-" quate knowledge of the fource of this " disease may never be discovered. But, in " general, there is no difficulty in con-" ceiving,

<sup>(</sup>a) The Reverend Mr. Walter,

"ceiving, that as a continued fupply of fresh air is necessary to all animal life, and as this air is so particular a sluid, that without losing its elasticity, or any of its obvious properties, it may be rendered unsit for this purpose, by the mixing with it some very subtile, and otherwise imperceptible essluvia; it may be conceived, I fay, that the steams arising from the ocean may have a tendency to render the air they are spread through, less properly adapted to the support of the life of terrestrial animals, unless these steams are corrected by essluvia of another kind, and which perhaps the land alone can supply."

It must be allowed, that the air, which is a compound of almost all the different bodies we know, has many latent properties, by which animals are variously effected, and these we neither can at present, nor perhaps ever shall be able to investigate. We do not even know certainly what this pabulum vitae is in that fluid, which preferves and supports animal life. The only means then we have to judge of the existence of such an hidden quality as may be supposed peculiar to the air of the ocean, must be from its effects. These, upon this supposition, ought to be most noxious, and most fensibly perceived, in the middle of wide oceans and at the furthest diftance from continents and islands, where there is the greatest want of land-air, and of

its vital influences, which may be prefumed fo necessary to support the life of terrestrial animals. But it is found, that ships cruifing upon certain coasts, at a very small distance from the shore, where the air consequently differs widely from that of the main ocean, as being impregnated with many particles from the land, and is almost the same with that of fea-port towns, are equally, if not more afflicted with this difease, than others are in croffing the ocean. And it will be found univerfally to appear in a much shorter time, and rage with greater violence (all circumstances being otherwise alike) in a squadron cruifing in the narrow feas of the Baltie and English Channel, or upon the coasts of Norway and Hudson's Bay, than in another continuing the same length of time in the middle of the Atlantic ocean. We often observed our Channel cruisers quickly overrun with the fcurvy; while their conforts, fitted out at the same port, and consequently with the same state of provisions and water, foon leaving them, and stretching into the main ocean upon a voyage to the Indies, or upon a much longer cruise off the Canaries or Cadiz, keep pretty free from it. For my own part, I never could remark any alteration upon our fcorbutic patients, while we continued for many days close upon the French shore, with the wind or air coming from thence, or when at a greater distance from

Lord

from any land, we kept the middle of the Channel: and yet, in either of those stations, difference of weather had a remarkable in-

fluence upon fcorbutic complaints.

Nay, ships and fleets, without going to sea, are often attacked by this disease while in harbour. Thus when Admiral Matthews lay long in Hieres bay with his fleet, many of the seamen became highly scorbutic; on which account some hundreds were sent to Mahon hospital. And the same has happened to our fleets when at Spithead, and even when lying in Portsmouth harbour. This disease is not indeed peculiar to the ocean, there being many instances of its raging with equal violence at land (b).

From what has been faid, it appears, that the strong predisposing causes to this calamity at sea, are not constant, but casual. For though it should be granted, that the sea air gives always a tendency to the scurvy, yet the disease proves often highly epidemic and fatal in very short voyages, or upon a very short continuance at sea, to crews of ships who, at other times, have continued out much longer, cruising in the same place, and in similar circumstances with respect to water and provisions, and yet have kept entirely free from it. Thus

(b) Vid. the case of the German troops in Hungary, of the Russian armies, of the garrison in Breda, part 3, and garrison of Fort William, &c.

Lord Anson cruised four months, waiting for the Acapulco ship, in the Pacific ocean; during which time, we are told, the men continued in perfect health: when, at another time, after leaving the coast of Mexico, in less than seven weeks at sea, the scurvy became highly destructive notwithstanding plenty of fresh provisions and good water on board. And when it raged with such uncommon malignity in passing Cape Horn, it destroyed above one half of his crew, in less time than they had kept at sea in perfect health, in the before-mentioned cruise.

I had an opportunity in two Channel cruises, the one of ten weeks, the other of eleven, ann. 1746 and 1747, in his Majesty's ship the Salisbury, a fourth rate, to fee this disease rage with great violence. And it is remarkable, that though I was on board in feveral other long Channel cruifes, yet we never had but one scorbutic patient, except in these two. In them the scurvy began to rage after being a month or fix weeks at fea; when the water on board, as I took particular notice, was uncommonly fweet and good; and the state of provisions fuch as could afford no fuspicion of occafioning fo general a fickness, being the fame in quality as in former cruises. And though the fick were, by the generous liberality of that great and humane commander, Lord Edgcumbe, daily supplied with fresh provisions, provisions, such as mutton-broth and fowls, and other meat from his own table; yet, at the expiration of ten weeks, we brought into *Plymouth* 80 men, out of a complement of 350, more or less afflicted with this disease.

Now, it was observable, that both these cruises were in the months of April, May, and June; when we had, especially in the beginning of them, a continuance of cold, rainy, and thick weather: whereas in our other cruifes, we had generally very fine weather; except in winter, when the cruifes were but short. Nor could I affign any other reason for the frequency of this difcase in these two cruises, and our exemption from it at other times, but the influence of the weather; the circumstances of the men, ship and provisions, being in all other respects alike. I have more than once remarked, that after great rains, or a continuance of close foggy weather, especially after storms with rain, the scorbutic patients generally grew worse; but found a mitigation of their symptoms and complaints, upon the weather becoming drier and warmer for a few days. And I am certain it will be allowed, by all who have had an opportunity of making observations on this difease at sea (c), or will attentively consider

(c) Extract of a letter from Mr. Murray.

Of the several antecedent or efficient causes of the scurvy, it is not to be doubted, but a moist air, or hazy, cloudy weather.

der the fituation of feamen there, that the principal and main predifposing cause to it, is a manifest and obvious quality of the air, viz. its moisture. The effects of this are perceived to be more immediately hurtful and pernicious in certain constitutions; in those

ther, is among the principal. A particular instance of which happened in a cruise we went upon in the Canterbury, along with another ship; after having lain six months in Louisburg harbour, where the seamen had great plenty and variety of sish, and where we were properly victualled with sound provisions, and very good bread and water. We cruised not far from the Bahama Islands; the weather for most part was stormy, soggy, and very wet. Before we had been at sea a month, the scurvy was very epidemical on board both ships; and in six weeks we had 50, the other (the Norwich) 70 patients in this disease: whereas at another time, in different weather, we were at sea nigh as many months, before this disease appeared, which even then was not so epidemical.

The particulars of that cruife were as follow:

We failed 29th November from Cape Breton, and in two days were in lat. 43° 18'; and by the 11th of December were in 29° 561, near which latitude we kept cruifing to the 7th of January. During which time the winds were fo variable, that it was hard to tell which point of the compass they inclined most to, or continued longest in. The weather was extremely cold, foggy, and moift, the beginning of the month; but grew gradually warmer as the latitude decreased. But that its moisture continued, will appear from the following account of rainy days, which you have here, with the other state of the weather. December. Rain from the 1st to the 5th; 7th, 11th, 16th, 18th, 21st to 23d; 27th, 29th. Fresh gales 1st, 2d, 3d, 4th, 6th, 7th, 10th, 11th, 14th to 25th; 27th to 31st. Thunder and lightning 3d and 29th. A fog the 1st. - Most part of the month cloudy and hazy. 1747, January. The weather this month was in general more moderate; but, confidering our latitude, not very warm. Rain the 2d, 6th, 10th, 13th, 15th, 16th, 18th, 19th, 24th, 25th, 26th, 31ft. Weather cloudy for feven days, but no fogs. Calm the 2d. Fresh breezes 6th, 7th, 9th, 10th, 12th, 16th to 20th; 24th, 25th, 26th, 31ft.

The

those who are much weakened by preceding sickness; in those who, from a lazy inactive disposition, neglect to use proper exercise; and in those who indulge a discontented melancholy disposition: all which may be reckoned the secondary disposing causes to this dreadful and fatal disease.

Supposing the same state of air both at fea and land, the inconveniencies which persons suffer in a ship during a damp wet feafon, are infinitely greater than people who live at land are exposed to; these latter having many ways of guarding against its pernicious effects, by warm dry cloaths, fires, good lodging, &c. whereas the failors are obliged not only to breathe in this air all day, but fleep in it all night, and frequently in wet bed-cloaths, the ship's hatches being necessarily kept open. And indeed one reason of the frequency of the fcurvy in the above cruifes, was no doubt often carrying up the bedding of the ship's company to the quarter deck (a); where

The diseases depending upon this weather, were at first, plethoræ, from the sudden change from cold to warmth; some acute severs; and particularly two ardent ones, which carried off the patients. About the end of December, people began to complain of the scurvy; and before the middle of fanuary we had 16 patients in that disease; and by the 25th, when we arrived at St. Thomas, we had no less than 50 patients in it; and our consort the Norwich 70.

(a) On the appearance of an engagement, the fides of this deck are lined with bedding, to defend the men from

the musquetry.

it was fometimes wet quite through, and continued fo for many days together, when, for want of fair weather, there was no op-

portunity of drying it.

No person sensible of the bad effects of fleeping in wet apartments, or in damp bedcloaths, and almost in the open air, without any thing fufficiently dry or warm to put on, will be furprized at the havock the fcurvy made in Lord Anson's crew in passing Cape Horn, if their fituation in fuch uncommon and tempestuous weather be properly confidered.

During fuch furious storms, the spray of the fea raifed by the violence of the wind, is dispersed over the whole ship; so that the men breathe, as it were, in water for many weeks together. The tumultuous waves inceffantly breaking in upon the decks, and wetting those who are upon duty, are also continually fending down great quantities of water below; which makes it the most uncomfortable wet lodging imaginable: and, from the labouring of the ship, it generally leaks down, in many places, directly upon their beds. There being here no fire or fun to dry or exhale the moisture, this moift, stagnating, confined air below, becomes most offensive and intolerable. When fuch weather continues long, attended with fleet and rain, as it generally is, we may eafily figure to ourselves the condition

of the poor men; who are obliged to fleep in wet cloaths and damp beds, the decks being covered with water below them; and there to remain only four hours at a time; till they are again called up to fresh fatigue, and hard labour, and again exposed to the washing of the sea, and rains. The long continuance of this weather seldom fails to

produce the fcurvy at fea.

As to its breaking out so immediately in those ships, upon their leaving the coast of Mexico (d), this was not only owing to their finding so few refreshments, especially fruits and vegetables fit to be carried to fea, at the harbour of Chequetan; but also to the inceffant rains they had in their paffage to Afia, and the great inconveniencies that necessarily must attend so long a continuance of fuch weather at fea. To which it may be added, that, by observations made on this difease, it appears, that those who are once afflicted with it, especially in so high a degree as that fquadron was, are more subject to it afterwards than others. I remember, that many men who returned to England with Lord Anson, and afterwards went to fea in other ships, were much more liable to the fcurvy than others.

It was however remarkable here, that though the calamity began so very soon after

F2 their

their leaving land; yet, in so tedious a passage as four months, it did not rage with that mortality as in paffing Cape Horn: nor did it acquire so great a virulence, as appears by its being fo quickly removed upon their landing. And this was owing to the absence of another cause, which is found greatly to inforce and increase the distress, viz. cold; the combination of which with moisture is, upon all occasions, experienced to be the most powerful predifposing cause to this malady; though indeed the latter of itself is found sufficient to produce it. And here frequent washing and cleaning of the ship, as was observed, did not stop the progress of the disease; because it did not remove the cause, any more than Sutton's machine is found to do; which only renews the air, without correcting its moisture.

Now, any person who has sufficiently considered the situation of men exposed for many weeks to stormy, rainy, or perpetual foggy, close weather at sea, will not by this time be surprised at our assigning dampness or moisture, as a principal cause of the frequency and virulency of this disease upon the watry element. And this is not only agreeable to my own experience, but is confirmed by all just observations that were ever made on this distemper. In the first just account we had of it in Europe, which was from Olaus

Olaus Magnus (e), it is remarked, That cold damp lodgings contributed greatly towards its production; that its malignity was always increased by cold and raw exhalations from the wet and damp walls of houses; whereas people living in drier apartments, were not equally subject to it. And accordingly we find, that petty officers, who fleep in close berths, as they are called, with canvas hung round, by which they are sheltered from the inclemency of the weather; as also seamen who go well clothed, dry, and clean, though using the same diet with the rest of the crew, are not so soon feized with it. This is the principal reason why officers obliged to live on the ship's provisions, as the warrant-officers often do (with this difference, that they drink a greater quantity of brandy and spirits, which, as shall be mentioned afterwards, should in a particular manner dispose them to this difease) by lying in warm dry cabbins, and going better cloathed, are feldom attacked with the fcurvy; unless during its most violent rage, and when the common failors have been previously almost destroyed by it.

It is observable, that such a situation as that of the common feamen which has been described, together with the use of such improper

<sup>(</sup>e) Quoted at large, part 3. chap, 1.

improper diet as shall hereafter be mentioned, produces the fcurvy in any climate: but its violence will be always greatly augmented by the addition of cold. Thus we find it a much more frequent disease in winter than in fummer, and in colder than in warmer climates. Ships that go to the north, as to Greenland, and up the Baltic, have been peculiarly fubject to it; whereas it is generally owing, in fouthern latitudes, to the continual rains which fall there at certain feafons, and more particularly to the great length of those voyages. In fuch fair-weather climates ships are sometimes becalmed for weeks together; and thus the failors become quite indolent, and from want of due exercise on that watery element, are attacked with the fcurvy.

Although a combination of moisture with cold, is the most frequent and genuine source of this disease; yet a very intense degree of cold, such as is experienced in *Greenland*, Canada, &c. may have an effect solely to produce this calamity, as it has at all times a most pernicious influence in heightening its malignity. This may be proved by the

following occurrence.

In the year 1759, the Northumberland and Prince of Orange ships of war, spent the winter at Halifax, where the men being well supplied with fresh provisions were in perfect health. On the 22d of April 1760, they

they failed for Quebec during excessive cold weather, and in a few days were over-run with the scurvy, so that in a short passage of twenty-sive days, several died of it; and on their arrival, the Northumberland had 100, and the Prince of Orange 200 men

very ill of the difeafe.

But to proceed, the qualities of the moift seaair will certainly be rendered still more noxious, by being confined in a ship without due circulation; as the air at all times in this state loses its elasticity, and is found highly prejudicial to the health and life of animals; but becomes much more fo where flagnating water is pent up along with it. It is likewife heated in ships by passing through the lungs of many people and impregnated with various effluvia. Hence arise the eagerness and longings of scorbutic people in fuch circumstances, for the land air, and the high refreshment they feel upon being put on shore; but this is no more than what the vapour of fresh earth and the fmell of the green fields would afford to a person after being long confined in a close, damp, unwholesome air; as that of a prison, dungeon, or damp apartment at land; and what we all feel, upon taking in the fresh country air, perfumed with the various odours of nature, after being obliged to breathe in a large populous city.

I come, in the next place, to an additional, and extremely powerful cause, observed at sea to occasion this difease, and which concurring with the former, in progress of time, feldom fails to produce it. And this is, the want of fresh vegetables and greens; either, as may be supposed, to counteract the bad effects of the before-mentioned fituation of feamen; or rather, and more truly to correct the quality of fuch hard and dry food as they are obliged to make use of. Experience indeed fufficiently shews, that as greens or fresh vegetables, with ripe fruits, are the best remedies for it, so they prove the most effectual preservatives against it. A want of them at fea, together with a long confinement within the narrow limits of a moist damp ship, are the true causes of its fo general and fatal malignity upon that element.

obliged to live upon while at fea, was before affigned as the occasional cause of the disease, as in a particular manner it determines the effects of the before-mentioned predisposing causes to the production of it. And there will be no difficulty to conceive the propriety of this distinction, or understand how the most innocent and wholesome food, at particular times and in particular situations, will with great certainty form a disease. Thus, if a man lives on a very slender diet, and drinks water, in the fens of Lincolnshire, he will almost infallibly fall into an ague.

All rules and precepts of diet, as well as the diffinction of food into wholfome and unwholfome, are to be understood only as relative to the constitution or state of the body. We find a child and a grown person, a valetudinarian and a man in health, require aliments of different kinds; as does even the same person in the heat of summer and in the cold of winter, during a dry or rainy feafon. Betwixt the tropics, the natives live chiefly on fruits, feeds, and vegetables; whereas northern nations find a flesh and folid diet more suitable to their climate. In like manner it appears, I think, very plainly, that fuch hard dry food as constitutes a ship's provisions, or the seadiet, is extremely wholesome; and that no better nourishment could be well contrived for labouring people, or any person in perfect health, using proper exercise in a dry pure air; and that, in fuch circumstances, feamen will live upon it for feveral years, without any inconvenience. But where the constitution is predisposed to the scorbutic taint, by the causes before assigned (the effects of which, as shall be shewn in a proper place (b), are a weakening of the animal powers of digestion) the influence of fuch diet in bringing on this difeafe, fooner or later according to the state and constituconstitution of the body, becomes extremely visible.

The first, generally, who feel its effects, are those who are recovering from some preceding fit of fickness, by which the whole body, as well as the organs of digeftion have been greatly weakened; and are in this condition obliged to use the ship's provisions. Thus in the Salisbury, in May 1747, when there prevailed several inflammatory disorders, particularly peripneumonic fevers or inflammations of the lungs, all who were recovering from them became highly fcorbutic. The next who complained, were the indolent and lazy; fuch as are commonly called fculkers, and use little or no exercise, a principal help to digestion. As the disease gathered strength, it attacked those who had formerly laboured under it, in May 1746; from which the constitution had acquired a tendency to it. It afterwards became more universal; but was confined to the common feamen, particularly to those who were unaccustomed to the sea.

I always observed, it increased in frequency and violence, upon the ship's small-beer being exhausted, and having brandy served in lieu of it.

But it will be now proper to inquire into the diet which mariners are necessarily obliged to live upon at sea, as it appears to be the principal occasional cause of the scurvy.

In general the sea-diet is extremely hard of digestion; it consists of two articles, viz. unfermented mealy or farinaceous substances, and salted or dried sless and fish. Their bread is hard sea biscuit, which undergoes little or no fermentation in baking, and is consequently of much harder and more difficult digestion, than well-leavened and properly-fermented bread.

Their puddings are made of pickled suet, flour, and water, boiled together, which form a tenacious glutinous paste; requiring the utmost strength of the powers of digestion, to assimilate into nourishment. We find, that weak, inactive, valetudinary peo-

ple, cannot long bear fuch food.

The two other articles of what is called fresh provisions, are first ground oats, boiled to a consistence with water, commonly called burgow, or made into water-gruel in a morning. Of this the English sailors eat but little; though in their circumstances it would seem to be very wholesome, as being the most acescent part of their diet. Secondly, boiled peas; which are of a mild and softening quality; but are apt in weak stomachs to occasion flatulencies and indigestion. It is evident, that in some cases they must afford gross and improper nourishment.

The feamen are also allowed a proper quantity of salt butter and cheese. The latter of which is experienced to differ ex-

tremely

tremely in its qualities, or in the ease or difficulty with which it is digested, accord-

ing to its strength, age, &c.

The falt beef and falt pork are found by every one's experience to be much harder, and more difficult to digest, than fresh meats; and, to afford an improper nourishment. No person can live long on a diet of such falt slesh-meats, unless it is corrected by bread, vinegar, or vegetables.

To the above articles, which are the provisions with which our navy is usually supplied, may be added, stock fish, falt fish, dried or jerked beef, with other indigestible food often used at sea: all which will have still more noxious qualities when unsound,

or in a corrupted flate.

For drink, the government allows, where it can be procured, good found small-beer; at other times wine, brandy, rum, or arrack, according to the produce of the country where ships are stationed. Beer and fermented liquors of any fort will be found the best antiscorbutic remedies, and most proper to correct the ill effects of a sea-diet and situation; whereas distilled spirits have a most pernicious influence on this disease.

As I shall have occasion elsewhere (k) to shew the natural consequences of such diet, it will be sufficient here to observe, that though the long continuance and constant

ule

<sup>(</sup>k) Chap. 6. on the theory of the difease.

use of any one particular fort of food, without a change has its inconveniences, and is justly condemned by physicians (1), nature having supplied us with an ample variety, defigned no doubt for our use; yet the fact here truly is, that fuch food as has been mentioned, is at particular times, and in certain circumstances, not properly adapted to the state of the body, and the condition of the digestive powers (m).

Our

(1) Vid. Celsum de medicina.

(m) A late learned Professor was pleased to send me the

following queries.

" May not the fcurvy be owing to fuch a cause as other " epidemical difeases; that is, something in the air which "we do not know, nor will probably ever know, though " we fee its various effects in fevers, small-pox, measles, of plague, &c. And may not this be a modern miasma, as " well as what produces some of these diseases? By obser-" vations the cause proegumene may be discovered, and by " diffections the effects may be observed; but the causa " proxima may be yet unknown. In the plains of Stirling-" fire the people live mostly on crude peafe-meal, have " very bad weather, and have great fogs from the low " grounds, and from the fea; yet, among the numerous poor patients I have from that place, I have not feen one

" with a genuine fcurvy."

Answer. As to its being a modern miasma, I think this cannot, with any colour of reason, be inferred from the filence of ancient historians, who have mentioned few or no camp-diseases; nor on account of its being imperfectly, if at all, described by ancient physicians, for reasons assigned part 3. chap. 1. The first description of it I have met with, and a very accurate one, is in the year 1260 (vid. part 3. chap. 1.) There is no account of it again until after ann. 1400. Yet we cannot well suppose, that during that period there was no fuch difease in the world, or that people in fuch fituations as are now to be mentioned, would not be feized with the feurvy.

Our appetites, if they are not depraved, are, upon this and many other occasions, the most faithful monitors, and point out the quality of such food as is suited to our digestive organs, and to the state and condition of the body. For where there is a disposition

It is demonstrable from the appearance of the disease in every part of the world, that no state of air whatever is capable of rendering it an universal calamity, without the concurrence of gross indigestible food, and abstinence from green vegetables. I have known the Channel steet bury a hundred men in a cruise, and land a thousand more afflicted with the scurvy; yet, among the number, there

was not even a petty officer.

In Hungary, where there must have been the strongest disposition in the air to produce the scurvy (Vid. Kramer), not only the officers, and natives of the country, but even the dragoons, by having more pay, and consequently better diet, cloathing, and lodging, though equally subject to the other diseases of the country, yet kept free from the scurvy. Who were attacked by it? Only the Bohemians, who eat the coarsest and most indigestible food. The Bohemians used no other than what was the ordinary diet of their own country, as we are informed by Kramer. The seamen in the Channel cruisers had the very same provision as other ships who went upon different stations: yet it is evident one cause in both places was the diet; as a different diet prevented the disease, and change of diet quickly cured it.

Now, there must have been a quality in the air of Hungary different from that of Bohemia; something which rendered a diet harmless in the one country, hurtful in the other. The indisposition of the air in Hungary was very obvious. The disease prevailed only in the spring, and during a wet season; was much more violent in some parts of the country than in others. Kramer enumerates the different places where it raged most, viz. where-ever the soil was damp and marshy. This observation has been made not only in Hungary, but in

other parts of the world.

Moisture was discovered to be one of the causes of this disease by Ronsseus, the very first author who ever wrote expressly upon it. The facts he produces, seem demonstratively

tion to the scurvy from a long continuance in the moist sea-air, concurring with a glutinous, and too solid diet, nature points out the remedy. In such a situation, the ignorant sailor, and the learned physician, will equally long, with the most craving anxiety, for green vegetables, and the fresh fruits of the earth; from which only relief can be had

tively to prove it; besides having the corroborating evidence of every accurate observation made fince his time. which, viz. the experience of two hundred years, we must contradict, by excluding this cause, and referring the scurvy to occult miasmata, or such latent causes in the air as produce fevers, and fome other epidemical difeases. There are indeed perhaps but few difeafes whose causes are more evident to the fenses, and admit of more express proofs. Stugart, in Germany, was formerly noted for being a place where the scurvy raged much; but, upon drying up a large lake in the neighbourhood of the town, the difease has fince quite disappeared. Along the banks of the Rhine, from Dourlach to Mentz, particularly to Philipsburg, it often succeeds large inundations of that river. Sinopæus observed at Cronstadt, that the appearance of the fcurvy, and its malignity, always depended upon the wetness of the season; a dry season instantly stopt it.

Where we have such undeniable proofs of the effects of moisture and dryness, I cannot see any reason for having recourse to occult miasmata in the air, or the like imaginary and uncertain agents; for breeding a disease which a person contracts from moist air, or from intense cold, from damp lodgings, and from too solid diet. Such circumstances produce the distemper in every part of the world: and it may effectually be prevented at any time, by living in dry apart-

ments, being well cloathed, and using proper diet.

Though I have called the one the predisposing, the other the occasional cause of the malady; yet, to speak more properly, they are both of them (viz. diet and moisture) cause proegumenæ, predisposing causes to the disease. They are each but half-causes, neither of them singly being able to produce it: but both of them concurring, constitute the causa prexima;

had. Such people in the height of the difease, not only employ their thoughts all day long on satisfying this importunate demand of nature, but are apt to have their deluded fancies tantalised in sleep with the agreeable ideas of feasting upon them at land. What nature, from an inward seeling, makes them thus strongly desire, constant experience confirms to be the most certain prevention and best cure of their disease.

Moreover,

proxima; i. e. all that is requisite and sufficient to form the

fcurvy.

As to the case of the people in Stirling shire; have they no onions, coleworts, &c.? A mess of broth twice a-week, such as is made by the poorest people in Scotland, of green coleworts, barley, and oats, would probably in some measure have preferved Lord Anson's squadron from the scurvy in passing Cape Horn. It is to be remembered, that these causes must not only conjunctly subsist, and exert their influences together in a high degree; but must act likewise a considerable time without intermission, especially the diet. Change of food has not only a most surprising effect to recover from a very deplorable flate in the fourty, but even the fmallest alteration of diet has a wonderful influence in preventing the approach of it. This is evident from what is faid (chap. 5.) of the present healthfulness of our factories at Hudson's bay; where fcorbutic miasmata (if any such there be) are not wanting in the air, even at this day; as is plain by the late afflicted condition of Ellis's people (see part 3.), whilst the persons in those factories were quite healthy. It is farther confirmed by a fact which has more than once occurred. In our fleet, when in conjunction with Dutch ships, many of our men have become scorbutic; mean while the Dutch were quite free from it; which was thought to be owing to a mess of pickled cabbage given them now then.

And, for the same reason, viz. a very small difference in the way of living or diet, even the frequent baths of the ancients, might have preserved their troops from the scurvy when quartered in Pannonia, the woody, marshy part of Gaul, Germany, and the Low Countries; as is evident from the late case of the Imperial dragoons.

Moreover, the fame causes when subsisting at land, have been found fometimes to give rife to as violent scurvies as those at sea (n). Thus during the fiege of Thorn in the year 1703, feveral thousand Saxons shut up in that city were cut off by it at the latter end of the fiege, they having been blockaded. for five months, the feafon appears to have been uncommonly tempestuous and rainy, over most parts of Europe: so that, in this fituation, the inconveniences and hardships they fuffered, must have been equal to those of feamen. They were continually exposed to unwholesome damp weather; their diet was gross and indigestible, as ammunitionbread, falted and dried meats, and other folid and coarse food; which they were at that time obliged to live upon, being deprived of vegetables. We are told (o), that when some few of the coarsest and most common greens were permitted to be brought into the town, by agreement entered into with the enemy, they were voraciously devoured by the officers at the gates, as the greatest delicacies. The inhabitants, indeed, ascribed the calamity to the unwholesome beer in the city. But it was observable, it attacked and cut off first the Saxon garrison, who were most exposed to the inclemency of

<sup>(</sup>n) Vid. part 3. chap. 2. Vander Mye de morbis Bre-danis, &c.

<sup>(</sup>c) Observationes circa scorbutum, &c. auctore Fred. Bachstrom.

of the weather, by doing hard duty night and day upon the walls. The inhabitants, who remained in warmer lodgings, were much later taken ill of it; and probably only those, who, upon the garrison's being almost destroyed, were obliged to do military duty. This was a real scurvy; and no sooner the gates were opened, and plenty of vegetables admitted upon the surrender of the town, but the disease quickly disappeared, after having occasioned a very dreadful mortality.

2. The next thing to be confidered, is the peculiar fituation and circumstances of such places and countries where it is found to be a constant or *endemic* disease; which will serve further to illustrate and consirm what

has been advanced.

It is observed, that an intense degree of cold, such as the inhabitants sufferduring the hard winters in *Iceland*, Groenland, the northern parts of Russia, Canada, &c. together with the diet the poor are necessarily obliged to use during that rigorous season, generally gives rise to this disorder.

But it is very certain, that the frequency of this evil in other places, as in the Low Countries, where it formerly greatly prevailed, and whose authors have furnished us with the most accurate observations, was not owing to their cold and northern situation only; for in that case, all people living

3.

in the same degree of cold, would, cæteris paribus, have been equally affected: whereas in the very same climate of Holland, there were many villages and cities, where the same diet was used, that kept entirely free; while others, at no great distance from them,

were extremely fubject to it.

Thus Ronsfeus (q) takes notice, that in his time it was much more frequent at Amsterdam and Alcmaer, than at Goude and Rotterdam; and at Dort, though in the same climate, and where the inhabitants eat the fame food, it was hardly ever to be feen: but that, univerfally in all parts of the country where the foil was fenny, damp, and marshy, it raged with the greatest violence. This very accurate author observes likewise, the great influence which the weather had upon it; as that a long continuance of foutherly and wefterly winds (r) always occasioned a great frequency of this disease; but that rainy feafons, especially, rendered it quite epidemic and malignant. When this physician wrote, his country was little better than a large morafs, exposed to frequent inundations from floods and high tides; which, together with the gross coarse diet used by the Dutch at that time, made the fcurvy perhaps the G 2 most

(q) Ronsseus de magnis Hippocratis lienibus, &c. seu vulgo dicto scorbuto.

<sup>(</sup>r) These are observed, by Mussichenbroek, to be the moistest winds that blow in Holland. Vid. Element. philo-sophiæ naturalis.

most frequent disease of their country. But now they are become a rich flourishing republic, and have dried and improved their soil by dikes and drains, and also quite altered their way of living, the disease appears less frequent; and is to be seen chiefly among the poorer fort, who inhabit the low damp parts of the provinces, and continue to live (s) upon salted, smoaked, often rancid, pork, and coarse bread; and who are obliged to drink unwholsome stagnating water. They

(s) I have the pleasure of seeing most of these observations confirmed since they were first published by the learned Vanswieten, who resided several years in the Low Countries. He has observed many in Holland, who in winter live on salt beef and pork, at the end of that season greatly afflicted with the scurvy. They are generally recovered in the spring, by the use of fresh vegetables and fruits: the disease returning again in winter, upon their returning to use their former diet. But in particular he remarked, that by constantly eating old acrid cheese, their relapse was hastened more than by any other cause.

As for those who were necessarily obliged to live in low moist places, it was hardly possible to cure them by the most powerful medicines. The disease was usually indeed much abated in spring and autumn, by the making use of whey for common drink; but otherwise their condition was truly to be pitied; for even in the slower of youth they lost all their teeth, and were tormented with afflicting pains in their joints, especially when idle in winter; their labours in summer contributed to their relief. Commentar. in Aphor. Boerh. 1160.

He also informs us, that it is usual in Holland, after having taken away the turfs for firing, to throw up a bank about the place when overflown with water. They afterwards draw off the water by means of a mill, and so convert the ground into pasture. But almost all who live near those new-drained lands labour under the scurvy, which is apparent by their bleeding gums and rotten teeth, nay, by their want of teeth long before they grow old. Comment. in Aph. 1150.

They have indeed at times been subject to violent returns of their old distemper; as in several of their wars, when obliged to over-

flow their country with water.

The case is the same in many other countries at present, viz. the Lower Saxony, and other parts of Germany, Sweden, Denmark, and Norway; where, in general, the disease is much less frequent than it was formerly; the face of all these countries, and the manner of their living, being much improved within these last 200 years. They now drink wine more freely (t), brew better ale, live in drier, and more airy commodious houses, and have greatly drained and improved their lands.

But here it may be worth while to remark, that in all those parts where the scurvy was formerly so peculiarly frequent by reason of their marshy and damp situation, together with their gross unwholsome diet, the cold of the climate must certainly have contributed a great deal towards its production. For we observe, that at Venice, whose situation is as damp as most places, the disease is unknown. This seems owing principally to the heat of their climate, which raises the watry vapours to a great height above the surface of the earth, and there disperses them; giving the inhabitants almost constantly serene sine weather: unless it should be rather supposed,

G 3 that

<sup>(</sup>t) Vid. Brunneri trastat. de scorbuta.

that their light and wholfome diet, and the great quantity of vegetables eat by the Italians, are sufficient, in the moistest parts of their country, to preserve them from this difeafe.

I shall now, in the third and last place, conclude with observing the effects of different causes in countries where the scurvy prevails less frequently: in which I shall restrict my observations to Great Britain.

In cold fea-port towns, where the fituation is bleak, low and damp, we generally obferve the inhabitants afflicted with putrid gums, fwelled, ulcerated legs, &c. whilft the neighbouring villages, fituated in a fandy dry foil, and purer air, are entirely free from all fcorbutic appearances. In places where they have continual rains, and much moisture, violent scurvies have been observed, as at Fort-William (u).

They who live in fwampy inland foils, near moraffes, or incompassed with thick woods and forests; or in countries subject to inundations from lakes or rivers; or where there are corrupted stagnating waters, where the fun has not fufficient influence to elevate their vapours to a proper height above the earth, being continually furrounded with unwholesome fogs and mists, are subject both to fcurvies and agues. We may generally observe

<sup>(</sup>u) Vid. Dr. Grainger's account of it while there in the year 1752, chap. 2.

bles

observe them to have a pale wan colour, and fcorbutic fpots on their fkin; to be of a dull, inactive, melancholy disposition; their fcorbutic discoloured countenances bespeaking the place of their abode: whereas those who inhabit the mountains, or more dry and healthful places, are remarked to be agile, active, well coloured, and long lived. Those who live in the higher apartments of a house, are observed to be less liable to it than others who live on the ground-floors of even the fame houses. The poorer fort of people, who live in damp vaults and cellars under ground, are most afflicted with symptoms truly fcorbutic; as are likewife they who are confined in dungeons, damp and unwholefome prisons, and spend much of their time fleeping in apartments not fufficiently plaiftered or wainfcotted, where there is a continual moisture and dewy dampness on the stone-walls: an instance of which I saw lately, in a person confined in a jail, who became terribly afflicted with the fcurvy (w).

Different aliments are found by experience to produce the most different effects upon this disease. We see it most common among the poorer fort of people in the before-mentioned situations, who seed much on dried or salted fish and sless, and unfermented mealy substances without using green vegeta-

G 4

(w) Vid. chap. 2,

bles and fruits (x); and, for want of fresh and wholsome water, use what is either hard and brackish, or putrid and stag-

nating.

Different ways of life have likewise an influence on this disease. The lazy and indolent, and those of a sedentary life, as shoemakers, tailors, especially weavers, by reason of their working in damp places, are most subject to it; while hard labourers, and those who use much exercise, though living on the same, or even grosser food, keep entirely free. Fishermen, from their way of life, gross food, and habitual use of spirituous liquors, are often scorbutic.

The passions of the mind are found to have a great effect. Those that are of a chearful and contented disposition, are less liable to it, than others of a discontented and

melancholy turn of mind.

Lastly, It has always been remarked, that in such circumstances as have been described, the present state of the body has a powerful influence in disposing to this affliction. They who are much exhausted and weakened by preceding fevers, and other tedious sits of sickness, or they who have obstructions in the bowels (as after agues of the autumnal kind) are apt, by the use of simproper diet, to become scorbutic. Others that labour under a suppression of any natural and necessary

fary evacuation, as women who have their menses suppressed, especially if the obstruction is occasioned by fear or grief, are more subject than others in fimilar circumstances to this disease; as they are likewise at the time that these naturally leave them.

The following abstract from the ingenious Mr. Ives's journal, containing a history of the disease that occurred on board the Dragon, ferves to confirm many things which have been advanced.

1743. July. We have been free from the fcurvy ever fince the latter end of April. Lay all this month at Mahon, where the weather was exceffively hot. Our men wrought hard, and drank much wine and spirits. The disorders of the foregoing month increased, with great inflammations. These were fevers with inflamed tonfils, pleurifies, and peripneumonies. Sent 17 men to hospital.

August. Continued at Mahon. The people received fome prize-money, which did not mend their health. The same disease prevailed as in Fuly, but proved fatal to none. Towards the end of the month fluxes took place of fevers.

Sent 18 to hospital.

September. Part of this month at Mahon, part at fea. The weather in the beginning was variable, with rains; towards the latter end moderate and hot. The difease peculiar to it was the dysentery: it continued with the patient for the most part 5 or 6 weeks, but proved fatal to 10 1e.

We had also some slight fevers, rheumatisms, and

agues.

October. Mostly at sea. The weather pretty moderate, though changeable. Rain and wind the 17th and 18th of the month. My fick-lift was made up chiefly of men recovering from the fluxes of the last month. The disorder peculiar to this was the rheumatism; which however did not prove obstinate. We had also 2 or 3 quartan agues, which continued for feveral months.

November. Partly at fea, partly at Gibraltar. From the 1st to the 10th, fresh easterly winds blew often, with rain. The whole month was fqually, but dry towards the latter end. On the 8th day, 6 or 8 people were taken with pains in their head, shiverings, and sometimes a vomiting. The next day they were feverish. On the 3d or 4th they complained of an universal prickling under the skin, and had a short uneasy cough. On the 5th or 6th they were covered with little red spots like flea-bites, with fore and watery eyes. On the 8th they either fweated plentifully, or had a loofeness; and then they were fure to do well foon; though fome spit, and others were relieved by urine. 20 feized with this species of measles, all recovered. Rheumatisms still continue.

December. Lay at Gibraltar. It was in general a cold, wet, stormy month. The fick-lift contained various, but not material complaints. Towards the latter end of it we had appearances of an approaching fcurvy, although at Gibraltar (y). Sent 22 to hospital.

<sup>(</sup>v) Not for want of the vital influences of land air, as thips here lie closely furrounded with the land,

1744. January. It was an extreme cold and stormy month, with almost constant rain. On the 8th we had a violent gale, with thick weather. The storm continued the 9th, with much rain. From the 13th to the 27th the season was uncommonly tempestuous with rain.

On the 8th day we left Gibraltar, growing daily worse in the scurvy. On the 10th day 50 scorbutic patients were on the sick-list, and by the 20th they were increased to 80. Many of them were now extremely bad, with hard contracted limbs, ulcerated legs, putrid gums, stinking breath, offensive stools, shortness of breath,

On the 30th of January my list stood thus. Very bad in the scurvy 55. Scorbutic fluxes 6. Scurvy with cough 10. Scurvy with ulcers 10. Scorbutic asthma 1. Scorbutic hæmoptoe 1. Scorbutic hæmorrhoides 1. Other disorders not scorbutic, chiefly colds 6. Sick in all 90. The ship at sea till towards the latter end of the month she arrived at Hieres bay.

The weather, especially in the beginning and latter end of it, was extremely rough and un-

comfortable.

From the 3d of this month to the 10th, the fick were on the ordinary days on which they are allowed falt beef and pork, ferved with fresh meat, and broth with greens in it; in all about

5 times.

Upon coming into the bay of Hieres, our men understood the enemy's fleets and ours were very foon to engage. There appeared not only in the healthy, but also in the sick, the highest marks of satisfaction and pleasure: and these last mended surprisingly daily; insomuch that on the 11th

of February, the day we engaged the combined fleets of France and Spain, we had not above 4 or 5 but what were at their fighting-quarters. From the 11th to the 15th few or none took notice of their illness. On the 15th my lift stood thus. Recovering from the fcurvy 30. Scorbutic complaints in the first stage 5. Bad in the fcurvy 4. Ulcers 4. Pleurify 1. Flux 1. Lumbagines 3. Agues 2. Coughs and cold 11. Sick in all 61 (z).

N. B. No person has been sent on shore for cure fince December; and I do not find that above I has died. When we got to Mahon the latter end of the month, my fick-lift was greatly increased; those who were so much mended before, having relapfed. I here put all the fick to

hospital.

March. It was in general a cold, windy, and rainy month. When it did not rain, it was commonly cloudy and hazy. In the latter part of it, the wind was more moderate: but on the last day of the month we had a strong gale, though without rain. We spent all this month at Mabon; where we now and then had a fresh patient in the scurvy, whom I always put on shore. 5 or 6 fcorbutic men who had coughs, are now in deep confumptions. Towards the latter end of the month coughs and flight fevers prevailed.

April. On the 1st and 2d day the weather was stormy. From the 3d to the 7th squally, with

(2) A surprising instance of the influence of the passions of the mind on this disease! For I think no person can ascribe the alteration of the fick-lift from 30th of January to 15th February to five fervings or messes of broth. May not the relapses afterwards have been greatly occasioned by the unfortunate engagement on the 11th February? The Dragon however that day did her duty.

rain. From the 8th to the 12th moderate and fair. From the 12th to the 20th fresh gales, with rain. From 20th to 26th calm and fair. From thence to the end of the month close rainy weather, but warm. We were this month at fea on the coasts of France, Savoy and Genoa. In the beginning of the month the coughs and colds increased; and towards the middle and latter end of it, they were attended with inflammation and danger. 4 or 5 had peripneumonic symptoms, 1 of whom died. 3 or 4 had high fevers with delirium, &c. 1 of whom died also. In the latter end of the month we had two troublesome ophthalmias.

May. The weather was very warm; fometimes fair, at other times hazy and rainy. We spent this month at fea as in the last, and on our paf-

fage to Mahon.

The diforders differed little from those in April, though not fatal to any. I should have mentioned, that in the latter end of last month 2 or 3, who in other respects were perfectly healthy, complained of an universal cutaneous itchy eruption. More were seized with it this month, and it proved very troublesome. One of them catched cold, fell into a fever, and had near died; but at last was faved by nature throwing out a second time the peccant matter on the skin.

June. Although we were at Mahon, where the weather was very hot, and our men worked hard; yet our inflammatory complaints did not increase, but rather lessened. Towards the middle, and in the end of the month, a gentle diarrhœa pre-

vailed throughout the ship's company.

Left Mahon the 14th of June, and arrived at Gibraltar the 30th.

July. The weather was excessive warm, and for most part clear and dry. On the 3d we left Gibraltar, and on the 19th or 20th arrived at Lisbon.

A few have still gentle diarrhœas; but, in ge-

neral, a very healthy month.

August. The weather was for most part hot and dry, except the 21st day, which was fqually, with heavy rains. We lay all this month at Lisbon, where the men were ferved with fresh provisions and greens twice a-week from the city. They had here the finest opportunity of being provided with all manner of vegetables. We continued still healthy, with now and then a slight diarrhœa.

September. From the 1st to the 4th we had high winds; but from the 5th to the 14th the wind was very moderate. All this first part of the month the weather was cloudy, hazy, and rainy, with a good deal of lightning. From the 15th to the end of the month the winds were moderate, and weather very changeable, being for most part cloudy and rainy, with some intermediate days fair, and generally warm. Left Lisbon the 3d; got to Gibraltar the 15th.

Though a healthy month, yet, towards the middle and latter end of it, we had now and then a scorbutic patient. Sent 9 to hospital, for

different complaints.

October. Except a few days of good weather and eafy gales, it was a very windy, rainy and foggy month; fometimes hot, at other times cold.

We were much alarmed at the fudden appearance of the scurvy (a). On the 13th I put on **fhore** 

<sup>(</sup>a) Not owing to abstinence for so very short a time from vegetables. Their late supply at Lisbon, was a thing uncommon to them.

shore 24 people. We left Gibraltar the 14th; and when we came the length of Minorca, having received orders to proceed further, I fent 20 men in the scurvy also by the Portsmouth storeship, to Mahon hospital.

November. From the 1st to the 11th, we had cold fair weather, with variable winds. The remaining part of the month was remarkably bad, with high, piercing, cold winds, much rain, and

fome fnow.

We arrived at Vado the 20th, and failed from thence the 29th. Upon our arrival there we had 50 men in the fcurvy (b).

December was also a very cold, windy, and wet month; with but few intermissions of little wind,

and fair weather.

1745. January was much the same as the former month. We had but eight days in it that were moderate and fair.

When we arrived at Vado, as before-mentioned. on the 20th of November, I gave to every fcorbutic patient one China orange, and three apples; and continued to do fo daily till the 5th of December, when the apples being all gone, they had only the continuance of an orange, which lasted to the 7th of December. On the 22d of November they had fresh flesh-broth. On the 27th they had the fame with turnips boiled in it; and again on the 29th November, 1st and 2d December; which was the whole supply of fresh meat and vegetables we got at Vado. On the 8th of December, being then off Sardinia, Captain Watson (c) agreeable to his wonted humanity,

gave

<sup>(</sup>b) Putrid air could have but little influence during fo cold a feafon.

<sup>(</sup>c) Late Vice Admiral of the Red.

gave mutton-broth to 21 of our men; the 13th he did the fame to 45. Now follow the remarks

in my diary.

[November 29. The scorbutic people in general, mend much. Those whose limbs were contracted, grow pliable; their rotten gums become sounder; shortness of breath, &c. better (d).

December 2. They continue to mend much.

December 5. The weather not so cold since we left Vado.

December 6. All are recovering from the scurvy. December 25. My sick-list contained but 30; and these almost well, and recovered from the scurvy.

January 6. We are still at sea; the weather cold and wet; and for 9 days past have been in want of wine for the people. The scorbutic patients are relapsed, and more are added to the sick-list, being unsit for duty.

January 8. Anchored at Mahon; put to hof-

pital 59 in the fcurvy.]

February. A cold uncomfortable month, which we spent at Mahon; where we had now and then a case in the scurvy; but more towards the end of it, with severish symptoms. Sent 5 to hos-

pital.

March. The weather this month was warmer, but inconstant. The winds moderate. Left Mahon the 17th; arrived at Gibraltar the 22d. The lift was pretty numerous, composed of valetudinarians taken from Mahon hospital, and one or two fevers. Sent to hospital at Gibraltar 14.

April. The one half of this month was fair, the other half rainy, cloudy, and foggy; but

generally warm.

We

We had fome, though not many, ill of coughs and colds. One old man died of a fever. Left Gibraltar the 6th, carrying along with us all our people from the hospital, where they were badly fupplied with vegetables and fresh meat. We were in hopes of doing better for them at Lisbon, or on the coast of Portugal; where we continued cruifing all this month.

May. The weather was moderate and warm, without much rain, though fometimes hazy.

Spent this month at fea.

In the middle and latter end of it, several were ill of scurvies, others of fluxes. We got no refreshments from the land for the poor people brought from hospital. And the sick must have fuffered much, had not Captain Watson supplied them. He caused four of his sheep to be killed for their use; and gave up entirely (as indeed was his wonted custom under such distress) every drop of milk his cow afforded for their benefit.

June. Boisterous winds blew continually from the north, which occasioned very uncomfortable weather at fea; and kept the air pretty cool, until the 13th we arrived at Lisbon, very ill in the fcurvy (d). Here three or four died of it.

July. We continued at Lisbon. All have not yet got free of their scorbutic complaints; several have fcorbutic fluxes; others have diarrhœas and dysenteries, without any symptoms of the sourvy. Towards the latter end of the month, feveral had fevers.

August. Slight fevers, but especially diarrhoeas and dysenteries, still prevail. Mr. Mauberty our Modification;

<sup>(</sup>d) This weather must have proved very hard upon the weakly men taken from Gibraltar hospital.

98 Of the symptoms of the scurvy. Part II. carpenter, died of the dysentery. 22d of this month we left Lisbon, and sailed for England. Had then 20 sick on my list.

#### CHAP. II.

The diagnostics, or symptoms.

N order to observe greater accuracy in the description of a disease attended with so many and various symptoms, these might have been properly enough ranged under three classes.

The first, Containing the most common and constant symptoms; such as may be faid to be essential to the nature of the scurvy.

The fecond, Such as are more casual and accidental; proceeding not so much from the genius of the distemper, as from the state of air, or habit of the body at the time, or from the determination of other causes.

And the third, Some extraordinary and uncommon fymptoms, that sometimes, though but seldom, have happened in it; and which occur only in the highest and most virulent state of this disease, from the peculiar idiosyncrasy of the patient, its combination with other malignant diseases, or from other incidental circumstances.

But, for the fake of greater perspicuity, I chuse rather to describe the symptoms in the order in which they generally appear, and

Chap. II. Of the symptoms of the scurvy. 99

as peculiar to the feveral stages of the difease; and shall distinguish, as I go along, those which are more constant or essential,

from the less frequent or adventitious.

The first indication of the approach of this disease, is generally a change of colour in the face, from the natural and usual look, to a pale and bloated complexion; with a list-lessness to action, or an aversion to any fort of exercise. When we examine narrowly the lips, or the corners of the eye, where the blood-vessels lie most exposed, they appear of a greenish tinge. Mean while, the person eats and drinks heartily, and seems in perfect health; except that his countenance and lazy inactive disposition may portend an approaching scurvy.

This change of colour in the face, although it does not always precede the other fymptoms, yet generally attends them when advanced. Scorbutic persons for the most part appear at first of a pale or yellowish hue, which becomes afterwards more darkish or

livid (a).

Their former aversion to motion degenerates soon into an universal lassitude, with a stiffness and feebleness of their knees upon

H 2 uling

<sup>(</sup>a) Mr. Murray's remark.—They commonly appear of a melancholy and fullen countenance; fuch also is their disposition of mind. So that dejection of spirits may justly be reckoned a cause as well as symptom of the future malady.

using exercise; with which they are apt to be much fatigued, and soon put out of breath. This lassitude and difficulty of breathing upon motion, are observed to be among the most constant concomitants of

the distemper.

Their gums foon after swell, and are apt to bleed upon the gentlest friction. Their breath is then offensive; and upon looking into their mouth, the gums have an unusual livid appearance, are soft and spungy, and become afterwards extremely putrid and sungous, one of the most distinguishing signs of the disease. They are subject not only to a bleeding from the gums, but from other parts of the body,

especially at the nose.

Their skin at this time feels dry, particularly on the legs. In many, especially if feverish, it is extremely rough; in some it has an anserine or goose-skin appearance; but most frequently it is smooth and shining. And, when examined, it is found covered with several reddish, bluish, or more frequently black and livid spots, equal with the surface of the skin, resembling an essentiation of blood under it, as it were from a bruise. These spots are of different sizes, from the bigness of a lentil to that of a handbreadth, and larger. But the last are more uncommon in the beginning of the distemper; they being usually then but small,

and

Chap. II. Of the symptoms of the scurvy. 101

and of an irregular roundish figure. They are to be seen chiefly on the legs and thighs; often on the arms, breast, and trunk of the body; but less frequently on the head and face.

Many have a fwelling of their legs; which is first observed on their ancles towards the evening, and hardly to be perceived next morning: but, after continuing a short time in this manner, it gradually advances up the leg, and the whole member becomes cedematous; with this difference only in some, that it is more painful, also does not so easily yield to the singer, and retains the impression of it longer than a true cedema.

These are the most constant and essential symptoms of this malady in the progress of its sirst stage. But a diversity is sometimes observed in the order of their appearance. Thus, when a person has had a preceding sever, or a tedious sit of sickness, by which he has been much exhausted, the gums for the most part are first affected, and a lassitude constantly attends; whereas, when one has been confined from exercise by having a fractured bone, or from a bruise or hurt, these weak and debilitated parts become almost always first scorbutic (d). As for example,

<sup>(</sup>d) Mr. Ives.—As was the case of John Thomas, marine, belonging to the Dragon, who, on the 18th of August, 1742, got, by a musket-ball from the Spaniards, a very bad frac-

if a patient labours under a strain of the ancle, the leg, by becoming swelled and painful, and soon after covered with livid spots, gives the first indication of the disease. And as old ulcers on the legs are very frequent among seamen, in this case likewise the legs are always first affected, and these ulcers put on the scorbutic appearance, although the patient seems otherwise perfectly healthy, and preserves a fresh good colour in his face.

The distinguishing characteristics of scorbutic ulcers are as follow. They do not afford a good digestion, but a thin feetid matter, mixed with blood; which at length has the true appearance of coagulated blood lying caked on the surface of the ulcer, and is with great dissiculty wiped off, or separated from the parts below. The slesh underneath these sloughs feels to the probe soft or spungy. No irritating applications

are

ture of the os bumeri, with great comminution. Eight or ten large pieces of the bone were cut in upon, and taken away, and the bone shivered quite to its head. By the end of Nowember following, a union was brought about by means of an intervening callus, and a sound skin brought over almost all the incisions. He had nearly recovered his sless and strength lost under the discharge and confinement, being daily supplied with fresh provisions by the bounty of the officers. Upon the scurvy breaking out in December, his supply of fresh provisions was stopt, and given to more necessitous objects, as was thought, he being then pretty healthy. Upon which he fell into a bad scurvy: the first symptom of which that appeared, was the breaking out of the late wounds in his arm. He sunk under the discharge, and died at Mabou hospital.

are here of any fervice: for though fuch floughs be with great pains taken away, they are found again at next dreffing, where the fame bloody appearance always prefents itself. Their edges are generally of a livid colour, and puffed up with excrescencies of luxuriant flesh arising under the skin. When too tight a compression is made, in order to keep those excrescences from arising, they are apt to have a gangrenous disposition; and the member never fails to become fwelled, painful, and for the most part fpotted. As the disease increases, they at length come to shoot out a foft bloody fungus, which the failors express by the name of bullocks liver: and indeed it has a near refemblance, in confistence and colour, to that substance when boiled. It often rises in a night's time to a monstrous fize; and although destroyed by caustics or the knife (in which last case a plentiful bleeding generally enfues) is found at next dreffing as large as ever. They continue however in this condition a confiderable time, without tainting the bone.

The flightest bruises and wounds of scorbutic persons degenerate sometimes into such ulcers. Their appearance, on whatever part of the body, is singular and uniform, and they are easily distinguished from all others, by being so remarkably offensive, bloody, and fungous, that we cannot here but take

H 4

notice

notice of the impropriety of referring many inveterate and obstinate ulcers on the legs, with very different appearances, to the scurvy; which are generally best cured by giving mercurial medicines: whereas that medicine, in a truly scorbutic ulcer, is the most dangerous and pernicious that can be administered.

But to proceed: The first remark to be made upon this difease, is, that whatever former complaint the patient has had (especially bruises, wounds, &c.) or whatever present disorder he labours under; upon being afflicted with the fcurvy, his old complaints are renewed, and his present rendered worse. Scorbutic people, as the disease advances, are feldom indeed free from complaints, especially of pains; though they have not the fame feat in all, and even in the same person often shift their place. Some complain of an universal pain in their bones, as they express it; most violent in their limbs, and fmall of the back, and especially in their joints and legs. But a most frequent seat of their pain is in some part of the breast; a tightness and oppression there, with pain felt upon coughing, being usual fymptoms in this disease. And as fcorbutic pains in general are very liable to move from one place to another, fo they are always exasperated by motion of any fort, especially the pain of the back; which,

Chap. II. Of the symptoms of the scurvy. 105 which, upon this occasion, proves very troublesome.

The next thing observable here, is, that people of scorbutic habits are very liable to other disorders which rage at the same time with the scurvy, or even to accidental dis-

eafes which may occur.

Thus I remarked a confiderable difference in the fymptoms of the difease in the two cruises ann. 1746 and 1747. In the latter, when fevers from cold of the pleuritic fort prevailed, it tended chiefly to affect the breast with a tightness, oppression, and cough, by which a very tough phlegm was with great difficulty brought up. The fits of coughing were not constant, but extremely fatiguing; and this was an universal complaint. Several at this feafon were feverish; we had none in a falivation, and the fluxes were mild and eafily cured. Whereas in the year 1746, when a different species of difeases prevailed, occasioned by the unwholsome newness of the ship's timbers, and fluxes were frequent, the fcurvy proved more virulent and fatal. Its worst, most common, and troublesome symptoms, were falivations and bloody fluxes, especially the latter; of which one died, and eight or ten more were landed at Plymouth in a very low and exhausted condition. I did not at that time remark any of them to be feverish, and their breafts were but flightly affected.

One

One man was seized with the scurvy in both cruises; in the sirst he laboured under a salivation and then a bloody flux, in the second a severe cough was his principal

complaint.

I believe indeed it will universally be found, that, in the progress of this distress, the breast is always more or less affected, unless the body be in a lax state. The pain shifts from one part of it to another, often to opposite sides, and is at first perceived upon coughing only: but when the disease is farther advanced, it commonly sixes in a particular part, most frequently in the side; where it becomes extremely severe and pungent, so as to affect the breathing; a dangerous symptom in this disease (e).

The head is feldom or never affected with pain, unless the patient is feverish. As to fevers it may indeed be doubted whether there be any such as are purely and truly feorbutic. The disease is altogether of a chronic nature, and fevers may be justly reckoned amongst its adventitious symptoms. I have been told by a very skilful surgeon, who has had opportunity of seeing some hundred scorbutical cases, and those

<sup>(</sup>e) Mr. Murray's remark.—This pain in some measure answers to the description of the pleuritis notba; and, like it, is sometimes but not always to be relieved by blisters: I have likewise often observed a pain of the breast, I think mostly in the left side, in scorbutic sluxes, and always found it mortal.

Chap. II. Of the symptoms of the scurvy. 107 of the worst kind, that he remarked very few of them to be attended with fevers; which, to the best of his remembrance,

always proved mortal (f).

I observed before, that, in the year 1746, none of our scorbutical patients were feverish: but, in the cruise in the year 1747, several had the fever in the beginning of the distemper. The symptoms were not so violent nor inflammatory in scorbutic patients as in others. In two or three it assumed an intermitting form; and in this state I observed it to be altogether mild, and without danger.

One person having an obstinate ulcer on his leg, about the beginning of May 1747, they both became painful and swelled, and his ulcer truly scorbutic. On the 12th of that month he was seized with a pretty smart fever; which abated the next day, but returned regularly every third day for five weeks, till he arrived at Plymouth,

His gums were putrid; he had a pain in

his

<sup>(</sup>f) Ives.—I cannot say I have ever seen an instance of it: for I do not remember, nor can I find in my journals, one case of a person advanced in the scurvy being seized with a sever. I entirely agree with you, that this disease is purely chronic. Ulcerated lungs is a common consequence of the scurvy; and where there has been a violent cough and stitches preceding, 'tis certain I may have perceived the pulse to have quickened, and possibly to an increase of heat in the skin: yet these circumstances seemed to me altogether symptomatic, and not properly to be denominated a sever with the scurvy.

his breaft, together with a cough, and the other scorbutic symptoms usual at that season.

Lastly, According to the habit and conflitution of the patient, there will occur likewise some little diversity in the state of the body in this disease: some through the whole course of it being regular enough while others are apt to be very costive; but generally scorbutic persons are inclinable to have loose stools at times. The urine I found to be extremely various at different times, even in the same patient; except that it is generally high coloured (b). The pulse likewise varies according to the habit of the patient, and state of the disease; being most commonly slower and seebler than in health.

The true scorbutic spots, as was said before, are flat, and equal with the surface of the skin. I have sometimes, however, observed the legs, at the same time when greatly swelled, covered with dry scurss or scales, and frequently there appear on the skin small eruptions of the dry miliary kind.

In the fecond stage of this disease, the patients most commonly lose the use of their limbs; having a contraction of the tendons in

<sup>(</sup>b) Mr. Murray's remarks.—The urine of almost all scorbutic persons, when let stand, gathers an oily saline scum atop.

Chap. II. Of the symptoms of the scurvy. 109 in the ham, with a swelling and pain in the joint of the knee. Indeed a stiffness in these tendons, and a weakness of the knees, appear pretty early in this disease, generally terminating in a contracted and swelled joint. They are subject to frequent languors; and when long confined from exercise, are apt to faint upon the least motion of the body; which are the most peculiar, constant, and essential symptoms of this stage.

Some have their legs greatly swelled, and covered with one or more large livid spots, or blotches; others have hard swellings there in different places, extremely painful; and others I have seen, without any swelling, have the calf of the leg (k) as hard

as a stone.

They are apt, upon being moved, or exposed to the fresh air, suddenly to expire. This happened to one of our men when in the boat, going to be landed at *Plymouth* hospital. It was remarkable he had made shift to get into the boat without any assistance, while many others were obliged to be carried out upon their beds. He had the scorbutical colour in his face (1), with complaints in his breast. He panted for about half a minute, then expired (m).

Scor-

(k) Mr. Ives .- And thighs too.

(1) Mr. Murray's remark .- In this stage I have seen

livid maculæ, or spots, on the face.

<sup>(</sup>m) Mr. Iwes.—Of this I have feen many instances, when they are imprudently brought up from the orlope to the fresh air. The utmost caution and circumspection are here requisite.

Scorbutic patients are at all times, but more especially in this stage, subject to profuse bleedings from different parts of the body; as from the nose, gums, intestines, lungs, &c. and from their ulcers, which generally bleed very plentifully. Many at this time are afflicted with a constant slux, accompanied with exquisite pain; by which they are reduced to the lowest and most weakly condition: while others I have seen, without either a purging or gripes, discharge great quantities of pure blood by the anus.

The gums are for the most part over-run with sprouting luxuriant slesh, having an intolerable degree of stench and pain; they are sometimes deeply ulcerated, and have a gangrenous aspect. The patient is hardly able to open his mouth, and with his face and jaws swelled, resembles a person labouring under a severe tooth-ach. But I never remarked, except in cases of salivations, the back part of the throat or upper part of the mouth, much affected; and I believe the lips seldom or never are. The teeth most commonly become quite loose, and often fall out; but a caries of the jawbone does but seldom follow.

A fcorbutic caries happens only, when the outer lamella, or plate of a bone is broken off. Ulcers may otherwise continue long on the legs, without affecting the bone; unless when the scurvy is in a very violent violent degree, so that the cellular substance of the bone itself is affected. A very uncommon case; which is generally attended with an excruciating pain, and always with an enlargement of the bone, followed with painful spreading ulcers, and an internal caries of the most malignant kind (n).

Most, although not all, even in this stage, have a good appetite, and their senses entire, though much dejected, and low-spirited. When in bed, many make no complaint, either of pain or sickness, unless afflicted with a flux or salivation. This last indeed I am inclined to think would happen but seldom, were it not occasioned by the administration of some mercurial medicine (o) in the cure of ulcers, or other scorbutical complaints where it is often injudiciously administered; which, in such cases, in extreme small quantity, produces a copious and dangerous salivation, almost always attended with bloody stools.

Thefe

(n) Mr. Murray.—I never observed a carious bone to follow, but where there was a fever and most virulent scurvy.

(o) Mr. Ives.—Did you, in 1746, give mercurials? If not, how do you account for the salivations that happened then? They would appear to me to have been purely scorbutic. I do not remember an instance of any considerable salivation in the scurvy. Answer. It appears from my diary, that we had then three patients in a salivation, viz. Rice Meredith, Robert Robinson, and John Hearn. The two first had taken gentle doses of mercurius alcalisatus, and about half a dram of mercurial pill, but there is no mention of their having been given to Hearn. I am pretty clear he took no mercury.

These succeed each other alternately; so that the spitting generally ceases for a day or two, while the patient is racked with gripes and bloody stools; which being stopt for a short

time, the falivation again returns.

It is not eafy to conceive a more difmal and diversified scene of misery, than what is beheld in the third and last stage of this calamity; it being then that the anomalous and more extraordinary fymptoms commonly occur, which are always accompanied with an extreme degree of weakness. It is not unufual at this time, for fuch perfons as have had ulcers formerly healed up to have them break out afresh: while in others the skin of their fwelled legs often burfts, particularly where foft, painful, livid fwellings, have been first observed; and these degenerate into the foul, bloody ulcers, formerly described (o). Some few at this period fink

The breaking out of wounds afresh, is also a frequent, though not a constant symptom. I have often seen large

<sup>(</sup>o) The appearances here mentioned, are not conftant, though often observed. I have seen many patients, sent on shore in the scurvy, from a large sleet of ships; sew of whom were afflicted with ulcers: slight excoriations were easily healed, and some ulcers had neither a bloody nor spungy surface. At other times, I have remarked patients, especially such as came from the East or West-Indies, whose predominant scorbutic symptoms, seemed to be large, bleeding, livid, sungous ulcerations; with which the legs, and even other parts of the body were overspread, and the putrefaction was sometimes so exceedingly great as to endanger a mortisication or a carious bone.

Chap. II. Of the symptoms of the scurvy. 113 fink under profuse evacuations of dissolved blood, by stool and urine, from the lungs, nose, stomach, hæmorrhoidal veins, &c. (p): while the disease more frequently in others gives rise to a jaundice, dropsy, or confirmed melancholy and despondency of mind; as also to violent colics, obstinate costiveness, &c. The fatal termination of this disease in a dropsy is very usual: dropsies of the breast and belly are most frequent, those of the scrotum and cellular membrane are less dangerous.

Towards the close of this malady, the breast is most commonly affected with a violent and uneasy straitness and oppression, and an extreme difficulty of breathing; accompanied sometimes with a pain under the sternum or breast-bone, but more frequently in one of the sides: while in others, without any complaint of pain, respiration becomes quickly contracted and laborious, ending in sudden, and often unexpected death.

Many more fymptoms might be here added that at times have been observed, especially towards the close of this most virulent disease. And we shall have no occasion to be

effusions of red or black blood, under the scar of a former wound, which still continued firm. The effect of cold at New-York in the winter, 1759, was very remarkable. The wounds of many of the English officers and soldiers, which had been healed up, in some for months, in others a whole year, broke out, and bled a-fresh, occasioned entirely by the intense cold of the climate.

(p) Ives .- All which I have often feen,

be furprifed even at the most extraordinary which have been related by authors, when we come, in its proper place (q), to view the

true state of the body at this period.

As the appearances on the skin in such as are afflicted with the scurvy are numerous and various, I shall in this third edition, attempt to class all the different spots, or eruptions on the surface of the body, which I have remarked in many thousand scorbutic patients at *Haslar* hospital.

These outward appearances may be reduced into such as are smooth, or even with the surface of the skin, and such as are raised

above it.

Of the first kind are what may be called (perhaps not improperly) the *Petechial*, being numerous, small, distinct, round spots of blood, of various tinges, from red to livid, and sometimes black, which render the skin

rough to the touch.

2dly. Large livid or blue marks and blotches; such indeed appear to have all the intermediate colours between red and a deep black, and are sometimes of a yellow hue. Mistakes may be made in regard to these stains, as sometimes the colour, or red die, is very slight, or only a few faint red, or purple streaks are just perceptible on the thighs, legs, or ancles, which may be mistaken for the production of another disease.

Or when a great part of the limb thus becomes

# Chap. II. Of the symptoms of the scurvy. 115

becomes red, a more dangerous error would be to mistake the appearance for a St. Anthony's fire or a true inflammation. The scorbutic blotch is however distinguished by being accompanied with less pain and heat, and by inclining more to a livid hue than the St. Anthony's fire, which is always of a bright red, and is attended with great heat and more acute pain to the touch.

3 dly. In the fourvy the parts are sometimes quite black, which may be injudicioufly taken for a mortification. I have frequently feen cases, in which the fore-part of the leg has been of a shining red, like a true inflam? mation, but of a darker hue, and furrounded with edges of a lemon colour; in the middle of it were broad black spots, and in one or two places fmall ichorous bladders. Yet notwithstanding such alarming appearances, I neveronce faw a true mortification occur in the feurvy, unless it proceeded from a highly virulent ulceration. Nay, I believe a mortification or even suppuration in such cases is very uncommon. Scorbutic blotches are fometimes further diffinguished, by giving no pain unless after exercise, and when preffed hard, and by being frequently streaked with mixtures of various colours; the affected parts are often hard, though not fwelled. In feveral negroes, whom I have vifited when afflicted with this difease, it was easy to diffinguish the scorbutic spots from the natural colour of their skin.

make their appearance alone, accompanied with no other scorbutic eruption. These are always of a dark livid, or faint red colour, resembling the description given by authors of plague boils: they are to be seen on the thighs, legs, arms, &c. and are distinct, similar, and often very numerous: to the touch they feel hard, and to the eye appear raised though not so; the body of the patient seems as if he laboured under the black leprofy.

Of prominent appearances I have observed

various kinds.

The first and most usual are the miliary, which appear chiefly on the legs and thighs; they are generally more florid and red than the common anserine appearance of the skin: when dying away they have the true white anferine appearance, and frequently leave a red speck behind them. Sometimes they are black like grains of gunpowder blown into the flesh; at other times, of a purple colour. They feel very rough to the touch, and to the eye appear thick, and elevated; they may be perceived on the surface of the large black spots, and are often intermingled with the small flat petechial spots. In some they refemble elevated spots of blood, but do not bleed even when rubbed.

are overspread with large spots of a darkish

Chap. II. Of the symptoms of the scurvy. 117 or livid colour, of the size of a half crown

or livid colour, of the fize of a half crown piece, with a tawny coloured eschar, or hard black ash film on the top. These exactly refemble a wound or ulcer badly healed, with its cicatrix ready to fall off. The black eschar or scurf is at first thin; it becomes thicker and then drops off, leaving a large hard purple blotch. A watery humour fometimes iffues from underneath the fcab before it falls off, but these blotches seldom or never degenerate into ulcers. Sometimes the skin looks as if it was affected with a fcurfy black leprofy. This appearance differs from the livid blotches formerly mentioned, by having always a loofe film or fcab on the top.

3dly. On the trunk, and even on the face, there often appear black or livid rough marks, refembling those left after the small pox, or a withered pimple of that size. When they scale off they leave behind them rough scales or a black speck like the leprofy.

Athly. Sometimes there arise in a few hours large, hard, circumscribed, and painful tumors, or swellings; most commonly on the back of the hands, of the natural colour of the skin.

5thly. In a few recovering from the scurvy, I have observed on the body, an eruption of numerous small pimples, containing a purulent matter, and in others dry scurs on the head and face.

I shall

I shall conclude this chapter with an account of some particular scorbutic cases.

(s) "Since the first edition of your trea-" tife was published, I have met with two " remarkable instances of fevers preceding " feurvies fo closely, that the latter feemed " to prove a crisis to the former. One was " a young lady who had long laboured un-" der ulcers of the legs; these being dried " up, she caught a severe cold, which was " followed by a peripneumony or inflamma-" tion of the lungs and delirium; upon a " crisis by sweat, her delirium went off, and " of a fudden her gums fwelled, all her " teeth became loofe, and her jaws fo con-" tracted and tense, without any remarkable " fwelling, that she could neither move them " nor fwallow but with the utmost difficulty. " The fever immediately disappeared; and " having by proper gargles, fomentations, " &c. abated the severity of the symptoms, " orange-juice, with a decoction of the bark, " effected a cure. The other was a young " man feized with the fymptoms of an in-" flammatory quinfy, where the fever ran " fo high, that I was obliged to make " copious and repeated evacuations by bleed-" ing, purging, bliftering, &c. The fever " abated on the fourth day, as also the pain " in his throat; but he complained of a fore " mouth, and that he had a rash come out

Chap. II. Of the symptoms of the scurvy. 119

" on his legs. Looking into his mouth I

" found his gums loofe and flabby, and his

" breath remarkably fœtid, and upon his

66 legs the true scorbutic spots. I ordered

" him a gargle of tinet. rosar. & tinet. myrrb.

" fweetened with mel rofar. and directed

" him to eat a Seville orange or two every

" day, which cured him in a short time.

" Both these cases occurred in the spring,

" 1754, when I remarked the feurvy more

" epidemical here, at Wells, than I ever knew

" it at land. It chiefly affected those who

" lived in damp places, and was doubtlefs

" rendered more frequent by the extraor-

"dinary moisture, coldness, and backward-

" nefs of that fpring feafon."

aged 40, was formerly extremely healthy, though much at fea; where he had feldom or never eat of falt provisions, officers tables being generally well provided with better fare. He had lately returned from some Channel cruises to the westward; where, as usual, he had not eat of any thing salt, having a natural aversion to such food. One day, to his great surprise, he observed about the middle of one of his legs a considerable protuberance upon the fore-part of it; and, taking down his stocking, found a bluish insensible swelling. Next morning it was increased to the size of a large walnut, and

I 4 in

in two or three days the skin broke, and it became a genuine scorbutic ulcer, with the liver-like excrescence. After which began also other symptoms; change of colour, tightness in the breast, putrid gums, and, what was very threatning to his life, an obstinate constipation of the bowels, attended with intolerable gripings.

He took country-lodgings; and, being properly treated, in about fix weeks, or two

months, recovered.

Letter from Dr. JAMES GRAINGER (u), physician in London, late surgeon to Lt.-Gen. Pulteney's regiment.

Have extracted from my notes the following brief description of the scurvy, which prevailed ann. 1752 among the six companies of our regiment quartered at Fort-William.

I had then an opportunity of seeing it in near 100 patients; and must ingenuously own, it was there I learned my first lesson

upon the disease.

My predecessor had not informed me, that this was a disorder of that garrison; it was a subject of which I had read much, but knew little; so that the first I treated, had well nightallen a martyr to improper prescription. The

(u) The ingenious author of Historia febris anemal. Batav. ann. 1746, &c.

The pains the foldier complained of, appeared to me rheumatic. This I the more eafily gave into, as at that time this difease was actually frequent. He was bled, and treated accordingly; upon which his pains grew worse than ever, and no wonder. I began to talk seriously to him, and upbraided him with having pretended complaints more than real. But he soon gave me evident marks of genuine distress. Livid spots on the thighs, rotten, bleeding gums, and his offensive breath, quickly convinced me, that I had mistaken his case, and consequently the method of cure.

At aliquis malo fuit usus in illo.

The scurvy now began to spread, and I

profited by my former inattention.

Its first appearances were, a lassitude, breathlessness upon the least quickness of motion, and a taste in the mouth peculiarly disagreeable: these were soon followed by spungy, painful gums, bleeding from the slightest touch; setid breath; pains always of their thighs, frequently of their legs, sometimes of their loins, seldom of their arms. All these parts were sometimes discoloured with purple spots, which as the disease increased, grew black and broad. The fore parts of the legs and thighs chiesly suffered. The former I have seen all livid, the

the latter very closely spotted. Neither were much swelled, yet both were harder than usual; and so extremely painful, that the gentlest touch gave agony. Unless these were speedily checked, the disease gained ground, their faces grew strangely sallow, their teeth loosened, palate and back parts of the mouth ulcerated, asthma increased; they fell away, slept little, old ulcers broke out again, they cried out when turned in bed, and sometimes fainted upon motion of their body.

What surprised me most, was that their appetite, even in these deplorable circumstances, was not greatly impaired; and that none of them could properly be said, though thirsty, to be in a fever. All of them were rather costive; and their urine, though not copious, was always vastly seetid and thick, in those especially who complained of their loins. Most of them were continually spitting; and a small quantity of mercury occasioned a dreadful salivation.

A foldier who laboured under the venereal disease, with a scorbutic habit of body, used but a drachm of crude mercury, by way of unction, one evening. Next morning I found him in a true mercurial salivation. The spitting went on, increasing until the tenth day; when the inside of his mouth, lips, and cheeks, became excessively swelled. The stench of his mouth was intolerable to

all about him. He every day spit out a quantity of sætid blood, part of his gums, and teeth. He lost almost all the latter; and what was very remarkable, they were found preternaturally enlarged. His urine was extremely sætid, thick, and almost black. He often fainted away. In short, the poor fellow was reduced to the most deplorable condition, and with great difficulty escaped. It was three months afterwards before he was sit for duty (u).

The scurvy began in March, raged in April, declined in May, and left us before the middle of June. Ninety during that period had scurvies at Fort-William; while there were only two soldiers out of sour companies seized with it at Fort-Augustus, and but one in a Captain's command at the barracks of Bernera. These three indeed were very ill. No officer had it in any of

these garrisons.

I imputed the malady to the following causes. 1mo, Constant moist, rainy weather. 2do, Salt provisions from December till near the end of May, salt butter, cheese, oat-meal. 3tio, Few or no vegetables; little, bad, or no milk. 4to, Indisferent water. 5to, Hard duty. The 1st, 3d, 4th, 5th causes prevailed less at Fort-Augustus and Bernera; and therefore these places had not their proportion of scorbutic patients.—(w)

This

<sup>(</sup>u) Vid. Monita Siphylica, auct. Jac. Grainger, p. 4.

#### 324 Of the symptoms of the scurvy. Part II.

This difease is in several parts of Scotland called by the name of the black legs. It has often been very fatal to the miners at Strontian in Argyleshire. Not long ago many of them died of it, with this remarkable symptom, that the belly was at length covered with large scorbutic blotches. This Dodonæus (x), a good author on the scurvy, long ago observed to be a mortal symptom.

I am informed of a certain noble family, whose seat in the country is bleak, and exposed to the sea, where they have been universally afflicted with spungy, putrid gums,

fwelled legs, ulcers, &c.

Lately a gentleman confined in jail at Edinburgh, complained of a swelling of his legs. Upon examination, they were found covered with black and bluish spots; soon after his gums became extremely soft and fungous. His case being neglected a caries of the lower jaw ensued; for which he was put under my care.

A navy-surgeon residing in Fife, in passing through Backhaven, was desired to visit two poor sishermen who were extremely ill. He found them in a miserable condition indeed! Their gums were excessively swelled, their bodies spotted, and they were altogether deprived of the use of their limbs, by a swelling in the joint of the knee; in

one

(x) Vid. Part 3.

Chap. II. Of the symptoms of the scurvy. 125 one of them the tendons in the ham were contracted, and quite hardened. The gentleman acquainted them with the nature of their disease, and by a proper prescription

reftored them foon to health.

I have been favoured with feveral letters by different gentlemen, giving an account of the unfortunate and fometimes fatal errors they have fallen into by mistaking this disease. But as I chuse now rather to publish my own faults than the misfortunes of others, I must ingenuously own (hoping it may be for the future benefit of practitioners) that before I had learned the nature and fymptoms of the feurvy from observation, two patients fell under my cure; in one of whom the difease proved fatal, and in the other extremely tedious, owing in all probability to improper treatment. At least were such cases to occur to me at present, I would treat them in a very different way.

A gentleman, after a tedious falivation, in which he had used a large quantity of mercury, was reduced to great weakness of body, and afflicted with a tremulous disorder of his limbs, for which he took several doses of prepared crude antimony. Though seemingly much mended in his health and looks, he soon after became afflicted with a swelling of his legs; and as his teeth had not been fastened, several of them dropped out. He was put upon a course of restoratives,

126 Of the symptoms of the scurby. Part II.

viz. a bitter steel-wine with an electary of the bark and gum guajac. After using them for ten days he was feized with a purging, upon which account they were laid afide, and astringents with el. vitrioli prescribed. Soon after this, the tendons in the ham became fo rigid, that his legs were bent quite back, and in this pitiful condition he was deprived of the benefit of all exercise. When the flux had left him, recourse was again had to his former restorative medicines. Ointments, steams, and fomentations were used to his contracted joints, but all to no purpose. At this time the putrefaction in the mouth was fo great, that a caries of the jaw bone was fuspected. The disease still gained ground, he was fuddenly feized with a large watery fwelling of the fcrotum, and a hardness and fullness of the belly. An infusion of mustard feed, nutmegs, and falt of wormwood in white-wine was administered. Various other unfuccessful methods were tried, but he died in about three months after his having been first afflicted with the scurvy.

Another patient, who had kept the house for some days with a severe cough and disporder in the breast, was, upon these complaints leaving him, seized with rheumatic pains in his arms and legs, being otherwise in perfect health. He took several sweating medicines without any sensible relief; and for a considerable time thirty drops of old

Chap. II. Of the symptoms of the scurvy. 127

tereb. three times a-day; and afterwards half a drachm of flor. fulph. twice a-day: notwithstanding which the pains encreased, and became more universal. He at length observed his skin all over spotted. The fpots were of a purple colour, and became daily more numerous; the pains in some parts were relieved by the eruptions, but he now complained much of an universal weariness and an increase of the pains in his joints. He underwent a course of æthiops mineral and g. guajac with decost. lignor. Blifters were applied to his joints. A new fymptom appeared, viz. a fort of bloody flux, but not attended with pain. He afterwards became greatly dejected in mind, and was fubject to faintings. All this time the scorbutic fpots continued out upon his body. Another person being upon this occasion consulted, the case was pronounced to be nervous. Castor. fal. C. C. cephalic pills, tinet. facra, epifpaftics, &c. were prescribed without procuring more than a temporary relief. At last, upon hearing fome unexpected good news, which obliged him to go into the country, he found himself considerably relieved; and after having undergone a very tedious course of medicines, was foon recovered by change of air, warm weather, proper exercise, drinking whey, and taking a gentle laxative when needful.

Extract of a letter received from Dr. Huxham, late physician in Plymouth.

I N answer to your question, whether we meet with many truly scorbutic cases in Devonshire and Cornwall, amongst those who constantly live at land, I assure you we meet with very many patients of that kind, and even of fuch as are deeply afflicted with it, especially in low marshy grounds, and situations nearly bordering on the fea, or the falt marshes. A very great number in particular are constantly found at Dartmouth, which lies exceedingly low, damp, and cold, and is very little favoured with the fun, especially in the winter months; as also at Lorve and Foy in Cornwall we are in pretty much the like fituation. In these places the scurvy is as it were endemic from the lower degrees of it, viz. pustular eruptions, itching spungy gums, fallow complexion, laffitude and inactivity, weak pulse, black and blue spots up and down the arms, legs, thighs, &c. a foul greafy urine loaded greatly with falinofulphureous falts, to its greatest degree of virulence, accompanied with fungous, livid, bleeding gums, horribly stinking breath, a fallow bloated countenance, vast dejection of fpirits and faintings, a swelled belly, gripes, the bloody flux, profuse hæmorrhages from various parts, a difficulty of breathing, especially

Chap. III. Of the prognostics of the scurvy. 129

especially upon the least motion, very large black, blue, yellow spots, swellings, contractions, and stiffness of the lower limbs, and sordid, spungy, livid ulcers on the legs, &c. with a load on the breast, and an anxiety

fcarce to be expressed.

I find this diforder chiefly among those who drink heavy fulfome malt liquors, fuch as we generally have in this country, who eat very few vegetables, and live mostly on flesh and fish, eating them not only at dinner but supper; that lead inactive lives, and indulge too much in ease and appetite: nay, many of our fedentary tradefmen very often fall into it, when they conftantly drink the gross ale and beer of this country, and live chiefly on fish and falt provisions. On the contrary, the active, laborious husbandman, who drinks chiefly cyder, eats much herbage, fruits, &c. and breathes a free, open, country air, feldom or never is afflicted with it.

#### CHAP. III.

### The prognoftics.

FOR the better understanding of this, and some of the following chapters, it becomes necessary to make a distinction, which is to be attended to. It is, That this disease may be either adventitious, or constitutional;

K artificial

130 Of the prognostics of the Scurvy. Part II.

artificial (if I may be allowed the term) or natural to the patient. The first is the case of most feamen, and of all found constitutions, either at fea or land, where it proceeds from fuch obvious external causes as were before-mentioned (a); in whom it is an artificial or adventitious disease. But there are likewise many to be met with, living at land, who, from very flight causes, are liable to become fcorbutic; and that from a certain indisposition of their own body: and in fuch the malady is to be deemed constitutional, or natural to the patient. in whatever manner it is produced the diftemper is still the same, and the like method of cure is proper for its removal; fo I shall have no occasion to mention this distinction again; but am here to advertise the reader, that several of these prognostics are chiefly applicable to the adventitious fcurvy.

Persons who have been weakened by other preceding distempers, such as fevers or fluxes; or by tedious confinement and cures, as those who have undergone a salivation, are of all others most subject to this disease. Intermitting fevers in a particular manner dispose

the constitution to it.

Those who have formerly been afflicted with it, are much more liable to it, in similar circumstances, than others.

Different seasons variously affect scorbutic symptoms. At land they become troublesome.

Chap. III. Of the prognoftics of the fourty. 131

when the winter's rain and cold begin to fet in after the autumnal equinox; cold, moift, open winters greatly inforce the difease; but by the return of warm dry weather, fcorbutic complaints are much miti-

gated.

Where the indisposition is but beginning, and even when the gums have been pretty much tainted, there are numerous instances of a perfect recovery, without having the benefit of fresh vegetables; provided the patient is able to use due exercise. But when long confined to bed and prevented from using exercise, by stiffness or swelling of the legs, weakness, or other causes, the evil, where green vegetables or fruits cannot be procured, for the most part increases; and when it is advanced to what I have called the second stage, is hardly to be cured without their affistance. Of this many instances might be produced, particularly from the hospital at Gibraltar; where several died most piteous objects notwithstanding they had the benefit of the land-air, and plenty of excellent fresh-flesh broths; when a small quantity of greens every day, might in all probability have faved many lives.

This disease, when adventitious, may in its first, or even its second stage, be cured by fresh greens and proper treatment (especially by the use of oranges and lemons) on board a ship, either in harbour or at sea.

> K 2 terrace, with his beel atmost roughing his buttonely

## 132 Of the prognostics of the scurvy. Part II.

The fymptoms related to occur in the last stage are of all others the most dangerous; viz. violent oppression of the breast, obstinate costiveness, sharp pains in the side, and frequent faintings; but especially a great difficulty of breathing.

At sea, where no greens, fresh meats, or fruits are to be had, the prognostics in this disease are sometimes deceitful: for persons that appear to be but slightly indisposed, are apt to be suddenly and unexpectedly seized

with some of its worse symptoms.

Their dropping down dead upon an exertion of their strength, or change of air, is not easily foretold; though it generally happens after a long confinement in a foul air.

The first promising appearance in bad cases, when fruits or greens are first allowed, is the belly becoming lax; these having the effect of very gentle physic: and if in a few days afterwards the patients become greatly relieved, it is almost an infallible sign of their recovery; especially if they bear gentle exercise, and change of air, without being liable to faint. If the vegetable aliment restores them in a few days to the use of their limbs (b), they are then past all danger of dying

<sup>(</sup>b) Mr. Ives.—The contraction of their knees fometimes cannot be cured; as happened to one of our marines, Samuel Norton, who although he recovered from the other symptoms of a deep scurvy, yet never did of this contraction; and upon that account was discharged as an invalid from the service, with his heel almost touching his buttock.

Chap. III. Of the prognostics of the scurvy. 133 at that time of this disease; unless afflicted with a bloody flux or disorder in the breast. These two often prove fatal, and are the most obstinate to remove of all the scorbutic symptoms.

The blackness of the skin, or spots, upon recovery, go off nearly in like manner as marks from bruises, growing gradually yellow, from the circumference to the center; the natural colour of the skin returning in

the fame manner.

A virulent scorbutical taint, where the breast has been much affected, often ends in a confumption; at other times in a dropsical difposition; or, what is more frequent, swelled and ulcerated legs. Such persons are likewise subject, in different periods of their life afterwards, to habitual rheumatisms, pains and stiffness in their joints; and sometimes to eruptions on the skin (c).

As the prognostics in this disease are sometimes deceitful; I shall subjoin three cases, remarkable for the different progress, and

continuance, of the distemper.

In the month of May, 1760, I visited a soldier terribly afflicted with the scurvy. He was thought to be dying, and was incessantly calling out for death, to relieve him of his K 3 anguish.

<sup>(</sup>c) Mr. Murray's remark.—The gums especially are left considerably affected, either by being eat away, and leaving the teeth too bare; or remaining lax, and covering too much of them; and being subject to bleed on the slightest touch.

134 Of the prognostics of the scurvy. Part II.

anguish. I never beheld a more miserable object, nor a person in such acute pain.

After lamenting with tears, his wretched and agonizing condition, he informed me, that he had been first seized, about two months before, with a fevere pain in his back; which he imputed to hard labour. He had however continued to do the military duty, until about fix days before I faw him, when a hardness and blackness appeared on the infide of his arm; foon after his knees became swelled, and so painful as to confine him entirely to his bed. After which the difease encreased with an amazing rapidity. Upon examining his body, I found the joints of both knees swelled, contracted, and immoveable; the pain in those parts was so exquisite, as well as in his back, arms, and indeed throughout his whole body, that the least attempt towards a change of posture was almost insupportable to him. His pains were incessant, both night and day, so that he never flept till towards morning, and even then his agony permitted him but very short repose.

Both legs and arms were of a livid hue. His right arm indeed was quite black from the elbow to the wrist. In the left arm, the wrist still retained its motion, but a black stain, surrounding the elbow, had rendered that joint altogether inflexible, and the most gentle touch of it gave excruciating pain. The

Chap. III. Of the prognostics of the scurvy. 135

The night before I faw him, a foft white fwelling had rofe fuddenly on the back of his right hand, which was also extremely painful to the touch. The flexor tendons of that wrift were as hard as wood, and quite motionless. A large hard fwelling without any discolouration, surrounded the first joint of his right thumb. His legs were quite black, and on some parts of them arose small watery bladders, with almost the appearance of a mortification. His ancles, though not discoloured, were racked with violent pain. His legs, arms, and thighs, were covered with numerous raifed spots, in some places red, in others black; while livid and red flat specks of a larger fize, feeling rough, and falling off in scales, spread themselves over his back, breaft, and hips: he appeared a leper in his body.

Though the spots on the trunk were not so numerous, nor so much elevated above its surface, as the miliary pimples on his extremities, yet no part but the head seemed unaffected. His pulse was feeble and quick;

his tongue moist.

This is a case, where, by a most rapid progress of the scurvy, a person in the full vigour of youth, was reduced in the short period of a few days, to the greatest misery and affliction. His recovery was as remarkably sudden, for in three weeks he returned to his duty.

K 4

Some

Some weeks afterwards, he accosted me in the street, with a salute of thanks, for the care I had taken of him; but I could not recollect his person. He then appeared a robust healthy vigorous man of 22 years, and had no other remains of the scurvy, but an eruption on his back, and breast, of numerous pimples, white on the top, and discharging when broke a watery humour which gave him no uneasiness.

In contrast to the former I shall subjoin another case, where the progress of the dis-

ease was remarkably slow.

On the 21 June, 1760, John Macgottin was landed at Hastar, from the Richmond frigate, who had laboured under the fcurvy above 12 months. He was first feized on the coast of North America, April, 1759, with a gnawing pain in his ancle. That joint grew fo extremely weak, that he compared himself to a person, who after a long journey on foot, could neither stand nor walk. His legs fwelled much towards evening. Other fcorbutic figns appeared afterwards, especially a boil upon his right knee, which discharged blood and purulent matter. The difease continued to harass him till the frost began in winter, when he thought himfelf fomewhat better.

But in March, 1760, when the thaw came on, the scurvy suddenly attacked him, with greater violence than ever. And on the first of

Chap. III. Of the prognostics of the scurvy. 137

of April he was fent to the hospital at Halifax, where he languished fix weeks, growing every day worse. When his ship, the Richmond, was ordered to England, he earnestly desired to return in her. His request was granted, and being taken out of bed, he was carried on board, and after a five weeks

passage landed at Haslar hospital.

Being put to bed with fome difficulty, I found his fpirits revived at the pleafing idea of being on shore again. He told me his body was tolerably well, and that all his complaints were confined to his legs. This poor man, upon the least motion of his body, even in bed, fell into long and dangerous fits of fainting, attended with violent fweats, which hung upon him in large drops, warm at first, then turning cold and clammy. His whole fkin was tinged with yellow. The pain in his back was troublesome, but not so acute as the pains in his lower extremities, which prevented his having any fleep in the night. His legs were much extenuated, of a dark red colour, and overspread with elevated spots of the same hue. His ancles were of a dark livid die, and hard. This hardness and colour extended over the soles of his feet even to his toes, which were quite black. He had also a cough, and the scorbutic pain of the breast, in its usual feat. His face was bloated, and swelled. The forepart of his gums was ulcerated, corroded, and

#### 138 Of the prevention of the scurvy. Part II.

and wasted away; the other parts were spungy, jagged, and detached from his teeth. Notwithstanding this severe accumulation of complicated misery, his disease soon took a favourable turn, and in two months he was perfectly reestablished in health, and dischar-

ged from the hospital.

Francis Gennard, a Frenchman, for three years was feldom or never free from this difease. He was a patient at Hastar hospital in the beginning of the year 1759, and went from thence to sea, where, though he abstained entirely from falt food, and lived chiefly on biscuit boiled in water, with wine, yet the fcurvy encreased upon him to a great height. On which account he was fent to Hallifax hospital, there he remained three months, and left it without being cured. On the 13 November of the same year, he was again fent to Haslar hospital, where he continued two months, in which time he was confiderably relieved, but at last discharged as unfit for the fea fervice.

#### CHAP. IV.

The prophylaxis, or means of preventing this disease, especially at sea.

POR the preventing of this disease at land, a warm, dry pure air, with a diet of easy digestion, consisting chiefly of a due mix-

3

ture of animal and vegetable substances (which is found to be the most wholesome food, and agreeable to the generality of mankind) will

for the most part prove sufficient.

Those who are liable to it by living in marshy wet soils, and in places subject to great rains and fogs; and others who inhabit unwholesome damp apartments, as the lower floors and cellars of a house in winter, should remedy these inconveniencies by keeping constant fires, to correct the hurtful moisture; which will still prove more effectual for the purpose, if made of aromatic woods. Butit is rather adviseable for persons threatened with this malady, to remove into dry, chearful, and better-aired habitations. Their principal food in fuch a cafe should be broths made of fresh flesh-meats, together with plenty of recent vegetables, if they can be procured; otherwife of preferved roots and fruits. Their bread ought to be made of wheat-flour, fufficiently leavened, and well baked; and at their meals they are to drink a glass of good found beer, cyder, wine, or the like fermented liquor. The observance of these directions, together with moderate exercise, cleanliness of body, and contentment of mind, procured by agreeable and entertaining amusements, will prove fufficient to prevent this difease from rifing to any great height, where it is not deeply rooted in the constitution.

In towns or garrifons when befieged, offi-

cers should take care that the beds, barracks, and quarters for the foldiers, be kept dry, clean, and warm, for their refreshment when off duty; and that their men be sufficiently provided with thick cloaks and warm cloaths, for shelter against the inclemency of cold, and rains, when necessarily exposed to them. The ammunition-bread should be light, and well baked, and their other provisions as found and wholesome as possible. To correct the too grofs and folid quality of these, they would do well to join vegetables, even the most common, and fuch as are to be met with on the ramparts, with their other food. This precept becomes still more necessary, when the garrison's provisions instore are spoiled or unfound; in which case the use of vinegar is recommended by feveral authors. Backstrom's advice, of fowing the feeds of the antifcorbutic plants (a), fo that they may grow up with the grass on the ramparts, will, upon this occafion, be found very beneficial. They can indeed be under no difficulty in procuring fome of the most salutary of them at all times, if they are provided with their feeds, fuch as the garden-creffes; which in a few days, even in their apartments, will fupply them with a fresh antiscorbutic salad. When the army is in the field, they generally meet with fuch plenty of wholesome vegetables, as are fufficient to prevent this difease from be-

<sup>(</sup>a) Vid. Observationes circa scorbutum, &c. p. 36.

coming fatal to many of them, except in

defert and depopulated countries.

But the prevention of this calamity at sea, and the preservation of a truly valuable part of mankind, viz. the seamen of all nations, from its fatal and destructive malignity in long voyages and cruises, is what in a particular manner demands our attention, and has exercised the genius of some of the most eminent physicians in all parts of Europe

for above a century past.

A German who had acquired a confiderable fortune in the East-Indies, by being Dutch Governor of Sumatra, was so sensibly touched with pity and humanity for the many afflicted failors he had observed in this disease, that, imagining the art of chemistry, which at that time made a great noise in the world, might probably furnish some remedy for their relief, he erected and endowed a perpetual professorship of that science at Leipsic. He nominated his countryman Dr. Michael, a very great chemist, who was the first university professor of chemistry in Europe; and remitted him a confiderable fum of money, in order to bear the expence of his experiments, with a promise of a much greater, in case he succeeded in the discovery of a remedy for prevention of the fcurvy at fea. The Doctor fpent an incredible deal of time and labour in preparing the most elaborated chemical medicines.

142 Of the prevention of the scurvy. Part II.

medicines. Volatile and fixed falts, spirits of all forts, essences, elixirs, electaries, &c. were yearly sent over to the East-Indies; nay, even the quintessence (which became afterwards a celebrated specific for the scurvy in Germany) of the chemical oil of the seeds of scurvy-grass. But all proved inessectual.

Bontekoe recommended to the Dutch failors a strong alcaline spirit; Glauber (b) and Boerbaave, a strong mineral acid, viz. the Spirit of sea salt. The Royal navy of Great Britain has been supplied, at a considerable expence to the government, by the advice of an eminent physician, with a large quantity of elixir of vitriol; which is the strong mineral acid of vitriol combined with aromatics. Wine vinegar was likewife prescribed upon this occasion by the college of physicians at London, when confulted by the Lords of the Admiralty; which differs from all the former, being a mild vegetable acid procured by fermentation. Vinegar has been indeed much used in the fleet at all times. Many ships, especially those fitted out at Plymouth, carried abroad with them cyder for this purpose, upon the recommendation of the learned Dr. Huxbam. The latest proposal to the Lords of the Admiralty was a magazine of dried spinage prepared in the manner of hay. This was to be moistened and boiled in their food. To which

it was objected by a very ingenious physician (c), That no moisture whatever could restore the natural juices of the plant lost by evaporation, and, as he imagined, altered by a fermentation which they underwent in

drying.

Moreover, all the remedies which could be used in the circumstances of sailors, that at any time have been proposed for the many various diseases going under the name of a scurvy at land, have likewise been tried to prevent and cure this disease at sea: the effects of feveral of which, besides the before-mentioned, I have myself experienced, viz. falt-water, tar-water, decoctions of guajac and sassafras, bitters with winter's bark, and fuch warm antifcorbutics as can be preferved at fea; viz. garlic, mustard-feed, pulv. ari comp. and spirit of fcurvy-grafs; which last was formerly always put up in fea-medicine chefts. I have also in various stages, and for different fymptoms of this distemper, made trial of most of the mineral and fossil remedies which have been recommended for the fcurvy at land; fuch as mercury, steel, antimony, witriol, and

<sup>(</sup>c) Dr. Cockburn.—The Doctor's judgment is fully confirmed by experience. We find the college of physicians at Viennasent to Hungary great quantities of the most approved antiscorbutic herbs dried in this manner; which were found to be of no benefit. Many of these would have their virtues as little impaired by drying as spinage, e.g. marsh tresoil. Kramer tried almost every species of dried herbs to no purpose. Vid. part 3. chap. 2.

144 Of the prevention of the scurvy. Part II,

and fulphur. But, before I mention the refult of these experiments, and the observations made upon the effects of feveral remedies that have been most approved of in this disease, it may not be amiss to take notice, that the want of fuccess hitherto in preventing this fatal malady at fea, feems

chiefly owing to these two causes.

1st, The methods of preservation have been put in practice too late; that is, when the difease had already made its appearance; it being generally then that elixir vitriol, vinegar, cyder, and other antifcorbutic medicines, were administered: whereas certain precautions feem necessary to prevent the first attacks; it being found, that almost all diseases are easier prevented than removed.

2dly, Too high an opinion has been entertained of certain medicines recommended by physicians at land, rather from a prefumption founded on their theory of the difease, than from any experience of their effects at fea. Indeed the causes which they were supposed to obviate, were often none of the true and real occasions of the distemper. Thus lime-water has been long fince prescribed to correct the too great quantity of fea-falt necessarily used by failors. And the college of physicians at London gave it as their opinion, that Lowndes's falt made from brine, was preferable for falting fea-provisions, to that made of fea-

water.

water, even to the bay-falt; from a fufpicion of fome noxious qualities in this falt which might occasion the scurvy. Spirit of fea falt, elixir of vitriol and vinegar, were deemed proper antidotes to the rank and putrid state of sea-provisions, and water; or perhaps to the putrescent state of the humours in this difease.

But whatever good effect for the last purposes these may be supposed to have had in a fmaller degree; yet experience has abundantly shewn, that they have not been fufficient to prevent this disease, much less to cure it. And the same may be said of many others. The confequence of which is, the world has now almost despaired of finding out a method of preventing this dreadful calamity at fea; and it is become the received opinion, that it is altogether impossible in long voyages, either to prevent or cure it. But it is furprifing, that this ill-grounded belief, fo fatal in its confequences, should have gained credit, when we fee people recovering from this difeafe every day (even in the most deplorable condition, and in its last stages) in a short time, when proper helps are administered. I have already given an inftance of feventy people cured in the bad air of a ship, without being landed (d). I shall hereafter produce other instances of this disease being L cured

### 146 Of the prevention of the scurvy. Part II.

cured at sea, though these must have occurred to every person who has had occasion in long voyages to be conversant with scor-

butic cases (e).

But what is sufficient to convince the greatest sceptic, that this calamity may be effectually prevented, is the present health-fulness of Newfoundland, the northern parts of Canada, and of our factories at Hudson's bay. In those parts of the world, the scurvy was formerly more fatal to the first adventurers and planters, than it was ever known at sea; which facts I shall have occasion prefently

(e) Many inflances have already been given in Mr. Ives's journal, part 2. chap. 1. In the year 1759, the Newark, a ship of 80 guns, was almost constantly at sea for nine months. Towards the latter end of that time, after cruifing four months off Cadiz, many of the company became much afflicted with the scurvy. All of whom were perfectly

recovered at fea by the following method.

Each patient was allowed an orange and a lemon every day; they eat the pulp, and afterwards with the peel rubbed the fwelled and painful parts of their body. For breakfast they had water gruel, for supper flummery with sugar, and wine in both. At dinner they had portable foup, and about ten messes of broth made with fresh beef during the cruise. On the first appearance of the scurvy, they took occasionally for a purge, a decoction of tamarinds with fena, if the following powder, ordered to be taken every night and morning, did not render it unnecessary. Cremoris tartari scrupulum, salis tartari semiscrupulum. Misce. This powder was taken in half a pint of the decost. lignorum. An infusion of sage, acidulated with elixir of vitriol, was used for a gargle; such as complained of great pains in their limbs took a sweating bolus at bed-time, composed of ten grains of camphire, with double the quantity of theriaca veneta, drinking after it a large draught of decoct. lignor. and at other times, instead of the bolus, from half an ounce to fix drachms of spiritus mindereri.

fently to mention, and account for. And as it is a fatisfaction to know that this difease may effectually be prevented and cured at fea, so it is likewise an encouragement to the utmost diligence in discovering, and putting in practice, the means proper for these

purpofes.

It being of the utmost consequence to guard against the first approaches of so dreadful an enemy, I shall here endeavour to lay down the measures proper to be taken for this end, with that minuteness and accuracy which the importance of the fubject, and the prefervation of fo many valuable and useful lives, justly demand; and at the fame time shall, as much as possible, avoid offering any thing that may be judged impracticable, or liable to exception, on account of the difficulty or disagreeableness of complying with it. And, lastly, I shall propose nothing dictated merely from theory; but shall confirm all by experience and facts, the furest and most unerring guides.

What I propose is, first, to relate the effects of several medicines tried at sea in this disease, on purpose to discover what might promise the most certain protection against

it upon that element.

The medicine which succeeded upon trial, I shall afterwards confirm to be the surest preservative, and most efficacious remedy, by the experience of others.

L 2 I shall

# 148 Of the prevention of the scurvy. Part II.

I shall then endeavour to give it the most convenient portable form, and shew the method of preserving its virtues entire for years, so that it may be carried to the most distant parts of the world in small bulk, and at any time prepared by the failors themfelves: adding some farther directions, given chiefly with a view to inform the captains and commanders of ships and sleets, of methods proper both to preserve their own health, and that of their crew.

It will not be amiss further to observe, in what method convalescents ought to be treated, or those who are weak, and recovering from other diseases, in order to prevent their falling into the scurvy; which will include some necessary rules for resisting the beginnings of this evil, when, through neglect or want of care, the disease makes its ap-

pearance in a ship.

As the falutary effects of the prescribed measures will be rendered still more certain, and universally beneficial, where proper regard is had to such a state of air, diet, and regimen, as may contribute to the general intentions of preservation or cure; I shall conclude the precepts relating to the preservation of seamen from this disease, with shewing the best means of obviating many inconveniencies which attend long voyages, and of removing the several causes productive of this mischief.

The

The following are the experiments.

On the 20th of May 1747, I felected twelve patients in the fcurvy, on board the Salifbury at fea. Their cases were as similar as I could have them. They all in general had putrid gums, the spots and laffitude, with weakness of their knees. They lay together in one place, being a proper apartment for the fick in the fore-bold; and had one diet common to all, viz. watergruel sweetened with sugar in the morning; fresh mutton-broth often times for dinner; at other times light puddings, boiled biscuit with fugar, &c. and for fupper, barley and raifins, rice and currants, fago and wine, or the like. Two of these were ordered each a quart of cyder a-day. Two others took twenty-five drops of elixir vitriol. three times a-day, upon an empty stomach; using a gargle of it for their mouths. Two others took two spoonfuls of vinegar three times a-day, upon an empty stomach; having their gruels and their other food sharpened with vinegar, as also the gargle for their mouth. Two of the worst patients, with the tendons in the ham quite rigid (a fymptom none of the rest had) were put under a course of sea-water. Of this they drank half a pint every day, and fometimes more or less, as it operated, by way of gentle physic. Two others had each two oranges and one lemon given them every day. These they L 3

they eat with greediness, at different times, upon an empty stomach. They continued but six days under this course, having confumed the quantity that could be spared. The two remaining patients, took the bigness of a nutmeg three times a-day, of an electary recommended by an hospital-surgeon, made of garlic, mustard-seed, horse-raddish, balsam of Peru, and gum myrrh; using for common drink, barley-water boiled with tamarinds; by which, with the addition of cream of tartar, they were gently purged three or four times during the course.

The consequence was, that the most sudden and visible good effects were perceived from the use of oranges and lemons; one of those who had taken them, being at the end of six days sit for duty. The spots were not indeed at that time quite off his body, nor his gums sound; but without any other medicine, than a gargle for his mouth, he became quite healthy before we came into Plymouth, which was on the 16th of June. The other was the best recovered of any in his condition; and being now pretty well, was appointed to attend the rest of the sick.

Next to the oranges, I thought the cyder (g) had the best effects. It was indeed

not

(g) Extract of a letter from Mr. Ives.

I judge it proper to communicate to you, what good effects
I have observed in the scurvy, from the use of cyder and seawater,

not very found. However, those who had taken it, were in a fairer way of recovery than the others at the end of the fortnight, which was the length of time all these different courses were continued, except the oranges. The putrefaction of their gums, but

water, during the last cruise I made in the western squadron, with my honoured benefactor Admiral Martin. But as I do not pretend to have taken notice of any thing more than merely a palliative benefit from them, I think, without mentioning particular cases, it will be sufficient for me to inform you, that in our preceding cruife with the western squadron, his Majesty's ship Yarmouth, of 70 guns and 500 men, was not only distressed with the scurvy in common with other ships. but, in spite of all my endeavours, lost in it a proportioned number of men. Upon our return from that cruise, I took an opportunity to represent to the Admiral, that as vegetable juices of all forts were from experience found to be the only true antifcorbutics, and I had myfelf formerly experienced the good effects of apples, it was reasonable to presume that cyder must certainly be of service. This suggestion agreed with fome accounts the Admiral had received from others ; and he with great readiness bought, and put under my care, feveral hogsheads of the best South Ham cyder. During the next cruise, each scorbutic patient had daily a quart or three pints of cyder; and as many of them as I could prevail on, took twice a-week three quarters of a pint of fea-water in a morning. In all other respects I treated them as I used to do patients in the fcurvy; which you well know from the conversation which has often passed betwixt us on this subject, was with fquill vomits, pills composed of foap, fquills, garlic, &c. elixir vitriol. and other medicines suited to the different stages and symptoms of the malady. In one word, we had, this cruife, as many scorbutic patients as any other ship. in proportion to our complement of men. But although all the rest buried a great many, some to the number of 20, others 30, 40, 50, and upwards; yet the Yarmouth did not bury more than two or three; and these at the latter end of the cruife, all our cyder having been expended for a week or ten days before. Upon our arrival at port, we fent to the hofpital a great many in very dreadful circumstances.

152 Of the prevention of the scurvy. Part II.

but especially their lassitude and weakness, were somewhat abated, and their appetite

increased by it.

As to the elixir of vitriol, I observed that the mouths of those who had used it by way of gargle, were in a much cleaner and better condition than many of the rest, especially those who used the vinegar; but perceived otherwife no good effects from its internal use upon the other symptoms. I indeed never had a great opinion of the efficacy of this medicine in the fcurvy, fince our longest cruise in the Salisbury, from the 10th of August to the 28th of October 1746; when we had but one patient in the fcurvy, a marine, who, after recovering from a quotidian ague in the latter end of September, had taken the elixir vitriol. by way of restorative for three weeks; and yet at length contracted the disease, while under a course of a medicine recommended for its prevention.

There was no remarkable alteration upon those who took the electary and tamarind decoction, the sea-water, or vinegar, upon comparing their condition, at the end of the fortnight, with others who had taken nothing but a little lenitive electuary and cream of tartar occasionally, in order to keep their body lax, or some gentle remedies in the evening, for relief of their breast. Only one of them, while taking the vine-

gar, fell into a gentle flux at the end of ten days. This I attributed to the nature of the disease, rather than to the use of the medicine.

It may be now proper to confirm the efficacy of these fruits by the experience of others. The first proof that I shall produce, is borrowed from the learned Dr. Mead (b).

" One year when that brave Admiral Sir " Charles Wager commanded our fleet in the " Baltic, his failors were terribly afflicted " with the fcurvy: but he observed, that " the Dutch ships then in company were " much more free from this disease. He " could impute this to nothing but their " different food, which was flock-fish and " gort; whereas ours was falt fish and oat-" meal (i). He was then come last from " the Mediterranean, and had at Leghorn " taken in a great quantity of lemons and " oranges. Recollecting from what he had " often heard, how effectual these fruits were in the cure of this distemper, he " ordered a cheft of each to be brought " upon deck, and opened, every day. The " men, befides eating what they would, " mixed the juice in their beer. It was " also their constant diversion to pelt one " another with the rinds, so that the deck

<sup>(</sup>h) Discourse on the scurvy, p. 111.

(i) The sirst is seldom now put on board ships of war, and of the last English sailors eat but little,

154 Of the prevention of the scurvy. Part II.

" was always strewed and wet with the

" fragrant liquor. The happy effect was,

" that he brought his failors home in good

" health."

I have been favoured upon this occasion, by different gentlemen, with many instances of the like good effects of these fruits in this disease at sea; particularly by Mr. Francis Russel, now surgeon general to the island of Minorca, in a cruise performed by the Princess Caroline off the islands of Sardinia and Corsica; where, according to his relation, some of these fruits got at Vado, preserved great part of the crew, which otherwise must undoubtedly have perished.

An ingenious surgeon being in the Guernfey ship of war, when extremely distressed
by the scurvy (k), has the following observation in his letter upon it. "I have great
"reason to believe, that several lives were
absolutely preserved, when we were at
see say a lemon squeezed into six or

" eight ounces of Malaga wine mixed

" with water, and given twice a-day."

I am informed, it was principally oranges which so speedily and surprisingly recovered Lord Anson's people at the island of Tinian. Of which that brave, and experienced commander was so sensible, that, before he left the island, one man was ordered on shore from

<sup>(</sup>k) See the case of that ship, chap, 1. p. 57.

from each mess to lay in a stock of them

for their future prefervation.

My ingenious friend Mr. Murray, who has favoured me with fo many useful observations upon this difease; and has had the greatest opportunities of being acquainted with it, as he for a confiderable time attended the naval hospital at Jamaica, whilst our great fleets were in the West-Indies, and was likewife furgeon of the Canterbury, expresses himself thus in his letter. "As " to oranges and lemons, I have always " found them, when properly and fuffici-" ently used, an infallible cure in every " stage and species of the disease, if there " was any degree of natural strength left; " and where a flux was not joined to the " other scorbutic symptoms. Of which " we had a most convincing proof, when " we arrived at the Danish island of St. " Thomas (1); where fifty patients belong-" ing to the Canterbury, and feventy to " the Norwich, in all the different stages " of this distemper, were cured in little " more than twelve days, by limes alone; " where little or no other refreshments " could be obtained."

Perhaps one history more may suffice to

put this matter out of doubt.

"In the first voyage made to the East"Indies (m), on account of the English
"East-

<sup>(1)</sup> See the former part of this letter, chap. 1. p. 63, 64. (m) Vid. Harris's collection of voyages, and Purchas's collection, vol. 1. p. 147.

156 Of the prevention of the scurvy. Part II. " East-India company, there were employed " four ships, commanded by Captain James " Lancaster their General, viz. the Dragon, " having the General and 202 men, the " Hector 108 men, the Susan 82, and the " Ascension 32. They left England about " the 18th of April; in July the people " were taken ill on their passage with the " feurvy; by the 1st of August, all the " fhips, except the General's, were fo thin " of men, that they had scarce enough to " hand the fails; and, upon having a con-" trary wind for fifteen or fixteen days, " the few who were well before, began " also to fall fick. Whence the want of " hands was fo great in thefe ships, that " the merchants who were fent to dispose " of their cargoes in the East-Indies, were 66 obliged to take their turn at the helm, " and do the failors duty, till they arrived or at Saldania (n); where the General fent " his boats, and went on board himself, to " affift the other three ships; who were in . " fo weakly a condition, that they were " hardly able to let fall an anchor, nor could " they hoift out their boat without his " affiftance. All this time the General's " ship continued pretty healthy. The rea-" fon why his crew was in better health " than the rest of the ships, was his having " the juice of lemons; of which the Gene-66 ral

" ral having brought some bottles to sea,

" he gave to each, as long as it lasted, three

" fpoonfuls every morning fasting. By

" this he cured many of his men, and pre-

" ferved the rest: so that although his ship

" contained double the number of any of

" the others; yet (through the mercy of

" God, and to the preservation of the other

" three ships) he neither had so many men

" fick, nor loft fo many as they did."

Here indeed is a remarkable and authentic proof of the great efficacy of juice of lemons against this disease; as large and crouded ships are more afflicted with it, and always in a higher degree, than those that are small and airy. This little squadron lost 105 men by the scurvy. Upon its afterwards breaking out among them when in the East-Indies, in a council held at sea it was determined, to put directly into some port where they could be supplied with oranges and lemons, as the most effectual and experienced remedies to remove and prevent this fatal calamity.

I cannot omit upon this occasion observing, what caution is at all times necessary in our reasoning on the effects of medicines, even in the way of analogy, which would feem the least liable to error. For some might naturally conclude, that these fruits are but so many acids, for which tamarinds, vinegar, sp. sal. el. vitriol. and others of the

fame

#### 158 Of the prevention of the Scurvy. Part II.

fame class, would prove excellent succedanea. But, upon bringing this to the test of experience, we find the contrary. Few ships have ever been in want of vinegar, and, for many years before the end of the late war, all were supplied sufficiently with el. vitriol. Notwithstanding which, the Channel fleet often put on shore a thousand men terribly afflicted with this difease, besides fome hundreds who died in their cruifes. Upon those occasions tar-water, salt water, vinegar, and el vitriol. with many other things, have been abundantly tried to no purpose: whereas there is not an instance of a ship's crew being ever afflicted with this difease, where the before-mentioned fruits were properly, duly, and in fufficient quantity, administered.

Some new preservative against the scurvy might in this treatise have been recommended; several indeed might have been proposed, and with great shew of the probability of their success; and their novelty might perhaps have procured them a favourable reception in the world. But these fruits have this peculiar advantage above any thing that can be proposed for trial, that their experienced virtues have stood the test of near 200 years. They were providentially discovered, even before the disease was well known, or at least had been described by physicians. Ronseus, the first

writer

writer on this subject, mentions them (q); and observes, that in all probability the Dutch failors had by accident discovered the efficacy of this remedy, when afflicted with the fcurvy, in their return from Spain loaded with these fruits, especially oranges. Experience foon taught them, that by thus eating part of their cargo, they might be restored to health. And if people had been less affiduous in finding out new remedies, and trufted more to the efficacy of these fruits, for preventing this fatal pestilence to feamen, the lives of many thoufand failors, and others (r), (especially during the last war) might in all probability have been preferved.

We are told, that at the siege of Thorn, when this calamity raged with great violence in the town, it was the last and most earnest petition of the diseased, that some of these

(9) Epist. 2.

(r) Vid. Kramer's observations, part 3. chap. 2. the best ever made on this difease; which abundantly confirm all that is here advanced. In a book published afterwards he makes the following remarks. The fcurvy is the most loathfome difease in nature; for which no cure is to be found in your medicine cheft, nor in the best-furnished apothecary's shop. Pharmacy gives no relief, furgery as little. Beware of bleeding; shun mercury as a poison: you may rub the gums, you may greafe the rigid tendons in the ham, to little purpose. But if you can get green vegetables; if you can prepare a fufficient quantity of the fresh noble antiscorbutic juices; if you have oranges, lemons, or citrons; or their pulp and juice preferved with fugar in casks, so that you can make a lemonade, or rather give to the quantity of three or four ounces of their juice in whey, you will, without other affiftance, cure this dreadful evil. Krameri medicina castrensis.

fruits might be permitted to enter their gates, as the only hopes of life, and last comfort of the dying patient (s). In this difease, when drugs of all forts are naufeated and abhorred, the very fight of these fruits raise the drooping spirits of the almost expiring patient. I have often observed (upon seeing scorbutic patients landed at our naval hofpitals) that the eating of them was attended with a pleasure easier to be imagined than described. Hence Lord Delawar, a very great fufferer in this difease (in the relation of his case to the Lords and others of the council of Virginia) very pathetically expresses himself thus. "Heaven has kindly " provided these fruits as a specific for the " most terrible of evils (t)."

As oranges and lemons are liable to spoil, and cannot be procured at every port, nor at all seasons in equal plenty; and it may be inconvenient to take on board such large quantities as are necessary in ships for the preservation of the men from this and other diseases; the next thing to be proposed, is the method of preserving their virtues entire for years in a convenient and small bulk. It is done in the following easy manner.

Let the fqueezed juice of these fruits be well cleared from the pulp, and purified by standing for some time; then poured off from

the

<sup>(</sup>s) Bachstrom observ. circa scorbutum, p. 15. (t) Purchas, vol. 4. p. 16.

the gross sediment: or, to have it still purer, it may be filtrated. Let it then be put into any clean open veffel of china or stone-ware, which should be wider at the top than bottom, so that there may be the largest surface above to favour the evaporation. For this purpose a china bason or punch-bowl is proper, and generally made in the form required; all earthen glased vessels are unfit, as their glafing will be diffolved by the acid. Into this pour the purified juice; and put it into a pan of water, upon a clear fire. Let the water come almost to boil, and continue nearly in that state (with the bason containing the juice in the middle of it) until the juice is found to be of the confistence of a. thick fyrup when cold. The flower the evaporation of the juice the better; and it will require at least twelve or fourteen hours continuance in the bath heat, before it is reduced to a proper confistence.

It is then, when cold, to be corked up in a bottle for use. Two dozen of good oranges, weighing five pounds four ounces, will yield one pound nine ounces and a half of pure juice; and when evaporated, there will remain about five ounces of rob or extract; which in bulk will be equal to less than three ounces of water. So that thus the acid, and virtues of twelve dozen of lemons or oranges, may be put into a quart bottle,

and preserved for several years.

M

I have

#### 162 Of the prevention of the scurvy. Part II.

I have now some of the extract of lemons which was made four years ago. And when this is mixed with water, or made into punch, few are able to distinguish it from the fresh squeezed juice mixed up in like manner; except when both are present, and their different tastes compared at the same time; when the fresh fruits discover a greater degree

of fmartness and fragrancy.

If it be judged of any consequence to preferve the perfect fragrancy of the fruit, I have found, by experiments, that there are feveral ways of doing it. They who intend this extract for making punch, may infuse some of the fresh peel of the oranges or lemons into the spirit before it is used. I have known fome who distil brandy themselves from their spoiled wines, throw these peels into the still. Either of the methods makes a most agreeable and fragrant punch with the rob. The effential oil of the rind is thus fofubtilifed, and incorporated with the spirit, as to be itself converted as it were into a purer spirit. And it will not then have the heating quality, nor affect the head afterwards fo much as the simple oil may do, when taken in too great a quantity.

But, for this purpose, I find it is sufficient to add a very small quantity of the outer peel to the extract a little before it is taken off the fire, and there will be all that is requisite to make it entirely equal to the freshest fruit;

in so much that the nicest taste will hardly be able to distinguish any difference. Its virtues (as must appear to any one so far conversant in chemical principles, as to know there is nothing more lost here than water, with a scarce perceptible acid) will be found nothing inferior to the fresh fruit (x).

In this manner prepared, it must be kept in bottles, where it will remain good for several years. When made in a proper place and season, it will come very cheap; and our navy may be supplied with it at a much easier rate than any thing as yet proposed. Thus the rob of limes may be prepared in the East or West-Indies solely by the heat of the sun. Those fruits, which in many parts

M<sub>2</sub> of

(x) This I think cannot be doubted by any person who has used it, or who will take the pains to make proper comparisons and trials with it, and the freshest orange or lemonjuice. Indeed the benefit prefumed to be derived from the flavour is fo small, that the plain extract is quite sufficient. Officers by putting in a little of the candied peel in their punch, will give it the agreeable flavour wanted. But there is another and very elegant method of obtaining and preserving the entire virtues of the lemon or orange skins. Rub the outside of the skins against a piece of loaffugar. The inequalities on the furface of the fugar ferve as a greater, and tear open the little cells in which the effential oil is contained. This effence flows plentifully out, and is imbibed by the fugar. When one part of the fugar is fufficiently impregnated and wet, scrape it off with a knife, and put it into a bottle: repeat the same operation until the whole effence is extracted from the rinds. The fugar does not in the least impair or alter its aromatic virtues; and in this manner it will keep good for many years. When mixed with the juice or rob, the whole virtue of the fruit is obtained.

164 Of the prevention of the Scurvy. Part II.

of the world will only cost the labour of pulling them, must be taken from the trees during the rainy months; as for feven or eight months in the year, during the dry feafons, in those countries, their juice is harsh and apt to gripe. A number of them being collected, a small flice should be cut off from the fruit at the end next to the stalk, and the juice extracted by means of a lemon fqueezer. The juice is then to be put into a well feafoned cask, from which, after standing some days, it may be drawn clear from the fediment at bottom and the fcum at top. If needful, it may be afterwards strained, and then exposed to the heat of the fun in large, flat, evaporating veffels of china or stone-ware, so that in a few days, from twelve quarts of depurated juice, one quart of rob, of the confiftence of honey, may be obtained. It will be found extremely wholesome on all occasions, but especially to correct the newly distilled rum and other spirits allowed failors in warm climates, and will not only make them more palatable, but, what is a matter of much greater moment, will convert these poisonous pernicious draughts into a fovereign remedy for, and a preservative against a scorbutic habit of body.

Since the fecond edition of this treatife, feveral accounts have been transmitted to me concerning the efficacy of these fruits in the

fcurvy

Chap. IV. Of the prevention of the fourty. 165 fcurvy at fea, especially during the last war.

Mr. Ilair, now furgeon of the English factory at Lisbon, in a letter dated 8th April, 1760, from on board the Southampton in Quiberon Bay, informs me, " That " many of the men in that ship were af-" flicted with the fcurvy, as he supposed " from floth and idleness, and a depression " of spirits, from being pent up in a ship, " without having any pleasure, amusements, " or variety. But having purchased a quan-" tity of lemons, he daily distributed them " to his fcorbutic patients, who were then " to the number of ninty three. They fuck-" ed the juice, and kept the peels constant-" ly applied to their gums. The effect was " furprifing; many whose spungy and " putrid gums wholely covered their teeth, 
and who could not rife from their beds " without fainting, were in a few days " able to walk the deck, and foon after-"wards returned to their duty. Those " whose tendon's were much contracted, and " others who had bleedings at the noie and " mouth, reaped no less benefit from those "fruits." or sysb nostlit bish med a W

" refresh the field, whom we fent on the

" And with plenty of oranges, milk, and

rest of lemons, which I made there, and

Extract of a letter from Mr. Robert Moubray, surgeon of the America, dated at Pondicherry in the East Indies, 26th September, 1760.

"The fcurvy, as I mentioned before, " began about the end of May, and conti-" nued with us till the 8th of July. There " were then between 40 and 50 with vari-" ous complaints and appearances of it. " Some having fore mouths and stiff hams " with spots; others fwellings in the joints " of the knees and the ancles, with excru-" ciating pains in the legs; others again " fcorbutic ulcers without any other fymp-" toms. I luckily kept fome lemon juice " got at Madeira, and with the affistance of Captain Haldane, who gave me any " quantity I wanted, we palliated the fymp-" toms; for I ordered the corbutic patients " two spoonfuls of this juice, three times a " day, with a proper diet, in which I " followed the directions you was fo kind " as to give me.

" On the 8th of July we put into Mada-" gascar, a very pleasant fruitful island. "We here staid fifteen days to water, and " refresh the fick, whom we fent on shore. " And with plenty of oranges, milk, and " fresh provisions, made a cure of almost

" the whole, and with the addition of the

" rob of lemons, which I made there, and fresh

" fresh provisions, we compleated the cure

" in ten days after we failed. For though

" feveral men of weakly constitutions, and

" fuch as were aged, had the most violent

" fymptoms, yet we lost not a man in that

" disease. And, I flatter myself, much

" was due to their being early supplied with

" that efficacious remedy, the juice of le-

" mons and oranges." Mr. Malcolm, furgeon of the Royal William, informed me, "that having procured, " when at fea, two chefts of lemons and one " of oranges, he cured above 50 men, who " were ill of the scurvy, all of whom returned to their duty two months before they " came into any harbour; and he further " observed, that those, who were restored " to health by those fruits, were not so sub-" ject to a relapse, as others who obtained " health by means of fresh broths, wine, "flummery, &c. given at fea. His me-"thod was to allow each man two lemons " a day; the juice of which they drank " mixed with small beer, and the remain-" ing rind and pulp they eat entirely. He " is of opinion that lemons, and even " their juice kept for some time in bottles, "though a little spoilt, exceeds all other " remedies in the fcurvy, and may cure it

" at fea." The following relation I received from

a person on board the Chichester.

broceed!

" That

M 4

168 Of the prevention of the scurvy. Part II.

" That ship sailed 6th November, 1759. " from Plymouth, and was in the Bay of " Biscay till June, 1760. During this long " continuance at sea, several of the people " became scorbutic. The boatswain's mate " and one Elder were both very ill, and " were cured by lime juice, ten weeks be-" fore they put into a port. Four patients " extremely ill and confined to bed were " reftored to health in a fortnight by means, of fresh lemons; sixteen others were " cured entirely by lime juice. Some re-" covered by greens got upon the French islands, but not so quickly as the others did " by lemons, and the former were much " more liable to relapse." was one ones

The following extract of a letter dated 11th November, 1760, from the Torbay in Plymouth Sound was published in several

of the monthly Magazines.

"We have been constantly cruising from the latter end of July till this time, hawing no sick, except a few scorbutic, whose symptoms daily grew worse, till happily relieved by lemons, which our captain bought of a Spaniard at sea, and distributed to them twice a day, which produced so remarkable a change, that above a dozen with black swelled and contracted legs, putrid gums, and difficulty of breathing, were in two weeks so far recovered, as to have no appearance of the fourty left except weakness."

I proceed

I proceed to some farther directions given for the information of commanders of ships, and those who have proper conveniencies, who may relieve the fick, upon occasion, with their stores. And it may be proper to acquaint them, that most berries, and several fruits, when gathered two thirds ripe on a dry day, while the fun shines, if put into earthen pots, or rather in dry bottles, well corked, and fealed up, fo that no air or moisture can enter, will keep a long time, and, at the end of a year, be as fresh as when new pulled. These the captains may supply themselves with at every port in England, from the pastry-cooks shops, with proper directions for their preservation. Green goofeberries will keep for years, if, after being put into dry bottles, their moifture is exhaled, by putting the bottles flightly corked into a pot of water, which is allowed to come nearly to boil, and continue fo for a little; when a very small quantity of juice yielded by them is to be thrown away, and they are afterwards kept close stopt. These would prove a sovereign remedy for the fick: and, by fuch methods, thips in long voyages, when touching at any place for water and provisions, may likewife lay up a fea-store of berries and hard knife into as thin dices as polisting

Various wholfome herbs and roots may likewife be preferved at fea, according to

the different directions given for that purpose in books of chemistry and confectionary; fuch as fmall onions in a pickle of vinegar, &c. Most green vegetables, as coleworts, leeks, French beans and others, are preferved, if put when dry in clean dry stone-jars, with a layer of falt at bottom; then a thin layer of the vegetable covered with falt, and fo alternately, till the jar is full; when the whole is to be covered with falt and well preffed down with a weight, and its mouth close stopt, that no air or moisture may enter. At using, the falt is to be washed off by warm water; when the vegetable, after keeping a year, will be found fresh and green. I have been told, that in this manner that fovereign remedy, the Greenland scurvy-grass (y), may be preferved, and that pots of it have been brought over quite fresh and green. Another article, which would be of great benefit in the British navy, and may be purchased at an eafy rate for the ship's company, is what the Dutch call zourbool, or four cabbage, which is prepared in the following manner.

In the month of November take the white winter cabbage, cut it in quarters and remove the stalk which runs in the middle of it, then shave it with a large sharp knife into as thin slices as possible; the

<sup>(</sup>y) Vid. a letter concerning it, chap. 5. also the extraordinary case of a sailor related by Bachstrom.

the Dutch have an instrument for the purpose; the thinner the cabbage is fliced, the better it will be preferved. Greafe then the infide of the cask, so as to stop up all the pores, and cover the fides and bottom with a thin paste of leaven'd flour; on the bottom strew first a little falt, then fill up the cask with alternate layers of falt and cabbage, until it is near full. The quantity of falt between each layer of the cabbage must be very small, and care should be taken that each layer of the cabbage, upon being put into the cask, be well beat and strongly pressed down by a wooden pestle or mallet, fo that 200 cabbages may be put into a small cask. On the uppermost layer of cabbage put a cloth, and immediately above that a tight wooden cover, fo as no air may enter. Above this cover put a confiderable weight, to press the cabbage down. When it has flood thus for a fortnight, and the juice of the cabbage is collected at top and becomes four, dip a clean cloth in the juice repeatedly, and wring it out, till in this manner all of it is removed. Then after being washed, the former cloth and cover are again to be replaced, and the pressure renewed, which operation is to be repeated occasionally as the juice becomes offensive, pouring each time a small quantity of water upon the top in place of the offensive juice which is thrown away. This

#### 172 Of the prevention of the scurvy. Part II.

This four cabbage will keep good for an East-India voyage; I sent a small cask of them to News undland, and in eight months afterwards had part of them returned to me good and well relished.

Every common failor ought to lay in a stock of onions. When this stock is exhausted the captains may have recourse to their pickled small onions; and with sowls, mutton, or portable soop, and the sour cabbage before-mentioned, of which the Dutch (z) sell great quantities, they will be

foury than the English, owing to this pickled vegetable carried to fea. Vid. Krameri epistolam de scorbuto. A mess of this given twice a-week boiled in their peas, seems all the addition requisite to be made to the present victualling of the navy, for the prevention of the scurvy. It may be objected, That its saltness would rather prove hurtful in this disease. But this objection is sounded upon a very salse opinion, that sea-salt produces the scurvy: the contrary of which has been fully demonstrated, chap. 1. and is consirmed by numberless instances of giving salt water in very bad scurvies, both at sea and land, with great benefit to the patient. See Mr. Ives's letter, p. 150. Dr. Grainger's, chap. 5.

The truth is, that vegetables preserved in this manner, so far from being salt after duly washing them in warm water, require to be eat with salt: they are thus preserved quite succulent and green. Their virtue is the same as if taken fresh out of the garden, and the method infinitely superior to the drying of them, like hay, as was proposed; which would entirely destroy their antiscorbutic quality. To the surgeon's necessaries in long and sickly voyages, it would not be amiss to add some boxes of portable soop; and at all times some pots of preserved small onions, together with some French prunes. When the scurvy begins to appear, or even when its approach is apprehended, the

be able to make a broth at sea, almost the same with what is used in our naval hospitals for the recovery of scorbutic patients. I have known several captains, who, by carrying out boxes silled with earth, which stood in their quarter-galleries, were supplied with wholsome salads, after being some months out of harbour. A cask of rich garden-mould put occasionally in boxes on the poop, and sown with the seeds of garden-cresses, would furnish these at any time.

ship's company ought to have some of these onions, or when there are none on board, some garlic or shellot (supplied them by the surgeon) boiled in their water-gruel; and of this they ought to make a hearty breakfast. They should be put on 1 or 1 short allowance of falt beef and pork, to be eat with mustard and vinegar, and have a small quantity of ginger given them by the furgeon to mix in their puddings, which will make them much lighter. In lieu of their falt meat, the purfer may supply them with cyder, wine, or the fpruce beer afterwards recommended; or if they are ferved with brandy, he may furnish them with fugar and a fufficient quantity of orange-juice to make it into punch. A gellon of orange juice is fold for fix shillings, which allowing an ounce of it to each man in the day, will ferve 128 men, and the expence be three-pence half-penny a week for each; whereas when at 1 short-allowance of beef and pork, there becomes 42d. per week due to each man. This overplus of the short-allowance money will be fufficient to enable the purfer to furnish molasses for the punch of the ship's company, as also a mess of either pickled coleworts or four cabbage twice a week. The peas ought always to be ferved out in full allowance, and this mess would be greatly improved by the addition of dried mint or thyme, garlic, &c. Thus might the scurvy in all probability be prevented in our navy, without putting the government to a farthing expence, by a commutation of provisions and necessaries, at the discretion of the purser and surgeon, and a proper regulation of their diet.

174 Of the prevention of the scurvy. Part II. time. Such seeds will likewise grow on wet cotton.

Besides fresh and preserved fruits and vegetables, fermented liquors of all sorts are found beneficial in this disease. Some of them however are possessed of more eminent antiscorbutic virtues than others. By my own experience, I found cyder the best of any I have had occasion to try. And it would seem an excellent method of preserving other vegetable juices (gooseberries, black-berries, currants, elderberries, or even Seville oranges) to ferment them into made wines or beer. These I am persuaded will be found preserable to many medicated antiscorbutic ales and wines by infusion, that

might here be recommended.

It is pretty remarkable that the first northern colonies in America were extremely subject to this disease. Of the first colony sent over to New England, near one half perished by the scurvy in the year 1621. But the French especially upon their first planting Canada and New France, suffered so much by the mortality it occasioned in the winter-season, that they had often thoughts of abandoning their settlement; even the natives were not exempted from the ravage of this cruel evil (a): whereas not only these colonies, but others in a colder and more northern situation, are at present quite

healthy. One would be apt to ascribe this, to the many hardships and inconveniencies infant-colonies are necessarily exposed to; were it not, that we fee many poor people wintering yearly in Newfoundland, where this difease was formerly so fatal, who from poverty fuffer equal, if not greater hardships, than the first planters during the feverity of winter. They are, for almost eight months in the year, destitute of fresh vegetables, and live entirely on falt and dried fish, coarse bread, and much worse diet than a ship's provisions. Their air is likewise groffer, colder, and moister, than is commonly the case at sea. Notwithstanding which they keep pretty free from the fcurvy. And this is ascribed to their common drink, which is spruce beer.

It is indeed a matter of furprise, and was taken notice of before as the most convincing proof that this calamity may be prevented any where, that the people who reside at our factories in Hudson's bay, are so very healthy; where, according to Ellis's account, they sometimes do not bury one man in seven years out of a hundred that are in their four factories (b): whereas the first adventurers to that part of the world, who wintered in the same places, were almost all destroyed by the scurvy, viz. Capt. Monk's people in 1619 (c), Capt. Thomas fames's

(b) See voyage to Hudson's bay.

<sup>(</sup>c) Churchill's collection of voyages, vol. 1. p. 541.

176 Of the prevention of the scurvy. Part II. James's at Charleton island in 1631 (d); and most others who attempted it. A set of failors, confifting of feven men, was left two winters fuccessively, in the years 1633 and 1634, at Greenland and Spitzbergen, by way of experiment: but every man of them next fpring was found to have died of the fcurvy (e). The unhappy fate of those people, who all perished in great misery, and left behind them a journal of their piteous misfortunes, feems to have been owing to the world's ignorance of the diftemper at that time, and the pernicious methods recommended to them for prefervation; which we find were chiefly purging antiscorbutic potions, distilled spirits, viz. brandy, and the like; all which infallibly increased the malady, and hastened their

From these unsuccessful trials it was judged impracticable to pass the winter in those parts. But the following accident afforded the most convincing proof of this mistake. A boat's crew, consisting of eight men, was by chance left behind, and obliged to winter in almost the same place (f). The season proved equally rigorous and severe. The poor men had nothing to trust to for sustenance but what their guns procured, and were every

(e) Churchill's collection, vol. 2. p. 347. (f) Churchill, vol. 4. p. 745.

<sup>(</sup>d) Harris's collection of voyages, vol. 2. p. 406.

Chap. IV. Of the prevention of the scurvy. 177 every one of them preserved alive, by being unprovided with what might have been deemed the necessary (though in effect pernicious) means of subsistence and preservation. They had no brandy, no coarse hard biscuit, nor salted slesh-meats, &c.

But what deferves particular attention is, that those who live on the coarsest diet and falted flesh meat while using spruce beer at the fame time, are feldom or never afflicted in the coldest and most northern countries. It was observed, that when the custom of drinking wine more freely was introduced into Holland, this diftemper became less frequent (g). And among the first cures recommended to the world was wine, with wormwood infused in it (b); which was afterwards long used by way of prevention in Saxony, where this evil was peculiarly frequent (i). Fermented vinous liquors of any kind are indeed very beneficial. But it appears by the experience of the northern American colonies, as also of several other countries, that spruce beer is not only an effectual prefervative against it, but an excellent remedy.

The antiscorbutic virtue of the sir was, like many other of our best medicines, accidentally discovered in Europe (k). When

(g) Bruneri trast. de scorbuto.

(i) See part 3. chap. 2. (k) Vid. Moellenbroek de arthritide vaga scorbutica, p. 116. Etmulleri opera, p. 2.

<sup>(</sup>b) See part 3. chap. 1. Olaus Magnus.

178 Of the prevention of the Scurvy. Part II.

the Swedes carried on a war against the Muscovites, almost all the soldiers of their army were destroyed by the scurvy, having putrid gums, rigid tendons, &c. But a stop was put to the progress of this disease, by the advice of Erbenius the King's phyfician, with a fimple decoction of fir-tops; by which the most deplorable cases were perfectly recovered, and the rest of the soldiers prevented from falling into it. also proved an excellent gargle for the putrid gums. From thence this medicine came into great reputation, and the common fir, picea major, or abies rubra, was afterwards called pinus antiscorbutica. Pinus Sylvestris, the mountain-pine, has likewise been found to be possessed of very great antifcorbutic virtues, of which a late accident has furnished a convincing proof. In the year 1736 two squadrons of ships fitted out by the court of Russia, for the discovery of a north east passage to China, were obliged to winter in Siberia. One of them commanded by Demetrius Laptiew, not far from the mouth of the river Lena, was attacked by the scurvy. The men in their distress by chance found near them this tree growing in the mountains, and experienced it to have a most surprising antiscorbutic virtue. At the same time while Alexius Tschirikow was paffing the winter in the river Judoma, a confiderable number of his men were also dread.

Chap. IV. Of the prevention of the scurvy. 179 dreadfully afflicted with this disease. After various fruitless attempts to discover a remedy able to put a stop to this cruel disaster, he at length accidentally had recourse likewise to the pines which grew plentifully on the mountains, by which all his men were recovered in a few days. In some the medicine proved gently laxative, in others it affected the body so mildly, that its operation was scarce sensible (1).

I am inclined to believe, from the defcription given by Cartier of the ameda tree, with a decoction of the bark and leaves of which his men were so speedily recovered, that it was the large swampy American spruce tree (m). The shrub spruce, of that fort vulgarly called the black, which makes the most wholesome beer, affords a balsam superior to most turpentines, though known only to a few physicians.

A simple decoction of the tops, cones, leaves, or even green bark and wood of these trees, is an excellent antiscorbutic medicine: but it will I am apt to think become much more so when fermented, as in making spruce beer. By carrying a few bags of spruce or its extract to sea, this wholesome

(1) Gemelin flor. Sibiric. p. 181.

<sup>(</sup>m) See part 3. chap. 1. Hackluit's collection of voyages, vol. 3. p. 225. Some have believed it to be the fassafras, others the white thorn; but, in his third voyage, he mentions the white thorn, and makes the ameda to be three fathom in circumference.

180 Of the prevention of the scurvy. Part II.

drink may be prepared at any time. But where it cannot be had, the common firtops used for fuel in the ship, should be first boiled in water, and the decoction afterwards fermented with molasses, in the common method of making spruce beer; to which a fmall quantity of wormwood and horseraddish root (which it is easy to preserve fresh at sea) may be added. The juice of the cocoa nut-tree was experienced to be of very great benefit to feveral persons afflicted with the fcurvy, on board the Dolphin and Tamer ships of war, in their late voyage round the world. By an Admiralty order a trial was made in those ships of malt made into wort, which was given to feveral patients in the feurvy, without producing any very confiderable effect.

In the Swallow floop of war the wort was also tried in her passage round the world, and one person, who was afterwards a patient at Haslar hospital, informed me, that when very ill of the scurvy on board that ship at sea, he was restored to health by the

plentiful use of wort.

We come now to observe what treatment is proper for convalescents, or those who are recovering from tedious sits of sickness, by which they have been greatly exhausted and weakened. Here the prevention of the scurvy will depend much upon two articles, viz. a proper diet and exercise. The former

must

must be adapted to the strength of their digestion. The latter must be suited to the debilitated state of their body. We find, that when people in this condition at land, and much more so in a ship at sea, are put directly upon a gross diet, they are very apt to become fcorbutic. To fuch we in the first place recommend wheat flour to be given in lieu of falt beef and pork, and even of biscuit. This flour must be well leavened, and baked into fresh bread, instead of being cooked into puddings and dumplings, as is common; which will be found an excellent restorative at sea; and is, together with vegetables, eagerly longed for by fcorbutic perfons. It may appear a direction not eafily to be complied with, to people unacquainted with the conveniencies in a ship. But many ships, especially all ships of war, have an oven; and it is a practice with most captains, to have their own bread baked twice or thrice a-week, while at fea. When the patient is extremely weak, a little of this new baked bread should be boiled in water, and made into a panada; adding a few drops of the juice or extract of lemons, and a spoonful of wine.

The other parts of diet should consist of oat-meal and rice gruels, slummery, roasted or stewed apples, and if they can be got, stewed barley, with raisins, or currants, sago and wine, &c. but particularly the

N 3

four

four cabbage, and small onions, boiled with the portable foop made weak. Their food and drink ought to be sharpened with the orange or lemon-juice; which at fuch times proves highly grateful, both to the palate and stomach of the patient; who by degrees, as his appetite, but especially as his strength increases, is to be indulged with more folid food: though he would do well to abstain for some time from groffer animal fubstances, and take no other restorative but wine, with the proper vegetable and lightest meally substances. A caution is here requisite, that to the convalescents nourishment should be given often, but in a fmall quantity at a time, fo as not to oppress the organs of digestion.

It is likewise a matter of great importance, that the body weakened by preceding fickness, be by degrees habituated to exercife. Nothing can be more inhumane, than to oblige a poor weak man to undergo more fatigue than his strength can bear; nor any thing more prejudicial to his recovery, than, under the notion of preferving him from the fcurvy, to force him too foon to do the ship's duty. On the other hand, a total neglect of exercise is peculiarly productive of this disease. The rule then is, to proportion the continuance and degree of it, to the strength and condition of the patients; to begin with the most gentle and easy at first

first, and proceed gradually to the more violent, as they acquire strength. Thus, after being accustomed to fit up some hours through the day in bed, they are then to be allowed to get out of it, and continue fo, as long as their strength, without great weariness or fatigue, will permit. They may next be put into a fling hung below the fore-castle, or betwixt the decks; which will affect them not only by caufing a change of air, but at the same time give spirits and refreshment. They will afterwards be able to bear riding on a thin board laid betwixt two chefts, where the fucceffive concuffions of the body will be more fenfibly perceived. And it is to be remarked, that as weak perfons at land generally find the greatest benefit from exercise in a coach, chaise, or on horseback; fo the convalescents in a ship, especially scorbutic patients, will receive much more advantage from this exercise, than from walking, running, or any kind of muscular motion, in which a great exertion of strength is required. The reason feems to be, because these latter are attended with a waste and dissipation of spirits; and are generally followed with weariness and fatigue: whereas, by the frequent fucceeding agitations of a jolting machine, the circulation is promoted, and the fibres of the body strengthened, and the weakened animal functions invigorated, without any confi184 Of the prevention of the scurvy. Part II.

confiderable loss of spirits, which such peo-

ple cannot well bear.

These and the like exercises are absolutely necessary to prevent the scurvy in those who have hurts, sprained joints, ulcers on their legs, and other complaints which confine them below, and disable them from walking upon deck; in which case they soon become scorbutic, when living on the gross fea-diet.

Others upon recovery may at the same time they practife these exercises, be made to walk a little upon deck, fo as not to overfatigue themselves; and afterwards be put upon fuch duty as their condition will permit them to perform: having recourse, if needful, to elixir of vitriol, bitters, the bark, or steel, according as they may be requisite to perfect their strength and recovery. To which, however, nothing will contribute for much, and at the fame time more effectually prevent the fcurvy, as bodily exercise; which will be found to agree best with them when the stomach is not full, or rather just before meals. It is observed, that when fcorbutic patients use no exercise, the difease advances very fast upon them at sea: therefore, if they can bear only the most gentle motions, these are often to be practifed; and the body is not to be permitted continually to rest, without some fort of action. When confined to bed, frictions may

be

be used upon their limbs and body. Let it however be remembered, that too violent exercise is as dangerous and pernicious in this disease as too little.

I proceed now to point out the means of obviating or removing many inconveniencies which occur at fea, especially those which are observed to be productive of this disease. A most powerful and principal cause of which (n), and indeed of many others at sea, is the moisture of the ship, especially during a long continuance of thick close weather, or a stormy and rainy season, the essects of which are rendered still more pernicious when combined with cold; these require in a particular manner to be guarded against, and are either immediately to be corrected, or their effects and consequences prevented.

As to the first: Although we cannot at once remove a person into another climate, or into the land-air; yet we can easily give to the air he breathes, a more salutary quality. Fire made with any of the aromatic woods, or even with common fir or pine, juniper, and the like, effectually corrects a moist state of the air, and at the same time renders it more salutary in other respects. It is observable, that betwixt the tropics, the rainy seasons prove the most unhealthy and dangerous, not only at land, but in

thips.

ships. In this case, without any inconvenience or danger, a clear open fire, properly fecured, when in harbour, might be lighted betwixt decks, to stand upon the batchways in a stove; which would greatly purify the air, and destroy its hurtful moisture at all times, without much increasing the heat, if burnt in an open place. There is certainly less danger, nay, less heat, attending fuch a fire burning for an hour or two in the day, guarded by a centinel, than having fifty or fixty candles lighted in an evening; or burning them constantly night and day in the orlope, and other dark places: whence fuch parts of the ship are continually replete with the naufeous effluvia of rank corrupted tallow. It would feem indeed no difficult matter, to convert even these into medicinal prefervatives against the scurvy, and other difeases proceeding from a bad, moist air, by the addition of some proper aromatic in their composition. The burning of spirits will be of fervice in the fick-apartment. The captains, or those who can afford them, will find the myrtle wax candles the best to use in a moist sea-air.

Next to be confidered, are the best means of preventing the effects and ill consequences of such air, when not corrected by the methods proposed.

Fire, as before observed, is the most ceratain consumer of humidity. We moreover find,

find, that the exhalations of aromatics, though, properly speaking, they do not dry up moisture, yet obviate the pernicious effects of it upon the human body. Thus we often observe many afthmatic persons greatly affected with a moist wind, and in a damp feafon hardly able to breathe; but upon throwing a little benzoin, or the like aromatic gum, on a red-hot iron, by which their chamber is well perfumed, and the air replete with these aromatic particles, they are fenfible of relief, and breathe much more freely. So here I would recommend a most fimple and easy operation, to be performed in fuch damp feafons in a ship; which is, putting a red-hot bar of iron into a bucket of tar, which should be moved about, fo that all the ship, once or twice a day, may be filled with this wholesome vapour.

Persons for proper security, during an unwholsome moist state of the air, should go well cloathed, and shift often with dry linen. Dryness and cleanliness of body are excellent preservatives against the scurvy. They should use the sless-brush, or frictions with a dry cloth on their skin; eat a slice of raw onion, or a head of garlic, in a morning before they are exposed to the rains and washings of the sea. Whatever promotes perspiration is useful; and perhaps nothing will do it more effectually at this season than a raw onion. Nor ought these

188 Of the prevention of the scurvy. Part II.

these farther precautions to be omitted, of using proper exercise in the day, and having their bedding kept always dry, not binding it up close together till sufficiently aired and dried.

When they are threatened with the approach of this difease, they ought, at going to bed, to promote a gentle sweat, by draughts of water-gruel and vinegar, with the addition of lemon-juice, or its extract. They should use plenty of mustard and onions with their victuals; and may then indulge more freely in the use of fermented vinous liquors, viz. cyder, beer, and wine: but when of necessity obliged to drink spirits, they ought always to dilute them a little with water, and add the acid of oranges or lemons. These directions will preserve feamen not only from the scurvy, but from many other diseases, as coughs, colds, &c. arising from an obstructed perspiration in a moist air.

The water and provisions being often in such an unsound and corrupted condition, as may be supposed to increase the virulence of this disease, it will not be improper to add some considerations for preventing and remedying these inconveniencies.

Water is with difficulty preserved sweet at sea (r); and sometimes cannot even be procured

<sup>(</sup>r) See Dr. Alston's excellent method of preserving water good and wholesome at sea by quick-lime, part 3. chap. 2, also

procured wholesome at places where ships may touch (s). There are two sorts of bad water. The first is, putrid and stinking; the other a hard heavy water that is not putrid, but which will not incorporate with soap, or break peas when boiled in it. Both

are very unwholesome.

Water at sea will sooner or later putrify, according to its various contents, and the manner in which it is kept. It has been experienced, that, by fuming the casks with burning brimstone, water will keep longer sweet. Some add a little oil of vitriol to it; which likewise preserves it a longer time from putrifying. It is a common practice, and a very good one, to throw a little salt into water while warming; and as it grows hot, there will arise a thick unwholesome scum, which is carefully to be taken off as it casts up. And this should always be done in boiling oat-meal.

When the water is become putrid and stinking, one manner of sweetening it is, by taking out the bungs of the casks, exposing it to the air, and shaking, and pouring it from one vessel into another. Another way is, by letting it quickly come to boil; taking

care

also Dr. Hales's curious philosophical experiments, and his

directions to preserve water and provisions at sea.

<sup>(</sup>s) In this case the sea-water should be rendered fresh by distillation, agreeable to the methods recommended in the postscript to my Essay on the Diseases of Europeans in hot Climates.

care not to boil it too long, which would expel the most active parts of the water. This will still be rendered sweeter, and more wholsome, when a little of the juice or extract of lemons is added to it; which is much safer for common use, than the spirits of vitriol and sea falt, recommended by some on this occasion. The lemon juice will likewise contribute to precipitate the earthy particles of the water, and the various animalcules with their sloughs, now de-

stroyed by the boiling.

But as this may be found troublesome to do for a whole ship's company, there are other methods of fweetening putrid water: for this purpose the Rev. Dr. Hales recommends blowing showers of air through the water by means of bellows of a peculiar construction. Sometimes, as is observed by my learned friend Dr. Home (s), by keeping fuch water close and warm in a large veffel, it will become fit for use when the process of putrefaction is once over; by which the noxious and putrescent particles having been made quite volatile, will fly off of themselves: as is often the case with the Thames water. A large cask of stinking water closely bunged up, should be put near the fire-place in a ship, and kept in a degree of warmth fufficient to promote this process of putrefaction: the effect of which will

<sup>(</sup>s) In his ingenious Essay on the Dunse Spaws, p. 119.

will be, that the putrescent particles rendered thus volatile, will all quickly fly off; and the putrefaction by this means being stopt, the water becomes wholsome and fit for use.

Besides this putrid water, sailors are often obliged to use, for want of better, a hard water, as it is called, replete with faline, and earthy particles; which is found to be very unwholfome, though fresh and sweet. To make this wholfome and falutary, the stone filtre used on board several ships is very proper, where the water does not abound with vitriol or fea-falt. But its operation is tedious, and it can never pass a fufficient quantity for the use of a ship's company. Sand is the fittest body for separating these unwholsome particles. Upon this occasion I must again refer to the ingenious essay on the Dunse Spaw (t). This method.

<sup>(</sup>t) P. 120. The Austrian army, when incamped in Hungary, find no good water, unless when on the banks of some great river. So, when obliged to use lake-water, they purify it in this manner. A long fmall boat is divided into feveral different apartments by cross partitions. They fill them all, except the last, with fand. The boat is put into the lake. A hole level with the furface of the water is made in the end of the boat, which lets the water into the first division; from this it gets into the fecond, by a hole made in the bottom of the first partition; from the second it runs into the third, through a hole in the top of the fecond partition; and fo alternately above and below, that it may be obliged to pass through all the fand. At the top of the last division there is a pipe, through which the water comes, at pleafure, as pure as from a fine spring. And thus seamen when abroad meeting with fuch water, may purify even the hardest kind

192 Of the prevention of the Scurvy. Part II. method, however, is troublesome and tedious; for if the fand is fea-fand before it is made use of, it must be purified of all its falts: and it has been found that the fand when used for some time loses its power of foftening water. For other methods of purifying unwholfome water, fee my Esfay on preserving the Health of Seamen in the Royal Navy. When the beef and pork are fpoilt, it will be most adviseable not to eat of them; or at least to correct their bad qualities, by using at the same time plenty of vinegar, oranges, lemons, and vegetables. I am afraid any method that might be proposed to sweeten putrid flesh, will be found not eafy to be put in execution at fea.

There are several ways generally known of recovering spoiled beer, wines, and other fermented liquors; and as these liquors are all of them antiscorbutic, they are well worth preserving. Yeast should be carried to sea for this and other purposes. When it has grown stale by keeping, a little flour, sugar, salt, and warm beer, are to be mixed with it; or even hot water and sugar only. By adding to it the grounds of strong beer,

of it. And for the same purpose in a house he proposes some casks divided in the middle, and filled with sand; into the first of these divisions the water may be thrown as into a cistern; the casks ought here to be joined by pipes; and by making it thus circulate through eight or ten divisions silled with sand to the top, a pure spring may be had any where.

and letting the mixture stand a little before the fire, it will serve either to work beer or bake bread. In case there is no yeast on board, honey, sugar, leaven or molosses, may be used to renew the fer-

mentation of liquors.

The dry provisions, such as oat-meal, peas, and flour, are apt to be corrupted and spoiled by weevils, maggots, and by growing damp and mouldy. These destructive vermin may be killed by the fumes of brimstone in a close place. But even then the weevils, when eaten, are found to be very unwholfome, and are faid to have fuch a corrofive quality, as, when applied to the skin in the form of a poultice, to raise blisters like the Spanish flies. When no better provisions can be procured, the flour, oat-meal, or peas, should be put in a heap, and then these vermin will come to the top of it; so that a great number of them may be taken away, and fifted out with the dust. The parcel is to be stirred and heaped again, until as many of them as possible are removed. The oats and peas may be turned over into a wire-sieve, which will let the dust and weevils pass through it.

Sound good bread is the most important article at sea. The biscuit, when mouldy and spoiled, should be put into a warm oven, or under the fire-place, till the moisture is quite exhaled, and the animalcules in it de-

0

stroyed.

194 Of the cure of the scurvy. Part II.

stroyed. These are afterwards to be well beat out of it, and then it may be eat dipt in vinegar. Close casks preserve biscuit and other dry provisions best; and all possible care should be taken to keep them dry, and free from dampness.

# CHAP. V.

The cure of the disease, and its symptoms.

F proper precautions were taken for the prevention of this disease, and the rules which have been laid down for that purpofe were complied with, we should perhaps feldom hear of the fcurvy proving highly epidemical and fatal either at fea or land. But all mankind have not the benefit of a pure wholesome air, and warm dry lodgings, with proper conveniencies to guard against the inclemency of different weather and feafons. Many live upon fuch gross food as is not properly adapted to their digestive powers, to their constitutions, and the exercise they use, and hence are liable to an attack of the fcurvy. It is proper therefore to prescribe the cure of it, as well as the prevention.

Indeed the general method of it, and the best remedies, have already been taken notice of in the former chapter. Experience shews, that the cure of the adventitious seurvy is very

simple,

fimple, viz. a pure, dry, warm, air, with the use of green herbage or wholesome vegetables, almost of any sort; which for the most

part prove effectual.

Hence the first step to be taken towards its removal either at fea or land, is change of air. We are upon this occasion informed by feveral authors, of an old cuftom practifed in some parts of Norway. They expose fuch as are afflicted with the fcurvy in a neighbouring defart island in the summerfeafon, where they live chiefly on cloudberries (a); and it is remarked, that by eating plentifully of thefe, together with the change of air, they are restored to perfect health in a very short time. In that country, the fruits gathered by the difeafed themselves, are reputed of the greatest virtue. It no doubt is the case, as by this means the patient breathes the falutary country-air in the open fields. Thus a free and pure country-air, with fuch moderate exercise as at the fame time conduces to the agreeable amusement of the mind, is requifite (b).

O 2 Their

(a) Fructu: chamæmori.

<sup>(</sup>b) Mr. Murray.—What may be called rustication, is the most beneficial exercise. When I was at the island of St. Thomas, all the scorbutic patients who could bear with being moved, were almost every day sent on shore by day-break. Those who could not walk were carried a little way into the woods, where they were laid at their ease in the shade, while those who could walk were allowed to range about the woods, and directed to crop the leaves of the trees

Their food should be of light and easy digestion. The most proper consists of broths or foops made with fresh meat, and plenty of vegetables, viz. cabbage, coleworts, leeks, onions, &c. Fresh and well-baked wheat bread must be given them. Salads of any kind are beneficial; but especially forrel, endive, lettuce, and purstain. To which may be added, scurvy-grass, cresses, or any of the warmer species of plants, in order to correct the cooling qualities of some of the former; as experience shews the best cures are performed by a due mixture of the hotter and colder vegetables. Summer-fruits of all forts are here in a manner specific, viz. oranges, lemons, citrons, apples, &c. For drink, good found beer, cyder, or Rhenish wine, are to be prescribed.

Thus, we have numberless instances of men, after long voyages, by a vegetable diet and good air, miraculously, as it were, recovered from a truly deplorable state of the scurvy, without the assistance of many medicines. For which indeed there is no great

and shrubs as they went along. Such herbs as they found of a fragrant and atomatic smell, were put into bags. So soon as the heat of the day began to advance, they were all carried aboard. There they had water gruel prepared for breakfast, their pained or rigid limbs were well somented with a decoction of the fragrant herbs which they had pluckt; afterwards they took their lime-juice and a small quantity of rum well diluted; then went to bed for a few hours, where sleep succeeding statigue, contributed its share towards the cure.

great occasion; provided the green herbage and fresh broths keep the belly lax, and pass freely by urine, sweat, or perspiration. But when otherwise, it will be necessary to give a gentle purge at least twice a week, such as a decoction of tamarinds and prunes, adding some diuretic salts; and upon the intermediate days, to sweat the patient in a morning with boluses of camphire and theriac, and warm draughts of decoct. lign.; and, as has been usual in some of our hospitals, give twelve or sisteen grains of pil. scillit. pharm. Edin. twice or thrice through the day.

But it is here to be observed, that though the recovery of such persons seems promising and speedy at first, yet it requires a much longer continuance of the vegetable diet, and a proper regimen, to perfect it, than is commonly imagined. There are many instances of seamen who have been sent from the hospitals, after having been three weeks or a month on shore, to their respective ships, who in all appearance were in perfect health; yet, in a short time after being on board, relapsed, and became highly scorbutic. It were to be wished, that a longer continuance was allowed such men at the hospital, that their cure might be rendered more perfect.

It is indeed frequently experienced, that people once deeply afflicted are extremely apt to relapse into symptoms of this disease, in different periods of their life afterwards.

0 3

There

There are likewise particular persons who from the peculiar tendency and disposition of their constitutions, are, from much slighter causes, more liable than others to fall into the scurvy. In such cases, in order to purify the constitution from this deep-seated scorbutic taint or tendency, besides the diet and regimen before recommended, recourse should be had to other medicinal helps.

But in this place I shall more particularly

deliver,

butic habit of body, whether derived from

a former taint, or constitutional.

2dly, The different treatment of scorbutic patients, adapted to the various symptoms of their disease; when the urgency of such symptoms requires a particular attention; but especially when the general method of cure cannot be complied with.

3dly, I shall observe what remedies have been recommended upon good authority, and

are used in different countries.

And, 4thly, Conclude with some necessary cautions and observations.

To begin with the first of these: In order thoroughly to subdue a scorbutic taint, the medical intentions must be to keep open by gentle evacuations the outlets and emunctories of the body, viz. the belly, urinary passages, and excretory ducts of the skin. And it is remarked, that all these evacua-

the

tions are most fuccessfully promoted, when

joined with an antiscorbutic diet.

Here milk of all forts, where it agrees with the conflitution, is beneficial; as being a truly vegetable liquor; an emulsion prepared of the most succulent wholesome herbs: but whey, by reason of its more diuretic and cleansing quality, is rather preferable. And upon this occasion the fal polychrest. will be found a very useful addition, as it is a mild purgative, an excellent diuretic; and when taken in a small quantity, as from a scruple to half a drachm, well diluted, evacuates plentifully, either by perspiration or urine; according as its operation is directed to the skin or kidneys, by exercise, lying in bed, or keeping the body warmer or cooler.

Goats, of all animals, afford the richest whey, possessed of the greatest antiscorbutic virtues. It contains a most noble, restorative, vegetable balsam, which in a singular manner restores the constitution when weak-

ened and impaired by the fcurvy.

The fucci scorbutici of the Edinburgh and London pharmacopæia's, where the volatile acrimony of the hotter species of plants is qualified by a due quantity of the juice of Seville oranges, are likewise very proper in their season. They will be experienced yet more serviceable, when made farther diuretic and cleansing, by being clarified with whey. Besides taking them in this manner through

the day, the patient ought to be fweated in a morning, twice or thrice a-week, by draughts of the faid juices mixed with fack-whey.

Sweat is an evacuation, from which fcorbutic persons find the greatest benefit, especially such as have dropsical swellings. It is what nature pointed out to the northern Indians for the cure of this their winter disease (b), and is found by experience to prove a most salutary evacuation in this distemper. It is practised with remarkable success by the surgeons at the Cape of Good Hope, who have the greatest opportunity of treating scorbutic seamen (c); is recommended by the sirst and best writers on this disease (d); seems to have been the most usual way of their giving the antiscorbutic juices.

There are, besides, other herbs, whose juices are here of eminent virtue, such as dandelion and fumitory. Many have found great relief solely from the daily and plentiful use of garden cresses. And an antiscorbutic inferior to none, is the juice of the tender sprouting tops of green wheat, in the months of May and June, mixed with the juice of

Seville oranges.

But, during all these courses, scorbutic habits will find great benefit by warm baths, in which the aromatic and fragrant plants have

<sup>(</sup>b) Vid. Part 3. chap. 1.

<sup>(</sup>c) Vid. Kolben's account of the Cape of Good Hope. (d) Wierus, Albertus, &c.

have been infused, viz. rosemary, marjoram, thyme, &c. and these are preferable to the usual manner of sweating them in stoves or

bagnios (e).

In the winter-time, for the cure of this difease, genuine spruce beer, with lemon and orange juice, is to be prescribed; or an antifcorbuticale by infusion of wormwood, horseradish, mustard-seed, and the like, made gently laxative by an addition of fena. It must be drank when pretty fresh or new. But the spring is the most favourable season for a perfect recovery from a scorbutic habit. The learned Van Swieten fays he has often feen whole families cured of the fcurvy in Holland, by using an ale, for common drink, in a cask of which some heads of red cabbage cut small, twelve handfulls of watercreffes, or fcurvy-grafs, and a pound of fresh horse-radish roots had been previously infused (f).

Several mineral waters in England, particularly those of Harrigate in Yorkshire, have gained the reputation of curing inveterate scurvies, or perhaps more properly obstinate eruptions on the skin, many of which bear a great resemblance to those of the true scur-

vy.

(f) Commentar. in Aphor. Boerh. 1160.

<sup>(</sup>e) Murray.—There is a method of fweating, I do not observe you have taken notice of, and which is said to have proved serviceable to some of the unhappy men in the unfortunate Admiral Hosier's squadron at the Bastimentos, viz. burying the scorbutic limbs in hot sand.

vy. For the cure of these, the Newfoundland spruce beer, made of the black spruce, either fresh or dried, or from its essence, is an excellent medicine. This beer must be drank daily, and the parts affected with the eruption bathed with it night and morning.

Drinking the fea water, with fometimes the addition of a few drops of the vinumantimoniale, and bathing in it, as also the use of warm sea water baths, have proved

ferviceable.

In fuch cases, an ounce and a half of the juice of nettles (a) taken twice a day has been found of great benefit. Sulphur, though prescribed most commonly for only the common itch, is however among the best remedies for most cutaneous diseases; and may be fo mixed with the cream of tartar, as to improve its efficacy. Washes composed of camphire, lemon juice, and mercury, with almond emulfion, have often a very fudden effect in removing pimples from the face and skin: but fuch washes are to be used with great caution. Preparations of fulphur are the most efficacious, as well as the safest external applications in obstinate eruptions on the fkin.

Having faid this much on the cure of the disease in general, I come secondly, to observe what is proper to be done for the relief and removal of its most urgent symptoms.

For an itching and fpunginess of the gums, with loofe teeth, either a tincture of the bark in brandy, or a folution of alum in water will be found ferviceable in putting a stop to the beginning laxity of these parts (g). But, upon the putrefaction increasing, a gargle is to be used of barley-water, and honey of roses acidulated with some of the mineral acids. The spirit of elixir of vitriol is generally prescribed; but some have imagined sp. salis less hurtful to the teeth. The quantity of the acid must be proportioned to the greater or lesser degree of putrefaction in the parts. The fungous excrescencies must be often removed, or, if needful, cut away; and, by frequent washing, the mouth must be kept as clean as possible. Where the ulcers appear deep and spreading, they are to be checked with a touch of spirit of vitriol or of fea-falt, either by itself, or diluted, according as the patient bears it. Tincture of myrrh diluted with water is the best preservative of the teeth and gums from the fcurvy.

In a spontaneous salivation; or, as is much oftener the case, in a scorbutic habit when a copious spitting has unfortunately been pro-

duced

<sup>(</sup>g) Lac is of great efteem in Germany, for laxity and sponginess of the gums. For this use the lac is boiled in water with the addition of a little alum, which promotes its solution; or a tincture is made from it with rectified spirit. Vid. New Dispensatory, or improvement of Quinfy on the article Lacca.

duced by fome mercurial medicine, where immediate danger is apprehended, speedy revulsion must be made from the falivary glands, by blifters applied to different parts of the body, finapisms to the soles of the feet and hams; and by clysters or gentle purges. But the impetus of the blood, is here to be determined, particularly to the pores of the skin: a defect of perspiration, generally attended with a stricture and spasm on the fkin in fcorbutic habits, being the true cause why the force of the mercury fo powerfully falls upon the falivary glands. For this purpose, boluses of theriac, with camphire, and flor. fulph. are to be given, and repeated every four or fix hours, in order to force a fweat; which proves the best mean of abating the strength of the falivation, and refcuing the patient from the danger of being fuffocated by it. Gargles at the same time must be used, with oxym. feill. to attenuate the glutinous faliva. When by this management the threatening danger is averted, there generally continues, for a confiderable time, a troublefome falivation, with great putrefaction in the mouth; which it is very difficult to put a stop to. It may however be palliated by keeping the belly and urinary paffages open with clysters, or by diuretic and gentle phyfic; avoiding all strong purges. Glutinous medicines are fometimes ferviceable, viz. gum arabic, ichthyocolla,

Chap. V. Of the cure of the scurvy. 205 thyocolla, &c. dissolved in common drink. Astringent gargles of alum, and a decoction of the oak-bark, are indispensably necessary: as also the cort. perus. and elixir vitriol. taken inwardly. Mean while, the strength of the patient must carefully be supported by warm mulled wines, &c. Such persons, when much exhausted, are to be confined altogether to a milk and vegetable diet.

When the legs are fwelled and œdematous, gentle frictions are to be used at first, with warm flannel, or woollen cloths impregnated with the fumes of benzoin. and amber, or any other of the aromatic gums; provided the fwelling be fmall, foft, and not very painful; rolling up afterwards with an eafy bandage from below upwards. But if the legs are much swelled, stiff, and painful, they must be fomented with a warm discutient spirituous fomentation; which will afford fome momentary relief, without putting a stop to the progress of the swelling: or what I have found preferable, is the steam of the fomentation received by the member well covered round with a blanket or cloths. And this operation must be repeated night and morning. It is generally followed with remarkable fuppleness and ease to the stiff, painful, and contracted joints. If fuch swellings are not removed foon after the patient is put upon a vegetable diet,

diet, the limb should be sweated by burning

of spirits, or with bags of warm falt.

Ulcers on the legs, or any other part of the body, require pretty much the fame treatment, viz. very gentle compression, in order to keep under the fungous flesh, and fuch applications as have been recommended for the putrid gums, viz. mel rof. acidulated with sp. vitriol. ung. Ægyptiac. &c. (b)

Upon this subject, I have been favoured with the following letter from a furgeon of

great experience, the late Mr. Ragget.

# Tellicherry Road, in the East Indies, 19th Dec. 1759.

" I went into the Weymouth a few days

" before the failed from Bombay; where I

" found many men labouring under the

" feurvy, with large putrid ulcers, and fome

" had carious bones. In our paffage to

" the Coromandel coast they became much

" worse; but as the French squadron was

" hourly expected, we were permitted to

" fend only a few of them on shore, so

" that I had in the ship, above 80 patients

" afflicted with the feurvy, and bad ulcers.

" I gave them limes and mangoes, which

" palliated the fymptoms and cured many

" without the affistance of fresh meat; of

" which they had in all but four meals.

In

<sup>(</sup>h) Murray .- I have applied a strong tincture of the bark. and found it of great benefit lately in some scorbutic ulcers.

Chap. V. Of the cure of the scurvy: 207

" In the months of July and August, I " opened near feventy large fwellings in " the groin, proceeding entirely from the " fcurvy. Thefe I cured on board. In " the latter end of September we went to " Madrass, and even there all the fick were " not fent on shore. Hence in our passage " to this place, our company became dread-" fully annoyed with the fcurvy. Several " of our men from flight accidental scratches " on the legs (by a quick putrefaction " fupervening) had the bone of their legs " laid bare a confiderable length, in spite " of every powerful antiseptic medicine. " My method of treating fcorbutic ulcers " was to clean the fore, and foment it with a " ftrong decoction of wood ashes and vine-" gar, dreffing with myrrh diffolved in " vinegar, and in some cases where the " floughs were very deep, I dreffed with " warm oil of turpentine. I remarked, " that to make fcarifications down to the " circulating fluids occasioned the ulcers to " fpread more. I therefore cut only on the " floughs, taking care not to wound any " of the found veffels; and I removed as " much of the extravafated fluids as I could " with a clean spunge. I gave the patients " vinegar and water for their common " drink. During the inflammatory flate " of the ulcer, I ordered nitre, and kept " the body in a lax state; when the puffe I

" was lowered, and there was little or no

" heat of the skin, I administered the bark,

" allowing as much of it as the stomach

" would bear. If the pulse was very high,

" I bled with great caution.

" By purfuing this method I did not lofe " one patient of a mortified limb, though

" the progress of the putrefaction was some-

" times exceedingly rapid, in fo much that

" a small ulcer of the fize of a fix-pence,

" would fpread in forty eight hours, to

" eight or twelve inches in circumference,

" laying feveral inches of both bones of

" the leg quite bare. To exfoliate the

" carious bone, I touched it with le Dran's

" mercurial water. And if the caries pene-

" trated deep, I perforated the bone with a

" trephine, at the upper and lower part of " the caries, through its whole depth,

" using the water before mentioned, which

" will in a short time cause an exfoliation, if

" the marrow be not very much affected."

In immoderate bleedings from the gums, nose, &c. the mineral acids, viz. sp. or el. vitriol. are to be given, and often repeated, in fmall quantities at a time; together with

fmall doses of the cort. peruv.

For pain of the limbs, in the small of the back, and breaft, and univerfally in most fcorbutic pains, whether fixed or wandering, the oxym. scill. is to be administered in a warm mixture; where wine must supply

the place of a spirituous cordial: and the patient, upon going to bed, should, by warm draughts of water-gruel, with vinegar, or, in place of the latter, the acetum theriacale, endeavour to force a fweat (i).

There remain two fymptoms of this difeafe, which are, of all others, the most obstinate to remove, even though the patient enjoys the benefit of the purest air, with the most proper antiscorbutic food and me-P dicines. trengthened :

### (i) Extract of a letter from Mr. Murray.

N. B. The letters (a), (b), (c), (d), refer to some remarks fubjoined.

Untoward fortune has too often placed me among a number of fcorbutic patients, where vegetables and proper diet, and even many necessary medicines, were wanting, and where the very elements were our enemies; and I have fpent many melancholy hours confidering what was best to be done to overcome this enemy, and stop the progress of this often fatal, and always loathfome distemper. And although I have feldom cured my patient without vegetables; yet the relief I have given to many, amply rewarded my labour, and the reflection to this day gives me pleasure. I shall first give you my method in general, and then I can produce an instance of its success.

Many at the time had a miliary fever, which I then judged to be purely scorbutic. But, fince the receipt of your last letter, I have altered my opinion; and submit to your decision, that there is no fuch thing as a fever that may be fo termed. I was always averse to bleeding, for the reasons you give; yet if the scurvy was the primary disease (as I then judged it) preceded by high febrile fymptoms, and the habit was originally found or plethoric, I never observed any hurt from the loss of a small quantity of blood; which made a succeeding vomit always more fafe; and this was followed by a purge, either cooling or warm, as fymptoms indicated. Of the first fort were the purging falts, with faltariar, or tartar. vitriolat. dissolved in decoct. lignorum; or infus. sennæ et tamariandor.

pamer

dicines. These are, the bloody flux in some; and in others, a violent dry cough, accompanied with difficulty of breathing, pain and disorders in the breast. This last often ends in a consumption: while the former, or flux, is very troublesome to stop, and sometimes also proves fatal.

Scorbutic fluxes are not fuddenly to be flopt. They, however, are to be moderated. The tone of the intestines must be strengthened:

marindor. &c. Of the last kind was infus. amar. cum senna, with the addition of a proper quantity of canella alba. And

these were repeated occasionally.

So foon as the fymptoms of fcurvy appeared, I difcharged the use of salt meat; and confined my patients to the vegetable articles of diet on board, with what fresh victuals could be had from the officers tables. Their common drink was decoct. lignor. with their allowance of rum (a) put into it. The medical course I put them under, was for most part a neutral mixture of vinegar and faltartar.; of which I gave from two to four ounces twice or thrice a-day. Spirit. mindereri was beneficial to some; but the small quantity of volatile falts or spirits carried to sea, prevented that from being a general medicine. I have also given a mixture of cremor and fal tartar. with success, and sometimes tartar. vitriolat. (b). In violent scorbutic pains, diaphoretic anodynes of acet, theriacal, or theriac, andromach, with spirit, minderer. and oxym. scillit. I have found very serviceable: as likewise the last in particular for disorders of the thorax. In visceral obstructions I gave the ferulaceous gums, with gum. guajac. foap, and tartar of vitriol; and sometimes added only gum. guajac. and tartar of vitriol to the squill pills. The liver or spleen, or perhaps both, are sometimes affected, especially that lobe of the first, which stretches over the pylorus. Hence I have known violent pain at the pit of the stomach; and the hardness and pain I have sometimes observed at the fundus of that viscus, leave no doubt of the pancreas being also obflructed. The mesenteric glands share the same fate. Hence, as observed in your description of this disease, towards the close of it, from these obstructions proceed violent colicftrengthened: and small doses of rhubarb should be given occasionally; to which a little theriac. or diascord. is always to be joined, with a view to keep up perspiration; an important point. For this purpose, decoctum fracastor. or boluses of diascord. with other warm and strengthening medicines, are principally to be given; and opium pretty freely. Mean while, the patient is supported with strong rough red wine, diluted, and P 2 a glu-

pains, jaundice, &c. all which I have feen; as also great tension of the abdomen, lienteries, &c. The appetite then begins to fail, the lungs are affected, respiration becomes contracted, the motion of the heart less vigorous, the circu-

lation languid, and placid death closes the scene.

But to return to my practice at fea: Where there was any topical pain, I fomented with a ley of wood-ashes, in which was boiled camomile and elder flowers, wormwood, rue, &c. and lemon-peel, when it could be got. For the fungous gums, I made a powder of bol. armen. alum. rup. tart. vitriol. and g. myrrh. washing them with infus. salviæ; to which I added alum. rup. and el. vitriol. or sp. sal.; which served also in ulcers, when I added honey. These last I touched frequently with a rag dipt in mel Ægyptiac. rofat. fp. fal. d. et tinet. myrrb. I dreffed ulcers of the extremities chiefly with ung. Ægyptiac. mercurial. and liniment. arcæi mixed together. When the patient was altogether free from feverish fymptoms, I gave three or four ounces twice a day, along with decost. lignorum, of the tinst. ad stomachios (c) Phar. Ed.; to which I added mustard-seed and canella alba. When he began to recover, I strenuously insisted on his using exercise. and embrocated the contracted joints or tendons as you direct. Such was my general practice: and the following is an instance of its success.

Benjamin Lovelay, aged 25 years, had a continual fever in September, 1746; for which he was fent to the hospital at Louisburg; and from thence returned, to all appearance well, the 13th October following. On the 30th November (being taken ill the day before) he was feverish, and complained of P 2

a glutinous subastringent diet. I have sometimes given sour or sive grains of crude alum in a diascord. bolus where the blood was evacuated in great quantity; and when it passed the stomach without russing, it generally did service. In this last case, tinet. rosar. well acidulated, and other styptics are necessary.

I know no peculiar treatment proper in the fcorbutic dyfentery, different from what has

violent pain in his bones and joints. Upon account of the scurvy being then epidemic, he was very sparingly blooded, took a vomit and was purged. Upon which the fever subfided a little; and there appeared a miliary eruption, foon after followed by the feveral fcorbutic fymptoms in the greatest degree; to which was added a violent pain in the pit of his stomach, inclining to the right side, often so violent as to make him shriek out. The symptoms continued upon the increase for some time; and at last he grew so bad, as to faint away upon the least motion. The antiscorbutic regimen above described was steadily pursued. His common drink was decost. lignor. acidulated with elixir vitriol. His diet was water-gruel, rice, fago with wine, and fometimes a little fresh broth or meat from the officers table. The feveral forms of medicines already mentioned, were administered as symptoms required; and I think he had almost every symptom belonging to the disease, attended with feverishness, all along till the decline of the distemper; when I added aloes and extract. gentian. to his pills, and begun the use of the tinet. ad stomachic. The bile in most chronical difeases, especially in the scurvy, is defective either in quality or quantity, and fomething must be given to supply its defects. The disease took a turn for the better in the beginning of January, and he returned to his duty on the 22d of February (d).

I shall use the freedom with my ingenious friend to make fome remarks on his letter.

(a) Wine would probably have been better.

(6) The

has been recommended by authors on that difease, farther than that the use of greens, and especially of the austere and acid fruits, is to be permitted. I am informed by Mr. Christie, formerly surgeon to the naval hofpital at Port-Mahon, that, after trial of many medicines, he found an infusion of ipecacuan. in brandy, given in small quantities, often repeated, the most effectual remedy to remove it. Rhubarb-purges, flomachic bark-bitters, elixir vitriol. or the use of some light steel mineral water, will ferve to perfect a recovery in all fcorbutic cases, where the patient has been much exhausted.

For scorbutic complaints of the breaft, blifters applied to the feat of the pain are proper, together with a milk and vegetable diet, and the plentiful use of oranges and butter-milk. Expectoration must at the fame time be promoted by very fmall dofes

(b) The medicines were no doubt properly adapted in the cases to which they seem to allude; which were fevers and fcurvies; these saline neutral draughts being certainly preferable in fuch cases to the soap, squill, and garlic pills,

commonly prescribed in scurvies without a fever.

(c) The medicine recommended, is truely an excellent restorative; proper for prevention of the scurvy in such as are recovering from other diseases, and to confirm the strength of scorbutic persons when in the convalescent state. But I must own a like medicine did not agree with those who were in neither of these situations to whom I gave it. Bitters of the terebinthinated kind, though dry and long kept; also all fresh and succulent plants and fruits of this quality, are nevertheless most efficacious antiscorbutics.

(d) The case is curious and singular,

214 Of the cure of the scurvy. Part II.

of oxym, scillit. administered in solutions of sperma-ceti; while ease and respite from the cough is to be procured every night by

gentle anodynes.

When the scorbutic taint has been entirely subdued, it sometimes leaves behind it other disorders; which require the same treatment as is proper for them when proceeding from other causes; together with a mixture of antiscorbutic medicines for far-

ther fecurity.

Besides the consumptive disposition already mentioned, a dropfical habit is fometimes the confequence; or, what is more frequent, the legs remain swelled, and ulcerated. In this last case, if the ulcers have been of long standing, sufficient provision being made for healing them up, by purging, and iffues near the part, an electary of the prepared crude antimony may be given, with the addition of æthiops mineral (k); and at the same time a decoction of guajac and fassafras: or, provided they are obstinate, and the gums sufficiently hardened, the patient may undergo a flow and gentle course of mercury. In scorbutic habits, I generally extinguish the mercury with a small quantity

<sup>(</sup>k) Murray.—In some lax habits in warm climates I have known a dose of Spanish soap bring on a salivation. With regard to scorbutic habits, I have observed in them a copious salivation induced by well prepared æthiops mineral, and have sound a large dose of sal diureticus remove it speedily.

quantity of balf. fulph. tereb. and find it succeed well, where the intention is not to raise a copious salivation. A bottle of decoction of the woods must be drank every day at the same time. This, by promoting perspiration, will assist the operation of the mercury. After this course, a few grains of sulph. aur. antim. will perhaps be necessary, evening and morning, or Dr. Plummer's medicine (1), and the continuance of the decoction of woods; which in all probability will complete the cure.

Those who complain, after having been afflicted with the scurvy, of a numbres and pain in their joints, or chronic rheumatic pains, must practise riding, swallow a spoonful of unbruised mustard seed once or twice a day, or be well sweated with a medicine now generally known under the name of Dr. Dover's powder, taken from the quantity of half a scruple to a scruple, every

night at bed-time.

It may be now proper to observe in the third place, what other remedies have been experienced of singular efficacy in this disease, and also such as are most esteemed in the different countries of Europe, where the scurvy prevails,

We have a remarkable relation given by Dr. Bernard Below (n) of the great virtue

(1) Vid. Medical Effays, vol. 1.

<sup>(</sup>n) Miscell. curios. medico-physic, academ. naturæ curies.

of berba vermicularis or wall-pepper, in this disease. He boiled eight handfuls of this herb in eight pints of old ale, to half the quantity, in a close vessel. Of this a warm draught, of three or four ounces, was taken every morning, or every other morning on an empty stomach, which produced the happy effect of curing almost all the soldiers of the army afflicted with this disease; excepting a few, who, by the severity of the preceding winter, were reduced to a condition past recovery. He remarked, that those who were vomited easily and most plentifully by the medicine, foonest recovered. He made use of this decoction, with the addition of alum and mel. rofat. as a gargle for the gums, which were in all affected and putrid; and by this fimple remedy cured above fifty, who had the tendons in the ham contracted, applying the boiled herb warm to the part. He bathed their ulcers with the same decoction, and applied the warm herb also to them.

There is an instance given by Etmuller (0) of the soldiers in a besieged garrison being greatly distressed with this disease, who were all perfectly cured by ruta muraria or white maiden-bair.

Cort. Winteran. first came into repute as an antiscorbutic from the good effects it was observed to have in the cure of Captain.

Winter's

<sup>(</sup>o) Schroderi dilucidati phytologia.

Winter's crew when afflicted with this difease, then in company with a squadron under the command of the celebrated Sir Francis Drake.

Chelidonium minus, pilewort, or little celandine, for its supposed great virtues, has by the Germans been called schorboet rout.

In Holland the turf diggers, who are greatly subject to the scurvy, and from thence afflicted with foul ulcers and swellings in their feet, use as their constant medicine eupatorium cannabinum or bemp agrimony (p). The learned Boerbaave in Holland, is said to have prescribed for the most part to his patients in this disease new churned milk.

I have elsewhere taken notice of the pinus antifcorbutica, the spruce shrub, and their virtues. And we are informed (q) that the Savedes, ever since the surprizing recovery of their troops, when afflicted with this malady, by the use of a decoction of sir tops, esteem it altogether specific in the scurvy. The esseate of which is further consirmed by the experience of the people in Siberia, where both the remedy and distemper are very frequent, according to the relation of a late learned and accurate traveller.

<sup>(</sup>p) Vid. New Dispensatory, or improvement of Quinsy on the article Eupatorium cannabinum.

<sup>(</sup>q) Vid. Moellenbroek, p. 116. Etmull. Schroderi dilucidati phytologia, p. 2. See account of it, chap. 4.

traveller (r). But the Danes (s) are faid to esteem most trifolium palustre or marsh trefoil; which they administer sometimes by itself, at other times with the addition of scurvy-grass.

In Groenland, where this disease is extremely frequent, we are told by a gentleman (t) who twice visited the country, that the natives make use of scurvy-grass (u)

(r) Tenellas pini summitates vulgus Sibiriæ pro infallibili antiscorbutico remedio babet. Gmelin Flor. Sibiric. p. 178. (s) Vid. Act. Haff. vol. 3. obs. 75 . Etmull. Schrod. dilucid. phytol. p. 104. Simon Pauli digress. de vera causa sebrium

Scorbuti, &c.

(t) Hermannus Nicolai. Vid. AA. Haffn. vol. 1. obs. 9.

#### (u) Extract of a letter.

The ships who are annually employed in the whale-fishery, are of all others the best fitted out, both as to the variety and quality of their food; the voyage is short, and the seamen kept much in action; fo that bad water and decayed provisions can scarcely fall to their share. Yet it is well known, that there is no part in the world where ships crews are so liable to the fcurvy, as in the polar circle. Those who are feized on their first entrance into the cold, find an increase of their symptoms when got into the ice. The attack of the malady is here more fudden, and its progress more rapid, than any where else. The patient has seldom any cure or alleviation till the weather foftens: for the month of July is very moderate, which is almost the only pause of winter; and at this time the scurvy-grass steps in, and performs incredible wonders. I have been an eye witness to many fcorbutics who have recovered in a few days, from what one would judge an irrecoverable state, by a plentiful use of this Greenland salad. It is much coveted by the sound as well as fick. Our field and garden fcurvy-grass are bitter and pungent; this is mild and esculent, resembling our sea scurvygrass, or cochlearia minima ex montibus Walliæ. It is said to acquire a pungency, if transplanted into warmer countries;

and forrel together; and that these two herbs, put with barley or oats in broths made of fowls, or the sless of rein-deer, have an effect to recover the diseased most surprisingly in a short time, even after hav-

ing loft the use of their limbs.

The Norway cure affords the only wellattested instance, of this distemper being fuccefsfully removed by what would feem fo different from the nature of vegetables, as a fossil or earth. It is related by authors of undoubted credit (w), particularly by Petræus (x); and feems to have been known before Eugalenus had confounded most other diseases with the true scurvy; as it is taken notice of in the year 1624 by Sennertus, when Eugalenus's writings, in all probability, might not have reached Norway. It is a reddish or blackish earth, dug up near Bergen; of which, from half a drachm to a drachm is the dose; and it is faid to operate by fweat, and cure the patient in a short time.

I shall

but this circumstance I much doubt. However, be that as it will, its efficacy in the scurvy is there an undoubted and daily experienced truth; and it may be justly deemed one of the most powerful antiscorbutics in the world. Vegetable food prevails over the sea-scurvy in all parts; but this reinstates in as many hours, as any other course requires days. I cannot dismiss these reslections, without observing how kind and provident Nature has been in the plentiful supply of this sovereign plant every where in that country. Ubi morbus ibi remedium, is an observation of antiquity; and no where more justly verified than in the present case.

(20) Vid. Wormii musæum; Bartholini epist. cent. 1. n. 89.

(x) Vid. Differt, barmonic,

I shall now conclude what I have to fay on this head with the following cautions and observations.

If, As to evacuations: It is to be observed, that this difease, especially when advanced, by no means admits of bleeding; even although the most acute pains, a high degree of fever, and dangerous hæmorrhages, would feem to indicate it. Nor does it admit of violent purges, which are often injudicionally administered in its commencement. The body should at all times be kept open, but chiefly by laxative food, when green vegetables cannot be obtained, viz. by barley and currants, stewed prunes, &c.; or with a decoction of tamarinds and cream of tartar, a little lenitive electary, feawater, and the like. As to vomits, though I never have had any great experience of their effects; yet, by the observation of others, fquill-vomits have been found ferviceable.

2dly, Persons in the advanced stages of this difease, are not, without great caution, to be exposed to a fudden change of air; or brought up from lying a-bed below in the hold of a ship, to the fresh air, in order to their being landed. On this occasion, though feemingly pretty hearty, a glass of wine should be given them well acidulated with lemon or orange juice; which is likewife the best cordial in their fainting fits. When

When they drop down feemingly dead, it were to be wished, that some methods were tried for their recovery; such as putting them into a warm bed; using strong stimulants, and frictions; blowing into the lungs, anus, &c. An uncommon degree of sloth and laziness which constantly accompanies this disease, is often mistaken for the wilful effect of the patient's natural disposition. This has proved fatal to many; some of whom, when obliged by their officers to climb up the shrouds have been seen to expire, and fall down from the top of the mast.

and fruits, a scorbutic person should be treated like one almost starved to death; that is, not permitted for a few days to ear voraciously, or surfeit himself with them; otherwise he may be apt to fall into a flux, which

often proves mortal. avanta over noilooob

Lastly, There are but few medicines carried out in a surgeon's sea-chest, which are of service in this disease. Those of the fossil or mineral kind, such as steel, antimony, and especially mercury, do manifest harm. Opiates when necessary, as in sluxes, must be given always of the warmest kind; and agree best, when, before or during their operation, a stool is procured: after which the patient is to be refreshed with wine. Where the breast was much affected, I always gave them in a draught of squill-mix-

ture; or, in case the stools were not very frequent, I added a few grains of vitriolated tartar to the opiate bolus, in order to procure a discharge that way.

After trial of many medicines, there are

but two I can principally recommend.

The first is the bark infused in wine. I gave at the same time a decoction of guajacum, with the addition of liquorice roots, which prevented the heart burn that the decoction otherwise occasioned. The bark did not always agree with the stomach; but where it did, I observed a more favourable appearance upon the gums and ulcers: and in two instances where a mortification was produced by too tight a roller, the suppuration next day was much mended. It was of use in falivations and hæmorrhages, but rather hurtful in fluxes. Warm draughts of the decoction gave always relief, if the patient fweated; in which case the bark also agreed better.

Another excellent medicine, is the oxym. scill. from which I have experienced extreme good effects. It generally kept the body lax, and promoted the fecretion of urine. It gave relief to many of their complaints, particularly those of the breast, from which fcorbutic patients are feldom free. I had formerly gathered a great quantity of this root when at Minorca; and having made the oxym. scillit. gave it to most of

Chap. V. Of the cure of the scurvy. 223 our patients in the year 1747, at the rate of one ounce, in the space of twenty-four hours, which gave great relief to their complaints (a).

Conclusion of Dr. GRAINGER's letter (see p. 120.) giving an account of scurvies at Fort-William.

mever used the lancet, unless the patient was uncommonly plethoric; and then a very small quantity of blood answered the purpose. I have seen fellows, who have often borne the loss of twenty ounces, faint when only six were drawn from them at this time. Upon standing, it did not separate, but appeared like the blood in malignant fevers, altogether dissolved and of a livid colour. Some of the symptoms, vomits of ipecacuan. rather increased, viz. pains, faint-ishness, dissiculty of breathing, bleeding of the gums, &c. Indeed it was lucky that the stomach seldom required their administration.

Purgatives, however, were found highly beneficial, though repeated every third day. They

<sup>(</sup>a) The eminent antiscorbutic virtue of the squill or seaonion, at the same time that it consutes the groundless opinion of the ill effects of acrid medicines in the scurvy, in some measure confirms the efficacy of what has been recommended in the foregoing chapter, and has been so often experienced beneficial for prevention, viz. common onions, and even garlic, as in some respects they are all of similar virtues.

They not only removed the troublesome fymptoms arising from costiveness; but their operation, though fometimes pretty brifk, I never observed to impair the patient's strength, but always remarkably to abate their excruciating tortures. Although I gave at first an infusion of jalap; yet, obferving that it occasioned bloody stools, I afterwards exchanged it for a ptisan of sena, with cream of tartar; which seemed to anfwer better. One man drank falt-water every other day, and found it a serviceable purge. Would it cure the feurvy?

But these, though useful, were not able alone to cope with the distemper. An attentive confideration of its fymptoms feemed to shew it was putrid. On this I founded my practice; and had foon the pleafure to find, that fuccess confirmed my conjecture.

The medicines I chiefly used, were, el. vitriol. to the quantity of half a dram twice a day, in water; or sp. nitr. dul. in a smaller dose. A gentle sweat was also procured by a bolus of camphire and nitre, of each half a scruple, given every night. For this purpose too they were allowed to drink plentifully of warm fage tea; which, with the affiftance fometimes of a glass of mulled claret, feldom defeated our intentions. If they did not fweat, an increase of very fætid urine supplied happily that discharge. Greens were proper: but as they could not

be had, broths made of young flesh, kid, &c. with barley, were indulged them; whilst camomile drank like tea, afforded a truly medical breakfast. The good effect of this management was soon visible in all.

Ulcers of the gums, &c. not only required the continuance of the prescribed measures, but the bark, and cleanfing gargles, were found indispensible auxiliaries. I have applied blifters to the pained members. The practice did not answer. They brought on a gangrenous disposition in one man; which bark, and the strongest antiseptics, with difficulty put a stop to; and in all rather increased their pain. The following epithems were found highly anodyne. R. sp. è bordeo elicit. acet. acerr. ana lib. i. sp. tereb. lib. ss. sal. tart. unc. ss. M. The milder was, brandy and vinegar p. a. camphire and foap q. s. With one or other of these the discoloured and pained places were bathed.

Their gums at the same time were not neglected. The pain of them made the men extremely importunate for relief. Of all the applications at that time used, I found the greatest service from tobacco-juice and tincture of myrrh and aloës, rubbed on them several times a-day. Alum-water, and oakbark decoction restored their usual sirmness.

In two weeks time, fometimes fooner, the fymptoms began to abate, the fpots turned brown,

brown, and in four week they complained only of weakness. This, bathing in the sea, and aromatic bitters with steel, soon removed. I had the good fortune not to lose a single man.

## CHAP. VI.

The theory of the disease.

We come now to explain the effects upon the human body of the feveral causes which are found to give rise to the scurvy. First, An intense degree of cold, such as we have sometimes during severe winters in our own country, but especially such as the crews felt who wintered at Spitzbergen and Greenland, and is common in the winters in Groenland and Iceland, is experienced to be among the predisposing causes to this disease.

The obvious effect of cold on the human body is, to constringe the whole external habit, to dry and corrugate the skin; and all statical experiments prove, that cold obstructs or diminishes insensible perspiration. People of robust constitutions by exercise may be made to perspire much more during cold weather, than at other times; but in weak persons, or those that use no exercise, and universally in all who cannot bring themselves into a degree of heat exceeding that of the atmosphere, perspiration will be lessened.

lessened, according to the different degrees of cold to which their body is exposed; and which, when very intense, entirely stops this necessary evacuation. Hence such as use exercise, and keep warm, during cold winters, are not so subject to scorbutic complaints, as those who are weak and use none.

But it must be remarked, that cold joined with driness and purity in the air, by keeping up a due degree of tension in the solids, is not naturally productive of this disease: It may indeed be supposed, that when the cold becomes very intense, as in the winter in Greenland, or the northern parts of Canada, the vital or animal heat of the body may be so overcome by it, that the digeftive faculties are chilled and enervated; and the folids being overbraced by fo high a degree of cold, may at last lose their tone or elafticity. But by all faithful and accurate observations made on this disease, moifture is experienced to be the principal predisposing cause of it. This indeed of itself is fufficient to dispose the constitution to the fcurvy in any climate, even the warmest. It is observable, that, in warm climates, the crews of ships at sea are liable to this difeafe, when the hot weather, by which the fibres of the body are much relaxed, is fucceeded by great and inceffant rains usual in these latitudes, or when the season proves

Q 2

very unconstant. The disease is there likewife much owing to the great length of these fouthern voyages. But, otherwise, it is not near fo frequent a calamity as in colder climates; the bad effects of moisture being rendered much more pernicious when combined with cold. Upon the whole, whatever shuts up the pores of the skin, and impedes or leffens perspiration, is highly

productive of this difeafe.

Sanctorius, in several places, describes such a state of air, and its effects, as is often met with at fea: "Too cold, windy, or " wet air, lessens perspiration" (b). He had before enumerated almost all the causes, which obstruct this evacuation, and occasion, the disease, viz. " aër frigidus, cænosus, et " bumidus, natatio in frigida, gross viscid " food, and a neglect of exercise" (i); but observes the consequence of perspiration being obstructed by such a moist gross air is, "That it converts the matter of transpira-" tion into an ichor; which being retained, "induces a cachexy" (k). He afterwards paints out the scorbutic cachexy, when describing the effects of humidity, or of such an indisposition of air as produces the scurvy: " Here perspiration is stopt, the passages of " it clogged, the fibres are relaxed; and the " transpiration retained, proves hurtful, and " induces a fensible weight in the body" (1). But,

<sup>(</sup>b) Aph. 200. (k) Aph. 146.

<sup>(</sup>i) Aph. 67. (1) Aph. 148.

But, for the better understanding of these aphorisms, it may be proper to observe, that, upon the state of the atmosphere, the strength and weakness of the fibres of our body in a great measure depend. Too moist an air not only stops up the pores of the skin, but weakens and relaxes the whole fystem of solids. Hence, during a rainy cloudy feafon, all the members of the body feel heavy, the appetite is diminished, the pulse of the heart and arteries is more feeble, and every one is fenfible of a languor of strength, and a lowness of spirits. And moisture, by weakening the spring and elaflicity of the air, renders it unfit for the many falutary purpofes obtained by respiration.

I come next to observe other causes, which have great influence in disposing to this difease; such as indolence, close confinement,

or a fedentary and inactive life.

Every one, from experience, must be senfible how much exercise contributes to the health of the body, as well as to chearfulness of mind. It is necessary to keep up that due degree of firmness and tension in the folids, upon which the strength and foundness of a constitution depend: the whole process of animal digestion, as well as all the fecretions, depend upon this strength and firmness of the vessels and organs of digestion. Whenever the tone of of these is relaxed and weakened, which is most effectually done by keeping the body long at rest, or by neglect of due exercise, there must follow a desiciency in the vigour and strength of the digestive powers, so that the body is not duly nourished, nor the secretions rightly performed.

The same state of things will likewise occur in those who have been much weak-ened by a preceding sit of sickness. Here such a diet is necessary to prevent the scurvy, as is adapted to the weakness of the body, as requires the gentlest action of the organs to digest and assimilate, and the smallest

force to forward in its passage.

These being the predisposing causes of this disease, it plainly appears, that the effects produced by them, are, a relaxation of the tone of the animal sibres, a weakening of the powers of digestion, together with a stoppage of perspiration. These may receive confirmation, by observing, that some of the passions of the mind, as fear and sorrow, which have been assigned as causes of the scurvy, and are frequently its effects, act with the same remarkable influence on the organs of digestion and perspiration, as they were found to have on this disease in Lord Anson's crew (o). But as the mechanical effects

<sup>(0)</sup> Compare Sanct. aph. 456. 458. 460. 461. 462. 463. 469. 474. 478. with Lord Anson's voyage, p. 101. edit. 5.

effects of these passions upon the human body would require too long a discussion for this place, I shall refer to the authors who

have expresly treated of them (p).

I proceed to observe what farther effects are produced by what has been assigned as the occasional cause of the scurvy, viz. a gross and viscid diet in such circumstances as have been described, and the want of fresh greens or vegetables, which are found so effectually to check the violence of this disease.

I imagine it would be unnecessary to infift long in shewing how, in the unavoidable hardships that sometimes attend seamen in long voyages, or the befieged thut up in towns; as likewise in times of scarcity or famine, or when people at any time use putrid flesh or fish, mouldy bread, or unwholesome waters; how, I say, such corrupted fubstances may disorder the organs of digeftion and produce a scorbutic taint. Indeed though these may tend to increase it, and often concur with other causes at sea to render the difease highly virulent; yet it is certain, the fcurvy appears most frequently where fuch food has no share in producing it; its most common occasional cause being the gross viscid diet before described (q).

Q4 How-

(q) Part 2. chap. 1.

<sup>(</sup>p) Vid. a medical differtation on the passions of the mind; and Robinson on the food and discharges of human bodies, p. 77.

However all general rules or precepts which can be given for diet, are to be understood only as relative to the constitution or state of the body at the time. In particular the viscidity and tenacity, or the solidity and hardness of food, in all animals, ought to be proportioned to the strength of the powers of digestion. I mean by these, the whole collected powers or faculties of the body, by which it assimilates into its own animal nature, various sorts of aliment.

The tenderer or fofter flesh is made by keeping for some time without salt, it is found to be the easier of digestion: but by being long hardened and dried with salt, its most nutritious parts, either sly off, or are fixed. Experience shews, that slesh long salted is of very difficult digestion. It requires perfect health, together with exercise, plenty of diluting liquors, vinegar, and many other correctors, to subdue it.

As to sea biscuit, pudding, and other unfermented, mealy, or farinaceous substances, it is certain nothing can be more wholsome than the mealy seeds of several plants, as wheat, barley, rice, &c. as also several of the leguminous plants. They afford so wholsome a nourishment, that they are used by the generality of mankind for the greatest part of their food. But some of these substances, in particular wheat-

flour,

flour, requires a previous fermentation, in order to attenuate the viscidity which it acquires by being mixed with water; which, otherwise, people in the best health, and with the strongest force of digestion, find a difficulty in doing. Few can live altogether on ship puddings, dumplings, or the like, without being fenfible of an oppression and uneafiness. But especially weak and exhausted people cannot well receive the necessary nourishment from such species of the mealy fubstances, until subdued by fermentation, or by some other method, by which they

become lighter food.

Upon the whole, the case of scorbutic patients appears plainly to be a weakened and relaxed state of solids, with such a condition of the blood as naturally proceeds from a want of a proper nourishment and from a stoppage of perspiration. The frequent ædematous fwellings of their legs, fometimes of their face and of other parts of the body, denote the state of their folids; their bleeding gums and ulcers the condition of their blood; and their spotted, dry, and rough skin prove a stoppage of perspiration.

Now, in fuch a state, it may be asked, What is proper to be done? Their perspiration cannot well be reftored by the common fweating medicines: for though they may give a momentary relief to fuch people, and

in some few cases a crude humour may thus be pushed through the skin in so relaxed a state of solids; yet such a humour goes off generally, and more naturally, by urine. Nor can the lax solids be braced up to advantage, while the juices are unsound, and assimilation and nutrition wanting: so that exercise, stimulants, bark, steel, and assimplements, will not cure them. Nor will a diet of even fresh slesh broths remove a high and virulent degree of this disease, without the assistance of green vegetables.

We are upon this occasion told a very remarkable story by Sinopæus (y). "There "are whole nations in Tartary who live "altogether on milk and sless. These "people are never seized with the small-"pox; but, on the other hand, are subject to violent scurvies, which at times sweep off as great numbers as the small-pox does of other nations." He had sour of them (two men, and two women, who had been taken prisoners) in the hospital at Cronstadt, in the year 1733. The scurvy being epidemic there that spring, these poor people became afflicted with it, fell into profuse hæmorrhages, and every one of them died.

This leads me to inquire into the virtues of fresh green vegetables, which seem so necessary to correct the bad qualities of other dry and hard food, and are experi-

enced

Chap. VI. Of the theory of the scurvy. 235 enced so effectually to prevent, and often

cure this distemper.

Recent vegetables, fresh plants and fruits, are of a more tender texture than animals; and their parts being more easily separable, they yield more readily to the dividing powers of our organs. There is no other particular virtue in which they all agree; a greater diversity of qualities being found in vegetable than in animal substances. But, besides what has been mentioned, vegetables have great and peculiar virtues in this disease, arising from a combination of various qualities; of which all vegetables possess one or more, in a greater or less degree; and do from thence accordingly become more or less antiscorbutic.

It is to be remarked, that, in most properties here requisite, vegetables differ from animal substances. That there is a considerable difference in the constituent principles of vegetables and animals, is plainly

proved by their chemical analysis.

Many plants are of an acescent quality; whereas animal substances, on the contrary, are almost all of an alcalescent, or perhaps rather a putrescent nature. It would indeed appear, that man, both from the structure of his organs of digestion and appetite, was designed to feed both on animal and vegetable substances. But though we perceive a person in health, and of a sound state of body,

body, has a wonderful faculty of converting almost all forts of alimentary substances into nourishment; yet experience shews, that no man can long bear a diet entirely of sless and sish without nauseating it, unless corrected by bread, salt, vinegar, and acids.

One quality entering the most perfect antiscorbutic composition, is a vegetable acescency; acids of any kind are found useful; such as vinegar, spirits of salt and vitriol; though far from being sufficient either to prevent or cure the scurvy, as wanting some other properties much more

necessary than acidity.

If it be faid, That scurvy-grass, cresses, and other acrid alcalescent plants, are found highly antiscorbutic; it must likewise be remembered, that they are not perhaps altogether fo efficacious as the acescent fruits; or at least become much more so by the addition of lemon-juice, oranges, or a little forrel; which last the Greenlanders (a) are taught by experience to join with them for their cure: these herbs not only strengthen the tone of the stomach and invigorate the organs of digestion, but restore the suppressed perspiration, promote a copious flow of urine, and encrease every secretion in the body, which is the most essential quality of an antiscorbutic composition. That they strengthen the powers of digestion appears not only

only from the quick increase of appetite occasioned by them, but from the belchings of wind which frequently follow each dofe (b). The increased secretions are obvious to the fenses. Whatever then promotes the secretions, as squills; or whatever, Sanctorius observes, either perspires itself, or affifts the perspirations of other food, as most of the acrid antifcorbutics, prove beneficial. And for this purpose he recommends some of the best of them, viz. onions and garlic (c), ale (d), wine moderately used (e); and in particular well-baked bread (f). These, according to his remarks, not only perspiring freely themselves, but by promoting the digestion and affimilation of groffer foods, fit them also for this fecretion.

Another property peculiar to many green vegetables, and especially to the riper fruits, which are found so beneficial here, is, that fermentative quality, by which they become acid, although originally they had no acefcent tendency. We evidently fee in this difeafe

<sup>(</sup>b) Kramer observed, that in a thousand patients he had cured by the juices of scurvy-grass and cresses, each dose of the juices occasioned prodigious belchings and wind. It was fo uncommon, that he imagined it proceeded from the active and volatile falts of the herbs fet loofe in the stomach; to which he ascribed their cure. He therefore strictly injoined his patients, to prevent as much as possible these salts from making their escape in this way.

<sup>(</sup>c) Aph. 283. (d) Aph. 282. (f) Aph. 210, (e) Aph. 369.

disease the good effects of spruce beer, cyder, ale, wine, and other vinous liquors, prone to fall into this state in the stomach; on the contrary, the pernicious effects of distilled spirits, which check such a fermentation. And I am of opinion, that this is somehow necessary to the perfection of animal digestion.

As animal digestion is a process sui generis, which no chemical operation has been found to imitate; none being able to convert food into chyle, or that into blood; all we can infer from experience, is, that in certain cases, as in the scurvy, vegetable juices and fruits of this tendency are found necessary to perserve health and life. If slesh, or animal substances, promote this process in the stomach, as would seem by some late experiments (b); we may from thence conclude, slesh-soops with the plentiful addition of vegetables to be eminently antiscorbutic, which daily and incontestable experience sufficiently confirms.

Upon the whole, it follows, and will be found true in fact, that the more any food, drink, herbs, or medicine, partake of any of the aforesaid qualities, the more antiscorbutic they become; but that the most perfect and effectual remedies are found in a composition of different ingredients, each possessing in a high degree one or other of those virtues, from the combination of

which,

which, a vegetable, stomachic acid may refult. Such an acid, ready prepared, is to be had in a certain degree in oranges, and most ripening sub-acid fruits; from whence they become the most effectual perservatives against this distemper.

#### CHAP. VII.

### Disections.

THE appearances upon inspecting the body of such as died of the scurvy are here distinguished under different numbers, for the convenience of making proper references to them in the following

chapter.

No 1. contains the observations made by Lord Anson's surgeons upon the blood of their patients, and upon the dissection of dead bodies, in the several stages of this distemper at sea. No 2. a dissection made upon one of Jaques Cartier's crew (a). No 3. to 21. inclusive, is Mr. Poupart's account of many, and very accurate dissections of scorbutic bodies, in the hospital of St. Lewis at Paris, in the year 1699 (b).

(a) See Part 3. chap. 1.
(b) Etranges effets du scorbut arrivez à Paris, par M.
Poupart. Memoirs de l'academie des sciences, 1699, p. 237.

No r. In the beginning of the difeafe, the blood, as it flowed out of the orifice of the wound, might be feen to run in different shades of light and dark streaks. When the difease increased, it ran thin, and seemingly very black; and after standing some time in the porringer, turned thick, of a dark muddy colour; the furface in many places of a greenish hue, without any regular feparation of its parts. In the third degree of the difease, it came out as black as ink; and though kept stirring in the vessel many hours, its fibrous parts had only the appearance of a quantity of wool or hair, floating in a muddy fubstance. In diffected bodies, the blood in the veins was fo entirely broken, that, by cutting any confiderable branch, you might empty the part to which it belonged of its black and yellow liquor; and when found extravafated, it was all of the fame kind. As hæmorrhages were frequent at the latter end of the calamity, the fluid had the fame appearance as to colour and confiftence, whether it was discharged from the mouth, nofe, stomach, intestines, or any other part.

2. The heart was found white and putrid; its cavities were quite full of corrupted blood. The lungs were blackish and putrid; more than a quart of water was found in the breast. The liver was pretty sound;

but the spleen somewhat affected, and rough as if it had been rubbed against a stone.

3. All those who had any difficulty of breathing, or their breasts stuffed or stopped up, had there a quantity of water; and we found more or less of it according as they

were oppressed.

4. The breast, belly, and several other parts of the body, were filled with this water or ferum; which was of different colours; and so corrosive, that having put our hands into it, the skin of them came off, attended with heat and inflammation.

- 5. We have feen some whose breast was so oppressed, that they died all of a sudden. In the mean time, we found no water neither in their breasts nor in their lungs. But the pericardium was entirely fastened to the lungs; and the lungs were glued to the pleura and diaphragm. All the parts were so mixed and blended with each other, that they made up but one mass, so confounded that one could scarce distinguish one from another. As the lungs were squeezed together in the middle of this mass, they were deprived of their motion, and the sick person was suffocated for want of breath.
- 6. All those who died suddenly, without any visible cause of their death, had the auricles of their heart as big as one's fist, and full of coagulated blood.

7. We have feen feveral, who without pain dropped down dead. They had no apparent fickness; only their gums were ulcerated, without any fpots or hardness on their skin: yet we found their muscles were mortified and stuffed with a black corrupted blood; and upon handling them, they fell to pieces.

8. A youth of ten years had his gums much fwelled, and deeply ulcerated; his breath intolerably offensive. The furgeon was obliged to pull out all his teeth, for the better dreffing of his mouth. There appeared afterwards ulcers upon his tongue and cheek. He died fuddenly, and his

bowels were found mortified.

9. Some with no other fymptoms but flight ulcerations of their gums, had afterwards fmall red hard tumours on their hands, feet, and other parts of their body: after which there appeared imposthumes in their groin, and under their arm-pits, together with blue spots on their body. We found the glands under their arm-pits much enlarged, and furrounded with purulent matter; as well as the muscles of their arms and thighs, the interffices of which were all filled with it.

10. We observed some whose arms, legs, and thighs, were of a reddish black. This proceeded from that black and coagulated blood which was always found under the skin of those persons.

II. We

- and hard. This was occasioned by blood fixed in the body of the muscles, which were sometimes so full of it, that their legs remained bent, without being able to extend or stretch them out.
- 12. The blue, red, yellow, and black fpots, which appeared on the body, proceeded purely from extravafated blood under the skin. As long as the blood kept its red colour, the spot was red; if the blood was black and coagulated, the spot was also black, &c.
- 13. We sometimes observed certain small tumours, which, upon breaking, formed scorbutic ulcers. They proceeded from the blood, with which the tumour was filled: for as often as we took off the plaister, we still found under it a great deal of coagulated blood.
- 14. Some old persons had such large bleedings from the nose and mouth, that they died of them. The coats of the vessels were eat through by the sharp and corrosive humour.
- fmall grating of the bones. Upon opening those bodies, the *epiphyses* were found entirely separated from the bones; which, by rubbing against each other, occasioned this noise. In some we perceived a small low noise when they breathed. In them the

cartilages of the sternum were found separa-

ted from the bony part of the ribs.

16. All those in whose breast any purulent matter or water was found, had their ribs thus separated from the cartilages, and the bony part of the rib next the sternum

carious for four fingers breadth.

17. There were some dead bodies, in which, if we squeezed betwixt two singers, the end of the ribs which began to be separated from the cartilages, there came abundance of corrupted matter. This was the spungy part of the bone; so that, after squeezing, there remained nothing of the rib but the two bony plates.

18. The ligaments of the joints were corroded and loofe. Instead of finding in the cavities of the joints the usual sweet oily mucilage, there was only a greenish liquor; which, by its caustic quality, had corroded

the ligaments.

19. All the young persons under eighteen had in some degree their epiphyses separated from the body of the bone; this water having penetrated into the very substance of it.

20. In scorbutic people the glands of the mesentery are generally obstructed and swelled. Some of these were found partly corrupted and imposthumated. In the liver of some few, the matter or corruption was hardened, as it were, into a stone. Their

# Chap. VIII. Of the nature of the symptoms. 245

fpleen was three times bigger than natural; and fell to pieces, as if composed of congealed blood. Sometimes the kidneys and breast were full of imposshumes.

of these poor people were always sound and entire, and they preserved their appetite

to the last.

#### CHAP. VIII.

The nature of the symptoms, deduced and explained from the foregoing theory and dissections.

HE first symptom of this disease is generally a præternatural change of colour in the face. To explain this, it must be understood, that the solids in the human body are extremely fmall in proportion to the fluid parts; as appears plainly in the cases of exhausted and consumptive patients. On the quantity and quality of the fluids the colour of the body principally depends; these however are greatly influenced by the condition of the folid parts; thus, a lively colour in the face denotes not only a found state of the blood, but a vigorous action of the folids, of the heart, and of the whole arterial fystem: whereas, on the contrary, paleness of the face and a bloated complexion are figns both of a

246 Of the nature of the symptoms, Part II,

morbid state of the humours, and of weak and relaxed sibres. These changes of colour are also most perceptible, where the vessels lie most exposed, as in the lips,

gums, corners of the eye, &c.

From the relaxation of the folids, and morbid state of the sluids, frequent essurements of the fluids, frequent essurements appear of the fluids, frequent essurements are observed to parts distant from the heart, where the circulation is most languid, and a nisus, contrary to its own gravity, required to push it on; as in the legs, when in an erect posture. Hence such persons are observed to have cedematous swellings at first about their ancles, and on their legs; as the weakness and relaxation encrease, the face, and sometimes the whole body, become pale, swelled, and bloated.

Where the chyle is not affimilated, so as to nourish the body, the strength and vigour of our bodies being supported chiefly by well-digested food, a lassitude, heaviness, and an aversion to exercise must ensue.

In this respect, the case of scorbutic people is somewhat singular, that though when at rest they find themselves quite well; yet, upon the least exercise, they are subject to a panting and breathlessness; which, as the disease increases, degenerates into a proneness to faint; and lastly, in the height of the malady, upon using exercise, or an exertion of their strength, or upon being exposed to a sudden change of air, they are apt to drop down dead.

# Chap. VIII. Of the nature of the symptoms. 247

In order to fet this in a clear light, it must be observed, that the lungs seem in this disease in a peculiar manner affected by the general weakness and relaxation of the body; perhaps from their perspiration being suppressed, their tone may be greatly weakened.

Now when the body is at rest, the circulation is languid and flow: the blood then, in a fmall quantity, glides gently through the lungs, notwithstanding their loss of tone. But when, upon using exercise, or an exertion of strength, the velocity of the blood is accelerated, and a much greater quantity, viz. that which, when at rest, was almost stagnating in the veins, is at once returned into the right cavities of the heart, and from thence into the lungs; the weakened veffels of the lungs not being able fo quickly to transmit fo great a quantity, the blood is necessarily accumulated in the finus venosus, right auricle and ventricle of the heart: which causes a laborious breathing and panting, an effort being made by all the powers subservient to respiration, to dilate the breast fuller and more frequently, for the passage of this increased quantity of blood.

This will receive confirmation by several confiderations; as for instance, that upon exerting a degree of strength, we hold in our breath; and also that the right ven-

R 4

tricle

248 Of the nature of the symptoms. Part II.

tricle of the heart is larger than the left ventricle, the *fystole* of both is *fynchronous*, and yet, what is fingular, the pulmonary vein is less than the pulmonary artery.

As the difease and weakness encrease, the body becomes susceptible of the most gentle impressions. Hence, upon the least motion of the body, by which the circulation is quickened, and a greater quantity of blood fent at once into the heart, that organ is rendered unable to overcome the relistance it meets with in forcing the blood through the lungs, and weakened unelastic arteries; the accumulated blood stagnates, as it were, in its cavities; an almost entire stoppage of circulation, and paufe of the vital motions follow; the patient faints away; till at length the heart is evacuated by his lying at rest, the vital principle is again exerted, the circulation is restored, and he recovers (e).

Lastly, It appears by the weakness and feebleness of the pulse, and many other symptoms in this disease, that the whole system of solids is in the most relaxed and weakened condition. Even the heart itself was found putrid (N° 2.) Its force to circulate the blood, which is not indefinite, must in this case be greatly impaired. The cavities of it, which are sitted to contain only a

propor-

<sup>(</sup>e) The fwoonings of fcorbutic persons are different from what happen to very weak and exhausted people in other diseases, upon being raised up. When they sit, they are quite hearty, and have a considerable degree of strength.

proportioned quantity, were found preternaturally weakened and dilated (Nº 6.) Perfons in fuch a flate are apt to drop down dead upon an exertion of their strength, or upon exercise, but more especially upon being exposed to a sudden change of air; it is therefore dangerous to remove them at once from the warm and moist air in the hold of a ship (f), into a colder, drier, and purer air. For the effect of this is, to constringe the whole external habit of the body, and to drive the blood at once with great force from thence towards the heart; at which time the velocity, as well as quantity of it, is increased in the internal parts. So that the heart is not able to overcome the refisfance it meets with in the weak and unfound lungs (whose veffels are also straitened by the contact of fuch fresh air;) nor in the arteries, which will be in proportion to the quantity of blood with which they remain diffended. But the weak unelaffic arterial system is not here able to contract and propel the blood in their canals. On the contrary, the cutaneous vessels being

<sup>(</sup>f) The air in the hold of a ship is always moister than even upon the upper deck. This is owing to the cables, and the other contents of the hold, not having a free circulation of air or wind, to dry up the water, either of the sea or rains, poured down upon them. Places below become also extremely moist, by the fresh water and beer spilt in pumping them from the casks, by the bilge-water, and by the cutaneous and pulmonary perspiration of a number of people pent up in the sick apartment.

### 250 Of the nature of the symptoms. Part II.

thus constringed by the external air, the blood may perhaps have, as it were for an instant, a retrograde motion towards the heart, which this debilitated muscle (N° 2.) cannot overcome. Hence fuch people drop down dead fuddenly, without any other visible cause of their death found upon disfection (N° 6.) than the weakened auricles of their heart enlarged, and distended with blood. They are observed to have a panting or breathleffness for about half a minute

before they expire (g).

I come now to account for the pathognomonic or characteristic signs of this disease, viz. putrid gums, &c. I shall upon this occasion observe, that although it is no easy matter to fay why, in feveral general and universal disorders of the body, some particular parts are only or principally affected, while others continue to perform their functions as in health (fee No 21.); yet we may hereby perceive the goodness of Providence, who, by certain figns peculiar to each difease, points out the malady, and gives us a medical and demonstrative certainty of its existence. But as our inquiry is not into final causes, I shall endeavour to account for these symptoms in the mechanical way.

Putrid

<sup>(</sup>g) Why only the auricles of the heart in this case are enlarged, wid. Lancif. de aneurismatibus in genere, prop. 52. This species of sudden death is called by the great Harvey, sufficatio ob copiam; and is beautifully illustrated by his experiment, Exercitat. 1. de motu cordis,

## Chap. VIII. Of the nature of the symptoms. 251

Putrid gums, fætid breath, and loofening of the teeth, we find also in persons who, by long fasting, are deprived of a supply of fresh chyle. In several religious orders, those who are obliged, by way of penance, to abstain a considerable time from food, perceive their breath become fætid, their teeth loofe, their gums fpungy and foft (i). The fame fymptoms are also obferved in those who are starved to death (k). In the fcurvy, the gums are affected either from their peculiar structure, or perhaps from the faliva becoming acrid, as every one's experience must convince him it is more fo after ten or twelve hours abstinence from food, than at other times.

It was observed before, that the depending situation of the legs, in an erect or sitting posture, occasioned the humours to stagnate there in the very beginning of the disease; in the encrease of it, they often become greatly swelled, and such stagnated blood and humours are, upon the least rupture of the skin, apt to form into scorbutic ulcers. These ulcers generally occur upon the fore-part of the leg, where the least accidental stroke makes a considerable bruise

(k) Vid. Tschirnhaus. medicin. corporis, p. 23. Lister de bumoribus, cap. 12.

<sup>(</sup>i) I have always observed men of the rigorous orders in the church of Rome greatly scorbutic. They are remarkable for rotten gums (part of which is commonly eat away) want of teeth, and a most offensive breath.

252 Of the nature of the symptoms. Part II.

of the thin skin, against the hard and sharp edge of the bone. Their appearance is truly described N° 13. and accounted for N° 10. and 11.

In such a state of blood (N° 1.) as appeared both in living and dead bodies, we have no reason to be surprised at the frequent hæmorrhages from all parts of the body, sluxes, dysenteries, &c. to which such persons are subject; nor at its bursting out from the scars of old wounds in Lord Anson's crew. These wounds are, for many reasons, liable to such accidents; not only from the hard and imperspirable cicatrix with which they are generally covered, but from a want here of the tunica adiposa, into whose cells the extravasated blood is poured, when it appears in spots on the body (N° 12.)

In this disease the solids are in so weak a state of cohesion, that the vessels are apt to burst and the blood to be extravasated in great quantities. If this essusion happens very deep (as in No 11.) it occasions violent pains, which have often been observed (1) to be greatly relieved by the extravasated blood changing its place, and being removed immediately underneath the surface of the skin. It there sometimes appears as if it was a mortification, by which some ignorant surgeons have been misled to make incisions on the part, which have cost some

Chap. VIII. Of the nature of the symptoms. 253

unfortunate patients their lives. And in fuch an universal weakness and laxity of the vessels, sudden death has been sometimes

owing to a rupture of a large veffel.

There is fomewhat indeed fingular in the effects of the fcurvy upon the bones (fee No 15. 16. but particularly 17.); whereby it appears to affect chiefly the internal cellular part, which is known to be of a different texture from the outward bony laminæ. And from thence it is easy to account for those remarkable cases which occurred likewise in Lord Anson's squadron, where the callus of broken bones, which had been compleatly formed for a long time, was found diffolved, and the fracture feemed as if it had never been consolidated. It must be remembered, that the bones, like all the other parts of the body, are daily nourished and repaired by the aliment. There are many inflances of entire bones being generated in the body anew. And it appears, that a callus is not (as has been vulgarly supposed) a rude glutinous substance issuing out from the extremities of the bones, by which they are glued together: but is really, like new flesh generated in wounds with lofs of fubstance, a true organised part restored, of the same cellular texture with the other parts of the bone; with this difference, that it wants the outward bony lamella (m): fo that, from this defect. 254 Of the nature of the symptoms. Part II. defect, it becomes, of all other parts of the bone, most liable to be affected by the scorbutic taint.

If in the advanced stages of the disease the cellular texture of the very bones are diffolved, it is natural to suppose, that in the beginning, or where there is only a fcorbutic habit of body, no callus can be formed; of which Dr. Mead furnishes us with a remarkable proof (n). However, it is almost universally the case in the scurvy, as observed elsewhere (o), that as long as any bone is fufficiently defended by its external thick plates, it will not be found carious in this difease until broken and separated (as in No 16. and 17.) or until corroded by a large ulcer of the flesh penetrating to it. For this reason, it is rare to find a carious jaw, after the most virulent ulcers in the gums, unless by some accident, as the pulling out of a tooth, part of the laminæ of that bone has been broken. In the fame manner, the teeth will likewise be preserved sound, if their outer coats are entire.

There is a reason assigned No 18. for the loss of motion which happens commonly to the joint of the knee in this disease. To which it may be added, that the lubricating liniment of the joints is said to be partly composed of the perspirable matter (p); which

<sup>(</sup>n) Discourse on the scurvy, p. 107.

<sup>(0)</sup> Chap. 2.

<sup>(</sup>p) Vid. Van Swieten comment. in Boerhaave aph. 556.

Chap. VIII. Of the nature of the symptoms. 255

which being here either deficient, or degenerated into a morbid state, may induce this

symptom.

It likewise appears, that the mucilage that lubricates the hard tendons, and their sheaths, and which fits them for motion, is of a similar nature with the liquor found in the cavities of the joints (q). We have a proof of its extreme depravity in N° 18; so that they must necessarily become hard, contracted, and unsit for motion.

It is indeed the universal perspiring humour, exhaling from all parts, both external and internal, of the body, which gives softness, pliancy, and suppleness, to the whole machine. And it is perhaps a deficiency of this which occasions hardness of the slesh, contraction of limbs, want of motion, and

indurated tendons in fcorbutic cases.

Lastly, If we consider the other appearances observed upon dissection, viz. the swelled, obstructed, and mortisted state of the bowels (N° 20.); the rottenness of the heart itself (N° 2.); in some the universal tendency of the body to mortistications (N° 7. 8. and 9.); the caustic acrimony of the lymph sound in its different cavities (N° 4.); with the condition of the blood, even when alive (N° 1.), where its dark and livid colour, but especially the greenish hue, denoted the highest degree of malignity;

lignity; we shall have no reason to be furprised at the most extraordinary and anomalous fymptoms, which fometimes have occurred in this difeafe.

#### C H A P. IX.

### The Supplement.

A letter from Dr. JOHN COOK, physician at Hamilton, giving an account of the scurvy in Russia, Tartary, &c.

Here send you some brief remarks I made in general upon the scurvy in Russia, Tartary, &c. in all which countries it is a

frequent and dreadful difeafe.

Taverboff lies in 52 deg. of N. lat. where the stream of the Verona is received into the Don. It is fituated, as most towns on the banks of that river, on a low fandy foil, and furrounded with lakes, marshes, and woods. The winter commonly begins in the month of October. In November, all the rivers, lakes, and marshes, are quite frozen over, and the whole country is covered with fnow; which continues until about the beginning of April, O. S. At this time the snow fuddenly melts away, leaving the earth covered with grafs, and many wholfome vegetables. The fpring is fo very short, that the inhabitants are scarcely sensible of it: for in less than fifteen days the weather becomes

becomes excessive hot; and the cold frosty winter is fuddenly expelled by a very warm fummer, that continues until the month of September; during which time the weather is very hot and moist. When I was there in the years 1738 and 1739, 27,000 boors were employed in cutting wood, and preparing it for building of ships for the use of the army; as also about 5 or 600 failors, who were their overfeers, and between two and 3000 foldiers, who guarded the boors to prevent their making an escape. In the month of February 1738, the scurvy made its appearance. The boors were not fo much afflicted with it as the failors, nor the failors fo much as the foldiers. Many, both failors and foldiers, were fent to our hospital this month; but their numbers were greatly increased in March. Towards the latter end of April they were mostly recovered, and many were discharged from the hospital. In June none remained except the most inveterate cases. In July an intermitting, and obstinate remitting fever, prevailed. From the 1st to the 20th of August we had but few patients. From that time to the 1st of October, agues raged with more violence than ever; and fluxes fucceeded in October. This month the first fnow fell; and at that time children were univerfally afflicted with fore throats. We had afterwards fettled frosty weather, and but

but little fickness, except a few inflammatory fevers; until about the beginning of the year 1739, when the fcurvy began to fhew itself, much about the same time as in the preceding year, and continued its usual

length of time.

Astracan is situated in 46 deg. N. lat. on a finall island washed by the Volga. Here are many falt lakes, both upon the islands and defart. The foldiers of the garrison are much more fubject to the fcurvy than the boors, and these last than the failors. The foldiers live a very indolent life, having but little duty to perform. They eat hardly any thing elfe, even in their hospitals, befides rye bread and meal, with fish; and have nothing but water for drink, except the decoctions prescribed for them by the furgeons. Their hospitals are very damp and in a ruinous condition. This poor garrison of five regiments, confisting of about 6000 men when compleat, is yearly recruited with between 600 and 1000 men. The boors live also but a lazy indolent life; being employed either in fishing, or in navigating great boats, from Astracan sometimes as far as Tweer. On the contrary, the failors work hard, at all times of the year, both in the docks and at fea; and live much better, having good provisions of all forts. The winter begins commonly in October, and continues till March. extremely

extremely severe during the months of fanuary and February. The scurvy generally breaks out in the latter end of February. I found it here often complicated with other difeases, viz. the venereal difease, agues, dropfies, confumptions, &c. The violence of the distemper (except in complicated cases) feldom continues after June, or to the mid-

dle of July.

Riga, the metropolis of Livonia, is the last place I shall mention. The winters are here very long. The foil for many miles about it is fandy, and covered with lakes and morasses. The boors living better than they do in Russia and Tartary, are not so subject here to the fcurvy as the foldiers in the army, nor these so much as the proper garrison; for by their labour they gain money, and can purchase flesh in winter. The garrifon-foldiers, confifting of between 6 and 7000 men, are most miserably lodged. The walls of their ill-contrived barracks are continually moist and warm. At Riga, in the years 1749 and 1750, but especially in the year 1751, the fcurvy raged with the utmost violence. It broke out in the month of February that year. Here I faw the most dreadful spectacles that ever I beheld. Their gums mortified, as also their lips, which dropped off; the mortification spread to their cheeks, and lower jaw; and the jaw-bone in some fell down upon the breast. When S 2 the the mortification first began, we tried the bark, to no purpose. Nothing but death rid the unhappy wretches of their frightful

mifery.

Dr. Nitzsch's method of cure (a) correfponds with, and is agreeable to the method practifed in Russia, especially by the German phyficians and furgeons. What he terms the hot or painful scurvy, is generally a complication of this disease with the pox. Although fome may die in the state he describes, without having any outward swelling upon the body; yet fuch perfons have always fcirrhous fwellings of the glands in the abdomen, particularly of the mesenteric glands, and of the liver, which are perceptible to the touch, even before death. My method of cure was in general as follows, unless some particular symptoms or cases required me to deviate from it. I commonly began with a very gentle purge or two, and then gave the decost. antifcorb. (b), and effent. antiscorb. At Astracan, where there are whole fields of horse-raddish, we gave the juice of it mixed with a very little brandy, twice a-day. The patients had fresh flesh-meat every day, and what greens or falads we could procure them. They used the warm bath once or twice a-week. Before they eat, drank, or fwallowed any medicines, their mouths were well

(a) Vid. Part 3.

<sup>(</sup>b) I presume the Doctor means the decoct. sum. pin. &c. described by Nitzsch.

well gargarised with solutions of nitre, &c. Their gums were dressed with ung. Egyptiac. tinct. myrrb. tinct. lacc. &c. I obliged them to use exercise, and to walk about both forenoon and afternoon, when the weather would permit. I allowed them to sleep moderately; and forbid them all dried, salt, and fat meats. Fumigating the wards, is

common in all the hospitals in Russia.

When I came home to this country, I found the denomination of nervous diforders univerfally applied to most chronic and cachectic complaints. Upon examining those complaints in the lower fort of people, who live entirely on mealy fubstances and a gross diet, I observed they had a universal laffitude, pains which they termed rheumatic flying through their body, and a difficulty of breathing upon using exercise. The legs were fometimes fwelled, and the belly almost always tense and enlarged. But, whether they had fwellings or not, they had generally an ill-coloured fcorbutic complexion, and were liftless and inactive to a great degree, with complaints of pains in their jaws, teeth, &c. I made no scruple to pronounce fuch cases scorbutic; and by proper antifcorbutic regimen, medicines, diet, and exercife, feldom failed to give very fenfible relief. I have disobliged many patients, by faying they had the fcurvy; a difease as hateful as it is unknown in this part of the S 3 world:

262 Sir Charles Linnæus's Letter. Part II, world: but the relief they obtained from antifcorbutics, foon convinced both them and myself, that their cases were not mistaken.

A letter from Dr. Linnæus, giving an account of the scurvy in Sweden (c).

\*\*\* \*\*\* \*\*\*\*\* D. D. JACOBO LIND

\*\*\*\*\*

S. p D. CAR, LINNÆUS Equ. aur.

A Ccepi hifce diebus \*\*\* \*\*\* a te missum librum cum epistola \*\*\*\*\* \*

Librum etiamnum fugitivis tantum oculis inspexi, qui linguæ anglicanæ non satis gnarus sum; curabo autem quam primum ut coram me legatur ab altero; intellexi tamen te hoc opere edidisse seculare fætum.

Quæris in epistola quid sentiam ego de scorbuto. Non deberem me prodere, antequam tua legerim; dicam tamen candidè viro candido, quomodo morbum intelligo.

Morbus est apud nos, imprimis apud plebeios frequentissimus. Maris Balthici accolæ,

(c) I am persuaded the reader will be better pleased with having the sentiments of this celebrated practitioner in his own elegant dress, than by a translation of them into English.

Chap. IX. Sir Charles Linnæus's Letter. 263

colæ, rustici, fabri ferrarii, et qui e fodinis metalla eruunt, quique per longam hiemem cibis falitis, carnibus falsis, et imprimis halecibus falfis fustentantur, eo laborant.

Mihi videtur morbus confistere in sola discrasia muriatica: et dum salsedo hæc muriatica inficit humores, nec expellitur; fcorbutis oritur. Salfedine infectus fanguis in patellam orichalci immissus mox eandem rodit. gingivas et dentes rodit faliva, quæ si in ignem exfpuatur magis crepitat; matula ab urina incrustatur magis tartaro quam ab aliis, urinis; corrodit hæc vafa lymphatica, et minimas fibras cullosas facit, homines sic reddit tardos, in majori gradu pedes œdematofos, et pectus afthmate gravatum ab hydrope mediastini seu thoracis quo plerun-

que pereunt.

Signa apud nos funt hæc primaria: facies amittit lucem seu nitorem, ut tristes quasi conspiciantur. Tardiores evadunt homines et adclivia adscendentes fere suffocantur ob onus corporis; appetitus cibi languet; a cibo fumpto torpor et fomni defiderium: evigilantes manê a somno magis lassos fe fentjunt, quam dum vesperi cubitum ibant. Gingivæ laxæ pallidæ et fere cedematofæ, maculæ interdum cæruleæ in femoribus, tibiis, nisi gingivæ sint cruentæ. Qui, labori adfueti, defiftunt, citius hoc morbo opprimuntur. Qui, hauriunt spiritum frumenti, ædematofi et hydropici evadunt, Qui inhabitant

264 Sir Charles Linnæus's Letter. Part II.

bitant loca depressa, fœtida, maritima (ca-

chectici) eo magis periclitantur.

Fabri et metalli fossores, qui quotidie sudore diffluunt, fudorem effundunt muriæ instar, falfum si digito abstergus et gustes, nec tamen ægrotant; si vero lædantur ut lectum chirurgi aliquando petant et quiescant, dum confolidatur vulnus interim scorbuto sæpius ita inficiuntur ut vix evadant. Lappones, qui fere omnes ignorant salis usum in cibo, a fcorbuto immunes vivunt; honoratiores apud nos a falfis cavent, ne fcorbuto corripiantur fine motu viventes. Plebeii, qui ædemate pedum obnoxii funt a scorbuto, fæpe tibiis exulcerantur ulcere cachœtico, depascente, hinc miserè vitam transigunt et vivunt; si vero adstringentibus curantur percunt afthmate.

Cum radices adhuc minus profundas egit fcorbutus, hauriunt nostrates acidulas, quæ salsa resolvunt, diluunt, et per urinam essundunt. Cochlearia, nasturtium aq:; armoraciæ infusum frigide paratum, vulgatissima sunt medicamenta. Succus cochleariæ nasturtii aq. &c. magnatibus vere propinatur. Armoraciæ radix rasa et cum aceti irrorata coch. ij. assunditur lactis cocti lib. i. ss. caseus ausertur, et serum hauritur quotidie a plebeis; sæpius eventu selicissimo. Turiones pini cum sedo acri coquuntur, addito momento aluminis, et hauritur strenue; curat scorbuticos. Insusum radicis Britannicæ hauritur

Chap. IX. Scorbutic diseases in Norway. 265
hauritur quotidie, et epithemata in eodem decocto cachœticis pedibus imponuntur, quasi unicum asylum contra ulcera cachœtica scorbutica, a me introductum, quod didici a Coldeno vestrate, et ille ab americanis sylvestribus. Hoc valet tantum contra ulcera cachœtica. Armoraciæ radicis syrupus frigide paratus divina est medicina in asthmate ex hydrope thoracis scorbutico, nisi altiores sixerit radices, ut eradicari vix

Dum ann. 1739, 1740, 1741 medicus eram classis navalis Stockholmiæ infinitos

queat; pulvis aut electuarium e maro vero

hoc morbo decumbentes restitui.

alternis vicibus propinatur.

Dabam Upfalii 1755, die 27 Feb.

P. S. Res medica apud nos nuper revivifere cepit. Pauci itaque scripsere in rebus mediciis inter nostrates. Linder, de Rogfubben seu scorbuto ante 20 annos edidit libellum, sed non dignus est ut ad te mittatur.

An extract from the Natural History of Norway, by the right reverend Erich Pontoppidan, bishop of Bergen.

Though Norway, like Sweden, is in general a very healthful country, yet it is not exempted from its peculiar difeases, especially the inhabitants of the diocese of Bergen along the sea side, and on the west side

fide of File-field mountains. The air in thefe parts is not very falubrious, and differs very much from that of the eastern and fouthern parts of Norway. For on the other fide of that long chain of mountains, they have both in winter and fummer a fine clear sky, with as dry and healthful an air as in any part of Europe. Whereas in this province of Bergen, the air is generally damp, thick, and foggy; and though it causes milder winters, it is not so healthful as a thinner air. This appears by the effect it has on our peafants, when they come here from other parts of the country; for they feem as if they were entirely out of their element, and can hardly breathe in it, nor does it agree with their health. This must be attributed to the great western ocean that extends from America to Norway, from the furface of which a vast quantity of damps, or particles of water, are daily evaporated.

Among the diseases which mostly appear in the diocese of Bergen, which is the most unhealthful spot in all Norway, I shall first take notice of a kind of scab or itch. This is chiefly found among those that live along the coast, occasioned probably by eating great quantities of fat sish, and especially the liver of the cod. This is properly a scabies scorbutica, which may be called a leprosy, but not so infectious as the oriental

Chap. IX. Scorbutic diseases in Norway. 267

lepra; for married people live together many years, and the healthy is not infected, though the other party has it. But if they have children, they fometimes take the infection, though not always. This diftemper generally lies in the blood a long time before any eruption appears; at last it breaks out into ugly boils on the face: they are generally sent to hospitals erected for that purpose, of which there is one at Bergen, and another

at Molde in Romsdalen.

The ordinary scurvy would prevail in this country a great deal more, if it was not for hard work, which is the best preservative against it, and keeps the juices in constant circulation. Hence those who use but little exercise, and have a good appetite, seldom or never escape this distemper. Nature has ordained several berries and roots in this country, which are excellent antiscorbutics, especially scurvy-grass. Some eat this herb raw, others make a decoction of it with milk; and in Nordland, where it grows very strong, and is called erichs-græs, they use it as a pickle in the winter.

In the east country, or on the other side of File-field, they hardly know any thing of these diseases which are common along the coast. The air in those parts, as has been observed before, is much purer, drier, and lighter, and as healthful as in any part of Furchs.

of Europe,

Appearances of the scurvy at Swednitz, Ofwego, Quebec, and Crown Point.

Since the fecond edition of this treatife was published, we find the scurvy to have made great devastation in different parts of the world.

In the years 1757 and 1758 the Austrian garrison in Swednitz, a fortress in Silesia, during a three months blockade, loft three thousand five hundred men; most of whom, if I am rightly informed, died of this difeafe.

If we turn our eyes to America, we shall behold this calamity still continuing to

fpread its baneful influence.

During the winter 1756, the unfortunate English garrison at Oswego was reduced by it to fo great diffress, that among seven hundred men, they often could not muster eighty fit for duty, a number scarce sufficient to protect them from the incursions of the Indians. With the utmost danger from those barbarians, and great difficulties on account of a deep fnow, which then covered the country, they fought in the woods for pine tops, but in vain. Only a few were to be found, and those not of the proper antiscorbutic kind; so that two hundred of their men died of this disease.

Again, in the winter 1759, the troops in America fuffered uncommon diffress from this difease, as appears by the following extract of a letter from General Murray, commander in chief at Quebec, to his Majesty's secretary of state.

"You will no doubt be pleafed to observe,

" that the enemies attempts on our posts, " and ours upon their's, all tended to the

" honour of his Majesty's arms, as they

" were always baffled, and we were con-

" stantly lucky. I wish I could say as much

" within the walls (of Quebec). The ex-

" ceffive coldness of the climate, and con-

" flant living on falt provisions, without

" any vegetables, introduced the fcurvy

" among the troops, which getting the

" better of every precaution of the officer,

" and every remedy of the furgeon, became

" as universal as it was inveterate; info-

" much, that before the end of April a

" thousand were dead, and above two thou-

" fand of what remained, totally unfit for

" any fervice."

During this diffress, some Canadians made known to the English the following remedy, viz. an infusion of the tops of what the French call epinnete blanche or la prusse, and the English the small leaved white pine, which exactly refembles the bemlock pine in England. These tops were first cut small, and then bruifed in a mortar, and to each pound

" what

of them was put a gallon of warm water: the whole remained all night near a fire, a person being employed in stirring it often; next morning the infusion was strained, and half a pint of it administered morning and evening to each patient, or from a quart to three pints were drank through the day. Mr. Russel, then surgeon general of that garrison, informed me that this infusion was of great benefit, and that orders were issued by the General for its being daily drank by the healthy by way of prevention, as well as by the fick; this warm liquor, when applied as a fomentation to contracted limbs, or to fcorbutic ulcers, with fwelled and inflamed lips, gave much relief.

Extract of a letter from Mr. Mabane, now Surgeon-general to the troops at Quebec.

Quebec, 5th of May, 1761. " In the winter 1759, I was ordered to " Crown Point; there, as in most of the " frontiers of Canada, the scurvy prevailed. "The feverity of the cold, and hard duty, " (as the centinels were numerous and " doubled in the night) contributed as much " as the falt provisions to the production of " that distemper. The troops, during the " preceding campaign, for common drink " had spruce beer. Lake Champlain fre-" quently afforded them fish, and they had

" what greens grew spontaneously, viz. " brook-lime, plantane, &c. Notwithstand-" ing this, the cold weather no fooner " began, than the fcurvy appeared with " its usual fymptoms, especially contracted " joints. In the latter end of January, a " quantity of onions and turnips were fent " us. The patients were put upon a regi-" men of spruce beer and bread, and the " turnips tafting infipid when boiled, they " were chiefly eat raw, together with the onions and vinegar. This regimen stopt " the progress of the disease, but did not " cure it. Nothing but the warmth of the " fpring had that effect: those who before " could not walk, after a few days of warm " weather entirely recovered. Those who " had putrid gums and blotches recovered " more flowly, and required the affiftance " of green vegetables.

# An uncommon appearance of the scurvy in Hampshire.

In the years 1759 and 1760, there was an uncommon appearance of the scurvy in *Hampshire*; whether it prevailed in the other counties of *England* at the same time, I cannot say. It first shewed itself at *Haslar* hospital, in the month of *April* 1759, by a slight attack on such as were recovering from fevers. It continued all that summer

and autumn, until December, and the two following months, when it became much more universal and difficult of cure, and it was uncommon for a person long confined to bed to escape it. Men who had never been at sea, as well as failors, who in several voyages to both Indies had never before been afflicted with it, were equally feized: many of whom had been for three weeks or a month in the hospital, living on excellent fresh beef, soops, and greens. I was at first alarmed with its appearance, and ordered broth with greens to be given to all the convalescents by way of prevention, as also to such as were in fevers, notwithstanding which feveral were attacked with it, though few died.

The difease raged at the same time among the French prisoners in the castles of Colchester and Winchester. Those prisoners had no fever, nor the appearance of any other

distemper among them.

Doctor Welch, now an eminent physician at Winchester, then my colleague physician in Haslar hospital, observed several persons afflicted with this disease in different parts of Hampshire, and among others a gardener's wife, who was very ill of it, notwithstanding her using vegetables.

If it was not fo generally remarked by the apothecaries in the country, it was owing to its being a disease little known. A slight

attack

attack was not suspected to be the scurvy: and most people were unacquainted with the symptoms of the disease. It extended to ships lying at anchor at Spithead, as also to

fuch as were hovering on the coaft.

The Jason and Deptsord were constantly employed as a convoy for merchant ships from Plymouth to the Downs, touching at Portsmouth in the passage. They were seldom above forty-eight hours at sea, and for twelve months their men had not eat any salted provisions oftener than once or twice in a fortnight; yet, notwithstanding the constant use of fresh beef and greens, the companies of both ships became greatly

afflicted with the fcurvy.

In Hastar hospital, the appearances of the disease were various. Such as had been long confined to bed, complained of excruciating pains in their limbs: as there was often no appearance of a hardness or swelling, those pains were fometimes judged to be the effect of the rheumatism. But, in fix or feven days, an eruption of small, rough, miliary pimples on the fore-part of the leg, or the legs becoming of a livid hue, fometimes streaked, at other times quite red or black, shewed plainly the nature of the distemper. The gums were not always affected. When going to bed, feemingly in good health, men were furprized to find their thighs streaked with large livid and red

red stains. A few, who when in fevers had been bliftered, complained of uncommon pain in the bliftered parts, which were found altogether black for feveral inches round their circumference. The cicatrices of fome old wounds, and the redness usual in those parts, where ulcers formerly had been feated, became also black. In one person an accidental slight scald by hot water falling on the foot, from a bright red changed in twenty-four hours to a dark colour, as if the part was mortified: but those feemingly frightful appearances were unattended with danger. Several who became scorbutic complained of their old hurts and bruifes; upon examining the parts they were often found hard, discoloured, and very painful to the touch.

Several complained of extreme weakness and a pain of the back. Most of universal pains in the bones, chiefly of the legs and thighs, which were fometimes mitigated by an appearance of the red and livid blotches. Sometimes the nofe, at other times the gums bled profusely. Such as died of fevers had their legs feveral days before death covered with scorbutic small spots, of a purple, red, or black colour. In a person who was dying of the flux, a large, hard, painful, scorbutic swelling arose during the. night on the back of his hand. In another dying patient a livid and streaked swelling formed

formed itself on the inside of the arm below the elbow: the gums and legs of both being unaffected.

The distemper attacked some with a sudden lameness, while walking in the fields belonging to the hospital; when they were brought into the house we often discovered a red stain or hardness about the ancle, or some other part of which they complained.

The gums of feveral bled, being fore and fpungy, without their having any other fymptom of the scurvy. One person was greatly alarmed with a spitting of blood for three days, which I found to be no more

than the fcurvy affecting his gums.

This disease having been very trouble-some, but not fatal to above four persons in the hospital, lessened considerably in its frequency from May to August 1760. It seemed to disappear entirely in October and November at Haslar, as also at Polchester castle; and, as I was informed, much about the same time at Winchester. When I was at Winchester, in January 1761, I did not see one man who had the scurvy among 4000 prisoners.

The account here given does not detract from the antifcorbutic qualities of green vegetables, as it is probable that without their affiftance few of those patients would have recovered. And it may be well imagined, that either at sea or land, a dread-

T 2

ful mortality must have been the confequence, where vegetables, fruit, and wine, could not have been procured.

Some further particulars relative to this scurvy in Hastar hospital will be given in

the Poftscript. W ; Istigi

In the months of April and May 1760, I faw above fifty patients labouring under the feurvy, in the hospital belonging to Polchester: and soon after received the following letter from Mr. Lloyd, furgeon to the French prisoners at Winchester, dated 24th June 1760.

"The first patients, fent in the scurvy

" from the castle of Winchester to the hof-" pital, were two in February 1759. A

" few were admitted in the months of

" April, May, July, August, and December

" that year. But in February last, and fince

" that time, their number is greatly en-

" creafed, in all to between 3 and 400,

" and the disease is not yet abated.

"Young perfons, as well as old; the " well cloathed and the naked are equally

" feized. Many of them are landmen and

" paffengers, who had been at fea only for

" a fortnight or three weeks, before they

" were taken prisoners, and who never had

" the like fickness before. How far the

" diet might be instrumental in producing

" the malady, you will judge by the fol-

" lowing account of provisions allowed to

66 the

"the prisoners, viz. Excellent soft bread, one pound and an half; fresh beef, three quarters of a pound; beer, a quart each man per day; peas, half a pint four days in the week; butter, four ounces, and cheese six ounces every other Saturday.

"The prisoners in general were allowed

" greens all last summer in place of peas, till within two months of the time, that

" those scorbutic complaints became so ge-

" neral. They have four acres of a fine

" green field, called the airing ground of

" the prison, where they may walk and

" amuse themselves.

Mailton 28

"I must observe, that the number of

" patients in this difease encreasing very

" fast, alarmed me greatly, and induced me

" to make a particular enquiry into their

" manner of living in the prison. I found

" it was the practice of many, to fell their

" beef and beer to the English centinels, fo

" that their diet was very low and poor.

"They have the fame fymptoms as ufual

" in the feurvy at fea: the mouth and knees

" are principally affected; and feveral have

" uncommonly large excrescencies of putrid

" flesh sprouting out from their gums."

the field, if that all the cavities of the

st laboured under an universal dropping ter

## A fatal feurvy in the East Indies.

Extract of a letter from the surgeon of the America ship of war, dated 11 Nov. 1762.

#### Manila, in the island of Luconia.

"Our long cruise in expectation of com"modore Kepple's arrival, in order to the
"attack of the French settlements at Bour"bon and Mauritius, proved very fatal to
our East-India squadron: having lost on
"our return to Madrass eight or nine hundred brave fellows by an extraordinary
stepcies of scurvy. And, as the crew
of the America was as much, if not more
afflicted with it than any other ship, so I
may enabled to furnish you with a more
minute detail of the fatal and diversified

" fymptoms of this calamity.

"The disease most commonly began with a soft swelling of the legs, which afcended to the thighs, enlarging them to an enormous size. This swelling afterwards extending itself to the belly and scrotum, gradually mounted up to the breast, and sometimes reached even to the head, so that all the cavities of the body being silled and distended with water, as well as the skin, the patients laboured under an universal dropsy, ac-

" which

" companied with fwelled, putrified gums,

" a stiffness at the joints of the knees, livid

" stains and scorbutic spots.

" The patients had feldom any fever in " the first stage of the disease: but when " the fwelling had once reached to the " belly, by its hindering the proper action " of the organs of respiration, a difficulty " of breathing and a fmart fever came on, " especially towards the evening. " when the breast became also affected, " which happened foon after the fwelling " had reached the belly, the fever and diffi-" culty of breathing were both greatly en-" creafed. At this time the patients could " by no means lie upon their backs: this " posture of the body exposing them to the " most imminent danger of being suffo-" cated.

" An obstruction of the perspiration, and " a difficulty of making urine, occurred al-" most always at the commencement of the " disease, and were encreased as it advan-" ced to its height. The parts of genera-"tion were in almost every patient dif-" tended with water to a vast and enor-" mous fize. I frequently by tapping emp-" tied them of three pints or two quarts" of water. This operation gave imme-" diate ease, though the relief was but of " fhort duration; for the difease, proceeding " from causes (afterwards to be mentioned) T 4

" which continued daily to enforce it, could

" not be cured, and was with difficulty

" palliated.

" Some bore their affliction in the first

" ftage with tolerable spirits, though their

" legs, thighs and belly were of an un-" wieldy fize, of a white shining colour,

" and when pressed with the finger, re-

" tained for a confiderable time its impref-

" fion, of an inch and a half in depth.

"Their appetite was at length impaired,

" their thirst became violent, they com-

" plained of sharp pains in the bones of

" their legs and in their joints, as in the

" common scurvy, as also of an utter ina-

" bility to walk; an attempt to move four

" or five steps occasioning a want of breath,

" as they expressed it, and a faintness.

" All medicines were here unavailing.

" In the first stage, gentle purges and diure-

" tics fomewhat relieved their diffress, and

" as the belly filled, it became absolutely

" necessary to administer jalap, and such

" like violent purges, at least twice a week,

" to prevent the patient from being fuffo-

" cated by the water; as also diuretics in

" various forms, and we imagined oxymel

" of fquills and garlic to be of some benefit.

"When the water had got into the breaft,

" a fhort cough was a common fymptom.

"Blisters were at this time of service, as

" likewise pretty deep scarifications of the

" legs

" legs and thighs, together with fetons put

" in the belly. A mortification feldom or " never (which was pretty remarkable) was

" the consequence of any of those opera-

66 tions.

" But notwithstanding our utmost efforts,

" the difease always gained ground. The

" patient after its first attack seldom survived

" feven weeks, few lived longer, many

" expired in a shorter time. They all died

" of a fuffocation from water, except those

" from whom the water was constantly

" drained off by the means before menti-

" oned; and they, after languishing for

" fome time, expired at length when re-

"duced almost to perfect skeletons, all the

" fluids of their body having been quite

" exhaufted.

" By this dreadful calamity one third " nearly of our number was cut off in the " space of nine months, for out of 420 " men in our ship we buried 130 before " we arrived at Madrass, besides several " others, who being in the last stage of

" their affliction, expired in the boats from

" the fatigue of endeavouring to get on

" shore at Madrass, when the furf of the

" fea ran very high. However, upon

" landing our fick, most of them were soon

" reestablished in health by the use of vege-

" tables, lime juice, and fyrup of garlic.

" It was an unfortunate circumstance for 46 us, that there was little lime juice in any 66 of " of the ships of the squadron. The island of Diego Reys, from whence we had failed, afforded no limes, nor any vegetables but a species of wild purstain, the which grow in a fall march. Every can

"which grew in a falt marsh. Every captain and surgeon, who had any lime

" juice, experienced great benefit from it

" in this disease. One of the captains, who had a quantity of sour beer, distributed it

" among the fick, which was of infinite

" fervice to them.

"The causes of this fatal calamity were principally the sultry heat of the climate and bad provisions, viz. bread sull of maggots, spoilt beef and pork, water sull of vermin, and a very scanty allowance of that, and spoilt rice, which last even

" in its best state affords only a very poor

10x 35 . 30

" and watery nourishment."

mistant juice in

A

### TREATISE

ON THE

# SCURVY.

#### PART III.

#### CHAP. I.

Passages in ancient authors, supposed to refer to the scurvy; together with the first accounts of it.

HIS distemper, in the Latin denominated scorbutus, is said to derive its appellation from schorbest in the Danish language; or the old Dutch word scorbeck: both which signify a tearing or ulcers of the mouth. Most authors have deduced the term from the Saxon word schorbok, a griping or tearing of the belly; which is by no means so usual a symptom of this disease; though, from a mistake in the etymology of the name, it has been accounted so by those authors. The word seems to me most

most naturally to be made out from fcorb in the Sclavonic language, which signifies a difease; this being the endemic evil in Russia, and those northern countries, from

whence we borrowed the name (a).

It is faid to have been known and described by the ancient writers in physic under other denominations; and particularly by Hippocrates, as the είλεος αίματώδης, or third species of volvulus (b). He says, those who labour under that difease, have a feetid breath, lax gums, and an hæmorrhage from the nose; ulcers sometimes on their legs, which heal up, while others break out anew. Their colour is black, their skin fine and thin; they are chearful, and prompt to action. He afterwards adds, that it was with difficulty cured and often accompanied the patient to his death. Langius was of opinion, that this contained a description of our modern feurvy. He imagined also the lues venerea to be nothing more than a complication of fymptoms and diseases which had been before described by the antients; to prove which he wrote two of his epistles (c). Foësius, Dodonaus, and some others, would here willingly fupply a defect, by putting in the particle &. This would

(b) Lib. de intern. affectionibus. Edit. Foësii, p. 557.

<sup>(</sup>a) Vid. Hist. natural. Russiæ. Commerc. literar. Norimb. ann. 1733, p. 274.

285

would indeed quite alter the fense of Hippocrates, making the disease attended with an aversion to all sorts of exercise, as more agreeable to the true genius of the scurvy.

But the most prevailing opinion is, that, in, different parts of his writings, Hippocrates has described the scurvy under the name of Σπλην μέγας, a swelling and obstruction of the spleen. After having told us (d), that an hæmorrhage from the nose, in persons otherwife feemingly healthy, prefaged either a fwelling of the spleen, pain in the head, or floating images before the eyes, he defcribes those with the swelling of their fpleen, as having unfound gums, and a bad breath. If these symptoms did not appear, they then had ulcers on the legs, and black cicatrices. After mentioning some symptoms which give reason to expect an eruption of blood from the nofe, he adds another fign of it, viz. a fwelling under the eyelids; to which if there be joined a swelling of the feet, they would feem to labour under a dropfy. He treats of this disease in another place (e); where he takes no notice of the gums being affected, but only of the breath being offensive; the patient's losing colour, being lean, and having bad ulcers. The fpleen felt hard, and always of an equal

<sup>(</sup>d) Prorrhetic. lib. 2. p. 111. (e) Lib. de affectionibus, p. 521.

equal bigness, in those of a bilious habit of body; but in phlegmatic constitutions it was fometimes bigger, and fometimes less. Several received scarce any benefit from medicine, by which the fwelling of their fpleen was usually but little abated: and the difeafe not yielding to any remedies, some in progress of time fell into dropsies; while in others the hardness and swelling continued to old age. If it suppurated, they were cured by burning the part. He is elfewhere (f) still more particular in his defcription of that disease. In those who labour under it, the belly is first swelled, then the spleen is enlarged, and feels hard, with acute pain. They lofe their colour; become black, or pale, of the hue of a pomegranate rind; emit a disagreeable smell from their ears and gums (the latter of which separate from the teeth); have ulcers on the legs, extenuated limbs, and are generally costive. He attributes those swellings (g) to the drinking of stagnating and unwholefome waters; where he describes the lienofi as thin, meagre, and extenuated by the difeafe.

The reader will hereby be enabled to judge, or better by consulting the original itself, how far *Hippocrates* has described the modern scurvy under the appellation of a fwelling

<sup>(</sup>f) Lib. de intern. affectionibus, p. 549. (g) Lib. de aëre, aquis, et locis, p. 283.

swelling of the spleen. It appears by several passages in his works, that he imagined the yellow jaundice to be owing to an obstruction of the liver, and the black to that of the spleen, especially to a scirrbus of it. An obstruction or hardness of the spleen, as well as some parts contiguous to it, which he might easily mistake for it, often occurs in practice; and is owing chiefly to fuch causes as he affigns (b), viz. malignant fevers, particularly of the intermittent kind; and, as he justly adds, is a difease not in itself mortal, though of tedious cure (i). But diffections have fufficiently proved, that in the scurvy the spleen is but seldom affected, or at least is not the cause or seat of the disease. Dr. Mead gives us an instance (k) of a preternatural swelling of the spleen found after death in a countryman of the island of Sheppey, who died with feveral fymptoms of the fcurvy. But it is to be remarked, the patient laboured under a complicated difease, especially a violent intermitting fever, which is often attended with obstructed viscera. That this difease was not known or described. by Hippocrates, farther appears from his making

<sup>(</sup>b) Lib. de intern. affection. p. 521.

(i) This distemper is observed by my ingenious friend, Mr. Clegborn, to be one of those, to which the inhabitants of Minorca are subject, from their scarcity of well-water, and the frequency of tertian fevers in that island. Observations on the epidemic diseases of Minorca, Introduction, p. 67.

(k) Monit. et præcept. medic. cap. 16. de scorbuto.

making no mention of spots, an usual symp-. tom in the scurvy, nor of many others which almost constantly attend it. Upon the whole, we may be perfuaded, that had this immortal author feen the distemper, he, who studied nature with so much care, and copied her with fo great exactness, would have left us a more accurate description of it. But the truth is, the warm fouthern climate in which he lived, was not then, nor is at this day usually productive of it: and the nature of the coasting voyages of the ancients gave him no opportunity of being acquainted with it at fea. So that there feems no occasion for paying him a compliment here; as it is not to be expected he should have hinted at, much less have described a difeafe, which in all probability he never faw nor heard of.

The fucceeding Greek and Roman authors, are likewise upon this disease entirely silent. They copy from Hippocrates pretty nearly the account they give of the lienosi; without adding any one symptom which would induce us to believe, that either he meant, or they understood it to be the scurvy (1).

It

(1) Celsus, in his elegant manner, almost literally translates Hippocrates.

Quibus sæpe ex naribus fluit sanguis, his aut lien tumet, aut capitis dolores sunt: quos sequitur, ut quædam ante oculos tanquam imagines obversentur. At quibus magni sunt lienes,

It also feems to have been a disease altogether unknown to the Arabian writers. They have made no mention of fuch a diftemper in any part of their works; though Avicenna (m), the most considerable amongst them, has described the spleen-malady at great length, with the fame fymptoms as done by the Greeks.

Some who are extremely fond of attributing much to the knowledge of the fage ancients, would have it to be the same with the oscedo described by Marcellus (n). Dr. Poupart thought the malignant scurvy observed at Paris, had a resemblance to the Athenian plague, described by Lucretius (o). Moellenbroek imagined the fervant of the centurian at Capernaum (p) to have had this distemper. But fuch opinions deserve no ferious confutation.

It has, lastly, and with greater shew of reason, been esteemed the same disease which afflicted the Roman army under the com-

bis gingivæ malæ sunt, et os olet, aut sanguis aliqua parte prorumpit. Quorum si nibil evenit, necesse est in cruribus mala ulcera, et ex his nigræ cicatrices fiant. Lib. 2. cap. 7. Ætius, tetrab. 3. ferm. 3.

Paulus Ægineta, lib. 3. cap. 49.

Aretœus de causis et signis morborum, lib. 1. cap. 14. Cal. Aurelian chronic. sive tardar. passion. lib. 3. cap. 4. (m) Can. 3. fen. 15. tract. 2. cap. 5. de signis apostematum Splenis.

<sup>(</sup>n) Lib. de medicamentis, cap. 2.

<sup>(</sup>o) Lib. 6. Vid. Thucydid. (p) See Matth. viii. 5.

290 Passages in ancient authors. Part III. mand of Cæsar Germanicus. In order to

judge of which, it may be proper to transcribe the narration as it is in Pliny (q).

"The Roman army under the command of Cæsar Germanicus having incamped in

" Germany, beyond the Rhine, near the sea-

" coast, they met with a fountain of sweet

" water; by the drinking of which, in the

" fpace of two years, the teeth dropt out,

" and the joints of the knees became para-

" lytic (r). The physicians called the

" malady stomacace and sceletyrbe. They dif-

" covered aremedy for it, viz. herba Britan-

" nica, a falutary medicine not only in dif-

" orders of the mouth and nerves, but for

" the quinfey, bite of ferpents," &c.

The whole account feems pretty extraordinary. And I cannot help remarking, that the lofs of their teeth, and of the use of their limbs, in two years after drinking this water; the extraordinary virtues ascribed to berba Britannica; and the romantic directions afterwards added of gathering it before thunder, savour much of the fabulous credulity for which this author is so justly blamed. But had a more credible historian given us this relation, it would still feem exceptionable, upon many accounts, as referring to the scurvy.

Those places beyond the Rhine, viz. the

<sup>(</sup>q) Histor. natural. lib. 25. cap. 3. (r) Compages id genubus solverentur.

northern parts of the Netherlands, are now well known, and no such fountain has ever been discovered. No mention is made of scorbutic spots, which are more frequently observed than what has been here interpreted the sceletyrbe. This is supposed to refer to the rigid tendons in the ham. But his delineation by no means seems to express this peculiar symptom in the scurvy. It is understood by Galen (s), the only author who uses the appellation, to mean a species of palsy very different from the scorbutic contraction.

fioned by the use of certain fruits, &c. to have afflicted the army under the command of Ælius Gallus in Arabia. But stomacace may refer to various other disorders of the mouth without supposing it to be the scurvy; as this calamity, when general in an army, occasioning the sceletyrbe, or depriving the soldiers of the use of their limbs, must need have been attended with other concomitant symptoms, equally constant and remarkable in the disease (u). These would no doubt the second of the

(s) In definition. medic. p. 265. tom. 2. Edit. Charterii.

(u) I do not mean, that the scurvy never afflicted armies of old; but only that the accounts we have of it are dubious and impersect. The first description of a true scurvy

<sup>(</sup>t) Στομακάκκη τε καὶ σκελοτυρβη ωειραζομένης της ςρατιας εωιχωρίοις ωάθεσι, των μεν ωερί το σόμα, των δε ωερί τα σκέλη ωα-ράλυσιν τινα δηλεντων, έκ τε των ύδρείων, καὶ των βότανων. Strabon. geograph. lib. 16. sub finem.

292 First accounts of the scurvy. Part III.

have been particularly described by the succeeding writers in physic, who had opportunity of seeing both *Pliny*'s and *Strabo*'s

writings.

There would have been no occasion to have dwelt so long upon this inquiry (as it may appear a matter of no great importance, to be rightly informed whether this disease was known to the ancients or not) if a misplaced esteem for their works had not been productive of ill consequences in practice, and in the cure of this disease. Many, believing the spleen the seat of it, have directed their medicinal intentions to the relief of that bowel; while others have wrote whole volumes to discover the true berba Britannica, endued with such supposed miraculous virtues.

But as people are apt to run from one extreme to another, many not finding the disease in any description of the ancients, have supposed it a new calamity, making its appearance in the world, like the venereal disease, at a certain period of time (w); an opinion equally, if not more censurable than the former. For as there seems to have

that I have met with, is what occurred in the Christian army in Ægypt, about the year 1260, under Lewis IX. But there mention is made, not only of the legs being affected, but also of the spots. The sungous and putrid gums are particularly described, &c. Vid. Histoire de Lewis IX. par le Sieur Joinville.

(au) Vid. Freind's History of physic.

have been two reasons principally why it is fo imperfectly, if at all, described by the antients, viz. their little knowledge of the northern countries, where it is peculiarly endemic, and their short coasting-voyages; fo we find, that as foon as arts and sciences began to be cultivated among those northern nations (about the beginning of the fixteenth century, a period remarkable for the advancement of learning over all Europe) this difease is mentioned by their historians and other authors. We could not have expected it fooner from their physicians, if we reflect upon their extreme ignorance, and the little esteem in which this science was held (x). But when, after the taking of Constantinople, the Greek writings were dispersed over the western parts of the world, and in the beginning of the next century were made more general and public by the late invention of printing, the art of physic began to flourish in the northern parts of Europe; and we foon after find this difeafe accurately described there by physicians.

In like manner, no fooner were long voyages performed to distant parts of the world, by the great improvement of navigation, and by the discovery of the Indies, which U 3 happened

<sup>(</sup>x) Vid. Olaum Magnum de medicina et medicis septenpionalibus. (a) Lastwir's collection of voyages, vol. 5. p. 225.

happened much about the same period of time, than the seamen were afflicted with it; as appears by the voyage of Vasco de Gama, who first found out a passage by the Cape of Good Hope to the East-Indies, in the year 1497; above a hundred of his men, out of the number of a hundred and fixty, dying of this distemper. In the relation of which voyage, the first account of this disease at sea is to be met with (y). At that time, and for a considerable time afterwards, it was a disease little known; as appears by the following narration.

The second voyage of James Cartier to Newfoundland, by the grand bay up the river of Canada, ann. 1535 (2).

" In the month of December, we under-

" flood that the pestilence was come upon

" the people of Stadacona to fuch a degree,

" that before we knew of it, above fifty of

"them died. Whereupon we charged

" them neither to come near our forts, nor

" about our ships. Notwithstanding which,

" the faid unknown fickness began to spread

" itself amongst us, after the strangest

" manner that ever was either heard of or

" feen; infomuch that some did lose all

" their

<sup>(</sup>y) See the history of the Portuguese discoveries, &c. by Hermen Lopes de Castanneda.
(z) Hakluit's collection of voyages, vol. 3. p. 225.

" finews shrunk, and became as black as a

" coal. Others had also their skin spotted

" with spots of blood, of a purple colour.

"It ascended up their ancles, knees, thighs,

" shoulders, arms, and neck. Their mouth became stinking; their gums so rotten,

" that all the flesh came away, even to the

" roots of their teeth; which last did also

" almost all fall out. This infection spread

" fo about the middle of February, that of

" a hundred and ten people, there were not

" ten of us in health: fo that one could

" not help the other, a most horrible and

" pitiful case! Eight were already dead;

" and more than fifty feemingly past all

" hopes of recovery. This malady being

' unknown to us, the body of one of our

" men was opened (a), to fee if by any

" means possible the occasion of it might

" be discovered, and the rest of us preser-

" ved. But in fuch a manner did the

" calamity increase, that there were not

" now above three found men left. Twen-

" ty-five of our best men died; and all the

" rest were so ill, that we thought they

" would never recover again: when it

" pleased God to cast his pitiful eye upon

" us, and fend us the knowledge of a re-

" medy for our health and recovery.

U 4 "Our

(a) See the diffection, Part 2. chap. 7. No 2.

## 296 First accounts of the scurvy. Part III.

" Our Captain confidering the deplo-" rable condition of his people, one day " went out of the fort, and walking upon " the ice, he faw a troop of people coming " from Stadacona. Among those was Do-" magaia, who not above ten or twelve days " before laboured under this difease; ha-" ving his knees fwelled as big as a child's " head of two years old, his finews shrunk, " his teeth spoilt, and his gums rotten and " flinking. The Captain, upon feeing " him now in perfect health, was marvel-" lous glad, hoping to know of him how " he had cured himself. The Indian ac-" quainted him, that he had taken the juice " of the leaves of a certain tree, a fingular " remedy in this disease. The tree in their " language is called ameda, or banneda (b); "by a decoction of the bark and leaves of "which, they were all perfectly recovered "in a short time."

Of the colony sent over from France, under the Lord of Roberval, there died in the winter fifty in this disease (c). We have some time afterwards the following farther account of it.

(b) See Part 2. chap. 4. p. 179. (c) Ann. 1542. See Hakluit, vol. 3. p. 240.

" needy for our health and recovery.

(a) See the distribution, Late Caller of No ac-

Nova Francia; or, A description of that part of New France which is one continent with Virginia; in three late voyages and plantations, made by Messieurs de Monts, du Pontgrave, and de Poutrincourt (d), published by L'Escabot, ann. 1604.

" Briefly, the unknown ficknesses like to " those described by James Cartier, attack-" ed us. As to remedies, there were none " to be found. In the mean while, the " poor creatures did languish, pining away " by little for want of meats to fustain the " ftomach; which could not receive hard " food, by reason of a rotten slesh which " grew and over-abounded within their " mouths; and when one thought to root " it out, it grew again in one night's space "more abundantly than before. As to the " tree called ameda, mentioned by the faid " Cartier, the favages of these lands know " it not (e). It was most pitiful to be-" hold every one (very few excepted) in "this great mifery, and the miferable " wretches dying, as it were full of life, " without any poffibility of being fuccoured. " Thirty-fix died; and thirty-fix or forty " more afflicted with it, recovered them-" felves by the help of the fpring, fo foon

(d) Collection of voyages and travels, compiled from the library of the late Lord Oxford, vol. 3. p. 808. (e) The Indian nation at Stadacona by this time had

been cut off.

298 First accounts of the scurvy. Part III.

" as that comfortable feafon appeared. The " deadly season is the end of January, the " months of February and March; where-" in the fick die most commonly, every " one in his turn, according to the time they " begin to be ill; so that he who is taken " ill in February and March, may escape; " but those who betake themselves to bed " in December and January, are in danger " of dying in February, March, or the " beginning of April. Which time being " past, there are hopes and assurances of " fafety. Monf. de Monts being returned " into France, consulted the Doctors of " physic upon this fickness; which in my " opinion, they found quite new, and al-" together unknown to them; for I do not " find, that when we went away, our apo-" thecary was charged with any order or

" directions for the cure thereof."

The author of this relation afterwards observes it to be the scurvy, a malady to which the northern nations, the Dutch, &c. are very subject; and upon this occasion, quoting a passage from Olaus Magnus, says, I have delighted myself to recite the words of this author, because he speaketh thereof as being skilled, and has well described the land disease of New France; only he maketh no mention of the stiffmess of the hams, nor of the superstuous flesh which groweth in the mouth. He

further observes, that the savages use frequent sweatings for cure of this malady; and that a singular preservative against it is contentment, mirth, and a chearful disposition of mind; as it commonly attacked the discontented, idle, and repining. But the last and most sovereign remedy, was the ameda, mentioned by Cartier, which he calls the tree of life. This Monsieur Champlein, who was then up the country, had orders to search for among the Indians, and to lay up a store of it for the preservation of their colony.

The name of the disease is said to be in the history of Saxony, written by Albert Krantz; and if so, I believe he will be sound the first author now extant who calls it the scurvy (f). It is next taken notice of by Euritius Cordus in his Botanologicon, published ann. 1534. It is observed that the herb chelidonium minus, or lesser celandine, is called by the Saxons schorbock rout, being an excellent remedy for that disease. Being asked, what disease this is? it is replied, It would seem

to

<sup>(</sup>f) He brings down his history to the year 1501. According to Melchior Adams, and Chevreau in his history of the world, he died ann. 1517. I own I could not find it in the edition which I perused: but it is said so by Wierus, Schenkius in his observations, and others; unless they have mistaken him (which could not be Wierus's case) for Geg. Fabritius, an author who flourished about the year 1570, and who mentions, in his Annales urbis Misnæ, a ditease breaking out in the year 1486, viz. the scurvy; which he very impersectly describes.

300 First accounts of the scurvy. Part III.

to be the stomacace of Pliny; as it occasions the teeth to drop out, and all the mouth is affected by it. In the year 1539, it is mentioned in the same manner by Jo. Agricola in his Medicina berbaria. Olaus Magnus, in his history of the northern nations, published ann. 1555, observing what diseases are peculiar to them, gives us a long description of the scurvy (g). Jodochus Lomius does the same in the year 1560 (b).

Soon

(g) Est et alius morbus castrensis, qui vexat obsessos et inclusos, talis, viz. ut membra carnosa, stupiditate quadam denfata, et subcutaneo tabo, quasi cera liquescens, digitorum impressioni cedant; dentesque, veluti casuros, stupefacit; co-Iores cutium candidos reddit cæruleos, torporemque inducit, cum medicinarum capiendarum nausea; vocaturque vulgari gentis lingua schoerbuck; Græce, cachexia, forfitan à subcutanea mollitie putrescente: quæ videtur esu salsorum ciborum, nec digestorum, nasci, et frigida murorum exhalatione foveri. Sed vim tantam non habebit, ubi muri interius tabulis quorumcunque lignorum funt cooperti. Insuper, si diutius graffetur ifte morbus, absintbiaco potu continuato illum arcere solent. Lib. 16. cap. 51. Viribus, primis annis, demum (milite stragibus continuis diminuto) artibus, dolis, et insidiis, obsidentium surripiunt commeatum, præsertim peendes; quas fecum abductas, in herbofis domorum tectis pafcendas imponunt; ne, defectu carnium recentiorum, morbum incurrant, quibusvis ægritudinibus tristiorem, patria lingua schorbuk nuncupatum; boc est, saucium stomachum, diris eruciatibus et dinturno dolore tabefactum. Frigidi enim et indigesti cibi avidius sumpti, morbum bujusmodi causare videntur, qualem medici cachexiam universalem appellant, Lib. 9. cap. 38.

(b) Interdum bilis atra, ita pestilens sit corruptione, ut cum in corpus extra lienem diffunditur, plane ejus habitum universum corrumpat. Id vitium his signis se prodit os ipseque spiritus male olet, gingivæ vitiantur, sulividæque, E nonnunquam subatræ reduntur, ac digito, vel aliter pressæ, strum cruorem emittunt : eædem sic lanæ sunt, ut a dentibus discedant

Soon after we find three eminent physicians, all cotemporary, treating expressly of this distemper, viz. Ronsseus, Echthius, and Wierus. To whom Langius may be added as a fourth, having wrote two epiftles upon this fubject. What is called Echthius's Epitome, was the first wrote, though the last published. It would appear from Forrestus (b), to be a letter fent, in the year 1541, to Blienburchius, a physician at Utrecht; whose answer is now lost. The first book published expressly upon the scurvy was by Ronsfeus, in the form of an epistle. The year is uncertain, as he afterwards corrected, and reprinted it in a different form. He is so modest as to say, that had he first feen Wierus's accurate observations, he would

discedant facileque eos, vel omnes interdum eximere liceat. Aliquis etiam capiti, itemque præcordiis dolor est, urgetque cibi fastidium: crescente morbo, bæc quoque crescunt, & maculæ quædam lividæ, tanquam vestigia sugillationum, variis corporis locis efflorescunt, in brachiis, scilicet, in coxis, in cruribus, sæpeque per universi corporis cutem, adeo ut, bæc quasi arquato videatur fædata. Inter bæc magna imbecillitas oritur, præcipueque in cruribus, quorum impotentes compages fiunt. Nonnullis, ac potissimum juni-oribus, crebro sanguis e naribus fertur: quod ni fiat, in cruribus hæ maculæ, quas dixi, & interdum ulcera fiunt. Is morbus Batavis, aliisque populis, qui humiliora, atque palustria loca incolunt, frequens est, utique si bis quoque alimenta crassæ, duræque materiæ sumuntur. Rarissimus siccis regionibus, atque editioribus. Omnem ætatem, quolibet anni tempore, nullo discrimine impetit. Senibus tamen gravior, sed frequentior juvenibus esse creditur: quibusdam tamen locis frequentissimus pueris est: idemque autumno, atque vere maxime recrudescit.

(b) Observ. medic. lib. 20. obs. 11.

would not have published any thing upon the subject. There is an edition of Ronsseus put down by Mercklin (i) and Lipenius (k), in the year 1564; and of Wierus's observations in 1567. The learned Dr. Astruc (l) is of opinion, that these last were not published till 1580. It is thus far certain, that those authors corresponded together; and upon Wierus sending to Ronsseus Echthius's letter, now called his Epitome, he published it, together with his own work, Wierus's observations, and two of Langius's epistles, in the year 1583.

## CHAP. II.

Bibliotheca scorbutica: or, A chronological view of what has hitherto been published on the scurvy.

A. D. YOan. Echthii de scorbuto, vel scorbu-

1541. J tica passione, epitome.

He proposes it as a question, Whether the blood in the scurvy may not be corrupted, without the spleen or any other of the bowels being affected? but is inclined to think the spleen often is. He assigns as causes of this disease, gross and unwhole-some

(i) Linden. renovat.

<sup>(</sup>k) Bibliotheca real. medic.
(1) Lib. de morbis venereis.

fome food, fuch as falted, dried, or putrid flesh and fish, rancid pork, spoilt bread, bad water, &c. He distinguishes the symptoms into two classes. The first contains fuch as appear at the beginning, and are common to it with other diseases; the second, the fucceeding and more certain figns. of the malady. Under the first, he comprehends a heaviness of the body, with an unufual weariness, generally most fensibly felt after exercise; a tightness of the breast, and a weakness of the legs; an itching, redness, and pain of the gums; a change of colour in the face to a darkish hue: and observes, that where all these symptoms concur, we may fortel an approaching fcurvy.

But the more certain figns he enumerates under the fecond class, viz. a fœtid breath, a spungy swelling of the gums, which are apt to bleed, with a loofening of the teeth; an eruption of leaden coloured, purple, or livid spots, on the legs; or of somewhat broader ones variegated or of a dark colour sometimes on the face, at other times on the legs. As the difease advances, the patients lose the use of their legs, and are subject to a difficulty of breathing, particularly when moved, or when they fit in an erect posture; at which times they are apt to faint: but upon being laid down again, they recover, and breathe freely; nay, when lying down they think themselves in perfect

perfect health. But as they cannot always thus continue without some motion, they are subject to these perpetual faintings. The appetite is feldom bad; on the contrary, they generally have a good one. There is fometimes observed an aggravation of the fymptoms; with fome on the fourth or fifth day, in others on the third. Some few have it every day, but without any fever: others become feverish. Fevers may terminate critically, as it were, in the fcurvy: and with fuch fcurvies whole families and monasteries are infected; which generally end either in a fatal dysentery, or, at other times, in a fudden and irrecoverable fainting. During the course of this disease, fome are apt to be very costive; while others have a continual purging. Sometimes their spotted legs swell so monstrously, as to refemble the leprofy of the Arabians; while others have them fo extenuated, that the bones feem only covered with skin. The fpots of fome separate into black and duskish scales, like the leprosy of the Greeks; while in others they remain foft, fmooth, and shining; and the impression of the finger continues for fome time upon the part. After death the spots sometimes difappear; at other times, they break out afresh. Lastly, There have been observed varicose swellings of the veins, particularly in those under the tongue, and of the lower lip.

He

He afterwards delivers the indications of cure, without giving us any remedies. And it may not be improper to remark, that this is the first description now extant of the feurvy by a physician;

1560. Jo. Langii medicinalium epistolar. miscellan. lib. 3. epist. 13. de novis morbis; epist. 14. de veterum stomacacia et sceletyrbe, et morbi Gallici tuberibus.

These two epiftles were reprinted by Ronsseus, in order to prove the scurvy to have been a difease known to the ancients.

1564. Balduini Ronssei de magnis Hippocratis lienibus, Pliniique stomacace ac sceletyrbe, seu vulgo dicto scorbuto, commentarius. Ejusdem epistolæ quinque ejusdem argumenti.

He ascribes the frequency of the scurvy in Holland, to the diet and air of that country; to their eating great quantities of waterfowl; but principally to their living on flesh, first falted, then smoaked and dried. The weather, he fays, had a very great influence upon this distemper. For though it occurred in these provinces at all seasons; yet, by long observation and experience, he had found, that a moist air, and southerly winds, contributed greatly to increase it: and instances in the year 1556, when, during that whole year, they had almost continual rains, with foutherly and westerly

winds; which were followed by a great frequency of this difease; and to such a height, that many were brought in danger of their lives by it. In 1562, after a very rainy feafon, there likewise ensued frequent and very troublesome scurvies. So that although this difease was at all times common in Holland, from the peculiar air of the country, and the bad waters; yet it often became more general during a moift feafon. It usually prevailed most in spring and autumn; was milder in the spring, and shorter: but in the autumn, it was of longer continuance, and more obstinate, so as sometimes to endanger the life of the patient. No age was exempted from its attack; which, though feverest with old people, yet was more incident to those of a middle age.

From a mistaken theory in judging it a difease of the spleen, he begins the cure by bleeding. He afterwards prescribes a decoction of a number of antiscorbutic herbs, with the addition of sena, and some other purgative ingredients: but observing, that the more fimple compositions were generally the most efficacious, he thinks, that the use of scurvy-grass, wormwood, and germander, is alone fufficient; the vulgar curing themselves by scurvy-grass, brooklime, and water-creffes. At the end of the cure, he gives gentle physic; forbidding all rough and acrid medicines, especially violent purgatives; till towards the decline of

the

the malady, when the patient is able to bear them. For twelve years past, he had used with great success, both for prevention and cure, a tincture, in spirit of wine, of fumitory, scurvy-grass, wormwood, and small germander, or herbs of the like virtue. The spirit was extremely well impregnated by repeated infusions of the fresh plants, and the body kept moderately lax during the cure.

He observes that much depends on the diet. Scorbutic patients must abstain from all kinds of sea and water fowls; from pork, Their drink should be and falt meats. wormwood and germander wine by turns. He prescribes a gargarism with alum and honey for the putrid gums; and orders the rigid tendons in the ham, after friction, to be anointed with cowfeet jelly. He gives feveral remedies for scorbutic ulcers on the legs. To prevent the disease he recommends gentle physic in the autumn; but especially the use of a slight infusion of wormwood in ale or wine: by which (with the help of a diet of easy digestion, the benefit of good air, and dry lodgings) he has known the fcurvy often not only prevented, but cured.

In his first epistle, he accounts for the frequency of this distemper in some places more than in others; from their different soils, climates, and weather, and especially

X 2

from

from the quality of the waters they used; observing that, universally, in marshy countries, people were most afflicted with the scurvy: though their diet and other circumstances were alike with others. In his second epistle, he maintains, that this distemper was known to the ancients, against the opinion of Wierus; and remarks, that seamen in long voyages cure themselves of it by the use of oranges. In his third epistle, he recommends the steel and mineral waters.

1567. Jo. Wieri medicarum observationum

hactenus incognitarum lib. 1. de scorbuto.

He transcribes all the symptoms out of Echthius at great length, with the following additions. The weakness in the legs felt at the approach of the difease, is attended with stiffness and pain. The slesh of the gums is often destroyed to the roots of the teeth. Small spots, resembling blood fprinkled upon the part, appear on the legs, thighs, and on the whole body; but the very large, livid, and purple fpots, chiefly on the legs. Sometimes this livid colour will shew itself in the back part of the mouth of those who are near death. In the progrefs of the difease, the tendons of the legs become stiff and contracted. Some are feized with a flow irregular fever. violent malignant fevers, and double tertian agues imperfectly cured, he has known the fcurvy

DIVIE

curvy to follow; upon which a malignant quartan enfued. This still left the fcurvy behind it; which was at last cured by proper medicines. When the legs are greatly fwelled, they are fometimes altogether of a livid colour. The pulse, as in a quartan ague, varies: fo that at different times, and according to the state of the disease, it is fmall, hard, quick, or weak. The urine is reddish, turbid, thick, and muddy, like new red wine, refembling that which is usual in the fit of a quartan ague when fweating; and of a bad fmell. He adds afterwards, that if ulcers break out on the legs they are with great difficulty healed up; being extremely feetid, and of so putrid and gangrenous a nature, that the application of a hot iron to them occasions little pain.

He assigns as causes of this distemper, unwholsome air, such bad and corrupt food as was used in the northern countries, and by their seamen, viz. stinking pork, smoaked rancid bacon, mouldy bread, thick muddy ale, bad water; melancholy and grief of mind, preceding severs, the stoppage of

usual evacuations, &c.

Though he fometimes bleeds in the beginning, yet he forbids it when the difease is advanced. In this case, after purging with a little sena or the like (observing that it does not bear violent purgatives) the patient is

to be fweated twice a-day, viz. in the morning, and at four after noon, with a draught of four ounces of the expressed juices of the antifcorbutic herbs; viz. fcurvy-grafs, water-cresses, winter-cresses, or rocket, of each equal parts, with half the quantity of brook-lime; adding a little cinnamon and fugar. The proportion of the different ingredients may be diminished or increased, according to the constitution of the patient, state of the disease, and heat of the body. He would have the herbs always fresh and green when used; and they may sometimes be boiled in goats or cows milk, or rather in whey: but their juice mixed with whey, is preferable to their decoction. He sometimes adds common wormwood, fumitory, fmall germander, and, in certain cases, moneywort. To people who are fond of a medley of medicines, he gives a long lift of all the antiscorbutic and aperient herbs, roots, feeds, &c. to which later authors have made but a small addition; and remarks, that he generally made fuccessful cures by a proper use of a few of these plants. He understood many had been cured by a decoction of wormwood and juniper berries in whey, to which a little faffron was added (a). After giving some

(a) R. Absinth. vulg. sicc. bacc. juniper. contus. ana manip. i. lastis caprini lib. iv. Coque ad tertiæ partis consumptionem. A drachm of saffron is to be insused in the strained decocation, and a warm draught taken three times a day.

other cures usual in his time for this distemper, he observes, that there is nothing specific in the common antiscorbutic herbs, as they are called; but that all acrid plants which incide and attenuate, as also many aperient roots, and warm seeds, are highly serviceable. At the same time, a diet of easy digestion, and of similar intention, must be used, with good sound ale or wine with wormwood insused in it, or milk and whey. Care must be taken to procure dry chearful lodgings, and to banish grief, cares, &c.

He afterwards subjoins various topical applications for the different symptoms (b). In his appendix, he particularly recommends whey for the cure of this disease; and gives a description, at great length, of scurvy-grass, and some other antiscorbutic herbs.

1581. Remberti Dodonai praxeos medic, lib. 2. cap. 62. Ejusdem medicinalium observationum exempl. rar. cap. 33, de scorbuto.

He ascribes the scurvy chiefly to bad diet. He relates, that it was occasioned in Brabant, ann. 1556, by the use of some corrupted rye X 4 brought

<sup>(</sup>b) For the putrid gums, R. sal. mar. alum. ana dr. ii. aq. font. lib. i. M. Bulliant simul. The people of Friesland use the following. R. acet. cerevis. lib. ii. bol. armen. unc. is. alumin. dr. ii. mellis unc. iii. M. Bulliant simul. The Saxons add to the former, berba sabina. If the putrefaction is very great, ung. Ægyptiac. or alum. ust. mixed with honey, may be used; or it is to be stopped by touching with ol. witriol.

brought from Prussia during a scarcity of corn. At this time many had not the spots; but their gums were chiefly affected. He gives an instance, however, of its being contracted in a prison, where confinement alone was the cause; the place being well aired, and the diet fuch as he thought could give no fuspicion of its proceeding from thence. He never bled any patient in this disease, but the person in the prison, who had figns of a plethora. He generally performed a cure by the use of a few herbs, viz. water and garden creffes, fcurvy-grafs, and brooklime; which last he esteems of inferior virtues to the others. These he thinks fufficient to remove the scurvy, if, at the same time, proper diet is used, especially well-baked wheat-bread. He fometimes gives a gentle purgative at first, and repeats it occasionally: but if the disease is far advanced, purges are not without great caution to be administered. When only the gums were affected, he has cured these often by topical applications. The large livid scorbutic spots like bruises, are oftner seen on the lower extremities than on the arms. If the disease is very virulent, and not removed, the bypochondria will also become livid; and the patient in this case be seized with violent gripes, and die.

1589. De scorbuto propositiones de quibus disputatum est publice Rostochii, sub Henrico Brucæo.

The fcurvy is endemic in particular countries, from their fituation, air, water, and food. In those countries, scorbutic mothers bear scorbutic children, often miscarry, at other times bring forth dead fœtuses. He mentions no other fymptom, but what is taken notice of by Wierus; except a pain fometimes in the right, at other times in the left fide, attended with a fenfe of weight. Upon the malady's increasing, the belly fwells, and grows also painful; with an entire loss of appetite. In his theory of the difease, he supposes, that either the liver, or fpleen, fometimes both, but oftner the spleen, was obstructed; although it was feldom found scirrhous. He afterwards fays, there is often no fwelling or obstruction in any of those parts; though, from the quality of the scorbutic humour, produced by improper and grofs food, it was natural to expect the spleen might be affected. When the fcurvy is very inveterate, it degenerates into the bypochondriac difease; a distemper frequent among the inhabitants on the shores of the Baltic. It is fometimes complicated with other diseases, viz. the dropfy, confumption, and a bilious purging; at other times there is a flow continual fever, and fometimes a tertian ague.

His

His cure consists in diet and medicines. For the first he directs well baked wheat-bread; broth of slesh or fowls, with radish, hyssop, thyme, savory, or the like herbs boiled in it. He allows all forts of slesh or fowl (except water-fowls) that are of easy digestion, and afford good nourishment. Whatever is dried, salted, smoaked, long kept, and rancid, or of difficult digestion, is to be avoided. Milk is proper for those who are far gone in scorbutic consumptions.

At table the antifcorbutic herbs are to be used by way of falad, and for drink good Rhenish wine, or found beer with wormwood infused in it. After a moderate bleeding (if the patient be full of blood) and a gentle purge, fcurvy-grafs, brooklime, water-creffes, and the roots of horseradish are to be boiled in milk, and adminiflered to the patient; or their juices may be given mixed with whey, adding wormwood or mint, if the stomach be weak, forrel or fumitory if the patient be of a hot constitution, and a fever apprehended, or the roots of elecampane, and the herb hyffop when the breathing is affected. If the patient be of a cold habit, has swelled legs, and the spots are black, the juices are best given in wine, with cinnamon or ginger: or he may take an infusion of horse-radish in Rhenish. The author likewise recommends the sweating course from Wierus, partie

particularly the laconic or dry bath, when the feurvy appears on the external habit or skin. The body is to be kept open by gentle physic, given in goat-whey, repeated every day, or every other day, during the cure. This method, together with the diet before recommended, will effectually remove the scurvy. For lax and bleeding gums, he orders the pickle of olives; but in his other receipts transcribes from Wierus.

De scorbuto tractatus duo; auctore Balthazaro Brunero.

He has copied Wierus in most things; but is more explicit and full in describing the air productive of the difeafe. Thus, if the atmosphere of any place is impure, and polluted with exhalations that are gross, moift, putrid, or liable to putrefaction, it causes this diftemper; as in marshy, damp, and maritime countries; or places where stagnating waters are left after inundations. To which also rainy feasons contribute a great deal, especially where the fun has not influence fufficient to raife and diffipate the vapours. To the diet observed by other writers to occasion the scurvy, he adds black coarfe bread; and observes, that the pernicious effects of fuch diet and air are confiderably augmented, by immoderate watchings, depressing passions of the mind, and stoppage of the natural and usual evacua-. tions. from this disease, when in the air of Saxony, take plenty of mustard-seed, finding
the good effects of it by experience, toge-

ther with gentle aftringents (c).

Brunerus has but one fingular observation on this difease, viz. He has often remarked, that violent pains in the legspreceded the fcurvy, and that the fpots and putrefaction of the gums followed foon after. These pains are chiefly about the ancles and joints; on the fore-part of the legs and foles of the feet; fometimes in otherparts of the body; attended with a fense of heat and pricking betwixt the fkin and flesh, If they continue long, and especially if they become most severe in the night, and do not yield to medicines, and are exasperated by oily and greafy applications, it is a certain fign of a future feurvy. These pains ceafe

<sup>(</sup>c) He describes the symptoms and cure in the same manner as Wierus; only, by a typographical error, the deliquium animi is faid to occur when the patient sweats; having fudat instead of fedet (when he fits up). The whole is taken from Wierus; who immediately adds, deeumbens respirat facilius, resiciturque. It may be proper to note another mistake, which he and many other authors have fallen into, in transcribing a medicine from Wierus for phagedenic ulcers of the gums. It is the following. R. mercur. sublimat. scr. ii. alum. uft. dr. ii. is. aq. plantagin. lib. i. M. But as this author, in his observations, wrote in Dutch, had called the first medicine simply sublimate, after the manner of the chemists, by which he meant mercury; his translator into Latin unluckily here put in arsenic, making it to be arsenici sublimat. scr. ii; In which dangerous mistake many have followed him,

cease upon an eruption of the spots, which are generally very large. In this case, warm steams, discutient fomentations and cataplasms, must only be used, and, if possible, a sweat procured upon the parts. He concludes with the case of a scorbutic patient; whom he sirst purged, then ordered the juice of water-cresses in goat-whey; of which six ounces were taken twice aday; and, by sweating him, a number of scorbutic spots appeared, by which a violent pain in the thigh was allayed.

1593. Scorbuti historia proposita in publi-

cum; à Solomone Alberto, &c.

He is of opinion, that the disease may be hereditary, or got from an infected nurse, and that it is contagious; but adds nothing to the description of symptoms of it as delivered by Wierus, unless it be a stiffiness or rigor of the lower jaw, seemingly from a contraction of the temporal muscle; in the same manner as the tendons in the ham become stiff and contracted in the progress of the disease, as had been observed by all authors. He says, it is most usual in children, and in either a hereditary scurvy, or that which is got from the nurse.

He treats of the diet proper in this disease at great length: recommends the juices of acid and austere fruits, such as oranges, with which roast meats when on the spit are

to be sprinkled. These are likewise to be put in foops, and vinegar and wine in the gruels and barley-water. Exercise is

necessary.

In full habits he begins the cure with bleeding, but observes that when the difeafe is advanced, especially if the spots have appeared, it is extremely improper. In this case, if there is an obstruction of the menses or hamorrhoids, those evacuations are by all means to be promoted; which will be of great fervice, though they may not prove a cure; having feen women regular after child-bed, yet over-run with the fcurvy. He prescribes very gentle physic, observing the danger of giving violent purgatives; then gives a long catalogue of aperient and deobstruent medicines (d). He remarked, fcurvies were very frequent in that and the preceding year, from the unconstant weather and very rainy feafons they had after warm fummers.

<sup>(</sup>d) He fays, whatever incides, deterges, and attenuates gross, viscid, and fæculent humours, is proper, in order to their being prepared and fitted for evacuation by any of the outlets of the body. For this purpose, in a particular manner, the common antiscorbutics, viz. cochlearia, nasturtium, and becabunga, are adapted; being fuch whose virtues have been approved by long experience. To these he afterwards adds other herbs under the denomination of hepatic, splenic, and thoracic; from an imagined property in them to remove obstructions, and relieve and strengthen particular parts and bowels. When by these means all obstructions are removed, and the morbid humour, the immediate cause of the disease, is sufficiently

1595. Petri Foresti observationum et curationum medicinalium lib. 20. obs. 11. de scorbuto malo cognoscendo et curando; obs. 12. ibid.

de quinque ægris à scorbuto curatis.

This is a long letter which the author wrote first to his brother in the year 1558, and afterwards fent to his two nephews students in physic, ann. 1590. He seems to have been acquainted with no other authors upon this subject than Ronsseus and Echthius. The last he copies in describing the symptoms; all which he confirms and illustrates by various cases of patients. He makes it a difease unknown to the ancients, though, according to his theory, a diforder of the fpleen. It was indeed fo little known in his time, that many died of it (particularly one Martin Dorpius, a clergyman at Louvain) to the great surprise of the physicians, who were intirely unacquainted with the very name of the difeafe, its nature, or proper method of cure. He mentions likewife one Sasbotus, a counsellor at the Hague, who laboured under a violent fcurvy; and

attenuated and prepared, he observes nature itself will throw it out of the body, either by the kidneys or skin. It is the business only of art, to further her intention, by giving diuretics if it tends to the kidneys; having particularly remarked, that, by a flow of urine, the disorders of the breast in this disease were most effectually relieved: or by taking diaphoretics and sudorifics internally, at the same time sweating in stoves and in baths moist and dry; as it is often dissipated by insensible perspiration, at other times by profuse sweats. The dregs of the disease evacuated this way, have been observed to foul the very skin.

was given over by his physicians, when an Amsterdam physician discovered the disease and cured him; observing, that the Hague doctors did not know this diftemper fo well as those who resided at Amsterdam, or as he did who lived at Alemaer, where they became well acquainted with the fcurvy by feeing it among the feamen. This laft patient the counsellor being subject to a relapse at times, our author prescribed for him the juices of brooklime and feurvy-grafs boiled into a fyrup with fugar; which effectually prevented the distemper. And this medicine, going under the name of fyr. sceletyrb. Foresti, became afterwards univerfally famous, and continued in repute for a considerable time, over all Flanders, Brabant, and Holland, for the cure of the fcurvy. It was principally used in the winter-feafon, when the green plants could not be procured. He indeed very ingenuoully owns, that physicians were first made acquainted with those remedies by the vulgar; they having only a more elegant method of administring them.

He illustrates the several intentions of cure at great length in the case of a failor at Alemaer, who fell into the scurvy after an autumnal quartan ague, which had continued seven months. This person told our author, he had formerly the same disease at sea, in a voyage to Spain; and that it was

very common among the Dutch failors, who generally recovered by change of air, and the use of a wormwood-ale. But he had been quite cured of it before he had the ague. Upon this occasion, Forestus obferves, he has known many fall into the fcurvy after fuch intermitting fevers. This patient had laboured under a great difficulty of breathing, and had loft the use of his limbs; his left knee, and whole leg, being fwelled, hard, spotted, and so stiff, that he could not walk, or even move it : his gums were fwelled and bled frequently. The phyficians and furgeons faid, he was poxed; but when the author faw him, he found it to be the fcurvy. It was indeed a complicated case; the fever having left behind it a hectic disposition, with obstructed bowels.

Forestus, who has had great practice in this difeafe, fays, the diftinguishing marks of it are, an oppression on the breast; weaknefs and pain of the legs; rednefs, pain, and itching in the gums; with an alteration of colour in the face. However, in the beginning it is not fo eafily known; being fometimes flow in its progrefs, and having the above-mentioned fymptoms, together with a laffitude after exercise, common to it with other difeases. But where all those figns appear together, he thinks it the begin-

beginning of the distemper, or at least that an approaching fcurvy may then be foretold: though he fometimes hefitates for a little time; till, in the progress of the diftemper, the violence of those symptoms be increased; and the fœtid breath, spungy bleeding gums, loofe teeth, and purple and livid spots upon the legs, &c. confirm his former judgment of the disease. He recites the symptoms from Echthius's epitome; adding, almost after each, instances of patients in whom they occurred. In particular, after the remarkable proneness to faint in the height of the disease, he adds that he has known feveral drop down dead fuddenly; as happened to a magistrate he mentions, who had a Haerlem physician to attend him, who faid he had the venereal disease; the ignorant in those days pronouncing all extraordinary and unknown difeases to be the lues venerea. However, this gentleman's fon, labouring under the fame diftemper, was cured by our author. He recommends butter-milk when the patient is inclinable to be hectic: but where there was no fever, he cured many by milk, in which fcurvy-grafs and brooklime were boiled. These observations, although extremely tedious, are valuable for the many truly fcorbutic cases they contain.

1600. Hieronymi Reusneri diexodicarum

exercitationum liber de scorbuto.

This voluminous author, remarkable only for his theory, describes the seurvy, in its different stages, altogether in the same manner as the authors before him; with the addition of the following symptoms. A bleeding at the nofe, which he fays is usual even in the beginning of the disease; as likewise a continual spitting. Some have a pain at the mouth of the stomach, and there is a want of appetite; or at least if they long for food, it is rather hurtful to them. He observes, that scorbutical women are subject to the fluor albus, and menses discolores. The urine is for the most part thin, pale, and watery, without any fediment, and of a fœtid fmell. The pulse is low, weak, flow, and irregular. He is extremely prolix on the cure. But it were to be wished, that the many chemical and galenical remedies recommended, had been proved ferviceable by experience, rather than by being agreeable to his theory.

1604. De morbo scorbuto liber; cum observationibus quibusdam, brevique et succincta cujufque curationis indicatione. Auctore Severino Eugaleno.

This book must have been published by the author in a very loofe immethodical Y 2 drefs;

drefs; as it has undergone feveral corrections by different editors; and the order of the whole is still very inaccurate. Fos. Stubendorphius published it in the year 1615, with great alterations: and Brendel, Professor of Medicine at Jena, ann. 1623, again corrected it; and with great labour has classed the different fymptoms, or rather fpecies of this difeafe, into different fections, making in all forty-nine in number. They will admit of feveral fubdivisions; and comprehend a catalogue of almost all distempers incident to the human body. There are here also fifty prognostics, with thirty generally diagnostics of the scurvy; besides the particular diagnostics of each fymptom, or rather difeafe, by which it is known to be fcorbutic. But as I have elfewhere animadverted at great length upon this book, it may be fufficient here only to repeat, that the merit of the author has always been supposed to consist in his great fagacity in detecting this deceitful difease lurking under fo many different forms. This he tells us was his professed design in So that the description of the fymptoms makes up the greatest part of his performance. In the beginning of it, he affigns the same causes of the scurvy as Wierus had done much more accurately before him; and to this author likewise he recommends us for the cure. The first five

pages (as far as § 4.) contain what he has copied from other authors: but the rest of the treatife may, with great propriety, be deemed entirely new, and his own.

The fymptoms are as follow. I. Putrid gums. II. Blackish, purple, and livid spots. III. Malignant ulcers. Acquainting us that these are obvious signs, known even to the vulgar, he observes, that the disease often proves fatal before they appear; and therefore he proceeds without stopping long here, to other fymptoms equally characteristical and demonstrative of the fcurvy. But before we go any farther, it will be necessary to transcribe that peculiar state of urine and pulse which he so often refers to in his account of the following fymptoms, and which was with him the most certain figns of the disease.

He fays, the urine of those who labour under this disease varies extremely, according to the habit of the body, the different nature of the disease, and of the putrescent humour. If there be only a flight putrefaction, and the disease but beginning, the urine is fometimes of a citron colour, and thin; at other times thick and white. But fuch appearances of the urine discover nothing certain concerning the fcurvy. As the diftemper increases, it becomes sometimes thin, and of an intense red colour, inclining to a livid hue. If the patient Y 3 passes passes this urine when seemingly in perfect health, having little or no thirst, it is a certain fign of the fcurvy. Frequently the urine appears thick, red, and manifestly livid; it either remains thus thick, or deposites a thick red heavy sediment like bran or fand, having besides for the most part a thick turbid matter suspended a-top: such likewise is a demonstrative sign of the difeafe, provided the patient languishes, without any thirst or fever. Of some the urine is thick, white, and turbid; and deposites feveral roundish whitish particles like fand, without becoming any clearer. The urine of those who live irregularly, is in some thick, black, and turbid; in others blackish, with an obscure paleness; and these persons have a violent thirst while they pass such urine. After those long accounts, he adds in another place, that where there is no fever, nor putrefaction of the humours, thick, white, and turbid urine, having a white roundish heavy sediment, like fand or brick-duft, is the most undoubted fign of the fcurvy. The pulse peculiar to this difease, is quick and small, but particularly unequal.

We now proceed to transcribe the other symptoms. And the IV. is a difficulty of breathing; known to be scorbutic, 1st, By the part affected; which is under the diaphragm, at the orifice of the stomach. 2dly,

By

By the complaint. It is a great and uneafy straitness and oppression not easily expressed. 3dly, By its remission and intermission; though fometimes it is almost continual. 4thly, By its having none of the fymptoms which usually follow disorders of the breast,

viz. cough, pain, orthopnæa, &c.

V. Vomitings, retchings; and even the cholera morbus. A vomiting is known to be fcorbutic, 1st, By not yielding to the common medicines, and those prescribed by the ancients in this diforder; on the contrary, the patient becomes worse after using them. 2dly, Its sudden unaccountable remission, and equally unexpected return. 3dly, Its feizing without any previous pain, diforder of the stomach, or a distemper described by the ancients. The retchings are very violent, without bringing up much from the stomach. But the most certain proofs are had from the urine and pulse. VI. A looseness, or costiveness of the belly. VII. A baftard dyfentery; known to be scorbutic by want of gripes, the blood not being mixed with the faces, but chiefly by the pulse and urine.

VIII. Irregular fevers. IX. Intermitting fevers. X. Continual fevers. Under thefe he comprehends most species of fevers, viz. flow, putrid, remitting, and intermitting, of all kinds. They are all afcertained to be Corbutic, by the oppression in the breast,

Y 4

not agreeing in type with those of the ancients, &c. but more infallibly by the pulse and urine. The first, though strong and hard during the fever, upon its remission returns again to its peculiar, small, and une-

qual state.

XI. Fainting-fits. XII. Pains of the legs. XIII. A pain in the hands, and ends of the fingers. This is known to proceed from the scurvy by the pulse. XIV. A pain' in the neck. XV. Pains in almost every part of the body, viz. the teeth, jaws, back, &c.; burning pains in the kidneys, head, arms, &c. XVI. The bastard pleurify; discovered in a girl to be scorbutic, by the fmallness and inequality of the pulse; the intermission of the pain; and being free from cough but at times; by the urine, and her having no thirst, and breathing without pain. But the intermission of the pain, and its returning at intervals, are fufficient to distinguish this from the true pleurify. XVII. Violent colic pains; eafily known when fcorbutic, by their intermission, the urine, and pulse. He gives two instances of ruptures occasioned by the acuteness of these pains. XVIII. Hard tumours similar to those in the pox, viz. in the groin, and other glandular parts of the body; or in any other part, as in the interstices of the muscles, &c. They often arise from varices or a dilatation of the veins. These give no pain

pain while the patient is at rest, and the part kept eafy; but upon walking, or hanging the legs, they become fo very painful as to occasion fainting. Sometimes the whole body is covered with fuch tubercles. XIX. Weakness of the legs upon walking. XX. Retraction of the heel backwards towards the ham; known when occasioned by the scurvy, from the pulse alone. XXI. Troublesome prickings in the soles of the feet, next day followed with a palfy of the lower extremities. XXII. A palfy of the legs; diftinguished from palsies described in ancient authors, by differences very equivocal, and too long here to mention. XXIII. A hemiplegia. XXIV. Weakness of the whole nervous fystem. XXV. A colic ending in a palfy. XXVI. A convulsion or contraction of the members, gradually coming on. XXVII. The epilepfy is known when fcorbutic, by the pulse and urine; as likewise, 1st, By its attack accompanied with a fever. 2dly, Its fudden attack, and equally sudden remission. 3dly, Its proceeding from no cause assigned by the ancients. XXVIII. An apoplexy. XXIX. Convulsion of a particular part. XXX. The gout; known to proceed from the fcurvy, by not being fixed, but shifting from one joint to another; and its being quickly cured by antifcorbutic medicines. XXXI, The dropfy; requiring quite a different method

method of cure from that described by the ancients; and is eafily distinguished from it, by the difficulty of breathing becoming much worse after purgatives. The difficulty of breathing is at all times greater, even in the beginning; with extreme anxiety under the diaphragm. XXXII. The encyfted dropfy. Before this is fixed in any particular place, it causes a momentaneous fwelling as it were, in different parts of the body; which most commonly happens upon change from a pure to a thicker air, or to those who use gross food; otherwise the legs fwell first, then the whole body is covered with a hard and unequal fwelling, and with various indolent tubercles, &c. XXXIII. The fcorbutic atrophy; which can be cured only by antifcorbuties. It is known by the patient's languishing, without having any difease described by the ancients; by the pulse, urine, and frequent anxieties; but especially by spots on the body. XXXIV. Ulcers and gangrene of the toes. XXXV. Ulcers on different parts of the body, cancers, &c. XXXVI. Pestilential fevers, and tumours; distinguished from the true plague, generally by the mildness of the symptoms, but more easily by the pulse, and fometimes by the urine. XXXVII. A mortification, either with or without ulceration. XXXVIII. The fcorbutic enyfipelas; known by the pulse, urine, and

and shifting its place. XXXIX. Madness, and the memory impaired. These two more rarely occur, being not fo demonstrative fymptoms of the fcurvy as many of the preceding. XL. Carus and a profound fleeping. XLI. A falivation. XLII. A languor, without any evident cause. XLIII. A diforder like to a languor. XLIV. Copious fweats, the forerunner of an atrophy. XLV. A cutting or tearing pain in the accession of fevers. XLVI. tossing or concuffion of the limbs, being a mixture of a paralytic and convulfive diforder. XLVII. Tremor of the limbs. It is known to be fcorbutic by the pulse alone. XLVIII. Ulcers of the penis. XLIX. Dry ulcers. The book is concluded with feventy-two observations, containing a variety of cases in these difeases.

1608. Felicis Plateri praxeos medicæ lib. 3. cap. 4. de defædatione. Under which title, he treats of the hues venerea, scorbutica, and elephantica.

He feems not to have feen Eugalenus's book, or at least has copied nothing from it: for he still gives the same description of the feurvy, as Wierus, and all other authors preceding Eugalenus, have done. He, however, takes notice of one symptom not mentioned by them, viz. tumours, fometimes indolent, at other times more painful, resembling

refembling a scrophulous gland. These are feated either on the glandular parts of the body, or in the interstices of the mufcles. The fweat of fcorbutic perfons is fœtid; their urine red and turbid; their pulse feeble; as had been observed by all others before Eugalenus. He seems inclined to believe, that, like the lues venerea, the fcurvy might have been brought from abroad, especially by failors. It sometimes produces convulsions and palfies; and may end in an atrophy, confumption, dropfy, or dysentery. He recommends for prevention, as also cure, a confection of mustardfeed and honey; as likewife the juice of oranges. This last is to be used as an application to the putrid gums; as also fal. prunell. dissolved in a proper liquor. The patient may be fweated with decost. lignorum.

1608. Relazao do Viage de Don Sebastian Vizcaino, &c. or the Voyage of Don Sebastian Vizcaino, performed in the year 1602, to the western coast of California, with two large ships and a frigate.

It will not be foreign to the purpose, to mention here the fickness which raged among the fquadron, being the fame, which in these parts generally seizes on those who are coming from China to New Spain, and which proves to fatal as to fweep off half the ship's company. In this latitude the air is very sharp and cold, which pierces those of weak constitutions, and perhaps of a pestilential nature; unless we suppose that its great fubtility is fufficient to cause fuch a disease in bodies attenuated by fatigues. Its first symptom is an universal pain all over the body; which now becomes fo tender, as not to bear the least touch; and fometimes this will extort tears and cries from the most resolute men. this, the body, especially the lower parts, is covered with purple fpots, larger, and more prominent, than grains of mustardfeed: the next fymptom is blotches of the fame colour, two fingers broad. They appear first under the hams, and spread from the middle of the thigh to the flexure of the knee, rendering the parts fo rigid, that the legs refemble petrifactions, it being impossible to move them in the least from that posture in which this symptom seized them. The patients swell fo prodigiously, that they cannot be moved from the one fide to the other, without extreme torture. And these stains extend themselves so, that the calf of the leg and thigh becomes wholely livid; and thus the morbid humour pervades the whole body, and feizes the shoulders in particular, more than any other part, causing, at the same time, excruciating pains in the loins and kidneys. Nor

is the least ease to be expected from change of place, as the flightest motion is attended with fuch fevere pains, that they must be very fond of life, who would not willingly lay it down on the first appearance of so terrible a distemper. This virulent humour makes fuch ravages on the body, that it is entirely covered with ulcers; and the poor patients are unable to bear the least pressure, even the very cloaths laid on them deprives them of life. Thus they lay groaning, and incapable of any relief. For the greatest affistance possible to be given them, if I may be allowed the expression, is not to touch them, nor even the bed cloaths. Thefe effects, however melancholy, are not the only produced by this peftilential humour. In many, the gums both of the upper and lower jaw, are swelled both within and without, to fuch a degree, that the teeth cannot touch one another; and withal so loose and bare, that they shake with the least motion of the head; and some of the patients spit their teeth out with the faliva. Thus they were unable to receive any food but liquids, as gruel, broth, milk of almonds, and the like. This gradually brought on fuch a weakness, that they died whilst talking with their friends.

Such was the distemper with which all were afflicted; which removed numbers from this world to the mansions of eternity.

When

When the ship Capitana, on her return came to us on this coaft, her condition was truly deplorable; all the people on board, the general, and three foldiers excepted, labouring under the above mentioned difeafe, and it was with great pain that the father commissary went about administring the facrament to the fick. As for father Antonio de la Ascention, he was not able to ftir; and the difease was so excruciating, that nothing was heard in the ship but cries and lamentations. Some, by way of eafe, made loud complaints, others lamented their fins with the deepest contrition; some died talking; fome fleeping; fome eating;

fome whilst sitting up in their beds.

The fight of fo many fellow adventurers lying dead, together with the cries, groans, and lamentation of the afflicted, would have moved the most obdurate breast, and Providence was pleafed to inspire hearts, which before were strangers to every humane and tender fentiment, with fuch fervent benevolence, that those in health attended the fick, and performed all fervices to them with as much diligence and care, as if every one had only a fingle patient. The religious, especially father Thomas de Aquino, forefeeing thefe terrible extremities, had, at Acapulco, provided themselves with cordials and conferves, which were all referved for this day of affliction; and doubtless

many owed their recovery to the prudence and liberality of the fathers in the distribution of them.

From what has been faid, some idea may be formed of the condition of the Capitana, at their arrival in this harbour: we shall therefore only add, that by the distemper above described, they were helpless and fick, covered with ulcers, and their gums so swelled, that they could neither speak nor eat: and the malignity of the diftemper fuch, that none thought of ever being reftored to perfect health. Nothing was heard in the ship at her arrival here, but cries and passionate invocations of heaven. However, in 19 days, all of them recovered their health and strength; so that when they departed, the fails were loofed, the ship worked, and every part of the duty performed as in the preceding year, when they vifited this harbour on their passage. Such sulutary effects had the fresh provisions, fruits, &c. sent on board by the general; the eating of a fruit which abounds in these islands, and by the natives called Xocobuiltzles, was also of very great fervice. It refembles an apple; the leaves of the tree are exactly like those of the pine-apple; and the fruit grows in clufters, like that of the cypres: it is also nearly of the shape of the cypress nut: the rind or shell is yellow; and the pulp like that of a white tuna, with feeds fomething

larger

larger than those of the tuna. It has a very pleafing tafte, and tartish sweetness. fruit is endued with fuch virtue, that it cleanfed and relieved the gums, fastened the teeth; and after eating twice of it, the mouth would be cleanfed fo as to eat any other kind of food without pain. The use of this fruit was discovered in the following manner: fome foldiers going up the island, with the Father Commissary to a burial, Antonio Luis, the officer, seeing the fruit, from a curiofity of being acquainted with the products of the foil, plucked one, and began, though with extreme pain in his teeth and gums, to bite it; and finding it of an exquisite taste, he eat the whole; and immediately voided from his mouth a great quantity of purulent blood: and on putting the other to his mouth, he found that the pain in his teeth was much lefs, and he could chew it with great eafe. On his return to the ship, he related the happy effects of this fruit; and distributed some among his friends, who all found the fame pleafing confequences, which induced them to go ashore, and gather a great quantity for the relief of others. So that, on the general's return, he found many, whom he despaired of seeing again, able to eat the fresh provisions continually brought to them. These were the only means by which, within 19 days, they perfectly recovered from

This fruit is the chief subsistance of the Indian warriors of the provinces of Acaponeta and Chametla, which lie within the government of New Gallicia: But their general way is to roast or boil it, as more wholesome and palatable.

1609. Gregor. Horstii tractatus de scorbuto. This author is in many places feemingly inconfistent with himself; having first followed Forestus, then Eugalenus, in his defcription of the disease; concluding with a diet, regimen, and cure, transcribed chiefly out of Albertus. The disposing causes are, thick foul air, and gross viscid food; both which, as productive of the fcurvy, he pretty well describes. He observes, that though in the Lower Saxony, and Old Marche of Brandenburgh, it was a disease generally very well known; yet in some places it was a more uncommon and flighter disease than in others; being most frequent and dangerous where the inhabitants used thick unwholesome new ale, and where the foil was marshy and damp. So that the year before, when he practifed in the Old Marche, he found it extremely frequent at Soltquell; but much lefs fo in the neighbouring country. In that place, besides using the same gross food as other northern countries do, the fituation was very marshy; and

and they drank thick new ale without hops, which had undergone no fermentation or depuration. He recommends spirit of vitriol given along with other antiscorbutic remedies; and has perhaps nothing else new on the disease, but theory.

Matthæi Martini de scorbuto commentatio. He copies entirely from Eugalenus his description of the scurvy, adding some new fymptoms first mentioned by himself; such as a fwelling of the eyes, frequent darkness over them; virulent ulcers in the throat; fuch variety of pains in all parts of the body as cannot be expressed, viz. tensive, pulling, pricking, biting, corroding, gnawing, &c. on the muscles, membranes, and nerves. These are not only severest in the night (as is most commonly the case) but afflict likewise in the evening, morning, and through the day. The pains may all with great certainty be known to proceed from the fcurvy, by the finallness and inequality of the pulse. Even pains peculiar to each part, are rendered wonderfully anomalous by the fcurvy. This difease is nearly allied to the plague; as it occasions carbuncles, buboes, cancers, &c. Most tertian vernal agues are scorbutic. A fudden and unaccountable loofening and fastening of the teeth alternately; large fiffures in the lips, clofing in a most furprifing manner after drinking, are fymp-Z 2 toms

toms of the seurvy. Here Eugalenus is every where an oracle; his whole book being transcribed, and digested into a much more methodical order, with the addition of some things from Wierus, Albertus, &c.

1624. Dan. Sennerti tractatus de scorbuto. Ejusdem practicæ medicinæ lib. 3. part 5.

He has transcribed from Eugalenus and Martinus all that they have faid on the difease; which, together with his theory, makes up the greatest part of his book. What he calls his own new and uncommon observations, are as follow. One is the case of a student, who, upon the disappearance of an itch, was seized with a gutta serena, difficulty of breathing, and tightness of the breaft. He recovered his fight by the use of fome purgative medicines, and diuretics of the antifcorbutic kind. The other, a boy of twelve years of age, who had also the itch; and it being repelled by an improper unction, he lost his fight, and afterwards died epileptic. The author having often remarked, after an itch in fuch a manner injudiciously treated, pains and prickings in the breaft to enfue, with pleurifies; and likewise tertian and quartan fevers, which were removed upon the appearance of the eruption, but returned again upon its difappearing; from thence he concludes the fcorbutic.

<sup>1</sup>corbutic humour combined with the itch, to have produced those surprising symptoms.

He then proceeds to still more uncommon and remarkable fymptoms of the fcurvy; and, upon the testimony of Doringius, relates cases of a jaundice ending in a dropfy; an asthma; a tinea, covering not only the whole scalp, but the forehead; a berpes or ringworm of the left arm; a gangrene in the fore-finger; a hæmorrhage from the lips, no conspicuous orifice of a vein being difcovered; a palpitation of the heart; burning and intolerable pain in the foles of the feet, with livid spots on the legs; and a running of putrid and purulent matter from the uterus. Timoth. Ulricus observed not only the knees, but the whole body, as it were, contracted; with an excrescence of flesh from the eyes. In some, though less frequently, upon each motion of their joints, a noise was plainly heard as from broken bones, or like the crackling of nuts. Where there was a dropfy, in a night's time the whole teeth became loofe, fo that the patient was in danger of lofing them all; but next day they were found firm in their fockets. In a patient, where no fpots could be made to appear, even by the help of medicines, upon forcing a fweat, the fleshy part of the arm was feized with a fense of heat and burning, as if drops of boiling water had been thrown upon it; mean while nothing was to be feen appearing outwardly. A Z 3 widow

widow labouring under a continual fever, had her whole body covered with large black spots; her face refembling in colour the skin of smoked bacon when boiled. From all which he concludes, fuch is the strange variety of diseases and symptoms occasioned by the scurvy, that not only the vulgar, but even a physician unacquainted with the diffemper, would be greatly amazed, and might believe the person to have died of poison. He very ingeniously, however, accounts for them all, according to his own bypothefis; making up fixty-two fymptoms, by adding feveral to what are mentioned by Eugalenus, viz. blindness; a stench of the body; a stoppage of the menses in women; in place of which they have a white acrid faltish running, apt to infect men: and men from this disease are rendered unfit for generation, by having a watery vitiated semen. He is very prolix on the cure; and abounds with almost all the prescriptions given by preceding authors, together with what he learned from other persons (e). He recommends steel where there is not the convenience of mineral waters; but forbids the use of vinegar in this disease.

<sup>(</sup>e) Where there is a heat of the body, or fever, he uses the cooling antiscorbutics, viz. cichoreum, endivia, acetosa, acetosella, succ. c.tri, aurantior. limon. sp. salis, vitriol. vel sulphur.

ner

1626. Arnoldi Weickardi thefaur. pharmaceutic. galeno-chemic. sive tract. practic. &c. lib. 3. cap. 5. de stomacace, seu scorbuto.

This author, although usually ranked among the number of writers on the scurvy, has nothing new upon it. He makes no mention of the symptoms. His cure confists in bleeding, purging, and afterwards sweating the patient, and in administering the common antiscorbutic medicines in very improper forms; all transcribed from other authors.

1627. Frederic Vander Mye, de morbis et symptomatibus popularibus Bredanis, tempore obsidionis, et eorum immutationibus pro anni victusque diversitate, &c. tractatus duo.

How far the passions and dispositions of the mind contribute to the production and cure of diseases, and how much their fymptoms and appearances are diverlified by different seasons and by different food, no where more clearly appeared than in the fiege of Breda. We here faw the progress of the plague, fcurvy, and fuch like difeases, encreased upon the report spread of bad news, but in a manner altogether checked by the arrival of joyful tidings. We here beheld fome apparently relieved, many perfeetly cured, by their faith in imaginary Grief and fear greatly injure remedies. the human body, and in a particular manner give strength and vigour to the plague

and fcurvy.

But we proceed to relate the order in which these diseases occurred, and the influence of the various causes which gave rife and diverfity to their appearances. The preceding fummer being very warm and dry, produced inflammatory fevers, pains of the fide and breaft, and fore-throats of a mild nature. Soon after this the plague was brought hither by infection from Holland. In the autumn the weather was cloudy and rainy, with foutherly winds; the winter also proved wet and open, the feafon being windy though mild. Here the author very minutely describes the influence of fuch a state of weather, concurring with the various incidents of joy and grief, hope and despair, in diversifying the symptoms of that dreadful calamity, and in encreasing or abating the mortality of it. But as fuch remarks are foreign to our purpose, we shall only observe, that in the end of winter a frost came on, and put an entire stop to the plague. An universal joy now prevailed, occasioned by the daily arrival of messengers encouraging the befreged with the hopes of a fpeedy relief, and by their own army being already in fight. But these hopes were foon baffled, the attempts of the Dutch army proving fruitless. Scarcity of provisions encreasing in the town, and as the frost went off the moift and unwholesome vapours from

from the lakes, added to a damp cloudy rainy equinox, produced a new calamity.

The appearance of livid spots on the body, occasioned at first a general consternation. The surgeons who were ignorant, declared the plague to have broken out again; but upon a closer examination, it was found to be the scurvy. This disease seemed to absorb all others; so that for six weeks there was no talk of any other distemper in the town. The calamity became great and universal; sew escaped it; many deprived of all motion, wasting away by piece-meal, toothless and starved, as not being able to chew their food, died in a most piteous condition.

The fcurvy proceeded from grief and disappointment, as also from unwholsome food. The States of Holland had taken care to provide this city for a fiege, with rye, cheefe, and dried fish. The cheefe and fish had at times been renewed, but their flock of rye had been in store for thirty years, and was become quite spoiled and musty. Being altogether improper for baking, it was mixed up with other grain, and all who eat of it foon began to be attacked with the feurvy. Eating of the old cheefe, which was rotten, as also of dogs and horse-flesh, but particularly the wetness of the season, contributed much to the production of the diftemper: the air which the foldiers breathed, and the houses where they

they lay, being extremely damp. They also lay together, so received it by infection; for the disease proves infectious when persons use the same improper food, and breathe

the fame impure air.

In some the gums were rotten; in others fpots only appeared on the body, especially in fuch as had discharges of blood, which fometimes prevented, at other times diminished the swelling of the gums. The spots were chiefly upon the legs. They were also to be seen upon the back, arms, breast, neck, as likewife upon the face, even when the gums continued found; chiefly in fuch as took care to preserve their teeth, and were continually washing their mouth with aftringent compositions of falt, alum, and the like. At first the spots were red, then became purple, afterwards livid, and last of all quite black. The livid spots were very dangerous, but the black still more malignant and fatal. A few of the eruptions put on the appearance of a St. Anthony's Fire, and the cuticle afterwards fell off in scales. In most patients the skin was of a purple hue. An enervated, heavy and languid body, without having any complaint of real fickness, and a fœtid breath, were fymptoms common to all. The knees became afflicted with violent pains at times.

The tendons of the posterior muscles of

the thigh turned as rigid and hard as a piece of wood, fo that the leg being bent altogether back to the buttock, it became quite immovable; and of the joint in the knee, there remained no veftige. Exquisite pains were felt along the course of the sciatic nerve, and in the deep-feated joint of the thigh bone. Some expired fuddenly and unexpectedly when at their meals; especially those who had been troubled with palpitations of the heart. The heart itself is greatly affected in the fcurvy with palpitations, tremors, frequent stoppage of its motion, a frequent and great oppression, and a defect of natural heat; hence a redundance of watery and excrementitious humours in the whole body passing off by profule spitting, urine, and fætid sweats. In many the gums grew up to fuch a pitch as to bury the whole teeth, and fometimes part of the cheek bone dropped off. In this case the misery was intolerable, though the pains gave some little relief by short intermiffions; the gangrenous flesh of the gums not having been speedily removed; the taint had spread and preyed upon the bone. The difease was seldom accompanied with a fever, but frequently with a flux. Where there was a fever, it was generally flow and irregular. We observed one or two of these fevers somewhat to resemble the plague. The mouth was dry, though the patient had but little

little inclination to drink; the pulse was fmall and irregular; there were frequent retchings and at times an unspeakable uneasiness in the breast; hard, black, crusty abscesses appeared on the legs, the anguish of which occasioned often a pain, seldom a tumour in the groin. But fevers at this

time were very uncommon.

Of those who were afflicted with the flux, few escaped, and that with great difficulty. They afterwards became bloated, relaxed and dropfical. Watery swellings of the testicles were frequent. The unhappy patients took a diflike to drugs, and were apparently injured by the operation of violent purges. Some died early in the disease, viz. those who had feldom any evacuation of blood by the nose or stool and seemed from the beginning indolent, dispirited, and blown up as it were with wind. Their stools were greafy, fœtid, and of various colours, but not frequent. The blood drawn from the veins appeared livid, was fætid and thick, but did not coagulate. The discharges by stool in this disease were indeed commonly watery and greafy, but a flux did not relieve the disease. When there were acute pains of the belly, intestines, and stomach, in this case little hopes of life remained, by reason of the intenseness of the pains, the strength of the patient having been exhausted by the violence of the distemper.

stemper. In a word, whether the disease was protracted to a longer or shorter period, most died with an inward indisposition in the belly; the flux proving rather a diftinguishing fign of the scurvy than a critical

and falutary discharge.

It was observed before, that the scurvy broke out about the equinox, and it quickly encreased to an almost incredible degree. On the 20th of March, 1625, an account was taken of the number of patients, and there were found 1608 foldiers labouring under it. The fick were ordered to be claffed into three divisions; for the superintendance of each of which a physician, an apothecary, and two furgeons were appointed. Three hours were employed every day in vifiting and prescribing for the patients. We here beheld an exact picture of the difeafe, and at first, even during a time of scarcity, were fortunate enough in its cure. At this period fluxes were fo trifling and uncommon, that we gave no attention to them, directing our whole care to remove the difeafe itfelf (f).

The

<sup>(</sup>f) In the beginning, the shops being well provided with medicines, this decoction was usually prescribed. R. Lign. guaiac. lib. i. cort. ejusd. Ziv. rad. sarsæparil. Zi. ss. enul. camp. petrosel ää Zi. cort. tamarisc. rad. cappar. ää Zij. bacc. juniperi, lauri, sem. nasturt. bort. anist, sænicul. carv. ää Zvi. citri Zij. genist. Zss. berb. absinth. chamædr. scolopend. fumar. lupuli, aa m. ij. cinamom Ziv.

The number of the afflicted began afterwards daily to decrease, owing partly to the lucky circumstance of our spies having brought into the town a quantity of tobacco, by the use of which many were preserved from the disease, while others were recovered: to this likewife the more liberal use of wine, permitted at this time to be publickly fold, was supposed to have contributed its share: now also the days began to lengthen; the fun to shine forth with comforting heat, and the nights grew warmer; fo that in less than a month's time we found the number of fcorbutic patients reduced to 800. But these were left in a most pitiful condition indeed! the shops were now exhausted of medicines; the ordinary remedies adminstred did not avail; our provifions grew daily worse, and so scarce, that the corrupted grain, which by order of the magistrates had been formerly condemned was now ordered to be diffributed to the foldiers, and to complete our misfortunes, no appearance prefented itself of relief, all expectation from the Dutch army was gone: una salus victis nullam sperare salutem.

We were at this time quite at a lofs what measures to pursue: however we put on

the

uq. font. lib. cxx. coq. ad quartæ partis consumptionem. The following liniment was directed for the gums. R. Mel. lib. iij. fal. prunel. alumin. aa Ziij. ung. Ægyptiac. 31. 16.

the best countenance. We changed the medicines, extolled the efficacy of our prescriptions, doubled their dose, talked largely of the number cured, magnifying in every respect our skill and success. By these means we protracted time for near a month longer. But the miferably afflicted began to discover the deceit, particularly such of them as had been before shut up in befieged places, and had observed the like artifices practifed. The foldiers, no longer able to fuffer in a fituation harder to be borne than human nature is accustomed to. gave themselves up entirely to despair. They refused to do any longer duty, delivered up their arms to the Governor, and threatening a mutiny, conspired to furrender the city to the enemy. This the terriblest circumstance of all, viz. their abfolute despair, gave rise to a variety of mifery; hence proceeded fluxes, dropfies, and every species of distress (a), attended with a great mortality.

## Quis tibi nunc civis cernenti talia sensus.

The physicians at this time giving up entirely with the cure of the disease, direct their whole art to remove the flux, and alleviate the more pressing symptoms. Nothing was left unattempted to recal the drooping spirits of the soldiers, and to allay their

their turbulent minds. Recourse was had even to opium itself. By fuch means a truce was gained, but of short duration; for the evacuations being thereby stopped, the legs became more unwieldy. dropfy enfued, the tendons became rigid, and fudden death stepped quickly in to

put an end to farther woe.

On the 2d of May, 1625, when the Prince of Orange heard of their distress, and understood that the city was in danger of being delivered up to the enemy by the foldiers, he wrote letters addressed to the men, promifing them the most speedy relief. These were accompanied with medicines against the scurvy, said to be of great price, but still of greater efficacy: many more were yet to be fent. effects of this deceit were truly aftonishing! three small phials of medicine were given to each physician, not enough for the recovery of two patients. It was publicly given out, that three or four drops were fufficient to impart a healing virtue to a gallon of liquor. We now displayed our wonder-working balfams. Nor were even the commanders let into the fecret of the cheat put upon the foldiers. They flocked in crowds about us, every one soliciting that part may be referved for their use. Chearfulness again appears on every countenance; and an universal faith prevails in the fovereign virtues of the remedy.

medy. The herbs now began to fpring up above the ground; we of these made decoctions, to which wormwood and camphire were added, that by their prevalent flavour, the medicines might appear of no mean efficacy. The stiff contracted limbs were anointed with wax melted in rapefeed, or lint-feed oil. The invention of new and untried physic is boasted; and amidst a defect of every necessary and useful medicine, a strange medley of drugs was compounded. The effect however of the delufion was really aftonishing: for many were quickly and perfectly recovered. Such as had not moved their limbs for a month before, were feen walking the streets found, upright, and in perfect health. They boasted of their cure by the Prince's remedy; the motion of their oints being restored by a simple friction with oil, Nature now of itself well performing its office, or at least with a fmall iffiftance from medicine. Many who declared they had been rendered worfe by all . former remedies which had been administred, recovered in a few days, to their nexpressible joy, and the no less general surprife, by the taking (almost by their having brought to them) what we affirmed to be their gracious Prince's cure (b).

Soon (b) This curious relation would perhaps hardly gain

credit, was it not in every respect consonant to the most accurate

Soon after this their old calamity the plague broke out again. Not one in a hundred escaped of those who were seized with it. So that a victorious Spanish army, an eight months famine, the rage of the plague within, and the fury of the bombshells from without, depopulating and laying waste the city, the promiscuous funerals of parents and friends, the dismal apprehensions of a disheartened and reduced garrison, want of medicines and common necessaries, bad and unnatural food, having all conspired to the ruin of this

accurate observations, and best attested descriptions of the disease. See Lord Anson's voyage, part 3. Item, Mr. Ives's journals, p. 94, &c. It is given us by an eyewitness, an author of great candour and veracity, who, as he informs us, wrote every day down the state of his patients; and seems more to be surprised with their unexpected recovery, than he possibly would have been, had he formerly been better acquainted with the nature of this surprising disease. These sacts were then also notoriously known to many, at the time when he published his book,

viz. the fecond year after they happened.

Might not the speedy recovery of the patients be partly owing to the decoction of the green herbs beginning to sprout up? Be that as it may. An important lesson in physic is here to be learned, viz. the wonderful and powerful insluence of the passions of the mind upon the state and disorders of the body. This is too often overlooked in the cure of diseases; many of which are sometimes attempted by the sole mechanical operation of drugs, without calling in to assistance the strong powers of imagination, or the concurring insluences of the soul. Hence it is, that the same remedy will not always produce the like effect even in the same person, when given by different hands; and that common cures often prove wonderfully successful in the hands of bold quacks, but do not answer the purpose in a timorous and distrustful practitioner.

this important place, it was furrendered by

capitulation in June.

As to the fcurvy. This calamity proved most fatal to the English foldiers, as they very early began to feed on dogs flesh, were in want of their beloved tobacco, and lay in the most wet damp barracks. It was much less frequent among the Waloons and Flemings, they being more careful and delicate in their diet, and having much better quarters. Among the French it was feldom to be met with, owing entirely to their being stationed in the driest part of the town, and to their natural sprightly disposition, which kept them constantly employed in some motion or exercise, singing, and the like. I do not here touch upon the many different fymptoms described by authors in this disease; those that occurred in this fiege, I have faithfully related. From which it will appear, that the fcurvy is not a complication of many different diseases, but is itself a simple identical disease. It is extremely difficult, during the time of a long close fiege, to preserve the citizens and foldiers from this cruel difaster. I am perfuaded the best method would be to permit them the use of brandy or spirits during a cold moift feafon, and when wholesome food is wanting. Washing the mouth with brandy is excellent for preferving the gums and teeth.

1627. Gul. Fabricii Hildani observ. et

curationum chirurgic. cent. 5. obf. 5.

There is here a short letter to the author from Ludov. Schmid, giving an account of the Prince of Baden's youngest son, a child of fourteen months, afflicted with the scurvy, who was cured with antiscorbutic medicines. Hildanus, in his answer, mentions an obstinate scorbutic ulcer cured likewise by antiscorbutic medicines; which is all that is to be met with on this disease in the works of that celebrated practitioner.

1633. Joannis Hartmanni praxeos chymiatrica, p. 345. de scorbuto. Ed. Genev.

Opus postbumum.

He is the first who observes the pernicious effects of mercury in the scurvy; for the cure of which he relies much upon some chemical preparations (a).

1640. Lazari Riverii praxeos medica

lib. 12. cap. 6. de scorbutica affectione.

As the scurvy was hitherto so little known in the southern parts of Europe, that it had not been so much as mentioned by any author there, he likewise would have omitted treating of it; the disease never appearing in France, attended with all the symptoms described by northern writers. However, as diseases were observed accompanied with some

<sup>(</sup>a) Tartar. vitriolat. Spir. vini tartarizat. &c.

Chap. II. Faculty of physic at Copenhagen. 357

fome of its fymptoms, and as those authors inform us, that one symptom peculiar to the distemper was sufficient to discover it, he would therefore describe it. But as it was by no means common in his country, where most physicians believed they had no such disease, he does not pretend to describe the true scurvy; therefore calls it the affection scorbutica, as approaching near to it. He thinks the scurvy nothing else but the bypochondriac disease, attended with such extraordinary and unusual symptoms as denote a degree of malignity.

1645. Consilium medicæ facultatis Haf-

niensis de scorbuto.

This was published for the benefit of the poor in the country, and is divided into four sections. The 1st recites the cause of the disease, and the signs by which it is known; the 2d, how it may be prevented; the 3d, how it ought to be cured; the 4th, what is proper for the removal of the chief symptoms.

Sect. 1. They observe, that it is a disease frequent among them and other northern nations. It attacks the patient in various shapes, according to his habit and constitution, or other diseases with which it may be complicated. Its immediate cause, is a bad digestion, owing to a crude, corrupted humour, oppressing the organs, A a 3 both

358 Faculty of physic at Copenhagen. Part III. both of the first digestion in the stomach, and of fanguification. Hence ensue for the most part difficulty of breathing, fwelling, putrefaction, and bleeding of the gums; loofe teeth; a weakness, swelling, and stiffness of the legs; spots, and the like. The external causes are, 1. The impure, gross, moist, and cold air of their country; those persons being most subject to it who live in the northern parts near the fea, or where they are furrounded with lakes. 2. Gross and corrupted food, viz. bad bread, not fufficiently baked, made of spoiled flour; salted and dried flesh and fish; old cheefe; rancid butter; peafe, and other grains, when spoiled; together with unwholesome malt liquors. 3. Those of a fedentary inactive way of life are most afflicted with it; together with those, 4. who are apt to be costive, or labour under a fuppression of any natural evacuation; as also the low-spirited and dejected. 5. This difease often succeeds others; such as obstructions of the liver and spleen, and particularly quartan agues. It is likewife hereditary and infectious. From these external causes proceeds the internal or immediate cause of the disease before mentioned. Although the feurvy may not eafily be difcovered in the beginning, by reason of its appearing under the form of other diseases; as also from its unexpected and flow attacks,

## Chap. II. Faculty of physic at Copenhagen. 359 tacks, (so that, in countries where it is prevalent, we are to suspect anomalous difeases not yielding to the usual remedies, especially if the patient is of a melancholy disposition, to be scorbutic); yet when the distemper is violent, it is easily known. It is usually preceded by a lassitude over the whole body, weakness of the legs, difficulty of breathing when walking, a livid colour of the face, and by a greater fulness of the habit of body. In its progress, flying heats become troublesome; the gums itch, with a great flow of faliva; the urine is fometimes turbid, at other times quite watery. When farther advanced, the difficulty of breathing is fo great, that the patient cannot walk or move himself but he falls into a faint; of which he recovers when laid in bed. It is attended with colic pains; the gums are fwelled, and bleed upon the least touch; the teeth are loofe, and fall out without pain, the flesh at their roots being quite putrid; the breath is fœtid; the legs fwell, and grow stiff, fo that the patients cannot walk. Sometimes on the legs, and even over the whole body, there appear various red, purple, or azure spots. Now and then they are afflicted with the St. Anthony's fire, malignant ulcers, and nocturnal pains; and fometimes the body wastes away. Different fevers, and various symptoms,

Aa4

almost

## 360 Faculty of physic at Copenhagen. PartIII.

almost of every kind that can be mentioned, often accompany this difease. The urine is turbid, thick, and clayish, of a purple colour; but it does not long retain the same appearance. The pulse is variable; fometimes weak, at other times strong, when the patient seems very weak; and fometimes it is scarce to be felt. This difease is easily removed by proper remedies in the beginning; but when advanced, it is not fo eafy to prevent relapfes. When proper diet and medicines are neglected; health is feldom restored. It commonly ends in a dropfy or confumption. A difficulty of breathing, and black spots on the legs, are dangerous symptoms; as also continual pains and flatulencies about the navel. An hereditary fcurvy is feldom cured. It is a more dangerous disease in old persons than in young. When the mouth is affected, remedies are speedily to be used; otherwise the disease spreads farther, and may infect the whole throat. Fevers and ulcers accompanying this difeafe, cannot be cured without the affiftance of antiscorbutic medicines.

Sect. 2. Prevention is proposed, by living in dry lodgings; fumigating the apartments with the steam of aromatic woods and gums; and by avoiding such food as has been observed productive of the disease. For this is likewise recommended the use of a wine medicated

## Chap.II. Faculty of physic at Copenhagen. 361

medicated with wormwood; and several other warm, bitter, aromatic ingredients. The body is at all times to be kept in a lax state, and the other evacuations (especially when suppressed) are duly to be promoted. Exercise, baths, physic in the spring and autumn, are also necessary. Those, who are much subject to it, are to take now and then two or three spoonfuls of an antiscorbutic water; which may be made more pleasant and stronger, by adding occasionally some of their scorbutic syrup, which is the same with Forestus's (a).

Sect. 3. and 4. containing the indications of cure, and the treatment of the symptoms, have nothing new; the rules being pretty much the same as those of Albertus. The whole is concluded with a number of long prescriptions, adapted to the various intentions of prevention and cure. Here the prices of the several medicines are marked for the barest of the poor

for the benefit of the poor.

his writings, of fach cales as he deemed

<sup>(</sup>a) R. Rad. raphan. rust. lib. iii. scorzon. unc. ii. cort. rad. cappar. tamarisc. ana unc. ss. sol. cochlear. nasturt. aq: petrosel. becabung. recent. ana manip. iii. sem. cochlear. cardui bened. aquileg. semicul. ana dr. iii. crem. tartar. dr. ii. gran. paradisc. cardamom. ana dr. i. Affunde vini Rhenan. lib. xii. aq. cochlear. sumar. ana lib. i. Stent in digestione 24 horis, dein per cineres destillentur. Or they may take the juice of scurvygrass mixed with wine; or their elect. scorbuticum, which is the conserves of several antiscorbutic herbs, with the addition of a very small quantity of spir. vitriol.

1647. Bericht und unterricht von der kranctheit des schmertzmachenden scorbocts: or, An account and information concerning that painful disease the scurvy. By John Drawitzs.

This book has undergone no less than four editions, being esteemed the best written upon the subject in the German language. The diseases treated of as proceeding from the scurvy, are as follow. 1. The gout. 2. A spasmodic disorder. 3. The palsy. 4. Pains in the extremities, though not in the joints. 5. The headach. 6. The toothach. 7. The pleurify. bellyach; or the fcorbutic colic, and iliac paffion. 9. A pain about the os facrum, back, and perinæum, refembling a true fit of the stone. He had been informed from the East-Indies, that the failors there were speedily and effectually cured of the scurvy, by eating oranges; which he finds great difficulty to reconcile to his theory of the difease. He had also heard from Dantzick, that some masters of ships carried out with them an acid water, got in the preparation of diaphoretic antimony, which prevented the fcurvy at fea.

1662. Baldassaris Timæi opera medicopractica.

This author gives us many histories in his writings, of such cases as he deemed scorbutic,

scorbutic, viz. Book 1. of practical cases and observations; case 3. a scorbutic headach; case 7. a scorbutic delirium; and case 15. the hypochondriac melancholy beginning with the scurvy. In his 3d book, case 24. an hydrops ascites, joined with the fcurvy; and case 32. the affectio bypochondriaca, with this disease also; case 35. a scurvy and atrophy, of which the patient died; case 36. the arthritis vaga scorbutica. Book 6. case 15. scabies pruriginosa scorbutica. Book 8. case 15. a scorbutic tertian;

and case 18. a scorbutic quartan.

In his epistles, book 3. epistle 10. 11. and 12. the cachexia scorbutica; epistle 20. and 28. the affectio bypochondriaca scorbutica; and book 5. epiftle 9. the arthritis vaga. His method of cure, which has nothing new in it, is to be found in the 34th case of his 3d book, by which he fays he generally fucceeded, unless the fcurvy was hereditary, or very deeply rooted: as likewife in the 29th and 30th epiftles of his 3d book; where we have the treatment of the Queen of Sweden, when labouring under this difeafe, by the celebrated Hermannus Conringius. And there (epiftle 29.) we have mention made of a new feorbutic fymptom, by Otto OEslerus, viz. a burning internal pain, feated in the mesentery, attended with violent thirst, and colics most violent in the night.

de varis, seu arthritide vaga scorbutica, tractatus.

He makes the scurvy a most universal disease, a calamity common almost to all mankind. Its cause is, a volatile salt in the blood, endued with great acrimony and malignity. The last of these properties he thinks demonstrable, from the sudden weakness and prostration of strength, great oppression and difficulty of breathing which occur even in the beginning of the disease, as if the patient had swallowed poison; as also from an eruption of livid spots, which often make their appearance after death.

1667. Thomæ Willis tractatus de scorbuto.

He sets out with telling us, that a great variety of symptoms, and diseases of the most opposite kinds, are supposed to proceed from the scurvy; which, like a condemned and infamous name, has the scandal of most diseases charged to its account. How far he clears up this confusion, or has abridged the number, will appear by the following detail he gives of scorbutic symptoms. He observes, that no simple description or definition of this distemper can be given; and, consequently, that the best method of describing it, is according to the different parts affected of the body; in all which it produces manifold symptoms.

He

He begins with the head: where the fcurvy causes headachs, violent and habitual; and sometimes vague, or periodical; oftentimes sleepiness, and dulness of the spirits, at other times obstinate watchings; frequent giddiness, convulsions, palsies, salivations, ulcers of the gums, loose teeth, and fœtid breath.

The breast is affected with pains in different parts of its membranes, chiefly on the breast-bone, where they are very violent, acute, and darting; frequent asthma's; difficult and unequal respiration; straitness of the breast; violent cough; irregular pulse; palpitation of the heart; frequent faintings, and the continual dread of them.

In the abdomen, where this difease has its principal seat, it begets a multitude of evils, viz. nausea, vomiting, cardialgia, slatulencies, frequent colics, and most troublesome shifting pains; and almost constant purging, sometimes the dysentery, or tenesmus; the atraphia, and now and then the ascites. The urine is very often reddish and lixivial, having a cake suspended in it, or adhering to the sides of the glass: and sometimes, though seldom, a great quantity of pale watery urine is discharged.

In the limbs, or even over the whole body, there are wandering pains, often very acute, and becoming worse at night; a lassitude; wasting of the sless; pain of the back; a weakness of the other joints; spots of

various

various colours on the skin; tumours, tubercles, and often malignant ulcers; a stupor or stinging pain about the muscles; a sense of cold as it were in the parts; contractions and fubsultus of the tendons. Besides these, scorbutic people are subject to irregular effervescencies of the blood, irregular fevers, and profuse hæmorrhages. He concludes this long detail with observing, that these are the most common and usual symptoms of the fcurvy, fometimes more, fometimes fewer, of this or that kind, afflicting the diseased: but besides what have been already mentioned, there occur in it more uncommon and extraordinary appearances.

The principal causes are, unwholesome air, and a vitiated texture of the blood by preceding fickness. In this distemper, either the blood, nervous juice, or both are affected. The fault of the blood is its being either sulphureo-saline, or salino-sulphureous. If the first be the case, and the sulphurs superabound, then repeated bleedings, a cooling regimen, and the most temperate remedies are proper; avoiding above all things the hot and acrid antiscorbutic medicines. But, on the contrary, where there is the falino-fulphureous state, and the falts of the blood are predominant, then the warmer medicines are proper, and fuch as are poffessed of a volatile salt, together with steel and

and the like. The fault in the nervous juice is threefold. It is, 1/t, Either too thin and poor; or, 2dly, It has degenerated from its spirituous saline nature into a sharpness; or, 3dly, It may abound with foreign and morbid particles. And according to these imagined saults in the blood and nervous juice, he makes a second distribution of the symptoms, and accounts for the whole number he enumerates in this disease, which he supposes to be hereditary and infectious.

The indications of cure are divided into three classes. I. The preservatory; under which he gives the process of cure, or rather the method in general of removing the causes of the disease. 2. The curatory, or means of alleviating and relieving the most urgent symptoms. The 3d comprehends what he calls the vital indications, or the means of preserving and restoring the

strength and health of the patient.

The cure is accomplished by purging, digestive and antiscorbutic medicines; with blood-letting occasionally repeated. If the stomach is much disordered, or oppressed with phlegm, he gives a vomit, weaker or stronger, according to the strength or habit of the patient. This in some he repeats every month, where it is indicated: otherwise he begins the cure with a purge, which he repeats occasionally, and of a different kind,

kind, fuited to the warmer or colder constitution of the patient; or, to use his own terms, according as the dyscrasy of the blood is sulphureo-faline, or nitro-sulphureous. In both cases he furnishes us with variety of prescriptions; observing, that they should be repeated no oftener than at an interval of five or fix days; as too violent and frequent purges ferve only to weaken the tone of the viscera, and strength of the patient, without removing the disease. After once or twice purging, if a fulness of blood, and its viscidity, make it necessary, the patient is to be bled in the arm, or with leeches in the hæmorrhoidal veins; rather repeating the operation, than taking away too much at a time. Those evacuations being made according as they are feverally indicated; provided no particular fymptom be urgent, he proceeds to the general method of cure, viz. removing the cause, and extirpating the disease. For these purposes, the digestive and specific antiscorbutic medicines (divided into two classes, viz. hot and cold) are to be given every day, unless when under the operation of a purge; to these, if needful, sweating medicines may be joined (g).

<sup>(</sup>g) He calls those digestive medicines, which assist or restore the functions of the stomach, and other chylopoietic viscera; and antiscorbutics or specifics, such as remove the scorbutic dyscrasy of the blood: both which are to be joined together, or at least given the same day. Cremor, sal, or tinctura tartari, tartar. vitriol. chalybeat. el. propr. &c. are proper digestives. They are to be administered in a small dose, evening and morning.

For the cold scurvy, he abounds with an ample variety of antiscorbutic compositions (b).

In the hot scurvy, the more cooling and temperate antiscorbutics are necessary (i).

After having delivered the cure of the disease in general, he proceeds to the indications for removal of the most urgent symptoms (k).

He

(b) Cochlearia, nasturtium aq. becabunga, cort. winteran. bacc. juniper. rad. raphani, and other acrid aromatic herbs and roots, together with their conserves, the candied spices, pulv. ari comp. steel, &c. He has often successfully prescribed the following remedy. R. Sum. genistæ manip. iii. minutim incis. Coquant. in cerevis. fort. lib. iii. ad medietatem. Two or three ounces to be given twice a-day.

(i) Of these he gives the same variety; making use, in most prescriptions, of the testaceous powders, the absorbents, sal. absinth. &c. He recommends wines made of gooseberries, and other summer fruits, but especially cyder: observes rad. lapathi acuti to be among the best of our antiscorbutics. This insused in ale, with brook-lime, watercresses, sliced oranges, citrons, pine-tops, &c. makes a

noble remedy.

(k) For a difficulty of breathing, and afthmatic fits, he recommends cardiacs and antispasmodics, viz. sp. cornu cerwi, tinet. caftor. flor. benzoin. el. propr. &c. given in any scorbutic liquor. If the dyspnæa be entirely spasmodic, opiates afford the greatest relief: acrid glysters, sudorifics, and diuretics, are likewise serviceable. In scorbutic diforders of the stomach, vomits, purges of rhubarb, el. propr. &c. with fomentations to the part, are necessary: opiates sometimes give ease. In scorbutic colics, glysters are to be given; fomentations, liniments, and cataplaims, used externally; and opiates internally, especially when joined with purgatives: the testaceous powders are proper; likewife the use of some purging mineral water, as Epsom. An inveterate diarrhæa, fuch as scorbutic persons are subject to, is not to be stopt by astringents: the mineral waters impregnated with steel and vitriol, are in this case He afterwards relates a fymptom which he had observed three or four times, viz. a crackling of the bones upon moving the joints. Even upon turning in bed, by the rubbing of the bones of the back on each other, a considerable noise was perceived, like to the rough handling of a skeleton; which he remarks is an almost incurable symptom.

Lastly, We have what he calls the vital indications. He here directs the use of cordials, restoratives, opiates, &c. together with a proper diet. He blames the immoderate use of sugar in the present age, for the frequency and violence of the scurvy; and concludes with some histories of cases.

A treatise of the scurvy. By Everard Maynwaringe.

To the causes of this distemper usually assigned by others, he adds the use of to-bacco, and immoderate venery; particularly the first, which he inveighs against at great length. He condemns all former theories and methods of cure recommended by authors; pretending to be possessed of most effectual remedies; which, however, he does not make public.

the best medicines; and next to these, preparations of steel, especially its crocus. A vertigo, faintings, palsy, and convulsions, require a mixture of cephalic and anti-scorbutic remedies. The other symptoms are to be treated likewise with such medicines as are proper for the original diseases compounded with antiscorbutics.

1669. Praxeos Barbettianæ, cum notis Frederici Deckers, lib. 4. cap. 3. de scorbuto, et affectione hypochondriaca male vulgo dicta

bysterica.

Barbette gives a description of the scurvy, and its fymptoms, pretty much from Eugalenus: cautions against bleeding, and violent purgatives, in the cure; but thinks gentle physic proper at times, and that the diseased humour should be prepared by inciding remedies; the most proper for this purpose being volatile falts. After a long lift of the common antiscorbutic medicines (to which Deckers subjoins many more, adapted to the particular fymptoms of the difease) he observes, that the spirit of scurvy-grass and dulcified spirit of fal ammoniac, are the principal remedies. He concludes with two cases: one a young man not able to walk through his chamber, who recovered in feven days by a decoction of rad. rapbani in whey; another, a merchant, having fcorbutic fpots, who was cured by the use of spir. sal. ammoniac. and proper diet. Deckers adds another cafe, and feemingly a very genuine fcurvy, which was removed by fourteen drops, for a dofe, of the sp. sal. ammoniac. given in an infulion of rad. rapbani in wine.

1672. De scorbuto liber singularis; auctore Gualtero Charleton.

Observing it might be a task fit only for fove himself to give an accurate account of B b 2 the

the scurvy, and all its symptoms, he thinks it necessary to give only a catalogue of those which most frequently occur, and are the most afflicting. In this number he ranks almost all the fymptoms enumerated by Eugalenus, Sennertus, and Willis; and afterwards distinguishes the disease itself into three kinds, from its different causes. The first is denominated a rancid scurvy, from the predominancy of the fulphurs in the blood combined with fome of its falts; the fecond, a scurvy from fixed salt, where the tartareous or terrestrial faline particles prevail; and the third, an acid scurvy, owing to a sharpness and acidity of the blood and juices.

The fymptoms peculiar to the first species, are, spots, pustules, tubercles, and ulcerations, upon the external parts of the body; internally, heartburn, vomiting, purging, colics, together with frequent effervescencies of the blood. When this species of the fcurvy is inveterate, the nervous system becomes affected. The fymptoms are then, a giddiness; tensive headach; sleepiness, or immoderate watchings; the night-mare, and

fometimes madnefs.

Of the fecond species, the symptoms are, straitness of the breast, palpitation of the heart, and faintings; numbness and lassitude of the body; convulfive motions, and wandering pains in the joints.

In the third, or acid fcurvy, there are continual irritations of the nerves; which are increased by the slightest passion of the mind; frequent rigors (a certain fign of acidity in the humours); a fense of cold in the back part of the head, and spine of the back, fometimes running through the limbs; flatulent spasms; convulsions, and what are commonly called byfteric complaints; fometimes costiveness; at other times the dysentery; melancholy, with dread and despair; atrophy; ulcerations; laftly, a gangrene, which generally closes the scene. From this acidity in the blood, proceed likewife, palpitations of the heart; a fudden stoppage of the pulse, attended with great oppression on the breaft, ending in a faint, and a cold fweat. When this species of the scurvy has become inveterate and confirmed, it begets most violent and dreadful fymptoms, viz. intolerable nocturnal pains, cancers, &c.

In the cure of the first species, we are to begin with gentle cholagogue purgatives prudently administered and repeated, and with bleeding, if the disease is but commencing; proceeding to the digestive or temperate alterative medicines, that may correct the hot sulphureo-saline state of the humours (1).

Bb3 Fo

<sup>(1)</sup> If the patient be of a hot temperament, and lean, fcurvygrass, and other hot antiscorbutics, are to be avoided. Asses milk with juice of dandelion, or a water distilled from the milder

For cure of the fecond species, proceeding from a fixed falt, the only proper medicines are those which abound with a volatile falt,

viz. the warm antiscorbutics (m).

The cure of the third species, or acid fcurvy, is to be begun with gentle laxatives, which makes way for bleeding; proceeding afterwards to deobstruents (such of this class as are mild) joined with temperate antifcorbutics, but especially such remedies as are proper in the hypochondriac disease with obstructed vilcera. Afterwards he endeavours to correct the acidity (n). The cure here, as in the before-mentioned scurvies, is to be concluded by corroborants; fuch particularly

milder antiscorbutics with cyder or cows whey, is then to be used. A pint of warm whey, with the addition of ten drops of sp. cochlear. or sp. sal. d. may be drank night and morning for some weeks together. The mineral waters are likewife ferviceable; observing at the same time proper rules with regard to diet and exercise. After those courses (during which the patient must take a purge every week) the cure is to be compleated by restoratives and corroborants. The best is, a small subacid wine, medicated with the temperate, but aromatic and stomachic antiscorbutics, or confections of the subacid fruits, &c.

(m) Digestive and cathartic medicines must be interposed at times, together with fudorifics and diuretics, according to the tendency of the tartareous humour to the skin or kidnies. Steel mineral waters are to be used, if the patient is of a hot temperament. After those courses, recovery is to be perfected by corroborants and analeptics. The

best of these is fennel-wine.

(n) Volatile salts of any kind, or the testaceous powders, lixivial falts, oily emulfions, and chalybeate medicines. Milk almost of any kind is proper; as likewise whey medicated with the temperate antifcorbutics; broths of fnails, cray-fish, Oc.

particularly as are recommended by authors at the close of the hypochondriac disease.

He finishes his book with laying down the method of removing several of the most urgent symptoms in this disease. The principal of which are to be treated with antificorbatics joined to the remedies proper for such diseases.

1674. Francisci Deleboe Sylvii opera medica.

This celebrated author has little upon this disease but theory. He only observes (o) that there is no distemper in which volatile salts are so efficacious and necessary as in the feurvy; herbs abounding with these falts, as scurvy-grass, rochett, cresses, horse-radish, and mustard-seed, being its best remedies. In imitation of those, for many years past he had given, with great fuccess in this distemper, volatile salts obtained from different parts of animals. Moreover, acids that are spirituous, either of the natural or chemical fort, are likewise serviceable in the feurvy, viz. juice of oranges, forrel, &c. sp. sal. vel nitr. dul. For cure of the scorbutic spots observed after the epidemical fever, of which he is there treating, he mixed these volatile falts and spirituous acids together; which proved very ferviceable, and fudorific.

Bb 4
(0) Prax. medic. append. tract. 10. § 863, &c.

1675. The difease of London; or, A new discovery of the scurvy. By Gideon Harvey. He divides the disease into two great branches, viz. a mouth-scurvy, and legfeurvy. To which a third may be added, which he calls the joint-scurvy. They are thus denominated from the parts affected, The immediate cause of the first, is an acid lymph in the stomach; the occasional causes being the frequent use of mercury, a faline air, falt diet, brackish water used for brewing of ale, gluttony, debauchery, &c. The fecond, or leg-scurvy, he attributes to a cause opposite to that of an acid, viz. a lixivial alcalious falt. He terms it a saponary state of blood. The occasional causes of this are pretty much the same with the former, viz. faline air, and falt food; the use of sea-salt, diffilled spirits, and tobacco. An acid scurvy continuing long, changes into a faponary feurvy; or is followed with fwelling and ulcers of the legs, &c. He afterwards makes many other distinctions in this disease, For a preservative against it he recommends change of air, and wholesome, nourishing, eafy-digested food. In the cure, bleeding is proper, and iffues both for that and its prevention. In the mouth-fcurvy, they are to be put in the left arm; in some cases in the neck, or right arm; in the leg-scurvy, above the knee; in the joint-fcurvy, more than one are to be made. Aloetic pills are amongst

amongst the best preservatives against this distemper. They are to be given in the cure of a recent, or even inveterate scurvy: but at the same time are proper only in the acid kind; as the laxatives in the lixivial or faponary scurvy must be of the mildest fort. The acid fcurvy requires warmer medicines; the lixivial the more temperate, cooling, mucilaginous, &c. He concludes with the cure of a stomachic scurvy, hepatic, &c.

1681. Abrahami Muntingii de vera antiquorum berba Britannica, ejusdemque efficacia contra stomacacen seu scelotyrben, Frisis et Batavis de Scheurbuyck, dissertatio historicomedica.

He pretends, after much labour, to have discovered the true berba Britannica of the ancients, which had been unknown to the world for many ages, viz. that celebrated plant which, according to Pliny's account, cured the Roman army under Cafar Germanicus (fee p. 290.). He would have it to be hydrolapathum nigrum (a), the great water-dock; and bestows the most extraordinary encomiums upon it; giving inflances of feveral remarkable cures performed by its ufe, in the fcurvy.

<sup>(</sup>a) An infusion of this herb, under the name of its essence, has for some years past been sold in London as a great specific for the scurvy, to the no small emolument of the proprietor, Dr. Hill.

1683. Traité du scorbut, par L. Chameau. The scurvy is in a particular manner frequent among the English, as the author had observed during his residence for some time among them; and for their fakes chiefly he published his book. He makes it to be a contagious dissolution of the blood, by a very acrid fubtile falt: confutes the diffinctions made of the disease by Dr. Willis, and extols milk as the most excellent antiscorbutic remedy; accounting all warm and acrid medicines for the most part pernicious.

Une voyage aux Indes orientales, ecrit par M. Dellon, M. D. Supplement, chap. 2. Of the scurvy, called by the French the land evil.

This is the most dangerous and troublefome of all the distempers incident in a long voyage, being contagious, and scarce ever to be cured at sea. The symptoms first appear in the mouth and gums, which fwell, grow black, and emit a disagreeable scent. Deep incisions are requifite in order to remove a confiderable quantity of corrupted flesh and matter, which not only loofens the teeth, but makes them fall out. The next symptoms that appear are certain black spots on the arms, legs, and thighs, and then over the body. The broader these spots are, and the nearer the heart, the more dangerous is the distemper. The corruption in the gums, and blotches blotches over the body, are followed by a nausea, laziness, fainting fits, pains in the head, arms, and legs, and last of all with a looseness. There is seldom any fever; the pulse in this malady declining very little from its natural state.

For prevention he recommends that the ship be victualled with found wholesome provisions; that she be kept neat and clean, washed with sea-water every day, and sprinkled with vinegar twice or thrice a week. Each person on board ought to provide himself with juice of citrons, lemons, ros folis, and dried fruits, especially prunes, and not to abstain long from drinking. But if the difease has already made its attack, then he proposes first a moderate bleeding, a little gentle physic, and above all repeated clysters, if there is not a scarcity of water on board. The gums are to be rubbed with a mixture of vinegar or juice of lemons with some falt, until they bleed. The blotches on the body are to be washed and rubbed with warm fea-water until they fmart: or (if it can be got) with the blood of a fea hog, which has been found by experience to have a specific quality against this evil. If in spite of all endeavours the heart becomes affected with the malignant vapours from the corrupted parts, recourse must be had to cordials. From the first attack of the disease, the patient must abstain from

from every thing falted. If he cannot have fresh provisions, he must feed on rice, barley, and prunes, and drink wine mixed with water, which will be of greater service to him than all the cordials in the ship. He concludes with telling us, that it is of great use to send the sick on shore in hot weather or in warm countries; but if the ship comes to an anchor in a cold climate, the utmost care is to be taken not to expose them to a cold air. They are rather to be kept up close and warm, sweating being conducive to their cure, especially if at the same time they are provided with a good diet of easy digestion, and good nourishment.

febeurbuik en des selfs toevallen: or, A curious treatise on the scurvy, and its symptoms. By Stephen Blancard. Ejusdem praxeos medicæ cap. 15. de scorbuto.

Though Willis and Charleton have written the best upon the scurvy, they have not yet solved all the dissiculties that occur in it; which this author thinks he does by his theory of fermentation, sounded upon the Cartesian philosophy. The malady proceeds from a thickness of blood. Of this there are two kinds, viz. a cold and phlegmatic viscidity; or there may be a heat and an acidity in that sluid: hence the disease is properly divided into a hot and cold scurvy.

In the first species, whatever incides and attenuates viscid pituitous humours, such as the warm aromatics and spices; in the other (or acid scurvy) the testaceous powders, and all other absorbents; fixed, volatile, and alcaline salts; chalybeats, but particularly drinking of tea and coffee, are the proper remedies. Bleeding is of no use. Vomits and purgatives are sometimes necessary. All acids, viscid and salted soods, are pernicious.

1684. Jo. Dolæi medicinæ theoretico-practicæ encyclopædiæ lib. 3. cap. 12. de scorbuto.

The scurvy is a disease nearly allied to the hypochondriac disease, being an acid indisposition of the blood. He pretends to cure all scurvies in twelve days, by mercury dulcified in a particular manner.

1685. Michaelis Ettmulleri collegii practici de morbis humani corporis part. 2. caput ultimum, exhibens duos affectus complicatissimos; nempe, malum hypochondriacum, et scorbutum.

He accounts the scurvy the highest degree of the hypochondriac disease. All the symptoms of this latter occur in it, besides many more. He has nothing new, all he says being transcribed from other authors; but confounds the two diseases together, so as to make steel, and most other remedies proper in the hypochondriac disease, useful

in the scurvy. He observes, that mercury is extremely pernicious in the fcurvy; and fo much dreaded by the Dutch, that even in venereal cases, they were afraid to use it, on account of their fcorbutic habits of body. Dutch seamen carry to sea mustard-seed, which both preserves them from the disease, and cures it. In winter, when the antifcorbutic plants cannot be procured, a composition with mustard-seed is to be prescribed (p).

1685. Thomæ Sydenham opera universa.

The author has no where treated expressly of this difease, but in a posthumous work ascribed to him (q). There the scurvy is faid to be accompanied with, 1. spontaneous lassitude; 2. heaviness; 3. difficulty of breathing, especially after exercise; 4. rottenness of the gums; 5. fætid breath; 6. frequent bleeding at the nose; 7. difficulty of walking; 8. a fwelling fometimes, at other times a wasting of the legs; on which spots always appear, that are either livid, or of a leaden, yellow, or purple colour; 9. a fallow complexion. For cure, eight ounces of blood are to be taken from the arm, provided there be no fign of a dropfy; next morning a purging potion is to be given, and repeated twice, at the interval of three days betwixt each dose. On the intermediate days the anti-

(p) Phytolog. p. 98. Vid. Sinap. (9) Processus integri in morbis fere omnibus curandis. antifcorbutic medicines are to be used, and continued for a month or two (r). But the more genuine sentiments of this candid author are to be found in his other works.

Cap. 4. de febribus continuis, ann. 1661, 62, 63, 64, he observes, that the two great subterfuges of ignorant physicians, were malignity and the scurvy; which they blamed for disorders and symptoms often owing to their own ill management. Thus, whatever bad and irregular symptoms have been brought on in fevers, perhaps by their unseasonable evacuations, these they ascribe to the malignity of the disease; but if the long continuance of the distemper should wipe off this aspersion of malignity, whatever afterwards obstructs the cure must be the scurvy; both of which are blamed without reason.

Sect. 6. cap. 5. de rheumatismo. To deliver my sentiments freely, though I do not at all doubt that the scurvy is to be met with in these northern countries, yet I am persuaded it is not so frequent as generally supposed. For most of those disorders we term scorbutic, are the effects of approaching ills

(r) R. Conf. cochlear. hort. unc. ii. conf. lujulæ unc. i. p. ari comp. dr. vi. fyr. aurantior. q. f. F. elect. Of this the quantity of a large nutmeg is to be taken three times a-day, with fix spoonfuls of the aq. raphan. comp. or aq. cochlear. recent. The patient is to have for common drink, an infusion of horse-raddish, scurvygrass, raisins, and oranges, in small beer or in white wine. Those medicines are likewise beneficial in the scorbutic or hysteric rheumatism, bleeding and purging excepted.

not yet formed into diseases, or the relics of some disease imperfectly cured. Thus, for instance, where a matter suited to produce the gout is newly generated, there appear various fymptoms, which occasion us to suspect the scurvy; till the formation and actual appearance of the gout remove all doubt concerning the distemper. And in the fame manner, many fymptoms ascribed to the fcurvy afflict gouty people after the fit is over, especially if it has been improperly treated. And this is to be understood not only of the gout, but also of the dropfy. The proverb is, That where the fcurvy ends, there the dropfy begins; which is to be understood in this fense, that, upon the appearance of the dropfy, the preconceived opinion of the fcurvy falls to the ground. And the same may be faid of several other chronic difeases that are but forming, and others that are not totally cured. He however thinks, there is a species of rheumatism near akin to the scurvy in its capital fymptoms, and which requires the fame method of cure. The pains shift from one place to another; rarely occasion a swelling; there is no fever; but it is attended with irregular fymptoms; fuch especially as have taken much of the Peruvian bark are fubject to it. Though it is otherwise a very obstinate disease, yet it may be effectually cured by the use of the antiscorbutic electuary beforebefore-mentioned, and a water distilled from scurvygrass, brooklime, eresses, &c.

1694. Martini Lister tractatus de quibusdam morbis chronicis exercitatio 5. de scorbuto.

He treats of the scurvy next to the venereal difease, because they are nearly allied; having fo many fymptoms common to both, that they are not eafily distinguished from each other, but by an experienced physician. The fcurvy has not been expressly treated of by the ancients, as being in their time prevalent only in a remote corner of the world little known to them. Eugalenus was the first who accurately described this disease. It was formerly confined to Flanders; but has acquired great strength fince our navigation to the Indies, being now universal, and common to feamen of every nation. He ascribes it to the use of salt food, old faltish cheese, and the like; or it may be occasioned by ale made of brackish water. He observes the brewers have a bad custom of adding falt and quick lime to their maltliquors; which fines and preferves them without hops. He fancies the falt fea-air greatly productive of this malady; as he had been informed, that even faltish rains fell in hot countries. He afterwards very ingeniously accounts for all the symptoms of the scurvy enumerated by Eugalenus; which which he supposes to proceed from the use of this sea-salt, occasioning a brinish chyle, lymph, &c. and converting the whole humours of the body into a pickle. Juice of scurvygrass, lemons, and oranges, all sorts of fruits, and pot-herbs (the more acid the better) are excellent remedies; as also vinegar, and spirit of vitriol. He pretends to be the first who takes notice of fatal hæmor-rhages sometimes occurring in this disease, and gives some instances of them from his own observations.

1696. Sea-diseases; or, A treatise of their nature, causes, and cure. By William Cock-burn.

The fcurvy being generated by the falt provisions altogether unavoidable at fea, makes one of the constant diseases in navies. A fourth part of the seamen do not contract it directly, in declining from a state of health, but by being put too foon on the fea-provisions, after recovering from fevers, and other distempers. It attacks commonly the weak, lazy, and inactive. Refraining from the fea-diet, and living upon green trade (as it is called) on shore, proves an absolute cure. It is worthy observation, how fuddenly and how perfectly they recover of this distemper by eating greens, viz. coleworts, carrots, cabbages, turnips, &c. Men put on shore in the most pitiful condition that

that can be imagined, are able in three or four days, by means of this food only, to walk feveral miles into the country. When Lord Berkeley commanded the fleet at Torbay in 1695, the author prevailed with his Lordship to erect tents for the fick on shore. Above a hundred of the most afflicted scorbutic patients, perfect moving skeletons, hardly able to get out of their ships, were landed. They had fresh provisions given them, with carrots, turnips, and other greens. In a week they were able to crawl about; and before the fleet failed, they returned healthy to their ships. He regrets, that this diffemper had as yet been left without a remedy at fea. If proper care was taken about their diet, seamen would not be fo liable to it. He condemns the division into a hot and cold fcurvy, made by Dr. Willis. The first alone is properly the true and real fcurvy, and the latter nothing elfe but the hypochondriac disease. And upon this occasion he observes the necessity of having proper names and descriptions of difeases; as the use of ambiguous terms is apt to mislead, and to have fatal consequences in the cure of them.

1705. Genees en Heelkonstige Redenvoering van de Scheurbot, &c. &c. &c. Uit eigene
ondervindinge opgesteld, Door Yvo Gawkes,
M. D. Or, A compleat description of the
Scurvy, &c. &c. from the experience of Doctor
Yvo Gawkes.

This practical treatife is esteemed the best that has been published on the scurvy in the Dutch language. It contains eighteen cases of patients, all of whom, including men, women, and children, were afflicted with the true fcurvy, except one person whose case was doubtful. From a contemplation of the fymptoms, and an enumeration of the remedies, by which he performed the cure of those patients, he infers the fcurvy does not proceed from an acid or thick blood, but from a volatile alcalious and diffolved state of that fluid. The book contains an accurate description of the fcurvy, and fome good observations, which are chiefly valuable for being the refult of the author's own experience. He describes the cases of some young children, who undoubtedly laboured under this malady (s). : Archibaldi

(s) His remedies were, a gargle for the gums of alum water and honey, with an addition of the spirit of vitriol; three ounces of the following purging medicine were taken night and morning.

R. Fol. senæ unc. i. sem. anisi dr. ii. infunde in aquæ calidæ q. s. per noctem; dein adde berb. acetos. manipul. vi. cochleariæ manipul. iii. tamarind. unc. i. ss. colaturæ libe

ii. b. adde fyr. e cichoreo cum rheo unc. ii. fs.

Archibaldi Pitcarnii element. medicinæ physico-mathematic. lib. 2. cap. 23. de scorbuto.

The reader must here be cautioned, that every thing in this posthumous work is not to be ascribed to Pitcairn. The symptoms of the scurvy are said to be, a redness, itching, putrefaction, and bleeding of the gums; loofe teeth; fpots on the legs, first red, then livid, and blackish; an unusual laffitude; a red fandy fediment in the urine, fo that it appears lixivial; an unequal pulse; wandering pains; toothachs; rednefs, or heat of the body; fœtid breath; fluxes with or without blood. The immediate cause is, a broken texture of the blood; and this diffolution of that fluid may be occasioned even by bleeding; which is by no means proper for scorbutic patients. But he talks only of the hot scurvy, or what Willis terms the fulphureo-faline; this being properly the difease, if we would distinguish it from the hypochondriac distemper. He recommends milk, or a milk diet, as the best cure. But if it does not succeed, or any thing forbids its use, then chalybeats are to be given, with the addition of aftringents, and the fixed temperate antifcorbutics, especially if faintings, fluxes, or a difficulty of breathing, afflict the patient. For the wandering gout, or fcorbutic pains, after gentle purging, a decoction of guajac and sarsaparilla, is to be administered; observing, that if these pains are attended with few or no other Cc3 fcorfcorbutic fymptoms, they are then to be deemed rheumatic. This may easily be discovered by their admitting of repeated and plentiful bleedings; which are so very hurtful in the scurvy.

1708. Hermanni Boerhaave aphorismi de cognoscendis et curandis morbis. Aph. 1148.

&c. de scorbuto.

Besides the common causes usually assigned by authors as productive of the scurvy both at sea and land, he, from Sydenbam, adds that particular of having taken too great a quantity of the Peruvian bark; then describes the symptoms peculiar to the malady in its beginning, progress, and more advanced stages, contained in the four following sections.

Sect. 1. An unufual laziness; an inclination to rest; a spontaneous lassitude; a general heaviness; a pain of all the muscles as after too great fatigue, particularly in the legs and loins; an extreme difficulty in walking, especially up or down a steep place; in the morning upon awaking, the limbs and muscles feel as if wearied and Sect. 2. A difficulty of breathing, panting, and almost suffocation, upon every little motion; a fwelling of the legs, often disappearing, and an inability to move them, from their weight; red, yellow, or purple spots; a pale tawny colour in the face; a beginning stench of the mouth; a swelling, pain, heat, and itching of the gums, which bleed

bleed upon the least pressure; bare and loose teeth; pains of different forts wandering over all parts of the body, external as well as internal, occasioning surprising anguish, refembling pleuritic, stomachic, iliac, colic, nephritic, cyftic, hepatic, and fplenetic pains. Hæmorrhages occur in this stage, but slight. Sect. 3. A most offensive rottenness, inflammation, bleeding, and gangrene of the gums; loofe, yellow, black, and carious teeth; varicose veins under the tongue; hæmorrhages, frequently mortal, from under the skin, without any apparent wound; as also from the lips, stomach, liver, lungs, spleen, pancreas, nose, &c.; ulcers of the worst kind upon every part of the body, chiefly the legs, yielding to no remedies, of a gangrenous disposition, and most fætid fmell; scabies; crusts; a dry and gentle leprofy; violent, piercing, universal nocturnal pains; livid spots. Sect. 4. Fevers of many kinds, hot, malignant, intermitting all manner of ways, vague, periodical, continued, occasioning an atrophy; vomitings; diarrhæa; dysenteries; severe stranguries; faintings; and an oppression upon the breaft, often fuddenly mortal; a dropfy; confumption; convulsion; tremor; palfy; contraction of the tendons; black spots; vomiting and purging of blood; putrefaction of the liver, spleen, pancreas, and mesentery.

He supposes the immediate cause of the scurvy to be a singular state of blood; in

Cc 4

which

which one part of that fluid is too thick and viscid; while, at the same time, the other part is too thin or diffolved, faltish and acrid. Which latter, or its acrimony, is either of an acid or alcaline quality: a distinction here carefully to be remarked. Upon this hypothesis, he founds the following rules, viz. That part of the humour which is too thick, viscid, and stagnating, must be attenuated, rendered thinner, and put in motion; mean while, what is already too thin, is to be thickened, and the predominating acrimony corrected according to its different kind and fpecies. Now, as a fingular regard must be had at the fame time to these so opposite intentions of cure, he thinks it the mafterpiece of art to cure the fcurvy. And after observing that fmart evacuations always exasperate, and often render it incurable, he lays down a process of cure adapted to the different stages and symptoms, as distributed in the four classes or sections (t).

He

<sup>(</sup>t) In the first stage (see sect. 1.) we are to begin with a gentle, attenuating, deobstruent purgative, often repeated in a small dose; next, to proceed in the use of attenuants, and what are called digestive medicines; (Vid. Willis. It is needless to give Boerbaave's prescriptions here, as almost all of them in his Materia medica are taken out of Willis; as is indeed his process of cure); concluding with a long continued course of the milder specifics, exhibited in almost any form. In the second stage (sect. 2.) all that has been mentioned is necessary, with the addition of the more acrid antiscorbutics. Baths for the body and seet, prepared with antiscorbutic ingredients; also hot, dry friction, and often blood-

He concludes the subject with observing, that, in order to a successful cure of this disease, it is principally required to investigate the peculiar predominating acrimony in the humours: and as this acrimony may be either saline and muriatic, acid and austere, alcaline and fœtid, or rancid and oily; so it requires different and opposite cures; what is serviceable to one scorbutic patient, proving poisonous to another. The name of the distemper is not so much to be studied, but each particular species of it, according to the different kinds of acrimony above specified, as if it was a distinct disease.

1712. Jo. Henrici de Heucher cautiones in cognoscendo curandoque scorbuto necessariæ.

This pamphlet contains some of the most exceptionable doctrines of Willis, Eugalenus, &c. Of which the following may suffice as a specimen.

blood-letting, for certain reasons he mentions, are proper. According to the acrid thinness of the sluids, heat, or danger of a hæmorrhage; or, on the contrary, the viscidity and inaction of the humours, paleness, coldness of the body, &c. the antiscorbutics given, are to be moderately astringent, somewhat cooling, or hot or acrid. In the third species or stage (sect. 3.) all the already prescribed measures are to be used. The patient is also to take great quantities of soft antiseptic, antiscorbutic liquors, promoting for a considerable time gentle evacuations, by sweat, urine, and stool. In the sourth stage or species, (sect. 4.) the case is for the most part incurable; medicines are to be varied according to the different symptoms; sometimes mercurials do service, as likewise what was ordered for the third species.

a specimen. Mercury is very justly sometimes recommended in the scurvy by Boerbaave, when it is accompanied with severs of various kinds, vomiting, purgings, sometimes of blood; violent stranguries, faintings, and oppression on the breast, often mortal; dropsy; consumption; convulsions; palsies; voiding of blood; putrefaction of the liver, spleen, pancreas, and mesentery.

1714. A short essay on the scurvy, in which the causes and cure of that disease are

briefly stated and demonstrated.

Such persons as have long languished under a scorbutic habit, and have been difappointed of their expectations from the use of ordinary means, will find relief by having recourse to the author's never-failing medicines. He observes there were great disputes in his time concerning the doctrines of acid and alcali: fome phyficians believing the scurvy and other diseases to proceed from an acidity, others from an alcalescency in the blood; from these disputes about the cure, the poor patients fuffered greatly, being very differently treated, according as they fell into the hands of one or other of the contending parties. The author fuppofes both parties to be in the wrong.

at Wiburg. Communicated by Dr. Abraham Nitzsch to Dr. Schulze. Commerc. literar.

Norimb. ann. 1734, p. 162.

It may be proper, first, to observe, that the scurvy is here a common disease. But what drew particular attention to it this year, 1732, was the uncommon number of the afflicted, and of those who died, together with its unusual duration. It persisted in its ravage from the beginning of the year until the month of August, with such remarkable violence, that I was sent thither by express orders in the month of June. I observed the appearances of the disease were not the same in all; but varied according to the different constitutions of the patients.

Those who were of a lax habit, laboured under swelling of the legs, (rarely of the belly) yielding easily to the impression of the singer, but often becoming harder upon the continuance of the malady. The hypochondria for the most part were tumid, the slexor tendons of the leg always contracted, with livid spots on the legs, knees, thighs, and back. Those spots, particularly on the legs and if the patient was full of blood, became often inflamed, and were attended with most acute pain, and quickness of the pulse. Now and then the white of the eye altogether

altogether bloody; and fometimes the eye lids were greatly swelled, being distended with effused, stagnating blood. In some the fpots were pretty large, especially upon the thighs and back; in others they refembled only flea-bites, and were accompanied with fwelling of the legs, universal laffitude, fwelled, bleeding, and putrid gums; as also a pale wan countenance. Several were distressed with a great difficulty of breathing, cough and spitting, giddiness, and faintings, most commonly when in an erect posture; the latter often proved fatal to those who had been long afflicted. The appetite from the beginning was fomewhat impaired, often leaving the patient upon his being affected with flatulencies and nausea, but returning upon the accession of a purging. The feet, fcrotum and belly were fometimes greatly diftended with a transparent watery fwelling, and the skin inflamed. The gums having become a mafs of spungy flesh, discharged, upon squeezing, a thin fœtid matter; and the falivary glands were fometimes fo stuffed, as to acquire the hardness of a scirrhus, which could not be resolved by any other means than by a natural and fpontaneous falivation.

Persons of a thin habit were afflicted with fymptoms different from those who were corpulent. They were every day more and more emaciated, and racked with violent shooting pains on the bones of the legs accompanied with a fever. The anguish did not fix in one place, but by shifting produced gouty pains, colics, the spafmodic asthma, headachs, toothachs, and contractions. By volatile medicines having been improperly given, the bowels, the liver and spleen, became hard; upon which ensued either a dropsy, consumption or slux, which constantly proved fatal. The gums were swelled and hard, painful to the touch, and often over-run with a cancerous ulceration.

In order to put a stop to this dreadful calamity, it was necessary that the remedies should be suited to the habit and constitution of the patient (t).

This

(t) He therefore prescribed for those who laboured under the flow or cold feurvy, a decoction of fum. pin. bacc. juniper. and trifol. fibrin. Where there was reason to apprehend a swelling of the abdominal viscera, he gave the neutral falts, and alcaline tinctures: but where there was a fever, and inflammation on the tibia, the faline nitrous absorbents internally, and externally fp. vin. camp. with faffron. For the stiff tendons he used ung. nervin. cum ol. philosop. &c. and baths; for the swelled, bleeding gums, ung. Ægyptiac. mel. rof. and Spir. cochlear. or tinet. gum. lace. and sp. coch. or common water acidulated with sp. witriol. The air was corrected three times a-day by a fume of juniper wood and berries. The paracentesis often fucceeded with those who had the ascites, when free from a fever, and an cedematous swelling of the abdomen. It restored them to perfect health; as did also scarifications upon the calf of the leg and scrotum, when there appeared a tense watery swelling upon these parts; provided proper internals were administered, viz. aperient, diuretic, and strengthening This present year, the Cuirasser's lately come from the Ukraine to Petersburg have furnished me with several other observations upon this disease. The symptoms were as usual. It was always a salutary sign when the spots appearing continued out. In two cases their sudden disappearance proved fatal. Besides the use of a decoction of pine tops, I found it necessary, every second or third day, to give a pretty smart purge: which had so remarkable good effects, that though many were bloated, yet none became dropsical. Bleeding with caution near the decline of the disease, when the pulse was strong,

firengthening medicines, such as tinet. tartar. mart. antimon. neutral salts, &c. If there was any danger of a gangrene from these scarifications, as often happened, it was stopped by nervous and antiseptic applications.

In the painful feurvy, upon account of the dry habit of body, medicines heating and exagitating the blood, formerly given, were laid aside, and emollient remedies were prescribed, viz. a decoction either of barley or oats; or of rasur. cornu cervi, with rad. scorzon. summit. millefol. et flor. chamæmel. : as also oily medicines, viz. ol. amygd. d. et sperm. ceti; which often miraculously allayed arthritic pains, and the oppressive complaints in the breast. Antispasmodics were sometimes given, viz. nitr. depurat. cinnabar. antimonii, epileptic powders, &c. and occafionally absorbents, and the testaceous powders. When the bypochondriaca were obstructed, rad. cichor. vel tarax. was added to the decoction; and for the swelling, heat, and pain of the gums, the pulp of citron proved an excellent and agreeable remedy. By this treatment, and the bleffing of Heaven, a ftop was put to the calamity; infomuch that the number of the difeafed, and of those who died, diminished every day, and in the space of a month it quite disappeared.

strong, evidently affisted in the cure. I can folemnly affirm it was followed with an increase of strength, a perfect relaxation of the tendons, which had before been attempted to no purpose by warm steams and baths, and a more speedy recovery. The difease left us in May, having acquired its virulence in February.

1734. Observationes circa scorbutum; ejusque indolem, causas, signa, et curam. Auctore Joanne Fred. Bachstrom.

From want of proper attention to the hiftory of the fcurvy, its causes have been generally, though wrongfully, supposed to be, cold in northern climates, fea-air, the use of falt meats, &c. whereas this evil is folely owing to a total abstinence from fresh vegetable food, and greens; which is alone the true primary cause of the disease. And where persons, either through neglect or from necessity, refrain for a considerable time from eating the fresh fruits of the earth, and greens, no age, no climate or foil, are exempted from its attack. Other fecondary causes may likewise concur: but recent vegetables are found alone effectual to preferve the body from this malady; and most fpeedily to cure it, even in a few days, when the case is not rendered desperate by the patient's being dropfical or confumptive. All which is founded on the following obfervations.

He remarks, that the scurvy is most frequent among northern nations, and in the coldest countries. There it is not confined to the sea alone, but rages with great violence at land, afflicting both natives and foreigners; of which the poor seamen left to winter in Greenland, who were all cut off by this distemper, afford a memorable instance. But the opinion of its being produced there by cold, he thinks irreconcileable with the daily experience of its attacking seamen in their voyages to the Indies, even when under the torrid zone.

That it is not peculiar to the fea, the following histories fufficiently evince. During the late fiege of Thorn, above 5 or 6000 of the garrison, besides a great number of the inhabitants, died of this distemper; the furrender of the town being more owing to the havock made by this dreadful calamity, than to the bravery of the befiegers. Upon which he observes, that, allowing this difease to be most frequent among the northern nations in winter, yet the fiege of that place was carried on in the heat of fummer; and the Swedes, the befiegers, a northern nation, kept altogether free from the fcurvy. The mischief first attacked chiefly the blockaded Saxon garrison. They being almost all cut off, the inhabitants were at last obliged to do duty upon the walls; of whom it also destroyed a great

a great number. But no fooner was the fiege raifed, and the gates of the town open for the admission of vegetables and greens from the country, but the mortality quickly ceased, and the disease at once disappeared.

In the end of the last war with the Turks, when the Imperial army wintered in Hungary, the country having been laid waste about Tameswere, by the calamities of the preceding war, many thousands of the common foldiers (but not one officer, as having a different diet) were cut off by the fcurvy. The physician to that army employed his utmost skill, and used the most approved antiscorbutic remedies. Notwithstanding which, the mortality went on increafing during the winter. Unacquainted with the difease, or rather its remedy, he demanded a confultation of the college of physicians at Vienna for the preservation of the troops; whose prescriptions and advice were of no fervice. The disease still perfifted with increasing virulence until the fpring, that the earth was covered with greens and vegetables. And the physician now rejoiced as much in having found out the true cause of this evil, as before he had regretted his unhappy disappointment in the removal of fo general and dreadful a calamity.

As some are of opinion, that warm and inland countries are altogether free from this distemper, he gives an account from an officer of a German garrison in Italy, where many of the soldiers were cut off by it at a great distance from the sea. The officer himself, an Italian, was miserably afflicted, and given over by his physicians, who were altogether ignorant of his case; when a German surgeon, by lucky accident passing that way, rescued him from the jaws of death. He cured him in a few days, to the surprise of his physicians, by ordering his servant to the sields to supply him with green vegetables, especially the sisymbrium or red water mint, which grew

thereabouts very plentifully.

The following relation is no less curious. A failor in the Greenland ships was so over-run and disabled with the scurvy, that his companions put him into a boat, and sent him on shore; leaving him there to perish, without the least expectation of a recovery. The poor wretch had quite lost the use of his limbs; he could only crawl about on the ground. This he found covered with a plant, which he, continually grasing like a beast of the field, plucked up with his teeth. In a short time he was by this means perfectly recovered; and, upon his returning home, it was found to be the herb scurvy-grass.

From all which the author concludes, that as abstinence from recent vegetables is

altogether

altogether and folely the cause of the distemper, so these alone are its effectual remedies. Accordingly he bestows the epithet of antiscorbutic on all of that class which are wholesome and eatable; observing Nature every where affords a supply of remedies, even in Greenland, and the most frozen countries. There no fooner the fnow melts from the rivers, but their borders are covered with brooklime, creffes, and fcurvygrafs, in ample prodigality. There Nature dictates to those barbarous nations, that what she thus blesses them with in such bounteous profusion, affords present health and relief in their malady. Of this all physicians acquainted with the nature of the fcurvy, must be likewise sensible. The most common herbs and fresh fruits excel the most pompous medicines, especially those of the animal and mineral kinds. He divides antiscorbutics into three classes. The first contains the common pot-herbs, and all plants of an infipid, or rather fweetish taste, fruits of trees, &c. of this quality; and when in want of those, even grass itself may be eat. In the second class, he ranks all vegetables, roots, fruits, berries, &c. that are of a tart or acid tafte: and thefe being of a middling quality betwixt the infipid plants of the first class, and the stronger bitters he includes in the third, they will prove more effectual than the first, without Dd 2

without being liable to fome inconveniencies which may attend those of the third class. In this last he comprehends all fresh herbs, roots, and fruits, of a bitter and strong tafte, of the nature of scurvygrass, cresses, &c. These last are with caution to be prescribed at first, or in great quantities. prevention he recommends living much upon green vegetables, when they can be got; otherwise, upon preserved fruits, herbs, roots, &c. He advises seamen when at land to be more careful of laying up a store of greens than of flesh; and, in case of neceffity, would have them when at fea to make trial of the fea-weeds that grow upon the ship's bottom; being persuaded, that the great physician of nature had not left them without a remedy, although he had never heard of its being tried (b). After a long abstinence from vegetables, the difeafed are to begin with the milder antifcorbutics, proceeding by degrees to those of a stronger nature. In examining the mineral and fossil remedies, which have been so much recommended for the fcurvy, he obferves of nitre, that as it is a copious ingredient in most plants, it may perhaps be ferviceable; but otherwise, all those classes are to be avoided. He condemns the use of steel, mercury, and alum; as likewife

(b) I am informed they were tried in Lord Anfon's ship.

Chap. II. The scurvy at Cronstadt. 405 sulphureous and vitriolic medicines, especially the strong acid of vitriol, which some account a specific in the scurvy; but they will find themselves disappointed.

1734. Parerga medica conscripta à Da-

miano Sinopeo.

In Cronstadt, which is a low marshy island, and where the weather for the most part is cold, rainy, and cloudy, the scurvy is a common disease. It is most frequent and violent in the beginning of spring; but less frequent and more mild during the rest of the seasons, unless the weather proves cold and wet: and for the same reason it is

more frequent some years than others.

The fymptoms are, a putrid fwelling of the gums, laffitude, and a remarkable pain and weakness of the legs; swelling of the feet and knees; contraction of the tendons; a bloated, and as it were, dropfical habit of body, with a dark yellowish hue; coftiveness, and a thick reddish urine. After those appearances, ensue pain, and even contractions of the upper extremities; livid spots of different fizes; pains in the shoulders, and fmall of the back. These latter prove very violent in fuch as are tainted with the venereal poison. Few die of this distemper; for the most part only those who have become consumptive or dropfical.

Dd3

The

The learned author, in his very elegant and accurate account of the difeases which prevailed at Cronstadt, from the year 1730 to the end of 1733, observes, that when he first came there, ann. 1730, true pleurisies, peripneumonies, &c. reigned. Those fevers ceased in the spring; and an unusual dry and warm fummer fucceeding, there were few acute diseases, and even old habitual complaints became more tolerable. dry and cold autumn, with a feafonable fnowy winter, gave rife to but very few acute diseases; till about the beginning of February, when a catarrhal fever commenced. The weather proved then very unfettled; the spring was cold and moist; the fummer much the same, with little heat, This catarrhal fever raged about twenty days. Upon its remission, pleurisies, peripneumonies, rheumatisms, &c. took place; and an intermitting fever, which continued the whole spring; as also the scurvy. This last made its appearance in the month of March, 1731, seizing at first only a few; but in a short time the number of scorbutic patients was equal to those in fevers; and afterwards exceeded them. It began with a bloated fallow complexion, livid spots, &c. and was accompanied with fuch fymptoms as have been before mentioned. In the months of April and May it raged with uncommon violence, and continued almost

till the middle of July; when it was abated by the heat of the season. Some patients became dropsical, others consumptive. Some laboured under the most violent colics, with obstinate constipation of the belly; others were seized with a mortification of the mouth and gums, scorbutic tumours, &c. Soft livid swellings arose upon the body: they were judged to be full of matter; but, upon opening them, nothing was discharged but a black dissolved blood: the ulcer was surrounded by a sungous rotten sless, whose basis seemed very deep, and bled upon the gentless touch (c).

Although the scurvy was a distemper bad enough of itself, it was, however, often rendered worse by being complicated with other intercurrent diseases, viz. severs, and rheumatisms, but especially the intermitting sever. All who recovered from this last, became scorbutic. There was scarce any person either in the hospital or town, who laboured under even a chronic disease, who was not more or less affected by the scurvy. Hence all diseases whatever became more troublesome and obstinate this spring.

The scurvy having entirely ceased in July, a few mild fevers took place the rest of the summer, and autumn.

D d 4

In

(c) A very accurate description of scorbutic tumours and ulcers. Compare it with Poupart's, p. 242. Dr. Hux-bam's, p. 52. and other observations, p. 119, &c.

In the beginning of the year 1732 a gentle vernal fever prevailed; foon after, the bastard pleurify was more frequent; and, lastly, the scurvy. All those diseases entirely ceased upon the appearance of a warm and dry summer. This continued but for a month, when the weather changed to rain and cold; which induced a universal distemper, viz. a catarrh, with cough, &c. It spread itself over all the countries about, raged much at Peterstourg, and affected even those who were at sea.

After many curious observations foreign to our purpose, he remarks, that the vernal scurvy, ann. 1733, was milder than any of the former; but, nevertheless, contrary to custom, continued during the whole summer and autumn, the seasons proving wet and uncomfortable (u). The remedies used, were, essences and conferves of the antiscorbutic plants, hot aromatics, bitters, &c. The author gave many medicines; but, unluckily, few or none that were truly antiscorbutic.

<sup>(</sup>u) He has one fingular observation, That the scabies and purpura prevailed at the same time with the scurvy.

Chap. II. Cafe of the Imp. troops in Hung. 409

1737. 1720. Geo. Henrici Krameri dissertatio epistolica de scorbuto.

The case of the Imperial troops in Hungary; transmitted in a letter to the college of physicians in Vienna, by the author.

The calamity which afflicts the Imperial troops, is not that species of scurvy described by Eugalenus and others. It differs from

it in three particulars.

If, It is not infectious. No officers are seized with it; and only the regiments of such nations as use too gross diet. 2 dly, It is not a primary, but a secondary disease. It attacks only those who have recovered from severs, and especially such as have had frequent relapses. 3 dly, It is not attended with the many symptoms described by those authors. The appearances in all are constantly uniform, and as follow.

In the first stage the gums are swelled; they are apt to bleed, and stained with livid spots. Upon which ensue great putrefaction, a most offensive stench from the

mouth, and a falling out of the teeth.

In the second stage or degree of the malady, there is for the most part a contraction of the joint of the knee, so that the patient cannot extend his leg. Violent shooting pains are felt in this joint, as likewife 410 Case of the Imp. troops in Hung. Part III.

wise often in the other joints of the body. The contracted knees are also swelled, with incredible pain and rigor of the tendons; and the skin is covered with bluish stains interspersed with small miliary eruptions. In one night's time the eyes, and even other parts of the body, become covered with large livid spots, as if the patient had received several bruises. These spots are altogether without pain. The muscles of the legs, thighs, and even cheeks, become greatly swelled, and hard, nay altogether indurated. But those swellings, as also the large stains, never suppurate. The pulse is quick, small, and hard; the urine red,

with a thick unequal fediment.

If the patient still continues to use an improper diet, as is the case of many of our common foldiers from want of necessaries in Hungary, the malady advances to its third stage. The gums become prodigioully fwelled, together with the cheeks. A mortification, or caries of the jaw, enfues; both which prove incurable. The difficulty of breathing is fo great, that the patients not only faint away upon the flightest motion of the body; but frequently, when walking about, drop down fuddenly dead. They generally complain excessively of this difficulty of breathing a few days before death, though they have neither cough nor spitting. All the species of dropsies, and watery fwellings on the body, accompany

the

Chap. II. Case of the Imp. troops in Hung. 411 the advanced stages of this calamity; in so

much that, by lying with the head in a declining posture, the face in half an hour becomes fo fwelled, that the person cannot open his eyes. Such swellings often dfappear and return. They are subject to profuse bleedings at the nose; and, in these deplorable circumstances, to a purging with frequent discharges of blood by stool, which often closes the scene. In the beginning of the difease, the appetite and thirst are natural; but towards the close of the malady, the appetite fails and the thirst is increased. Of the many other fymptoms described in this disease by authors, none elfe occur but those alone which have been mentioned.

This is the fatal mischief which destroys many of our people in *Hungary*, at farthest in the space of two or three months, but for the most part in three or four weeks. If the patient survives until summer, he either perfectly recovers, or remains incurably contracted.

The causes of this evil are, frequent relapses after fevers, which have been epidemic in the country; the moist and marshy soil; but especially gross and viscid diet, viz. slesh and the grosser farines, coarse heavy bread, and pudding (or a food called rollatschen) eaten by the Bohemians more than by all others. They are indeed almost

412 Case of the Imp. troops in Hung. Part III.

most the only nation who suffer. One thing remarkable is, that this disease does not appear in *Hungary* in summer, autumn, nor in winter; but every year in the be-

ginning of spring.

I come now to what has been attempted, both by myself and others, towards the cure: and must first observe, that 400 of the troops near Belgrade having taken mercury without my advice, the dreadful confequence was, they all died in a falivation! Shunning therefore that fatal drug, I generally at first gave a vomit, in order to cleanse the stomach, and so to procure a more certain entrance of the specific antiscorbutics, with their full virtues, into the blood. I then administered, in every form that could be thought of, or that has been recommended by authors, the most approved antiscorbutic remedies (w); but, alas, all was in vain! In

(au) Radices, raphan. taraxic. ari, asari, gentianæ, angelic. helen. acori, sarsaparill. chinæ, &c. Folia, et berbæ aridæ, (for here the green fresh plants cannot be procured) becabung. nasturt. trifol. sib. cochlear. acetos. scordii, rutæ murar. rosmar. salv. cent. min. sedi minim. &c. Ligna guajac. sassaphras, &c. Strobili pin. cortices winteran. guajac. aurantior. Baccæ juniperi, lauri, &c. I have also given salts of every kind, volatile and fixed, particularly fal vol. cornu cervi, arcan. duplicat. fal. tartar. fix. sal ammoniac. crud. cremor tartar. with chalybeates of all forts. Spir. Sal. ammon. Sal. vol. ol. Spir. et tinct. tartari, tinct. bezoard. Spir. cochlear. &c. In place of the juice of citrons and lemons, which cannot be got here, I gave acet. theriac. or vinegar, in which many of the before-mentioned ingredients, particularly the celebrated rad. armoraciæ, were infused. I was not sparing of the most costly medicines, tinct. mart. antimonii, lunæ belvet. &c.

## Chap. II. Case of the Imp. troops in Hung. 413

In a word, there is nothing that has been recommended by the best classical and standard authors (d), which I have not made trial of, except the juices of the fresh green plants, and their quintessence recommended by May (e): It not being in my power to procure those herbs, or their juices; because, as I observed before, they do not grow in this country. We have nothing here but wild rocket and wild mustard (f); but even of these, who can gather a sufficient quantity for fuch a number of the diftreffed? Milk, were it proper, cannot be purchased for so great a multitude of people: and the fame may be faid of whey.

After having met with such melancholy disappointments, in the trial of what has been recommended by others, and whatever I could think of myself; reslecting that tedious severs had generally preceded, and that a slow sever still accompanied the disease, I had recourse to the cort. peruv, given in the form either of electuary or insusion. By this, in a sew days, I formerly cured sixty soldiers in the regiment of Bagnan, who were in the second stage of the

(d) Here he enumerates fixteen modern writers on the scurvy, of the greatest repute, with an &c.

(f) Eruca lutea et rapistrum arvorum.

<sup>(</sup>e) A medicine of Dr. Michael's. Vid. p. 141. The author afterwards observes, that it was of no efficacy.

the disease. It is now two years since: but at the same time they had a proper diet, and such food as cannot at this time be procured. I have already tried mustard-seed, which is said to have saved the besieged garrison of Rochelle, when over-run with this disease; but here, like all other remedies, it is of no efficacy. I need not say any thing of external applications: as such powerful internal helps do not avail, little can be expected from them. I shall only observe, that different regiments have used the baths of the country; but all to no purpose.

I therefore humbly request, that if any of you, gentlemen, be possessed of an arcanum, or a remedy that may overcome this Herculean disease, you will favour me with it; as also your best advice. Perhaps some of you may have the knowledge of the fixed mercury boasted of by Dolæus and Helmont, which will cure the scurvy without the aid of such a proper diet as cannot at this time be procured for the wretched sufferers

in Hungary.

A copy of this melancholy case of the troops was delivered to each member of the college of physicians in Vienna; and, by order of the Dean of Faculty, all were desired in three days time to give in their opinion in writing. Which produced the following answer.

We have received your very accurate account of the fcurvy, which commits fuch dreadful havock among the Imperial troops during the spring in Hungary; and it is ordered directly to be printed. After having had all circumstances duly weighed by the most experienced of our faculty, the first rule we prescribe, is great attention to the nonnaturals. Without this, the most excellent medicines may fail; but when a proper regard is had to these, simpleremedies will do great things. As the fources of this calamity feem to be impure air, and an unwholesome marshy soil (evils not easily remedied); the troops must often shift their quarters, and remove into a better air. When in unhealthful stations, they are, by way of prevention, to use the smoak of tobacco, juniper, &c. They should have always dry straw to lay upon the ground; and as wholesome food as can be procured for them.

As to the cure (after noting with infamy those who have recommended a mercurial falivation in this difease, as more properly destroyers of the human race than phyficians) we would advise a gentle vomit of ipecacuan to be premised; and afterwards the approved antifcorbutics of the vegetable kind to be given, viz. fcurvygrafs, brooklime, creffes, fumitory, St. John's wort, marsh-trefoil, &c. The juice, extract, tincture, decoction, &c. of thefe, may be administered either in whey or broth. As you have none of those plants, we have sent you their seeds to be sown in the country; and until such time as they grow up, have supplied you with a quantity of the dried herbs, and of their inspissated juices. Besides which, we would recommend two remedies of great and experienced virtues (f).

The author's farther explanations and experience in this difease.

The fcurvy attacked only those whos after frequent relapses, and a recovery from fevers, used a crude viscid diet. not one officer was feized with it; nor even any of the common men among the dragoons, as their pay and living were better. It was always accompanied with remains of the fever in the pulse and urine. Both in Hungary and in Piedmont, where the troops were lately afflicted with it, the natives were at the fame time altogether exempted from it. The disease occurs oftentimes in Germany, among fuch people as live altogether on the boiled pulses, without eating any green vegetables or fummer-fruits. In the

bordei, from Hoferus; the other, a distilled antiscorbutic water, from Zwingerus. The author afterwards observes they were of no essicacy.

the hospital at Dresden there are scorbutic patients every year. It is often a fatal mischief in besieged towns, as also to seamen in long voyages. It is, however, quickly cured in cold countries; as in Greenland, by scurvygrass; and in warmer countries, by the juice of oranges. Dutch failors effectually prevent this diffress, by eating once or twice a-week pickled cabbage. When blood was injudiciously drawn for relief of the scorbutic asthma, there was no separation of the watery part: it was covered a-top with a white greafy film. The contraction occurs in no other joint but the knee. The difease constantly begins, and regularly advances, in the manner as described in the relation transmitted to the college. No person can be supposed to labour under the fcurvy, or any fymptom of it, unless the gums are affected. Putrefaction of the gums is the primary and infeparable fymptom of the malady in its very first stage. A great difficulty of breathing, dropfy, and dysentery, attending the last stage, render the case often incurable. As to fcorbutic pains, it is remarkable they afflict equally both day and night, and are not increased by heat, or by lying in bed. The knees, when fwelled, are generally covered with large effusions of blood under the skin. These never come to suppuration on any part of the body, except

cept on the gums, where they often break and ulcerate. The flexor tendons of the legs alone become rigid, viz. the tendons of the seminervosus and semimembranosus muscles. Colics afflict in this disease when there is a diarrhaa or dyfentery, but never otherwise. In many thousand scorbutic patients, I never once faw the true pleurify, nephritic pains, strangury, nor bleedings from the skin, except where there was a wound; although fcorbutic people are fubject to discharges of blood from the lungs, flomach, intestines, &c.; nor did I ever observe any other ulcers than what have been described, in the gums and cheeks, much less any species whatever of a scabies. Scorbutic persons are never afflicted with epileptic fits, palfies, tremors, &c. Their death is for the most part tranquil, if you except their laborious breathing.

I can aver from experience in above a thousand cases, that this malady is most effectually cured by the fresh juice of scurvy-grass and cresses, either mixed or separately, taken to the quantity of three ounces twice or thrice a-day in warm broth. These juices occasion slight slushings of the face, are carminative, and promote urine and perspiration. As those herbs cannot be obtained fresh in many parts of Hungary, nor in warm climates, the disease may be effectually cured by three or four ounces of the

the juice of oranges or citrons, taken twice a-day in a pint of water with fugar, or rather in whey. By juice of citron in whey, twenty patients were lately cured in the hospital of St. Mark at Vienna. As to a preservative medicine against it, I know of none but the tincture of the Peruvian bark, taken at bed-time to the quantity of two drachms, either by itself, or mixed with other bitters. By this remedy the famous Count Bonneval preserved himself and his domestics, many years in Hungary, free from the distempers of the country.

1739. Frederici Hoffmanni medicinæ rationalis systematica tom. 4. part. 5. cap. 1. de

scorbuto, ejusque vera indole.

In what he terms a compleat history of this disease (in an enumeration of the symptoms, classed in Willis's manner according to the different parts of the body affected) among other things he observes, the scorbutic colic is diffinguished from all others, by the pain being fo shooting, acute, and intolerable. The belly is not, as in other colies, distended with wind: but the navel is drawn inwards, fo as to form a cavity fufficient to hold one's fift. It is very obstinate, yielding neither to medicines nor fomentations; and has often this peculiar to it, that it terminates in a palfy. After E e 2 a pre-

better

a preceding scorbutic asthma, the patient is very apt to fall into a dropfy, especially if violent purgatives have been used. The fcorbutic toothach is distinguished from all others, by its fuddenly attacking, and as fuddenly leaving the patient. Scorbutic headachs are most troublesome in the evening; but upon a fweat breaking out, they leave the patient. Some in this difease keep awake for many weeks without being fenfibly weakened by it. Scorbutic ulcers appear in the following manner. First, the part is painful; then the cuticle separates in like manner as if boiling water had been poured upon it; a watery humour ouzes forth, and the part becomes extremely painful; but true purulent matter is scarce ever observed to flow from the ulcer. At other times, scorbutic ulcers continue deep, and quite dry, without affording any difcharge; and these are very apt to gangrene.

He thinks the best cure for the scurvy is the mineral waters. They are sufficient to effect it, as long experience had convinced him, when aided by a proper diet and regimen. For this purpose, he recommends the Caroline and Selters waters. Where the conveniency of mineral waters is wanting, he advises drinking simple, pure, and light water of any sort; which will often remove the disease. But it is still

I

better if the water partakes of steel principles, fuch as the Lauchstadt spring, two miles from Hall. It is to be both outwardly and inwardly used. He likewise recommends a milk-diet, especially asses milk. When a fcorbutic habit of body is complicated with obstructed viscera, cachexies, the hypochondriac difease, or the purpura chronica; then the cure succeeds better, if the milk be taken mixed with the mineral water. He observes the great detriment of mercury in this distemper; and mentions various antifcorbutics, bitters, emollients, &c. that may be proper.

1744. Siris: A chain of philosophical reflexions and inquiries concerning the virtues of tar-water. By the Right Rev. Dr. George Berkeley, Lord Bishop of Cloyne.

The fcurvy may be cured (if the author may judge by what he has experienced) by the fole, regular, constant, and copious use

of tar-water.

1747. Theoretisch practische abhandlung des scharbockes, wie sich derselbige vornemlich bey denen kayserlich Ruszischen armeen an verschiedenen orten geaussert und gezeiget hat, &c.: or, A theoretical and practical treatife on the fcurvy, as it has appeared chiefly in the Imperial Russian armies, together with a circumstantial description of its causes, its

E e 3

422 Scurvies in the Russian armies. Part III.

two classes and their different species, the ordinary and extraordinary symptoms, the remedies for it, and the necessary regimen.

By Abraham Nitzsch.

Three different opinions of physicians concerning this disease deserve censure. 1st, Some extend the term of scurvy by much too far, comprehending under it almost all diseases in which there is a considerable impurity or corruption of the juices. 2dly, Some though not entirely denying the existence of the scurvy, yet limit or circumscribe it within too narrow bounds. 3dly, Others have described its causes, its different kinds and its cure, in too vague and indefinite a manner.

It has been difficult for physicians to make a perfect system of this disease, as it does not usually occur in their common practice; being confined chiefly among the poorer fort of idle people, who are in distressed circumstances, and who live in a moist air. Besides, the frequent modern practice of drinking tea and coffee, by thinning the blood and diluting its salts, has in place of the scurvy in many countries where, according to the relation of credible authors, it in former times greatly prevailed, introduced a new disease, viz. the purpura, as Dr. Hossiman has shewn (a).

It may be proper to premise that I am

unac-

<sup>(</sup>a) Hoffmani disputatio de purpuræ genuina origine, &c.

Chap. II. Scurvies in the Russian armies. 423

unacquainted with the nature and appearances of the scurvy, so common and fatal at sea; but that this disease was among the first which occurred to my observation in the army, and it arose to such a pitch of violence, as not only to require the utmost care and skill of the physicians and surgeons, but also to command the attention of the

generals.

This evil has been attributed to the use of falted flesh-meats, the vapours arising from the fea have also been blamed; but fuch opinions are confuted by daily experience. Others would afcribe it to a mere want of a fufficient quantity of vegetables, neglecting more confiderable circumstances, as will appear by the following observations. There being two classes of this diftemper, that which is denominated the flow or cold fcurvy, may rather be faid to proceed from a concurrence of causes, and their operation for a confiderable time, viz. a constitution impaired by trouble and difeases; improper, gross, and corrupt aliment; much fatigue, grief, or anxiety of mind; a moist air, accompanied either with cold or with heat; confinement in low damp crowded places; as also drinking impure putrid water. These acting in conjunction produce the fcurvy, and are fufficient to heighten the evil to an extreme degree of violence.

As

## 424 Scurvies in the Ruffian armies. Part III.

As fuch causes operate but slowly in the human body, the progress of the malady is very gradual. The healthful colour of the face more and more disappears. There is a general lassitude. The thighs and legs feel heavy, and a remarkable weakness is perceived in the knees and ancles. At the fame time, the gums begin to swell and corrupt. The preternatural colour of the face afterwards encreases, the legs begin to be painful, the cheeks and joints to fwell, the gums become surprisingly rotten, the body more feeble, and a difficulty of breathing enfues upon using of exercise, the knees and joints being stiff. Finally, the appetite gradually decays, and the body becomes conflipated. In a certain kind of this difease, commonly several blue fpots appear all at once. By thefe, and the former fymptoms daily gaining ground, the true nature of the distemper fully and plainly appears. And this is the flow or cold feurvy, which is by far the most frequent malady; the fymptoms and causes of the other, or bot scurvy, being very different. It arises from an inert chyle tending to putrescence in the first passages, with a great laxity of the viscera and of the fecretory and excretory organs, as also of all the folids: from whence the blood acquires a thickness, and is rendered in a manner putrescent, shewing itself by a remarkable

Chap. II. Scurvies in the Russian armies. 425

markable bad colour, and a preternatural fwelling or inflation of the body. It is usually a tedious troublesome disease. The hot fcurvy is not fo commonly met with. It proceeds from a prevailing alcalescent acrimony and thinness of the blood, occafioning a total waste of the body, and at all times the most violent symptoms, attended with great pain and a constant fever. In both there is a general weariness; a particular debility of the joints; the gums are partly fpungy and fetid, partly hard, fwelled, and hot; the pains in the limbs are sometimes fixed, at other times they shift; the knees are stiff, and sometimes also swelled, nay, much inflamed and violently pained; more or less hypochondriac fymptoms, and a fever attend it. And these are the genuine effential figns of fcurvy: but before we proceed to the hot fcurvy, of which there is but one fingle species, it may be proper to distinguish the different kinds of cold fcurvies.

The first is what occasions large, black, and blue spots, on the legs and joints; sometimes on the breast and back, not unusually on one or both eyelids, and on the white of the eye; which appears swelled, and of a deep red colour. The gums are greatly swelled, discoloured, and very lax or spungy; and when pressed, discharge either a yellow ill-scented blood, or matter.

The

426 Scurvies in the Russian armies. Part III.

The parotid glands are also usually much enlarged and hardened. This species, proceeding from a remarkable coagulation of the red globules of the blood, I call a livid scurvy; being the only species that is accompanied with dark or reddish large spots, or livid streaks upon the skin. The patient commonly when they appear is very feverish, and the pains are very violent. It occurred chiefly at Wiburg, ann. 1732; and again at Petersburgh, ann.

1733.

In the fecond species, the red globules of the blood are not fo much coagulated; it proceeds chiefly from a viscidity of the watery or ferous parts of the blood. The fpots appear of a deep red, turning afterwards to a darkish yellow; being very fmall, fo as to refemble lentils, flea-bites, or petechiæ; and are discovered no where elfe but on the legs and thighs, attended with a pain in those parts. Sometimes reddish blue spots appear above the knee, and in the ham; according to the redness of which the pain and fwelling there, as also the quickness of the pulse, is always increased. The gums are not so lax as in the former species: the upper part of them, however, is commonly excoriated. On the palate or infide of the gums feveral tumours appear, or on the infide of the cheeks may be observed swellings, sometimes 4

Chap. II. Scurvies in the Russian armies. 427 times hard, knotty, and wart-like: and sometimes a uniform hard swelling extends itself even to the back part of the mouth. This species, from the form of the spots, is denominated a lenticular or petechial scurvy. The patient spits more, and the breath is more seetid, than in any other species of scurvy. Sometimes the temporal muscle is swelled and hardened under the zigomatic process; but the parotid glands never are. It shewed itself, ann. 1732, at

Wiburg, only in a few patients; but afflicted

much greater numbers, ann. 1737, in the intrenchments at U/t-Samara.

A third species of this disease proceeds from a corruption of the fat or oily particles of the blood. There being no viscidity of the blood, there are confequently no spots. On the contrary, an universal pale swelling covers the body; which becomes of a yellowish colour, when those oily particles turn rancid. When the fat assumes a hardness like tallow, the thighs and arms are vaftly fwelled, and fo hard as not to yield to the impression of the finger; and very hard tumours, or topbi, form on the hands and fore-part of the legs. Now in this species the serous or watery parts of the blood become much more eafily and quickly vapid than in the others, and the faline particles daily more and more acrimonious. Hence the cheeks are more fwelled.

fwelled, the knees more violently contracted, the teeth loofer, and the gums much more lax and fpungy. Sometimes a fungous flesh rises at the angle of the lower jaw, and the jaws are locked either with or without an induration of the parotid gland, crotaphite or masseter muscles. When this vapid ferum or water is accumulated in the cellular membrane under the skin, an universal dropsy is produced; or when within the fubstance of the lungs an afthma, upon which a dropfy of the breast ensues; when in the belly, a dropfy is formed there; and laftly, when difcharged by the glands of the intestines, a flux distresses the patient. Further, when this vapid ferum, by an addition of oily and faline particles, has acquired an acrimony, it occasions the most violent and gnawing pains in various parts of the body. Whereever the ferum corrupts, the pains become there altogether intolerable; chiefly upon those parts where the ribs are joined to the breaft bone; part of the bones of which may be taken out quite carious. It also produces a convulfive fuffocating afthma, a wasting painful flux, and afterwards a gangrene of the cheeks, or an incurable dropfy of the belly. This species is of longer duration than any other, continuing often the whole fummer, until late in autumn. And as it is accompanied with no fpots,

Chap. II. Scurvies in the Ruffian armies. 420 spots, it may be denominated the pale scurvy; but more particularly when the fat of the body is only thick and viscous, it might then be called the mucous pale scurvy; and when it is become rancid, the rancescent Scurvy; or when hard, and tallow-like, the tophaceous scurvy; laftly, when the ferum is become acrimonious, the muriatic scurvy. The mucous fort was the first the author met with, and remarked it most frequent before Ajoph, in the general fieldhospital at St. Anne; as also in the Neister campaign. He observed the tophaceous first in Finland, at Borgo, ann. 1742; and the muriatic, where the cartilages of the ribs were entirely separated from the breastbone (g), as was plainly to be feen and felt, at the field-hospital at Abo, ann. 1743.

These are the chief kinds of the slow scurvy, which occurred in the Russian armies, and fell under the author's observation. There is indeed yet another species of it, proceeding probably from a total dissolution of the red part of the blood; which occasions an extraordinary weakness and redness of the body, swelled pendulous cheeks, a bloated habit of body extremely stinking, sungous gums, full of a bloody humour, with somewhat contracted or rather weak knees, &c. But this he never obser-

ved

<sup>(</sup>g) Cases similar to those at Paris. Vid. dissections, part 2. cap. 7.

430 Scurvies in the Ruffian armies. Part III.

ved, except in some few patients in the in-

trenchments of Uft-Samara.

Thus much of the cold fcurvy. There remains the other general branch of this difease, viz. the bot and painful scurvy. It is distinguished from the former, 1st, By there being no fullness or swelling of the body; on the contrary, there is rather a decay or wasting (b). 2dly, The gums are neither fo fpungy nor do they yield fo bloody, fœtid, or discoloured an humour; but are rather very hard, swelled, hot, and fo painful, that the gentlest touch gives agony. 3dly, The pains are not fo fixed as in the cold fcurvy. The patient makes continual complaints, fighing and bemoaning his unhappy condition; and has a constant, though irregular, fever. The pains fly from one member to another; fometimes from the joints and back to the whole or half of the head, teeth, and neck; where, after occasioning the most exquisite torture, they again instantly attack the outside or infide of the breaft, occasioning extreme oppression, stitches, &c.: afterwards, seating themselves in the belly, they produce colics, nephritic pains (i), and stoppage of urine,

(b) Vid. part 2. p. 260.

<sup>(</sup>i) Vid. Sinop. part 3. p. 400. By the account of northern writers it would feem, that venereal diseases do not so readily yield to mercurial medicines there, as they do in warmer climates. Sinopeus tells us, that he found great disticulty to cure even a common gonorrhæa at Cronstadt.

Chap. II. Scurvies in the Russian armies. 431

urine, and in the limbs all forts of convulfive contractions. 4thly, The knees are inflexible and contracted: but, unless it has been occasioned by some outward accident, they are not fo much swelled or inflamed as in the cold fcurvy. 5thly, No spots are seen. 6thly, There is a difference to be perceived in the urine, which in the livid and petechial fcurvies, though not accompanied with any remarkable degree of fever, is commonly of a deep red colour, and undergoes little alteration by standing: but in the hot fcurvy, as there is always a fever, it drops a copious fediment, and shews a film swimming at the top. This hot scurvy he has remarked sometimes; but he no where faw more patients labouring under it than at Wiburgh and Cobilack.

It may not be improper to describe the various causes which produced this calamity, viz. principally the pale scurvy, in the order in which they occurred.

us attacked in the spring ann. 1736, in very

fladt. And as for the pox, except it was very recent, the taint could not be subdued by repeated salivations: for the disease generally broke out again, always in the spring, together with the scurvy; the latter seeming constantly to awake any sparks of the venereal poison lurking in the body. During the prevalence of the scurvy, those who, for venereal complaints, underwent a slight salivation, sell into a dreadful scurvy; which being removed, left a worse lues behind it.

very piercing cold weather, accompanied with frequent rain, fleet, and fometimes with fnow. And as there were no woods in the neighbourhood, the troops fuffered extremely, during this rigorous feafon, for want of fuel. Nor did the regiments fare better who were ordered to join us; as most of them were obliged to begin a long journey by land, upon a very fhort warning; or were transported in boats down the Don, together with the artillery, from the garrison of Nova Pawloffsky, and the adjacent places. Now, as this fiege, by various accidents, was protracted for three months, the inconveniencies and hardships which the troops fuffered, were extremely great. 1/t, The weather became afterwards exceffive hot; and was quite unsupportable during fun-shine, and on calm days. 2dly, We had a great deal of moist rainy weather; which greatly incommoded our army, which was incamped on flippery and hilly ground; as also the fick in their tents, who were not well attended; their tents were also ill contrived, and badly sheltered. 3dly, Sickness was occasioned by the too frequent eating of fish badly dressed, with which the plentiful river Don abounds. 4thly, The bread was not fufficiently baked, for want of fewel. 5thly, The water was very impure, being taken up from the fordable parts of the Don, and it became every day

day more impure. To which may be added, the preceding camp-diforders, viz. fluxes and obstinate quartan agues; besides the passions of the mind raging in the breasts of the soldiers, viz. revenge, anger, dif-

content, &c. and the great fatigues they

underwent.

As to what regards the fortress of St. Anne; though this place is fituated pretty high, yet the country about it lies fo low with respect to Great and Small Russia, that it is from thence annually overflowed, generally in the months of March and April, for thirty versts around, upon the breaking loofe of the ice and fnow. It appears at this time like a great fea; and many parts are funk feveral fathom below water. inundation of the Don brings along with it an incredible number of excellent and very fat fish; which were fold excessively cheap, and eat in immoderate quantities. During the inundation, the air is very raw, cold, and windy. At the time of its drying up, the days are exceffively hot; and the fun is fcorching, when the weather is fair; but the nights, on the contrary, are intolerably cold, and the air is foggy and moift. As the moraffes dry up, and the remaining fish (especially cray-fish, of which there is an aftonishing quantity left behind) begin to putrify, the air becomes offensive; and for thick, that it is feveral hours every morning, Ff before

434 Scurvies in the Russian armies. Part III.

before the fun has power to diffipate the noxious vapours. Upon the retreating of the flood, the ground shews a fandy bottom, and is formed into little islands and banks of fand, furrounded with fords filled with stagnating water. What was drank, was often not taken where the stream was quick and deep, but in fuch fords where it was muddy and greafy. The fish remaining behind, were eat in immoderate quantities badly dreffed. The barracks were built on morafs, damp ground, and too low. Laftly, The foldiers being the only inhabitants of the garrison, were obliged to fland every day up to their middle in water, in order to unload the necessary wood; which is always fent them for fewel and building from the Ukraine.

The principal reason why, of those regiments who marched to Oczakow, such a considerable number were attacked by the scurvy, and brought into the hospital at Cobilack, was, the excessive fatigues they underwent through the whole winter, partly in cutting open the ice of the Neiper, to prevent the incursions of the Tartars; and partly in performing other hard and severe military duties, either in stormy rainy weather, or during excessive frost and cold, without having proper conveniencies, lodgings, or diet. Even those who underwent no fatigue, being afflicted with different

Chap. II. Scurvies in the Russian armies. 435 ferent complaints, for want of sufficient attendance, rest, and quiet, in the army, became also scorbutic.

As to what regards the great number of scorbutic patients, which occurred not only during the march of the army from Oczakow, but also during the Neister campaign; the author treats only of the latter, as having been there in person; and because, according to his best information, the occasions and causes of the malady in both differed very little, or rather not at all.

The most part of the recruits required to complete the army, joined it feldom fooner than when either the army was ready to march, or was actually in motion. And though they were generally young raw fellows, excessively fatigued after a long and tedious journey; yet it was not poffible then to grant them any rest or necesfary refreshment. They were directly incorporated into the respective regiments; and entered at once upon a new way of life, viz. of constant disquiet, military hardships and severities, and of great fatigue. The marches were begun early in the morning, often during thick fogs and dews, heavy rains, or fevere cold. Towards the middle of the day, they were oppressed with intolerable fcorching heat, and clouds of dust, or with much rain. The march was protracted for the most part till noon, Ff2 and

and often beyond that time, according as water, wood, and forage were to be met with in those defert places. Thus the poor foldier, after a fatiguing journey, quite fpent with thirst, and enfeebled by the exceffive heat of the fun, or drenched in rain, arrived at last at the camp. But often, even here, no rest could be permitted him. He was obliged, according as it was his tour, to go upon the piquet, tabunen, or the centinel's duty. Another great hardship was the want of good and clean water upon the roads. Overcome by the exceffive heat, fome threw themselves naked into every dirty muddy pond they met; while others endeavoured to allay their violent thirst, occasioned by the dust and sun, by greedily drinking up every drop of filthy stagnating water they faw upon the ground. This bred many difeases, especially continual inflammatory fevers, &c. men full of blood were attacked with apoplectic fits; which if not removed by immediately blood-letting, they quickly expired. Their blood was fo inflamed, that it came out of the veins as thick as pitch. But the hardships which the fick underwent, were still greater. They were by most regiments carried in open carts, exposed to all the inclemencies of the climate and weather, viz. to rain, dust, and wind, heat and cold. In paffing the defiles, being generally

Chap. H. Scurvies in the Russian armies. 437 generally the last, it was always several hours before they arrived in camp after their regiments; notwithstanding on the marchingdays they fet out early in the morning, long before the rest of the army; and after having been quite wet with rain in their carts, were then taken out, and laid upon their bed stretched out under moist canvas, upon the cold wet ground. Nor, in fuch afflicting circumstances for the fick, was it a small addition to their misery, that, in this desolate and uninhabited country, proper food and drink could not be procured, in order to restore them to health. Hence it is not to be wondered at, that from fuch causes, as also by reason of the great preceding sick-

ness and fevers in the camp (which, for

want of conveniencies and proper treatment,

were not brought to a perfect crisis) the

fcurvy raged with fuch uncommon destruc-

110m.

It is, however, remarkable, that this fatal calamity was greatly prevented in the Chocim campaign, ann. 1739, by fending the recruits much earlier; fo that they had sufficient time to be refreshed after their journey, and were accustomed a little to the military life and diet before they marched; as also by every regiment's being provided with a certain number of covered waggons for their sick; in which they were at all times sheltered from rain, dust, wind, and weather,

The

438 Scurvies in the Russian armies. Part III.

The happy effect of those excellent regulations was, that in a whole division, consisting of ten or twelve regiments, we had scarcely as many scorbutic cases as occurred in the former campaign in one regiment only; and of these an incredible less number died.

From these observations it appears that the fcurvy occurs as well in the hottest climates, and in the midst of the continent, as in the cold northern regions, or near the fea. The pale fcurvy is the only species of the flow fcurvy which is not confined to certain months of the year. In the livid fcurvy, the blood is very liable to an expansion, which has occasioned this species sometimes to have been mistaken for the hot scurvy: heating and irritating remedies for this reafon must be avoided. The acrid antifcorbutics are ferviceable in the petechial and pale mucous feurvies; as also in the tophaceous, where it is proper to give falts along with them, fuch as falt of worm-wood, cream of tartar, and vitriolated tartar; but in the rancescent and muriatic scurvies, they are very pernicious. It is to be observed, that the rancescent and muriatic scurvies do not affect the whole body. They are rather fymptoms incident to other species; as for example, to the livid fcurvy, though but feldom and in few parts of the body; to the pale scurvy, more frequently and then

Chap. II. Scurvies in the Russian armies. 439

then in many parts of the body. The rancescent appears principally in the cheeks; the muriatic commonly first at the ribs, and their articulation with the breast-bone.

As to the proper regimen, the fick in the flow feurvy ought to have particularly spacious dry rooms, in which too many of them are not to be crouded. The apartments are to be kept clean and airy, and often perfumed with the steam of strong vinegar poured on hot stones, or of burnt juniper-berries. Those who are very feeble, and fuch as are afflicted with the hot or with the muriatic fcurvy, cannot bear exercife, or being exposed to a cold moist air. Patients in the pale fcurvy especially, require hot and dry rooms; whereas those in the hot feurvy bear with a moist air better than with an air too hot and dry; and are particularly much refreshed in hot and dry weather by having fresh fand, or grass in their room, or water sprinkled on the floor.

Bathing is prejudicial in the beginning of the flow scurvy. Fresh vegetables, though otherwise proper, are not to be permitted when the body is already much wasted, or in a flux. Horse-raddish and fir-tops steeped and fermented with beer; or insused in brandy; and mustard, where no fever or other symptoms forbid their use, are extremely serviceable, principally in the peterchial and pale mucous scurvies, after clean-

fing the stomach and intestines.

1748. A voyage round the world, in the years 1740, 41, 42, 43, 44, by George Anfon, Esq; late Lord Anson, commander in chief of a squadron of his Majesty's Ships, Sent upon an expedition to the South Seas. Compiled from his papers and materials, by Richard Walter, M. A. &c.

Soon after our paffing straits Le Maire, the fcurvy began to make its appearance amongst us: and our long continuance at sea, the fatigue we underwent, and the various disappointments we met with, had occafioned its spreading to such a degree, that, at the latter end of April, there were but few on board who were not in some degree afflicted with it; and in that month no less than forty-three died of it on board the Centurion. But though we thought, that the distemper had then risen to an extraordinary height; and were willing to hope, that as we advanced to the northward, its malignity would abate: yet we found, on the contrary, that, in the month of May, we loft near double that number. And as we did not get to land till the middle of June, the mortality went on increasing; fo that, after the lofs of above 200 men, we could not at last muster more than fix foremast men in a watch, capable of duty.

This difease, so frequently attending all long voyages, and so particularly destructive to us, is furely the most singular and unac-

countable and area countable

countable of any that affects the human body. Its fymptoms are unconstant and innumerable, and its progress and effects extremely irregular: for scarcely any two persons have the fame complaints; and where there hath been found fome conformity in the fymptoms, the order of their appearance has been totally different. However, though it frequently puts on the form of many other difeases, and is therefore not to be described by any exclusive and infallible criterions; yet there are fome fymptoms which are more general than the rest, and occurring the ofteneft, deferve a more particular enumeration. These common appearances are, large discoloured spots disperfed over the whole furface of the body; fwelled legs; putrid gums; and above all, an extraordinary laffitude of the whole body, especially after any exercise, however inconfiderable: and this laffitude at laft degenerates into a proneness to swoon, on the least exertion of strength, or even on the least motion. This difease is likewise usually attended with a strange dejection of spirits; and with shiverings, tremblings, and a difposition to be feized with the most dreadful terrors on the flightest accident. Indeed it was most remarkable, in all our reiterated experience of this malady, that whatever discouraged our people, or at any time damped their hopes, never failed to add new

new vigour to the distemper: for it usually killed those who were in the last stages of it, and confined those to their hammocks who were before capable of fome kind of duty. So that it feemed, as if alacrity of mind, and fanguine thoughts, were no contemptible preservatives from its fatal

malignity.

But it is not easy to complete the long roll of the various concomitants of this difeafe. For it often produced putrid fevers, pleurifies, the jaundice, and violent rheumatic pains. And fometimes it occasioned an obstinate costiveness; which was generally attended with a difficulty of breathing; and this was esteemed the most deadly of all the scorbutic symptoms. At other times the whole body, but more especially the legs, were subject to ulcers of the worst kind, attended with rotten bones, and fuch a luxuriancy of fungous flesh as yielded to no remedy. But a most extraordinary circumstance, and what would be scarcely credible upon any fingle evidence, is, that the scars of wounds which had been for many years healed, were forced open again by this virulent diftemper. Of this there was a remarkable instance in one of the invalids on board the Centurion, who had been wounded above fifty years before at the battle of the Boyne: for though he was cured foon after, and had continued well for

Upon

for a great number of years past; yet, on his being attacked by the fcurvy, his wounds, in the progress of his disease, broke out afresh, and appeared as if they never had been healed. Nay, what is still more aftonishing, the callus of a broken bone, which had been compleatly formed for a long time, was found to be hereby disfolved; and the fracture feemed as if it had never been consolidated. Indeed, the effects of this difease were in almost every instance wonderful. For many of our people, though confined to their hammocks, appeared to have no inconfiderable share of health; for they eat and drank heartily, were chearful, and talked with much feeming vigour, and with a loud strong tone of voice; and yet on their being the least moved, though it was only from one part of the ship to the other, and that in their hammocks, they have immediately expired. And others, who have confided in their feeming strength, and have refolved to get out of their hammocks, have died before they could well reach the deck. And it was no uncommon thing for those who could do some kind of duty, and walk the deck, to drop down dead in an instant, on any endeavours to act with their utmost vigour; many of our people having perished in this manner, during the course of this voyage.

Upon arriving at the island of Juan Fernandes, 167 fick persons were put on shore, besides at least a dozen who died in the boats, on their being exposed to the fresh air. The extreme weakness of the fick may be collected from the numbers who died after they got on shore: for it had generally been found, that the land, and the refreshments it produces, very soon recover most stages of the sea-scurvy; yet. it was near twenty days after their landing, before the mortality was tolerably ceafed: and for the first ten or twelve days, they buried rarely less than fix each day; and many of those who survived, recovered by very flow and infenfible degrees. Indeed those who were well enough, at their first getting on shore, to creep out of their tents, and crawl about, were foon relieved, and recovered their health and strength in a very short time; but in the rest, the disease feemed to have acquired a degree of inveteracy altogether without example.

It was very remarkable what happened to the Gloucester, which, like the other ships in that fquadron, had fuffered the most unparalleled hardships, and buried three fourths of her crew in this disease; that, upon landing the remainder of her fick, less than eighty in number, very few of them died. Whether it was (as the ingenious author observes) that the farthest ad-

vanced

the

vanced in the diftemper were already dead, or the greens and fresh provisions sent on board them when plying off that island, had prepared those who remained for a fpeedy recovery; their fick, however, in general, got much fooner well than the Centurion's crew.

The havock which this dreadful calamity made in those ships, was truly surprising. The Centurion, from her leaving England, when at this island, had buried 292 men, and had but 214 remaining of her complement. The Gloucester, out of a smaller complement, buried the fame number, and had only 82 alive. This dreadful mortality had fallen severer on the invalids and marines than on the failors: for on board the Centurion, out of fifty invalids, and feventy-nine marines, there remained only four invalids, including officers, and eleven marines; and on board the Gloucester, every invalid died, and only two marines escaped out of forty-eight.

In less, however, than seven weeks after leaving the coast of Mexico, having continued in perfect health for a confiderable time before, this fatal difease broke out again amongst them. Upon which occafion, the ingenious author makes the fol-

lowing remarks.

Some amongst us were willing to believe, that in this warm climate the violence of the disease, and its fatality, might be in fome degree mitigated. But the ravage of the distemper at that time convinced them of the falfity of this speculation; as it likewife exploded other opinions about the caufe and nature of this disease. For it has been generally prefumed, that plenty of water, and of fresh provisions, are effectual preventives of this malady. But it happened in the prefent case, we had a considerable flock of fresh provisions on board, being the hogs and fowls taken at Paita. We besides, almost daily, caught great abundance of bonito's, dolphins and albicores: and the unfettled feafon having proved extremely rainy, supplied us with plenty of water; so that each man had five pints a-day during the passage. But notwithstanding this plenty of water, and fresh provisions distributed among the fick, the whole crew often fed upon fish; yet neither were the fick hereby relieved, nor the progress and advancement of the disease retarded. It has likewise been believed by many, that keeping the ship clean and airy betwixt decks, might prevent, or at least mitigate the scurvy: yet we observed, during the latter part of our run, that, though we kept all our ports open, and took uncommon pains in fweetening and cleanfing the ship; yet neither the progress, nor the virulence of the difeafe were thereby fenfibly abated. The furgeon

furgeon at this time having declared, that all his measures were totally ineffectual for the relief of his patients, it was resolved to try the effects of Ward's drop and pill; and one, or both of them, at different times, were given to persons in every stage of the distemper. Out of the numbers who took them, one, foon after fwallowing the pill, was feized with a violent bleeding at the nofe. He was before given over by the furgeon, and lay almost at the point of death; but he immediately found himself much better, and continued to recover, though flowly, till we arrived on shore near a fortnight after. A few others were relieved for fome days. the difease returned again with as much virulence as ever; though neither did thefe, nor the rest who received no benefit, appear to be reduced to a worfe condition than they would have been if they had taken nothing. The most remarkable property of these medicines in almost every one that took them, was, that they operated in proportion to the vigour of the patient. So that those who were within two or three days of dying, were scarcely affected; and as the patient was differently advanced in the difease, the operation was either a gentle perspiration, an eafy vomit, or a moderate purge. But if they were taken by one in full strength, they then produced all the before-mentioned effects with confiderable violence; which fomefometimes continued for fix or eight hours together with little intermission. Upon their arrival at *Tinian*, they soon began to feel the salutary influence of the land: for though they had buried in two days before twenty-one men, yet they did not lose above ten more from the day after they were landed; and reaped so much benefit from the fruits of the island, particularly those of the acid kind, that in a week's time there were but few of them who were not so far recovered as to be able to move about without help.

1748. A voyage to Hudson's-Bay, by the Dobbs galley, and California, in the years 1746 and 1747, for discovering a north-west

passage. By Henry Ellis.

The bringing two casks of brandy from York-fort for our Christmas cheer, was attended with fatal confequences. The people had been healthy enough before this feason of mirth came; but indulging themfelves too freely, they were foon invaded by the fcurvy, the conftant attendant on the use of spirituous liquors. It is a melancholy, but withal a necessary task, to defcribe the progress of this foul and fatal distemper. Our men, when first seized with it, began to droop, to grow heavy, liftlefs, and at length indolent, to the last degree: a tightness in the cheft, pains in the breaft, and a great difficulty in breathing followed; then

then enfued livid fpots upon the thighs, fwelled legs, contraction of the limbs, putrid gums, teeth loofe, a coagulation of blood upon and near the back-bone, with countenances bloated and fallow; thefe fymptoms continually increasing, till at length death carried them off, either by a flux or a dropfy. Those medicines, which in other countries are generally used with good effects, proved entirely ineffectual here. For unctions and fomentations, when applied to contracted limbs, afforded no relief: fresh provisions, indeed, when we could get them, did fomewhat. But the only powerful and prevailing medicine was tar-water; and the steady use of this faved many, even after the difease was far advanced, when all other medicines loft their efficacy, and were tried to no purpose. As far as we could observe, this falutary drink operated no other way than by urine (k).

though the immoderate use of spirits had certainly pernicious effects; yet the severity of the winter, their being denied proper refreshments from the English forts, and particularly, in such circumstances, a want of greens and herbage, which do not seem to have appeared on the ground till towards the latter end of March, p. 204, were what principally occasioned the disease. As he very justly accounts for its return upon their passage home, p. 281. where he says, "The uncomfortable weather we had, made so chiefly by the thick and noisome sogs, proved the cause that many of our people began now to relapse into their old distemper, the feury." As to the good effects ascribed to the tar-water while at Port-Nelson, it were to be wished, both in this and

thod of extracting the foul air out of ships, &c. with the description and draught of the machines by which it is performed; by Samuel Sutton, the inventor. To which are annexed, Two relations given thereof to the Royal Society, by Dr. Mead, and Mr. Watson; and, A discourse on the scurvy, by Dr. Mead. Ejusdem monit. et præcept. medic. cap. 16. de scorbuto.

The learned author very justly describes the most essential symptoms of the scurvy. He imagines the air even more than any other agent concerned in bringing on this calamity. How the fea-air acquires fuch noxious qualities, he accounts for in the following manner. In the first place, moisture weakens its fpring; next a combination of foul particles, fuch as are contained in the breath of many persons crouded together, and some perhaps diseased; then the filthiness of water stagnating in the bottom of the ship; lastly, falts imbibed from the sea, fome of which may probably have proceeded from putrified animals in that element, may infinuate

many other relations of the effects of medicines in this difease, that we had always been informed what other regimen the patients underwent, particularly as to their diet and lodgings. The mortality from this disease seems to have been increased in the latter end of January; and in the latter end of March several were in a bad way. Some likewise died of it on their passage home; which could not be for want of this medicine on board a ship, which has been often tried at sea. infinuate themselves into the blood, and, in the nature of a ferment, corrupt the whole mass. Other causes, as bad diet, &c. concur to breed the disease. For the prevention of it, he recommends the use of Mr. Lowndes's falt made from brine, as preferable for falting provisions, both flesh and fish, to that made from sea-water, even to the bay-falt; would have flock fish used at fea, which is dried without any falt, instead of falt fish; and thinks, that the Dutch gort, which (as he had been informed) is a kind of barley ground, is not so hot and drying as oat-meal. Wine-vinegar is likewife a proper prefervative. He observes, that the difease is cured by vegetables, and landair; and that hotter and colder vegetables, when mixed, qualify each other, especially as the acid fruits in Lord Anson's voyage were found of most benefit. Milk of all forts, and its whey, when it can be had, are proper antifcorbutic food and physic. But as the defign of this discourse is principally to demonstrate the usefulness of Sutton's machine, he particularly infifts upon the advantage that might reasonably be expected from it.

1750. De tabe glandulari, sive de usu aquæ marinæ in morbis glandularum, difsertatio. Auctore Ricardo Russel, M. D.

The use of sea-water would be very beneficial to failors in bilious colics, both to

prevent

prevent the disease, and its return after the cure. This latter is to be effected by a warm bath and purging falts, after the imflammation has been removed by plentiful bleeding. In his letter to Dr. Lee, he obferves, that, after taking into ferious confideration the case of that scorbutic putrefaction which afflicts feamen, he finds, that it is falfely ascribed to their falt provifions. Salt not only preferves meat from corruption, but mariners also from that corrupt state. This is confirmed, by remarking the strength and good state of health which poor country-people enjoy whilst living upon the fame food as feamen. Thus there are many in every country who have lived, perhaps for thirty years, altogether upon falt beef, bacon, and coarse puddings, unless upon a high holiday, when they are fometimes regaled with a bit of fresh meat; and yet continue perfectly healthy and strong. So that the difference between those people and feamen lies only in this, that the latter have not the benefit of fo much exercise, and live in a moist air, by which the tone of their fibres is relaxed, and perspiration stopt.

1750. An essay on fevers, &c. By Dr. John Huxham. Appendix, A method for preserving the health of seamen in long cruises

and voyages.

He thinks the fcurvy at fea owing to bad provisions, bad water, bad beer, &c. The pernicious effects of which will be confiderably augmented by living in a moift, falt atmosphere, and breathing the foul air betwixt decks. The most effectual way of correcting this alcalefcent acrimony in the blood, is by vegetables and mineral acids: and for that purpose he particularly recommends cyder; of which each failor should have at least a pint a-day.

1736. 1750. Or a journal of voyages made by order of the court of Russia into Ramavatzin, by the coast of Siberia, &c.

By M. Gmelin.

On the 18th of August 1736, the ship entered the river Karaulach, in the latitude of 71 deg. The first care of the commanding officer was to build a habitation for their winter quarters. It was made of wood, 76 feet long, 25 ½ broad, and 17 high. They divided it into four apartments, and the chinks being well corked up, it was to be kept warm with three stoves. On the 12th of September they took possession of their winter quarters, all of them being Gg3 then

Towards the end of October the cold became very severe, and the scurvy made its appearance. The sun was seen no more after the 5th of November for two months. On the 18th of December the lieutenant, a man of a strong and robust constitution, and another person, died of the scurvy. The sun making its appearance for the first time on the 19th of January, gave great expectation that the sick would by degrees be restored to health; but yet there died seven in this month, and in the two following

months twenty-four perfons.

The difease began by pains afflicting those parts of the body which were formerly fubject to ulcers or other complaints. appetite was a little diminished; after which followed a weakness of the body, accompanied with an extraordinary lethargic indolence. The legs became fwelled, and were covered with blueish spots. The patients fneezed with difficulty, and then piercing pains were felt in the back. The teeth were all loofe; the breath was fœtid. Towards the close of the disease a dropfy came on, accompanied with a violent thirst. A dry cough and costiveness were symptoms common to all, infomuch that many remained constipated for two or three weeks; the firongest purgatives were of no effect; and in this condition one died after another.

Towards the close of life they had all a great propensity to go to stool, upon which many expired. Some, however, who were once open in their body, did not afterwards lose that benefit of nature; but then at each time they discharged blood, and continued so to do until death in a few days put an end

to their mifery.

With regard to the case of the lieutenant, it is faid, that towards the end of the difease, it was remarked, he had a violent fever, an afthma, an infensibility over the whole body, and an hiccough, under which he expired. Upon opening the body, the right fide was observed marked all over with blueish scorbutic spots. The penis was erect, and discharged blood into the bladder; in the cavity of which was found a quantity of coagulated blood and other impurities. The right lobe of the lungs was covered with a viscid humour; the throat and aspera arteria were inflamed; the heart and the great artery were distended with a blackish blood; and the kidneys as if they had been mortified: the stomach nevertheless was discovered found, and without defect.

The most memorable circumstances which deserve attention, and could not be remedied during the course of this malady, were, 1st, Their winter quarters being too near the sea. 2dly, The cold was so G g 4 excessive

excessive in their habitation, that whatever quantity of fewel was heaped upon the fire, the furnaces were scarce warm; nor could the men be brought to a moderate degree of heat in any other way than by standing close to the vent-hole of the stove which opened into their chamber. 3dly, The planks of their houses were always moist, and the walls as it were frozen over. 4thly, None daring to stir abroad on account of very high winds, and great falls of snow, they were often obliged to keep the dead bodies four or six days unburied in their houses.

Of all the company, eight persons only had the good fortune to escape with life; whose prefervation it is not easy to account for. 'Tis true, that the scurvy having spared them, they were kept in perpetual motion and exercise; being constantly employed in cutting down wood, in warming the chambers, in attending and affifting the distressed: and to this incessant labour they attributed in part their preservation. Nevertheless the Russian priest, who was not employed in fo laborious occupations, imputed his fafety to the contrivance of a vent he had made in his apartment, which gave free iffue outwardly to the noxious. exhalations arifing from the humidity of the wood and clay of which the stoves were built; these he imagining to be the chief cause of the malady.

1750. A dissertation on quick-lime and

lime-water. By Dr. Ch. Alston.

The Doctor informs us, that he published this paper chiefly for the use of mariners. He attributes the good effects of lime-water in putrid fcurvies, and fome other difeases, not fo much to an antiseptic virtue (which it is possessed of) as to its penetrating, detergent, and diuretic qualities. He has discovered, that lime prevents the corruption of water, or infects breeding in it; and thinks this water will be useful in curing the difeases to which sea-faring people are most subject. One pound of fresh wellburnt quick-lime of any kind (1), is enough to be put in a hogshead of water; and this may be used, not only for common drink by the difeafed, or for prevention by the healthy; but also by boiling, and exposing it to the air for a short time, it will become, after long keeping, sweet and wholesome water. When lime-water, by standing exposed for some time to the air, has thrown up all its crusts, none of the qualities of time-water remain in it. From the remarkable quality he found in quick-lime to prevent water from corrupting, he often thought, that some of it put in the ship's well would effectually prevent the

<sup>(1)</sup> Stone-lime (not shell or chalk-limes) preserves water from putrefaction.

the corruption of the water there, and confequently the putrid streams of foul air arifing from thence. All these experiments are fafe, eafy, and attended with no expence.

1753. An essay on the sea-scurvy: wherein is proposed an easy method of curing that distemper at sea, and of preserving water sweet for any cruise at sea. By Dr. Anthony Ad-

dington.

The description of the disease is borrowed from Cockburn, Boerbaave, Hoffman, Eugalenus, Lord Anson's voyage, &c. cure proposed at sea, is to be begun, if there be any mark of fulness, by bloodletting. This is recommended upon the authority of Hoffman, Boerhaave, Sennertus and Brucæus, as also Eugalenus. In order to lessen the quantity of redundant blood still more, the patient is afterwards to be put under a course of gentle and daily purgation, with fea-water. Boerhaave, without any restriction to the habit of the patient, gives us the greatest expectations from a moderate and protracted course of purging in the fcurvy; and Hoffman speaks to the same purpose. But where there are marks of virulence in the scurvy, it will be loft labour to rely on fimple fea-water, unaffisted with any other antiputrid medicine. So if, in conjunction with that water, we make

make a prudent use of the spirit of sea-salt, we shall but seldom be disappointed in our hopes of a cure. This is that fafe and effectual corrector, which will counteract the putrifying quality of rock and bay falt, when they have been taken in fuch large quantities as to occasion the scurvy. Twenty drops of this spirit taken every day, will probably fucceed with most patients. Five of them are to be given in the fea-water every morning, and the remainder at any other times in fresh water: to a pint of which ten drops will impart an agreeable acidity. When the veffels have been pretty well unloaded by the purgation with faltwater, and the bad fymptoms begin to decline, the patient (with some exceptions) is to be bathed every morning in the fea just before he drinks the water. Sea-water is also to be used externally, where there are ulcers on the gums and legs, or carious bones. To give the greatest fanction that can be given to the outward application of fea-water in scorbutic ulcers, it is advised for them by Hippocrates. In scorbutic fluxes, mortifications, and hæmorrhages, the falt water is to be omitted. most probable way to remove the last fymptom, is, to bleed the patient as often and as much as his strength and age will permit; to open the belly, if costive, by glysters; and to oblige him to live entirely on the unfermented farines, and to drink freely of water foftened with gum arabic. and strong-ly acidulated with spirit of sea-salt. About an ounce and a half of spirit of salt to a tun of water, will preserve it from corrupting.

1755. A treatise on the scurvy. Designed chiefly for the use of the British navy. By Charles Bisset.

Chap. 1. Of the progress and different spe-

cies of the scurvy.

After a description of the two first stages of this malady differing in nothing material from other accounts, he observes, that the disease being arrived at its third and last stage, some other symptoms and symptomatic diseases frequently arise, which with the former symptoms swiftly encrease, and soon and infallibly end in death; if the patient has not the benefit of a proper regimen, ripe fruits, or green vegetables. The forms the scurvy now assumes are divided into five classes.

The first is, when an anasarca is the most prevalent symptom: this does not often occur.

In the fecond species, the anasarca is almost wholly confined to the legs and feet: little elevated pustles about the bigness of a small pin-head at the roots of the hairs of the legs, are most conspicuous in this species and the third.

In the third the legs are swelled and hard, chiefly at the calves, and sometimes they are greatly indurated without much swelling. The muscles of the thighs are often rigid and painful, and the benders of the legs sometimes contracted, with one or both knees rigid, having a hard discoloured swelling. There are discolourings on the skin as in the second species, also tumours, tubercles, bone-achs, hæmor-rhages; sometimes nodes and exostoses, and other symptoms common to all, or most of the other kinds of scurvy. It is worse than the second, but better than the first species.

The fourth species is distinguished by a dry emaciated habit and legs, excruciating bone-achs, frequently most violent in the middle and forepart of the legs. The author faw but a few cases of this fort, which most commonly afflicts seasoned Europeans and old men in the West-Indies. It has a great affinity to a species of cachexy induced by intermittents in the West-Indies. The fifth species, the most malignant and fatal, is commonly preceded by a continued or remitting fever, and fometimes the fecond and third species degenerate into it, especially if supervened by any degree or species of fever. Besides the usual symptoms of a bloated complexion and ædematous legs, the specks at the roots of the hairs are seldom raifed above the skin, the inside of the

mouth is ulcerated, and fometimes there is a caries of the maxillary bones. It is attended fometimes with a flow, continued, remitting or irregular intermitting fever and thirst. Its progress is swift. It is sometimes formed by a complication of the scurvy with the cachexy from an intermittent; and it is generally this species which succeeds fevers at sea. Two cases occurred wherein the diuresis was much impaired, with thick turbid urine, and fometimes a spurious ischuria; in both the disease quickly encreased with profuse hæmorrhages at times from the nofe. Such hæmorrhages however do not often occur, a cough scarce ever, nor any confiderable dyspnæa in the scurvies in the West-Indies: nor did the author ever fee one case of luxuriant spungy flesh arising from the gums.

Persons under a manifest scurvy are not invaded with the bilious sever in the West-Indies; yet this sever often attacks them when highly predisposed to the scurvy, as also when recovering from it, in both cases

proving very fatal.

Chap. 2. Of the external and internal

causes of the scurvy, &c.

The predifposing cause to this disease in the West-Indies is, according to the author's hypothesis, the intense diurnal heat, when the sun is in or near the zenith; joined with a constitution not seasoned to the torrid

zone; which weakens the digestive and assimilating powers of the body. He does not think distilled spirits, as I had observed, are productive of the scurvy, or have any pernicious insluence on this disease, if properly diluted; and censures pretty freely the opinion I gave in the first edition of this treatise, that such spirits check a fermentative tendency which ripe fruits and some vegetables have when taken into the stomach. He is inclined to believe, that malt-liquor, unless it operates as a laxative or diuretic, has no antiscorbutic, but a contrary quality.

Chap. 3. Of the prevention of the scurvy

on board his majesty's ships.

Chap. 4. Of the method of curing the scurvy, particularly at sea and in desert

places.

A discovery is here said to have been made in the West-Indies of a powerful anti-scorbutic quality in rice, which he advises as the principal article of diet for the preven-

tion and cure of the fcurvy at fea.

Having before constituted five different species of scurvy; in the treatment of the first we must chiefly regard the dropsy: for the cure of which he furnishes us with great variety of all such medicines as have been recommended in dropsical cases. He has observed good effects in scorbutic swellings and spots, by rubbing with a fresh cut lime,

but on the contrary, bad effects from embrocation with oily medicines. Sweet oranges will be best for this purpose in stiff and painful swellings, indurations, &c. The fecond species requires a greater proportion of attenuants and deobstruents than the first, with some demulcent medicines, and a much less proportion of purgatives, diuretics, diaphoretics, and corroborants. It is indeed for the most part foon cured by a proper vegetable diet only. The third species requires a still greater proportion of attenuants, deobstruents, and demulcents, together with fome emollients: confequently fweet oranges will be the most suitable remedy for both external and internal use. The cure of the fourth species is to be attempted by attenuants, demulcents, emollients, fudorifics, and bathing in warm water; using afterwards the cold bath, exercife, and other corroborants. In the fifth species, the best internal remedies are juice of limes or lemons, shad-docks, pomegranates, cashew apples, and all subacid fubastringent fruits, verjuice, spirit of vitriol, Peruvian bark, a decoction or extract of the twigs of green guajac, lime-water, tarwater, a decoction of sharp-pointed dock with orange-peel acidulated with acacia, and fweetned with molosses, &c. (0). He is of opinion,

<sup>(</sup>o) It is much to be regretted, that this author, who recommends such a variety of drugs in the scurvy, has not favoured

opinion, that ung. Ægyptiac. but especially the mineral acids, are hurtful applications to scorbutic gums. Sweet oranges are the most powerful known antiscorbutics.

Chap. 5. Of the scurvy chiefly from acid,

and acescent farinaceous food.

This chapter is a part of the Boerhaavian doctrine contained in Aphorism 62, 63, &c. de Morbis spontaneis ex acido humore; and the following section de Glutinoso spontaneo, as also Aph. 1166, &c. de Cachexia (p), illustrated by cases which occurred at Cleveland in Yorkshire.

Chap. 6. Of scorbutic and malignant ulcers. Chap. 7. Of the cure of scorbutic ulcers.

Under these titles we have a long differtation on different species of obstinate, habitual, and carious ulcers.

1761. Tractatus de scorbuto, Joannis A Bona.

He observes in his dedication, that no Italian author had before him treated expressly on the scurvy, so far as he knew. And in his presace gives the following reason for this publication. Fourteen years before, having cured a lady of quality at Verona of this disease, he was surprised H h

favoured the public with a few practical cases, where the good effects of such medicines, as lime-water and many others recommended, were discovered.

(p) Vid. Boerbaav. Aphorism.

that feveral learned physicians, who had formerly attended her, were unacquainted with the nature of her case, and was amazed to hear them affirm it to be as it were ominous for *Italy*, where they had hitherto believed themselves to be altogether

exempted from the feurvy.

The book was finished in the year 1750, but not put to the press till after the publication of the third volume of Baron Van Swieten's Commentaries on Boerhaave's Aphorisms (a). This author seems to have been diffident of his own fentiments in respect of this disease; but finding them so nearly to coincide with the Baron's, he took the courage at length to publish them. His book is properly a commentary on Van Swieten's commentary on what Dr. Boerhaave has published on the scurvy. Agreeable to the Boerhaavian fystem, the disease is divided into four distinct classes, according to the supposed prevailing acrimony in the blood.

This large volume, in which the author tells us, that he has given a complete history of the scurvy, contains few practical observations, and those mostly communicated to him by his friends.

The

<sup>(</sup>a) It appears from some passages in this book, that Doctor A Bona had seen the first edition of my treatise on the Scurvy, wherein the distinctions made in the scurvy by Boerhaave are criticized.

The first is from professor Targa, who in the year 1752 observed many country people, living about ten miles from Verona, in a healthy climate under the Alps, afflicted with the scurvy. It proceeded from a want of corn, or a fort of famine, which had reduced those poor to the neceffity of eating bad and unwholesome food. Towards the end of winter, and in the fpring, the difease made its appearance. The fymptoms were a laffitude, fpots of various colours, bleeding fwelled gums, loofe teeth, acrimonious spittle, pain and contraction of the knees, a weak feeble pulse, &c. It attacked more women than men, and disappeared almost entirely when a fucceeding plentiful harvest had put an end to their apprehension of a famine, and to the mifery of the country.

A fecond observation is communicated by the same professor. A healthy old man, being confined to his bed for five months by a fracture of the head of the thigh bone, was, notwithstanding his having a very wholefome diet, feized with a fcurvy, attended with all the fymptoms before mentioned. The violence of those symptoms encreasing with the addition of a fever and flux, carried off the patient in the tenth month of his

confinement.

The 3d observation was made by a phyfician, who for many years had the care of lunatic patients in the hospital of St. Urfula. The greater part of those lunatics, who had been long confined in that hofpital, were at length attacked with the fcurvy. It was not equally violent in all, though fometimes it advanced to the 4th stage, and even some died of it in great misery. The doctor used all possible precautions against it, but to little purpose. The plaster, which overlaid the walls was removed, the beds, linen, and other furniture fhifted, without producing any sensible good effect. And though some wards were fmall, others larger; fome on the ground floor, and others above it, yet the patients in all of them were feized with the fcurvy; fuch as were robust not being exempted. Those who were very indolent and lay in their bed the greatest part of the day, were fooner and more violently afflicted, and in some of them the disease proved so obstinate, that neither change of air, of their chamber or diet, or even fetting them altogether free from their confinement, proved a means of their recovery. The whole body was fometimes stained with livid spots, and the ulcerated gums sprouted up to fuch a pitch as to cover all the teeth, although antiscorbutic decoctions and tinctures were of benefit to fome, as also washing the mouth frequently with aufterered wines, yet the effects of those remedies were not permanent.

Towards the conclusion of the book, there is an extract given by a clergyman from a very antient and curious Greek manuscript, preserved in the library of St. Mark at Venice. This manuscript, whose author is said to have been Aelius Promotus, contains a number of prescriptions for a bad breath, for painful ulcerated and wasted gums; for rottenness, bleedings, and fluxes of humour from the gums, and for various maladies of the teeth. Hence our author concludes, that the demonstrative signs of the scurvy being clearly described by Promotus, this disease, especially the alcaline scurvy, was known to the ancients.

de Hollandsche Maatschappy der Weetenschappen te Haarlem. Or, An essay on the causes and cure of the usual diseases in voyages to the West-Indies, together with the preservatives against them. In answer to the questions proposed by the society of sciences in Holland. By Solomon de Monchy.

He says, the putrid sever, the malignant fever, and the scurvy, are the most usual diseases in those voyages. Upon the subject of the latter disease, he offers nothing new, having (as it would appear) sew opportunities of seeing scorbutic patients.

vations, in two parts, from the year 1758, to the year 1763, tending to the improvement of military hospitals, and to the cure of camp diseases, &c. By Richard Brocklesby. Page 301, Of the scurvy among soldiers.

The author informs us, that he faw feveral of the French prisoners confined in Winchester castle labouring under all the symptoms of the scurvy as enumerated in Lord Anson's voyage, except that of the dissolved callus of a fractured bone, which he never heard had happened in England.

The furgeons mates of the prison shewed him some men whose teeth were all loosened, and many had dropped out. The tonfils and upper parts of their mouth were fwelled, and feveral had hard fpongy excrescences pushed out from the roof of the mouth; the whole infide of their mouth being ulcerated. Every difeafed part bled profusely. The spongy laminæ of the bones of the nose were sometimes destroyed. Many had the uvea of the eye as black as a coal. And two men had a great portion of the white of their eyes also discoloured (a). Those prisoners suffered, says our author, diffresses by the scurvy unknown in our times,

<sup>(</sup>a) See a particular account of this scurvy in the sup-

times, except among the British troops in the winter, 1759, at Quebec, and among those who died at Senegal of this disease. To this marvellous account is subjoined the cure, which was performed by keeping the body lax, by aromatic cordials, wine, onions, garlic, vinegar, mustard seed, bitter infusions, &c. but above all by decoctions of the bark sowred with elixir of vitriol.

David Macbride. Essay IV. On the scurvy, with a proposal for trying new methods, to

prevent, or cure the same at sea.

The author of those useful and ingenious esfays, being of opinion, that the cure of the fea fourvy depended chiefly, if not altogether, on the fermentative quality of fresh vegetables, which are found to conquer this destructive evil: It occurred to him, that malt taken in the way of medicine, would in all probability produce effects fimilar to those produced by green vegetables, and confequently cure the fcurvy. Malt may be preserved found and good, for years, and if carried to fea, in order to make wort occasionally, a remedy might always be had in readiness against that fatal disease. He therefore requests, that trial may be made of wort on fcorbutic patients often. He advises to boil it up into a panado with fea biscuit, or some dried fruits. Of this

the patients are to make two meals a day, and drink a quart or more, (if it shall be found to agree) of the fresh infusion of the wort in the course of 24 hours, taking a smaller quantity at first, and gradually encreasing it. If it gripes or purges, the dose must be lessened, and some drops of the acid elixir of vitriol given with it, to check the too great fermentation, and make it fit easier on the stomach. When malt is not at hand, melaffes, honey, or fugar, may be tried.

The wort is to be brewed (especially in hot weather) fresh every day in the following manner. Take one measure (suppose a quart) of the ground malt, and pour on it three measures of boiling water; stir them well, and let the mixture stand close covered up for three or four hours, then

strain it (b).

We have here an extract form a book published about the year 1639 by John Woodall, an old English furgeon, containing an accurate account of the scurvy, taken from Ecthius, Wierus, and from the author's

own observation.

<sup>(</sup>b) By an admiralty order, a trial of the effects of wort on scorbutic patients was made in Haslar hospital; I was then in London, and the experiment was conducted by my ingenious and learned colleague, Dr. Farr, now physician of Plymouth hospital.

1764. An account of the diseases which were most frequent in the British military hospitals in Germany, from January, 1761, to the return of the troops to England in March, 1763. By Donald Monro. P. 250, Of the scurvy.

The true fcurvy attended with fpungy fœtid livid gums, livid blotches, ulcers of the legs, &c. began to shew itself at Bremen, in January, 1762. There the difease was observed only among the soldiers, not one of the officers having the least fymptom of it. The first patient was an invalid who had been some weeks in the hospital, before his case was discovered to be the fcurvy. He at first complained only of great weakness, and fuch a giddiness when he got out of bed, that he could fcarce walk; and of what he called flying rheumatic pains in his legs. At length his gums became fore, swelled, foft and fpungy; and his legs covered with fcorbutic blotches, &c. The proofs of the fcurvy being now evident, he was ordered an addition of greens to his diet, and a quart of lemmonade with a gill of brandy in it per day for his common drink. And for medicine, a decoction of the bark with elixir of vitriol. The gums were scarified where much fwelled, and washed with an astringent gargle, then rubbed with a little burnt alum.

By pursuing this method, in a fortnight's time the fymptoms decreafed. During the cure he was bled for a pain in his fide. In about fix weeks he was difmiffed the hospital, being perfectly reestablished in health.

We have an accurate account of feveral other fimilar cases of patients, who laboured under this malady in the hospital at Bramen, and who by the like treatment were restored to perfect health by this skilful phyfician.

1764. Ludovici Rouppe, M. D. de morbis navigantium liber, sect. 2. cap. 2. de

scorbuto.

This book, in which the author is pleafed to make very honourable mention of my treatife, contains many excellent observations, furnished from an extensive medical practice, both at fea and land. To the other causes usually affigned for the scurvy, he adds drinking to excess of spirituous liquors; and chewing or smoaking tobacco: both which impede the digestion of the aliment. But chiefly he ascribes the disease to a neglect of bodily exercise or a sedentary life.

In a voyage from the West-Indies to Holland in the year 1760, when the scurvy began to fpread itself among the company of the Princess Caroline (a Dutch ship of war) he felected three patients, who at that time complained only of pains in their

limbs,

limbs, and a laffitude in their joints. To each of them he administred in the morning an ounce of the spirit of fourvy grass mixed with an ounce of horse-raddish water; at noon six drachms of spiritus carminativus sylvii, with an ounce of cinnamon water; and at night an ounce aqua vitæ Matheoli, mixed with an ounce of cinnamon water.

Some days afterwards finding their gums fwelled, and other evident marks of the fcurvy, he ordered them to drink a tea-cupfull every two hours of equal parts spirit of scurvy grass and horse-radish water, sweetened with sugar. But after the continuance of this prescription for several days, finding the symptoms to encrease, he discontinued it, and treated those men in the same manner as the other patients in the ship.

The consequence of this trial of the effects of spirit of scurvy grass was, that those three patients (who had taken it) all died, when they came on shore; being the only men of that ship who died of the disease. Hence our author concludes, that this boasted antiscorbutic remedy does not merit the encomiums which have been bestowed

upon it.

He relates that a number of foldiers and poor people in Landau had lately been feized with an itch or scabby eruption on the skin, different from the true scurvy.

It was occasioned by their eating the salted flesh meats and old cheese, which during the late war had been laid up in the stores of that garrison. He thinks their eating greens at the same time, was the means of preventing their having the true scurvy.

Among other symptoms of this disease, he observes, that the patients are from the beginning melancholy or low spirited, and apt to be struck with terror upon the slightest accident. He could never inspire them with any degree of hope or confidence; they always imagined every person to be their enemy. In the progress of the malady they move their eyes flowly, and when they contemplate an object open their eyelids more than usual, as if under a constant apprehension of danger. They are particularly fearful of their officers, and conceal themselves in the dark places of the ship. When the difease is farther advanced, they often lose all hopes of a recovery, and the most bold intrepid fellows when in health, are then apt to be constantly melted down in tears. Laftly, as if the mind had grown callus by a long continuance of affliction, they become infensible of injuries, and weeping like children patiently bear their affliction, and the affronts put upon them by their officers. The belly is fomewhat fwelled from the beginning, and in the progress of the disease the face, especially the

the lower eye-lids, are apt to fwell in the morning. They are subject to pains in various parts, which fometimes at first shift, but at length become fixed, generally in the joint of the knees, where the torture is exquifite; the flexor tendons being contracted, and the joint somewhat swelled. After the distemper has passed its 2d stage, the knees become greatly enlarged, and the legs in most patients as hard as wood; both legs and knees being racked with exquisite pain. Moreover, if life be fo long preferved, the hardness of the legs is converted into a foft swelling; a contraction of the knees, their former pains and an inability to motion still remaining. This difease is not accompanied with any fever. He has feen fome who were flightly fcorbutic attacked with a fever, but never any who laboured under a confirmed scurvy. The dropfy and a mortification are the last and deadly fymptoms of the diftemper.

After a very accurate detail of the fymptoms, the author proceeds to the remarks he made on the inspection of the blood and

diffections of dead bodies.

In the first stage, the blood as it flowed from the veins was thick and black; and after standing, separated into a yellow water or ferum and a grumous mafs.

In the 2d stage, the blood was pretty much in the same condition, with this dif-

ference,

ference, that it flowed with greater difficulty from the veins, and was of a darker colour. Some drops of it received upon clean linen did inftantly coagulate. This blood after standing some hours deposited a black muddy sediment, and the ferum became reddish.

In the first stage, a greenish crust had sometimes been observed a-top of the grumous mass. In the second a thin greenish pellicle often shewed itself there; the serum separated itself more slowly, sometimes not at all, and always in less quantity than in the former stage.

In the last stage, the blood was quite black, and became for the most part soon covered over with a thin greenish pellicle, which was easily removed, and the grumous mass was not so strongly coagulated as in the former stages. There was however always a distinct separation of the parts of the blood.

In the first dead body mentioned to have been opened (which was of a person who died at the island Curacoa of a yellow fever and scurvy) we find nothing remarkable; but that about three pounds of a yellow or reddish water was contained in the belly, the liver was hard and very large, but upon cutting, it appeared of the natural colour. The gall bladder was replete with a yellow gall.

The 2d diffection was of a foldier, who after having fuffered uncommon diffrefs from the fcurvy, which gradually paffing through its three different stages terminated in a dropfy, was at length fuffocated by it. The cellular membrane under the skin and between the muscles of the belly, was turgid with water. Three or four pints of yellow water were found betwixt those muscles and the peritonæum, and a like quantity in the cavity of the belly. The omentum was confumed. In the breast were fome ounces of water. The lungs were of a red or livid colour, hard to the touch; and their blood vessels full of black blood. They were encrufted over with a fleshy substance half an inch thick, of a red colour like to that of the liver, and funk in falt-water. The heart was large, and of a white colour; its right ventricle and finus being distended with black coagulated blood, and with a yellow polypous substance. On the left fide of it there was no blood, but a polypous fubstance extended into the artery.

Much the fame appearances were obferved in another person, who had been afflicted with almost all the symptoms of the scurvy. His legs had for three months been as hard as a piece of wood, until about ten days before his death, when they began to fwell, his appetite and fenfes continuing entire to the last. He expired.

with his body furprifingly contracted.

A yellow

A yellow transparent gelatinous fubstance was found between the feveral abdominal muscles, and spread upon the peritoneum: as also a like substance (but not so tough) in the cavity of the belly. The spleen was hard large and white; the liver white and enlarged. The lungs and heart were in the same state as in the former diffection. The cartilages of the ribs were separated from the breast-bone, and upon cutting their ligaments, a glutinous yellow matter iffued forth. This purulent matter (of which there was also a great quantity found in the joint of the knee) had tinged those cartilages of the breaft with a yellow colour, as also the thigh-bone and head of the tibia in the joint of the knee. The rotula was

rough and bare.

A man who had been afflicted with the fcurvy for a whole winter died at Naples. His knees were greatly fwelled, and a crackling noise had been perceived in the joint when moved. Above ten pounds of a turbid water having a difagreeable cadaverous stench was found in his belly. The liver and spleen were quite corrupted. mesentery was full of knots, the lungs hard. The heart contained, befides fome coagulated blood, a polypous substance. In the joint of the knee four ounces of greenish fætid matter had almost wholly consumed the cartilages, had rendered the bones rough

rough and carious, and almost entirely

corroded the capfule of the joint.

In a man who died of hunger and the feurvy, the omentum was corrupted, the liver hard and enlarged, the gall-bladder full of a black greenish bile, the mesentery spotted with black and red blotches, the lungs were in a sound state, but the right ventricle of the heart contained black coagulated blood, and somewhat of a polypous concretion as in the former persons. He found the seat of the stains or spots not only in the cellular membrane, but even in the skin itself under the scarf-skin.

In others, who had died of the scurvy, he found pretty much the same appearances, viz. the lungs hard, its vessels turgid with black blood; in the right ventricle of the heart, the blood was coagulated and a polypous substance extended into the large blood-vessels. In those who died dropsical, the bowels for the most part were corrupted, and as it were water-soaked; the gall bladder was full of a green or black bile, and the mesenteric glands obstructed.

From those dissections, his examination of the state of the blood, and a review of the symptoms of the disease, the author concludes against the opinion of there being a thinness or fusion of the blood and humours in this distemper, observing that this can only happen in the last stage, be-

ing rather the effect than the cause of the scurvy. In like manner the pleurisy cannot properly be termed a putrid disease, because it may and does often terminate in an empyema, or a collection of purulent matter.

With regard to the state of the blood, said by Dr. Mead to have been observed in Lord Anson's company, he observes, that allowances must be made for time and place, as also for the combination of the scurvy with other distempers. The author opened a person who died of the scurvy at Curacoa, whose blood was in the same state as that of Lord Anson's people, but the body was necessarily inspected in so hot a climate, while it seemed yet warm, and the blood was then thin and dissolved, which he never saw in any person who died of the scurvy in Europe.

The cure of the scurvy is to be performed, is, by a proper diet, viz. of unsalted sless meat, and greens. 2dly, by having warm cloathing. 3dly, by exercises adapted to the patient's strength; and lastly, by proper remedies to remove the most urgent symp-

toms.

When the scorbutic pains are not removed by the general method of cure proper for the disease, the oxymel of squills proves an excellent remedy. If the pains still continue obstinate, the Peruvian bark is to be given,

given, first in a fmall quantity, and afterwards in an encreased dose, provided the patient's stomach will receive it; or lastly, those pains may be effectually removed by a blifter applied to the affected part, if they be not feated in the legs, where the ulceration from the blifter may perhaps prove difficult to heal; but if the pained parts be fwelled or foft, they are to be treated in a different manner, viz. rubbed with a warm hand or with flannel, and afterward fomented with a decoction of the aromatic and discutient herbs, with an addition of fal. ammoniac. and vinegar or of foap. He concludes with feveral remarkable inflances of the efficacy of the bark in this difease and in the cure of ulcers.

1766. Essai sur les maladies qui attaquent le plus communement le gens de mer, &c.

Chap. 2d, On the scurvy.

This anonymous author supposes the scurvy to be contagious. For the cure of it he recommends an infusion of the dried leaves of cresses and scurvy-grass in boiling water, with an addition of syrup of lemons, or of lime juice and sugar. An infusion in wine of the antiscorbutic herbs may also be administred, with mustard-seed and some salammoniac. China oranges are the most powerful preservatives against this disease.

1767. Traité des maladies des gens de mer. Par M. Poissonnier Desperrieres (a).

Chap. Ist, Of the scurvy.

This ingenious performance, after having met with the approbation of the academy of sciences at *Paris*, was presented to the King of *France* by the author in person.

He divides the scurvy into three stages: in the 1st, he allows the patient may sometimes lose a little blood, but with more considence he recommends purges of tamarinds and cream of tartar, or of manna joined with bark and rhubarb, observing that a lax state of the body always gives relief in this stage. Blisters he found likewise useful, especially to remove wandering scorbutic pains, and he gives a remarkable instance of the good essects of one applied to the back; recourse must be had to the proper antiscorbutic medicines, viz. vegetables abounding with a volatile spirit, the juices of fruits, fermented liquors, &c.

In the fecond stage, all volatile, spirituous, and acrid medicines are to be laid aside, and in place of them the faponaceous juices of plants and fruits are to be administred. A

drachm

<sup>(</sup>a) This is not the person, who claimed in France the discovery of freshening sea water by a simple distillation, three years after the discovery had been made by me in England. See Appendix to my Essay on Diseases incidental to Europeans in hot Climates.

drachm of cream of tartar, with an ounce of coarfe fugar and four grains of the refin of guajac well mixed together, may be taken every day, and is very proper in this stage, which will admit only of very gentle physic.

In the 3d period or stage of the disease, bleeding, bliftering, as also purges, and all spirituous, hot and acrid antiscorbutic medicines, are highly prejudicial. Clysters may be occasionally administred. But the juice of China oranges is the most excellent remedy, and cyder for common drink is preferable to all other fermented liquors.

1767. An historical account of a new method of treating the scurvy at sea, containing ten cases, which shew that this destructive difease may be easily and effectually cured without the aid of fresh vegetable diet. By David Macbride, M. D.

In these ten cases trials were made of curing the fcurvy at fea by wort, in the manner directed, ann. 1764, by the author.

The four first cases occurred on board the Jason man of war; upon which it is remarked, that a loofeness feems to be the only thing to be apprehended from the use of the wort in this difease; but that may be avoided by giving a small quantity of the wort at first, and encreasing it gradually, as the patient recovers strength. A few loose stools were always of fervice, and when they exceeded Ii3 they 486 Macbride's Cases. Lange. Part III.

they were eafily checked by a proper use

of opiates and aftringents.

On board the Nottingham East-India ship trial of the wort was made at sea in the cases of six men afflicted with the scurvy: from this small trial he endeavours to prove, that the use of wort will generally in three or sour days abate the scorbutic pains, excite a looseness, and disperse the eruptions; that in ten days, or so, the wort, if taken in time, and to a sufficient quantity, will recover the scorbutic patient as far as to be fit for moderate duty.

82c. Or, A translation into the German language of an Essay on preserving the health of seamen, by Dr. James Lind; as also an abridgment of a treatise on the Scurvy, by the same author; with annotations on that treatise, by John Christian Lange.

This book was published at Copenhagen. The translator offers a modest defence of Eugalenus. He afferts that Eugalenus had treated the scurvy well, as there are other symptoms equally demonstrative of the scurvy with the putrid gums and spots. He gives several cases in proof of this opinion, which do not appear to be strictly scorbutic.

1768. Libellus de natura, causa, curationeque scorbuti. Auctore Nathaniele Hulme, M. D. To which is annexed a proposal for preventing the scurvy in the British navy.

Here the nyclalopia, a disease not unfrequent in hot climates, having been observed in some scorbutic patients in the straits of Gibraltar, is mentioned as a symptom of

the fcurvy.

A moist atmosphere he supposes does not contribute towards the production of that disease; but chiefly a cold air, insomuch that in countries where the heat always exceeds seventy degrees in Farenbeit's thermometer, the scurvy will seldom appear, though the air be moist and the sea diet be only used. He afterwards observes, that it is the sea diet, and not the air, which is the

principal cause of the distemper.

The cure of the scurvy at sea, is to be performed, after the administration of a gentle purge, if the patient be costive, by giving a drachm of the *Peruvian* bark with an ounce of the juice of lemons, three times a day, bathing at the same time the limbs, morning and evening, with vinegar. By pursuing this method for a fortnight or three weeks, the disease is either perfectly cured, or all apprehension of danger from it will be removed, according to the experi-

mon juice.

In a voyage to *India*, he had observed good effects from sweating scorbutic patients; for this purpose he used from a drachm to half an ounce of a tincture (b), similar

(b) Gummi benzoini, opii, croci, singulorum drachmam unam; camphoræ, olei essentialis anisi, singulorum scrupulos duos; spiritus vini Gallici libram unam. Digerentur simul dein cola. Fiat elixir sudorisicum.

fimilar to the elixir paregoricum Pharmacopæiæ Londinensis, to be taken every night
in a decoction of the shavings of sir, drinking afterwards a pint of that decoction
warm. A sweat thus procured every night
gave great relief to the stiff joints, the scorbutic pains, and scorbutic asthma. The patients used the sir decoction for common
drink as a proper antiscorbutic, which may
be improved by the addition of sugar and
melasses.

Through the whole course of the disease the body must be kept lax by gentle purges, If at the commencement of it, the patient be feized with an acute pain of the breaft, without having any fever, he may lofe fix or eight ounces of blood. If the stomach be oppressed (which is seldom the case) a vomit of ipecacoanha, or of oxymel scilliticum, may be given with fafety. The fcorbutic asthma is to be removed by the juice of oranges or of lemons, by gentle purges, and by fweating the patients every night with the sudorific elixir, and the decoction of fir before mentioned. For the scorbutic dysentery and cholic pains attending it, the patient is advised to fit over the steams of warm vinegar.

Scorbutic ulcers require the application of dry lint and a gentle compression; if very putrid the tincture of myrrh or of the bark may be applied to them. Or if large

and very painful, a poultice may be used of oat-meal boiled in vinegar and water, with the addition of a little oil.

Scorbutic pains and swellings are relieved by the application of vinegar alone, or rather with the addition of olive oil, or of linimentum saponaceum Pharmacop. Lond. But for this purpose the juice of oranges or lemons, with a little oil, exceeds all other applications. An incision is to be made upon the gums when distended with blood; after the discharge of the blood, the mouth is to be washed three or four times a day with a gargle of barley water and tincture of myrrh, with the addition of a little alum, which is all that is requisite.

The prevention of the scurvy at sea is to be accomplished by ships carrying to sea the juice of oranges or lemons and sugar, which should be mixed with their common drink. For this purpose one ounce and a half of the juice of oranges or lemons, and two ounces of sugar, should be daily allowed to each man in his majesty's navy.

Scorbutic patients he fays should not be brought on shore until they have had green vegetables given them. 1769. Practical thoughts on the prevention and cure of the scurvy. Especially in the British navy. By William Jervey, M.D.

The author informs us, that he had feen numbers of fcorbutic cases, which, as would

appear, occurred at fea.

After a short enumeration of the characteristic symptoms of the disease, what he chiefly considers is, how far a ship's provisions as causes of the scurvy might be corrected or changed at the most moderate expence, and likewise how methods already discovered or proposed for prevention of this disease may with more ease be put in execution.

For this purpose the seamen when in harbour, should not only have vegetables to eat along with fresh meat, but large quantities of vegetables should be boiled in their

water-gruel.

In order to have a fufficient fupply of vegetables where there are a great number of ships, the government might purchase a large piece of ground to be laid out in a garden, where the marines or men from the ships might be employed as labourers, and to defray the expence either a half penny fer day, or a small part of the prize money in time of war, may be deducted for this plentiful supply of vegetables to the fleet.

Ship

Ship biscuit being of a viscid and glutinous quality, bread for the ships might be baked in the manner of the Spanish or Portuguese biscuit or rusk, the latter being lighter, better baked, and not so viscid as our common biscuit.

In place of falt butter, and cheefe, which are hurtful in the scurvy, he recommends oil, and in lieu of pease, rice should be substituted, as it contains nothing of the viscidity of pease, is less flatulent, and easier of digestion; boiled rice, eat with sugar, vinegar and oil, would prove beneficial, both for prevention and cure of the scurvy at sea. Oil and vinegar eat with biscuit and other ship provisions conduces to preserve health at sea.

The beer proving fometimes bad at fea, ships may be supplied with spruce beer or with melasses and the leaves and tops of the common pitch trees. When the men have spirits instead of beer, four parts of water should be put to the spirit, and a weak punch made of it by the addition of vinegar. By putting a few flices of lemons into a cask of vinegar, with the addition of a small quantity of spirit to preserve it, an agreeable fowering for making punch may be furnished for a whole voyage, and if the vinegar is good it will be found little inferior in flayour to lemon juice. The dampness of a ship might fometimes be corrected by having small German stoves betwixt decks.

As to the cure of the scurvy, in the beginning of the difease, no medicines seem more proper than faline draughts made of the ship's vinegar and falt of tartar, five or fix drachms of the vinegar, according to its strength, should be put to a scruple of the falt of tartar, fo that the acid may predominate. This diluted with an ounce and a half of water, and fweetned with a drachm of fugar, may be given twice or thrice a day, adding occasionally twenty or thirty drops of the tincture of myrrh, or a like quantity of tinctura serpentaria. Infusions of the dry vulnerary herbs, fuch as betonica, scabiofa, agrimonia, keder. terrest. bypericum, or the like, may be given afterwards.

The diet should be rice steeped in water, with a fourth part vinegar, till it becomes quite soft and swelled, then boiled into a ptisan or gruel, and sweetened with sugar; a little cinnamon in powder, or any other mild aromatic may be added, with some oil or butter well washed and freshened to ren-

der it more nourishing.

Portable foup allowed the navy should be given once a day, but always gently acidulated with vinegar, as otherwise it will be apt, where there is a putrid scorbutic tendency, to encrease it.

By perfifting in this gentle method and diet, after sometimes giving the draughts only once a day, or as the patient's symp-

toms may indicate, this disease, if not carried off entirely, which can hardly be expected at sea, until the patient has the opportunity of enjoying the land air and fresh vegetables, yet may be so mitigated and prevented from encreasing, as to preserve

life till there is that opportunity.

When the scurvy occurs on shore, where doubtless it frequently does, and where I think we have no cause to doubt, it may be often complicated with other symptoms, a dry inland air, with a dry, sandy, or gravelly soil, and the esculent and succulent fruits and herbs used in food, are proper. These, together with the common antiscorbutic herbs or their juices, used by way of medicine, with butter-milk, whey, and decoctions of grass roots, will speedily remove it; proper attention being paid to any other symptoms that may happen to accompany it.

# POSTSCRIPT.

## SECTION I.

Appearances on dissection of scorbutic bodies.

S INCE the second edition of the preceding Treatise was published, I have had an opportunity of inspecting a number of the bodies of such as died of the scurvy in Haslar hospital. Outwardly several of them had the appearance of being much wasted and extenuated, but a few were still plump and corpulent, having the tela cellulosa sufficiently distended, and no apparent consumption of the body.

I did not find the bowels in so putrid a state

as described by Poupart and others (a).

We frequently found the *spleen* to be putrid, the *omentum* almost wholly consumed, and it's remains tainted, in such as died of the scurvy in a very low, exhausted state after a fever. Appearances which we judge not to be peculiar to the scurvy, but usual in all those who have been much exhausted by sickness.

Some parts of the intestines, particularly the colon, in the bodies of such as died of scorbutic fluxes, were mortified, which is far from being an uncommon case in other fluxes. But except-

ing those cases, all the bowels of such as died of the scurvy were for the most part perfectly sound. The greatest signs of putrefaction were commonly observed in the limbs, especially in the legs and thighs, which are most frequently the seats of the disease.

Of those parts an accurate diffection cannot indeed be well performed, by reason of the sleshy or muscular fibres being extremely lax and tender. What also greatly obstructs the operator, is the large quantity of congealed blood, which prefents itself, not only where no stains, or mark of it can be perceived on the furface of the body, and where no hardness of the flesh can be felt, but even in limbs greatly emaciated. The quantity of this effused stagnating blood was sometimes amazing: we have opened bodies in which almost a fourth part of this vital fluid had escaped from its vessels. It often lay in large concretions on the periosteum; and in the legs and thighs the bellies of the muscles seemed generally as it were stuffed with it. On the forepart of the leg, where there is no muscle, the stagnated blood is plainly perceived while the patient is alive, by the frequent appearances of large red or livid stains. These proceed from blood effused in the cellular membrane, which we found often an inch in thickness; where there were feveral feparate discolourations or blotches, the blood was contained in diffinct cysts or enlargements of this membrane; the intermediate portions of the membrane being thin and natural.

Once only I discovered a collection of blood under the periosteum. The patient became scorbutic by lying long in bed after a fever, and had complained much of a violent pain in the fore-

part of his leg. After his death five spoonfuls of bloody matter were found on the bone, lodged in a bag formed by the elevated membrane; several effusions of blood were also found in the bellies of the adjacent muscles, and immediately under the skin.

The blood which lay on the bone began to be converted into pus, and by its longer continuance must have corroded the bone. At the same time that the blood is forced out of its containing vessels into many different parts, especially of the lower extremities, there is often a quantity of serum or water collected and confined in the cells of the tunica adiposa.

It is faid, that by violent exercise the blood of animals has been found extravasated in the cellular membrane.

Future anatomists may perhaps be so fortunate as to discover, that into those cells the arterial blood is poured in order to its being reabsorbed by the veins. But, notwithstanding all this, such large and deep extravasations into the bellies of the muscles and elsewhere, without being contained in the cellular membrane, must be acknowledged as præternatural and uncommon.

Upon this subject, a question naturally prefents itself; Are these extraordinary essusions of stagnated blood the cause of scorbutic pains, or only the consequence of pain and spasms in those parts? Various considerations induce us to adopt the former opinion, that the pains and lameness in the scurvy, proceed chiefly from extravasated blood in the bellies of the muscles, and from this congealed blood being seated on parts endued with an exquisite sensation, such as the joints, &c. In this case the pains are violent

Kk

and racking, whereas the superficial, red and livid streaks on the thighs, legs, &c. are not in the least painful, even on pressure; the blood being here contained in the cellular membrane, immediately under the skin. The lank calves of the legs also, without having any outward blemish, become often extremely painful from

stagnant blood.

The stiffness of the knee may at first be occasioned by coagulated blood lying deep in the ham, between the flexor tendons, or upon the tendon of the biceps tibiæ, frequently extending themselves to the belly of the gastrocnemius muscle; neither is it improbable that the pain of the back, so usual in this disease, may sometimes proceed from a collection of blood in the cellular substance that surrounds the kidneys, as also from the same sluid covering or stuffing the psoas muscle: all which appearances occur upon dissection.

And in like manner we may account why the fcorbutic fymptoms are so various in different people, and seated in the place where an effusion or extravasation of the blood is lodged. Thus one person, according to his own account, shall be afflicted with the scurvy on the fore-part of his leg, another in the calf, sometimes in the ancle, commonly in one leg only. I have often seen the whole leg quite distorted, its natural shape having been altered by stagnant blood. The large hard white swellings, resembling nodes, and observable chiefly on the back of the hands, are also filled with nothing but concreted blood.

The bursting of the vessels, at least those extravalations, seem frequently to happen on a sudden, as is evident from the account of the

patients.

patients who complained of a stiffness and pain in some one part of the body, with which they were seized at once. It would also further seem, as if the stagnant blood often shifted its place, or was perhaps taken up again into its proper vessels. Thus by the relation of the sick, the scurvy is said to have appeared first on the thighs, then it fell into the hams; or at first in the ancle, which grew easier, while other parts afterwards suffered.

I never remarked any præternatural appearances in the brain of such as died of the scurvy, except in one person; four ounces of water lay under the dura mater, and a small quantity of it in the right ventricle of the brain. In the cavities of the breast there was commonly confined a quantity of serum or water, especially in the left side. A dropsy in that side, as likewise of the pericardium, being frequent occurrences.

This water was apt to whiten and shrivel the hands of the person who dissected the body; and in some instances where the skin of his hands was broke, it irritated and festered the wound. A dropsy in the substance of the lungs was remarked in a few, and in most strong adhesions of the lungs to the pleura: which last are usually met with in dead bodies.

In the belly, as well as in the breaft, I found the bowels for the most part perfectly sound and uncorrupted. The most usual, though not constant, appearances were precisely the same, red or livid spots on the omentum and mesentery, but especially on the intestines, with those on the surface of the body. An inattentive anatomist might be apt, at first sight, to mistake those K k 2

spots for a mortification of the parts, but upon a strict examination, the spots are found firm and altogether free from any mortified taint. For when a part of the intestine is washed, dried, and viewed with a microscope, those spots are clearly perceived to be real extravasations of blood, confined between the membranes, and very different from a mortification. When there is a mortification, the sibres commonly at first become livid in their longitudinal direction, without any apparent intermixture or effusion of blood, and at last turn quite lax, rotten, and offensive.

I have more than once observed true scorbutic spots, as large as a hand-breadth on the surface of the stomach, which was otherwise in a natural and healthy state: and had an anatomical preparation of this sort, where the scorbutic blotch on the stomach was very large; and what is further remarkable, this patient, when alive, had no complaint either in his stomach or bowels, though several parts of them were stained with

different coloured spots.

Water was sometimes lodged in the cavity of the belly, even when there was no apparent swelling of it; but not so frequently as in the breast. The water in both cavities was of a similar nature, as was also a liquor sometimes taken out from between the tunica vaginalis and albuginea of the testicles. In the scrotum, when distended without any perceptible sluctuations, I found a substance, very viscid and tough. I never remarked any hardness or obstruction in the mesenteric glands, although I have often seen the mesentery covered with black and red spots

of different fizes, from that of a crown piece to

that of a fix-pence, and perfectly found.

In a word, the true fcorbutic state, in an advanced stage of the disease, seems to consist in numerous effusions of blood into most parts of the body, superficial as well as internal, particularly into the gums and legs. This is frequently, though not always, accompanied with a drop-sical indisposition, which appear chiefly in the

legs and breaft.

When there is no disorder in the breast, swelling of the belly or legs, the patient may be supposed to labour under extravasations of the blood only; but when the legs are foft and fwelled, the water which is there feated in the cellular membrane, is apt to be occasionally conveyed elsewhere, particularly into the breast. I have observed some patients to be tolerably free from complaints in their chefts, while their legs continued swelled: and on the contrary to become afflicted with afthmatic complaints, attended with acute pains in the fide, when by a horizontal posture, or by their lying in bed, the fwelling of the limbs fubfided. And a few, upon the disappearance of large watery swellings of their legs, were fuffocated by the removal of the water into their breaft.

But it must be remembered, as I said before, that a dropsical disposition does not always accompany this disease. In some cases the legs do not swell at all, but continue, through the whole course of the disease, hard, painful, and discoloured; when there is no water, and but little blood effused in them, they are for the most part greatly emaciated.

Kk3

The

The acute pain in the breast, so frequent in this disease, is most commonly felt on the left side, about an hand-breadth above the pit of the stomach, at the articulation of the ribs with the breast-bone. I have often observed, at that

place, fwellings of the cartilages.

Why the scurvy should so frequently, and in so singular a manner, affect the cartilages of the ribs, so as sometimes to separate them altogether from their connexion with the breast-bone; and why it seats itself so commonly in the joint of the knee, I own I am at a loss to account for; otherwise, than that most diseases have their peculiar seat in the human body. A blister applied to the seat of the pain in the breast, seldom fails to give immediate relief, by the watery discharges

produced from it.

Sudden death is often occasioned by the rupture of a blood vessel, and a subsequent discharge of the blood into one of the large cavities of the body. I have remarked this to happen in the breaft; and once observed coagulated blood swimming in the liquor of the pericardium, or membrane investing the heart, however it most frequently occurs in the belly. The blood in these cases, as well as when diffused through the bellies of the muscles in the limbs, always appears thick and coagulated. An accident of this nature I once knew to prove fatal to a patient, from a rupture of a vessel in the spleen. Masses of coagulated blood were found floating in a small quantity of serum in the pelvis, or lower part of the belly, and a large concretion, near three ounces in weight, adhered to the spleen itself. We were at first fight deceived in thinking the spleen to be quite putrid, as there was

an appearance exactly refembling it; but this. was nothing more than coagulated blood, upon removing which, we discovered the spleen lying below, and diffinctly perceived the large orifice through which the blood had iffued.

In patients, whose deaths were unexpected and fudden, and where no effusion of blood could be perceived in any cavity of the body; the heart was commonly much distended with blood: the auricles and ventricles of both fides were filled. but those on the right to the greatest degree.

In one man, who fuddenly dropped down dead, while walking in the fields; there was a large polypus which filled entirely the right ventricle of the heart, and fent forth two branches. one into the pulmonary artery, another through the right auricle into the vena lava. But I am apt to think those polypous appearances, so commonly found in the heart of those who die of the scurvy, are formed after death. And, indeed, it is impossible to conceive, that the branch of a polypus should run in a living person from the heart into the vena cava, it being contrary to the well known course of the circulation of the blood. In the same person, a few clots of blood were found in the cavity of the breaft.

The doctrine of polypous concretions in the heart, during life, is upon the whole very exceptionable, and the fatal confequences faid to arise from thence are often merely imaginary. That these concretions are most probably formed after death, appears from their being generally found in the right ventricle, seldom in the left ventricle of the heart, the former of which after death is generally diftended with blood, the latter

feldom contains any.

Let me add, That to reap any advantage from the inspection of morbid bodies, the operator should be thoroughly conversant with the usual appearances of dead bodies in general, and endeavour carefully to distinguish the effects of diseases from their causes, as also from the changes that may happen after death, or in articulo mortis, during the universal struggle of the dissolving frame.

In most bodies, on opening any of the large cavities, especially the abdomen, an offensive smell is perceived, but that generally goes off in a few hours; the state of the air and weather should afterwards be carefully attended to, before the putrid state of the body can be deemed the consequence of a supposed putrid disease.

## SECT. II.

Effects of the scurvy on other diseases.

E proceed to other observations lately made on the scurvy; and first its com-

plication with other diseases.

I have remarked among some thousand patients in Hastar hospital, that such as were scorbutic, were not liable to be seized with severs; and that even an infection from a sever was long resisted by a scorbutic habit of body. To illustrate this remark, I must observe, that patients in an advanced state of the scurvy have often a quick and low pulse, and at times a considerable degree of heat on the skin. But this quickness of the pulse is to be ascribed to their low and weak condition, as in similar cases of great lowness, and irritation from pain; and if mistaken,

as it has too often been, for a true feverish state, proves fatal to the patient. Wine, well sharpened with lemon juice, and sweetened with sugar, soon removes all those symptoms; by repeating it in small quantities, at short intervals, the pulse in a few hours acquires more strength and calmness, and the patient, from the appearance of a

dying man, feems quite recovered.

It fometimes happens, especially when the patient is upon recovery, and has walked about for ten or twelve days, that he is fuddenly feized with a fickness at the stomach, and shiverings, fucceeded by a fever of twenty-four, feldom of forty-eight hours continuance. In fuch persons the pulse is generally full and strong. And this is the only scorbutic fever I ever observed. May not this fever, which generally attacks the patient, as his legs become free from the fcurvy, proceed from a fudden abforption of a quantity of stagnated blood into the vessels? It is not a dangerous fever, as in eighty cases of this kind I do not remember one person to have died. Much about this period of the diforder, it is usual for a few to be suddenly attacked with the scorbutic pain in the breast, a difficulty of breathing, and cough.

This I conjectured might be owing to the water being fuddenly, and in too great a quantity removed from the cellular membrane of the legs, into the cavity of the cheft (b). I have examined

the

(b) To illustrate what I have said concerning the scorbutical sever, and the shifting of the pains in the scurvy, I shall subjoin the following case.

Francis Week, on the 28th of June 1760, was admitted a patient into Hastar hospital. The fore-part of his gums was found, the other parts was much swelled, and entirely loosened

the cases of several thousand scorbutic patients, who had been sent from different ships, in order to find, whether any other sever was commonly attendant on the scurvy, than what has been already mentioned.

Among so great a number of men, whom the scurvy had reduced to a state of the most complicated distress; some few, who had a feverish pulse, complained of a head-ach, and thirst. But those complaints were not permanent. The

loosened from the teeth. But his chief affliction was centered in the left leg and knee, where the agony was so incessant and acute, that it deprived him entirely of his natural rest, and made him almost delirious, especially when he attempted to move the afflicted part. I ordered him to be put into a warm bath, prepared with a decoction of the most aromatic plants; but this could not be done, on account of the intolerable anguish he suffered from the least motion of his body; he was however, on the 6th of July, fo well recovered, that he could turn himself in his bed without help, and with much less pain; and slept tolerably well. But that day the pain shifted from his knee, and feated itself in the thigh and hip; where all his misery was now accumulated, and to so excruciating a degree, that he could scarce support it. I directed the parts to be bathed for feveral hours with warm vinegar, and afterwards to be well anointed with the elder ointment. Next morning his pains were much more tolerable; and gradually abated, fo that on the 13th of that month he got out of bed, and continued to fit up a little every day, until the 16th July, when he was fuddenly attacked with a fickness at the stomach, and with alternate chills and heats, succeeded by a head-ach, thirst, &c.

When I visited him, I found him labouring under a fever, with a very quick pulse. He complained of an universal disorder of the body, but chiefly that the pains having entirely left the lower extremities, had fixed themselves in his breast and belly. A blister was applied to his breast, emollient clisters, fomentations, &c. were administered, together with some saline and diuretic draughts. In consequence of which the fever abated in thirty-fix hours, and

he afterwards recovered daily.

head

head is commonly the least affected of any part

of the body.

When some men were admitted into the hospital, labouring under the scurvy, and others from the same ship having a fixed and continual fever, in conjunction with the scurvy, I always found the sever to proceed from infection on

board that ship.

If it be asked, whether an infectious fever be rendered more violent and dangerous, by its attack on a person of a scorbutic habit of body? I answer, my observations on that head, do not permit me freely to affent to the prevailing opinion, that the danger is greater from a fever, because it is complicated with the scurvy; for I have remarked, that during the continuance of the fever, the scurvy for the most part either leaves the patient or becomes milder; and I found the greatest danger to proceed from the almost certain return of the scurvy, with redoubled violence, after the recess of the fever. When the fever leaves the patient very low, especially if he has a flux, with which the scurvy affociates itself more readily than with most other disorders, this return of the scurvy often proves fatal.

This leads me to remark the effects of other diseases on the scurvy, and how they are influ-

enced by it.

First, a tertian or quartan ague, with perfect intermissions, sometimes accompany this disease, without either of them being rendered worse, or more difficult of cure, by thus jointly distressing the patient.

I have already faid, that of all the diforders of the body, the scurvy seems most readily to associate itself with a flux; I now add, especially if the flux has been of long continuance, and the patient be not greatly emaciated; for perfons very much emaciated, either with the flux or consumption, are seldom or never seized with

the fcurvy.

The rheumatism is generally said to be of two kinds, viz. the acute and chronic. But of the last it would appear there are more forts than one, by the effects of the scurvy upon them. For it will often happen upon the attack of the scurvy, that some old rheumatic pains become much easier, nay, entirely leave the patient; whilst at other times, rheumatic complaints return at the approach of the scurvy, and with redoubled violence, so far at least as we can distinguish the one from the other. Scorbutic pains, however, are generally more violent in the limbs, than those of the chronic rheumatism.

As to the venereal disease, I do not remember a case to have fallen under my inspection, where the scurvy was combined with a recent gonorrhea. Old gleets and runnings seemed rather to be lessened during an attack of the scurvy. But if the patient has a bubo, or an open venereal sore, the scurvy generally seats itself round the edges of it, which turn black, and hence it becomes very difficult of cure. One person died with an open bubo in this condition, where the blackness resembled a mortification, of which there was no other symptom.

Another patient, while recovering from the fourvy, was seized with the *small-pox*; a mild distinct fort appeared, but he died soon after the turn. But in neither of the preceding cases do I think the sourvy was the immediate cause of

death.

There is a diforder mentioned by Van Swieten, in his Commentaries on Boerhaave's Aphorisms (d), faid to be frequent in Holland, and to proceed from the scurvy. It is called cancrum aquaticum, the water cancer. But I am of opinion this disease is in some respects different from the true scurvy; because a gangrene, unless in large and putrid ulcers, or brought on by a tight bandage, is an unufual fymptom in the fcurvy. And the only patient I ever faw afflicted with the water cancer, had few symptoms of the fcurvy, and none of those commonly deemed mortal: his gums were indeed extremely fpungy and putrid; besides which, there were ulcers on the infide of both his upper and lower lip: he lived a very short time under his affliction, dying on the tenth day after being taken ill, with his mouth in a most dreadful putrid condition, and with fymptoms of an inflammation in his lungs. If this person's disease was altogether scorbutic, it must be allowed to have been a very uncommon and fingular case. It were indeed to be wished, that authors would be more careful not to obtrude upon the public, as the offspring of the fcurvy, fuch uncommon and fingular cases, as are very different from the true nature of this difeafe, or at most, are only complicated with it, and proceed from causes entirely different from those of the scurvy.

Among many extraordinary cases, which have occurred to me, the following surprized me not a little, until the true cause of the symptoms

was discovered.

On the 8th of June, one Tibbet was sent from his Majesty's ship the Chichester, to Hastar hospital,

tal, ill of the scurvy. A severe pain in the small of the back afflicted him much, his legs and thighs were strewed with black spots, overspread with dry eschars, or thin films; from under which there issued a thin purulent matter. had also a very large hard white swelling on the fore-part of the wrist, which rendered the flexor tendons of that joint quite rigid. Some days after he came to the hospital, he was seized every four or fix hours with a furprifingly quick and involuntary contraction of both knees, by which his heels were made to strike upon his buttocks, with a shock that might be heard at some distance. Those contractions seized him without any previous pain, or other fymptom of their approach. And he often remained in this miserable condition, with both heels bent back to his hips, for fome hours, notwithstanding the efforts of four men to extend his legs; until by a motion, as fudden and involuntary as before, they became of themselves violently extended; and so rigid, that they could not be bent backwards. As he did not feem to fuffer much pain in either state of those contractions, I suspected him to be an impostor, and therefore ordered both knees to be tightly bound with a linen roller, to some splints or thin pieces of wood, used to secure fractured bones, which were placed under his hams.

Notwithstanding which, such violent and aftonishing contractions ensued, as quickly broke the wooden splints, and brought both heels again in contact with his buttocks. I afterwards very strictly examined into all the circumstances attending this poor man's cafe, and found by his own account, that he had received, about twenty months before, a confiderable hurt in his back,

by falling into the *bold* of a ship; and had ever since, laboured under a benumbing weakness in both legs. Upon inspecting the seat of this hurt, there appeared to be a partial dislocation of the third bone or *vertebra* of the back, with a considerable distortion of the back bone, and projection of it towards the right side.

He continued for some weeks to suffer great distress from these contractions. Notwithstanding he daily recovered from the scurvy, in two months the lower extremities of his body, though still retaining their natural warmth, became quite paralytic: and the swelling of his back bone being much encreased, he soon after expired in a

paralytic and consumptive state.

I have mentioned this case, with a view to enforce a careful enquiry into all the circumstances attending the sick, before the cause of such extraordinary and uncommon symptoms be ascribed to the scurvy, or to any other disease, which may at the same time afflict the patient.

### SECT. III.

State of the blood and secretions in the scurvy.

HAVING before taken notice, that the blood found stagnating or extravasated in the bodies of such as had died of the scurvy, was commonly thick and congealed, a question naturally presents itself, viz. Whether that blood be really in a state which tends to corruption?

This is the opinion of most authors, and what I had formerly adopted from them, as the foundation of my reasoning on the theory of this disease. But I am now doubtful of the blood

being

being in so putrid a state as those authors have

represented it.

I have bled at different times above a hundred patients, in all the different stages of the disease, having even ventured in the last stage to take away an ounce or two of blood, in order to inspect the condition of that fluid in dying persons. And upon the whole, I have observed, that the blood of those who were seized with the scurvy, after a fit of fickness, or a fever of long continuance, was generally of a foft and loofe texture. But the blood of most other scorbutic patients was in a natural state; there was generally, after it had stood some time, a perfect separation of the water, or ferum, from the red concreted mass; the latter even in the last stage of the disorder was firm and compact, and often covered with some white streaks, of what is commonly called the gluten (d) or fize of the blood.

One day, having bled eight men in the furvy, I remarked the blood of some of them to be more glutinous than that of others; the red concreted mass of all their different blood, adhered to the sides of the containing vessels, and was not easily incorporated with the ferum, which

fwam on the top.

Another day I bled two patients, one of whom was confined to his bed, his legs being very painful, hard, red, and replete with coagulated blood from the hams to the ancles. His blood, after standing a few hours, became covered with a glutinous pellicle, of a whitish, purulent appearance; the whole mass was very tough, and there was no separation of the forum from it.

The

<sup>(</sup>d) See my papers on fever and infection, page 99.

The other patient was feverish, as well as scorbutic; his blood was of the natural ruddy colour, but of a thicker and more viscid consistence than common, and there was also no separation of the serum from the red mass. Hence it appears, that this disease does not depend on any particular and obvious state of the blood; for its appearances out of the body are various, and the opinions of such, as have inspected the blood only of one or two persons in this disease, are, on that account, not to be admitted without great caution.

In a course of several experiments, made on the blood taken from scorbutic patients, and upon comparing it with the blood drawn from people in health, I found in the scurvy the serum to be as tasteless as the white of an egg; and that blood fresh drawn from persons in health, affects the organs both of smell and taste, with sensations not easily to be described; whereas the blood taken from persons in the scurvy, gives the least perceptible sensations by tasting or smelling, of any blood I have examined.

Upon the whole, it seems to be more insipid than when the person is in health, and its red grumous mass is somewhat more dense; when kept in the same state of air, it corrupts no sooner than the blood of healthy persons. Thin slices of mutton steeped in its serum, continued sweet and free from taint, as long as in the serum of persons in health.

The offensive smell from the mouth of scorbutic persons, when alive, seems to me to proceed solely from the corrupt state of the gums. For in their dead bodies, I never perceived any unusual marks of putrefaction; they were nei-

LI

ther

ther more offensive, nor liable to corrupt sooner

than any other corpfe.

It was remarkable, that the dreadful mortality from the scurvy at Quebec, in the year 1759 (e), happened during so severe a frost, that the dead bodies could not be buried for a considerable time, until the thaw came on; there being no possibility till then of digging their graves; and at that time all animal substances were kept perfectly free from corruption, by being exposed to the air. It is certain that diseases commonly deemed putrid, seldom occur in winter, or during so severe a frost.

On the other hand, it may be urged, that the feurvy is still properly termed in the physical phrase, a putrid disease; as it is not to be expected, that blood taken from a living person, is either by taste or smell to discover itself putrid; that being a state incompatible with animal life.

Monsieur Poupart discovered a great putrefaction in the bowels of those who died of the scurvy at Paris; and the muscular fibres of the legs and arms, when such parts are afflicted with the malady, are found upon dissection to be quite lax, tender, and seemingly inclined to corruption. The gums are often putrid, and the ulcers are sometimes fungous, as also putrid.

This, I believe, is the fum of all the arguments that can be brought, both for and against the theoretical opinion of this disease being of a

putrid nature.

The term putrid, respecting animal and vegetable substances, is not indeed, in my opinion, sufficiently defined and restricted, so as to serve as a folid basis or foundation of any theory for explaining the symptoms of the scurvy. The idea of the scurvy proceeding from animal putre-faction, may, and hath missed physicians to propose and administer medicines for it, altogether inessectual.

As to the fecretions from the blood in the fcurvy; the urine in this difease was not found to be more offensive to the smell, nor to corrupt sooner than that of a person in health; and their sweat is not seetid, or more disagreeable than when they are in health; the same may be said of their stools.

With regard to what I have advanced, relative to a stoppage of the perspiration in the scurvy (f), I still continue to think it probable; for although the skin of the body, in parts unattacked by the disease, feels soft and natural, yet, in whatever part the scurvy is seated, there can be little or no perspiration, the skin being there generally dry, rough and spotted;—and, when there is a tendency in the constitution to watry or dropsical swellings, sweat commonly stops, and insensible perspiration is diminished (g).

Now, in several scorbutic habits, there is a manifest redundancy of water, stagnating in the body; by reason not only of the weakness of the solids, or of the constitution, but also from

a diminution of the watery fecretions.

This much has occurred to me, after the most cool and deliberate review of what I formerly said of the theory of this disease, compared with the true state of the patients.

<sup>(</sup>f) Part ii. chap. 6.
(g) Most persons, however, in the scurvy, may be easily brought to sweat by the warmth of a good bed, and warm drinks.

### SECT. IV.

Observations on the causes productive of the scurvy.

and later observations, do not evince such a constant and universal state of putrefaction in the bowels, as some authors induced me formerly to believe was always attendant on the scurvy, yet I am fully confirmed in my opinion, that whatever weakens the constitution, and especially the organs of digestion, may serve without any other cause, to introduce this disease, in a slighter or higher degree, even among such as live upon fresh greens, vegetables, or the most wholesome dier, and in the purest air

wholesome diet, and in the purest air.

This is an exception, but by no means fufficient to infringe the general truth of the observations, on which the causes of this disease are founded, and affigned in chapter 1. part ii. For It will admit of no doubt, that diseases in gener, and the scurvy in particular, may proceed from very different causes, all tending to produce similar effects in the human body. And the utmost degree of certainty to which we can attain, from an investigation of external causes, is to know what are the circumstances and situations, which render a disease more or less univerfal: or fuch as operating strongly on the constitution, seldom fail to produce it. These, with respect to the scurvy, I have fully proved to be a moist or cold air, damp lodgings, together with the want of fresh green vegetables, and too long and strict confinement. The most then that can be inferred from such an exception as has been mentioned, is, that though cold, moisture,

moisture, and an abstinence from green vegetables, are the general causes which produce an universal and heavy calamity; yet a slighter degree of the disease, or its attack upon a few individuals, will often take place where those general causes do not subsist. In like manner, the ague or intermitting fever, sometimes makes its appearance in the driest and most healthy spots of ground in England, without affording any reason for supposing that disease not to be generally owing to the marshes in aguish countries and seasons (b).

The

(b) It may be argued, that the scurvy attacked persons at Haslar bospital, as related in the Supplement, page 271, where cold, moisture, and especially the want of green vegetables, could not be supposed to occasion the malady. Therefore, cold, moisture, and abstinence from vegetables,

are not the causes which produce the disease.

Again, falt provisions and cold, are also mentioned in the Supplement, page 269, as having contributed greatly to the production and inveteracy of that calamity, which fell so heavy on the English troops, in the winter 1759, at Quebec. But on the other hand, during the height of a fine warm summer, ann. 1761, several of the English troops in the hospital at Belleisse, were seized with the scurvy, who had as much boiled fresh beef or mutton, with wheat flour and rice, as they chose; therefore, according to the same manner of reasoning, the cold of the air, and salt meat, were not the causes of the scurvy at Quebec.

I have now, in the month of July 1771, under my care at Hastar hospital, several men very ill of the scurvy, sent from the guard-ships lying at Spithead, which ships have not been at sea. Those men being prest into the service about fix or seven months since, and not permitted to come on shore, have, solely from consinement on board ship, become

highly fcorbutic.

Lastly, troops that have undergone much fatigue, as also failors who have worked very hard, may become afflicted with this disease; whence it may be also inferred, that confinement, sloth, or indolence, though frequently, are yet improperly assigned, as causes of the scurvy.

L1 3

The fourvy is what many persons long confined to their bed by sickness, are apt to be afflicted with;—the first symptoms of it are commonly the same with those of a very low and feeble state of the body, viz. a weakness of the knees and back; which together with some slight pains in those parts, are most sensibly felt upon an attempt, by some motion of the body, to exert the remains of their exhausted strength. There is also, sometimes, a swelling of the legs, and an eruption of livid spots. I have known persons to die in this condition, who were supposed to have died of a low spotted or petechial fever; whereas their cases were altogether scorbutic.

But the same objections lie against the causes usually assigned for the most prevailing diseases; as for example, the flux, which, like the scurvy, attacks mankind in all climates, and in all seasons, both at sea and on shore.

The dysentery often is peculiarly epidemic at particular seasons, in unhealthy places in the torrid zone; it is also frequently the effect of an infection from patients labouring

under the same disease.

But if persons, in a very different climate and situation, and where there was no infection, should by wearing of damp linen, or by eating unwholesome food, or by any other means, be attacked with the same disease, it is certainly no just conclusion, that an infection, or that the unwholesome situations in hot climates, were blameless, or improperly assigned as the true causes of it, in other persons,

places, and feafons.

An observation is made on most diseases, that they sometimes prevail where their usual causes do not subsist, and at other times are not to be met with where these causes are real and apparent, which it must be owned renders this investigating branch of medical science often disticult and abstruse. Thus agues have not only been frequent in a very dry season and situation, but in several places, particularly in the northern parts of this island, and in Ireland, many live near bogs and marshes pretty free from the ague, and altogether so from the scurvy.

All

All persons who have been long pent up in ships and prisons are subject to this disease. Even fuch as have lived on the most wholesome vegetable food, during a confinement of fix or feven months, in a ship, are, after their enlargement, often fenfible of a degree of weakness, which, upon an exertion of the body, particularly on walking abroad in the fields, affects them with a ftoppage in the breaft, or a difficulty in breathing; this is the true scorbutic lassitude and dyspnaa. Many officers of the ships of war, after long cruifes at fea, came on shore in this condition, having also their legs and thighs discoloured, and fpotted; to whom the difease would perhaps have proved fatal, if the free use of wine and fermented liquors, together with a vegetable and wholfome diet, had not checked its progrefs.

But, when the several causes productive of the scurvy, act with combined and uninterrupted force, it then becomes a most dreadful distemper. It reduces the most stout and vigorous constitution to the weakness of a child; and the bloom and strength of youth, to the imbecillity of age. The feeble knees tremble, and cannot support the weight of the body; nor the back, the weight of the trunk. By walking a few steps, the sick are out of breath, and often faint away; the countenance, the whole appearance, the groans, and complaints of the patients, denote the most piteous and abject state of weakness and of

misery.

## SECT. V.

#### The cure.

N delivering the cure, three distinctions may with great propriety be made of this disease, viz. The babitual or constitutional scurvy, the adventitious scurvy, and the symptomatic scurvy.

ift, The babitual or constitutional scurvy returns at intervals, affecting the patients for several months at a time, with weakness of body, loose teeth, spots, and pains in the limbs. For the benefit of such, I have already given full directions in part ii. chap. 5.

2dly, What I have in the preceding Treatife termed the adventitious scurvy, is that universal weakness of the body, and relaxation of the whole system, which has been described in the preceding section; to this at present we shall chiefly

confine the cure.

3dly, The *symptomatic* fcurvy, is that which attacks patients in a very low state, when exhausted by some former disease, and is generally incurable.

To what has been already faid of the virtues of oranges and lemons in this difease, I have now to add, that in seemingly the most desperate cases, the most quick and sensible relief was obtained from lemon juice; by which I have relieved many hundred patients, labouring under almost intolerable pain and affliction from this disease, when no other remedy seemed to avail, as was the case of Macgottin, described, part ii. chap. 3. page 136. And particularly at Haslar hospital, where the scurvy raged in the year 1759, many, with whom the distemper encreased during

during a course of other medicines, and a plentiful diet on green vegetables, owed their reco-

yery entirely to the lemon juice.

This acid, however, when given by itself, undiluted, was apt, especially if over dosed, to have too violent an operation, by occasioning sickness and pain in the stomach, and sometimes a vomiting.

To fuch persons, therefore, as are much weakened by this disease, those acids are to be prescribed in a small quantity at first, and always well diluted with warm water, gruels, and the

like.

But what I have found highly to improve the antifcorbutic virtues of the juice, was an addition of wine and fugar. Wine of itself is undoubtedly not only an excellent antifcorbutic, but the best vehicle for administring the rob or juice of

limes or lemons in the fcurvy.

I have often vifited patients, fo very low and weak, that with difficulty they could swallow a spoonful at a time of a rich Malaga wine, mixed with one third lemon juice, and a little fugar. But our common practice was to order about four ounces and a half of juice, and two ounces of fugar, to be put to a pint of wine, which was fufficient for any weak patient to use in twentyfour hours. Such as were very weak fipt a little of this frequently, according as their strength would permit, others who were stronger, took about two ounces of it every four hours. fugar ferved not only to render it more palatable, but also to occasion a fermentation on shaking the bottle, in which effervescent state, such draughts ought always to be administered: they frequently prove greatly diurctic, and will fometimes occasion profuse sweats (i). The patients, as they grew stronger, were allowed eight ounces

of lemon juice in twenty-four hours.

This composition of the lime or lemon acid, with wine and sugar, so administered, I esteem the most efficacious remedy for this disease, and greatly to exceed the simple lemon juice, or any other method in which it may be given.

Upon repeated trials, I found that the virtues of lemon juice in this disease, exceeded those of green vegetables, and were much superior to

that of wine by infelf (k).

I have

(i) I have observed much relief to proceed from these draughts, when taken in bed; drinking after them some warm balm tea, so as immediately to produce a prosuse sweat.

(k) John Thompson, on the 18th of June 1759, was prest into his Majesty's service. He was servant to a farmer, and had never been at fea. On the 23d of October he was admitted for a fever into Haflar hospital, which had reduced his firength fo much, that he was confined to bed for a fortnight after it. He then complained of a pain in the fore-part of one of his legs, where, in eight days afterwards, a large red blotch, refembling an eryfipelas appeared. His gums grew spungy, and bled frequently. A bruise formerly received on his breaft became troublesome, and very painful when touched; his other complaints were pains in the small of the back, and an universal weakness, more especially of the knees, accompanied with a pain in the ham, when he attempted to walk; but when lying in the bed, he was always chearful and in good spirits. His diet when in the hospital, was milk pottage, bread and butter, mutton broth with greens. His medicines were elixir of vitriol, conserve of worm-wood, and tineture of bark. A fomentation of warm vinegar gave ease to the pain of his leg; but finding he gained otherwise no relief, on the 16th of November I discontinued all his former medicines, and altered his diet, ordering he should taste no greens, fmall-beer, or any fermented liquor, but live entirely on water-gruel, cheese, butter, bread, and mint-tea. was done in order to try the effects of lemon juice.

I have found this composition equally successful in curing the scurvy, in such as were afflicted with it at land, where it is a disease but little known, and too often mistaken for a different indisposition, as will appear from the two following cases.

I was

weak

On the 16th of November, he took, in twenty-four hours, by a spoonful at a time, two ounces of fresh lemon juice, in a quart of barley-water, sweetened with sugar. On the 17th he had eight ounces of the juice. The 18th, being costive, had a purge, but no juice. From the 19th to the 24th, he took every twenty-four hours, eight ounces of the juice, mixed as before; and next day his condition was as follows. His mouth quite well, the ecchymoses entirely gone, no other symptom of the scurvy remaining but weakness.

George Young, ten days after a fever, was seized with the seurvy in his legs. They became extremely painful and swelled towards the evening, were at first of a lemon colour, and afterwards covered with red and black spots, resembling petechiæ. He was extremely weak, had a cough, his gums not spungy, but often bleeding; he eat two apples every day, and had broth with greens for three weeks, mending but slowly till ordered fresh lemons, then he recovered apace.

—— Reeves was long ill of a fever and flux, by which he was greatly reduced. He complained of intolerable pains in his legs, accompanied with spots and a large swelling. After taking lemon juice in wine, for some days, he was seized with a severe sit of shivering, upon which he fell into a violent and prosuse sweat, which removed the anasarca and scurvy entirely. But in a few days he relapsed into the flux, upon which his anasarcous swellings returned, these continuing after the scurvy had entirely left him.

John Ogle, in a few days after, having had a fever, was attacked with the scurvy over his whole body. His arms were covered with rough, red, and purple, miliary eruptions, intermixed with red and black flat spots; those last were also on the trunk of his body; his legs were swelled, rough, and spotted. He was perfectly cured in seven days, by lemon juice given in wine.

At this time I was determined to try what effect wine and greens would have on another patient, who was very

I was defired to visit a lady, who being in an infane state of mind, had been confined to her house for some years; she was supposed to be dying, and I found all her friends met to pay their last respects to a person once much esteemed. I was told that a mortification was begun in her limbs, scarifications were talked of, and the application

weak after a fever, but got up every day, and walked about on crutches. On the 15th of February he complained of intolerable pains in the ancles, and calves of his legs, and was supposed to have got the rheumatism. On the 23d, notwithstanding his taking a decoction of bark with snake-root, and his being allowed wine and broth, with greens, I found him daily growing weaker, and when he attempted to get out of bed he became faint, and could not fit up. When in bed his limbs gave him great pain, but he was otherwise chearful and hearty. Upon examining his skin, some very small purple spots of blood were perceived on the inside of both legs.

The proofs of the scurvy being now evident, I determined he should persist in the use of the hospital broth, with greens, drink half a pint of port-wine in the day, and take by way of medicine, an infusion of avormavood and gentian,

and afterwards made the following remarks.

25th of February, the infide of both legs are now covered with red miliary spots, and are rough; the calf of one leg, where he complains of incessant and violent pain, is somewhat more enlarged than the other.

26th. Much the fame, and in great pain.

27th. Attempted to get out of bed, but could not, by reason of his proneness to faint.

28th. Sat up a little to day, but his scurvy seems to

encrease.

1st of March. Both legs are now greatly swelled and

much spotted; he grows daily weaker and worse.

2d of March. He suffers intolerable pain from his legs, which are much swelled, and stained with red and dark coloured blotches, which daily spread. He cannot now be taken out of bed. Thus suffering intolerable agony, and being in imminent danger, I could no longer withhold what I judged would prove the means of his relief, therefore ordered him the same medicine with Ogle, to wit, the juice

of the warmest poultices. On examination, I found both her legs hard, painful, and covered with livid spots. Above the ancle of the right leg there appeared a large black blotch, and on the inside of both thighs several red and livid streaks and stains. She complained of great weakness, and of a troublesome pain in her loins.

I acquainted her friends with the nature of her disorder, and soon removed their apprehensions of her sudden death. I ordered her legs to be frequently bathed with warm vinegar, and prescribed an ounce of the juice of lemons, in two ounces of wine, sweetened with sugar and coloured with cochineal, to be taken three times a-day. By this she was restored to her former state of health in less than ten days, no other symptom of the disease at that time remaining, but weakness.

Another lady, during a tedious recovery after her delivery in child-bed, was seized with universal and severe pains, particularly in the back, legs, and thighs; she had frequent bleedings at the nose, and her gums were so painful, that

juice of four lemons in a day, taken in half a pint of wine, desiring him also to eat the pulp, and to this alone I trusted

his cure, forbidding him to tafte greens.

March the 3d. He took fix draughts of the lemon juice and wine, at an interval of two hours betwixt each, which confumed the quantity prescribed. The draughts proved greatly diuretic, and he thought himself better. There was a considerable swelling on the fore-part of his foot, and his legs were rough, scaly, and spotted. But he afterwards recovered daily, without assistance from vegetables or any medicine whatever, except lemon juice and wine; these he lest off taking on the 13th of the month, having no complaint remaining but weakness.

she could not chew any solid food; she became at length so low and feeble, as to be seized with a great difficulty of breathing, and a disposition to faint away upon the least exertion of her

strength.

Her apothecary, judging the symptoms to be of the low bysterical kind, administered salt of bartshorn, castor, and several other nervous cordial medicines. But she grew daily worse, and was thought to be dying. I found her legs covered with the true scorbutic spots, and discolourations, and her gums destroyed by the scurvy. The nature of her disorder being quite obvious, I discontinued all her former medicines, and by the same acid and vinous draughts, as in the former case, this lady, from a dangerous condition, was restored to a perfect state of health.

I do not mean to fay that lemon juice and wine are the only remedies for the scurvy; this disease, like many others, may be cured by medicines of very different and opposite qualities to each other, and to that of lemons.

It is to be prefumed, that in very cold countries, feurvy-grass, and herbs of the like quality, would still be more beneficial. What has been found equal to any other remedy in the scurvy, is the water or juice of the coco-nut tree, which distils from incisions made in the branches and tops of the tree, and is commonly called toddy.

The Peruvian bark, and all bitters, such as gentian root, chamomile flowers, orange peel, tops of centaury, and the like, are beneficial. Those bitters are administered to the greatest advantage, when insufed in wine. The bark, however, must be given in substance, and in large quantities,

tities, especially in cases of putrid, obstinate, or

fpreading fcorbutic ulcers.

When a fymptomatic fever was occasioned by great pain from large ulcerations, an addition of nitre to the bark proved serviceable, and the best dressing for the ulcer was found to be

a very strong tincture of myrrh in brandy.

Bitters are undoubtedly sometimes of great efficacy in this disease. Among many scorbutic cases which have been communicated to me, Mr. Kerr gives an account of a seaman in one of the East India ships, who was perfectly recovered, when at sea, from a very violent and dangerous scurvy, by drinking plentifully of a strong infusion of chamomile slowers in warm water. By the constant use of which, he also continued to enjoy a perfect state of health during the remainder of the voyage, for three months at sea.

Most patients in this disease find manifest relief from gentle doses of physic, repeated twice or thrice a week. For those who were very weak, I found a scruple of rhubarb quite sufficient, but for such as were able to walk about, pretty smart purges of sena were absolutely requisite.

There are few cases, in which external applications give more relief, than in the scurvy. When the gums are affected, the patient can neither eat nor drink, without first washing and cleansing his mouth with a gargle (1), and the relief obtained by bathing the legs frequently in a day, with warm vinegar, is quick and surprising.

In

<sup>(1)</sup> The following is the gargle I always used at Hastar hospital. R. Aquæ hordeatæ semilibram, mellis uncias duas, spiritus vitrioli fortis q. s. ad gratam aciditatem. Adde pro re nata tinsuræ myrrhæ drachmas duas.

In the winter of the year 1769, when the Russian fleet was at Spithead, many of their men were brought into Haslar hospital upon men's shoulders, quite disabled by the scurvy, who being put to bed, and having their limbs well bathed with warm vinegar, and their joints anointed with ung. Sambucinum, were able afterwards to get out of bed, and walk through the wards.

But as there is not in nature to be found, an universal remedy for any one distemper, in all its complicated stages, and for the various symptoms that may attend it, so in the scurvy, deviations from the general method of cure become often necessary, according as particular symp-

toms of diffress present themselves.

Thus in the scorbutic flux, the bark must be given in decostion, adding to each dose of it, as much of the tincture of opium, as may palliate or relieve that dangerous symptom. Here, wine, spices, and opiates, are the principal remedies; together with glysters of mutton broth, administered in small quantities, with the addition of red wine; and the tinctura thebaica philonium Londinense, together with ipecacuanha, in small doses, are serviceable. But the most frequent concomitants of the scurvy, and which require our particular attention, are, dropsical swellings in almost every part of the body; these are often very difficult to remove, and sometimes prove fatal.

The case of scorbatic patients, even in the commencement of the disease, seems in this respect to be similar to that of most weak persons, or of all those in whom the principles of life, or of the constitution, are ensembled by age,

fickness, or the like.

Weak, aged, and scorbutic persons, are subject to a cough, swellings of their legs, and sometimes even of the face, all which I judge to proceed from serum extravasated in those parts.

It will be found, I believe, that many perfons in perfect health, especially if corpulent, have water both in the breast and belly. A small quantity of water in either of those cavities, is, as I conjecture, attended with little or no pain and inconvenience. But when a confiderable quantity of water is accumulated in the breaft, it will fometimes, without any other cause, give rife to a violent and inceffant cough, attended with a constant spitting of gross phlegm, of which I have feen feveral inftances, and fometimes it produces so great a difficulty of breathing, that the patient cannot lie on bed, but must sleep in an erect posture. The peripneumonia notha, which fo often puts an end to the life of old men, fometimes proceeds from this cause. In several young persons, who have died confumptive, the lungs feem to have been chiefly injured by being fleeped or macerated in the water contained in the breaft; and in others, the waste of substance in the lungs, it is not improbable, may be owing to their peculiar structure; for as in a general decay of the body, some parts seem to suffer more than others, fo, next to the omentum, the lungs are often found to be the organ which corrupts, and is confumed foonest.

Ædematous swellings of the legs, accompanying these disorders of the breast, are the surest
signs of water being in that cavity. This water
may sometimes have no communication with
that of the legs, or any part of the body, but
M m

it is certainly more frequently the case, in weak scorbutic persons, that water in the legs is received from, and returned again into the cavities of the breast and belly, as I have formerly

observed (1).

It must be owned, that the passages for such water, from those cavities into the legs, are unknown to us; but they are no more so, than the passages for it into the intestines or kidneys, from which sometimes, by slight irritations of those parts, or from other causes, it is plentifully

discharged.

There is no doubt, but in some scorbutic patients, there is also water even in the joints of the knees. For those scorbutic patients, whose legs were much swelled and adematous, we prescribed daily a pint of strong beer, medicated with the most powerful antiscorbutic herbs (m). During the last war, many hogsheads annually of this antiscorbutic beer were used at Haslar hospital, for such patients, with great success.

When the face was swelled and bloated, we prescribed more powerful diuretics, such as the lixivial salts in wine, and the acrid antiscorbutics (n).

When the difficulty of breathing was great, and attended with violent fits of coughing at night,

(1) Pages 91 and 92, of my papers on fevers and infec-

(m) R. Foliorum cochledriæ hortensis, nasturtii aquatici, becabungæ, ana manipulos sex; radicis raphani rusticani uncias tres; absinthii romani semi-manipulum; infundantur in cere-

visia veteris & fortis congiis duobus per quatriduum.

(n) R. Vini alb. H. st. salis absinthii z ss. cinerum genistæ uncias decem; radicis calami aromatici, seminum dauci sylvestris, una semunciam; baccarum juniperi unciam unam; seminum sinapis unciam unam cum dimidia. Infunduntur in vini albe (rhenani) libris quatuor per aliquot dies & cola.

night, we gave at bed-time the falt of tartar, joined with an opiate, in sufficient quantity to procure rest, and to promote a plentiful flow of urine.

When the swellings remained obstinate, the greatest benefit was received from sweating the patient, by a scruple or half a drachm of Dover's powders properly prepared, and taken at bedtime (o). I have often used this medicine in adematous swellings, with remarkable success. The chief inconvenience I perceived from it, was weakening of the patient, by sweating too profusely; this may be prevented by giving it only three or four times a week, and by the patient using through the day a strong infusion of orange peel, acidulated with elixir of vitriol. In most dropsical cases we found the cream of tartar an excellent diuretic.

But, if notwithstanding those remedies, the water encreases so much as to impede respiration, and both legs are affected with a soft swelling, which retains the impression of the singer for a considerable time, nothing will prove more effectual than the application of blisters to the inside of both legs, a little above the ancles. When by this means the water is evacuated, the patient may be put under a course of the bark and elixir of vitriol, and the legs be afterwards fomented with a decoction of oak bark.

The apprehension of a mortification in persons afflicted with the scurvy, from the application of blisters, is altogether imaginary.—In some M m 2 hundred

<sup>(</sup>o) R. Nitri tartari vitriolati, ana semunciam; funde in crucibulo ignito, et, deslagratione cessată, eximatur massa, cui adde, opii crudi pulv. ipecacoanhæ pulv. glycyrrhizæ pulver. ana singulorum drachmam unam. Fiat pulvis subtil.

hundred cases, where blisters were applied to the legs to remove the swellings, and in many more, when blisters were applied to the back to remove contagious severs, I never once remember to have seen a mortification ensue, except when the patient was in a dying state; the appearance of a mortification not being the cause, but only the sign of approaching death.

I have lately, by the use of *Dover's* powders, and blisters to the legs, when *adematous*, in many scorbutic patients made a compleat and perfect cure in a few days, while others, not treated in the like manner, have not been relieved from

the fcurvy in as many weeks.

In some habits of body, the blisters to the legs are apt to be very painful and troublesome; and fometimes do not discharge the water in fufficient quantity, especially if the scarf skin be injudiciously removed; in this case, though unwillingly, I have recourse to scarification of the legs: but I greatly prefer the application of blifters; having, from extensive experience, learnt, that in a dropfy of the breaft, a cafe which occurs more frequently in practice than is commonly imagined; the irritation occasioned by blifters applied to the legs, and the consequent discharge of serum, proves a certain cure; unless, as may be sometimes the case, the water in the thorax has no communication with that in the legs; or the vis vita, the principles of the constitution are so irreparably decayed, that, though the blifters give immediate ease, yet the water will be again accumulated.

When the water, in a true ascites, is altogether confined to the abdomen, the case sometimes of scorbutic patients, I found the best remedies to

be that of rubbing the belly, for half an hour every night, with warm olive-oil, to promote a large flow of urine, and giving twice a week jalap, or fuch purges as evacuate water by stool, with *Dover's* powders on the intermediate nights.

If, as is sometimes the case, after the scurvy, one leg only continues long hard, distorted, or constantly swelled; an issue put in it has often been of service. As also, pills made of the extract of bemlock, and sumigations with the steams of benzoin and frankincense, avoiding all moist or relaxing applications.

### SECT. VI.

Further observations on the cure. Conclusion.

THE scurvy admits not only of various and very opposite methods of cure, but is also often relieved by the most simple means. There are few chronic diseases so painful, and attended with such a variety of alarming symptoms, in which the transitions from life to death, or from sickness to health are so unexpected and sudden; a removal of the cause often produces an almost immediate effect on the disease.

I have read, and heard, many relations of men supposed to be dying of this malady, who were said to have been perfectly recovered by being carried on shore to feed on the grass, to smell the earth, and by such like means.

These relations are not altogether destitute of truth; the following may be depended upon.

In the year 1761, when the English fleet lay at Belleisle on the coast of France, the men in his Majesty's ships were preserved from the scurvy

M m 3

by the feafonable supplies of greens, fent from England. But the feamen in the transports had not this benefit. The owners of those ships furnished their crews with no greens or fruits whatever. Hence they became in general very much afflicted with the fcurvy. Many of those unfortunate persons, labouring under this severe evil, and utterly destitute of proper remedies, were carried on shore, and after being stript of their cloaths, were buried in a pit dug in the earth (the head being left above the ground) their bodies were covered over with the earth, and permitted to remain thus interred for feveral hours, until a large and profuse sweat ensued. After undergoing this operation, many who had been carried on men's shoulders to those pits, were of themselves able to walk to their boats; and what was very extraordinary, two of them who had been quite disabled by this disease recovered fo perfect a state of health, that they foon after embarked for the West Indies, quite recovered and in good spirits, without once tasting any green vegetables (q).

I have myself seen many instances of patients brought into Haslar hospital, who by being only

OU

(q) This is faid to have been a common practice among the Buccaneers in the West Indies, when their men were afflicted with the scurvy; which brings to my remembrance

the following relation, given me by a friend.

One day hunting in Newfoundland, he discovered, what appeared to him at a distance, to be a number of graves, with a man's head fixed to each. Struck with the novelty of the fight, he went to the place; where he was further furprized to find the men alive; they informed him they belonged to a ship which lay in the road, and, that having been reduced to unspeakable misery by the scurvy, they were thus interred in order to obtain a cure. Was not the climate of Newfoundland too cold for this operation?

on shore for a few days, seemed surprisingly relieved, and have frequently observed, that this disease, when proceeding solely from a long continuance at sea, is strongly and suddenly influenced by the passions of the mind, and other circumstances attending the sick. The joy of being landed after a long cruise or voyage; the pleasing prospect of a speedy relief from distress, a change of air and weather, even the warmth of a comfortable dry bed, added to the efficacy of outward applications, seemed to operate powerfully and surprisingly upon the disease.

In the course of my experiments on patients in the scurvy, I have relieved some in such circumstances, by the most trisling prescriptions; and am persuaded, that entire credit may be given to the relation of cures similar to this published by V and V and other authors

of unquestionable veracity.

Whether fuch relief was owing to the faith of the patients in the extolled efficacy of the prescription, to exercise, or an enlargement after being confined in a ship, prison, or bed of sickness, or to a removal from a cold damp place to a dry and warm habitation, and in some instances to a respite from hard labour and fatigue; or lastly, to circumstances unknown or unobserved, I cannot say. It is not improbable, that many of these operated jointly towards that effect.

But though changes in the fymptoms of this disease happen very unaccountably, and in a short time; from whence many medicines have derived the character of their efficacy; yet, it is not to be supposed, that the disease itself leaves the M m 4 patient

fr) See part iii. of this Treatise.

patient fo quickly, the extravalations still continue, as also the anserine or miliary spots, dry eschars, hardness, and blackness of the slesh, livid and red streaks, and especially swellings and

pains of the legs.

The gums, if proper care be taken, foon become found; but it is feldom less than three weeks, a month, or even six weeks, before a person labouring under a very inveterate scurvy, can with the aid of the most excellent regimen, be said to be altogether free from it, and some are a much longer time before they are perfectly re-established in health.

I have frequently observed, that, out of the number of 100 scorbutic patients sent to Haslar hospital, in ten or twelve of them at least, the disease proved very tedious and obstinate, requiring not only a vegetable diet, but a continued course of medicine for several weeks; at the expiration of which, the injury done the constitution was in many far from being removed.

In such however, as the disease has in a few days taken a savourable turn, from a change of diet, air, weather, or other circumstances, which might have occasioned it, although the spots, and the other symptoms before-mentioned, continue; nay, should the eruptions on the skin encrease, as they often do, yet the patient will daily acquire strength, and, if the scurvy be not deeply rooted, he will recover from it by the encreasing vigour of his own constitution. Not-withstanding this, these convalescents are very importunate for relief, and desirous to procure it from medicine: they are alarmed with every transition of the seat of pain, which frequently happens, they are every day pointing out new

spots and eruptions on their skin, they walk very lame, the pain of the back harasses them much, and the idea of their past sufferings and distress

feems always to shock them.

I have relieved above two thousand such patients in Haslar hospital, by giving them twice a week gentle purges of rhubarb and sena, and by the usual outward applications to mitigate the pains of their legs, gums, &c. They took twice a day, the bigness of a nutmeg of an electary composed of equal parts of the conserve of Roman wormwood and of lenitive electary, sharpened with elixir vitriol, and used at the same time a plen-

tiful diet of greens.

But, as when the scurvy is occasioned by an intense degree of cold, during a severe winter, nothing so effectually relieves the patient as the return of warm weather; so, in like manner, when it is produced chiefly by a long abstinence from green vegetables, it is often soon removed by a plentiful use of them; hence it follows, that if a patient, who has not been reduced to the last extremity, be well supplied with green vegetables after a long abstinence from them, his cure, though it may be greatly forwarded by the use of medicines, is never to be ascribed solely to their efficacy.

I have made it my study for some years, with unwearied diligence, to observe the effects of all the medicines and methods of cure that have been recommended for this disease, by putting them to the fairest trials. For this purpose, I not only sent abroad various medicines to be administered to patients, by way of experiment at sea; but have, at different times, selected a number of patients in Haslar hospital, and ad-

ministered

ministered to them, in various forms, all the different antiscorbutic remedies. The principal of which were, the scorbutic juices of the London Dispensatory, the juice of scurvy-grass by itself, the Peruvian bark in large quantities, decoctions of guajac and sassaffas, infusions of juniper berries and stomachic bitters of various kinds, both the decoction and infusion of fir tops, the pines, &c.

In order to judge of the effects of each of these medicines, such patients as were selected for the trial were confined in wards by themselves; they were strictly watched, and debarred from eating any green vegetables, fruits, or roots whatever, though many of them had not tasted any thing of that fort for several months; they were not even permitted to taste the hospital broth. Their breakfast was balm tea with bread and butter, for dinner they had light pudding, and for supper, water gruel with bread and butter.

Upon a daily comparison of the state of those patients, I was surprized to find them all recovering pretty much alike, and though they abstained altogether from vegetables, yet they in

general grew better,

This strict abstinence from the fruits of the earth was continued long enough to convince me, that the disease would often, from various circumstances, take a favourable turn, which cannot be ascribed to any diet, medicine, or regimen whatever.

I have also endeavoured to discover the comparative effects of different fruits and vegetables

in this disease.

For this purpose, after restraining the patients from all other vegetables or medicines, I gave to some fome falads of water cresses and scurvy-grass, to others garden cresses, endive, dandelion, and lettuce; and to others ripe fruits, as plums, apples, currants, &c. But could not observe a superior antiscorbutic virtue in any of those, as the patients who eat them did not recover sooner than those who had daily given them the hospital broth, with boiled beef and greens (s).

It is proper to observe, that those patients were almost constantly employed in washing their mouths with acid gargles, in bathing their limbs with warm vinegar, and afterwards anointing them with palm oil, elder ointment, or the like applications, from all which they seemed to re-

ceive great pleasure and benefit.

On the other hand, this disease sometimes proves very obstinate. I have met with numerous instances, not only among the common seamen, but of officers, with whom it had taken such deep root in the constitution, as to prove a lasting affliction to them during a great part of their lives.

These persons we must again refer for proper means of relief, to chap. v. part 2. of this Treatise, with a caution to beware of the many boasted specifics for this disease; some of which owe their reputation to a partial trial on patients, whose recovery was probably owing to very different

(s) In order to judge of the operation and effects of the infusion of malt, recommended by Dr. Macbride, I put 130 scorbutic patients under a course of it for sourteen days, they drank a quart of it daily; it has the advantage, when new made, to be extremely palatable, the patients were very fond of it, and there was not one instance of its occasioning sickness, gripes, or purging. On the whole, it is a very nourishing liquor, well adapted for scorbutic patients.

different causes; while others, of a mercurial nature, dignified with the title of infallible antiscorbutic medicines, may perhaps be given for some particular intentions, but cannot be administered with safety to a person afflicted with the

true fcurvy.

There are frequent occurrences in this disease, which I think very difficult to account for; thus it may afford matter of speculation,—That some people are afflicted with the scurvy, while their constant food consists of vegetables, well baked bread, slesh soops, and other articles of light and easy digestion, as was the case of many in Haslar hospital, in the year 1759; while the same diet proves a certain means of relief to others from this disease.

Another remarkable, and not an unfrequent occurrence, is,-That five or fix hundred men, in a long voyage, while living the whole time on falted and hard meats, often continue in perfect health, but foon after they come into a harbour and begin to eat ripe fruits and green vegetables, many of them will be feized with an obstinate Thus feveral hundred feamen have been admitted into Haslar hospital, who while living at fea on their ship's provisions, enjoyed good health; but began to feel the first symptoms of this difease, after they had eat greens and fresh meat for some time at Portsmouth; and notwithstanding the continuance of this wholefome diet, an enlargement from their confinement in a ship, and the most proper remedies, joined with the utmost care that could be taken of them, the scurvy continued in several of them for five or fix weeks.

Others again have been attacked with it a long time after they had left off going to sea.

But, notwithstanding all this, we may be well assured, that the scurvy will never rise to that height, as to become a general, fatal, and destructive calamity, in the nature of a plague, where green vegetables abound, and the proper method of treatment is known and practised.

On the other hand, it must be freely acknowledged, that where a wholfome diet cannot be procured, and the causes of the disease cannot be removed, though its fymptoms may be greatly relieved or palliated, its violence checked, nay much abated, and a multitude of lives preferved, by proper attention, and a knowledge of the difease, and the remedies for it; yet in certain circumstances, its inveteracy will sometimes elude the efficacy of the best and most sovereign remedies. This is further confirmed by the account given of the scurvy in India, by an ingenious friend of mine (t), who had formerly the direction of the naval hospital in that part of the world, and had acquired an extensive knowledge in this difease.

At Madagascar he filled a half hogshead with orange and lemon juice, preserved with about a fixth part of rum, and likewise provided himself with a quantity of the rob of those fruits. The juices kept good for two years, until he had occasion to use them, in a long passage from the coast of Coromandel to Bengal. The whole squadron under Admiral Watson, became at this time greatly distressed by the scurvy. Mr. Ives allowed

<sup>(</sup>t) Edward Ives, Esq; of Titchfield, whose curious physical sea-journal is published in chap. 1. part ii.

allowed his patients in the Kent, as much of the juices as they chose, mixed with water and spirits, by which means several recovered and returned to their duty while at sea, and the Kent, a ship of 64 guns, did not lose a man, though all the other ships lost a great many. He sent a dozen bottles of lemon and orange juice on board the Tyger, whose men were daily dying, and in a letter of thanks was informed, that the juices had been of great benefit.

He adds, "The people of the Kent were in-"disputably preserved from dying of the scurvy,

" by the juice of oranges and lemons, but I " verily believe, had our passage been a month

" longer, the disease would have cut off many.

" For, though the juices most certainly checked the fury of the distemper, and at first cured

" feveral, yet, at length they relapfed, and the

"disorder gained, though slowly, on most patients. It is to be observed, the sick had

" little or no affiftance from fresh meats, or a

" proper diet of any kind.

"When the squadron arrived at the river "Hugley, after a passage of three months, many of our men were afflicted with dropsical swellings of the legs; the scrotum in some contained a gallon of water; and notwithstanding an immediate and plentiful supply of fresh meat and vegetables, their recovery from the scurvy was very slow, and while they had been feasted for a fortnight or three weeks with the most excellent land productions, several were suddenly seized with severe pains in their bowels, accompanied with a vomiting and purging, and with violent contractions of the legs,

" thighs,

"thighs, and arms, of which they died in a few hours.

Mr. Ives concludes his observations thus, "Some voyages at sea may be so long, that nothing will prevent this calamity from spreading: the most powerful of all the remedies I know, is juice of oranges and lemons, by the plentiful use of which, many thousand lives, in a large sleet, may be preserved in a voyage of moderate length, which without this aid would be lost. The fresh fruits are best, next

" to those is their juice preserved with spirits,

" and lastly their rob or extract. I have never been able to discover that any of the mineral

" acids, fuch as spirit of salt, elixir of vitriol,

" &c. in the least restrained the progress of this

" malady at fea."

Here I cannot help observing, that the most dreadful cases of the scurvy seem most frequently to occur on board ships in the East Indies, where it is often attended with putrid and spreading ulcers of the most malignant kind, and with the

most universal and fatal dropsies (u).

But for what disease can mankind boast a never failing or infallible remedy, in every situation of the patient and circumstance of his distress? Thus, when the scurvy seizes a person much weakened by a tedious confinement, or long sit of sickness, which it often does both at sea and land, and is accompanied with a frequent purging, proceeding altogether from weakness of body, a most affecting state of distress presents itself.

In this appearance of the scurvy, on patients in a very weak or dying state, after a fever or

long

<sup>(</sup>u) See Mr. Ruggit's account, part ii. chap. 5. p. 206; also the supplement, page 278.

long fit of fickness, as also in such as had been long confined to bed by ulcers, the lemon colour of the legs, the black and purple small spots, evince the attack of the disease; but the low, emaciated, and sinking state of the patient, will admit of no cure; and this is what I have called in one of the preceding pages an incurable scurvy, as I always found it such.

Many diseases have been well known, and accurately described for above a thousand years; yet, for which of them have we an infallible remedy? What medicine can counteract the continued influences of improper diet, air, and confinement: the last of which in particular, I now judge to be a principal cause, of the great obstinacy and frequent mortality of the scurvy

in long voyages at fea.

It is perhaps the vain and chimerical belief of the existence of a never failing remedy for most diseases, which occasions the quick disgust conceived to a medicine at every disappointment, and the daily attempts after new methods of cure, which has rendered the art of healing as variable and unconstant, as our dresses; which through all ages, and in most countries, are, and have been different.

It would indeed be happy for mankind, if in all the various calamities and diffresses, to which they are subject, the means of relief were so well ascertained, as they are in this painful disease, an ignorance of the nature of which, has long been productive of fatal consequences.

# APPENDIX.

T T has been no easy matter to obtain a knowledge of the many writings on this distemper. There have been collections made from time to time, of the feveral authors on the plague, venereal disease, &c.; but no such have been compiled of writers on the scurvy. Sennertus, ann. 1624, when he wrote his own treatife, reprinted the writings of Solomon Albertus and Martinus, together with Ronsseus, and the authors which he had published ann. 1583, viz. Echthius, Wierus, and Langius; and this book, containing those feven authors, is the only collection ever published of writers on the scurvy. There was here as little affiftance to be obtained from medical bibliothecæ. Lipenius in his Bibliotheca realis medica, published ann. 1679, reckons up twentynine writings on this subject, of which eight are academical discourses or disputations. Mercklin, in his Cynosura medica, published in the year 1686, enumerates twenty-four authors on the fcurvy. Of these, one, viz. Henricus a Bra, is classed among them (though improperly) upon account of a letter written to Forestus upon a very different subject (a). Another, viz. Albertus, he has by mistake inserted twice in his list; and has given a place in it to Jos. Stubendorfius an editor of Eugalenus, Simon Paulli, Job. Langius, Arnold. Weickardus, and Ludov. Schmid; which three last I have taken notice of in the Bibliotheca, though perhaps they are not deferving of it. He has befides included in it three academical disputations.

The indefatigable Dr. Haller published ann. 1751. in his notes illustrating Boerhaave's Methodus studii medici, the titles of almost all medical writings now extant, no less than 30,000 volumes. But it were to be wished, that so good a judge had distinguished such books as, not being able to maintain their character, are now out of print, or occasional pamphlets, and some trisling academical orations and disputations, from writings of greater value.

The following lift contains the titles of fuch writings on the fourvy, as have been omitted in the foregoing sheets, but are mentioned in those collections; and comprehends all that, after the most diligent inquiry, have come to my knowledge; except a few academical disputations.

J. Roetenbeck und Casp. Horns beschreibung des scharboks. Nuremberg. 1633.

Christoph. Tinctorius de scorbuto Prussiæ jam fre-

quenti. Rigiom. 1639.

J. van Beverwyck van de Blaauw schuyt. Dordrac 1642.

Henrici Botteri (b) tractatus de scorbuto. Lubec

1646.

J. Schmids von der pest Frantzosen und scharbock (c). Augspurg. 1667.

Phil. Hæchstetteri (d) observationes medicinales raræ. Lip. 1674.

Hen.

(b) Professor at Cologne. I have not seen this treatise; nor did Haller. I never sound it so much as quoted by any author, though it underwent two editions.

(c) I have feen the book; it contains nothing remarkable.
(d) A physician at Augsburg. Decad. 7. cas. 10. contains

fome good observations on the scurvy.

Hen. Cellarius bericht von scharbock. Halberstatt 1675.

Jon. Zipfel vom scharbock griesstein und podagra. Dreid. 1678.

Maitland on the scurvy.

Melchioris Friccii dissertatio de colica scorbutica.
Ulm 1606.

J. Hummel de arthritide tam tartarea quam scor-

butica (e). Buding 1738.

Pierre Briscow traité du scorbut (f). Paris 1743. Cadet dissertation sur le scorbut, avec des observations (f). Paris 1749.

Travis on the sea-scurvy (g).

As to these or other books which I have not seen, or any curious and useful observations made or published on the scurvy, or also such of the following academical performances as are distinguished by an asteric, I desire and earnestly entreat all men of study and learning who are possessed of them not to conceal them from me, or what is of more consequence, from the republic of physic and letters, but that they would be pleased to favour me with an abstract of such books or observations, which will be thankfully acknowledged. If the intended letter exceeds too much the usual size of an epistle by post, in this case, upon giving me notice, I shall direct a less expensive method of having it transmitted.

### Nn 2

Acade-

(e) An indifferent character of it is given by Haller.

(f) Both quackish pamphlets.

<sup>(</sup>g) He endeavours to shew that the use of copper boilers for dressing victuals, is one principal cause of the scurvy in the navy of Great Britain. Art. i. vol. 2. of Medical Observations and Enquiries, by a Society of physicians in London, 1762.

### Academical performances.

Jacob. Albini disputatio de scorbuto (g). Basil 1620. Abrahami Dreyeri disputatio de scorbuto (g). Basil-1622.

Amb. Rhodi disputatio de scorbuto. Haffn. 1635. Jac. Haberstro disp. inaug. de scorbuto. Jen. 1644. Herm. Conringii disp. Resp. Bebrens. Helms. 1659. Geo. Franci disp. Resp. Wyck. Heidelb. 1670. And. Birch Angli disp. inaug. de scorbuto. Lugd. Bat. 1674.

Olai Borrichii disp. Resp. Joh. Meleb. Sulzero.

Haffn. 1675.

Caroli Patini (h) oratio de scorbuto. Patav. 1679.

\* Sam. Koeleser de Kereseer de scorbuto Mediterraneo.

Cibinii 1707.

Jacob Crauford disp. inaug. de scorbuto. Lugd.

Bat. 1707.

\* G. Thiesen de morbo marino. Lugd. Bat. 1727.

\* Michaelis Alberti (i) disp. de scorbuto Daniæ non endemio. Hall. 1731.

\* Christoph. Mart. Burchard disp. de scorbuto maris Balthici accolis non endemio. Rostoch. 1735.

\* Sim. Pauli Hilscher (k) programma de scelotyrbe memorabili casu illustrata. Jen. 1747.

Mich. Law dissert. medic. inaug. de scorbuto. Edin.

1748.

Quæstio medica. An à diversa virûs scorbutici indole et sede morbi diversi? auctore Henric. Michael. Missa medicinæ Baccalaureo. Paris 1754.

Roberti Robertson dissert. medic. de scorbuto. Edin.

1765.

(g) Both are preserved in a collection of academical disputations, published by the bookseller Genathius.

(b) Professor at Padua; more celebrated for his other

writings than this.

(i) Present professor of medicine at Hall in Saxony-

(k) Present profesior at Jena.

A CHRONOLOGICAL INDEX of medical authors who have written particular books on the scurvy; as also the principal systematic, and other medical writers, whose sentiments are delivered in this treatise,

1534. Euritius Cordus, a celebrated Botanist. He died ann. 1538.

1539. Jo. Agricola (Ammon) Professor of Medi-

cine, &c. at Ingolftadt.

birth a Dutchman. He died ann. 1554.

1560. Jo. Langius, chief physician to the Elector Palatine.

Jod. Lomius, a physician in Flanders.

1564. Balduin, Ronsseus, ordinary physician to the city of Goude in Holland.

of Cleves and Juliers.

Adrian. Junius, an eminent physician and historian. He died ann. 1575.

1581. Rembert. Dodonæus, chief physician to the

emperor of Germany,

Balthas. Brunerus, chief physician to the Prince of Anhalt.

1593. Solomon Albertus, Professor of Medicine at Wittenburg.

1595. Petrus Forestus, physician at Alcmaer, Professor at Leyden, &c. (a).

(a) Besides the above authors, it is taken notice of by several other medical writers in the sixteenth century, viz. Cornelius Gemma, (Cosmocritic. lib. 2. cap. 2.) Petrus Pena, (adversar. stirpium, p. 121 & 122.) Schenckius (observat. medicinal.) Carrichterus, (prax. Germanic. lib. 1. cap. 41.) Mithobius de peste, Tabarnæmon de thermis, Peucerus de morbis contagiosis, &c. There were likewise two theses, or disputations,

of Norlingen. physician to the city

1604. Severinus Eugalenus, a physician of Dockum

in Friefland.

1608. Felix Platerus, Professor of Medicine at Basil in Switzerland.

1609. Gregorius Horstius, chief physician to the Landgrave of Hesse, Professor at Giessen. Mat. Martini, physician at Eisleben.

1624. Daniel Sennertus, Professor of Medicine at Wittenburg, and chief physician to the

Elector of Saxony.

1626. Arnold. Wickardus, a physician at Francfort.

1627. Frederic Vander Mye, physician to the garrison in Breda.

1627. Ludov. Schmid, chief physician to the

Marquis of Baden, &c.

1627. Gul. Fabric. Hildanus, physician and surgeon to the Marquis of Baden, &c.

1633. Jo. Hartmannus, Professor at Marpurg.

1640. Lazar. Riverus, the celebrated Montpelier Professor.

1645. The faculty of physic at Copenhagen (b).

tions, published upon it; one by Twestrengk, at Basil, in the year 1581, and another by Hambergerus, at Tubingen, in the year 1586. One Gul. Lemnius, a Zealander, is said to have wrote upon the scurvy. He seems to have been a very trisling author, believing it to be the same disease in man that the measly distemper is in hogs. It would appear from Solomon Albertus, that his performance was out of print in the year 1593.

(b) It was one of the most celebrated faculties of medicine at that time in Europe; of which Olaus Wormius, two of the Bartholines, and Simon Paulli were then members. The latter, who was physician to the King of Denmark, has usually been ranked among the writers on the scurvy, upon account of an appendix which he added, ann. 1660, to his

Digressio de vera causa febrium, &c.

1647. Job. Drawitzs, physician at Leipsic, a celebrated chemist.

1657. Job. Rudolph. Glauberus, a celebrated chemist of Amsterdam.

1662. Balth. Timeus, chief physician to the Elector of Brandenburg.

1663. Valent. Andreas Moellenbroekius, a physician of Erfurt.

1667. Thomas Willis, an English physician, Professor of natural philosophy at Oxford.

1668. Everard Maynwaringe, a physician at London.

1669. Paul. Barbette, a Dutch physician.

1669. Frederic. Deckers, Professor at Leyden.

1672. Gualterus Charleton, physician in ordinary to his Majesty King Charles II.

1672. Herman. Nicolai, a Dane.

1674. Franciscus Deleboe Sylvius, Professor at Leyden.

1675. Gideon Harvey, physician in ordinary to his Majesty King Charles II.

1676. Bernard Below, physician to the King of Sweden.

in Groningen.

Dellon, a French physician.

1683. L. Chameau, a French physician.

1684. Stephanus Blancardus, a Dutch physician.

1684. Jo. Dolæus, chief physician, &c. to the Landgrave of Hesse-Cassel.

1685. Michael Ettmullerus, public Professor in the university of Leipsic.

Thomas Sydenham, the English Hip-

1694, Martin Lister, an English physician.

Nn4

1696. William Cockburn, physician to the Royal navy of G. Britain.

1699. Franc. Poupart, physician at Paris.

Arch. Pitcairn, an eminent Scots phyfician.

1705. Yvo Gawkes, a Dutch physician.

1708. Herman Boerhaave, the celebrated Leyden Professor.

1712. Jo. Hen. de Heucher, Professor at Wittenburg.

1720. College of physicians at Vienna.

1734. Jo. Freder. Bachstrom, a Dutch physician.

1734. Damianus Sinopeus, chief physician to the marine hospital at Cronstadt.

1737. J. G. H. Kramer, physician to the Im-

perial army in Hungary.

First Professor of Medicine at Hall in Saxony, &c.

1747. Abraham Nitzsch, physician to the Russian

army.

1747. Dr. Jo. Geo. Gmelin, Professor of chemistry and natural history, supposed at Tubingen.

fician to his late Britannic Majesty,

1750. Dr. Richard Ruffel, physician at Lewes in Suffex.

1750. Dr. John Huxbam, a celebrated physician at Plymouth.

1752, Dr. Charles Alston, a learned Professor of Botany and Medicine at Edinburgh.

1752. Dr. Anthony Addington, physician in London.

1753. Baron Van Swieten, First physician to the Emperor and Empress of Germany, &c.

1755. Charles Bisset, surgeon at Cleveland in Yorkshire.

1761. John A Bona, an Italian physician at Verona.

Solomon de Monchy, City physician at Rotterdam.

1764. Dr. Richard Brocklesby, Physician to the British army.

Dr. David Macbride, physician in Dublin, Dr. Donald Monro, physician to the British army.

Lewis Rouppe, a Dutch physician.

1767. Poissonnier Desperrieres, a French physician. 1768. John Christian Lange, physician at Copenhagen.

Dr. Nathaniel Hulme, physician in London. 1769. Dr. William Jarvey, an English physician,

# An Alphabetical Index of AUTHORS, &c.

Those who do not treat of the scurvy, are marked in Italic characters.

Authors are sometimes quoted in this treatise, without inserting the title of the book. In such cases, the pages in which the titles are mentioned, are here distinguished by being put within crotchets.

#### A

A Bona (John) 465. ActaHafniensia 31.218. Adam (Melchior) 4.299. Addington (Ant.) 456. Ægineta (Paulus) 289. Ætius 289. Agricola (Joh.) 300. Albertus (Mich.) 548. Albertus (Solom.) [317.] 3. 4. 5. 20. 200. Albinus (Jaco.) 548. Alfton (Charles) [457.] 188. Anfon's (Ld.) voyage. See Walter. Aretæus Cappadox 289. Astruc (Job.) 302.

## B

Aurelianus (Cælius) 289.

Avicenna 289.

Bachstrom (Joh. Fred.)
[399.] 28. 33. 50.
81. 140. 160.
Barbette (Paul.) [371.]
22.

Bartholinus (Thomas)

Behrens 548.
Below (Bernard,) 215.
Berkeley (Geo.) 421.
van Beverwyck (Joh.)
546.
Birch (Andreas) 548.

Birch (Andreas) 548. Biffet (Charles) 37.

Blancardus (Stephanus) 380.

Boerhaave (Hermannus) [390.] 6. 17. 24. 33. 34. 41. 142. 217.

Borrichius (Olaus) 548.
Botterus (Henric.) 546.
à Bra (Henric.) 545.
Brendel (Zachar.) 324.
Briscow (Pierre) 547.
Brocklesby (Rich.) 470.
Brucæus (Hen.) [313.]
20. 45.

Brunerus (Bal.) [315,] 4. 20. 85. 177. Burchard (Chr. Mart.) 548.

D.

Cadet 547. Careri (Fran. Gemelli) Carrichterus 549. Cartiers's (Ja.) voyage [294.] 179. 239. Caftanneda (Herman Lopez) 294. Cellarius (Hen.) 547. Celfus (Aur. Corn.) 77. 288. Chameau [378.] 18. Charleton (Gu.) [371.] 17. 18, 19. 20. 22. 24. 41. Chevreau (Urban.) 299. Churchill (John) 175. 176. Clegborn (Geo.) 287. Cockburn (William) [386.] 22. College of physicians at Copenhag. [357.] 45. College of physicians at Vienna [414.] 40. . 143. Commerc. literar. Norimb. 45. 284. 395. Conringius (Herman.) 363. 548. Cordus (Euritius) 299. Crawford (Jacob) 548. Deckers (Fred.) [371.] 22. Delaware (Lord) 160. Dellon [378.] 31. Dodonæus (Rembertus) [311.] 30. 45. 124. 284. Dolæus (Joh.) [381.] 18. 20. 22. Doringius (Michael) 341. Drawitzs (Joh.) 362. Dreyerus (Abraham.] 548. E. Echthius (Joh.) [302.] 1. 2. 20. 24. 30. 301.

Ellis (Hen.) [448.]

175.
Etmuller (Michael)
[381.] 22. 177. 216.
Eugalenus (Severinus)
[323.] 3. 5. & feq.
15. 18. 21. 22. 30.
32. 33. 219.

F.

Fabricius (Geo.) 299. Fabricius Hildanus (Gul.) 356. Foesius (Annutius) 284. Forestus Forestus (Petrus) [319.]
8. 30. 45. 301.
Francus (Geo.) 548.
Freind (Joh.) 292.
Frentagius (Joh. Hen.)
14.
Friccius (Melch.) 547.

Galenus (Claud.) 291.
Gama (Vaíco de) See
Castanneda.
Gawkes (Yvo) 388.
Gemma (Cornel.) 549.
Glauberus (Joh. Rud.)
142.
Gmelin (Joan Geor.)
[453.] 179. 218.

## H.

Habestro (Jac.) 548.
Hackluit (Rich.) 179.
294.
Hales (Stephen) 188.
189.
Haller (Albert.) 546.
Hambergerus (Geo.)
550.
Harris (Jo.) 155. 176.
Hartmannus (Jo.) 356.
Harvey (Gid.) [376.]
19.
Harvey (Gul.) 250.
Hechstetterus (Philip.)
546.

de Heucher (Jo. Hen.) [393.] 25. Hilfcher (Simon Paul.) 540. Hippocrates 20. 284. Sc. Historianatural. Russiæ 284. Hoffmannus (Freder.) [419. 6. 17. 23. 24, 27. 35. 38. 41. 49. Home (Francis) 190, 191. Hornius (Cafpar) 546. Horitius (Gregor.) fen, [338,] 13. 18. 41. Hulme (Nath.) 487. Hummel (Joh.) 547. Huxham (Joh.) [453,] 52. 128,

## J.

James's (Capt. Tho.)
voyage 176.

Jervey (Will.) 491.

Joinville (Le Sieur)
292.

Junckerus (Joh.) 26.

Junius (Adrian.) 31.

## K.

Kaau (Abraham) 255. Koeleser de Kereseer (Sam.) 548. Kolben (Peter) 200. Kramerus

57

Kramerus (Joh. Geo. Hen.) [159.] [409.] 17. 25. 26. 40. 42. 45. 78. 159. 172. 237. Krantz (Albert.) 299.

L.

Lancaster's (Capt. Ja.) voyage 156. Lancisus (Job. Maria) 250. Lange (Joh. Christ.) 486. Langius (Joh.) [305.] 284. 301. Law (Michael) 548. Lemnius (Gul.) 550. Lescabot (Mark) 397. Linder 265. Lipenius (Martinus) 302. 545. Lifter (Martin.) [285.] 46. 251. Lomius (Jod) 300. Lucretius Carus (T.) 289. M.

Macbride (Dav.) 471. 485. 539. Magnus (Olaus) [300.] 31. 69. 177. 293. 298.

Maitland 547. Marcellus 289. Martini (Matthæus)
[339.] 13. 14.

Maynwaringe (Ever.)
[370.]
Mead (Ric.) [450.]
34. 49. 153. 254.
287.

Medical Dissertations on the passions 231.

Medical essays (Edin.)
215.

Memoires d' acad. des

Memoires d' acad. des fciences 43. 239. Merklinus (Geo. Abr.)

302. 545. Mifcell. curiof. German. 215.

Missa (Hen. Mich.)
548.

Mithobius 549. Moellenbroeck(Valent. Andreas) [364.] 14. 22. 177. 217. 280. Monchy (Solomon de) 469.

Monk's (Capt.) voyage

Monro (Donald) 473. Muntingius (Abrah.) 377.

Musgrave (Gul.) 35.
Musschenbroeck (Petrus)
83.

Mye (Frederic Vander) [343.] 45. 81. 535. 551. N.

Nicolai (Herm.) [213.] 45. Nitzsch (Abra.) [395.] [421.] 19. 31. 37. 45. 49. 260.

O.

Œsserus (Otto) 363. Oxford's (Lord) collection of voyages 297.

P.

Patinus (Carolus) 548. Paulli (Simon) 218. 550. Pena (Petrus) 466. Petræus (Henric.) 215. Peucerus (Cafpar) 549. Pitcarnius (Archibald) [389.] 22. 35. Platerus (Felix, fen.) 331. Plinius (Caius) [290.] Plummer (And.) 215. Poissonnier (Desperrieres) 484. Poupart (Fran.) [239.] 289. Pringle (Joh.) [41.] 27. 31. 34. Promotus (Ælius) 469.

Purchas's collection of voyages, &c. 155.

R.

Reufnerus (Hieron.)
[323.] 8. 10.
Rhodius (Amb.) 548.
Riverius (Laz.) [356.]
22.
Robinfon (Bryan) 231.
Roetenbeck (I.) 546.
Ronffeus (Bald.) [305.]
1. 20. 30. 83. 158.
301.
Rouppe (Lewis) 474.
Rwyfch (Frederic.) 230.
Ruffel (Rich.) 451.

S

Sanctorius (Sanctorius)
228, &c.
Schenckius (Joh.) 549.
Schmid (Ludov.) 356.
Schmids (Jof.) 546.
Sennertus (Dan.) [340.]
13. 14. 15. 18. 22.
41. 219.
Sinopeus (Dam.) [405.]
31. 33. 45. 79. 234.
430.
Strabo 291.
Stubendorfius (Joseph.)
324.
Sulzerus

Sulzerus (Joh. Melch.) Ulricus (Tim.) 341. 548.

van Swieten (Gerard.) 46. 84. 201. 252.

254. 509.

Sydenham (Thomas)

[382.] 17. 23. Sylvius (Francisc. Deleboe) 375.

T.

Tabernæmon 549. Thiefen (Geo.) 548. Timæus (Balth.) 362. Tinctorius (Christoph.) 546. Travis 547. (Ernfroy Tschirnbaus. Walter de) 251. Twestrengk (Albert.) 550. U.

Vizcaino (Sebast.) 332.

W.

Waldschmidt (Jo. Jac.)

Walter (Rich.) [440.] 30. 58. 230. 253.

Wickardus (Arnold.)

343. Wierus (Joh.) [308.] 1. 3. 4. 86. 20. 200.

301. 302. Willis (Tho.) [364.] 15. Gc. 18. 20. 22.

24. 32.

Woodall (Joh.) 472. Wormius (Olaus) 219. Wyck 548.

Z.,

Zipfel (Jon.) 547.

#### ERRATA.

TI DEVISION IN

Wheat Populari

	E R R A I A.
Page	Line
2	1 of the note, Amsterodanum read Amstelodanum.
4	12 after it add had.
14	17 of the note, Hic read Hinc.
26	12 of the note, Cocochymia read Cacochymia.
ibid.	penult. of the note, half rotten in read in the most
	putrid state of.
59	19 effected read affected.
89	9 Disease read Diseases.
107	8 of the note, after possibly dele to.
117	3 black ash read blackish.
146	17 of the note, add R. before Cremoris Tartari scrup.
165	3 Ilair read Hair.
181	antepenult. dele and read apples if they can be got.
203	9 of read or.
211	19 of the note, ad stomachios read ad stomachicos.
265	19 mediciis read medicis.
272	19 Colchester read Polchester.
300	antepenult. of the note, sulividaque read sublivi-
	dæque.
305	14 Pliniique read Pliniique.
324	15 generally read general.
350	ult. of the note, is read misce.
388	ult. of the note, dele b.
475	7 after ounce add of.
476	26 callus read callous.
479	18 after sunk add when immersed.
487	6 Nyclalopia read Nyctalopia.
488	1 of the note, add R. before Gummi.
498	13 dele themselves.
503	17 vena lava read vena cava.

